

The Permian-Triassic Boundary in the Carnic Alps of Austria (Gartnerkofel Region)			Editors: W.T. Holser & H.P. Schönlaub	
Abh. Geol. B.-A.	ISSN 0378-0864 ISBN 3-900312-74-5	Band 45	S. 109-121	Wien, Mai 1991

**The Permian-Triassic
of the Gartnerkofel-1 Core
(Carnic Alps, Austria):
Geochemistry of Common and Trace Elements I –
ICP, AAS and LECO**

By PETER KLEIN*)

With 1 Text-Figure and 7 Tables

*Carinthia
Carnic Alps
Permian/Triassic Boundary
Geochemistry
Common Elements
Trace Elements*

Österreichische Karte 1 : 50.000
Blatt 198

Contents

Zusammenfassung	109
Abstract	109
1. Sampling	109
2. Analysis of Common and Trace Elements	109
3. Analysis of Carbon and Sulfur	110

Zusammenfassung

Die Analysenmethoden werden beschrieben, die bei der Untersuchung der Kernproben der Bohrung Gartnerkofel-1 zur Anwendung kamen. Für die Haupt-, Neben- und Spurenelemente waren dies die induktiv gekoppelte Plasma-Atomemissionsspektrometrie (ICP) und die Atomabsorptionsspektrometrie (AAS). Kohlenstoff und Schwefel wurden durch Verbrennungsanalyse mit nachfolgender Infrarotdetektion mittels eines Lecomaten CS-244 bestimmt.

Abstract

Analytical methods used for the examination of samples from core Gartnerkofel-1 are described. Common and trace elements were analyzed through inductively coupled plasma-atomic emission spectrometry (ICP) and atomic absorption spectrometry (AAS). Carbon and sulfur were determined through combustion analysis followed by infrared detection using a Lecomat CS-244.


1. Sampling

Samples of the core Gartnerkofel-1 were cut as described by W. T. HOLSER et al. in this volume, and aliquots of the ground powder were assigned for analysis of common and trace elements and of carbon and sulfur, respectively.

2. Analysis of Common and Trace Elements

A sample of the powder of about 500 mg was leached with 20 ml 1 M HCl for 90 minutes in a centrifuge tube, and centrifuged at 3000 rpm for 5 minutes. The supernatant solution was used for analysis

*) Author's address: Dr. PETER KLEIN, Geologische Bundesanstalt, Rasumofskygasse 23, A-1031 Wien.



Text-Fig. 1.
Aerial photograph from the north of the Reppwand with the Gartnerkofel (2195 m) in the background. A: Drill site on Kammleiten (1998 m); B: Top of the outcrop section. Dotted line indicates the Permian-Triassic boundary between the Bellerophon Formation (below) and the Werfen Formation above. Photo: G. FLAJS, Aachen.

by inductively coupled plasma spectroscopy (ICP) and atomic absorption spectroscopy (AAS). The insoluble residue (IR) was rinsed with distilled water, dried and weighed.

Spectroscopic measurements were made on a PERKIN-ELMER PE ICP-6500 equipment. Measurements were made in four sets, by appropriate method and wavelength listed in Table 1. Calibrations were made with solutions prepared with known concentrations, and with our internal laboratory standard Bellerophon Dolomite A/1. The results are given for the initial and two supplementary sets of samples in Tables 2, 3, and 4 respectively.

It is necessary to emphasize that the trace element contents detected are mainly those contained in the dolomite mineral phase, but that the treatment with HCl described above may have leached some metals of phosphorous from the clay minerals and other phases of the insoluble residue.

Table 1.
Analytical methods applied to core Gartnerkofel-1.

ELEMENT	METHOD	SET	WAVELENGTH nm
Al	ICP	b	308.215
B	ICP	a	208.959
Ba	ICP	b	455.403
Ca	ICP	c	317.933
Co	ICP/AAS	a	228.616
Cr	ICP/AAS	a	205.552
Cu	ICP/AAS	b	324.754
Fe	ICP/AAS	a	239.562
K	AAS/ICP	d	769.896
Mg	ICP	c	293.654
Mn	ICP/AAS	a	257.610
Na	AAS/ICP	d	589.592
Ni	ICP/AAS	a	231.604
P	ICP	a	214.914
Pb	ICP/AAS	a	220.353
Sr	ICP	b	407.771
Ti	ICP	b	337.280
V	ICP	b	310.230
Zn	ICP/AAS	a	213.856
Zr	ICP	b	339.198

Salient results are discussed in separate contributions by K. STATTEGGER (this volume) and W. T. HOLSER et al. (this volume).

3. Analysis of Carbon and Sulfur

The components of carbon and sulfur content were analyzed on separate aliquots of the powdered samples. For determination of total carbon (C_{tot}) and sulfur (S_{tot}) a 100 mg portion was weighed into a ceramic crucible by electronic balance. With a glass spoon about 2 g of LECOCEL (a Sn-W alloy) and 1 g of steel (7 ppm C, 14 ppm S) were added. The mixture was combusted in a furnace at 1400°C, using oxygen (>99.5 % pure) as carrier gas. The evolved gases CO_2 and SO_2 were measured in infrared cells by integrating their respective peaks. The system was calibrated with LECO calibration samples and with our internal laboratory standard Bellerophon Dolomite A/1.

Each sample was analyzed two to four times. The relative standard deviations were <1 % for C and <10 % for S. For determination of organic carbon ($C_{org.}$) and "acid-insoluble sulfur" ($S_{ins.}$) 500 mg of powder were weighed into a porous filter crucible, leached three times with 8 ml 2 M HCl, rinsed ten times with deionized water, and filtered with a filtering flask. The crucibles were dried in an oven at 150° overnight. Measurements were carried out as for total C and S.

Acid-soluble carbon ($C_{carb.}$) was calculated by difference. Similarly, "acid-soluble sulfur" ($S_{sol.}$) was calculated by difference. Inasmuch as the main component of sulfur expected in the core and observed by X-ray diffraction (A. FENNINGER, this volume) and reflected-light microscopy (W. T. HOLSER, this volume), was pyrite, most of the S was expected to be insoluble in HCl, and this was generally the case. Otherwise acid-soluble S was probably gypsum altered from pyrite in the outcrop, as observed by A. FENNINGER (this volume)

Table 5.
Analysis for C and S components core Gartnerkofel-1.
ins = insoluble in HCl; s = standard deviation.

Sample No.	Depth m	C _{tot.}		C _{org.}		C _{karb.} %	S _{tot.}		S _(ins.)		S _{HCl sol} %
		in %		in %			in ppm		in ppm		
		x	s	x	s	x	s	x	s	x	s
1	57.53	3.68	0.05	0.074	0.008	98	157	2	7	2	96
2	58.81	11.90	0.10	0.098	0.003	99	205	10	118	15	42
3	60.88	9.29	0.04	0.061	0.004	99	217	7	40	4	82
4	61.65	8.40	0.06	0.104	0.008	99	190	20	22	2	88
5	63.00	7.96	0.03	0.140	0.005	98	169	11	10	2	94
6	64.95	10.65	0.10	0.075	0.010	99	212	5	70	3	67
7	65.70	11.20	0.08	0.053	0.004	99	200	20	55	5	73
8	70.62	10.31	0.11	0.050	0.001	99	158	12	70	6	56
9	71.70	7.95	0.10	0.057	0.006	99	170	15	25	5	85
10	72.10	8.83	0.05	0.071	0.008	99	215	15	144	15	33
11	73.75	9.85	0.02	0.071	0.009	99	210	20	75	5	64
s 12	74.40	2.75	0.05	0.058	0.001	98	120	15	25	5	79
13	75.32	8.80	0.01	0.075	0.014	99	196	7	50	10	77
s 14	75.90	5.10	0.01	0.072	0.011	98	140	15	20	4	86
s 15	76.30	6.90	0.08	0.079	0.002	99	170	13	60	10	65
17	79.67	10.25	0.08	0.064	0.001	99	210	10	80	8	62
18	81.52	9.54	0.01	0.062	0.006	99	340	30	300	20	13
s 19	82.60	1.11	0.01	0.103	0.007	91	136	8	20	4	85
20	82.85	11.97	0.11	0.082	0.004	99	47	2	40	2	15
21	84.37	12.25	0.10	0.070	0.015	99	55	7	50	4	9
22	86.26	10.04	0.07	0.061	0.009	99	140	15	35	5	75
23	86.92	10.89	0.05	0.060	0.007	99	99	1	90	2	9
24	88.85	11.86	0.03	0.062	0.004	99	78	3	60	7	23
s 25	90.30	5.45	0.05	0.150	0.015	97	167	2	95	15	43
26	90.56	8.00	0.07	0.141	0.001	98	220	20	55	5	75
27	95.17	6.25	0.12	0.136	0.010	98	225	25	140	20	38
28	95.30	4.70	0.08	0.110	0.010	97	240	20	75	7	69
s 29	95.90	4.02	0.02	0.120	0.015	99	220	20	80	6	64
30	96.05	11.10	0.13	0.097	0.009	99	186	1	86	4	54
s 31	97.40	4.12	0.04	0.114	0.004	97	290	15	130	10	55
32	99.46	5.45	0.05	0.765	0.009	86	300	15	250	20	17
33	100.42	11.75	0.10	0.098	0.005	99	110	2	90	2	18
s 34	102.39	11.00	0.10	0.065	0.007	99	217	15	80	4	63
35	102.93	11.70	0.10	0.070	0.001	99	252	17	154	9	39
36	103.45	12.25	0.10	0.069	0.001	99	115	7	86	2	25
s 37	103.78	9.30	0.10	0.098	0.003	99	340	15	140	12	59
38	105.32	9.60	0.15	0.099	0.009	99	348	5	191	1	45
39	105.90	10.50	0.10	0.080	0.008	99	310	10	237	4	24
40	107.75	11.80	0.12	0.095	0.015	99	100	10	73	8	27
41	110.02	10.90	0.10	0.090	0.006	99	175	15	90	7	49
42	111.42	11.70	0.11	0.070	0.009	99	160	14	85	5	47
43	112.43	11.78	0.05	0.065	0.010	99	110	7	80	6	27
44	113.20	10.40	0.10	0.080	0.011	99	280	13	140	8	50
s 44A	114.00	10.24	0.03	0.065	0.012	99	290	15	126	6	57
45	114.10	9.80	0.05	0.060	0.010	99	230	17	105	7	54
46	115.95	12.60	0.05	0.115	0.010	99	72	8	50	5	31
47	117.70	11.90	0.10	0.125	0.011	99	77	11	66	6	14
48	118.64	12.40	0.10	0.235	0.013	98	55	7	45	5	18
49	119.27	12.62	0.05	0.120	0.010	99	70	7	60	6	14
50	123.50	12.70	0.10	0.060	0.005	99	60	5	53	4	12
52	127.04	10.35	0.05	0.075	0.004	99	170	10	156	4	8
53	127.40	7.90	0.10	0.105	0.005	99	270	15	200	5	26
54	127.46	8.50	0.10	0.112	0.006	99	310	10	245	6	21
55	127.55	7.72	0.05	0.205	0.010	97	3850	100	3750	50	3
56	130.10	11.80	0.03	0.090	0.003	99	190	15	125	5	34
57	130.40	12.10	0.05	0.080	0.004	99	70	5	60	6	14
58	130.55	12.37	0.03	0.065	0.008	99	19	2	20	5	0
s 59	134.53	4.75	0.05	0.195	0.005	96	200	5	109	10	46
60	136.50	11.84	0.07	0.105	0.002	99	168	2	160	3	5
61	137.23	11.72	0.01	0.104	0.003	99	160	15	115	5	28
63	138.96	9.05	0.05	0.130	0.006	99	246	2	235	3	5
64	140.60	10.60	0.05	0.161	0.007	98	140	10	130	3	7
65	141.54	11.00	0.10	0.093	0.001	99	145	5	140	2	3
s 66	142.74	8.90	0.10	0.129	0.002	99	170	10	164	2	4
67	143.26	12.00	0.10	0.084	0.002	99	200	15	180	10	10
68	144.33	11.80	0.10	0.073	0.001	99	150	15	139	5	7
s 69	146.08	10.50	0.10	0.122	0.001	99	225	10	183	5	19
70	146.65	12.00	0.10	0.098	0.002	99	120	15	110	5	8
71	147.60	11.20	0.10	0.195	0.003	99	210	10	185	4	12
72	149.34	11.30	0.10	0.110	0.005	99	196	5	165	4	16

Table 5 (continued).

Sample No.	Depth m	C _{tot.}		C _{org.}		C _{karb.} %	S _{tot.}		S _(ins.)		S _{HCl sol.} %
		in %		in %			in ppm		in ppm		
		x	s	x	s		x	s	x	s	
73	149.61	11.70	0.10	0.105	0.008	99	215	10	210	3	2
s 74	152.57	6.87	0.10	0.087	0.003	99	150	10	65	5	57
75	152.69	8.90	0.09	0.085	0.002	99	390	20	45	3	88
76	152.80	10.20	0.10	0.128	0.005	99	130	5	107	4	18
77	153.50	11.40	0.10	0.110	0.006	99	340	20	320	10	6
78	154.11	10.50	0.05	0.120	0.007	99	240	20	220	9	8
79	158.33	12.70	0.10	0.055	0.005	99	65	10	55	6	15
80	161.04	12.40	0.10	0.065	0.008	99	110	10	102	3	7
81	162.36	12.60	0.10	0.085	0.010	99	260	20	220	10	15
s 81B	163.50	6.40	0.05	0.102	0.002	98	220	13	170	8	23
s 82	163.88	7.45	0.05	0.122	0.005	98	285	5	215	5	25
83	164.32	12.45	0.10	0.105	0.004	99	90	5	84	3	7
84	164.60	11.40	0.10	0.098	0.002	99	110	10	80	5	27
85	166.35	11.70	0.11	0.097	0.003	99	293	4	250	10	15
s 86	167.98	7.70	0.10	0.107	0.004	98	160	4	111	6	31
87	168.78	11.50	0.11	0.120	0.006	99	147	12	84	6	43
88	169.10	11.90	0.10	0.045	0.004	99	125	11	76	4	39
89	171.33	12.20	0.10	0.065	0.006	99	158	2	130	10	18
90	173.53	11.70	0.10	0.062	0.005	99	120	15	112	3	7
92	174.90	9.90	0.05	0.056	0.002	99	284	14	211	4	26
93	175.10	11.05	0.10	0.063	0.003	99	260	25	239	5	8
94	176.37	12.69	0.03	0.090	0.010	99	30	10	30	5	0
95	177.43	12.50	0.05	0.075	0.008	99	74	12	65	5	12
96	177.42	12.55	0.04	0.078	0.004	99	76	2	68	6	11
97	179.64	12.25	0.05	0.077	0.003	99	93	15	80	5	14
98	180.33	12.05	0.10	0.270	0.004	98	75	15	65	6	13
99	181.37	8.90	0.05	0.133	0.005	98	365	3	315	10	14
s 100	181.57	4.75	0.05	0.216	0.016	95	306	6	40	5	87
s 101	182.00	6.16	0.05	0.161	0.006	97	12400	500	10500	300	15
103	182.20	11.70	0.05	0.088	0.005	99	230	20	185	10	20
104A	182.70	12.20	0.10	0.086	0.005	99	150	10	120	10	20
s 104B	183.28	6.54	0.03	0.235	0.015	96	510	30	210	15	59
105	183.40	11.94	0.07	0.081	0.006	99	220	5	170	10	23
s 106	183.51	7.76	0.01	0.248	0.002	97	322	4	230	20	29
107	183.61	11.87	0.03	0.102	0.009	99	309	11	285	10	8
108	183.97	11.98	0.03	0.088	0.002	99	220	11	210	5	5
109	184.17	11.08	0.02	0.112	0.007	99	228	4	215	5	6
110	184.43	12.00	0.02	0.073	0.009	99	162	1	150	10	7
111	184.72	12.53	0.02	0.065	0.005	99	74	8	70	5	5
112	184.80	12.00	0.15	0.120	0.010	99	165	2	122	2	26
s 112	184.93	4.58	0.10	0.458	0.032	90	978	22	760	60	22
113	184.96	11.90	0.20	0.089	0.016	99	153	2	137	2	10
114	185.26	11.81	0.09	0.065	0.001	99	210	18	150	1	29
115	185.30	11.75	0.01	0.152	0.017	99	237	1	202	6	15
116	185.51	11.74	0.03	0.108	0.014	99	201	8	117	3	42
s 117	185.57	0.39	0.03	0.384	0.011	1	126000	200	47500	6500	62
118	185.65	10.44	0.11	0.083	0.013	99	3285	65	3100	50	6
s 118B	185.80	1.13	0.02	0.261	0.060	86	23900	700	18200	500	24
119	185.96	9.00	0.03	0.164	0.020	98	8405	35	7835	15	7
120	186.15	11.16	0.09	0.068	0.001	99	550	7	540	5	2
121	186.47	9.69	0.07	0.124	0.004	99	4980	57	4850	100	3
s 121	186.50	6.56	0.06	0.160	0.009	97	5540	112	5320	110	4
122	186.77	11.31	0.04	0.180	0.007	98	159	7	95	5	40
123	186.80	11.35	0.15	0.111	0.025	99	154	5	82	5	47
s 124	186.85	7.78	0.10	0.151	0.011	98	204	20	109	8	47
125	186.93	10.60	0.10	0.099	0.008	99	200	20	105	10	48
126	187.05	12.05	0.02	0.057	0.004	99	98	10	80	5	18
s 126Ad	186.97	8.45	0.03	0.199	0.006	98	215	15	118	1	45
s 126Al	186.95	2.07	0.03	0.316	0.004	85	210	15	118	5	44
127	187.20	11.98	0.01	0.140	0.035	99	125	12	70	5	5
128	187.45	12.20	0.10	0.061	0.005	99	120	9	65	5	46
s 129	187.55	5.68	0.05	0.195	0.010	96	168	5	90	7	46
130	187.83	11.87	0.12	0.118	0.008	99	110	3	75	5	32
s 131	188.15	1.91	0.04	0.444	0.010	77	181	15	132	6	27
132	188.44	11.91	0.07	0.080	0.010	99	103	3	76	1	26
s 133	188.52	10.24	0.10	0.113	0.004	99	155	11	140	5	10
134	188.98	11.84	0.06	0.110	0.010	99	134	6	80	11	40
135	189.23	11.40	0.06	0.115	0.011	99	230	2	185	15	20
s 136	189.30	8.39	0.08	0.268	0.003	97	177	1	136	7	23
137	189.65	12.36	0.02	0.068	0.008	99	113	7	86	5	23
s 138	189.80	10.18	0.09	0.135	0.015	99	230	10	143	15	38
139	190.00	11.76	0.13	0.075	0.011	99	135	3	90	13	33
140	190.21	12.09	0.08	0.066	0.014	99	306	9	215	10	30
141	190.50	12.12	0.10	0.080	0.010	99	343	8	275	25	23

Table 5 (continued).

Sample No.	Depth m	C _{tot.} in %		C _{org.} in %		C _{karb.} %	S _{tot.} in ppm		S _(ins.) in ppm		S _{HCl sol.} %
		x	s	x	s		x	s	x	s	
142	190.66	12.10	0.07	0.081	0.009	99	364	17	295	20	19
s 143	190.86	5.40	0.02	0.559	0.002	90	270	17	245	5	9
144	191.06	12.57	0.10	0.336	0.011	97	151	15	80	20	47
145	191.53	11.52	0.08	0.130	0.009	99	167	15	145	12	31
146	192.23	12.00	0.06	0.085	0.010	99	200	1	150	8	25
147	192.90	12.55	0.07	0.095	0.010	99	250	2	210	10	16
148	193.00	12.07	0.01	0.135	0.012	99	242	5	152	7	37
149	193.55	12.45	0.10	0.125	0.010	99	123	3	110	5	11
150	193.80	12.49	0.11	0.090	0.009	99	115	14	60	15	50
151	194.33	12.47	0.03	0.088	0.008	99	275	20	223	6	19
152	194.75	12.20	0.08	0.087	0.009	99	251	21	230	15	8
153	195.15	12.20	0.05	0.071	0.008	99	155	15	140	10	10
154	195.38	12.17	0.05	0.075	0.009	99	151	7	135	9	11
155	195.90	12.50	0.06	0.080	0.010	99	224	4	185	10	17
156	196.23	12.50	0.03	0.070	0.005	99	180	9	175	5	3
157	196.60	12.50	0.07	0.073	0.007	99	65	1	45	7	30
158	197.05	12.50	0.10	0.092	0.007	99	90	10	82	4	9
159	197.73	12.50	0.12	0.100	0.010	99	67	1	50	8	25
160	198.36	12.05	0.10	0.225	0.011	98	155	5	130	6	16
161	198.70	12.63	0.01	0.085	0.007	99	81	8	77	3	5
162	199.15	12.48	0.02	0.090	0.010	99	40	7	35	3	13
163	199.45	12.23	0.06	0.115	0.005	99	32	1	30	3	6
164	201.31	12-70	0.01	0.109	0.002	99	48	6	45	5	6
165	201.99	12.65	0.05	0.084	0.006	99	37	9	30	6	19
166	202.15	12.75	0.05	0.090	0.010	99	30	5	25	5	17
167	202.50	12.60	0.10	0.085	0.005	99	40	8	35	4	13
168	203.73	12.55	0.10	0.075	0.005	99	20	5	20	5	0
169	205.63	12.62	0.10	0.077	0.006	99	20	5	20	5	0
170	206.89	12.40	0.04	0.095	0.010	99	27	5	25	5	7
171	207.14	12.91	0.09	0.165	0.003	99	31	6	30	5	3
172	210.03	12.20	0.04	0.070	0.008	99	16	1	20	5	0
173	211.33	11.41	0.07	0.118	0.010	99	69	2	65	6	6
174	211.45	11.17	0.04	0.164	0.004	99	113	2	110	5	3
s 175	211.85	9.90	0.09	0.132	0.010	99	132	2	105	10	20
176	212.20	10.53	0.08	0.110	0.010	99	141	13	135	3	4
177	212.30	11.14	0.04	0.090	0.009	99	114	4	85	8	25
178	213.50	9.46	0.11	0.125	0.004	99	210	4	160	15	24
179	213.65	10.78	0.01	0.117	0.001	99	151	5	125	2	17
180	214.05	11.63	0.04	0.158	0.015	99	283	8	162	8	43
181	214.25	11.73	0.10	0.104	0.011	99	222	17	164	1	26
182	215.07	11.74	0.02	0.163	0.004	99	495	35	450	30	9
183	215.35	10.80	0.08	0.192	0.002	98	6680	20	6220	90	7
184	215.70	10.90	0.09	0.107	0.029	99	2285	35	2180	60	5
s 185	216.30	9.80	0.15	0.253	0.011	97	3540	25	3200	100	10
186	216.62	11.50	0.07	0.118	0.032	99	670	20	620	30	7
187	219.70	8.95	0.01	0.149	0.006	98	5120	10	5070	20	1
188	220.10	8.36	0.03	0.166	0.022	98	5655	95	5380	60	5
189	220.20	7.81	0.08	0.165	0.016	98	6590	60	6500	200	6
s 190	220.35	6.27	0.01	0.550	0.020	91	16700	100	14200	200	15
191	221.01	10.10	0.07	0.097	0.004	99	5440	50	5350	50	2
192	222.08	6.30	0.02	0.395	0.012	94	12300	100	11200	300	9
s 193	222.20	8.44	0.08	0.354	0.020	96	33100	100	24000	1000	27
194	222.35	12.25	0.07	0.149	0.003	99	182	8	128	4	30
195	223.94	11.60	0.12	0.065	0.001	99	191	6	115	2	40
s 196	224.52	7.14	0.03	0.275	0.025	96	305	3	270	15	11
197	225.40	12.80	0.10	0.106	0.015	99	45	5	40	5	11
198	226.00	12.66	0.11	0.065	0.002	99	18	5	20	4	0
199	227.45	12.70	0.15	0.110	0.015	99	30	1	25	5	16
200	228.94	12.74	0.04	0.150	0.020	99	18	2	20	4	0
201	229.12	12.86	0.08	0.065	0.007	99	18	5	20	5	0
202	229.65	10.67	0.10	0.112	0.008	99	107	15	105	6	0
s 203	229.80	1.40	0.03	0.356	0.021	75	680	20	550	15	19
204	229.92	12.45	0.13	0.084	0.007	99	120	10	94	14	22
s 205	230.95	7.60	0.10	0.367	0.006	95	271	11	153	13	44
206	231.25	12.18	0.08	0.067	0.005	99	148	8	85	7	43
207	231.37	12.67	0.03	0.054	0.001	99	120	8	75	9	38
208	231.72	11.98	0.04	0.059	0.002	99	134	12	70	5	48
209	233.08	12.16	0.02	0.084	0.003	99	255	15	118	7	42
210	233.60	11.47	0.09	0.082	0.008	99	345	10	181	2	48
211	235.25	12.80	0.15	0.061	0.002	99	190	14	140	10	26
212	235.77	12.49	0.07	0.149	0.003	99	201	15	190	8	10
213	236.65	12.50	0.05	0.060	0.008	99	130	5	75	7	42

Table 5 (continued).

Sample No.	Depth m	C _{tot.}		C _{org.}		C _{karb.}	S _{tot.}		S _(ins.)		S _{HCl sol.}
		in %		in %			in ppm		in ppm		
		x	s	x	s	x	s	x	s		
214	236.76	12.60	0.10	0.066	0.006	99	145	15	90	12	38
215	237.84	12.80	0.10	0.068	0.003	99	135	5	85	13	37
216	240.26	12.49	0.01	0.059	0.004	99	110	10	99	6	10
217	240.90	12.80	0.10	0.061	0.006	99	60	5	55	3	8
218	241.89	12.34	0.09	0.085	0.010	99	180	17	160	7	11
219	243.17	12.65	0.08	0.068	0.001	99	130	7	120	9	8
220	243.60	12.70	0.05	0.073	0.002	99	105	10	98	4	7
221	244.28	12.72	0.04	0.095	0.008	99	150	1	140	6	7
222	247.95	12.45	0.10	0.163	0.008	99	155	15	150	1	3
223	251.00	12.44	0.08	0.307	0.007	98	183	9	175	5	4
224	251.85	13.12	0.04	0.150	0.004	99	58	5	55	3	5
225	252.36	12.48	0.01	0.077	0.003	99	120	10	117	3	3
226	254.28	12.50	0.03	0.108	0.007	99	150	15	120	10	20
227	255.65	10.35	0.05	0.128	0.004	99	6850	250	6600	100	4
228	256.54	11.95	0.01	0.088	0.009	99	175	10	130	7	26
229	256.97	12.20	0.04	0.155	0.013	99	200	20	155	10	23
230	257.35	12.45	0.15	0.130	0.008	99	180	10	88	2	51
231	259.17	12.63	0.01	0.080	0.015	99	120	4	80	5	33
s 232	259.50	8.04	0.01	0.150	0.020	98	439	8	300	15	32
233	261.05	12.20	0.15	0.169	0.001	99	160	10	133	3	17
234	261.83	11.73	0.04	0.158	0.017	99	225	20	190	20	16
235	263.25	12.60	0.10	0.170	0.020	99	120	10	90	10	25
s 236	263.54	5.16	0.05	0.148	0.005	97	210	15	168	7	20
237	265.13	12.70	0.11	0.085	0.009	99	134	9	135	5	0
s 238	266.80	10.28	0.05	0.068	0.008	99	440	5	382	10	13
239	267.46	12.50	0.05	0.110	0.012	99	140	15	67	7	52
240	269.75	9.70	0.07	0.340	0.010	96	1615	35	1500	100	7
241	270.15	11.30	0.10	0.090	0.010	99	390	20	380	10	3
242	270.80	12.25	0.10	0.111	0.011	99	170	10	100	8	41
243	271.20	11.95	0.01	0.077	0.001	99	260	10	110	5	58
244	272.95	12.51	0.11	0.110	0.015	99	141	7	102	4	28
245	273.85	12.10	0.15	0.123	0.008	99	220	5	145	8	34
246	276.30	12.65	0.10	0.198	0.004	98	180	10	91	3	49
247	277.98	12.97	0.01	0.084	0.001	99	140	15	78	1	44
248	278.75	9.55	0.02	0.155	0.025	98	195	15	120	20	38
249	279.67	12.75	0.12	0.117	0.009	99	150	3	86	3	43
250	280.44	12.79	0.08	0.097	0.003	99	115	7	70	4	39
251	281.40	12.53	0.03	0.077	0.002	99	53	1	48	2	9
252	281.45	12.90	0.05	0.060	0.008	99	47	8	45	2	4
253	282.71	11.62	0.13	0.102	0.003	99	152	10	150	2	0
254	285.05	12.14	0.01	0.071	0.004	99	196	13	160	4	18
255	286.33	12.92	0.12	0.130	0.008	99	58	5	50	5	14
256	287.83	12.60	0.10	0.070	0.002	99	104	11	82	5	21
257	289.07	12.35	0.15	0.064	0.001	99	117	12	88	10	25
258	289.62	8.82	0.07	0.150	0.010	98	3300	30	3100	120	6
259	290.37	12.79	0.01	0.075	0.010	99	88	2	66	3	25
260	291.15	12.15	0.05	0.107	0.001	99	135	5	85	6	37
261	291.26	12.45	0.10	0.094	0.006	99	160	15	88	15	45
s 262	292.30	2.12	0.10	0.266	0.004	87	19800	200	19500	100	2
263	292.60	11.90	0.15	0.065	0.010	99	150	20	128	8	21
264	293.46	12.30	0.10	0.058	0.001	99	170	10	68	9	60
s 265	294.80	5.77	0.10	0.112	0.002	98	330	18	140	20	56
266	295.29	12.47	0.05	0.066	0.009	99	113	7	77	4	32
s 267	295.95	9.68	0.01	0.085	0.005	99	3990	95	3800	150	5
268	296.40	12.40	0.16	0.063	0.011	99	120	2	72	6	40
269	297.77	12.70	0.15	0.164	0.001	99	250	20	130	10	48
270	298.85	12.95	0.09	0.065	0.003	99	303	1	90	11	70
271	299.60	12.45	0.03	0.070	0.010	99	195	9	102	15	48
272	299.92	12.71	0.06	0.077	0.003	99	100	6	72	13	28
273	301.10	12.60	0.15	0.057	0.006	99	70	10	58	6	17
274	303.15	12.78	0.01	0.070	0.008	99	78	1	75	2	4
275	305.80	12.65	0.15	0.075	0.005	99	105	10	100	3	5
276	306.80	12.97	0.14	0.192	0.007	98	70	12	65	3	7
277	307.55	12.05	0.05	0.087	0.003	99	210	5	125	8	40
278	308.10	12.50	0.10	0.080	0.002	99	207	3	142	1	31
279	310.02	12.60	0.10	0.068	0.004	99	80	8	74	3	8
280	311.34	12.72	0.08	0.065	0.003	99	94	8	81	7	14
281	312.10	12.40	0.10	0.061	0.007	99	95	5	89	3	6
282	313.58	12.30	0.10	0.065	0.007	99	85	5	80	4	6
283	314.36	12.10	0.10	0.088	0.003	99	225	5	210	5	7
s 284	314.86	8.60	0.12	0.074	0.002	99	2950	95	2800	100	5
285	315.16	12.41	0.01	0.150	0.005	99	185	17	170	10	8

Table 5 (continued).

Sample No.	Depth m	C _{tot.}		C _{org.}		C _{karb.} %	S _{tot.}		S _(ins.)		S _{HCl sol.} %
		in %		in %			in ppm		in ppm		
		x	s	x	s		x	s	x	s	
s 286	315.52	0.095	0.005	0.085	0.005	10	230	20	190	15	17
287	315.76	12.60	0.10	0.087	0.003	99	105	10	87	6	17
288	317.05	11.80	0.10	0.120	0.010	99	2250	100	2100	100	7
289	317.53	12.70	0.10	0.067	0.002	99	140	10	130	6	7
290	318.50	11.90	0.10	0.069	0.001	99	190	10	130	15	32
291	318.87	12.20	0.08	0.070	0.010	99	50	5	45	5	10
292	321.43	11.75	0.10	0.079	0.005	99	180	5	105	6	42
293	322.60	12.25	0.05	0.072	0.015	99	110	10	80	4	27
294	322.90	12.65	0.10	0.059	0.011	99	60	10	55	5	8
295	323.70	12.40	0.10	0.075	0.005	99	35	5	30	5	14
296	324.80	12.42	0.02	0.096	0.003	99	75	10	70	3	7
297	326.55	12.80	0.15	0.060	0.004	99	35	4	30	2	14
298	327.31	12.90	0.10	0.062	0.008	99	40	2	35	5	13
299	328.06	13.05	0.10	0.135	0.007	99	50	5	45	5	10
300	329.04	12.62	0.01	0.090	0.009	99	138	4	95	2	31
301	329.60	12.80	0.10	0.070	0.005	99	75	5	70	2	7

Table 6.
Analysis for C and S components core Gartnerkofel-1.
First supplementary samples.
ins = insoluble in HCl; s = standard deviation.

Depth m	C _{tot.}		C _{org.}		C _{karb.} %	S _{tot.}		S _(ins.)		S _{HCl sol.} %
	in %		in %			in ppm		in ppm		
	x	s	x	s		x	s	x	s	
251.20m	11.84	0.09	0.063	0.008	99	260	20	199	1	24
251.40m	12.65	0.07	0.047	0.001	99	195	10	158	4	19
251.60m	12.18	0.18	0.047	0.005	99	230	20	119	8	48
251.75m	12.66	0.10	0.118	0.012	99	150	6	118	1	21
251.95m	11.86	0.06	0.048	0.006	99	165	9	93	5	44
252.10m	12.14	0.06	0.058	0.001	99	158	7	98	4	38
252.30m	12.25	0.01	0.052	0.001	99	140	15	86	4	39
252.70m	12.47	0.07	0.074	0.003	99	98	9	85	4	13
252.95m	12.82	0.12	0.051	0.002	99	80	7	75	3	6
253.00m	12.80	0.05	0.064	0.003	99	85	5	85	1	1
253.20m	12.49	0.05	0.068	0.002	99	80	4	63	3	21
253.55m	12.76	0.12	0.047	0.001	99	150	10	130	5	13
253.75m	12.93	0.02	0.060	0.004	99	130	9	125	5	4
253.95m	12.58	0.17	0.062	0.006	99	140	10	130	4	7
254.15m	12.50	0.08	0.073	0.006	99	210	8	190	5	10
313.65m	12.55	0.03	0.048	0.005	99	105	12	70	4	33
313.75m	12.63	0.02	0.051	0.005	99	110	8	67	3	39
313.85m	12.83	0.14	0.047	0.001	99	118	6	111	1	6
313.95m	12.80	0.05	0.058	0.005	99	95	5	88	5	7
314.05m	12.50	0.10	0.057	0.002	99	120	9	85	1	29
314.20m	12.58	0.06	0.051	0.003	99	140	13	104	4	26
314.40m	12.30	0.03	0.053	0.002	99	350	30	320	20	9
314.50m	12.15	0.04	0.053	0.002	99	320	25	200	15	38
314.64m	12.36	0.03	0.070	0.003	99	1200	50	1150	30	4
314.70m	11.60	0.10	0.054	0.001	99	700	30	670	20	4
314.80m	11.24	0.01	0.050	0.004	99	1400	40	1300	30	7

Table 7.
Analysis for C and S components core Gartnerkofel-1.
Second supplementary samples.
 ins = insoluble in HCl; s = standard deviation.

Sample No.	Depth m	C _{tot.}		C _{org.}		C _{karb.} %	S _{tot.}		S _(org.)		S _{HCl sol.} %
		in %		in %			in ppm		in ppm		
		x	s	x	s		x	s	x	s	
190A	220.50 - 220.53	10.30	0.02	0.140	0.010	99	4700	200	4450	50	5
190B	220.72 - 220.76	10.08	0.03	0.125	0.008	99	4970	155	4380	60	12
190C	220.88 - 220.92	8.61	0.10	0.230	0.009	97	8500	210	7750	50	9
191A	221.16 - 221.20	9.87	0.02	0.165	0.010	98	3970	100	3700	40	7
191B	221.32 - 221.35	9.71	0.10	0.210	0.015	98	5500	160	4900	40	11
191C	221.35 - 221.39	9.25	0.07	0.130	0.009	98	6900	180	6050	50	12
191D	221.52 - 221.56	8.43	0.02	0.195	0.002	98	7000	200	6740	30	4
191E	221.78 - 221.82	9.18	0.01	0.150	0.009	98	4750	170	4400	70	7
191F	222.03 - 222.06	8.75	0.08	0.135	0.005	98	7200	100	6480	20	10
192A	222.13 - 222.16	11.01	0.05	0.162	0.004	99	3020	100	2850	30	6
193A	222.25 - 222.28	12.16	0.06	0.129	0.010	99	130	15	120	1	8
194A	222.44 - 222.48	11.55	0.12	0.106	0.003	99	270	20	210	6	22
194B	222.62 - 222.66	11.30	0.10	0.140	0.010	99	740	25	650	10	12
194C	223.00 - 223.03	10.60	0.10	0.145	0.007	99	210	15	141	3	33
194D	223.31 - 223.35	11.80	0.02	0.103	0.001	99	170	10	127	2	25
194E	223.69 - 223.73	12.00	0.03	0.098	0.003	99	190	11	145	5	24
195A	224.02 - 224.06	10.88	0.02	0.120	0.010	99	265	9	240	2	10
195B	224.35 - 224.38	11.15	0.05	0.125	0.009	99	160	5	130	10	19
196A	224.70 - 224.75	12.30	0.06	0.140	0.008	99	170	20	115	2	32
196B	224.99 - 225.03	12.45	0.10	0.105	0.007	99	122	13	88	4	28
196C	225.20 - 225.24	12.40	0.10	0.130	0.010	99	125	14	95	5	24
197A	225.62 - 225.66	12.50	0.05	0.125	0.009	99	123	12	78	4	37
197B	225.82 - 225.86	12.85	0.03	0.128	0.010	99	120	13	77	3	36
198A	226.20 - 226.24	12.80	0.08	0.135	0.006	99	115	13	69	2	40
198B	226.50 - 226.53	12.65	0.07	0.075	0.003	99	121	12	55	7	55
198C	227.00 - 227.04	12.60	0.04	0.060	0.002	99	120	13	72	5	40
199A	227.75 - 227.79	12.65	0.05	0.090	0.005	99	115	13	75	6	35
199B	228.02 - 228.06	12.85	0.05	0.080	0.007	99	119	12	80	7	46
199C	228.50 - 228.55	12.60	0.09	0.070	0.008	99	115	12	76	1	34
199D	228.61 - 228.66	12.90	0.10	0.075	0.009	99	135	15	62	2	54
201A	229.19 - 229.24	11.90	0.10	0.068	0.007	99	118	12	55	7	53
202A	229.72 - 229.76	11.90	0.10	0.120	0.010	99	155	12	110	10	29
204A	230.01 - 230.06	11.70	0.10	0.095	0.011	99	160	15	145	12	10
204B	230.44 - 230.48	12.10	0.08	0.090	0.010	99	140	16	75	4	46
204C	230.58 - 230.62	12.05	0.10	0.105	0.012	99	125	12	90	5	28

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Abhandlungen der Geologischen Bundesanstalt in Wien](#)

Jahr/Year: 1991

Band/Volume: [45](#)

Autor(en)/Author(s): Klein Peter

Artikel/Article: [The Permian-Triassic of the Gartnerkofel-1 Core \(Carnic Alps, Austria\): Geochemistry of Common and Trace Elements I - ICP, AAS and LECO 109-121](#)