

Verzeichnis der Pflanzennamen

(einschließlich einiger Tiernamen).

- | | |
|--|---|
| <p><i>Abies alba</i> 493, 497.</p> <p><i>Acacia sphaerocephala</i> 517</p> <p><i>Achimenes longiflora</i> 401, 402.</p> <p><i>Actinostemma paniculata</i> 404.</p> <p><i>Adesmia</i> 470.</p> <p><i>Adhadota cydoniaefolia</i> 403.</p> <p><i>Adiantum</i> 407.</p> <p><i>Aegylops seu festuca Pliniana</i> 19.</p> <p><i>Agaricus fusipes</i> 414.</p> <p>— <i>spec.</i> 414.</p> <p>— <i>torminosus</i> 516.</p> <p><i>Agrimonia</i> 200, 201, 202.</p> <p>— <i>Eupatoria</i> 199, 200, Abb. 1.</p> <p><i>Agrostemma</i> 390, 392, 398.</p> <p>— <i>Githago</i> 14, 390, 391, 393, 396—398, 408.</p> <p><i>Ahorn</i> 484.</p> <p><i>Akebia quinata</i> 403.</p> <p><i>Alchemilla vulgaris</i> 199.</p> <p><i>Algen</i> 488, 490, 492.</p> <p><i>Alliaria officinalis</i> 200.</p> <p><i>Allosurus</i> 407.</p> <p><i>Alnus glutinosa</i> 180, 195.</p> <p><i>Alocasia Veitchii</i> 521.</p> <p><i>Alsineen</i> 95.</p> <p><i>Amanita muscaria</i> var. <i>regalis</i> 510.</p> <p>— <i>phalloides</i> 511.</p> <p>— <i>rubescens</i> 511.</p> <p><i>Amanitopsis plumbea</i> 414.</p> <p><i>Ampelopsis quinquefolia</i> 404.</p> <p><i>Anacardiaceae</i> 129.</p> <p><i>Andromeda polifolia</i> 196.</p> <p><i>Aneimia</i> 407.</p> <p><i>Anthoxanthum</i> 277.</p> <p><i>Anthurium</i> 406.</p> <p>— <i>acaule</i> 521.</p> <p>— <i>Kellermannii</i> 406.</p> <p><i>Aphanochaete</i> 428, 432, 434, 440.</p> <p><i>Aphanothece</i> 52, 53, 56.</p> | <p><i>Aphanothece caldariorum</i> Rchtr. 52.</p> <p><i>Apios tuberosa</i> 403.</p> <p><i>Apium graveolens</i> 401, 402.</p> <p><i>Apodantheae</i> 468, 477.</p> <p><i>Apodanthes</i> 468, 469, 477.</p> <p>— <i>Blanchetii</i> 471.</p> <p>— <i>calliandrae</i> 472, 474.</p> <p>— <i>caseariae</i> 468, 475, 476, 477.</p> <p>— <i>flacourtieae</i> 468.</p> <p>— <i>globosa</i> 471.</p> <p>— <i>mexicana</i> 472.</p> <p>— <i>Pringlei</i> 470.</p> <p>— <i>surinamensis</i> 468.</p> <p><i>Arabis</i> 75.</p> <p><i>Araceen</i> 518, 519.</p> <p><i>Arbutus unedo</i> 3.</p> <p><i>Arenaria ciliata</i> 94, 95.</p> <p>— <i>serpyllifolia</i> 93, 95.</p> <p><i>Armeria vulgaris</i> 401.</p> <p><i>Arrhenatherum</i> 316, 317, 320—323.</p> <p>— <i>elatius</i> (L.) M. 316, 317, 318, Abb. 1, 320, 322, 323.</p> <p><i>Artemisia</i> 10.</p> <p><i>Arum</i> 522—524, 526, 528, 531, 533, 534.</p> <p>— <i>brasilicum</i> 520.</p> <p>— <i>Dracunculus</i> 520, 521, 523.</p> <p>— <i>divaricatum</i> 520.</p> <p>— <i>esculentum</i> 520.</p> <p>— <i>fornicatum</i> 520.</p> <p>— <i>italicum</i> 518, 520, 521, 523, 528, 529, 531.</p> <p>— <i>maculatum</i> 518, 520, 521, 523.</p> <p>— <i>orixense</i> 520.</p> <p>— <i>pedatum</i> 520.</p> <p>— <i>pictum</i> 520.</p> <p>— <i>sagittifolium</i> 520.</p> <p>— <i>trifoliatum</i> 520.</p> <p><i>Ascobolus</i> 299.</p> <p><i>Ascomyceten</i> 414, 469.</p> |
|--|---|

- | | |
|---|--|
| <i>Aspidium</i> 407. | <i>Botrydiopsis</i> 490, 491. |
| <i>Asplenium</i> 407. | — <i>oleacea</i> 490 |
| <i>Astragalus</i> 470. | <i>Brassica</i> 397. |
| <i>Atriplex canescens</i> 8. | — <i>Napus</i> 394, 396, 397 |
| — <i>lentiformis</i> 8, | <i>Briza media</i> 276. |
| <i>Avena</i> 14, 15, 16, 321, 390, 395, 396. | <i>Bruguiera gymnorhiza</i> 9. |
| — <i>fatua</i> 13, 14, 15, 18, 19. | <i>Bryonia alba</i> 404. |
| — <i>nuda</i> 19. | <i>Bryophyllum calycinum</i> 63. |
| — <i>orientalis</i> 15, 18. | — <i>crenatum</i> 63. |
| — <i>sativa</i> 14, 15, 17, 19, 316, 392, 394, | <i>Bryopsis</i> 343. |
| 395, 398. | <i>Bumilleriopsis</i> 491. |
| — <i>sylvestris seu nigra cuius grana paulo</i> | <i>Butea frondosa</i> 6. |
| <i>longiora crassioraque sunt avenae</i> | <i>Butomus umbellatus</i> 82. |
| <i>sativae, ac ex rubro nigricantia</i> 19. | |
| <i>Azalea indica</i> 339, 340. | |
|
<i>Bacillariales</i> 437, 490. | <i>Cactus grandiflorus</i> 519. |
| <i>Bacillus subtilis</i> 376. | <i>Caesalpinoideae</i> 470. |
| <i>Bakterien</i> 96, 104. | <i>Caladium bicolor</i> 520. |
| <i>Bacterium tumefaciens</i> 96, 97, 98, 99, | — <i>helleborifolium</i> 520. |
| 101, 104, 105, 106, 107. | — <i>tripartitum</i> 520. |
| <i>Bakterien</i> 342, 440. | — <i>viviparum</i> 520. |
| <i>Ballote</i> 484. | <i>Calla aethiopica</i> 520, 521. |
| <i>Bambuseae</i> 276, 278. | <i>Calliandra</i> 470, 472, 473, 475, 476. |
| <i>Bambusa Blumeana</i> 278. | — <i>brevipes</i> 472, 474. |
| <i>Basidiomyceten</i> 414. | — <i>catingae</i> 472, 474, 476. |
| <i>Bauhinia</i> 470, 471, 475, 476. | — <i>cylindrocarpa</i> 472. |
| — <i>lunarioides</i> 471. | — <i>grandiflora</i> 472. |
| <i>Berberis</i> 246. | — <i>leptopoda</i> 472, 474, 476. |
| <i>Berlinia</i> 470. | <i>Calluna</i> 192. |
| — <i>Eminii</i> 470. | — <i>vulgaris</i> 192. |
| — <i>paniculata</i> 470. | <i>Camelina sativa</i> 13. |
| <i>Beta vulgaris</i> 394. | „ <i>Canaigre</i> “ 38, 40, 42, 43, 44. |
| <i>Betken</i> 510. | <i>Cannabis</i> 398. |
| <i>Betula nana</i> 197. | — <i>sativa</i> 397, 408. |
| — <i>pubescens</i> 195. | <i>Cantharellus cibarius</i> 515 |
| <i>Bidens tripartitus</i> 392. | <i>Carapa procera</i> 129. |
| <i>Bignonia radicans</i> 519. | <i>Carex</i> 194. |
| <i>Biota</i> 423. | — <i>chordorrhiza</i> 197. |
| <i>Birkenreizker</i> 515. | — <i>filiformis</i> 195. |
| <i>Blaualgen</i> 440. | — <i>globularis</i> 197. |
| <i>Blutberberitze</i> 344. | — <i>heleonastes</i> 193, 197. |
| <i>Bluthirke</i> 344. | — <i>lasiocarpa</i> 197 |
| <i>Blutbuche</i> 344. | — <i>limosa</i> 196, 197. |
| <i>Bluthasel</i> 344. | — <i>loliacea</i> 197. |
| <i>Bohnen</i> 335. | — <i>paniculata</i> 194. |
| <i>Boletus sanguineus</i> 414. | — <i>pauciflora</i> 197. |
| <i>Bombax</i> 129. | — <i>rostrata</i> 194, 197. |
| — <i>balanoides</i> 129 | — <i>tenella</i> 197. |
| | <i>Caryophyllaceen</i> 91, 220. |
| | <i>Cascara</i> 42, 43. |

- Casearia* 469.
Castilloa 128.
— *elastica* 128.
Catasetum 24.
Caulerpa 343.
— *plumaris* 343, 344.
— *prolifera* 343.
Caulotretus 471.
Cecropia 129.
Ceiba 129.
Celastrus scandens 403.
Centranthus macrosiphon 220, 229, 231.
Centrictactus 491.
Cerastium arvens e subsp, arvum Correns
93, 94, 95.
Cereus grandiflorus 519.
— *pteranthus* 519.
Ceropegia africana 403.
Chamaedaphne calyculata 183, 197.
Champignons 518.
Chara 410, 411, 412.
— *foetida* 411.
Characeen 341, 412.
Characiopsis 491, 492.
Characium 491.
Chenopodium 14.
— *album* 14.
Chironia peduncularis 199.
Chlamydomonas 433, 437, 442.
— *nivalis* 431.
Chloris 228, 232.
— *ciliata* 203, 218, 228.
Chlorobotrydaceae 491.
Chlorobotrydeae 491.
Chlorobotrydinæ 491.
Chlorobotrys 491.
Chlorophyceae 442, 490, 491.
Chlorotheciaceae 492.
Chlorothecium 492.
Chroococcaceen 56.
Chroococcus 51, 53, 57.
Chrysanthemum frutescens 96, 98, 101.
Chrysidiastrum 429.
Chrysocrinus 429.
Chrysophyceen 490.
Chrysophyta 490.
Chrysostephanosphaera 429.
Chrysothylakion 429.
Clarkia 212, 214.
— *elegans* 205, 209, 212, 220, 229, 230.
— *pulchella* 205, 209, 212, 213, 220,
229, 231.
Clematis 404, 408.
— *coccinea* 405.
— *hybrida „Duke of Edinbourg“* 404.
— *hybrida „Lasurstern“* 404, 445.
— *hybr. „Lucie Lemoine“* 405.
— *Jackmanni* 404, 405.
— *lanuginosa* 405.
— *paniculata* 405.
— *tubulosa* 404, 405.
— *vitalba* 405.
— *viticella kermesina* 404.
Clitocybe sp. 414.
Cocos nucifera 289.
Coleus 537.
— *hybridus* 536.
Colocasia 522, 525, 526, 527, 533, 534,
535.
— *odora* 520, 521, 522, 523, 528.
Coniferen 492.
Convallaria 139.
Convolvulus pubescens 403.
— *tricolor* 403.
Coprinus 298.
Corallorrhiza 272
Cordia 129, 132.
Cortinarius obtusus 414.
Crassulaceen 81.
Crucibulum 288.
— *vulgare* 288, 299, 300.
Cruciferen 81.
Cucurbita melopepo 519.
— *Pepo* 404.
Cuscuta 402, 408.
Cyanophyceen 415.
Cyathus 288, 294, 299.
— *striatus* 288, 289, 290, 292, 293, 294,
300.
Cycadeen 129, 519, 529.
Cyclanthera pedata 404
Cyphomandra 132.

Dalea 471.
— *Emoryi* 470.
— *frutescens* 470.
„*Darrgras*“ 274.
Daucus Carota 292.
Desmidiaceen 440.
Desmodium 409.

- Dianthus barbatus* 92.
 — *Carthusianorum* 95.
 — *Caryophyllus* subsp. *silvester* 94, 95.
 — *deltoides* 93, 95.
Diatomeen 440, 502.
Dictamnus fraxinella Pers. 442, 446.
 — *generalis* 446.
Dictyoloma 131.
Digitalis ambigua 372.
 — *lutea* 220, 229, 231, 372.
 — *purpurea* 218.
Dinamoeba 429.
Dionaea, 448, Abb. 1, 2, 449, Abb. 3, 450.
 — *muscipula* 447, 450.
Dioscorea villosa 403.
Diptam 442.
Dipterocarpaceen 354.
Dipterocarpus 348, 356, 357, 360, 361
 — *grandiflorus* 349—352, 355, 357—358,
 361, 364—366.
 — *retusus* 349, 351 356, 360, 362.
 — *Spanoghei* 358.
 — *Zeylanicus* 348, 352, 361.
Distichlis spicata 8.
Doodya 407.
Draparnaudia 428, 431, 432, 435, 436,
 437, 440, 441.
Drosera anglica 196.
 — *intermedia* 183, 196.
Dryas octopetala 3.
- Ecballium Elaterium* Rich. 20.
Elodea 301, 302, 303—305, 307, 308,
 311—313, 345.
 „*Emmer, aegyptischer*“ 238.
Empetrum nigrum 195, 196.
Endomyces vernalis 388.
Epilobium 212, 216, 232.
 — *angustifolium* 220.
 — *hirsutum* 205, 206, 210, 218, 220
 232.
 — *roseum* Schreb. 205, 206, 210, 218,
 220, 232.
 — *parviflorum* 218.
Epilobium-Typus 210, 211.
Epipogon 272.
Erbsen 335.
Eremosphaera 491.
Ericaceae 192.
- Erica tetralix* 197.
Eriophorum alpinum 197.
 — *vaginatum* 195.
Euphorbia 75.
Eurotium 299.
Exoascus 246.
 — *Cerasi* 122, 246, 247, Abb. 1, 248,
 Abb. 2.
 — *turgidus* 121, 123.
- Fahnenhafer* 16, 18.
Feuerbohne 324.
Ficus 406.
Filipendula Ulmaria 199.
Flacourtie 469.
Flacourtiaceae 469.
 „*Flagellaten*“ 429, 440, 490.
Flughafer 16, 19.
Foreliella perforans Chod. 51.
Fragaria vesca 199.
Frangula 42, 43.
Friedrichswerther Mammuth Winter-
gerste 482.
Fucaceen 341.
Fuchsia 100, 103.
Fusicladium 164.
 — *dendriticum* 164.
- Galium* 14.
 — *Aparine* 14.
 — *spurium* 14.
Galactia Jussiaeana 472, 473, 476, 477.
Gentianaceae 220.
Gentiana cruciata 220, 229, 231.
 — *lutea* 220.
 — *verna* 220.
Geranium pusillum 81.
Gesneriaceae 220, 228.
Geum 224, 226, 228, 232.
 — *urbanum* 220, 224, 228.
Giftreizker 514, 515.
Giftige Speiseschwämme 515.
Glechoma hederacea 199, 201.
Gloeoapsa 46, 50, 52, 53, 57.
 — *atrata* (Turp.) Ktz. 50.
 — *sanguinea* (Ag) Ktz. 51, 56.
Gloxinia, 226, 227, 228, 232.
 — *hybrida* 228.

Gomontia 48.
Gongrosira codiolifera Chod. 51.
Gramineae 228.
Griinalgen 427, 434, 436, 437, 440, 502.
Grünlinge 513.
Grünpilze 513.
Grünreizker 510, 512, 513, 515.
Guttiferae 220, 228.
Gymnodinium 430.

Haematococcus 431.
Hafer Beseler II. 482.
Haferpflanzen 483.
Halesia 359.
Halosphaera 488, 489, 490, 491, 492.
Halosphaeraceae 491.
Halosphaereae 491.
Hedera 406.
— *helix* 202, 372, 406.
— *sagittifolia* 406.
Hederich 484.
Heines Kolben Sommer-Weizen 482.
Helianthemum vulgare 410.
Helianthus 390, 398, 452.
— *annuus* 392, 394, 397.
Heliosperma alpestre 94, 95.
Helvella crispa 414.
Heterochloridales 430.
Heterococcales 491.
Heterokontae 490, 491.
Heterolagynion 429.
Heuchera caulescens 401, 402.
Hevea 129.
Hierochloe 276, 277.
— *australis* 274, 278.
— *borealis* 274, 277.
— *odorata* 274, 275, Abb 1, 276, 277, 278.
Hippophae rhamnoides 188.
Hippuris 345.
Hordeum 277, 321.
— *vulgare* 392, 395, 398.
Hoya carnosa 403.
Humulus Lupulus 403.
Hydrocharis 308.
Hydrocotyle vulgaris 197.
Hydrolea spinosa 372, 373.
Hydrophyllaceae 206, 214, 220, 372.
Hygrophorus conicus 414.

Hypericum 221, 226, 228, 232.
— *perforatum* 220, 221, 224, 228.
Hypolepis 407.

Inga 470, 472.
— *microcoma* 129.
Ipomoea purpurea 403.
Juncaceae 277.

Kartoffel 100.
Kittnauer Wechsel-Weizen 482.
Klee, 484.
Knollenbläterschamm, grüne 513, 515.
Königsfliegenpilz 510.
Kornrade 14.
Kurki, 515.

Lactaria 510, 515.
— *ciliooides* 515.
— *deliciosa* 515.
— *torminosa* 509, 510, 514, 515.
Laminaria 343.
— *saccharina* 342.
Laminariaceen 342, 343.
Ledum palustre 195—197.
Leguminosae 129.
Leptopuccinia 91, 92.
Levkoim 335.
Linaria cymbalaria 410.
Linum 73
— *alpinum* 73, 74, 75.
— *austriacum* 73, 74.
— *campanulatum* 74.
— *capitatum* 74.
— *catharticum* 73, 74.
— *flavum* 74.
— *Lewisii* 74.
— *marginale* 73,
— *maritimum* 74.
— *narbonense* 73, 74.
— *nodiflorum* 73.
— *perenne* 73.
— *sativum* 392.
— *sibiricum* 74.
— *strictum* 73—75.
— *tenuifolium* 73—75.
— *usitatissimum* 13, 73, 74, 394, 396, 397,
Lonicera sempervirens 403.

- Lophospermum* 402, 408.
 — *scandens* 404, 405.
Lupinus albus 394, 402,
Lychnis Flos Cuculi 94, 95.
Lygodium volubile 407.
Lyonsia straminea 408.
Lythraceae 220.
Lythrum 232.
 — *Salicaria* 218, 220, 229, 230.
- Mabea* 132.
Macrolobium acaciaefolium Bth. 128.
Malachium aquaticum Fries 92.
 „*Mariengras*“ 274.
Marsilia 407.
Mastigocoleus 48.
Maurandia semperflorens 404.
Medicago sativa 106.
Melampsora 74.
 — *Euphorbiae* 75.
 — *Helioscopiae* Pers. 73.
 — *Lini* 73, 75.
 — *Lini* var. *liniperda* 73.
 - var. *major* 73.
 — *liniperda* (Körnicke) Palm 73.
Melampsorella Caryophyllacearum 120,
 123, 245.
- Melampyrum* 272.
Melandryum dioecum 94, 95.
 — *rubrum* Garcke 92.
Menispermum canadense 403.
 „*Mesquite*“ 8.
Micania scandens 403.
Mimosa 409, 470—472, 474—476.
 — *Claussenii* 474.
 — *cyclophylla* 473, 474.
 — *incana* 474.
 — *polycarpa* 474, 475, 476.
 — *pyrenaea* 475.
 — *setosissima* 473, 474.
 — *tomentosa* 474.
 — *Ulei* 474.
Mirabilis 337, 338, 346.
 — *Jalapa* 331.
Moehringia muscosa 93, 94, 95.
 — *trinervia* 92—95.
Molinia 195.
Monodus 491, 492.
 — *amicimei* 492.
- Monotropa* 272.
Monstera 524—526, 531—534.
 — *deliciosa* 521—523, 528, 529, 535.
 — *Lennea* 521.
Mucor spec. 414.
Mumienweizen, aegyptischer 234.
Mutinus caninus 414.
Myrica Gale 183, 197, 198.
Myristicaceen 129.
Myxomyceten 415.
- Nackthafer* 19.
Nelumbo nucifera 519.
Nemophila insignis 372.
Neurogramme 407.
Nicotiana Tabacum 220, 229, 231.
Nidularia 288, 292.
Nidulariaceen 288, 289, 291, 299.
Nigella damascena 220, 229, 230.
 — *sativa* 220, 229, 230.
Nitella 411.
Nuphar 501, 502, 507.
 — *luteum* 499, 500, 501, 502, 503, 507,
Nymphaea 500, 502, 507.
 — *alba* 499, 500, 501, 503, 504, 507, 519.
 — *blanda* 519.
Nymphaeaceen 500.
- Oenothera* 228, 232, 461.
 — *ammophila* 205, 209, 212.
 — *biennis* 211, 212, 218, 228.
 — *biennis* L. f. *grandiflora* 205, 208.
 f. *parviflora* 205, 208.
 — *caespitosa* 205, 207, 212.
 — *glauca* 205, 207, 212.
 — *grandiflora* 211, 212.
 — *Lamarckiana* 462, 463, 464, 466, 467.
 — „ mut. *nanella* 462, 467
 — *Lamarckiana* × *O. nanella* 463, 465,
 467.
 — *lata* 466.
 — *nanella* 462, 464, 466, 467.
 — *parviflora* 212.
 — *rosea* 205, 209, 212.
Oenotheraceae 205, 210, 220, 228.
Oidium pullulans 388.
Oleander 100.
Omorica-Fichte 497, 498.
Ophiocytium 492.

- Orontium japonicum* 521.
Oryza 277.
 — *sativa* 278.
Oscillaria 435.
Ostreobium 48.
Oxalis 409.
 — *latifolia* 401.
 — *stricta* 401.

Paeonia officinalis 519.
Palmen 519.
Pancratium maritimum 519
Pandanaceen 519.
Panicum 390.
 — *miliaceum* 392, 395, 397.
Papaver somniferum 391, 396, 519.
Papilionatae 470, 471.
Papilionaceae 347.
Pappeln 343.
Paris 267, 271.
 — *quadrifolia* 265.
Parkinsonia 6.
Parnassia palustris 82.
Parosela Cav. 471.
 — *canescens* 471.
 — *formosa* 471.
 — *hospes* 470.
 — *leucostoma* 471.
 — *microphylla* 471.
 — *tuberculata* 471.
Passiflora coerulea 404.
 — *gracilis* 404.
Pauletia 471.
Pelargonium 100, 101, 104, 105, 107.
 — *zonale* 401, 536.
Penicillium 299.
Pentalonema 52.
 — *crustaceum* (Ag.) Kirchn. 51.
Peridermium Pini 417.
Periploca graeca 403.
Perl pilze 510, 512.
Peroniella 492
Petkuser Sommer-Roggen 482.
 — *Winter-Roggen* 482.
Peziza aurantiaca 414.
Pfifferlinge 515.
Phacelia 214, 215, 367, 369, 370—372.
 — *campanularia* 372.
 — *congesta* 372.
 — *congesta albida* 372.

Phacelia grandiflora 372.
 — *Parryi* 372.
 — *tanacetifolia* 206, 208, 214, 215, 220,
 229, 231, 367—372.
 — *texana* 372.
Phalaris canariensis 395.
Pharus glaber 278.
Phaseolus 328, 335.
 — *multiflorus* 324—326, 328—336, 338,
 345—347, 392, 394, 399, 403.
 — *vulgaris* 325, 328, 333—335, 392.
 — *vulgaris f. angustifolia* 328.
 — *vulgaris nanus* 334.
Philodendron 406, 522, 525—526, 532—
 535.
 — *albovaginatum* 521.
 — *bipinnatifidum* 521.
 — *Imbe* 406.
 — *macrophyllum* 521.
 — *melanochrysum* 521.
 — *pinnatifidum* 520—523.
Phycomyces 389.
 — *nitens* 410.
Phycomyceten 414.
Phyllanthus 130, 131.
 — *grandifolius* L. 131.
Phyllocactus 378.
Phyllonoma integerrima Loes. 130.
Picca excelsa 493, 497.
 — *omorica* 493, 496, 497.
Pilosyles 468—473, 475—477.
 — *aethiopica* 469, 470.
 — *Berterii* 470.
 — *Blanchetii* 470, 471—473, 476.
 — *brasiliensis* 471.
 — *calliandrae* 472, 474, 476.
 — *caulotreti* 471, 478.
 — *Cavillei* 471.
 — *galactiae* 472, 473, 476.
 — *globosa* 471.
 — *glomerata* 471.
 — *gogazensis* Ule 471, 473, 475.
 — *Haussknechtii* 469, 470, 475.
 — *Holtzii* 469, 470.
 — *ingae* 470, 472, 473—475.
 — *mexicana* 472.
 — *Palmeri* 471.
 — *Pringlei* 470.
 — *sessilis* 471.
 — *Thurberi* 470, 471.

- Pilosyles Ulei* 473—476.
Pinus 418, 420, 423.
— *eanariensis* 416, 422, 423.
— *longifolia* Roxb. 416, 419, 422, 423.
— *Pinea* 423.
— *strobis* 492.
Pirola 272
Plantaginaceae 220.
Plantago 200.
— *media* 220.
Plectranthus glaucocalyx 401, 402.
Plicaria cervina 414.
— *spec.* 414.
Polyanthes tuberosa 519.
Polychloris 491.
Polygonum 13.
— *Convolvulus* 14.
— *lapathifolium* 14.
— *Persicaria* 14.
Polystichum 407.
Polgtrichum strictum 196.
Potamogeton crispus 345.
Potentilla 199.
— *anserina* 199, 202.
— *reptans* 199, 202.
Pothos 406.
— *cordifolia* 520.
— *crassinervis* 520.
— *digitata* 520.
— *lanceolata* 520.
— *violacea* 520, 521.
Prosopis 6, 7.
— *glandulosa* 8.
— *pubescens* 8.
— *velutina* 5.
Protococcales 491.
Psalliota campestris 414.
Pseudima 130.
Pseutetraedron 491.
Pteris 158, 407.
Puccinia Arenariae 91, 95.
— *Arrhenatheri* 246.
— *Spergulae* 95.
Pyronema confluens 297.

Quercus 114, 117.

Rafflesiaceen 468, 469, 475, 476, 478.
Ranunculaceae 220, 228.
Ranunculus 228, 232.

Ranunculus sceleratus 217, 218, 228, 370.
Ravenelia 469.
Reizker 510, 515, 516.
Reizker, giftiger 510.
Reizker, grüne 511, 512.
Reizker, zottiger 515.
Retinispora 423.
Rhabarber 37.
Rhamnus Frangula 195.
Rheum 38, 39, 40, 41, 42, 43, 44.
Rhizaster 429.
Rhizochloridinae 430.
Rhizochrysidinae 430.
Rhizochrysis 429.
Rhizodininae 430.
Rhynchospora alba 196.
— *fusca* 197.
Ribes 75, 76 Abb. 1, 77, 90, 91, 418.
— *alpinum* 76 Abb. 1, 77, 78.
— *aureum* 77 Abb. 1, 78, 89, 90, 91.
— *Gordonianum* 77, Abb. 1, 78, 89, 91.
— *Grossularia* 77, Abb. 1, 78, 84, Abb. 3, 85, 86, 89—91.
— *malvaceum* 77 Abb. 1, 78, 87 Abb. 4, 88, 91.
— *nigrum* 77 Abb. 1, 78, 85—91.
— *orientale* 77 Abb. 1, 78, 87, 90.
— *rubrum* 76, 77 Abb. 1, 78, 79 Abb. 2, 81, 82, 83, 84, 86, 90, 91.
— *sanguineum* 77 Abb. 1, 78, 82, 88, 89, 90, 91.
— *sanguineum* × *aureum* 78, 89.
— *spec.* 77 Abb. 1, 78, 87, 91.
Ricinus 390.
— *communis* 392.
Rimpaus Roter Schlanstedter Weizen 482
Rispenhafer 16, 17, 19.
Roggen 484.
Rosaceae 220, 228.
Rosa centifolia 519.
Rotreizker 512.
Rubus chamaemorus 183, 194, 197.
Rumex hymenosepalus Torr. 37, 38, 39.
Russula 510.
— *aeruginosa* 414
— *cyanoxantha* 510.
— *depallens* 510, 512.
— *vesca* 510.
— *virescens* 510.
Rydze 515

- Sagina nivalis* 93, 94, 95.
 — *procumbens* 92.
 — *saginoides* 94, 95.
 — *spec.* 93, 94, 95.
Salix Lapporum 195, 197.
 — *myrtilloides* 195.
Sanguisorba 200—202
 — *minor* 199, 200, Abb. 2.
 — *officinalis* 199.
Sapindaceae 129, 130.
Saprolegnia mixta 298.
Sarothamnus 188.
Sauromatum 523, 526.
 — *guttatum* 521.
Saxifraga 81, 200.
 — *Burseriana* 81.
 — *rotundifolia* 199.
Saxifragaceae 130.
Scenedesmus 437.
Scheuchzeria palustris 196.
Schismatoglottis latifolia 521.
Schizolobium 129.
 — *excelsum* 129.
Schizophyceen 56.
Sciadiaceae 492.
Sciadiinae 492.
Sciadium 492.
Scitamineen 519.
Scolopendrium 153.
Scrophularia 232.
 — *nodosa* 218, 220, 229, 231.
Scrophulariaceae 206, 215, 220.
Scyphonymchium 130.
Scytonema 52, 53, 56, 57.
 — *myochrous* 51.
Secale cereale 395.
Sedum album 81.
 — *alpestre* 81.
 — *boreale* 81.
 — *Eversii* 82.
 — *rupestre* 81.
 — *Telephium* 82.
Seerose, weiße 500.
Selaginella 484.
 — *Martensii* 407.
Sempervivum globiferum 82.
 — *Heuffeli* 81.
Sequoia 495, 496, 497, 498.
 — *sempervirens* 493, 494, 495, 497.
Setaria 395.
Shorea stipularis 348, 355, 356, 357, 361, 365.
Sicyos angulata 404
Silene dichotoma 392.
 — *gallica* 220, 229, 230.
 — *inflata* 92.
Sileneen 95.
Silphium Hornemannii 401, 402.
Silybum Marianum 392.
Sinapis 390.
 — *alba* 398.
Sinningia 226.
 — *speciosa* 220, 226.
 — *tubiflora* 401.
Siphoneen 343.
Sohnreyia excelsa Krause 131, 132.
Solanum 132.
Solanaceae 220.
Sorghum 395.
 — *vulgare* 395, 397.
Spelz, aegyptischer 239.
Spergula arvensis 92, 94, 95.
Sphacelotheca 319.
Sphagnum balticum 197.
 — *cuspidatum* 196.
 — *fuscum* 196.
 — *molluscum* 196.
 — *recurvum* 196.
 — *rubellum* 196.
 „*Spritzgurke*“ 20.
Steinpilze 512.
Stellaria aquatica 93, 94, 95.
 — *graminea* 94, 95.
 — *holostea* 92
 — *media* 92, 93, 95.
 — *uliginosa* 94, 95.
Stigeoclonium 431, 434, 435, 436, 437, 440, 441.
Stipa tenacissima 10.
Streptocheete 276.
 — *brasiliensis* 278.
Streptogyne crinita 278.
Svalöfs Extra Squarhead II. 482.
Syringa 304.
 — *vulgaris* 401, 402.
Tachigalia formicarum 129.
 — *spicata* 129.
Talisia cerasina 129.
 — *princeps Oliv.* 130.

- Täublinge* 510.
Taxus 153.
— *baccata* 151.
Tecoma jasminoides 403.
Tectona grandis 6.
Tetraspora 428, 431—434, 440—442.
Theobroma 131, 132.
— *cacao L.* 131, 132.
— *Spruceana* Bern. 132.
Thladiantha dubia 404.
Thuja 115, 253, 256, 257, 264, 281, 282, 423.
Toulicia reticulata 129.
Tradescantia virginica 305, 308.
— *viridis* 311.
— *zebrina* 308.
Trentepohlia 48, 52.
— *umbrina* Mart. 48.
Tribonema 491.
Tricholoma equestre 513.
— *portentosum* 510.
— *terreum* 510.
Trichoscypha Oddoni 129.
Triticum 321, 322.
— *compactum* 234.
— *compactum globiforme* 234.
— *dicoccoides* 233, 234, 236, 237
— *dicoccoides* var. *Kotschyana* 236, 237, 242, *Taf. VI, Fig. 4.*
— *dicoccoides* var. *Straussianum* 236, 237, 242, *Taf. VI, Fig. 3.*
— *dicoccum* 12, 233—235, 239, 241.
— *dicoccum* form. *aegyptiaca rufa* 240.
— *dicoccum farrum* 235, 236, 237, 239, 240—242, *Taf. VI. Fig. 1.*
— *dicoccum farrum album* 241.
— *dicoccum farrum album* × *dicoccum sericum album* 242, *Taf. VI. Fig. 8.*
— *dicoccum forma Haussknechtiana* 236, 237, 239, 240, 242, *Taf. VI. Fig. 2.*
— *dicoccum rufum* 238—240.
— *dicoccum forma serbica* 235, 240, 241.
— *dicoccum forma serbica* subf. *alba* 240, 241, 242, *Taf. VI, Fig. 7.*
— *dicoccum forma serbica* subf. *rufa* 240.
— *dicoccum tricoccum* 238, 239, 242, *Taf. VI, Fig. 5, 6.*
— *durum* 234.
— *monococcum Hornemannii* 238.
— *Spelta* 12, 234.
— *tricoccum* 239.
— *turgidum* 234,
— *vulgare* 12, 233, 234, 241, 395, 396, 398.
var. *Kotsschiana* 233.
var. *Straussiana* 233.
Tropaeolum 404.
— *aduncum* 404, 405.
— *Lobbianum* 404, 405
Tsuga canadensis 138, *Fig. 1,* 139.
Tunica prolifera 94, 95.
„Türckischer Haber“ 19.

Ulmaria pentapetala 199.
Ulothrix 436, 491.
— *zonata* 436.
Ungarischer Hafer 19.
Uredineen 469.
Urtica dioica 537.
Uruguayhafer 479, 480, 482, 484, 486.
Ustilagineen 469.
Ustilago 317, 319.
— *Arrhenatheri* 317, 318, Abb. 1, 319, 320—323.
— *Avenae* 316, 317, 320, 321.
— *Carbo* 316, 319, 321, 322.
— *dura* 323.
— *Hordei* 321.
— *levis* 316, 317, 320, 321.
— *nuda* 321.
— *Panici-miliacei* 321.
— *perennans* 316, 317, 318, Abb. 1, 319, 320—322.
— *Tritici* 321.

Vaccaria 398.
— *parviflora* 392, 394, 397, 398.
Vaccinium uliginosum 195, 196.
Valeriana officinalis 199.
Valerianaceae 220.
Vallisneria 307, 308, 311.
Vanilla aromaticata 406.
Vaucheria 427.
Venturia 164, 165.
— *inaequalis* (Cook.) 164.
Verbascum 232.
— *thapsiforme* 206, 207, 215, 216, 218.
— *Thapsus* 220, 229, 231.

- | | |
|---|--|
| <i>Verbena bracteata</i> 220. | <i>Waldhimbeere</i> 484. |
| <i>Verbenaceae</i> 220. | <i>Welnionki</i> 515. |
| <i>Veronica</i> 336, 337. | <i>Winterroggen</i> 484. |
| — <i>longifolia</i> 206, 207, 215, 337. | <i>Winterweizen, aegyptischer</i> 239. |
| — <i>virginica</i> 220. | <i>Wistaria polystachya</i> 403. |
| <i>Viburnum opulus</i> 372. | <i>Xanthocapsa Nägeli</i> 46. |
| <i>Vicia Faba</i> 13, 394. | |
| — <i>sativa</i> 392. | <i>Zea Mays</i> 395. |
| <i>Victoria regia</i> 519. | <i>Zizyphus</i> 7, |
| <i>Virola</i> 129. | |
| <i>Vitis Labrusca</i> 404. | <i>Limax</i> 431 |
| <i>Volvocales</i> 441. | |
-

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Berichte der Deutschen Botanischen Gesellschaft](#)

Jahr/Year: 1915

Band/Volume: [33](#)

Autor(en)/Author(s): Anonymous

Artikel/Article: [Verzeichniss der Pflanzennamen 1113-1123](#)