



Entomofauna

ZEITSCHRIFT FÜR ENTOMOLOGIE

Band 24, Heft 13: 177-200

ISSN 0250-4413

Anselden, 15. August 2003

Synopsis of Literature for Determination of European Fungus Gnats (Diptera Sciaroidea: Ditomyiidae, Bolitophilidae, Keroplatidae, Diadocidiidae, Mycetophilidae, [Lygistorrhinidae])

Olavi KURINA & Wolfgang SCHACHT

Abstract

A synoptic list of literature for determination of European fungus gnats (Diptera Sciaroidea: Ditomyiidae, Bolitophilidae, Keroplatidae, Diadocidiidae, Mycetophilidae, [Lygistorrhinidae]) is given. To each citation some notes about the contents are added.

Zusammenfassung

Die Arbeit präsentiert eine umfassende Literaturliste zur Bestimmung europäischer Pilzmücken (Diptera Sciaroidea: Ditomyiidae, Bolitophilidae, Keroplatidae, Diadocidiidae, Mycetophilidae, [Lygistorrhinidae]). Die Zitate sind mit kurzen Angaben zum Inhalt versehen.

Introduction

During the study of Bavarian fungus gnats (PLASSMANN & SCHACHT 2002) the lack of modern comprehensive publications for the determination of Central European species came into discussion. This fact has initialized the present synopsis of literature, same as was done by REISS (1996) for the Central European Chironomidae. Our list of determination literature may be a help to all specialists, students, amateurs and interested people working in the named families. Though, it may be subjective in some parts, it includes all main papers for the determination of European fungus gnats. An Internet version is planned soon after publication in the homepage of the Institute of Zoology and Botany of the Estonian Agricultural University for individual use: <<http://www.zbi.ee/olavi/>>

Many new species and revisions have been published during the last years from Europe and adjacent countries and even from central Europe. Three main aspects are regarded for the following list:

Geographical aspect: The aim of the paper is to give a review on European species. But it is difficult to treat the species separately from other Palaearctic and sometimes also

Holarctic species. Several species described from Siberia or Russian Far East or North America have later been found also in Europe (POLEVOI 2001). Consequently, important sources about whole Eurasian and some ones about North American fungus gnats are updated to the list. Included are also some papers dealing with Lygistorrhinidae, a family hitherto-not known from Europe.

Temporal aspect: The start of the list was originally planned with the year 1925, when one of the major papers on fungus gnat systematics was published by F. W. EDWARDS. But some important papers published before 1925, which are still unavoidable for determination of fungus gnats today, should not be ignored. The relevant papers of 4 authors, H. DZIEDZICKI, F. W. EDWARDS, K. LANDROCK and C. LUNDSTRÖM, published before 1925 are included to the list. SANTOS ABREU (1920), one of the main papers for the Canary Islands, is revised by CHANDLER & BLASCO-ZUMETA (2001), which registered in the list.

Principal aspect: The present list includes the papers which are important for determination of fungus gnats as well as the papers with descriptions of new species. For determination of fungus gnats, the examination of the male genitalia is unavoidable, consequently all papers with figures on male genitalia are included.

Before about 1980 the different published families of fungus gnats (Ditomyiidae, Bolitophilidae, Macroceridae, Keroplatidae, Diadocidiidae, Mycetophilidae, Manotidae and Lygistorrhinidae) were treated as subfamilies in the family Mycetophilidae. Since about 1980 these families are more and more treated separately. But there are authors even up to 2000 who use the name Mycetophilidae in the old way. The last study about the families we find in SØLI et al. (2000), who divide the fungus gnats (Sciaroidea exclusive Sciaridae) into 6 families: Ditomyiidae, Bolitophilidae, Keroplatidae with Macroceridae as subfamily, Diadocidiidae, Mycetophilidae with Manotidae as subfamily (SØLI 1997a list), and Lygistorrhinidae.

Important information about the contents of a paper which are not expressed by the title are given in brackets (which family or genera, keys, new species, figures etc.). In this small abstract we state the families following SØLI et al. (2000). If a paper is dealing with Mycetophilidae in the new way, this family is pointed out repeatedly, even if "Mycetophilidae" is stated in the title. What the genera and species concerns we follow the original publication. For their synonymy see the Catalogue of Palaearctic Diptera (HACKMAN, LAŠTOVKA, MATILE & VÄISÄNEN 1988; KRIVOSHEINA 1988; KRIVOSHEINA & MAMAEV 1988 a, b, c; MAMAEV & KRIVOSHEINA 1988; MATILE 1988; PLASSMANN 1988) and the Catalog of the Diptera of America North of Mexico (LAFFOON 1965). Titles dealing with praemaginal stages are included in the list, but not pointed out by additional information.

In the list below two markings are used:

Author(s) with asterisk (*) are main papers on fungus gnats taxonomy.

Author(s) with plus (+) are revisions of genera or species groups with key(s) to species.

The unmarked papers include descriptions of new species or/and figures, or/and other informations useful for determination.

List of Literature for Determination of European fungus gnats

- BARENDRECHT, G. 1938: The Dutch Fungivoridae in the collection of the Zoological Museum at Amsterdam. - Tijdschr. Entomol. 38: 35-54. [All families; 4 new species: *Allodia*, *Polyxena*, *Zygomyia*; 17 figures]
- BECHEV, D. 1985: *Acnemia vratzatica* n. sp. from Bulgaria (Diptera, Mycetophilidae). - Reichenbachia, St. Mus. Tierk. Dresden, 23: 35-36. [4 figures]
- BECHEV, D. 1988 a: Two new species of Mycetophilidae from Bulgaria (Insecta, Diptera). - Reichenbachia, St. Mus. Tierk. Dresden, 25: 185-186. [*Ectrepesthoneura*, *Mycetophila*; 4 figures]

- BECHEV, D. 1988 b: *Sciophila zaitzevi* n. sp. from Bulgaria (Insecta, Diptera, Mycetophilidae). - Reichenbachia, St. Mus. Tierk. Dresden, 25: 187-188. [2 figures]
- BECHEV, D. 1989: *Monocentrotia matilei* n. sp. from Bulgaria and Algeria (Insecta, Diptera: Keroplatidae). - Reichenbachia, St. Mus. Tierk. Dresden, 26: 173-174. [2 figures]
- + BECHEV, D. 1990 a: Recent Holarctic species of the genus *Anaclileia* MEUNIER (Insecta, Diptera: Mycetophilidae). - Reichenbachia, St. Mus. Tierk. Dresden, 28: 67-71. [Key to species; 3 new species; 10 figures]
- + BECHEV, D. 1990 b: Review of the Holarctic Species of Genus *Polylepta* WINNERTZ (Insecta, Diptera: Mycetophilidae). - Ent. Abh. Staat. Mus. Tierk. Dresden 53: 179-184. [Key to species; 1 new species; 6 figures]
- BECHEV, D. 1991: *Macrocera gemagea* sp.n. from Bulgaria (Insecta, Diptera: Mycetophiloidea). - Reichenbachia, St. Mus. Tierk. Dresden, 28: 185-186. [2 figures]
- BECHEV, D. 1992 a: On the type specimens of *Macrocera nigricoxa* WINNERTZ, 1863 and *Macrorrhyncha exempla* (PLASSMANN, 1978) (Insecta: Diptera: Mycetophiloidea). - Senckenbergiana biol. 72: 317-320. [5 figures]
- BECHEV, D. 1992 b: A new species of Genus *Macrorrhyncha* (Diptera: Keroplatidae) from Bulgaria. - Acta zool. bulg. 45: 61-62. [*M. veleca* sp.n.; 4 figures]
- BECHEV, D. 1994: Redescription of some types of Keroplatidae (Diptera, Mycetophiloidea). - Dtsch. ent. Z., N.F., 41: 137-140. [7 figures]
- + BECHEV, D. 1995: The Palaearctic species of the genus *Sceptonia* WINNERTZ (Diptera: Mycetophilidae). - Trav. Sci. Univ. Plovdiv, Animalia., 31: 7-21. [Key to species; 25 figures]
- BECHEV, D. 1996: *Macrocera kerteszi* LUNDSTRÖM - a little known species (Diptera: Keroplatidae: Macrocerinae). - Folia ent. hung. 57: 77-78. [2 figures]
- BECHEV, D. 1997 a: Two new species of Mycetophilidae from Greece and the Netherlands (Insecta, Diptera, Mycetophilidae). - Spixiana 20: 179-180. [*Leia*, *Sceptonia*; 4 figures]
- BECHEV, D. 1997 b: *Macrorrhyncha geranias thracica* subspec. nov. from Greece (Insecta: Diptera: Keroplatidae). - Reichenbachia, St. Mus. Tierk. Dresden, 32: 105-106. [2 figures]
- BECHEV, D. 1998: The species of *Allodia* WINNERTZ on the Balkan Peninsula (Diptera, Mycetophilidae). - Acta zool. bulg. 50: 61-63. [3 figures]
- BECHEV, D. 1999: Species of the Genus *Phronia* WINNERTZ in Bulgaria (Diptera: Mycetophilidae). - Acta zool. bulg. 51: 39-42. [2 figures]
- BLAGODEROV, V.A. 1990: On the fauna of fungus gnats (Diptera, Mycetophilidae) in Yakut. - Vestn. Leningr. Universiteta 3: 122-123. [*Sciophila similis* sp.n.; 2 figures]
- BLAGODEROV, V.A. 1992: A preliminary list of fungus-gnats of Yakutia (Siberia) with descriptions of two new species (Diptera: Mycetophiloidea). - Ann. Upper Silesian Museum - Entomology, 3: 45-50. [2 new species: *Sciophila*, *Brevicornu*; 4 figures]
- BUKOWSKI, W. 1934: Neue und abweichende Formen von Pilzmücken (Diptera, Fungivoridae) aus der Krim. - Konowia 13: 184-192. [Bolitophilidae, Mycetophilidae incl. *Manota*; 14 new species: *Boletia*, *Brachypeza*, *Trichonta*, *Polyxena*, *Fungivora*, *Epicypia*, *Sceptonia*; 18 figures]
- BUKOWSKI, W. 1949: New species of fungus gnats (Diptera, Fungivoridae) from Crimea. - Entomol. Obozr. 30: 405-409 (in Russian). [7 new species: *Fungivora*, *Dynatosoma*, *Brachypeza*, *Exechia*, *Trichonta*; 7 figures]
- BURGHELE-BALACESCO, A. 1965 a: Specii noi de Mycetophilidae cavernicole din Romania. - Lucr. Inst. de speol. "Emil Rakovitã" 4: 171-179. [3 new species: *Exechia*, *Rhymsosia*; 3 figures]
- BURGHELE-BALACESCO, A. 1965 b: Révision des Mycetophilidae (Diptères) cavernicoles de la collection Biospeologica (1-3e série des "Grottes visitées"). - Annales Spéleol.

- 20: 151-155. [Bolitophilidae, Mycetophilidae; 4 figures]
- BURGHELE-BALACESCO, A. 1966 a: Diptères cavernicoles recueillis en Bulgarie. - *Lucr. Inst. Speol. "E. Rakovitã"* 2: 303 - 308. [Bolitophilidae, Mycetophilidae; 2 figures]
- BURGHELE-BALACESCO, A. 1966 b: Les Mycetophilidae (Diptères) cavernicoles de la collection Biospeologica (IV^e-VIII^e séries des "Grottes visitées"). - *Int. J. Speleol.* 2: 319-334. [Bolitophilidae, Mycetophilidae; 2 new species: *Exechia*, *Rhymosia*; 8 figures]
- BURGHELE-BALACESCO, A. 1972: Contribution à l'étude de Mycetophilidae des grottes de Roumanie avec la description de deux espèces nouvelles. - *Int. J. Speleol.* 3-4: 387-395. [Keroplatidae, Mycetophilidae; 2 new species: *Exechia*, *Rhymosia*; 4 figures]
- CASPERS, N. 1980: Drei neue Mycetophiliden aus der deutschen Mittelgebirgsregion (Diptera, Nematocera). - *Spixiana* 3: 141-145. [3 new species: *Allodia*, *Zygomyia*; 10 figures]
- CASPERS, N. 1984 a: Mycetophiliden aus Lunz, Niederösterreich (Diptera, Nematocera, Mycetophilidae). - *Entomofauna* 5: 173-205. [Ditomyiidae, Diadocidiidae, Mycetophilidae; 2 new species: *Phthinia*, *Exechia*; 27 figures]
- CASPERS, N. 1984 b: *Mycetophila lastovkai* sp.n., eine neue Pilzmücke aus dem Hunsrück (Bundesrepublik Deutschland) (Diptera, Nematocera, Mycetophilidae). - *Spixiana* 7: 315-318. [4 figures]
- CASPERS, N. 1984 c: Mycetophiliden-Fänge am Breitenbach/ Osthessen (Insecta, Diptera, Nematocera). - *Beitr. Naturk. Osthessen* 20: 109-121. [4 figures: *Allodia barbata* and *Platurocypta testata*]
- CASPERS, N. 1985: *Brevicornu (Brevicornu) arcticoides* sp.n. aus der deutschen Mittelgebirgsregion (Diptera, Nematocera, Mycetophilidae). - *Entomofauna* 6: 65-69. [3 figures]
- CASPERS, N. 1987: Mycetophiliden-Fänge am Breitenbach/ Osthessen (Bundesrepublik Deutschland) (Insecta, Diptera, Nematocera). 1. Nachtrag. - *NachrBl. bayer. Ent.* 36: 85-95. [Bolitophilidae, Mycetophilidae; 2 new species: *Anatella*, *Exechia*; 12 figures]
- CASPERS, N. 1991: New and remarkable species of Mycetophiloidea (Diptera, Nematocera) from the Mediterranean region. - *Spixiana* 14: 321-338. [Keroplatidae, Mycetophilidae; 6 new species: *Orfelia*, *Ectrepesthoneura*, *Leia*, *Anatella*, *Phronia*, *Sceptonia*; 29 figures]
- CASPERS, N. & PLASSMANN, E. 1986: Jüngere Synonyme in der Untergattung *Allodia (Brachycampta)* WINNERTZ, 1863. - *Senckenbergiana Biol.* 66: 255-260. [3 new synonyms; 6 figures]
- CHANDLER, P.J. 1975: *Brevicornu serenum* (WINNERTZ, 1863) (Diptera, Mycetophilidae) new to the British Isles, from Pett's Wood in South-East London. - *Proc. Brit. Ent. Nat. Hist. Soc.* 8: 5-7. [3 figures]
- + CHANDLER, P.J. 1976: *Gnoriste longirostris* SIEBKE (Diptera, Mycetophilidae) new to Britain: its synonymy with *G. groenlandica* LUNDBECK established. - *Proc. Brit. Ent. Nat. Hist. Soc.* 9: 36-41. [Key to European species; 4 figures]
- CHANDLER, P.J. 1977 a: Some fungus gnats of the tribe Exechiini (Dipt., Mycetophilidae) new to the British Isles. - *Proc. Brit. Ent. Nat. Hist. Soc.* 10: 71-85. [*Exechiopsis (E.) dryaspagensis* sp.n.; 15 figures]
- CHANDLER, P.J. 1977 b: Notes on British fungus gnats of the sub-families Ditomyiinae, Bolitophilinae, Diadocidiinae, Manotinae and Keroplatinae (Diptera, Mycetophilidae). - *Entomol. Month. Mag.* 113: 31-44. [9 figures]
- + CHANDLER, P.J. 1977 c: Studies of some fungus gnats (Diptera: Mycetophilidae) including nine additions to the British list. - *Systematic Entomology* 2: 67-93. [Mycetophilidae; key for identification of *Anatella* species; 69 figures]
- CHANDLER, P.J. 1977 d: *Mycetophila strigatooides* (LANDROCK): an overlooked British Fungus Gnat (Diptera: Mycetophilidae). - *Entomologist's Record* 89: 323-325. [4

- figures]
- + CHANDLER, P.J. 1978: Notes on the Holarctic Species of *Pseudexechia* TUOMIKOSKI (Diptera: Mycetophilidae), with the Description of a New British Species. - Entomologist's Record 90: 44-51. [Key to species; 10 figures]
- + CHANDLER, P.J. 1980: The European and eastern Nearctic fungus-gnats in the genus *Ectrepesthoneura* (Mycetophilidae). - Systematic Entomology 5: 27-41. [Key to species; 2 new species; 27 figures]
- + CHANDLER, P.J. 1981: The European and North American species of *Epicrypta* WINNERTZ (Diptera: Mycetophilidae). - Ent. scand. 12: 199-212. [Key to species; 2 new species; 19 figures]
- CHANDLER, P.J. 1987: Notes on British fungus gnats of the smaller families and sub-families (Diptera, Mycetophiloidea). - Proc. Trans. Br. Ent. Nat. Hist. Soc. 20: 105-118. [Bolitophilidae, Diadocidiidae, Keroplatidae, Mycetophilidae; 2 new species: *Monocentrotia*, *Sciophila*; 29 figures]
- CHANDLER, P.J. 1988: Thirteen species of *Mycetophila* MEIGEN (Diptera: Mycetophilidae) new to the British list. - Br. J. Ent. Nat. Hist. 1: 139-145. [5 figures]
- CHANDLER, P.J. 1989: Notes on *Macrocera* MEIGEN (Mycetophiloidea, Keroplatidae) including *M. nigropicea* LUNDSTRÖM new to Britain. - Dipterists Digest 3: 27-31. [2 figures]
- CHANDLER, P.J. 1991: New species and additions to the British list of the fungus gnat genera *Zygomysia* WINNERTZ and *Sceptonia* WINNERTZ (Diptera, Mycetophilidae). - Br. J. Ent. Nat. Hist. 4: 143-155. [6 new species; 37 figures]
- CHANDLER, P.J. 1992 a: A review of the British *Phronia* WINNERTZ, and *Trichonta* WINNERTZ (Dipt., Mycetophilidae). - Entomol. Month. Mag. 128: 237-254. [3 new species; 18 figures]
- CHANDLER, P.J. 1992 b: New records and nine additions to the British list of fungus gnats of the smaller families and sub-families (Diptera: Mycetophiloidea). - Br. J. Ent. Nat. Hist. 5: 107-126. [Bolitophilidae, Keroplatidae, Mycetophilidae; 31 figures]
- CHANDLER, P.J. 1993: The Holarctic species of the *Mycetophila fungorum* (DE GEER) group (Diptera: Mycetophilidae). - Br. J. Ent. Nat. Hist. 6: 5-11. [4 new species; 22 figures]
- CHANDLER, P.J. 1994 a: *Rymosia* WINNERTZ (Diptera: Mycetophilidae), a newly recognised element of wetland faunas, with five species new to Britain and key to species. - Entomologist's Gazette 45: 199-220. [Key to British species; 4 new species; 4 maps; 10 plates of genital figures]
- CHANDLER, P.J. 1994 b: Four species of *Anatella* WINNERTZ (Diptera, Mycetophilidae) new to the British Isles. - Dipterists Digest (Second series) 1: 9-12. [*A. bremia* sp.n.; 3 figures]
- * CHANDLER, P.J. 1994 c: Fungus gnats of Israel (Diptera: Sciaroidea, excluding Sciaridae). - Israel Journal of Entomology 28: 1-100. [Diadocidiidae, Keroplatidae, Mycetophilidae; revised data on 88 species; keys to species; 26 new species: *Diadocidia*, *Macrocera*, *Macrorrhyncha*, *Neoplatyura*, *Orfelia*, *Pyratula*, *Truplaya*, *Urytalpa*, *Xenoplatyura*, *Acnemia*, *Docosia*, *Mycomya*, *Sciophila*; 96 figures for 29 species]
- CHANDLER, P.J. 1995: New data on fungus gnats (Diptera, Sciaroidea excluding Sciaridae) of Czechoslovakia. - Annotationes Zoologicae et Botanicae 217: 3-16. [Keroplatidae, Mycetophilidae; 2 new species: *Urytalpa*, *Boletina*; 16 figures]
- CHANDLER, P.J. 1998: *Creaghubhia mallochorum* gen. and sp.n. (Diptera: Mycetophilidae), a remarkable new Scottish gnat with a discussion of its relationships. - Br. J. Ent. Nat. Hist. 12: 121-134. [20 figures]
- CHANDLER, P.J. 2001: Fungus gnats (Diptera: Sciaroidea) new to Britain. - Br. J. Ent. Nat. Hist. 13: 215-243. [Ditomyiidae, Keroplatidae, Mycetophilidae; 6 new species: *Clastobasis*, *Sciophila*, *Brevicornu*, *Mycetophila*, *Phronia*; 46 figures]

- * CHANDLER, P.J. 2002: *Heterotricha* LOEW and allied genera (Diptera: Sciaroidea): offshoots of the stem group of Mycetophilidae and/ or Sciaridae. - Ann. Soc. entomol. Fr. (n.s.) 38: 101-144. [Keys to genera of the *Heterotricha* group; 7 new genera; 11 new species; 103 figures]
- CHANDLER, P.J. & BLASCO-ZUMETA, J. 2001: The fungus gnats (Diptera, Bolitophilidae, Keroplatidae and Mycetophilidae) of the Monegros region (Zaragoza, Spain) and five other new European species of *Pyratula* EDWARDS and *Sciophila* MEIGEN. - Zapateri Revta. aragon. ent. 9: 1-24. [11 new species: *Macrorrhyncha*, *Pyratula*, *Boletina*, *Sciophila*, *Cordyla*, *Pseudexechia*; 68 figures]
- CHANDLER, P.J. & GATT, P. 2000: Fungus gnats (Diptera: Bolitophilidae, Keroplatidae and Mycetophilidae) from the Maltese islands. - Studia Dipterologica 7: 69-81. [2 new species: *Macrocera*, *Docosia*; 15 figures]
- * CHANDLER P.J. & RIBEIRO, E. 1995: The Sciaroidea (Diptera) (excluding Sciaridae) of the Atlantic Islands (Canary Islands, Madeira and the Azores). - Boletim do Museu Municipal do Funchal (Historia Natural) 3: 1-170. [Bolitophilidae, Keroplatidae, Mycetophilidae; revised data on 75 species; keys to species; 17 new species: *Pyratula*, *Mycomya*, *Boletina*, *Docosia*, *Anatella*, *Rymosia*, *Exechiopsis*, *Trichonta*, *Phronia*, *Mycetophila*; 73 plates of figures]
- + COHER, E.I. 1995 a: Contribution to a revision of the genus *Azana* WALKER, 1856 (Insecta: Diptera: Mycetophilidae: Sciophilinae). - Reichenbachia, St. Mus. Tierk. Dresden, 31: 83-91. [Review and key to 9 species; 3 new species; 3 plates of figures]
- COHER, E.I. 1995 b. A contribution to the study of the genus *Anacileia* (Diptera: Mycetophilidae). - Ent. News 106: 257-262. [2 new species; 7 figures]
- * DZIEDZICKI, H. 1884: Przyczynek do fauny owadów dwuskrzydłych. I. Teil (*Mycothera*, *Mycetophila*, *Staegearia*). - Pam. fizyogr. 4: 298-324. [many genitalia figs]
- * DZIEDZICKI, H. 1885: Przyczynek do fauny owadów dwuskrzydłych. Rodzaje nowe: *Hertwigia* nov. gen., *Eurycera* nov. gen. i gatunki rodzajów: *Boletina*, *Sciophila*. - Pam. fizyogr. 5 (3): 164-194. [many genitalia figs]
- + DZIEDZICKI, H. 1889: Revue des espèces européennes du genre *Phronia* WINNERTZ avec la description des deux genres nouveaux: *Macrobrachius* et *Megophthalmidia*. - Horae Soc. ent. ross. 23: 404-532. [26 new species; 231 figures]
- + DZIEDZICKI, H. 1910: Zur Monographie der Gattung *Rymosia* WINN. - Horae Soc. ent. ross. 77: 89-104. [15 new species, 115 figures]
- + DZIEDZICKI, H. 1915: Atlas des organes génitaux (Hypopygium) des types de WINNERTZ et des genres de sa collection de Mycetophiles. - Publications de la Société des Sciences de Varsovie 3: 1-16. [Keroplatidae, Mycetophilidae; 335 figures]
- + DZIEDZICKI, H. 1923: Revue des espèces européennes du genre *Anatella* WINNERTZ avec la description des deux genres nouveaux: *Heteropygium* et *Allophallus*. - Discipl. biol. Arch. Soc. scient. Varsoviensis. 1: 1-7. [8 new species; 31 figures]
- EDWARDS, F.W. 1913: Notes on British Mycetophilidae. - Trans. R. ent. Soc. Lond. 1913: 334-382. [Bolitophilidae, Keroplatidae, Mycetophilidae; keys to genera and species; 14 new species: *Bolitophila*, *Platyura*, *Sciophila*, *Empalia*, *Syntemna*, *Boletina*, *Brachyzeza*, *Exechia*, *Mycetophila*; 82 figures]
- EDWARDS, F.W. 1921: Diptera Nematocera from Arran and Loch Etive. - Scott. Nat. 115/116: 49-61, 89-92, 121-125. [5 new species: *Allodia*, *Anatella*, *Sciophila*; 10 figures]
- + EDWARDS, F.W. 1924: Notes on MEIGEN's fungus gnat types. - Encycl. ent. (B) 1: 13-17. [Keroplatidae, Mycetophilidae; revision of all remaining types of MEIGEN]
- * EDWARDS, F.W. 1925 a: British Fungus-Gnats (Diptera, Mycetophilidae). With a revised Generic Classification of the Family. - Trans. Ent. Soc. London 73: 505-670. [A major publication about fungus gnats in Europe; all families; keys to genera and species; 38 new species; 230 figures]

- + EDWARDS, F.W. 1925 b: Notes on the types of Mycetophilidae (Diptera) described by STAEGER and ZETTERSTEDT. - Ent. Tidskr. 45: 160-168. [Bolitophilidae, Keroplatidae, Mycetophilidae; revision of surviving types]
- EDWARDS, F.W. 1928: The Nemotocerous Diptera of Corsica. - Encycl. ent. (B) 4: 157-189. [Bolitophilidae, Diadocidiidae, Keroplatidae, Mycetophilidae; 6 new species: *Macrocera*, *Leia*, *Ectrepesthoneura*, *Exechia*, *Mycetophila*; 10 figures]
- EDWARDS, F.W. 1941: Notes on British fungus-gnats (Dipt., Mycetophilidae). - Entomologist's month. Mag. 77: 21-32, 67-82. [Bolitophilidae, Keroplatidae, Mycetophilidae; 2 new genera: *Coelophthinia*, *Grzegorzekia*; 18 new species: *Bolitophila*, *Macrocera*, *Mycomyia*, *Neuratelia*, *Boletina*, *Docosia*, *Rhymosia*, *Mycetophila*, *Sceptonia*; 9 plates of figures]
- + ENDERLEIN, G. 1936: 4. Familie: Pilzmücken, Mycetophilidae, pp. 10-16. In BROHMER, P., EHRMANN, P. & ULMER, G. (eds.): Die Tierwelt Mitteleuropas. - Band VI, Leipzig. [all families; key to genera; 6 figures]
- GAGNÉ, R.J. 1974: A redescription of BECKER's *Phronia* from the Canary Islands (Diptera: Mycetophilidae). - Proc. Ent. Soc. Washington 76 (4): 452-454. [4 figures]
- + GAGNÉ, R.J. 1975: A revision of the Nearctic species of the genus *Phronia* (Diptera: Mycetophilidae). - Trans. Amer. Ent. Soc. 101: 227-318. [Key to 49 Nearctic species, 33 of which are known also from Europe; maps about distribution in Nearctic; 13 new species; 131 genital figures]
- * GAGNÉ, R.J. 1981: A Monograph of *Trichonta* with a Model for the Distribution of Holarctic Mycetophilidae (Diptera). - Techn. Bull. U.S. Dept. Agric. 1638: 1-64. [Key to 67 Holarctic species, 34 new species; 187 genital figures]
- + HACKMAN, W. 1970: New species of the genus *Phronia* WINNERTZ (Diptera, Mycetophilidae) from Eastern Fennoscandia and notes on the synonymies in this genus. - Notulae Entomologicae 50: 41-60. [10 new species; 82 figures]
- + HACKMAN, W. 1971: Three new species of the *Allodia lugens* group from Northern Europe (Dipt., Mycetophilidae). - Ann. Ent. Fenn. 37: 3-7. [19 figures]
- HACKMAN, W. 1972: *Phronia matilei* n. sp., a new fungus gnat from caves in Switzerland (Diptera, Mycetophilidae). - Notulae Entomologicae 52: 39-40. [4 figures]
- HUTSON, A.M. 1978: An undescribed African species of *Leia* (Diptera, Mycetophilidae) infesting root-ginger in London. - Entomologist's month. Mag. 118: 121-124 [3 figures]
- + HUTSON, A.M. 1979: Notes on Sciophilinae (Dipt., Mycetophilidae) with a revision of Palaearctic *Sytemna* WINNERTZ. - Entomologist's month. Mag. 114: 131-145. [Key to Palaearctic *Sytemna* species; 5 new species: *Mycomya*, *Sciophila*, *Sytemna*; 18 figures]
- * HUTSON, A.M., ACKLAND, D.M. & KIDD, L.N. 1980: Mycetophilidae (Bolitophilinae, Ditomyiinae, Diadocidiinae, Keroplatinae, Sciophilinae and Manotinae) Diptera, Nematocera. - Handb. Ident. Brit. Insects., London, 9, 3, 111 pp. [Keys to families, genera and species; 290 figures]
- + HUTSON, A.M. & KIDD, L.N. 1971: Notes on British Bolitophilinae including three species new to Britain (Dipt., Mycetophilidae). - Entomologist 1971: 219-226. [Key to British species of *Bolitophila* MEIGEN; 11 figures]
- HUTSON, A.M. & KIDD, L.N. 1974: Notes on British Bolitophilinae, Diadocidiinae and Macrocerinae (Diptera, Mycetophilidae). - Entomologist's month. Mag. 110: 27-39. [12 figures]
- KALLWEIT, U. 1990 a: Über die Variabilität von *Leia cylindrica* (WINNERTZ, 1863) (Insecta, Diptera: Mycetophilidae). - Reichenbachia, St. Mus. Tierk. Dresden, 27: 159-161. [3 figures]
- KALLWEIT, U. 1990 b: Zur Kenntnis von *Dynatosoma bukowskii* ZAITZEV und *Dynatosoma thoracicum* (ZETTERSTEDT) (Insecta, Diptera: Mycetophilidae). - Reichen-

- bachia, St. Mus. Tierk. Dresden 27: 162-171. [20 figures]
- KALLWEIT, U. 1998: Notes on some types of Mycetophilidae (Diptera) described by G. STROBL. - *Studia dipterologica* 5 (1): 153-157. [Mycetophilidae; 7 new synonymies; 1 new combination; 2 lectotype designations; 3 figures]
- KIDD, L.N. 1955: A new species of *Mycomyia* (Dipt., Mycetophilidae) taken in Cumberland. - *Entomologist* 91: 258. [*M. britteni* sp.n.; 2 figures]
- KIDD, L.N. 1969: A new species of *Allodiopsis* TUOM. (Dipt., Mycetophilidae) taken in Berkshire. - *Entomologist* 103: 201-202. [*A. ingeniosa* sp.n.; 3 figures]
- KIDD, L.N. & ACKLAND, D.M. 1970: Some new synonymy in the genera *Leia* MEIGEN and *Boletina* STAEGER (Dipt., Mycetophilidae). - *Entomologist* 104: 265-267. [5 figures]
- KINEL, J. & NOSKIEWICZ, J. 1931: Zur Kenntnis der beiden paläarktischen *Epicrypta*-Arten (Dipt., Fungivoridae). - *Polskie Pismo Ent.* 10: 69-73. [plate 3 with 7 figures]
- * KRIVOSHEINA, N.P., ZAITZEV, A.I. & YAKOVLEV, E.B. 1986: Insects as decomposers of fungi in the forest of the European part of USSR. - 309pp., Moscow (in Russian). [Bolitothilidae, Ditomyiidae, Keroplatidae, Mycetophilidae; keys; figures]
- KURINA, O. 1991: Mycetophilidae (Diptera) reared from macrofungi in Estonia. - *Proc. Estonian Acad. Sci. Biol.* 40: 84-90. [*Sciophila pseudoflexuosa* sp.n.; 1 figure]
- KURINA, O. 1992: A new species of the genus *Mycetophila* MEIGEN (Diptera, Mycetophilidae) found in Estonia. - *Proc. Estonian Acad. Sci. Biol.* 41: 127-130. [*M. estonica* sp.n.; 10 figures]
- KURINA, O. 1997 a: *Greenomyia mongolica* LASTOVKA et MATILE, 1974 (Diptera, Mycetophilidae) found in Estonia. - *International Dipterological Research* 8: 69-71. [2 figures; distribution map]
- KURINA, O. 1997 b: A new species of fungus gnats from the genus *Allodia* WINNERTZ, 1863 (Diptera Mycetophilidae) found in Estonia. - *Studia Dipterologica* 4: 275-279. [*A. zaitzevi* sp.n.; 7 figures]
- KURINA, O. 1997 c: Two species from the genus *Exechia* WINN. (Diptera, Mycetophilidae) new to Estonia. - *Proc. Estonian Acad. Sci. Biol.* 46: 256-259. [9 figures]
- KURINA, O. 1999 a: Morphological differences between *Exechia fusca* (MEIGEN, 1804) and *Exechia confinis* WINNERTZ, 1863 (Diptera, Mycetophilidae). - *International Dipterological Research* 10: 53-57. [8 figures]
- KURINA, O. 1999 b: Notes of fungus gnats (Diptera, Mycetophiloidea) in northeastern Fennoscandia. - *International Dipterological Research* 10: 151-154. [Bolitothilidae, Keroplatidae, Mycetophilidae; 1 figure]
- KURINA, O. 2001: On the identification of Palaearctic species in the genus *Cordyla* MEIGEN (Diptera, Mycetophilidae); preliminary results. - *Norw. J. Entomol.* 48: 231-235. [1 figure]
- KURINA, O. 2003 a: Notes on the Palaearctic species of the genus *Polylépta* WINNERTZ (Diptera: Mycetophilidae) with a new synonymization. - *Entomologica Fennica* (in press). [13 figures]
- KURINA, O. 2003 b: On the validity of the species *Exechiopsis aemula* PLASSMANN and *Exechiopsis pulchella* (WINNERTZ) (Diptera, Mycetophilidae). - *Norw. J. Entomol.* 50: 1-8. [8 figures]
- + LACKSCHEWITZ, P. 1937: Die Fungivoriden des Ostbaltischen Gebietes. - *Arb. Naturf. Ver. Riga. N.F.*, 21: 1-47. [all families; 19 new species: *Symmerus*, *Mycomyia*, *Neurotelia*, *Exechia*, *Rhymosia*, *Allodia*, *Trichonta*, *Phronia*; 20 plates of figures]
- + LAFFOON, J.L. 1957: A revision of the Nearctic species of *Fungivora* (Diptera, Mycetophilidae). - *Iowa St. Coll. J. Sci.* 31: 141-340. [*Mycetophila*; key to 96 Nearctic species, 21 of them are also known from Palaearctic region; 213 figures]
- LANDROCK, K. 1911: Zwei neue Pilzmücken aus Mähren. - *Wiener Entomologische Zeitung* 30: 161-167. [2 new species: *Paraneurotelia*, *Mycetophila*; 11 figures]
- LANDROCK, K. 1912 a: Neue oder wenig bekannte Pilzmücken. - *Wiener Entomologische*

- Zeitung 31: 175-185. [Mycetophilidae; 4 new species: *Sciophila*, *Boletina*, *Brachycampa*; 20 figures]
- LANDROCK, K. 1912 b: Neue oder seltene Mycetophilidae aus Mähren. - Wiener Entomologische Zeitung 31: 27-39. [Mycetophilidae; 4 new species: *Lasiosoma*, *Boletina*, *Brachycampa*, *Trichonta*; 16 figures]
- LANDROCK, K. 1912 c: *Exechia tenuicornis* v.D.WULP und *nigroscutellata* nov. spec. (Dipt.). - Wiener Entomologische Zeitung 31: 308-310. [4 figures]
- LANDROCK, K. 1912 d: Das Weibchen von *Phronia Tiefi* DZIED. - Wiener Entomologische Zeitung 31: 253-254. [2 figures]
- LANDROCK, K. 1912-1919: Die Pilzmücken Mährens. I.-IV. Teil. - Zeitschr. mähr. Land.-Mus. 12-18. I. Teil: 12 (1912): 273-321 [9 figures]; II. Teil: 13 (1913): 1-41 [34 figures]; III. Teil: 14 (1914): 14-93 [39 figures]; IV. Teil: 18 (1919): 17-75 [11 figures]
- LANDROCK, K. 1913: Zwei neue Arten der Fungivoriden-Gattung *Trichonta* WINN. - Zeitschr. Wiss. Ins. Biol., Berlin, 9: 87-90. [2 new species; 6 figures]
- LANDROCK, K. 1914: Eine neue Art der Pilzmückengattung *Mycetophila* MEIG. - Wiener Entomologische Zeitung 33: 201-202. [*M. abbreviata* sp.n.; 2 figures]
- LANDROCK, K. 1916 a: Die Pilzmücken-Gattungen *Phthinia* WINN. und *Bolitophila* MEIG. - Wiener Entomologische Zeitung 35: 279-286. [Key to species; 11 figures]
- LANDROCK, K. 1916 b: Neue mährische Arten der Pilzmückengattung *Docosia* WINN. - Z. mähr. Landesmus. 15: 59-66. [3 new species; 13 figures]
- LANDROCK, K. 1917: Die Pilzmückengattung *Macrocera* MG. - Wiener Entomologische Zeitung 36: 67-102. [Key to species; 2 new species; 12 figures]
- LANDROCK, K. 1918 a: Tabellen zum Bestimmen europäischer Pilzmücken. I. - Wiener Entomologische Zeitung 37: 55-72. [Ditomyiidae, Diadocidiidae, Keroplatidae, Mycetophilidae (partim.); keys to species]
- LANDROCK, K. 1918 b: Tabellen zum Bestimmen europäischer Pilzmücken. II. - Wiener Entomologische Zeitung 37: 107-120. [Mycetophilidae (partim); 3 new species: *Coelosia*, *Trichonta*; 8 figures]
- LANDROCK, K. 1918 c: Eine neue *Mycetophila* aus Österr.-Schlesien. - Wiener Entomologische Zeitung 37: 34. [*M. hetschkoi* sp.n.; 2 figures]
- LANDROCK, K. 1918 d: Die Pilzmückengattung *Dynatosoma* WINN. - Arch. Naturgesch. 82 A: 38-51. [17 figures]
- LANDROCK, K. 1923: Die Pilzmücken Mährens. - Wiener Entomologische Zeitung 40: 163-171. [all families; *Macrocera sudetica* sp.n.]
- LANDROCK, K. 1924: Neue Mycetophiliden aus den Hochmooren von Estland. - Zool. Anz. 58: 77-81. [Keroplatidae, Mycetophilidae; 3 new species: *Macrocera*, *Phronia*, *Anatella*; 10 figures]
- LANDROCK, K. 1925 a: Holländische Mycetophiliden. - Natuurh. Manndbl. 14 (3): 33-37. [2 new species: *Rhymosia*, *Anatella*; 6 figures]
- LANDROCK, K. 1925 b: Neue Mycetophiliden. - Natuurh. Maandbl. 14 (3): 37-40. [6 new species: *Brevicornu*, *Trichonta*, *Mycetophila*; 15 figures]
- LANDROCK, K. 1926 a: Die palaearktischen Arten der Gattung *Cordyla* MG. - Konowia 6: 64-69, 200-204. [Key to species; *C. bicornuta* sp.n.; 9 figures]
- LANDROCK, K. 1926 b: Die mähr.-schles. Arten der Pilzmückengattung *Leia* MEIG. - Cas. Mor. Zem. Mus. 24: 197-207. [1 plate with 6 figures]
- * LANDROCK, K. 1927: 8. Fungivoridae (Mycetophilidae), pp. 1-196. In LINDNER, E. (ed.): Die Fliegen der Paläarktischen Region. - Bd. III, Stuttgart. [all families; 8 plates of figures]
- LANDROCK, K. 1928: Neue Fungivoriden. - Konowia 7: 238-242. [4 new species: *Docosia*, *Allodia*, *Phronia*; 12 figures]
- LANDROCK, K. 1930: Revision der SIEBERT'schen Pilzmückensammlung im Deutschen

- entomolog. Institut, Berlin-Dahlem. (Dipt.). - Stettiner Entomologische Zeitung 91: 252-260. [all families; *Mycomyia sieberti* sp.n.; 18 figures]
- * LANDROCK, K. 1940: Zweiflüger oder Diptera. VI: Pilzmücken oder Fungivoridae (Mycetophilidae), pp.1-166. In DAHL, F. (ed.): Die Tierwelt Deutschlands. - 38, Jena. [all families; keys to families, genera and species; 337 figures]
- + LAŠTOVKA, P. 1963: Beitrag zur Kenntnis der europäischen Fungivora-Arten aus der gruppe *vittipes* (ZETT.) (Dipt., Mycetophilidae). - Acta Societatis Entomologicae Cechosloveniae 60: 312-327. [*Mycetophila*; key to species; 5 new species; 18 figures]
- LAŠTOVKA, P. 1966: *Mycetophila laeta* WALKER, eine für die Fauna des palaearktischen Gebietes neue Art, und systematische Bemerkungen (Diptera, Mycetophilidae). - Annot. Zool. Bot., Slov. narodne Muz. 32: 1-5. [3 figures]
- LAŠTOVKA, P. 1970: A study on the last instar larvae of some Czechoslovak *Mycetophila* (Diptera, Mycetophilidae). - Acta Universitatis Carolinae - Biologica, 137-176. [75 figures]
- + LAŠTOVKA, P. 1972: Holarctic species of *Mycetophila ruficollis*-group (Diptera, Mycetophilidae). - Acta ent. bohemoslov. 69: 275-294. [Key to species; 6 new species; 38 figures]
- LAŠTOVKA, P. & KIDD, L. 1975: Review of the British and notes on other species of the *Mycetophila ruficollis*-group, with the description of a new species (Dipt., Mycetophilidae). - Entomologist's month. Mag. 110: 203-214. [Key to species; 40 figures]
- LAŠTOVKA, P. & MATILE, L. 1969: Contribution à la faune de l'Iran. 16. Diptères Mycetophilidae des provinces caspiennes. 2. Genre *Mycetophila*. - Annl. Soc. ent. France, N.S., 5 (3): 681-686. [*M. hyrcania* sp.n.; 2 figures]
- LAŠTOVKA, P. & MATILE, L. 1972: Revision de *Diadocidia* Holarctiques (Dipt., Mycetophilidae). - Annl. Soc. ent. Fr., N.S., 8 (1): 205-223. [Key to holarctic species; 1 new subgenus; 28 figures]
- + LAŠTOVKA, P. & MATILE, L. 1974: Mycetophilidae (Diptera) de Mongolie. - Acta Zoologica Academiae Scientiarum Hungaricae 20: 93-135. [20 new species: *Greenomyia*, *Leia*, *Docosia*, *Mycetophila*, *Exechia*, *Exechiopsis*, *Rymosia*, *Allodia*, *Brevicornu*, *Cordyla*; 69 figures]
- LINDNER, E. 1927. Pilzmückenstudien (I). - Mitteilungen aus der Württ. Naturaliensammlung in Stuttgart. 120: 105-111. [Mycetophilidae; 12 figures]
- + LUNDSTRÖM, C. 1906: Beiträge zur Kenntnis der Dipteren Finlands. I. Mycetophilidae. - Acta Societatis pro Fauna et Flora Fennica 29: 1-50. [Bolitophilidae, Diadocidiidae, Keroplatidae, Mycetophilidae; 1 new genus: *Hadroneura*; 13 new species: *Macrocera*, *Hadroneura*, *Boletina*, *Rhymosia*, *Trichonta*, *Phronia*, *Zygomia*, *Mycetophila*; 55 figures]
- + LUNDSTRÖM, C. 1909: Beiträge zur Kenntnis der Dipteren Finlands. IV. Supplement Mycetophilidae. - Acta Societatis pro Fauna et Flora Fennica 32: 1-63. [Bolitophilidae, Diadocidiidae, Keroplatidae, Mycetophilidae; 18 new species: *Neoempheria*, *Coelosia*, *Brachycampta*, *Trichonta*, *Phronia*, *Exechia*, *Mycetophila*, 160 figures]
- + LUNDSTRÖM, C. 1911: Neue oder wenig bekannte europäische Mycetophiliden. - Annales Musei Nationalis Hungarici 9: 390-419. [Keroplatidae, Mycetophilidae; 27 new species: *Macrocera*, *Platyura*, *Asindulum*, *Sciophila*, *Rhymosia*, *Brachycampta*, *Trichonta*, *Phronia*, *Exechia*, *Mycetophila*; 82 figures]
- + LUNDSTRÖM, C. 1912 a: Neue oder wenig bekannte europäische Mycetophiliden. II. - Annales Musei Nationalis Hungarici 10: 514-522. [Keroplatidae, Mycetophilidae; 8 new species: *Platyura*, *Sciophila*, *Loewiella*, *Anaclinia*, *Mycetophila*; 19 figures]
- + LUNDSTRÖM, C. 1912 b: Beiträge zur Kenntnis der Dipteren Finlands. VIII. Supplement. 2. Mycetophilidae, Tipulidae, Cylindrotomidae, und Limnobiidae. - Acta Societatis pro Fauna et Flora Fennica 36: 1-39. [Bolitophilidae, Diadocidiidae, Keroplatidae, Mycetophilidae; 16 new species: *Macrocera*, *Sciophila*, *Polylepta*, *Loewiel-*

- la, Boletina, Rhymosia, Brachycampta, Exechia*, 102 figures]
- + LUNDSTRÖM, C. 1913 a: Neue oder wenig bekannte europäische Mycetophiliden. III. - *Annales Musei Nationalis Hungarici* 11: 305-322. [Bolitophilidae, Mycetophilidae; 15 new species: *Bolitophila, Manota, Sciophila, Brachycampta, Trichonta, Exechia, Mycetophila, Dynatosoma*; 35 figures]
- LUNDSTRÖM, C. 1913 b: Eine neue Art der Mückengattung *Exechia*. - *Meddelanden Societatis pro Fauna et Flora Fennica* 39: 104-106. [*E. januarii* sp.n.; 2 figures]
- + LUNDSTRÖM, C. 1914: Beiträge zur Kenntnis der Dipteren Finlands. IX. Supplement. 3. Mycetophilidae. - *Acta Societatis pro Fauna et Flora Fennica* 39: 1-26. [Bolitophilidae, Keroplatidae, Mycetophilidae; 12 new species: *Bolitophila, Macrocera, Platyura, Loewiella, Boletina, Brachycampta, Trichonta, Phronia, Exechia*; 28 figures]
- LUNDSTRÖM, C. 1916: Neue oder wenig bekannte europäische Mycetophiliden. IV. - *Annales Musei Nationalis Hungarici* 14: 72-80. [Bolitophilidae, Keroplatidae, Mycetophilidae; 8 new species: *Bolitophila, Platyura, Trichonta, Exechia, Mycetophila*; 26 figures]
- LUNDSTRÖM, C. 1918 [sic! 1915]: Diptera Nematocera aus den arktischen Gegenden Sibiriens. - *Mem. Acad. Sci. St.-Petersb., Cl. phys.-math.* 8, 29 (8): 1-33. [4 new species: *Sciophila, Boletina*; 16 figures]
- LUNDSTRÖM, C. & FREY, R. 1913: Beitrag zur Kenntnis der Dipterenfauna des nördlichen europäischen Russlands. - *Acta Soc. Fauna Flora fenn.* 37 (10): 3-5. [Keroplatidae, Mycetophilidae; *Brachycampta arctica* sp.n.; 3 figures]
- MARTINOVSKY, J. 2001: New records on little-known western Palaearctic *Macrocera* MEIGEN, with a description of *M. jonica* sp.n. from Greece (Diptera: Keroplatidae). - *Acta Universitatis Carolinae Biologica* 45: 109-114. [2 figures].
- MARTINSEN, L. & SØLI, G.E.E. 2000: Description of females of three species of *Ectrepesthoneura* ENDERLEIN (Diptera, Mycetophilidae). - *Norw. J. Entomol.* 47: 137-147. [15 figures]
- MATILE, L. 1962 a: Morphologie et biologie d'un insecte diptère cavernicole *Speolepia leptogaster* WINNERTZ (Mycetophilidae). - *Mem. Mus. nat. hist. natur., Ser. A.,* 20: 220-242. [15 figures]
- MATILE, L. 1962 b: *Rhymosia rustica* EDWARDS, Diptere Mycetophilidae nouveau pour la faune française. - *Revue française d'Entomologie* 29: 306-311. [9 figures about genitalia and larval morphology]
- MATILE, L. 1963 a: Un Diptere Mycetophilidae nouveau. - *Bull. Soc. ent. France* 68: 40-44. [*Fungivora conformis* sp.n.; 11 figures]
- MATILE, L. 1963 b: Un nouveau Mycetophilidae pour la faune de France (Diptera, Nematocera). - *Revue française d'Entomologie* 30: 141-143. [*Exechia spinosa* BUKOWSKI, 1949; 2 figures]
- MATILE, L. 1963 c: Deux nouveaux Mycetophilides du genre *Rhymosia* de France (Diptera, Nematocera). - *Revue française d'Entomologie* 30: 190-192. [2 new species; 4 figures]
- MATILE, L. 1967: Note sur les Mycetophilidae de la région pyrénéenne et description de quatre espèces nouvelles. - *Bulletin de la Société entomologique de France* 72: 121-126, 208-217. [Bolitophilidae, Keroplatidae, Mycetophilidae; 4 new species: *Platyura, Rymosia, Mycetophila*; 12 figures]
- MATILE, L. 1969 a: Contribution à la faune de l'Iran. 14. Diptères Mycetophilidae des provinces Caspiennes. - *Annls Soc. ent. France, N.S.,* 5 (1): 239-250. [Ditomyiidae, Diadocidiidae, Keroplatidae, Mycetophilidae; 6 new species: *Platyura, Exechiopsis, Rymosia, Brevicornu, Phronia*; 10 figures]
- MATILE, L. 1969 b: Un *Macrocera* nouveau de Grèce. - *Bull. Soc. ent. Fr.* 74: 36-37 [*Macrocera aegaea* sp.n.; 1 figure]
- MATILE, L. 1970: Capture en France de *Manota unifurcata* Lundström (Diptera, Myce-

- tophilidae). - Cah. Nat. 26: 59-60. [2 figures]
- MATILE, L. 1971: Notes sur les Mycetophilidae (Diptera) de la faune de France. I. le genre *Allodiopsis*. - L'Entomologiste 27: 64-70. [Key to species; *A. (Gymnogonia) bayardi* sp.n.; 2 figures]
- MATILE, L. 1972: Notes sur les Mycetophilidae (Diptera) de la faune de France. II. Deux nouvelles especes du genre *Mycomyia*. - L'Entomologiste 28: 74-78. [2 new species; 7 figures]
- MATILE, L. 1973: Découverte du genre *Baeopterogyna* en région palaéarctique; description d'une espece nouvelle de Hongrie (Diptera, Mycetophilidae). - Cah. Nat. Bull., N.P., n.s., 29: 87-88. [*Baeopterogyna mihalyi* sp.n.; 1 figure]
- MATILE, L. 1974 a: Notes sur les Mycetophilidae (Diptera) de la faune de France. III. Le genre *Neuratelia*. - L'Entomologiste 30: 26-34. [Key to species; *N. spinosa* sp.n.; 9 figures]
- MATILE, L. 1974 b: A new species of *Asindulum* from Israel (Diptera, Mycetophilidae). - Israel Journal of Entomology 9: 73-75. [*A. theodori* sp.n.; 4 figures]
- + MATILE, L. 1975: Révision des *Asindulum* et des *Macrorrhyncha* de la région paléarctique (Diptera, Mycetophilidae). - Anns. Soc. ent. Fr. (n.s.), 11 (3)/1976: 491-515. [Keys to species; *M. ancae* sp.n.; 26 figures]
- MATILE, L. 1976 a: Notes sur les Mycetophilidae (Diptera) de la faune de France. IV. Le genre *Bolitophila* 1: sous-genre *Bolitophila* s. str. (1er partie). - L'Entomologiste 32: 235-244. [Key to species; 9 figures]
- MATILE, L. 1976 b: Notes sur les Mycetophilidae (Diptera) de la faune de France. IV. Le genre *Bolitophila* 1: sous-genre *Bolitophila* s. str. (suite et fin). - L'Entomologiste 33: 17-22. [5 figures]
- + MATILE, L. 1977 a: Révision des Keroplatinae du genre *Antlemon* (Diptera, Mycetophilidae). - Annales Soc. ent. France, N.S., 13: 639-649. [Key to species, 3 new species; 13 figures]
- MATILE, L. 1977 b: Contribution à la faune de l'Iran 25. Diptères Mycetophilides des provinces Caspiennes. 3. Complement. - Anns. Soc. ent. France, N.S., 13: 139-143. [2 new species: *Rhymosia*, *Epicypsta*; 4 figures]
- + MATILE, L. 1978: Description d'un *Neoclastobasis* nouveau de Hongrie et remarques sur divers Leiini (Diptera: Mycetophilidae). - Folia ent. Hung., S.N., 31: 167-172. [Key to genera of Leiini; *N. draskovitsae* sp.n.; 2 figures]
- MATILE, L. 1980: Complément au Catalogue des Mycetophilidae de France. - Bull. Soc. Entomol. France 85: 93-102. [1 figure about female terminalia of *Phronia spinigera* HACKMANN]
- MATILE, L. 1983 a: Un *Sciophila* nouveau de la vallée d'Aoste (Alpes italiennes) (Diptera, Mycetophilidae). - Rev. fr. entomol., N.S., 5: 147-150. [*S. salassea* sp.n.; 2 figures]
- MATILE, L. 1983 b: Notes taxinomiques et chorologiques sur les Gnoristini paléarctiques (Diptera, Mycetophiloidea). - Anns. Soc. Ent. Fr., N.S., 19: 426-432. [6 figures about male genitalia of *Impleta* and *Boletina*]
- + MATILE, L. 1986: L'identité du "Ver de la Tipule de l'agarc" de Réaumur, et notes taxinomiques sur les Keroplatus Paléarctiques (Diptera, Mycetophiloidea, Keroplatidae). - Anns. Soc. Ent. Fr., N.S., 22: 353-367. [25 figures]
- MATILE, L. 1987: Note synonymique sur le genre *Synplasta* (Diptera, Mycetophilidae). - Bull. Soc. ent. France 93: 18.
- + MATILE, L. 1988: *Rosetelion*, a new Holarctic genus of the Keroplatidae (Diptera, Mycetophiloidea): Description, phylogenetic and biogeographic notes. - Anns. ent. Fenn. 54: 107-113. [Key to species; 16 figures]
- * MATILE, L. 1990: Recherches sur la systématique et l'évolution des Keroplatidae (Diptera, Mycetophiloidea). - Mem. Mus. Natn. Hist. Nat., A Zool., 148: 1-682.

[Detailed morphology and terminology; keys to subfamilies and selected genera with species of the world; 8 new genera and 52 new species worldwide; 990 figures in the morphological and systematic chapters]

- MATILE, L. 2002: Notes sur le genre *Greenomyia* Brunetti et description d'une espèce nouvelle des Alpes et des Apennins (Diptera: Mycetophilidae). - *Annls. Soc. ent. France* 38: 13-16. [Key to Holarctic species; *G. theresae* sp.n.; 3 figures]
- MATILE, L. & BURGHELE-BALACESCO, A. 1969: Note sur les genres *Keroplatus* et *Cerotelion* et description de *Cerotelion racovitzai* n. sp. (Dipt., Mycetophilidae). - *Bull. Soc. ent. Fr.* 74: 82-86. [3 figures]
- MAYER, H. 1950: Zwei neue Fungivoriden (Diptera-Nematocera) aus der Sammlung des Naturhistorischen Museum Wien. - *Annln. naturh. Mus. Wien* 57: 281-283. [Bolitophilidae; 2 new species; 2 figures]
- MAYER, H. 1951: Neue Fungivoriden (Diptera-Nematocera) aus der Sammlung des Naturhistorischen Museum in Wien. II. - *Annln. naturh. Mus. Wien* 58: 127-136. [Bolitophilidae; key to species; 6 new species; 10 figures]
- MIKOLAJCZYK, W. 1965: *Brachypeza obscura* Winn. - a rare, new to the Polish Fauna, species of Fungivoridae (Diptera). - *Bull. Acad. Polonaise Sci. Cl. II, Ser. Sci. Biol.*, 13: 91-94. [10 figures]
- MIKOLAJCZYK, W. 1967: Mycetophilidae (Diptera) doliny Nidy. - *Fragm. faun., Warszawa*, 14 (2): 17-43. [65 figures]
- + MUNROE, D.D. 1974: The systematics, phylogeny, and zoogeography of *Symmerus* WALKER and *Australosymmerus* FREEMAN (Diptera: Mycetophilidae: Ditomyiinae). - *Mem. Entomol. Soc. Canada* 92: 183 pp. [Revision of holarctic species; key to species; 14 new species; 78 figures]
- NIELSEN, P. 1943: Danish Fungus-Gnats (Dipt. Fungiv.). Systematical and faunistical notes. I. Ditomyiinae, Bolitophilinae, Diadocidiinae, Macrocerinae. - *Ent. Medd.* 23: 120-131. [Keys to genera and species, 5 figures]
- NIELSEN, P. 1966: Mycetophilidae from Madeira and the Azores with descriptions of three species new to science. - *Bolm. Mus. munic. Funchal* 20: 87-94. [Mycetophilidae; 3 new species: *Exechia*, *Mycetophila*; 4 figures]
- OKADA, I. 1936 a: Beitrag zur Kenntnis der Fungivoriden-Fauna Japans II: Diadocidiinae (Dipt.). - *Insecta Matsumurana* 9: 21-24. [1 figure]
- OKADA, I. 1936 b: Beitrag zur Kenntnis der Fungivoriden-Fauna Japans III: Ditomyiinae (Dipt.). - *Insecta Matsumurana* 9: 56-60. [*Symmerus antennalis* sp.n.; 1 figure]
- OKADA, I. 1937: Beitrag zur Kenntnis der Fungivoriden-Fauna Japans V: Lygistorrhinae (Dipt.). - *Insecta Matsumurana* 12: 45-48. [*Lygistorrhina pictipennis* sp.n.; 1 figure]
- OKADA, I. 1938 a: Einige Fungivoriden vom Daisetsu-Gebirge in Hokkaido (Diptera, Nematocera). - *Insecta Matsumurana* 12: 91-98. [Bolitophilidae, Keroplatidae, Mycetophilidae; *Syntemna daisetsuzana* sp.n.; 2 figures]
- OKADA, I. 1938 b: Mitteilungen über einige Nematoceren aus der Mandchurei (Diptera). - *Insecta Matsumurana* 12: 136-142. [Mycetophilidae; 2 new species: *Neoempheria*, *Leia*; 2 figures]
- OKADA, I. 1938 c: Beitrag zur Kenntnis der Ceroplatinen-Fauna Japans (Dipt., Fungivoridae). - *Insecta Matsumurana* 13: 17-32. [5 new species: *Ceroplatus*, *Asindulum*, *Zelmira*; 4 figures]
- + OKADA, I. 1939: Studien über die Pilzmücken (Fungivoridae) aus Hokkaido (Diptera, Nematocera). - *Jour. Facul. Agr., Hokkaido Imp. Univ., Sapporo*, 42: 267-336. [All families; 12 new species: *Symmerus*, *Zelmira*, *Neoempheria*, *Phthinia*, *Coelosia*, *Gnoriste*, *Leia*, *Tetragoneura*, *Exechia*, *Fungivora*, *Delopsis*, *Zygomysia*; 34 figures]
- ØKLAND, B. 1995: Description of *Syntemna haagvari*, a new species of Mycetophilidae (Diptera) from Norway. - *Fauna norv., Ser. B.*, 42: 59-62. [2 figures]
- + OSTROVERKHOVA, G.P. 1979: Fungus-gnats (Diptera, Mycetophiloidea) of Siberia. -

- 308pp., Tomsk (in Russian). [All families; about 100 new species; 58 plates of figures]
- * OSTROVERKHOVA, G.P. & STACKELBERG, A.A. 1969: Mycetophilidae - fungus gnats, pp. 265-320. In: Key of Insects of European part of USSR. Vol. VI. Leningrad. (in Russian). [Mycetophilidae; keys to genera and species; 30 plates of figures]
- PLACHTER, H. 1979 a: Zur Kenntnis der Präimaginalstadien der Pilzmücken (Diptera, Mycetophiloidea). Teil I: Gespinstbau. - Zool. Jb. Anat. Ontogen. Tiere 101: 168-266.
- PLACHTER, H. 1979 b: Zur Kenntnis der Präimaginalstadien der Pilzmücken (Diptera, Mycetophiloidea). Teil II: Eidonomie der Larven. - Zool. Jb. Anat. Ontogen. Tiere 101: 271-392.
- PLACHTER, H. 1979 c: Zur Kenntnis der Präimaginalstadien der Pilzmücken (Diptera, Mycetophiloidea). Teil III: Pupae. - Zool. Jb. Anat. Ontogen. Tiere 101: 427-455.
- PLACHTER, H. 1981: Chorionic structures of the eggshells of 15 fungus- and root-gnat species (Diptera, Mycetophilidae). - Int. J. Insect Morph. Embryol. 10: 43-63.
- PLASSMANN, E. 1969: *Monocentrotia lundstroemi* EDW. (Dipt. Fungivoridae), neu für die Deutsche Fauna. - Mitt. Deutschen Entomol. Ges. 28: 59. [2 figures]
- PLASSMANN, E. 1970 a: Beschreibung des Weibchens und der Larve von *Parallodia czernyi* LANDROCK (Diptera, Fungivoridae). - Mitt. Deutschen Entomol. Ges. 29: 18-19. [6 figures]
- PLASSMANN, E. 1970 b: *Rhymosia matilei* n. sp., eine neue Fungivoride (Diptera, Fungivoride). - Mitt. Deutschen Entomol. Ges. 29: 19-20.
- PLASSMANN, E. 1970 c: Eine neue Fungivoridae aus Deutschland (Diptera: Fungivoridae). - Senckenbergiana biol. 51: 97-98. [*Bolitophila scherfi* sp.n.; 1 figure]
- PLASSMANN, E. 1970 d: Die Fungivoridentypen im Senckenberg-Museum Frankfurt a. M. mit Beschreibung einer neuen Art (Diptera: Fungivoridae). - Senckenbergiana biol. 51: 89-95. [Keroplastidae, Mycetophilidae; *Mycomyia heydeni* sp.n.; 6 figures]
- PLASSMANN, E. 1970 e: Zur Taxonomie der Fungivoridae (Diptera). - Senckenbergiana biol. 51: 393-400. [Mycetophilidae; 34 figures on female terminalia]
- + PLASSMANN, E. 1971: Die Pilzmückengattung *Messala* (Dipt., Fungivoridae). - Ent. Z. Frankf. a.M. 81: 164-173. [Key to species; 16 figures]
- PLASSMANN, E. 1972 a: Morphologisch-taxonomische Untersuchungen an Fungivoridenlarven (Diptera). - Dtsch. Ent. Z., N.F., 19: 73-99. [Key to families based on larval characteristics; 15 figures]
- PLASSMANN, E. 1972 b: Zur Kenntnis der beiden mitteleuropäischen *Tetragoneura*-Arten (Diptera: Mycetophilidae). - Entomologische Zeitschrift 82: 275-277. [2 figures]
- PLASSMANN, E. 1972 c: Ein Überblick über die Pilzmücken (Diptera, Fungivoridae). - Entomologische Zeitschrift 82: 65-72. [Key to families based on larval characters, 11 figures]
- + PLASSMANN, E. 1972 d: Die Pilzmückengattung *Neoempheria* (Diptera: Fungivoridae). - Senckenbergiana biol. 53: 239-244. [Key to species; 7 figures]
- PLASSMANN, E. 1972 e: Zwei neue Pilzmückenarten (Diptera: Fungivoridae). - Senckenbergiana biol. 53: 91-92. [2 new species: *Mycomyia*, *Allodia*; 2 figures]
- PLASSMANN, E. 1972 f: Beschreibung des Weibchens von *Messala basicornis* MAYER (Diptera: Fungivoridae). - Senckenbergiana biol. 53: 237-238. [1 figure]
- + PLASSMANN, E. 1973: Die Pilzmückengattung *Leia* (Diptera: Mycetophilidae). - Senckenbergiana biol. 54: 131-140. [Key to species; 23 figures]
- PLASSMANN, E. 1974: Untersuchungen an Mycetophilidentypen aus der WINNERTZ'schen Sammlung. - Senckenbergiana biol. 51: 353-355. [Mycetophilidae; 4 lectotype designations; 3 figures]
- PLASSMANN, E. 1975 a: *Ectrepesthoneura messaurensis*, eine neue Pilzmücke (Diptera, Mycetophilidae). - Mitt. Dtsch. Ent. Ges. 34: 10-11. [2 figures]
- + PLASSMANN, E. 1975 b: Revision der europäischen Arten der Pilzmückengattung *Boli-*

- tophila* MEIGEN (Diptera: Mycetophilidae). - Ent. scand. 6: 145-157. [Key to species; 29 figures]
- PLASSMANN, E. 1976 a: Die Pilzmücken (Mycetophilidae), eine wenig bekannte Dipteren-Gruppe. - Mitt. Deutschen Entomol. Ges. 34: 37-42. [Mycetophilidae; 8 figures]
- PLASSMANN, E. 1976 b: Vier neue Mycetophiliden aus der ökologischen Station Messaure/ Schweden. - Senckenbergiana biol. 57: 73-76. [4 new species: *Ecthrepesthoneura*, *Exechia*, *Rymosia*; 4 figures]
- PLASSMANN, E. 1976 c: *Mycetophila sequestra*, eine neue Pilzmücke aus Schweden (Diptera: Mycetophilidae). - Senckenbergiana biol. 57: 71-72. [2 figures]
- PLASSMANN, E. 1976 d: Zwei neue Pilzmücken aus dem Kaukasus (Diptera: Mycetophilidae). - Senckenbergiana biol. 57: 69-70. [2 new species: *Paratinia*, *Rymosia*; 2 figures]
- PLASSMANN, E. 1976 e: Beitrag zur Kenntnis der Pilzmückenweibchen (Diptera: Mycetophilidae). - Mitt. dtsh. ent. Ges. 34: 60-64. [Bolitophilidae, Mycetophilidae; 16 figures about female terminalia]
- PLASSMANN, E. 1977 a: Drei neue Mycetophiliden aus dem Allgäu (Insecta: Diptera: Mycetophiliden). - Senckenbergiana biol. 57 (1976): 285-287. [3 new species: *Allochia*, *Zygomomyia*; 3 figures]
- PLASSMANN, 1977 b: Neue Pilzmücken aus dem Allgäu (Diptera, Mycetophilidae). - NachrBl. Bayer. Ent. 26 (1): 11-14. [5 new species: *Anatella*, *Allochia*; 5 figures]
- PLASSMANN, E. 1977 c: Drei weitere neue Mycetophilidenarten aus dem Allgäu (Diptera: Mycetophilidae). - NachrBl. Bayer. Ent. 26 (2): 30-31. [3 new species: *Mycomomyia*, *Speolepta*, *Anatella*; 3 figures]
- + PLASSMANN, E. 1977 d: Revision der europäischen Arten der Pilzmückengattung *Phronia* (Diptera: Mycetophilidae). - Dtsch. Ent. Z., N.F., 24: 305-344. [Key to species; 67 figures]
- PLASSMANN, E. 1978: Neue Pilzmücken aus Schweden und Bulgarien (Insecta: Diptera: Mycetophilidae). - Senckenbergiana biol. 59: 205-214. [1 new genus: *Impleta*; 8 new species: *Asindulum*, *Mycomomyia*, *Syntemna*, *Impleta*, *Exechia*; 8 figures]
- PLASSMANN, E. 1980 a: Drei neue Pilzmücken aus Tirol und Bayern (Diptera, Nematocera, Mycetophilidae). - Spixiana 3: 209-214. [3 new species: *Boletina*, *Tarnania*; 10 figures]
- + PLASSMANN, E. 1980 b: Revision der palaearktischen Arten der Pilzmücken-Gattung *Ecthrepesthoneura* (Diptera: Mycetophilidae). - Beitr. Ent. 30: 3-7. [Key to species; 1 new species; 7 figures]
- PLASSMANN, E. 1981: *Mycomomyia lindrothi* n. sp. and *Anatella laffooni* PLASSM., two new fungusgnats (Diptera: Mycetophilidae). - Ent. Scand., Suppl. 15: 251-252. [2 figures]
- PLASSMANN, E. 1984 a: Eine neue Pilzmücke der Gattung *Orfelia* COSTA (Diptera: Mycetophilidae). - Mitt. internat. Ent. Ver. Frankfurt a.M. 9: 14-15. [*Orfelia (Isoneuro-myia) ebriola* sp.n.; 2 figures]
- PLASSMANN, E. 1984 b: Sechs neue Pilzmücken aus Schweden, Österreich, Griechenland und Brasilien (Diptera, Nematocera, Mycetophilidae). - NachrBl. Bayer. Ent. 33 (2): 44-49. [5 new species: *Mycomomyia*, *Phthinia*, *Anatella*, *Exechiopsis*, *Pseudobrachy-peza*; 14 figures]
- PLASSMANN, E. 1986: Neun neue Pilzmücken aus der Westpaläarktis (Diptera, Nematocera, Mycetophilidae). - Spixiana 9: 143-150. [9 new species: *Bolitophila*, *Mycomomyia*, *Coelosia*, *Boletina*, *Docosia*, *Exechiopsis*, *Rymosia*, *Mycetophila*; 18 figures]
- PLASSMANN, E. 1988: Eine neue Pilzmücke der Gattung *Bolitophila* MEIGEN aus Norddeutschland (Diptera: Mycetophilidae). - Mitt. int. ent. Ver. Frankfurt a.M. 13: 23-24. [*Bolitophila (Cliopisa) doerrsteini* sp.n.; 2 figures]
- PLASSMANN, E. 1990 a: Fünf neue Pilzmücken aus Schweden (Diptera, Nematocera, Mycetophilidae). - NachrBl. bayer. Ent. 39 (2): 61-64. [5 new species: *Syntemna*,

- Phthinia, Tetragoneura, Dynatosoma, Mycetophila*; 9 figures]
- PLASSMANN, E. 1990 b: Zwei neue Pilzmücken aus Ungarn (Diptera, Nematocera, Mycetophilidae). - Spixiana 13: 273-275. [2 new species: *Anatella, Phronia*; 4 figures]
- PLASSMANN, E. 1996: Zur Kenntnis der Pilzmückenfauna Österreichs (Diptera: Nematocera: Mycetophiloidea). - Mitt. int. ent. Ver. Frankfurt/M. 21: 111-120. [*Docosia diutina* sp.n.; 2 figures]
- PLASSMANN, E. 1999: Neue bayerische und schwedische Pilzmücken (Diptera, Nematocera, Sciaroidea, Mycetophilidae). - Mitt. Münch. Ent. Ges. 89: 5-9. [6 new species: *Sytemna, Acnemia, Brevicornu, Phronia, Dynatosoma*; 9 figures]
- PLASSMANN, E. & JOOST, W. 1990. Eine neue Pilzmückenart der Gattung *Gnoriste* MEIGEN (Insecta, Diptera: Mycetophilidae). - Reichenbachia, St. Mus. Tierk. Dresden 28: 65-66. [*Gnoriste mongolica* sp.n.; 3 figures]
- PLASSMANN, E. & SCHACHT, W. 1990: Ein Beitrag zur Pilzmückenfauna Spaniens mit Beschreibung zweier neuer Arten (Diptera, Nematocera, Mycetophilidae). - Entomofauna 11: 141-151. [2 new species: *Mycetophila, Sceptonia*; 3 figures]
- PLASSMANN, E. & SCHACHT, W. 1999: Fundort Schöngesing. Zweite Ergänzungsliste zu den Pilzmücken mit Beschreibung von fünf neuen Arten (Diptera Sciaroidea: Macroceridae, Mycetophilidae). - Entomofauna 20: 281-288. [5 new species: *Allodia, Brevicornu, Mycetophila*; 6 figures]
- PLASSMANN, E. & SCHACHT, W. 2002 a: Pilzmückenfänge aus dem Bayerischen Karwendelgebirge (Diptera: Sciaroidea: Bolitophilidae, Diadocidiidae, Macroceridae, Mycetophilidae). - Entomofauna 23: 109-120. [*Mycetophila fereina* sp.n.; 1 figure]
- PLASSMANN, E. & SCHACHT, W. 2002 b: Zweiflüger aus Bayern XXII (Diptera Sciaroidea: Ditomyiidae, Bolitophilidae, Diadocidiidae, Keroplatidae, Mycetophilidae). - Entomofauna 23: 237-248. [*Mycetophila duodevia* nom.n.]
- POLEVOI, A.I. 1996: New and poorly known fungus gnats of the families Bolitophilidae, Diadocidiidae and Keroplatidae from Eastern Fennoscandia (Diptera, Nematocera). - Zoosystematica Rossica 4: 177-182. [3 new species: *Bolitophila, Diadocidia*; 15 figures]
- POLEVOI, A.I. 2001: New and little known species of the fungus gnat subfamilies Mycomyinae and Sciophilinae (Diptera, Mycetophilidae) from eastern Fennoscandia. - Entomol. Oboz. 80: 518-526. [2 new species: *Sciophila*; 13 figures]
- POLEVOI, A.I. [in press]: Review of the Fennoscandian species of *Sytemna* WINNERTZ (Diptera, Mycetophilidae). - Studia Dipterologica. [Key to species; 2 new species; 13 figures]
- SAIGUSA, T. 1973: A systematic study of the Mycetophilidae of Japan (Diptera). Part 1. A revision of the subfamily Ditomyiinae. - Sieboldia 4 (3): 167-216. [Keys to genera and to species of *Symmerus*; 52 figures; 7 plates]
- SASAKAWA, M. & ISHIZAKI, H. 1999: Fungus Gnats of the Genera *Exechiopsis* TUOMIKOSKI and *Pseudexechia* TUOM. in Japan (Diptera: Mycetophilidae). - Entomological Science 2: 147-156. [5 new species; 24 figures]
- SASAKAWA, M. & KIMURA, T. 1974 a: Japanese Mycetophilidae (Diptera) VI. genus *Dynatosoma* WINNERTZ. - Proc. Jap. Soc. Syst. Zool. 10: 22-30. [Key to species; 3 new species; 7 figures]
- SASAKAWA, M. & KIMURA, T. 1974 b: Japanese Mycetophilidae (Diptera) VII. Genus *Boletina* STAEGER. - Scient. Rep. Kyoto prefect. Univ., Agric., 26: 44-66. [13 new species; 20 figures]
- * SÉGUY, E. 1941 a: Faune de France. 36. Dipteres Nematoceres (Fungivoridae, Lycoriidae, Bibionidae, Scatopsidae, Phryneidae, Pachyneuridae, Blepharoceridae). - 368 pp., Paris. [Keys to families, genera and species; 414 figures]
- SÉGUY, E. 1941 b: Recoltes de R. PAULIAN et A. VILLIERS dans le Atlas marocain, 1938 (XVII^e note). Dipteres. - Revue Francaise d'Entomologie 8: 25-31. [*Rhymosia exor-*

nata sp.n., described from one female]

- ŠEVČIK, J. 1999: Fifty species of fungus gnats (Diptera: Mycetophilidae) new for the Czech Republic and/or Slovakia, including a new species of *Allodia* WINNERTZ. - Cas. Slez. Mus. Opava, A, 48: 97-105. [*A. subpistillata* sp.n.; 3 figures]
- ŠEVČIK, J. 2001 a: A New species of *Dynatosoma*, fourteen new synonyms and other data on fungus gnats (Diptera: Mycetophilidae) from central and northern Europe. - Studia Dipterologica 8: 143-152. [*D. silesiacum* sp.n.; 3 plates of figures]
- ŠEVČIK, J. 2001 b: New records of Diadocidiidae, Keroplatidae and Mycetophilidae (Diptera: Sciaroidea) from the Czech Republic. - Cas. Slez. Mus. Opava, A, 50: 159-169. [6 figures]
- ŠEVČIK, J. & PAPP, L. 2001: Bolitophilidae and Mycetophilidae (Diptera) genera and species new to Hungary. - Folia Entomologica Hungarica 62: 217-229. [*Dynatosoma nigripes* sp.n.; 3 figures]
- SØLI, G.E.E. 1993: The first Palaeartic record of the mycetophilid genus *Drepanocercus* VOCKEROTH (Diptera: Mycetophilidae). - Ent. scand. 24: 73-77. [*D. spinistylus* sp.n.; 3 figures]
- * SØLI, G.E.E. 1997 a: The adult morphology of Mycetophilidae (s.s.), with a tentative phylogeny of the family (Diptera, Sciaroidea). - Ent. Scand., Suppl. 50: 5-55. [Mycetophilidae; synopsis about morphology and phylogeny; 42 plates of morphological figures]
- * SØLI, G.E.E. 1997 b: On the morphology and phylogeny of Mycetophilidae, with a revision of *Coelosia* WINNERTZ, 1863 (Diptera, Mycetophilidae). - Ent. Scand., Suppl. 50: 57-139. [Revision of world fauna of *Coelosia*; key to 24 species; 51 plates of figures]
- * SØLI, G.E.E., VOCKEROTH, R.J. & MATILE, L. 2000: 4. Families of Sciaroidea, pp. 49-92. In PAPP, L. & DARVAS, B. (eds.): Contribution to a Manual of Palaeartic Diptera. Appendix. - 406 pp., Budapest. [Keys to all families and genera; 121 figures]
- STACKELBERG, A.A. 1943: New Palaeartic fungus-gnats (Diptera, Fungivoridae). - Proc. R. ent. Soc. London, B, 12: 167-171. [5 new species: *Hadroneura*, *Boletina*, *Sciophila*; 10 figures]
- + STACKELBERG, A.A. 1945: European species of the family Macroceridae (Diptera, Nematocera). - Entomol. Oboz. 28: 1-2, 17-29 (in Russian). [Keroplatidae; key to species; 2 new species; 4 figures]
- + STACKELBERG, A.A. 1946: Palaeartic species of the genus *Coelosia* WINN. (Diptera, Fungivoridae). - Proc. Roy. Ent. Soc. London, B, 15: 77-80. [Key to species; 2 new species; 6 figures]
- STACKELBERG, A.A. 1948: New and poorly known species of Fungivoridae (Diptera) from Leningrad District. - Entomol. Oboz. 30: 94-102 (In Russian). [Mycetophilidae; 5 new species: *Boletina*, *Exechia*; 17 figures]
- * STACKELBERG, A.A. 1969 a: Family Ditomyiidae, p. 257. In BEI-BIENKO, G.Y. (ed.): Key to the Insects of the European Part of the USSR. V. Part I. Leningrad (in Russian). [Key to species of Ditomyiidae; 4 figures]
- * STACKELBERG, A.A. 1969 b: Family Bolitophilidae, pp. 247-257. In BEI-BIENKO, G.Y. (ed.): Key to the Insects of the European Part of the USSR. V. Part I. Leningrad (in Russian). [Key to species of Bolitophilidae; 3 new species; 6 plates of figures]
- * STACKELBERG, A.A. 1969 c: Family Ceroplatidae, pp. 258-261. In BEI-BIENKO, G.Y. (ed.): Key to the Insects of the European Part of the USSR. V. Part I. Leningrad (in Russian). [Key to genera and species of Keroplatidae; 3 plates of figures]
- * STACKELBERG, A.A. 1969 d: Family Diadocidiidae, p. 261. In BEI-BIENKO, G.Y. (ed.): Key to the Insects of the European Part of the USSR. V. Part I. Leningrad (in Russian). [Key to species of Diadocidiidae]
- * STACKELBERG, A.A. 1969 e: Family Macroceridae, pp. 261-264. In BEI-BIENKO, G.Y.

- (ed.): Key to the Insects of the European Part of the USSR. V. Part I.. Leningrad (in Russian). [Key to species of *Macrocera*; 1 plate of figures]
- * STACKELBERG, A.A. 1969 f: Family Manotidae, pp. 264-265. In BEI-BIENKO, G.Y. (ed.): Key to the Insects of the European Part of the USSR. V. Part I.. Leningrad (in Russian). [Mycetophilidae; Key to species of *Manota*; 1 figure]
- STORA, R. 1931: Fam. Mycetophilidae, pp. 10-14. In FREY, R. (ed.): Die Dipterenfauna der Kanarischen Inseln und ihre Probleme. - Soc. Scient. Fenn., Comm. Biol. VI. [3 new species: *Leia*, *Allodia*, *Mycetophila*; 6 figures]
- TARWID, K. 1933: Sur l'existence de l'espèce *Symmerus apicalis* Winn. (Dipt., Fungivoridae). - Ann. Mus. Zool. Polon. 9, 23: 375-379. [= *nobilis*, 9 figures]
- TARWID, K. 1936: Note sur l'identité systématique des genres: *Zelmira* Meigen (= *Platyura* Meig.) et *Asindulum* Latr. (Diptera, Fungivoridae). - C. r. Séanc. Soc. Sci. Lettres de Varsovie 29 (4): 35-44. [1 new species (and a second Neotropical one); 10 figures]
- TOLLET, R. 1943: Notes sur les Diptères Mycetophilidae de Belgique. I. Ditomyiinae, Bolitophilidae. - Bull. Mus. r. Hist. nat. Belg. 19 (59): 1-20. [2 new species: *Bolito-phila*; 10 figures]
- TOLLET, R. 1948: Notes sur la Faune des Hautes-Fagnes en Belgique. XVII. Mycetophilidae (Diptera). - Bull. Ann. Soc. Roy. Ent. Belg. 84: 284-287. [*Diadocidia spinosula* sp.n.; 2 figures]
- TOLLET, R. 1953: Notes sur les Diptères Mycetophilidae de Belgique. II - Keroplatinae. - Bull. Ann. Soc. Roy. Ent. Belg. 89: 179-180. [*Antlemon malmundariensis* sp.n.]
- TOLLET, R. 1955 a: Notes sur les Diptères Mycetophilidae de Belgique. III. Keroplatidae. - Bull. Ann. Soc. Roy. Ent. Belg. 91: 273-276. [*Asindulum collarti* sp.n.; 2 figures]
- TOLLET, R. 1955 b: Études Biospéologiques XXXVI. Revision des Mycetophilidae cavernicoles de Transylvanie (Diptera, Nematocera), recueillis par R. LERUTH. - Mem. Soc. Roy. Ent. Belgique 27: 443-465. [Bolitophilidae, Mycetophilidae; 7 new species: *Bolitophila*, *Messala*, *Exechia*, *Rhymosia*; 19 figures]
- TOLLET, R. 1959: Contribution à l'étude des Diptères cavernicoles des grottes d'Italie et de Suisse et description de deux Mycetophilidae nouveaux. - Bull. Ann. Soc. Roy. Ent. Belg. 95: 205-227. [Bolitophilidae, Mycetophilidae; 2 new species: *Exechia*, *Rhymosia*; 5 figures]
- + TUOMIKOSKI, R. 1966 a: Generic Taxonomy of the Exechiini (Dipt., Mycetophilidae). - Ann. Ent. Fenn. 32: 159-194. [Review on morphology and systematics of genera; key to genera]
- + TUOMIKOSKI, R. 1966 b: On the subfamily Manotinae EDW. (Diptera, Mycetophilidae). - Ann. Ent. Fennici 32: 221-223. [Key to genera and species; 2 new genera and species: *Promanota*, *Paramanota*; 6 figures]
- + TUOMIKOSKI, R. 1966 c: Systematic position of *Lygistorrhina* SKUSE (Diptera, Mycetophilidae). - Ann. Ent. Fennici 32: 254-260.
- VÄISÄNEN, R. 1979: New species of the genus *Mycomya* (Diptera, Mycetophilidae) from Finland. - Annls ent. fenn. 45: 109-115. [11 new species; 29 figures]
- VÄISÄNEN, R. 1980: *Mycomya mituda* sp.n. from southern Finland (Diptera, Mycetophilidae). - Notulae Entomologicae 60: 63-64. [2 figures]
- VÄISÄNEN, R. 1981: Umbelliferous stems as overwintering sites for Mycetophilidae (Diptera) and other invertebrates. - Notulae Entomologicae 61: 165-170. [Figures of *Exechia parva* LUNDSTRÖM, 1909 and *E. repanda* JOHANNSEN, 1912]
- + VÄISÄNEN, R. 1982: Genus *Neoempheria* (Diptera, Mycetophilidae) in Finland, with a description of a new species. - Notulae Entomologicae 62: 1-7. [*N. tuomikoskii* sp.n.; 15 figures]
- * VÄISÄNEN, R. 1984 a: A monograph of the genus *Mycomya* RONDANI in the Holarctic region (Diptera, Mycetophilidae). - Acta Zool. Fennica 177: 1-346. [Keys to sub-

- genera and species; 62 new species; 1089 figures]
- VÄISÄNEN, R. 1984 b: A new Mediterranean species of *Grzegorzekia* (Diptera, Mycetophilidae). - *Annales Entomologici Fennici* 50: 55-57. [*G. phoenix* sp.n.; 4 figures]
- + VÄISÄNEN, R. 1986: The delimitation of the Gnoristinae: criteria for the classification of the recent European genera (Diptera, Mycetophilidae). - *Ann. Zool. Fennici* 23: 197-206. [4 figures]
- VÄISÄNEN, R. & MATILE, L. 1980: Une nouvelle espece alpine du genre *Mycomya* (Diptera, Mycetophilidae). - *l'Entomologiste* 36: 181-184 [*Mycomya hebrardi* sp.n.; 4 figures]
- VOCKEROTH, J.R. 1972: A new Nearctic genus of Mycetophilidae (Diptera) with a stenopterous female. - *Canadian Entomologist* 104: 1529-1533. [Mycetophilidae; *Baeopterygyna nudipes* sp.n.; 11 figures]
- VOCKEROTH, J.R. 1976: The species of the *Macrocera nobilis* group in the Holarctic region (Diptera: Mycetophilidae). - *Canadian Entomologist* 108: 1229-1233. [Key to species; 2 new species; 8 figures]
- VOCKEROTH, J.R. 1980: New genera and species of Mycetophilidae (Diptera) from the Holarctic region, with notes on other species. - *Canadian Entomologist* 112: 529-544. [Mycetophilidae; 8 new genera: *Loicia*, *Acadia*, *Acomoptera*, *Adicroneura*, *Drepanocerus*, *Garrettella*, *Saigusaiia*; 5 new species; 11 figures]
- + VOCKEROTH, J.R. 1981. Mycetophilidae, pp. 223-246. In MCALPINE, J.F. et al (eds.): *Manual of Nearctic Diptera*. Volume 1. - 674 pp., Ottawa. [All families; key to families and genera; 103 figures]
- + ZAITZEV, A.I. 1978: Flies of the family Ditomyiidae (Diptera) from the USSR. - *Entomol. Obozr.* 62 (3): 668-676 (in Russian). [Key to species; *Ditomyia spinifera* sp.n.; 26 figures]
- ZAITZEV, A.I. 1979: Xylophilous larvae of the subfamily Sciophilinae (Diptera, Mycetophilidae). - *Entomol. Obozr.* 57 (3): 668-676.
- ZAITZEV, A.I. 1980: A new species of the genus *Ditomyia* (Diptera, Ditomyiidae) from the soviet Far East. - *Zool. Zh.* 59: 1893-1895 (in Russian). [*D. carinata* sp.n.; 7 figures]
- + ZAITZEV, A.I. 1981 a: Composition and systematic position of the genus *Allactoneura* DE MEJERE (Diptera, Mycetophilidae). - *Entomol. Obozr.* 60: 901-913 (in Russian). [Key to species; *A. ussuriensis* sp.n.; 4 plates of figures]
- ZAITZEV, A.I. 1981 b: New and little known species of the Mycetophilids tribe Sciophilini (Diptera, Mycetophilidae) from the Far East and Middle Asia. - *Entomol. Obozr.* 60: 395-400 (in Russian). [2 new species: *Sciophila*; 8 figures]
- + ZAITZEV, A.I. 1982 a: Fungus gnats of the genus *Sciophila* MEIG. of the Holarctic. - 75 pp., Moscow (in Russian). [Key to species; 36 new species; 16 plates of figures]
- ZAITZEV, A.I. 1982 b: New and poorly known fungus gnats (Diptera, Mycetophiloidea) in USSR. - *Vestn. Zool.* 1982 (5): 31-35 (in Russian). [Ditomyiidae, Diadocidiidae, Mycetophilidae; 3 new species: *Allodiopsis*, *Pseudexechia*; 13 figures]
- + ZAITZEV, A.I. 1982 c: *Greenomyia* and *Neoclastobasis*. Fungus gnats (Diptera, Mycetophilidae) of the USSR. - *Vestn. Zool.* 1982 (2): 25-32 (in Russian). [Key to species; *G. stackelbergi* sp.n.; 19 figures]
- + ZAITZEV, A.I. 1982 d: Dipterans of the genus *Acnemia* WINN. (Mycetophilidae) of the Holarctic fauna. 1. - *Zool. Zh.* 61: 707-715 (in Russian). [Key to species (partim); 6 new species; 24 figures]
- + ZAITZEV, A.I. 1982 e: Dipterans of the genus *Acnemia* WINN. (Mycetophilidae) of the Holarctic fauna. 2. - *Zool. Zh.* 61: 867-874 (in Russian). [Key to species (partim); 7 new species; 30 figures]
- + ZAITZEV, A.I. 1983 a: A review of Holarctic species of the genus *Monoclona* MIK (Diptera, Mycetophilidae). - *Entomol. Obozr.* 62: 620-627 (in Russian). [Key to

- species; 3 new species; 4 plates of figures]
- + ZAITZEV, A.I. 1983 b: A review of Holarctic species of the subgenus *Allodia* s. str. (Diptera, Mycetophilidae). - Zool. Zh. 62 (12): 1915-1921 (in Russian). [Key to 12 Holarctic species; 4 new species; 12 figures]
- + ZAITZEV, A.I. 1984 a: A review of species of the subgenus *Brachycampta* (Diptera, Mycetophilidae) of the Holarctic fauna. - Zool. Zh. 63: 1504-1515 (in Russian). [Key to species; 8 new species; 34 figures]
- + ZAITZEV, A.I. 1984 b: Holarctic species of the genus *Phthinia* WINN. (Diptera, Mycetophilidae). - Entomol. Obozr. 63: 830-839 (in Russian). [Key to species; small summary on larvae; 3 new species; 25 figures]
- ZAITZEV, A.I. 1984 c: New and little-known species of the subfamily Sciophilinae (Diptera, Mycetophilidae). - Vestn. Zool. 1984 (4): 15-18. [3 new species: *Acnemia*, *Ectrepesthoneura*; 8 figures]
- + ZAITZEV, A.I. 1985: Holarctic species of fungus gnats of the genus *Brevicornu*, groups *fissicauda* and *proximum* (Diptera, Mycetophilidae). - Vestn. Zool. 1985 (5): 40-47 (in Russian). [Key to 11 Holarctic species; 4 new species; 18 figures]
- + ZAITZEV, A.I. 1986: Fungus gnats of the genus *Dynatosoma* (Diptera, Mycetophilidae) of the USSR fauna. - Vestn. Zool. 1986 (4): 34-41 (in Russian). [Key to species; 2 new species; 26 figures]
- ZAITZEV, A.I. 1987 a: New and little-known species of fungi eaters of the genus *Epicrypta* Winn. (Diptera, Mycetophilidae) from Prymorsky Kray, p. 89-93, 131. In KAPUSTINA, O.G. (ed.): Taksonomiya nasekomkh Sibiri I Dal'nego Vostoka SSSR. (Taxonomy of the insects of Siberia and Soviet Far East). - 'AN SSSR', Vladivostok, 132 pp. (in Russian). [Key to species; 3 new species; 7 figures]
- ZAITZEV, A.I. 1987 b: A review of the species of the genus *Brachypeza* Winn. (Diptera, Mycetophilidae) of Palaearctic fauna, p. 38-46. In: *Ecologiya i morfologiya nasekomykh - obitatelej gribnykh substratov* (Ecology and morphology of insects inhabiting fungal substrates). - Moscow, Nauka (in Russian). [*B. altaica* sp.n.; 16 figures]
- + ZAITZEV, A.I. 1988 a: The Nearctic Fungus-Gnat Species of the Genus *Dynatosoma* (Diptera, Mycetophilidae). - Vestn. Zool. 1988 (4): 30 - 37 (in Russian). [Key to species; 3 new species; 18 figures]
- + ZAITZEV, A.I. 1988 b: Fungus gnats of the *sericoma*, *griseicolle* and *ruficorne* species groups of the genus *Brevicornu* MARSHALL (Diptera, Mycetophilidae) of the Holarctic fauna. - Entomol. Obozr. 67 (2): 391-404 (in Russian). [Keys to species; 9 new species; 40 figures]
- ZAITZEV, A.I. 1988 c: The new data of Mycetophiloid Dipteran fauna (Diptera, Mycetophilidae) in mountain Altai. - Byul. Mosk. o.-va isp. prirody. otd. biol. 93: 72-78 (in Russian). [Mycetophilidae; 5 new species: *Exechia*, *Pseudexechia*, *Trichonta*; 9 figures]
- + ZAITZEV, A.I. 1989 a: A review of the genus *Zygomysia* (Diptera, Mycetophilidae) species of the USSR fauna, with description of two new species. - Vestn. zool. 1989 (3): 19-25 (in Russian). [Key to species; 2 new species; 19 figures]
- + ZAITZEV, A.I. 1989 b: A review of fungus gnats of the genus *Anatella* WINN. (Diptera, Mycetophilidae) of the fauna of the USSR. - Entomol. Obozr. 68: 809-820 (in Russian). [Key to 20 species; 6 new species; 36 figures]
- ZAITZEV, A.I. 1989 c: New data on taxonomy of Diptera, Mycetophilidae of North America. - Zool. Zh. 69: 134-137 (in Russian). [1 new genus: *Acomopterella*; 3 new species: *Acomopterella*, *Acnemia*, *Brachypeza*; 7 figures]
- ZAITZEV, A.I. 1990: The immature stages of *Manota unifurcata* LUNDST. and systematic position of the subfamily in the system of fungus gnats (Diptera, Mycetophiloidea). - Biol. Nauki 3: 63-71 (in Russian). [*Manota*; 11 figures]
- + ZAITZEV, A.I. 1991: Mycetophiloid Dipterans of the genus *Keroplatus* BOSC (Diptera,

- Keroplastidae) of the USSR fauna. - Byul. Mosk. o.-va isp. prirody. otd. biol. 96: 39-47 (in Russian). [Key to species; two new species; 15 figures]
- ZAITZEV, A.I. 1992: New Fungus Gnat Species of the genera *Allodia* and *Brevicornu* (Diptera, Mycetophilidae) from North America. - Vestn. zool. 1992 (1): 9-15 [8 new species; 16 figures]
- ZAITZEV, A.I. 1993 a: New and little known fungus gnats of the genus *Rymosia* WINN. from Russia and Middle Asia. - Lambillionea 93: 211-214. [3 new species; 7 figures]
- ZAITZEV, A.I. 1993 b: Three new species of fungus gnats of the genera *Synplasta* SKUSE and *Allodiopsis* TUOMIK. (Subgenus *Myrosia* TUOMIK.) from Russia. - Lambillionea 93: 215-218. [3 new species; 9 figures]
- ZAITZEV, A.I. 1993 c: New data on Nearctic fungus gnats (Diptera, Mycetophiloidea). - Vestn. zool. 1993 (2): 35-39 (in Russian). [2 new species: *Ectrepesthoneura*, *Phthinia*; 6 figures]
- * ZAITZEV, A.I. 1994 a: Fungus gnats of the fauna of Russia and adjacent regions. Part 1. - 288 pp., Moscow (in Russian). [All families; keys to genera and about 400 species; 78 new species; 86 plates of figures]
- ZAITZEV, A.I. 1994 b: Four new species of fungus gnats (Diptera: Mycetophilidae) from Russia. - Internat. J. Dipt. Res. 5: 209-212. [*Anatella*, *Allodia*; 8 figures]
- ZAITZEV, A.I. 1996: Six new species of fungus gnats of the tribe Exechiini from Sakhalin and Kuril Islands (Diptera, Mycetophilidae). - Internat. J. Dipt. Res. 7: 67-70. [*Exechia*, *Brevicornu*; 12 figures]
- ZAITZEV, A.I. 1997: New species of fungus gnats of the genera *Phronia* WINN. and *Trichonta* WINN. from Russian Far East (Diptera, Mycetophilidae). - Internat. J. Dipt. Res. 8: 73-77. [7 new species; 11 figures]
- ZAITZEV, A.I. 1998 a: Six new species of fungus gnats of the genus *Mycetophila* MEIGEN from Russia (Diptera, Mycetophilidae). - Studia dipterologica 5: 211-216. [12 figures]
- ZAITZEV, A.I. 1998 b: New species of fungus gnats of the genus *Mycetophila* MEIG. (Diptera, Mycetophilidae). - Internat. J. Dipt. Res. 9: 79-84. [7 new species; 22 figures]
- + ZAITZEV, A.I. 1999 a: Review of fungus gnats from the *signata* group of the genus *Mycetophila* MEIG (Diptera, Mycetophilidae) from Palaearctic fauna with description of new species. - Zool. Zh. 78: 1080-1090 (in Russian). [Key to species; 4 new species; 25 figures]
- ZAITZEV, A.I. 1999 b: New species of the *Mycetophila vittipes*-group from Russia (Diptera: Mycetophilidae). - Zoosystematica Rossica 8: 183-187. [6 new species; 12 figures]
- + ZAITZEV, A.I. 1999 c: Bolitophilidae. Diadocidiidae. Ditomyiidae. Keroplastidae. Mycetophilidae., pp. 134-239. In LEHR, P.A. (ed.): Key to insects of Russian Far East. - Vladivostok (in Russian). [Keys to genera and species; 67 plates of figures]
- ZAITZEV, A.I. 1999 d: New species of Fungus gnats (Diptera: Mycetophilidae) from Russia and Ukraine. - Intern. J. Dipterol. Res. 10 (2): 97-100. [5 new species: *Trichonta*, *Mycetophila*; 11 figures]
- ZAITZEV, A.I. 1999 e: Three new species of fungus gnats of the genus *Exechiopsis* TUOMIKOSKI (Diptera, Mycetophilidae) from Sakhalin I. - Intern. J. Dipt. Res. 10: 147-149. [3 new species; 7 figures]
- ZAITZEV, A.I. 2000: Nearctic species of fungus gnats of the genus *Anatella* WINN. (Diptera, Mycetophilidae). - Entomol. Oboz. 79: 903-910 (in Russian). [Key to species; 2 new species; 21 figures].
- ZAITZEV, A.I. 2001: New species of fungus gnats from Russia and Italy (Diptera: Mycetophilidae). - Zoosystematica Rossica 9: 453-458. [6 new species: *Acnemia*, *Leia*, *Neoempheria*, *Phthinia*; 14 figures]
- + ZAITZEV, A.I. & MAXIMOVA, Y.V. 2000: The Palaearctic species of subgenus *Noto-*

- lopha* TUOMIK. (Diptera, Mycetophilidae). - Internat. J. Dipt. Res. 11: 175-179. [Key to species; 2 new species; 11 figures]
- ZAITZEV, A.I. & MENZEL, F. 1996: New data on the fungus gnats from Russian Far East (Diptera: Sciaroidea). - Beitr. Ent. 46: 159-167. [Ditomyiidae, Keroplatidae, Mycetophilidae; 7 new species: *Ditomyia*, *Orfelia*, *Neoplatoryra*, *Urytalpa*, *Neoempheria*, *Trichonta*; 16 figures]
- ZAITZEV, A.I. & POLEVOI, A.V. 1995: New species of fungus gnats (Diptera: Mycetophilidae) from the Kivach Nature Reserve, Russian Karelia. - Entomol. Fennica 6: 185-195. [11 new species: *Mycomya*, *Boletina*, *Allodia*, *Brevicornu*, *Dynatosoma*, *Phronia*; 6 figures]
- + ZAITZEV, A.I. & POLEVOI, A.V. 2001: Holarctic species of the *Boletina erythropyg*a-group (Diptera, Mycetophilidae). - Studia Dipterologica 8: 639-644. [Key to species; 2 new species; 11 figures]
- ZAITZEV, A.I. & ØKLAND, B. 1994: Four new species of fungus gnats from Norway (Diptera, Mycetophilidae). - Studia Dipterologica 1: 181-186. [4 new species: *Sciophila*, *Ectrepesthoneura*, *Dynatosoma*; 4 figures]
- ZAITZEV, A.I. & SEVCIK, J. 2002: A review of the Palaearctic species of the *Leptomorphus quadrimaculatus* (MATSUMURA) group (Diptera: Mycetophilidae). - Acta Zool. Acad. Sci. Hung. 48: 203-211. [2 new species; 18 figures]

Acknowledgements

We have to thank Dr. Eberhard PLASSMANN for corrections and contributions. Many thanks go to Dr. Peter CHANDLER for important contributions. The study was partially supported by Grant 4990 of Estonian Science Foundation.

References

- HACKMAN, W., LAŠTOVKA, P., MATILE, L. & VÄISÄNEN, R. - 1988. Family Mycetophilidae, pp. 220-327. In SOÓS, A. & PAPP, L. (eds.): Catalogue of Palaearctic Diptera. Ceratopogonidae - Mycetophilidae. - Vol. 3, 448 pp., Budapest.
- KRIVOSHEINA, N.P. - 1988. Family Diadocidiidae, pp. 210-211. In SOÓS, A. & PAPP, L. (eds.): Catalogue of Palaearctic Diptera. Ceratopogonidae - Mycetophilidae. - Vol. 3, 448 pp., Budapest.
- KRIVOSHEINA, N.P. & MAMAEV, B.M. - 1988 a. Family Keroplatidae, pp. 199-210. In SOÓS, A. & PAPP, L. (eds.): Catalogue of Palaearctic Diptera. Ceratopogonidae - Mycetophilidae. - Vol. 3, 448 pp., Budapest.
- KRIVOSHEINA, N.P. & MAMAEV, B.M. - 1988 b. Family Macroceridae, pp. 212-217. In SOÓS, A. & PAPP, L. (eds.): Catalogue of Palaearctic Diptera. Ceratopogonidae - Mycetophilidae. - Vol. 3, 448 pp., Budapest.
- KRIVOSHEINA, N.P. & MAMAEV, B.M. - 1988 c. Family Manotidae, p. 218. In SOÓS, A. & PAPP, L. (eds.): Catalogue of Palaearctic Diptera. Ceratopogonidae - Mycetophilidae. - Vol. 3, 448 pp., Budapest.
- LAFFOON, J.L. - 1965. Family Mycetophilidae (Fungivoridae), pp.169-229. In STONE, A., SABROSKY, C.W., WIRTH, W.W., FOOTE, R.H. & COULSON, J.R. (eds.): A catalog of the Diptera of America north of Mexico. - 1696 pp., Washington.
- MAMAEV, B. M. & KRIVOSHEINA, N. P. - 1988. Family Ditomyiidae, pp. 197-199. In SOÓS, A. & PAPP, L. (eds.): Catalogue of Palaearctic Diptera. Ceratopogonidae - Mycetophilidae. - Vol. 3, 448 pp., Budapest.
- MATILE, L. 1988 b: Family Lygistorrhinidae, p. 220. In SOÓS, A. & PAPP, L., (eds.): Catalogue of Palaearctic Diptera. Ceratopogonidae - Mycetophilidae. - Vol. 3, 448 pp., Budapest.

- PLASSMANN, E. - 1988. Family Bolitophilidae, pp. 193-196. In SOÓS, A. & PAPP, L. (eds.): Catalogue of Palaearctic Diptera. Ceratopogonidae - Mycetophilidae. - Vol. 3, 448 pp., Budapest.
- PLASSMANN, E. & SCHACHT, W. - 2002. Zweiflügler aus Bayern XXII (Diptera Sciaroidea: Ditomyiidae, Bolitophilidae, Diadocidiidae, Keroplatidae, Myctophilidae). - Entomofauna 23 (20): 237-248, Ansfelden.
- POLEVOI, A.I. - 2001. New and little known species of the fungus gnat subfamilies Mycomyinae and Sciophilinae (Diptera, Mycetophilidae) from eastern Fennoscandia. - Entomol. Oboz. 80: 518-526.
- REISS, F. - 1996. Biologie und Systematik der Chironomidae (Diptera) - Bestimmungsliteratur für einheimische Chironomiden. - Verh. Westd. Entom. Tag 1995: 119-127, Lössbecke-Mus. Düsseldorf.
- SANTOS ABREU, E. 1920: Monografía de las Fungivoridos de las Islas Canarias. - Mem. real Acad. Cienc. Artes Barcelona 16 (1): 1-152, 21 fig. on 2 pl.
- SØLI, G.E.E., VOCKEROTH, J.R. & MATILE, L. - 2000. A.4. Families of Sciaroidea, p. 49-92. In PAPP, L. & DARVAS, B.: Contributions to a Manual of Palaearctic Diptera (with special reference to flies of economic importance). - Vol. Appendix, p. 1-604, Budapest

Addresses of authors:

Dr. Olavi KURINA
Institute of Zoology and Botany
Riia st. 181
EST-51014 Tartu
olavi@zbi.ee

Wolfgang SCHACHT
Zoologische Staatssammlung
Muenchhausenstrasse 21
D-81247 Muenchen
wolfgang.schacht@zsm.mwn.de

Literaturbesprechung

MUNK, K. (Hrsg.) 2002: Grundstudium Biologie. Zoologie. - Spektrum Akademischer Verlag, Heidelberg-Berlin.

Seit vielen Jahren sind die "klassischen" Fächer Botanik, Zoologie, Mikrobiologie und Genetik als Prüfungsfächer im Grundstudium der Biologie etabliert. Meist ist es schwierig, innerhalb der ersten vier Semester des Grundstudiums den umfangreichen Stoff aus Biochemie, Zellbiologie, Ökologie und Evolution so zu vermitteln, dass ein Verständnis für biologische Zusammenhänge und Prinzipien entwickelt werden kann. Die Autoren des "Grundstudiums Biologie" haben versucht, die Stofffülle auf ein überschaubares (aber notwendiges) Basiswissen zu reduzieren und durch eine fächerübergreifende, vergleichende Darstellung und viele Verweise Querverbindungen zwischen den einzelnen Teilbereichen herzustellen. Die 5 Bände sollten so die Basisinhalte der Biologie vermitteln. Effektives Arbeiten und Prüfungsvorbereitung wird durch folgende "Features" vermittelt: Jedes Kapitel beginnt mit einer kurzen Zusammenfassung (Textüberblick); wesentliche Punkte sind in der Randleiste herausgearbeitet, die auch als Repetitorium dient. Am Ende eines Kapitels kann man sein Wissen anhand der Prüfungsfragen (samt ausführlichen Antworten) überprüfen.

Fünfzehn Kapitel bestreiten den Zoologie-Band: Das System der Tiere, Fortpflanzung und Geschlechtsbestimmung, Entwicklung, Nervengewebe und -systeme, Sinneszellen und Sinnesorgane, Höhere Verarbeitungsprozesse, Gewebe und Bewegungsapparat, Hormone und endokrine Systeme, Verhalten, Ernährung und Verdauung, Blut, Blutgefäß- und lymphatisches System, Immunologie, Temperaturregelung und Atmung, Wasserhaushalt, Ionen- und Osmoregulation, Exkretion sowie Parasitologie.

Das Buch kann (und will wahrscheinlich auch nicht) während des Studiums nicht die einschlägigen Standardwerke der Zoologie ersetzen. Es ist im wesentlichen für die Prüfungsvorbereitung und/oder das Nacharbeiten des Stoffes gedacht, wobei es sich auch für den Studienanfänger durchaus lohnt, dieses Buch rechtzeitig zur Hand zu nehmen. Eine empfehlenswerte, kompakte und übersichtliche Darstellung des umfangreichen Stoffes.

R. GERSTMEIER

STORCH, V., WELSCH, U. 2002: Kükenthals Leitfaden für das Zoologische Praktikum. - Spektrum Akademischer Verlag, Heidelberg-Berlin. 24. neu bearbeitete Auflage, 496 S.

Seit über einhundert Jahren wird der "Kükenthal" in der zoologischen Ausbildung von Studenten der Biologie, Veterinärmedizin, Agrarwissenschaften und verwandter Fächer eingesetzt. Mit der neu bearbeiteten 24. Auflage zeigt das Werk eine erneute Modernisierung ohne dabei das bewährte Grundkonzept aufzugeben. Verschiedene Kurse wurden gestrichen oder ersetzt (z.T. bereits schon in der 23. Auflage durchgeführt), zum Beispiel der Ersatz des Kurses von *Blatta orientalis* durch *Periplaneta americana*. Hinzugefügt wurde ein Kurs über das Neunauge (*Lampetra*), der allerdings überwiegend auf histologischen Dauerpräparaten basiert, so dass sich eine Entnahme aus der Natur - die eigentlich nicht zu verantworten wäre - erübrigt. Weitere Änderungen betreffen *Brachionus plicatilis*, *Loligo vulgaris* und *Xenopus laevis* sowie Histologie und mikroskopische Anatomie von *Rattus norvegicus*. Ein Textteil wurde durch Larven ergänzt, die leicht zu beschaffen sind und vielfach lebend studiert werden können. Erwähnenswert sind außerdem die Präparation von Vogelherz und Säugerauge, die auch an Schulen vorgenommen werden kann. Etwa die Hälfte der Abbildungen wurde durch ansprechendere ersetzt, zahlreiche Textpassagen wurden sprachlich überarbeitet. Hier wäre anzumerken, dass zwar die Abbildung der Mundwerkzeuge der Schabe plastischer und damit anschaulicher wirkt, das "altbekannte" Schema der orthopteroiden Mundwerkzeuge jedoch irgendwie vermisst wird.

Der "Leitfaden" wird weiterhin das Standardwerk für das zoologische Praktikum bleiben und gleichzeitig auch als zoologisches Nachschlagewerk Verwendung finden.

R. GERSTMEIER

Druck, Eigentümer, Herausgeber, Verleger und für den Inhalt verantwortlich:
Maximilian SCHWARZ, Konsulent für Wissenschaft der O.O. Landesregierung,
Eibenweg 6, A-4052 Ansfelden, e-mail: maxschwarz@everyday.com
Redaktion: Erich DILLER (ZSM), Münchhausenstrasse 21, D-81247 München, Tel.(089)8107-159
Fritz GUSENLEITNER, Lungitzerstrasse 51, A-4222 St. Georgen / Gusen
Wolfgang SCHACHT, Scherrenstrasse 8, D-82296 Schöngeising, Tel. (089) 8107-146
Erika SCHARNHOP, Himbeerschlag 2, D-80935 München, Tel.(089) 8107-102
Johannes SCHUBERTH, Bauschingerstrasse 7, D-80997 München, Tel. (089) 8107-160
Emma SCHWARZ, Eibenweg 6, A-4052 Ansfelden
Thomas WITT, Tengstrasse 33, D-80796 München
Postadresse: Entomofauna (ZSM), Münchhausenstrasse 21, D-81247 München, Tel.(089) 8107-0,
Fax (089) 8107-300, e-mail: erich.diller@zsm.mwn.de oder: wolfgang.schacht@zsm.mwn.de

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Entomofauna](#)

Jahr/Year: 2003

Band/Volume: [0024](#)

Autor(en)/Author(s): Kurina Olavi, Schacht Wolfgang

Artikel/Article: [Synopsis of Literature for Determination of European Fungus Gnats \(Diptera Sciaroidea: Ditomyiidae, Bolitophilidae, Keroplatidae, Diadocidiidae, Mycetophilidae, \[Lygistorrhinidae\]\). 177-199](#)