

Linzer biol. Beitr.	46/2	1581-1598	19.12.2014
---------------------	------	-----------	------------

Notes on Cerambycidae (Coleoptera: Chrysomeloidea) of the Republic of Seychelles

M. MADL & P. MATYOT

A b s t r a c t : An updated check list of the family Cerambycidae of the Republic of Seychelles is presented. 31 species are listed and new records of eight species (*Ceresium albopubens* FAIRMAIRE, 1891, *Ceresium unicolor* (FABRICIUS, 1787), *Xystrocera globosa* (OLIVIER, 1795), *Coptops humorosa* FAIRMAIRE, 1871, *Exocentrus subreticulatus* BREUNING, 1957, *Olenecamptus bilobus* (FABRICIUS, 1801), *Ropica sechellarum* BREUNING, 1957 and *Ropica signata* PIC, 1932) are provided. *Ropica signata* PIC, 1932 is new to the fauna of the Republic of Seychelles (Mahé).

K e y w o r d s : Cerambycidae, catalogue, new records, Republic of Seychelles

Introduction

Recently the Seychellean species of the family Cerambycidae including the subfamily Disteniinae, which has currently family rank, have been reviewed by VIVES (2009). The species list contains 11 species of the subfamily Cerambycinae, 14 species of the subfamily Lamiinae and three species of the subfamily Prioninae making an amount of 28 species.

We add to the species list three species of the subfamily Lamiinae (*Nupserha seychellarum* BREUNING, 1982, *Pseudocoptops seychellarum* BREUNING, 1977, *Tragocephala formosa* (OLIVIER, 1792) based on the scientific literature. New collecting data of following species are provided: *Ceresium albopubens* FAIRMAIRE, 1891, *Ceresium unicolor* (FABRICIUS, 1787), *Xystrocera globosa* (OLIVIER, 1795), *Coptops humorosa* FAIRMAIRE, 1871, *Exocentrus subreticulatus* BREUNING, 1957, *Olenecamptus bilobus* (FABRICIUS, 1801), *Ropica sechellarum* BREUNING, 1957 and *Ropica signata* PIC, 1932. The latter species is recorded for the first time from the Republic of Seychelles increasing the number of recorded Seychellean Cerambycidae to 31 species.

In the Republic of Seychelles only two species have vernacular names. *Stromatium barbatum* (FABRICIUS, 1775) is called "Gros moutouc des meubles de maison" and *Diseoblax wrightii* (WATERHOUSE, 1880) "Gros moutouc du filao" (DUPONT 1935: 149).

Abbreviations

biogeogr.	biogeography
biol.	biology
cat.	catalogue
distr.	distribution
ed.	editor
fig. (figs)	figure (figures)
pl. (pls)	plate (plates)
syn.	synonym
tax.	taxonomy
typ. gen.	typus generis

Annotated catalogue

The catalogue is organized alphabetically. Synonyms and misidentifications are marked with an asterisk (*). Only misspellings of genus and species names are indicated by an exclamation mark (!), but names of authors or years of publication have been corrected by the authors.

The material is deposited in the Natural History Museum Vienna (Austria).

Subfamily C e r a m b y c i n a e

Anomoderus rugosicollis AURIVILLIUS, 1922

Anomoderus rugosicollis n.sp.: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 426 (fig. 3), 436 (deser., biol., Mahé).

Anomoderus rugicollis (!) AURIVILLIUS, 1922: GERLACH 2003: 18 (Silhouette).

Anomoderus rugosicollis AURIVILLIUS, 1922: VIVES 2007: 2 (tax., Silhouette).

Anomoderus rugosicollis AURIVILLIUS, 1922: VIVES 2009: 129 (tax., Mahé, Silhouette). 265 (pl. 3: fig.).

Anomoderus rugosicollis AURIVILLIUS, 1922: GERLACH 2009: 224 (red list).

D i s t r i b u t i o n : Inner Seychelles: Mahé, Silhouette.

Endemic.

Ceresium albopubens FAIRMAIRE, 1891

Ceresium albopubens n.sp.: FAIRMAIRE 1891: 182 (descr. (♂ not indicated), Seychelles without locality).

Ceresium albopubens FAIRMAIRE, 1891: LAMEERE 1893: 105 (tax., descr. ♀, Mahé).

Ceresium albopubens FAIRMAIRE, 1891: THÉRY 1897: 105 (La Digue).

Ceresium albopubens FAIRMAIRE, 1891: ALLUAUD 1900: 343 (cat. Malagasy subregion).

Ceresium albopubens FAIRMAIRE, 1891: KOLBE 1910: 17 (Cerf), 38 (tax., Mahé, Cerf).

Ceresium albopubens FAIRMAIRE, 1891: MARIE & LESNE 1917: 24 (cat.).

Ceresium albopubens FAIRMAIRE, 1891: AURIVILLIUS 1912: 123 (cat.).

Ceresium albopubens FAIRMAIRE, 1891: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 432 (Mahé).

Ceresium albopubens FAIRMAIRE, 1891: GERLACH 2003: 18 (Silhouette, North, Aride).

Ceresium albopubens FAIRMAIRE, 1891: VIVES 2009: 128 (tax., biol., Mahé, Cerf, Silhouette, North), 265 (pl. 3: fig.).

Ceresium albopubens FAIRMAIRE, 1891: GERLACH 2009: 224 (red list).

M a t e r i a l e x a m i n e d : Silhouette: La Passe, am Licht, 1 sp. 16.-22.5.2003 leg. M. Madl.
D i s t r i b u t i o n : Inner Seychelles: Mahé, Cerf, Silhouette, Ile du Nord (North), Aride.

Endemic.

***Ceresium unicolor* (FABRICIUS, 1787)**

Ceresium unicolor (FABRICIUS, 1787): GERLACH 2003: 18 (Silhouette).
**Ceresium flavipes* (FABRICIUS, 1792): AURIVILLIUS 1922: 422 (tax., biogeogr., cat. Inner Seychelles), 432 (Mahé, Silhouette).
Ceresium flavipes (FABRICIUS, 1792): DUFFY 1957: 143 (tax., descr., biol., Seychelles without data), 144 (fig. 82).
Ceresium flavipes (FABRICIUS, 1792): DUFFY 1968: 144 (tax., descr., biol., Seychelles without data).
Ceresium flavipes (FABRICIUS, 1792): GERLACH, MATYOT & SAARISTO 1997: 29 (cat. Silhouette).
Ceresium flavipes (FABRICIUS, 1792): VIVES 2009: 128 (tax., Conception, Silhouette).
Ceresium flavipes (FABRICIUS, 1792): GERLACH 2009: 224 (red list).
**Ceresium simplex* GYLLENHAL, 1817: LAMEERE 1893: 105 (Mahé).
Ceresium simplex GYLLENHAL, 1817: THÉRY 1897: 67 (La Digue).
Ceresium simplex GYLLENHAL, 1817: ALLUAUD 1900: 344 (cat. Malagasy Subregion).
Ceresium simplex GYLLENHAL, 1817: KOLBE 1910: 37 (Mahé).

M a t e r i a l e x a m i n e d : Mahé: La Roussette 1 sp. 13.-31.10.1991 leg. M. Madl.

D i s t r i b u t i o n : Inner Seychelles: Mahé, Conception, Silhouette, La Digue.

Known from all zoogeographical regions. In the Malagasy subregion *Ceresium unicolor* has been recorded from Comoros (Grande Comore, Moheli, Anjouan), Mayotte, Madagascar, Réunion, Mauritius and Rodrigues.

***Idobrium femoratum* AURIVILLIUS, 1922**

Idobrium femoratum sp.n.: AURIVILLIUS 1922: 422 (biogeogr., cat. Aldabra), 432 (descr., Aldabra), 435 (key).
Idobrium femoratum AURIVILLIUS, 1922: VIVES 2009: 129 (tax., Aldabra).
Idobrium femoratum AURIVILLIUS, 1922: GERLACH 2009: 224 (red list).

D i s t r i b u t i o n : Aldabra Group: Aldabra.

Endemic.

***Idobrium sechellarum* AURIVILLIUS, 1922**

Idobrium sechellarum sp.n.: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 433 (descr. ♂ ♀, biol., Mahé), 434 (key), pl. 12 (fig. 3).
Idobrium sechellarum AURIVILLIUS, 1922: SCOTT 1933: 337 (biol.).
Idobrium sechellarum AURIVILLIUS, 1922: VINSON 1961: 245 (tax., Seychelles without locality).
Idobrium sechellarum AURIVILLIUS, 1922: VINSON 1963: 274 (tax., descr. ♂, Mahé), 275 (fig. 6), 277 (fig. 12).
Idobrium sechellarum AURIVILLIUS, 1922: VIVES 2009: 128 (tax., Mahé).
Idobrium sechellarum AURIVILLIUS, 1922: GERLACH 2009: 224 (red list).

H o s t p l a n t : *Vateriopsis seychellarum* (DYER, 1877) (Dipterocarpaceae).

D i s t r i b u t i o n : Inner Seychelles: Mahé.

Endemic. *Idobrium sechellarum* is known only from the type material.

***Idobrium voeltzkowi* KOLBE, 1902**

Idobrium voeltzkowi n.sp.: KOLBE 1902: 584 (typ. gen., descr., Aldabra).
Idobrium voeltzkowi KOLBE, 1902: VOELTZKOW 1902: 559 (cat. Aldabra).
Idobrium voeltzkowi KOLBE, 1902: AURIVILLIUS 1912: 131 (cat.).
Idobrium voeltzkowi KOLBE, 1902: AURIVILLIUS 1922: 422 (biogeogr., cat. Aldabra), 432 (tax., Aldabra), 434 (key).

Idobrium voeltzkowi KOLBE, 1902: FRITH 1979: 8 (Aldabra).
Idobrium voeltzkowi KOLBE, 1902: VIVES 2009: 128 (tax., Aldabra).
Idobrium voeltzkowi KOLBE, 1902: GERLACH 2009: 224 (red list).

D i s t r i b u t i o n : Aldabra Group: Aldabra.

Endemic.

***Iresiooides aldabrensis* (LINELL, 1897)**

Leptocera aldabrensis new species: LINELL 1897: 701 (descr., Aldabra).
Glaucytes aldabrensis (LINELL, 1897): ALLUAUD 1900: 356 (cat. Malagasy subregion.).
Leptocera (Glaucytes) aldabrensis LINELL, 1897: VOELTZKOW 1902: 559 (cat. Aldabra).
Leptocera (Glaucytes) aldabrensis LINELL, 1897: KOLBE 1902: 582 (cat. Aldabra).
Glaucytes aldabrensis (LINELL, 1897): AURIVILLIUS 1912: 436 (tax., cat.).
Glaucytes aldabrensis (LINELL, 1897): AURIVILLIUS 1922: 422 (biogeogr., cat. Aldabra), 436 (tax., Aldabra).

Iresiooides aldabrensis (LINELL, 1897): BREUNING & VILLIERS 1968: 58 (key), 60 (tax., Aldabra).
Iresiooides aldabrensis (LINELL, 1897): VIVES 2007: 2 (tax., Aldabra).
Iresiooides aldabrensis (LINELL, 1897): VIVES 2009: 129 (tax., Aldabra), 265 (pl. 3: fig.).
Iresiooides aldabrensis (LINELL, 1897): GERLACH 2009: 224 (red list).

D i s t r i b u t i o n : Aldabra Group: Aldabra.

Endemic.

***Obrium nitidicolle* AURIVILLIUS, 1922**

Obrium nitidicolle sp.n.: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 435 (descr. ♂ ♀, biol., Mahé, Silhouette), pl. 13 (fig. 7).
Obrium nitidicolle AURIVILLIUS, 1922: SCOTT 1933: 337 (biol.).
Obrium nitidicolle AURIVILLIUS, 1922: GERLACH, MATYOT & SAARISTO 1997: 29 (cat. Silhouette).
Obrium nitidicolle AURIVILLIUS, 1922: GERLACH 2003: 18 (Silhouette, Praslin).
Obrium nitidicolle AURIVILLIUS, 1922: VIVES 2009: 129 (tax., Mahé, Silhouette, Praslin).
Obrium nitidicolle AURIVILLIUS, 1922: GERLACH 2009: 224 (red list).

H o s t p l a n t : *Vateriopsis seychellarum* (DYER, 1877) (Dipterocarpaceae).

D i s t r i b u t i o n : Inner Seychelles: Mahé, Silhouette, Praslin.

Endemic.

***Paralocus semitibialis* FAIRMAIRE, 1898**

Paralocus semitibialis FAIRMAIRE, 1898: AURIVILLIUS 1922: 423 (biogeogr., cat. Aldabra), 432 (tax., Aldabra).
Paralocus semitibialis FAIRMAIRE, 1898: FRITH 1979: 8 (Aldabra).
Paralocus semitibialis FAIRMAIRE, 1898: VIVES 2009: 127 (tax., Aldabra).
Paralocus semitibialis FAIRMAIRE, 1898: GERLACH 2009: 224 (red list).

D i s t r i b u t i o n : Aldabra Group: Aldabra.

Endemic to the Malagasy subregion, where *Paralocus semitibialis* has been recorded from Madagascar.

***Stromatium barbatum* (FABRICIUS, 1775) "Gros moutouc des meubles de maison"**

Stromatium barbatum (FABRICIUS, 1775): THÉRY 1897: 67 (La Digue).

Stromatium barbatum (FABRICIUS, 1775): ALLUAUD 1900: 341 (cat. Malagasy subregion).

Stromatium barbatum (FABRICIUS, 1775): KOLBE 1910: 37 (Mahé).

Stromatium barbatum (FABRICIUS, 1775): AURIVILLIUS 1912: 73 (cat.).

Stromatium barbatum (FABRICIUS, 1775): ANONYMUS 1919: 484 (biol., Seychelles).

Stromatium barbatum (FABRICIUS, 1775): AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 432 (Mahé).

Stromatium barbatum (FABRICIUS, 1775): DUPONT 1935: 149 (biol., cat. Seychelles).

Stromatium barbatum (FABRICIUS, 1775): VESEY-FITZGERALD 1941: 156 (biol., Seychelles without locality).

Stromatium barbatum (FABRICIUS, 1775): DUFFY 1957: 107 (tax., descr., figs 70-73, biol., Seychelles without locality), 108 (figs 74, 75), pl. 7 (figs 3, 4).

Stromatium barbatum (FABRICIUS, 1775): DUFFY 1968: 120 (tax., descr., biol., Seychelles without locality), 123 (fig. 62-65), 124 (figs 66-68), 125 (fig. 69), pl.s3 (fig. 1), 7 (fig. 3), 8 (fig. 3), 14 (fig. 1).

Stromatium barbatum (FABRICIUS, 1775): VIVES 2009: 127 (tax., biol., Mahé).

Stromatium barbatum (FABRICIUS, 1775): GERLACH 2009: 224 (red list).

H o s t p l a n t : *Casuarina equisetifolia* LINNAEUS, 1758 (Casuarinaceae).

D i s t r i b u t i o n : Inner Seychelles: Mahé, La Digue.

Known from the Palaearctic, Oriental and Australian regions. In the Malagasy subregion *Stromatium barbatum* has been recorded from Madagascar, Réunion, Mauritius and Rodrigues.

***Xystrocera globosa* (OLIVIER, 1795)**

Xystrocera globosa (OLIVIER, 1795): LAMEERE 1893: 105 (Mahé).

Xystrocera globosa (OLIVIER, 1795): LINELL 1897: 697 (Mahé).

Xystrocera globosa FABRICIUS (!): THÉRY 1897: 67 (La Digue).

Xystrocera globosa FABRICIUS (!): ALLUAUD 1897: 151 (tax.).

Xystrocera vittata globosa FABRICIUS (!): ALLUAUD 1900: 340 (cat. Malagasy subregion).

Xystrocera globosa (OLIVIER, 1795): KOLBE 1910: 37 (Mahé).

Xystrocera globosa (OLIVIER, 1795): AURIVILLIUS 1912: 37 (cat.).

Xystrocera globosa (OLIVIER, 1795): AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 431 (biol., Mahé).

Xystrocera globosa (OLIVIER, 1795): SCOTT 1933: 338 (biol.).

Xystrocera globosa (OLIVIER, 1795): DUFFY 1957: 84 (tax., descr., biol., Seychelles without locality), 85 (fig. 55), pl. 5 (fig. 1).

Xystrocera globosa (OLIVIER, 1795): BREUNING 1957b: 1225 (key), 1239 (tax., descr., Seychelles, Aldabra).

Xystrocera globosa (OLIVIER, 1795): DUFFY 1968: 83 (tax., descr., Seychelles without locality), 84 (fig. 42), 85 (fig. 43), pl. 15 (fig. 2).

Xystrocera globosa OLIVIER, 1795: VIVES 2009: 127 (tax., Mahé).

H o s t p l a n t : *Albizia lebbeck* (LINNAEUS, 1758) (Fabaceae).

M a t e r i a l e x a m i n e d : Mahé: Anse Bougainville, Lichtfang, 1 sp. 15.2.1974 leg. F. Starmühlner.

D i s t r i b u t i o n : Inner Seychelles: Mahé, La Digue – Aldabra Group: Aldabra.

Known from all zoogeographical regions except Nearctic region. In the Malagasy subregion *Xystrocera globosa* has been recorded from Comoros (Moheli, Anjouan), Mayotte, Madagascar, Réunion, Mauritius and Rodrigues.

Subfamily Lamiinae

Coptops aedificator (FABRICIUS, 1792)

Coptops aedificator (FABRICIUS, 1792): AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 423 (biogeogr., cat. Aldabra), 437 (tax., biol., Coëtivy, Aldabra, Assumption).

Coptops aedificator (FABRICIUS, 1792): DE BREUNING 1938: 386 (key).

Coptops (!) *aedificator* (FABRICIUS, 1792): DE BREUNING 1939: 508 (tax., descr. ♂ ♀, Seychelles without locality).

Coptops aedificator (FABRICIUS, 1792): DUFFY 1957: frontispiece (fig.), 188 (tax., descr., biol., Seychelles without locality), 189 (figs 128, 129).

Coptops aedificator (FABRICIUS, 1792): BREUNING 1957a: 12 (key), 13 (tax., descr. ♂ ♀, Seychelles without locality).

Coptops aedificator (FABRICIUS, 1792): DUFFY 1968: 272 (tax., descr., biol.), 273 (fig. 148), 274 (fig. 149), 275 (fig. 150), pl. 16 (fig. 1).

Coptops aedificator (FABRICIUS, 1792): VIVES 2009: 130 (tax., biol., Silhouette, Coëtivy, Aldabra, Assumption).

**Coptops bidens* (FABRICIUS, 1775): LINELL 1897: 697 (Ile Plate).

Coptops bidens (FABRICIUS, 1775): ALLUAUD 1900: 360 (cat. Malagasy subregion).

Coptops bidens (FABRICIUS, 1775): KOLBE 1910: 38 (cat. Seychelles).

H o s t p l a n t : *Ficus carica* LINNAEUS, 1758 (Moraceae).

D i s t r i b u t i o n : Inner Seychelles: Silhouette – Ile Plate – Coëtivy – Aldabra Group: Aldabra, Assumption.

Known from the Ethiopian, Oriental and Australian regions. In the Malagasy subregion

Coptops aedificator has been recorded from Mayotte, Madagascar, Réunion, Mauritius and Rodrigues.

Coptops humerosus FAIRMAIRE, 1871

Coptops humerosus n.sp.: FAIRMAIRE 1871: 69 (descr., Mahé).

Coptops humerosa (!) FAIRMAIRE, 1871: LAMEERE 1893: 106 (La Digue).

Coptops humerosus FAIRMAIRE, 1871: THÉRY 1897: 67 (La Digue).

Coptops humerosa (!) FAIRMAIRE, 1871: ALLUAUD 1900: 341 (cat. Malagasy subregion).

Coptops humerosa (!) FAIRMAIRE, 1871: KOLBE 1910: 38 (tax., Mahé).

Coptops humerosus FAIRMAIRE, 1871: MARIE & LESNE 1917: 31 (cat.).

Coptops humerosa (!) FAIRMAIRE, 1871: AURIVILLIUS 1921: 146 (cat.).

Coptops humerosa (!) FAIRMAIRE, 1871: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 437 (Mahé, Silhouette).

Coptops humerosa (!) FAIRMAIRE, 1871: DE BREUNING 1938: 387 (key).

Coptops (!) *humerosa* (!) FAIRMAIRE, 1871: DE BREUNING 1939: 509 (tax., Mahé, La Digue).

Coptops humerosa (!) FAIRMAIRE, 1871: BREUNING 1957a: 12 (key), 15 (tax., descr. ♂ ♀, Mahé, La Digue).

Coptops humerosa (!) FAIRMAIRE, 1871: ROWLEY & WARMAN 1979: 11 (Aride).

Coptops humerosa (!) FAIRMAIRE, 1871: GERLACH, MATYOT & SAARISTO 1997: 29 (cat. Silhouette).

Coptops humerosa (!) FAIRMAIRE, 1871: ARIDE ISLAND RESEARCH GROUP 1999: 53 (cat. Aride).

Coptops humerosa (!) FAIRMAIRE, 1871: GERLACH, WILLI & GERLACH 2001: 38 (North).

Coptops humerosa (!) FAIRMAIRE, 1871: GERLACH 2003: 18 (Silhouette, North).

Coptops humerosa (!) FAIRMAIRE, 1871: VIVES 2009: 130 (tax., biol., Mahé, Silhouette, La Digue), 265 (pl. 3: fig.).

Coptops humerosa (!) FAIRMAIRE, 1871: GERLACH 2009: 224 (red list).

M a t e r i a l e x a m i n e d : Silhouette: Belle Vue 1 sp. 19.5.2003 leg. M. Madl.

D i s t r i b u t i o n : Inner Seychelles: Mahé, Silhouette, Ile du Nord (North), La Digue, Aride.

Endemic.

***Exocentrus subreticulatus* BREUNING, 1957**

Exocentrus (Pseudocentrus) subreticulatus n.sp.: BREUNING 1957a: 240 (key), 242 (descr., "Mahé").

Exocentrus (Pseudocentrus) subreticulatus BREUNING, 1957: VIVES 2009: 132 (tax., "Mahé", Bird).

Exocentrus (Pseudocentrus) subreticulatus BREUNING, 1957: GERLACH 2009: 225 (red list).

**Exocentrus reticulatus* FAIRMAIRE, 1896: AURIVILLIUS 1922: 422 (biogeogr.), 442 (tax., Anonyme, Long).

M a t e r i a l e x a m i n e d : Silhouette: Anse Cipailles 1 sp. 11.10.2002 leg. M. Madl.

D i s t r i b u t i o n : Inner Seychelles: Anonyme, Long, Silhouette, Bird.

Endemic. BREUNING (1957a: 242) cites Mahé as type locality, but the material has been collected on Anonyme and Long, small islands off Mahé (AURIVILLIUS 1922).

***Hyllisia quadricollis* (FAIRMAIRE 1871)**

Hippopsis quadricollis n.sp.: FAIRMAIRE 1871: 75 (descr., Mahé).

Hippopsis quadricollis FAIRMAIRE, 1871: ALLUAUD 1900: 375 (cat. Malagasy subregion).

Hippopsis quadricollis FAIRMAIRE, 1871: KOLBE 1910: 39 (tax., cat. Seychelles).

Hippopsis quadricollis FAIRMAIRE, 1871: MARIE & LESNE 1917: 31 (cat.).

Hyllisia quadricollis (FAIRMAIRE, 1871): AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 442 (tax., Mahé).

Hyllisia quadricollis (FAIRMAIRE, 1871): AURIVILLIUS 1923: 354 (cat.).

Hyllisia (Hyllisia) quadricollis (FAIRMAIRE, 1871): BREUNING 1957a: 383 (key), 384 (tax., descr. ♂ ♀, fig. 121, Mahé).

Hyllisia (Hyllisia) quadricollis (FAIRMAIRE, 1871): VIVES 2007: 4 (tax., biol., Silhouette).

Hyllisia quadricollis (FAIRMAIRE, 1871): VIVES 2009: 133 (tax., Mahé, Silhouette).

Hyllisia quadricollis (FAIRMAIRE, 1871): GERLACH 2009: 225 (red list).

D i s t r i b u t i o n : Inner Seychelles: Mahé, Silhouette.

Endemic.

***Mahenes demelti* BREUNING, 1980**

Mahenes demelti nov.sp.: BREUNING 1980: 50 (descr., Mahé).

Mahenes demelti BREUNING, 1980: VIVES 2009: 133 (tax., Mahé).

Mahenes demelti BREUNING, 1980: GERLACH 2009: 225 (red list).

D i s t r i b u t i o n : Inner Seychelles: Mahé.

Endemic.

***Mahenes multifasciata* VIVES, 2007**

Mahenes multifasciatus (!) nov.sp.: VIVES 2007: 3 (descr. ♂, Silhouette), pl. 20 (fig. 2).

Mahenes multifasciatus (!) VIVES, 2007: VIVES 2009: 133 (tax., Silhouette), 265 (pl. 3: fig.).

Mahenes multifasciatus (!) VIVES, 2007: GERLACH 2009: 225 (red list).

Distribution: Inner Seychelles: Silhouette.

Endemic. The gender of the genus is feminine according to Aurivillius (1922: 443), because the name of the type species is *Mahenes semifasciata*.

***Mahenes semifasciata* AURIVILLIUS, 1922**

Mahenes semifasciata n.sp.: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 443 (typ. gen., descr., Mahé, Long, Silhouette), pl. 13 (fig. 5).

Mahenes semifasciatus (!) AURIVILLIUS, 1922: BREUNING 1957a: 231 (tax., descr., Silhouette).

Mahenes semifasciata AURIVILLIUS, 1922: GERLACH, MATYOT & SAARISTO 1997: 29 (cat. Silhouette).

Mahenes semifasciatus (!) AURIVILLIUS, 1922: GERLACH 2003: 18 (Silhouette, Praslin).

Mahenes semifasciatus (!) AURIVILLIUS, 1922: VIVES 2009: 132 (tax., Mahé, Long, Silhouette), 265 (pl. 3: fig.).

Mahenes semifasciatus (!) AURIVILLIUS, 1922: GERLACH 2009: 225 (red list).

Distribution: Inner Seychelles: Mahé, Long, Silhouette, Praslin.

Endemic.

***Nupserha seychellarum* BREUNING, 1982**

Nupserha seychellarum n.sp.: BREUNING 1982: 28 (descr. ♀, Mahé).

Distribution: Inner Seychelles: Mahé.

Endemic. *Nupserha seychellarum* is not mentioned in VIVES (2009).

***Olenecamptus bilobus* (FABRICIUS, 1801)**

Olenecamptus bilobus (FABRICIUS, 1801): LAMEERE 1893: 106 (Mahé).

Olenecamptus bilobus (FABRICIUS, 1801): THÉRY 1897: 67 (La Digue).

Olenecamptus bilobus (FABRICIUS, 1801): ALLUAUD 1900: 366 (cat. Malagasy subregion).

Olenocamptus bilobus (FABRICIUS, 1801): KOLBE 1910: 38 (cat. Seychelles).

Olenecamptus bilobus (FABRICIUS, 1801): AURIVILLIUS 1921: 214 (cat.).

Olenecamptus bilobus (FABRICIUS, 1801): AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 437 (biol., Mahé, Silhouette).

Olenecamptus bilobus (FABRICIUS, 1801): DE BREUNING 1940: 530 (key), 554 (tax., descr. ♂ ♀, Seychelles without locality), 555 (fig. 564).

Olenecamptus bilobus (FABRICIUS, 1801): DUFFY 1957: 199 (cat.).

Olenecamptus bilobus (FABRICIUS, 1801): DUFFY 1968: 294 (tax., descr., fig. 164, biol., Seychelles without locality), 295 (fig. 165).

Olenecamptus bilobus (FABRICIUS, 1801): GERLACH, MATYOT & SAARISTO 1997: 29 (cat. Silhouette).

Olenecamptus bilobus (FABRICIUS, 1801): HILL et al. 2002: 165 (Marianne).

Olenecamptus bilobus (FABRICIUS, 1801): GERLACH 2003: 18 (Silhouette).

Olenecamptus bilobus (FABRICIUS, 1801): VIVES 2009: 130 (tax., Mahé, Silhouette), 265 (pl. 3: fig.).

Olenecamptus bilobus (FABRICIUS, 1801): GERLACH 2009: 224 (red list).

**Olenecamptus bilobus* subsp. *lacteoguttatus* FAIRMAIRE, 1881: BREUNING 1957a: 21 (tax., descr. ♂ ♀, Seychelles).

**Olenecamptus bilobus trimaculatus* nov.m.: DE BREUNING 1940: 555 (descr., fig. 565, Seychelles without locality).

Olenecamptus bilobus subsp. *lacteoguttatus* var. *trimaculatus* DE BREUNING, 1940: BREUNING 1957a: 23 (tax., Seychelles without locality).

M a t e r i a l e x a m i n e d : Mahé: La Roussette 4 sp. 13.-31.10.1991 leg. M. Madl – Silhouette: La Passe, am Licht, 2 sp.16.-22.5.2003 leg. M. Madl.

D i s t r i b u t i o n : Inner Seychelles: Mahé, Silhouette, Marianne, La Digue.

Known from the Oriental and Australian regions. In the Malagasy subregion *Olenecamptus bilobus* has been recorded from Comoros (Anjouan), Mayotte, Madagascar, Réunion and Mauritius. *Olenecamptus bilobus* m. *trimaculatus* DE BREUNING, 1940 is an unavailable name.

***Prosoplus dentatus* (OLIVIER, 1792)**

Prosoplus dentatus (OLIVIER, 1792): AURIVILLIUS 1922: 423 (biogeogr., cat. Aldabra), 441 (Remire (Eagle), Aldabra, Assumption).

Prosoplus dentatus (OLIVIER, 1792): VIVES 2009: 132 (tax., Silhouette, Aldabra).

Prosoplus dentatus (OLIVIER, 1792): GERLACH 2009: 225 (red list).

D i s t r i b u t i o n : Inner Seychelles: Silhouette – Amirantes: Remire (Eagle) – Aldabra Group: Aldabra, Assumption.

Prosoplus dentatus, which is endemic to the Malagasy subregion, has been recorded from Madagascar, Réunion, Mauritius and Rodrigues. The records from Seychelles are not mentioned in BREUNING (1957a: 301).

***Pseudocoptops seychellarum* BREUNING, 1977**

Pseudocoptops seychellarum nov.sp.: BREUNING 1977: 745 (typ. gen., descr., biol., Praslin).

D i s t r i b u t i o n : Inner Seychelles: Praslin.

Endemic. *Pseudocoptops seychellarum* is not mentioned in VIVES (2009).

***Pterolophia instabilis* AURIVILLIUS, 1922**

Pterolophia instabilis sp.n.: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 439 (descr., Mahé, Anonyme, Long, Silhouette), pl. 13 (fig. 8).

Pterolophia (*Pterolophia*) *instabilis* AURIVILLIUS, 1922: BREUNING 1957a: 295 (key, tax., descr. ♂ ♀, Mahé, Anonyme, Long).

Pterolophia instabilis AURIVILLIUS, 1922: GERLACH, MATYOT & SAARISTO 1997: 29 (cat. Silhouette).

Pterolophia instabilis AURIVILLIUS, 1922: GERLACH 2003: 18 (Aride).

Pterolophia instabilis AURIVILLIUS, 1922: VIVES 2009: 131 (tax., Mahé, Long, Silhouette), 265 (pl. 3: fig.).

Pterolophia instabilis AURIVILLIUS, 1922: GERLACH 2009: 224 (red list).

**Pterolophia instabilis abscissa* ab.nov.: AURIVILLIUS 1922: 440 (descr., Seychelles without locality).

Pterolophia (*Pterolophia*) *instabilis* var. *abscissa* AURIVILLIUS, 1922: BREUNING 1957a: 295 (key), 296 (tax., Seychelles without locality).

**Pterolophia instabilis minuscula* ab.nov.: AURIVILLIUS 1922: 440 (descr., Seychelles without locality).

Pterolophia (*Pterolophia*) *instabilis* var. *minuscula* AURIVILLIUS, 1922: BREUNING 1957a: 295 (key), 296 (tax., Seychelles without locality).

**Pterolophia instabilis nigrovittata* ab.nov.: AURIVILLIUS 1922: 441 (descr., Seychelles without locality).

Pterolophia (Pterolophia) instabilis var. *nigrovittata* AURIVILLIUS, 1922: BREUNING 1957a: 295 (key), 297 (tax., Seychelles without locality).

**Pterolophia instabilis suturalis* ab.nov.: AURIVILLIUS 1922: 440 (descr., Seychelles without locality).

Pterolophia (Pterolophia) instabilis var. *suturalis* AURIVILLIUS, 1922: BREUNING 1957a: 295 (key), 296 (tax., Seychelles without locality).

**Pterolophia instabilis transversa* ab.nov.: AURIVILLIUS 1922: 441 (descr., Seychelles without locality).

Pterolophia (Pterolophia) instabilis var. *transversa* AURIVILLIUS, 1922: BREUNING 1957a: 295 (key), 296 (tax., Seychelles without locality).

**Pterolophia instabilis unicolor* ab.nov.: AURIVILLIUS 1922: 441 (descr., Seychelles without locality).

Pterolophia (Pterolophia) instabilis var. *unicolor* AURIVILLIUS, 1922: BREUNING 1957a: 295 (key), 297 (tax., Seychelles without locality).

D i s t r i b u t i o n : Inner Seychelles: Mahé, Anonyme, Long, Silhouette.

Endemic. *Pterolophia ab. instabilis abscissa* AURIVILLIUS, 1922, *Pterolophia instabilis ab. minuscula* AURIVILLIUS, 1922, *Pterolophia instabilis ab. nigrovittata* AURIVILLIUS, 1922, *Pterolophia instabilis ab. suturalis* AURIVILLIUS, 1922, *Pterolophia instabilis ab. transversa* AURIVILLIUS, 1922 and *Pterolophia instabilis ab. unicolor* AURIVILLIUS, 1922 are unavailable names.

***Ropica sechellarum* BREUNING, 1957**

Ropica sechellarum n.sp.: BREUNING 1957a: 303 (key), 304 (descr., Mahé).

Ropica sechellarum BREUNING, 1957: GERLACH 2003: 18 (Silhouette, Frégate).

Ropica sechellarum BREUNING, 1957: VIVES 2009: 181 (tax., biol., Mahé, Silhouette).

Ropica sechellarum BREUNING, 1957: GERLACH 2009: 225 (red list).

**Ropica sechellarum interruptefasciata* n.m.: BREUNING 1957a: 303 (key), 304 (descr., Mahé).

M a t e r i a l e x a m i n e d : Mahé: Anse aux Pins, La Roussette 1 sp. 13.-31.10.1991 leg. M. Madl – Silhouette: La Passe, am Licht, 1 sp. 11.-14.10.2002 leg. M. Madl.

D i s t r i b u t i o n : Inner Seychelles: Mahé, Silhouette, Frégate.

Endemic. *Ropica sechellarum* m. *interruptefasciata* BREUNING, 1957 is an unavailable name.

***Ropica signata* PIC, 1932**

M a t e r i a l e x a m i n e d : Silhouette: La Passe, am Licht, 1 sp. 11.-14.10.2002, 1 sp. 16.-22.5.2003 leg. M. Madl.

D i s t r i b u t i o n : Inner Seychelles: Silhouette.

This species originating from the Oriental region is a new record for the fauna of the Republic of Seychelles. In the Malagasy subregion *Ropica signata* has been recorded from Mayotte, Madagascar and Mauritius.

***Sybra fauveti* (THÉRY, 1897)**

Apomecyna Fauveli n.sp.: THÉRY 1897: 66 (descr., La Digue).

Praonetha fauveti (THÉRY, 1897): ALLUAUD 1897: 151 (tax.).

Apomecyna fauveti THÉRY, 1897: ALLUAUD 1900: 372 (footnote: syn. of *Apomecyna sechellarum*).

Apomecyna fauveti THÉRY, 1897: KOLBE 1910: 39 (tax., cat. Seychelles).

Apomecyna fauveti THÉRY, 1897: AURIVILLIUS 1921: 300 (syn. of *Sybra geminata*, cat.).

Apomecyna fauveti THÉRY, 1897: AURIVILLIUS 1922: 441 (syn. of *Sybra geminata*).

Sybra (Sybra) fauveti (THÉRY, 1897): BREUNING 1957a: 311 (key), 313 (tax., La Digue).

Sybra fauveti (THÉRY, 1897): GERLACH 2003: 18 (Silhouette).

Sybra fauveti (THÉRY, 1897): VIVES 2009: 132 (tax., Silhouette, La Digue).

Sybra fauveti (THÉRY, 1897): GERLACH 2009: 225 (red list).

Distribution: Inner Seychelles: Silhouette, La Digue.

Endemic.

***Sybra geminata* (KLUG, 1833)**

Sybra geminata (KLUG, 1833): AURIVILLIUS 1921: 300 (cat.).

Sybra geminata (KLUG, 1833): AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 441 (tax., Mahé, Sainte Anne, Silhouette).

Sybra (Sybra) geminata (KLUG, 1833): BREUNING 1957a: 311 (key), 312 (tax., descr. ♂ ♀, Mahé).

Sybra geminata (KLUG, 1833): GERLACH, MATYOT & SAARISTO 1997: 29 (cat. Silhouette).

Sybra geminata (KLUG, 1833): GERLACH 2003: 18 (Silhouette).

Sybra geminata (KLUG, 1833): VIVES 2009: 131 (tax., Mahé, Silhouette).

Sybra geminata (KLUG, 1833): GERLACH 2009: 225 (red list).

**Apomecyna sechellarum* n.sp.: LAMEERE 1893: 106 (descr. ♀, Mahé).

Praonetha sechellarum (LAMEERE, 1893): ALLUAUD 1897: 151 (tax.).

Pterolophia sechellarum (LAMEERE, 1893): ALLUAUD 1900: 372 (tax., cat. Malagasy subregion).

Praonetha sechellarum (LAMEERE, 1893): KOLBE 1910: 38 (tax., cat. Seychelles).

Apomecyna sechellarum LAMEERE, 1893: AURIVILLIUS 1921: 300 (syn.).

Apomecyna sechellarum LAMEERE, 1893: AURIVILLIUS 1922: 441 (syn.).

Distribution: Inner Seychelles: Mahé, Sainte Anne, Silhouette.

Endemic to the Malagasy subregion, where it is recorded from Madagascar. The specific names of the material identified by AURIVILLIUS (1922) should be reexamined, because he had synonymized *Sybra fauveti* with *Sybra geminata*.

***Tragocephala alluaudi* LAMEERE, 1893**

Tragocephala Alluaudi n.sp.: LAMEERE 1893: 106 (descri. ♀, La Digue).

Tragosoma (!) *alluaudi* LAMEERE, 1893: THÉRY 1897: 67 (La Digue).

Tragocephala alluaudi LAMEERE, 1893: ALLUAUD 1897: 151 (tax.).

Tragocephala alluaudi LAMEERE, 1893: ALLUAUD 1900: 362 (cat. Malagasy subregion).

Tragocephala alluaudi LAMEERE, 1893: KOLBE 1910: 38 (tax., cat. Seychelles).

Tragocephala alluaudi LAMEERE, 1893: AURIVILLIUS 1921: 171 (cat.).

Tragocephala alluaudi LAMEERE, 1893: AURIVILLIUS 1922: 422 (tax., biogeogr., cat. Inner Seychelles).

Tragocephala alluaudi LAMEERE, 1893: DE BREUNING 1934: 16 (key), 88 (tax., fig. 174, La Digue).

Tragocephala alluaudi LAMEERE, 1893: BREUNING 1957a: 363 (key), 376 (tax., descr. ♂ ♀, La Digue).

Tragocephala alluaudi LAMEERE, 1893: VIVES 2009: 131 (tax., La Digue), 265 (pl. 3: fig.).

Tragocephala alluaudi LAMEERE, 1893: GERLACH 2009: 224 (red list).

Distribution: Inner Seychelles: La Digue.

Endemic.

***Tragocephala formosa* (OLIVIER, 1792)**

**Tragocephala comitessa* WHITE, 1856: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 437 (Mahé).

D i s t r i b u t i o n : Inner Seychelles: Mahé.

Known from the Ethiopian region. *Tragocephala formosa* is not mentioned in VIVES (2009) and is probably not established in the Republic of Seychelles.

S u b f a m i l y P r i o n i n a e

***Diseoblax wrightii* (WATERHOUSE, 1880) "Gros moutouc du filao"**

Macrotoma Wrightii n.sp.: WATERHOUSE 1880: 414 (descr. ♂, Seychelles without locality).

Macrotoma wrighti (!) WATERHOUSE, 1880: LAMEERE 1893: 105 (Mahé).

Macrotoma wrighti (!) WATERHOUSE, 1880: ALLUAUD 1900: 337 (cat. Malagasy subregion).

Macrotoma wrighti (!) WATERHOUSE, 1880: LAMEERE 1903: 111 (tax., Mahé), 192 (key).

Macrotoma wrighti (!) WATERHOUSE, 1880: KOLBE 1910: 36 (tax., Mahé).

Macrotoma wrighti (!) WATERHOUSE, 1880: LAMEERE 1913: 23 (cat.).

Hovatoma wrighti (!) (WATERHOUSE, 1880): LAMEERE 1919: 44 (tax., cat.).

Macrotoma wrighti (!) WATERHOUSE, 1880: ANONYMUS 1919: 484 (biol., Praslin).

Macrotoma wrighti (!) WATERHOUSE, 1880: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles).

Macrotoma wrighti (!) WATERHOUSE, 1880: DUPONT 1935: 149 (biol., cat. Seychelles).

Hovatoma wrighti (!) (WATERHOUSE, 1880): DUFFY 1957: 56 (cat.).

Diseoblax wrightii (WATERHOUSE, 1880): QUENTIN & VILLIERS 1981: 360 (cat.), 368 (typ. gen., tax. ♂), Seychelles without locality).

Discoblax (!) *wrighti* (!) (WATERHOUSE, 1880): VIVES 2009: 126 (tax., Mahé, Praslin), 265 (pl. 3: figs ♂ ♀).

Discoblax (!) *wrighti* (!) (WATERHOUSE, 1880): GERLACH 2009: 224 (red list).

**Macrotoma Dejeanii* sp.n.: WATERHOUSE 1884: 383 (descr. ♀, Java).

Macrotoma dejeani (!) WATERHOUSE, 1884: KOLBE 1910: 36 (syn.).

D i s t r i b u t i o n : Inner Seychelles: Mahé, Praslin.

Endemic. The description of *Macrotoma dejeani* was based on a specimen from Java. This specimen is either mislabelled or it was on board of a ship calling at Mahé on the way to Java.

***Paradandamis fuscovittata* AURIVILLIUS, 1922**

Paradandamis fuscovittata n.sp.: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 427 (typ. gen.), 428 (descr. ♀ (not ♂), Mahé), pl. 13 (fig. 4).

Paradandamis fuscovittatus AURIVILLIUS, 1922: VIVES 2009: 127 (tax., Mahé), 265 (pl. 3: fig.).

Paradandamis fuscovittatus AURIVILLIUS, 1922: GERLACH 2009: 224 (red list).

D i s t r i b u t i o n : Inner Seychelles: Mahé.

Endemic.

***Platygnathus sechellarum* AURIVILLIUS, 1922**

Platygnathus (?) *sechellarum* sp.n.: AURIVILLIUS 1922: 422 (biogeogr., cat. Inner Seychelles), 425 (descr. ♀, Frégate), 426 (fig. 1).

Platygnathus sechellarum AURIVILLIUS, 1922: VINSON 1962: 204 (tax.).

Platygnathus sechellarum AURIVILLIUS, 1922: QUENTIN & VILLIERS 1975: 25 (footnote: tax.).

Platygnathus sechellarum (!) AURIVILLIUS, 1922: VIVES 2009: 126 (tax., Frégate).

Platygnathus sechellarum (!) AURIVILLIUS, 1922: GERLACH 2009: 224 (red list).

Distribution: Inner Seychelles: Frégate.

Known from the Oriental region (Philippines).

I n c e r t a e s e d i s

***Macrotoma* sp.**

Macrotoma (*Hovatoma*) sp.: AURIVILLIUS 1922: 423 (biogeogr., cat. Aldabra), 425 (tax., Aldabra).

Distribution: Aldabra Group: Aldabra.

Acknowledgements

We are greatly indebted to Karl Adlbauer (Graz, Austria) for identifying the material and Herbert Schmid (Wien, Austria) for reviewing the manuscript. Many thanks also to Wolfgang Brunnbauer (Naturhistorisches Museum Wien, Austria), Heinrich Schönmann (Naturhistorisches Museum Wien, Austria) and Manuela Vizek (Naturhistorisches Museum Wien, Austria), which helped in various ways to prepare the paper.

Zusammenfassung

Wir präsentieren eine aktuelle Artenliste der Familie Cerambycidae der Republik Seychellen. Es werden 31 Arten aufgelistet. Neue Funddaten von acht Arten (*Ceresium albopubens* FAIRMAIRE, 1891, *Ceresium unicolor* (FABRICIUS, 1787), *Xystrocera globosa* (OLIVIER, 1795), *Coptops humorosa* FAIRMAIRE, 1871, *Exocentrus subreticulatus* BREUNING, 1957, *Olenecamptus bilobus* (FABRICIUS, 1801), *Ropica sechellarum* BREUNING, 1957 and *Ropica signata* PIC, 1932) werden angeführt. *Ropica signata* PIC, 1932 wird erstmals für die Republik Seychellen (Mahé) nachgewiesen.

References

The "Bulletin de la Société Entomologique de France" has been published in two versions from 1873 to 1894 (EVENHUIS 2002), which differ in the publication date. We have cited both versions (quarterly in brackets), because the papers of FAIRMAIRE (1891) and LAMEERE (1893) are of taxonomic importance. We have seen only the quarterly version.

ALLUAUD Ch. (1897): Contributions à la faune entomologique de la Région malgache. 5e note. — Bulletin de la Société Entomologique de France **1897** (9): 150-152.

ALLUAUD Ch. (1900): Liste des Insectes Coléoptères de la Région Malgache. — In: GRANDIDIER A. (ed.), Histoire Physique, Naturelle et Politique de Madagascar **XXI**, Histoire Naturelle des Coléoptères I (Texte): V-VIII, 509 pp.

ANONYMUS (1919): Notes on Insects in Seychelles. — Review of Applied Entomology, Series A: Agricultural 7: 483-484.

- ARIDE ISLAND RESEARCH GROUP (1999): The ecology and conservation of Aride Island, Seychelles. — *Phelsuma* 7: 37-55.
- AURIVILLIUS C. (1912): Cerambycidae: Cerambycinae. — In: SCHENKLING S. (ed.), *Coleopterorum Catalogus* 39: 574 pp.
- AURIVILLIUS C. (1921): Cerambycidae: Lamiinae I. — In: SCHENKLING S. (ed.), *Coleopterorum Catalogus* 73: 322 pp.
- AURIVILLIUS C. (1922): Coleoptera (Cerambycidae) from the Seychelles Islands, Aldabra, and Rodriguez. — *Annals and Magazine of Natural History*, 9th series 10 (58): 421-443.
- AURIVILLIUS C. (1923): Cerambycidae: Lamiinae II. — In: SCHENKLING S. (ed.), *Coleopterorum Catalogus* 39: 323-704.
- BREUNING E. DE (1934): Etudes sur les Lamiaires (Col. Ceramb.). — *Novitates Entomologicae* 4 (Troisième Supplément 1-12): 1-96.
- BREUNING E. DE (1938): Etudes sur les Lamiaires (Coléop. Cerambycidae). — *Novitates Entomologicae* 8 (Troisième Supplément 40-49): 313-392.
- BREUNING E. DE (1939): Etudes sur les Lamiaires (Coléop. Cerambycidae). — *Novitates Entomologicae* 9 (Troisième Supplément 50-65): 393-520.
- BREUNING E. DE (1940): Etudes sur les Lamiaires (Coléop. Cerambycidae). — *Novitates Entomologicae* 10 (Troisième Supplément 66-71): 521-568.
- BREUNING S. (1957a): Coléoptères Cerambycidae Lamiinae. — *Faune de Madagascar* 4: 401 pp.
- BREUNING S. (1957b): Révision du genre *Xystrocera* SERV. (Coleoptera, Cerambycidae). — *Bulletin de l'Institut Français d'Afrique Noire, Série A, Sciences Naturelles*, 19 (4): 1223-1271.
- BREUNING S. (1977): Lamiaires nouveaux d'Afrique. — *Revue de Zoologie Africaine* 91 (3): 745-747.
- BREUNING S. (1980): Nouvelle espece de Lamiinae des Iles Seychelles. — *Bulletin de la Société Entomologique de Mulhouse* 1980: 50.
- BREUNING S. (1982): Diagnoses préliminaires de nouveaux Lamiinae du Muséum national d'Histoire naturelle de Paris (Coleoptera, Cerambycidae). — *Annales de la Société Entomologique de France, Nouvelle Série*, 18 (1): 9-29.
- BREUNING S. & A. VILLIERS (1968): Les Cerambycidae de Madagascar. Révision des Cerambycinae Glauctini. — *Annales de la Société Entomologique de France, Nouvelle Série*, 4 (1): 45-67.
- DUPONT R. (1935): L'Archipel des Seychelles. Sa formation géologique, ses ressources naturelles, sa flore, sa faune entomologique, & son Evolution économique. — *Transactions of the Royal Society of Arts & Sciences of Mauritius, Series C*, 3: 51-149.
- DUFFY E.A.J. (1957): A monograph of the immature stages of African timber beetles (Cerambycidae). — London (British Museum): I-VII, 338 pp.
- DUFFY E.A.J. (1968): A monograph of the immature stages of Oriental timber beetles (Cerambycidae). — London (British Museum): VII, 434 pp.
- EVENHUIS N.L. (2002): Publication and dating of the two "Bulletins" of the Société Entomologique de France (1873-1894). — *Zootaxa* 70: 32 pp.
- FAIRMAIRE M.L. (1871): Notes sur les Coléoptères recueillis par Charles COQUEREL à Madagascar et sur les côtes d'Afrique. — *Annales de la Société Entomologique de France, 5. série*, 1 (1): 29-78.
- FAIRMAIRE M.L. (1891): Sur un Longicorne nouveau. — *Bulletin de la Société Entomologique de France* 1891 (19): 182. (FAIRMAIRE M.L. (1892):... 1891 (4): 182).
- FERRIERA M.C. & G. da VIEGA-FERRIERA (1959): Catalogo dos Cerambícos da Regiao Etiópica. I Parte: Supertribos Parandrina et Prionina. — *Memorias do Instituto de Investigacao Cientifica de Mocambique* 1: 1-76. **not seen**

- FERRIERA M.C. & G. da VIEGA-FERRIERA (1959): Catalogo dos Cerambicidos da Regiao Etiopica. II Parte: Supertribos Disteniina, Asemrina, Cerambycina, Auxerina & Lepturina. — Memorias do Instituto de Investigacao Cientifica de Mocambique **1**: 77-388. **not seen**
- FRITH D.W. (1979): A list of insects caught in light traps on West Island, Aldabra Atoll, Indian Ocean. — Atoll Research Bulletin **225**: 12 pp.
- GERLACH J. (2003): The biodiversity of the granitic islands of Seychelles. Indian Ocean Biodiversity Assessment 2000-2005. Biodiversity assessment celebrating the centenary of the Percy Sladen Trust Expedition to the Indian Ocean. — Phelsuma **11** (Supplement B): 47 pp.
- GERLACH J., MATYOT P. & M. SAARISTO (1997): Silhouette species list. — Phelsuma **5** (supplement A): 42 pp. (unpaginated)
- GERLACH J. (2009): Red Listing. — In: GERLACH J. (ed.), The Coleoptera of the Seychelles islands. — Sofia-Moscow (Pensoft): 210-240.
- GERLACH J., WILLI J. & R. GERLACH (2001): The ecology of North Island. — Phelsuma **9**: 29-38.
- HILL M.J., MATYOT P., VEL T.M., PARR S.J. & N.J. SHAH (2002): Marianne. — In: HILL M.J. (ed.), Biodiversity surveys and conservation potential of inner Seychelles islands. — Atoll Research Bulletin **495**: 156-175.
- KOLBE H. (1902): Koleopteren der Aldabra-Inseln. — Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft **26** (4): 569-586.
- KOLBE H. (1910): Die Coleopterenfauna der Seychellen. Nebst Betrachtungen über die Tiergeographie dieser Inselgruppe. — Mitteilungen aus dem Zoologischen Museum zu Berlin **5** (1): 1-44.
- LAMEERE A (1893): Cerambycidae de îles Séchelles. — Bulletin de la Société Entomologique de France **1893** (4): 105-106. (LAMEERE A. (1893): **(1893** (2): 105-106.)
- LAMEERE A. (1903): Revision des Prionides Macrotomines. — Mémoires de la Société Entomologique de Belgique **11**: 216 pp.
- LAMEERE A. (1913): Cerambycidae: Prioninae. — In: SCHENKLING S. (ed.), Coleopterologus Catalogus **52**: 108 pp.
- LAMEERE A. (1919): Coleoptera Longicornia Fam. Cerambycidae Subfam. Prioninae. — In: WYTSMAN P. (ed.), Genera Insectorum **172**: 189 pp.
- LINELL M.L. (1897): On the insects collected by Doctor ABBOTT on the Seychelles, Aldabra, Glorioso, and Providence islands, with descriptions of nine new species of Coleoptera. — Proceedings of the U.S. National Museum **19** (1119): 695-706.
- MARIE R. & P. LESNE (1917): Catalogue des Coléoptères de la région malgache décrits ou mentionnés par L. FAIRMAIRE (1849-1906). — Bulletin du Muséum National d'Histoire Naturelle **7** (Annexe): I-IV, 180 pp.
- QUENTIN R.M. & A. VILLIERS (1975): Insectes Coléoptères Cerambycidae Parandrinae et Prioninae. — Faune de Madagascar **40**: 251 pp.
- QUENTIN R.M. & A. VILLIERS (1981): Les Macrotomini de l'Ancien Monde (region ethiopienne exclue) genera et catalogue raisonné (Col. Cerambycidae Prioninae). — Annales de la Société Entomologique de France, Nouvelle Série, **17** (3): 359-393.
- ROWLEY J. & S. WARMAN (1979): Invertebrate Fauna. — Aride Islands Nature Reserve, Seychelles. Report **4**: 17 pp. (unpublished).
- SCOTT H. (1933): General conclusions regarding the Insect fauna of the Seychelles and adjacent Islands. — Transactions of the Linnean Society of London, 2nd series, Zoology, **19** (3): 307-391.
- THÉRY A. (1897): Description d'un Cérambycide nouveau des îles Seychelles. — Bulletin de la Société Entomologique de France **1897** (1): 66-67.
- VESEY-FITZGERALD D. (1941): Some insects of economic importance in Seychelles. — Bulletin of Entomological Research **32** (2): 153-160.

- VINSON J. (1961): The Obriine Beetles of the Mascarene Islands (Col. Cerambycidae). — Mauritius Institute Bulletin **5** (6): 225-286, pls 2-4.
- VINSON J. (1962): Catalogue of the Coleoptera of Mauritius and Rodriguez Part IV and Supplement I. — Mauritius Institute Bulletin **4** (4): 197-297.
- VINSON J. (1963): On a few Longicorn Beetles mainly from Mauritius (Col. Cerambycidae). — Mauritius Institute Bulletin **5** (7): 269-286, pls 5-7.
- VIVES E. (2007): On some Cerambycidae from Seychelles, with descriptions of two new species (Coleoptera). — Entomologia Africana **12** (1): 1-5.
- VIVES E. (2009): Family Cerambycidae. — In: GERLACH J. (ed.), The Coleoptera of the Seychelles islands: 125-134, pl. 3.
- VOELTZKOW A. (1902): Die von Aldabra bis jetzt bekannte Flora und Fauna. — Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft **26** (4): 539-565.
- WATERHOUSE C.O. (1880): New Genera and Species of Coleoptera from Madagascar. — Annals and Magazine of Natural History, 5th series, **5** (29): 409-419.
- WATERHOUSE C.O. (1884): On the Coleopterous Genus *Macrotoma*. — Annals and Magazine of Natural History, 5th series **14** (84): 376-387.

Authors' addresses:

Michael MADL
2. Zoologische Abteilung
Naturhistorisches Museum
Burgring 7
A-1010 Wien, Austria
E-mail: michael.madl@nhm-wien.ac.at

Pat MATYOT
Seychelles Broadcasting Corporation
P.O. Box 323
Victoria, Mahé, Seychelles
E-mail: pat.matyot@sbc.sc

Table 1: Distribution of the family Cerambycidae in the Republic of Seychelles. Genera and species are listed alphabetically.

SPECIES	INNER SEYCHELLES						
	ALDABRA GROUP	Assumption	Aldabra	COËTIVY	Coëtivy	AMIRANTES	Remire
<i>Anomoderus rugosicollis</i>	•						
<i>Ceresium albopubens</i>	•			•	•		
<i>Ceresium unicolor</i>	•			•			
<i>Coptops aedificator</i>							•
<i>Coptops humerosus</i>	•			•	•		•
<i>Diseoblax wrightii</i>	•				•		
<i>Exocentrus subreticulatus</i>	•	•	•				
<i>Hyllisia quadricollis</i>	•						
<i>Idobrium femoratum</i>							•
<i>Idobrium sechellarum</i>	•						•
<i>Idobrium voeltzkowi</i>							•
<i>Iresioides aldabrensis</i>							
<i>Mahenes demelti</i>	•						
<i>Mahenes semifasciatus</i>	•		•		•		
<i>Nupserha seychellarum</i>	•						
<i>Obrium nitidicolle</i>	•				•		
<i>Olenocampus bilobus</i>	•				•		
<i>Paradandamis fuscovittata</i>	•						•
<i>Paralocus semitibialis</i>							•
<i>Platygnathus sechellarum</i>							•
<i>Prosoplus dentatus</i>							•
<i>Pseudocoptops seychellarum</i>					•		•
<i>Pterolophia instabilis</i>	•	•	•		•		
<i>Ropica sechellarum</i>	•				•		
<i>Ropica signata</i>					•		
<i>Stromatiom barbatum</i>	•						
<i>Sybra geminata</i>	•			•	•		
<i>Sybra fauveli</i>						•	
<i>Tragocephala alluaudi</i>						•	
<i>Tragocephala formosa</i>	•					•	
<i>Xystrocera globosa</i>	•						

Table 2: General distribution of the species recorded from the Inner Seychelles in the Old World.

Species	Endemic	Malagasy	Ethiopian	Oriental	Palaearctic
<i>Anomoderus rugosicollis</i>	•				
<i>Ceresium albopubens</i>	•				
<i>Ceresium unicolor</i>		•	•	•	•
<i>Coptops humerosus</i>	•				
<i>Diseoblax wrightii</i>	•				
<i>Exocentrus subreticulatus</i>	•				
<i>Hyllisia quadricollis</i>	•				
<i>Idobrium sechellarum</i>	•				
<i>Mahenes demelti</i>	•				
<i>Mahenes semifasciatus</i>	•				
<i>Nupserha seychellarum</i>	•				
<i>Obrium nitidicolle</i>	•				
<i>Olenocamptus bilobus</i>				•	
<i>Paradandamis fuscovittata</i>	•				
<i>Platygnathus sechellarum</i>	•				
<i>Pseudocoptops seychellarum</i>	•				
<i>Pterolophia instabilis</i>	•				
<i>Ropica sechellarum</i>	•				
<i>Ropica signata</i>		•		•	
<i>Stromatium barbatum</i>		•	•	•	•
<i>Sybra geminata</i>		•			
<i>Sybra fauveli</i>	•				
<i>Tragocephala alluaudi</i>	•				
<i>Tragocephala formosa</i>			•		
<i>Xystrocera globosa</i>		•	•	•	•

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Linzer biologische Beiträge](#)

Jahr/Year: 2014

Band/Volume: [0046_2](#)

Autor(en)/Author(s): Madl Michael, Matyot Pat

Artikel/Article: [Notes on Cerambycidae \(Coleoptera: Chrysomeloidea\) of the Republic of Seychelles 1581-1598](#)