

| | | | |
|---------------------|------|---------|------------|
| Linzer biol. Beitr. | 48/1 | 395-403 | 30.07.2016 |
|---------------------|------|---------|------------|

Oribatid mites (Acari: Oribatida) of Mashhad township, Razavi Khorasan province, Iran

Toktam FARZANEH & Mohammad Ali AKRAMI

A b s t r a c t : In the course of a faunistic survey of oribatid mites in Mashhad township (northeast of Iran), which conducted during 2013-2014, totally, 74 species belonging to 58 genera and 41 families were collected and identified. Of which, one species is reported for the first time from Iran, and 71 species are reported for the first time from Razavi Khorasan province.

K e y w o r d s : Acari, Sarcoptiformes, fauna, Iran.

Introduction

During 2013-2014, oribatid mite fauna of Mashhad township was studied. Mashhad with 328 square kilometers, is the second most populous city in Iran and capital of Razavi Khorasan province. It is located in the northeast of the country, close to the borders of Turkmenistan and Afghanistan. The city is located at 36.20° North latitude and 59.35° East longitude, in the valley of the Kashafrud River near Turkmenistan, between the two mountain ranges of Binalood and Hezar Masjed Mountains. The city benefits from the proximity of the mountains, having cool winters, pleasant springs, mild summers, and beautiful autumns. The weather in Mashhad is temperate and variable. Winds are more in the southeast in comparison with northwest. Maximum temperature of 43 degrees above zero in summer and lowest in winter is 23 degrees below zero were seen in Mashhad.

Materials and methods

Soil and litter samples were taken from the area around the Mashhad township during 2013 - 2014. The samples were obtained from variety habitat types such as: soil around the plants, fruit trees, pastures, weeds, inside the trunk trees and moss, and then were transferred to the Acarological laboratory of Shiraz University. The mites were extracted by Berlese funnel apparatus. Oribatid mites were removed and been cleared in lactophenol and mounted in Hoyer's medium on glass microscope slides for identification. The slides were placed in an oven at 45°C for 10 days and then the specimens were recognized using a light microscope (Zeiss Standard 20).

Results

During this study, 74 species belonging to 58 genera and 41 families of oribatid mites from various habitats of Mashhad township were collected and identified, of which one species are reported for the first time from Iran (marked by one asterisk), and 71 species are reported for the first time from Razavi Khorasan province (marked by two asterisks). The Sample Codes below refer to Table 1.

Hypochthoniidae BERLESE, 1910

Hypochthonius luteus OUDEMANS, 1917**: I₁ -H₃-C -E₂

Cosmochthoniidae GRANDJEAN, 1947

Cosmochthonius (C.) asiaticus GORDEEVA, 1980**: K₂

Cosmochthonius (C.) ponticus GORDEEVA, 1980**: K₃

Cosmochthonius (C.) lanatus (MICHAEL 1885)**: K₂

Cosmochthonius (C.) reticulatus GRANDJEAN, 1947**: E₃

Haplochthoniidae HAMMEN, 1959

Haplochthonius (H.) simplex (WILLMANN, 1930)**: P1-H2-B3

Sphaerochthoniidae GRANDJEAN, 1947

Sphaerochthonius splendidus (BERLESE, 1904)**: R- H₄-C-E₂

Brachychthoniidae THOR, 1934

Eobrachychthonius sp. nr. *similis* MAHUNKA, 1979**: U -D₂-E₂

Mesoplophoridae EWING, 1917

Mesoplophora michaeliana BERLESE, 1904**: I-H₄-D₃-B₄-E₂

Euphthiracaridae JACOT, 1930

Acrotritia ardua (KOCH, 1841): N₁-G₁-I₂-P-J-C-F-E

Phthiracaridae PERTY, 1841

Phthiracarus (Archiphthiracarus) furvus NIEDBAŁA, 1983**: N₂ -G₁ -H₃-F₂

Notophthiracarus (Calyptophthiracarus) pavidus (BERLESE, 1913)**: E

Steganacarus (Tropacarus) brevipilus (BERLESE, 1923)**: K4

Atropacarus striculus (KOCH, 1835)**: G-I-H-D-C-A-F-K-E

Lohmanniidae BERLESE, 1916

Lohmannia (L.) paradoxa (HALLER, 1884)(= *Lohmannia loebli* MAHUNKA, 1974)**: M

Lohmannia (L.) turcmenica BULANOVA-ZACHVATKINA, 1960**: E

Papillacarus pseudoaciculatus MAHUNKA, 1980**: B₂

Epilohmanniidae OUDEMANS, 1923

Epilohmannia cylindrica cylindrica (BERLESE, 1904)**: N3-W-P1 -C-E2-A5

Perlohmanniidae GRANDJEAN, 1954

Perlohmannia (P.) dissimilis (HEWITT, 1908)**: W -H1 -A4-K3

Nothridae BERLESE, 1896

Nothrus borussicus SELLNICK, 1928**: A1

Nothrus sp.: O-G1-H2-C-A4-F1-K2

Crotoniidae THORELL, 1876

Camisia (C.) horrida (HERMANN, 1804)**: D3

Malacothridae BERLESE, 1916

Trimalacothrus sp.**: E3- I2

Hermannellidae GRANDJEAN, 1934

Hermannella sp nr. *grandis* SITNIKOVA, 1973**: E₂-K₃-F₂-C-H₂-I-G₂

Gymnodamaeidae GRANDJEAN, 1954

Jacotella frondeus (KULIJEV, 1979)(= *Plesiodamaeus ornatus* MAHUNKA, 1979)**: K1

Aleurodamaeidae PASCHOAL and JOHNSTON, 1985

Aleurodamaeus setosus (BERLESE, 1883)**: E1

Licnodamaeidae GRANDJEAN, 1954

Licnodamaeus pulcherrimus PAOLI, 1908**: E2-D1-G1-N1

Licnodamaeus inaequalis (BALOGH&MAHUNKA, 1965)**: K3-U

Licnodamaeus sp.:W -E

Licnobelidae GRANDJEAN, 1965

Licnobelba latiflabellata (PAOLI, 1908)(= *Licnobelba alestensis* GRANDJEAN, 1931)**: W

Eremulidae GRANDJEAN, 1965

Eremulus avenifer BERLESE, 1913**: R

Damaeolidae GRANDJEAN, 1965

Fosseremus laciniatus (BERLESE, 1905)(= *Fosseremus quadripertitus* GRANDJEAN, 1965)**: E3-K5

Amerobelidae GRANDJEAN, 1961

Amerobelba sp. nr. *decedens* BERLESE, 1908** :U-B4-A6-F2-E

Damaeidae BERLESE, 1896

Belba sp. 1**: E-K-F-A-C-J-D-H-R-I-G-V

Belba sp. 2: K₁

Eremaeidae OUDEMANS, 1900

Eueremeus sp.***: V-G-H-A-F

Zetorchestidae MICHAEL, 1898

Zetorcheses sp.**: A

Tectocephidae GRANDJEAN, 1954

Tectocephus velatus (MICHAEL, 1880)**: E-K-A-C-B-R-U-N-V

Tectocephus minor BERLESE, 1903**: N-M-F-E

Tectocephus alatus BERLESE, 1913**: G

Oppiidae SELLNICK, 1937

Oppiella (O.) nova (OUDEMANS, 1902)**: A-B-E

Lasiobelba (Antennoppia) heterosa (WALLWORK, 1964)**: P1

Oppia denticulata (G. & R. CANESTRINI, 1882)**: F-A-D-H-I-G-N

Micropippia minus minus (PAOLI, 1908)**: E-K

Rhinoppia (Bipectinoppia) bipectinata (AKRAMI&SUBÍAS, 2007)**: E4- A2-B4-H2-G2

Rhinoppia (R.) subpectinata (OUDEMANS, 1900)**: N-H-A-F-K-E

Ramusella puertomontensis HAMMER, 1962**: E-F-D-R-I

Anomaloppia differens MAHUNKA & TOPERCER, 1983**: N-D-A-K-E

Anomaloppia iranica BAYARTOGTOKH&AKRAMI, 2000**: U-E

Multioppia wilsoni AOKI, 1964**: E1-I4

Epimerellidae AYYILDIZ&LUXTON, 1989

Epimerella smirnovi (KULIEV, 1962)**: E

Autognetidae GRANDJEAN, 1960

Rhaphigneta sp.**: M2

Suctobelbidae JACOT, 1938

Suctobelbella (S.) acutidens pilosasetosa SHTANCHAEVA&SUBÍAS, 2009**: B-W

Flagrosuctobelba sp.**: W

Haplozetidae GRANDJEAN, 1936

Baloghiella granulata BAYARTOGTOKH&AKRAMI, 2000**: K-H

Oribatulidae THOR, 1929

Oribatula (O.) tibialis tibialis (NICOLET, 1855)**: E-K-F-A-H-D-B-I-G-U-W -V

Oribatula (Zygoribatula) undulata BERLESE, 1916**: U-P1-M

Oribatula (Z.) skrabini (BULANOVA-ZACHVATKINA, 1967)**: E4 -K-J-D

Oribatula (Z.) connexa BERLESE, 1904: A3-B3-C-D3-M2-V

Hemileiidae J. & P. BALOGH, 1984

Hemileius (Simkinia) ovalis KULIJEV, 1968 (=*Turcibates parvus* AYYILDIZ & LUXTON, 1989)**: K5-Q-P2.

Scheloribatidae GRANDJEAN, 1933

Scheloribates (S.) fimbriatus THOR, 1930: N3-P1

Scheloribates (S.) laevigatus (KOCH, 1835)**: E-K-Q-D-H-R-M-G-N

Protoribatidae J. & P. BALOGH, 1984

Liebstadia (L.) similis (MICHAEL, 1888)**: W

Protoribates (P.) paracapucinus (MAHUNKA, 1988)**: V-N4-W-G1-I2-H1-P1-A5-F2-E3

Ceratozetidae JACOT, 1925

Trichoribates sp.**: W

Ceratozetes sp.**: E1-P1

Punc toribatidae THOR, 1937

Punc toribates (P.) liber PAULITCHENKO, 1991**: W-I1-D2-E3

Minunthozetes (M.) semirufus (KOCH, 1841)**: E3-N4

Chamobatidae THOR, 1937

Chamobates (Xiphobates) sergienkoae SHALDYBINA, 1980**: E2

Achipteriidae THOR, 1929

Parachipteria sp.**: A

Oribatellidae JACOT, 1925

Oribatella (O.) krivolutskyi KARPPINEN & SHTANCHAEVA, 1987*: E3

Note: This is the first record of this species for Iran.

Galumnidae JACOT, 1925

Galumna (G.)sp. nr. tarsipennata OUDEMANS, 1914**: G-H-D-A-F-K-E

Acrogalumna lanceolaata BAYARTOGTOKH & AKRAMI, 2014**: E3-L

Pergalumna iunctiporosa BAYARTOGTOKH & AKRAMI, 2014**: V

Table 1: Sampling information in Mashhad township

| Code | Latitude | | Longitude | | Habitat (Soil of) | Sampling Date | Sampling Location |
|------|----------|---------|-----------|---------|-------------------|------------------------|-------------------|
| | Degree | Minutes | Degree | Minutes | (m) | | |
| A1 | 36 | 11 | 59 | 19 | 1684 | River | 8/8/2013 |
| A2 | 36 | 11 | 59 | 19 | 1684 | <i>Urtica dioica</i> | 8/8/2013 |
| A3 | 36 | 11 | 59 | 19 | 1684 | <i>Mentha pulegium</i> | 8/8/2013 |
| A4 | 36 | 11 | 59 | 19 | 1684 | <i>Rosa damascena</i> | 1/7/2014 |
| A5 | 36 | 11 | 59 | 19 | 1684 | <i>Juglans regia</i> | 1/7/2014 |
| A6 | 36 | 11 | 59 | 19 | 1684 | <i>Cerasus avium</i> | 1/7/2014 |
| A7 | 36 | 11 | 59 | 19 | 1684 | <i>Malus domestica</i> | 1/7/2014 |
| A8 | 36 | 11 | 59 | 19 | 1684 | Soil | 1/7/2014 |
| B1 | 36 | 12 | 59 | 22 | 1518 | <i>Populus alba</i> | 13/5/2014 |
| B2 | 36 | 12 | 59 | 22 | 1518 | Moss | 13/5/2014 |
| B3 | 36 | 12 | 59 | 22 | 1518 | <i>Morus alba</i> | 13/5/2014 |
| B4 | 36 | 12 | 59 | 22 | 1518 | River | 13/5/2014 |
| B5 | 36 | 12 | 59 | 22 | 1518 | <i>Juglans regia</i> | 13/5/2014 |
| C | 36 | 14 | 59 | 17 | 1632 | Soil | 26/5/2013 |
| D1 | 36 | 18 | 59 | 19 | 1441 | Weeds | 26/3/2014 |
| D2 | 36 | 18 | 59 | 19 | 1441 | Moss | 26/3/2014 |
| D3 | 36 | 18 | 59 | 19 | 1441 | Soil | 26/3/2014 |
| E1 | 36 | 18 | 59 | 10 | 1824 | Weeds | 23/9/2013 |
| E2 | 36 | 18 | 59 | 10 | 1824 | Moss | 28/4/2014 |

| Code | Latitude Degree | Latitude Minutes | Longitude Degree | Longitude Minutes | Altitude (m) | Habitat (Soil or litter) | Sampling Date | Sampling Location |
|------|--------------------|---------------------|---------------------|----------------------|-----------------|-----------------------------|------------------|-------------------|
| E3 | 36 | 18 | 59 | 10 | 1824 | <i>Cerasus avium</i> | 28/4/2014 | Garden |
| F1 | 36 | 18 | 59 | 13 | 1713 | Soil | 1/9/2013 | Riverside |
| F2 | 36 | 18 | 59 | 13 | 1713 | litter | 1/9/2013 | Riverside |
| F3 | 36 | 18 | 59 | 13 | 1713 | <i>Cerasus avium</i> | 1/9/2013 | Garden |
| F4 | 36 | 18 | 59 | 13 | 1713 | Weeds | 1/9/2013 | Riverside |
| G1 | 36 | 29 | 59 | 17 | 1408 | Moss | 15/6/2014 | Riverside |
| G2 | 36 | 29 | 59 | 17 | 1408 | Soil | 15/6/2014 | Garden |
| H1 | 36 | 29 | 59 | 17 | 1443 | <i>Populus alba</i> | 2/5/2014 | Riverside |
| H2 | 36 | 29 | 59 | 17 | 1443 | Moss | 2/5/2014 | Riverside |
| H3 | 36 | 29 | 59 | 17 | 1443 | <i>Morus alba</i> | 2/5/2014 | Garden |
| H4 | 36 | 29 | 59 | 17 | 1443 | Soil | 27/6/2013 | Riverside |
| I1 | 36 | 23 | 59 | 14 | 1418 | litter | 23/9/2013 | Riverside |
| I2 | 36 | 23 | 59 | 14 | 1418 | Weeds | 23/9/2013 | Riverside |
| I3 | 36 | 23 | 59 | 14 | 1418 | Soil | 19/6/2014 | Hillside |
| I4 | 36 | 23 | 59 | 14 | 1418 | Moss | 19/6/2014 | Riverside |
| J | 36 | 45 | 59 | 27 | 1479 | Soil | 30/7/2013 | Riverside |
| K1 | 36 | 29 | 58 | 56 | 1745 | <i>Pistacia lentiscus</i> | 27/6/2014 | Hillside |
| K2 | 36 | 29 | 58 | 56 | 1745 | Moss | 27/6/2014 | Riverside |
| K3 | 36 | 29 | 58 | 56 | 1745 | Soil | 27/6/2014 | Garden |
| K4 | 36 | 29 | 58 | 56 | 1745 | <i>Juglans regia</i> | 27/6/2014 | Riverside |
| K5 | 36 | 29 | 58 | 56 | 1745 | <i>Prunus avium</i> | 27/6/2014 | Garden |

| Code | Latitude | | Longitude | | Altitude (m) | Habitat (Soil of) | Sampling Date | Sampling Location |
|------|----------|---------|-----------|---------|-----------------|-----------------------------|------------------|----------------------------|
| | Degree | Minutes | Degree | Minutes | | | | |
| L | 36 | 38 | 59 | 39 | 1291 | <i>Salix alba</i> | 31/8/2014 | Riverside Kardeh |
| M1 | 36 | 44 | 59 | 40 | 1761 | Moss | 30/3/2014 | Riverside Aal valley |
| M2 | 36 | 44 | 59 | 40 | 1761 | Soil | 30/3/2014 | Riverside Aal valley |
| N1 | 36 | 04 | 59 | 58 | 927 | <i>Goldbachia laevigata</i> | 30/5/2014 | Farm Abravyan |
| N2 | 36 | 04 | 59 | 58 | 927 | <i>Peganum harmala</i> | 30/5/2014 | Farm Abravyan |
| N3 | 36 | 04 | 59 | 58 | 927 | Lawn | 30/5/2014 | Farm Abravyan |
| N4 | 36 | 04 | 59 | 58 | 927 | Soil | 30/5/2014 | Wheat field Abravyan |
| O | 36 | 18 | 59 | 22 | 1311 | Soil | 4/4/2014 | Hillside Torghabe |
| P1 | 36 | 24 | 59 | 13 | 1463 | <i>Morus alba</i> | 2/5/2014 | Riverside Gorakhk |
| P2 | 36 | 24 | 59 | 13 | 1463 | Weeds | 2/5/2014 | Wheat field Gorakhk |
| Q | 36 | 27 | 59 | 03 | 1572 | <i>Malus domestica</i> | 11/7/2013 | Garden Paye |
| R | 36 | 06 | 59 | 33 | 1435 | Soil | 27/7/2013 | Riverside Arefi |
| U | 35 | 29 | 59 | 37 | 1279 | Moss | 4/4/2014 | Hillside Mashhad road |
| V | 36 | 59 | 59 | 45 | 901 | Soil | 25/8/2014 | Riverside Kalat Nadery |
| W | 36 | 12 | 59 | 55 | 995 | <i>Medicago sativa</i> | 9/8/2014 | Alfalfa field Sarakhs road |

References

- AKRAMI M.A. (2015): An annotated checklist of oribatid mites (Acari: Oribatida) of Iran. — Zootaxa, **3963**(4): 451-501.<http://dx.doi.org/10.11646/zootaxa.3963.4.1>
- AKRAMI M.A. & A. SABOORI (2012): Acari of Iran (Vol. 2): Oribatid mites. — Univ. Tehran Press, 281 pp. (In Persian).
- SUBÍAS L.S. (2004): Listado sistemático, sinonímico y biogeográfico de los ácaros oribátidos (Acariformes: Oribatida) del mundo (excepto fósiles). — Graellsia, 60 (número extraordinario): 3-305. Online version accessed in March 2015, 587 pp. Available from: http://escalera.bio.ucm.es/usuarios/bba/cont/docs/RO_1.pdf
<http://dx.doi.org/10.3989/graelessia.2004.v60.iextra.218>

Authors' addresses:

Toktam FARZANEH
Former MSc student of Department of Plant Protection,
College of Agriculture, Shiraz University, Shiraz, Iran
E-mail: mercede.1368@gmail.com

Mohammad Ali AKRAMI (corresponding author)
Department of Plant Protection, College of Agriculture,
Shiraz University, Shiraz, Iran
E-mail: akrami@shirazu.ac.ir

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Linzer biologische Beiträge](#)

Jahr/Year: 2016

Band/Volume: [0048_1](#)

Autor(en)/Author(s): Farzaneh Toktam, Akrami Mohammad Ali

Artikel/Article: [Oribatid mites \(Acari: Oribatida\) of Mashhad township, Razavi Khorasan province, Iran 395-403](#)