

## Additions and Corrections to the Checklist and Bibliography of Lichens and Lichenicolous Fungi of Insular Laurimacaronesia. II.\*

Josef HAFELLNER\*\*

HAFELLNER J. 2002: Additions and corrections to the checklist and bibliography of lichens and lichenicolous fungi of insular Laurimacaronesia. II. - Fritschiana 36: 1–10. – ISSN 1024-0306.

**Abstract:** Additional records of lichens and lichenicolous fungi for either one of the Laurimacaronesian archipelagos (Azores, Madeira group, Canary Islands) or the whole area are listed together with cross references to the original sources. This list is followed by additions to a lichenological bibliography for the area.

**Zusammenfassung:** In einer Liste werden weitere Nachweise von Flechten und lichenicolous Pilzen für einen der laurimakaronesischen Archipele (Azoren, Madeira, Kanarische Inseln) oder das gesamte Studiengebiet zusammen mit Kurzzitaten zu den Originalquellen zusammengestellt. Nachträge zur lichenologischen Bibliographie für das Gebiet bilden den zweiten Teil der Arbeit.

\*\*Josef Hafellner, Institut für Botanik, Karl-Franzens-Universität, Holteigasse 6, A-8010 Graz, Austria. E-mail: josef.hafellner@uni-graz.at.

### Introduction

Since the publication of a new checklist for the area (HAFELLNER 1995), and a first set of additions and corrections (HAFELLNER 1999), many additional records and a number of corrections to previously reported species have been published. These species are listed together with cross references to the original bibliographic sources. Although always complete data sets are given, full references to citations which were already listed in the bibliographies published earlier (HAFELLNER 1995, 1999), such as 'TAVARES 1952' are not repeated. Further references containing chorological data to taxa previously reported are included in the supplement to the bibliography.

Since 1995 more than 40 additional lichen taxa and over 50 further lichenicolous fungi have been added to the list of taxa known in the investigated area "Insular Laurimacaronesia", and many species have been found on its archipelagos where they were previously unknown. This shows clearly that the compilation of the checklist has fulfilled its purpose to encourage lichenologists to search for additional taxa.

It is planned to publish a new version of the checklist in 2005. Colleagues are kindly asked and invited to send copies of hitherto overlooked articles containing data on lichens or lichenicolous fungi from insular Laurimacaronesia to the author.

-----  
\*V in Fritschiana 17: 1–26 (1999).

### Additions and Corrections

- Abrothallus parmeliarum* coll.  
Host: *Ramalina decipiens* (1), *Pseudocyphellaria aurata* (2)  
A: -; M: MARTÍNEZ 2002: 52 (2); C: STEINER 1904: 406 (1)
- Arborillus llimonae* Munt.-Cvet. & Gómez-Bolea  
Host: *Diploschistes scruposus* (1)  
A: -; M: -; C: HAFELLNER 2002b: 12 (1)
- Arthonia fuscopurpurea* (Tul.) R.Sant.  
Host: *Peltigera* spec. (1)  
A: -; M: HAFELLNER 2002b: 12 (1); C: HAFELLNER 1995b: 137 (1)
- Arthonia stereocaulina* (Ohlert) R.Sant.  
Host: *Stereocaulon vesuvianum* (1)  
A: -; M: -; C: HAFELLNER 2002b: 12 (1)
- Buellia cedricola* Werner  
A: -; M: -; C: NORDIN 1999: 250
- Buellia laurocanariensis* Giralt, Etayo & v.d.Boom  
A: -; M: -; C: GIRALT et al. 2002: 203
- Buellia zoharyi* Galun  
A: -; M: -; C: OBERMAYER 1999a: 3
- Byssoloma kakouettae* (Sérus.) Lücking & Sérus.  
A: -; M: SÉRUSIAUX 1993: 451 (sub *Byssoloma aptrootii*); C: SÉRUSIAUX 1993: 451 (sub *Byssoloma aptrootii*)  
Note: The species previously known as *Bapalmua kakouettae* was transferred to *Byssoloma* by SÉRUSIAUX et al. (2002), and *B. aptrootii* was reduced to its synonymy.
- Byssoloma llimonae* Sérus., Gómez-Bolea, Logán & Lücking  
A: -; M: SÉRUSIAUX et al. 2002: 184; C: SÉRUSIAUX et al. 2002: 184
- Caloplaca canariensis* (Follmann & Poelt) Breuss  
A: -; M: KALB & HAFELLNER 1992: 65; C: FOLLMANN & POELT 1981: 370; FOLLMANN 1981b: 380  
Note: The species was previously known and reported as *Fulgensia canariensis*. It was transferred to *Caloplaca* by BREUSS (2001).
- Capronia leptogii* Etayo & Diederich  
Host: *Leptogium cochleatum* (1), *Leptogium* spec. (2)  
A: -; M: : ETAYO 2002: 37 (1, 2); C: ETAYO 2002: 37 (1)
- Cercidospora xanthoriae* (Wedd.) R.Sant.  
Host: *Xanthoria calcicola* (1)  
A: -; M: -; C: HAFELLNER 2002b: 13 (1)
- Cladonia dimorpha* S.Hammer  
A: -; M: -; C: BURGASZ & AHTI 1994: 414
- Cladonia diversa* Asperges  
A: PURVIS & JAMES 1993: 5; M: -; C: ETAYO & BURGASZ 1997: 722
- Cladonia iberica* Burgas & Ahti  
A: -; M: -; C: ETAYO & BURGASZ 1997: 723
- Cladonia norvegica* Tønsberg & Holien  
A: -; M: TIMDAL 1989: 127; C: -
- Cladonia umbricola* Tønsberg & Ahti  
A: -; M: -; C: ETAYO & BURGASZ 1997: 724
- Coniarthonia pyrnhula* (Nyl. ex Nyl.) Grube  
A: -; M: -; C: HAFELLNER 1995b: 137  
Note: The species was previously listed as *Arthonia pyrnhula* but was transferred to *Coniarthonia* by GRUBE (2001).
- Conotrema harmandii* (Pit.) Gilenstam

- A: -; M: -; C: TAVARES 1952: 358  
 Note: The species was previously listed as *Thelotrema harmandii* but was transferred to *Conotrema* by GILENSTAM (1969).
- Endococcus stigma* (Körb) Stizenb.  
 Host: *Acarospora* subgen. *Acarospora* spec. (1)  
 A: -; M: -; C: HAFELLNER 2002b: 13 (1)
- Enterographa jorgei* Vezda & Vivant  
 A: -; M: -; C: HAFELLNER 2002b: 13 (1)
- Erioderma leylandii* (Taylor) Müll.Arg. subsp. *arizoricum* M.Jørg. & P.James  
 A: JØRGENSEN & JAMES 2001: 483; M: -; C: -  
 Note: Previous records of *Erioderma leylandii* probably refer to this taxon.
- Fellhanera bouteillei* (Desm.) Vezda (syn. *Catillaria b.*)  
 A: PURVIS & JAMES 1993: 5; M: TAVARES 1952: 363; C: SPIER et al. 2002: 448
- Fissurina insidiosa* (C.Knight & Mitt.) Hook.f. (syn. *Graphis insidiosa*)  
 A: ARVIDSSON 1990: 19; M: -; C: -  
 Note: According to STAIGER (2002) the species belongs to the genus *Fissurina*.
- Fissurina triticea* (Nyl.) Staiger (syn. *Graphis triticea*)  
 A: APTROOT 1989: 61; M: KALB & HAFELLNER 1992: 65; C: -  
 Note: According to STAIGER (2002) the species belongs to the genus *Fissurina*.
- Graphis britannica* Staiger (syn. *Graphina anguina* auct. non (Mont.) Müll. Arg.)  
 A: -; M: TAVARES 1952: 357; C: -  
 Note: STAIGER (2002) states, that the eastern atlantic species commonly identified as *Graphina anguina* does not belong to this species. STAIGER (l. c.) introduced the new name *Graphis britannica* for this taxon so far not distinguished. *G. anguina* will be deleted in the next edition of the checklist.
- Gyalectidium membranaceum* Sérus. & Lücking  
 A: -; M: -; C: FERRARO & al. 2001: 339
- Gyalectidium minus* Sérus.  
 A: -; M: -; C: FERRARO & al. 2001: 340
- Hemigrapha atlantica* Diederich & Wedin  
 Host: *Sticta canariensis* (1)  
 A: DIEDERICH & WEDIN 2000: 208; M: -; C: -
- Hypogymnia tavaresii* D.Hawksw. & P.James  
 A: -; M: MIES & LÖSCH 1995: 196; C: HAWKSWORTH 1973: 454
- Lecania turicensis* (Hepp) Müll.Arg.  
 A: -; M: MAYRHOFER 1988: 110; C: -
- Leiorreuma lyellii* (Sm.) Staiger (syn. *Phaeographis lyellii*)  
 A: -; M: TAVARES 1952: 357; C: -  
 Note: According to STAIGER (2002) the species previously placed in *Phaeographis* belongs to the genus *Leiorreuma*.
- Lepraria crassissima* (Hue) Lettau  
 A: -; M: BOOM et al. 1994: 157; C: -
- Lichenochora coarctatae* (de Lesd.) Hafellner & F.Berger  
 Host: *Trapelia involuta* (1)  
 A: -; M: -; C: HAFELLNER & BERGER 2000: 32 (1)
- Lichenochora weillii* (Werner) Hafellner & R.Sant.  
 Host: *Physconia* spec. (1)  
 A: -; M: -; C: HAFELLNER 2002b: 13 (1)
- Lichenostigma cosmopolites* Hafellner & Calatayud  
 Host: *Xanthoparmelia somloensis* (1), *Xanthoparmelia tinctoria* (2)  
 A: -; M: - C: HAFELLNER & CALATAYUD 1999: 108 (1, 2)
- Lichenostigma diploiciae* Calatayud, Nav.-Ros. & Hafellner  
 Host: *Diploicia subcanescens* (1)

- A: CALATAYUD & al. 2002: 1231 (1); M: - C: CALATAYUD & al. 2002: 1231 (1)  
*Lichenostigma subradians* Hafellner, Calatayud & Nav.-Ros.  
 Host: *Acarospora lavicola* (1), *Acarospora* subgen. *Acarospora* spec. (2)  
 A: -; M: - C: CALATAYUD & al. 2002: 1239 (1)
- Myxophora leptogiophila* (Minks ex G.Winter) Nik.Hoffm. & Hafellner  
 Host: *Collema subflaccidum* (1)  
 A: HOFFMANN & HAFELLNER 2000: 65 (1); M: -; C: -
- Neocoleroa inundata* (Vain.) Diederich  
 Host: *Bacidina* spec. (1)  
 A: -; M: SERUSIAUX & al. 1999: 58 (1); C: -
- Ochrolechia parella* (L.) A.Massal. f. *striata* Versegly  
 A: -; M: -; C: VERSEGHY 1962: 369  
 Note: The taxonomic value of this forma is unclear.
- Ochrolechia szatalaensis* Versegly  
 A: -; M: PURVIS & al. 1994: 47; C: FOLLMANN 1975a: 26; FOLLMANN 1975b: 216
- Opegrapha foreau* (Moreau) Hafellner & R.Sant.  
 Host: *Heterodermia leucomelaena* (1)  
 A: -; M: -; C: HAFELLNER 2002b: 14 (1)
- Parmeliella nigrocincta* (Mont.) Müll.Arg.  
 Note: According to JØRGENSEN (2000a) *P. nigrocincta* s. str. is not present in Laurimacaronesia. The records should pertain to *P. miradorensis*. The species will be deleted from the next version of the checklist.
- Parmeliella miradorensis* Vain.  
 A: -; M: ARVIDSSON & WALL 1985: 45 (sub *P. nigrocincta*); JØRGENSEN 2000a: 143; C: TAVARES 1952: 360 (sub *P. nigrocincta*); JØRGENSEN 2000a: 143
- Pertusaria ficorum* Zahlbr.  
 A: HANKO 1983: 76; M: -; C: TOPHAM & WALKER 1982: 69
- Phaeophyscia rubropulchra* (Degel.) Essl.  
 A: BERGER et al. 1998: 408; M: -; C: -
- Phaeopyxis punctum* (A.Massal.) Rambold, Triebel & Coppins  
 Host: *Cladonia* spec. (1)  
 A: Hafellner 2002b: 14 (1); M: KALB & HAFELLNER 1992: 80 (1); C: -
- Plectocarpon macaronesia* Diederich, Etayo & Sérus.  
 Host: *Lobaria pulmonaria* (1), *Lobaria sublaevis* (2)  
 A: DIEDERICH & ETAYO 1994: 592 (1); M: DIEDERICH & ETAYO 1994: 592 (1, 2); C: DIEDERICH & ETAYO 1994: 592 (1)
- Plectocarpon scrobiculatae* Diederich & Etayo  
 Host: *Lobaria scrobiculata* (1)  
 A: -; M: HAFELLNER 2002b: 14 (1); C: HAFELLNER 1995b: 140 (1)
- Polycoccum arnoldii* (Hepp) D.Hawksw. s.str.  
 Host: *Diploschistes scruposus* (1)  
 A: -; M: - C: BERGER & PRIEMETZHOFFER 2000: 72 (1)
- Porina ahlesiana* (Körb.) Zahlbr.  
 A: -; M: -; C: MCCARTHY & ETAYO 2002: 201
- Porina atlantica* (Erichsen) M.Jørg.  
 A: -; M: -; C: ERICHSEN 1926: 276  
 Note: In the checklist of 1995 it was argued, that *Ocellularia atlantica* Erichsen might be a synonym of *Thelotrema subtile* Tuck. After the reinvestigation of the type JØRGENSEN (2000b) concluded that the species belongs to *Porina*.

- Porina fortunata* P.M.McCarthy & Etayo  
A: -; M: -; C: MCCARTHY & ETAYO 2002: 201
- Pseudocyphellaria arvidssonii* D.J.Galloway  
A: -; M: -; C: TØNSBERG 1999: 128
- Pyrenidium actinellum* Nyl.  
Host: *Leptochidium albociliatum* (1), *Pseudocyphellaria crocata* (2),  
*Baeomyces* spec. (3)  
A: MARTÍNEZ 2002: 60 (3); M: MARTÍNEZ 2002: 60 (2); C: HAFELLNER 1996b: 6 (1)
- Rhymocarpus cruciatus* (Sherwood, D.Hawksw. & Coppins) Etayo & Diederich  
Host: *Diploicia canescens* (1)  
A: -; M: -; C: DIEDERICH & ETAYO 2000: 439 (1)  
Note: According to DIEDERICH & ETAYO (2000) the species originally published in *Skyttea* belongs to the genus *Rhymocarpus*.
- Rhymocarpus fuscoatrae* (Hafellner) Diederich & Etayo  
Host: *Lecidea fuscoatra* (1)  
A: -; M: HAFELLNER 1996c: 136 (1); C: HAFELLNER 1996c: 136 (1)  
Note: According to DIEDERICH & ETAYO (2000) the species originally published in *Llimoniella* belongs to the genus *Rhymocarpus*.
- Rhymocarpus neglectus* (Vain.) Diederich & Etayo  
Host: *Lepraria* spec. (1)  
A: -; M: HAFELLNER 1995a: 430 (1); C: -  
Note: According to DIEDERICH & ETAYO (2000) the species does not belong to *Llimoniella* but to *Rhymocarpus*.
- Rinodina ericina* (Nyl.) Giralt  
A: -; M: KALB & HAFELLNER 1992: 87; C: TOPHAM & WALKER 1982: 62  
Note: According to GIRALT (2000) *Buellia ericina* and *Rinodina madeirensis* are conspecific.
- Roccella tuberculata* Vain.  
A: MIES & LÖSCH 1995: 196; M: TAVARES 1952: 358; C: TAVARES 1952: 358
- Sclerococcum tephromelarum* Etayo & Calatayud  
Host: *Tephromela atra* (1)  
A: -; M: -; C: HAFELLNER 2002b: 14(1)
- Scoliciosporum vouauxii* (de Lesd.) Hafellner  
Host: *Ramalina webbii* (1)  
A: -; M: -; C: BOULY DE LESDAIN 1911: 661 (1)  
Note: According to HAFELLNER (2002a) the species originally published as *Bilimbia vouauxii* belongs to the genus *Scoliciosporum*.
- Skyttea caesii* Diederich & Etayo  
Host: *Mycoblastus caesius* (1)  
A: -; M: -; C: DIEDERICH & ETAYO 2000: 432 (1)
- Skyttea hawksworthii* Diederich  
Host: *Verrucaria* spec. (1)  
A: -; M: -; C: HAFELLNER 2002b: 15 (1)
- Skyttea lecanorae* Diederich & Etayo  
Host: *Lecanora chlorotera* (1)  
A: -; M: -; C: DIEDERICH & ETAYO 2000: 439 (1)
- Skyttea pyrenulae* Diederich, Etayo & Coppins  
Host: *Pyrenula occidentalis* (1), *Pyrenula* spec. (1)  
A: DIEDERICH & ETAYO 2000: 444 (2); M: -; C: Hafellner 2002b: 15 (1)
- Sphaerellothecium parmeliae* Diederich & Etayo  
Host: *Pamelia saxatilis* (1)  
A: -; M: -; C: HAFELLNER 2002b: 15 (1)
- Stigmatidium epixanthum* Hafellner

- Host: *Acarospora* subgen. *Acarospora* spec. (1)  
A: -; M: -; C: HAFELLNER et al. 2002: 316 (1)
- Thelotrema subtile* Tuck.  
A: HAWKSWORTH 1992e: 600; M: KALB & HAFELLNER 1992: 92 (not confirmed by PURVIS et al. 1995, the specimen belongs to *T. petraetoides*); C: TAVARES 1952: 320, 358 (doubtful)  
Note: The existence of this species in the Old World is generally questioned (JØRGENSEN 2000b). *Ocellularia atlantica* is not a synonym of *Thelotrema subtile* as previously argued (see further above under the name *Porina atlantica*).
- Trematosphaeriopsis parmaliana* (Jacz.) Elenkin  
Host: *Xanthoparmelia conspersa* (1)  
A: -; M: -; C: HAFELLNER 2001: 382
- Tremella cladoniae* Diederich & M.S.Christ.  
Host: *Cladonia furcata* (1)  
A: -; M: -; C: HAFELLNER 2002b: 15 (1)
- Tremella lobariacearum* Diederich & M.S.Christ.  
Hosts: *Lobaria pulmonaria* (1), *Lobaria sublaevis* (2), *Lobaria immixta* (3)  
A: MARTÍNEZ 2002: 62 (3); M: DIEDERICH 1996: 103; C: DIEDERICH 1996: 103
- Tremella parmeliarum* Diederich  
Host: *Rimelia reticulata* (1)  
A: -; M: -; C: HAFELLNER 2002b: 16 (1)
- Xanthoparmelia phaeophana* (Stirt.) Hale  
A: -; M: -; C: SCHWARZ & SCHUMM 1999b: 43

### Acknowledgements

The author gratefully acknowledges the indication of necessary additions and corrections forwarded to him by Dr. P. Diederich and Dr. C. E. Hernández Padrón.

### Second supplement to the lichenological bibliography for insular Laurimacaronesia

- ALVAREZ ANDRÉS J. & CARBALLAL DURÁN R. 2001: The genus *Dimerella* (Gyalectales, Ascomycotina) in peninsular Spain and Portugal. - *Nova Hedwigia* 73: 409–418.
- ALVAREZ ANDRÉS J. & LÓPEZ DE LOS SILANES M.E. 2002: The genus *Gyalecta* (Gyalectales, Ascomycotina) in the Iberian Peninsula. - *Nova Hedwigia* 74: 257–273.
- BARRENO E., NARANJO J. & SANTOS A. 1984: *Toninia toepfferi* (B. Steiner) Navás (Lichenes). Morfología, anatomía y ecología. - *Anales de Biología, Murcia* 1: 197–202.
- BERGER F. & PRIEMETZHOFFER F. 2000: Neue und seltene Flechten und lichenicole Pilze aus Oberösterreich, Österreich III. - *Herzogia* 14: 59–84.
- BERGER F., PRIEMETZHOFFER F. & TÜRK R. 1998: Neue und seltene Flechten und lichenicole Pilze aus Oberösterreich, Österreich IV. - *Beiträge zur Naturkunde Oberösterreichs* 6: 397–416.
- BJELLAND T. 2001: Comparative studies of the distribution and ecology of some oceanic species in the genus *Leptogium* (Lecanorales, Ascomycotina) in Norway. - *Nova Hedwigia* 72: 1–44.
- BOOM P.P.G.v.d. 2002: A new isidiate species of *Catillaria* from the Netherlands. - *The Lichenologist* 34: 321–325.

- BOOM P.v.d., BRAND M., DIEDERICH P., APTROOT A. & SÉRUSIAUX E. 1994: Report of a lichenological field meeting in Luxembourg. - Bulletin de la Société des Naturalistes Luxembourgeois 95: 145–176.
- BOQUERAS M., BARBERO M. & LLIMONA X. 1999: El género *Ochrolechia* A.Massal. (Pertusariaceae, líquenes) en España y Portugal. - Cryptogamie, Mycologie 20: 303–328.
- BREUSS O. 2001: Über *Caloplaca canariensis* (lichenisierte Ascomyceten, Teloschistaceae). - Österreichische Zeitschrift für Pilzkunde 10: 83–86, fig.
- BURGAZ A. R. & AHTI T. 1994: Contribution to the study of the genera *Cladonia* and *Cladonia* in Spain. II. - Nova Hedwigia 59: 399–440.
- CALATAYUD V. & RICO V.J. 1999: Chemotypes of *Dimelaena oreina* (Ascomycotina, Physciaceae) in the Iberian Peninsula. - The Bryologist 102: 39–44.
- CALATAYUD V., NAVARRO-ROSINÉS P. & HAFELLNER J. 2002: A synopsis of *Lichenostigma* subgen. *Lichenogramma* (Arthoniales), with a key to the species. - Mycological Research 106: 1230–1242.
- CANALS A., HERNÁNDEZ-MARINÉ M., GÓMEZ-BOLEA A. & LLIMONA X. 1997: *Botryolepraria*, a new monotypic genus segregated from *Lepraria*. - The Lichenologist 29: 339–345.
- DAHLKILD Å., KÄLLERSJÖ M. & TEHLER A. 2002: The phylogeny of *Roccella* (Roccellaceae) with emphasis on the Macaronesian species. - IMC7 Book of Abstracts: 91. Oslo.
- DIEDERICH P. & ETAYO J. 2000: A synopsis of the genera *Skyttea*, *Llimoniella* and *Rhymbocarpus* (lichenicolous Ascomycota, Leotiales). - The Lichenologist 32: 423–485.
- DIEDERICH P. & WEDIN M. 2000: The species of *Hemigrapha* (lichenicolous Ascomycetes, Dothideales) on Peltigerales. - Nordic Journal of Botany 20: 203–214.
- ELIX J. A. 2002: Chemical variation of the lichen *Neofuscelia pulla* (Ascomycotina: Parmeliaceae) sensu Esslinger. - Australasian Lichenology 51: 7–13.
- ETAYO J. 2002: Aportación al conocimiento de los hongos liquenícolas de Colombia. - Bibliotheca Lichenologica 84: 1–154.
- ETAYO J. & BREUSS O. 1996: Líquenes y hongos liquenícolas de los Pirineos occidentales y norte de la Península Ibérica, IV. - Cryptogamie, Bryologie et Lichénologie 17: 213–230.
- ETAYO J. & BURGAZ A.R. 1997: Contribution to the lichen-forming fungi from the Canary Islands III. The genus *Cladonia*. - Annalen des Naturhistorischen Museums in Wien 99B: 721–725.
- ETAYO J. & CALATAYUD V. 1998: *Sclerococcum* (Deuteromycotina) with black sporodochia in Spain. - Annalen des Naturhistorischen Museums in Wien 100B: 677–681.
- FERRAR, L.I., LÜCKING R. & SÉRUSIAUX E. 2001: A world monograph of the lichen genus *Gyalectidium* (Gomphillaceae). - Botanical Journal of the Linnean Society 137: 311–345.
- FOS S. & CLERC P. 2000: The lichen genus *Usnea* on *Quercus suber* in Iberian cork-oak forests. - The Lichenologist 32: 67–88.
- GILENSTAM G. 1969: Studies in the lichen genus *Conotrema*. - Arkiv for Botanik, ser. 2, 7: 149–179, tab.
- GIRALT M. 2000: The identity of *Buellia ericina* (Nyl.) Jatta and its generic position. - The Lichenologist 32: 309–316.
- GIRALT M. 2001: The lichen genera *Rinodina* and *Rinodinella* (lichenized Ascomycetes, Physciaceae) in the Iberian Peninsula. - Bibliotheca Lichenologica 79: 1–160.

- GIRALT M., BARBERO M. & ELIX J.A. 2000: Notes on some corticolous and lignicolous *Buellia* species from the Iberian Peninsula. - The Lichenologist 32: 105–128.
- GIRALT M., ETAYO J. & BOOM P.v.d. 2002: *Buellia laurocanariensis*, a new species from the Canary Islands. - The Lichenologist 34: 203–206.
- GONZÁLEZ A.G., BERMEJO BARRERA J., RODRÍGUEZ PÉREZ E.M. & HERNÁNDEZ PADRÓN C.E. 1991: Chemical constituents of the lichen *Cladina macaronesica*. - Zeitschrift für Naturforschung 46c: 12–18.
- GONZÁLEZ A.G., RODRÍGUEZ PÉREZ E.M., HERNÁNDEZ PADRÓN C.E. & BERMEJO BARRERA J. 1992: Chemical constituents of the lichen *Stereocaulon azoricum*. - Zeitschrift für Naturforschung 47c: 503–507.
- GONZÁLEZ A.G., BERMEJO BARRERA J., RODRÍGUEZ PÉREZ E.M. & HERNÁNDEZ PADRÓN C.E. 1992: Chemical constituents of the lichen *Ramalina hierrensis*. - Planta Medica 58: 214–218.
- GONZÁLEZ A.G., BERMEJO BARRERA J., RODRÍGUEZ PÉREZ E.M. & HERNÁNDEZ PADRÓN C.E. 1994: Depsidones from *Lobaria pulmonaria* and their taxonomic importance. - Biochemical Systematics and Ecology 22: 583–586.
- GONZÁLEZ A.G., HERNÁNDEZ C., RODRÍGUEZ E.M., ALFAYATE M.C. & BERMEJO J. 1999: Depsidones from *Anomalographis madeirensis*. - Biochemical Systematics and Ecology 27: 831–833.
- GRUBE M. 2001: *Coniarthonia*, a new genus of arthonioid lichens. - The Lichenologist 33: 491–502.
- GRUBE M. & LÜCKING R. 2002: Fine structures of foliicolous lichens and their lichenicolous fungi studied by epifluorescence. - Symbiosis 32: 229–246.
- GRUBE M. & RIOS A. DE LOS 2001: Observations on *Biatoropsis usnearum*, a lichenicolous heterobasidiomycete, and other gall-forming lichenicolous fungi, using different microscopical techniques. - Mycological Research 105: 1116–1122.
- HAFELLNER J. 1994: Beiträge zu einem Prodromus der lichenicolen Pilze Österreichs und angrenzender Gebiete. I. Über einige neue und seltene Arten. - Herzogia 1–28.
- HAFELLNER J. 1995: A new checklist of lichens and lichenicolous fungi of insular Laurimacaronesia including a lichenological bibliography for the area. - Fritschiana 5: 1–132.
- HAFELLNER J. 1999: Additions and corrections to the new checklist and bibliography of lichens and lichenicolous fungi of insular Laurimacaronesia. I. - Fritschiana 17: 1–26.
- HAFELLNER J. 2001: Studies in lichenicolous fungi and lichens XII\*: On the genus *Trematosphaeriopsis* (Dothideales). - Mycotaxon 80: 381–387.
- HAFELLNER J. 2002a: Studien an lichenicolen Pilzen und Flechten XI\*. *Scoliciosporum vouauxii*, eine lichenicole Flechte auf *Ramalina*-Arten. - Herzogia 15: 13–18.
- HAFELLNER J. 2002b: Bemerkenswerte Funde von Flechten und lichenicolen Pilzen auf makaronesischen Inseln VI. Über einige Neufunde. - Fritschiana 36: 11–17.
- HAFELLNER J. & BERGER F. 2000: Über zwei seltene lichenicole Pilze auf *Trapelia*. - Herzogia 14: 31–34.
- HAFELLNER J. & CALATAYUD V. 1999: *Lichenostigma cosmopolites*, a common lichenicolous fungus on *Xanthoparmelia* species. - Mycotaxon 72: 107–114.
- HAFELLNER J., TRIEBEL D., RYAN B.D., & NASH III T.H. 2002: On lichenicolous fungi from continental North America II. - Mycotaxon 84: 293–329.
- HALE M. E. 1965: A monograph of *Parmelia* subgenus *Amphigymnia*. - Contributions of the U. S. National Herbarium 36(5): 193–358.
- HELMS G., FRIEDL T., RAMBOLD G. & MAYRHOFER H. 2001: Identification of photobionts from the lichen family Physciaceae using algal-specific ITS rDNA sequencing. - The Lichenologist 33: 73–86.

- HERNÁNDEZ PADRÓN C.E. 1998: Los líquenes en la Phytographia Canariensis. - In: RODRÍGUEZ DELGADO O. (ed). Homenaje a Webb en el II centenario de su nacimiento: 81–94. La Laguna de Tenerife.
- HERNÁNDEZ PADRÓN C. E. 2001: Lichenes y lichenicolous fungi. - In: IZQUIERDO I., MARTÍN J.L., ZURITA N. & ARECHAULETA M. (eds). Lista de especies silvestres de Canarias (hongos, plantas y animales terrestres) 2001. p. 63–87. La Laguna: Consejería de Política Territorial y Medio Ambiente Gobierno de Canarias.
- HOFFMANN N. & HAFELLNER J. 2000: Eine Revision der lichenicolen Arten der Sammelgattungen *Guignardia* und *Physalospora* (Ascomycotina). - Bibliotheca Lichenologica 77: 1–181, tab.
- JØRGENSEN P. M. 2000a: New or interesting *Parmeliella* species from the Andes and Central America. - The Lichenologist 32: 139–147.
- JØRGENSEN P. M. 2000b: On the identity of *Ocellularia atlantica* Erichs. - Graphis Scripta 12: 1–2.
- JØRGENSEN P.M. & JAMES P.W. 2001: A new *Erioderma* taxon from the Azores. - The Lichenologist 33: 483–485.
- KÄRNEFELT E.I. & THELL A. 2001: Delimitation of the lichen genus *Tuckermannopsis* Gyeln. (Ascomycotina, Parmeliaceae) based on morphology and DNA sequences. - In: MCCARTHY P.M., KANTVILAS G. & LOUWHOFF S.H.J.J. (eds). Lichenological contributions in honour of Jack Elix. Bibliotheca Lichenologica 78: 193–209.
- KROG H. 1974. *Parmelia ultralucens*, a new lichen species in subgenus *Amphigymania*. - The Bryologist 77: 253–256.
- LUMBSCH H.T. & FEIGE G.B. 1999: Lecanoroid lichens. Fascicle 5. (No. 81–100). Essen.
- MARBACH B. 2000: Corticole und lignicole Arten der Flechtengattung *Buellia* sensu lato in den Subtropen und Tropen. - Bibliotheca Lichenologica 74: 1–384.
- MARTÍNEZ I. 2002: Lichenicolous fungi from the Iberian Peninsula and the Macaronesian area. - Nova Hedwigia 74: 51–67.
- MAYRHOFER H., SHEARD J.W., GRASSLER M.C. & ELIX J.A. 2001: *Rinodina intermedia* (Physciaceae, lichenized Ascomycetes): A well-characterized species with submuriform spores. - The Bryologist 104: 456–463.
- MAYRHOFER M. 1988: Studien über die saxicolen Arten der Flechtengattung *Lecania* in Europa. II. *Lecania* s. str. - Bibliotheca Lichenologica 28: 1–133.
- MCCARTHY P.M. & ETAYO J. 2002: *Porina fortunata*, a new species from the Canary Islands. - The Lichenologist 34: 199–201.
- MCCUNE B., CAMACHO F. & PONZETTI J. 2002: Three new species of *Trapeliopsis* on soil in western North America. - The Bryologist 105: 78–85.
- MOBERG R. 1999: Lichenes selecti exsiccati Upsalienses. Fasc. 11 & 12 (Nos. 251–300). - Thunbergia 29: 1–19.
- NAVARRO-ROSINÉS P., EGEA J.M. & LLIMONA X. 2000: *Caloplaca cancarixiticola*, a new species from south-east Spain growing on ultrapotassic rocks. - The Lichenologist 32: 129–138.
- NORDIN A. 1999: *Buellia* species with pluriseptate spores: new and unrecorded species in North America. - The Bryologist 102: 249–264.
- NORDIN A. 2000: Taxonomy and phylogeny of *Buellia* species with pluriseptate spores (Lecanorales, Ascomycotina). - Symbolae Botanicae Upsalienses 33(1): 1–117.
- OBERMAYER W. 1999a: Lichenotheca Graecensis, Fasc. 7 & 8 (Nos 121–160). - Fritschiana 21: 1–11.
- OBERMAYER W. 1999b: Dupla Graecensia lichenum. (1999). - Fritschiana 21: 13–30.
- OBERMAYER W. 2001: Lichenotheca Graecensis, Fasc. 9 (Nos 161–180). - Fritschiana 25: 1–6.
- OBERMAYER W. 2002: Lichenotheca Graecensis, Fasc. 10 & 11 (Nos 181–220). - Fritschiana 33: 1–14.

- OTTE V., ESSLINGER T.L. & LITTERSKI B. 2002: Biogeographical research on European species of the lichen genus *Physcorgia*. - Journal of Biogeography 29: 1125–1141.
- PAZ-BERMÚDEZ G. 2000: *Lecanographa dialeuca*, new to Europe. - The Lichenologist 32: 405–407.
- PRINTZ C. 1999: *Japewiella* gen. nov., a new lichen genus and a new species from Mexico. - The Bryologist 102: 714–719.
- RIOS A. DE LOS, ASCASO C. & GRUBE M. 2002: Infection mechanisms of lichenicolous fungi studied by various microscopic techniques. - In: LLIMONA X., LUMBSCH T.H. & OTT S. (eds). Progress and problems in lichenology at the turn of the millenium. - Bibliotheca Lichenologica 82: 153–161.
- SANTESSON R. 2001: Fungi lichenicoli exsiccati. Fascicles 13 & 14 (Nos 301–350). - Thunbergia 31: 1–18.
- SCHMITT I., MANGOLD A. & LUMBSCH H.T. 2002: Potential use of tRNA primers for fingerprinting in molecular lichen ecology and biogeography. - Nova Hedwigia 74: 69–74.
- SCHULTZ M., BROWN G. & BÜDEL B. 2000: Cyanophilous lichens from Kuwait. - Nova Hedwigia 70: 193–216.
- SCHUMM F. 1999: Bestimmungsschlüssel für die Parmeliaceae (Blattflechten) von Laurimakaronesien. - Mitteilungsblatt der Mikroskopischen Arbeitsgemeinschaft Stuttgart 1999(3–4): 46–95.
- SCHWARZ U. & SCHUMM F. 1999a: Beiträge zur Moos- und Flechtenvegetation von Gran Canaria. 1. Teil. Allgemeiner Teil und Bartramiaceae. - Mitteilungsblatt der Mikroskopischen Arbeitsgemeinschaft Stuttgart 1999(1–2): 9–30.
- SCHWARZ U. & SCHUMM F. 1999b: Beiträge zur Moos- und Flechtenvegetation von Gran Canaria. 2. Teil. Parmeliaceen von Gran Canaria. - Mitteilungsblatt der Mikroskopischen Arbeitsgemeinschaft Stuttgart 1999(3–4): 39–45.
- SÉRUSIAUX E., DIEDERICH P., BRAND A.M. & BOOM P.v.d. 1999: New or interesting lichens and lichenicolous fungi from Belgium and Luxembourg. VIII. - Lejeunia, Nouv. Sér. 162: 1–95.
- SÉRUSIAUX E., GÓMEZ-BOLEA A., LONGAN A. & LÜCKING R. 2002: *Byssoloma llimonae* sp. nov., from continental Spain, Madeira and the Canary Islands. - The Lichenologist 34: 183–188.
- SPIER L., APTROOT A. & HERK K. v. 2002: Asemone, an additional secondary substance in *Fellhanera bouteillei* in Europe. - The Lichenologist 34: 447–449.
- STAIGER B. 2002: Die Flechtenfamilie Graphidaceae. Studien in Richtung einer natürlichen Gliederung. - Bibliotheca Lichenologica 85: 1–526.
- TIMDAL E. 1989: The production of rhodocladonic acid in *Cladonia bacilliformis* and *C. norvegica* triggered by the presence of a lichenicolous mite. - Graphis Scripta 2: 125–127.
- TØNSBERG T. 1999: *Pseudocyphellaria arvidssonii* new to Africa and *P. mallota* new to North America. - The Bryologist 102: 128–129.
- TRINKAUS U. & MAYRHOFER H. 2000: Revision der *Buellia epigaea*-Gruppe (lichenisierte Ascomyceten, Physciaceae) I. Die Arten der Nordhemisphäre. - Nova Hedwigia 71: 271–314.
- ZIPPEL E. 1998: Die epiphytische Moosvegetation der Kanarischen Inseln. Soziologie, Struktur und Ökologie. - Bryophytorum Bibliotheca 52: 1–149, tab.

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Fritschiana](#)

Jahr/Year: 2002

Band/Volume: [36](#)

Autor(en)/Author(s): Hafellner Josef

Artikel/Article: [Additions and Corrections to the Checklist and Bibliography of Lichens and Lichenicolous Fungi of Insular Laurimacaronesia. II. 1-10](#)