

spio Newman 1839, Chloroperla (now Neoperla). Spio was a nereid or sea nymph, one of the many daughters of Oceanus and Doris.

thalia Newman 1839, Eusthenia (now Tasmanoperla).

thalia Ricker 1952, Alloperla (now A. severa Hagen 1861). Thalia ("festive") was the name of the Muse of Comedy, and also that of one of the three Charities or Graces. Thalia the Muse was mother of the Corybantes, the "crested dancers" of the festival of the winter solstice, now called Christmas.

vercingetorix Aubert 1963, Protонемура. Vercingetorix was a Celtic chieftain who resisted Roman expansion in Gaul about 50 B.C., but was eventually defeated and captured by Julius Caesar.

Addendum. Michael Ventris's reading of the "Linear B" tablets at Pylos shows that in Mycenaean times the ruler of a city-state had the title of Wanax, not Basileus as in Homer and classical Greek. If I had known this 50 years ago, I would certainly have described a species wanaxi, or perhaps even a subgenus Wanaxus. If anyone else likes the sound of the name, I would be pleased to see it used.

RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 1995 AND EARLIER)

AAGAAD, P. (1994): The stoneflies (Insecta, Plecoptera) of the Stora with tributaries. - Flora og Fauna 100: 47-55.

ANDERSON, T. M. & N. H. ANDERSON (1995): The insect fauna of spring habitats in semiarid rangelands in central Oregon. - J. Kansas Entomol. Soc. 68(2 Suppl.): 65-76.

ARENS, W. (1994): Striking convergence in the mouthpart evolution of stream-living algae grazers. - J. Zool. Syst. Evol. Res. 32: 319-34.

ARMITAGE, P. D., PARDO, I. & A. BROWN (1995): Temporal constancy of faunal assemblages in 'mesohabitats' - Application to management? - Arch. Hydrobiol. 133: 367-387.

AUDISIO, P. A. & A. F. NEWTON (1995): On the proposal to remove the homonymy between Brachypterinae Erichson, (184) (Insecta, Coleoptera) and Brachypterinae Zwick, 1973 (Insecta, Plecoptera), and proposed precedence of Kateretidae Ganglbauer, 1899 over Brachypterinae Erichson, (1845). - Bull. Zool. Nomen. 52(2): 179.

AUDISIO, P., FOCHETTI, R., BELFIORE, C. & A. DE BIASE (1994): Un approccio multimedoda alla biogeografia dei sistemi reici italiani (Coleoptera: Hydraenidae; Plecoptera; Ephemeroptera). - Atti XVII Congr. naz. Ital. Entomol., Udine 1994: 179-182 (in Italian).

- BAGGE, P. & J. HYNNEN (1995):** Plecopteran communities and annual emergence in five forest streams and two lake outlet streams of central Finland. - Entomologica Fennica 6: 99-108.
- BEER-STILLER, A. & P. ZWICK (1995):** Biometric studies of some stoneflies and a mayfly (Plecoptera and Ephemeroptera). - Hydrobiologia 299: 169-178.
- BOWKER, J. (1995):** Records of *Isogenus nubecula* Newman (Plec., Perlodidae) from the Welsh River Dee. - Entomol. Mon. Mag. 131: 69-70.
- BRAIONI, M. G. (1994):** Faunistic research in a fluvial ecosystem study: The case of the River Adige. - Boll. Zool. 61: 415-424.
- BREWIN, P. A., NEWMAN, T. M. L. & S. J. ORMEROD (1995):** Patterns of macroinvertebrate distribution in relation to altitude, habitat structure and land use in streams of the Nepalese Himalaya. - Arch. Hydrobiol. 135: 79-100.
- BROWN, L. D. & B. P. STARK (1995):** Nymphs and eggs of *Alloperla natchez* and *Haploperla chukcho* (Plecoptera: Chloroperlidae). - J. Kansas Entomol. Soc. 67(3): 298-300 (1994).
- CARLINE, R. F. & G. J. JOBSIS (1993):** Assessment of aquatic animal communities in the vicinity of the Palmerton, Pennsylvania, zinc smelters. - Envir. Toxicol. Chem. 12: 1661-1670.
- CASTELLA, E., BICKERTON, M., ARMITAGE, P. D. & G. E. PETTS (1995):** The effects of water abstractions on invertebrate communities in U.K. streams. - Hydrobiologia 308: 167-182.
- CHAO, Hsiu-fu (1981):** An annotated checklist of insects heretofore recorded from Fujian Province. - Science and Technology Press of Fujian Province, 1981; in Chinese; Plecoptera on pp. 31-33, Engl. summary on pp. 591-592.
- COTTA-RAMUSINO, M., VILLA, S. & D. CALAMARI (1995):** River continuum concept and correspondence analysis to study alpine stream macroinvertebrate community. - Mem. Ist. Ital. Idrobiol. 53: 101-114.
- DEATH, R. G. (1995):** Spatial patterns in benthic invertebrate community structure: products of habitat stability or are they habitat specific? - Freshwat. Biol. 33: 455-467.
- DeWALT, R. E. & K. W. STEWART (1995):** Life histories of stoneflies (Plecoptera) in the Rio Conejos of southern Colorado. - Gr. Basin Natur. 55(1): 1-18.
- DIETERICH, M. & N. H. ANDERSON (1995):** Life cycles and food habits of mayflies and stoneflies from temporary streams in western Oregon. - Freshw. Biol. 34: 47-60.

- DUVALL, C. J. & D. D. WILLIAMS (1995):** Individuality in the growth of stonefly nymphs in response to stress from a predator. - Arch. Hydrobiol. 133: 273-286.
- EHMANN, H. J. (1995):** Faunistische Erhebungen an der Lahn - Makrozoobenthos [Faunistic studies on the river Lahn. Macrozoobenthos]. - Bundesanstalt f. Gewässerkunde, Koblenz, 113 pp., unnumbered appendix.
- ELLIOTT, J. M. (1995):** Egg hatching and ecological partitioning in carnivorous stoneflies (Plecoptera). - C. R. Acad. Sci. Paris, Science de la vie/Life sciences 318: 237-243.
- ERMAN, N. A. & D. C. ERMAN (1995):** Spring permanence, trichoptera species richness, and the role of drought. - J. Kansas Entomol. Soc. 68, Supplement 2: 50-64.
- FIALKOWSKI, W. (1991):** 8. Plecoptera - Widelnice [Plecoptera - Stoneflies]. - pp. 43-46 in: RAZOWSKI, J. (ed.): Wykaz Zwierząt Polski [Checklist of the animals of Poland]. - Polish Acad. Sci., Ossolineum Publishers, Kraków-Wrocław.
- FIALKOWSKI, W. & E. ROSCISZEWSKA (1994):** Morphology of a freshly hatched larva of stone fly *Perla pallida* Guérin, 1838 (Plecoptera: Perlidae). - Acta Biologica Cracoviensia, Zool., 36: 31-35, pl. I.
- FOCHETTI, R. (1994):** Sulla presenza di *Tyrrhenoleuctra zavattarii* nell' Archipelago Maddalenino. - Annali Mus. Civ. Stor. Nat. "G. Doria", Genova, 90: 485-488.
- FOCHETTI, R. (1995):** Plecoptera. - Fasc. 37, 6 pp., in: MINELLI, A., S. RUFFO & S. LA POSTA (eds): Checklist delle specie della fauna Italiana. Ministerio dell' Ambiente e Comitato Scientifico per la Fauna d'Italia; Calderini, Bologna (in Italian).
- FOECKLER, F., ORENDT, C. & E. G. BURMEISTER (1995):** Biozönologische Typisierung von Augewässern des Donauraums Straubing anhand von Makroinvertebratengemeinschaften [Biocenological types of floodplain waterbodies in the Straubing stretch of Danube by the macroinvertebrate communities]. - Arch. Hydrobiol., Suppl. 101: 229-308.
- FIBERG, N., ANDERSEN, T. H., HANSEN, H. O., IVERSEN, T. M., JACOBSEN, D., KROJGAARD, L. & S. E. LARSEN (1994):** The effect of brown trout (*Salmo trutta* L.) on stream invertebrate drift, with special reference to *Gammarus pulex* L. - Hydrobiologia 294(2): 105-110.
- GARCIA DE JALON, D., SANCHEZ, P. & J. A. CAMARGO (1994):** Downstream effects of a new hydropower impoundment on macrophyte, macroinvertebrate and fish communities. - Regul. Rivers: Res. Management 9: 253-261.

- GRIFFITH, M. B., PERRY, S. A. & W. B. PERRY (1995):** Macroinvertebrate communities in headwater streams affected by acidic precipitation in the Central Appalachians. - J. Environ. Qual. 24(2): 233-238.
- GUEROLD, F., GIAMBERINI, L. & R. KAUFMANN (1995):** Occurrence of aluminum in chloride cells of *Perla marginata* (Plecoptera) after exposure to low pH and elevated aluminum concentration. - Bull. Environ. Contam. and Toxicol. 54(4): 620.
- HAASE, P. & M. P. D. MEIJERING (1995):** Zur Makroinvertebratenfauna eines naturnahen Bergbaches in Nordhessen [On the macroinvertebrate fauna of a near-to-natural mountain stream in northern Hesse]. - Lauterbornia 65-75.
- HALL JR., R. O. (1995):** Use of a stable carbon isotope addition to trace bacterial carbon through a stream food web. - J. N. Am. Benthol. Soc. 14: 269-277.
- HANNAFORD, M. J. & V. H. RESH (1995):** Variability in macroinvertebrate rapid-bioassessment surveys and habitat assessments in a northern California stream. - J. N. Am. Benth. Soc. 14(3): 430-439.
- HAPPEL, A. (1994):** Einfluß von Versauerung und von Fischteichanlagen auf das Makrozoobenthos eines Mittelgebirgsbaches [Impact of acidification and fish farms on the macrozoobenthos of a foothill stream]. - Dt. Ges. Limnol., Jahrestagung Coburg 1993, Extended Abstracts: 82-86.
- HARRIS, M. A. & D. W. WEBB (1995):** The stoneflies (Plecoptera) of Illinois revisited. - J. Kansas Entomol. Soc. 67(4): 340-346.
- HEINCKE, M., LORCH, H. -J. & J. C. G. OTTOW (1995):** Einfluß diffuser und punktueller organischer Belastungen auf die Abundanz und Verbreitung der Makroinvertebraten der Horloff (Vogelsberg) [Impact of diffuse and point source organic inputs on abundance and distribution of macroinvertebrates in the Horloff river (Vogelsberg)]. - Dt. Ges. Limnol., Jahrestagung Hamburg 1994, Extended Abstracts I: 427-431.
- HELEŠIC, J. & E. SEDLÁK (1995):** Downstream effect of impoundments on stoneflies: case study of an epipotamal reach of the Jihlava River, Czech Republic. - Regulated Rivers: Research & Management 10: 39-49.
- HENDRICKSON, JR., J. A. (1995):** On the enumeration of rectangular (0, 1)-matrices (using data on stonfly occurrences at stations in Ontario, Canada). - J. Statist. Comput. Simul. 51: 291-313.
- HERING, D. (1995):** Nahrung und Nahrungs konkurrenz von Laufkäfern und Ameisen in einer nordalpinen Wildflußaue [Food and food competition of ground beetles and ants in a north Alpine torrent floodplain]. - Arch. Hydrobiol., Suppl. 101: 439-453.

- HOGG, I.D., WILLIAMS, D. D., EADLE, J. M. & S. A. BUTT (1995):** The consequences of global warming for stream invertebrates: A field simulation. - *J. Thermal Biol.* 20: 199-206.
- HUBBARD, M. D., PESCADOR, M. L., RASMUSSEN, A. K., ASKEVOLD, I. S., JONES, J., FLOWERS, R. W. & J. H. EPLER (1995):** The freshwater macroinvertebrates of Florida: A guide to references for their identification. - *Fla. Entomol.* 78(1): 161-177.
- JACKSON, J. K. & B. W. SWEENEY (1995):** Egg and larval development times for 35 species of tropical stream insects from Costa Rica. - *J. N. Am. Benthol. Soc.* 14: 115-130.
- JANEVA, I. J. & B. K. RUSEV (1989):** Saprobiological state of the Iskar river in the initial years following the putting into operation of the Sofia purifying station. - *Hydrobiologia* 34 (Sofia): 3-19 (Bulgarian, Russ., Engl. summaries).
- KERANS, B. L., PECKARSKY, B. L. & C. ANDERSON (1995):** Estimates of mayfly mortality: is stonefly predation a significant source? - *Oikos* 74: 315-323.
- KIFFNEY, P. M. & W. H. CLEMENTS (1994):** Effects of heavy metals on a macroinvertebrate assemblage from a Rocky Mountain stream in experimental microcosms. - *J. N. Am. Benthol. Soc.* 13(4): 511-523.
- KIFFNEY, P. M. & W. H. CLEMENTS (1994):** Structural responses of benthic macroinvertebrate communities from different stream orders to zinc. - *Envir. Toxicol. Chem.* 13: 389-395.
- KNISPEL, S. (1994):** Faunistique et écologie des Plécoptères du Bassin genevois. - Unpublished Diploma thesis, Université de Genève, 140 pp. plus unnumbered pages in appendix.
- KONDRATIEFF, B. C. & C. H. NELSON (1995):** A review of the genus *Remenus* Ricker (Plecoptera: Perlodidae), with the description of two new species. - *Proc. Entomol. Soc. Wash.* 97(3): 596-602.
- KONDRATIEFF, B. C., KIRCHNER, R. F. & D. L. LENAT (1995):** A review of stonefly records (Plecoptera: Hexapoda) of North Carolina and South Carolina. - *Brimleyana* 23.
- KRNO, I. (1992):** Macrozoobenthos of the spring areas in the protected territory of Vel'ká Fatra Mountains. - *Ochrana Prírody* 1: 105-116 (in Slovakian).
- KRNO, I. (1993):** Contribution to the knowledge of stoneflies (Plecoptera) and caddisflies (Trichoptera) of the Vtáčnik mountain range.- Rosalia (Nitra) 9: 119-126 (in Slovakian).
- KRNO, I. (1994):** [Bioindication value of stoneflies (Plecoptera)] Bioindicacné vlastnosti posvátiek (Plecoptera). - *Zborník X. Limnol. Konferenc.*, Stará Turá, 1994:97-101 (in Slovakian).

- KRNO, I. (1994):** Extinct, endangered, vulnerable and rare stoneflies (Plecoptera) of Slovakia. - pp. 117-119 in: BOHUS, D. & M. LISICKY (eds): Ocharna Biodiversity na Slovensku. - Sbornik R.E.F. 20 Seminára v Zahorskej Bystrici, 1994 (in Slovakian).
- KRNO, I. (1994):** Stoneflies (Plecoptera) of the White Carpathians. - Acta Musealia, rada B, 5: 5-11 (in Slovakian).
- KRNO, I. (1995):** Stoneflies (Plecoptera) of the Vtáčnik mountains (West Carpathians). - Biologia, Bratislava, 50(2): 133-142.
- KRNO, I. & F. SPORKA (1991):** Some notes on hydrobiological investigations in the Turiec river basin. - Acta Fac. Rer. Nat. Univ. Comeniae, Zoologia, 35: 71-76.
- KRNO, I., BULANKOVA E. & J. HALGOS (1994):** Macrozoobenthos of the Morava river basin and tributaries of the Morava. - Ekológia (Bratislava), Suppl. 1: 63-76.
- KRNO, I., SPORKA, F., TIRJAKOVA, E. & E. BULANKOVA (1995):** Influence of the construction of the Turcek Reservoir on the organisms of the river bottom. - pp. 53-62 in: BRETSCHKO, G., J. HELEŠIC & F. KUBÍČEK (eds): The Ecological Importance of River Bottom. - Folia Fac. Sci. Nat. Univ. Masarykiana Brunensis, Biologia 91, 172 pp.
- KRNO, I., TOMAJKA, J., TIRIACKOVA, E., BULANKOVA, E., HALGOS J. & V. KOSEL (1995):** Influence of acid rain on groundwater vein fauna in the Vtáčnik mountain range. - Rosalia (Nitra) 10: 21-34 (in Slovakian).
- KUBÍČEK, F., HELEŠIC, J. & O. KOMÁREK (1995):** The benthic community in artificial concrete channels. - Folia Fac. Sci. Nat. Univ. Masarykiana Brunensis (The Ecological Importance of River Bottom), Biologia 91: 63-76.
- KÜTTNER, R., BRAASCH, D. & W. JOOST (1995):** Verzeichnis (Checkliste) der sächsischen Steinfliegen (Plecoptera) [Index (Checklist) of the Saxonian stoneflies (Plecoptera)]. - Mitt. Sächs. Entomologen 29 (Entomofauna Saxonica): 4-5.
- LANG, C. & O. REYMOND (1995):** An improved index of environmental quality from Swiss rivers based on benthic invertebrates. - Aquat. Sci. 57:172-178.
- LANG, C. & O. REYMOND (1995):** Environmental quality in fifteen rivers of western Switzerland indicated by the zoobenthos: the 1991 and 1994 surveys. - Bull. de la Soc. Vaudoise des Sci. Naturelles 83(3): 177-184.
- LENAT, D. R. & J. K. CRAWFORD (1994):** Effects of land use on water quality and aquatic biota of three North Carolina Piedmont streams. - Hydrobiologia 294(3): 185-199.

- LIETZ, J. & K. BÖTTGER (1995):** Die Ephemeroptera, Plecoptera und Trichoptera (Insecta) eines kleinen, naturnahen Baches im Norddeutschen Tiefland (Kremper Au, Schleswig-Holstein) [The Ephemeroptera, Plecoptera and Trichoptera (Insecta) of a small near-to-natural stream in the north German lowland (Kremper Au, Schleswig-Holstein)]. - *Faun.-Ökol. Mitt.* 7: 47-60.
- LINKLATER, W. (1995):** Breakdown and detritivore colonisation of leaves in three New Zealand streams. - *Hydrobiologia* 306: 241-250.
- MÄDLER, K. (1995):** Die Entwicklung des Makrozoobenthon im sächsischen Elbeabschnitt in den Jahren 1985 bis 1994 [Development of macrozoobenthos in the Saxonian section of the Elbe river in the years 1985 to 1994]. - *Dt. Ges. Limnol., Jahrestagung Hamburg 1994, Extended Abstracts I:* 618-621.
- MALICKY, H. (1987):** The miraculous island of Serifos - one possible key to understand the evolution of Mediterranean stream ecosystems. - *Biologia Gallo-hellenica* 13: 43-46.
- MALMQVIST, B. & Å. ERIKSSON (1995):** Benthic insects in Swedish lake-outlet streams: patterns in species richness and assemblage structure. - *Freshw. Biol.* 34: 285-296.
- MARCHANT, R. (1995):** Seasonal variation in the vertical distribution of hyporheic invertebrates in an Australian upland river. - *Arch. Hydrobiol.* 134: 441-457.
- MARCHANT, R., BARMUTA, L. A. & B. C. CHESSMAN (1994):** Preliminary study of ordination and classification of macroinvertebrate communities from running waters in Victoria, Australia. - *Aust. J. Mar. & Freshwat. Res.* 45: 945-962.
- MARCHANT, R., BARMUTA, L. A. & B. C. CHESSMAN (1995):** Influence of sample quantification and taxonomic resolution on the ordination of macroinvertebrate communities from running waters in Victoria, Australia. - *Aust. J. Mar. & Freshwat. Res.* 46(2): 501-506.
- MARDEN, J. H. (1995):** Flying lessons from a flightless insect. - *Natural History* 104(2): 4-8.
- MARDEN, J. H. & M. G. KRAMER (1995):** Locomotor performance of insects with rudimentary wings. - *Nature* 37: 332-334.
- MARTEN, M. (1994):** Derzeitiger Kenntnisstand und historische Entwicklung des Makrozoobenthos der Donau unter besonderer Berücksichtigung der Montanregion [Present state of knowledge and historical development of the macrozoobenthos in the Danube, with special reference of the montane region]. - *Limnol. Ber. Donau* 1994 2: 157-189.
- MIHUC, T. B. & J. R. MIHUC (1995):** Trophic ecology of five shredders in a Rocky Mountain stream. - *J. Freshw. Ecol.* 10(3): 209-216.

- MIHUC, T. B. & G. W. MINSHALL (1995):** Trophic generalists vs. trophic specialists: implications for food web dynamics in post-fire-streams. - *Ecology* 76: 2361-2372.
- MINAKAWA, N. & G. F. KRAFT (1994):** A taxonomic key for Washington stonefly nymphs using hypercard. - *Northwest Sci.* 68: 139.
- MOOG, O., HUMPESCH, U. H. & M. KONAR (1995):** The distribution of benthic invertebrates along the Austrian stretch of the River Danube and its relevance as an indicator of zoogeographical and water quality patterns - Part 1. - *Arch. Hydrobiol. Suppl.* 101: 121-213.
- ORENDT, C. & L. WEIBFLOG (1995):** Unterschiedlich versauerte, quellnahe Waldbäche östlich des Ballungsräumes Leipzig-Halle-Bitterfeld (Dübener und Dahler Heide) und ihre Organismengemeinschaften [Variably acidified streams near their springs, east of the conglomeration Leipzig-Halle-Bitterfeld (Heath of Dahlen and Düben) and their biocoenoses]. - *Dt. Ges. Limnol., Jahrestagung Hamburg 1994, Extended Abstracts I:* 705-708.
- OYGUR, S. (1994):** Nymphs of North American Stonefly Genera (Plecoptera). - *J. N.Y. Entomol. Soc.* 102(3): 394. (Book Review).
- PARDO, I. & G. VINÇON (1995):** Contribution to the knowledge of pyrenean stoneflies: *Leuctra ariega* sp. n. (Insecta: Plecoptera). - *Aquat. Ins.* 17(2):71-75.
- PECKARSKY, B. L. & C. A. COWAN (1995):** Microhabitat and activity periodicity of predatory stoneflies and their mayfly prey in a western Colorado stream. - *Oikos* 74: 513-521.
- PETERMEIER, A., SCHÖLL, F. & T. TITTIZER (1994):** Historische Entwicklung der aquatischen Lebensgemeinschaft (Zoobenthos und Fischfauna) im deutschen Abschnitt der Elbe [Historical development of the aquatic community (zoobenthos and fishes) in the German section of river Elbe]. - Bundesanstalt für Gewässerkunde BfG - 0832, III+173 pp.
- PETRYSZAK, A. & W. FUDALEWICZ NIEMCZYK (1995):** Proprioceptors on the legs of poorly flying insects. - *Acta Biologica Cracoviensia Series Zoologia* 37(0): 1-9.
- PLÉNET, S. & J. GIBERT (1994):** Invertebrate community responses to physical and chemical factors at the river/aquifer interaction zone I. Upstream from the city of Lyon. - *Arch. Hydrobiol.* 132(2): 165-189.
- PLÉNET, S., GIBERT, J. & P. MARMONIER (1995):** Biotic and abiotic interactions between surface and interstitial systems in rivers. - *Ecography* 18: 296-309.

- PÖPPERL, R. (1992):** Die Besiedlung und Vergesellschaftung der Makroinvertebraten in einem Seeabfluß des Norddeutschen Tieflandes, der alten Schwentine zwischen Belauer und Stolper See (Schleswig-Holstein) [Macroinvertebrate colonisation and association in a lake outlet of the north German lowland, the Alte Schwentine between Lakes Belau and Stolpe]. - *Drosera* 2:189-206.
- PÖPPERL, R. (1995):** Zur Erfassung des Arteninventars mittels Emergenz- und Stechkastenfängen (Ephemeroptera, Plecoptera, Hymenoptera, Megaloptera, Planipennia und Trichoptera) [On species inventories obtained using emergence- and box-core-captures (Ephemeroptera, Plecoptera, Hymenoptera, Megaloptera, Planipennia and Trichoptera)]. - *Dt. Ges. Limnol., Jahrestagung Hamburg 1994, Extended Abstracts I:* 562-566.
- POULTON, B. C., MONDA, D. P., WOODWARD, D. P., WILDHABER, M. L. & W. H. BRUMBAUGH (1995):** Relations between benthic community structure and metals concentrations in aquatic macroinvertebrates: Clark Fork River, Montana. - *J. Freshw. Ecol.* 10(3): 277-293.
- RADER, R. B. & J. V. McARTHUR (1995):** The relative importance of refugia in determining the drift and habitat selection of predaceous stoneflies in a sandy-bottomed stream. - *Oecologia* 103: 1-9.
- RAVIZZA, C. & E. RAVIZZA DEMATTEIS (1995):** *Nemoura rivorum*, a new species of stonefly from the northern Apennines (Plecoptera, Nemouridae). - *Mitt. Schweiz. Ent. Ges.* 68: 153-158.
- RAVIZZA, C. & E. RAVIZZA DEMATTEIS (1994):** Note sur les Plécoptères rhéophiles de quelques biotopes lotiques de haute altitude du versant interne des Alpes centrales et occidentales. - *Boll. Zool. agr. Bachic. Ser. II*, 26(2): 183-199.
- RAVIZZA DEMATTEIS, E. & C. RAVIZZA (1994):** Altitudinal zonation and coenotic patterns of Plecoptera in a northern Apennine stream (Plecoptera). - *Boll. Soc. ent. ital.*, Genova, 126(1): 51-60.
- RAVIZZA DEMATTEIS, E. & G. VINÇON (1994):** *Leuctra ravizzai*, an orophilic new species of *Leuctra* from the western Alps (Plecoptera). - *Aquat. Ins.* 16: 91-94.
- REINHOLD, M. (1995):** Der Einfluß von Dükern und Durchlässen auf das Makrozoobenthos kanalkreuzender Fließgewässer [The influence of siphons and passages on the macrozoobenthos of streams crossing canals]. - Unpublished Diploma-thesis, Univ. Göttingen, 222 + some unnumbered pages.
- REY, P., BEUTLER, R., SCHRÖDER, P., STIRNEMANN, P. & R. THEEG (1992):** Koordinierte biologische Untersuchungen im Hochrhein 1990. Teil 1: Makroinvertebraten [Coordinated biological studies in the High Rhine, 1990. Part 1: macroinvertebrates]. - *Schriftenreihe Umwelt*, 190: 1-127.

- RICHARDSON, J. S. & C. J. PERRIN (1994):** Effects of the bacterial insecticide *Bacillus thuringiensis* var. *kurstaki* (Btk) on a stream benthic community. - Can. J. Fish. Aquat. Sci. 51(5): 1037-1045.
- RIZZONI, M., GUSTAVINO, B., FERRARI, C., GATTI, L. G. & E. A. FANO (1995):** An integrated approach to the assessment of the environmental quality of the Tiber river in the urban area of Rome: a mutagenesis assay (micronucleus test) and an analysis of macrobenthic community structure: - Sci. Total Environ. 162(2-3): 127-137.
- ROSCISZEWSKA, E. (1994):** Oogenesis of stone-flies, eggshell formation in ovary of *Perla marginata* (Plecoptera: Perlidae) (Panzer, 1779). - Cell Biol. Internat. 18: 514.
- ROSCISZEWSKA, E. (1995):** Oogenesis of Stone Flies. Development of the follicular epithelium and formation of the eggshell in ovaries of *Perla marginata* (Panzer) and *Perla pallida* Guérin (Plecoptera: Perlidae). - Int. J. Insect Morphol. & Embryol. 24(3): 253-272.
- ROSSARO, B. & A. PIETRANGELO (1993):** Macroinvertebrate distribution in streams: a comparison of CA ordination with biotic indices. - Hydrobiologia 263: 109-118.
- RUNDLE, S. D., WEATHERLEY, N. S. & S. J. ORMEROD (1995):** The effects of catchment liming on the chemistry and biology of upland Welsh streams: testing model predictions. - Freshwat. Biol. 34: 165-175.
- RUSEV, B. K., JANEVA, I. J. & M. I. NIKOLOVA (1991):** Hydrobiological state of the river valley of the river Lom. - Hydrobiologia 36 (Sofia): 13-31 (Bulgarian, Russ., Engl. summaries).
- SAMMETH, C. J. & G. F. KRAFT (1994):** In search of Washington stoneflies. - Northwest Sci. 68: 148.
- SCHMID, R. (1994):** Limnologie und Gewässergütezustand der Bayerischen Donau und ihrer wichtigsten Zubringer. Donaubasisuntersuchung 1985-1992 [Limnology and water quality of the Bavarian Danube and its most important tributaries. Danube base study 1985-1992]. - Int. AG Donauforschung. Ergebnisse der Donau-Forschung 3: chapter Plecoptera, Steinfliegen: 66.
- SCHÖLL, F., BECKER, C. & T. TITTIZER (1995):** Das Makrozoobenthos des schiffbaren Rheins von Basel bis Emmerich 1986-1995 [The macrozoobenthos of the navigable Rhine from Basel to Emmerich, 1986-1995]. - Lauterbornia 21: 115-137.

- SCHÖLL, F., TITTIZER, T., BEHRING, E. & M. WANITSCHEK (1995):** Faunistische Bestandsaufnahme an der Elbsohle zur ökologischen Zustandsbeschreibung der Elbe und Konzeption von Sanierungsmaßnahmen [Faunistical inventory at the bottom of the Elbe river describing its ecological condition and concept of rehabilitation measures]. - Bundesanstalt für Gewässerkunde BfG - 088048 pp. + several unnumbered tables in appendix.
- SCOTT, D., WHITE, J. W., RHODES, D. S. & A. KOOMEN (1994):** Invertebrate fauna of three streams in relation to land use in Southland, New Zealand. - N. Z. J. Mar. Freshw. Res. 28: 277-290.
- SHEPARD, W. D. & R. W. BAUMANN (1995):** *Calileuctra*, A new genus, and two new species of stoneflies from California (Plecoptera: Leuctridae). - Gr. Basin Natur. 55(2): 124-134.
- SIVEC, I. (1995):** *Cryptoperla fujianica* spec. nov. and *Cryptoperla stilifera* spec. nov., two new Peltoperlidae species from Fujian, China (Plecoptera). - Opusc. Zool. Flumin. 132:1-5.
- SIVEC, I. (1995):** Vrbnice Pohorja [Plecoptera of Pohorje Mts]. - Proteus 57: 370-372.
- SOMMERHÄUSER, M. & T. TIMM (1993):** Die ökologische Bedeutung der Fließgewässer im Naturraum Niederrheinische Sandplatten, dargestellt am Beispiel ausgewählter Wasserinsekten (Odonata, Plecoptera, Trichoptera) [Ecological importance of running waters in the natural realm Lower Rhenanian Sandplains, examples of selected water insects (Odonata, Plecoptera, Trichoptera)]. - Verh. Westdt. Entom. Tag 1992, Düsseldorf: 127-135.
- SPETH, S. (1995):** Ein Beitrag zur Ephemeroptera-, Plecoptera- und Trichoptera-Fauna (Insecta) norddeutscher Tieflandbäche anhand von Emergenzfängen aus Osterau und Rodenbek, zwei Bächen der jungglazialen Sander Schleswig-Holsteins [A contribution to the fauna of Ephemeroptera, Plecoptera and Trichoptera (Insecta) from emergence trap collections on two streams of the late pleistocene sands of Schleswig Holstein]. - Limnologica 25: 237-250.
- SPETH, S. & K. BOETTGER (1993):** Die substratspezifische Verteilung der Ephemeroptera, Plecoptera und Trichoptera (Insecta) in einem sandigen Bach des Norddeutschen Tieflandes (Osterau, Schleswig-Holstein) [The substrate-specific distribution of Ephemeroptera, Plecoptera and Trichoptera (Insecta) in a sandy stream of the North German lowland (Osterau, Schleswig-Holstein)]. - Limnologica 23: 369-380.

- SPITZNAGEL, A. (1985):** Jahreszeitliche Veränderungen im Nahrungsangebot und in der Nahrungswahl der Wasseramsel (*Cinclus c. aquaticus*) [Seasonal variation in food supply and food choice of the dipper (*Cinclus c. aquaticus*)]. - Ökol. Vögel 7:239-325 (German, Engl. summary).
- STANFORD, J. A. & J. V. WARD (1993):** An ecosystem perspective of alluvial rivers: connectivity and the hyporheic corridor. - J.N. Am. Benthol. 12(1): 48-60.
- STARK, B. P. (1995):** A new species of *Neoperla* (Insecta: Plecoptera: Perlidae) from Mississippi. - Proc. Biol. Soc. Wash. 108(1): 45-49.
- STARK, B. P. (1995):** New species and records of *Anacroneuria* (Klapálek) from Venezuela (Insecta, Plecoptera, Perlidae). - Spixiana 18(3): 211-249.
- STARK, B. P. (1995):** Redescription of *Neoperla hubbsi* Ricker (Plecoptera: Perlidae). - J. Kansas Entomol. Soc. 67(3): 298-300.
- STARK, B. P. & C. R. NELSON (1994):** Systematics, phylogeny and zoogeography of genus *Yoraperla* (Plecoptera: Peltoperlidae). - Entomol. Scand. 25: 241-273.
- STEVENS, D. M. & M. D. PICKER (1995):** The Notonemouridae (Plecoptera) of southern Africa: description of a new genus, *Balinskyercella*, and a key to genera. - African Entomol. 3(1): 77-83.
- STEWART, K. W., ABBOTT, J. C. & R. L. BOTTORFF (1995):** The drumming signals of two stonefly species *Cosumnoperla hypocrena* (Perlidae) and *Paraperla wilsoni* (Chloroperlidae); a newly discovered duet pattern in Plecoptera. - Entomol. News 106(1): 13-18.
- STEWART, K. W., ABBOTT, J. C., KIRCHNER, R. F. & S. R. MOULTON (1995):** New descriptions of North American Euholognathan stonefly drumming (Plecoptera) and first Nemouridae ancestral call discovered in *Soyedina carolinensis* (Plecoptera: Nemouridae). - Ann. Entomol. Soc. Amer. 88(2): 234.
- SURDICK, R. F. (1995):** New western Nearctic *Sweltsa* (Plecoptera: Chloroperlidae). - Proc. Entomol. Soc. Wash. 97(1): 161-177.
- TANK, J. L. & M. J. WINTERBOURN (1995):** Biofilm development and invertebrate colonization of wood in four New Zealand streams of contrasting pH. - Freshw. Biol. 34: 303-315.
- TATE, C. M. & J. S. HEINY (1995):** The ordination of benthic invertebrate communities in the South Platte River Basin in relation to environmental factors. - Freshw. Biol. 33: 439-454.

- TESLENKO, V. A., ZHILITZOVA, L. A. & P. ZWICK (1993):** A new species of the genus *Kogotus* Ricker from southern Primorye (The Russian Far East) (Plecoptera: Perlodidae). - *Aquat. Ins.* 15: 177-183.
- TIMM, T. & M. SOMMERHÄUSER (1993):** Bachtypen im Naturraum Niederrheinische Sandplatten - Ein Beitrag zur Typologie der Fließgewässer des Tieflandes [Stream types in the natural realm Lower Rhenanian Sandplains - a contribution to the typology of lowland running waters]. - *Limnologica* 23: 381-394.
- TITTIZER, T., LEUCHS, H. & M. BANNING (1994):** Das Makrozoobenthos der Donau im Abschnitt Kehlheim - Jochenstein (Donau-km 2414-2202) [The macrozoobenthos of the Danube in the stretch Kehlheim - Jochenstein (Donau-km 2414-2202)]. - In: KINZELBACH, R. (ed.), *Limnologie aktuell*, 2: 173-188.
- VERDON SCHOT, P. F. M. (1995):** Typology of macrofaunal assemblages: a tool for the management of running waters in The Netherlands. - *Hydrobiologia* 297: 99-122.
- VIDAL, M. & P. MEMBIELA (1994):** Mayflies and stoneflies (Insecta) of Segundera, Cabrera and Teleno mountains (NW of Iberian Peninsula). - *Bol. Asoc. Esp. Entomol.* 18: 49-64 (in Spanish).
- VINÇON, G., RAVIZZA, C. & J. AUBERT (1995):** *Leuctra subalpina*, a New Species of Leuctridae (Insecta, Plecoptera) from the Western Alps and the Apennines. - *Aquat. Ins.* 17(3): 181-186.
- VRANOVSKY, M., KRNO, I., SPORKA, F. & J. TOMAJKA (1994):** The effect of anthropogenic acidification on the hydrofauna of the lakes of the West Tatra Mountains (Slovakia). - *Hydrobiologia* 274: 163-170.
- WEINZIERL, A. & H. REUSCH (1995):** Steinfliegen (Plecoptera) im Niedersächsischen Landesmuseum Hannover [Stoneflies (Plecoptera) in the Lower Saxonian State Museum Hannover]. - Braunschweig. naturkdl. Schriften 4(4): 873-883.
- WICHARD, W., ARENS, W. & G. EISENBEIS (1995):** Atlas zur Biologie der Wasserinsekten [Atlas of aquatic insect biology]. - XII + 338 pp., with 912 SEM-micrographs on 148 pls, 156 text-figs; Gustav Fischer Verlag, Stuttgart etc., ISBN 3-437-30743-6; Plecoptera: pp. 62-83.
- WILLIAMS, D. D., WILLIAMS, N. E. & I. D. HOGG (1995):** Life history plasticity of *Nemoura trispinosa* (Plecoptera: Nemouridae) along a permanent-temporary water habitat gradient. - *Freshw. Biol.* 34: 155-163.
- WOOSTER, D. & A. SIH (1995):** A review of the drift and activity responses of stream prey to predator presence. - *Oikos* 73: 3-8.

- YOUTEN, A. A., BENFIELD, E. F. & F. J. GENTHNER (1995):**
Bacillus sphaericus mosquito pathogens in the aquatic environment.
- Memorias do Instituto Oswaldo Cruz Rio de Janeiro 90(1): 125-129.
- YULE, C. M. (1995):** Benthic invertebrate fauna of an aseasonal tropical mountain stream on Bougainville Island, Papua New Guinea. - Aust. J. Mar. & Freshwat. Res. 46(2): 507-518.
- ZAHRÁDKOVÁ, S., FIALA, M. & J. ZAHRÁDKA (1995):** The Morava River - Benthic macroinvertebrates and water quality. - pp. 159-172 in: BRETSCHKO, G., J. HELESIC & F. KUBICEK (eds): The Ecological Importance of River Bottom. - Folia Fac. Sci. Nat. Univ. Masarykianae Brunensis, Biologia 91, 172 pp. (1995).
- ZHILTOVA, L. A. (1995):** *Aubertiana* gen. n. - a new genus of stoneflies (Plecoptera: Perlodidae). - Zoosystematica Rossica 3(1): 45-47 (1994).
- ZHILTOVA, L. A. (1995):** Catalogue of type specimens in the collection of the Zoological Institute, Russian Academy of Sciences. Stoneflies (Plecoptera). - St. Petersburg, Zoological Institute, 38 pp.
- ZWICK, P. & A. WEINZIERL (1995):** Reinstatement and revision of genus *Besdolus* (Plecoptera: Perlodidae). - Entomol. Scand. 26: 1-26.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Perla](#)

Jahr/Year: 1996

Band/Volume: [14](#)

Autor(en)/Author(s): Redaktion

Artikel/Article: [Recent Plecoptera Literature 43-56](#)