

RECENT PLECOPTERA LITERATURE (CALENDAR YEAR 2001 AND EARLIER)

Note: Unless otherwise indicated, references are to the original title in the language in which the body of the article is written. If titles are given in two languages separated by a slash, the translated title was provided by the author(s) and there is also an abstract in that same language. If the second title is in English but appears in square brackets, an editorial translation of the title was included for the convenience of readers of PERLA, but there is no English abstract.

- ALBARIÑO, R.J. (2001): Functional Classification of *Klapopteryx kuscheli* (Plecoptera: Austroperlidae): Mouthpart morphology, gut content analysis and food preference experiments. – Aquatic Insects 23(3): 171-181
- ALBARINO, R.J.; BALSEIRO, E.G. (2001): Food quality, larval consumption, and growth of *Klapopteryx kuscheli* (Plecoptera: Austroperlidae) from a south Andes stream. J. Freshwater Ecology 16: 517-526.
- AMUNDSEN, P.-A.; GABLER, H.-M.; RIISE, L.S. (2001): Intraspecific food resource partitioning in Atlantic salmon (*Salmo salar*) parr in a subarctic river. – Aquatic Living Resources 14(4): 257-265.
- BAE Y.J.; LEE, B.H. (2001): Human impacts on stream ecosystems and freshwater arthropods in Korea. – Korean Journal of Entomology 31(2): 63-76. In Korean.
- BAER, S.G.; SILER, E.R.; EGGERT, S.L.; WALLACE, J.B. (2001): Colonization and production of macroinvertebrates on artificial substrata: upstream-downstream responses to a leaf litter exclusion manipulation. – Freshwat. Biol. 46: 347-365.
- BAILEY, R.C.; NORRIS, R.H.; REYNOLDSON, T.B. (2001): Taxonomic resolution of benthic macroinvertebrate communities in bioassessments. – J. N. Am. Benthol. Soc. 20: 280-286.
- BAPTISTA, D.F.; DORVILLÉ, L.F.M.; BUSS, D.F.; NESSIAMIAN, J.L. (2001): Spatial and temporal organization of aquatic insects assemblages in the longitudinal gradient of a tropical river. – Brazilian Journal of Biology 61(2): 295-304.
- BAUMANN, R.W.; FIALA, G.R. (2001): *Nanonemoura*, a new stonefly genus from the Columbia River Gorge, Oregon (Plecoptera: Nemouridae). - Western N. Amer. Natur. 61: 403-408.
- BASS, D. (2000): A preliminary study of aquatic macroinvertebrates from two springs in the Pontotoc Ridge Nature Preserve, Oklahoma.. – Proceedings of the Oklahoma Academy of Science. 80: 105-109.
- BENKE, A.C.; WALLACE, J.B.; HARRISON, J.W.; KOEBEL, J.W. (2001): Food web quantification using secondary production analysis: Predaceous invertebrates of the snag habitat in a subtropical river.. – Freshwat. Biol. 46(3): 329-346.

- BENKE, A.C. (2001): Importance of flood regime to invertebrate habitat in an unregulated river-floodplain ecosystem. – J. N. Am. Benthol. Soc. 20: 225-240.
- BERRAHOU, A.; CELLOT, B.; RICHOUX, P. (2001): Distribution longitudinale des macroinvertébrés benthiques de la Moulouya et de ses principaux affluents (Maroc) [Longitudinal distribution of benthic macroinvertebrates in the Moulouya River (Morocco)]. – Annls Limnol. 37: 223-235.
- BESSER, J.M.; BRUMBAUGH, W.G.; MAY, T.W.; CHURCH, S.E.; KIMBALL, B.A. (2001): Bioavailability of metals in stream food webs and hazards to brook trout (*Salvelinus fontinalis*) in the Upper Animas River watershed, Colorado. – Archives of Environmental Contamination & Toxicology 40(1): 48-59.
- BOHLE, H. W. (2001): [The role of autecology for the understanding of biocoenotic and ecosystem level interrelations, using examples from running water benthos] Die Rolle der Autökologie für das Verständnis biozönotischer und ökosystemarer Zusammenhänge, am Beispiel des Benthos der Fließgewässer. – Dt. Ges. Limnol. (DGL), Tagungsbericht 2000 (Magdeburg), Tutzing 2001: 9-23.
- BRAASCH, D. (2001): [*Xanthoperla apicalis* (Plecoptera) again in Germany] *Xanthoperla apicalis* (Plecoptera) wieder in Deutschland. – Ent. Nachr. Ber. 45: 130-132.
- BRADLEY, D.C.; ORMEROD, S.J. (2001): Community persistence among stream invertebrates tracks the North Atlantic Oscillation. – J. Anim. Ecol. 70: 987-996.
- BRADT, P.; URBAN, M.; GOODMAN, N.; BISSELL, S.; SPIEGAL, I. (1999): Stability and resilience in benthic macroinvertebrate assemblages. Impact of physical disturbance over twenty-five years. – Hydrobiologia 403: 123-133.
- BRITTAINE, J.; SALTVEIT, S.J.; CASTELLA, E.; BOGEN, J.; BØNSNES, T.E.; BLAKAR, I.; BREMNES, T.; HAUG, I.; VELLE, G. (2001): The macroinvertebrate communities of two contrasting Norwegian glacial rivers in relation to environmental variables. – Freshwat. Biol. 46: 1723-1736.
- BURGHERR, P.; WARD, J.V. (2001): Longitudinal and seasonal distribution patterns of the benthic fauna of an alpine glacial stream (Val Roseg, Swiss Alps). – Freshwat. Biol. 46: 1705-1721.
- CARTER, J.L.; RESH, V. H. (2001): After site selection and before data analysis: sampling, sorting, and laboratory procedures used in stream benthic macroinvertebrate monitoring programs by USA state agencies. – J. N. Am. Benthol. Soc. 20: 658-682.

- CASTELLA, E.; ADALSTEINSSON, J.; BRITTAINE, J.E.; GISLASON, G.M.; LEHMANN, A.; LENCIOMI, V.; LODS-CROZET, B.; MAIOLINI, B.; MILNER, A.E.; OLAFSSON, J.S.; SALTVEIT, S.J.; SNOOK, D.L. (2001): Macrofaunal invertebrate richness and composition along a latitudinal gradient of European glacier-fed streams. – Freshwat. Biol. 46: 1811-1831.
- CAZAUBON, A. & J. GIUDICELLI (1999): Impact of the residual flow on the physical characteristics and benthic community (Algae, Invertebrates) of a regulated mediterranean river: the Durance, France. – Regul. Rivers Res. Mgmt. 15: 441-461.
- CHAE, J.-S.; PUSTERLA, N.; JOHNSON, E.; DEROCK, E.; LAWLER, S.P.; MADIGAN, J. E. (2000): Infection of aquatic insects with trematode metacercariae carrying *Ehrlichia risticii*, the cause of Potomac horse fever.. – Journal of Medical Entomology 37(4): 619-625.
- COLE, M.B; ARNOLD, D.E.; WATTEN, B.J. (2001): Physiological and behavioral responses of stonefly nymphs to enhanced limestone treatment of acid mine drainage.. – Water Research: 35(3): 625-632.
- CRUEGER, B.; SCHIRMER, M. (2001): Die Makroinvertebratenfauna eines tidebeeinflußten Abschnitts der Wümme in Bremen . – Dt. Ges. Limnol. (DGL), Tagungsbericht 2000 (Magdeburg), Tutzing 2001: 238-242.
- CULP, J.M.; PODEMSKI, C.L.; CASH, K.J. (2000): Interactive effects of nutrients and contaminants from pulp mill effluents on riverine benthos. – Journal of Aquatic Ecosystem Stress & Recovery (2001) 8(1): 67-75.
- DANGLES, O.; GUÉROLD, F. (2001): Linking shredders and leaf litter processing: Insights from an acidic stream study. – Int. Rev. Hydrobiol. 86: 395-406.
- DANGLES, O.; GUÉROLD, F. (2001): Influence of shredders in mediating breakdown rates of beech leaves in circumneutral and acidic forest streams. – Arch. Hydrobiol. 151: 649-666.
- DANGLES, O.; GUEROLD, F.; USSEGLIO-POLATERA, P. (2001): Role of transported particulate organic matter in the macroinvertebrate colonization of litter bags in streams. – Freshwat. Biol. 46: 575-586.
- DEACON, JR; Spahr, NE; Mize, SV; Boulger, RW (2001): Using water, bryophytes, and macroinvertebrates to assess trace element concentrations in the Upper Colorado River Basin. – Hydrobiologia, vol. 455, no. 1-3, pp. 29-39.
- DEL ROSARIO, R.B.; RESH, V.H. (2001): Interstitial invertebrate assemblages associated with small-scale subsurface flowpaths in perennial and intermittent California streams. – Arch. Hydrobiol. 150: 629-640.
- DeWALT, R.E.; WEBB, D.W.; KOMPARE, T.N. (2001): The *Perlesta placida* (Hagen) complex (Plecoptera: Perlidae) in Illinois, new state records, distributions, and an identification key. – Proceedings of the Entomological Society of Washington 103(1): 207-216.
- DIETERICH, M. (2001): Spatial and temporal risk-spreading in species inhabiting temporary streams: conceptual consequences for predictability

- in ecology. – Dt. Ges. Limnol. (DGL), Tagungsbericht 2000 (Magdeburg), Tutzing 2001: 360-364.
- DOISY, K.E.; RABENI, C. & F. (2001): Flow conditions, benthic food resources, and invertebrate community composition in a low-gradient stream in Missouri. – J. N. Am. Benthol. Soc. 20: 17-32.
- DONATH, U.; ROBINSON, C.T. (2001): Ecological characteristics of lake outlets in Alpine environments of the Swiss Alps.. – Archiv Fuer Hydrobiologie: 150(2): 207-225.
- DORVILLE, L.F.; FROELICH, C.G. (2001): Description of the nymph of *Kempnia tijucana* Dorville and Froelich (Plecoptera, Perlidae), with notes on its development and biology. Pages 385-392. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- DREES, J.; WOGRAM, J.; SCHULZ, R.; LIESS, M. (2001): Auswirkungen der Umlandbewirtschaftung auf die Makroinvertebratenzönose kleiner Agrarfließgewässer. – Dt. Ges. Limnol. (DGL), Tagungsbericht 2000 (Magdeburg), Tutzing 2001: 302-307.
- DU, Y.; JUNHUA, H. (2001): Progress on taxonomic study of the family Perlidae in China. Pages 369-375. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- DU, Y.-Z. (2000): Two new species of the genus *Neoperla* Needham (Plecoptera: Perlidae: Perlinae) from Guizhou, China.– Entomotaxonomia 22(1): 1-5. In Chinese, English summary.
- DU, Y.-Z. (1999): A preliminary study on the generic level phylogeny of the subfamily Perlinae (Plecoptera: Perlidae) . – Journal of Zhejiang Agricultural University 25: 170-174. In Chinese, English summary.
- DU, Y.-Z. (YEAR?): *Neoperla magisterchoui*, a new species of the genus *Neoperla* Needham (Plecoptera: Perlidae) from China. – Proceedings of the 5th National Congress of Insect Taxonomy; Systematic and faunistic research on chinese insects; China Agriculture Press 1-3. In Chinese, English summary.
- DU, Y.-Z. (YEAR?): (Class Insecta: order Plecoptera). – SOURCE: 146-168. In Chinese.
- EDWARD, D.H.D.; STOREY, A.W.; SMITH M, J.B. (2001): Assessing river health in south-western Australia: comparison of macroinvertebrates at family level with Chironomidae at species level. – Verh. Internat. Verein. Limnol. 27: 2326-2335.
- ENTING, K.; RUPPRECHT, R. (2001): Zur Kenntnis der Steinfliegenfauna (Insecta: Plecoptera) im Taunus [To the knowledge of the stonefly fauna (Insecta: Plecoptera) of the Taunus mountains (Germany)]. – Lauterbornia 41: 63-77. In German, English abstract.
- FAUSTO, A.M.; BELARDINELLI, M.; FOCHETTI, R.; MAZZINI, M. (2001): Comparative spermatology in Plecoptera (Insecta): an ultrastructural investigation on four species. – Anthropod Structure & Development 30: 55-62.

- FERREIRA, R.L.; HORTA, L.C.S. (2001): Natural and human impacts on invertebrate communities in Brazilian caves. – *Brazilian J. Biol.* 61: 7-17.
- FIGUEROA, R.; ARAYA, E.; VALDOVINOS, C. (2000): Benthic macroinvertebrates drift in a rithron sector: Rucue river, south-central Chile. [Spanish] Deriva de macroinvertebrados bentonicos en un sector de ritron: Rio rucue, Chile centro-sur. – *Boletin de la Sociedad de Biología de Concepcion* 71: 23-32.
- FOCHETTI, R.; IANNILLI, V.; KETMAIER, V.; DE MATTAEIS, E. (2001): Genetic divergence in populations of *Dinocras cephalotes* (Curtis, 1827) from three different catchments in Central Italy (Plecoptera, Perlidae). Pages 233-239. - In: Dominguez, E. (ed). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- FOCHETTI, R.; TIERRNO DE FIGUEROA, J.M. (2000): Reperti. – *Boll. Assoc. Romana Entomol.* 55(1-4): 143-146. [Italian records of *Leuctra prima* and *Xanthoperla apicalis*]
- FORE, L.S.; PAULSEN, K.; O'LAUGHLIN, K. (2001): Assessing the performance of volunteers in monitoring streams.. – *Freshwater Biology*: 46(1): 109-123.
- FOSSATI, O.; WASSON, J.-G.; HÉRY, C.; SALINAS, G.; MARÍN, R. (2001): Impact of sediment releases on water chemistry and macroinvertebrate communities in clear water Andean streams (Bolivia). – *Arch. Hydrobiol.* 151: 33-50.
- FROEHLICH, C. (2001): *Guaranyperla*, a new genus in the Gripopterygidae (Plecoptera). Pages 377-383. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- FÜREDER, L.; SCHÜTZ, C.; WALLINGER, M.; BURGER, R. (2001): Physuci-chemistry and aquatic insects of a glacier-fed and a spring-fed alpine stream. – *Freshwat. Biol.* 46: 1673-1690.
- GALDEAN, N.; CALLISTO, M.; BARBOSA, F.A.R. (2001): Biodiversity assessment of benthic macroinvertebrates in altitudinal lotic ecosystems of Serra do Cipo (MG, Brazil). – *Brazilian Journal of Biology* 61(2): 239-248.
- GAYRAUD, S.; PHILIPPE, M. (2001): Does subsurface interstitial space influence general features and morphological traits of the benthic macroinvertebrate community in streams? – *Arch. Hydrobiol.* 151: 667-686.
- GENKAI-KATO, M.; NOZAKI, K.; MITSUHASHI, H.; KOHMATSU, Y.; MIYASAKA, H.; NAKANISHI, M. (2000): Push-up response of stonefly larvae in low-oxygen conditions. – *Ecological Research* 15(2): 175-179.
- GIBSON, R.J.; COLBO, M.H (2001): The response of salmonids and aquatic invertebrates to urban influenced enrichment in a Newfoundland river, Canada. – *Verh. Internat. Verein. Limnol.* 27: 2071-2078.

- GISLASON, G.M.; ADALSTEINSSON, H.; HANSEN, I.; OLAFSSON, J.S.; SVAVARSDOTTIR, K. (2001): Longitudinal changes in macroinvertebrate assemblages along a glacial river system in central Iceland. – Freshwat. Biol. 46: 1737-1751.
- GOLUBKOV, S. M. (1999): Specific production, annual P/B coefficients and life cycles in insects aquatic larvae at different temperatures. – Proceedings of the Zoological Institute of St. Petersburg 279: 22-68. [Russian].
- GOLUBKOV, S.M. (2000): Functional ecology of aquatic insects. – Proceedings of the Zoological Institute Russ. Acad. Sci. 284: 394 pp. In Russian.
- GORE, J.A.; LAYZER, J.B.; MEAD, J. (2001): Macroinvertebrate instream flow studies after 20 years. - Regulated Rivers Research, Management 17: 527-542.
- GRATTON II, R.M.;SUBERKOPP, K. (2001): Effects of nutrient enrichment on yellow poplar leaf decomposition and fungal activity in streams. - J.N. Am. Benthol. Soc. 20: 33-43.
- GRIFFITH, M.B.; BARROWS E.M.; PERRY, S.A. (2000): Effect of diflubenzuron on flight of adult aquatic insects (Plecoptera, Trichoptera) following emergence during the second year after aerial application.. – Journal of Economic Entomology 93(6): 1695-1700.
- GRUBBS, S.A; STARK, B.P. (2001): Notes on *Perlesta* (Plecoptera: Perlidae) from eastern North America. – Aquatic Insects 23: 119-122.
- GUENDA, W. (1991): Evaluation of the toxicity of Abate for the macroinvertebrates of the Red Volta Burkina-Faso and Ghana in the scope of the control of onchocerciasis in West Africa. - Bull. Inst. Fondamental d'Afrique Noire Ser. A. Sciences Natur. 46: 333-349.
- GUMIERO, B.; BOSCAINI, A.; CRISTONI, C.; FRANCESCHINI, A.; SALMOIRAGHI, G. (2001): Leaf colonization by aquatic macrobenthos: a comparison between Alpine and Apennine streams. – Verh. Internat. Verein. Limnol. 27: 2420-2425.
- GUMIERO, B.; CRISTONI, C.; SALMOIRAGHI, G. (2001): Decomposition processes of alder leaves downstream of the Ridracoli Dam (Apennines, Italy). – Verh. Internat. Verein. Limnol. 27: 2415-2419.
- HAAPALA, A.; MUOTKA, T.; MARKKOLA, A. (2001): Breakdown and macroinvertebrate and fungal colonization of alder, birch, and willow leaves in a boreal forest stream. – Journal of the North American Benthological Society. 20(3): 395-407.
- HANADA, S.: MAEUYAMA, H. (2001): Morphology of the hammer and drumming signals in two stonefly species, *Gibosia hagiensis* (Okamoto) and *Kiotina pictetii* (Klapálek) (Perlidae). Pages 453-457. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- HEINO, J. (2001): Regional gradient analysis of freshwater biota: Do similar biogeographic patterns exist among multiple taxonomic groups? – Journal of Biogeography 28(1): 69-76.

- HELESIC, J. (1999): Aquatic invertebrates of the Pálava Biosphere Reserve of UNESCO. Plecoptera. – Folia Fac. Sci. Nat. Univ. Masaryk. Brun., Biol. 101: 181-185.
- HELESIC, J. (2001): Nonparametric evaluation of environmental parameters determining the occurrence of stonefly larvae (Plecoptera) in streams. – Aquatic Sciences 63: 490-501.
- HUNTSMAN, B.O.; BAUMANN, R.W.; KONDRATIEFF, B.C. (2001): The stoneflies (Plecoptera) of South Dakota. - Entomol. News 112: 104-111.
- ILG, C.; CASTELLA, E.; LODS-CROZET, B.; MARMONIER, P. (2001): Invertebrate drift and physico-chemical variables in the tributaries of the Mutt, a Swiss glacial stream. –Arch. Hydrobiol. 151: 335-352.
- JONSSON, M.; MALMQUIST, B.; HOFFSTEN, P.O. (2001): Leaf litter breakdown rates in boreal streams; does shredder species richness matter? - Freshwat. Biol. 46: 161-171.
- KAPOOR, N.N. (2001): Fine structure of the gut of a stonefly nymph, *Paragnatina media* (Walker) (Plecoptera: Perlidae) Pages 459-465. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- KAWAKAMI, Y. (2000): The pictorial of rare insects. – Editor: UEDA, K.; Jinrubunka publishing Co., Ltd, Tokyo, 192 pp. In Japanese.
- KEIPER, J.B.; CASAMATTA, D. A. (2001): Benthic organisms as forensic indicators. – J. N. Am. Benthol. Soc. 20: 311-324.
- KETMAIER, V.; FOCHETTI, R.; IANNILLI, V.; DE MATTHAEIS, E. (2001): Patterns of genetic differentiation and gene flow in Central Italian populations of *Dinocras cephalotes* (Curtis, 1827) (Insecta, Plecoptera).. – Arch. Hydrobiol. 150(3): 457-472.
- KOVACS, T.; AMBRUS, A. (2001): Ephemeroptera, Odonata and Plecoptera larvae from the rivers of Rába and Lapincs (Hungary). – Folia Historico Naturalia Musei Matraensis 25: 145-162.
- KOVÁCS, T.; AMBRUS, A. (2000): Two rare Plecopterans from the Rába: *Agnetina elegantula* (Klapálek, 1905) and *Marthamea vitripennis* (Burmeister, 1839) (Plecoptera: Perlidae). – Miscellanea zool. hung. 13: 77-80.
- KOVACS, T.; JUHASZ, P.; TURCSANYI, I. (2001): Ephemeroptera, Odonata and Plecoptera larvae from the river Tisza (1997-1999). – Folia Historico Naturalia Musei Matraensis 25: 135-143.
- KRNO, I. (2000): Distribution of stoneflies (Plecoptera) in Slovakia. - Správ Slovenskej Zoologickej Spoločnosti 18: 39-54.
- KRNO, I.(2000): Stoneflies (Plecoptera) in some volcanic mountain ranges of the West Carpathians (Slovakia) and the impact of human activities.. – Limnologica 30(4): 341-350.
- KRNO, I. (2000): Rozšírenie pošvaticiek (Plecoptera) na Slovensku [Distribution of stoneflies (Plecoptera) in Slovakia]. Správy Slovenskej zoologickej spoločnosti 18: 39-54. In Slovakian, English Abstract.

- LANCASTER, J.; WALDRON, S. (2001): Stable isotope values of lotic invertebrates: Sources of variation, experimental design, and statistical interpretation.. – Limnology & Oceanography 46(3): 723-730.
- LANDOLT, P.; THÜER, J.; STUDEMANN, D. (2001): Biomass of Ephemeroptera and Plecoptera in three Swiss rivers. Pages 271-284.
- In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- LANG, C.; STRAWCZYNSKI, A.; VIOGET, Ph. (2000): Pesticides and zoobenthic diversity in 23 rivers of western Switzerland: – The 1998 and 1999 surveys. (Pesticides et diversité du zoobenthos dans 23 rivières du canton de Vaud: Campagnes 1998 et 1999). – Bull. Soc. Vaudoise Sci. Natur. 87(2): 93-107. In French, English abstract.
- LEDGER, M.E.; HILDREW, A.G. (2001): Growth of an acid-tolerant stonefly on epilithic biofilms from streams of contrasting pH.– Freshwat. Biol. 46: 1457-1470.
- LENAT, D.R.; RESH, V.H. (2001): Taxonomy and stream ecology - The benefits of genus- and species-level identifications. – J. N. Am. Benthol. Soc. 20: 287-298.
- LI, J.; HERLIHY, A.; GERTH, W.; KAUFMANN, Ph.; GREGORY, S.; URQUHART, S.; LARSEN, D.P. (2001): Variability in stream macroinvertebrates at multiple spatial scales. – Freshwater Biology 46(1): 87-97.
- LICHTWARDT, R.W.; WHITE, M.M.; COLBO-MURRAY, H. (2001): Harpellales in Newfoundland aquatic insect larvae. - Mycologia 93: 764-773.
- LODS-CROZET, B.; CATELLA, E.; CAMBIN, D.; ILG, C.; KNISPEL, S.; MAYOR-SIMEANT, H. (2001): Macroinvertebrate community structure in relation to environmental variables in a Swiss glacial stream. – Freshwat. Biol. 46: 1641-1661.
- LOSKUTOVA, O.A (2001): Stoneflies (Plecoptera) in the rivers of the Pechora Basin flowing from the Timan Ridge and the Urals, Russia. – Norwegian Journal of Entomology 48(1): 191-198.
- MADDOCK, I.P.: BICKERTON, M.A., SPENCE, R.; PICKERING, T. (2001): Reallocation of compensation releases to restore river flows and improve instream habitat availability in the Upper Derwent catchment, Derbyshire, UK. - Regulated Rivers Research, Management 17: 417-441.
- MAIER, K.-J. (2001): The influence of floods on benthic insect populations in a Swiss mountain stream and their strategies of damage prevention.. – Archiv fuer Hydrobiologie 150(2): 227-247.
- MAIOLINI, B.; LENCIOMI, V. (2001): Longitudinal distribution of macroinvertebrate assemblages in a glacially influenced stream system in the Italian Alps. – Freshwat. Biol. 46: 1625-1639.
- MARGREITER, M.; KOWNACKI, A.; KAWECKA, B.; KWANDRANS, J. (1998): Effect of treated wastes on algal and macroinvertebrate communities in an alpine stream. – Oecologia Montana 7(1-2): 13-20.

- MARSHALL, B.D. (2001): An evaluation of the sensitivity of a macroinvertebrate biomonitoring study in headwater streams of New River Gorge National River. – Journal of Freshwater Ecology 16(3): 415-428.
- MARTEN, M. (2001): Environmental monitoring in Baden-Wuerttemberg with special reference to biocoenotic trend-monitoring of macrozoobenthos in rivers and methodical requirements for evaluation of long-term biocoenotic changes. – Aquatic Ecology 35(2): 159-171.
- MATONICKIN, R.; HABDIJA, I.; PRIMC-HABDIJA, B. (2001): The effects of season and food availability on macroinvertebrate colonization in a woodland stream. – Arch. Hydrobiol. 153: 55-74.
- MATTHÄI, C.; PEACOCK, K.; ARBUCKLE, C.; TOWNSEND, C. (2001): Kleinflächige Sedimentbewegungen im Fließgewässer und Hochwasser-Refugien für wirbellose Tiere [Small range sediment movements in running water and high water refugia for invertebrate animals]. – Dt. Ges. Limnol. (DGL), Tagungsbericht 2000 (Magdeburg), Tutzing 2001: 59-62.
- MAVRI, U.; PODGORNIK, S.; SIVEC, I. (2000): Influence of some ecological factors on the distribution of Plecoptera in a small subalpine stream. – Verh. Internat. Verein. Limnol. 27: 981-984
- MCEWEN, H. A. & L. G. LEFF (2001): Colonization of stream macroinvertebrates by bacteria. – Arch. Hydrobiol. 151: 51-65.
- MCLELLAN, I. (2001): A Revision of South American Austroperlidae (Plecoptera). – Aquatic Insects 23: 233-251.
- MCLELLAN, I.D. (2001): *Falklandoperla kelper* new genus and species of Gripopterygidae (Plecoptera) from the Falkland Islands. – Aquatic Insects 23: 153-160.
- MCLELLAN, I.D. (2001): Plecoptera in invertebrate survey of a modified native shrubland, Brookdale Covenant, Rock and Pillar Range, Ontario, New Zealand by José G. B. Derraik et al. - New Zealand J. of Zool. 28: 273-290.
- MEBANE, C.A. (2001): Testing bioassessment metrics: Macroinvertebrate, sculpin, and salmonid responses to stream habitat, sediment, and metals. - Environ. Monitoring, Assessment 67: 293-322.
- MELO, A.S.; FROEHLICH, C.G. (2001): Macroinvertebrates in neotropical streams: richness patterns along a catchment and essemblage structure between 2 seasons. – J. N. Am. Benthol. Soc. 20: 1-16.
- MELO, A.S.; FROEHLICH, C.G. (2001): Evaluation of methods for estimating macroinvertebrate species richness using individual stones in tropical streams. – Freshwat. Biol. 46: 711-72.
- MILNER, A.M.; BRITTAINE, J.E.; CASTELLAS, E.; PETTS, G.E. (2001): Trends of macroinvertebrate community structure in glacier-fed rivers in relation to environmental conditions; a synthesis. – Freshwat. Biol. 46: 1833-1847.

- MILNER, A.M.; TAYLOR, R.C.; WINTERBOURN, M.J. (2001): Longitudinal distribution of macroinvertebrates in two glacier-fed New Zealand rivers. – Freshwat. Biol. 46: 1765-1775.
- MISERENDINO, M.L. (2000): Distribution and seasonal variation of Plecoptera in a fluvial system of the Patagonia mountain chain. [Spanish]. – Revista de la Sociedad Entomologica Argentina 59(1-4): 149-160.
- MISERENDINO, M.L. (2001): Macroinvertebrate assemblages in Andean Patagonian rivers and streams: Environmental relationships.. – Hydrobiologia 444: 147-158.
- MORRIS, S.J. (1998): An insect survey in the Landsborough Valley-West Coast. – Records of the Canterbury Museum 12(2): 44-48.
- NELSON, C.H. (2001): The *Yugus bulbosus* complex, with a comment on the phylogenetic position of *Yugus* within the eastern Perlodini (Plecoptera: Perlodidae: Perlodinae).– Proceedings of the Entomological Society of Washington 103(3): 601-619.
- NELSON, C.R.; GIULIANI, D. (2001): Geographical and seasonal occurrence of winter stoneflies (Plecoptera: Capniidae) of the southern Sierra Nevada, California, USA. Pages 199-208. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- NIESLER, A. (2000): Estimation of the water quality in Slepotka stream on the ground of seston and bentos investigations. [Polish] [Ocena jakosci wody potoku Slepotka na podstawie badan sestonu oraz bentosu]. – Acta Biologica Silesiana (2001): 34(51): 97-118.
- O'HARE, M.T.; ERVINE, D.A.; MURPHY, K.J. (2001): Benthic invertebrate flow preferences in an upland Scottish stream. – Verh. Internat. Verein. Limnol. 27: 2448-2452.
- OLSEN, D.A.; TOWNSEND, C.R.; MATTHAEI, C.D. (2001): Influence of reach geomorphology on hyporheic communities in a gravel-bed stream.. – New Zealand Journal of Marine & Freshwater Research 35(1): 181-190.
- PAMPERIN, N.J.; PAULSON, G.S. (2001): Stonefly naiads (Plecoptera: Perlidae) encrusted by diatoms. – Ent. News 112: 323-325.
- PATRICK, B.H.; CUTHBERT, R. (1999): Lepidoptera and other insects of the Seaward Kaikoura Range. – Records of the Canterbury Museum 13: 123-127.
- PECKARSKY, B.L.; TAYLOR, B.W.; McINTOSH, A.R.; McPEEK, M.A.
- LYTLE, D.A. (2001): Variation in mayfly size at metamorphosis as a developmental response to risk of predation – Ecology 82(3): 740-757.
- PETERSON, D.P.; FOOTE, C.J. (2000): Disturbance of small-stream habitat by spawning sockeye salmon in Alaska.. – Transactions of the American Fisheries Society 129(4): 924-934.
- PETERSON, J.L.; JEPSON, P.C.; JENKINS, J.J. (2001): Effect of Varying Pesticide Exposure Duration and Concentration on the Toxicity of Carbaryl to Two Field-Collected Stream Invertebrates, *Calineuria californica* (Plecoptera: Perlidae) and *Cinygma* sp. (Ephemeroptera:

- Heptageniidae). – Environmental Toxicology Chemistry 20: 2215-2223.
- PODGORNÍK, S.; TOMAN, M.J.; MAVRI, U. (2000): Seasonal and longitudinal changes in the macroinvertebrate community of a small subalpine stream in Slovenia. – Verh. Internat. Verein. Limnol. 27: 727-730
- PRASAD, L.; ANSARI, I.A.; CHANDRA-S. (2001): A new predator of *Plecoptera reflexa* Guen. - Uttar Pradesh J. Zool. 21: 95-96.
- RAVIZZA, C. (2001): Atlas of the Italian Leuctridae. – Unpublished private printing, distributed June 2001 and at the Plec. Symp. Perugia!
- REUSCH, H.; WEINZIERL, A. (2001): Verzeichnis der Steinfliegen (Plecoptera) Deutschlands. – Entomofauna Germanica 5: 45-52
- REYNOLDSON, T.B.; ROSENBERG, D.M.; RESH, V.H. (2001): Comparison of models predicting biomonitoring in the Fraser River Catchment, British Columbia. - Can. J. Fish. Aquat. Sci. 58: 1395-1410.
- RIBEIRO-FERREIRA, A.C. †; FROEHLICH, C.G. (2001): *Anacroneuria Klapálek 1909* from Amazonas State, North Brazil (Plecoptera, Perlidae, Acroneuriinae). – Aquatic Insects 23: 187-192
- RICE, S.P.; GREENWOOD, M.T.; JOYCE, C.B. (2001): Tributaries, sediment sources, and the longitudinal organisation of macroinvertebrate fauna along river systems. – Can. J. Fish. Aquat. Sci. 58: 824-840.
- ROBERT, M.; CLOUTIER, L. (2001): Summer food habits of Harlequin Ducks in eastern North America. – Wilson Bulletin 113(1): 78-84.
- ROBINSON, C.T.; UEHLINGER, U.; HIEBER, M. (2001): Spatio-temporal variation in macroinvertebrate assemblages of glacial streams in the Swiss Alps. – Freshwat. Biol. 46: 1663-1672.
- ROOS, P.; MARTEL, M. (2001): Das Makrozoobenthos der Alb im Stadtgebiet von Karlsruhe [The invertebrate fauna of the River Alb in Karlsruhe]. – Lauterbornia 41: 89-103. In German, English abstract.
- ROŚCISZEWSKA, E. (2001): Structure of the ovaries in larvae and mature females of euholognathan stoneflies (Plecoptera). – Acta Zoologica (Stockholm) 82: 307-314.
- ROYER, T.V.; ROBINSON, C.T.; MINSHALL, G.W. (2001): Development of macroinvertebrate-based index for bioassessment of Idaho rivers. – Environmental Management 27(4): 627-636.
- RUESINK, J.L.; SRIVASTAVA, D.S. (2001): Numerical and per capita responses to species loss: Mechanisms maintaining ecosystem function in a community of stream insect detritivores. – Oikos 93(2): 221-234.
- SALAS, M.: DUDGEON, D. (2001): Stable-isotope determination of mayfly (Insecta: Ephemeroptera) food sources in three tropical Asian streams. - Arch. Hydrobiol. 151: 17-32.
- SALTVEIT, S.J.; HAUG, I.; BRITTAINE, J.E. (2001): Invertebrate drift in a glacial river and its non-glacial tributary. – Freshwat. Biol. 46: 1777-1789.

- SAND, K.; BRITTAINE, J.E. (2001): Egg development in *Dinocras cephalotes* (Plecoptera: Perlidae) at its altitudinal limit in Norway. Pages 209-216. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- SANDBERG, J.B.; STEWART, K.W. (2001): Drumming behavior and life history notes of a high-altitude Colorado population of the stonefly *Isoperla petersoni* Needham & Christenson (Plecoptera: Perlodidae). - Western N. Amer. Natur. 61: 445-451.
- SCHEIBOVA, D.; HELESIC, J. (1999): Hydrobiological assessment of stream acidification in the Czech-Moravian highland, Czech Republic. - Scripta Fac. Sci. Nat. Univ. Masaryk. Brunensis 25: 13-32.
- SCHÜTZ, C.; WALLINGER, M.; BURGER, R.; FÜREDER, L. (2001): Effects of snow cover on the benthic fauna in a glacier-fed stream. - Freshwat. Biol. 46: 1691-1704.
- SCUDDER, G.G.E. (1994): An annotated systematic list of the potentially rare and endangered freshwater and terrestrial invertebrates in British Columbia. - Entomol. Soc. Brit. Columbia, Occasional Paper 2: 1-92.
- SHIMIZU, T.; SIVEC, I. (2001): *Sphaeronemoura*, a new genus of the Amphinemurinae (Nemouridae, Plecoptera) from Asia. Pages 393-399. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- SIMON, K.S.; BENFIELD, E.F. (2001): Leaf and wood breakdown in cave streams. - J. N. Am. Benthol. Soc. 20: 550-563.
- SINICHENKOVA, N.D. (1997): Formation of the modern morphoecological types of aquatic insect nymphs (on the example of stoneflies) in the Triassic times. - IN: Problems of origin, systematics, and ecology of caddisflies of Russia and adjacent territories. Proc. of V all-Russian Trichopterological Symp. Voronezh, Kvadrat: 42-45.
- SIVEC, I.; YANG P.-S. (2001): Stoneflies of Taiwan within the oriental stonefly fauna diversity. Pages 401-404. -In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- SKRIVER, J.; FRIBERG, N.; KIRKEGAARD, J. (2001): Biological assessment of running waters in Denmark: introduction of the Danish Stream Fauna Index (DSFI). - Verh. Internat. Verein. Limnol. 27: 1822-1830.
- SNOOK, D.L.; MILNER, A.M. (2001): The influence of glacial runoff on stream macroinvertebrate communities in the Taillon catchment, French Pyrénées. - Freshwat. Biol. 46: 1609-1623.
- STARK, B.P.; SIVEC, I. (2000): Redescription of *Microperla geei* Chu (Plecoptera: Peltoperlidae). - Acta Entomologica Slovenica 8: 101-106.
- STARK, B.P.; SIVEC, I. (2001): Systematic notes on Plecoptera: *Anacroneuria proxima* Klapálek (Plecoptera: Perlidae). - Acta Entomologica Slovenica 9: 35-37.

- STARK, B.P.; KYZAR, J.W. (2001): Systematics of nearctic *Paraleuctra* with description of a new genus (Plecoptera: Leuctridae). – Tijdschr. Entomol. 144: 119-135.
- STARK, B.P. (2001): A synopsis of Neotropical Perlidae (Plecoptera). Pages 405-422. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- STARK, B.P. (2001): Records and descriptions of *Anacroneuria* from Ecuador (Plecoptera: Perlidae). – Scopulia 46: 1-42.
- STARK, B.P. (2001): A Synopsis of Neotropical Perlidae (Plecoptera). – Trends in Research in Ephemeroptera and Plecoptera, E. Domínguez (ed.), Kluwer Academic/Plenum Publ., N.Y. 2000 : 405-422.
- STARK, B.P.; ALFORD, M.H.; TUCKER, S.G. (2000): *Allocapnia polemistis* (Plecoptera: Capniidae), new for Mississippi. – Entomological News 111: 283-286.
- STARK, B.P.; BAUMANN, R.W. (2001): *Sasquaperla hoopae*, a new stonefly genus and species from Northern California (Plecoptera: Chloroperlidae). – Western North American Naturalist 61(4): 473-479.
- STERNBERG-HOLFELD, A. (2001): Die Ephemeroptera-, Plecoptera- und Trichoptera-Emergenz zweier naturnaher Waldquellen in der Kuppenrhön (Hessen) /The emergence of Empheperoptera-, Plecoptera and Trichoptera of two woodland springs in the Kuppenrhön (Hesse, Germany). – Lauterbornia 41: 1-22. In German, English abstract.
- STEWART, K.D.; NELSON, C.H.; DUFFIELD, R.M. (2001): Occurrence of stoneflies (Plecoptera) in diet of red-spotted newt, *Notophthalmus viridescens*. – Ent. News 112: 225-229.
- STEWART, K.W. (2001) : Vibrational communication (drumming) and mate-searching behavior of stoneflies (Plecoptera); evolutionary considerations. Pages 217-225. - In: DOMINGUEZ, E. (ed). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic /Plenum Pub., New York 478 pp.
- SUHLING, F. (2001): Intraguild predation, activity patterns, growth and longitudinal distribution in running water odonate larvae. - Arch. Hydrobiol. 151: 1-15.
- TADA, M. (1999): Effects of insecticide, fenobucarb on the benthic macroinvertebrates in model streams. – Acta Hydrobiol. Sinica 23 (Supplement): 122-131.
- TAYLOR, B.W.; MCINTOSH, A.R.; PECKARSKY, B.L. (2001): Sampling stream invertebrates using electroshocking techniques: Implications for basic and applied research. – Canadian Journal of Fisheries & Aquatic Sciences 58(3): 437-445.
- TESLENKO, V.A.; MINAKAWA, N. (2001): New data on the stonefly fauna (Plecoptera) of the Northern Kuril Islands. – Russian Entomological Journal 10: 129-132.
- TIERNO DE FIGUEROA, J.M.; FOCHETTI, R. (2001): Description of *Protoneura aroania* sp.n. and of the male of *Leuctra moreae* Zwick,

- 1978, with a contribution to the knowledge of the stonefly fauna (Insecta, Plecoptera) of Greece. – *Aquatic Insects* 23: 209-217.
- TIERNO DE FIGUEROA, J.M.; FOCHETTI, R. (2001): On the adult feeding of several European Stoneflies (Plecoptera). – *Ent. News* 112(2): 130-134.
- TIERNO DE FIGUEROA, J.M.; FOCHETTI, R. (2001): *Isoperla zwicki* sp. n. (Plecoptera, Perlodidae), a new Italian stonefly species. – *Rev. Suisse de Zool.* 108(3): 483-486.
- TIERNO DE FIGUEROA, J.M.; LUZON-ORTEGA, J.M. (2001): *Isoperla nevada* AUBERT, 1952 (Plecoptera, Perlodidae) en Pirineos (Huesca, Espana). – *Bol. S.E.A.*, 28: 127.
- TOWNSEND, G.D.; PRITCHARD, G. (2001): A comparison of methods for analysis of a long aquatic insect life history: *Pteronarcys californica* (Plecoptera) in the Crowsnest River, Alberta . Pages 251-258. - In: DOMINGUEZ, E. (ed.), Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- TSYRLIN, E. (2001): A key to Victorian Nymphs of *Leptoperla* (Plecoptera: Gripopterygidae). – Identification Guide No. 38, Cooperative Research Centre for Freshwater Ecology, Albury, III+14+28 plus several unnumbered pages [Note: there are indeed two sets of arabic page numbers, each beginning with 1; they are separated by the 3 plates with Roman numbers!].
- UBERO-PASCAL, N.A.; SOLER, A.; PUIG, M.A. (2001): Contribution to the egg morphology of the Spanish stoneflies (Plecoptera). An overview in the Segura River Basin (S.E. of Spain). Pages 467-475. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- ULRICH, K.E.; BURTON, T.M.; UZARSKI, D.G. (2000): The effects of whole-tree harvest on benthic insects in small New Hampshire streams. – *Verh. Internat. Verein. Limnol.* 27: 1079-1089.
- USIO, N.; TOWNSEND, C.R. (2001): The significance of the crayfish *Paranephrops zealandicus* as shredders in a New Zealand headwater stream.. – *Journal of Crustacean Biology* 21(2): 354-359.
- VALDOVINOS, C. (2001): Riparian leaf litter processing by benthic macroinvertebrates in a woodland stream of central Chile. – *Revista Chilena de Historia Natural* 74(2): 445-453.
- VAN WIEREN, B.J.; KONDRAEFF, B.C.; STARK, B.P. (2001): A review of the North American species of *Megarcys* Klápková (Plecoptera: Perlodidae). – *Proc. Entomol. Soc. Wash.* 103: 409-427.
- VAUGHN, C.C.; HAKENKAMP, C.C. (2001): The functional role of burrowing bivalves in freshwater ecosystems. – *Freshwat. Biol.* 46: 1431-1446.
- VINCON, G.; RAVIZZA, R. (2001): Leuctridae (Plecoptera) of the Pyrenees. – *Annls Limnol.* 37: 293-322.
- WHEELER, W.C.; WHITING, M.; WHEELER, Q.D.; CARPENTER, J.M.: (2001): The phylogeny of the extant hexapod orders. – *Cladistics* 17(2): 113-169.

- WINTERBOURN, M.J.; GREGSON, K.L.D.; DOLPHIN, C.H (2000): Guide to the Aquatic Insects of New Zealand, Third Edition. – Bulletin of the Entomological Society of New Zealand. 13: 1-102.
- WINTERBOURN, M.J.; CROWE, A.L.M. (2001): Flight activity of insects along a mountain stream: is directional flight adaptive? – Freshwat. Biol. 46: 1479-1489.
- WRIGHT, A.B.; SMOCK, L.A. (2001): Macroinvertebrate community structure and production in a low-gradient stream in an undisturbed watershed. – Arch. Hydrobiol. 152: 297-313.
- ZHILTZOVA, L.A. (2001): Plecoptera fauna of Capniidae of Russia and adjacent territories (within the limits of the former USSR) Pages 423-429. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- ZHILTZOVA, L.A.; TESLENKO, V.A. (2001): *Zapada* Ricker, 1952 - a genus of Nemourinae (Plecoptera: Nemouridae) new for Asia. – Russian Entomol. J. 10: 125-128.
- ZUÑIGA, M. del C.; STARK, B.P.; ROJAS, A.M.; BAENA, M.L. (2001): Distribution of *Anacroneuria* species (Plecoptera; Perlidae) in Columbia. Pages 301-304. - In: DOMINGUEZ, E. (ed.). Trends in research in Ephemeroptera and Plecoptera. - Kluwer Academic/Plenum Pub., New York, 478 pp.
- ZWEIG, L.D.; RABENI, C.F. (2001): Biomonitoring for deposited sediment using benthic invertebrates: a test on 4 Missouri streams. – J. N. Am. Benthol. Soc. 20: 643-657.
- ZWICK, P.; TESLENKO, V. (2001): A New Synonymy in the Genus *Pteronarcys* (Plecoptera: Pteronarcyidae). – Aquatic Insects 23: 163-166.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Perla](#)

Jahr/Year: 2002

Band/Volume: [20](#)

Autor(en)/Author(s): Redaktion

Artikel/Article: [Recent Plecoptera Literature 60-74](#)