

Publikationsverzeichnis Katrin Teubner (Stand 2014)

- Dokulil, M. & K. Teubner 2014. Das Phytoplankton. In: Süßwasserwelten. Limnologische Forschung in Österreich (Ed. E Wöss), *Denisia*, 33; *Kataloge des Oberösterreichischen Landesmuseums - Neue Serie*; 163: 285-302. ISBN: 978-3-85474-302-6
- Dokulil, M. & K. Teubner 2012. Deep living *Planktothrix rubescens* modulated by environmental constraints and climate forcing. *Hydrobiologia*, 698:29–46. doi:10.1007/s10750-012-1020-5
- Teubner, K. 2012. Klar mit EM ... - Zahlenkosmos. *Multikosmos*, Heft Juli: 22-23. Inhalt: Über den Einsatz der sogenannten "effektiven Mikroorganismen" (EM) in einem künstlichen Schwimmteichsystem mit mehreren Schwimmteichbecken und Kaskaden von Retentionsbecken.
- Teubner, K. 2012. Climate change affecting hypolimnetic water temperatures in deep alpine lakes. *Verh Internat Verein Limnol*, 29: 1285–88.
- Dokulil, M., Teubner, K., Jagsch, A., Nickus, U., Adrian, R., Straile, D., Jankowski, T., Herzig, A. & J. Padisák 2010. The impact of climate change on lakes in Central Europe. In: The Impact of Climate Change on European Lakes (Ed. DG George), *Aquatic Ecology Series* (Ed. J. Huisman), Springer Publisher, 387-410. doi: 10.1007/978-90-481-2945-4_20
- Nõges, P., Anneville, O., Arvola, L., Blenckner, T., George, D.G., Jankowski, T., Järvinen, M., Maberly, S.C., Padisák, J., Straile, D., Teubner, K. & G. Weyhenmeyer. 2010. The impact of variations in the climate on seasonal dynamics of phytoplankton. In: The Impact of Climate Change on European Lakes (Ed. DG George), *Aquatic Ecology Series* (Ed. J. Huisman), Springer Publisher, 253-276. doi:10.1007/978-90-481-2945-4_14
- Dokulil, M., K. Teubner & K. Donabaum. 2010. Fließende und stehende Abkömmlinge des Donaustroms: Die Alte Donau. In: *Vom Agnesbründl zum Donaustrom: Wasser in der Stadt; Ökosystem Stadt - Die Naturgeschichte Wiens*. (Hg. F Ehrendorfer & R Berger), 2. Band, Böhlau Verlag.
- Barta, V., Janauer, G.A. & K. Teubner. 2010. Spatial patchiness and similarity of macrophyte assemblages along a cut-off channel of the River Danube in Linz (Austria). In: *Proceedings 38th International Conference of IAD, Dresden 2010, Germany*.: 5 pages.
- Greisberger, S., Dokulil, M. & K. Teubner. 2008. A comparison of phytoplankton size-fractions in Mondsee, an alpine lake in Austria: distribution, pigment composition and primary production rates. *Aquatic Ecology*, 42, 379-89. doi:10.1007/s10452-007-9095-1
- Greisberger, S. & K. Teubner. 2007. Does pigment composition reflect phytoplankton community structure in differing temperature and light conditions in a deep alpine lake? An approach using HPLC and delayed fluorescence (DF) techniques. *J Phycol*, 43, 1108-19. doi:10.1111/j.1529-8817.2007.00404.x
- Blenckner, T., Adrian, R., Livingstone, D.M., Jennings, E., G. A. Weyhenmeyer, Aonghusa, C. N., George, D. G., Jankowski, T., Järvinen, M., Nõges, T., Straile, D. & K. Teubner. 2007. Large-scale climatic signatures in lakes across Europe: a meta-analysis. *Global Change Biology*, 13: 1314-26.

Dokulil, M., K. Donabaum Teubner, K. 2007. Modifications in phytoplankton size structure by environmental constraints induced by regime shifts in an urban lake. *Hydrobiologia*, 578: 59-63. doi:10.1007/s10750-006-0433-4

Kaiblinger, K., Greisberger, S., Teubner, K. & M. Dokulil. 2007. Photosynthetic efficiency as a function of thermal stratification and phytoplankton size structure in an oligotrophic alpine lake. *Hydrobiologia*, 578: 29-36. doi:10.1007/s10750-006-0430-7

Dokulil, M. T., Jagsch, A., George, G. D., Anneville, O., Jankowski, T., Wahl, B., Lenhart, B., Blenckner T. & K. Teubner. 2006. Twenty years of spatially coherent deep-water warming in lakes across Europe related to North-Atlantic Oscillation. *Limnol Oceanogr*, 51 (6): 2787-93. doi:10.4319/lo.2006.51.6.2787

Dokulil, M. T., Teubner, K. & A. Jagsch. 2006. Climate change affecting hypolimnetic water temperatures in deep alpine lakes. *Verh Internat Verein Limnol*, 29: 1285-88.

Sonntag, B., Posch, T., Klammer, S., Teubner, K. & R. Psenner. 2006. Ciliates and flagellates in an oligotrophic deep alpine lake: contrasting variability with seasons and depths. *Aquat Microb Ecol*, 43: 193-07. doi:10.3354/ame043193

Teubner, K., Tolotti, M., Greisberger, S., Morscheid, H., Dokulil, M.T. & V. Kucklentz. 2006. Steady state of phytoplankton and implications for climatic changes in a deep pre-alpine lake: epilimnetic versus metalimnetic assemblages. *Verh int Limnol* 29: 1688-1692.

Teubner, K.. 2006. Ergebnisse des Forschungsvorhabens „Bedingungen für das Auftreten toxinbildender Cyanobakterien (Blaualgen) in bayerischen Seen und anderen stehenden Gewässern. In: Toxinbildende Cyanobakterien (Blaualgen) in bayerischen Gewässern: Massenentwicklungen, Gefährdungspotential, wasserwirtschaftlicher Bezug. ed Ha Morscheid. *Bayerisches Landesamt für Wasserwirtschaft* Materialienband Nr. 125: p.49-74, München. ISBN: 13: 978-3-940009-08-1

Strausz, V., Janauer, G.A. & K. Teubner. 2006. Predicted changes in macrophyte species composition induced by flooding in a Danube floodplain restoration area in Linz (Upper Austria). In: *Proceedings 36th International Conference of IAD. Austrian Committee Danube Research / IAD*, Vienna: 428-433. ISBN 13: 978-3-9500723-2-7.

Dokulil, M.T. & K. Teubner. 2005. Do phytoplankton assemblages correctly track trophic changes? – An assessment using directly measured and palaeolimnological data. *Freshwater Biol*, 50 (10), 1594–1604. doi:10.1111/j.1365-2427.2005.01431.x

Dokulil, M. & K. Teubner. 2005. Bewertung der Phytoplanktonstruktur stehender Gewässer gemäß der EU-Wasserrahmenrichtlinie: Der modifizierte Brettum Index. *Deutsche Gesellschaft für Limnologie (DGL)*, Tagungsband Karlsruhe, 5 pages.

Teubner, K. 2004. More or less? Smaller or bigger? How relevant are relative changes in aquatic ecosystems? *Habilitation thesis on Ecological Stoichiometry*, Fac. of Sciences and Mathematics, Institute of Ecology and Conservation Biology University Vienna: 188 pp.

Teubner, K., Morscheid, Ha., Tolotti, M., Morscheid, Hei. & V. Kucklentz. 2004. Bedingungen für das Auftreten toxinbildender Blaualgen in bayerischen Seen und anderen stehenden Gewässern.. *Bayerisches Landesamt für Wasserwirtschaft Materialien* Nr. 113: 1 – 105, München. bvbm1.bib-bvb.de/publish/viewer/13/178530.html

Donabaum, K., Pall, K., K. Teubner & M. T. Dokulil. 2004. Alternative stable states, resilience and hysteresis during recovery from eutrophication – A case study. *SIL NEWS* 43: 1-4.

Teubner, K., N. Crosbie, K. Donabaum, W. Kabas, A. Kirschner, G. Pfister, M. Salbrechter & M. T. Dokulil. 2003. Enhanced phosphorus accumulation efficiency by the pelagic community at reduced phosphorus supply: a lake experiment from bacteria to metazoan zooplankton. *Limnol Oceanogr* 48 (3): 1141-1149.

Teubner, K. 2003. Phytoplankton, pelagic community and nutrients in a deep oligotrophic alpine lake: Ratios as sensitive indicators of the use of P-resources (DRP:DOP:PP and TN:TP:SRSi). *Water Res*, 37 (7): 1583-92. DOI: 10.1016/S0043-1354(02)00535-3.

Teubner, K., Tolotti, M., Greisberger, S., Morscheid, H., Dokulil, M.T. & H. Morscheid. 2003. Steady state phytoplankton in a deep pre-alpine lake: Species and pigments of epilimnetic versus metalimnetic assemblages. *Hydrobiologia* 502: 49-64.

Dokulil, M.T. & K. Teubner. 2003. Steady state phytoplankton assemblages during thermal stratification in deep alpine lakes. Do they occur? *Hydrobiologia*, 502: 65-72.

Crosbie, N.D., Teubner, K.& T. Weisse. 2003. Flow-cytometric mapping provides novel insights into the seasonal and vertical distributions of freshwater autotrophic picoplankton. *Aquat Microb Ecol* 33: 53-66.

Chen, Y., Qin Boqiang, Teubner, K. & M. T. Dokulil. 2003. Long-term dynamics of phytoplankton assemblages: *Microcystis*-domination in Lake Taihu, a large shallow lake in China. *J Plankton Res*, 25 (1), 445-53.

Chen, Y, Chengxin Fan, Teubner, K. & M. T. Dokulil. 2003. Changes of nutrients and phytoplankton chlorophyll-a in a large shallow lake, Taihu, China: an 8-year investigation. *Hydrobiologia*, 506: 273-79.

Dokulil, M. & K. Teubner. 2003. Eutrophication and restoration of shallow lakes – the concept of stable equilibria revisited. *Hydrobiologia* 506: 29-35.

Teubner, K.& M. T. Dokulil. 2002. Ecological stoichiometry of TN:TP:SRSi in freshwaters: nutrient ratios and seasonal shifts in phytoplankton assemblages. *Arch Hydrobiol*, 154 (84): 625-46.

Teubner, K.&M. Dokulil. 2002. ^{14}C -Photosynthesis of phytoplankton in an oligotrophic alpine lake (Traunsee, Austria) and its response to turbidity caused by industrial tailings. *Water Air Soil Poll, Focus* 2: 181-190.

Dokulil, M.T. & K. Teubner. 2002. Assessment of ecological integrity from environmental variables in an impacted oligotrophic alpine lake: Whole lake approach using 3D-spatial heterogeneity. *Water Air Soil Poll, Focus* , 2: 165-80.

Dokulil, M.T. & K. Teubner. 2002. The spatial coherence of alpine lakes. *Verh int Limnol* 28, 1-4.

- Teubner, K. 2001. Algengemeinschaften in Seen. 83-112. In: Ökologie und Schutz von Seen. *UTB Facultas*, Wien.
- Teubner, K., Sarobe, A., Vadrucci, M.R. & M. Dokulil. 2001. ^{14}C photosynthesis and pigment pattern of phytoplankton as size related adaptation strategies in alpine lakes. *Aquat Sci* 63: 310-25. DOI: 10.1007/PL00001357.
- Dokulil, M. & K. Teubner. 2000. Cyanobacterial dominance in lakes. *Hydrobiologia* 438: 1-12.
- Dokulil, M., K. Teubner K. Donabaum. 2000. Restoration of a shallow, ground-water fed urban lake using a combination of internal management strategies: a case study. *Arch Hydrobiol, Spec Iss Adv Limnol* 55: 271-282.
- Dokulil, M. & K. Teubner. 2000. Effects of reduced load in the river Danube on nutrients and phytoplankton dynamics in the flood-relief channel New Danube, Vienna Austria. *Arch Hydrobiol, Suppl Large Rivers* 12 (1): 39-59.
- Teubner, K. 2000. Synchronised changes of planktonic cyanobacterial and diatom assemblages in North German waters reduce seasonality to two principal periods. *Arch Hydrobiol, Spec Iss Adv Limnol* 55: 564-80.
- Teubner, K. M. T. Dokulil. 2000. Seasonal dynamic of surface:volume-ratio of phytoplankton assemblages. *Verh int Ver Limnol*, 27, 2977-78.
- Teubner, K., Th. Teubner & M. T. Dokulil. 2000. Use of triangular TN:TP:SRSi-diagrams to evaluate nutrient ratio dynamics structuring phytoplankton assemblages. *Verh int Ver Limnol*, 27, 2948.
- Teubner, K., R. Feyerabend, M. Henning, A. Nicklisch, P. Woitke & J.-G. Kohl. 1999. Alternative blooming of *Aphanizomenon flos-aquae* or *Planktothrix agardhii* induced by the timing of the critical nitrogen-phosphorus-ratio in hypertrophic riverine lakes. *Arch Hydrobiol, Spec Iss Adv Limnol*, 54: 325-344.
- Teubner, K. 1997. Merkmalsvariabilität bei planktischen Diatomeen in Berlin-Brandenburger Gewässern. *Nova Hedwigia*, 65 (1-4): 233-50.
- Teubner, K. 1996. Struktur und Dynamik des Phytoplanktons in Beziehung zur Hydrochemie und Hydropophysik der Gewässer: Eine multivariate statistische Analyse an ausgewählten Gewässern der Region Berlin-Brandenburg. *Ph.D thesis, Dept. Ecophysiology, Humboldt University Berlin*: 232 pp.
- Woitke, P., T. Schiewitz, K. Teubner & J.-G. Kohl 1996. Annual profiles of photosynthetic pigments in four freshwater lakes in relation to phytoplankton counts as well as to nutrient data. *Arch Hydrobiol* 137: 363-84
- Teubner, K. 1995. A light microscopical investigation and multivariate statistical analyses of heterovalvar cells of *Cyclotella*-species (Bacillariophyceae) from lakes of the Berlin-Brandenburg region. *Diatom Res*, 10 (1): 191-105.
- Pabst, K. 1985. Ökologische Untersuchungen als Grundlage für landeskulturelle Maßnahmen im Bereich der Michelner Teiche (Kreis Köthen). *Diploma thesis on Vegetation Survey of reed belts of ponds*, Dept. Biology

and Chemistry, Teacher training college (Pädagogische Hochschule ‘W. Ratke’), Köthen/Sachsen-Anhalt, Germany: 60 pp.