

**In memoriam Dr. F.M.H. Willemse, 1927–2009**

Fer Willemse was born in Eygelshoven (The Netherlands) on the 15<sup>th</sup> of December 1927. In 1953, he received a PhD on lung diseases, a study inspired by the mining village in which he grew up. He married Marie-Thérèse Dresen in 1955 and together they had three children, Dominique, Lucas, and Emanuel.

In 1956, he took over part of the general practitioner's clinic at Eygelshoven, which belonged to his father and brother. Fer and his wife joyfully worked together for 35 years. As doctor he did not consider diseases as being only physical. By carefully inquiring and listening, he also considered the patients' minds and circumstances.

Fer also took over his father's broad interest in living nature, the collecting and studying of insects. In this large group, he focused on grasshoppers. In one of his last papers he acknowledged his father as follows:

*"First and foremost I wish to express my gratitude to my father, the late C.J.M. Willemse (1888-1962). Under his guidance my interest, curiosity and respect for nature was initiated and he has been an example for me in my interest in biodiversity in general and the study of Orthoptera in particular all through my life."* (Articulata Beiheft 13, 2008)



Starting in the 1960s and encouraged by his wife, his passion for insects led to many adventurous family trips. These summer holidays extended to 2004 and were used to collect in Greece and the former Yugoslavia. The planning and preparation of such trips were taken very seriously and started months before the actual departure. Based on knowledge of the Orthoptera fauna (or rather the lack thereof), the availability of maps, the local infrastructure etc., an itinerary was carefully planned. Due to the very nature of the trips, family visits to beaches were rare, unless to collect Orthoptera in the sand dunes. Instead, excursions often brought the family to the very heart of inland Greece, to the smallest of villages very far away from tourist attractions. In fact in the early years, the family itself became an attraction for the local villagers who, it seemed, had never been visited by tourists. Typically, the local café was visited first. Before long, villagers who could speak German, French or English would be called upon. Often, the subject of conversation would quickly turn to the reasons of the visit. After explaining that the aim was to collect grasshoppers, our family was considered strange yet innocent tourists. Greek hospitality was bestowed, and our family was given a place to spend the night. The following morning, one or two villagers

would accompany the family into the mountains, sometimes on horseback. The family still treasures many dear memories of these holidays.

At the end of a collection day, the catch of the day had to be prepared and labelled. This meant that specimens belonging to the Ensifera had to be dissected, their stomach and intestines removed. Subsequently, the body shape was restored with cotton wool. As catches more often than not numbered in the hundreds rather than the tens, the whole family participated. Upon return to The Netherlands, the specimens were mounted and labelled, boxes constructed, and specimens identified. All in all this would normally take about 3 months. This is quite a short period, considering the amount of specimens brought back (2.500–6.000 per trip), the fact that labels were still printed by hand, and that the wooden boxes were made by Fer himself (every year 30-50 boxes). As with the collecting, Fer was assisted in many ways by family members.

Even in the relatively short span of Fer's life, fieldwork changed with the introduction of various kinds of equipment like the bat detector (useful for locating species producing a very soft or high-pitched calling song), a GPS device (rendering coordinates), and of course sound recording equipment. At first, he was somewhat sceptical about bioacoustics as a means to be used in taxon recognition. As described by himself in the acknowledgements of his last paper on *Chorthippus*, his views later changed:

*"When I first met Otto von Helversen in 1986, he assured me that based on song recording there was no doubt in his mind that C. vagans did occur in Greece whereas based on the morphology alone it was not at all that obvious to me. As a boy I found Chorthippus apricarius new to the Dutch fauna, based on its song quite distinct from its morphologically syntopic look-alikes (C. Willemse 1940). It was obvious that song characteristics, particularly among this group of grasshoppers, constitute an easy and reliable means to establish the identity of certain individuals or populations."* (Zool. Meded. 83)

The first sound recordings were made was in 1986, and the last in 2004. Fer recorded the songs of some 130 species, all of which have been handed over to Baudewijn Odé.

## Collection

The collection and library of his father C. Willemse were bequeathed, upon his death in 1962, to the Natural History Museum in Maastricht. This museum focuses on regional fauna, flora, and paleontology. It may seem odd to donate a collection focused on South East Asian Orthoptera to a regional museum rather than a larger national museum in Amsterdam or Leiden. However, C. Willemse had very strong ties with the Museum in Maastricht and the "Natuurhistorisch Genootschap in Limburg", which he chaired for 8 years. Before his father's collection was moved to Maastricht, Fer Willemse made a small reference collection of the European material, collected by himself, and some South East Asian taxa, which were still unidentified or pending further studies.

The reference collection rapidly expanded to a significant collection that also included type material. A separate paper will discuss the type material. The collection was expanded in four ways.

- Firstly expansion occurred through material collected by himself, his family, and friends. Starting from the early sixties until 2004, Fer undertook collecting trips to Spain (once) Yugoslavia (5 times) and Greece (more than 20 times). He was always accompanied by (part of) his family and often also by friends. Each of these trips added a couple thousand to up to six thousand specimens, thus contributing a large part to the total number of specimens in the collection. Generally, whenever they went abroad, family and friends were always on the lookout for a few jumpers to take back. In this way, material from all over the world (predominantly Europe) ended up in his collection. Mostly only a few specimens were brought back. Occasionally a significant contribution was made, including new species, for instance in 1982/1983 and 1987/1990 with material from Zambia (Willemse, L., 1994).
- Secondly, the collection was enriched through exchange of material collected by colleagues all over the world, such as Japan, Turkey, Australia, and the former Soviet Union.
- A third way to increase the number of species was to obtain permission to keep some of the material that was sent for identification. Fer was regularly asked to identify Orthoptera based on his knowledge of the Balkan, in particular Greece. In addition, he had extensive knowledge on South-East Asian taxa (Sexavae, Stenocatantops, Cranae, Bumacris), having continued his father's work. Usually he would ask for, and be allowed to keep some duplicates.
- The last source of new acquisitions was by persons living abroad, who would send material in return for a small financial compensation. In this way for instance material from Argentina, India and Ghana has been added to the collection.

At the end of his life Fer Willemse had accumulated a unique collection consisting of some 2000 species. Apart from a few boxes containing material collected in 2008/2009, all material has been identified to the species level.

Years before he was diagnosed with lung cancer, discussions concerning the future of the collection commenced. Fer's main concern was that the collection would remain accessible as a source for further research. Although final arrangements at this time still have to be made, the general consensus was that the ideal solution would be to combine the collections of both Fer and his father and bring them to the National Museum of Natural History, Naturalis (since January 2010 officially known as NCB Naturalis) in Leiden. If anything, his family will honour his memory by ensuring this happens.

## Library

Because his father's original literature reference cards moved with the bequeathed library to the Museum in Maastricht, Fer made an alphabetically sorted list of all the titles present. Typing this 300-page list took many months. This period is engraved in his childrens' memory as the nights they heard their father typing away. The result of his effort was a bibliography of the taxonomic literature

of Orthoptera-Saltatoria which, 40 years later, would serve as the basis for the compilation of the book: *Bibliographia Systematica Orthopterorum Saltatoriorum*. Like his father, Fer Willemse tried his best to acquire all publications relating to systematics of Orthoptera-Saltatoria from the entire world. Whereas his father also acquired literature of related groups like Blattodea, Mantodea, and Dermaptera, Fer decided to discontinue this. Not only did he not work on any of these groups, but checking their references and obtaining papers was too time consuming.

The library of C. Willemse also included three different card box systems: one for references, a second one for taxa, and a third for geographical areas. Fer Willemse maintained these systems his entire life. Due to the ever-increasing number of publications, he was forced to progressively restrict the system to taxa, areas, and topics of his interest. The card box systems enabled Fer to retrieve, without major effort, taxonomic literature about any given taxon, from any given author or from any given area in the world.

The libraries of Fer and his father contain a very substantial part of all systematic literature on Orthoptera-Saltatoria (starting from Linnaeus). Therefore Eygelshoven became notorious for those looking for literature or information about literature. His father's library contained 5.100 books and papers as well as a substantial number of journals. By end 2009 Fer Willemse had added another 7.200 titles, bringing the total of both libraries to 12.300 titles.

## Contacts

Contrary to his father C. Willemse, who participated with enthusiasm in a number of international congresses, Fer Willemse was not a public figure. He made two visits abroad. The first one to the BMNH in London in 1967 during the preparation of his paper on *Stenocatantops* and *Xenocatantops*, the second to attend the 5<sup>th</sup> International Meeting of the Orthopterist's Society in 1989 in Valsain (Segovia, Spain). Nonetheless he had a worldwide network of friends. He corresponded extensively with many Orthopterists, and many of them visited him at home in Eygelshoven.

## Research

Fer Willemse was the author or co-author of 78 titles. A list of all the titles carrying his name as author or co-author is given in Table 1. His work centered on Orthoptera-Saltatoria from three geographical areas. Firstly, he wrote or co-authored more than 20 papers on South East Asia. Secondly, he wrote or co-authored more than 40 papers on Greece, including his last big study on *Chorthippus*. Lastly, The Netherlands was the topic of five papers, including his very first one in 1949. In his papers Fer Willemse described over 150 new taxa including 5 new genera, 117 new species, and 30 new subspecies. A complete list of taxa described by Fer Willemse is given in Table 2. Like his father, Fer Willemse was a self-made taxonomist; he had no formal academic training in biology. He carried out his studies on Orthoptera in his spare time. Although he may not have received the proper training, he had the proper scientific mind and the skills required to thoroughly carry out systematic research. He did not have the typical

institute resources available to him. Therefore he made maps, drawings and photographs himself reaching very high standards especially in photography.

Many colleagues appreciated Fer Willemse as a contributor to the taxonomy of Orthoptera and as a person. David Ragge for instance who has known him for 50 years wrote:

*"He was a very pleasant and kind man and I consider myself lucky to have had him as a friend and colleague. His major contribution to the taxonomy of Orthoptera, and especially to our knowledge of the Greek fauna, will remain as a fitting memorial to him."* (Ragge, in litt., 2010)

The appreciation for Fer Willemse is also shown in a number of taxa that have been named after him. Table 3 lists taxa consisting of patronyms for Fer Willemse and, for the sake of completeness, also for his father, Cornelis Willemse. In June 2009, during the 10<sup>th</sup> International Congress of Orthopterology, Fer Willemse was awarded the D.C.F.Rentz award for his lifetime contribution to the study of Orthoptera.


Besides general practitioner and entomologist, Fer Willemse was a talented furniture maker, gardener, and black-and-white portrait photographer. He saw and valued mostly the good side of the people around him. His wide range in interest inspired many, both scientifically as well as personally. He was a warm and modest man who loved life. He played an important role in the personal lives of many and preferred that strongly above a more public role. He passed away on the 26<sup>th</sup> of December 2009, in the same room in which he was born. We will miss him.

Luc Willemse, his son

Joost Willemse, his grandson

E-mail:

[willemse@nhn.leidenuniv.nl](mailto:willemse@nhn.leidenuniv.nl)



**Table 1: Bibliography of F.M.H.Willemse, in chronological order**

1. Willemse, F. (1949). Een voor de nederlandse fauna nieuwe sprinkhaan (Ins., Orthoptera, Acrididae). – Natuurhistorisch Maandblad 38 (9): 85–86.
2. Willemse, F. (1963). A new species of the genus *Bettotania* Will. (Orthoptera, Acridoidea, Acrididae, Catantopinae). – Natuurhistorisch Maandblad 52 (12): 171–173.
3. Willemse, F. (1965). Orthoptera, Acridoidea chiefly from Java in the Zoologisches Staatsinstitut und Zoologisches Museum of Hamburg. – Entomol. Mitt. Zool. Staatsinst. Zool. Mus. Hamburg 3: 53–67.
4. Willemse, F. (1966). *Metrioptera montenegrina* Ramme, 1933, conspecific with *Metrioptera hoermanni* (Werner, 1906), a little known orthopterous species of the Yugoslav fauna (Orthoptera, Tettigoniidea, Decticinae). – Natuurhistorisch Maandblad 55 (11-12): 169–184.
5. Willemse, F. (1966). Lectotype designations in some Orthoptera, described by C. Willemse. – Publ. Natuurh. Genoot. Limburg 16: 17–20.
6. Willemse, F. (1966). Bibliography of C. Willemse. – Publ. Natuurh. Genoot. Limburg 16: 21–30.
7. Willemse, F. (1966). List of new taxa of Orthoptera, described by C. Willemse. – Publ. Natuurh. Genoot. Limburg 16: 31–42.
8. Willemse, F. (1966). List of the types of Orthoptera in the collection of C. Willemse at the Natuurhistorisch Museum of Maastricht. – Publ. Natuurh. Genoot. Limburg 16: 43–73.
9. Willemse, F. (1967). Comments on application by V.M.Dirsh regarding the type species of *Patanga* Uvarov Z.N. (S) 1761. – Bull. Zool. Nomencl. 24: 136–137.
10. Willemse, F. (1967). Additional data on some genera and species of Acrididae (Orthoptera, Acridoidea) from the Indo-Malayan region. – Tijdschrift voor Entomologie 110 (12): 381–397, pls 18–19.
11. Willemse, F. (1968). A new species of *Fijipyrigus*, Kevan, 1966 (Orthoptera, Acridoidea, Pyrgomorphidae). – Publ. Natuurh. Genoot. Limburg 17 [1967]: 15–17.
12. Willemse, F. (1968). A preliminary revision of the genus *Tauchiridea*, I.Bolívar, 1918. – Publ. Natuurh. Genoot. Limburg 17 [1967]: 19–26.
13. Willemse, F. (1968). Een voor de Nederlandse fauna nieuwe sprinkhaan, *Phaneroptera falcata* (Poda) (Orthoptera, Tettigoniidae). – Natuurhistorisch Maandblad. 57 (11): 173–174.
14. Willemse, F. (1968). Revision of the genera *Stenocatantops* and *Xenocatantops* (Orthoptera, Acrididae, Catantopinae). – Monografien van de Nederlandsche Entomologische Vereeniging 4: 1–77, pls 1–6.
15. Willemse, F. (1971). A new species of the *Valanga*-complex from the Gilbert Islands (Orthoptera, Cyrtacanthacridinae). – Publ. Natuurh. Genoot. Limburg 20 (1970): 99–102.
16. Willemse, F. (1971). A new species of *Conocephalus*, subgen. *Xiphidium*, from Greece (Orthoptera, Ensifera, Conocephalinae). – Publ. Natuurh. Genoot. Limburg 20 (3-4) [1970]: 15–17.
17. Willemse, F. (1971). The genus *Oropodisma* Uvarov, 1942, with the description of two new species (Orthoptera, Acrididae, Catantopinae). – Publ. Natuurh. Genoot. Limburg 20 (3-4) [1970]: 19–25.

18. Willemse, F. (1972). [*Tachycines asynamorus* gevonden te Echt] – Natuurhistorisch Maandblad 61: 162.
19. Willemse, F. (1972). Further records of the genus *Oropodisma* Uvarov, 1942 (Orthoptera, Acrididae, Catantopinae). – Publ. Natuurh. Genoot. Limburg 22 (1-4): 27–31.
20. Willemse, F. (1972). A study of *Pseudocranae* I. Bolívar, 1898 and related genera *Salinacris* C. Willemse, 1956, *Sphaerocranae* gen. nov. and *Malua* Ramme, 1941 (Orthoptera, Acrididae, Catantopinae). – Publ. Natuurh. Genoot. Limburg 22 (1-4): 33–80.
21. Willemse, F. (1972). *Peripodisma tymphii*, a new genus and species of the tribe Podismini, from southeast Europe (Orthoptera, Acrididae, Catantopinae). – Publ. Natuurh. Genoot. Limburg 22 (1-4): 81–85.
22. Willemse, F. (1973). A study of the genus *Paracaloptenus* I. Bolívar, 1876 (Orthoptera, Acridoidea, Calliptaminae). – Beaufortia 20: 179–192.
23. Willemse, F. (1973). Records of *Parnassiana* Zeuner, 1941 from Greece (Orthoptera, Ensifera, Decticinae). – Biologia Gallo-Hellenica 5 (1): 43–55.
24. Willemse, F. (1974). *Magaella picta*, a new genus and species from Palawan (Orthoptera, Acridoidea, Catantopinae). – Entomol. Ber. Amsterdam 34: 43–46.
25. Willemse, F. (1974). Further notes on *Pseudocranae* I. Bolívar, 1898, *Sphaerocranae* F. Willemse, 1972, *Salinacris* C. Willemse, 1956 and *Malua* Ramme, 1941 (Orthoptera, Acridoidea, Catantopinae). – Publ. Natuurh. Genoot. Limburg 23 (3-4) [1973]: 3–32, pls 1–7.
26. Willemse, F. (1974). Further notes on the Genus *Tauchiridea* I. Bolívar, 1918 (Orthoptera, Acridoidea, Oxyinae). – Publ. Natuurh. Genoot. Limburg 23 (3-4) [1973]: 33–38, pl. 1.
27. Willemse, F. (1974). *Stenobothrus* (*Stenobothrodes*) *eurasius macedonicus* subspec. nov. from Macedonia (Orthoptera, Acrididae). – Entomol. Ber. Amsterdam 34: 180–184.
28. Willemse, F. (1974). New records of *Stenobothrus* (s.str.) *graecus* Ramme, 1926 (Orthoptera, Acrididae). – Biologia Gallo-Hellenica 5 (2): 343–350.
29. Willemse, F. (1974). A new subspecies of *Paranocaracris bulgaricus* (Ebn. & Dren.) from Greece (Orthoptera, Acridoidea, Pamphagidae). – Biologia Gallo-Hellenica 5 (2): 351–352, 2pl.
30. Willemse, F. (1975). *Parnassiana menalon* spec. nov. from the Peloponnese (Orthoptera, Ensifera, Decticinae). – Entomol. Ber. Amsterdam 35: 88–91.
31. Willemse, F. (1975). Two new subspecies of *Platycleis* (*Modestana*) *ebneri* (Ramme, 1926) from Greece (Orthoptera, Ensifera, Decticinae). – Entomol. Ber. Amsterdam 35: 118–123.
32. Willemse, F. (1975). Studies on the acridoid genera *Opiptacris* Walker and *Bumacris* Willemse (Orthoptera, Acridoidea). – Tijdschrift voor Entomologie 118: 117–158, pls 1–4.
33. Willemse, F. (1976). New records of *Pholidoptera* Wesmael from Greece (Orthopteroidea, Decticinae). – Entomol. Ber. Amsterdam 36: 20–25.
34. Willemse, F. (1976). Notes on *Arcyptera* species from Greece and Turkey, with special reference to *A. labiata* (Brullé, 1832) (Orthoptera, Acrididae). – Publ. Natuurh. Genoot. Limburg 26: 25–35.
35. Willemse, F. & Kruseman, G. (1976). Orthopteroidea of Crete. – Tijdschrift voor Entomologie 119: 123–164, pls 1–10.
36. Willemse, F. (1976). The male of *Opiptacris tulagii* Uvarov, 1937 (Orthoptera, Acridoidea). – Entomol. Ber. Amsterdam 36: 185.

37. Willemse, F. (1977). Revision of the genus *Maculacris* C. Willemse, 1932 (Orthoptera, Acridoidea). – Entomol. Ber. Amsterdam 37: 11–15.
38. Willemse, F. (1977). Interesting distribution records of Orthoptera from the Greek mainland and some neighbouring islands. – Entomol. Ber. Amsterdam 37: 52–59.
39. Willemse, F. (1977). New data of *Metaplastes* (Ramme, 1939) from Greece (Orthopteroidea, Tettigoniidae, Phaneropterinae). – Entomol. Ber. Amsterdam 37: 103–108.
40. Willemse, F. (1977). A study on the genus *Cranaella* Ramme (Orthoptera, Acridoidea, Catantopinae). – Tijdschrift voor Entomologie 120: 109–120, pl. 1.
41. Willemse, F. (1977). A study on the genus *Cranae* Stål (Orthoptera, Acridoidea, Catantopinae). – Tijdschrift voor Entomologie 120: 121–152, pls 1–5.
42. Willemse, F. (1977). Classification and distribution of the Sexavae of the Melanesian subregion (Orthoptera, Tettigonioidea, Mecopodinae). – Tijdschrift voor Entomologie 120: 213–277, pls 1–18.
43. Willemse, F. (1979). Additional notes on the Sexavae of the Melanesian subregion (Orthoptera, Tettigonioidea, Mecopodinae). – Entomol. Ber. Amsterdam 39: 4–9.
44. Willemse, F. (1979). Studies on *Binaluacris* C. Willemse, 1932 and *Paramaga* C. Willemse, 1933 (Orthoptera, Acridoidea, Catantopinae). – Publ. Natuurh. Genoot. Limburg 28 (3) [1978]: 1–14.
45. Willemse, F. (1979). A new species and new distributional data of *Oropodisma* Uvarov, 1942 from Greece (Orthoptera, Acrididae). – Entomol. Ber. Amsterdam 39: 108–111.
46. Willemse, F. (1979). A review of the species of *Acrometopa* Fieber, 1853 (Orthoptera, Tettigonioidea, Phaneropterinae) with special reference to the Greek fauna. – Bijdragen tot de Dierkunde 49: 135–152.
47. Willemse, F. (1979). *Stenobothrus* (*Stenobothrodes*) *clavatus* spec. nov. from Greece (Orthoptera, Acrididae). – Entomol. Ber. Amsterdam 39: 154–157.
48. Willemse, F. (1980). Classification and distribution of the species of *Eupholidoptera* Ramme of Greece (Orthoptera, Tettigonioidea, Decticinae). – Tijdschrift voor Entomologie 123: 39–69.
49. Willemse, F. (1980). Three new species and some additional notes on *Parnassiana* Zeuner from Greece (Orthoptera, Ensifera, Decticinae). – Entomol. Ber. Amsterdam 40: 103–112.
50. Willemse, F. (1982). A survey of the Greek species of *Rhacocleis* Fieber (Orthoptera, Ensifera, Decticinae). – Ann. Musei Goulandris 5: 195–213.
51. Willemse, F. (1982). A survey of the Greek species of *Poecilimon* Fischer (Orthoptera, Ensifera, Phaneropterinae). – Tijdschrift voor Entomologie 125: 155–203.
52. Willemse, F. (1984). Catalogue of the Orthoptera of Greece. – Fauna Graeciae, Hellenic Zoological Society 1: i–xii, 1–275; Athen.
53. Willemse, F. (1985). Supplementary notes on the Orthoptera of Greece. – Fauna Graeciae, Hellenic Zoological Society 1a: 1–47; Athen.
54. Willemse, F. (1985). A key to the Orthoptera species of Greece. – Fauna Graeciae, Hellenic Zoological Society 2: 1–288; Athen.
55. Willemse, L. & Willemse, F. (1987). *Platycleis* (*Parnassiana*) *nigromarginata* sp. nov. from Greece (Orthoptera: Decticinae). – Entomol. Ber. Amsterdam 47 (7): 105–107.
56. Ingrisch, S. & Willemse, F. (1988). Revision of the genus *Erianthus* Stål in Thailand and Malaysia (Orthoptera: Eumastacoidea: Erianthinae). – Entomologica Scandinavica 19: 87–107.

57. Tilmans, J., Willemse, F. & Willemse, L. (1989). The Orthoptera of Mount Athos, Greece, with description of *Poecilimon athos* sp. nov. (Orthoptera: Tettigoniidae). – Entomol. Ber. Amsterdam 49: 26–30.
58. Heller, K.-G. & Willemse, F. (1989). Two new bush-crickets from Greece, *Leptophyes lisae* sp. nov. and *Platycleis (Parnassiana) tenuis* sp. nov. (Orthoptera: Tettigoniidae). – Entomol. Ber. Amsterdam 49: 144–156.
59. Ragge, D.R., Reynolds, W.J. & Willemse, F. (1990). The songs of the European grasshoppers of the *Chorthippus biguttulus* group in relation to their taxonomy, speciation and biogeography (Orthoptera: Acrididae). – Bol. San. Veg. Plagas (FS) 20: 239–245.
60. Ingrisch, S., Willemse, F. & Heller, K.-G. (1992). Eine neue Unterart des Warzenbeißers *Decticus verrucivorus* (Linnaeus 1758) aus Spanien (Ensifera: Tettigoniidae). – Entomol. Z. 102: 173–182.
61. Willemse, F. & Heller, K.-G. (1992). Notes on systematics of Greek species of *Poecilimon* Fischer, 1853 (Orthoptera: Phaneropterinae). – Tijdschrift voor Entomologie 135: 299–315.
62. Heller, K.-G., Korsunovskaya, O., Ragge, D.R., Vedenina, V., Willemse, F., Zhantiev, R.D. & Frantsevich, L. (1998). Check-List of European Orthoptera. – Articulata, Beiheft 7: 1–61.
63. Hermans, J., Willemse, F., Groenendijk, D. & Krüner, U. (2000). De opmars van de sikkel-sprinkhaan in Limburg (*Phaneroptera falcata* (Poda 1761) (Orthoptera, Ensifera, Tettigoniidae). – Natuurhist. Maandbl. 89: 67–72, 96 [p. 96 = rectification].
64. Willemse, F. (2000). De uitbreiding van het Zuidelijk Spitskopje *Conocephalus discolor* in Zuid-Limburg (Orthoptera: Tettigoniidae). – Nederl. Faun. Meded. 12: 17–31.
65. Kati, V. & Willems, F. (2001). Grasshoppers and crickets of the Dadia Forest Reserve (Thraci, Greece) with a new record to the Greek fauna: *Paranocarodes chopardi* Pechev, 1965 (Orthoptera, Pamphagidae). – Articulata 16 (1-2): 11–19.
66. Willemse, F. & Heller, K.-G. (2001). Two new species of *Eupholidoptera* Maran (Orthoptera, Tettigoniidae) from Crete with a checklist and key to the species. – Tijdschrift voor Entomologie 144: 329–343.
67. Willemse, F. & Willemse, L. (2004). *Eupholidoptera cephalonica* sp.nov. and diagnosis of *E. epirotica* from western Greece (Orthoptera Tettigoniidae). - Memorie della Società Entomologica Italiana 82 (2) [2003]: 469-480.
68. Kleukers, R., Odé, B. & Willemse, F. (2004). Hybridisation of *Glyptobothrus brunneus* and *Glyptobothrus bornhalmi* in northeastern Italy (Orthoptera Acridomorpha). - Memorie della Società Entomologica Italiana 82 (2) [2003]: 547-556.
69. Ingrisch, S. & Willemse, F. (2004). Bibliographia Systematica Orthopterorum Saltatoriorum. Systematic bibliography of saltatorial Orthoptera from Linnaean times to the end of the 20th century (about 1750 to 2000). - Pensoft, Sofia-Moscow, 536 pp.
70. Willemse, F. & Ingrisch, S. (2004). A new genus and species of Acrididae from South India (Orthoptera, Acridoidea). - Tijdschrift voor Entomologie 147 (2): 191-196.
71. Ingrisch, S., Willemse, F. & Shishodia, M.S. (2004). New species and interesting records of Acrididae (Orthoptera) from northeast India. - Tijdschrift voor Entomologie 147 (2): 289-320.
72. Heller, K.-G., Willemse, F. & Sevgili, H. (2004). *Poecilimon mytilenensis* Werner, a polytypic phaneropterid bushcricket from the Aegean island of Lesbos (Orthoptera, Tettigonioidae), differing in male mating structures. - Journal of Orthoptera Research 13 (2): 221-230

73. Willemse, F & Willemse, L. (2006). Two new cryptic aberrant species of *Rhacocleis* Fieber 1853, living under stones in the mountains of Greece (Orthoptera, Tettigoniidae). - Journal of Orthoptera Research 14 (2) [2005]: 161-172.
74. Willemse, F. & Willemse, L. (2006). *Rhacocleis* Fieber 1853 and *Pterolepis* Rambur 1838, distinct species groups or not? - Journal of Orthoptera Research 14 (2) [2005]: 261-269.
75. Kati V., Mani P., von Helversen O., Willemse F., Elsner N., & Dimopoulos P. (2006). Human land use threatens endemic wetland species: the case of *Chorthippus lacustris* (La Greca and Messina 1975) (Orthoptera: Acrididae) in Epirus, Greece. – Journal of Insect Conservation 10: 65-74.
76. Çiplak, B., Willemse, F., Chobanov, D. & Heller, K.-G. (2007). Systematic status and distribution of *Eupholidoptera* (Orthoptera: Tettigoniidae) in the Balkans (north of Central Greece). - Articulata 22 (1): 33-46.
77. Willemse, F. & Willemse, L. (2008). An annotated checklist of the Orthoptera-Saltatoria from Greece including [sic] an updated bibliography. - Articulata Beiheft 13: 1-91.
78. Willemse, F.M.H., Helversen, O. von & Odé, B. (2009). A review of *Chorthippus* species with angled pronotal lateral keels from Greece with special reference to transitional populations between some Peloponnesean taxa (Orthoptera, Acrididae). - Zoologische Mededelingen 83 (2): 319-507.
79. Çiplak, B., Heller, K.-G. & Willemse F. (2009). Review of the genus *Eupholidoptera* (Orthoptera, Tettigoniidae): different genitalia, uniform song. - Zootaxa 2156: 1-75.
80. Çiplak, B., Heller, K.-G. & Willemse, F. (accepted). Phylogeny and biogeography of the genus *Eupholidoptera* (Orthoptera, Tettigoniidae): morphological speciation in correlation with geographical evolution of East Mediterranean. – Systematic Entomology.

**Table 2: List of taxa of which F. Willemse is (co-)author**

Caelifera

Acrididae

Calliptaminae

*Paracaloptenus cristatus* F.Willemse, 1973

*Paracaloptenus caloptenoides moreanus* F.Willemse, 1973

Catantopinae

*Apalniacris* Ingrisch, F.Willemse & Shishodia, 2004

*Apalniacris dampfa* Ingrisch, F.Willemse & Shishodia, 2004

*Apalniacris jalpaiguri* Ingrisch, F.Willemse & Shishodia, 2004

*Apalniacris shillong* Ingrisch, F.Willemse & Shishodia, 2004

*Apalniacris ukhrul* Ingrisch, F.Willemse & Shishodia, 2004

*Assamacris spinipicta* Ingrisch, F.Willemse & Shishodia, 2004

*Bettotania flavostriata* F.Willemse, 1963

*Binaluacris* (*Binaluacris*) *angustipennis* F.Willemse, 1979

*Binaluacris* (*Paramaga*) *bipunctata* F.Willemse, 1979

*Binaluacris* (*Paramaga*) *brevicornis* F.Willemse, 1979

*Binaluacris* (*Paramaga*) *maculata* F.Willemse, 1979

*Bumacris* (*Bumacris*) *rendovae* F.Willemse, 1975

*Bumacris* (*Bumacris*) *pagdeni kolombangarae* F.Willemse, 1975

*Bumacris* (*Bumacris*) *pagdeni munda* F.Willemse, 1975

*Bumacris* subgenus *Cristovalacris* F.Willemse, 1975

*Bumacris* (*Cristovalacris*) *venosa* F.Willemse, 1975

*Cranae genjam* F.Willemse, 1977

*Cranae glabra* F.Willemse, 1977

*Cranae longipennis* F.Willemse, 1977

*Cranae manokwari* F.Willemse, 1977

*Cranae rubra* F.Willemse, 1977

*Cranaella kevani* F.Willemse, 1977

*Cranaella rammei* F.Willemse, 1977

*Cranaella samarensis* F.Willemse, 1977

*Genimen amarpur* Ingrisch, F.Willemse & Shishodia, 2004

*Genimen lailad* Ingrisch, F.Willemse & Shishodia, 2004

*Maculacris obtusa* F.Willemse, 1977

*Magaella* F.Willemse, 1974

*Magaella picta* F.Willemse, 1974

*Nathanacris* F.Willemse & Ingrisch, 2004

*Nathanacris quadrimaculata* F.Willemse & Ingrisch, 2004

*Opiptacris tenuis* F.Willemse, 1975

*Opiptacris novageorgica* F.Willemse, 1975

*Opiptacris vellalavellae* F.Willemse, 1975

*Opiptacris choiseulensis* F.Willemse, 1975

*Opiptacris unicolor* F.Willemse, 1975

*Opiptacris alata* F.Willemse, 1975

*Opiptacris ruficeps aberrans* F.Willemse, 1975

*Opiptacris uniformis cephalica* F.Willemse, 1975

*Opiptacris uniformis tricolor* F.Willemse, 1975

*Opiptacris uniformis bicolor* F.Willemse, 1975

*Opiptacris uniformis striata* F.Willemse, 1975

*Opiptacris bougainvillea femorata* F.Willemse, 1975

- Opiptacris bougainvillea fauroensis* F.Willemse, 1975  
*Oropodisma erymanthosi* F.Willemse, 1971  
*Oropodisma kyllinii* F.Willemse, 1971  
*Oropodisma lagrecai* F.Willemse, 1979  
*Oropodisma taygetosi* F.Willemse, 1972  
*Oropodisma tymphrestosi* F.Willemse, 1972  
*Peripodisma* F.Willemse, 1972  
*Peripodisma tymphii* F.Willemse, 1972  
*Pseudocranae cornelii* F.Willemse, 1972  
*Pseudocranae elegans* F.Willemse,  
*Pseudocranae flavosignata* F.Willemse, 1972  
*Pseudocranae gressitti* F.Willemse, 1974  
*Pseudocranae intermedia* F.Willemse, 1972  
*Pseudocranae katemensis* F.Willemse, 1972  
*Pseudocranae litoralis* F.Willemse, 1974  
*Pseudocranae picta* F.Willemse, 1974  
*Pseudocranae pseudojucunda* F.Willemse, 1972  
*Pseudocranae rammei* F.Willemse, 1972  
*Pseudocranae similis* F.Willemse, 1972  
*Pseudocranae simplex* F.Willemse, 1972  
*Pseudocranae tenuis* F.Willemse, 1972  
*Pseudocranae tibialis* F.Willemse, 1972  
*Sphaerocranae* F.Willemse, 1972  
*Sphaerocranae bicingulata* F.Willemse, 1974  
*Sphaerocranae bipartita* F.Willemse, 1974  
*Sphaerocranae distincta* F.Willemse, 1974  
*Sphaerocranae fasciata* F.Willemse, 1972  
*Sphaerocranae maai* F.Willemse, 1974  
*Sphaerocranae nakatae* F.Willemse, 1974  
*Sphaerocranae poecila* F.Willemse, 1974  
*Sphaerocranae pseudogracilis* F.Willemse, 1974  
*Sphaerocranae quadrimaculata* F.Willemse, 1972  
*Sphaerocranae rufipes* F.Willemse 1972  
*Stenocatantops cornelii* F.Willemse, 1968  
*Stenocatantops isolatus* F.Willemse, 1968  
*Stenocatantops keyi* F.Willemse, 1968  
*Stenocatantops mistshenkoi* F.Willemse, 1968  
*Stenocatantops philippinensis* F.Willemse, 1968  
*Xenocatantops dirshi* F.Willemse, 1968  
*Xenocatantops dirshi dirshi* F.Willemse, 1968  
*Xenocatantops dirshi dammerensis* F.Willemse, 1968  
Coptacridinae  
*Eucoptacra abbreviata* Ingrisch, F.Willemse & Shishodia, 2004  
Cyrtacanthacridinae  
*Valanga gilbertensis* F.Willemse, 1971  
Gomphocerinae  
*Chorthippus biguttulus parnassicus* F.Willemse, von Helversen & Odé, 2009  
*Chorthippus moreanus* F.Willemse, von Helversen & Odé, 2009  
*Chorthippus parnon* F.Willemse, von Helversen & Odé, 2009  
*Chorthippus vagans dissimilis* F.Willemse, von Helversen & Odé, 2009

- Stenobothrus eurasius macedonicus* F.Willemse, 1974  
*Stenobothrus (Stenobothrodes) clavatus* F.Willemse, 1979
- Oedipodinae
- Heteropternis respondens insularis* F.Willemse, 1965
- Oxyinae
- Lemba motinagar* Ingrisch, F.Willemse & Shishodia, 2004  
*Oxytauchira elegans* F.Willemse, 1965  
*Oxytauchira jaintia* Ingrisch, F.Willemse & Shishodia, 2004  
*Tauchiridea adusta brunnea* F.Willemse, 1974  
*Tauchiridea pykai* F.Willemse, 1968
- Chorotypidae
- Erianthus angulatus* Ingrisch & F.Willemse, 1988  
*Erianthus inhamatus* Ingrisch & F.Willemse, 1988  
*Erianthus manuei* Ingrisch & F.Willemse, 1988  
*Erianthus pyramidalis* Ingrisch & F.Willemse, 1988  
*Erianthus serratus* Ingrisch & F.Willemse, 1988
- Pamphagidae
- Paranocaracris bulgaricus flavotibialis* F.Willemse, 1974 [= *Paranocaracris bulgaricus* (Ebner & Drenowski, 1936)]
- Pyrgomorphidae
- Fijipyrgus secundus* F.Willemse, 1968 [= *Fijipyrgus gracilis* Kevan, 1966]
- Ensifera
- Tettigoniidae
- Conocephalinae
- Conocephalus harzi* F.Willemse, 1971 [= *Conocephalus kisi* Harz, 1967]
- Mecopodinae
- Segestes brevipennis* F.Willemse, 1977  
*Segestes cornelii* F.Willemse, 1977  
*Segestes stibicki* F.Willemse, 1977  
*Segestidea gracilis simulatrix* F.Willemse  
 [= *Segestidea defoliaria gracilis* (C.Willemse, 1957)]  
*Segestes marmorata occidentalis* F.Willemse, 1977  
*Segestidea montana* F.Willemse, 1979
- Phaneropterinae
- Acrometopa cretensis daedali* F.Willemse, 1979  
*Leptophyes lisae* Heller & F.Willemse, 1989  
*Poecilimon athos* Tilman, F.Willemse & L.Willemse  
*Poecilimon erimanthos* F.Willemse & Heller, 1992  
*Poecilimon graciloides* F.Willemse & Heller, 1992  
*Poecilimon ikariensis* F.Willemse, 1982  
*Poecilimon jonicus lobulatus* F.Willemse, 1982  
*Poecilimon klisuriensis* F.Willemse, 1982  
*Poecilimon mariannae* F.Willemse & Heller, 1992  
*Poecilimon mytilenensis brevissimus* Heller, F.Willemse & Sevgili  
*Poecilimon pindos* F.Willemse, 1982
- Tettigoniinae
- Decticus verrucivorus assiduus* Ingrisch, F.Willemse & Heller, 1992  
*Eupholidoptera cephalonica* F.Willemse & L.Willemse, 2004  
*Eupholidoptera forcipata* F.Willemse & Kruseman, 1976

*Eupholidoptera gemellata* F.Willemse & Kruseman, 1976  
*Eupholidoptera icariensis* F.Willemse, 1980  
*Eupholidoptera kykladica* Heller, F.Willemse & L.Willemse, 2009  
*Eupholidoptera latens* F.Willemse & Kruseman, 1976  
*Eupholidoptera leucasi* F.Willemse, 1980  
*Eupholidoptera mariannae* F.Willemse & Heller, 2001  
*Eupholidoptera pallipes* F.Willemse & Kruseman, 1976  
*Eupholidoptera rammei* F.Willemse & Heller, 2001  
*Parnassiana chelmos unicolor* F.Willemse, 1973  
     [=Platycleis (Parnassiana) chelmos unicolor (F.Willemse, 1973)]  
*Parnassiana chelmos deplanata* F.Willemse, 1973  
     [=Platycleis (Parnassiana) chelmos deplanata (F.Willemse, 1973)]  
*Parnassiana dirphys* F.Willemse, 1980  
     [=Platycleis (Parnassiana) dirphys (F.Willemse, 1980)]  
*Parnassiana menalon* F.Willemse, 1975  
     [=Platycleis (Parnassiana) menalon (F.Willemse, 1975)]  
*Parnassiana panaetolikon* F.Willemse, 1980  
     [=Platycleis (Parnassiana) panaetolikon (F.Willemse, 1980)]  
*Parnassiana parnon* F.Willemse, 1980  
     [=Platycleis (Parnassiana) parnon (F.Willemse, 1980)]  
*Parnassiana tymphiensis* F.Willemse, 1973  
     [=Platycleis (Parnassiana) tymphiensis (F.Willemse, 1973)]  
*Pholidoptera lucasi* F.Willemse, 1976  
*Platycleis (Modestana) ebneri excurvata* F.Willemse, 1975  
*Platycleis (Modestana) ebneri acuminata* F.Willemse, 1975  
*Platycleis (Parnassiana) nigromarginata* L.Willemse & F.Willemse, 1987  
*Platycleis (Parnassiana) tenuis* Heller & F.Willemse, 1989  
*Platycleis (Platycleis) grisea cretica* F.Willemse & Kruseman, 1976  
*Rhacocleis crypta* F.Willemse & L.Willemse, 2006  
*Rhacocleis edentata* F.Willemse, 1982  
*Rhacocleis lithoscirtetes* F.Willemse & L.Willemse, 2006  
*Rhacocleis wernerii* F.Willemse, 1982

**Table 3: Patronyms for Cornelis and Ferdinand Willemse  
(partly based on van Boven,1966)**

**Fer(dinand) Willemse**

*Chorthippus ferdinandi* Vedenina & Helversen, 2009  
*Chorthippus willemsei* Harz, 1971  
*Conocephalus willemsei* Pitkin, 1980  
*Discoptila willemsei* Karaman, 1975  
*Eumacroxiphus willemsei* Ingrisch, 1998  
*Eupholidoptera megastyla* f. *willemsei* Nadig, 1985 [= *Eupholidoptera megastyla* (Ramme, 1939)]  
*Gastrimargus willemsei* Ritchie, 1982  
*Glandulosa willemsei* Harz, 1979  
*Ophthalmolampis willemsei* Descamps, 1978  
*Oropodisma willemsei* La Greca & Messina, 1977  
*Parapholidoptera willemsei* Katbeh Bader & Massa, 2001  
*Phisis willemsei* Kevan, 1987  
*Rhacocleis ferdinandi* L.Willemse & Tilmans, 1987

**Cornelis (Cees) Willemse**

*Willemsea* Uvarov, 1923  
*WillemSELLA* Miller, 1934  
*Acrida willemsei* Dirsh, 1954  
*Canariola willemsei* Morales-Agacino 1959  
*Celebobteryx willemsei* Ramme, 1941  
*Cranaella willemsei* Ramme, 1941  
*Desmopterella willemsei* Kevan, 1970  
*Elimaea willemsei* Karny, 1926  
*Erucius willemsei* Bolivar, 1930  
*Eubliastes willemsei* Beier, 1960  
*Gryllomorpha willemsei* Uvarov, 1934  
*Loxilobus willemsei* Günther, 1938  
*Madasumma willemsei* Chopard, 1925  
 [= *Sonotrella willemsei* (Chopard, 1925)]  
*Meubelia willemsei* Ramme, 1941  
 [= *Meubelia gracilis* C.Willemse]  
*Mnesicles willemsei* C.Bolivar, 1944  
 [= *Borneacridium willemsei* (C.Bolivar, 1944)]  
*Otidiogryllacris auriculata* ssp. *willemsei* (Karny, 1924)  
*Parapygrrhynchus willemsei* Gunther, 1935  
*Pseudocranae cornelii* F.Willemse, 1972  
*Pseudogerunda willemsei* Bey-Bienko, 1935  
*Pseudoglomeris willemsei* Princis, 1951  
*Segestes cornelii* F.Willemse, 1977  
*Sphingonotus willemsei* Mishchenko, 1937  
*Stenocatantops cornelii* F.Willemse, 1968  
*Tarbaleopsis willemsei* Kevan, 1966  
*Tetrixocephalus willemsei* Gurney & Liebermann, 1963  
*Trigonopteryx willemsei* Ramme, 1941  
*Valanga willemsei* Sjöstedt, 1932  
*Vingselina willemsei* Günther, 1937  
 [= *Vilma willemsei* (Günther, 1937)]

## References

- BEIER, M. (1960): Orthoptera Tettigoniidae (Pseudophyllinae II). - Das Tierreich. 74. 1-396. Berlin (Walter de Gruyter & Co.)
- BEY-BIENKO, G.Y. (1935): Acridiidae and Tettigoniidae from Luzon Philippine Islands. - Philippine Journal of Science 57: 377–407
- BOLIVAR, C. (1930): Monografía de los Eumastácidos (Orth. Acrid.). Primera Parte. - Trabajos del Museo Nacional de Ciencias Naturales Serie Zoológica, Madrid 46 : I–XXXII, 1–380.
- BOLIVAR, C. (1944): Étude sur quelques Eumastacides d' Indo-Malaisie (Orth. Acrid.). - Anales de la Escuela Nacional de Ciencias Biológicas, México 3 : 405–436.
- BOVEN, J. VAN, (1966): In memoriam C. Willemse. – Publicaties van het Natuurhistorisch Genootschap in Limburg xvi: I–VI.
- CHOPARD, L. (1925): Description d' un Gryllide nouveau (Orthoptère). - Annales de la Société Entomologique de France 94 : 291–332.
- DESCAMPS, M. (1978): La faune dendrophile néotropicale. II. Revue des Taeniophorini et Ophthalmolampini (Orth. Romaleidae). - Bulletin du Muséum National d' Histoire Naturelle, Paris. 3c. Sér., n 517, Zoologie: 371–476.
- DIRSH, V. (1954): Revision of species of the genus *Acrida* Linne. - Bull. Soc. Fouad, Ier Entom., Cairo 38: 107-160.
- GÜNTHER, K. (1935): Ueber einige Phasmoiden aus der Sammlung des Herrn Dr. C. Willemse, Eijgelshoven. - Natuurhistorisch Maandblad 24: 123–126, 138–140.
- GÜNTHER, K. (1937): Über einige Orthopteren von den Salomon-Inseln und von Vanikoro. - Mitteilungen der Deutschen Entomologischen Gesellschaft 8:3–10.
- GÜNTHER, K. (1938): Revision der Acrydiinae (Orth.) II. Scelimenae spuriae. - Stettiner Entomologische Zeitung 99: 117–148, 161–230.
- GURNEY, A.B. & LIEBERMANN, J. (1963): Grasshoppers of the tribe Ommexechini: a key to genera, a new Argentine genus, and notes on others (Orthoptera: Acrididae). - Proceedings of the Biological Society of Washington 76: 127–138.
- HARZ, K. (1971): Orthopterologische Beiträge IX. - Atalanta B 3: 331–338.
- HARZ, K. (1979): Neue Grillen aus Griechenland, Syrien und der Türkei. - Articulata 1 (11): 103-107.
- INGRISCH, S. (1998): Monograph of the Oriental Agraeciini (Insecta, Ensifera, Tettigoniidae): Taxonomic revision, phylogeny, stridulation, and development. - Courier Forschungsinstitut Senckenberg 206: 387 pp.
- KARAMAN, M.S. (1975): *Discoptila willemsei* n.sp. Une nouvelle espèce de grillon de Yougoslavie (Orthoptera, Gryllidae). - Bulletin de la Société d' Histoire Naturelle de Toulouse 111 : 34–36.
- KATBEH-BADER, A. & MASSA, B. (2001): Tettigoniidae (Orthoptera) from Jordan with description of new species and redescription of less known species. - Journal of Orthoptera Research 10(1): 25–37.
- KARNY, H.H. (1924): Beiträge zur Malayischen Orthopterenfauna. XI. Die Gryllacrinen von Sumatra und Malakka. – Treubia 5(1-3): 206–234.
- KARNY, H.H. 1926. Beiträge zur malayischen Orthopterenfauna XVII. Tettigoniiden aus Süd-Sumatra. – Treubia 9(3): 260–291.
- KEVAN, D.K. McE. 1966. The tribe Nereniini: with additions to the Pyrgomorphidae (Orthoptera: Acridoidea) from the South Pacific. - Pacific Insects 8(3): 695–758.
- KEVAN, D.K. McE. (1970): A revision of the Desmopterini (Orthoptera: Acridoidea: Pyrgomorphidae) Part II. Desmopterella Ramme, 1941. – Pacific Insects 12: 543–627.

- KEVAN, D.K. McE. (1987): The Orthoptera, s. str., and Grylloptera, or grigs, of Micronesia - a preliminary survey. pp 296–324. In: BACCETTI, B. [ed.]. Evolutionary biology of orthopteroid insects. Chichester (Ellis Horwood).
- LA GRECA, M. & MESSINA, A. (1977): Due nuove specie di Oropodisma (Orthoptera, Acridoidea) di Grecia. – *Animalia* 3[1976]: 5–16.
- MILLER, N.C.E.(1934): Notes on Malayan Acrididae and descriptions of some new genera and species. - *Journal of the Federal Malay States Museum, Kuala Lumpur* 17(3): 526–548.
- MISHCHENKO, L.L. (1937): Revision of palaearctic species of the genus *Sphingonotus* Fieber (Orth. Acrid.). - *Eos. Revista Española de Entomología* 12 [1936]: 65–282.
- MORALES-AGACINO, (1959): Sobre una nueva especie del género *Canariola* Uvarov (Orth. Tett.). - *Eos. Revista Española de Entomología* 35 : 267–277.
- NADIG, A. (1985): Zur Orthopterenfauna Kretas mit Beschreibung einer neuen Art: *Eupholidoptera annamariae* spec. nova. - *Mitteilungen der schweizerischen entomologischen Gesellschaft* 58 : 325–335.
- PITKIN, L.M.(1980): A revision of the Pacific species of *Conocephalus* Thunberg (Orthoptera: Tettigoniidae). - *Bulletin of the British Museum (Natural History), Entomology Series* 41: 315–355.
- PRINCIS, K. (1951): Eine neue *Pseudoglomeris* (Blatt.) von Java. - *Opuscula Entomologica* 16: 93–94.
- RAMME, W. (1941): Beiträge zur Kenntnis der Acrididen-Fauna des indomalayischen und benachbarter Gebiete (Orth.) mit besonderer Berücksichtigung der Tiergeographie von Celebes. - *Mitteilungen aus dem Zoologischen Museum, Berlin* 25 [1940]: 1–243.
- RITCHIE, J.M. (1982): A taxonomic revision of the genus *Gastrimargus* Saussure (Orthoptera: Acrididae). - *Bulletin of the British Museum (Natural History), Entomology Series* 44: 239–329.
- SJOSTEDT, Y. (1931): Studien über Valanga-Formen (Orth. Acrid.) aus dem indo-malayischen Archipel und Oceanien. - *Arkiv för Zoologi* 23 (A) 4: 1–26.
- UVAROV, B.P.(1923): A revision of the Old World Cyrtacanthacrini (Orthoptera, Acrididae). - II. Genera Phyxacra to Willemsea. - *Annals and Magazine of Natural History* (9) 11: 473–490.
- UVAROV, B.P. (1934): Studies in the Orthoptera of Turkey, Iraq and Syria. - *Eos* 10: 21–119.
- VEDENINA, V.Y. & HELVERSEN, O. VON (2009): A re-examination of the taxonomy of the *Chorthippus albomarginatus* group in Europe on the basis of song and morphology (Orthoptera: Acrididae). - *Tijdschrift voor Entomologie* 152: 65–97.
- WILLEMSE, F., (1968): Revision of the genera *Stenocatantops* and *Xenocatantops* (Orthoptera, Acrididae, Catantopinae). – *Monografien van de Nederlandsche Entomologische Vereeniging* 4: 1–77.
- WILLEMSE, F. (1972): A study of *Pseudocranae* I.Bolívar, 1898 and related genera *Salinacris* C.Willemse, 1956, *Sphaerocranae* gen. nov. and *Malua* Ramme, 1941 (Orthoptera, Acrididae, Catantopinae). - *Publ. Natuurh. Genoot. Limburg* 22 (1-4): 33–80.
- WILLEMSE, F. (1977): Classification and distribution of the Sexavae of the Melanesian subregion (Orthoptera, Tettigoniioidea, Mecopodinae). - *Tijdschrift voor Entomologie* 120: 213–277.
- WILLEMSE, L. & TILMANS, J. (1987): *Rhacocleis ferdinandi*, a new species from the Greek mainland (Orthoptera: Tettigoniidae). - *Entomologische Berichten, Amsterdam* 47: 9–11.
- WILLEMSE, L., (1994): Additional records of Acridoidea (Orthoptera: Caelifera) from Zambia with the description of a new genus and two new species. - *Journal of African Zoology* 108: 435–466.

