

"The observer of insects has, indeed, proposed remedies which the agriculturist cannot adopt; and the agriculturist, on the other hand, ignorant of the nature of insects, has pursued the very plan which has been the most congenial to the habits of the insects which he wished to destroy...."

J.O. Westwood (1938, *The Entomologist's Textbook*), cited by van der Vecht (1953f).

Obituary and bibliography of Jacobus van der Vecht (1906-1992)

C. van Achterberg

Achterberg, C. van. Obituary and bibliography of Jacobus van der Vecht (1906-1992).

Zool. Med. Leiden 66 (16), 31.xii.1992: 295-302, 1 photograph.— ISSN 0024-0672.

Key words: van der Vecht; obituary; bibliography; Hymenoptera; Aculeata; Vespidae; Sphecidae; Apidae; Pompilidae; Trigonalyidae.

An obituary and the bibliography of Jacobus van der Vecht (5.vii.1919-15.iii.1992) is given.

C. van Achterberg, Nationaal Natuurhistorisch Museum, Postbus 9517, 2300 RA Leiden, The Netherlands.

Obituary

Prof. Dr Jacobus van der Vecht died 15 March, 1992 at his home in Putten (a village in central Netherlands) after a long and difficult period of illness. He was born on 5 July, 1906 in The Hague, where his father held a position as Master of the wine-cellars of Her Majesty ("keldermeester") at the court of the Queenmother Emma. His father was interested in natural history, and reared e.g. butterflies. He liked to walk with his boys to watch nature. This interest developed into a passion for biology in only one of his children.

After school van der Vecht met his later colleague at the Rijksmuseum van Natuurlijke Historie, H.C. Blöte, in the field, who was already much interested in entomology. He obtained excellent results at the secondary school (HBS) in The Hague. He ended up with two grants, so he could afford the luxury to choose between a municipal and a governmental grant. He decided to study biology at the Rijksuniversiteit (State University) at Leiden. As a student he started with the Aculeate Hymenoptera: general faunistics, and taxonomy of bees (especially the genus *Andrena*, a large and often difficult to classify genus in Europe) and Sphecidae. After obtaining his Master degree from Leiden University in 1928 he went to the former Dutch East Indies to work as a zoologist at the Instituut voor Plantenziekten at Buitenzorg (= Institute for Plant Diseases and Pests at Bogor). When he arrived in Java he tried to continue his work on Hymenoptera in his spare time, despite other interests. He told me (with the benefit of hindsight) some years ago that playing less tennis and collecting more Hymenoptera would have been better. Once a ball hit him badly, which cost him most of the function of one eye. His work on Indo-Australian Hymenoptera resulted in publications on Trigonalyidae (1934c), and on Vespidae (*Provespa* and *Labus* (1935a+c)), later followed by papers on Sphecidae (1937a+b), Apidae (1938c, 1941b), Sapygidae (1940c), and Pompilidae (1949d).

Professionally he studied economically important species of animals, which in

fact meant in most cases the study of pests and their parasites. The study of fluctuations in populations of pests was an important field of research. One of the first results was his thesis on a bug noxious on pepper plants, *Dasynus piperis* China, for which he was awarded a Ph.D. from Leiden University in 1933. He reared 40 successive generations of the coconut leafmoth, *Artona catoxantha* (Hamps.), to study its population dynamics, its habits and the effect of parasites and hyperparasites. A publication on the subject was intended to be published in 1941, but the proofs and illustrations were lost during the war. Fortunately, one copy turned up later, and after new illustrations have been made, it was finally published in 1950. In the mean time he became interested in the influence of climate on pests (1936b), and published an important paper with F.H. Schmidt on the east monsoon fluctuations in Java and Madura (1952a). After the war he studied the notorious mentek disease of rice in Java.

A main line in his later research was his interest in the biogeography of the Indo-Malaysian area. He started with a paper on *Xylocopa* species of Celebes (1953c), which is still important for an understanding of the variation of the carpenter-bees of Sulawesi. Also important is his treatise on the evolution of some Indo-Australian *Eumenes* species (Vespidae; 1959e, 1961c). He found a distinctive difference between the (more uniform) colour pattern of Vespidae on the large islands of the area and a (strong) variation of the pattern of the same species on small marginal islands of the archipelago. He became interested in the nest structure of Vespidae and its evolutionary consequences. He discovered what is now known as "van der Vecht's organ", an organ producing an anti-ant secretion used by some groups of Vespidae to protect their nests against ants.

During the Japanese occupation of Indonesia he was kept in prison camps separated from his wife and in harsh circumstances. He was transported to Burma to work on the notorious Burma railway. Even 40 years later he told me that sometimes he still imagined feeling the blows with sticks on his back by the Japanese military. After the liberation he stayed for a while in Singapore (Raffles Museum) before he could return to Java to be reunited with his wife, who survived the 3½ years in the Japanese prison camps. Dr M.A. Lieftinck, who was still allowed to work at the Museum Bogoriense during the first year of the occupation, had stored van der Vecht's collection and library in the museum. Fortunately, owing to Lieftinck's action, both survived in good condition; otherwise they would have been lost, because van der Vecht's house was looted in 1945. In January 1946 he arrived in The Netherlands to recover and in the same year he could spend three months in the U.S.A, first of all to study the latest developments of agricultural entomology (called, peculiarly enough, "economic entomology"!). He met Schwarz, Timberlake, Linsley, Michener and Pate, but he missed Cockerell. From 1947-1951 he was head of the Institute for Plant Diseases and Pests at Bogor and cared for the important collection of insects. This collection served as a base for Kalshoven's book on agricultural entomology of Indonesia. In 1951 he was again in The Netherlands but in 1952 he returned as professor of entomology and nematology in the Faculty of Agriculture of the University of Indonesia at Bogor. After Dr. P.A. van der Laan ceased to teach entomology in Bogor (and continued as lecturer at the University at Amsterdam in 1951), van der Vecht directed most of his attention to entomology. At the same time together with Lieftinck he tried to keep the Entomological Society of Indonesia going; a difficult job because only a few full time entomologists remained in Indonesia after the independence.



J. van der Vecht (1906-1992).

In 1955 working in Indonesia became problematic and once more he returned, and this time permanently to The Netherlands, where he was appointed curator of Hymenoptera at the Rijksmuseum van Natuurlijke Historie in Leiden. In 1962 he was appointed professor "extraordinaris" for zoological taxonomy at the State University at Groningen, followed in 1964 by a full professorship at the State University at Leiden, so that he had to resign from the museum. In 1963 he was chosen a member of the Koninklijke Nederlandse Akademie van Wetenschappen (= Royal Dutch Academy of Sciences), but after five years he had to retire because of health reasons. After his final return to The Netherlands he has played an important rôle in the study of Hymenoptera (especially Vespidae and Sphecidae, preparing catalogues and revisions) and

in teaching taxonomy. Van der Vecht revived (together with Ch. Ferrière) the pre-war Hymenopterorum Catalogus, which is still continuing. He recognized at an early stage the importance of phylogenetics for taxonomy and he advocated integration of new insights in the evolutionary processes in the synthetic evolution theory. He served the Netherlands Entomological Society as president between 1961-1968. He made (often with his wife, Elizabeth M. (Bep) Bourguignon, who actively helped him with collecting) several trips (e.g., to Surinam, Papua New Guinea and Argentina) to collect Hymenoptera and to meet friends and colleagues in the field of Aculeate Hymenoptera.

He was a gifted scientist, who planned to do a lot more than he could accomplish in his life time. This was at least partly because of the harsh years during the war. He was an ardent collector of Aculeate Hymenoptera (and during his retirement also parasitic Hymenoptera in Putten and surroundings) and spent a lot of energy improving the Hymenoptera collection at the Rijksmuseum van Natuurlijke Historie at Leiden. His years in retirement were clouded by the mental illness of his wife Bep and later also of himself. In the first years of his illness he was well aware of the deterioration of his memory and he often felt lonely after his wife became severely ill and subsequently died in 1986. They regretted very much the absence of children; their only child died as a baby before the war, and after the period in the Japanese prison camps, no children were born. He was a real gentleman and always willing to help solving questions, notably concerning Aculeate Hymenoptera. He will be remembered as one of the great ones in Hymenoptera.

Bibliography

- 1926a. Nieuwe naamlijst van de in Nederland voorkomende soorten van het geslacht *Andrena*. (Hymenoptera, Apidae).— Zool. Med. Leiden 9: 300-304.
- 1926b. De Nederlandsche *Miscophus*-soorten (Hym. Sphecidae), *M. maritimus* faun. nov. spec.— Ent. Ber., Amst. 8: 114-119.
1927. Ueber eine neue holländische *Andrena*-Art aus der *A. ovatula* K. Gruppe, *Andrena gelriae* n. sp.— Zool. Med. Leiden 10: 87-89.
- 1928a. Hymenoptera aculeata (Geangelde wespen en bijen) in het Meijendel.— Levende Natuur 33: 90-94, 155-159.
- 1928b. Hymenoptera Anthophila (QXII) A. *Andrena*.— Fauna Ned. 4:1-144.
1929. Over de Middellandsche Zee-fruitvlieg en de maatregelen tegen den invoer ervan in Nederlandsch Indië.— Bull. Inst. Plantenz. Buitenzorg 22: 1-16.
- 1930a. Aantekeningen over Nederlandsche Hymenoptera (Mutillidae, Psammocharidae en Apidae).— Zool. Med. Leiden 13: 7-21.
- 1930b. (S. Leefmans & —). De roodgeringde mangga-rups, *Noorda albizonalis* Hamps.— Korte Meded. Inst. Plantenz. Buitenzorg 14: 1-8.
- 1931a. De stand van het onderzoek der peper-insecten in Nederlandsch Indië.— Landbouw 6: 820-828.
- 1931b. (— & A.D. Voûte). Biologie en bestrijding der dieroekmot (*Citripestis sagittiferella* Moore).— Landbouw 6: 881-886.
- 1933a. Het poetjoek-rupsje van de peper.— Landbouw 8: 661-667.
- 1933b. (— & S. Leefmans). De groote agaatslak *Achatina fulica* Fer. in Nederlandsch Indië.— Landbouw 8: 668-677.
- 1933c. [Note on *Nippogonals jezoensis* Uchida (Trigonalidae)].— Tijdschr. Ent. 76: lxxviii-lxxxii.
- 1933d. De groote peperwants of semoenjoeng, *Dasyneus piperis* China.— Dissertation Rijksuniversiteit Leiden: 1-101.
- 1934a. Enkele aantekeningen over Nederlandsche Hymenoptera (Apidae en Sphecidae).— Ent. Ber., Amst. 9: 5-10.
- 1934b. [Note on *Calligaster* and *Ropalidia* (Hymenoptera)].— Tijdschr. Ent. 77: vii-ix.
- 1934c. Zur Kenntnis der Indo-Malayischen Trigonaloiden.— Zool. Med. Leiden 17: 290-296.
- 1935a. On a new species of *Provespa* Ashm. (Hym., Vespidae).— Ent. Meded. Ned.-Indië 1: 41-44.
- 1935b. Aantekeningen over de peperwants, *Elasmognathus hewitti*.— Landbouw 10: 484-493.
- 1935c. Notes on oriental *Labus*, with descriptions of three new species from Java (Hym., Vespidae).— Treubia 15: 157-167.
- 1936a. Some notes on the life-history of *Apoderus clavatus* Pasc. (Col., Curculionidae).— Ent. Meded. Ned.-Indië 2: 9-12.
- 1936b. De invloed van het klimaat op insectenplagen in Nederlandsch-Indië.— Verslag 15de Verg. Ver. Proefstation Personeel: 142-164.
- 1936c. Proeven met derris tegen insectenplagen in Nederlandsch Indië.— Korte Meded. Inst. Plantenz. Buitenzorg 21 & Landbouw 11: 401-465.
- 1936d. XIII. Some further notes on *Provespa*, Ashm. (Hym., Sphecidae).— J. fed. Malay St. Mus. 18: 159-166.
- 1937a. Over enkele graafwespen.— Trop. Natuur 26: 25-33.
- 1937b. On a new *Piagetia*, with notes on other species (Hym., Sphecidae).— Ent. Meded. Ned.-Indië 3: 21-26.
- 1937c. III. Bijen en wespen in het natuurmonument Tjibodas-Gedeh.— Ent. Meded. Ned.-Indië 3: 39-40.
- 1937d. Descriptions and records of Oriental and Papuan solitary Vespidae (Hym.).— Treubia 16: 261-293.
- 1937e. Iets over de levenswijze van de Javaansche behangerswesp, *Calligaster cyanopterus* Sauss. (Hym., Vespidae).— Ent. Meded. Ned.-Indië 4: 26-30.
- 1938a. De waardebeoordeling van derris door entomologisch onderzoek.—Verslag 25ste Verg. Proefstation Personeel (1937): 197-213.
- 1938b. De toepassing van derris.— Bergcult. 12: 1055-1061.
- 1938c. Harsbijen (*Trigona*; Hym., Apidae).— Ent. Meded. Ned.-Indië 4: 35-36.
- 1938d. Het bewaren van insectenverzamelingen in de tropen.— Ent. Meded. Ned.-Indië 4: 55-62.
- 1939a. De bestrijding van de klapperrups *Artoria catoxantha* door bespuiting met derris-suspensies.— Meded. Alg. Proefstn Landb. 36 & Landbouw 15: 389-428.
- 1939b. Introduction to the study of the Sphecidae (Hym.) of Java, with a key to the genera.— Ent. Meded. Ned. Indië 5: 72-86.
- 1940a. De kleine pepersnuitkever (*Lophobaris piperis* Marsh.).— Meded. Alg. Proefstn Landb. 42 & Landbouw 16: 1-44.

- 1940b. *Vespa analis* and its variety *tenebrosa* Buyss.— Ent. Meded. Ned.-Indië 6: 43-45.
- 1940c. On a Sapygid wasp from South Sumatra.— Ent. Meded. Ned.-Indië 6: 45-46.
- 1940d. The nesting habits of *Ropalidia flavopicta*.— Ent. Meded. Ned.-Indië 6: 47-50.
- 1941a. The Indo-Australian species of the genus *Ropalidia* (= *Icaria*) (Hym., Vespidae) (First part).— Treubia 18: 103-190.
- 1941b. On two new species of *Ctenoplectra* from Sumatra and Java (Hym., Apidae).— Ent. Meded. Ned.-Indië 7: 69-76.
- 1941c. Insectenetende insecten.— Natuurwet. Tijdschr. Ned.-Indië 101: 357-358.
1946. Overzicht omtrent de lotgevallen van de Ned. Ind. Entomologische Vereniging, de leden van deze Ver. en de insectencollecties in Indië tijdens de oorlog.— Verslag 78ste Winterverg. Ned. ent. Ver. 1946: ii-iv. Reprinted in Tijdschr. Ent. 89 (1948): xvii-xxi.
- 1947a. [The study of the insect fauna of the East Indian Archipelago].— Verslag 101ste Zomerverg. Ned. ent. Ver.: x-xiii. Reprinted in Tijdschr. Ent. 89 (1948): xlii-xlv.
- 1947b. *Osmia parietina* (Hym., Apidae) en *Araschnia levana* (Lep.).— Verslag 101ste Zomerverg. Ned. ent. Verg.: xvi. Reprinted in Tijdschr. Ent. 89 (1948): xlviii.
- 1947c. Enige aantekeningen over de toegepaste entomologie in Nederland.— Landbouw 19: 417-420.
- 1947d. Beknopt rapport over studiereizen inzake de landbouw-entomologie.— Landbouw 19: 446-470.
- 1947e. Het verband tusschen populatie-dichtheid van gastheer en parasiet bij sommige tropische insecten.— Tijdschr. Ent. 88: 427-434.
1948. Entomologie in de U.S.A.— Verslag 79de Winterverg. Ned. ent. Ver.: xiii-xv. Reprinted in Tijdschr. Ent. 90 (1949): xiii-xv.
- 1949a. Verkort verslag van een dienstreis naar Zweden en Nederland.— Chronica Naturae 105: 87-96.
- 1949b. Biologische specialisatie bij galvormende wortelaaltjes. Een verzoek om medewerking.— Bergcult. 18: 39-40.
- 1949c. Aardappelmoehheid in Nederland.— Landbouw 21: 223-227 & Bergcult. 18: 183-185.
- 1949d. Indo-Australian Pompilidae (Hym.) I. *Leptodialepis bipartitus* (Lep.) and some similarly coloured species.— Treubia 20: 275-288.
- 1949e. On Indo-Australian *Bembecinus*, with special reference to the species occurring in Java (Hym., Sphec.).— Treubia 20: 289-307.
- 1950a. Op planten parasiterende aaltjes (Tylenchidae). In: L.G.E. Kalshoven. De plagen van de cultuurgewassen in Indonesië: 16-42.
- 1950b. A note on the Larrid wasps *Dalara schlegelii* (Rits.) and *Hyloliris mandibularis* Will. (Hym. Sphecoidea).— Idea 8: 14-16.
- 1950c. Bees and wasps of the Malay archipelago and some notes on Taxonomic Entomology in general.— Proc. 8th Intern. Congr. Ent.: 180-184.
- 1950d. Population studies on the Coconut Leaf Moth *Artona catoxantha* Hamps. (Lep., Zyg.).— Proc. 8th int. Congr. Entomology: 702-715.
- 1950e. The Coconut Leaf Moth (*Artona catoxantha* Hamps.). Part I. Life history and habits of *Artona catoxantha*, its parasites and hyperparasites.— Contr. gen. agric. Res. Stn Bogor 110: 1-77.
- 1950f. Over nestbouw en prooi van *Dasyproctus ceylonicus* (Sauss.).— Idea 8: 103-104.
- 1952a. (F.H. Schmidt & —). East monsoon fluctuations in Java and Madura during the period 1880-1940.— Verh. Meterool. Magn. Inst. Djakarta 43: 1-36.
- 1952b. A preliminary revision of the Oriental species of the genus *Ceratina* (Hymenoptera, Apidae).— Zool. Verh. Leiden 16: 1-85.
- 1952c. Parallele ontwikkeling van het kleurpatroon bij spinnendoders (Hymenoptera Pompilidae) in Zuid Oost Azië.— Tijdschr. Ent. 95: xcvi-c.
- 1953a. (— & J. Wilcke). The *Hemipepsis* species of Java (Hymenoptera, Pompilidae).— Treubia 21: 685-724.
- 1953b. (— & B.H.H. Bergman). Studies on the nematode *Radopholus oryzae* (van Breda de Haan) Thorne and its influence on the growth of the rice plant.— Contr. gen. agric. Res. Stn Bogor 131: 1-80.
- 1953c. The *Xylocopa* species of Celebes.— Idea 9: 57-69.
- 1953d. A new name for *Ceratina punctigena* v.d. Vecht 1952, nec Ckll. 1916.— Idea 9: 69.
- 1953e. On some aspects of the numerical variation of insects in the tropics.— Proc. 9th Int. ent. Congr. 2: 272-276.
- 1953f. Verleden en toekomst der Landbouw-entomologie in Indonesië.— Inaugural address, Bogor 28 mei 1953.— Bandung.
- 1953g. Indo-Australian Pompilidae II. An annotated list of the oriental species of the genus *Hemipepsis* Dahlb. (Hym.).— Treubia 22: 1-17.
- 1953h. Het *Lantana*-wantsje in Indonesië.— Tijdschrift Plantenziekten 59: 170-173.

- 1953i. The problem of the mentek disease of rice in Java.— Contr. gen. agric. Res. Stn Bogor 137: 1-88.
- 1954a. Parasitism in an outbreak of the coconut moth (*Artona catoxantha* (Hamps.) in Java (Lep.).— Ent. Ber., Amst. 15: 122-132.
- 1954b. The probable types of *Sphex lanierii* Guèr. and *Sphex paulinierii* Guèr.— Proc. ent. Soc. Wash. 56: 147.
- 1954c. In Memoriam: Dr S. Leefmans 1884-1954.— Trop. Natuur 34: 3-5.
- 1954d. Agricultural Entomology in Indonesia, 1939-1948.— Proc. 7th Pac. Sc. Congr. 4: 100-108.
1955. (— & K.V. Krombein). The subspecies of *Sphex sericeus* (Fabr.) (= *S. aurulentus* auct., nec Fabr. 1787).— Idea 10: 33-43.
- 1956a. Vijgen en vijgenwespen.— Ent. Ber., Amst. 16: 99-103.
- 1956b. De herkomst der illustraties in Jurine's werk over Hymenoptera, 1807.— Ent. Ber., Amst. 16: 225.
- 1957a. On some Hymenoptera from the collection of Guèrin Méneville in the Leiden Museum.— Zool. Med. Leiden 35: 21-31.
- 1957b. The Vespinae of the Indo-Malayan and Papuan areas (Hymenoptera, Vespidae).— Zool. Verh. Leiden 34: 1-83, pls 1-6.
- 1957c. Book review: Riley, Index of Taxonomic Specialists in Entomology.— Ent. Ber., Amst. 17: 55-56.
- 1957d. Taxonomic notes on *Sphex nankumiensis* Laidlaw (Hym., Sphecidae).— Ent. Monthly Mag. 93: 22-23.
- 1957e. The Sphecoidea of the Lesser Sunda Islands (Hym.). I. Sphecinae.— Verh. Naturf. Ges. Basel 68: 358-372.
1958. The identity of *Sphex viatica* Linné, 1758 (Hymenoptera, Pompilidae).— Ent. Ber., Amst. 18: 47-48.
- 1959a. On some Fabrician types of Indo-Australian Vespidae (Hymenoptera).— Arch. Néerl. Zool. 13 (1st Suppl., 1958): 234-247.
- 1959b. Notes on Aculeate Hymenoptera described in the period 1758-1810. Part I.— Ent. Ber., Amst. 19: 65-70.
- 1959c. Notes on Oriental Vespinae, including some species from China and Japan.— Zool. Med. Leiden 36: 205-232.
- 1959d. Notes on Aculeate Hymenoptera described in the period 1758-1810. Part II.— Ent. Ber., Amst. 19: 127-133.
- 1959e. On *Eumenes arcuatus* (Fabricius) and some allied Indo-Australian wasps (Hymenoptera, Vespidae).— Zool. Verh. Leiden 41: 1-71.
- 1959f. *Megachile lapponica* in Nederland (Hym.).— Ent. Ber., Amst. 19: 196.
- 1959g. Notes on Aculeate Hymenoptera described in the period 1758-1810. Part III.— Ent. Ber., Amst. 19: 211-215.
- 1959h. Principes van de moderne dierlijke systematiek.— ENSIE-Encyclopedie. Supplement: 335-338.
- 1960a. Notes on Aculeate Hymenoptera described in the period 1758-1810. Part IV.— Ent. Ber., Amst. 20: 4-7.
- 1960b. Systematiek en evolutie. In: Evolutie, de huidige stand van het vraagstuk: 116-141.
- 1960c. On *Abispa* and some other Eumenidae from the Australian region (Hymenoptera, Vespoidea).— Nova Guinea, Zoology 6: 91-115.
- 1961a. Hymenoptera Sphecoidea Fabriciana.— Zool. Verh. Leiden 48: 1-85.
- 1961b. *Crabro bicinctus* Rossi, 1794 (Insecta, Hymenoptera); proposed validation under the plenary powers Z.N.(S.) 1440.— Bull. zool. Nomencl. 18: 340-341.
- 1961c. Evolution in a group of Indo-Australian *Eumenes* (Hymenoptera, Eumenidae).— Evolution 15: 468-477.
- 1961d. Über Taxonomie und Evolution der Grabwespen-gattung *Sceliphron* Klug (Hymenoptera, Sphecidae).— Verh. 11. Int. Kongr. Entomologie: 251-256.
- 1961e. Probleme der Verbreitung und geographischen Variation einiger Indo-Australischen *Eumenes*-Arten (Hymenoptera, Eumenidae).— Verh. 11. Int. Kongr. Entomologie: 533.
- 1962a. The Indo-Australian species of the genus *Ropalidia* (= *Icaria*) (Hymenoptera, Vespidae). Second part).— Zool. Verh. Leiden 57: 1-71.
- 1962b. [Book review: Sakagami & Michener, The Nest Architecture of the Sweat Bees (Halictinae): a comparative study of behavior].— Ent. Ber., Amst. 22: 226.
- 1963a. Rijkdom der verscheidenheid.— Inaugural Address, Rijksuniversiteit Groningen: 1-20.
- 1963b. Studies on Indo-Australian and East-Asiatic Eumenidae (Hymenoptera, Vespoidea).— Zool. Verh. Leiden 60: 1-116.
- 1963c. Proposal to validate the generic name *Rhynchium*, an emendation of *Rygzium* Spinola, 1806 (Hymenoptera, Eumenidae).— Bull. zool. Nomencl. 26: 234-235.
- 1964a. The *Cerceris* species of Java (Hymenoptera, Sphecoidea).— Zool. Med. Leiden 39: 348-368.
- 1964b. Taxonomen in conflict.— Inaugural Address, Rijksuniversiteit Leiden: 1-26.

1965. The geographical distribution of the social wasps (Hymenoptera, Vespidae).— Proc. 12th Int. Congr. Entomologie: 440-441.
- 1966a. The East-Asiatic and Indo-Australian species of *Polybioides* Buysson and *Parapolybia* Saussure (Hymenoptera, Vespidae).— Zool. Verh. Leiden 82: 1-42.
- 1966b. (A.S. Menke, R.M. Bohart & —). *Podalonia* Spinola, 1853 (Hymenoptera, Sphecidae): proposed suppression under plenary powers in favour of *Podalonia* Fernald, 1927, with *Ammophila violaceipennis* Lepelletier, 1845, as type species.— Bull. zool. Nomencl. 23(1): 48-51.
- 1966c. Notes on Palaearctic Eumenidae (Hymenoptera).— Ent. Ber., Amst. 26: 161-165.
- 1966d. Notes on some oriental *Philanthus* species (Hymenoptera, Sphecoidea).— Proc. K. ned. Akad. Wet. C69(4): 420-431.
- 1967a. The status of certain genus-group names in the Eumenidae (Hymenoptera, Vespoidea).— Bull. zool. Nomencl. 24(1): 27-33.
- 1967b. Bouwproblemen van sociale wespen.— Versl. Afd. Natuurk. K. ned. Akad. Wet. 76(4): 59-68.
- 1968a. Notes on some European *Eumenes*-species (Hymenoptera, Eumenidae).— Ent. Ber., Amst. 28: 68-80.
- 1968b. The *Rhynchium* species of the Philippine Islands (Hymenoptera, Eumenidae).— Zool. Med. Leiden 42: 255-259.
- 1968c. The geographic variation of *Polistes* (*Megapolistes* subg. n.) *rothneyi* Cameron.— Bijdr. Dierk. 38: 97-109.
- 1968d. (— & A.S. Menke). *Anoplius* Dufour, 1834 (Insecta, Hymenoptera): proposed designation of a type-species with proposed designation of neotypes under the plenary powers for *Sphex nigra* Fabricius, 1775 and *Sphex nigerrimus* Scopoli, 1763. Z.N.(S.) 1845.— Bull. zool. Nomencl. 25(2/3): 120-124.
- 1968e. (O.W. Richards & —). The type of the genus *Odynerus* Latreille (Hymenoptera, Vespoidea).— Ent. Ber., Amst. 28: 196-197.
- 1968f. The terminal gastral sternite of female and worker social wasps (Hymenoptera, Vespidae).— Proc. K. ned. Akad. Wet. C71(4): 411-422.
- 1968g. (— & F.M.A. van Breugel). Revision of the nominate subgenus *Sceliphron* Latreille (Hymenoptera, Sphecidae) (Studies on the Sceliphronini, part I).— Tijdschr. Ent. 111: 185-255.
- 1969a. A new name for the genus *Cyrtolabus* van der Vecht (Hymenoptera, Eumenidae).— Ent. Ber., Amst. 29: 2.
- 1969b. Descriptions of two new genera of Stenogasterine wasps. In: K. Yoshikawa & F. Sakagami, Preliminary report on entomology of the Osaka Univ. 5th Sci. Exp. to S.E. Asia 1966.— Nature & Life in S.E. Asia 6: 165.
- 1969c. Mimicry en evolutie.— Versl. Afd. Natuurk. K. ned. Akad. Wet. 78(8): 116-122.
- 1970a. Further notes on Fabrician types of Vespoidea (Hymenoptera).— Proc. K. ned. Akad. Wet. C73: 15-24.
- 1970b. In memoriam Dr L.G.E. Kalshoven.— Ent. Ber., Amst. 30: 89-98.
1971. Notes on palaeartic Eumenidae (part 2).— Ent. Ber., Amst. 31: 127-134.
- 1972a. The subgenera *Megapolistes* and *Stenopolistes* in the Solomon Islands (Hymenoptera, Vespidae, *Polistes* Latreille).— Ent. Essays Comm. Yasamatsu: 87-106.
- 1972b. (— & F.C.J. Fischer). Palaeartic Eumenidae.— Hym. Cat. (nov. ed.) 8: i-v+1-199.
- 1972c. A review of the new genus *Anischnogaster* in the Papuan Region (Hymenoptera, Vespidae).— Zool. Med. Leiden 47: 240-256.
- 1972d. The social wasps (Vespidae) collected in French Guyana by the Mission du Museum d'Histoire Naturelle with notes on the genus *Apoica* Lepelletier.— Ann. Soc. ent. Fr. (N.S.) 8(3): 735-743.
- 1973a. Insekten zonder tal: een uitdaging.— Versl. Verg. Afd. Natuurk. K. ned. Akad. Wet. 82(3): 41-48.
- 1973b. Contribution to the taxonomy of the Oriental and Australian Sphecini (Hymenoptera, Sphecoidea).— Proc. K. ned. Akad. Wet. C76: 341-353.
- 1975a. The date of publication of M. Spinola's paper on the Hymenoptera collected by V. Ghiliani in Para, with notes on the Eumenidae described in this work.— Ent. Ber., Amst. 35: 60-63.
- 1975b. A review of the genus *Stenogaster* Guérin (Hymenoptera: Vespoidea).— J. Austr. ent. Soc. 14: 283-308.
- 1977a. Studies of Oriental Stenogastrinae (Hymenoptera Vespoidea).— Tijdschr. Ent. 120: 55-75.
- 1977b. Notes on American Eumenidae.— Proc. K. ned. Akad. Wet. C80: 238-244.
- 1977c. Important steps in the evolution of nest construction in social wasps.— Proc. 8th Int. Congr. IUSSI: 319.
- 1978a. [Book review: Bohart & Menke, Sphecids wasps of the world].— Ent. Ber., Amst. 38: 47-48.
- 1978b. [Book review: Lomholdt, The Sphecidae (Hymenoptera) of Fennoscandia and Denmark].— Ent. Ber., Amst. 38: 190-191.

1979. Notes on Vespoidea from Nepal.— Ent. Ber., Amst. 39: 27-30.
- 1980a. A new species of *Sphaeromenes* Giordani Soika (Hymenoptera, Eumenidae). Ent. Ber., Amst. 40: 14-16.
- 1980b. The identity of *Bembix westermanni* Spinola (Hymenoptera, Sphecidae Nyssoninae).— Proc. K. ned. Akad. Wet. C83: 399-402.
- 1981a. Corrections to several of the author's papers on Hymenoptera.— Ent. Ber., Amst. 41: 73-79.
- 1981b. On some Neotropical Eumenidae described by A. Ducke.— Boll. Mus. civ. Stor. nat. Venezia 31: 121-124.
- 1981c. Studies of Indo-Australian solitary wasps (Hymenoptera, Vespoidea, Eumenidae).— Proc. K. ned. Akad. Wet. C84: 443-464.
- 1981d. *Paraliris*, an Oriental genus of mite-bearing larrine wasps (Hym., Sphecidae, Larrinae).— Mitt. schweiz. ent. Ges. 54: 357-361.
1983. *Ancistroceroides* Saussure, 1855: Proposed change of type species in order to preserve the well-established name *Paralastor* Saussure, 1856 (Hymenoptera, Vespoidea, Eumenidae) Z.N.(S) 2280.— Bull. zool. Nomencl. 40(2): 111-113
- 1984a. A new subspecies of *Sphex subtruncatus* Dahlbom: 28-29. Appendix in: K.V. Krombein, Bio-systematic studies of Ceylonese wasps, 12: behavioral and life history notes on some Sphecidae (Hymenoptera: Sphecoidea).— Smiths. Contr. Zool. 387: 1-29.
- 1984b. Die orientalische Mauerwespe *Sceliphron curvatum* (Smith, 1870) in der Steiermark, Österreich (Hymenoptera, Sphecidae).— Entomofauna 5: 213-219.
- 1984c. New species of *Polistes* from Rennel and San Christobal Islands (Hymenoptera, Vespoidea).— The natural history of Rennel Island, British Solomon Islands (Copenhagen) 8: 171-173.
1986. (J.M. Cumming & —). New Oriental species of *Symmorphus* Wesmael, with description of a new subgenus (Hymenoptera: Vespidae, Eumeninae).— Ent. Ber., Amst. 46: 23-32.
1987. (K.V. Krombein & —). Biosystematic Studies of Ceylonese Wasps 17: a revision of Sri Lankan and South Indian *Bembix* Fabricius (Hymenoptera: Sphecoidea: Nyssonidae).— Smiths. Contr. Zool. 451: 1-30.
1990. (— & J.M. Carpenter). A catalogue of the genera of the Vespidae (Hymenoptera).— Zool. Verh. Leiden 260: 1-62.
1991. (J.M. Carpenter & —). A study of the Vespidae described by William J. Fox (Insecta: Hymenoptera), with assessment of taxonomic implications.— Ann. Carnegie Mus. 60: 211-24.

Acknowledgements

I wish to thank Dr A.C. van Bruggen (Leiden), Dr P.A. van der Laan (Wageningen), Mr T. Peeters (Leiden), Mr G. van der Vecht (Ruinerwold), Prof. Dr J.T. Wiebes (Leiderdorp) and Mr C.J. Zwakhals (Arkel) for providing information. Ms Ingrid Henneke is acknowledged for making several copies of the original colour photograph and of the prints of the glass negatives. Dr A. Polaszek (Amsterdam) kindly commented on the first draft of this obituary.

Received: 6.vii.1992

Accepted: 14.viii.1992

Edited: J.C. den Hartog