

Ann. Naturhist. Mus. Wien	103 B	361 - 362	Wien, Dezember 2001
---------------------------	-------	-----------	---------------------

Replacement names for three New Guinea species of *Copelatus*, subgenus *Papuadytes* BALKE, 1998 (Coleoptera: Dytiscidae)

M. Balke*

Abstract

The names of three New Guinea species of *Copelatus* (*Papuadytes*) described by (BALKE 1998) are preoccupied. Here, I suggest the following replacement names: *Copelatus* (*Papuadytes*) *bagus* BALKE & HENDRICH, for *C. (P.) speciosus* BALKE & HENDRICH, in BALKE, 1998, not *C. speciosus* RÉGIMBART, 1892; *C. (P.) kainantuensis*, for *C. (P.) formosus* BALKE, 1998, not *C. formosus* WOLLASTON, 1867; *C. (P.) madangensis*, for *C. (P.) inornatus* BALKE, 1998, not *Copelatus inornatus* SHARP, 1882.

Key words: Insecta, Coleoptera, Dytiscidae, *Copelatus*, replacement names.

Zusammenfassung

Die Namen von drei von BALKE (1998) aus Neu Guinea beschriebenen Arten von *Copelatus* (*Papuadytes*) sind präokkupiert. Daher schlage ich hier die folgenden Ersatznamen vor: *Copelatus* (*Papuadytes*) *bagus* BALKE & HENDRICH, für *C. (P.) speciosus* BALKE & HENDRICH, in BALKE, 1998, nicht *C. speciosus* RÉGIMBART, 1892; *C. (P.) kainantuensis*, für *C. (P.) formosus* BALKE, 1998, nicht *C. formosus* WOLLASTON, 1867; *C. (P.) madangensis*, für *C. (P.) inornatus* BALKE, 1998, nicht *Copelatus inornatus* SHARP, 1882.

Introduction

Recently, I have described thirty-one new species of *Copelatus* (*Papuadytes*) from New Guinea (BALKE 1998). My colleagues Dr. Anders Nilsson (Umea, Sweden) and Dr. Hans Fery (Berlin, Germany) kindly informed me that three of the names I have chosen are in fact preoccupied (cf. GUÉORGUIEV 1968). I therefore propose new names for the species in question to avoid further confusion.

Copelatus (*Papuadytes*) *bagus* BALKE & HENDRICH, nom.n.

Copelatus (*Papuadytes*) *speciosus* BALKE & HENDRICH, in BALKE, 1998, not *Copelatus speciosus* RÉGIMBART, 1892.

Etymology: "bagus" is Indonesian language and means "great, good, fantastic".

Copelatus (*Papuadytes*) *kainantuensis*, nom.n.

Copelatus (*Papuadytes*) *formosus* BALKE, 1998, not *Copelatus formosus* WOLLASTON, 1867.

Etymology: The new name refers to the type locality, Kainantu Village, Eastern Highlands Province, Papua New Guinea.

* Michael Balke, AG Evolutionsbiologie, Institut für Zoologie, Freie Universität Berlin, Königin-Luisen-Straße 1 - 3, D-14195 Berlin, Germany (Email <michael_balke@yahoo.de> and mbalke@bigfoot.com>).

Copelatus (Papuadytes) madangensis, nom.n.

Copelatus (Papuadytes) inornatus BALKE, 1998, not *Copelatus inornatus* SHARP, 1882.

Etymology: The new name refers to the type area, which is situated in Madang Province, Papua New Guinea.

References

- BALKE M., 1998: Revision of New Guinea *Copelatus* Erichson, 1832 (Insecta: Coleoptera: Dytiscidae): The running water species, Part I. – *Annalen des Naturhistorischen Museums in Wien* 100 (B): 301-341.
- GUÉORGUIEV V.B., 1968: Essai de classification des Coléoptères Dytiscidae. I. Tribus Copelatini (Colymbetinae). – *Izvestija na Zoologitjeskija Institut s Musei Sofija* 28: 5-45.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Annalen des Naturhistorischen Museums in Wien](#)

Jahr/Year: 2001

Band/Volume: [103B](#)

Autor(en)/Author(s): Balke Michael

Artikel/Article: [Replacement names for three New Guinea species of
Copelatus, subgenus Papuadytes BALKE, 1998 \(Coleoptera: Dytiscidae\).
361-362](#)