Ann. Naturhist. Mus. Wien	110 A	123–132	Wien, Jänner 2009
---------------------------	-------	---------	-------------------

A Late Pleistocene wolverine *Gulo gulo* (LINNÉ, 1758) skeleton from the Sloup Cave in the Moravian Karst, Czech Republic

By Cajus G. DIEDRICH¹

(With 5 figures and 1 table)

Manuscript submitted on April 2nd 2008, the revised manuscript on August 4th 2008

Abstract

A senile male wolverine skeleton *Gulo gulo* (LINNÉ, 1758) from the historical excavations of WANKEL from the Sloup Cave, Moravian Karst, Czech Republic is described. This is the only wolverine record in the Sloup cave, a famous cave bear den, but also a hyena den site. A brief overview of all recently known Late Pleistocene cave and open air wolverine sites in the Czech Republic is given. The skeleton from Sloup, and from all other caves, was found in bone accumulations with non-cave bear fauna mainly as the result of hyena activity. The absence of juvenile wolverine material in the caves proves these extinct carnivores were imported by hyenas as prey or carcasses. Wolverines did not use caves for protection or raising cubs in the Late Pleistocene, nor do they today.


Keywords: *Gulo gulo* (LINNÉ, 1758), male skeleton, Sloup Cave, palaeobiogeography, Czech Republic, taphonomy, palaeoecology, Late Pleistocene.

Introduction

Wolverine skeleton remains are quite rare in Europe and were found in the Upper Pleistocene mostly along with isolated bone remains in caves (e.g. REYNOLDS 1912; PACHER & DÖPPES 1997; DÖPPES 2001; DIEDRICH & DÖPPES 2004). Wolverines were first described in the Czech Republic from the open air loess site Prague-Podbaba (KAFKA 1903). This material, skeleton remains, was recently re-described in the context of a hyena bone accumulation site (DIEDRICH 2008a). Wolverines were listed from Moravian Caves first by WANKEL (1868), and later by MUSIL (1956). At archaeological Czech sites, *G. gulo* was mentioned by MUSIL (1958) in Dolní Vestonice. Recent descriptions about wolverines in the Bohemian Karst began with material from the hyena den cave Srbsko Chlum-Komin (DIEDRICH 2008b). An overview of wolverine remains was mentioned in the statistics of hyena den bone accumulations for the caves at Srbsko-Chlum Komin and Chlupacova Sluj (DIEDRICH & ŽÁK 2006).

The here-studied material from Sloup was described briefly by WANKEL (1858, 1868), who figured only the skull and baculum. This *Gulo gulo* material was mentioned by MUSIL (1956) and was listed by DÖPPES (2001). Here for the first time all material

¹ Dr. C.G. Diedrich, Institute of Speleology, Frumoasa 31, 010986 Bukarest, Romania, and PaleoLogic, private Palaeontological research institute, Nansenstr. 8, 33790 Halle/Westf., Germany; e-mail: cdiedri@gmx.net; webpage: www.paleologic.de






Fig. 1: Wolverine sites in the Czech Republic. *Gulo gulo* (LINNÉ, 1758) was found at several hyena den sites, mainly in caves. Only in Prague Podbaba, an open air loess site, which was most likely a hyena den prey storage site along the river, additional skeleton remains were found outside the caves (after MUSIL 1956, 1958; DÖPPES 2001; DIEDRICH 2008 a, b).

housed in the Natural History Museum Vienna (= NHMV) is described in detail and figured with all bones, which were also newly inventoried (Tab. 1). A missing metapod (cf. DÖPPES 2001) was recently rediscovered through collections management.

Material

The Sloup Cave megafauna was confirmed in the WANKEL collections material, which was received in 1885 as one of the first palaeontological collections of the Natural History Museum Vienna. The following Late Pleistocene animals can be newly identified: Ursus spelaeus, Crocuta crocuta spelaea, Panthera leo spelaea, Gulo gulo, Canis lupus, Mammuthus primigenius, Coelodonta antiquitatis, Bison priscus, Bos primigenius, Equus ferus cf. przewalski, Megaloceros giganteus, Rangifer tarandus, Capra ibex and possibly Saiga tartarica.

WANKEL's large bone collection mostly consisted of several hundred cave bear bones. This was historically excavated from the cave at different places which he marked on his cave map (cf. MUSIL 2002). There were only about 139 non-cave bear bones and 23 hyena coprolites. This collection from the Sloup Cave was donated by the Anthropologische Gesellschaft and bookmarked in the Museum's catalogue in 1885. The historical paper labels with a red frame and up to three digit numbers are important for the identification of bones, which are from the Sloup Cave but mixed-up with material from the

N

DIEDRICH: Gulo gulo from the Sloup Cave, Moravia






Fig. 2: Cave map of the Sloup Cave and area where the wolverine material was most likely historically found (map redrawn after ZAJÍČEK et al. 2007).

Výpustek Cave (Moravia, Czech Republic). These labels are attached to the heredescribed bones of the wolverine as well.

Family Mustelidae SWAINSON, 1835 Genus *Gulo* PALLAS, 1780

Gulo gulo (LINNÉ, 1758)

M a t e r i a 1: The material with new collection numbers (No. 2008z0088/0001-0015) is listed in Tab. 1 and comprises a skull, right and left humerus, right ulna and radius, right metacarpus IV, both femora, the left tibia and the baculum. All bone sutures are fully fused. Only the main measurements are given here in Tab. 1 for gender identification.

The skull is incomplete and missing the left jugal and parts of the frontals (Fig. 4). This was filled in with plaster. All right I to C are missing. The left I1-2 is absent. The alveols of all I1-2 seem to be closed which indicates a loss of teeth while the animal was still alive. The left I3 is broken off but the root is polished. The right P4 is partly broken off, but also during the animal's lifetime. The left P1 is missing and the P2 is incomplete. The total skull length measures 17.4 cm, the maxillary width is 5.8 cm. Both fore limb humeri are present (Figs. 5.1-2) which are each 14.5 cm in total length and in distal width, 4.1 cm. Their proportions are similar, proving they came from one individual. The right ulna (Fig. 5.3) and radius (Fig. 5.4) are both more or less complete. One right metacarpus IV with a length of 7.5 cm (Fig. 5.5) is preserved. The axial skeleton is




Fig. 3: Present bones (grey) from a male *Gulo gulo* individual from the Sloup Cave, Moravia, Czech Republic.

Tab. 1: Gulo gulo bones all from one senile male individual from the Sloup Cave, Moravia, Czech Republic (No. 2008z0088/0001-0015).

Collection	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna	Natural History Museum Vienna
u															
Old collection	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885	Wankel 1885
Origi- nal	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
Bite marks														×	
Sex	Male	Male	Male	Male	Male	Male	Male	Male	Male	Male	Male	Male	Male	Male	Male
Individual Age	Senile	Senile	Senile	Senile	Senile	Senile	Senile	Senile	Senile	Senile	Senile	Senile	Senile	Senile	Senile
right		×		×	×	×						×			
left			×								×		×	×	
Commentary	Nearly complete, without right CI1/2, left 11/2 Total length 17.4 cm, Maxillary width 5.8 cm	Complete, Length 14.5 cm Distal width 4.1 cm	Complete, Length 14.5 cm Distal width 4.1 cm	Complete, Length 14.6 cm	Complete, 12.1 cm	Mc IV, Length 7.5 cm	L2	L3	L4	L5	Half	Complete, Length 15.3 cm	Complete, Length 15.3 cm	Nearly complete, Length 14.7 cm	Complete
Bone type	Cranium	Humerus	Humerus	Ulna	Radius	Metacarpus	Lumbar vertebra	Lumbar vertebra	Lumbar vertebra	Lumbar vertebra	Pelvis	Femur	Femur	Tibia	Baculum
InvNo.	0001	0002	0003	0004	0005	9000	0007	0008	6000	0010	0011	0012	0013	0014	0015
No.		2	3	4	2	9	7	œ	6	10	7	12	13	14	15

DIEDRICH: Gulo gulo from the Sloup Cave, Moravia

128

represented by four lumbar vertebrae, most probably the L2-5 (Fig. 6). The left pelvic bone (Fig. 5.7) is lacking parts of the ischium. The hind limb bones are represented with both quite massive femora (Fig. 5.8-9). Again they are similar in their proportions with a length of 15.3 cm each, proving again, one individual. Only the left tibia (Fig. 5.10) was found within the material. On the proximal joint, groove-like damage is present, which resulted from other carnivore activities. Finally the baculum is complete (Fig. 5.11).

Discussion

All large long bone sizes, when compared to the data of fossil and modern wolverines from Döppes (2001, 2005) indicate a male, whose bones are up to 14 % larger than female ones. The best proof of a male wolverine is the presence of the bacculum. The bones from the Sloup Cave match one skeleton individual whose large and similar long bone proportions correspond to other described material (cf. DÖPPES 2001, DIEDRICH & DÖPPES 2004). The high degree of the skull suture fusion, loss of teeth and overgrown alveoli prove a senile individual age. Also, all fused bone sutures, including the vertebra discs, match only one adult animal. Finally, all similar coloured and preserved bones were found in one small area of the cave, the "Nicová Cave" part, where the hyena remains and its prey and coprolites were also found (cf. WANKEL 1858, 1868), which indicates an area of hyena den use. One wolverine bear seems to be represented only from the Sloup Cave, which has already been proposed by WANKEL (1868). It was most likely imported as a complete carcass or prey by the Ice Age spotted hyenas. The incomplete skull might have been the result of hyena or carnivore activity. There is a bite impression on the tibia bone, but the skull is refilled with plaster and the other mark is difficult to singularly prove hyena origin. The cave was clearly used as a hyena den. This is proved by many hyena bone remains, including skulls, juvenile material and even several coprolites; most material is in the collections of the Natural History Museum Vienna. A similar situation was observed in the taphonomical record at the Czech Srbsko Chlum-Komin Cave, also at the German Rösenbecker cave (DIEDRICH 2008a) and the Perick Caves (DIEDRICH & DÖPPES 2004; DIEDRICH 2008a). At the Perick Caves, only adult to senile wolverine remains were found in hyena den caves in which many prey bone remains were found. From the South German Beilstein Cave only several juvenile wolverine remains were described (Döppes 2001).

At all sites, the wolverines make up less than 0.1-0.2 % of the hyena prey fauna remains. The almost complete absence of juvenile *G. gulo* remains indicates that caves generally were not used to raise cubs. Like modern wolverines, the Pleistocene ones must have used snow burrow dens. This has been observed in Norway and North America (e.g. KROTT 2002). The same cave non-use has been observed for lions and lion skeletons in caves like the Srbsko Chlum Komin Cave (DIEDRICH & ŽAK 2006). Wolverines were most likely killed because they were hyena antagonists and their carcasses seem to have been imported into the caves; but, in some cases, they were not scavenged further by the hyenas. This has been proved also for Late Pleistocene lion remains from different European caves (DIEDRICH 2007). In some cases the cracking of the lower jaws indicate such scavenging (cf. DIEDRICH 2008a). Carnivores were the last prey to be eaten and scavenged, the same as modern African hyenas who come into contact with

DIEDRICH: Gulo gulo from the Sloup Cave, Moravia

them only in special situations or in the absence of their main prey (cf. KRUUK 1972; ESTES 1999).




Fig. 4: Skull of the *Gulo gulo* (LINNÉ, 1758) male skeleton remains from the Sloup Cave, Moravia, Czech Republic. 1. Cranium. (No. 2008z0088/0001), A. lateral right, B. ventral, C. dorsal, D. frontal, E. occipital.




Fig. 5: Postcranial bones of the *Gulo gulo* (LINNÉ, 1758) male skeleton remains from the Sloup Cave, Moravia, Czech Republic. A. Right humerus (No. 2008z0088/0002), cranial. B. Left humerus (No. 2008z0088/0003), cranial. C. Rigth ulna (No. 2008z0088/0004), lateral. D. Rigth radius (No. 2008z0088/0005), lateral. E. Rigth Mc IV (No. 2008z0088/0006), cranial. F. Articulated middle lumbar vertebrae (No. 2008z0088/0007-0010), lateral. G. Left pelvic remain (No. 2008z0088/0011), lateral. H. Right femur (No. 2008z0088/0012), cranial. I. Left femur (No. 2008z0088/0013), cranial. J. Left tibia (No. 2008z0088/0014), cranial. K. Baculum (No. 2008z0088/0015), lateral.

DIEDRICH: Gulo gulo from the Sloup Cave, Moravia

Acknowledgements

The collection of the Sloup Cave material was studied with the support of Dr. U. GÖHLICH from the Natural History Museum Vienna. The head of the Department of Palaeontology K. ZAGORŠEK supported the comparative work in the historically collected Srbsko Chlum Komin Cave and Praha-Podbaba open air site collections. Material from the German Perick Caves was compared in the collections of the Staatliche Naturhistorische Sammlungen Dresden with the support of Dr. U. LINNEMANN. Material from the Rösenbecker Cave, Sauerland Karst in northern Germany, was studied with the support of Dr. G. HEUMANN in the Goldfussmuseum Bonn. Finally, I thank Dr. D. DÖPPES and two anonymous colleagues for the reviews.

References

- DIEDRICH, C. (2007): The "cave lions" fairy tale about the *Panthera leo spelaea* (GOLDFUSS 1810) of Europe Late Ice Age spotted hyenas and Ice Age steppe lions in conflicts lion killers and scavengers around Prague (Central Bohemia). Scripta Facultatis Scientiarum Universitatis Masarykianae, Geology, **35**/2005: 107-112, Brno.
 - --- (2008a): Die letzen Vielfraße Gulo gulo (LINNÉ 1758) aus den Perick- und Rösenbecker Höhlen im Sauerländer Karst: – Mitteilungen des Verbandes der deutschen Höhlen- und Karstforscher, 54/2: 36-44, München.
 - --- (2008b): Upper Pleistocene Gulo gulo (LINNÉ 1758) skeleton remains from the open air loess site Praha-Podbaba (Czech Republic). – Journal of the National Museum (Prague), Natural History Series, (accepted), Prague.
 - --- & ŽÁK, K., (2006): Upper Pleistocene hyena Crocuta crocuta spelaea (GOLDFUSS 1823) prey deposit and den sites in horizontal and vertical caves of the Bohemian Karst (Czech Republic). – Bulletin of Geosciences, 81/4: 237–276, Prague.
 - --- & Döppes, D. (2004): Oberpleistozäne Vielfraßreste (*Gulo gulo* LINNÉ 1758) aus dem Perick-Höhlensystem im Sauerland (NW Deutschland). – Philippia, 11/4: 335-342, Kassel.
- Döppes, D. (2001): *Gulo gulo* (Mustelidae, Mammalia) im Jungpleistozän Mitteleuropas. Beiträge zur Paläontologie, **26**: 1-95, Wien.
- --- (2005): *Gulo gulo* (Mustelidae, Mammalia) im Ober-Pleistozän Deutschlands. Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, **235**/3: 411-444, Stuttgart.
- ESTES, R. (1999): The Safari Companion: A Guide to Watching African Mammals. 459 pp., Vermont (Chelsea Green Publishing Company).
- KAFKA, J. (1903): Fossile und Recente Raubthiere Böhmens (Carnivora). Archiv der Naturwissenschaften zur Landesdurchforschung Böhmens, 10/6: 1-120, Prag.
- KROTT, P. (2002): Der Vielfraß oder Järv. Band 271. 56 pp., Wittenberg (Neue Brehm-Bücherei).
- KRUUK, H. (1972): The spotted hyena. A story of predation and social behavior. 335 pp.; Chicago (University of Chicago Press).
- LINNÉ, C. (1758): Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum caracteribus, differentiis, synonymis, locis. Tomus I. Editio decima, reformata. – 824 pp., Stockholm.
- MUSIL, R. (1956): Mährische Fundstellen Pleistozäner Wirbeltiere. Geologie, **5**: 159-179, Berlin.

- --- (1958): Bemerkungen zum paläontologischen Material aus Dolni Vestonice (Unterwisternitz). Anthropozoikum, 8: 73-82, Prag.
- ---- (2002): Sloupsko šošůvské jeskyně. 178 pp., Brno (Brněnská drutěva).
- PACHER, M. & DÖPPES, D. (1997): Zwei Faunenelemente aus pleistozänen Höhlenfundstellen des Toten Gebirges: *Canis lupus* L. und *Gulo gulo* L. – Geologisch-Paläontologische Mitteilungen Innsbruck, 22: 129-151, Innsbruck.
- PALLAS P. S. 1780. Observationes circa myrmecophagam africanam et didelphis novam speciem orientalem; e litteris celeberr. Petri Camper excerptae et illvrstratae. – Acta Academiae Scientiarum Imperialis Petropolitanae, 1777/2: 223-231, Petropoli.
- REYNOLDS, S.H. (1912): A monograph of the British Pleistocene Mammalia. Volume II, Part IV. The Mustelidae. – Palaeontographical Society Monographs, **1912**: 1-28, London.
- SWAINSON, W. (1835): The cabinet cyclo-paedia, natural history: A treatise on the geography and classification of animals. – 367 pp. London (Longman, Rees, Brown, Green & Longman).
- WANKEL, H. (1858): Über den Fund- und Lagerstätten fossiler Knochenreste vorweltlicher Thiere, insbesondere jener in der Slouper-Höhle in Mähren. – Mitteilungen der kaiserlich-königlichen mährisch-schlesischen Gesellschaft für Ackerbau und Landeskunde,23: 186-188, Wien.
- ---- (1868): Die Slouper Höhle und ihre Vorzeit. Denkschriften der kaiserlichen Akademie der Wissenschaften, mathemathisch naturwissenschaftliche Klasse, **28**: 95-131, Wien.
- ZAJÍČEK, P. et al. (2007): Sloupsko-Šošůvské Jeskyne. 24 pp, Czech Cave Administration.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: Annalen des Naturhistorischen Museums in Wien

Jahr/Year: 2009

Band/Volume: 110A

Autor(en)/Author(s): Diedrich Cajus G.

Artikel/Article: <u>A Late Pleistocene wolverine Gulo gulo (Linné, 1758) skeleton from the</u> <u>Sloup Cave in the Moravian Karst, Czech Republic. 123-132</u>