

Faunistic records of new and poorly known Microlepidoptera (Insecta) from Europe

J. Šumpich* & J. Skyva**

Abstract

The paper presents 35 species of moths from several European countries. In total, 32 records are the first for a concrete country, whereas the record of *Epinotia nigrostriana* BUDASHKIN & ZLATKOV, 2011 is the first for Central Europe, *Phalonidia udana* (GUENÉE, 1845) together with *Pelochrista sordicomana* (STAUDINGER, 1859) are new species for the Balkan peninsula and *Phtheochroa ochralana* (CHRÉTIEN, 1915) and *Cochylimorpha langeana* (KALCHBERG, 1897) are at the same time new for the fauna of Europe.

Key words: Europe, Microlepidoptera, new records

Zusammenfassung

In dieser Arbeit werden 35 Schmetterlingsarten aus einigen europäischen Länder vorgestellt. 32 Funde sind Erstnachweise für ein bestimmtes Land, während der Fund von *Epinotia nigrostriana* BUDASHKIN & ZLATKOV, 2011 der erste für Mitteleuropa ist. *Phalonidia udana* (GUENÉE, 1845) zusammen mit *Pelochrista sordicomana* (STAUDINGER, 1859) sind neue Arten für die Balkanhalbinsel, *Phtheochroa ochralana* (CHRÉTIEN, 1915) und *Cochylimorpha langeana* (KALCHBERG, 1897) sind neue Arten für die Fauna Europas.

Introduction

Recently, a series of national check lists of Lepidoptera were produced and simultaneously the on-line database of Fauna Europaea (KARSHOLT & van NIEUKERKEN 2011) is being updated constantly. It enables an easier confrontation of field data as well as the older records from collections with species occurrence in a country. As a result, certain species can be found as still unknown for a country or whole Europe, which is also the case in the presented paper containing mostly records from both authors' field expeditions. The only collection method was attraction of moths to light and voucher specimens of all mentioned species are deposited in the private collections of the authors. The nomenclature and currently known distribution of species was confronted with up to date database of Fauna Europaea (KARSHOLT & van NIEUKERKEN 2012), therefore the source is not mentioned in the subsequent text repeatedly. Other faunistic sources are mentioned only if concerning data are not indicated in the Fauna Europaea database.

Material has been deposited in the following museums or collections, if not stated otherwise:

SU JAN ŠUMPICH, Česká Bělá, Czech Republic
SK JAN SKYVA, Prague, Czech Republic
ZMUC Zoological Museum, Natural History Museum of Denmark, Copenhagen,
Denmark

* Jan Šumpich, Česká Bělá 212, 562 81 Česká Bělá, Czech Republic, email: iansumpich@seznam.cz

** Jan Šimůnek, Česká Bělá 212, 562 61 Česká Bělá, Czech Republic, email: jansimunek@seznam.cz

Results

Tineidae

Elatobia bugrai KOCAK, 1981

= *atratella* STAUDINGER, 1870

Greece: 1♀, Peloponnes penin., Diakofto, 70 m, 19.vi.2011, SK (det. SU).

In Europe only known from Greece up to date, from where it was described by O. Staudinger. Later it was renamed by A.Ö. Kocak for nomenclatory reasons. Outside Europe it was found only in Turkey so far. Due to a low number of faunistic data we provide further record from Greece.

Gracillariidae

Cupedia cupediella (HERRICH-SCHÄFFER, 1855)

Slovenia: Osp, 4♂♂, 26.iv.2002, 3♂♂, 2.v.2002, SU; Croatia: 2♂♂, Island of Pag, Novalja – Potočnica, 26.–30.viii.2001, SU; 1m, Peljesac penin., Žuljana, 1.–13.vii.2005, SU; 1♂, Biograd, 5.–12.vii.2003, SU; 7m, Pirovac env., Tijesno, 15.–17.vii.2003, SU; 6♂♂, Pakoštane near Biograd, 15.–17.vii.2003, SU; Italy: 1♂, Verona distr., Monte, 20.v.2004, SU.

Widely distributed in Southeastern Europe, recorded also in Italy (incl. Sardinia). **New species for Slovenia.**

Phyllonorycter cerasinella (REUTTI, 1852)

Slovenia: 1♂, Nanos Mts., 1050 m, 4.vii.2004, SU (det. A. Laštůvka).

Known from Western, Central and Eastern Europe. **New species for Slovenia.**

Phyllonorycter aemula TRIBERTI, DESCHKA & HUEMER, 1997

Slovenia: 1♂, Nanos Mts., 1050 m, 3.v.2002, SU (det. A. Laštůvka).

Known only from Italy (locus typicus), Austria and France (see http://www.atbi.eu/mercantour-maritime/?q=node/13&tree_s=2832). **New species for Slovenia.**

Phyllonorycter millierella (STAUDINGER, 1871)

Slovenia: 2♂♂, Osp, 3.vii.2004, SU (det. A. Laštůvka).

A south European species. Known also from Slovenia (cf. LESAR & GOVEDIČ 2010), but not mentioned in the current version of Fauna Europaea.

Douglasiidae

Tinagma anchusella (BENANDER, 1936)

Bulgaria: 1♂, Kresna, 21.–29.v.1994, SU.

Scatteredly distributed in Northern, Central, Eastern and Southeastern Europe. Due to a low number of published faunistic data we contribute by further record.

Autostichidae

***Pantacordis pales* GOZMANY, 1954**

Greece: 4♂ ♂, 4♀ ♀, Mitsikéli, Dikórifo, 1000 m, 7.vii.2005, SK (det. SU); **Croatia:** Pirovac env., Tijesno, 8♂ ♂, 2♀ ♀ 23.viii.2004, 16♂ ♂, 13.–20.viii.2007, SU; 20♂ ♂, Marušići, 3.–17.viii.2008, SU.

Described from Hungary, known also from Croatia, Slovenia and Romania. **New species for Greece.**

Elachistidae

***Elachista cinereopunctella* (HAWORTH, 1828)**

Slovenia: 1♂, Trnovski Gozd Mts., 1250 m, 5.vii.2004, SU (det. J. Liška).

Widely distributed species, absent from the Balkans. **New species for Slovenia.**

***Elachista revinctella* ZELLER, 1850**

Slovenia: 10♂ ♂, Nanos Mts., 1050 m, 3.v.2002, SU; **Croatia:** 1♂, Island of Krk, Baška, 30.iv.2002, SU. All det. J. Liška.

Very locally distributed in Western and Central Europe. From Slovenia published by several authors (cf. LESAR & GOVEDIČ 2010), but so far not mentioned in Fauna Europaea.

***Elachista svenssoni* TRAUGOTT-OLSEN, 1988**

Slovenia: 2♂ ♂, Nanos Mts., 1050 m, 3.v.2002, SU (det. J. Liška).

Very locally distributed in Central Europe (Switzerland, Germany, Austria, Czechia, Slovakia and Hungary). **New species for Slovenia.**

***Elachista unifasciella* (HAWORTH, 1828)**

Bulgaria: 2♂ ♂, Rila Mts., Blagoevgrad distr., Bistrica, 29.iv.–4.v.2001, leg. M. Žemlička, det. J. Liška, coll. SU.

Widely distributed species, without published faunistic data from the Iberian Peninsula and Balkans. **New species for Bulgaria.**

Cosmopterigidae

***Hodgesiella rebeli* (KRONE, 1905)**

Slovenia: Osp, 3♂ ♂, 5f, 28.vi.2002, 1♂, 3.vii.2004, SU.

Distributed in Southeastern Europe, recorded also in Italy. **New species for Slovenia.**

Gelechiidae

***Altenia scriptella* (HÜBNER, 1796)**

Albania: 1♂, 1♀, Burrel – Rukaj, 26.iv.1996, leg. M. Dvořák, coll. SU.

Known from most European countries. **New species for Albania.**

***Altenia modesta* (DANILEVSKY, 1955)**

Croatia: 1♂, Island of Krk, Baška, 30.iv.2002, SU; 1♀, Senj distr., Sveti Juraj, 29.iv.2002, 1♀, SU; 2♂♂, Peljesac penin., Žuljana, 1.–13.vii.2005, SU; 9♂♂, Marušići, 3.–17.viii.2008, SU; **Slovenia:** Osp, 2♂♂, 2.v.2002, 1♂, 3.vii.2004, SU; **Bulgaria:** 3♂♂, 1♀, Kresna, 2.–3.v.1996, M. DVOŘÁK leg., coll. SU; 2♂♂, Rila Mts., Blagoevgrad distr., Bistrica, 29.iv.–4.v.2001, M. Žemlička leg., coll. SU.

Known only from the Balkan peninsula. **New species for Slovenia.**

***Tuta absoluta* (MEYRICK, 1917)**

Slovenia: 43 specimens (not sexed, 1♂ examined) and several hundreds observ., Sečovlje env., Sečoveljske soline, 14.ix.2012, SU.

An introduced South American species (locus typicus: Peru), in Europe found for the first time in Spain in 2007. Presently distributed throughout the whole Southwestern Europe. Recorded also from Denmark and Crete. **New species for Slovenia.**

***Stomopteryx hungaricella* GOZMANY, 1957**

Slovenia: 1♂, Crni Kal, 6.vii.2004, SU.

Scatteredly distributed in southern and central Europe. **New species for Slovenia.**

***Mesophleps oxycedrella* (MILLIERE, 1871)**

Greece: 4♀♀, Párga, Agia Kiriaki, 70 m, 13.viii.2002, SK (det. SU).

Known from southern Europe, but in the Balkans recorded only in Croatia. **New species for Greece.**

Tortricidae

***Phtheochroa pulvillana* HERRICH-SCHÄFFER, 1851**

Bulgaria: 1♂, Kresna, 21.–29.v.1994, SU; **Greece:** 1♂, Akritohori (near Kerkini lake), 25.–26.v.1994, SU.

Known from Southern, Central and Eastern Europe. In the Balkans recorded in Croatia, Macedonia and Romania; from Bulgaria mentioned by REBEL (1903). **New species for Greece.**

***Phtheochroa ochralana* (CHRÉTIEN, 1915) (Fig. 1)**

Greece: 1♂, Igoumenitsa, 23.x.2003, SK (det. SU).

Described from Tunisia, distributed in Northern Africa and southwestern Asia (Saudi Arabia). **New species for Greece, the first record from Europe.** Presented specimen was captured in salt marshes near seaside.

***Cochylimorpha langeana* (KALCHBERG, 1897) (Fig. 2)**

Greece: 2♀♀, Párga, Agia Kiriaki, 70 m, 18.x.2003, SK (det. SU); 1♀, Lakonia, 7 km SW Monemvasia, 15.ix.1980, leg. G. Christensen (det. T. Karisch, coll. ZMUC).

Described from Israel, so far known also from Turkey and Caucasus. Present specimens were compared with type material deposited in Naturhistorisches Museum Wien. **New species for Greece, the first records from Europe.**

Cochylis molliculana ZELLER, 1847

Slovenia: 1♂, Kostabona, Kapeli, 150 m, 25.viii.2010, SK (det. SU); 1♂, Podgorje, Debeli Hrib, 19.viii.2007, SK (det. SU).

Distributed mainly in Southern Europe, recorded also in the United Kingdom. **New species for Slovenia.**

Aethes francillana (FABRICIUS, 1794)

Slovenia: 4♀♀, Nanos Mts., 1200 m, 19.vii.2012, SK (det. SU); 3♀♀, Kostabona, Kapeli, 150 m, 25.viii.2010, SK (det. SU); **Sardinia:** 2♂♂, 1♀, Siniscola, Posada, 70 m, 3.v.2006, SK (det. SU).

Widely distributed, previously not recorded from Slovenia. **New species for Slovenia.**

Aethes rubiginana (WALSINGHAM, 1903) (Fig. 3)

Sardinia: 1♂, Budoni, Brunella, 250 m, 2.v.2010, SK (det. SU); 2f, Siniscola, Posada, 70 m, 3.v.2006, SK (det. SU).

A poorly known species. Previously known from Northern Africa (described from Morocco), recently recorded also in Europe, namely in Italy, Sicily, Lipari Islands (TREMATERRA 1999, NUPPONEN & al. 2003), Malta (NIELSEN & GREGERSEN 2011) and Denmark (BUHL & al. 2011). **New species for Sardinia.**

Aethes bilbaensis (RÖSSLER, 1877)

Slovenia: 1♀, Koper, Skocjanski zatok, 20.vii.2012, SK (det. SU).

Widely distributed in Southern Europe, previously without faunistic records from Slovenia. **New species for Slovenia.**

Phalonidia udana (GUENÉE, 1845) (Figs. 4–5)

Slovenia: 3♀♀, Koper, Skocjanski zatok, 20.vii.2012, SK (det. SU); 1♀, Koper, Bertoki, 27.viii.2010, SK (det. SU); 3♂♂, Sečovlje env., Sečoveljske soline, 14.ix.2012, SU; **Greece:** 2♂♂, Piéria, Leptokaria, 17.–22.viii.1996, SK (det. SU).

Until recently the taxon was regarded as a younger synonym of *Phalonidia manniana* (FISCHER von RÖSLERSTAMM, 1839). A recent study of MUTANEN & al. (2012) has confirmed the specific validity. In this paper all hitherto revised data are mentioned, namely from Northern and Central Europe. One record documents its occurrence in China. **New species for Slovenia, Greece and the Balkan peninsula.**

Phalonidia affinitana (DOUGLAS, 1846)

Greece: 1♀, Igoumenitsa, 28.vi.2001, SK (det. SU).

A halophilous species, known from most European countries. **New species for Greece.**

***Epinotia nigrostriana* BUDASHKIN & ZLATKOV, 2011 (Fig. 6)**

Hungary: 1♂, Csákberény, 10.x.2010, V. FEIK leg., SU det., coll. SK.

Described from southwestern Bulgaria, recorded also in Greece by ŠUMPICH & SKYVA (2012). **New species for Hungary and Central Europe.**

***Rhyacionia hafneri* (REBEL, 1937)**

Greece: 2♂♂, Mt. Smolikas, Pades, 1700 m, 22.vi.2011, SK (det. SU).

An overlooked species, up to date known only from several countries in Central, Southeastern and Eastern Europe. **New species for Greece.**

***Pelochrista sordicomana* (STAUDINGER, 1859) (Fig. 7)**

Greece: 1♀, Igoumenitsa, 23.vi.2011, SK (det. SU).

Very local species, previously known only from Spain (locus typicus), France (incl. Corsica) and Italy. **New species for Greece and the Balkan peninsula.**

***Eucosma rubescana* (CONSTANT, 1895) (Fig. 8)**

= *catoptrana* REBEL, 1903.

Slovenia: 6♂♂, Koper, Bertoki, 0 m, 27.viii.2010, 6 m, SK (det. SU).

Scatteredly distributed in Western and Central Europe, recorded also in Russia. **New species for Slovenia.**

***Epiblema sarmatana* (CHRISTOPH, 1872)**

= *fuchsiana* Rössler, 1877

Slovenia: 2♂♂, Kostabona, Kapeli, 150 m, 6.vi.2009, SK (det. SU).

A local species known from numerous European countries, previously not recorded in Slovenia. **New species for Slovenia.**

Alucitidae***Alucita desmodactyla* ZELLER, 1847**


Greece: 5♂♂, 3♀♀, Peloponnes, Kertézi, 1000 m, SK.

Described from Austria (Wien), locally distributed in Central and Southern Europe. **New species for Greece.**

***Alucita bidentata* SCHOLZ & JACKH, 1994**

Corsica: 2♀♀, St. Lucie de Potro Vecchio – Taglio Rosso, 18.–19.vi.1993, SK.

Described from Italy, recorded also in several other southern countries (France, Macedonia, Croatia, Bosnia and Herzegovina, Sardinia). **New species for Corsica.**



Figs. 1–8: Voucher specimens of some significant species: (1) *Phtheochroa ochralana* (CHRÉTIEN, 1915), Greece, male, 16 mm. (2) *Cochylimorpha langeana* (KALCHBERG, 1897), Greece, Párga, female, 20 mm. (3) *Aethes rubiginana* (WALSINGHAM, 1903), Sardinia, male, 14 mm. (4–5) *Phalonidia udana* (GUENÉE, 1845), males: (4) Slovenia, Sečovlje, 10.5 mm, (5) Greece, 10 mm. (6) *Epinotia nigrostrigana* BUDASHKIN & ZLATKOV, 2011, Hungary, male, 20 mm. (7) *Pelochrista sordicomana* (STAUDINGER, 1859), Greece, female, 15 mm. (8) *Eucosma rubescana* (CONSTANT, 1895), Slovenia, male, 15 mm.

***Alucita zonodactyla* ZELLER, 1847**

Corsica: 2♀♀, Casamozza, Pinetu, 11.vi.1993, SK; 1♀, Propriano, 16.vi.1993, SK; **Sardinia:** 1♀, Siniscola, Posada, 28.vi.2004, SK; **Slovenia:** Osp, 2♂♂, 1♀, 26.v.2001, 2♂♂, 25.vi.2010, 1♂, 28.viii.2010, 1♂, 25.viii.2011, SK; Podgorje, Debeli Hrib, 22.viii.2008, SK; 1♂, Sečovlje env., Sečoveljske soline, 14.ix.2012, SK.

Distributed in Southern Europe and Asia Minor. **New species for Sardinia and Slovenia.**

Crambidae

***Evergestis alborivulalis* (EVERSMANN, 1844)**

Greece: 1♂, Peloponnes, Chelmos Mts., 1600 m, 18.vi.2011, SK.

Scatteredly distributed in Southern and Central Europe. **New species for Greece.**

Acknowledgements

The authors are indebted to Ing. Petr Heřman (Křivoklát) for his help with the English and to Ing. Jan Liška (Praha) for summarizing the paper into German. Aleš Laštůvka (Prostějov) and Ing. Jan Liška are thanked for the identification of *Phyllonorycter* and *Elachista* species. We are obliged to Ole Karsholt (Copenhagen), for having made his material of *Cochylimorpha langeana* available for study and to Dr. Boyan Zlatkov for additional information on the occurrence of some species in Bulgaria.

References

- BUHL O., FALCK P., KARSHOLT O., LARSEN K. & VILHELMSEN F., 2011: Fund af småsommerfugle fra Danmark i 2010 (Lepidoptera). – Entomologiske Meddelelser 79: 117–140.
- KARSHOLT O. & VAN NIEUKERKEN E.J. (eds.), 2011: Fauna Europaea: Lepidoptera, Moths. Fauna Europaea, Version 2.4, online at <http://www.faunaeur.org/> (accessed 24 December 2012).
- LESAR T. & GOVEDIČ M., 2010: Check List of Slovenian Microlepidoptera. – Natura Sloveniae 12: 35–125.
- MUTANEN M., AARVIK L., HUEMER P., KAILA L., KARSHOLT O. & TUCK K., 2012: DNA barcodes reveal that the widespread European tortricid moth *Phalonidia manniiana* (Lepidoptera: Tortricidae) is a mixture of two species. – Zootaxa 3262: 1–21.
- NIELSEN B.J. K. & GREGERSEN K., 2011: *Aethes rubiginana* (Walsingham, 1903) fundet i Danmark, med omtale af de øvrige arter i „*A. francillana*-gruppen“ i Nordvest-Europa (Tortricidae). – Lepidoptera 10: 16–22.
- NUPPONEN K., NUPPONEN T., SAARELA E. & SIPPOLA L., 2003: New records on Microlepidoptera from the western Mediterranean region (Lepidoptera: Nepticulidae, Scythrididae, Tortricidae). – SHILAP Revista de Lepidopterologia 31 (123): 229–233.
- REBEL H., 1903: Studien über die Lepidopterenfauna der Balkanländer. – Annalen des K.K. Naturhistorischen Hofmuseums 18: 11–347.
- TREMATERA P., 1999: Two new tortricids for the European fauna, *Aethes rubiginana* (Walsingham, 1903) and *Osthederiella amardiana* Obraztsov, 1961, found in Italy (Lepidoptera Tortricidae). – Bollettino di Zoologia Agraria e di Bachicoltura. Ser. II 31: 87–91.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Annalen des Naturhistorischen Museums in Wien](#)

Jahr/Year: 2014

Band/Volume: [116B](#)

Autor(en)/Author(s): Sumpich Jan, Skyva Jan

Artikel/Article: [Faunistic records of new and poorly known Microlepidoptera \(Insecta\) from Europe 5-12](#)