

Ergebnisse der zoologischen Nubien-Expedition 1962

Teil XXVII

Ticks and Parasitic Mites (Zecken und parasitische Milben)

By HARRY HOOGSTRAAL¹⁾

The following ticks and mites were collected by the Nubian Zoological Expedition of the Vienna Natural History Museum. The mites were identified by Dr. CONRAD YUNKER of the Rocky Mountain Laboratory, Hamilton, Montana, U. S. A. For details of the Expedition, see BEIER and EISELT (1962).

Ticks (Argasidae)

Argas (Ogadenus) brumpti NEUMANN, 1897

5 larvae from *Tarentola annularis*, Sayala, Egypt. For details concerning this tick species, see HOOGSTRAAL (1956) and HOOGSTRAAL and KAISER (1957, 1958A).

Ticks (Ixodidae)

Hyalomma dromedarii KOCH, 1844

5 ♂♂, 8 ♀♀, from tamarisk dunes, south of Faras, Egypt, 3 February 1962. 1 ♂, Serra East, Aharie, Egypt, 11 February 1962. 2 ♂♂, 2 ♀♀, in sand, Khor Musa Pascha, Egypt, 27 January 1962. 1 ♀, Abd El Quadir, Sudan, 3 January 1962. For accounts of this species, see HOOGSTRAAL (1956) and HOOGSTRAAL and KAISER (1958A).

Hyalomma impeltatum SCHULZE and SCHLOTTKE, 1930

1 ♂, 2 ♀♀, in sand, Khor Musa Pascha, Egypt, 24 January and 12 February 1962. For accounts of this species, see HOOGSTRAAL (1956) and HOOGSTRAAL and KAISER (1958A, B).

¹⁾ Head, Department of Medical Zoology, United States Naval Medical Research Unit Number Three, Cairo, Egypt, U. A. R. From Research Project MR005.09–1402.3, Bureau of Medicine and Surgery, Navy Department, Washington, D. C., U. S. A. The opinions and assertions contained herein are the private ones of the author and are not to be construed as official or reflecting the views of the Navy Department or the naval service at large.

Hyalomma marginatum rufipes KOCH, 1844

1 ♂, edge of oasis, Ostufer, Sudan, 25 January 1962. 1 ♂, under stone, west of Wadi Halfa, Sudan, 23 January, 1962. For accounts of this tick, see HOOGSTRAAL (1956) and HOOGSTRAAL and KAISER (1958A).

Rhipicephalus s. sanguineus (LATREILLE, 1806)

1 ♀, from hedge, Wadi Halfa, Sudan, 29 January 1962, 1 ♂, from Nile oasis, Wadi Halfa, 7 February 1962. 2 nymphs, *Acomys dimidiatus hunteri* Wadi Halfa, Sudan, 10 February 1962. 19 larvae, 12 nymphs, *Acomys dimidiatus hunteri* Wadi Halfa, Sudan, 2 February 1962. 1 larva, 7 nymphs, *Mus musculus praetextus*, Wadi Halfa, Sudan, 26 January 1962. For accounts of this species, see HOOGSTRAAL (1956) and HOOGSTRAAL and KAISER (1958A).

Mites (Dermanyssidae)

Sauronyssus gordoniensis (HIRST, 1923)

45 specimens from *Mabuya quinquetaeniata*, Wadi Halfa, Sudan. See STRANDTMANN and WHARTON (1958, p. 96, fig. 40) for a review of this species, which was described from *Mabuya quinquestriata* in Khartoum.

Ornithonyssus bacoti (HIRST, 1913)

2 specimens from *Mus musculus praetextus*, Wadi Halfa, Sudan 7 February 1962. See KEEGAN (1956) for an account of this species.

Mites (Laelaptidae)

Androlaelaps marshalli BERLESE, 1911

16 specimens from *Gerbillus g. gerbillus* and 4 specimens from *Gerbillus pyramidum pyramidum*, south of Ferras, Sudan, 4 February 1962. See Keegan (1956) for an account of this mite.

Haemolaelaps aegyptius KEEGAN 1956

8 specimens from *Gerbillus g. gerbillus*, south of Ferras, Sudan, 4 February 1962. 1 specimen from *Gerbillus g. sudanensis* Khor Musa Pascha, Egypt, 27 January 1962. 16 specimens from *Acomys dimidiatus hunteri*, 2nd Cataract, Sudan, 1 February 1962. 1 specimen from *Mus musculus praetextus*, Wadi Halfa, Sudan, 7 February 1962. For an account of this species, see Keegan (1956).

Haemolaelaps sp. near *hirsti* KEEGAN, 1956

1 specimen from *Gerbillus pyramidum pyramidum*, south of Ferras, Sudan, 4 February 1962.

Laelaps algericus HIRST, 1925

2 specimens from *Mus musculus praetextus*, Wadi Halfa, Sudan, 7 February 1962. For an account of this species, see KEEGAN (1956).

Mites (Pterygosomidae)

Genus uncertain

1 specimen from *Mabuya quinquetaeniata*, Wadi Halfa, Sudan.

References

- HOOGSTRAAL, H. (1956): African Ixodoidea. I. Ticks of the Sudan (with special reference to Equatoria Province and with preliminary reviews of the genera *Boophilus*, *Margaropus* and *Hyalomma*). 1101 pp., U. S. Navy, Washington, D. C.
- and KAISER, M. N. (1957): Results of the NAMRU-3 Southeastern Egypt Expedition, 1954. 3. *Argas brumpti* Neumann, 1907, and *Ornithodoros foleyi* Parrot, 1928 (Ixodoidea, Argasidae) in Egypt. Bull. Zool. Soc. Egypt, **13**: 29–40 (1955–1956). 1958A: The ticks (Ixodoidea) of Egypt. A brief review and keys. J. Egypt. Publ. Health Assoc., **33** (3): 51–85.
- 1958B: Observations on Egyptian *Hyalomma* ticks (Ixodoidea, Ixodidae). 3. Infestation of greater gerbils, especially by immature *H. impeltatum* S. and S., 1930. Ann. Entom. Soc. America, **51** (1): 17–19.
- KEEGAN, H. L. (1956): Ectoparasitic Laelaptid and Dermanyssid mites of Egypt, Kenya, and the Sudan, primarily based on NAMRU-3 collections, 1948–1953. J. Egypt. Publ. Hlth. Assoc., **36** (6): 199–272.
- STRANDTMANN, R. W. and WHARTON, G. W. (1958): Manual of mesostigmatid mites parasitic on vertebrates. Inst. Acarology, Univ. Maryland, Contr. 4, 330 pp.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Annalen des Naturhistorischen Museums in Wien](#)

Jahr/Year: 1964

Band/Volume: [67](#)

Autor(en)/Author(s): Hoogstraal Harry

Artikel/Article: [Ergebnisse der Zoologischen Nubien-Expedition 1962. Teil XXVII Ticks and Parasitic Mites \(Zecken und parasitische Milben\). 627-629](#)