

Ann. Naturhist. Mus. Wien	97 B	99 - 123	Wien, November 1995
---------------------------	------	----------	---------------------

A catalogue of Benhamiinae species

(Annelida: Oligochaeta: Acanthodrilidae)

Cs. Csuzdi*

Abstract

A comprehensive taxonomic and nomenclatural revision of the species included in the subfamily Benhamiinae MICHAELSEN, 1897, by CSUZDI (in press) is summarized. Of 343 included taxa, the types of 198, and non-typical material of 42 were examined. It is concluded that 34 names are to be placed in synonymy to join another 34 previously accepted as synonyms with a further 9 taxa to be regarded as incertae sedis. The subfamily Benhamiinae is considered to contain 266 valid species.

Key words: Earthworms, Oligochaeta, Acanthodrilidae, Benhamiinae, *Dichogaster*, catalogue, valid names, synonyms.

Zusammenfassung

Es wurde eine vollständige taxonomische und nomenklatorische Revision der Benhamiinae Unterfamilie angehörenden Arten durchgeführt. Von den 343 beschriebenen Arten wurden von 198 Arten Typus-exemplare und von weiteren 42 Arten anderes Material untersucht und revidiert. Außer den 34 bisherigen Synonymen werden weitere 34 Namen synonymisiert. Neun Namen werden als Species incertae sedis behandelt. Die Unterfamilie Benhamiinae enthält jetzt 266 gültige Arten.

Introduction

The subfamily Benhamiinae was erected by MICHAELSEN (1897) to accommodate several earthworm genera with meronephridial excretory systems, duplicated gizzards and 3 pairs of calciferous glands. It had not been clearly defined, so one could only guess whether it would have contained all of the closely related genera *Benhamia* MICHAELSEN, 1889, *Dichogaster* BEDDARD, 1888, *Microdrilus* BEDDARD, 1893, and *Millsonia* BEDDARD, 1894.

MICHAELSEN (1900) united the above genera and the subsequently described *Balanta* MICHAELSEN, 1898, under the name of *Dichogaster* and placed it into the subfamily Trigastrinae MICHAELSEN, 1900. Later on, different authors assigned this continuously increasing genus to different families or subfamilies (STEPHENSON 1930, OMODEO 1958, GATES 1959, JAMIESON 1971, SIMS 1980, JAMIESON 1988).

* Dr. Csaba Csuzdi, Soil zoological research group of Hungarian Academy of Sciences at the Department of Systematic Zoology and Ecology, Eötvös Loránd University, pf. 330, 1445 Budapest, Hungary.

During this time, several well-defined groups were separated from *Dichogaster* sensu lato into the re-established genera *Benhamia* (OMODEO 1955), *Millsonia* (OMODEO 1955); *Eutrigaster* (SIMS 1987, CSUZDI & ZICSI 1991), furthermore a number of new closely related genera were described (*Wegeneriella* MICHAELSEN, 1933, *Neogaster* ČERNOSVITOV, 1934, *Wegeneriona* ČERNOSVITOV, 1939, *Pickfordia* OMODEO, 1958, *Agastrodrilus* OMODEO & VAILLAUD, 1967, *Omodeona* SIMS, 1967).

Recently CSUZDI & ZICSI (1994) subdivided the heterogeneous genus *Benhamia* MICHAELSEN, 1889, sensu OMODEO (1955, 1958) into 4 genera (*Benhamia* MICHAELSEN, 1889, *Benhamiona* CSUZDI & ZICSI, 1994, *Guineoscolex* CSUZDI & ZICSI, 1994, *Monotheconodrilus* CSUZDI & ZICSI, 1994).

These and the previously mentioned genera however are in conflict with the existing higher classifications (GATES 1959, SIMS 1980, JAMIESON 1971, 1988) since the closely allied genera such as *Wegeneriella* and *Wegeneriona* should be placed into different families (into Acanthodrilidae CLAUS, 1880, and Octochaetidae MICHAELSEN, 1900, respectively by SIMS 1980) or subfamilies (Megascolecidae Megascolecinae ROSA, 1891, and Megascolecidae Acanthodrilinae respectively by JAMIESON 1971).

To solve these systematic incongruities, CSUZDI (in press) proposed the resurrection of the subfamily Benhamiinae within the family Acanthodrilidae with the following diagnosis:

Male terminalia pure acanthodrilin, sometimes with microscolecine or balantine reduction. Several stalked extramural calciferous glands paired on the oesophagus behind of the genital segments. The excretory system holonephridial or meronephridial with mero- or plectonephridia that are followed by one pair of ventromedian caudal megameronephridia.

The newly defined subfamily Benhamiinae contains 17 genera or subgenera (CSUZDI, in press) and the number of described species names belonging to this subfamily has nearly quintupled since the only overview of MICHAELSEN (1900). Therefore by now it is highly necessary to check the entire group from taxonomic and nomenclatural viewpoints, furthermore to prepare an annotated list of the valid names, synonyms and new combinations.

Materials and Methods

In the course of the revision I had opportunity to examine earthworm collections of several museums (Zoologisches Institut und Zoologisches Museum der Universität Hamburg, Museo ed Istituto di Zoologia Sistemica della Università Torino, Zoologisches Museum und Institut für Spezielle Zoologie der Humboldt Universität, Berlin, The Natural History Museum, London, Naturhistorisches Museum, Wien). Furthermore data arising from the identification work carried out on specimens of collections of Musée Royal de l'Afrique Centrale, Tervuren, of Koninklijk Belgisch Instituut voor Natuurwetenschappen, Brüssel, of Prof. Dr. P. Lavelle, ORSTOM, Bondy, were used.

Additionally the results of different Hungarian soil zoological expeditions (CSUZDI 1991, 1993, 1994, CSUZDI & ZICSI 1989, 1991, ZICSI & CSUZDI 1991) were involved.

Acknowledgements

My thanks are due to the following curators for kindly letting me investigate material belonging to their institutions: Prof. Dr. M. Dzwillo (Hamburg), Mr. P. Clark (London), Dr. A. Rolando (Torino), Dr. G. Hartwich (Berlin), and Dr. H. A. Sattmann (Vienna). I am greatly indebted to Prof. Dr. A. Zicsi (Budapest) for many fruitful discussions and to Dr. J. D. Plisko (Pietermaritzburg) for useful advises reviewing the manuscript. The English text was kindly checked by Dr. R. W. Sims (London).

This study was supported by grants from the Soros Foundation (No. S-382/88 and S-2067/93) and the Peregrinatio II. (ELTE.) Foundation.

Results

From 343 species described, type material of 198 species was investigated while other specimens were examined of a further 42 species. 34 species names were synonymized in addition to the previously known 34 synonymic names, consequently the subfamily Benhamiinae contains 266 valid species excluding those 9 species which are regarded as incertae sedis.

Detailed results are presented in Table 1: In the first column the original names are listed in an alphabetic order of the specific epithets. In the second column the valid names are tabulated. In the third column the references are given and in the fourth one the status of the investigated specimens is recorded.

Catalogue

List of abbreviations used in the fourth column:

T = type material was investigated.

O = no type material was investigated.

L = results based on literature data.

original names	valid names	references	4
<i>adelfana</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) adelfana</i> MICHAELSEN, 1915	MICHAELSEN 1900, CSUZDI, in press	T
<i>aqualis</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	sp. inc. sed.		L
<i>affinis</i> MICHAELSEN, 1890; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccodrilus) affinis</i> (MICHAELSEN, 1890)	MICHAELSEN 1900, CSUZDI, in press	O
<i>africana</i> OMODEO, 1955; <i>Neogaster</i> ČERNOSVITOV, 1934	<i>Pickfordia (Omodesocolex) africana</i> (OMODEO, 1955)	CSUZDI 1993	L
<i>agilis</i> OMODEO & VAILLAUD, 1967; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) wenkei</i> (MICHAELSEN, 1931)	syn.n.	O
<i>aidae</i> RIGHI, 1975; <i>Neogaster</i> ČERNOSVITOV, 1934	<i>Neogaster aidae</i> RIGHI, 1975		L
<i>aloyisi-sabaudiae</i> COGNETTI, 1906; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) aloyisi-sabaudiae</i> COGNETTI, 1906	CSUZDI, in press	T
<i>americanus</i> ČERNOSVITOV, 1934; <i>Neogaster</i> ČERNOSVITOV, 1934	<i>Neogaster americana</i> ČERNOSVITOV, 1934		L
<i>andina</i> COGNETTI, 1904; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) andina</i> COGNETTI, 1904	CSUZDI, in press	O
<i>andina</i> evae RIGHI, AYRES & BITTENCOURT, 1978; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) andina</i> COGNETTI, 1904	CSUZDI & ZICSI 1991	O
<i>angeloi</i> RIGHI, 1988; <i>Neogaster</i> ČERNOSVITOV, 1934	<i>Neogaster angeloi</i> RIGHI, 1988		L
<i>anguana</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) anguana</i> MICHAELSEN, 1915	CSUZDI, in press	T
<i>anae</i> HORST, 1893; <i>Benhamia</i> MICHAELSEN 1889	<i>Dichogaster (Diplotheccodrilus) anae</i> (HORST, 1893)	MICHAELSEN 1900, CSUZDI, in press	O
<i>anomala</i> OMODEO, 1955; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia anomala</i> OMODEO, 1955		L
<i>anomala f. leptocystis</i> OMODEO & VAILLAUD, 1967; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia omodeoi</i> SIMS, 1986	SIMS 1986	O
<i>arboricola</i> WASAWO & OMODEO, 1963; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) arboricola</i> WASAWO & OMODEO, 1963		O
<i>arcifera</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) arcifera</i> OMODEO, 1958		O
<i>arxetososa</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia arxetososa</i> SIMS, 1986		L
<i>aschantiensis</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia aschantiensis</i> SIMS, 1986		O
<i>austeni</i> BEDDARD, 1901; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccodrilus) austeni</i> (BEDDARD, 1901)	MICHAELSEN 1903, CSUZDI, in press	O
<i>baeri</i> SCIACCHITANO, 1952; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) baeri</i> SCIACCHITANO, 1952		O
<i>badajoz</i> RIGHI, AYRES & BITTENCOURT, 1978; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) badajoz</i> RIGHI & AL., 1978	CSUZDI, in press	L
<i>bagilana</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) bagilana</i> MICHAELSEN, 1937	CSUZDI, in press	O
<i>balantina</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia balantina</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	O
<i>balantina</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) balantina</i> MICHAELSEN, 1915	CSUZDI, in press	T
<i>bataguensis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) aloyisi-sabaudiae</i> COGNETTI, 1906	syn.n.	T
<i>baumanni</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia baumanni</i> (MICHAELSEN, 1897)	CSUZDI & ZICSI 1994	T
<i>beauforti</i> MICHAELSEN, 1933; <i>Wegeneriella</i> MICHAELSEN, 1933	<i>Wegeneriella beauforti</i> MICHAELSEN, 1933	ČERNOSVITOV 1939	T
<i>beddardi</i> HORST, 1888; <i>Acanthodrilus</i> PERRIER, 1872	<i>Benhamia beddardi</i> (HORST, 1888)	CSUZDI & ZICSI 1994	O
<i>belenensis</i> RIGHI, 1988; <i>Wegeneriella</i> ČERNOSVITOV, 1939	<i>Wegeneriella belenensis</i> RIGHI, 1988		L
<i>bidjuniensis</i> MICHAELSEN, 1915; <i>Monogaster</i> MICHAELSEN, 1915	<i>Monogaster bidjuniensis</i> MICHAELSEN, 1915		T
<i>biggei</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia biggei</i> (MICHAELSEN, 1915)	CSUZDI & ZICSI 1994	O
<i>bolamensis</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Guineosocolex bolamensis</i> (COGNETTI, 1910)		T
<i>bolau</i> MICHAELSEN, 1891; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccodrilus) bolau</i> (MICHAELSEN, 1891)	MICHAELSEN 1900, CSUZDI, in press	T
<i>bolau</i> amphibia DAHL, 1957; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) bolau</i> (MICHAELSEN, 1891)	CSUZDI, in press	O
<i>bolau</i> v. <i>decanephra</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) bolau</i> (MICHAELSEN, 1891)	RIGHI 1968	T
<i>bolau</i> v. <i>malabaricus</i> STEPHENSON, 1920; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccodrilus) bolau</i> (MICHAELSEN, 1891)	RIGHI 1968	L
<i>bolau</i> pacifica EISEN, 1900; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccodrilus) bolau</i> (MICHAELSEN, 1891)	MICHAELSEN 1900	L
<i>brasillana</i> ČERNOSVITOV, 1939; <i>Wegeneriella</i> ČERNOSVITOV, 1939	<i>Wegeneriella brasillana</i> ČERNOSVITOV, 1939		L
<i>braunsi</i> MICHAELSEN, 1895; ? <i>Microdrilus</i> BEDDARD, 1893	<i>Omodeona braunsi</i> (MICHAELSEN, 1895)	CSUZDI & ZICSI 1994	L
<i>brevicingulata</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia breviclingulata</i> SIMS, 1986		L
<i>budgetti</i> BEDDARD, 1900; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia budgetti</i> (BEDDARD, 1900)	CSUZDI & ZICSI 1994	T
<i>buttkoferi</i> HORST, 1884; <i>Acanthodrilus</i> PERRIER, 1872	<i>Benhamia buttkoferi</i> (HORST, 1884)	CSUZDI & ZICSI 1994	T

CSUZDI: A catalogue of Benhamiinae species

103

original names	valid names	references	4
<i>büttneri</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Dichogaster) buettneri</i> (MICHAELSEN, 1892)	MICHAELSEN 1900	L
<i>caecifera</i> BENHAM, 1894; <i>Benhamia</i> MICHAELSEN, 1889	<i>Millsonia caecifera</i> (BENHAM, 1894)	OMODEO 1955a	T
<i>cognii</i> COGNETTI, 1906; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) cognii</i> COGNETTI, 1906	CSUZDI, in press	T
<i>candida</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) candida</i> OMODEO, 1958		L
<i>capillifera</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia capillifera</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	L
<i>castanea</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) castanea</i> (MICHAELSEN, 1896)	MICHAELSEN 1900, CSUZDI, in press	T
<i>chapini</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) chapini</i> MICHAELSEN, 1936	CSUZDI, in press	T
<i>chappuisi</i> ČERNOSVITOV, 1938; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) heterochaeta</i> MICHAELSEN, 1922	syn.n.	T
<i>centralis</i> SIMS, 1986; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia centralis</i> SIMS, 1986		T
<i>cernosvitovi</i> RIGHI & CABALLERO, 1970; <i>Wegeneria</i> ČERNOSVITOV, 1939	<i>Wegeneria cernosvitovi</i> RIGHI & CABALLERO, 1970		O
<i>cherangianensis</i> ČERNOSVITOV, 1938; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) annae</i> (HORST, 1893)	syn.n.	T
<i>christyana</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) christyana</i> MICHAELSEN, 1937	CSUZDI, in press	O
<i>cisalantica</i> OMODEO, 1955; <i>Neogaster</i> ČERNOSVITOV, 1934	<i>Pickfordia (Omoeoscolex) cisalantica</i> (OMODEO, 1955)	CSUZDI 1993	L
<i>complanata</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) complanata</i> (MICHAELSEN, 1897)	MICHAELSEN 1900, CSUZDI, in press	T
<i>congica</i> HORST, 1894; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) congica</i> (HORST, 1894)	MICHAELSEN 1900, CSUZDI, in press	O
<i>congica</i> ZICSI & CSUZDI 1989; <i>Wegenieriella</i> MICHAELSEN, 1933	<i>Wegenieriella congica</i> ZICSI & CSUZDI, 1989		T
<i>concomata</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Guineoscolex coronatus</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	L
<i>corticis</i> MICHAELSEN, 1899; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Dichogaster) corticis</i> (MICHAELSEN, 1899)	MICHAELSEN 1900	L
<i>crassa</i> BEDDARD, 1893; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) affinis</i> (MICHAELSEN, 1890)	CSUZDI & ZICSI 1989	T
<i>crateris</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) crateris</i> MICHAELSEN, 1912	CSUZDI, in press	T
<i>cravi</i> EISEN, 1900; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) saliens</i> (BEDDARD, 1893)	STEPHENSON 1931	L
<i>cruciventris</i> SIMS, 1986; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia cruciventris</i> SIMS, 1986		T
<i>culminis</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) culminis</i> (MICHAELSEN, 1896)	MICHAELSEN 1900, CSUZDI, in press	T
<i>cultrifera</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) cultrifera</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>curgensis</i> MICHAELSEN, 1921; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) annae</i> (HORST, 1893)	syn.n.	T
<i>curgensis</i> v. <i>unilocularis</i> STEPHENSON, 1931; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) annae</i> (HORST, 1893)	syn.n.	T
<i>curta</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) curta</i> (MICHAELSEN, 1896)	MICHAELSEN 1900, CSUZDI, in press	O
<i>curvisetifera</i> CSUZDI & ZICSI, 1994; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) curvisetifera</i> CSUZDI & ZICSI, 1994		T
<i>cyrtochaeta</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) cyrtochaeta</i> COGNETTI, 1910		T
<i>daemoniaci</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) daemoniaci</i> COGNETTI, 1907		T
<i>damonis</i> BEDDARD, 1888; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) damonis</i> BEDDARD, 1888		L
<i>decorata</i> GRAFF, 1957; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) vialis</i> (MICHAELSEN, 1912)	syn.n.	L
<i>deflecticista</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) deflecticista</i> MICHAELSEN, 1935	CSUZDI, in press	L
<i>dewittei</i> CSUZDI & ZICSI, 1994; <i>Dichogaster</i> BEDDARD, 1888	<i>Dewittei</i> CSUZDI & ZICSI, 1994	CSUZDI, in press	T
<i>dilheca</i> SIMS, 1965; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia dilheca</i> SIMS, 1965		T
<i>dilheca</i> OMODEO, 1958; <i>Pickfordia</i> OMODEO, 1958	<i>Pickfordia (Pickfordia) dilheca</i> OMODEO, 1958		L
<i>divergens</i> COGNETTI, 1905; <i>Naliadrilus</i> MICHAELSEN, 1899	<i>Pickfordia (Omoeoscolex) d. divergens</i> (COGNETTI, 1905)	CSUZDI 1993	O
<i>divergens itapecu</i> RIGHI & al., 1978; <i>Wegenieriella</i> MICHAELSEN, 1933	<i>Pickfordia (Omoeoscolex) d. itapecu</i> (RIGHI & al., 1978)	CSUZDI 1993	O
<i>djemjensis</i> STEPHENSON, 1932; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) djemjensis</i> STEPHENSON, 1932		T
<i>dokoenis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) dokoenis</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>dominicac</i> LAVELLE, 1981; <i>Agastrodrilus</i> OMODEO & VAILLAUD, 1967	<i>Agastrodrilus dominicae</i> LAVELLE, 1981		T
<i>dorsalis</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) culminis</i> (MICHAELSEN, 1896)	syn.n.	T
<i>doveri</i> STEPHENSON, 1930; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) modiglianii</i> (ROSA, 1896)	STEPHENSON 1931a	T

original names	valid names	references	4
<i>dawianica</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) culminis</i> (MICHAELSEN, 1896)	syn.n.	T
<i>dewilloi</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) dewilloi</i> CSUZDI & ZICSI, 1989	CSUZDI, in press	T
<i>ehrharti</i> MICHAELSEN, 1898; <i>Balamia</i> MICHAELSEN, 1898	<i>Dichogaster (Dichogaster) ehrhardi</i> (MICHAELSEN, 1898)	OMODEO 1955a	T
<i>ehrharti</i> v. <i>limelli</i> MICHAELSEN, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) ehrhardi</i> (MICHAELSEN, 1897)	syn.n.	T
<i>eiseni</i> CSUZDI & ZICSI, 1991; <i>Eurigaster (Graffia)</i> CSUZDI & ZICSI, 1991	<i>Eurigaster (Graffia) eiseni</i> CSUZDI & ZICSI, 1991	CSUZDI, in press	T
<i>elgonensis</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) elgonensis</i> MICHAELSEN, 1937	MICHAELSEN 1900, CSUZDI, in press	T
<i>equatorialis</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) aequatorialis</i> (MICHAELSEN, 1896)		L
<i>enchlytraeus</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) enchlytraeus</i> OMODEO, 1958	CSUZDI, in press	T
<i>erlangeri</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) erlangeri</i> (MICHAELSEN, 1897)	CSUZDI, in press	T
<i>erlangeri</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) ernesti</i> (MICHAELSEN, 1897)	MICHAELSEN 1900, CSUZDI, in press	T
<i>exelsa</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia exsa</i> (STEPHENSON, 1931)	CSUZDI & ZICSI 1994	T
<i>eudrilina</i> COGNETTI, 1909; <i>Dichogaster</i> BEDDARD, 1888	<i>Milsonia nigra</i> BEDDARD, 1894	SIMS 1965a	L
<i>exelsa</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Omodema fallax</i> (COGNETTI, 1910)	CSUZDI & ZICSI 1994	T
<i>fallax</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Omodema fallax</i> (COGNETTI, 1910)		T
<i>feai</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) feai</i> COGNETTI, 1910	CSUZDI, in press	T
<i>fiata</i> MICHAELSEN, 1934; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) congica</i> (HORST, 1894)	syn.n.	L
<i>flagellifera</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) flagellifera</i> STEPHENSON, 1933	CSUZDI, in press	O
<i>flandria</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) flandria</i> MICHAELSEN, 1936	CSUZDI, in press	L
<i>floresiana</i> HORST, 1893; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) affinis</i> (MICHAELSEN, 1890)	PICKFORD 1938	L
<i>foetida</i> MICHAELSEN, 1932; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) foetida</i> MICHAELSEN, 1932	CSUZDI, in press	L
<i>franzi</i> CSUZDI & ZICSI, 1991; <i>Eurigaster (Eurigaster)</i> COGNETTI, 1904	<i>Eurigaster (Eurigaster) montecyanensis</i> SIMS, 1987,	syn.n.	T
<i>frickeri</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) frickeri</i> MICHAELSEN, 1912	CSUZDI, in press	T
<i>fula</i> SIMS, 1967; <i>Benhamia</i> MICHAELSEN, 1889	<i>Guineocolex bolamensis</i> (COGNETTI, 1910)	CSUZDI & ZICSI 1994	T
<i>gabunensis</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) gabunensis</i> MICHAELSEN, 1915	CSUZDI, in press	T
<i>gazoi</i> MICHAELSEN, 1908; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) gazoi</i> (MICHAELSEN, 1908)	CSUZDI & ZICSI 1991	T
<i>gambiana</i> BEDDARD, 1902; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia gambiana</i> (BEDDARD, 1902)	CSUZDI & ZICSI 1994	L
<i>gardullaensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) gardullaensis</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>gavrilovi</i> RIGHI & CABALLERO, 1970; <i>Neogaster</i> ČERNOSVITOV, 1934	<i>Neogaster gavrilovi</i> RIGHI & CABALLERO, 1970		L
<i>gestroi</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) gestroi</i> COGNETTI, 1910		L
<i>ghanensis</i> SIMS, 1965; <i>Milsonia</i> BEDDARD, 1894	<i>Milsonia ghanensis</i> SIMS, 1965		L
<i>godeffroyi</i> MICHAELSEN, 1890; <i>Benhamia</i> MICHAELSEN, 1889	<i>Eurigaster (Graffia) godeffroyi</i> (MICHAELSEN, 1890)	CSUZDI & ZICSI 1994	T
<i>gofaensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) gofaensis</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>golaensis</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) golaensis</i> MICHAELSEN, 1913		T
<i>gracilis</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) gracilis</i> (MICHAELSEN, 1892)		T
<i>gracilis</i> v. <i>metandra</i> OMODEO, 1973; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) gracilis</i> (MICHAELSEN, 1892)		T
<i>graffi</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) graffi</i> CSUZDI & ZICSI, 1989		L
<i>grandis</i> SIMS, 1987; <i>Eurigaster</i> COGNETTI, 1904	<i>Eurigaster (Eurigaster) grandis</i> SIMS, 1987		T
<i>greeffi</i> MICHAELSEN, 1902; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) greeffi</i> MICHAELSEN, 1902		T
<i>guatemalae</i> EISEN, 1900; <i>Benhamia</i> MICHAELSEN, 1889	<i>Eurigaster (Graffia) guatemalae</i> (EISEN, 1900)	CSUZDI & ZICSI 1991	O
<i>guetare</i> RIGHI & MERINO, 1987; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) guetare</i> (RIGHI & MERINO, 1987)	SIMS 1987	L
<i>guldingeri</i> BAIRD, 1871; <i>Lumbricus</i> LINNAEUS, 1758	<i>Dichogaster (Diplotheocadriulus) guldingeri</i> (BAIRD, 1871)	comb.n.	T
<i>hamatus</i> STEPHENSON, 1932; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) scotti</i> STEPHENSON, 1932	syn.n.	T
<i>hamburgensis</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) kigogaana</i> STEPHENSON, 1933	syn.n.	L

original names	valid names	references	4
<i>hansti</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia hansti</i> (MICHAELSEN, 1914)	CSUZDI & ZICSI 1994	T
<i>hartmeyeri</i> MICHAELSEN, 1908; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) hartmeyeri</i> (MICHAELSEN, 1908)	CSUZDI & ZICSI 1991	T
<i>hatoanaana</i> OHFUCHI, 1957; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) bolauti</i> (MICHAELSEN, 1891)	syn.n.	L
<i>hemimandra</i> OMODEO, 1973; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) hemimandra</i> OMODEO, 1973	CSUZDI, in press	L
<i>hemibalanitina</i> OMODEO, 1958; <i>Pickfordia</i> OMODEO, 1958	<i>Pickfordia (Pickfordia) hemibalanitina</i> OMODEO, 1958		L
<i>heminia</i> SIMS, 1965; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia heminia</i> SIMS, 1965		T
<i>heterochaeta</i> MICHAELSEN, 1922; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) heterochaeta</i> MICHAELSEN, 1922	CSUZDI, in press	L
<i>heteronephra</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Millsomia heteronephra</i> (MICHAELSEN, 1897)	OMODEO 1955a	T
<i>hilaris</i> COGNETTI, 1904; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) hilaris</i> (COGNETTI, 1904)	SIMS 1987	T
<i>horsti</i> MICHAELSEN, 1898; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia horsti</i> (MICHAELSEN, 1898)	CSUZDI & ZICSI 1994	T
<i>hortensis</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia hortensis</i> SIMS, 1986		T
<i>hupfieri</i> MICHAELSEN, 1891; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia hupfieri</i> (MICHAELSEN, 1891)		L
<i>ibaita</i> RIGHI, AYRES & BITTENCOURT, 1978; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) ibaita</i> RIGHI & AL., 1978	CSUZDI & ZICSI 1994	O
<i>inaequalis</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Guineoscolex inaequalis</i> (MICHAELSEN, 1914)	CSUZDI, in press	T
<i>inaequalis</i> F. nimbai OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Guineoscolex inaequalis</i> (MICHAELSEN, 1914)	CSUZDI & ZICSI 1994	L
<i>inermis</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	<i>Millsomia inermis</i> (MICHAELSEN, 1892)	OMODEO 1955a	T
<i>insignis</i> MICHAELSEN, 1922; <i>Dichogaster</i> BEDDARD, 1888	<i>Millsomia guttata</i> (MICHAELSEN, 1913)	SIMS 1986	T
<i>insolitus</i> SIMS, 1986; <i>Agastrodrilus</i> OMODEO & VAILLAUD, 1967	sp. inc. sed.		L
<i>insularis</i> MICHAELSEN, 1895; <i>Benhamia</i> MICHAELSEN, 1889	<i>Agastrodrilus insolitus</i> SIMS, 1986		T
<i>insulsa</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) insularis</i> (MICHAELSEN, 1895)	MICHAELSEN 1900	T
<i>intermedia</i> MICHAELSEN, 1891; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) insulsa</i> COGNETTI, 1910	CSUZDI, in press	T
<i>intolentis</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) intermedia</i> (MICHAELSEN, 1891)	CSUZDI, in press	L
<i>intolentis</i> v. <i>coerulea</i> MICHAELSEN, 1899; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia intolentis</i> MICHAELSEN, 1892	COGNETTI 1909	O
<i>intolentis</i> v. <i>minor</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia intolentis</i> MICHAELSEN, 1892	syn.n.	L
<i>jaculatrix</i> BAYLUS, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia intolentis</i> MICHAELSEN, 1892	STEPHENSON 1933	L
<i>jadwigae</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia jadwigae</i> SIMS, 1986		T
<i>jamaicae</i> EISEN, 1900; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) jamaicae</i> (EISEN, 1900)	MICHAELSEN 1900, CSUZDI, in press	O
<i>johnstoni</i> BEDDARD, 1901; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia intolentis</i> MICHAELSEN, 1892	COGNETTI 1909	T
<i>jordani</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) jordani</i> MICHAELSEN, 1937	CSUZDI, in press	T
<i>kaburumina</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) kaburumina</i> MICHAELSEN, 1937	CSUZDI, in press	T
<i>kaffuensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) kaffuensis</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>kafurumensis</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) modiglianii</i> (ROSA, 1896)	CSUZDI & ZICSI 1991	T
<i>kakuliniana</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	sp. inc. sed.	CSUZDI & ZICSI 1994	L
<i>kamerunensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	sp. inc. sed.	OMODEO 1958	L
<i>karagoensis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) karagoensis</i> MICHAELSEN, 1912	CSUZDI, in press	T
<i>karissimbii</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) karissimbii</i> MICHAELSEN, 1912	CSUZDI, in press	T
<i>katangae</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) katangae</i> MICHAELSEN, 1915	CSUZDI, in press	T
<i>keitell</i> MICHAELSEN, 1898; <i>Benhamia</i> MICHAELSEN, 1889	<i>Eurigaster (Graffia) keitell</i> (MICHAELSEN, 1898)	CSUZDI & ZICSI 1991	T
<i>kepo</i> RIGHI & MERINO, 1987; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) kepo</i> (RIGHI & MERINO, 1987)	CSUZDI & ZICSI 1991	L
<i>kenyae</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) erlangeri</i> MICHAELSEN, 1903	syn.n.	T
<i>kigogaana</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) kigogaana</i> STEPHENSON, 1933	CSUZDI, in press	T
<i>kindiana</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia kindiana</i> (MICHAELSEN, 1914)	CSUZDI & ZICSI 1994	L

original names	valid names	references	4
<i>kiwensis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) kiwensis</i> MICHAELSEN, 1912	CSUZDI, in press	T
<i>krugeri</i> REINECKE & ACKERMANN, 1977; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) krugeri</i> REINECKE & ACKERMANN, 1977	CSUZDI, in press	L
<i>kungulensis</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) kungulensis</i> MICHAELSEN, 1915	CSUZDI, in press	T
<i>kwidschwienis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) kwidschwienis</i> MICHAELSEN, 1912	CSUZDI, in press	T
<i>lageniformis</i> FRIEND, 1916; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) bolauai</i> (MICHAELSEN, 1891)	CSUZDI & ZICSI 1989	L
<i>lamottei</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) lamottei</i> OMODEO, 1958	CSUZDI & ZICSI 1989	L
<i>lantoiana</i> OMODEO & VAILLAUD, 1967; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia lantoiana</i> OMODEO & VAILLAUD, 1967		O
<i>lavellei</i> SIMS, 1986; <i>Agastrodrilus</i> OMODEO & VAILLAUD, 1967	<i>Agastrodrilus lavellei</i> SIMS, 1986		T
<i>lavellei</i> CSUZDI, 1992; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) lavellei</i> CSUZDI, 1992	CSUZDI, in press	T
<i>teroyi</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) teroyi</i> OMODEO, 1958		L
<i>liberiensis</i> HORST, 1895; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia liberiensis</i> (HORST, 1895)	CSUZDI & ZICSI 1994	L
<i>ligula</i> SIMS, 1964; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) ligula</i> SIMS, 1964		T
<i>lineri</i> RICHT, 1972; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) lineri</i> (RICHT, 1972)	SIMS 1987	L
<i>linifera</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) linifera</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>loboziana</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) loboziana</i> MICHAELSEN, 1915	CSUZDI, in press	T
<i>lofaensis</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) lofaensis</i> MICHAELSEN, 1914		T
<i>loveridgei</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) austeni</i> (BEDDARD, 1901)	CSUZDI 1992	T
<i>loinbergi</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) loinbergi</i> MICHAELSEN, 1912	CSUZDI, in press	O
<i>lufrae</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) lukafuensis</i> MICHAELSEN, 1935	syn.n.	L
<i>lukafuensis</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) lukafuensis</i> MICHAELSEN, 1935	CSUZDI, in press	T
<i>macfadyeni</i> CSUZDI, 1991; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) macfadyeni</i> CSUZDI, 1991	CSUZDI, in press	T
<i>machadol</i> OMODEO, 1973; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) machadol</i> OMODEO, 1973	CSUZDI, in press	L
<i>magnisetosa</i> OMODEO, 1958; <i>Pickfordia</i> OMODEO, 1958	<i>Pickfordia (Pickfordia) magnisetosa</i> OMODEO, 1958		L
<i>majoris</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) majoris</i> MICHAELSEN, 1914		T
<i>malarumata</i> ROSA, 1898; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Dichogaster) malarumata</i> (ROSA, 1898)	MICHAELSEN 1900	O
<i>malayana</i> HORST, 1893; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Dichogaster) majoris</i> MICHAELSEN, 1891	PICKFORD 1938	L
<i>manillata</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Guineoscolex manillatus</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	L
<i>mandinka</i> SIMS, 1967; <i>Benhamia</i> MICHAELSEN, 1889	<i>Guineoscolex bolamensis</i> (COGNETTI, 1910)	CSUZDI & ZICSI 1994	T
<i>mangeri</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) mangeri</i> MICHAELSEN, 1913		T
<i>mani</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) mani</i> (MICHAELSEN, 1935)	CSUZDI & ZICSI 1994	L
<i>mansfeldi</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) mundamensis</i> (MICHAELSEN, 1897)	syn.n.	L
<i>medellina</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) medellina</i> MICHAELSEN, 1914	CSUZDI, in press	O
<i>meridionalis</i> OMODEO, 1973; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia meridionalis</i> OMODEO, 1973		L
<i>mexicana</i> ROSA, 1891; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocodrilus) affinis</i> (MICHAELSEN, 1890)	CSUZDI & ZICSI 1989	L
<i>meyanaensis</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) meyaensis</i> CSUZDI & ZICSI, 1989	CSUZDI, in press	T
<i>michaelsenii</i> ČERNOSVITOV, 1934; <i>Wegeneriella</i> MICHAELSEN, 1933	<i>Wegeneriella michaelsenii</i> (ČERNOSVITOV, 1934)	ČERNOSVITOV 1939	L
<i>michaelseniana</i> CSUZDI & ZICSI, 1991; <i>Eurigaster</i> (Graffia) CSUZDI & ZICSI, 1991	<i>Eurigaster (Graffia) michaelseniana</i> (CSUZDI & ZICSI, 1991)		T
<i>michaelsenii</i> BEDDARD, 1902; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia michaelsenii</i> (BEDDARD, 1902)	CSUZDI & ZICSI 1994	L
<i>microscolecina</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Guineoscolex microscolecina</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	L
<i>minus</i> MICHAELSEN, 1891; <i>Dichogaster</i> BEDDARD, 1888	<i>Millsonia minus</i> (MICHAELSEN, 1891)	OMODEO 1955a	T
<i>minuscula</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Guineoscolex minuscula</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	L
<i>misaeensis</i> MICHAELSEN, 1897; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia misaeensis</i> (MICHAELSEN, 1897)	CSUZDI & ZICSI 1994	T
<i>moderata</i> SIMS, 1986; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia moderata</i> SIMS, 1986		T

original names	valid names	references	4
<i>modesta</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) modesta</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>modesta papillifera</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) papillifera</i> CSUZDI & ZICSI, 1989	CSUZDI, in press	T
<i>modiglianii</i> ROSA, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) modiglianii</i> (ROSA, 1896)	MICHAELSEN 1900, CSUZDI, in press	O
<i>molis</i> BEDDARD, 1901; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia itolensis</i> MICHAELSEN, 1892	MICHAELSEN 1912	T
<i>monotheca</i> OMODEO, 1955; <i>Wegeneriella (Wegeneriella)</i> MICHAELSEN, 1933	<i>Wegeneriella monotheca</i> OMODEO, 1955		L
<i>montana</i> CSUZDI & ZICSI, 1991; <i>Eutrigaster (Graffia)</i> CSUZDI & ZICSI, 1991	<i>Eutrigaster (Graffia) montana</i> CSUZDI & ZICSI, 1991		T
<i>montecyanensis</i> SIMS, 1987; <i>Eutrigaster</i> COGNETTI, 1904	<i>Eutrigaster (Eutrigaster) montecyanensis</i> SIMS, 1987		T
<i>monotheca</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Monothecadrilus monotheca</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	L
<i>monticellii</i> COGNETTI, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) austeni</i> (BEDDARD, 1901)	syn.n.	T
<i>monticola</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) monticola</i> (MICHAELSEN, 1896)	MICHAELSEN 1900, CSUZDI, in press	T
<i>montis-toti</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) insularis</i> (MICHAELSEN, 1895)	syn.n.	L
<i>moorii</i> BEDDARD, 1901; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia itolensis</i> MICHAELSEN, 1892	COGNETTI 1909	T
<i>mulataensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) mulataensis</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>multivesiculatus</i> OMODEO & VAILLAUD, 1967; <i>Agastrodriulus</i> OMODEO & VAILLAUD, 1967	<i>Agastrodriulus multivesiculatus</i> OMODEO & VAILLAUD, 1967		L
<i>mundanensis</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) mundanensis</i> (MICHAELSEN, 1897)		T
<i>murithae</i> CSUZDI & ZICSI, 1994; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia murithae</i> CSUZDI & ZICSI, 1994		T
<i>nana</i> EISEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) modiglianii</i> (ROSA, 1896)	CSUZDI & ZICSI 1989	T
<i>navana</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) navana</i> MICHAELSEN, 1936	CSUZDI, in press	O
<i>nematochaeta</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) nematochaeta</i> OMODEO, 1958		L
<i>neumanni</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) neumanni</i> (MICHAELSEN, 1897)		T
<i>nigra</i> BEDDARD, 1894; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia nigra</i> BEDDARD, 1894	MICHAELSEN 1900, CSUZDI, in press	T
<i>nilei</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia nilei</i> SIMS, 1986		T
<i>nota</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia nota</i> SIMS, 1986		T
<i>notabilis</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) notabilis</i> OMODEO, 1958		L
<i>nyassana</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) fricket</i> MICHAELSEN, 1912	syn.n.	T
<i>octonephra</i> ROSA, 1895; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) bolau</i> (MICHAELSEN, 1891)	MICHAELSEN 1900	T
<i>omodei</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia omodei</i> SIMS, 1986		O
<i>opisthogynus</i> OMODEO & VAILLAUD, 1967; <i>Agastrodriulus</i> OMODEO & VAILLAUD, 1967	<i>Agastrodriulus opisthogynus</i> OMODEO & VAILLAUD, 1967		L
<i>oracapensis</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia oracapensis</i> SIMS, 1986		T
<i>oracivitis</i> COGNETTI, 1904; <i>Eutrigaster</i> COGNETTI, 1904	<i>Eutrigaster (Eutrigaster) oracivitis</i> COGNETTI, 1904		T
<i>ornata</i> SCIACCHITANO, 1952; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia ornata</i> (SCIACCHITANO, 1952)		L
<i>orobia</i> GRAFF, 1957; <i>Dichogaster</i> BEDDARD, 1888	<i>Eutrigaster (Eutrigaster) orobia</i> (GRAFF, 1957)	CSUZDI & ZICSI 1994	T
<i>paessleri</i> MICHAELSEN, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Eutrigaster (Graffia) viridis</i> (EISEN, 1900)	SIMS 1987	T
<i>pajuruisi</i> REINECKE & ACKERMANN, 1977; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) austeni</i> (BEDDARD, 1901)	CSUZDI & ZICSI 1991	T
<i>pallida</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) gracilis</i> (MICHAELSEN, 1892)	syn.n.	L
<i>papillata</i> EISEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) modiglianii</i> (ROSA, 1896)	MICHAELSEN 1907	L
<i>papillata</i> v. <i>hawaiiensis</i> EISEN, 1900; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) modiglianii</i> (ROSA, 1896)	OMODEO 1973	L
<i>papillosa</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) papillosa</i> OMODEO, 1958	OMODEO 1973	L
<i>parva</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheccadrilus) annae</i> (HORST, 1893)	syn.n.	T
<i>pauliani</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) pauliani</i> CSUZDI & ZICSI, 1989	CSUZDI, in press	T
<i>penigera</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheccadrilus) pauliani</i> CSUZDI & ZICSI, 1989		L
<i>picadoi</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Eutrigaster (Graffia) picadoi</i> (MICHAELSEN, 1912)	CSUZDI & ZICSI 1991	T
<i>pinguis</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia pinguis</i> (COGNETTI, 1910)	CSUZDI & ZICSI 1994	T

original names	valid names	syn.n.	references	
<i>pitahayana</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) tristiani</i> COGNETTI, 1907			4
<i>pitii</i> CSUZDI, 1994; <i>Benhamia</i> CSUZDI & ZICSI, 1994	<i>Benhamia pitii</i> CSUZDI & ZICSI, 1994			T
<i>pobozsnyae</i> CSUZDI, 1994; <i>Eurigaster (Eurigaster)</i> COGNETTI, 1904	<i>Eurigaster (Eurigaster) pobozsnyae</i> CSUZDI, 1994			T
<i>poensis</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) poensis</i> COGNETTI, 1910			L
<i>princeps</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) princeps</i> COGNETTI, 1910			T
<i>proandra</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) proandra</i> OMODEO, 1958	CSUZDI, in press		T
<i>proboscoides</i> SIMS, 1967; <i>Omodeia</i> SIMS, 1967	<i>Omodeia fallax</i> (COGNETTI, 1910)			L
<i>proboscoides</i> MICHAELSEN, 1897; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) proboscoides</i> MICHAELSEN, 1897	CSUZDI & ZICSI 1994		T
<i>pseudoplanaria</i> OMODEO, 1958; <i>Pickfordia</i> OMODEO, 1958	<i>Pickfordia (Pickfordia) pseudoplanaria</i> OMODEO, 1958	CSUZDI, in press		O
<i>pudillar</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia pudillar</i> SIMS, 1986			L
<i>pumila</i> SIMS, 1965; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia pumila</i> SIMS, 1965			T
<i>puytaeri</i> CSUZDI & ZICSI, 1994; <i>Benhamia</i> CSUZDI & ZICSI, 1994	<i>Benhamia puytaeri</i> CSUZDI & ZICSI, 1994			T
<i>reducta</i> SIMS, 1967; <i>Benhamia</i> MICHAELSEN, 1889	<i>Monothecodrilus reductus</i> (SIMS, 1967)			T
<i>reichardti</i> MICHAELSEN, 1908; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) reichardti</i> (MICHAELSEN, 1908)	CSUZDI & ZICSI 1994		T
<i>reinckei</i> MICHAELSEN, 1898; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Dichogaster) reinckei</i> (MICHAELSEN, 1898)	CSUZDI & ZICSI 1991		L
<i>reinckei</i> v. <i>endemica</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) endemica</i> MICHAELSEN, 1914			T
<i>ribaucourti</i> EISEN, 1900; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) ribaucourti</i> (EISEN, 1900)	CSUZDI, in press.		T
<i>riparia</i> SIMS, 1986; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia riparia</i> SIMS, 1986	SIMS 1987		L
<i>robertsiana</i> MICHAELSEN, 1922; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia robertsiana</i> (MICHAELSEN, 1922)			T
<i>roccatii</i> COGNETTI, 1906; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) roccatii</i> COGNETTI, 1906	CSUZDI & ZICSI 1994		T
<i>rodriguezi</i> CSUZDI, 1994; <i>Eurigaster (Graffia)</i> CSUZDI & ZICSI, 1991	<i>Eurigaster (Graffia) rodriguezi</i> CSUZDI, 1994	CSUZDI, in press		T
<i>rosea</i> MICHAELSEN, 1889; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia rosea</i> MICHAELSEN, 1889			T
<i>rosea</i> f. <i>guineana</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia guineana</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994		L
<i>rosea</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) kigogama</i> STEPHENSON, 1933			L
<i>rubella</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) rubella</i> MICHAELSEN, 1935	syn.n.		T
<i>rubens</i> BEDDARD, 1894; <i>Millsomia</i> BEDDARD, 1894	<i>Millsomia mimia</i> (MICHAELSEN, 1891)	BEDDARD 1895		T
<i>rugosa</i> EISEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadriulus) bolau</i> (MICHAELSEN, 1891)	PICKFORD 1938		L
<i>rungeensis</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) rungeensis</i> STEPHENSON, 1933	CSUZDI, in press		T
<i>ruwenzori</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) ruwenzori</i> COGNETTI, 1907	CSUZDI, in press		T
<i>salien</i> BEDDARD, 1893; <i>Microdrilus</i> BEDDARD, 1893	<i>Dichogaster (Diplotheocadriulus) salien</i> (BEDDARD, 1893)	MICHAELSEN 1900, CSUZDI, in press		O
<i>sandoa</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) stuhlmanni</i> (MICHAELSEN, 1890)	syn.n.		T
<i>savanicola</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) savanicola</i> (MICHAELSEN, 1915)			T
<i>scherbroensis</i> MICHAELSEN, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Monothecodrilus scherbroensis</i> (MICHAELSEN, 1910)	CSUZDI, in press		T
<i>schlegeli</i> HORST, 1884; <i>Acanthodrilus</i> PERRIER, 1872	<i>Millsomia schlegeli</i> (HORST, 1884)	CSUZDI & ZICSI 1994		T
<i>schomburgki</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia schomburgki</i> (MICHAELSEN, 1913)	OMODEO 1958		O
<i>schubotzi</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) schubotzi</i> MICHAELSEN, 1912	CSUZDI & ZICSI 1994		L
<i>scioanus</i> ROSA, 1888; <i>Acanthodrilus</i> PERRIER, 1872	sp. inc. sed.	CSUZDI, in press		L
<i>scotti</i> STEPHENSON, 1932; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) scotti</i> STEPHENSON, 1932	CSUZDI, in press		T
<i>sellae</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) monticola</i> (MICHAELSEN, 1896)	syn.n.		T
<i>sepiendecim</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) septendecim</i> OMODEO, 1958			L
<i>seriatospina</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) seriatospina</i> MICHAELSEN, 1912	CSUZDI, in press		O
<i>servi</i> RIGHI & AYRES, 1975; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) amae</i> (HORST, 1893)	syn.n.		L
<i>sexdicim</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadriulus) sexdecim</i> OMODEO, 1958			L

original names	valid names	references	4
<i>sibitiensis</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) sibitiensis</i> CSUZDI & ZICSI, 1989		T
<i>silvestris</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Guineoscolex silvestris</i> (MICHAELSEN, 1914)	CSUZDI & ZICSI 1994	T
<i>silvestris</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadrilus) silvestris</i> (MICHAELSEN, 1896)	CSUZDI, in press	T
<i>silvestris cacaos</i> RIGHI, 1968; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) annae</i> (HORST, 1893)	RIGHI 1984	L
<i>singula</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) singula</i> OMODEO, 1958		L
<i>sinicus</i> CHEN, 1938; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) affinis</i> (MICHAELSEN, 1890)	CSUZDI & ZICSI 1991	L
<i>sinuosus</i> STEPHENSON, 1931; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) affinis</i> (MICHAELSEN, 1890)	PICKFORD 1938	L
<i>sokodana</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Millsomia sokodana</i> (MICHAELSEN, 1913)	OMODEO 1955a	T
<i>soros</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) sorosi</i> CSUZDI & ZICSI, 1989	CSUZDI, in press	T
<i>sporadonephra</i> COGNETTI, 1905; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) s. sporadonephra</i> (COGNETTI, 1905)	CSUZDI & ZICSI 1991	T
<i>sporadonephra disa</i> RIGHI, 1972; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) s. disa</i> (RIGHI, 1972)	CSUZDI & ZICSI 1991	L
<i>stampffii</i> HORST, 1895; <i>Benhamia</i> MICHAELSEN, 1889	sp. inc. sed.		L
<i>stockhauseni</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia stockhauseni</i> (MICHAELSEN, 1913)	CSUZDI & ZICSI 1994	T
<i>stuhlmanni</i> MICHAELSEN, 1890; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadrilus) stuhlmanni</i> (MICHAELSEN, 1890)	MICHAELSEN 1900, CSUZDI, in press	T
<i>taborana</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) taborana</i> (MICHAELSEN, 1913)	CSUZDI, in press	T
<i>tanganyikae</i> BEDDARD, 1902; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Dichogaster) corticis</i> (MICHAELSEN, 1899)	syn.n.	L
<i>tenuis</i> MICHAELSEN, 1891; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadrilus) tanganyikae</i> (BEDDARD, 1902)	MICHAELSEN 1903	O
<i>tenuiseta</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	sp. inc. sed.		T
<i>terrae-nigrae</i> OMODEO & VAILLAUD, 1967; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) tenuiseta</i> MICHAELSEN, 1936	CSUZDI, in press	O
<i>terricola</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) terricola</i> MICHAELSEN, 1915	CSUZDI, in press	T
<i>thibaudi</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) thibaudi</i> CSUZDI & ZICSI, 1989	CSUZDI, in press	T
<i>thomeana</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) greeffi</i> MICHAELSEN, 1902	syn.n.	T
<i>titillata</i> SIMS, 1967; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) titillata</i> SIMS, 1967	CSUZDI 1993	L
<i>tocaya</i> RIGHI, & al., 1978; <i>Wegeneriella</i> MICHAELSEN, 1933	<i>Pickfordia (Omodeoscolex) tocaya</i> (RIGHI & al., 1978)		L
<i>togoensis</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	sp. inc. sed.		L
<i>toroensis</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) toroensis</i> COGNETTI, 1907	CSUZDI, in press	T
<i>townsendi</i> EISEN, 1900; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) townsendi</i> (EISEN, 1900)	SIMS 1987	L
<i>travancorensis</i> FEDARB, 1898; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocadrilus) annae</i> (HORST, 1893)	syn.n.	T
<i>tristanti</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) tristanti</i> COGNETTI, 1907	CSUZDI, in press	T
<i>tuzeti</i> OMODEO, 1955; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) tuzeti</i> OMODEO, 1955		L
<i>uffipana</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) uffipana</i> MICHAELSEN, 1913	CSUZDI, in press	T
<i>uhleri</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Graffia) uhleri</i> (MICHAELSEN, 1935)	CSUZDI & ZICSI 1991	L
<i>undecim</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) undecim</i> OMODEO, 1958		L
<i>valdiviae</i> MICHAELSEN, 1903; ? <i>Noioidrilus</i> MICHAELSEN, 1899	<i>Wegeneriella valdiviae</i> (MICHAELSEN, 1903)	MICHAELSEN 1933	O
<i>variabilis</i> CERNOSVITOV, 1938; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) aequatorialis</i> (MICHAELSEN, 1896)	syn.n.	T
<i>verenis</i> COGNETTI, 1905; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) verenis</i> (COGNETTI, 1905)	CSUZDI & ZICSI 1991	T
<i>vidalis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) vidalis</i> (MICHAELSEN, 1912)	SIMS 1987	T
<i>viridis</i> EISEN, 1900; <i>Benhamia</i> MICHAELSEN, 1889	<i>Eurigaster (Graffia) viridis</i> (EISEN, 1900)	CSUZDI & ZICSI 1991	T
<i>wangensis</i> MICHAELSEN, 1905; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocadrilus) wangensis</i> MICHAELSEN, 1905	CSUZDI, in press	T
<i>wenkei</i> MICHAELSEN, 1931; <i>Balanita</i> MICHAELSEN, 1898	<i>Dichogaster (Dichogaster) wenkei</i> (MICHAELSEN, 1931)	OMODEO 1955a	T
<i>whytei</i> BEDDARD, 1893; <i>Benhamia</i> MICHAELSEN, 1889	sp. inc. sed.		L

List of valid names

Family: Acanthodrilidae CLAUS, 1880

Subfamily: Benhamiinae MICHAELSEN, 1897, emend CSUZDI, in press.

Agastrodrilus OMODEO & VAILLAUD, 1967: 925.

Type species: *Agastrodrilus opisthogynus* OMODEO & VAILLAUD, 1967: 926.

Location: ?

dominicae LAVELLE, 1981: 254.

Type material location: OECO, BMNH¹.

insolitus SIMS, 1986: 309.

Type material location: BMNH.

lavellei SIMS, 1986: 310.

Type material location: BMNH.

multivesiculatus OMODEO & VAILLAUD, 1967: 927.

Type material location: ?

Benhamia MICHAELSEN, 1889: 6, emend, CSUZDI & ZICSI 1994: 218.

Type species: *Benhamia rosea*

MICHAELSEN, 1889: 6.

Location: ZMUH.

itoliensis MICHAELSEN, 1892: 3.

Type material location: ZMUH.

pinguis (COGNETTI, 1910): 86.

Type material location: MZUT.

Benhamiona CSUZDI & ZICSI, 1994: 220

Type species: *Benhamiona baumanni*

(MICHAELSEN, 1897): 18. Location:

ZMUH, MNHU.

balantina (OMODEO, 1958): 46.

Type material location: ?

beddardi (HORST, 1888): 123.

Type material location: RNHL.

biggei (MICHAELSEN, 1915): 215.

Type material location: ZMUH.

budgetti (BEDDARD, 1900): 653.

Type material location: BMNH.

buettikoferii (HORST, 1884): 105.

Type material location: RNHL.

capilliseta (OMODEO, 1958): 57.

Type material location: ?

esca (STEPHENSON, 1931): 71.

Type material location: BMNH.

gambiana (BEDDARD, 1902): 210.

Type material location: BMNH perd.

guineana (OMODEO, 1958): 39.

Type material location: ?

hansi (MICHAELSEN, 1914): 101.

Type material location: ZMUH.

horsti (MICHAELSEN, 1898): 171.

Type material location: ZMUH, RNHL.

hupferi (MICHAELSEN, 1891): 66.

Type material location: ZMUH perd.

kindiana (MICHAELSEN, 1914): 183.

Type material location: MGDG.

liberiensis (HORST, 1895): 21.

Type material location: RNHL.

michaelseni (BEDDARD, 1902): 213.

Type material location: BMNH perd.

missaensis (MICHAELSEN, 1897): 28.

Type material location: ZMUH.

murithae CSUZDI & ZICSI, 1994: 222.

Type material location: MHNG.

ornata (SCIACCHITANO, 1952): 482.

Type material location: ?

pitti CSUZDI & ZICSI, 1994: 224.

Type material location: MRAC, TIUB.

puylaerti CSUZDI & ZICSI, 1994: 225.

¹ The abbreviations used, are identical with those of REYNOLDS & COOK (1976).

Type material location: MRAC.
robertsiana (MICHAELSEN, 1922): 18.
 Type material location: ZMUH,
 RNHL.
schomburgki (MICHAELSEN, 1913): 156.
 Type material location: ZMUH, perd.
stockhauseni (MICHAELSEN, 1913): 162.
 Type material location: ZMUH.

Dichogaster (Dichogaster) BEDDARD,
1888: 251 emend CSUZDI, in press.

Type species: *Dichogaster*
(Dichogaster) damonis BEDDARD, 1888:
 251. Location: ?

arboricola WASAWO & OMODEO, 1963:
 213.

Type material location: ?

arcifera OMODEO, 1958: 68.

Type material location: ?

baeri SCIACCHITANO, 1952: 477.

Type material location: ?

buettneri (MICHAELSEN, 1892): 259.

Type material location: MNHU.

candida OMODEO, 1958: 70.

Type material location: ?

corticis (MICHAELSEN, 1899): 80.

Type material location: ZMUH.

cyrtochaeta COGNETTI, 1910: 91.

Type material location: MZUT.

ehrharti (MICHAELSEN, 1898): 3.

Type material location: ZMUH,
 RNHL.

enchytraeus OMODEO, 1958: 84.

Type material location: ?

endemica MICHAELSEN, 1914: 89.

Type material location: ZMUH.

feai COGNETTI, 1910: 104.

Type material location: ?

gestroi COGNETTI, 1910: 96.

Type material location: ?

golaensis MICHAELSEN, 1913: 160.

Type material location: ZMUH.

graffi CSUZDI & ZICSI, 1989: 146.

Type material location: TIUB.

greeffi, MICHAELSEN, 1902: 20.

Type material location: ZMUH.

insularis (MICHAELSEN, 1895): 31.

Type material location: ZMUH.

lamottei OMODEO, 1958: 69.

Type material location: ?

leroyi OMODEO, 1958: 65.

Type material location: ?

ligula SIMS, 1964: 107.

Type material location: BMNH.

lofaensis MICHAELSEN, 1914: 99.

Type material location: ZMUH.

majoris MICHAELSEN, 1914: 93.

Type material location: ZMUH.

malarmata (ROSA, 1898): 57.

Type material location: MGDG.

mangeri MICHAELSEN, 1913: 158.

Type material location: ZMUH.

nematochaeta OMODEO, 1958: 76.

Type material location: ?

notabilis OMODEO, 1958: 74.

Type material location: ?

papillosa OMODEO, 1958: 85.

Type material location: ?

penigera OMODEO, 1958: 72.

Type material location: ?

pooensis COGNETTI, 1910: 102.

Type material location: ?

proandra OMODEO, 1958: 78.

Type material location: ?

reinckei (MICHAELSEN, 1898): 175.

Type material location: ZMUH.

septemdecim OMODEO, 1958: 82.

Type material location: ?

sexdecim OMODEO, 1958: 81.

Type material location: ?

sibitiensis CSUZDI & ZICSI, 1989: 145.

Type material location: TIUB.

singula OMODEO, 1958: 75.

Type material location: ?

terraenigrae OMODEO & VAILLAUD, 1967: 934.

Type material location: ?

terricola MICHAELSEN, 1915: 212.

Type material location: ZMUH.

titillata SIMS, 1967: 28.

Type material location: BMNH.

tuzeti OMODEO, 1955: 227.

Type material location: ?

undecim OMODEO, 1958: 79.

Type material location: ?

wenkei (MICHAELSEN, 1931): 539.

Type material location: ZMUH.

Dichogaster (Diplotheocodrilus) CSUZDI, in press.

Type species: *Dichogaster annae*

(HORST, 1893): 32. Location: RNHL.

adjelana MICHAELSEN, 1915: 200.

Type material location: ZMUH.

aequatorialis (MICHAELSEN, 1896): 32

Type material location: MNHU, ZMUH.

affinis (MICHAELSEN, 1890): 9.

Type material location: ZMUH.

aloyisibauidae COGNETTI, 1906: 1.

Type material location: MZUT.

amphibiotica DAHL, 1957: 1167.

Type material location: ?

andina COGNETTI, 1904: 4.

Type material location: ?

anguana MICHAELSEN, 1915: 209.

Type material location: ZMUH.

austeni (BEDDARD, 1901): 206.

Type material location: BMNH.

badajos RIGHI & AL., 1978: 44.

Type material location: INPA.

bagiloana MICHAELSEN, 1937: 433.

Type material location: ?

balantina MICHAELSEN, 1915: 192.

Type material location: ZMUH.

bolaii (MICHAELSEN, 1891): 9.

Type material location: ZMUH, BMNH, MNHU.

cagnii COGNETTI, 1906: 2.

Type material location: MZUT.

castanea (MICHAELSEN, 1896): 30.

Type material location: MNHU, ZMUH.

chapini MICHAELSEN, 1936: 4.

Type material location: ZMUH, AMNH.

christyana MICHAELSEN, 1937: 504.

Type material location: BMNH.

complanata (MICHAELSEN, 1897): 8.

Type material location: MNHU.

congica (HORST, 1894): 68.

Type material location: RNHL.

crateris MICHAELSEN, 1912: 29.

Type material location: MNHU, ZMUH.

culminis (MICHAELSEN, 1896): 32.

Type material location: MNHU, ZMUH.

cultrifera MICHAELSEN, 1903: 451.

Type material location: MNHU.

curta (MICHAELSEN, 1896): 54.

Type material location: ZMUH perd.

curvisetifera CSUZDI & ZICSI, 1994: 50.

Type material location: KBIB.

daemoniaca COGNETTI, 1907: 3.

Type material location: MZUT.

deflecticista MICHAELSEN, 1935: 61.

Type material location: MRAC.

dewittei CSUZDI & ZICSI, 1994: 48.

Type material location: KBIB, TIUB.

djemjemensis STEPHENSON, 1932: 242.

Type material location: BMNH.

dokoensis MICHAELSEN, 1903: 449.

Type material location: MNHU.

dzwilloi CSUZDI & ZICSI, 1989: 143.

Type material location: TIUB.

elgonensis MICHAELSEN, 1937: 437.

Type material location: ZMUH.

erlangeri MICHAELSEN, 1903: 456.

Type material location: ZMUH.

ernesti (MICHAELSEN, 1897): 7.

Type material location: MNHU,
ZMUH.

excelsa COGNETTI, 1907: 1.

Type material location: MZUT.

flagellifera STEPHENSON, 1933: 225.

Type material location: BMNH.

flandria MICHAELSEN, 1936: 213.

Type material location: ZMUH,
MRAC.

foetida MICHAELSEN, 1932: 5.

Type material location: ?

frickei MICHAELSEN, 1912: 35.

Type material location: ZMUH.

gabunensis MICHAELSEN, 1915: 198.

Type material location: ZMUH.

gardullaensis MICHAELSEN, 1903: 454.

Type material location: MNHU.

gofaensis MICHAELSEN, 1903: 448.

Type material location: MNHU,
ZMUH.

gracilis (MICHAELSEN, 1892): 258.

Type material location: MNHN.

guildingi (BAIRD, 1871): 96.

Type material location: BMNH.

hemiandra OMODEO, 1973: 31.

Type material location: MDPa.

heterochaeta MICHAELSEN, 1922: 3.

Type material location: ?

ibaia RIGHI & AL., 1978: 42.

Type material location: INPA.

insulsa COGNETTI, 1910: 98.

Type material location: MZUT.

intermedia (MICHAELSEN, 1891): 225.

Type material location: MNHU,
ZMUH.

jamaicae (EISEN, 1900): 218.

Type material location: perd.

jordani MICHAELSEN, 1937: 506.

Type material location: BMNH.

kaburomina MICHAELSEN, 1937: 441.

Type material location: ZMUH.

kaffaensis MICHAELSEN, 1903: 444.

Type material location: ZMUH,
MNHU.

karagoensis MICHAELSEN, 1912: 23.

Type material location: ZMUH,
MRAC.

karissimbii MICHAELSEN, 1912: 18.

Type material location: ZMUH,
MNHU, MRAC.

katangae MICHAELSEN, 1915: 202.

Type material location: ZMUH,
MRAC.

kigogoana STEPHENSON, 1933: 232.

Type material location: BMNH.

kiwuensis MICHAELSEN, 1912: 26.

Type material location: ZMUH,
MNHU.

krugeri REINECKE & ACKERMANN,
1977: 7.

Type material location: ZIPU.

kunguluensis MICHAELSEN, 1915: 194.

Type material location: ZMUH,
MRAC.

kwidschwiensis MICHAELSEN, 1912: 25.

Type material location: ZMUH,
MRAC.

lavellei CSUZDI, 1992: 48.

Type material location: TIUB.

lituifera MICHAELSEN, 1903: 453.

Type material location: MNHU.

loboziana MICHAELSEN, 1915: 207.

Type material location: ZMUH,
MRAC.

loennbergi MICHAELSEN, 1912: 1.

Type material location: NHRS.

lukafuensis MICHAELSEN, 1935: 55.

Type material location: ZMUH,
MRAC.

macfadyeni CSUZDI, 1991: 90.

Type material location: TIUB.

machadoi OMODEO, 1973: 29.

Type material location: MDPa.

medellina MICHAELSEN, 1914: 215.

Type material location: ZMUH.

meyaensis CSUZDI & ZICSI, 1989: 147.

Type material location: TIUB.

modesta MICHAELSEN, 1903: 446.

Type material location: ZMUH,
MNHU.

modiglianii (ROSA, 1896): 510.

Type material location: MGDG.

monticola (MICHAELSEN, 1896): 27.

Type material location: ZMUH.

mulataensis MICHAELSEN, 1903: 458.

Type material location: ZMUH.

mundamensis (MICHAELSEN, 1897): 11.

Type material location: ZMUH.

navana MICHAELSEN, 1936: 6.

Type material location: AMNH.

neumannii (MICHAELSEN, 1897): 1.

Type material location: MNHU,
ZMUH.

papillifera CSUZDI & ZICSI, 1989: 139.

Type material location: TIUB.

pauliani CSUZDI & ZICSI, 1989: 141.

Type material location: TIUB.

princeps COGNETTI, 1910: 94.

Type material location: MZUT.

proboscideus (MICHAELSEN, 1897): 29.

Type material location: ?

roccatii COGNETTI, 1906: 2.

Type material location: MZUT.

rubella MICHAELSEN, 1935: 64.

Type material location: MRAC.

rungeensis STEPHENSON, 1933: 237.

Type material location: BMNH.

ruwenzorii COGNETTI, 1907: 3.

Type material location: MZUT.

saliens (BEDDARD, 1893): 683.

Type material location: ?

savanicola MICHAELSEN, 1915: 204.

Type material location: ZMUH.

schubotzi MICHAELSEN, 1912: 20.

Type material location: ZMUH.

scotti STEPHENSON, 1932: 239.

Type material location: BMNH.

seriatospina MICHAELSEN, 1912: 30.

Type material location: ?

silvestris (MICHAELSEN, 1896): 28.

Type material location: ZMUH,
MNHU.

sorosi CSUZDI & ZICSI, 1989: 142.

Type material location: TIUB.

stuhlmanni (MICHAELSEN, 1890): 5.

Type material location: ZMUH,
MNHU, BMNH.

taborana MICHAELSEN, 1913: 153.

Type material location: ZMUH,
MNHU.

tanganyikae (BEDDARD, 1902): 459.

Type material location: ?

tenuiseta MICHAELSEN, 1936: 216.

Type material location: ZMUH.

thibaudi CSUZDI & ZICSI, 1989: 144.

Type material location: TIUB.

toroensis COGNETTI, 1907: 3.

Type material location: MZUT.

tristani Cognetti, 1907: 791.

Type material location: MZUT.

ufipana MICHAELSEN, 1913: 149.

Type material location: ZMUH,
MNHU.

wangaensis MICHAELSEN, 1905: 312.

Type material location: ZMUH.

***Eutrigaster (Eutrigaster)* COGNETTI,
1904: 2, emend SIMS, 1987: 432, and
CSUZDI & ZICSI, 1991: 182.**

Type species: *Eutrigaster (Eutrigaster)*

oraedivitis COGNETTI, 1904: 2.

Location: MZUT.

grandis SIMS, 1987: 434.

Type material location: BMNH.

guetare (RIGHI & MERINO, 1987): 540.

Type material location: DZSP.

hilaris (COGNETTI, 1904): 2.

Type material location: MZUT.

kepo (RIGHI & MERINO, 1987): 540.

Type material location: DZSP.

lineri (RIGHI, 1972): 217.

Type material location: DZSP.

montecyanensis SIMS, 1987: 435.

Type material location: BMNH.

orobia (GRAFF, 1957): 138.

Type material location: SMFD.

pobozsnyae CSUZDI, 1994: 64.

Type material location: TIUB.

ribacourti (EISEN, 1900): 235.

Type material location: perd.

townsendi (EISEN, 1900): 238.

Type material location: perd.

vialis (MICHAELSEN, 1912): 121.

Type material location: ZMUH.

***Eutrigaster* (Graffia) CSUZDI & ZICSI, 1991: 182.**

Type species: *Eutrigaster* (Graffia)

picadoi (MICHAELSEN, 1912): 117.

Location: ZMUH.

eiseni CSUZDI & ZICSI, 1991: 188.

Type material location: ZMUH.

gagzoi (MICHAELSEN, 1908): 17.

Type material location: ZMUH.

godeffroyi (MICHAELSEN, 1890): 5.

Type material location: ZMUH.

guatemalae (EISEN, 1900): 219.

Type material location: perd.

hartmeyeri (MICHAELSEN, 1908): 15.

Type material location: ZMUH.

keiteli (MICHAELSEN, 1898): 173.

Type material location: ZMUH.

manni (MICHAELSEN, 1935): 61.

Type material location: ?

michaelseniana CSUZDI & ZICSI, 1991: 187.

Type material location: TIUB, ZMUH.

montana CSUZDI & ZICSI, 1991: 185.

Type material location: TIUB.

reichardti (MICHAELSEN, 1908): 20.

Type material location: ?

rodriguezi CSUZDI, 1994: 65.

Type material location: TIUB.

sporadonephra sporadonephra (COGNETTI, 1905): 2.

Type material location: MZUT.

sporadonephra disa (RIGHI, 1972): 214.

Type material location: DZSP.

uhleri (MICHAELSEN, 1935): 58.

Type material location: ?

verens (COGNETTI, 1905): 46.

Type material location: MZUT.

viridis (EISEN, 1900): 214.

Type material location: perd.

***Guineoscolex* CSUZDI & ZICSI, 1994: 227.**

Type species: *Guineoscolex inaequalis* (MICHAELSEN, 1914): 175. Location: ZMUH.

bolamensis (COGNETTI, 1910): 90.

Type material location: ?

coronatus (OMODEO, 1958): 56.

Type material location: ?

mamillatus (OMODEO, 1958): 52.

Type material location: ?

microscolecinus (OMODEO, 1958): 54.

Type material location: ?

minusculus (OMODEO, 1958): 55.

Type material location: ?

silvestrii (MICHAELSEN, 1914): 172.

Type material location: ZMUH.

***Millsonia* BEDDARD, 1894: 380.**

Type species: *Millsonia nigra*

BEDDARD, 1894: 384. Location: BMNH.

anomala OMODEO, 1955: 219.

Type material location: ?

artasetosa SIMS, 1986: 281.

Type material location: BMNH.

ashantiensis SIMS, 1986: 281.

Type material location: BMNH.

brevicingulata SIMS, 1986: 282.

Type material location: BMNH.

caecifera (BENHAM, 1894): 103.

Type material location: BMNH.

centralis SIMS, 1986: 285.

Type material location: BMNH.

cruciventris SIMS, 1986: 286.

Type material location: BMNH.

ditheca SIMS, 1965: 296.

Type material location: BMNH.

ghanensis SIMS, 1965: 293.

Type material location: BMNH.

guttata (MICHAELSEN, 1913): 166.

Type material location: ZMUH.

hemina SIMS, 1965: 291.

Type material location: BMNH.

heteronephra (MICHAELSEN, 1897): 22.

Type material location: ZMUH.

hortensis SIMS, 1986: 293.

Type material location: BMNH.

inermis (MICHAELSEN, 1892): 209.

Type material location: ZMUH, MNHU.

jadwigae SIMS, 1986: 295.

Type material location: BMNH.

lamtoiana OMODEO & VAILLAUD, 1967: 932.

Type material location: ?

meridionalis OMODEO, 1973: 87.

Type material location: MDPA.

mima (MICHAELSEN, 1891): 212.

Type material location: MNHU.

moderata SIMS, 1986: 199.

Type material location: BMNH.

nilesi SIMS, 1986: 301.

Type material location: BMNH.

nota SIMS, 1986: 303.

Type material location: BMNH.

omodeoi SIMS, 1986: 304.

Type material location: SETL.

oracapensis SIMS, 1986: 305.

Type material location: BMNH.

pulvillaris SIMS, 1986: 305.

Type material location: BMNH.

pumila SIMS, 1965: 289.

Type material location: BMNH.

riparia SIMS, 1986: 307.

Type material location: BMNH.

schlegeli (HORST, 1884): 103.

Type material location: RNHL

sokodeana (MICHAELSEN, 1913): 168.

Type material location: MNHU, ZMUH.

***Monogaster* MICHAELSEN, 1915: 188.**

Type species: *Monogaster bidjumenis*
MICHAELSEN, 1915: 188. Location: ZMUH.

***Monothecondrilus* CSUZDI & ZICSÍ, 1994: 228.**

Type species: *Monothecondrilus monotheucus* (OMODEO, 1958): 50.

Type material location: ?

reductus (SIMS, 1967): 22.

Type material location: BMNH.

scherbroensis (MICHAELSEN, 1910): 112.

Type material location: ZMUH.

***Neogaster* ČERNOSVITOV, 1934: 51.**

Type species: *Neogaster americana*

ČERNOSVITOV, 1934: 51. Location:

BMNH, MNHN

aidae RIGHI, 1975: 80.

Type material location: DZSP.

angeloi RIGHI, 1988: 350.

Type material location: DZSP.

gavrilovi RIGHI & CABALLERO, 1970: 94.

Type material location: DZSP.

***Omodeona* SIMS, 1967: 32.**

Type species: *Omodeona proboscoides*

SIMS, 1967: 33. Location: BMNH. =

Omodeona fallax (COGNETTI, 1910): 88.

Location: MZUT.

braunsi (MICHAELSEN, 1895): 27.

Type material location: ?

***Pickfordia* (*Pickfordia*) OMODEO, 1958: 29. emend CSUZDI, 1993: 67.**

Type species: *Pickfordia* (*Pickfordia*)

magnisetosa OMODEO, 1958: 30.

Location: ?

ditheca OMODEO, 1958: 34.

Type material location: ?

hemibalantina OMODEO, 1958: 36.

Type material location: ?

pseudoplanaria OMODEO, 1958: 33.

Type material location: ?

***Pickfordia* (*Omodeoscolex*) CSUZDI, 1993: 67.**

Type species: *Pickfordia*

(*Omodeoscolex*) *divergens divergens*

(COGNETTI, 1905): 2. Location: MZUT.

africana (OMODEO, 1955): 8.

Type material location: ?

cisatlantica (OMODEO, 1955): 12.

Type material location: ?

divergens itapecu (RIGHI & al., 1978): 34.

Type material location: INPA.

tocaya (RIGHI & al., 1978): 36.

Type material location: INPA.

***Wegeneriella* MICHAELSEN, 1933: 123.**

Type species: *Wegeneriella valdiviae*

(MICHAELSEN, 1903): 146. Location:

ZMUH.

congica ZICSI & CSUZDI, 1989: 29.

Type material location: TIUB.

monotheca OMODEO, 1955: 2.

Type material location: ?

***Wegeneriona* ČERNOSVITOV, 1939: 116.**

Type species: *Wegeneriona brasiliana*

ČERNOSVITOV, 1939: 116. BMNH.

beauforti MICHAELSEN, 1933: 125.

Type material location: ZMUH.

belenensis RIGHI, 1988: 347.

Type material location: DZSP.

cernosvitovi RIGHI & CABALLERO, 1970: 92.

Type material location: DZSP.

michaelseni (ČERNOSVITOV, 1934): 50.

Type material location: MNHN, BMNH.

References

- BAYLIS, H.A. 1915: A new african earthworm, collected by Dr. C. Christy for the Congo Museum: with a note on its spermathecae and spermatophores. – *Ann. Mag. Nat. Hist.* 8(16): 449-465.
- BEDDARD, F.E. 1888: On certain points in the structure of *Urochaeta*, E.P., and *Dichogaster*, nov. gen., with further remarks on the nephridia of earthworms. – *Quart. J. micros. Sci.*, n.s. 29: 235-282.
- BEDDARD, F.E. 1893: On some new species of earthworms from various parts of the world. – *Proc. Zool. Soc. London* 1892: 666-706.
- BEDDARD, F.E. 1894: On two new genera, comprising three new species, of earthworms from western tropical Africa. – *Proc. Zool. Soc. London* 1894: 397-391.
- BEDDARD, F.E. 1895: A monograph of the order of Oligochaeta. – Oxford, Calderon Press. 769 pp.
- BEDDARD, F.E. 1900: On a species of earthworm from western tropical Africa. – *Proc. Zool. Soc. London* 1900: 167-173.
- BEDDARD, F.E. 1901: On some species of earthworms of the genus *Benhamia* from tropical Africa. – *Proc. Zool. Soc. London* 1901(2): 190-206.
- BEDDARD, F.E. 1902: On two new earthworms of the family Megascolecidae. – *Ann. Mag. Nat. Hist.* 7(9): 456-463.
- BENHAM, W.B. 1894: On *Benhamia caecifera* nov. sp. from the Gold Coast. – *Quart. J. Microsc. Sci.* N.S. 37: 103-112.
- ČERNOSVITOV, L. 1934: Les Oligochetes de la Guyane Francaise et d'autres pays de l'Amerique du sud. – *Bull. Mus. Nat. Hist. Nat.* 6: 47-59.
- ČERNOSVITOV, L. 1938: Mission scientifique de l'Omo: Oligochaeta. – *Mem. Mus. Nat. Hist. Nat.* 8: 255-318.
- ČERNOSVITOV, L. 1939: Oligochaeta VIII. Resultats scientifiques des croisieres du navire-ecole belge "Mercator". – *Mem. Mus. Hist. Nat. Belg.* 15: 115-129.
- CHEN, Y. 1938: Oligochaeta from Hainan, Kwantung. – *Cont. Biol. Lab. Sci. Soc. China (Zool.)* 12(10): 375-427.
- CLAUS, C.F.E. 1880: *Grundzüge der Zoologie* 4th edn. Marburg, Elwert Press. 821 pp.
- COGNETTI DE MARTIIS, L. 1904: Oligocheti di Costa Rica. – *Boll. Mus. Zool. Anat. Comp. Torino* 19(462): 1-11.
- COGNETTI DE MARTIIS, L. 1904a: Nuovi Oligocheti di Costa Rica. – *Boll. Mus. Zool. Anat. Comp. Torino* 19(478): 1-4.
- COGNETTI DE MARTIIS, L. 1904b: Oligocheti dell'Ecuador. – *Boll. Mus. Zool. Anat. Comp. Torino* 19(474): 1-18.
- COGNETTI DE MARTIIS, L. 1906: Spedizione al Ruwenzori di S.A.R. Luigi Amadeo di Savoia duca degli Abruzzi I. - Nuovi Megascolecidi africani. – *Boll. Mus. Zool. Anat. Comp. Torino* 21(539): 1-3.
- COGNETTI DE MARTIIS, L. 1907: Nuovo contributo alla conoscenza della drilofauna neotropica. – *Atti. Acad. Torino* 42: 789-800.
- COGNETTI DE MARTIIS, L. 1907a: Lombrichi nuovi del Monte Ruwenzori. – *Boll. Mus. Zool. Anat. Comp. Torino* 22(551): 1-4.
- COGNETTI DE MARTIIS, L. 1909: Lombrichi del Ruwenzori e dell'Uganda. – *Il Ruwenzori* 1: 1-56.

- COGNETTI DE MARTIIS, L. 1909a: Un nuovo *Dichogaster* africano. – Boll. Mus. Zool. Anat. Comp. Torino 24(599): 1-3.
- COGNETTI DE MARTIIS, L. 1910: Lombrichi raccolti dal Cav. Leonardo Fea nelle Isole del Capo Verde e nel Golfo di Guinea. – Ann. Mus. Genova 4: 79-118.
- COGNETTI DE MARTIIS, L. 1911: Nuove specie dei generi *Pherethima* e *Dichogaster*. – Boll. Mus. Zool. Anat. Comp. Torino 26(641): 1-7.
- COGNETTI DE MARTIIS, L. 1915: Oligocheti raccolti da S.A.R. la Duchessa di Aosta nella regione dei grandi laghi dell'Africa equatoriale. – Ann. Mus. Napoli 4(17): 1-5.
- CSUZDI, Cs. 1991: Eine neue *Dichogaster*-Art aus Tansanien (Oligochaeta, Octochaetidae). – Opusc. Zool. Budapest 24: 89-95.
- CSUZDI, Cs. 1992: Neue Angaben zur Regenwurmfauna des Kongo-Gebietes (Oligochaeta: Octochaetidae). – Opusc. Zool. Budapest 25: 45-49.
- CSUZDI, Cs. 1993: Über die Taxonomischen Probleme einiger amphiatlantischer Regenwurm Gattungen (Oligochaeta, Octochaetidae). Regenwürmer aus Südamerika 18. – Acta Zool. Hung. 39: 61-69.
- CSUZDI, Cs. 1994: Neue *Eutrigaster* Arten aus Kuba und Ihre zoogeographischen Beziehungen (Oligochaeta, Octochaetidae). Regenwürmer aus Südamerika 22. – Mitt. hamb. zool. Mus. Inst. 89(Suppl. 2): 63-70.
- CSUZDI, Cs. (in press): Revision der Unterfamilie Benhamiinae (Oligochaeta: Acanthodrilidae). – Mitt. Zool. Mus. Berlin.
- CSUZDI, Cs. & A. ZICSI 1989: Neue *Dichogaster*-Arten aus der Kongo-Region (Oligochaeta, Octochaetidae). – Mitt. hamb. zool. Mus. Inst. 86: 133-152.
- CSUZDI, Cs. & A. ZICSI 1991: Über die Verbreitung neuer und bekannter *Dichogaster* und *Eutrigaster* Arten aus Mittel- und Südamerika (Oligochaeta, Octochaetidae). Regenwürmer aus Südamerika 15. – Acta Zool. Hung. 37: 177-192.
- CSUZDI, Cs. & A. ZICSI 1994: Revision der Gattung *Benhamia* MICHAELSEN, 1889 (Oligochaeta, Octochaetidae). – Rev. suisse. Zool. 101: 215-231.
- CSUZDI, Cs. & A. ZICSI 1994a: Neue *Dichogaster* Arten aus dem Upemba National Park, Zaire (Oligochaeta, Octochaetidae). – Mitt. hamb. zool. Mus. Inst., 89(Suppl. 2): 47-53.
- DAHL, I.O. 1957: Results from the Danish Expedition to the French Cameroons, 1949-1950. XXII. Oligochaeta. – Bull. I.F.A.N. 19(4): 1145-1172.
- EISEN, G. 1896: Pacific coast Oligochaeta. – Mem. Calif. Acad. Sci. 2: 169-172.
- EISEN, G. 1900: Researches in american Oligochaeta with especial reference to those of the Pacific Coast and adjacent islands. – Proc. Calif. Acad. Sci. Zool. 2: 87-256.
- FEDARB, S.M. 1898: On some Earthworms from British India. – Proc. Zool. Soc. London 1898: 445-450.
- FRIEND, H. 1916: Alien Oligochaets in England. – J. Roy. Micros. Soc. 1916: 262-271.
- GATES, G.E. 1959: On a taxonomic puzzle and the classification of the earthworms. – Bull. Mus. Comp. Zool. Harvard 121: 229-261.
- GRAFF, O. 1957: Regenwürmer aus El Salvador. – Senck. biol. 38: 115-143.
- HORST, H. 1884: On two new species of the genus *Acanthodrilus* PERR. from Liberia. – Notes Leyden Mus. 6: 103-107.
- HORST, R. 1888: Description of earthworms. *Acanthodrilus beddardi* n.sp. a remarkable earthworm from Liberia. – Notes Leyden Mus. 10: 123-128.

- HORST, R. 1893: Descriptions of earthworms VII. - On malayan earthworms. - Notes Leyden Mus. 15: 316-329.
- HORST, R. 1894: On an earthworm from the Upper-Congo *Benhamia congica* n.sp. - Tijdschr. Nederl. Dierk. Ver. 4: 68-70.
- HORST, R. 1895: descriptions of earthworms IX. - On two new *Benhamia* species from Liberia. - Notes Leyden Mus. 17: 21-27.
- JAMIESON, B.G.M. 1971: A review of the Megascoleoid earthworm genera (Oligochaeta) of Australia. Part I. - Reclassification and checklist of the Megascoleoid genera of the world. - Proc. R. Soc. Qd. 82: 75-86.
- JAMIESON, B.G.M. 1988: On the phylogeny and higher classification of the Oligochaeta. - Cladistics 4: 367-410.
- LAVELLE, P. 1981: Un ver de terre carnivore des savanes de la moyenne Cote d'Ivoire: *Agastrodriulus dominicae* nov. sp. (Oligochaetes-Megascolecidae). - Rev. Ecol. Biol. Sol. 18: 253-258.
- MICHAELSEN, W. 1889a: Oligochaeten des Naturhistorischen Museums in Hamburg. I. - Mitt. Mus. Hamb. 6: 3-16.
- MICHAELSEN, W. 1890: Beschreibung der von Herrn Dr. F. Stuhlmann im Mündungsgebiet des Sambesi gesammelten Terricolen. - Mitt. Mus. Hamburg 7: 1-30.
- MICHAELSEN, W. 1890: Oligochaeten des Naturhistorischen Museums in Hamburg III. - Jahrb. Hamb. Wiss. Anstalten 7: 1-12.
- MICHAELSEN, W. 1891: Oligochaeten des Naturhistorischen Museums in Hamburg IV. - Jahrb. Hamb. Wiss. Anstalten 8: 1-42.
- MICHAELSEN, W. 1891a: Terricolen der Berliner Zoologischen Sammlungen I. - Afrika. - Arch. Naturg. 57: 205-229.
- MICHAELSEN, W. 1891b: Beschreibung der von Herrn Dr. F. Stuhlmann an Sansibar und dem gegenüberliegenden Festlande gesammelten Terricolen. - Mitt. Mus. Hamburg 9(1): 1-72.
- MICHAELSEN, W. 1892: Beschreibung der von Herrn Dr. F. Stuhlmann am Victoria Nyanza gesammelten Terricolen. - Mitt. Mus. Hamburg 9(2): 3-14.
- MICHAELSEN, W. 1892a: Terricolen der Berliner Zoologischen Sammlung II. - Arch. Naturg. 1: 1-53.
- MICHAELSEN, W. 1895: Zur Kenntnis der Oligochaeten. - Abh.. Ver. Hamburg 13: 1-37.
- MICHAELSEN, W. 1896: Die Regenwürmer Ost-Afrikas. - Die Tierwelt D.-Ost-Afrika, Berlin 4: 1-48.
- MICHAELSEN, W. 1897: Weiterer Beitrag zur Systematik der Regenwürmer. - Verh. Nat. Ver. Hamburg 1897: 1-26.
- MICHAELSEN, W. 1897a: Neue und wenig bekannte afrikanische Terricolen. - Mitt. Mus. Hamburg 14: 3-71.
- MICHAELSEN, W. 1898: Über eine neue Gattung und vier neue Arten der Unterfamilie Benhamini. - Mitt. Mus. Hamb. 15: 166-178.
- MICHAELSEN, W. 1899: Terricolen von verschiedenen Gebieten der Erde. - Mitt. Mus. Hamburg 16: 1-122.
- MICHAELSEN, W. 1900: Oligochaeta. - Das Tierreich 10: 1-575.
- MICHAELSEN, W. 1902: Neue Oligochaeten und neue Fundorte alt-bekannter. - Mitt. Mus. Hamburg 19: 1-58.
- MICHAELSEN, W. 1903: Die geographische Verbreitung der Oligochaeten. - Berlin, 186 pp.

- MICHAELSEN, W. 1903a: Westafrikanische Oligochaeten, gesammelt von Herrn Prof. Yngve Sjöstedt. – *Ark. Zool.* 1: 157-170.
- MICHAELSEN, W. 1903b: Die Oligochaeten Nordost-Afrikas. – *Zool. Jb. Syst.* 18: 135- 556.
- MICHAELSEN, W. 1903c: Die Oligochaeten der Deutschen Tiefsee Expedition. – *Wiss. Ergebn. dt. Tiefsee Exped. "Valdivia"* 3: 133-166.
- MICHAELSEN, W. 1905: Die Oligochäten Deutsch-Ostafrikas. – *Z. Wiss. Zool.* 82: 288-367.
- MICHAELSEN, W. 1907: Regenwürmer von Erythraea nach der Ausbeute des Herrn Dr. K. Escherich. – *Verh. Ver. Naturwiss. Unterh. Hamburg* 13: 5-15.
- MICHAELSEN, W. 1908: Die Oligochäten Westindiens. – *Zool. Jb. Syst. (Supplement)* 11: 13-32.
- MICHAELSEN, W. 1910: Oligochäten von verschiedenen Gebieten. – *Mitt. Mus. Hamburg* 27: 47-170.
- MICHAELSEN, W. 1912: Die terrestrischen Oligochäten des tropischen Afrikas und ihre geographischen Beziehungen. – *Wiss. Erg. der Deutsch. Zentral-Afrika-Expedition* 3: 1-90.
- MICHAELSEN, W. 1912a: Oligochäten vom Kenia-Distrikt in Britisch-Ostafrika, gesammelt von der Schwedischen Zoologischen Expedition 1911. – *Ark. Zool.* 7(32): 1-6.
- MICHAELSEN, W. 1912b: Über einige zentralamerikanische Oligochäten. – *Arch. Naturg.* 78: 112-129.
- MICHAELSEN, W. 1913: Oligochäten vom tropischen und südlich-subtropischen Afrika I. – *Zoologica Stuttgart* 26: 139-170.
- MICHAELSEN, W. 1914: Die Oligochaeten Columbias. – *Mem. Soc. Neuchatel Sci. Nat.* 5: 202-252.
- MICHAELSEN, W. 1914a: Oligochäten aus dem tropischen Westafrika, gesammelt von Prof. Dr. F. Silvestri. – *Boll. Labor. Zool. gen. agr. Portici* 9: 171-185.
- MICHAELSEN, W. 1914b: Oligochäten vom tropischen Afrika. – *Mitt. Mus. Hamburg* 31: 87- 128.
- MICHAELSEN, W. 1915: Zentralafrikanische Oligochäten. – *Erg. Zweit. Deutsch. Zentral-Afrika-Expedition* 1: 185-317.
- MICHAELSEN, W. 1921: Oligochäten vom westlichen Vorderindien und ihre Beziehungen zur Oligochätenfauna von Madagaskar und den Seychellen. – *Mitt. Mus. Hamburg* 38: 27-68.
- MICHAELSEN, W. 1922: Oligochäten aus dem Rijks Museum van Natuurlijke Historie zu Leiden. – *Capita Zool.* 1(3): 1-72.
- MICHAELSEN, W. 1922a: Sammlungen der Schwedischen Elgon-Expedition. II. Oligochäten. – *Ark. Zool.* 14(6): 2-19.
- MICHAELSEN, W. 1931: Ausländische Opisthopore Oligochaeten. – *Zool. Jb. Syst.* 61: 523- 578.
- MICHAELSEN, W. 1932: Ein neuer Regenwurm aus Belgisch-Kongo. – *Bull. Mus. Roy. Hist. Nat. Belg.* 8(25): 1-5.
- MICHAELSEN, W. 1933: Die Oligochäten Surinames. Mit Erörterung der verwandtschaftlichen und geographischen Beziehungen der Octochäten. – *Tijdschr. Nederl. Dierk. Ver.* 3: 112-130.
- MICHAELSEN, W. 1934: Opisthopore Oligochaeten des Königlichen Naturhistorischen Museums von Belgien. – *Bull. Mus. Hist. Nat. Belg.* 10(25): 1-29.
- MICHAELSEN, W. 1935: Oligochäten von Belgisch-Kongo. – *Rev. Zool. Bot. Afr.* 27: 33-156.
- MICHAELSEN, W. 1935a: Die Opisthoporen Oligochäten Westindiens. – *Mitt. Mus. Hamburg* 45: 51-64.
- MICHAELSEN, W. 1936: Oligochäten von Belgisch-Kongo II. – *Rev. Zool. Bot. Afr.* 28: 213-226.

- MICHAELSEN, W. 1936a: Oligochäten von Belgisch-Kongo III. – Rev. Zool. Bot. Afr. 29: 36-72.
- MICHAELSEN, W. 1936b: African and American Oligochaeta in the American Museum of Natural History. – Amer. Mus. Novitates 843: 1-20.
- MICHAELSEN, W. 1937: Reports on the scientific results of an expedition to rain forest regions in Eastern Africa. – Bull. Mus. Comp. Zool. 79: 433-477.
- OHFUCHI, S. 1957: On a collection of the terrestrial Oligochaeta obtained from various localities in Riu-kiu Islands, together with the consideration of their geographical distribution (Part II.). – J. Agr. Sci. Tokio 3(2): 243-261.
- OMODEO, P. 1955: Nuove specie dei generi a distribuzione amfiatlantica *Wegeneriella* e *Neogaster* (Acanthodrilidae, Oligochaeta). – Ann. Inst. Mus. zool. Univ. Napoli 3: 1-29.
- OMODEO, P. 1955a: Eudrilinae e Octochaetinae della Costa d'Avorio (Oligochaeta). – Mem. Mus. Civ. St. Nat. Verona 4: 213-229.
- OMODEO, P. 1958: Oligochetes. In: La reserve naturelle integrale du Mont Nimba. – Mem. Inst. fr. Afrique noire 53: 9-109.
- OMODEO, P. 1973: Oligochètes del'Angola. – Publ. cult. Co. Diam. ang. Lisboa 87: 13-58.
- OMODEO, P. & M. VAILLAUD 1967: Les Oligochètes de la savane de Gpakobo en Cote- d'Ivoire. – Bull. de I.F.A.N. 29: 925-944.
- PICKFORD, G.E. 1938: Earthworms in Yucatan Caves. In: Fauna of the Caves of Yucatan. – Publ. Carnegi Inst. Wash. 491: 71-100.
- REYNOLDS, J.W. & D.G. COOK 1976: Nomenclatura Oligochaetologica: A catalogue of names, descriptions and type specimens of the Oligochaeta. – Fredericton, Univ. New Brunswick Press. 217 pp.
- RIGHI, G. 1968: Sobre algumaus Oligochaeta do Brasil. – Rev. Brasil. Biol. 28: 369-382.
- RIGHI, G. 1972: On some earthworms from Central America (Oligochaeta). – Stud. Neotrop. Fauna 7: 207-228.
- RIGHI, G. 1975: Some Oligochaeta from the Brazilian Amazonia. – Stud. Neotrop. Fauna 10: 77-96.
- RIGHI, G. 1984: Nova contribucao ao conhecimento dos Oligochaeta da Venezuela. – Pap. Avul. Zool. 35: 243-256.
- RIGHI, G. 1988: Uma colecao de Oligochaeta da Amazonia Brasileira. – Pap. Avul. Zool. 36(30): 337-351.
- RIGHI, G. & M.E.S. CABALLERO 1970: Duas novas especies brasileiras dos generos *Wegeneriella* e *Neogaster* (Oligochaeta, Octochaetidae). – Rev. Brasil. Biol. 30: 91-96.
- RIGHI, G. & I. AYRES 1975: Alguns Oligochaeta sul Brasileiros. – Rev. Brasil. Biol. 35(2): 309-316.
- RIGHI, G., I. AYRES & C.R.E. BITTENCOURT 1978: Oligochaeta (Annelida) do Instituto Nacional de Pesquisas da Amazonia. – Acta Amazonica 8(suppl. 1): 1-49.
- ROSA, D. 1888: Lombrichi della Scioa. – Ann. Mus. Genova 26: 571-592.
- ROSA, D. 1891: Die exotischen Terricolen des K.K. naturhistorischen Hofmuseums. – Ann. Nat. Hofmus. Wien 6: 379-406.
- ROSA, D. 1895: Oligocheti terricoli. (Inclusi quelli raccolti nel Paraguay dal Dr. Paul Jordan). – Boll. Mus. Anat. Comp. Torino 10(204): 1-3.
- ROSA, D. 1896: I lombrichi raccolti a Sumatra dal Dott. E. Modigliani. – Ann. Mus. Genova 16: 502-532.

- ROSA, D. 1898: Viaggio di Lamberto Loria Nella Papuasias Orientale. XXI. - Terricoli. – Ann. Mus. Genova 19: 57-65.
- SCIACCHITANO, I. 1952: Oligochetes de la Cote d'Ivoire. – Rev. suisse Zool. 59: 447-486.
- SIMS, R.W. 1964: Oligochaeta from Ascension Island and Sierra Leone including records of *Pheretima* and a new species of *Dichogaster*. – Ann. Mag. Nat. Hist. 13(7): 107-113.
- SIMS, R.W. 1965: Acanthodrilidae and Eudrilidae (Oligochaeta) from Ghana. – Bull. Brit. Mus. Nat. Hist. 12: 285-311.
- SIMS, R.W. 1965a: The identity of the western african earthworm *Millsonia nigra* BEDDARD, 1894 (synonym *Dichogaster eudrilina* COGNETTI, 1909) Octochaetinae, Oligochaeta. – J. West Afr. Sci. Ass. 10: 39-44.
- SIMS, R.W. 1967: Earthworms (Acanthodrilidae and Eudrilidae: Oligochaeta) from Gambia. – Bull. Brit. Mus. Nat. Hist. 16: 1-43.
- SIMS, R.W. 1980: A classification and the distribution of earthworms, suborder Lumbricina (Haplotaxida: Oligochaeta). – Bull. Brit. Mus. Nat. Hist. 39: 103-124.
- SIMS, R.W. 1986: Revision of the Western African earthworm genus *Millsonia* (Octochaetidae, Oligochaeta). – Bull. Brit. Mus. Nat. Hist. 50: 273-313.
- SIMS, R.W. 1987: New species and records of earthworms from Jamaica with notes on the genus *Eurigaster* COGNETTI, 1904 (Octochaetidae; Oligochaeta). – J. Nat. Hist. 21: 429-441.
- STEPHENSON, J. 1920: On a collection of Oligochaeta from the lesser known parts of India and from Eastern Persia. – Mem. Ind. Mus. 1: 249-267.
- STEPHENSON, J. 1930: Oligochaeta from the Malay Peninsula. – Journ. fed. Malay St. Mus. 16: 261-285.
- STEPHENSON, J. 1930a: The Oligochaeta. – Oxford, Calderon Press. 978 pp.
- STEPHENSON, J. 1931: Oligochaeta from Burma, Kenya and other parts of the world. – Proc. Zool. Soc. London 1: 33-92.
- STEPHENSON, J. 1931a: Descriptions of Indian Oligochaeta II. – Rec. Ind. Mus. 33: 173- 202.
- STEPHENSON, J. 1932: Report on the Oligochaeta: Mr Omer-Cooper's investigation of the Abyssinian fresh waters (Dr Hugh Scott's expedition). – Proc. Zool. Soc. London: 227-255.
- STEPHENSON, J. 1933: Reports on the scientific results of an expedition to the South-western Highlands of Tanganyika Territory. – Bull. Mus. Comp. Zool. 75: 224-247.
- WASAWO, D.P.S. & P. OMODEO 1963: Some arboricolous Oligochaeta from Ivory Coast. – Mem. Mus. Civ. St. Nat. Verona 11: 211-223.
- ZICSI, A. & Cs. CSUZDI 1989: Eine neue *Wegeneriella*-Art aus dem Kongo-Gebiet (Oligochaeta: Octochaetidae). – Misc. Zool. Hung. 5: 29-31.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Annalen des Naturhistorischen Museums in Wien](#)

Jahr/Year: 1995

Band/Volume: [97B](#)

Autor(en)/Author(s): Csuzdi Csaba

Artikel/Article: [A catalogue of Benhamiinae species \(Annelida: Oligochaeta: Acanthodrilidae\). 99-123](#)