

## **Type specimens of K.H. Rechinger in the Herbarium Ministerii Iranici Agriculturae**

F. Termeh\*

### **Abstract**

Type specimens collected by K.H. Rechinger and stored in the herbarium IRAN are listed.

**Key words:** Flora of Iran; type specimens.

### **Zusammenfassung**

Von K.H. Rechinger gesammelte und im Herbarium IRAN aufbewahrte Typusbelege werden vollständig zitiert und aufgelistet.

### **Introduction**

The Ministry of Agriculture Herbarium is registered in Index Herbariorum (STAFLEU 1981). It is one of the units of the Plant Pests and Diseases Research Institute (Department of Botany) in Tehran, consists of 220000 specimens of flowering plants, and is the richest herbarium in Iran.

Collection of the specimens started in 1948 with the efforts of E. Esfandiari together with K.H. Rechinger and P. Aellen in Kerman, Baluchestan, Khorassan Provinces and parts of North Iran. A few specimens were collected before this date, the oldest one being *Nepeta bornmuelleri* HAUSSKN. collected in 1892 by Bornmüller from Hezar mountain in Kerman. This specimen was dedicated to the herbarium IRAN from the herbarium in Edinburgh [E].

The herbarium IRAN serves as a means of study and investigation and is considered by the Islamic Republic of Iran as a national asset. The total number of types of species and subspecies cited in MOUSSAVI et al. (1995) is 265, but the real number is 254. In this paper, type specimens of 81 species collected by or together with K.H. Rechinger preserved in the herbarium IRAN are listed. Most of them are isotypes and not mentioned in the original descriptions and/or in Flora Iranica (RECHINGER 1969 - 1992).

### **Results and discussion**

The specimens are listed in alphabetical order of families/genera/species. If put in synonymy today, the actual name is given in [ ]. The citation of publication, isotypic syno-

---

\* Dr. F. Termeh, Dept. of Botany, Plant Pests & Diseases Research Institute, P.O. Box 1454, Tehran 19395, Iran. The author has accompanied K.H. Rechinger in 1971 for about one month, collecting plants from Zanjan, Kordestan and Azerbaijan provinces.

nymys (connected with "≡"), complete collectors of the specimen (in many cases only cited as "Rech. nr." in literature), and herbaria of other isotypes as far as known are listed.

### Boraginaceae

*Heliotropium multiflorum* RECH.f. AELLEN & ESFAND.

[= *Heliotropium brevilimbe* BOISS.]

Ann. Naturhist. Mus. Wien 58: 44 (1951)

Type: Rechinger 4006, [holo W, iso IRAN-1865].

*Heliotropium nodulosum* RECH.f., AELLEN & ESFAND.

[= *Heliotropium dasycarpum* LEDEB.]

Ann. Naturhist. Mus. Wien 58: 45 (1951)

Type: Rechinger 3999, Esfandiari & Aellen [holo W, iso IRAN-1889].

*Heliotropium oliganthum* RECH.f., AELLEN & ESFAND.

[= *Heliotropium dasycarpum* LEDEB.]

Ann. Naturhist. Mus. Wien 58: 46 (1951)

Type: Rechinger 3910, Esfandiari & Aellen [holo W, iso IRAN-1888].

*Heliotropium taftanicum* RECH.f., AELLEN & ESFAND.

[= *Heliotropium dasycarpum* LEDEB. subsp. *transoxanum* (BUNGE) H.AKHANI & FOERTHER]

Ann. Naturhist. Mus. Wien 58: 46 (1951)

Type: Rechinger 4058, Esfandiari & Aellen [holo W, iso IRAN-1902].

*Mattiastrum crista-galli* RECH.f. & RIEDL

Biol. Skr. 13/4: 207 (1963)

Type: Rechinger 4502, Aellen & Esfandiari [holo W, iso IRAN-2427].

*Moltkia gypsacea* RECH.f.

Anz. Oesterr. Akad. Wiss., Math.-Naturwiss. 1950: 89 (1950)

Type: Rechinger 2795 & Sharif [holo W, iso IRAN-2859].

*Trichodesma macrocarpum* RECH.f., AELLEN & ESFAND.

Ann. Naturhist. Mus. Wien 58: 48 (1951)

Type: Rechinger 3321, Aellen & Esfandiari [holo W, iso IRAN-3337].

### Campanulaceae

*Campanula kermanica* (RECH.f., AELLEN & ESFAND.) RECH.f.

Flora Iranica 13: 18 (1956)

≡ *Campanula incanescens* BOISS. subsp. *kermanica* RECH.f., AELLEN & ESFAND.

Anz. Oesterr. Akad. Wiss., Math.-Naturwiss. 1950: 10 (1950)

Type: Rechinger 3730, Aellen & Esfandiari [holo W, iso IRAN-3562].

### Caryophyllaceae

*Acanthophyllum chloroleucum* RECH.f. & AELLEN

Bot. Jahrb. 75: 360 (1951)

Type: Rechinger 4979, Esfandiari & Aellen [holo w, iso IRAN-4059].

*Dianthus longivaginat* RECH.f.

Pl. Syst. Evol. 142: 244 (1983)

Type: Rechinger 42769-a & Termeh 14435-E [holo W, iso IRAN-5065]

*Gypsophila wilhelminae* RECH.f.

Candollea 34: 230 (1979)

Type: W. Rechinger s.n. [iso G, IRAN-5091, W (hb. Rechinger 43962)].

*Silene austro-iranica* RECH.f., AELLEN & ESFAND.

Bot. Jahrb. 75: 349 (1951)

Type: Rechinger 3386, Aellen & Esfandiari [holo w, iso G, IRAN-5171].

*Silene oligophylla* MELZH.

Pl. Syst. Evol. 150: 313 (1985)

Type: Lamond 3631 & Iranshahr 14431-E [holo W (hb. Rechinger 40894), iso E, IRAN-5171, W].

### Chenopodiaceae

*Aellenia subaphylla* (C.A.MEY) AELLEN ssp. *gracilent*a AELLEN

Verh. Naturf. Ges. Basel 61: 180 (1950)

Types: Rechinger 5340, Aellen & Esfandiari [syn W, IRAN-5010]. - Rechinger 5299, Aellen & Esfandiari [syn W, IRAN-5070].

### Cistaceae

*Helianthemum cinereoflavescens* RECH.f., AELLEN & ESFAND.

[= *Helianthemum stipulatum* (FORSSK.) C.CHR.]

Anz. Oesterr. Akad. Wiss., Math.-Naturwiss. 1950/11: 2 (1950)

Type: Rechinger 4012, Esfandiari & Aellen [holo W, iso IRAN-5092].

### Compositae

*Anthemis austro-iranica* RECH.f., AELLEN & ESFAND.

Österr. Bot. Z. 97: 227 (1950)

Type: Rechinger 3179, Esfandiari & Aellen [holo W, iso IRAN-5018].

*Anthemis triumfettii* (L.) ALL. subsp. *decumbens* IRANSHAHR

Flora Iranica 158: 21 (1986)

Type: Iranshahr 34081-E & Lamond 5076 [holo W (hb. Rechinger 40641), iso IRAN-5023].

*Centaurea aziziana* RECH.f.

Österr. Bot. Z. 97: 255 (1950)

Type: Rechinger 6576 & Manouchehri [iso E, IRAN-5034, W].

*Centaurea esfandiarii* RECH.f. & AELLEN

[= *Centaurea sintenisiana* GAND.]

Österr. Bot. Z. 97: 253 (1950)

Type: Rechinger 5438, Esfandiari & Aellen [iso IRAN-5035, W].

*Chondrilla scoparia* RECH.f., AELLEN & ESFAND.

[= *Launaea oligocephala* (HAUSSKN. & BORNM.) BORNM.]

Österr. Bot. Z. 97: 260 (1950)

Type: Rechinger 3950, Esfandiari & Aellen [iso IRAN-5035, W].

*Cousinia esfandiarii* RECH.f. & AELLEN

Ann. Naturhist. Mus. Wien 57: 75 (1950)

Type: Rechinger 5426, Esfandiari & Aellen [holo W, iso IRAN-5053, W].

*Jurinea sarhaddensis* RECH.f.

[= *Jurinea ramosissima* DC.]

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 88: 264 (1951)

Type: Rechinger 4207, Esfandiari & Aellen [holo W, iso IRAN-5102].

*Karvandarina aphylla* RECH.f., AELLEN & ESFAND.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 87: 198 (1950)

Type: Rechinger 3964, Esfandiari & Aellen [holo W, iso IRAN-5105].

*Senecio khorasanicus* RECH.f. & AELLEN

Österr. Bot. Z. 97: 236 (1950)

≡ *Senecio paulsenii* O.HOFFM. subsp. *khorasanicus* (RECH.f. & AELLEN) B.NORD.,  
Flora Iranica 164: 68 (1989).

Type: Rechinger 4819, Esfandiari & Aellen [holo W, iso IRAN-5168].

## Convolvulaceae

*Convolvulus argyranthus* RECH.f., AELLEN & ESFAND.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 1950: 304 (1950)

Type: Rechinger 3228, Esfandiari & Aellen [holo W, iso IRAN-5046].

## Cruciferae

*Alyssum polycladum* RECH.f.

Phyton 3: 55 (1951)

Type: Rechinger 6519 & Manuchehri [holo W, iso IRAN-5239].

*Brassica iranica* RECH.f., AELLEN & ESFAND.

[= *Brassica deflexa* BOISS. subsp. *leptocarpa* (BOISS.)HEDGE]

Phyton 3: 44 (1951)

Type: Rechinger 4065, Aellen & Esfandiari [holo W, iso IRAN 5028].

*Hesperis khorasanica* RECH.f. & AELLEN

[= *Clausia turkestanica* LIPSKY]

Phyton 3: 65 (1951)

Type: Rechinger 5062, Esfandiari & Aellen [holo W, iso IRAN 5093].

*Isatis pachycarpa* RECH.f., AELLEN & ESFAND.

Phyton 3: 47 (1951)

Type: Rechinger 3789a, Esfandiari & Aellen [holo W, iso IRAN-5100].

Note: in orig. descr. Rechinger "5421".

*Lepidium lignescens* RECH.f.

[= *Lepidium persicum* BOISS. ssp. *persicum*]

Feddes Repert. 48: 37 (1940)

Type: Rechinger 1528, Esfandiari & Aellen [holo W, iso IRAN-5106].

*Matthiola porphyrantha* RECH.f., AELLEN & ESFAND.

[= *Matthiola chenopodiifolia* FISCH. & C.A.MEY.

Phyton 3: 61 (1951)

Type: Rechinger 3161, Esfandiari & Aellen [holo W, iso IRAN-5121].

*Sisymbrium integerrimum* RECH.f. & AELLEN

Phyton 3: 67 (1951)

Type: Rechinger 4521, Esfandiari & Aellen [holo W, iso IRAN 5179].

Note: in orig. descr. Rechinger "5421".

*Sterigmotemum rhodanthum* RECH.f., AELLEN & ESFAND.

Phyton 3: 66 (1951)

Type: Rechinger 3140, Esfandiari & Aellen [holo W, iso IRAN-3184].

## Dipsaceae

*Pterocephalus gedrosiacus* RECH.f., AELLEN & ESFAND.

Anz. Oesterr. Akad. Wiss., Math.-Naturwiss. 87: 188 (1950)

Type: Rechinger 4225, Esfandiari & Aellen [holo W, iso BM, G, IRAN-5144].

## Euphorbiaceae

*Euphorbia aellenii* RECH.f.

Anz. Oesterr. Akad. Wiss., Math.-Naturwiss. 88: 219 (1951)

Type: Rechinger 4759, Aellen & Esfandiari [holo W, iso IRAN-5078].

*Euphorbia gedrosiaca* RECH.f., AELLEN & ESFAND.

Anz. Oesterr. Akad. Wiss., Math.-Naturwiss. 88: 220 (1951)

Type: Rechinger 4074, Aellen & Esfandiari [holo W, iso IRAN-5079].

*Euphorbia multifurcata* RECH.f., AELLEN & ESFAND.

Anz. Oesterr. Akad. Wiss., Math.-Naturwiss. 1951: 217 (1951)

Type: Rechinger 4220, Aellen & Esfandiari [holo W, iso IRAN-5080].

## Geraniaceae

*Monsonia commixta* RECH.f., AELLEN & ESFAND.

[= *Monsonia nivea* (DECNE.) DECNE. ex WEBB]

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 87: 301 (1950)

Type: Rechinger 3419b, Aellen & Esfandiari [holo W, iso IRAN-5123].

## Labiatae

*Salvia chloroleuca* RECH.f. & AELLEN

Österr. Bot. Z. 99: 59 (1952)

Type: Rechinger 4771, Aellen & Esfandiari [holo W, iso IRAN-5155].

*Salvia kudjurica* RECH.f.

[= *Salvia staminea* MONTBRET & AUCHER ex BENTH.]

Österr. Bot. Z. 99: 56 (1952)

Type: Rechinger 6500 & Manouchehri [holo W, iso IRAN-5156].

**Leguminosae**

*Astragalus chrysostachys* BOISS. var. *chorassanicus* ŠIRJ. & RECH.f.

[= *Astragalus chrysostachys* BOISS.]

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 90: 156 (1953)

Type: Rechinger 4802, Esfandiari & Aellen [holo W, iso B, G, IRAN-5196, MSB].

*Astragalus darii* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 90: 124 (1953)

Type: Rechinger 3791, Esfandiari & Aellen [holo W, iso B, G, IRAN-5197, LD, M].

*Astragalus djenarensis* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 91: 155 (1954)

Type: Rechinger 4737, Esfandiari & Aellen [holo W, iso IRAN-5198].

*Astragalus djiroftensis* ŠIRJ. & RECH.f.

[= *Astragalus cephalanthus* DC.]

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 91: 158 (1954)

Type: Rechinger 3871, Esfandiari & Aellen [holo W, iso B, E, G, IRAN-5199, K, M].

*Astragalus esfandiari* ŠIRJ. & RECH.f.

Ann. Naturhist. Mus. Wien 58: 64 (1951)

Type: Rechinger 4069, Esfandiari & Aellen [holo W, iso G, G-Aellen, IRAN-5201].

*Astragalus farsicus* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 91: 162 (1954)

Type: Rechinger 3134, Esfandiari & Aellen [holo W, iso B, G, IRAN-5202].

*Astragalus koshjailensis* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 91: 166 (1954)

Type: Rechinger 5434, Esfandiari & Aellen [holo W, iso B, IRAN-5210].

*Astragalus longemucronatus* ŠIRJ. & RECH.f.

Ann. Naturhist. Mus. Wien 58: 70 (1951)

Type: Rechinger 4373, Esfandiari & Aellen [holo W, iso G, G-Aellen, IRAN-5211].

*Astragalus manucherii* ŠIRJ. & RECH.f.

[= *Astragalus persicus* (DC.) FISCH. & C.A.MEY.]

Ann. Naturhist. Mus. Wien 58: 70 (1951)

Type: Rechinger 6410 & Manuchehri [HOLO W, ISO B, G, IRAN-5212].

*Astragalus mucronifolius* BOISS. var. *brevidentatus* ŠIRJ. & RECH.f.

Ann. Naturhist. Mus. Wien 58: 72 (1951)

Type: Rechinger 2842, Aellen & Esfandiari [holo W, iso B, G, IRAN-5215, K].

*Astragalus nishapurensis* ŠIRJ. & RECH.f.

[= *Astragalus raddei* BASIL.]

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 91: 167 (1954)

Type: Rechinger 4561, Esfandiari & Aellen [holo W, iso B, IRAN-5216].

*Astragalus pseud aureus* ŠIRJ. & RECH.f.

Ann. Naturhist. Mus. Wien 58: 68 (1951)

Type: Rechinger 5186, Esfandiari & Aellen [holo W, iso G, G-Aellen, IRAN-5220].

*Astragalus pseudobrachystachys* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss, Math.-Naturwiss. Kl. 90: 161 (1953)

Type: Rechinger 3138, Esfandiari & Aellen [holo W, iso B, E, G, IRAN-5221, K, LD, M].

*Astragalus pseudokurramensis* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss, Math.-Naturwiss. Kl. 90: 119 (1953)

Type: Rechinger 5094c, Esfandiari & Aellen [holo W, IRAN-5222].

*Astragalus pseudosquarrosus* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss, Math.-Naturwiss. Kl. 91: 164 (1954)

Type: Rechinger 4280, Esfandiari & Aellen [holo W, iso B, G, IRAN-5224].

*Astragalus rahensis* ŠIRJ. & RECH.f. var. *dehbakriensis* ŠIRJ. & RECH.f.

Ann. Naturhist. Mus. Wien 58: 67 (1951)

Type: Rechinger 3872, Esfandiari & Aellen [holo W, iso IRAN-5226, K, M].

*Astragalus sangonensis* ŠIRJ. & RECH.f.

[= *Astragalus squarrosus* BUNGE]

Anz. Österr. Akad. Wiss, Math.-Naturwiss. Kl. 91: 164 (1954)

Type: Rechinger 4075, Esfandiari & Aellen [holo W, iso B, IRAN-5229].

*Astragalus serpentinus* ŠIRJ. & RECH.f.

Ann. Naturhist. Mus. Wien 58: 64 (1951)

Type: Rechinger 5292, Esfandiari & Aellen [holo W, iso B, G, IRAN-5230, K].

*Astragalus serpentinus* ŠIRJ. & RECH.f. var. *esfandiarianus* ŠIRJ. & RECH.f.

Ann. Naturhist. Mus. Wien 58: 64 (1951)

Type: Rechinger 5389, Esfandiari & Aellen [holo W, iso G, IRAN-5231, K].

*Astragalus subrosulariformis* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss, Math.-Naturwiss. Kl. 90: 161 (1953)

Type: Rechinger 5096, Esfandiari & Aellen [holo W, iso B, E G, IRAN-5233].

*Astragalus tarumensis* ŠIRJ. & RECH.f.

Anz. Österr. Akad. Wiss, Math.-Naturwiss. Kl. 91: 165 (1954)

Type: Rechinger 3209, Esfandiari & Aellen [holo W, iso B, G, IRAN-5234, K, M].

*Lotus laricus* RECH.f., AELLEN & ESFAND.

Bot. Jahrb. 75: 333 (1951)

Type: Rechinger 3327, Esfandiari & Aellen [holo W, iso IRAN-5112].

*Onobrychis kermanensis* (ŠIRJ. & RECH.f.) RECH.f.

Flora Iranica 157: 441 (1984)

≡ *Onobrychis melanotricha* BOISS. var. *kermanensis* ŠIRJ. & RECH.f.

Ann. Naturhist. Mus. Wien 58: 74 (1951)

Type: Rechinger 3180, Aellen & Esfandiari [holo W, iso IRAN-5132].

### Plumbaginaceae

*Acantholimon austro-iranicum* RECH.f. & SCHIMAN-CZEIKA

Flora Iranica 108: 149 (1974)

Type: Rechinger 3502, Aellen & Esfandiari [holo W, iso IRAN-5003].

*Acantholimon chlorostegium* RECH.f. & SCHIMAN-CZEIKA

Flora Iranica 108: 139 (1974)

Type: Rechinger 3877, Aellen & Esfandiari [holo W, iso IRAN-5003].

*Acantholimon embergeri* MOBAYEN

Revis. Taxon. Acanth. 299 (1964)

Type: Rechinger 5496, Aellen & Esfandiari [holo IRAN-5004, iso W].

*Acantholimon spinicalyx* KOEIE & RECH.f.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 1955: 274 (1955)

Type: Rechinger 4370, Aellen & Esfandiari [holo W, iso IRAN-5007].

### **Polygonaceae**

*Calligonum laristanicum* RECH.f. & SCHIMAN-CZEIKA

Flora Iranica 56 : 42 (1968)

Type: Rechinger 3423, Aellen & Esfandiari [holo W, iso IRAN-5031].

*Polygonum olivascens* RECH.f. & SCHIMAN-CZEIKA

Flora Iranica 56: 80 (1968)

Type: Rechinger 3159, Aellen & Esfandiari [holo W, iso IRAN-5140].

### **Ranunculaceae**

*Ranunculus papyrocarpus* RECH.f., AELLEN & ESFAND.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 89: 221 (1951)

Type: Rechinger 3759, Esfandiari & Aellen [holo W, iso IRAN-5148].

### **Rosaceae**

*Sorbus orientalis* SCHÖNB.-TEM.

Flora Iranica 66: 47 (1969)

Type: Rechinger 6674 & Manouchehri [holo W, iso IRAN-5181].

Note: In descr. orig. Rechinger "6647".

### **Scrophulariaceae**

*Celsia iranica* RECH.f., AELLEN & ESFAND.

[= *Verbascum farsistanica* (MURB.) HUB.-MOR.]

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 88: 189 (1950)

Type: Rechinger 3790, Esfandiari & Aellen [holo W, iso IRAN-5033].

*Linaria melanogramma* RECH.f.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 88: 90 (1950)

Type: Rechinger 4416, Aellen & Esfandiari [holo W, iso IRAN-5110].

### **Solanaceae**

*Solanum carmanicum* SCHÖNB.-TEM.

Flora Iranica 100: 8 (1972)

Type: Rechinger 3630, Esfandiari & Aellen [holo W, iso IRAN 5180].

### **Umbelliferae**

*Ferula latisecta* RECH.f. & AELL.

Anz. Österr. Akad. Wiss., Math.-Naturwiss. Kl. 89: 172 (1952)

Type: Rechinger 4988, Esfandiari & Aellen [holo W, iso IRAN 5084].



*Ferula haussknechtii* H.WOLF & RECH.f.

[= *Ferula physeokoleos* RECH.f.]

Anz. Österr. Akad. Wiss. Math.-Nat. Kl. 89: 197 (1952)

Type: Rechinger 5762 & Manoucheri [holo W, iso IRAN 5086].

*Prangos calligonoides* RECH.f.

Anz. Österr. Akad. Wiss. Math.-Nat. Kl.89: 197 (1952)

≡ *Cachrys calligonoides* (RECH.f.) HERRNST. & HEYN

Notes Roy. Bot. Gard. Edinb. 33: 443 (1975)

Type: Rechinger 5758 & Manouchehri [holo W, iso E, IRAN-5141, K].

*Prangos serpentinica* (RECH.f., AELLEN & ESFAND.) HERRNST. & HEYN

Boissiera 26: 68 (1977)

≡ *Cachrys serpentinica* RECH.f., AELLEN & ESFAND.

Anz. Österr. Akad. Wiss., Math.-Nat. Kl. 89: 197 (1952)

Type: Rechinger 4396, Aellen & Esfandiari [holo W, iso IRAN-40316-E].

*Pycnocycla acanthorhipsis* RECH.f., AELLEN & ESFAND.

Anz. Österr. Akad. Wiss., Math.-Nat. Kl. 89: 195 (1952)

≡ *Chamaescidium acanthorhipsis* (RECH.f., AELLEN & ESFAND.) HIROE

Umb. World 994 (1979)

Type: Rechinger 4038, Aellen & Esfandiari [holo W, iso E, IRAN-5145].

Note: In Flora Iranica (1987) again under *Pycnocycla*.

*Pycnocycla aucherana* DECNE. ex BOISS. var. *mesomorpha* (RECH.f., AELLEN & ESFAND.) HEDGE & LAMOND

Notes Roy. Bot. Gard. Edinburgh 37: 64 (1978)

≡ *Pycnocycla mesomorpha* RECH.f., AELLEN & ESFAND.

Anz. Österr. Akad. Wiss., Math.-Nat. Kl. 89: 196 (1952)

≡ *Chamaescidium mesomorphum* (RECH.f., AELLEN & ESFAND.) HIROE

Umb. World 995 (1979)

Type: Rechinger 3921, Aellen & Esfandiari [holo W, iso E, IRAN-5146].

## Zygophyllaceae

*Fagonia bruguieri* DC. var. *rechingeri* HADIDI

Candollea 27: 91 (1972)

Type: Rechinger 3387, Aellen & Esfandiari [holo W, iso IRAN 5081]

## Acknowledgments

The author thanks Dr. D. Podlech for the information on types of *Astragalus* in other herbaria.

## Literature

STAFLEU, F.A., 1981 (ed.): Index herbariorum, ed. 7. – Regnum Veget. 106.

RECHINGER, K.H., 1969 - 1992 (ed.): Flora Iranica 1 - 171.

MOUSSAVI, M., et al. (1995): Type specimens of Herbarium Ministerii Iranici Agriculturae "IRAN". – Min. Agric., Publ. Dept. Bot. 23.