

**New records of Hydrophiloidea from Nepal
(Coleoptera: Hydrophilidae)
FRANZ HEBAUER**

ABSTRACT

New records of Hydrophiloidea from Nepal and northern India are given as a supplement to **HEBAUER 2002**, some of them are recorded for the first time in that area.

KEY WORDS

Insecta, Coleoptera, Helophoridae, Epimetopidae, Hydrophilidae, Nepal, new records.

INTRODUCTION

Since **HEBAUER 2002** the Naturkundemuseum Erfurt and the Staatliches Museum für Naturkunde Dresden have undertaken further expeditions to Nepal with the result of large outputs also of Hydrophiloidea, which I got the opportunity to examine. So the distribution pattern of many species could have been completed and some species are recorded for the first time from this area.

ABBREVIATIONS AND ACKNOWLEDGEMENTS

CFH Coll. Franz Hebauer, Plattling, Lower Bavaria
 CFP Coll. Martin Fikáček, Praha
 CHH Coll. Hans Hebauer, Rain-Dürnhart, Lower Bavaria
 CMN Canadian Museum of Nature
 CSH Coll. André Skale, Hof, Germany
 NME Naturkundemuseum Erfurt (M. Hartmann)
 MTD Staatliches Museum für Tierkunde, Dresden (Olaf Jäger)
 ZMUC Zoological Museum of the University of Copenhagen

I would like to thank the persons and museums for the loan of specimens, for leaving of doubles and paratypes used for this study.

HELOPHORIDAE

Helophorus (Kyphohelophorus) tuberculatus KUWERT, 1886

N.Prov. Seti Distr. Bajura, 19 km W Simikot, Kuwadi Khola, 3500 m, 29°53'14"N-81°38'40"E, riverbank, coniferous-birch forest, 4.-5.VII.2001, leg. Kopetz (NME).

EPIMETOPIDAE

Eumetopus asperatus (CHAMPION, 1919)

N.Prov. Janakpur, distr. Dalakha, Tama Koshi Valley, Bigathi to Jagat, 2000-1000 mNN, 14.V.2000, leg. J. Schmidt (NME).

HYDROPHILIDAE

Ametor rudesculptus SEMENOW, 1900

Nepal, 30°02'25"N-81°39'06"E, 2950 m, 20.-22.VI.2001, HF/KL, leg. A. Weigel (NME); N.Rowaling Himal, upper Simigau village, 24-2700 m, 1.VI.2000, leg. J. Schmidt (NME); Nepal, Dhaulagiri SE slope, N Dwari village, upper Rahugat Khola valley, 13.-15.V.2002, 2500 mNN, leg. J. Schmidt (NME).

Ametor rugosus (KNISCH, 1924)

Nepal, Kathmandu-Valley, Godawari, Mt. Phulchoki north slope, 1750 m, temporary brook, 6.V.2001, leg. O. Jäger (MTD); Nepal, Dhaulagiri SE slope, upp. Rahugat Khola, betw. Chima Khola & Dwari, 10.V.2002, 1750 m, leg. J. Schmidt (NME).

Berosus (Enoplurus) incretus D'ORCHYMONT, 1937

N.Kathmandu, Bagmati River, nr. Gorkhana Park, 1350 mNN, 27°43'22"N-85°22'05"E, 15.VI.2001, leg. A. Weigel (NME); Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

Berosus (Enoplurus) chinensis KNISCH, 1922

Nepal, Annapurna, S-Himal.W Mardi Himal. N Bhichok / Deurali, 2100 m, N28°18'57", E 83°49'59", 10.V.201, leg. O. Jäger (MTD).

Berosus (s.str) pulchellus MACLEAY, 1825

Nepal, Prov. Narayani, Sauraha Rapti River, 180 mNN, 27°34'51"N-84°29'30"E., 14.IV.2001, leg. M. Hartmann (NME); Nepal, Annapurna, S-Himal.W Mardi Himal. N Bhichok / Deurali, 2100 m, N28°18'57", E 83°49'59", 10.V.201, leg. O. Jäger (MTD); Nepal, Prov. Mechi Tablejung until Mitlung, 1700 -900 mNN, 31.III.2003, leg. J. Weipert (NME), NEPAL, Prov. Narayani, Sauraha Rapti River Ufer, 180 mNN, 27°34'80"N 84°29'49"E, LF, 18.IV.2000, leg. A. Weigel (NME).

Regimbartia attenuata (FARICIUS, 1801)

Nepal, Annapurna, S-Himal.W Mardi Himal. N Bhichok / Deurali, 2100 m, N28°18'57", E 83°49'59", 10.V.201, leg. O. Jäger (MTD); Nepal, Annapurna, S-Himal.W Mardi Himal. N Bhichok / Deurali, 2100 m, N28°18'57", E 83°49'59", 10.V.201, leg. O. Jäger (MTD).

Allocotocerus striatopunctatus (CASTELNAU, 1840)

Prov. Bheri, Nepalgunj, Hotel Batika, 28°02'36"N-81°36'35"E, 11.-12.VII.2001, LF, 170 m, rawn side, leg. A. Kopetz (NME).

Chaetarthria almorana KNISCH, 1924

Janakpur, Dolakha, Tama Koshi valley, Biganthi, 900 mNN, 13.V.2000, leg. J. Schmidt (NME); Nepal, Manaslu Mts., Dordi Khola, 1200 m, 13.IV.2003, leg. J. Schmidt (NME); Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

Chaetarthria saundersi D'ORCHYMONT, 1923

NEPAL, Annapurna Pokhara, W Phewa river+lake, 800-850 mNN, 14.-15.IX.2003, leg. J. Schmidt (NME).

***Thysanarthria championi* (KNISCH, 1924)**

Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

***Thysanarthria madurensis* HEBAUER, 2001**

Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

***Paracymus vulgatus* WOOLRIDGE, 1977**

Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A. Kopetz (NME); Nepal, Prov. Narayani, Sauraha Rapti River shore, 180 mNN, N27°34'80", E84°29'49", lux, 18.IV.2000, leg. A. Weigel (NME); Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

***Crenitis cordula* HEBAUER, 1994**

Dhaulagiri, Glacier basecamp, 3800-4100 mNN, 29./30.VI.2001, leg. J. Schmidt (NME); Annapurna South Himal, 3300-3500 mNN, Dobato, upper Tatapani, 18./19.V.2001, leg. J. Schmidt (NME); Annapurna South Himal, upper Bele Khola, Khopra to Narche, 2800-2950 mNN, 24./25.V.2001, leg. J. Schmidt (NME); Annapurna South Himal, 3500-mNN, E of Dhasia Khola, 20.V.2001, leg. J. Schmidt (NME); Nepal, Annapurna South Himal. Dobato-camp, ca. 4 km NW Tadapani, 3300 m, N28°26'07", E 83°44'33", 18.V.2001, leg. O. Jäger (MTD); Nepal, SW Annapurna Region, W Mardi Himal. W Mardi Khola, 3550 m, N28°26'02", E83°52'05", 14.V.2002, leg. O. Jäger (MTD); Nepal, Kali Gandaki Valley, below Dhaulagiri glacier, N28°41'10", E83°34'07", 3800 - 4100 m, rubble, temporary brook, 30.V.2001, leg. O. Jäger (MTD); Nepal, Kali Gandaki valley, upper Lete, 2800 mNN, 19.V.2002, leg. J. Schmidt (NME). Annotation: After examination of all available *Crenitis apicalis* from Nepal (see HEBAUER, 2002), the specimens have proved to be *C. cordula*.

***Crenitis nepalensis* HEBAUER, 1994**

Rolwalling Dolakha, Dugong Kharka, 2700-2900 mNN, 17.V.2000, leg. J. Schmidt (NME).

***Crenitis orientalis* SATÔ, 1979**

Nepal, P: Janakpur, D: Dolakha, Rolwalling Himal, upp. Slmigau village, 2800 mNN, 02.VI.2001, leg. J. Schmidt (NME).

***Anacaena laevis* D'ORCHYMONT, 1936**

N.Kathmandu Region, oberhalb Himalpani, 1420-1450 m, 16.V.2001, leg. Hirthe (NME); Nepal, Manaslu Mts. Dudh Pokhari Lekh, Dordi Khola Valley, 2000 - 2300 mNN, 14.-15.IV.2003, leg. J. Schmidt (NME); Nepal, Dhaulagiri SE slope, upp. Ruhagat Khola, betw. Chima Khola & Dwari, 10.V.2002, 1750 m, leg. J. Schmidt (NME); NEPAL, Manaslu Mts. below Helam Pokhari, 2000-2100mNN, 22.IV.2003, leg. J. Schmidt (NME); Nepal : Annapurna Mts. Baglung Leukh, ca. 20 km W Baglung, 2400-2600 mNN, W & upp. Okhie vill., 28°19'N, 83°25'E, 13.V.2004, leg. J. Schmidt (CHS) ;

***Notionotus siklisi* HEBAUER, 2002**

Pokhari, 11.IV.1999, leg. J. Schmidt (NME); Nepal, Manaslu Mts. Dudh Pokhari Lekh, Dordi Khola Valley, 2000 - 2300 mNN, 14.-15.IV.2003, leg. J. Schmidt (NME); NEPAL, Prov. Gandaki, 10 km NW Pokhara Yamdi Khola Valley, 1100 mNN, 02.VI.2002, leg. J. Schmidt (CFH).

***Pelthydrus nepalensis* SCHÖNEMANN, 1995**

Nepal, Kali Gandaki Valley, below Dhaulagiri glacier, N28°41'10", E83°34'07", 3800 - 4100 m, rubble, temporary brook, 30.V.2001, leg. O. Jäger (MTD).

***Laccobius (Dimorpholaccobius) hindukuschi* CIESA, 1966**

Annapurna Mts., Kali Gandaki valley, lower Sirkung, 2550 mNN, 01.VI.2001, leg. J. Schmidt (NME); Karnali / Jumla, way Talphi to Lamri (Claudabise Khola), 28-2400 mNN, KL, 11.VII.1999, leg. A. Weigel (NME).

***Laccobius (Dimorpholaccobius) simulans* D'ORCHYMONT, 1923**

Nepal, Annapurna, S-Himal. W Mardi Himal. N Bhichok / Deurali, 2100 m, N28°18'57", E 83°49'59", 10.V.201, leg. O. Jäger (MTD).

***Laccobius (Cyclolaccobius) fuscus* GENTILI, 1995**

Nepal: Annapurna Mts. Kali Gandaki Valley, upp. Lete, 2700-2800 mNN, 5./6.VI.2004, leg. J. Schmidt (CSH).

***Laccobius (Cyclolaccobius) imperialis* KNISCH, 1924**

Annapurna Mts., W-Mardi Himal, Khare to Pothana, 1950-2000 mNN, 10.V.2001, leg. J. Schmidt (NME).

***Laccobius (Cyclolaccobius) patruelis* KNISCH, 1924**

Dhaulagiri Himal, Kali Gandaki valley, Sirkung, 2700-2800 mNN, 28.V.2001, leg. J. Schmidt (NME); Nepal, Kali Gandaki-Valley, Sirkung lake, forest lake and environs, 2700 m, N28°41'08", E 83°35'25", 31.V.2001, leg. O. Jäger (MTD).

***Laccobius (Cyclolaccobius) politus* GENTILI, 1979**

Nepal, Pokhara-Valley, 3 km NW Pame, ca. 800 m, 16.V.1997, leg. O. Jäger (MTD).- New for Nepal.

***Laccobius (Glyptolaccobius) affinis* KNISCH, 1927**

Nepal, Kali Gandaki-Valley, 6 km SE Narcheng, upper Rele Khola, NE-slope, 200 m, N28°29'06", E83°42'35", 24.V.2002, leg. O. Jäger (MTD); Nepal: P: Mechi D: Taplejung 32 km NE Taplejung, way before Gyabia, 2410 m, 27°34.58'N, 87°52.17'E, 26.V.2003, leg. A. Weigel (CSH).

***Laccobius (Microlaccobius) argillaceus* SAHLBERG, 1900**

Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

***Laccobius (Microlaccobius) laotianus* GENTILI, 1979**

Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

***Laccobius (Microlaccobius) ?himalayanus* GENTILI, 1988**

Single female: NEPAL, Prov. Narayani, Sauraha Rapti River Ufer, 180 mNN, 27°34'80"N 84°29'49"E, LF, 18.IV.2000, leg. A. Weigel (NME).

***Agraphydrus (Agraphydrus) kempii* (D'ORCHYMONT, 1922)**

Nepal, Annapurna Birethanti, N28°19'04", E83°34'65", 1100 m, 20.IV.2000, leg. A. Weigel (NME).

***Agraphydrus (Agraphydrus) pauculus* (KNISCH, 1924)**

Nepal, Annapurna Birethanti, N28°19'04", E83°34'65", 1100 m, 20.IV.2000, leg. A. Weigel (NME).

***Agraphydrus (Agraphydrus) stagnalis* (D'ORCHYMONT, 1937)**

Nepal, Pokhara-Valley, 3 km NW Pame, ca. 800 m, 16.V.1997, leg. O. Jäger (MTD).

***Helochares (Hydrobaticus) anchoralis* SHARP, 1890**

India (U.P.), Rishikesh env., VII.1989, 450 m, leg. Heinz (CHH); Nepal, Annapurna Himal. 800 mNN, Pokhara, lux, 02./03.VI.2002, leg. J. Schmidt (NME).

***Helochares (Hydrobaticus) densus* SHARP, 1890**

Nepal, c. Proc. Narayani, Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A. Kopetz (NME).

***Helochaeres (Hydrobaticus) leptinus* D'ORCHYMONT, 1943**

Nepal, c. Proc. Narayani, Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A. Kopetz (NME); N.Kathmandu, Bagmati River, nr. Gorkhana Park, 1350 mNN, 27°43'22"N-85°22'05"E, 15.VI.2001, leg. A. Weigel (NME); Nepal, Pokhara Yamdi-Khola Valley, near Phedi, temporary river shore pool, sunny, 1100 m, 2.VI.2002, leg. O. Jäger (MTD); Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH); NEPAL, Annapurna Pokhara, W Phewa river+lake, 800-850 mNN, 14.-15.IX.2003, leg. J. Schmidt (NME); NEPAL, Prov. Narayani, Sauraha Rapti River Ufer, 180 mNN, 27°34'80"N 84°29'49"E, LF, 18.IV.2000, leg. A. Weigel (NME).

***Helochaeres (Hydrobaticus) negatus* HEBAUER, 1995**

India (U.P.), Rishikesh env., VII.1989, 450 m, leg. Heinz (CHH).

***Helochaeres (s.str.) pallens* (MACLEAY, 1825)**

Nepal, c. Proc. Narayani, Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A. Kopetz (NME); NEPAL, Prov. Narayani, Sauraha Rapti River Ufer, 180 mNN, 27°34'80"N 84°29'49"E, LF, 18.IV.2000, leg. A. Weigel (NME).

***Enochrus (Methydrus) convexius* SATO, 1977**

Dhaulagiri Himal, Kali Gandak valley, Sirkung, 2700-2800 mNN, 28.V.2001, leg. J. Schmidt (NME); Annapurna South Himal, Chiule to Tatapani, 2400-2500 mNN, 17.V.2001, leg. J. Schmidt (NME); Nepal, Annapurna, S-Himal. W Mardi Himal. N Bhichok / Deurali, 2100 m, N28°18'57", E 83°49'59", 10.V.201, leg. O. Jäger (MTD); Nepal: Baglung Lekh, ca. 30 km W Baglung N Tara Khola, 28°22.1'N, 83°20'E, 2500-2700 mNN, 18.V.2004, leg. J. Schmidt (CSH).

***Enochrus (Methydrus) esuriens* (WALKER, 1858)**

Nepal, c. Proc. Narayani, Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A. Kopetz (NME).

***Enochrus (Methydrus) nigropiceus* (MOTSCHULSKY, 1861)**

NEPAL, Annapurna Pokhara, W Phewa river+lake, 800-850 mNN, 14.-15.IX.2003, leg. J. Schmidt (NME).

***Enochrus (Methydrus) tetraspilus* (RÉGIMBART, 1903)**

Nepal, c. Proc. Narayani, Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A. Kopetz (NME); same data, at light, leg. Creutzberg (NME); Nepal, Pokhara Yamdi-Khola Valley, near Phedi, temporary river shore pool, sunny, 1100 m, 2.VI.2002, leg. O. Jäger (MTD).

***Sternolophus (s.str.) rufipes* (FABRICIUS, 1792)**

Nepal, Annapurna Himal., 800 mNN, Pokhara, lux, 02/03 VI.2002, leg. J. Schmidt (NME); Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH); NEPAL, Prov. Narayani 27°34'20"N 84°29'55"E, Royal Chitwan National Park, Sauraha, Rapti Ufer, 150 mNN, 21.-23.IV.2004, leg. J. Weipert (NME).

***Hydrophilus (s.str.) bilineatus* MACLEAY, 1825)**

***Ssp. bilineatus* MACLEAY, 1825:** Nepal, c. Proc. Narayani, Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A. Kopetz (NME); NEPAL, Annapurna Pokhara, W Phewa river+lake, 800-850 mNN, 14.-15.IX.2003, leg. J. Schmidt (NME).

***Ssp. caschmirensis* REDTENBACHER, 1844:** NEPAL, Annapurna Pokhara, W Phewa river+lake, 800-850 mNN, 14.-15.IX.2003, leg. J. Schmidt (NME).

***Hydrophilus indicus* (BEDEL, 1891)**

Nepal, Prov. Bagmati, N27°43.2', E85°23.0', Kathmandu, river near Gorkhana Park, 1300 mNN, 15.VI.2001, leg. J. Weipert (NME).

***Hydrophilus (s.str.) olivaceus* FABRICIUS, 1781**

3 exs.: NEPAL, 40 km S of Mt. Everest, 2900 m, 10.- 20.8.1999 (CHH).

***Coelostoma (Lachnocoelostoma) bipunctatum* JAYASWAL, 1972**

NEPAL, Prov. Narayani, Sauraha Rapti River Ufer, 180 mNN, 27°34'80"N 84°29'49"E, LF, 18.IV.2000, leg. A. Weigel (NME).

***Coelostoma (s.str.) fallaciosum* D'ORCHYMONT, 1936**

NEPAL, Annapurna Pokhara, W Phewa river+lake, 800-850 mNN, 14.-15.IX.2003, leg. J. Schmidt (NME).

***Coelostoma (Lachnocoelostoma) himalayanum* HEBAUER, 2002**

Annapurna Mts., below Tatapani, 1900 mNN, Khyman Khola, riverbank, 17.V.2001, leg. J. Schmidt (NME); Dhaulagiri Himal, Kali Gandaki valley, Sirkung, 2700-2800 mNN, 28.V.2001, leg. J. Schmidt (NME); Nepal: Annapurna Mts. Banthanti S of Gorepani, 28°22.1'N, 83°43.4'E, 2300-2400 mNN, 24.-26.V.2004, leg. Schmidt CSH).

***Coelostoma (Lachnocoelostoma) horni* RÉGIMBART, 1902**

NEPAL, Annapurna Pokhara, W Phewa river+lake, 800-850 mNN, 14.-15.IX.2003, leg. J. Schmidt (NME).

***Coelostoma (Lachnocoelostoma) medianum* HEBAUER, 2002**

Nepal, Dhaulagiri SE slope, upp. Ruhagat Khola, betw. Chima Khola & Dwari, 10.V.2002, 1750 m, leg. J. Schmidt (NME).

***Coelostoma (s.str.) montanum* MOUCHAMPS, 1958**

Janakpur Dolakha, Tama Koshi valley, Biganthi, 900 mNN, 13.V.2000, leg. J. Schmidt (NME); Nepal, Dhaulagiri Himal. Rahugat Khola valley, 07.-08.V.2002, NW of Beni, 800 - 1100 mNN, leg. J. Schmidt (NME).

***Coelostoma (Holocoelostoma) stultum* (WALKER, 1858)**

Prov. Bheri, Nepalgunj, Hotel Batika, 28°02'36"N-81°36'35"E, 11.-12.VII.2001, LF, 170 m, townside, leg. A. Kopetz/A. Grill; M. Hartmann (NME); Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH); Nepal, Narayani Prov. Sauraha, Chitwan NP, N27°34'80", E84°29'49", 17.IV.2000, leg. A. Weigel (CSH).

***Coelostoma (Lachnocoelostoma) surkhetensis* HEBAUER, 2002**

Janakpur Dolakha, Tama Koshi valley, Biganthi, 900 mNN, 13.V.2000, leg. J. Schmidt (NME); Prov. Gandaki, 28°23.3'N-83°43.3'E, 1100-1500 mNN, Ghandrung bis Birethanti, 24.IV.2000, leg. J. Weipert (NME); Nepal, Annapurna, Birethanti, N28°19'04", E83°34'65", 1100 m, 20.IV.2000, leg. A. Weigel (NME).

***Psalitrus fallax* BALFOUR-BROWNE, 1948**

Prov. Koshi, distr. Sankhuwasabha Furure, N, Bauchaue, 27°30.44'N-87°16.14'E, 2100 mNN, 07.VII.1998, leg. M. Hartmann, Gesiebe (NME); Kathmandu Region, oberhalb, Godawari, Kunako Khola, gesiebt, 1750 m, 06.V.2001, leg. Hirthe (NME).

***Psalitrus temperei* BAMEUL, 1992**

Annapurna Mts., W-Mardi Himal, Khare to Pothana, 1950-2000 mNN, 10.V.2001, leg. J. Schmidt (NME); Annapurna South Himal, betw. Khopra and Nanche, 2250-2350 mNN, 25./26.V.2001, leg. J. Schmidt (NME); Nepal, Prov. Gandaki, 10 km NWE Pokhara, Yamdi Khola Valley, 1100 mNN, 02.VI.2002, leg. J. Schmidt (NME); Nepal: Annapurna South Himal. Khopra to Narcheng, 2300 mNN, 25.V.2001, leg. J. Schmidt (CSH).

***Oreocyon frigidus* HEBAUER, 2002**

Annapurna South Himal, betw. Khopra and Nanche, 2250-2350 mNN, 25./26.V.2001, leg. J. Schmidt (NME); Nepal, Manaslu Mts. Dudh Pokhari Lekh, Dordi Khola Valley, 2000 - 2300 mNN, 14.-15.IV.2003, leg. J. Schmidt (NME).

***Armoston caudatus* HEBAUER, 2002**

Nepal c. Proc. Narayani Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A., Kopetz (NME).

***Armustus optatus* SHARP, 1890**

Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH); NEPAL, Annapurna Pokhara, W Phewa river+lake, 800-850 mNN, 14.-15.IX.2003, leg. J. Schmidt (NME).

***Cercyon (Acycreon) punctiger* KNISCH, 1921**

Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

***Cercyon (Dicyrtocercyon) diversipunctus* HEBAUER, 2002**

Prov. Janakpur, D: Dolakha, Rolwaling Himal, Simigau, Tama Koshi valley, 1700 -2000 mNN, 15.V.2000, leg. J. Schmidt (NME); Annapurna Mts., W-Mardi Himal, Khare to Pothana, 1950-2000 mNN, 10.V.2001, leg. J. Schmidt (NME); Nepal, Prov. Gandaki, 10 km NWE Pokhara, Yamdi Khola Valley, 1100 mNN, 02.VI.2002, leg. J. Schmidt (NME).

***Cercyon (Clinocercyon) lineolatus* MOTSCHULSKY, 1863**

Nepal c. Proc. Narayani Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A., Kopetz (NME); Prov. Bheri, Nepalgunj, Hotel Batika, 28°02'36"N-81°36'35"E, 11.-12.VII.2001, LF, 170 m, rown side, leg. A. Kopetz & A. Grill & M. Hartmann (NME); Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

***Cercyon (s.str.) cavus* HEBAUER, 2002**

Nepal: Annapurna Mts. Baglung Lekh ca. 10 km W Baglung, 2500 mNN, 10./11.V.2004, leg. J. Schmidt (CSH); Nepal: Annapurna Mts. Banthanti S of Gorepani, 28°22.1'N, 83°43.4'E, 2300-2400 mNN, 24.-26.V.2004, leg. Schmidt CSH).

***Cercyon (s.str.) nigriceps* (MARSHAM, 1802)**

Nepal c. Proc. Narayani Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A., Kopetz (NME); Nepal, Narayani Prov., Sauraha, Rapti River shore, N27°34'80", E84°29'49", 18.IV.2000, lux, leg. A. Weigel (CSH).

***Cercyon (s. str.) pseudodilutus* SATÔ, 1979**

Annapurna South Himal, betw. Khopra and Nanche, 2250-2350 mNN, 25./26.V.2001, leg. J. Schmidt (NME); Prov. Janakpur, distr. Dolakha, Rolwaling Himal, upper Simigau village, 3300 mNN, 28.V.2000, leg. J. Schmidt (NME); Nepal: Annapurna Region, Mardi Himal W of Mardi Khola, upper Deurali, 2100-2200 m, N28°18.57' - E83°49.59'. 10.5.2001, leg. G. Hirthe (CSH); Nepal: Baglung Lekh, ca. 30 km W Baglung N Tara Khola, 28°22.1'N, 83°20'E, 2500-2700 mNN, 18.V.2004, leg. G. Hirthe (CSH).

***Cercyon (s.str.) rufinotus* HEBAUER, 2002**

Annapurna South Himal, Chiule to Tatapani, 2400-2500 mNN, 17.V.2001, leg. J. Schmidt (NME); Manaslu Mts., 2100 m NN, Bhara Pokhari, 11.IV.1999, leg. J. Schmidt (NME); Annapurna Mts., W-Mardi Himal, Khare to Pothana, 1950-2000 mNN, 10.V.2001, leg. J. Schmidt (NME); Annapurna South Himal, betw. Khopra and Nanche, 2250-2300 mNN, 25./26.V.2001, leg. J. Schmidt (NME); Nepal, Dhaulagiri SE slope, N Dwari village, upper Rahugat Khola valley, 13.-15.V.2002, 2500 mNN, leg. J. Schmidt (NME).

***Cercyon (Paracycreon) subsolanus* BALFOUR-BROWNE, 1939**

Nepal c. Proc. Narayani Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A., Kopetz (NME).

***Cercyon (Cercyon) scaevus* HEBAUER, 2002**

Nepal, Annapurna, South Himal. betw. Khopra and Nanche, 2250-2350 m, 25./26.V.2001, leg. J. Schmidt (NME).

***Cercyon pr. scaevus*:** (1 ex.) Nepal: Annapurna Mts. Baglung Lekh ca. 10 km W Baglung, 2500 mNN, 10./11.V.2004, leg. J. Schmidt (CSH);

***Oosternum atramentarium* HEBAUER, 2002**

Nepal: Khandhari Dist. Forest S Mangsingma, 2300 mNN, 12.IV.84, Smetana & Löbl (CMN).

***Oosternum robiginosum* HEBAUER, 2002**

Nepal: Sikha, 28°26'N, 83°40'E, 8,000 ft. 24.-26.V.1954, leg. K.H. Hyatt \ Litter in oak forest \ B.M.Nepal Exp. 1954-540 (CFH); Nepal: Gurjakhani, 28°37'N, 83°14'E, 8,500 ft., 30.vi.1954, K.H. Hyatt \ Litte runder trees (NHM).

***Oosternum soricoides* D'ORCHYMONT, 1941**

INDIA: Sikkim, Gangtok, 6,000 ft. II.ii.1952 \ From rotting leaves & moss, T. Clay (CFH).

***Paroosternum saundersi* (D'ORCHYMONT, 1925)**

Nepal c. Prc. Narayani Sauraha, Rapti River, 27°34'51"N-84°29'30"E, 14.-15.VII.2001, LF, 180 m, riverside, leg. A. Kopetz (NME); 632 NEPAL: Kathmandu Baneshwar, 1350 m, 18.-24.VI.2000, leg. W. Schawaller (CFH); 308 NEPAL: Ilam Dist. 5 km N Sanishare, Siwalik Mts., 3.-5.IV.1988, 270 -300 m, leg. W. Schawaller (CFH); Nepal: Phewa-Tal: Pokhara, 85°59'E, 28°14'N, 2,500 ft., 6.-10.v.1954, K.H. Hyatt \ in cattle dung \ B.M. Nepal Expedt. 1954-540 (ZMUC).

***Paroosternum sorex* (SHARP, 1874)**

Nepal: Phewa-Tal, Pokhara, 85°59'E, 28°14'N, 2,500 ft., 8-10.v.1954, K.H. Hyatt \ in cattle dung \ B.M. Nepal Expedt. 1954-50 (ZMUC); Nepal: Gurjakhani, 83°14'E, 28°37'N, 8,500 ft. 30.vi.1954, K.H. Hyatt \ Litter under trees (ZMUC).

***Pacrillum chinense* D'ORCHYMONT, 1941**

Manaslu Mts., 2100m NN, Bhara Pokhari, 11.IV.1999, leg. J. Schmidt (NME).

***Pacrillum cycrilloideum* FIKÁČEK & HEBAUER, 2005**

Types: HT: NEPAL., Annapurna S-Himal. / westl. Mardi Himal, nördl./ Bhichok/Deurali (= Deorali) 2100 m / N28°18'57", E83°49'59" / 10.V.2001, leg. O. Jäger (MTD). PT: 1 ex.: NEPAL: Annapurna Reg. / Siklis mts. (n. Pokhara) Nyauli-Kharka, small stream, 2400-2500 m, 22.IV.1996, leg. O. Jäger (MTD); 1 ex.: Nepal-Himalaya 1995 / Annapurna Mts., \ Sikles Mts. 29.VII. / überh. Garlang, 2000 m, leg. Fabrizi, Schmidt, Jäger (MTD).
New for Nepal.

***Pachysternum* sp.**

Nepal, Annapurna, S-Himal.W Mardi Himal. N Bhichok/ Deurali, 2100 m, N28°18'57", E 83°49'59", 10.V.201, leg. O. Jäger (MTD).

***Cryptopleurum crenatum* (KUGELANN, 1794)**

Prov. Karnali, Distr. Humla, 18 km WNW Simikot Chumsa Khola (Bridge), 2950 m, 20.-22.VI.2001, 30°02'25"N-81°39'06"E, leg. A. Kopetz, river valley (NME).

REFERENCES

- FIKÁČEK, M. & HEBAUER, F. 2005: A new aberrant species of the genus *Pacrillum* from Nepal (Hydrophilidae: Sphaeridiinae: Megasternini).-
Acta entomologica musei nationalis Pragae 45: 59-64.
- HANSEN, M. 1991: The Hydrophiloid Beetles. Phylogeny, Classification and a Revision of the Genera (Coleoptera, Hydrophiloidea).- Biologiske Skrifter.
Det Kongelige Danske Videnskabernes Selskab 40: 1- 368.
- HANSEN, M. 1999: World Catalogue of Insects, Vol. 2, Hydrophiloidea (Coleoptera).- Apollo Books, 1-416.
- HEBAUER, F. 2002: Hydrophilidae of Northern India and Southern Himalaya (Coleoptera: Hydrophilidae).- Acta coleopterologica 18(1): 3-72

AUTHORS ADDRESS:

Dr. habil. FRANZ HEBAUER

Johann-Krümpel-Str. 1
D-94447 Plattling / Germany

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Acta Coleopterologica](#)

Jahr/Year: 2006

Band/Volume: [22 2](#)

Autor(en)/Author(s):

Artikel/Article: [New records of Hydrophiloidea from Nepal \(Coleoptera: Hydrophilidae\) 3-10](#)