



ACTA ENTOMOLOGICA SLOVENICA

LJUBLJANA, DECEMBER 2015 Vol. 23, št. 2: 143–146

FIRST RECORDS OF AQUATIC HETEROPTERA FROM FRIULI-VENEZIA GIULIA (ITALY)

Fabio CIANFERONI^{1,2} and Simone CIANFANELLI¹

¹ Natural History Museum of the University of Florence, Zoological Section
“La Specola”, via Romana 17, I-50125, Florence, Italy;
E-mail: fabio.cianferoni@unifi.it

² Institute of Agroenvironmental and Forest Biology, CNR - National Research
Council of Italy, via Salaria 29.300, I-00015, Monterotondo Scalo (Rome), Italy

Abstract – Two species of aquatic Heteroptera are recorded for Friuli-Venezia Giulia (Italy) for the first time: *Anisops sardeus sardeus* Herrich-Schäffer, 1849 (Nepomorpha, Notonectidae) and *Gerris (Gerris) argentatus* Schummel, 1832 (Gerromorpha, Gerridae). Remarks on their general distribution are also given.

KEY WORDS: Hemiptera, Nepomorpha, Gerromorpha, *Anisops sardeus*, *Gerris argentatus*, Friuli-Venezia Giulia, first records.

Izvleček – PRVI NAJDBI VODNIH STENIC (HETEROPTERA) V FURLANIJI-JULIJSKI KRAJINI (ITALIJA)

Dve vrsti vodnih stenic sta prvič zabeleženi za Furlanijo-Julijsko krajino (Italija): *Anisops sardeus sardeus* Herrich-Schäffer, 1849 (Nepomorpha, Notonectidae) in *Gerris (Gerris) argentatus* Schummel, 1832 (Gerromorpha, Gerridae). Podane so tudi pripombe o njihovi splošni razširjenosti.

KLJUČNE BESEDE: Hemiptera, Nepomorpha, Gerromorpha, *Anisops sardeus*, *Gerris argentatus*, Furlanija-Julijnska krajina, prvi podatki.

The knowledge of the aquatic Heteroptera (*sensu* Polhemus & Polhemus 2008) is still far from perfect in Italy, especially concerning their distribution (Cianferoni & Terzani 2013).

The study of some recently collected samples in Friuli-Venezia Giulia (Italy) allowed us to identify two species which were not previously recorded for this region:

Anisops sardeus sardeus Herrich-Schäffer, 1849 (Nepomorpha, Notonectidae) and *Gerris (Gerris) argentatus* Schummel, 1832 (Gerromorpha, Gerridae).

Material examined: Ospedaletto, Lago [=Lake] Minisini, 46.2976° N 13.1242° E (WGS84), Gemona del Friuli (UD), 208 m a.s.l., 15.VIII.2014, S. Cianfanelli & M. Calcagno leg., *A. sardeus*—1 male, 2 females, 1 V instar nymph; *G. argentatus*—1 micropterous female (alcohol entomological collection: Natural History Museum of the University of Florence, Zoological Section “La Specola”).

Anisops sardeus is a widespread species, occurring from the Afrotropical region to the Mediterranean Basin, and reaching India and Myanmar eastwards (see Cianferoni & Pinna 2012 for its updated distribution in Italy). This element recently showed a tendency to spread its range northwards, with new records in Europe from southern Russia, Hungary, Romania, and Slovakia (see Reduciendo Klementová & Svitok 2014 for a review). In Italy it has been discovered in Veneto (Cianferoni & Pinna 2012) and frequently recorded in central-northern Italy (Cianferoni & Terzani 2013; unpublished data). It has been also rediscovered in the Middle Dalmatian Islands (Croatia) after a long time (Kment & Beran 2011). Due to this trend and to the present record for Friuli-Venezia Giulia we can expect to find this species also in the neighboring countries like Slovenia and Austria.

Gerris argentatus is a Sibero-European species, known to date in almost all Italian regions (except Valle d’Aosta, Friuli-Venezia Giulia, and Molise), and in the countries neighboring Friuli: Slovenia and Austrian Carinthia (Servadei 1967; Gogala 2003; Rabitsch 2003; Bacchi & Rizzotti Vlach 2007; Cianferoni & Mazza 2012). Due to the scant and scattered records, its distribution in most of Italy requires further investigation (Cianferoni & Mazza 2012).

Dioli (1987) presented a comprehensive checklist of the Heteroptera of Friuli-Venezia Giulia, but up to date it is still not possible to know the exact number of the aquatic taxa living there because some records (cf. Servadei 1967; Dioli 1979) need verification.

Riassunto

Due specie di Eterotteri acquatici sono segnalate per la prima volta per la regione Friuli-Venezia Giulia: *Anisops sardeus sardeus* Herrich-Schäffer, 1849 (Nepomorpha, Notonectidae) e *Gerris (Gerris) argentatus* Schummel, 1832 (Gerromorpha, Gerridae). Inoltre vengono fornite note sulla distribuzione generale dei due taxa.

References

Bacchi, I., Rizzotti Vlach, M., 2007: Insecta Heteroptera Nepomorpha and Gerromorpha. In: Ruffo, S. & Stoch, F. (Eds): Checklist and Distribution of the

- Italian Fauna. *Memorie del Museo Civico di Storia Naturale di Verona, 2^a serie, Sezione Scienze della Vita*, 17 (2006): 147–149 + CD-ROM.
- Cianferoni, F., Mazza, G.**, 2012: The aquatic Heteroptera (Insecta: Hemiptera) of the “Foreste Casentinesi, Monte Falterona e Campigna” National Park (Central Italy). *Zootaxa*, 3568: 36–52.
- Cianferoni, F., Pinna, A.**, 2012: Segnalazioni faunistiche italiane. 529 - *Anisops sardeus sardeus* Herrich-Schäffer, 1849 (Hemiptera Heteroptera Notonectidae). *Bollettino della Società entomologica italiana*, 144 (1): 44–48.
- Cianferoni, F., Terzani, F.**, 2013: Nuovi dati su Gerromorpha e Nepomorpha in Italia (Hemiptera Heteroptera). *Bollettino della Società entomologica italiana*, 145 (2): 51–57.
- Dioli, P.**, 1979: Eterotteri del Friuli. 1. Primo nucleo di collezione presso il Museo Friulano di Storia Naturale di Udine. *Gortania - Atti del Museo Friulano di Storia Naturale*, 1: 147–161.
- Dioli, P.**, 1987: Il popolamento degli Eterotteri (Insecta Heteroptera) in Friuli e Venezia Giulia. *Biogeographia*, 13: 605–619.
- Reduciendo Klementová, B., Svitok, M.**, 2014: *Anisops sardeus* (Heteroptera): A new expansive species in Central Europe. *Biologia*, 69/5: 676–680.
- Gogala, A.**, 2003: Heteroptera of Slovenia, I: Dipsocoromorpha, Nepomorpha, Gerromorpha and Leptopodomorpha. *Annales - Annals for Istrian and Mediterranean Studies, Series Historia Naturalis*, 13: 229–240.
- Kment, P., Beran, L.**, 2011: Check-list of water bugs (Hemiptera: Heteroptera: Nepomorpha) in Croatia with two new records and four rediscoveries. *Natura Croatica*, 20 (1): 159–178.
- Polhemus, J.T., Polhemus, D.A.**, 2008: Global diversity of true bugs (Heteroptera; Insecta) in freshwater. *Hydrobiologia*, 595: 379–391. <http://dx.doi.org/10.1007/s10750-007-9033-1>
- Rabitsch, W.**, 2003: Die Wanzen Sammlung am Landesmuseum Kärnten. *Rudolfinum - Jahrbuch des Landesmuseums für Kärnten 2002* [2003]: 451–480.
- Servadei, A.**, 1967: Rhynchota (Heteroptera, Homoptera Auchenorrhyncha). Catalogo topografico e sinonimico. Fauna d’Italia, Vol. IX. Calderini, Bologna, 854 pp.

Received / Prejeto: 26. 5. 2015

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Acta Entomologica Slovenica](#)

Jahr/Year: 2015

Band/Volume: [23](#)

Autor(en)/Author(s): Cianferoni Fabio, Cianfanelli Simone

Artikel/Article: [First records of aquatic Heteroptera from Friuli-Venezia Giulia \(Italy\)](#)

[143-146](#)