



## HETEROPTERA OF THE LOŠINJ ISLAND (CROATIA)

STENICE (HETEROPTERA) OTOKA LOŠINJA (HRVATSKA)

Vincenc FURLAN and Andrej GOGALA  
Ljubljana

**Abstract** – A checklist is presented of 151 spp. of Heteroptera, as evidenced on the island of Lošinj during 1974-1990. The collection dates (month, year) are also stated.

**Izveček** – Seznam 151 vrst stenic, najdenih na otoku Lošinju (Hrvatska) med leti 1974 in 1990, je predstavljen skupaj z datumi najdb.

### Introduction

The island Lošinj is situated in the western chain of the Kvarner islands. Its surface measures 74.68 km<sup>2</sup>. An artificial canal, 11 m wide, separates it from the island of Cres. It consists of limestone; the highest peak reaches 588 m. The climate is mild, with an average January temperature of 7.3°C. The annual rainfall is about 1000 mm, with the greatest amount in the autumn and the smallest in July.

Heteroptera listed in this paper were collected by Vincenc Furlan and are preserved in his collection. They were identified by Andrej Gogala. The assemblage is typical of the east Mediterranean fauna, as found also on the other Adriatic islands and on the Dalmatian mainland. This is the first contribution to the knowledge of the heteropteran fauna of the Lošinj island. The majority of data were collected near Čunski and refer to square VK53 of the UTM grid.

### Checklist

#### Notonectidae

*Notonecta viridis* Delcourt, 1909  
VI-1988

## Corixidae

*Corixa punctata* (Illiger, 1807)  
VI-1988

## Tingidae

*Copium clavicorne* (Linnaeus, 1758)  
VII-1982, 1985

*Dictyla echii* (Schrank, 1782)  
V-1982, VII-1982, 1984, 1985

## Miridae

### Deraeocorinae

*Deraeocoris ruber* (Linnaeus, 1758)  
VII-1974, 1975, 1979, 1982, 1984, 1985

*Deraeocoris schach* (Fabricius, 1781)  
VII-1974, 1975, 1982, VI-1989

*Deraeocoris serenus* Douglas & Scott, 1868  
VII-1982, VI-1987

### Dicyphinae

*Campyloneura virgula* (Herrich-Schäffer, 1835)  
VII-1985

*Dicyphus globulifer* (Fallen, 1829)  
VII-1982, 1983

### Mirinae

*Acetropis gimmerthali* (Flor, 1860)  
VII-1982

*Adelphocoris lineolatus* (Goeze, 1778)  
VII-1982

*Calocoris annulus* (Brullé, 1832)  
VII-1984

*Calocoris norvegicus* (Gmelin, 1788)  
VII-1982, 1984

*Charagochilus gyllenhali* (Fallen, 1807)  
VII-1982

*Cyphodema instabile* (Lucas, 1849)  
VII-1982, 1984, 1985, VI-1989

*Liocoris tripustulatus* (Fabricius, 1781)  
VII-1982

- Lygus pratensis* (Linnaeus, 1758)  
VII-1982
- Megacoelum beckeri* (Fieber, 1870)  
VII-1982
- Megaloceroea recticornis* (Geoffroy, 1785)  
VII-1983, 1985
- Notostira elongata* (Geoffroy, 1785)  
VII-1982
- Orthops kalmi* (Linnaeus, 1758)  
VII-1982
- Phytocoris ustulatus* Herrich-Schäffer, 1835  
VII-1982
- Phytocoris varipes* (Boheman, 1852)  
VII-1982
- Polymerus asperulae* Fieber, 1861  
VII-1982
- Stenodema calcaratum* (Fallen, 1807)  
VII-1982
- Stenotus binotatus* (Fabricius, 1794)  
VII-1982, 1984, 1985
- Trigonotylus pulchellus* (Hahn, 1834)  
VII-1982

#### Halticinae

- Halticus luteicollis* (Panzer, 1805)  
VII-1982, 1984
- Halticus macrocephalus* Fieber, 1858  
VII-1989
- Halticus pusillus* (Herrich-Schäffer, 1835)  
VII-1982
- Pachytomella passerinii* (Costa, 1841)  
V-1982

#### Orthotylinae

- Globiceps horvathi* Reuter, 1912  
VII-1984
- Heterotoma meriopterum* (Scopoli, 1763)  
VII-1982
- Platycranus erberi* Fieber, 1870  
VII-1982

#### Pilophorinae

- Pilophorus angustulus* Reuter, 1888  
VII-1982

*Pilophorus perplexus* (Douglas & Scott, 1875)

VI-1990

### Phylinae

*Criocoris crassicornis* (Hahn, 1834)

VII-1982, 1983

*Heterocapillus tigripes* (Mulsant, 1852)

VII-1982, 1984

### Anthocoridae

*Anthocoris nemoralis* (Fabricius, 1794)

VII-1982, VI-1990

*Lycocoris campestris* (Fabricius, 1794)

VII-1985

*Orius niger* (Wolff, 1811)

VII-1985

### Nabidae

*Aptus mirmicoides* (Costa, 1834)

VII-1982

*Nabis pseudoferus* Remane, 1949

VII-1982, VI-1988

*Prostemma sanguineum* (Rossi, 1790)

VI-1989

### Reduviidae

#### Harpactorinae

*Coranus griseus* (Rossi, 1790)

IX-1974, VII-1982, 1983, 1984, 1986, 1987, VI-1988

*Rhynocoris iracundus amabilis* Stichel, 1959

VII-1982, 1983, 1984, 1986, 1987

*Rhynocoris rubricus* (Germar, 1816)

VII-1983

#### Phymatinae

*Phymata crassipes* (Fabricius, 1775)

VII-1983

### Berytidae

*Berytinus hirticornis* (Brullé, 1835)

VII-1985, VI-1990

## Lygaeidae

### Lygaeinae

- Lygaeus equestris* (Linnaeus, 1758)  
VII-1982, VI-1989
- Lygaeus pandurus* (Scopoli, 1763)  
VII-1982, 1983, 1984, 1986
- Nysius thymi* (Wolff, 1804)  
VII-1982, 1983
- Orsillus reyi* Puton, 1871  
VII-1980, 1982
- Tropidothorax leucopterus* (Goeze, 1778)  
VII-1974, 1980, 1981, 1982, 1986

### Ischnorrhynchinae

- Kleidocerys ericae* (Horvath, 1909)  
VII-1983, VI-1990
- Kleidocerys resedae* (Panzer, 1797)  
VII-1984

### Henestarinae

- Henestaris laticeps* (Curtis, 1836)  
VII-1979, 1982

### Geocorinae

- Geocoris erythrocephalus* (Lepeletier & Serville, 1825)  
V-1982, VII-1982, 1983, 1984, 1986, VI-1989, 1990
- Geocoris megacephalus* (Rossi, 1790)  
VII-1982, VI-1987, 1989

### Oxycareninae

- Macroplox fasciata* (Herrich-Schäffer, 1835)  
VII-1982, 1983, 1985, VI-1990
- Oxycarenus hyalinipennis* (Costa, 1847)  
VII-1982

### Heterogastrinae

- Heterogaster artemisiae* Schilling, 1829  
VII-1982, 1983

## Rhyparochrominae

- Aphanus rolandri* (Linnaeus, 1758)  
VII-1986
- Beosus maritimus* (Scopoli, 1763)  
VI-1987
- Beosus quadripunctatus* (Müller, 1766)  
VII-1975, 1981, 1982, 1984, 1986, VI-1987, 1990
- Emblethis griseus* (Wolff, 1802)  
VII-1982, VI-1987
- Eremocoris fenestratus* (Herrich-Schäffer, 1839)  
VIII-1976, VII-1982, 1986, VI-1987
- Hyalochilus dolosus* Horvath, 1897  
VII-1982
- Ischnopeza hirticornis* (Herrich-Schäffer, 1850)  
VII-1986
- Lasiocoris anomalus* (Kolenati, 1845)  
VII-1984, VI-1988
- Lethaeus picipes* (Herrich-Schäffer, 1850)  
VII-1984
- Megalonotus dilatatus* (Herrich-Schäffer, 1842)  
V-1982
- Megalonotus emarginatus* (Rey, 1888)  
VII-1979, 1982, VI-1987, 1988
- Megalonotus praetextatus* (Herrich-Schäffer, 1835)  
VII-1986, VI-1987
- Megalonotus sabulicola* (Thomson, 1870)  
VI-1987, 1988
- Paromius gracilis* (Rambur, 1842)  
VII-1983
- Peritrechus gracilicornis* Puton, 1877  
VII-1984, VI-1989, 1990
- Raglius confusus* (Reuter, 1886)  
VII-1975, 1982, 1983, 1985, VI-1987
- Raglius inarimensis* (Costa, 1860)  
VII-1984, VI-1990
- Rhyparochromus phoeniceus* (Rossi, 1794)  
VII-1983, 1984, VI-1987
- Xanthochilus minusculus* (Reuter, 1885)  
VII-1982, 1984
- Xanthochilus quadratus* (Fabricius, 1798)  
VII-1982
- Xanthochilus saturnius* (Rossi, 1790)  
VII-1979, 1983, 1984

## Pyrrhocoridae

- Pyrrhocoris apterus* (Linnaeus, 1758)  
VIII-1976, VII-1975, 1982, 1983, 1985, 1987  
*Scantius aegyptius* (Linnaeus, 1758)  
VI-1989

## Stenocephalidae

- Dicranocephalus agilis* (Scopoli, 1763)  
VII-1980, 1981

## Coreidae

### Coreinae

- Centrocoris variegatus* Kolenati, 1845  
VII-1984, 1985, 1987, VI-1989  
*Coreus marginatus* (Linnaeus, 1758)  
VIII-1976, VII-1975, 1979, 1982, 1987  
*Gonocerus insidiator* (Fabricius, 1787)  
VII-1982  
*Gonocerus juniperi* (Herrich-Schäffer, 1839)  
VII-1975, 1987, VI-1990  
*Haploprocta sulcicornis* (Fabricius, 1794)  
VII-1975, 1982, 1984, 1985, 1987, VI-1990  
*Syromastus rhombeus* (Linnaeus, 1767)  
VII-1982

### Spathocerinae

- Spathocera lobata* (Herrich-Schäffer, 1840)  
VI-1989

### Pseudophloeinae

- Bathysolen nubilus* (Fallen, 1807)  
VI-1987  
*Ceraleptus gracilicornis* (Herrich-Schäffer, 1835)  
VIII-1976, V-1982, VII-1984, 1985, 1986, 1987, VI-1989, 1990  
*Ceraleptus lividus* Stein, 1858  
VI-1989, 1990  
*Ceraleptus obtusus* (Brullé, 1839)  
VII-1985, 1986, VI-1988, 1990  
*Coriomeris affinis* (Herrich-Schäffer, 1839)  
VII-1982, 1987, VI-1987

- Coriomeris denticulatus* (Scopoli, 1763)  
VII-1975, 1980, 1982, 1983, 1984, 1985  
*Coriomeris hirticornis* (Fabricius, 1794)  
VII-1986, 1987  
*Strobilotoma typhaecornis* (Fabricius, 1803)  
VII-1982, VI-1987

### Alydidae

- Camptopus lateralis* (Germar, 1817)  
VII-1981, 1982, 1983, 1984, 1985, 1987  
*Micrelytra fossularum* (Rossi, 1790)  
VII-1975, 1982, 1983, 1984, 1985, VI-1990

### Rhopalidae

- Chorosoma schillingi* (Schilling, 1829)  
VII-1982, 1986  
*Corizus hyoscyami* (Linnaeus, 1758)  
VIII-1976, VII-1974, 1975, 1979, 1981, 1982  
*Maccevethus corsicus* Signoret, 1862  
VII-1980, 1982, 1984, 1985, VI-1987  
*Myrmus miriformis* (Fallen, 1807)  
VII-1984  
*Rhopalus parumpunctatus* Schilling, 1829  
VII-1982, 1983, 1984, 1985, VI-1988  
*Rhopalus subrufus* (Gmelin, 1790)  
V-1982, VII-1982, 1983  
*Rhopalus tigrinus* Schilling, 1829  
VII-1982, 1984, VI-1987  
*Stictopleurus abutilon* (Rossi, 1790)  
VII-1975, 1986  
*Stictopleurus punctatonervosus* (Goeze, 1778)  
VII-1983

### Plataspidae

- Coptosoma scutellatum* (Geoffroy, 1785)  
VII-1982, 1984

### Cydnidae

- Aethus nigrinus* (Fabricius, 1794)  
VI-1987  
*Canthophorus melanopterus* (Herrich-Schäffer, 1835)  
VII-1982



*Cydnus aterrimus* (Forster, 1771)

VII-1979, 1980, 1981, 1982, 1984, VI-1987, 1990

*Tritomegas sexmaculatus* (Rambur, 1842)

VII-1975, 1985

### Scutelleridae

*Eurygaster maura* (Linnaeus, 1758)

VII-1975, 1982, 1984, 1985, 1986, VI-1987

*Odontoscelis byrrhus* Seidenstücker, 1972

VII-1986

*Odontoscelis fuliginosa* (Linnaeus, 1761)

VII-1974, VI-1987

*Odontotarsus purpureolineatus* (Rossi, 1790)

VII-1979, 1984

*Psacasta exanthematica* (Scopoli, 1763)

VII-1986, VI-1988, 1987

### Pentatomidae

#### Podopinae

*Ancyrosoma leucogrammes* (Gmelin, 1789)

VII-1981, 1982, 1983, 1984, VI-1987, 1989, 1990

*Derula flavoguttata* Mulsant & Rey, 1856

VII-1982, VI-1987, 1988, 1990

*Graphosoma lineatum* (Linnaeus, 1758)

VII-1974, 1975

*Tholagnus flavolineatus* (Fabricius, 1789)

VII-1975

*Ventocoris rusticus* (Fabricius, 1781)

VII-1982

#### Pentatominae

*Acrosternum heegeri* Fieber, 1861

VII-1982, 1983

*Aelia acuminata* (Linnaeus, 1758)

VII-1975, 1983

*Aelia rostrata* Boheman, 1852

VII-1975, 1983, 1985, 15-V-1982

*Carpocoris mediterraneus* Tamanini, 1958

22-VIII-1976, VII-1974, 1975, 1979, 1983, 1984, 1985, 1986

*Codophila varia* (Fabricius, 1787)

22-VIII-1976

*Dolycoris baccarum* (Linnaeus, 1758)

VII-1984

- Dyroderes umbraculatus* (Fabricius, 1775)  
VII-1984
- Eurydema ornatum* (Linnaeus, 1758)  
25-IX-1974, 22-VIII-1976, VII-1975, 1979, 1982, VI-1979
- Eurydema ventrale* Kolenati, 1846  
VII-1982, 1986
- Eysarcoris fabricii* Kirkaldy, 1904  
VII-1985
- Eysarcoris ventralis* (Westwood, 1837)  
VII-1981, 1982, 1983, 1985, 1986, 15-V-1982, VI-1989, 1990
- Holcostethus albipes* (Fabricius, 1781)  
VII-1982, 1983, 1985, 1986, VI-1987
- Holcostethus sphaclatus* (Fabricius, 1794)  
VII-1975, 1979, 1981, 1982, 22-VIII-1976
- Holcostethus strictus* (Fabricius, 1803)  
VII-1975, 1982, 1983, 1984, VI-1987, 1989, 15-V-1982
- Neottiglossa bifida* (Costa, 1847)  
VII-1975, 1982, 1983, 1985, 15-V-1982
- Nezara viridula* (Linnaeus, 1758)  
VII-1975, 1982, 1983, 25-IX-1974
- Piezodorus lituratus* (Fabricius, 1794)  
VII-1975, 1982
- Rhaphigaster nebulosa* (Poda, 1761)  
15-V-1982, VII-1984
- Sciocoris sulcatus* Fieber, 1851  
VII-1982, 1984, 1985, VI-1987
- Stagonomus amoenus* (Brullé, 1832)  
VII-1981, 1982, VI-1988, 1990
- Stagonomus bipunctatus* (Linnaeus, 1758)  
VII-1975, 1982, 1983
- Staria lunata* (Hahn, 1835)  
VII-1975, 1979, 1981, 1982, 1983, 1984, 1985, 1986, VI-1989, 1990

#### Asopinae

- Picromerus conformis* (Herrich-Schäffer, 1841)  
VII-1981, 15-V-1982

#### Acanthosomatidae

- Cyphostethus tristriatus* (Fabricius, 1787)  
VI-1990

#### Povzetek

Stenice z otoka Lošinja, predstavljene v pričujočem seznamu, je zbral Vincenc Furlan in so v njegovi zbirki. Določil jih je Andrej Gogala. Favna stenic z Lošinja je značilen primer

V. Furlan, A. Gogala: Heteroptera of the Lošinj island (Croatia)

---

vzhodnomediteranske favne, razširjene tudi na drugih jadranskih otokih in na dalmatinski obali. To je prvi prispevek k poznavanju favne stenice otoka Lošinja. Večina podatkov je bila zbrana pri kraju Čunski in pripada polju VK53 mreže UTM.

Authors' addresses/Naslova avtorjev

Vincenc FURLAN  
Hudovernikova 13  
SLO-61000 Ljubljana, Slovenia

Andrej GOGALA  
Prirodoslovni muzej Slovenije  
Prešernova 20, p.p. 290  
SLO-61001 Ljubljana, Slovenia




Fig. 1: Topographic position of the Lošinj island in the Adriatic  
Sl. 1: Lega otoka Lošinja v Jadranu




Fig. 2 (Sl. 2): *Odontoscelis byrrhus* Seidenstücker, ♀ (Lošinj)




Fig. 3: The distribution of *Ventocoris rusticus* (Fab.) in the northwestern Balkans  
Sl. 3: Razširjenost vrste *Ventocoris rusticus* (Fab.) v severozahodnem delu Balkanskega polotoka

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Acta Entomologica Slovenica](#)

Jahr/Year: 1995

Band/Volume: [3](#)

Autor(en)/Author(s): Furlan Vincenc, Gogala Andrej

Artikel/Article: [Heteroptera of the LoÅšinj island \(Croatia\). Stenice \(Heteroptera\) otoka LoÅšinja \(HrvaÅška\) 59-71](#)