

Inhaltsverzeichnis.

Lucas. Catalogus alphabeticus generum et subgenerum
Coleopterorum orbis terrarum totius. Pars I.

- Aulexis* O Baly, JoE. II, 1863, 153; TESL. (3) IV, 1, 1865, 81; Chap., G. Col. X, 1874, 276; Lef., MS Liége (2) 11, 1885, 76; Jac., F. Ind. Col. II, 1908, 410 (*A. nigricollis*, Wallacei Baly 1863) 1914:17 (Assam., Tenass., Birma, Phil. Ins., Born., Sum.). *Chrys.*, *Eumolp.*, *Leprot.* 124.
- Aulicus* O Spin., Rev. Zo. 1841, 74; Clérates I, 1844, 328; Lac., IV, 1857, 451; Gorh., Cist. E. II, 1875—82 (1876); BCA. Col. III, 2, 1882, 146; J. Lec. u. Horn, Class. Col. N. Am. ed. II, 1883, 218; Schklg., GIW. Cler. 1903, 55.
Tab. Spp. Am. b.: Wolcott in Can. Ent. 42, 1910, 245 (*A. Nero* Spin. 1844) 1913:8 (Cuba, Mex., Tex., Ariz., Cal.; Madag.!). Cler., Cleri., Clerin., 108.
- Aulicus* Spin., Rev. Zo. 1841, 74 (part.) Cler. I, 1844, 328 = *Phlogistus* Gorh. 1876. Cler. 109.
- Aulonocnemis* Klug, ArN. IV, 1838, 70 (*A. opatrina* Klug 1838) 1913:20 (Borneo 1, Sumatra 1, Comor. 1, Natal 1, Madag. 17). Scar., Copr., Copri., Pinot. 47.
- Aulonogyrus* O Rég., ASEFr. (6) 3, 1883, 124; Seidlitz, VN. 25, 1887, 27; F. Ba.,; F. Tr.; Ganglb., I, 1892, 524; Everts I, 146; Rég., GIW. Col. I, 1902, 6; Reitt., F. Germ. I, 1908, 235; Csiki, Mag. Bogarf. I, 1908, 512; Süßwasserf. Deutschl. III—IV, 1909, 48; Schaufuß in Calwer, 141, 142; Kuhnt, 153 (*A. capensis* Thunb. 1781) 1913:29 (Eur., Afr., Mediterr., Ind. b. occ., Madag.). *Gyr.*, *Gyri.* 6.
- Aulonolecus* Reitt., Best.-Tab. 53, 1904 161 = Subg. ad *Lobothorax* Gemm. 1870. Ten., Opatr. 537.
- Aulonoscelis* Reitt., DEZ. 1896, 173 Mon. II, 114 = Subg. ad *Prosodes* Eschsch. 1829. Ten. Blapt. 390.
- Auperia* Chevr., ASEFr. (3) 4, 1864, 413/4 = *Ataenius* Har. 1867. Scar., Aphod. 21.
- Auranius* Jac., PZSL. 1881, 447; Lefvr., MS Liége, (2) 11, 1885, 116 (*A. robustus* Jac. 1881) 1914:1 (Brasil.). *Chrys.*, *Eumolp.*, *Edus.* 216.
- Australica* Chevr., Dict. univ. HN. II, 1842, 358; III, 1843, 656; Baly, TESL. (n. s.) III, 7; 1856, 241, t. 14 f. 5a — c; Chap., X, 1874, 429 = *Calomela* Hope 1840. *Chrys.*, *Chryso.*, *Phyllod.* 90.
- Autarcus* Senna, BSEItal. 24, 1892, 59; Schoenfeldt, GIW. Brenth. 1908, 56 (*A. laticollis* Perr. 1864) 1913:1 Ceoc. 88.
- Autocera* Woll., Cat. Madeira Col. 1857, 54; Lac., V, 280 = *Cnemeplatia* Costa 1847. Ten., Opatr. 509.
- Autocrates* J. Thoms., Musée scient. I, 1860, 25; Lac., VIII, 1869, 3 (*A. aeneus* Parry 1847) 1913:2 (Himalaya; Yunnan). Trict. 1.
- Autolampra* Jac., F. Ind. Col. II, 1908, 300 = *Nephiusus* Jac. 1892. *Chrys.*, *Eumolp.*, Nodost. 93.
- Autolethrus* O A. Sem., HoR. 26, 1892, p. 236; 28, 1894, 478 = Subg. 8 ad *Lethrus* Scop. 1777 (Typ.?) *A. scoparius* [Fisch.] 1820) 1913:22 (Turkest. Asm. in., Buchara, Dsungar. usw.). Geotr., Lethr. 18, 8.
- Automolus* Burm., Hd. E. IV, 2, 1855, 202; Blackb., TRS. South Austral. 29, 1905, 331; 30, 1906, 276 (*A. angustulus* Burm. 1855) 1913:21 (Austral., Tasm.). Scar., Melth., Lipar. 172.
- Automolus* Kirsch, BEZ. II, 1867, 218 = *Episphales* Kirsch 1870. Brenth., Brentha., Arrh. 62.
- Autoplectus* O Raffr., Rev. d'E. 2, 1883, 248; 17, 1898, 224; ASEFr. 72, 1903, 520; GIW. Psel., 1908, 55 (*A. torticornis* Raffr. 1883) 1913:1 (Madag.). Psel., Psela., Euplect. 41.
- Autoserica* O Brenske, BEZ. 42, 1897, 356 sq. 44, 1899, 236; 45, 1900, 80; 47, 1902, 2; Péring., T. South Afr. Phil. Soc. 13, 1904, 9 (Typ.?) *A.*

- globosa* [Herbst] 1790) 1913:197 (As., mer., Jap., China; Sumatra, Java, Phil. Ins., Afr. mer., Madag.). *Scar.*, *Melth.*, *Seric.* 29.
- Auxesis* O J. Thoms., ArE. II, 1858, 196 (*A. gabunica* Thoms. 1858) 1913:1 (*Gabun.*). *Ceramb.*, *Cerambin.*, *Oem.* 71.
- Auxicerus* O Waterh., ANH. (5) 11, 1883, 387 (*A. platiceps* Waterh. 1883) 1913:3 (Boliv., Peru). *Luc.*, *Clad.* 3.
- Axestinus* O J. Lee., Smiths. Misc. Coll. XI, 264, 1873, 177 (*A. obscurus* J. Lee. 1873) 1913:1 (Texas). *Ceramb.*, *Cerambin.*, *Phorac.* 221.
- Axestoleus* O Bates, TESL. 1892, 180 (*A. quinquepunctatus* Bates 1892) 1913:2 (Mexico). *Ceramb.*, *Cerambin.*, *Stenaspa.* 999.
- Auxinocerus* Jayne, P. Am. Phil. S. 20, 1882, 367 t. 4 f. 64 = *Thaumaglossa* Redtb. 1868. *Derm.*, *Megat.* 15.
- Axina* O Kirby, TLSL. 12, 1818, 389; *Spin.*, Rev. Zc. 1841, 72; *Klug*, *Clerii* 1842, 316; *Spin.*, *Clérètes* I, 1844, 122; *Lae.*, IV, 1857, 437; *Schklg.*, DEZ. 1900, 392; *GIW*. *Cler.* 1903, 30 (*A. analis* [Kirby] 1818) 1913:12. 2 Subgg. *Ax.* u. *Cten.* (Amaz., Bras., Parag., Peru, Goyaz usw.). *Cler.*, *Cleri.*, *Clerin.* 45.
- Axina Schklg.*, DEZ. 1906, 253 = Subg. ad *Axina Kirby* 1818 (*A. analis* [Kirby] 1818) 1910:11. *Cler.*, *Cleri.*, *Clerin.* 45.
- Axinopalpis* O Dup. u. Chevr., Dict. II, 1842, 389; *Schaufuß* in Calwer, 844, 847; *Kuhnt*, 756, 775 (*A. gracilis* [Kryn.] 1832) 1912:1 (Austria, Ross. mer., As. min., Syr.). *Ceramb.*, *Cerambin.*, *Grac.* 351.
- Axinopalpus* Redt., F. Austr. ed. 2, 1858, 854, ed. 3, II, 1874, 412; *Gutfl.-B.*, 579 = *Axinopalpis* Dup. u. Chevr., 1842. *Ceramb.*, *Cerambin.*, *Grac.* 351.
- Axinuchus* Gemm. u. Har., Col. Cat. IX, 1873, 2840 = *Axinopalpis* Dup. u. Chevr. 1842. *Ceramb.*, *Cerambin.*, *Grac.* 351.
- Axumia* Reiche, in Galin., Voyage en Abyss. 1850, Zool. 364; *Lae.*, V, 51 = *Rhytinota* Eschsch. 1831. *Ten.*, *Tentyr.* 143.
- Axylophilus* Casey, AN YAcSci. 8, 1895, 773, 788. Subg. ad *Hylophilus* Berth. 1827. *Hyloph.* 3.
- Axyynaon* Blackb., TRS. South Austr. 21, 1897, 34 (*A. Championi* Blackb. 1897) 1913:1 (Queensl.). *Ten.*, *Merac.* 1106.
- Axyra* Er. in Germar, Z. IV, 1843, 285 (*A. africana* [Palisot] 1:05 — 21) 1913:12 (Birma, Ind. or.; Afr. or., occ., Kilimandjaro; Amazon.). *Nit.*, *Nitid.* 79.
- Axyrodes* Murr., ANH. (3) 19, 1867, 170; (sep.: Col. Old Calab. 1878, 88). *Nit.*, *Nitid.* 79.
- Azarelius* Fairm., BSEFr. 1892, VII; Wasm., AMusG. (2) 16, 1896, 613; (2) 17, 1896, 50 = *A. sculpticollis* Fairm. 1892) 1913:3 (Birma, Sumatr., Pedong). *Ten.*, *Rhyssop.* 1115.
- Azonoderus* Har., Col. Hste 1879, 125 (*A. tristis* Har. 1879) 1913:1 (Pungo Adongo). *Ten.*, *Strongyl.* 1163.
- Bacanius* O Lec., P. Ac. Philad. 6, 1853, 291; Mars., Mon. 1856, 567; Jacq. du Val, II, 1858, 109; Reitt., WEZg. V, 1886, 273; *Ganglb.*, KäfMEur. 3, 1899, 402; *Schaufuß* in Calwer, 315, 318; *Kuhnt*, 364, 377; Reitt., F. Germ. II, 1909, 297 (Typ.? *misellus* J. Lec. 1853, *B. rhombophorus* [Aubé] 1843) 1913:25 + 2 (Eur., Afr. or., As., Males., Seych., Am., Oahu Ins.). *Hist.* 117.
- Bacis* Lac. 1842 (part.), *Erot.*, 502 = *Phricobacis* Crotch 1876. *Erot.*, *Erotyl.* 26.
- Bacis* O Hope, Rev. Zo. 1841, 113; *Lae.*, *Erot.*, 502; *Crotch*, *Erot.*, 180; *Chap.*, XII, 68 (*B. tripunctatus* Duponch. 1824; *B. scutellaris* Lac.

- 1842) 1913:4 (Amaz., Venz., Cayenne). *Erot.*, *Erotyl.* 25.
- Baconia** Lewis, ANH. (5) 15, 1885, 462; Schmidt, DEZ. 1859, 158 (*B. loricata*, *patula* Lew. 1885) 1913:6 (Brasil.). *Hist.* 18.
- Bactrocerus** O Lec., New Sp. 1866, 12; Lec. u. Horn, Class. 1883, 410; Champ., BCA. Col. IV, 2, 1890, 194; Casey, AN YAcSc. 8, 1895, 627 (*B. concolor* Lec. 1866), 1913:3 (Am. bor., Venez., Guat.). *Ped.* 7.
- Baculipalpus** Broun, Man. N. Zeal. Col. 7 (1880, 423 (*B. rarus* Broun 1880) 19152 (Nov. Zealand.). *Oed.*, *Oedem.*, *Ascler.* 16.
- Badariottia** O Giglio, B.Mus.Zo. Torino, 8, 1893, 1 = *Psygmatocerus* Perty 1828. *Ceramb.*, *Cerambin.*, *Torn.* 116.
- Badenis** Ws. in Sjöst., Kilimandj.-Exp. I, Col. 7, 1909, 182 (*B. parvula* Ws. 1909) 1914:1 (Meru). *Chrys.*, *Eumolp.*, *Cyn.* 184.
- Baeocera** Er., NID. 3, 1845, 4 nota; Lae. II, 240; Reitt., VN. 18, 1879 (1880), 36; VzbGW. 30, 1880 (1881), 42 et 45 nota; NID. III, 2, 1885, 361; Best.-Tab. III, 2. Aufl. 1886, 4 et 7 nota; WEZg. 18, 1899, 157; op. c. 27, 1908, 31; J. Lec. u. Horn, Class. 1883, 111; Matth., BCA. Col. II, I, 1888, 168; Seidl., F. Ba. et Tr. 1888, 91 (1889) Gatt., 73; Casey, ANYAc. Sc. 7, 1893, 511 et 515; Ganglb., KäfMEur. 3, 1899, 345, Schaufuß in Calwer, 300 (*B. concolor* [F.] 1801) 1913:30 (Mediterr., Afr. or., germ.; Am.; Nov. Zeal.). *Scaph.*, *Scaph.* 214.
- Baeoceridium** Reitt., Not. Leyd. Mus. 91, 1889, 6; WEZg. 27, 1908, 32; Csiki, A. Mus. N. Hung. 7, 1909, 432 (*B. depressipes* Reitt. 1889) 1913:1 (Afr. occ., Togo). *Scapt.*, *Scapho.* 19.
- Baeocrara** O C. G. Thoms., I, 1859, 62; IV, 1862, 99; Matth., Trich. ill. 1872, 38; Flach in Seidl., F. Ba. ed. II (1888) et F. Tr. 1889, Gatt., 71; VzbGW. 39, 1889, 492, 514; Best.-Tab. eur. Col., 18, 1889, 14, 36; Everts, I, 434, 441; Ganglb. I, 299, 323; Reitt., F. Germ. II, 1909, 266, 273 (*Boeocrara*); Jakobs., Col. Ross. 8, 1910, 631, Schaufuß in Calwer, 298; Kuhnt, 354, 359 (*Boeocrara* Reitt. 1909) (*B. variolosa* Muls. 1867) 1913:2 (Eur., Japon.). *Ptil.*, *Ptili.*, *Acrotr.* 28.
- Bagdatoberambyx** Pie, Echange 17, 1901, = *Pseudophilus* Gah. 1893. *Ceramb.*, *Cerambin.*, *Hesprh.* 174.
- Baladeva** O G. R. Waterh., TESL. II, 1840, 225; J. Thoms., Class. Cer. 296; Syst. Cer., 469; Lac. VIII, 52 nota 1; Gah., F. Brit. Ind. Col. I, 1906, 8; Lmr., ASEB. 55, 1911, 343 (Réd. 775) = Subg. 6 ad *Dorysthenes Vigors* 1826 (*B. Walkeri* G.R. Waterh. 1840) 1913:2 (Birma, Siam, Tonkin, Yunnan). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 71, 6.
- Balassogloa** Semen., HoR. 25, 1891, 372; Rev. Russe E. V. 1905, 56; Seidl., NID. V, 2, 1896, 24; Reitt., WEZg. 9, 1890, 252, 256 (*B. sphenarioides* Semen. 1891) 1913:2 (Transkasp., Turkest.). All., *Omophl.* 106.
- Balbera** Fairm., ASEB. 42, 1898, 226 (*B. reflexa* Fairm. 1898) 1913:1 (Madag.). *Scar.*, *Melth.*, *Seric.* 115.
- Balcus** Sharp, EMM. 14, 1877, 7; **Broun**, Man. N Zeal. Col. I, 1880, 332; Schklg., GIW. Cler. 1903, 44 (*B. niger* Sharp 1877) 1913:2 (Nov. Zeal.). *Cler.*, *Cleri.*, *Clerin.* 107.
- Balega** O Reitt., VN. 20, 1881, 200; Raffr., Rev. d'E. 12, 1893, 187; GIW. 1908, 31 (*B. elegans* Reitt. 1883) 1913:2 (Mex.; St. Thom.). *Psel.*, *Pselia.*, *Jub.* 23.

- Baliosus* O Ws., Arch. E. I, 1905, 64; VN. 49, 1910, 130 (Typ. ?; *B. ruber* [Weber] 1801) 1913:24 (Am. b., c., mer.). *Chrys.*, *Hispa.*, *Chalep.* 34.
- Balius* Guér., Arch. E. I, 1857, 201 = *Trycherus* Gerst. 1857. *End.*, *Endo.*, *Eumorph.* 27.
- Balya* Jac., PZSL. 1882, 53; Lefvr., MSLiége (2) 11, 1885, 14 (*B. picta* [Perty]) 1914:2 (Brasil., Argent.: Mendoza). *Chrys.*, *Eumolp.*, *Iphim.* 16.
- Balyana* O Péring., ASAfr.Mus. 1898, 115; Ws., DEZ. 1905, 56; Gestro., AMusG. 1909, 247, Append. ad *Coelaenomenodera* Blanch. 1845 (*B. sculptilis* Fairm. 1895) 1913:5 (Madag., Delagoa, Usamb., Mosamb., Boran Galla). *Chrys.*, *Hispa.*, *Coelaen.* 69, 2.
- Bandar* Lmr., MSEB. 21, 1912, 144 (Rév., 1008) (*B. Fisheri* [C.O. Waterh.] 1884, *Pascoei* Lansb. 1884, *Lansbergeri* [Lmr.] 1903) 1913:3 (Birma, Cochinch., Formosa, Sum., Borneo, Banga, Billiton.). *Ceramb.*, *Prion.*, *Macrot.*, *Macroto.* 32, 6.
- Baptolinus* O Kraatz, N.Ins.Deutschl. II, 1856/58, 659; *Ganglb.*, KäfMEur. II, 1895, 472 *Casey*, TAc. St. Louis XVI, 1906, 423, 424; *Guttl.-B.*, 148; *Schaufuß* in Calwer, 187, 191; *Kuhnt*, 166, 228 (*B. affinis* [Payk.] 1789, *plicicornis* [Payk.] 1790) 1914:9 (Eur. b. et med., Sibir., Am. b.; Calif. mer., Kamtschatka). *Staph.*, *Staphy.*, *Xanth.* 274. Biol.: *Xambeu*, ASLLyon, 38, 1891, 173.
- Barada* O Raffr., ASEFr. 60, 1891, 314; 73, 1904, 117; GIW. *Psel.* 1908, 255 (*B. mucronata* Raffr. 1891) 1913:1 (Venez.). *Psel.*, *Psela.*, *Brachygl.* 275.
- Baralipiton* O J. Thoms., Arch. E. I, 1857, 341; Class. *Cer.* 283; *Syst. Cer.* 1864, 473; *Lac.* VIII, 153; *Gah.*, F. Brit. Ind. Col. I, 1906, 42; *Lmr.*, ASEB. 53, 1909, 151 (Rév., 565) = Subg. 8 ad *Megopis* Serv. 1832 (*B.* *maculosa* J. Thoms. 1857, *marginalis* [F.] 1775; *reflexa* Karsch, BEZ. 25, 1881, 7 t. 1, f. 11) (Sect.: 2 + 5 + 4 + 1 + 3] 1913:5. *Ceramb.*, *Prion.*, *Callipogia*, *Megopis*. 50, 8.
- Baratus* Fairm., Not. Leyd. Mus. 18, 1896, 233 (*B. crenulatus* Fairm. 1896) 1913:1 (Phil. Ins.). *Ten.*, *Helop.* 1047.
- Baraxina* Raffr., BSEFr. 1896, 301; ASEFr. 73, 1904, 116; GIW. *Psel.* 1908, 244 (*B. Françoisi* Raffr. 1896) 1913:1 (N. Caled.). *Psel.*, *Psela.*, *Brachygl.* 263.
- Bardistus* O Newm., Ent. I, 1841, 80 (*Phl. cibarius* Newm. 1841) 1913:1 (Austr. mer.-occ.). *Ceramb.*, *Cerambin.*, *Phlyt.* 391.
- Bargus* Schiödte, NaTi. (3) IV 1866/67, 144 sq. = *Bledius* Mannh. 1830 (part.). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte*. 125.
- Barlacus* Fairm., BSEFr., 1900, 45 (*B. costulatus* Fairm. 1900) 1913:1 (Borneo). *Ten.*, *Rhyssop.* 1116.
- Barossus* Fairm., ASEB. 37, 1893, 517 (*B. cineraceus* Fairm. 1893) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 504.
- Barsenis* O Pasc., ANH. (5) 20, 1887, 117 (*B. fulvipes* Pasc. 1887) 1913:1 (Bras., Ega). *Lagr.*, *Stat.* 25.
- Barybas* O Blanch., Cat. Coll. E. I, 1850, 94; *Lac.* III, 260; Bates, BCA. Col. II, 2, 1887, 150 (Typ. ? *B. variegatus*, *nanus* Blanch. 1850) 1913:11 (Panam., Brasil, Amaz., Peru). *Scar.*, *Melth.*, *Macrod.* 491.
- Barybas* Burm., Hd. E. IV, 2, 1855, 20; Harold, Col. Hfte V, 1869, 122 (non Blanch. 1850]. *Scar.*, *Melth.*, *Macrod.* 463.
- Barycistela* Blackb., TRSouth Austral. 14, 1891, 327 (*B. robusta* Blackb. 1891) 1913:1 (Queensl.). *All.*, *Allec.* 43.
- Barygnathus* Bernh., DEZ. 1902, 31; Fauv., Rev. d'E. 21, 1902, 41 (*B.*

- opacus* Bernh. 1902) 1916:1 (Ceylon). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 330. *Barymela* O Ws. in Voeltzkow, Reise Ostafri. II, 1910, 459 (*B. scutellaris* Ws. 1910; *madagascariensis* Jac. 1888) 1916:5 (Madag.). *Chrys.*, *Chryso.*, *Zygogr.* 2. *Barymorphia* Guér., Voy. Delessert II, 1843, 41 = *Parastasia* Westw. 1841. *Scar.*, *Rut. hom.*, *Ruti.*, *Parast.* 38. *Baryopsis* Fairm. et Germ., ASEFr. (4) I, 1861, 442 (*B. brevipennis* Fairm. et Germ. 1861) 1913:1 (Chile). *Staph.* *Paed.*, *Paedi.* 234. *Baryrrhynchus* O Lac., VII, 1866, 428; Schoenfeldt, GIW. *Brenth.* 1908, 33 (*B. filicornis* [Boh.] 1829) 1913:11 (Insulae, Jap., Malakka). *Brenth.*, *Brentha.*, *Arrh.* 50. *Barytipha* O Pasc., ANH. (4) 3, 1869, 292 (*B. socialis* Pasc. 1869) 1913:1 (Victor.). *Ten.*, *Cyphal.* 913. *Barytopus* Lac., *Erot.* 1842, 379 (pars) = *Micrerotylus* Crotch 1876. *Erot.*, *Erotyl.* 17. *Basanus* Olac., V, 1859, 306 nota; Chevr., Compt. rend. SEB. 1878, p. CLI (*B. javanus* Chevr. 1878) 1913:3 (Jap., Camerun., Java). *Ten.*, *Diaper.* 630. *Basenius* Kolbe, StEZg. 53, 1892, 170; Schoenfeldt, GIW. *Brenth.* 1908, 10 (*B. laticornis* Kolbe 1892) 1913:1 (Usambara). *Brenth.*, *Brentha.*, *Taphr.* 13. *Baseoptera* Gemm. et Har., Cat. Col. IX, 1873, 2976 = *Basiptera* J. Thoms. 1864. *Ceramb.*, *Cerambin.*, *Trachyd.* 1006. *Basectorus* Gemm. et Harr., Cat. Col. X, 1873, 2768 = *Basitoxus* Serv. 1832. *Ceramb.*, *Prion.*, *Macrot.*, *Basit.* 11. *Basides* Motsch., B. Mosc. 46, 1873, I, 471 (*B. bifasciatus*, *plagiatus* Motsch. 1873) 1913:10 (Ind. 8, Natal 2). *Ten.*, *Diaper.* 631. *Basilepta* Baly, JoE. I, 1860, 23 = *Nodostoma* Motsch. 1860. *Chrys.*, *Eumolp.*, *Nodost.* 88. *Basiptera* J. Thoms., Syst. Cer. 1864, 204 (*B. castaneipennis* Thoms. 1864 = *martialis* Dohrn, StEZg. 39, 1878, 457) 1913:1 (Argent.). *Ceramb.*, *Cerambin.*, *Trachyd.* 1006. *Basitoxus* Serv., ASEFr. I, 1832, 174; J. Thoms., Class. Cer., 292; Syst. Cer., 479; Lac. VIII, 119; Lmr., ASEB. 47, 1903, 220 (Rév., 190) (*B. megacephalus* [Germ.] 1824, *Maillei* Serv. 1832) 1913:2 (Bras. mer., Tucuman.). *Ceramb.*, *Prion.*, *Macrot.*, *Basit.* 11. *Basolum* O Cas., Col. Not. in ANYAcSc. 9, 1897, 571 (*B. impunctatum* [Brendel] 1892) 1913:2 [?1] (Virg., Maryland, Iowa). *Psel.*, *Psela.*, *Euplect.* 46. *Bastristilbus* O Raffr., ASEFr. 77, 1908, 22 (*B. politus* Sharp 1883) 1913:2 (Japon.). *Psel.*, *Psela.*, *Batriss.* 194. *Bathona* Casey, JoN YorkES. 8, 1900, 61, 62 f. 1 (*B. Carolinae*, *convexa*, *sphaericula*, *virginica* Casey 1900) 1913:4 (Carol. b., Pennsylv., Virgin.). *Orth.*, *Coryloph.* 17. *Bathrolium* Gozis, Rech. 1886, 14 = *Lobrathium* Muls. et Rey 1877 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210. *Bathseba* Motsch., B. Mosc. 39, 1866, II, 412 (*B. ferruginosa* Motsch. 1866) 1914:1 (Ceylon). *Chrys.*, *Eumolp.* incert. sedis (289). *Bathyscia* O Schiödte, Spec. F. subterr. 1849, 10; Kiesw., ASEFr. (2) 9, 1851, 293 (pars); G. H. Horn, TAmES. 8, 1880, 251 (pars); Marseul, Préc. Silph. in L'Abeille 22, 1884, 26 (pars); Reitt., VN. 23, 1885, 16 (pars); Hamann, Eur. Höhlenf. 1896, 117 (pars); Ganglb., KäfMEur. III, 1899, 96 (pars); Jeannel, Ar.Zo. exp. (5) 5, 1910, 16 (in parte); Rev. Ba. 409 (in parte); Breit, EMi. II, 1913, 312 (pars) Jeannel, Arch.Zo.exp. t. 54, 1914, 67 (char. emend.), Schaufuß in Calwer, (264) (*B. montana* Schiödte 1849) 1914:8. 5 Subgg. *Bath.* . . . (3), *Phan.*, *Speoph.* (Eur.mer.),

B. s. str. = Subg. 1 (Type ut antea)
1914: 1 (muscicol.: Carn., Dalm.
etc.). *Silph.*, *Bath.*, *Bathy.* 4; 4,1.

Bathyscia Reitt., VN. 23, 1885, 36 (pars);
Escalera, ASEsp. 28, 1899, 368
(pars) = *Speocharis Jeannel* 1910.
Silph., *Bath.*, *Bathy.* 11.

Bathyscia Aubé, ASEFr. (2) 9, 1851,
393 (nec Schiödte); *Marseul*, Préc.
Silph. in Abeille 22, 1884, 26 (pars);
Reitt., VN. 23, 1885, 16 (pars); NID.
3, 1885, 16 (pars); Col. Cat. Eur.
ed. I, 1891, 135 (pars); *Hamann*,
Eur. Höhlenf., 1896, 117 (pars);
Ganglb., KäfMEur. 3, 1899, 96 (pars);
Escalera, ASEsp. 28, 1899, 368 (pars);
Reitt., Col. Cat. Eur. ed. II, 1906,
241 (pars); WEZg. 27, 1908, 117
(pars), *Jeannel*, Arch.Zo. exp. (4) 8,
1908, 307 (pars) = *Bathysciola*
Jeannel. *Silph.*, *Bath.*, *Bathy.* 3.

Bathyscia O Schiödte s. str., Rev. *Ba.*,
1849, 409 (gen.); *Breit*, EMi. II, 1913,
314 subg.; *Jeannel*, Arch.Zo. exp. t. 54,
1914, 67 (*B. montana* Schiödte 1849)
1914:1 (muscic.: Carniol., Styria,
Istria, Croat., Dalmat.). *Silph.*,
Bath., *Bathy.* 4, 1.

Bathyscidius O Jeannel, Arch. Zo. exp.
(5) 5, 1910, 15 (gen.); Rev. *Ba.*, 413, t. 2
f. 42, t. 13 f. 367—371; *Breit*, EMi.
II 1913, 314 (subg.); *Jeannel*, Arch.Zo.
exp. t. 54, 1914, 68 = Subg. 2 ad
Bathyscia Schiödte 1849 (*B. tristis*
cola [Apfelbeck] 1907) 1914:1 (cavern.:
Dalmat.). *Silph.*, *Bath.*, *Bathy.* 4, 2.

Bathysciola O + Jeannel, Arch.Zo. exp.
1910, 9 et 26; Rev. *Ba.*, 207 in parte;
Breit, EMi. II, 1913, 313 [subg. in
parte]; *Jeannel*, Arch.Zo. exp. t. 54,
1913, 66.

Metam.: de Peyerimh., BSEFr.
1906, 109—118, p. 1—15; *Jeannel*,
Arch.Zo. exp. (4) 8, 1908, 315 t. 14;
Rev. *Ba.*, 96 t. 23. 1914:57 (7 Subgg.):
Anill., *Bathysciom.*, *Bathysci. Hoffm.*,

Parabath., *Pholeuonella*, *Pholeuonidius*). (Eur., mer.). *Silph.*, *Bath.*,
Bath. 3.

Bathysciella O * Jeann., BSEFr. 1906,
23; Arch.Zo. exp. (4) 8, 1908, 290,
t. 12, f. 10—19; (5) 1, 1909, 519,
t. 17 f. 125—126; 54, 1914, 62;
Rev. *Ba.*, 360; *Breit*, EMi. II, 1913,
306, *Schaufuß* in Calwer, (264)
(*B. Jeanneli* [Abeille de Perrin] 1904)
1914:1 (cavern.: Gallia: Pyr. inf.).
Silph., *Bath.*, *Bathy.* 13.

Bathyscimorphus O Jeann., Arch.Zo.exp.
1910, 21, etc.; Rev. *Ba.*, 284; *Breit*,
EMi. II, 1913, 313; *Jeannel*, Arch.Zo.
exp. t. 54, 1914, 66 = Subg. 2 ad
Bathysciola Jeann. 1910 (*B. byssina*
[Schiödte] 1849 et *globosa* [Miller] 1855)
1914:2 (cavern.: Carniol., Croat.).
Silph., *Bath.*, *Bathy.* 3, 2.

Bathyscina Jeannel, Arch.Zo. exp. (4) 8,
1908, 298; *Schaufuß* in Calwer, (264)
nec *B. Reitt.* 1908 = *Bathyscia*
Schiödte = *Speonesiotes* Jeannel 1910;
— *B. Breit*, EMi. II, 1913, 314 (subg.)
(nec *Bathyscina* Reitt. 1908) =
Speonesiotes Jeannel 1910. *Silph.*,
Bath., *Bathy.* 32.

Bathyscina Reitt., WEZg. 27 (err.) 1908,
117 = *Bathyscia* Schiödte 1849.
Silph., *Bath.*, *Bathy.* 4.

Bathysciola O * + s. str. Jeannel, Rev.
Ba., 207 (gen.); *Breit*, EMi. II, 1913, 313
Subg.; *Jeannel*, Arch.Zo. exp. t. 54,
1914, 67 = Subg. 3 ad *Bath.*, *Jeannel*
1910 (*B. pusilla* [Motsch.] 1840, *B.*
Peyroni Abeille de Perrin 1875 etc.)
1914:33 (muscic., lapidic.: Mediterr.,
Pers., Cauc.). *Silph.*, *Bath.*,
Bathy. 3, 3.

Anat.: *Jeannel*, Rev. *Ba.*, 60, f. 42.

Meta m.: *Jeannel*, t. c., 97.

Bathysciotes O * Jeannel, Arch.Zo. exp.
(5) 5, 1910, 15 (gen.); Rev. *Ba.* 424, *Breit*,
EMi. II, 1913, 314 (Subg.); *Jeannel*,
Arch.Zo. exp. t. 54 1914, 68.—Chorol.:
Jeannel, Rev. *Ba.* t. 146, f. 41 (carte)
= Subg. 3 ad *Bathyscia* Schiödte

- 1849 (*B. Khevenhüller* L. Miller 1851)
 1914:2 (musc., cavern.: Carn., Croat., Dalm.). *Silph.*, *Bath.*, *Bathy.* 4, 3.
***Batoctenus* Sharp**, BCA. Col. II, 1, 1887, 19; **Raffr.**, ASEFr. 73, 1904, 7; GIW. *Psel.* 1908, 165 (*B. puncticollis* Sharp 1887) 1913:4 (Pan., Boliv., Amaz. sup.). *Psel.*, *Psel.*, *Batr. 181.*
***Batoxyla* O Raffr.**, TSAfr. Phil. S. 1897, 83; ASEFr. 73, 1904, 10; GIW. *Psel.* 1908, 177 (*B. punctata* Raffr. 1897) 1913:1 (Rhodesia). *Psel.*, *Psel.*, *Batr. 196.*
***Bratris* O Reitt.**, VzbGW. 31, 464; **Raffr.**, Rev. d'E. 14, 1895, 21; ASEFr. 73, 1904, 109; GIW. *Psel.* 1908, 200; *Schaufuß* in Calwer, 247 (Typ.?; *B. parallela* Raffr. 1892, *B. nitidissima* Raffr. 1882, *Armitagei* [King] 1864) 1913:35 (Singap., Sumatr., Java, Penang, N. S. Wales) *Psel.*, *Psel.*, *Brachygl.* 217.
***Batribolbus* Raffr.**, ASEFr. 73, 1904, 12 et 60; GIW. *Psel.* 1908, 180, (*B. palpator*, *dentipes* Raffr. 1893) 1913:3 (Ceylon). *Psel.*, *Psel.*, *Batr. 201.*
***Batriplica* O Raffr.**, ASEFr. 73, 1904, 3; GIW. *Psel.* 1908, 146 (*B. Dohrni* [Schauf.] 1887) 1913:3 (Birman., Penang, Singap.). *Psel.*, *Psel.*, *Batr. 161.*
***Batrisiella* Raffr.**, ASEFr. 73, 1904, 11, 59; *Psel.* 1908, 178 (*B. caviventris* [Raffr.] 1893) 1913:1 (Ceylon.). *Psel.*, *Psel.*, *Batr. 199.*
***Batrisinus* O Raffr.**, ASEFr. 62, 1893, 476; 73, 1904, 10; Rev. d'E. 13, 1894, 230; GIW. *Psel.* 1908, 175 (*B. Bouchardi* Raffr. 1893) 1913:4 (Sumatr.). *Psel.*, *Psel.*, *Batr. 193.*
***Batrisobryaxis* Schauf.**, TijE. 30, 1887, 148 = *Dalmodes* Reitt. *Psel.*, *Psel.*, *Tych. 280.*
***Batrisocenus* O Raffr.**, A.Mus.Nat.Hung. 1903, 48; ASEFr. 73, 1904, 9; GIW. *Psel.* 1908, 170 (Typ.?; *B. gracilicornis*, *abdominalis* [Raffr.] 1877) 1913:126 (Archip. malay., Afr., Nov. Guin., Japon., China) *Psel.*, *Psel.*, *Batr. 190.*
***Batrisedema* O Raffr.**, Rev. d'E. 9, 1890, 109; 13, 1894, 224; ASEFr. 73, 1904, 2; GIW. *Psel.* 1908, 141 (*B. tuberculata* Raffr. 1890) 1913:1 (Singap.). *Psel.*, *Psel.*, *Batr. 152.*
***Batrisodes* O Reitt.**, VN. 20, 1881, 205; **Ganglb.**, KäfMEur. II, 1895, 801; **Raffr.**, A. Mus. NH. 1903, 45; ASEFr. 73, 1904, 127; GIW. *Psel.* 1908, 157, *Schaufuß* in Calwer, 246; **Kuhnt**, 308, 312 (*B. Laportei* [Aubé] 1833, *venustus* [Reichenb.] 1816) 1913:180 + 8? (Eur. mer. et c., As. mer., Insul. Sundaic., Japon., Ceyl., Amer., Austral.). *Psel.*, *Psel.*, *Batr. 174.*
***Batrisodes* Raffr.**, Rev. d'E. 13, 1894, 231, 266; **Reitt.**, (pro parte), VzbGW. 33, 1883, 9 = *Batriscenus* Raffr. 1903. *Psel.*, *Psel.*, *Batr. 190.*
***Batrismalus* Raffr.**, ASEFr. 73, 1904, 12 et 60; GIW. *Psel.* 1904, 181 (*B. microphthalmus* [Raffr.] 1893) 1913:4 (Ceylon, [3], Ind. mer. [1]). *Psel.*, *Psel.*, *Batr. 203.*
***Batrismina* O Raffr.**, ASEFr. 62, 1903, 316; 73, 1904, 10; GIW. *Psel.* 1908, 176 (*B. strigicollis* Raffr. 1903) 1913:1 (Madag. sept.). *Psel.*, *Psel.*, *Batr. 195.*
***Batrismorpha* Raffr.**, Rev. d'E. I, 1882, 38 = *Batraxis* Reitt. 1881. *Psel.*, *Psel.*, *Brachygl.* 217.
***Batriscophyma* Raffr.**, ASEFr. 73, 1904, 6; GIW. *Psel.* 1908, 162 (*B. granosum* [Raffr.] 1894) 1913:1 (Singap.). *Psel.*, *Psel.*, *Batr. 175.*
***Batriscopatus* O Raffr.**, Rev. d'E. 13, 1894, 226; ASEFr. 73, 1904, 145; GIW. *Psel.* 1908, 145 (*B. rugulosus* Raffr. 1894) 1913:1 (Penang). *Psel.*, *Psel.*, *Batr. 202.*
***Batriscopilus* O Raffr.**, GIW. *Psel.* 1908, 180 (*B. antennatus* Ws. 1877) 1913 (Japon.). *Psel.*, *Psel.*, *Batr. 202.*

- Batriscopsis* O Raffr., Rev. d'E. 13, 1894, 264; ASEFr. 73, 1904, 10; GIW. *Psel.* 1908, 177 (*B. myrmecophila* Raffr. 1894) 1913:1 (Penang, Sumatra). *Psel.* *Psel.*, *Batris.* 197.
- Batrisoschema* O Reitt., VzbGW. 3, 1883, 399; Raffr., Rev. d'E. IX, 1890, 108; ASEFr. 73, 1904, 2; GIW. 1908, 141 (*B. lateridentata* Reitt. 1883, *B. filiformis* [Raffr.] 1882) 1913:4 (Java, Born., Japon., Singap.). *Psel.*, *Psel.*, *Batris.* 151.
- Batrissus* O Aubé, *Psel.* Mon. 1833, 45; ASEFr. (2) 2, 1844, 86; Er., KäfMaBr. I, 264; Jacq. du Val I, 130; Gutfl.-B., 192; Schaufuß in Calwer, 246; Kuhnt, 308, 312; C.G.Thoms., Sk. Col. 3, 1861, 224; Sauley, Spec. I, 1874, 90; Reitt., VzbGW. 31, 1881, 451; Raffr., Rev. d'E. 1890, 110; 13, 1894, 230; ASEFr. 73, 1904, 6; GIW. *Psel.* 1908, 156; Ganglb., KäfMEur. II. 800, (*B. formicarius* Aubé 1833) 1913:6 (Eur., Transsylv., Peking, Wladivost., Pan., Melbourne). *Psel.*, *Psel.*, *Batris.* 173.
- Batrissus* J. Lec., Journ. NH.Boston, 6, 1848, 92; Brendel, Bull. Un. Iowa II, 1890; Raffr., Rev. d'E. 13, 1894, 230, = *Batrisodes* Reitt. 1881. *Psel.*, *Psel.*, *Batris.* 174.
- Batrybraxis* Reitt., DEZ. 26, 1882, 141; Raffr., Rev. d'E. 9 1890, 127, 129; ASEFr. 73, 1904, 257; GIW. *Psel.* 1908, 270 (*B. fortis*, *curlatula* Reitt. 1882) 1913:5 (Bras., Venez., Mexic.). *Psel.*, *Psel.*, *Tych.* 287.
- Batuliodes* Cas., Rev. Mon., 1907, 499 (*B. rotundicollis* Lec. 1851) 1913:1 (Calif.). *Ten.*, *Batul.* 249.
- Batilius* Lec., ANYAcSc. V, 1851, 148; Lac. V, 340; Casey, Rev. Mon. 1907, 497, 498 (*B. setosus* Lec. 1851) 1913: (Calif.). *Ten.*, *Batul.* 248.
- Batus* O Thunb., Mém. Acad. Pétersb. VIII, 1822, 307 (*B. barbicornis* [L.] 1758, *hirticornis* [Gyll.] 1817) 1913:4 (Cayenne, Amaz., Brasil. [3]). *Ceramb.*, *Ceramin.*, *Sterna.* 943.
- Batycolpus* Marshall, JoLSLZo. 8, 1865, 46; Chap., G. Col. X, 1874, 341 = *Corynodes* Hope 1840. *Chrys.*, *Eumolp.*, *Corynod.* 270.
- Batyle* O J. Thoms., Syst. Cer. 1864, 201; J. Lee., Smiths. Inst. Misc. Coll. XI, 265, 1873, 314 (*B. ignicollis* [Say] 1823, *suturalis* [Say] 1823) 1913:3 (Civ. confoed., Am. bor.). *Ceramb.*, *Ceramin.*, *Stenaspid.* 998.
- Baulius* Cas., AN YorkAcSc. 8, 1895, 641, 650 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Bdelyrus* Har., Col. Hefte V, 1869, 57; (*Bd. lagopus* Har. 1869) 1913:2 (Bahia, Nicarag., Panam.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 52.
- Bebius* Pasc., JoE. II, 1865, 369 (*B. filiformis* Pasc. 1865) 1913:2 (Austral., mer., Victoria). *Ceramb.*, *Ceramin.*, *Stronglu.* 417.
- Beocaria* Gorh., AMusG. 22, 1885, 521 (*B. papuensis* Gorh. 1885) 1913:4 (Ind. or.; Celeb., Nov.-Guin., Aru Ins.). *End.*, *Endo.*, *Eumorph.* 34.
- Bedelia* O Lefvr., ASEFr. (5) V, 1875, Bull. p. X; MSLiége (2) 11, 1885, 141; Ws., NID. 6, 1882, 278; Schaufuß in Calwer, 924 (*B. angustata* Lefvr. 1875) 1914:4 (Pers., Armen.; Buchara, Caucas.). *Chrys.*, *Eumolp.*, *Typoph.* 257.
- Belidus* Muls. et Rey, HNCollFr., Brevip., *Oxyp.*, *Oxyt.* 1879, 113; Schaufuß in Calwer, 173 = Subg. ad *Bledius* Mannerh. 1830. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 215.
- Bellamira* J. Lec., Smiths. Misc. Coll. XI, 265, 1873, 328; J. Lee. et Horw., Class. 1883, 313 = Subg. 7 ad *Strangalia* Serv. 1835 (*B. scalaris* [Say] 1827) 1913:2 (Nearct.: Ariz., Am. bor.). *Ceramb.*, *Ceramin.*, *Lept.* 551, 7.
- Belonuchus* O Nordm. Symb. 1837, 129; Sharp, TESL. 1876, 156; Fauv., AMusG. 12, 1878, 101 (Typ. ?; *B. xanthopterus* Nordm. 1837; *epphi-*

- piatus* [Say] 1834, *formosus* [Grav.] 1806; *haemorrhoidalis* [F.] 1801), 1914 : 93 (As. mer., Ins. Sund.; Afr. or. et occ., Transv.; Austral.; Mex., Calif., Am. centr.-mer., Antill.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 305.
- Belopherus* O Schoenh., G.Circ. I, 1833, 334; Imhoff, Stud. Kol. 1856, 167; Lac., VII, 1866, 435; Schoenfeldt, GIW. Brenth. 1908, 44 (*B. nasutus* [F.] 1787) 1913:8 (Insul. Ind. occ.). Brenth., Brentha., Bel. 72.
- Belophorus* Gemm. u. Har. Col. Cat. IX, 1872, 2711 = *Belopherus* Schoenh. 1833. Brenth., Brentha., Bel. 72.
- Belopus* O Gebien in Schkdg. u. J., Col. Cat. P. 28, 1911, 459 pro *Calcar Latr.* (*B. elongatus* [Herbst] 1797) 1913:17 (Mediterr., Desert, Kirghis. Armen. Cauc., Turkest.). *Ten.*, *Tenebr.* 835.
- Belorhynchus* Lac., Fam. Nat. Règne An. 1825, 390; Imhoff, Stud. Kol. 1856, 167; Lac., VII, 1866, 437 = *Tychaeus* Fisch. v. Waldheim 1823. Brenth., Brentha., Tych. 80.
- Beltia* O Jac., BCA. Col. VI, I, 1881, 128; Lefvr., MSLiége (2) 11, 1885, 26 (*B. nicaraguensis* Jac. 1881) 1914:1 (Nicarag.). *Chrys.*, *Eumolp.*, *Iphim.* 38.
- Bemasus* Muls. et Rey, ASAgr.Lyon, 1875, 257 = *Platydracus* C. G. Thoms. 1858 = Subg. ad *Staphylinus* L. 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Bembogeneius* Solier in Gay, Hist. Chile Col. V 1851, 84 = *Tribostethus* Curtis 1845 = Subg. ad *Aulacopalpus* Guér. 1838. *Scar.*, *Rut. orth.*, *Anoplgni.*, *Brachystern.* 127.
- Berdura* O Reitt., VN. 20, 1881, 187; Raffr., ASEFr. 73, 1904, 110; GIW. Psel. 1908, 205. (*B. excisula* Reitt.) 1913:1 (St. Thomas). Psel., Psela., Brachygl. 224.
- Bergrothia* Reitt., WEZg. 3, 1884, 207 = *Bergrothiella* Reitt. 1897. Psel., Psela., Batris. 164.
- Bergrothiella* O Reitt., WEZg. 16, 1897, 241; Raffr., ASEFr. 73, 1904, 4; GIW. Psel. 1908, 148, Schaufuß in Calwer, 216 (*B. Saulcyi* Reitt., 1877) 1913:6 (Cauc., Lenkoran, Mingrel., Alban., Corfu). Psel., Psela., Batris. 164.
- Beriqua* Péring., TSAfr. Phil. S. 13, 1904, 185 (*B. modesta* Péring.) 1913:1 (Colon. cap.). Scar., Melth., Melthi. 240.
- Berlara* Reitt., VN. 20, 1881, 189; Raffr., ASEFr. 73, 1904, 110; GIW. Psel. 1908, 204 (*B. crassipalpus* Reitt. 1882) 1913:1 (Batavia). Psel., Psela., Brachygl. 223.
- Bethelium* O Pasc., JoLSLZo. IX, 1866, 97; Gahan, TESL. 1893, 178 (*B. signiferum* [Newm.] 1840, *inscriptum* [Pasc.] 1862) 1913:9 (Austral., Tasm., Nov. Zealand.). Ceramb., Cerambin., Calldp. 312.
- Biblomimus* Raffr., ASEFr. 72, 1903, 545 = *Ramecia* Cas. 1903. Psel., Psela., Euplect. 114.
- Bibloplectus* O Reitt., VzbGW. 31, 1881, 529; Guillebeau, Rev. d'E. 7, 1888, 210; Raffr., Rev. d'E. 17, 1898, 257; ASEFr. 72, 1903, 529; GIW. 1908, 96; Casey, Col. Not. V, 1893, 458; Ganglb., KäfMEur. II, 1895, 781; Schaufuß in Calwer, 213; Kuhnt, 307, 311 (*B. ambiguus* Reichenb. 1816) 1913:19 (Eur. centr. et mer., Siam, Singap., Sansib., Batav., Terr. cap., Cost. aur.). Psel., Psela., Euplect. 106.
- Bibloporus* O C. G. Thoms., Sk. Col. 3, 1861, 225; Casey, Col. Not. 5, 1893, 458; Reitt., VzbGW. 31, 1881, 452; Raffr., Rev. d'E. 9, 1890, 94, 101; 17, 1898, 257; ASEFr. 72, 1903, 529; GIW. Psel. 1908, 95; Ganglb., KäfMEur. II, 791; Schaufuß in Calwer, 213; Kuhnt, 307, 311 (*B. bicolor* [Denny] 1825) 1913:8 (Eur., Pyren., Gall. centr., Corsic., Hamarat; New York). Psel., Psela., Euplect. 104.
- Bicellonycha* Motsch., Et. E. 1852, 54; Ern. Oliv., Rev. Sci. Bourb. 1909,

- 113 (*B.lineola* [Blanch.] 1837) 1913:19
+ 1 (Amer. m. et centr.). *Lamp.*,
Photu. 53.
- Bicon* O Pasc., PZSL. 1866, 552; Gahan,
F. Brit. Ind. Col. I, 1906, 310 (*B. san-*
guineus Pasc. 1866) 1913:2 (Ind. or.:
Canara; Penang). *Ceramb.*, *Cerambin.*
Tillom. 861.
- Bilga* O Fairm., ASEFr., 1893, 137;
Brensk., BEZ. XLII, 1897, 354;
XLV, 1900, 77; XLVI, 1901, 205 (*B.*
pictipennis Fairm. 1893) 1913:6
(Cong. gall., Camer., Togo etc.).
Scar., *Melth.*, *Seric.* 76.
- Bimia* O White, PZSL. 18, 1850, 13
(*B. bicolor* White 1850) 1913:2 (Nov.
Holl., Victor.). *Ceramb.*, *Cerambin.*,
Bimi. 581.
- Biocrypta* Cas., T.Ac. St.Louis XV, 1905,
26,51 = Subg. ad *Cryptobium* Mannerh.
1830. *Staph.*, *Paed.*, *Paedi.* 233.
- Biogramma* Motsch. in Schenk's R. II,
1860, 183 = *Doryphora* Ill. 1807.
Chrys., *Chryso.*, *Chrysi.* 6.
- Biolus* Muls. et Rey, Mém.Ac.Sc.Lyon,
1854, 169; Opusc. E. IV 1854, 25 =
Eurynotus Kirby 1818. *Ten.*, *Pedin.* 443.
- Biomorphus* O Motsch., B. Mose. 45,
1872, II, 38, 40 (*B. tuberculatus*
Motsch. 1872) 1913:1 (Calif.). *Ten.*,
Tenebr. 843.
- Bionesus* Fairm., Pet. Nouv. E. 1877,
70; ASEFr. (6) I, 1881, 283 (*B.cinereo-*
sparsus Fairm. 1877) 1913:1 (Ins.
Viti). *Ten.*, *Strongyl.* 1151.
- Biophida* O Pasc., JoE. I, 1860, 53
(*B.unicolor* Pasc. 1860) 1913:2 (Natal.).
Scrapt. 6.
- Bioplanes* O Muls., Col. Fr. *Latig.*,
1854, 144; Mém. Ac. L. Lyon 1854,
261; Opusc. E. V 1854, 117; Seidl.,
NID. V, 1894, 414; Reitt., Best.-Tab.
53, 1904, 107, Schaufuß in Calwer, (800)
(*B. meridionalis* Muls. 1854) 1913:1
(Gall. mer., Ital., ?Cauc.). *Ten.*,
Opatr. 497.
- Bioramix* O Bates, Cist. E. II, 1879,
479; Sec. Yarkand Miss. Col. 1890,
- 72 (*B. pamirensis* Bates 1879) 1913:4
(Kaschmir., Pamir.). *Ten.*, *Platysc.* 398.
- Biorus* O Letfr., Rev.MaZo. (3) 3, 1875,
68; MSLiége (2) 11, 1885, 154 (*B. geni-*
cultatus [Guér.] 1875) 1914:4 (Brasil.;
Amaz., Ecuador; Guayana: Flum.
Maroni). *Chrys.*, *Eumolp.*, *Endoc.*
275.
- Biotus* O Cas., B.Cal. Ac. Sc., 456; Col.
Not. V, 1893, 497, *B. formicarius*
Casey 1887, 1913:1 (Californ.). *Psel.*,
Psel., *Clenist.* 345.
- Biphyllocera* White in Grey, Jo.Exped.
Austral. II, 1841, App. p. 461
(*B. Kirbyana* White in Grey) 1914:1
(Austral.). *Scar.*, *Melth.*, *Lipar.* 213.
- Biphyllus* Steph. vide *Diphyllus* Steph.
1830. *Erot.*, *Diphyll.* 95.
- Biralus* Muls., *Lamellic.*, 1871, 227;
Reitt., Tab., 105; VN. 30, 243;
A. Schmidt, GIW. 21 et 69, Schaufuß
in Calwer, 1269 = Subg. ad *Aphodius*
Ill. 1798. *Scar.*, *Aphod.* 7.
- Bironia* O Raffr., A.Mus.Nat.Hung. 1903,
99; ASEFr. 73, 1904, 453; GIW.
Psel. 1908, 447 (*B. cavernosa* Raffr.
1903) 1913:1 (Nova Guinea). *Psel.*,
Clavig. 462.
- Bironium* Csiki, A.Mus.Nat.Hung. 1903,
7, 1909, 341 (*B. longipes* Csiki 1909)
1910:1 (Nov. Guin.). *Scaph.*, *Scapho.* 7.
- Biysaya* Reitt., VN. 23, 1885, 1; Best.-
Tab. 12, 1885, 72; Necroph. trad.
1890, 65; Seidl., F.Ba., 74; F.Tr., 74;
Everts I, 427, nota 2, Schaufuß in
Calwer, 000 (*B. nossidiiformis* Reitt.
1885) 1914:1 (Lenkoran). *Eucin.* 2.
- Bisnius* Steph., Ill. Brit. V, 1832, 247
= *Philonthus* s. str. Muls. et Rey,
= Subg. ad *Philonthus* Steph. 1832.
Staph., *Staphy.*, *Staphyl.*, *Staphi.* 286.
- Bisnius* C. G. Thoms., Skand. Col. II,
1860, 168 = *Neobisnius* Ganglb.
1895. *Staph.*, *Staphy.*, *Staphyl.*,
Staphi. 282.
- Bissicomus* Pic, Rev. scient. Bourb. VII,
1894, 41, 42 = Sect. ad *Anthicus*
Payk. 1798. *Anth.* 19.

- Bittotaenia* Motsch. in Schrenk's R. II, 1860, 206 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chysi.* 24.
- Bius* O Muls., Col. Fr. *Latig.* 1854, 266; Opusc. E. 9, 1859, 140; Redt., F. Austr. ed. II et III; Lac. V, 384; C. G. Thoms. Sk. Col. I, 117; VI, 266; J. Lee., Class. 1862, 231; ed. II, 1883, 378; Jacq. du Val III, 305; Seidl., FBa. et Tr., 134; NID. V, 1896, 623, 645; Desbr., Frelon XI, 1902, 55; Gutfl.-B., 418; Schaufuß in Calwer, 815; Kuhnt, 741, 749 (*B. thoracicus* [F.] 1792) 1911. (Eur., Calif.). *Ten.*, *Tenebr.* 852. *Bixoretes* Pasc., ANH. (3) 19, 1867, 315 (*B. illustris* [Dalm.] 1817) 1913: 1 (Afr. mer.). *Ceramb.*, *Cerambin.*, *Typh.* 691.
- Bizanus* Péring., TSAfr. Phil. S. 12, 1902, 797 (*B. caliginosus* Péring. 1902) 1913: 1 (Colon. cap.). *Scar.*, *Melth.*, *Hopl.* 518.
- Blabinotus* O Woll., Ins. Mader. 1854, 423 (*Bl. spinicollis* Woll. 1854) 1912: 1 (Madera). *Ceramb.*, *Cerambin.*, *Saph.* 39.
- Blackburnium* Bouem., ASEFr. 79, 1910 (1911), 339 = Subg. ad *Bolboceras* Kirby 1818. *Scar.*, *Geotr.*, *Bolboc.* 3.
- Blacodes* Blanch., HN. II, 1845, 13; Muls., Mém. Ac. L. Lyon X, 1860, 11; Opusc. E. X, 1859, 103; Seidl., NID. V, 1894, 410 = *Blenosia* Cast. 1840. *Ten.*, *Opatr.* 488.
- Blaesiophthalmus* Schklig., DEZ. 1903, 14; GIW. Cler. 1903, 47 (*Bl. accinctus* [Newm.] 1842) 1913: 2 (Austral.; Tasm.). *Cler.*, *Cleri.*, *Clerin.* 97.
- Blapida* O Perty, Del. anim. art. 1830, 58; *Cast.*, HN. II, 1840, 232; Lac. V, 425; *Gebien*, ArN. 1917 (1918) A 3, 28 et 121 (*Bl. Okeni* Perty 1830) 1918: 13 (Am. c., Bras., Grenada, Arg. b., Pan. ad Costaricam). *Ten.*, *Cnodal.* 960.
- Blapidurus* Fairm., Compt. rend. SEB. 32, 1888, 26 = *Blaps* F. 1775. *Ten.*, *Blapt.* 391.
- Blapimorpha* Motsch., B. Ac. Petr. II, 1860, 531; Allard, ASEFr. (6) II, 1882, 77 = *Blaps* F. 1775. *Ten.*, *Blapt.* 391.
- Blapisa* Motsch., B. Ac. Petr. II, 1860, 530; Allard, ASEFr. (6) I, 1881, 494; Seidl., FBa. ed. II, 1891, 513 = *Blaps* F. 1775. *Ten.*, *Blapt.* 391.
- Blaps* O + F., Syst. E. 1775, 254; Fisch., B. Mosc. 17, 1844, I, 69 (Spicil.); Sol., Studi entom. II, 1848, 154 (8), 291 (145); Muls., Col. Fr. *Latig.* 1854, 105; Woll., Ins. Mader. 1854, 506; Lac. V, 143; Jacq. du Val, III, 267; Allard, ASEFr. (5) 10, 1880, 300; (6) 2, 1882, 84; Seidl., NID. V, 1893, 238, 242 (Mon.); Reitt., DEZ. 1893, 316; Desbr., Frelon 9, 1901, 185; Gutfl.-B., 410; Schaufuß in Calwer, 796; Kuhnt, 738. 742 (*Bl. mortisaga* F. 1775, *gigas* F. 1775 usw.) 1913: 189 (Eur., As., Afr. bor.). *Ten.*, *Blapt.* 391.
- Anat.: Wielowieyski, Arb. Zo. Inst. Un. Wien et Zo. Stat. Triest, 16, 1—62; Arch. f. Protistenk. 4, 335—383 f. 13, 14; Léger u. Hagenmüller, BSEFr. 1899, 192—194; Escher., ZwZo. 57, 1894, 634, t. 26 f. 6.
- Duftapparat: Gilson, La Cellule V, 1889, 1—23, tab.
- Biol.: Letzner, Arb. schles. Ges. Breslau 1843, 170; Letourneau, Pet. Nouv. I, 1875, 537; Muls., M. Ac. Lyon, 19, 1872, 340/2; Opusc. 15, 1872, 92/6; Seidl., Mon., 245/6; Perris, ASEFr. (2) 10, 1852, 606, 609/12 t. 15; Schiödte, NTi. 11, 1879, 532, t. 6 f. 1—13; Candèze, A. S. Sc. Liège 8, 1853, t. 6 f. 5; Dickson „Das Blatt f. Kampf“, 1905 Nr. 4, 42 (Schädl. in Weizenfeldern) [russisch]; Kambeu, Echange 1893, 43; Haliday, TESL. 1838, II, 100 t. 11.
- Blapstinus* O Latr., Règne anim. ed. II, V, 1829, 21; Waterh., ANH. 16, 1845, 34; Sol. in Gay, HN. Chile V, 1851,

- 232; **Lac.** V, 1859, 250; **Muls. et Rey**, A. S. Agr. Lyon 1859, 180; Op. E. 9, 1859, 116; **G. Horn**, Rev. Ten. 1870, 351; **Casey**, AN YAcSc. VIII, 1895, 616. — Monogr. spp. Am. bor.: **Casey**, op. cit. V, 1891, 409, 416. — (Typ.?: *Bl. punctatus* [F.] 1792) 1913:80 (Am. bor., centr. et mer.-bor.). *Ten.*, *Pedin.* 472. *Blapta* Ws., DEZ. 1915, 436 (*Bl. Balyi* Har. 1875) 1916:1 (Columb.). *Chrys.*, *Chryso*, *Phylloch.* 108. *Blaptoprosodes* Reitt., Mon. I, 120, 154 = Subg. ad *Prosodes* Eschsch. 1829. *Ten.* 390. *Blaplyis* G. Horn, Rev. *Ten.* 1870, 301; *Blaisd.* Mon., 34 sq. = Subg. ad *Eleodes* Eschsch. 1829. *Ten.*, *Eleod.* 392. *Blastanus* Ill., Ma. 6, 1807, 334; *Germar*, F. Ins. Eur. 14, 1831, 5 = *Steropes* Stev. 1806. *Ped.* 13. *Blastarnus* Fairm., ASEFr. 66, 1897, 132 (*Bl. pruiniosus*, *grallator* Fairm. 1897) 1913:3 (Afr. mer.-or., Kimberley, N'Gami). *Ten.*, *Helopi*. 1099. *Blastophagus* Eichh., BEZ. 1864, 125; *Chap.*, Syn. *Scol.* 1873, 241; *Lee*, P. Am. Phil. Soc. Philad. 15, 1876, 386; *Schaufuß* in Calwer, 1222 = *Myelophilus* Eichh. 1870. *Ip.*, *Hyles*. 15. *Blattivorus* Chob., Le Coleopteriste I, 1891, 237; AMusG. 34, 1894, 145; BSEFr. 1904, 230; *Schaufuß* in Calwer, 760 (*Bl. lusitanicus* [Gerst.] 1855, Lusit.; *madagascariensis* Chob. 1906: Madag.) 1913:2 (Lusit., Madag.). *Rhip.*, *Rhipid.* 19. *Blattochaeta* O Reitt., WEZg. 29, 1910, 164; **Breit**, EMi. II, 1913, 308; **Jeannèl**, Arch.Zo.exp.54, 1914, 74 (*Bl. Marianii* Reitt. 1910) 1914:1 (cavern.: Dalmat.; Crivoscia). *Silph.*, *Bath.*, *Bathy.* 39. *Blattodromus* Reitt., WEZg. 23, 1904, 153 (subg.), 27, 1908, 113 (= *Photovenopsis*); **Jeannel**, Rev. Ba., 461; **Breit**, EMi. II, 1913, 308. (*Bl. her-* *culeanus* Reitt., 1904) 1914:1 (cavern.: Herzegov.) *Silph.*, *Bath.*, *Bathy.* 40. *Blattomorpha* Motsch., Etud. E. 1852, 38 sq. = *Photuris* Lee. 1851. *Lamp.*, *Photu.* 52. *Blaxima* Gorh., O BCA.Col. III, 2, 1882, 165; **Sehlg.**, GIW. Cler. 1903, 59 (*Bl. rubripennis* Chevr. 1874) 1913:1 (Am. centr.). *Cler.*, *Cleri.*, *Clerin.* 71. *Blediodes* Muls. et Rey, NH. Col. Fr. Brévip. *Oxyp.* *Oxyt.* 1879; 134; *Schaufuß* in Calwer, 174; **Kuhnt**, 203 = Subg. ad *Bledius* Mannh. 1830. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte*. 125. *Blediotrogus* Sharp, EMM. 36, 1900, 234 (*Bl. guttiger* Sharp 1900) 1913:2 (Auckland., Nov. Zealand.). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte*. 113. *Bledius* O* Mannh., Brach. 1830, 44; *Ganglb.*, KäfMEur. II, 1895, 610. *Guttl.-B.*, 166; *Schaufuß* in Calwer, 163, 173; **Kuhnt**, 163, 203. Biol.: **Schiödte**, NTi. (3) III, 1864/65, 211—214 t. 12 f. 4—32; **Rupertsb.**, Biol. Käf. Eur. 1880, 125. (Typ.?: *Bl. bicornis* [Germ.] 1822; *Bl. brunnipennis* [F.] 1801, *fracticornis* [Payk.] 1790, *furcatus* [Ol.] 1811, *opacus* [Block] 1799, *pallipes* [Grav.] 1806, *talpa* [Gyll.] 1810, *unicornis* [Germ.] 1825) 1913:229 (in omm. part. orb. terr. distrib.) — *Bl.* s. str. **Muls. u. Rey**, HN. Col. Fr. Brévip. *Oxyp.* *Oxyt.* 1879, 113 = Subg. ad *Bl.* *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte*. 125. *Blemmya* Pase., TESL. (2) 4, 1856, 42 = *Euryarthrum* Blanch. 1845. *Ceramb.*, *Cerambin.*, Proth. 674. *Blenosia* Cast., HN. II, 1840, 209; **Lac.** V, 259; **Seidl.**, NID. V, 1894, 411 (*Bl. sulcata* Cast. 1840) 1913:7 (Afr. mer. 1, Terr. cap. 6). *Ten.*, *Opatr.* 488. *Blepegenes* O Pase., TESL. 1868, 12; ANH. (4) 3, 1869, 41 (*Bl. aruspex* Pase. 1868) 1913:3 (Austral., N. S. W., Queensl.). *Ten.*, *Adelii*. 1001.

- Blepharotoma** **Blanch.**, Cat. Col. E. I., 1850, 115 (*Bl. tarsalis* **Blanch.** 1850) 1913:1 (Patria?). *Scar.*, *Melth.*, *Macrod.* 468.
- Blephylidia** **J. Thoms.**, Rev. MaZo. 1877, 277 = *Brephylidia* **Pasc.** 1871.
- Ceramb.**, *Prion.*, *Macrot.*, *Cnem.* 26.
- Blepusa** **O Westw.**, TESL. III, 1842, 69; *Lac.*, V, 1859, 499 (*Bl. costata* **Westw.** 1842) 1913:2 (Brasil.). *All.*, *Allec.* 23.
- Blikana** **Péring.**, T. S. Afr. Phil. S. 12, 1902, 880 (*Bl. comosa* **Péring.** 1902) 1913:1 (Colon. cap.). *Scar.*, *Melth.*, *Hopl.* 554.
- Bindus** **Muls. et Rey**, Opusc. E. IV, 1853, 206; Mém. Ac. L. Lyon, 1853, 122; **Seidl.**, NID. V, 1893, 364, 374; **Reitt.**, Best.-Tab. 53, 1904, 52 = Subg. ad *Pedinus* **Latr.** 1796. *Ten.*, *Pedin.* 454.
- Blitopertha** **O Reitt.**, VN. 41, 1903, 85 = Subg. 3 ad *Phyllopertha* **Steph.** 1830; **Schaufuß** in Calwer, 275, 278; **Kuhnt**, 385 (*Bl. lineata* [F.] 1798, *campestris* [Latr.] 1804, *arenaria* [Brullé] 1832) 1918:8 (Medit., Turkest., Taschkent., Japon.). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 77, 3.
- Blosyropus** **O Redt.**, Reise Novara, Col. 1868, 286 (*Bl. spinosus* **Redt.** 1868) 1913:2 (Nov. Caled., Nov. Zealand.). *Ceramb.*, *Cerambin.*, *Lept.* 514.
- Blysmia** **O Pasc.**, ANH. (4) 10, 1872, 323; **Schoenfeldt**, GIW. *Brenth.* 1908, 47 (*Bl. ruficollis* **Pasc.** 1872) 1913:1 (Ins. Batchian). *Brenth.*, *Brentha.*, *Bel.* 79.
- Blumenophilus** **Pic**, Echange 27, 118 [prope *Phytobaen.*] (*Bl. externe-notatus* **Pic** 1911) 1913:1 (—). *Hyloph.* 1a.
- Bobus** (*B. Picornoti*) **Boil.**, BSEFr. 1899, 40 [teste *Boileau*] = *Agnus* **Burm.** 1847. *Luc.*, Fig. 63.
- Bodilus** **Muls.**, Lamell. 1871, 278; **Reitt.**, Tab., 53; VN. 30, 191; **A. Schmidt**, GIW. 19 et 35; **Schaufuß** in Calwer, 1269 = Subg. ad *Aphodius* Ill. 1798. *Scar.*, *Aphod.* 7.
- Boeocrara** **Reitt.**, F.Germ. II, 1909, 266, 273 = *Baeocrara* **C. G. Thoms.** 1859. *Ptil.*, *Ptili.* 28.
- Bogosus** **Pic**, AMusG. 34, 1894, 584 (*B. tomoderoides* **Pic** 1894) 1913:1 (Abyss.). *Anth.* 17.
- Bolax** **Fisch.**, B. Moscou I, 1829, p. 45; **Burm.**, Hd. E. IV, 1, 1844 p. 485) (*B. Zoubkoffi* [Fisch.] 1829, *flavolineatus* [Mannh.] 1829) 1918:34 (Brasil., Boliv., Per., Nicar., Ecud., Cayenne). *Scar.*, *Rut. orth.*, *Geniat.* 151.
- Bolaxoides** **Cast.**, HN. Col. 1840, 140 = *Leucothyreus* **S. McLeay** 1819. *Scar.*, *Rut. orth.*, *Geniat.* 152.
- Bolbapium** **Bouem.**, ASEFr. 79, 1910 [1911], 340 = Subg. ad *Bolboceras* **Kirby** 1918. *Scar.*, *Geotr.*, *Bolboc.* 3.
- Bolbelasmus** **O** *** Bouem.**, ASEFr. 79, 1910 (1911) 335. — Biol.: **Guér.**, ASEFr. (2) 10, 1852, *Bull.*, 76; **Lab.** op. cit. (4), 1864, 93; **Heyden**, DEZ. 19, 1875, 375; **Fabre**, Arch. Zo. exp. 26, 1898, 457; *Souv. E.* 7, 1901, 380; 10, 1907, 305; **Arrow**, TESL., 1904, 728, t. 36, f. 9; **Béguin**, BSEFr. 1906, 93; **Molland**, t. c., 178; **Sajo**, Ill. ZE. II, 1897, 544. — (*B. unicornis* [Schrank] 1789, *B. Bocchus* [Er.] 1841) 1913:4 (Germ., Austr., Brit., Mediterr., Afr. mer.) *Geotr.*, *Bolboc.* 9.
- Bolbites** **O** *** Har.**, Col. Hefte IV, 1868 81 (*B. onitoides* **Har.** 1868) 1913:1 (Uruguay, Argent.). *Scar.*, *Copr.*, *Copri.*, *Phan.* 81.
- Bolbobythus** **O Raffr.**, ASEFr. 73, 1904, 255; GIW. *Psel.* 1908, 279; **Schaufuß** in Calwer, 250 (Typ.?); *B. gracilis* [Motsch.] 1851, *B. Burrelli* [Denny] 1825) 1913:17 (Europ. mer.). *Psel.*, *Psela.*, *Tych.* 295.
- Bolboceras** **O Kirby**, TLSL. 12, 1818, 459; **Klug**, Abh. Berl. Akad. 1843, 36—56; **Westw.**, TLSL. 21, 1852, 18—29;

- Lac.** III, 142; **Boucomont**, ASEFr. 79, 1910 (1911), 338—343 (Subg., Synops.); **Gutfl.-B.**, 320; **Schaufuß** in Calwer, 1287, 1288; **Kuhnt**, 384, 400. **Biol.**: **Mancee**, ENs. 19, 1908, 459; **Arrow**, TESL. 1904, 727/8, t. 36. **Faunistik: Amerika:** Am. Civ. confoed.: **Schaeffer**, TAES. 32, 1906, 249—254.
- Australia:** Westw., TLSL. 21, 1852, 11—18; **Blackb.**, PLSNSW. 29, 1904, 481—526. — (Typ.?: *B. coryphaeus* [F.] 1775, *ferrugineum* [Palis.] 1805. *quadrident* [F.] 1781, *cyclops* [Ol.] 1789, *quadrident* [F.] 1789) 1913:169 (in omn. part. orb. terr. distr.). *Scar.*, *Geotr.*, *Bolboc.* 3.
- Bolboceras** Bates, BCA. Col. *Lamell.* 1887, III; **Kolbe**, ArN. 52, 1886, 188 = **Kolbeus** Bouem. *Scar.*, *Geotr.*, *Bolboc.* 8.
- Bolboceras** Cast., HN. Col. II, 1840, 105 et auct. seq. = **Bolbochromus** Bouem. 1909. *Geotr.*, *Bolboc.* 5.
- Bolboceras** Cast., HN. Col. II, 1840, 105; **Kl.**, Abh. Berl. Akad. 1843, 51; **Gutfl.-B.**, 320 et auct. seq. = **Eucanthus** Westw. 1852. *Scar.*, *Geotr.*, *Bolboc.* 7.
- Bolboceras** Fairm., Compt. rend. SEB. 35, 1891; 6; **Bouem.**, BSEFr. 1908, 197 = **Bolbotrypes** Ols. 1907. *Scar.*, *Geotr.*, *Bolboc.* 10.
- Bolboceras** Kirby, TLSL. 1818, 462 et auct. sq. = **Elephantomus** M'Leay 1819. *Scar.*, *Geotr.*, *Bolboc.* 11.
- Bolboceras** Kl., Abh. Berl. Akad. 1843, 51 et auct. seq. = **Bolbocerosoma** Schaeff. 1906. *Scar.*, *Geotr.*, *Bolboc.* 6.
- Bolboceras** Solsky, Fedtschenko's Reise Turkest. Col. II, 1876, 352; Fairm., BSEFr. 1892, 122 = **Eubolbitus** Reitt. 1893. *Scar.*, *Geotr.*, *Bolboc.* 12.
- Bolboceras** Steph., Ill. Brit. E. Mand. III, 1830, 179 et auct. seq. = **Bolbelasmus** Bouem. 1910 (1911). *Scar.*, *Geotr.*, *Bolboc.* 9.
- Bolboceras** Steph., Ill. Brit. E. III, 1828, 178; **Cast.**, HN. Col. II, 1840, 105; **Muls.**, Col. Fr. *Lamell.* 1842, 347 = **Odontaeus** Kl. 1843. *Scar.*, *Geotr.*, *Bolboc.* 4.
- Bolbocerosoma** O Schaeff., TAmES. 32, 1906, 254; **Schaufuß** in Calwer, 0?; (*B. farctum* [F.] 1775) 1913:3 (Chin., Jap., Korea, Am. bor.). *Scar.*, *Geotr.*, *Bolboc.* 6.
- Bolbochromus** O Bouem., BSEFr. 1909, 117 (*B. sulcicollis* [Wiedem.] 1823) 1912:9 (Ins. Sundaic., Ind.). *Scar.*, *Geotr.*, *Bolboc.* 5.
- Bolbocranius** Kolbe, Käf. D.-Ostafr. 1897, 284; Schoenfeldt, GIW. *Brenth.* 1908, 13 (*B. mandibularis* Kolbe 1897) 1913:3 (Camerun., Usamb.). *Brenth.*, *Brentha.*, *Taphr.* 20.
- Bolbogaster** Lac., VII, 1866, 467; Schoenfeldt, GIW. *Brenth.* 1908, 73 (*B. ctenostomoides* Lac. 1866) 1913:2 (Ins. Fidji, Nov. Hebrid.). *Brenth.*, *Brentha.*, *Ith.* 115.
- Bolbogonium** Bouem., ASEFr. 79, 1910 (1911), 340 = Subg. ad **Bolboceras** Kirby 1918. *Scar.*, *Geotr.*, *Bolboc.* 3.
- Bolbomorphus** Gorh., PZSL. 1887, 647 (*B. Theryi* Gorh. 1887, *gibbosus* Gorh. 1887) 1910:2 (Jap., China). *End.*, *Endo.*, *Endom.* 72.
- Bolbophanes** O Carter, PLSNSW. 38, 1913, 86 (*B. rugatus*, *varicolor* Carter 1913) 1913:2 (N. S. W., Queensl.). *Ten.?*
- Bolbophites** Fauv., Rev. d'E. 23, 1904, 278 (*B. aspericeps* et *pustulosus* Fauv. 1904) 1913:2 (Brasil.). *Staph.*, *Paed.*, *Paedi.* 225.
- Bolborhachium** Bouem., ASEFr. 79, 1910 (1911), 339 = Subg. ad **Bolboceras** Kirby 1818. *Scar.*, *Geotr.*, *Bolboc.* 3.
- Bolbostetha** Fairm., Not. Leyd. Mus. 18, 1896, 117 (*B. quadricollis* et *B. soleata* Fairm. 1896) 1913:2 (Singapore.). *All.*, *Allec.* 38.

Bolbotritus O Bates, TESL. 1871, 375
(*B. Bainesi* Bates 1871) 1913:2 (Territ.
Matabele et Somali, Afr. or. germ.)
Ceramb., *Cerambin.*, *Cerambyc.* 123.

Bolbotrypes O d'Oloufieff, Rev. Russe
d'E. VII, 1907, 21; *Sem.*, op. cit.
IX, 1909, 435; *Bouem.*, ASEFr. 79,
1910 (1911), 334 (*B. Davidi* [Fairm.]
1891) 1913:1 (China, Mandschur.).
Scar., *Geotr.*, *Bolboc.* 10.

Boletophagus Zetterst., F. Ins. Lapp.
1828, 265; Ins. Lapp. 1840, 254;
Sahlb., Ins. Fenn. I, 1834, 483;
C. G. Thoms., Skand. Col. I, 115;
VI, 245; *J. Lec.*, Class., 1862, 263;
J. Lec. u. Horn, Class. 1883, 384;
Seidl., F. Ba. ed. II, 1891, Gatt.,
p. 131; F. Tr. 1891, Gatt., 131; *Schau-*
fuß in Calwer, 804; *Kuhnt*, 739. 745 =
Bolitophagus III. 1798. *Ten.*, *Boli-*
toph. 588.

Boliographa Motsch. in Schrenck's R. II,
1860, 198 = *Polyspila* Hope 1840.
Chrys., *Chryso.*, *Chrysi.* 12.

Bolitobius O Mannerh., Brach. 1830, 11;
Pandellé, ASEFr. (4) IX, 1869, 279;
Ganglb., KäfMEur. II, 1895, 361; *Luze*,
VzbGW. 51, 1901, 725; 52, 1902, 111;
Gutfl.-B., 126; *Schaufuß* in Calwer,
206, 208; *Kuhnt*, 170, 250 (Typ.?).
B. lunulatus [L.] 1767; *bicolor* [Grav.].
1806; *pulchellus* Mannh. 1830, *striatus*
[Ol.] 1794; *thoracicus* [F.] 1777; *tri-*
maculatus [Payk.] 1800) 1916:67, ev.
+ 1 *angularis* Sachse 1852 sp.
prop. cf. MS. Not. in Bernh. u.
Schub., P. 67, 1916, 462 in libro Mus.
Dahlem) (Palaearct.; Medit. -occ.;
Eur., Am. bor., Ariz., Calif., Japon.,
Birma, Turkest., Pan., Guat., Chile,
Rio de Jan., Austral.). *Staph.*,
Tach., *Bolit.* 417.

Biol.: Xambeu, Rev. d'E. 27,
1898, 47

Bolitonaeus O Lewis, ANH. (6) 13, 1894,
387 (*B. vacca* [Motsch.] 1858, *bifurcus*

[Pasc.] 1871) 1913:5 (Japon., Penang,
Ceyl., Birma). *Ten.*, *Bolitoph.* 590.

Bolitopertha O Geb., Ergebni. Exped.
Kilimandj. I, 7, 1910, 379 (*B. novem-*
costata Geb. 1910) 1913:1 (Afr.
occ. germ.). *Ten.*, *Bolitoph.* 593.

Bolitophagus O III., Käf. Preuß. 1798,
100; F. Syst. El. I, 1801, 112;
Gyllenh., Ins. Succ. II, 1810, 600;
Duft., F. Austr. II, 1812, 294; *Cast.*,
HN. II, 1840, 226; *Redtb.*, Gatt.
1845, 128; F. Austr. ed. II et III;
Muls., Col. Fr. *Latig.* 1854, 219;
Lac. V, 294; *Jacq. du Val*, III, 293;
Gutfl.-B., 413; *J. Horn*, Rev. 1870,
389; *Seidl.*, F. Ba. 1875, 96
(Gatt.); NID. V, 1894, 492; *Des-*
brocher, Frelon X, 1901, 103 (*B. reti-*
culatus [L.] 1767, *interruptus* [III.] 1800)
1913:15 (Eur., As., Madag., Ins.,
Réunion, Chile [3], Civ. confed.).
Ten., *Bolitoph.* 589.

Biol.: Perris, ASLLyon 23, 1876,
116, t. 8, f. 288/9; Schiödte, NTi.
XI, 1879, 546, t. 9, f. 1—4; Seidl.,
NID. V, 1894, 494; Curtis, TESL.
III, 1854, 33—39; *Muls.*, Col. Fr.
Latig. 1854, 222; Kraatz, BEZ.
3, 1859, 309, t. 4, f. 5; Perris, ASLLyon
23, 1876, 113 t. 8, f. 279—287;
Schiödte, Met. Eleuth. X, *Ten.* 1877,
544, t. 8, f. 1—7.

Bolitotherus O Cand., Mém. S. Liége 1861,
367; Horn, Rev. *Ten.* 1870, 388;
J. Lec. u. Horn, Class. 1883, 384
(*B. cornutus* [Panz.] 1794) 1913:1
(Am. bor. Civ. confed.). *Ten.*,
Bolitoph. 583.

Bolitoxenus O Motsch., Etud. E. 7, 1858,
64 (*B. gibber* Motsch. 1858) 1913:1
(Birma). *Ten.*, *Bolitoph.* 591.

Bomarion O Goun., ASEFr. '77, 1909,
674 (*B. lineatum* Goun. 1909) 1913:3
(Goyaz, Pernambuco). *Ceramb.*,
Cerambin., *Ibid.* 287.

Bombylius Fauv., Rev. d'E. 21, 1902,
42 (nec L.) = *Bombylodes* Fauv. 1904.

- Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 331.
Bombylodes Fauv., Rev. d'E. 23, 1904, 43 (*B. mimeticus* Fauv. 1904) 1914:1 (Sumatra). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 331.
- Boopinus* Klima, Münch. Kol. Z. II, 1904, 56; Schaufuß in Calwer, 168 = *Trogophloeus* Mannerh. s. str. Subg. 3 ad = *Trogophloeus* Mannerh. 1830. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 111, 3.
- Bootrupes* Bourm., ASEFr. 79, 1910, (1911), 349 = Subg. 10 ad *Geotrupes* Latr. 1796 (Typ. ?; *B. cariosus* [Fairm.] 1886, *B. semicribrosus* [Fairm.] 1891) 1913:9 (China, As. centr.). *Scar.*, *Geotr.*, *Geotrp.* 17, 10.
- Borboresites* Fairm., Not. Leyd. Mus. 19, 1897, 253 (*B. cruralis* [Mars.] 1876) 1913:2 (Jap., Szé-tchouen). *All.*, *Allec.* 32.
- Borchmannia* Borchmann, Echange, 28, 39 (*B. lineaticeps* Borchm. 1913) 1913:3 (—) = Subg. ad *Ronyerus* Pie 1912. *Lagr.* 30a.
- Boreaphilus* O Sahlb., Ins. Fenn. I, 1834, 433; Kraatz, BEZ. I, 1857, 39; NID. II, 1856/58, 909; Ganglb., KäfMEur. II, 1895, 699; Schaufuß in Calwer, 153, 162 (*B. Hennigianus* Sahlb. 1834) 1913:8 (Carinth., Lapp., Fenn., Asturia, Japon., Sib., Eur. occ.; Scandin.). *Staph.*, *Oxyt.*, *Omal.* 93.
- Borneana* Schauf., BSEFr. 1882 p. CLXXX; Raffr., ASEFr. 73, 1904, 12; GIW. Psel. 1908, 182 (*B. biformis* Schauf. 1882) 1913:1 (Borneo). *Psel.*, *Psel.*, *Batr.* 204.
- Borolinus* Bernh., DEZ. 1903, 116, 133 O (*B. javanicus* [Cast.] 1835), *B. borneensis* Bernh. 1903) 1913:5 (Birma, Malacca; Ins. Sundaic., Luzon.) *Staph.*, *Oxyt.*, *Piest.*, *Leptoch.* 15.
- Boromorphus* O Woll., Ins. Mader. 1854, 492; Lac., Gen. Col. V, 1859, 386; Jacq. du Val, III, 313; Seidl., NID. V, 649; Desbr., Frelon XI, 1902, 65;
- Übersicht: Reitt., WEZg. 27, 1908, 217. — (*B. maderae* Woll. 1854, *B. tagenoides* Luc. 1849) 1913:8 (Hisp., Alg., Marocc., Canar., Turkest., Madera, Seneg., Syr., Cairo, Vall. Arax.). *Ten.*, *Tenebr.* 851.
- Boros* O Hbst., Käf. 7, 1797, 318; Cast., HN. II, 1840, 217; Muls., Col. Fr. Latigèn. 1854, 269; Redtb., F. Austr. ed. I—III; Lac. V, 385; — Jacq. du Val, III, 1861, 314; Gutfl.-B. 419; Thoms. I, 118; VI, 326; J. Lee., Class. 1862, 256; ed. II, 1883, 402; Seidl., F. Ba. et F. Tr., 134; NID. V, 1896, 659; Desbr., Frelon, XI, 1902, 53; Schaufuß in Calwer, 815; Kuhnt, 741, 749 (*B. Schneideri* [Panz.] 1795) 1913:3 (Sibir., Eur. bor., Gallia mer., Transsyrv.). *Ten.*, *Tenebr.* 844.
- Boscia* Leach, ZoJo. I, 1824, 37; Chevr., ASEFr. (5) 4, 1874, 11 = *Cebrio* Ol. 1790. *Cebr.* 1.
- Bostrichus* F., Ent. Syst. I, 1792, 967 = *Myelophilus* Eichh. 1870. — *B.* F., Syst. Ent. 1777, 59; Er., ArN. II, 1836, I, 62; Zimm., TAmES. II, 1868, 142, 146 = *Ips* De Geer 1775. — *B.* Kugelann, Schneid.-Mag. V, 1794, 523 = *Dendroctonus* Er. 1836. — *B.* Ratzeb., Forstins. I, 1837, 164 = *Xyloterus* Er. 1836. *Ip.* 15, 56, 23, 113. — *Bostrichus* Geofir., Gutfl.-B., 404.
- Bostrichus* F., Syst. El. II, 1801, 385 = *Trypanaeus* Eschz. 1829. *Hist.* 8.
- Bostrychus* Schaufuß in Calwer, 712, 813; Kuhnt, 664, 665 = *Bostrichus* F.?
- Bothriophorus* O Muls. et Rey, ASLLyon n. s. I, 1852, 20; Opusc. E. II, 1853, 21; Pil., 174 (374); Jacq. du Val, II, 269; Reitt., VzbGW. 31, 1881 (Tab. 4), 83; Casey, ANYAcSc. 1885, 161; Ganglb., IV, 1, 1904, 55 (*B. atomus* Muls. et Rey 1852) 1913:2 (Mediterr.; Calif.). *Byrrh.*, *Bothrioph.* 11.
- Bothriorrhinus* Fairm., Natural. III, 1881, 421; ASEB. 27, 2, 1883, 42;

- Schoenfeldt**, GIW. *Brenth.* 1908, 28.
(*B. costulipennis* Fairm. 1881)
1913:1 (Ins. Due d' York). *Brenth.*,
Brentha., *Trach.* 45.
- Bothrosternus** Eichh., BEZ. 12, 1868,
150; *Chap.*, *Syn. Scol.* 1873, 232;
Lec. u. Horn, Col. N.Am. 1883, 523;
Bldfd., BCA. Col. IV, 6, 1895, 131;
Swaine, Cat. *Scol.* N.Am. 1909, 86
(*B. truncatus* Eichh. 1868) 1913:7
(Am., Brasil.). *Ip.*, *Ecc.* 85.
- Bothrotes** O Cas., Rev. Mon. 1907, 379,
398 (*B. canaliculatus* [Say] 1824,
acutus Lec. 1866) 1913:24 (Nov.
Mex., Florida, Kansas, Texas etc.).
Ten., *Epitrag.* 64.
- Bothryopterum** O Wagner, MSEB. 19,
1912, 8 (*B. balzani* Wagn. 1912)
1913:14 (Am. m. et c.) = Subg. ad
Apion Hbst. 1797. *Curc.*, *Api.*,
Apio. 11.
- Bothryperus** O Haged., DEZ. 1909,
742 (*B. psaltes* Haged. 1909) 1913:1
(Camerun.). *Ip.*, *Diam.* 4.
- Bothrys** Fauv., Rev. d'E. 1895, 185
(*B. personatus* Fauv. 1895) 1913:1
(Birma, Sumatr.). *Staph.*, *Oxyt.*,
Piest., *Thorac.* 23.
- Botiras** Fairm., Compt. rend. SEB. 1891,
p. XCVII (*B. striatellus* Fairm. 1891)
1913:4 (Ind. bor., Kaschm. [3]).
Ten., *Platysc.* 401.
- Botryonopa** Blanch., HNIns. II, 1845,
181; **Baly**, 91, t. 2, f. 6; *Chap.*,
XI, 291 (*B. sanguinea* [Guér.] 1840)
1913:26 (Males., Ins. Sund.). *Chrys.*,
Hisp., *Bothrion.* 45.
- Bottegia** Gestro, AMusG. 35, 1895, 414
(*B. spectabilis* Gestro 1895) 1912:1
(Terr. Galla). *Ceramb.*, *Cerambin.*,
Psel. 597.
- Bourgeoisia** Ern. Ol., BSEFr. 77,
1908, 17 (*B. antipodum* [Bourg.] 1884)
1913:2 (Nov. Caled., Ins. Fidji).
Lamp., *Luci.* 50.
- Brabaxis** Raffr., Rev. d'E. 9, 1890,
119, 125 = *Eupines* King 1866. *Psel.*,
Psel., *Brachygl.* 225.
- Brabaxys** Raffr. in Schklig. u. J.,
Col. Cat. P. 27, 1911, Index p. 185
= err. pro *Brabaxis* Raffr. 1911.
Psel., *Psel.*, *Brachygl.* 225.
- Brachinopus** Broun, Man. N. Zeal. Col.
1881, 664 (*Br. laetus* Broun 1881)
1913:1 (Nov. Zeal.). *Scaph.*, *Scapho.*
15.
- Brachispa** Gestro, AMusG. 1906, 488
(*Br. multispinosa* Gest. 1906) 1913:2
(Trv., Natal.). *Chrys.*, *Hisp.*, *Hispi.*
87.
- Brachopsis** O W. Saund., TSEL. (2) I,
1850, 79 (*Br. concolor* W. Saund.
1850) 1913:2 (Tasman., Sydney).
Ceramb., *Cerambin.*, *Macrn.* 444.
- Brachyarthron** Lac., IX, 1869, 98, 105
= *Brachysartron* Thoms. 1864.
Ceramb., *Cerambin.*, *Cleom.* 878.
- Brachycerinus** Bovie, GIW. 99, 1909,
11 = Subg. ad *Brachycerus* Ol. 1790.
Brach. 8.
- Brachyceromorphus** Bovie, GIW. 99,
1909, 11 = Subg. ad *Brachycerus* Ol.
1790. *Brach.* 8.
- Brachycerus** O & Ol., Enc. meth. Ins.
V, 1790, 181; Thunb., Nov. Act. Ups.
VI, 1799, 11; Herbst, Käf. VII, 1799,
71; F., Syst. El. 1801, 412; Latr.,
Gen. Crust. et Ins. II, 1807, 251;
Ol., E. V, 82, 1807, 42; III., Mag. 3,
1807, 103; Schoenh., Disp. meth.
1826, 79; Gen. Curc. I, 1833, 385;
Lac. VI, 1863, 284; Kraatz, BEZ.
8, 1864, 169; Fährs., Öfv. Vet. Ak.
Förh. 28, 1871, 421; Bedel, ASEFr.
(5) 4, 1874, 142; Aur., Öfv. Vet.
Ak. Förh. 42, 1885, 23; Sv. Vet. Ak.
Handl. XXI, 15, 1887, 3; Bovie,
GIW. 99, 1909, 10; Gutil.-B., 472;
Schaufuß in Calwer, 1178; Kuhnt,
903. — Etiam subg. *Br. i. sp.* Bovie,
l. c., 10.
Biol.: Perris, ASEFr. (5) 4, 1874,
125 t. 2, f. 1, 2; id., 128; Jonicus
(Champion!), EMa. 3, 1836, 465;
Bedel, ASEFr. (5) 4, 1874, 177;
Laboulbène, id. (5) 5, 1875, 95 (etiam

- Subg. **Bovie** 1909). — (Typ. ?; *Br. algirus*, *apterus* [L.] 1758, *barbarus* [L.] 1758, *Br. algirus* [F.] 1787, *undatus* [F.] 1748) 1913:298 (Afr.; Mediterr.). *Brach.*, *Brachy.*, *Brachyc.* 8.
- Brachycilibe** Carter, PLSNSW. 36, 207 (*Br. antennata* Carter 1911) 1913:1 (Ins. Lord Howe). *Ten.*, *Uлом.* 690 a.
- Brachycis** Casey, JoN YAcSc. 6, 1898, 86 (*Br. brevicollis* Casey 1898) 1913:1 (N. York.). *Cio.*, *Cisi.* 8.
- Brachycelerus** Fairm., Compt. rend. SEB. 27, 1883, 157; **Bedel**, ASEFr. (6) 7, 1887, 197 = *Emmepus* Motsch. *Cler.*, *Cleri*, *Hydnoc.* 135.
- Brachyclytus** O Kraatz, DEZ. 23, 1879, 107 (*Br. singularis* Kraatz 1879) 1912:1 (Sib., Jap.). *Ceramb.*, *Cerambin.*, *Clyt.* 802.
- Brachycopris** Hald., P. Acad. Phil. III, 1845, 125 = *Pinotus* Er. 1847. *Scar.*, *Copr.*, *Copri.*, *Pinot.* 73.
- Brachycoryna** O Baly, BCA.Col. VI, 2, 1886, 89; *Ws.*, VN. 49, 1910, 145 (*Br. pumila* Guér. 1844) 1913:5 (Penn., Am. trop.). *Chrys.*, *Hisp.*, *Uroplat.* 37.
- Brachycryptus** Quedenf., ENa. 17, 1891, 129; **Bedel**, Abeille 26, 1894, 173 (*Br. triopolitanus* Quedenf. 1891) 1910:1 (Tripolis). *All.*, *Omophl.* 117.
- Brachycula** Fairm., BMHNP. 12, 1906, 278 (*Br. quadrivittata* Fairm. 1906) 1913:1 (Madagascar). *All.*, *Allec.* 33.
- Brachycyphon** Fairm., ASEB. 40, 1896, 338 (*Br. anthracinus* Fairm. 1896) 1914:1 (Madag.). *Helod.*, *Helodi.* 7.
- Brachydactyla** O Lac., Mon. *Phyt.* I, 1845, 599; **Chap.** X, 77; **Jacoby u.** Clavareau, GIW. 23, 1904, 2 (*Br. discoidea* [Guér.] 1844) 1913:2 (Java, Madag.). *Chrys.*, *Crioc.* 1.
- Brachydema** Fairm., ASEFr. (6) 4, 1884, 177; **Reitt.**, VN. 40 [Best.-Tab. 50], 121 = *Tanyproctus* Sectio ad **Falderm.** 1835. *Scar.*, *Melth.*, *Pachyd.*
- Brachydirus** O Nordm. 1837; **Kraatz**, N. Ins. Deutschl. II, 1856/58, 353; **Sharp**, TFSL. 1876, 109 (Typ. ?; *Br. xanthocerus* Nordm. 1837, *testaceus* [F.]). 1914:24 (Am. mer. trop.). *Staph.*, *Staphy.*, *Staphyl.*, *Xanho.* 359.
- Brachyesthes** Fairm., ASEFr. (4) 8, 1868, 490; **Seidl.**, NID. V, 1894, 419; **Reitt.**, Best.-Tab. 53, 1904, 136, 175 (*Br. brevior* Fairm. 1883) 1913:4 (Alger. 3, As. min., Aegypt.). *Ten.*, *Opatr.* 543.
- Brachygluta** O C. G. Thoms., Sk. Col. I, 1859, 54; III, 1861, 236; *Ganglb.* II, 870; **Raffr.**, ASEFr. 73, 1904, 115; GIW. 1908, 228; *Schaufuß* in Calwer, 248; **Kuhnt**, p. 307, 312 (Typ. ?; *Br. hemiptera* Sauley 1874; *Br. fossulata* [Reichenb.] 1816) 1913:88 (Eur., Mediterr., Am.; Madag.). *Psel.*, *Pselia.*, *Brachygl.* 253.
- Brachyhelops** O Fairm., ASEFr. (6) 5, 1885, 57; **Fairm.**, Mission Scientif. Cap Horn, VI, 2, 1891, Col., 52 (*Br. Hahnii* Fairm. 1885) 1913:1 (Sin.: Orange[-Bay]). *Ten.*, *Helop.* 1092.
- Brachyidium** Fairm., Not. Leyd. Mus. V, 1883, 33 (*Br. breviusculum* Fairm. 1883) 1913:2 (Sumatr. aut Born., Saleyer). *Ten.*, *Opatr.* 504.
- Brachylepis** O Kolbe, ASEB. 38, 1894, 552, 560 (*Br. elephas* [Gerst.] 1867) 1913:3 (Mts. Paré; Afr. or.; Sambesi; Sansib.). *Scar.*, *Melth.*, *Melthi.* 281.
- Brachyleptura** Casey, Mem. Col. 4, 1913, 251 (*Br. subquadrata* Cas. 1913) 1913:6 (Col., Wisc., Ont., Penn.). *Ceramb.*, *Cerambin.*, *Lept.* 548a?.
- Brachyleptus** O Motsch., Bull. Moscou 18, 1, 1845, 154; *Schaufuß* in Calwer, 417; **Kuhnt**, 477, 481 (*Br. canescens* Motsch. 1845, *Br. quadratus* Sturm 1844) 1913:12 (Austr., Hungar., Graec., Ture., Turcmen., Syr., Pal., Asm., Cauc., Alger.). *Nit.*, *Cat.* 10.
- Brachyleptus** Motsch., Bull. Moscou LXII, 1870 (non XVIII, 1845)

- = *Amartus* J. Lec. 1861. *Nit.*, *Cat.* 11.
- Brachyllus* Brenske, ASEB. 40, 1896, 162 (*Br. ulcerosus* Brenske 1896, *frontalis* [Brenske] 1892) 1913:2 (Bengal. 2; China?). *Scar.*, *Melth.*, *Melthi*. 321.
- Brachylon* Gorh., BCA., Col. VII, 1899, 256 (*Br. breve* Gorh. 1899) 1913:1 (Mex., Nicar.). *Erot.*, *Erotyl*. 28.
- Brachymerus* Lac., *Erot.*, 405; *Chap.*, XII, 62; 1842 = Subg. ad *Brachysphaenus* Lac. 1842. *Erot.*, *Erotyl*. 10.
- Brachymerus* Lac., *Erot.* 1842, 406 (pars) = *Cytorea* Cast. 1840. *Erot.*, *Erotyl*. 11.
- Brachymis* J. Thoms., ArE. II, 1858, 60; *Candèze*, ASEB. 16, 1873, Compt. rend. p.CXLIV. (*Br. pubens* [J.Thoms.] 1858) 1913:2 (Camerun., Gabun.). In Indic. D.T. in Schkdg. u. J., Col. Cat., 387: *Brachymys*. *Scar.*, *Melth.*, *Pachyd.* 401.
- Brachymolpus* Fairm., Le Natural. 25, 1903; ASEB. 47, 1903, 377 (*Br. cuprarius* Fairm. 1903) 1914:1 (Madag.). *Chrys.*, *Eumolp.*, *Nodost.* 86.
- Brachymorphus* Chevr., Col. Mex. centr. II, 1835, Nr. 150; *Chenu*, Enc. II, 1860, 273 = *Charissa* Perty 1830. *Cler.*, *Coryn.*, *Enopl.* 155.
- Brachymoschium* Fairm., ASEB. 46, 1896, 348 (*Br. parvitarse* Fairm. 1896) 1913:1 (Madag.). *Ten.*, *Eurych.* 224.
- Brachymys* Fairm., ASEFr. (6) 5, 1885, 44 (non Meyer) = *Pachymys* Fairm. 1888. *Byrrh.*, *Byrrh.* 18.
- Brachymys* vide etiam *Brachymis*.
- Brachyontis* Cas., Mon. 1908, 82 = *Coniontis* Eschsch. 1829. *Ten.*, *Conio.* 426.
- Brachypeplus* O Er., ArN. VIII, I, 1842, 148 (Typ.?; *Br. planus* Er. 1842, *basalis* Er. 1842) 1913:80 (Ceylon, Mysol, Birma, Java, Batchian, Ind. etc., Java, Sumatr. Ins. Hawaii., Afr. trop., mer., Austral., Am. centr. et mer. Brasil. etc.). *Nit.*, *Carpophil.* 24.
- Brachyphloeus* Fairm., ASEB. 41, 1897, 113; *Alluaud*, BSEFr. 1899, 342 = *Leptoscapha* Fairm. 1886. *Ten.*, *Ulom.* 704.
- Brachypholis* O Brenske, StEZg. 59, 1898, 239 (*Br. Rothschildi* Brenske 1898) 1913:2 (Congo gall., Kuilu, Camerun.). *Scar.*, *Melth.*, *Melthi*. 290.
- Brachyphrynx* Fairm., in Rev. Faune et Flore, Comal Col. 1882, 71 (*Br. spissicornis* Fairm. 1882) 1913:1 (Terr. Somalic.). *Ten.*, *Molur.* 305.
- Brachyphylla* Muls., HN. Col. Fr. *Lamellic.* 1842, 465; ed. 2, 1871, 596, 602; ASLLyon (4) 3, 1870 (1871), 340, 346 = *Homaloplia* Steph. 1830. *Scar.*, *Melth.*, *Seric.* 109.
- Brachypilum* Fairm., ASEB. 401, 1896, 23 (*Br. sculpturatum* Fairm. 1896) 1913:1 (Ind.). *Ten.*, *Bolitoph.* 586.
- Brachyprionus* B. Jakowl., HoR. 21, 1887, 324, Schaufuß in Calwer, 000, = ref. ad *Prionus* F. 1775. *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Brachypsectra* J. Lec. u. Horn, Class. 1883, 170 (*Br. fulva* J. Lec. 1883), 1914:1 (Am., Civ. confoed.). *Dasc.*, *Dasci.*, *Brachypl.* 34.
- Brachypterema* J. Thoms., Syst. Cer. 1864, 411 = *Brachypteroma* L. Heyd. 1863. *Ceramb.*, *Cerambin.*, *Molorch.* 607.
- Brachypterolus* O Grouv., ASEFr. 81, 1912 (1913), 387 (Typ.?; *Br. vestitus* Kiesw. 1850, *villiger* [Reitt.] 1885, *pulicarius* [L.] 1758), 1913:8 (Eur., Alger., Turkest., Syr., Sib., Lusit., Mediterr., Gall., Germ., Ital., Hispan.). *Nit.*, *Cat.* 12.
- Brachypterolus* Grouv. ASEFr. 81, 389 pro *Heterostomus* Jac. Duval. *Nit.*, *Cat.* 12.
- Brachypteroma* O L. Heyd., BEZ. 7, 1863, 128; Schaufuß in Calwer, 842 (*Br. ottomanum* L. Heyd. 1863) 1913:2

- (Taurus, Turcia, Ital., Sicil.).
Ceramb., *Cerambil.*, *Molorch.* 607.
Brachypteronma Fairm., Gen. Col. d'Eur. IV, 1864, 154 = *Brachypteronma* L. Heyd. 1863. *Ceramb.*, *Cerambil.*, *Molorch.* 607.
- Brachypterus* O. Kugel. in Schneid. Ma. I, 5, 1794, 560 (pars); Gutfl.-B., 235; Schaufuß in Calwer, 417, 419; Kuhnt, 477, 480 (*Br. urticae* [F.] 1792) 1913:21 (Palaearct., Mediterr., Ins. Canar., Berber., Am. b., Civ. confoed., Mex., Antill., Grenadin.). *Nit. Cat.* 8.
- Brachyrhopala* Burm. StEZg. 26, 1865, 171; Berg, An. Soc. Cient. Argent. 21, 1886, 239 = *Ischionodonta* Chevr. 1859 = Subg. ad *Rhopalophora* Serv. 1834. *Ceramb.*, *Cerambil.*, *Rhopal.* 888.
- Brachysarthron* J. Thoms., Syst. Cer. 1864, 180 (*Br. antennatum* Thoms. 1864) 1912:1 (Senegamb.). *Ceramb.*, *Cerambil.*, *Cleom.* 878.
- Brachyserica* Brenske, BEZ. XLII, 1897, 356, 386 = *Cycloserica* Reitt., *Leucoserica* Reitt. 1896. *Scar.*, *Melth.*, *Seric.* 33, 34.
- Brachyspartus* Ferr., Baumzuchtschäd-Borkenk. 1867, 65; Eich. Rat. Tom. 429; Bldfd., BCA. Col. IV, 6, 1904, 264 (*Br. Moritzi* Ferr. 1867) 1913:3 (Pan., Ven.). *Ip.*, *Corth.* 103.
- Brachysphaenus* Lac., Erot., 296; Crotch, Erot., 120; Chap. XII, 56; Gorh., BCA. Col. VII, 1888, 92 (Typ.?); *Br. bimaculatus* [F.] 1775) 1913:231 (Amer.). *Erot.*, *Erotyl.* 10.
- Brachysphaenus* Lac., Erot., 1842, 379 (pars) = *Micrerotylus* Crotch 1876. *Erot.*, *Erotyl.* 17.
- Brachysphaenus* Lac., Erot., 379; Chap., XII, 61; Crotch, Erot. 141 = *Barytopus* Lac. 1842 = Subg. ad *Brachysphaenus* Lac. 1842. *Erot.*, *Erotyl.* 10.
- Brachysphyrus* Blackb., TRSSouth Austral. 26, 1903, 160 (*Br. irroratus* Blackb. 1903) 1913:1 (Queensl. b.). *Derm.*, *Metag.* 22.
- Brachysternus* Guér., Voy. Coquille Zool. II, 2, 1830, 81; Solier in Gay, Hist. Chile, Col. V, 1851, 86; Germain, An. Univ. Chile 115, 1904, 449, 470; Ohs., StEZg. 66, 1905, 145; l. c. 71, 1910, 9. (*Br. prasinus* Guér. 1830) 1918:24 Chile 13, ?Peru 1, Patag. 1, Araucar. 1) *Scar.*, *Rut. orth.*, *Anoplgni.*, *Brachystrn.* 128.
- Brachyta* Fairm., Gen. Col. d'Eur. IV, 1864, 185; Kuhnt, 754, 763 = *Evdinus* J. Lec. 1850. *Ceramb.*, *Cerambil.*, *Lept.* 524.
- Brachytrachelus* Moraw., B. Mosc. 34, 1861, I, 290 = *Trachelobrachys* Gemm. 1870. *Anob.*, *Xylet.* 53.
- Brachytria* O Newm., ANH. V, 1840, 16 (*Br. gulososa* Newm. 1840) 1913:5 (Port. Denison; Tasman.; Queensl.). *Ceramb.*, *Cerambil.*, *Pyth.* 677.
- Braderochus* Buquet, ASEFr. (2) 10, 1852, 658 nota; Lac. VIII, 74 (part.); Lmr., ASEB. 49, 1906, 318 (Rev. 506) = Subg. 2 ad *Titanus* Serv. 1832 (*Br. Levoutrieri* Buquet 1852, *mundus* White 1853) 1913:2 (Venez., Columb.). *Ceramb.*, *Prion.*, *Macrot.*, *Tit.* 21, 2.
- Braderochus* Lac. VIII, 74 (part.) = *Dero-brachus* s. str. Lac. 1869 = Subg. 2 ad *Dero-brachus* Lac. 1869. *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 70, 2.
- Bradycellus* Er. Car. cf. P. II.
- Bradycinetus* G. Horn, TAmES. 4, 1871, 334; Schaeffer, TAmES. 32, 1906, 249; Schaufuß in Calwer, (1066) = *Amechanus* Horn 1870 = Subg. ad *Bolboceras* Kirby 1818. *Scar.*, *Geotr.*, *Bolboc.* 3.
- Bradycnemis* Waterh., TESL. 1877, 11 (*Br. anomala* et *velutina* Waterh. 1877) 1913:2 (Penang). *Ceramb.*, *Cerambil.*, *Callichr.* 710.
- Bradygena* Fairm., ASEB. 47, 1903, 211 = Subg. ad *Nesogena* Mäkl. 1863. *Ten.*, *Strongyl.* 1187.
- Bradylema* O Ws., ArN. 67, 1901, 146 (*Br. subcastanea* Ws. 1901, *crassipes* [01.] 1808) 1913:14 (Birma 1, Afr. 13). *Chrys.*, *Crioc.* 2.

- Bradymerus Perroud**, ASLLyon 11, 1864, 110 (*Br. amicorum* Fairm. 1849) 1913:28 (Arch. malay. et contin., Ins. Viti etc.). *Ten.*, *Bolitoph.* 587.
- Bradymerus Fairm.**, Not. Leyd. Mus. V, 1883, 36 (*Br. aulacopterus* Fairm. 1883) (Saleyer). *Ten.*, *Cnodal.* 956.
- Bradytoma O Guér.**, Rev. Zo. 1843, 194; Spec. et Icon. fasc. 3 Nr. 10, 1843, 1; **Blanch.**, HNIns. II, 1845, 56; **Lac.** IV, 276 (*Br. aurita* Guér. 1843) 1913:2 (Am. mer., Peru).
- Helod.**, *Ptilodact.*, *Cladot.* 19.
- Brahmina O Blanch.**, Col. Cat. E. 1850, 140; **Burm.**, Hd. E. IV, 2, 363; **Lac.**, III, 290; **Brenske**, BEZ. 37, 1892, 79 —124; ENa. 19, 1893, 91 et 109; **Kraatz**, DEZ. 1894, 76; **Reitt.**, VN. 40, [Best.-Tab. 50], 164, 178 (Typ.?); *Br. comata* **Blanch.** 1850; *agnella* [*Falderm.*] 1835; *cribricollis* [*Redtb.*] 1842; *cylindrica* [*Gyll.*] 1817; *Gebleri* et *rubetra* [*Falderm.*] 1835) 1912:54 (As., c. mer., Sib. or., Molucc.). *Br. etiam* Subg. **Reitt.**, l. c., 180. *Scar.*, *Melth.*, *Melthi*. 320..
- Branchus O Lec.**, Class. 1863, 222 (*Br. floridanus* **Lec.**, *Woodi* **Lec.** 1866) 1913:4 (Florida, Nicas., Mex., Bahamas). *Ten.*, *Branch.* 416.
- Brathinus Lec.**, P. Ac. Philad. VI, 1852, 156; **Casey**, ANYAcSc. IX, 354 (*Br. nitidus* et *varicornis* **Lec.** 1852) 1913:2 (Nov. Scot., Am. bor.). *Staph.*, *Oxyt.*, *Omal.* 78.
- Bratyna O Westw.**, TESL. 1875, 228 (*Br. apicalis* Westw. 1875) 1913:1 (Afr. occ.: Old Calabar). *All.*, *Allec.* 16.
- Braunsiella O Raffr.**, BSEFr. 1901, 201; ASEFr. 73, 1904, 453; GIW. *Psel.* 1908, 447, t. 2, f. 21. (*Br. pubiventris* **Raffr.** 1901) 1913:1 (Cap. b. Sp.). *Psel.*, *Clavig.* 463.
- Braxyda Raffr.**, ASEFr. 73, 145; GIW. *Psel.* 1908, 222 (*Br. hamata* **Raffr.** 1904) 1913:2 (Boliv. super.). *Psel.*, *Pselia*, *Brachygl.* 245.
- Brenskiella Berg**, Comun. Mus. Buenos Aires I, 1808, 17 (*Br. flavomicans* **Brenske** 1897) 1913:1 (Hierosolyma). *Scar.*, *Melth.*, *Pachyd.* 397.
- Brenthus O F.**, Mant. Ins.I, 1787, 35; **Imhoff**, Stud. Kol. 1856, 167; **Lac.**, VII, 1866, 442; **Schoenfeldt**, GIW. *Brenth.* 1908, 52 (*Br. anchorago* [L.] 1758) 1913:41 (Am. c. et mer.) *Brenth.*, *Brentha.*, *Brenthi*. 82.
- Brenthus Schönh.** (pars), Gen. Curc. I, 1833, 355 = *Ephebocerus* **Schönh.** 1840. *Brenth.*, *Brentha.*, *Epheb.* 26.
- Brephytidia Pasc.**, ANH. (4) 8, 1871, 269; **Lmr.**, MSEB. 11, 1903, 20 (Rév., 214) (*Br. jejuna* **Pasc.** 1864) 1913:1 (Queensland., N.S.Wales).
- Ceramb.**, *Prion.*, *Macrot.*, *Cnem.* 26.
- Brenskea Reitt.**, WEZg. 10, 1891, 254 (*Br. coronata* **Reitt.** 1891) 1912:1 (Turkestan.). *Scar.*, *Orphn.* 11.
- Brevicolaspis Laporte** in **Silberm.**, Rev. d'E. I, 1833, 24; **Baly**, JoE. II, 1863, 154; **Chap.**, X, 1874, 276; **Lefvr.**, MSLiége (2) 11, 1885, 77 (*Br. pilosa* **Lap.** 1833) 1914:2 (Brasil.). *Chrys.*, *Eumolp.*, *Leprot.* 135.
- Brevicomus Pic**, Rev. scient. Bourb. VII, 1894, 41, 42 = Sect. ad *Anthicus* **Payk.** 1798. *Anth.* 19.
- Breulia O + Jeannel**, BSEsp. 9, 1910, 468 (gen.); Arch.Zo.exp. (5) 5, 1910, 8; 54.; 1914, 69 (subg.) Rev. *Ba.*, 314.
- Metam.: **Jeannel**, Rev. *Ba.* 100, t. 23 f. 636—641 = Subg. 1 ad *Speocharis* **Jeannel** 1910 (*Br. triangulum* Sharp 1872) 1914:3 (cavern.: Hispan.). *Silph.*, *Bath.*, *Bathy.* 11, 1.
- Briara O Reitt.**, VN. 20, 1881, 90; **Raffr.**, Rev. d'E. 9, 1890, 123; PLSNSW. 1900, 162; ASEFr. 73, 1904, 113; GIW. *Psel.* 1908, 224 (*Br. basalis* King 1865) 1913:5 (Austral. [?] N.S.Wales [3]). *Psel.*, *Pselia*, *Brachygl.* 247.
- Briaraxis O Brendel**, ENs. 1894, 159; **Raffr.**, ASEFr. 73, 1904, 113; GIW.

- Psel.* 1908, 219 (*Br. depressa* Brendel 1894) 18913 : 1 (Amer. septentr.).
Psel., Psela., Brachygl. 241.
Brises O Pasc., ANH. (4) 3, 1869, 145
 (*Br. trachynotoides* Pasc. 1869) 1911:1
 (Austral. occ.). *Ten., Tenebr.* 779.
Brithycera Er., ArN. 13, 1847, I, 175;
 14, 1848, I, 102 = *Bradytoma* Guér.
 1843. *Helod., Helodi., Cladot.* 19.
Bromiades O J. Thoms., Syst. Cer.
 1864, 165 (*Br. brachyptera* Chevr.
 1838) 1913:1 (Cuba, Nov. Grenada).
Ceramb., Cerambin., Rhinotr. 641.
Bromiodes O Jac., ASEB. 39, 1895,
 286; F. Ind. Col. II, 1908, 465 (*Br.*
indicus Jac. 1895) 1914:1 (Himalay.,
 Dalhous., Chamba). *Chrys., Eumolp.,*
Adox. 203.
Bromius Redtb., Gatt. deutsch. Käferf.
 1845, 117; *Jacq. du Val*, G. Col.
 d'Eur. IV, 1868, 221; *Chap.*, G. Col.
 X, 1874, 304; Schaufuß in Calwer,
 924; *Kuhnt*, 804, 835 = *Adoxus* Kirby
 1837. *Chrys., Eumolp., Adox.* 200.
Bromius Baly, JoE. II, 1865, 439,
 TESL. (3) IV; II, 1867, 96 = *Trichochrysea* Baly 1860. *Chrys., Eumolp.,*
Leprot. 149.
Brongniartia Leach, ZoJo. I, 1824, 44,
 1874; Chevr., ASEFr. (5) 4, 15
 = *Cebrio* Ol. 1790. *Cebri.*
Brontispa O Ws. in Schklig. u. J.,
 Col. Cat. P. 35, 1911, 46; Sharp,
 PLNSNSW. 1903 (1904), 924 (*Brontispa*);
 Ws., DEZ. 1905, 300; ArN. 75, 1909, 120; Gestro, AMusG. 1909,
 455. — Biol.: Ws., DEZ. 1905,
 301 (*Br. Froggatti* [Sharp] 1903 (1904));
Br. limbata [Waterh.] 1876) 1911:6
 (Luzon., Nov. Pomm., Maur., Ins.
 Rodrig., Aru, Nov. Guin. germ. et
 brit.). *Chrys., Hisp., Crypton.* 596.
Brontispa Sharp, 1903 (04) vide *Brontispa* Sharp 1903 (04). *Chrys.,*
Hisp., Crypton. 59.
Brotheus O Steph., Ill. Brit. E. 4, 1831,
 152; Schoenh., Gen. *Curc.* VI, 2,
 1842, 421; Marshall, TSAfr. Phil.
 S. 18, 1907, 106; **Bovie**, GIW. 99,
 1909, 31 (*Br. praemorsus* Thunb.
 1799) 1913:12 (Afr. mer.). *Brach.,*
Broth. 10.
Brothylus O J. Lee., PAcPhil. 1859,
 180 (*Br. gemmulator* J. Lee. 1859)
 1913:3 (Oreg., Cal., Ariz.). *Ceramb.,*
Cerambin., Hesprph. 205.
Brototyche Pasc., ANH. (3) 19, 1867,
 317 (*Br. Adamsi* Pasc. 1867) 1913:1
 (Ins. Chosan). *Ceramb., Cerambin.,*
Stenasp. 977.
Brounia Raffr., Rev. d'E. 17, 1898,
 266 = *Brouniella* Raffr. 1903. *Psel.,*
Psela., Euplect. 123.
Brouniella Raffr., ASEFr. 72, 1903,
 532; GIW. *Psel.* 1908 107 (*Br.*
laevifrons [Broun] 1893) 1913:1 (Nov.
 Zealand.). *Psel., Psela., Euplect.* 123.
Bruchia Ws., Revist. Mus. La Plata
 1906, 227; VN. 49, 1910, 145 (Typ.?
Br. fulvipes [Baly] 1886, *Br. sparsa*
 Ws. 1906) 1913:2 (Arg., Pan.).
Chrys., Hisp., Uroplat. 36.
Bruchidius Schilsky, 41, 1905, p. B;
 Schaufuß in Calwer, 1020; *Kuhnt*, 895,
 897 = Subg. ad *Bruchus* L. 1758.
Bruch., Bruchi. 11.
Bruchoptinus Reitt., VN. 22, 1884,
 303; Best.-Tab. XI, 1884, 9; Schau-
 fuß in Calwer, 718; *Kuhnt*, 671
 = Subg. ad *Ptinus* L. 1758. *Ptin.,*
Ptini. 21.
Bruchus O L., Syst. Nat. ed. XII, 1767,
 604; F., Syst. E. 1775, 64; *Latr.*,
 HN. 11, 1804, 39; Dict. class. HN.
 14, 1828, 589; Steph., Ill. Brit. E.
 4, 1831, 212; *Cast.*, HN. II, 1840,
 281; *Blanch.*, HNIns. II, 1845, 95;
Redt., F. Austr.; *Bach*, Käferf.;
Jacq. du Val, G. Col. d'Eur. *Curc.*
 1854; *Jekel*, Ins. Saunders. I, 1855,
 2; *Gerst.*, Hd. Zo. II, Col. 1863, 159;
Lac. VII, 602; *C.G.Thoms.*, Sk. Col. X,
 1868, 148; *Allard*, ASEB. 41, 1868,
 87; *Chenu*, Enc. HN. Col. II, 1870,
 208; *G.Horn*, TAmES. 4, 1873, 311;
J. Lee. u. *Horn*, Class. 1883, 358;

- Baudi**, Milabr. 1886, 6; DEZ. 30 et 31, 1886 et 87; **Seidl.**, F. Ba., F. Tr., **Lameere**, Mon. Belg. II, 1900, 470; **Everts**, II, 1903, 523; **Schilsky**, 41, p. B; **Blatchley**, Ill. Descr. Cat. Col. Indiana, 1910, 1234; **Gutfl.-B.**, 454; **Schaufuß** in Calwer, (1021); **Kuhnt**, 895. — **Synops.** in **Allard**, **Baudi**, **Lameere**, **Everts**, **Schilsky**, **Blatchley**, l. c.; **Bedel**, V, 344 — 354 (*Br. pisorum* [L.] 1758; *Br. seminarius* L. 1767) 1913:586. Subgg.: *Acanth.*, *Bruchi.*, *Callosobr.*, *Pachybr.* (in omn. part. orb. terr.). *Bruch.*, *Bruchi.* 11.
- Bruchus** L. 1767; **Har.**, Mi. Münch. Ver. II, 1878, 108 = *Mylabris* F. 1775. *Melo*, *Lytt.*, *Mylabris*. 14.
- Bruchus** Müll., F. Ins. Fridr. 1764, p. XV; **Reitt.**, Best.-Tab. XI, 1884, 3, 4, 14 = *Ptinus* L. 1758. *Ptin.*, *Ptini*. 21.
- Bryaxella** O Raffr., ASEFr. 72, 1903, 319; 73, 1904, 112; GIW. *Psel.* 1908, 216, t. 4, f. 15 (*Br. spectralis* Raffr. 1903) 1913:1 (Madag.). *Psel.*, *Psela.*, *Brachygl.* 236.
- Bryaxina** Raffr., ASEFr. 73, 1904, 140; GIW. *Psel.* 1908, 221 (Typ.?); *Br. torticornis* Raffr. 1904, *Br. fraudatrix*, *cavifrons* Schauf. 1904) 1913:10 (Brasil.). *Psel.*, *Psela.*, *Brachygl.* 243.
- Bryaxis** O Kug. in Schneid., Neues Mag. 1794, 580; Raffr., ASEFr. 73, 1904, 108, 254; GIW. *Psel.* 1908, 275; **Schaufuß** in Calwer, 247; **Kuhnt**, 307, 314 (*Br. bulbifera* [Reichenb.] 1816, *Br. clavicornis* [Panz. (F. Germ. 99, 3)], *Br. reversa* Sharp 1883) 1911:124 (Eur., Mediterr. [plurim. spp.], As.). *Psel.*, *Psela.*, *Tych.* 294.
- Bryaxis** Aubé, *Psel.* Mon. 1883, 23; ASEFr. (2) II, 1844, 103; **Denny**, Mon. *Psel.* 1?25, 32; **Er.**, KäfMaBr. I, 1837, 268; **Jacq. du Val**, II, 1857, 131; **Sauley**, Spec. II, 1874, 136; **Reitt.**, VzbGW. 31; 1881, 451, 454; **Raffr.**, Rev. d'E. 9, 1890, 118, 123 = *Brachygluta* Thoms. 1859. *Psel.*, *Psela.*, *Brachygl.* 253.
- Bryaxis** auct. pro parte = *Reichenbachia* Leach 1825. *Psel.*, *Psela.*, *Brachygl.* 257.
- Bryaxis** Leach, Zo. Misc. III, 1817, 85; ZoJo. London II, 1826, 450; **Aubé** (pro p.), *Psel.* Mon. 1833, 23; ASEFr. (2) 2, 1844, 103; Thoms., I, 1859; III, 233; *Ganglb.*, II, 806; **Gutfl.-B.**, 193 = *Ryaxis* Sauley 1874. *Psel.*, *Psela.*, *Brachygl.* 266.
- Bryaxonoma** O Raffr., TSAfr. Phil. S. 1898, 401; ASEFr. 73, 1904, 114; GIW. *Psel.*, 1908, 224 (*Br. filiceum* Raffr. 1898) 1913:1 (Cap.). *Psel.*, *Psela.*, *Brachygl.* 249.
- Bryocopia** O Pasc., ANH.(4)3, 1869, 141; — Übersicht: Carter, PLSNSW. 34, I, 1909, 156 (*Br. pilosella* Pasc. 1869) 1913:13 (Austral., Tasm.). *Ten.*, *Adelii*. 1006.
- Brydaeon** Thoms., Physis I, 1867, 134, 137 = *Ibidion* Serv. 1834. *Ceramb.*, *Cerambin.*, *Ibid.* 288.
- Bryocharis** O Boisd. u. Lacord., F. E. Paris I, 1835, 502; *Ganglb.*, KäfMEur. II, 1895, 358; *Luze*, VzbGW. 51, 1901, 739; **Schaufuß** in Calwer, 206; **Kuhnt**, 170, 250 (*Br. analis* [Payk.] 1789; *formosa* et *inclinans* [Grav.] 1806) 1916:12 (Eur., Palaearct.; Medit., Cauc., Japon., Am. bor.). *Staph.*, *Tach.*, *Bolit.* 418.
- Bryocharis** Lynch, Bol. Ac. Cordoba VII, 1884, 103 = *Bryoporus* Kraatz 1856/58. *Staph.*, *Tach.*, *Bolit.* 416.
- Bryonomus** Casey, B. Cal. Ac. I, 1886, 313 = Subg. ad *Cafius* Steph. 1832. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 288.
- Bryophacis** Reitt., F. Germ. II, 1909, 102 = Subg. ad *Bryoporus* Kraatz 1856/58. *Staph.*, *Tach.*, *Bolit.* 416.
- Bryoporus** O Kraatz, N. Ins. Deutschl. II, 1856/58, 452, BEZ. X, 1866, 417;

- Ganglb.**, KäfMEur. II, 1895, 366;
Luze, VzbGW. 51, 1901, 718; **Schau-**
fuß in Calwer, 206; **Kuhnt**, 170, 251
(*Br. cernuus* [Grav.] 1806) 1913:30
(Eur., Sib., Ind., or. Cauc., Japon.;
Am. bor., Pan., Guat., Mex., Col.).
Staph., *Tach.*, *Bolit.* 416.
- Brysalepis** Sharp, Zo. Record, 36,
1899, (1900) Ins., 117 = errat. pro
Byrsalepis Brenske 1898. *Scar.*,
Melth., *Melthi*. 283.
- Bubas** O * Muls., Coléopt. France,
Lamell. 1842, 76; *Schaufuß* in Calwer,
1295; **Kuhnt**, 382 (*B. bison* [L.] 1767;
bubalus [Ol.] 1811 (1812) 1913:2
(Eur. mer.; As. minor). *Scar.*,
Copr., *Onit.*, *Onitid.* 96.
- Bulbocerus** Achar., Vetensk. Acad.
Handl. II, 1781, 246 = *Lethrus* Scop.
1777. *Scar.*, *Geotr.*, *Lethr.* 18.
- Bulbocerus** Heer, F. Helv. 1840, 500
= *Odontaeus* Kl. 1843. *Scar.*, *Geotr.*,
Bolboc. 4.
- Bulbocerus** Heer, F. Helv. 1840, 500
= *Bolbelasmus* Bouem. 1910) (1911).
Scar., *Geotr.*, *Bolboc.* 9.
- Bunoderus** Raffr., ASEFr. 73, 1904,
115, 151; GIW. *Psel.* 1908, 23 (*B. cari-*
nicollis Raffray 1904) 1913:2 (Mexic.,
Brasil.). *Psel.*, *Psel.*, *Brachygl.* 254.
- Burmeisteria** Schickendantz, TESL.
1868, 101 (non Gray 1865, nec
Weyenb. 1886) = *Burmeisteriellus*
- Berg** 1898 (Argent.). *Scar.*, *Melth.*,
Pachyd. 425.
- Burmeisteriellus** O Berg, Communic.
Mus. Buenos Aires I, 1898, 17 (*B.*
mirabilis [Schickendantz] 1868) 1913:1
(Argent.). *Scar.*, *Melth.*, *Pachyd.* 425.
- Butherium** Bates, TESL. 1870, 255
nota (*B. erythropus* [Lucas] 1859)
1913:2 (Bras. mer., Amaz.). *Ce-*
ramb., *Cerambin.*, *Cerambyc.* 163.
- Buxela** Fairm., ASEB. 38, 1894, 28
(*B. sordescens* Fairm. 1894) 1913:1
(Beng.). *All.*, *Allec.* 54.
- Byallius** Pasc., ANH. (4) 3, 1869, 42
(*B. reticulatus* Pasc. 1869) 1913:4
(N.S.Wales 2, Victor. 2). *Ten.*,
Helaei. 743.
- Bycrea** O * Pasc., TESL. 1868, 12;
Champ., BCA.Col. IV, 1, 1886, 115.
— Biol.: **Dugès**, ASEB. 29, 1885,
II, 51/4 t. 4. — (*B. villosa* Pasc. 1868)
1913:1 (Mexico). *Ten.*, *Opatr.* 564.
- Byrasba** Harold, Col. Hfte. V, 1869,
122 (*B. volvulus* Burm. 1855) 1913:1
(Brasil.). *Scar.*, *Melth.*, *Macrod.* 463.
- Byraxis** Raffr., Rev. d'E. 9, 1890,
118, 123 = *Achillia* Reitt. 1890. *Psel.*,
Psel., *Brachygl.* 242.
- Byraxis** Reitt., VN. 18, 1879 (sep.,
2) = Subg. 2 ad *Eupines* King 1866
(*B. monstrosa* Reitt. 1879) 1913:29
(Nov. Zealand., Austral. 1). *Psel.*,
Psel., *Brachygl.* 225.
- Byrrhidium** Har., Col. Hfte V, 1869,
96 (*B. ovale* Har. 1869) 1913:2+1
(1911)? (Afr. or., Natal). *Scar.*,
Copr., *Scarbi.*, *Canthon*. 23.
- Byrrhinus** Motsch., Etud. E.VII, 1858,
50 (*B. latus*, *angustatus* Motsch.
1858) 1913:7 (Ind., Birma, Nov.
Caled.). *Byrrh.*, *Byrrh.* 28.
- Byrrhinus** Motsch., Etud. E.VII, 1858,
50; Arrow, ANH. (8) 4, 1909, 195
= ?*Cyphonichus* Sharp 1902. *Byrrh.*,
Limn. 3.
- Byrrhocaulus** Fairm., ASEFr. 70, 1901,
Bull., 266 (*B. inaequalis* Fairm. 1901)
1911:1 (Ind. bor.). *Byrrh.*, *Byrrhi*. 23.
- Byrrhodes**¹⁾ J. Lec., P. Am. Phil. S. 17,
1878, 412; Fall, TAmES. 31, 1905,
212, 263 (*B. setosus* J. Lec. 1878)
1913:1 (Am. bor.: Civ. confoed.).
Anob., *Dorcat.* 79.
- Byrrhodes** Sharp, ANH. (5) 2, 1878,
43; Broun, Man. New Zeal. Col. I,
1880, 307 (*B. gravidus* Sharp 1878)
1914:1 (Nov. Zealand.). *Helod.* inc.
sedis (32).

¹⁾ Nota: vide *Fachus* R. Luc. nom. nov. pro *Byrrhodes* J. Lec. 1878 neo
Sharp 1878.

- Byrrhomorpha* Blackb., PLSNSW. (2) 7, 1892, 109; TRSSouthAustral. 31, 1907, 276 (*B. verres* Blackb. 1892) 1913:3 (Austral.). *Scar.*, *Melth.*, *Lipar*. 198.
- Byrrhomorphus* Sharp, BCA. Col. I, 2, 1882, 125 (*B. vestitus* Sharp 1882, 1913:1 (Guatem.). *Dryop.*, *Dryopi.*, *Dryopin.* 17.
- Byrrhopis* Champion, TESL. 1913, 155 pro *Byrrhodes* Sharp 1878. *Helod.* inc. sedis (32).
- Byrrhus* O F + L., Syst. Nat. ed. XII, I, 2, 1767, 568; Steff., Tent. Mon. *Byrrhi* 1742 in Germar, ZE. IV, 1843, 6; Er., NID. III, 475; Jacq. du Val II, 265; C. G. Thoms., Sk. Col. IV, 212; Muls. et Rey, Pil. 48 (248); Ganglb., Münch. Kol. Z. I, 1902, 37; Ganglb. IV, 1, 69; KäfMEur. IV, 1, 1904, 69; Gutfl.-B., 289; Schaufuß in Calwer, 612, 616; Kuhnt, 610, 612 (*B. pilula* [L.] 1758) 1911:27 (Eur., As., Am. b.) Anat.: Reitt., DEZ. 26, 1882, 121 t. 1.
- Metam.: Xambeu, ASLLyon (n.s.) 42, 1895 (96), 60; Moeurs etc. VI, 1896, 128; Kineaid, P. Wash. Ac. II, 1900, 372, t. 24.
- Biol.: Reichenb., ASEFr. (2) II, 1844, Bull. p. LIX; Er., ArN. 7, 1839, I, 104; NID. III, 1846, 467 (Larve); Candèze et Chapuis, MSScLiège 8, 1853, 446, t. 3 f. 4; C. G. Thoms., Sk. Col. IV, 1862, 213; Caffanjou, Feuill. j. Nat. 8, 1878, 113; cf. etiam DT. in Schklig. u. J., Col. Cat. P. 33, 1911, 26.
- Abnorm.: Chatin, BSPhilom. (7) 9, 1885, 132; — *B. Muls. et Rey*, Pil. 50 (250); Ganglb. IV, 1, 71/2 = Subg. ad *B. L.* 1767. *Byrrh.*, *Byrrhi*. 21.
- Byrrhus* Geoffr., H. abrégé Ins. ed. II, I, 1800, 108; Geoffr. in Fourcroy, E. Paris I, 1785, 25; Gozis, Rech. typ. 1886, 24; Fauc., Col. Fr. 1892, 301; Gen. Col. Fr. 32; Reitt., Tab. 47,
- 5 et 19; Everts, II, 222, 228. *Anob.*, *Anobi*. 35.
- Byrrocryptus* Broun, Man. New Zeal., Col. V, 1893, 1136 (*B. Urquharti* Broun 1893) 1914:1 (Nov. Zealand.) *Helod.* inc. sed., 36.
- Byrsalepis* Brenske, StEZg. 59, 1898, 390 (*B. mikindana* Brenske 1898) 1912:1 (Mikindani, Lac. Nyassa). *Sca r.*, *Melth.*, *Melthi*. 283.
- Byrsax* O Pasc., JoE., 1860, 42 (*B. coenosus* Pasc. 1860, *cornutus* [F.] 1792, *horridus* [Ol.] 1795) 1913:12 (Nov. Caled., Ceyl., Austral., Japon.) Ins. Sund.). *Ten.*, *Bolitoph*. 592.
- Byrsopolis* Burm., Hd. E. IV, 1, 1844, 425; Ohs., DEZ. 1915 p. 256 = Subg. 2 ad *Cotalpa* Burm. 1844 (*B. castanea* Burm. 1844) 1918:5 (Brasil.). *Scar.*, *Rut. hom.*, *Ruti.*, *Areod.* 2,2.
- Bystus* Guér., Arch. E. I, 1857, 270 = *Rhymbus* Gerst. 1858. *End.*, *Endo.*, *Stenotars*. 67.
- Bythinoderes* O Reitt., VzbGW. 33, 1883, 407; Raffr., Rev. d'E. 9, 1890, 127, 129; ASEFr. 73, 1904, 256; GIW. *Psel.* 1908, 268 (*B. Grabowskyi* Reitt. 1883) 1913:2 (Borneo, Sumatr.). *Psel.*, *Psel.*, *Tych.* 284.
- Bythinogaster* Schauf., TijE. 30, 1887, 111 (*B. simplex* Schauf. 1887) 1913:1 (St. Domingo). *Psel.*, *Psel.*, *Brachylg.* 221.
- Bythinomorpha* Schauf., TijE. 30, 1887, 109 = *Sunorfa* Raffr. 1890. *Psel.*, *Psel.*, *Tych.* 279.
- Bythinophanax* O Reitt., VzbGW. 33, 1883, 405; Raffr., Rev. d'E. 9, 1890, 127, 129; ASEFr. 73, 1904, 256; GIW. *Psel.* 1908, 267 (*B. bicornis* Reitt. 1883) 1913:4 (Borneo, Sumatr.). *Psel.*, *Psel.*, *Tych.* 283.
- Bythinopysis* Raffr., GIW. *Psel.* 1908 266 (*B. punctipennis* Raffr. 1908) 1913:1 (Cayenne). *Psel.*, *Psel.*, *Tych.* 281.

Bythinoplectus O Reitt., VN. 20, 1881, 195; Raffray, ASEFr. 65, 1896, 229; GIW. *Psel.* 1903, 24 (*B. foveatus* Reitt., 1883) 1913:5 (Grenada, Mex., Bras., St. Thomas). *Psel.*, *Psel.*, *Pyxid.* 15.

Bythinopsis O Raffr., GIW. *Psel.* 1908; Schaufuß in Calwer, 250 (Typ.?), *B. myrmido* u. *Ludyi* [Reitt.] 1881, *algerica* [Raffr.] 1871, *pauper* [Kiesw.] 1858). 1913:17 (Mediterr., Ins. Elba, Britan.). *Psel.*, *Psel.*, *Tych.* 300.

Bythinus Leach, Zo.Misc. III, 1817, 82; ZoJo. II, 1825, 446; Denny, Mon. *Psel.* 1825, 20; Aubé, *Psel.* Mon. 1833, 33; ASEFr. (2) 2, 1844, 126; Er., KäfMaBr. I, 1837, 271; Jacq. du Val I, 311; C. G. Thoms., Sk. Col. III, 230; Raffr., VzbGW. 31, 1881, 451, 455, 478; Raffr., Rev. d'E. 9, 1890, 126; Ganglb., II, 814, Schaufuß in Calwer, 249; Kuhnt, 308; Gutfl.-B., 195 = *Bryaxis* Kug. 1794. *Psel.*, *Psel.*, *Tych.* 294.

Bythinus auct. (pro parte) = *Bolbo-*
bythus Raffr. 1904. *Psel.*, *Psel.*,
Tych. 295.

Bythobletus Reitt., F. Germ. II, 214
= *Bryaxis* Kug. 1794. *Psel.*,
Psel., *Tych.* 294.

Bythoxenus O Motsch., Etud. E. 8, 1859, 132; Ganglb. II, 818; Peyerimh., BSEFr. 1901, 205; Raffr., ASEFr. 73, 1904, 255; GIW. *Psel.* 1908, 289 Schaufuss in Calwer, 250 (*B. subter-*
raneus Motsch. 1859) 1913:2 (Carniol., Corsica). *Psel.*, *Psel.*, *Tych.* 307.

Bythurus Latr. Gutfl.-B., in Indic. p. XI
= err. pro *Byturus* Latr. l. c. 282.

Byturus O* Latr. Précis Caract. gen.
Ins. 1796, 69; Schaufuß in Calwer,
(406); Kuhnt, 472 (*B. aestivus*
[L.] 1758; *tomentosus* [F.] 1775)
1913:9 (Eur., Sib., China, Jap.;
Civ. confœd. Am. bor., Calif.).

Biol.: Metam., Nahrung, Schaden:
Korolikov, Sad i ogorod Moskva 27,
3—36, figg. — *Byt.* 1.

Byzacnus Pasc., JoE. II, 1866, 469
(*B. picticollis* Pasc. 1866) 1913:3
(Terr. cap., Natal). *Ten.*, *Eutel.* 749.
Byzenia King, TESNSW. II, 1869, 74;
Lew., ANH. (6) 14, 1894, 183 =
Chlamydopsis Westw. 1869. *Hist.* 103.

Caanthus O Champ., TESL. 1894, 378
(*C. gibbicollis* Champ. 1894) 1913:1
(Tasman.). *Ten.*, *Bolitoph.* 595.

Cabalia O Muls., Mém. Acad. Lyon 1858, 158, Schaufuß in Calwer, 755
(*C. Perroudii* Muls. 1858, *segetum* [F.]
(1792) 1917:4 (Sicil., Alger., Wady Nash). *Melo.*, *Lytt.*, *Lytti.* 33.

Cabirus O Muls. et Rey, Mém. Ac. L. Lyon 1853, 139; Opusc., E. IV, 1853, 223; Lac.V, 246; Desbr., B.Ac. d'Hipp. XVI, 1881, 105 (57); Seidl., NID. V, 1893, 361; Reitt., Best.-Tab. 53, 1904, 50, 63 [etiam C. Hübner [*Lep.*] = *Castnia*] (*C. minutissimus* Muls. et Rey, *pusillus* [Ménétr.] 1849, 1913:27 (As. mer. occ.: Pers., Syr. usw.). *Ten.*, *Pedin.* 457.

Caccoleptus O Sharp, BCA. Col. II, 1, 1902, 649 (*C. rotundus* Sharp 1902) 1913:2 (Panam., Brit. Honduras). *Derm.*, *Megat.* 18.

Caccomolpus Sharp, TRDublin S. (2) 3, 1886, 447; Broun, Man. N. Zeal. Col. V, 1893, 1308 (*C. globosus* Sharp 1886) 1916:5 (Nov.Zealand.). *Chrys.*, *Chryso.*, *Phaedon.* 68.

Cacconia Sharp, BCA. Col. II, 1, 1890, 324 (*C. obscura* Sharp 1890) 1913:1 (Mexiko). *Nit.*, *Nitid.* 87.

Caccoplectus O Sharp, BCA. Col. II, 1, 1887, 22; Raffr., Rev. d'E. 9, 1890, 169; ASEFr. 73, 1904, 316; GIW. *Psel.* 1908, 316 (*C. celatus* Sharp 1887) 1913:2 (Guat., Mexic., Texas). *Psel.*, *Psel.*, *Holoz.* 334.

Caccoporus C. G. Thoms., Sk. Col. III, 1861, 127, Schaufuß in Calwer, 170 Kuhnt, 199 = Subg. ad *Oxytelus* Grav. 1802. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 123.

- Caccothryptus* Sharp, EMM. 38, 1902, 63; BCA. Col. II, 2, 1902, 683 nota (*C. compactus* Sharp 1902) 1913:1 (Borneo). *Byrrh.*, *Limn.* 8.
- Cachezia* O Lew., BCA. Col. 1888, 236 (*C. puberula* Lewis 1888) 1913:1 (Nicarag.). *Hist.* 101.
- Cacicus* Sol., ASEFr. 5, 1836, 639; *Lac.* V, 1859, 112 = *Megelenophorus* Geb. 1910. *Ten.*, *Elenoph.* 269.
- Cacodacnus* O J. Thoms., Class. *Cer.*, 325; Syst. *Cer.*, 413; *Lac.* VIII, 142; Lmr., ASEB. 48, 1904, 18 (Rév., 436) (*C. hebridanus* J. Thoms. 1860 [Nov. Hebrid., Nov. Caled., Ins. Norfolk], *C. planicollis* Blackb. 1895 [Queensl., Vict.]). *Ceramb.*, *Prion.*, *Callipogii*, *Megop.* 47.
- Cacodaemon* Thoms., 1857 (part.) = *Amphisternus* Germ. 1843 = *Spathomeles* Gerst. 1857. *End.*, *Endo.*, *Eumorph.* 23, 24.
- Cacodrotus* Broun, Man. New Zeal. Col. V, 1893, 1281 (*C. bifasciatus* Broun 1893) 1913:1 (Nov. Zealand.). *Ceramb.*, *Cerambin.*, *Stenodi.* 438.
- Cacophrissus* Bates, BCA. Col. 1885, 252 (*C. pauper* Bates 1885) 1913:1 (Mexico). *Ceramb.*, *Cerambin.*, *Hesprph.* 198.
- Cacoplesia* Fairm., ASEB. 42, 1898, 237 (*C. crassicornis* et *C. crenatostriata* Fairm. 1898) 1913:7 (Madag.). *All.*, *Allec.*, 72.
- Cacopsalis* O D. Sharp, BCA. Col. IV, P. 6, 1895, 33 (*C. rufid* D. Sharp 1895) 1913:1 (Mex., Brit., Hond.). *Brenth.*, *Brentha.*, *Arrh.* 55.
- Cacosceles* O Newm., EMa. V, 1838, 491; *Lac.* VIII, 64; Lmr., ASEB. 53, 1909, 461 (Rév., 665); Newm., EMa. V, 1838, 491; J. Thoms., Class. *Cer.* 294; Syst. *Cer.*, 474; Lmr., ASEB. 53, 1909, 463 (Rév., 667) (*C. Oedipus* Newm. 1838) 1913:3. — 2 Subg.: *Cac.* et *Zelog.* — *C. s. str.* (Typ. ut ante) 1913:1 (Afr. mer.). *Ceramb.*, *Prion.*, *Prionin.*, *Nothoph.* 61; 61, 1.
- Cacostomus* O Newm., ANH. (2) 4, 1840, 368 (*C. squamosus* Newm. 1840) 1910:1 (Austral.). *Luc.*, *Chias.* 7.
- Cacotemnus* J. Lee., Smiths. Misc. Coll. III, 1861, 204 = *Hadrobregmus* C. G. Thoms. 1859) 1913:17 (Eur., As., Amer.). *Anob.*, *Anobi.* 36.
- Cactopinus* Schwarz, Psyche, 8 Suppl. I, 1899, 11 (*C. Hubbardi* Schwarz 1899) 1910:1 (Arizona). *Ip.*, *Ipin.* 70.
- Caedimorpha* Blackb., TRSSouth Austral. X, 1888, 272 (*C. heteromerus* [King] 1869) 1913:1 (Austral. mer.). *Ten.*, *Opatr.* 553.
- Caedius* Blanch., HNIns. 1845, 13; *Muls.* et Rey, Mém. Ac. Lyon X, 1860, 34; Opusc. E. IX, 1859, 126; *Lac.* V, 261; *Seidi.*, NID. V, 1894, 410; Reitt., Best.-Tab. 53, 1904, 136, 178 (*C. sphaerooides* [Hope] 1842) 1910:18 (Aeg., Seneg., Ind. Beng., Thibet, Jap. etc., Austral., Nov. Caled.). *Ten.*, *Opatr.* 551.
- Caelidia* Burm., Hd. E. IV, 1844, 331 et 371 = *Parastasia* Westw. 1841. *Scar.*, *Rut. hom.*, *Ruti.*, *Parast.* 38.
- Caelius* Lewis, ANH. (6) 16, 1895, 381; A. Schmidt, GIW. 1910, 41 et 98 (*C. denticollis* Lewis 1895) 1913:1 (Japon.). *Scar.*, *Aphod.*, *Aphodi.* 16.
- Caelodon* J. Thoms., Classif. *Cer.* 1860, 1186 = *Coelodon* Serv. 1832. *Ceramb.*, *Cerambin.*, *Cerambyc.* 122.
- Caenoblaps* König, WEZg. 25, 1906, 24, Schaufuß in Calwer, (798) (*C. difformis* König 1906) 1913:1 (Caucas.). *Ten.*, App. 1202 = *Ten.* *Blapt.* 384a.
- Gaenocara* O C. G. Thoms., Sk. Col. I, 90; V, 174; J. Lee., P. Ac. Phil. 1865, 243; P. Am. Phil. S. 17, 1878, 412; Kiesw., NID. V, 1877, 155, 163; Seidl., F. Ba., F. Tr., 119; Fauc., F. Col. Fr., 306; G. Col. Fr., 32; Schiisky, 36, 36 E; Reitt., Tab. 47, 45; F. Germ. III, 317; Everts, II, 223, 243; Fall, TAmES. 31, 1905,

- 212, 268; **Schaufuß** in Calwer, 727, 728; **Kuhnt**, 676, 688. — *Synops.*: **J. Lee.**, PAcPhil. 17, 1878, 412 (*C. bovistae* [Hoffm.] 1803) 1913:19 (Eur. c. et mer., As., Amer.: Civ. confœd.). *Anob.*, *Dorcat.* 81.
- Caenocorse* **C. G. Thoms.** I, 1859, 117; **Schaufuß** in Calwer, 809, 814; **Kuhnt**, 740, 747 = *Palorus Muls.* 1854. *Ten.*, *Uлом.* 677.
- Caenomychus* **O. Lewis**, Ent. 26, 1893, 153 (*C. Gorhami* [Lewis] 1874) 1910:4 (Japon.). *End.*, *Endo.*, *Endom.* 80.
- Caenoptera* **Bedel**, F. Col. Seine V, 1889, 18 = *Molorchus* F. 1792, *C. C. G. Thoms.* Skand. Col. I, 1859, 150; VIII, 1866, 44; **Schaufuß** in Calwer, 842; **Kuhnt**, 754, 773 = Subg. ad *Molorchus* F. 1792.
- Ceramb.*, *Cerambin.*, *Molorch.* 606.
- Caerosternus* **O. Lee.**, PAcPhil. 1852, 39; **Lew.**, ANH. (5) 16, 1885, 213; EMM. 23, 1886, 63 (*C. americanus* Lee. 1845) 1913:1 (Amer. bor.). *Hist.* 55.
- Cafioquedus* [an ius?] **O. Sharp**, TR. Dublin Soc. (2) III, 1886, 376; *Broun*, Man. New Zealand Col. V, 1893, 1033; **B. et Sch.**, Col. Cat. P. 67, 1916, 437 (*C. gularis* Sharp) 1916:1 (Nov. Zealand). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 384.
- Cafius* **O. Steph.**, Ill. Brit. V, 1832, 245; **Olliff**, PLSNSW. (2) II, 1887, 498; **Ganglb.**, KäfMEur. II, 1895, 462. **Schaufuß** in Calwer, 194; **Kuhnt**, 167, 230. Biol.: **Rey**, ASLLyon 33, 1886, 146, 148; **Rupertsb.**, Biol. Käf. Eur. 1894, 121 (*C. xantholoma* [Grav.] 1806) 1914:43 (in divers. part. orb. terr.). — *C. s. str.* **Muls.** et **Rey**, ASAgr.Lyon (4) 8, 1875, 564 = Subg. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 288.
- Cafius Boisd.* et *Lacord.*, F. E. Paris, I, 1835, 410 = *Othius* Steph. 1832. *Staph.*, *Staphy.*, *Xanth.* 276.
- Calabamon* **Kraatz**, Revis. 1864, 105 = *Thraucostolus* **Kraatz** 1865. *Ten.*, *Tentyr.* 153.
- Calamosternus* **Motsch.**, Etud.E. 8, 1859, 156; **Reitt.**, Tab., 51; VN. 30, 189; **A. Schmidt**, GIW. 19 et 32. **Schaufuß** in Calwer, 1269; **Kuhnt**, 391 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
- Calantheinis* **O. J. Thoms.**, Syst. Cer. 1864, 194; **Jord.**, NoZo. X, 1903, 142 (*C. myops* Thoms.) 1913:16 (Afr. trop. et mer.). *Ceramb.*, *Cerambin.*, *Clyt.* 803.
- Calanthosoma* **Reitt.**, VN. 14, 1876, 10 (*C. flavomaculatum* **Reitt.** 1876) 1913:1 (Antill.). *Temn.*, *Nemos.* 3.
- Calaphodius* **Reitt.**, Tab., 1891, 1892, p. 90; VN. 30, 228; **A. Schmidt**, GIW. 21 et 96 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
- Calarus* **Raffr.**, A.Mus.N.Hung. 1903, 32; ASEFr. 72, 1903, 523; GIW. *Psel.* 1908, 75 (*C. puncticeps*, *C. dubius*, *C. semipunctatus* Raffr. 1903) 1913:3 (Nov. Guin. german.). *Psel.*, *Psel.*, *Euplect.* 74.
- Calasia* **Haldem.**, Jo.Ac.N.Sc.Phil. (2) I, 1848, 99. = *Scrapia* **Ol.** 1790. *Scrapta*. 2.
- Calcar* **Latr.** Règne anim. ed. II, 1829, II, 25; **Cast.**, HN. II, 1840, 211; **Woll.**, Ins. Mader. 1854, 494; **Muls.**, Col. Fr. *Latig.* 1854, 272; **Redtb.**, F. Austr. II et III; **Lac.** V, 383; **Seidl.**, F. Ba. et Tr., 134; NID. V, 649; **Desbr.**, Frelon XI, 1912, 49 = *Belopus* **Geb.** 1911. *Ten.*, *Tenebr.* 835.
- Calcar* **Muls.**, Col. Fr. *Latig.* 1854, 274; Opusc. E. IX, 1859, 140. **Jacq. du Val**, III, 1861, 312, t. 76 f. 379a; **Zoufal**, WEZg. 12, 1893, 115; **Seidl.**, NID. V, 1896, 653 = Subg. ad *Belopus* **Geb.** 1911. *Ten.*, *Tenebr.* 835.
- Calchaenesthes* **OKraatz**, BEZ. 7, 1863, 97, **Schaufuß** in Calwer, 844, 859 (*C. oblongomaculata* Guér. 1844) 1913:1 (Turc., Graecia, As. min., Syr., Afr. bor., Hispan.). *Ceramb.*, *Cerambin.*, *Stenaspid.* 974.

Calciosphaerium (1569) — *Callidostola* (1583).

157

Calciosphaerium O Enderl., Vet.-Ak.
Handl. Stockholm 48, No. 3, 12
(*C. solox* Enderl. 1912) 1913:1 (Ins.
Falkland.). *Byrrh.*

Calendyma O Lac. IV, 1857, 460; Gorh.,
Cist. E. II, 1875, 82 (1876) 89;
Schkgl., GIW. Cler. 1903, 69 (*C. chilensis* [Cast.] 1840) 1913:3 (Chile).
Cler., *Cleri.*, *Clerin.* 122.

Calitys O C. G. Thoms., Sk. Col. I,
1859, 71; IV, 1862, 191; *Lec. u. Horn.*
Class. 1833, 154; Seidl., F. Ba. ed.
II, 1891, 225; Schaufuß in Calwer, 411;
Kuhnt, 472, 474 (*C. scabra* [Thunb.]
1784) 1913:3 (Eur., Afr. mer., Am.
bor.). *Tenn.*, *Lep.* 29.

Callabonica Blackb., TRSSouth Austral.
19, 1895, 36 (*C. propria* Blackb. 1895)
1913:1 (Austral.). *Scar.*, *Melth.*,
Lipar. 178.

Callancyla O Aur. in Schkgl.
u. J., Col. Cat. P. 39 1912, 446
(= *Callopisma* Thoms. 1864) (*C. curvicolle* [Buq.] 1857) 1913:4 (Panam.,
Brasil.; Para). *Ceramb.*, *Cerambin.*,
Ancyl. 924.

Callergates O Lmr., ASEB. 48, 1906,
47 (Rév., 465) = Subg. 3 ad *Ergates*
F. 1832 (*C. Gaillardotii* [Chevr.] 1854)
1913:1 (Syr. alta), *Ceramb.*, *Prion.*,
Callipogi., *Callipog.* 53, 3.

Callichloris Burm., Hd. E. IV, 1, 1844,
455, l. c. IV, 12, 1855, 526; Ohs.,
StEZg. 1904, 332 (*C. signaticollis*
Burm. 1844) 1918:4 (Columb., Peru).
Scar., *Rut. orth.*, *Anopligni.*, *Platy-*
coel. 125.

Callichroma O Latr., Nouv. Dict. d'Hist.
Nat. de Deterville ed. 2, V, 1816, 24;
Jordan, Nozo. I, 1894, 165; Serv.,
ASEFr. II, 1833, 556; Ross, Int.EZ.
4, 1910, 59 (Katalog) 1913:104.
(Type?; Spp. aethiop. 55, per ex.:
atrum [L.] 1771, *micans* [F.] 1801;
Spp. amer.: 45; per ex.: *auricomum*
[L.] 1767, *elegans* [Ol.] 1790, *suav-*
lens [L.] 1768, *virens* [Drury] 1773;
Spp. indomalay.: ?*Call.*-Spp.: 4 per

ex. *bimaculatum* [White] *vittatum* [F.]
1775). — *C. Latr.* l. c. ex parte =
Aromia Serv. 1833. *Ceramb.*, *Ce-*
rambin., *Callichr.* 722.

Callichromopsis O Chevr., MSSciLiége,
18, 1863, 255; Gah., F. Brit. Ind.
Col. I, 1906, 180 (*C. telephorioides*
Westw. 1848) 1913:1 (Ceylon).
Ceramb., *Cerambin.*, *Comps.* 758.

Callidemum O Blanch., Voy. Pôle Sud
IV, Zo. 1853, 324; *Chap.*, G. Col. X,
1874, 349; Lefvr., MSLiége (2) 11,
1885, 163 (*C. viride* Blanch. 1853
1914:1 (Nov. Guin.). *Chrys.*, *Eu-*
mlop., *Spilog.* 83.

Callideriphus O Blanch. in Gay, H. Chile
Zo.V, 1851, 487; J. Thoms., Syst.Cer.
(*C. grossipes* Blanch. 1851) 1913:10
(Am. mer.; Goyaz, Chile 7). *Ce-*
ramb., *Cerambin.*, *Heterops.* 918.

Calliderma O Motsch., B. Mosc. 31,
1858, II, 663; Fauv., Rev. d'E. 14,
1895, 235 (*C. brunneum* Motsch. 1858)
1913:7 (Birm. 2, Ind. or. 2, Ceyl. 1,
Congo, Afr. or. germ. 1). *Staph.*,
Paed., *Paedi.* 229.

Callidiopsis O J.Thoms., Syst.Cer. 1864,
237 (*C. scutellaris* [F.] 1801, *praecox*
[Er.] 1842, *mutica* Lac. 1869) 1913:3
(Tasman.). *Ceramb.*, *Cerambin.*,
Calldp. 342.

Callidiopsis Lac., VIII, 1869, 356 =
Callidiopsis Thoms. 1864. *Ceramb.*,
Cerambin., *Calldp.* 342.

Callidium O F. Syst.Ent. 1775, 187 etc.;
Gutf.-B., 573; Schaufuß in Calwer,
844, 853; Kuhnt, 756, 778.

Biol.: Heeger, Sitzb. Ak.Wiss.Wien
11, 1853, 935 t. 4; Xambeu, Moeurs
usw. 8, 1902, 73 (*C. violaceum* [L.]
1758) 1913:16 (Eur., As., Am. bor.).
Ceramb., *Cerambin.*, *Callid.* 783.

Callidium Lam., Anim. sans Vert. 1801,
234 = *Plaginonotus* Muls. *Ceramb.*,
Cerambin., *Clyt.* 806.

Callidostola Reitt., F. Germ. 4, 1913, 37
= Subg. ad *Callidium* F. 1775.
Ceramb., *Cerambin.*, *Callid.* 783.

- Calligrapha* Er., ArN. 13, 1847, 158;
Stål, Öfv. Vet.-Ak. Förh. 17, 1860,
 460; *Chap.*, X, 1874, 383; *Jac.*, 195;
Linell, JoN YorkES. IV, 1896, 195
 = *Polyspila* Hope 1840. *Chrys.*,
Chryso., *Chrysi*. 12.
- Callimaria* O Fairm., Le Natural. (2)
 II, 1888, 12; ASEB. 39, 1895, 29
 (*C. impressipennis* Fairm. 1888) 1913:2
 (Madag.). *Ten.*, *Cnodal*. 965.
- Callimerus* O Gorh., Cist.E. III, 1875/82
 (1876), 65; Schklig., GIW., *Cler.*
 1903, 24; *Gah.*, ANH (8) 5, 1910, 61
 (*C. albovarius* [Westw.] 1849) 1913:54
 (As., Arch. malay., Philipp., Birma,
 Sikk., Nova Guinea). *Cler.*, *Cleri.*,
Till. 44.
- Callimoxys* O Kraatz, BEZ. 7, 1863,
 104, Schaufuß in Calwer, 843 (*C.*
gracilis Brullé, Exped. Morée 1832,
 257 t. 44 f. 1, 2) 1913:3 (Cal.; Dalm.,
 Turec., Graec.; Am. b.). *Ceramb.*,
Cerambin., *Molorch*. 609.
- Callimus* O Muls., Col. Fr. Securip.
 1846., App.; Long. ed. 2, 1863, 210;
Ganglb., Best.-Tab. 7, 1881, p. 9,
 687; *Guttl.-B.*, 580; Schaufuß in
 Calwer, 843; *Kuhnt*, 754, 775 (*C.*
angulatus [Schrank] 1789) 1912:11
 (Spp. palaearct. 9, nearct. 2).
 Biol.: *Xambeu*, Rev. d'E. XVII,
 1898, 36; *Xambeu*, Moeurs et Mét.
 IX, 1901, 36. *Ceramb.*, *Cerambin.*,
Molorch. 610.
- Calliope* Ws., NID. VI, 1882, 279, nota
 (nec *Haliday* 1840) = *Callipta* Lefvr.
 1885. *Chrys.*, *Eumolp.*, *Cyn.* 179.
- Callipareius* Senna, AMusG. (2) 12,
 1892, 444; Schoenfeldt, GIW. Brenth.
 1908, 12 (*C. Feae* Senna 1892) 1913:2
 (Brit. Ind., Birm.). *Brenth.*, *Brenth.*,
Taphr. 17.
- Callipogon* O Serv., ASEFr. I, 1832, 140;
Lmr., ASEB. 48 1904 (Rév. 468),
Serv., ASEFr. I, 1832, 140; *J. Thoms.*,
 Class. *Cer.*, 293; *Syst. Cer.*, 475;
Lac. VIII, 92; *Lmr.*, ASEB., 48, 19
 53 (Rév., 471). — Monogr.: *Nonfr.*
- BEZ. 37, 1892, 17. — (*C. senex* [Dupont]
 1832, *barbatus* Serv. 1832) 1913:15. —
 6 Subgg.: *Callom.*, *Callip.*, *Orthom.*,
Spilopr., *Enopl.* et *Navos*. — *C. s. str.*
 Subg. 3 ad *C.* (Typ. ut antea). (Am.
 centr., Mex.). *Ceramb.*, *Prion.*,
Callipogi., *Callipog.* 52; 52, 3.
- Calliprason* O White in Dieffenb., Trav.
 N. Zeal. II, 1843, 277; Voy. Ereb.
 et Terr. 1846, 23; *Broun*, Man. N.
 Zeal. Col. I, 1880, 582 (*C. Sinclairi*
 White 1843) 1913:1 (Nov. Zealand.).
Ceramb., *Cerambin.*, *Stenodi*. 436.
- Callipta* Lefvr., ASEFr. (6) V, 1885,
 Bull. p. CXXV; MSLiége (2) 11,
 1885, 87; Schaufuß in Calwer, (926)
 (*C. Fausti* [Ws.] 1882, *Oberthüri*
 [Fairm.] 1876) 1913:2 (Caucas.; Alger.;
 Tunes.). *Chrys.*, *Eumolp.*, *Cyn.* 179.
- Callirhinus* O Blanch., Cat. Coll. E.
 Col. 1850, 176 (*C. metallescens* Blanch.
 1850) 1918:1 (Mex.). *Scar.*, *Rut.*
hom., *Anomi*, *Anisopl.* 100.
- Callirhoe* Newm., Ent. I, 1840, 3 =
Coptocercus Hope 1840 (1841). *Ce-*
ramb., *Cerambin.*, *Phorac*. 234.
- Callischyrus* O Crotch, Erot. 1876, 58;
Gorh., BCACol. VII, 1887, 45 (*C.*
hieroglyphicus [Duponch.] 1824) 1913:9
 (Amer. c.). *Erot.*, *Triplac.* 36.
- Callisina* O Baly, JoE. I, 1860, 30;
 TESL. (3), IV, II, 1867, 163; *Chap.*,
 G. Col. X, 1874, 264; *Lefvr.*, MSLiége
 (2) 11, 1885, 63; *Jac.*, F. Ind. Col. II,
 1908, 362 (*C. fasciata* Baly 1860)
 1914 : 10 (As. mer.; Birm., Assam.,
 Malacc.; Sumatr., Born., Java).
Chrys., *Eumolp.*, *Callis.* 97.
- Callismilax* Bates, ANH. (4) 12, 1873,
 473; (4) 13, 1874, 105 (25) (Typ. ?);
C. aenea et *Mulsanti* [Montr.] 1860
 1913 : 24 (Nov. Caled.). *Ten.*,
Cnodal. 979.
- Callispa* O Baly, 1858, 4, t.1, f.2; *Chap.*,
 XI, 272; Ws., NID. VI, 1893, 1060;
Péringuery, ASAfr. Mus. 1908, 334
 (*C. insignis* Baly 1858) 1913:55 (As.,
 Afr., Males.). *Chrys.*, *Hisp.*, *Callisp.* 52.

- Callisphyris* O Newm., Ent. I, 1840, 1
 (*C. macropus* Newm. 1840) 1913:10
 (Chillan 2, Chile 8). *Ceramb.*,
Cerambin., *Necyd.* 584.
Callistethus Blanch., Cat. Coll. E. Col.
 1850, 198 (*C. auronitens* [Hope] 1835)
 1918:4 (Himalaya a Ladak ad
 Setschuan; Sikkim, Bhutan, Kasch-
 mir). *Scar.*, *Rut. hom.*, *Anomi.*,
Anoma. 72.
Callistopopillia Ohs., DEZ. 1903, 219
 (*C. Davidis* [Fairm.] 1876 et *Iris*
 [Cand.] 1869) 1918:2 (China mer.-occ.,
 Nepal). *Scar.*, *Rut. hom.*, *Anomi.*,
Popp. 88.
Callitheres Spin., Rev. Zo. 1841, 72;
Clér., I, 1844, 105; *Chenu*, Enc. d'HN.
 Col. II, 1860, 235 (= *Pallenis* Cast.
 1836). *Cler.*, *Cleri.*, *Till.* 20.
Callithmysus Sharp, EMM. 32, 1896,
 238 = *Plagithmysus* Motsch. 1845.
Ceramb., *Cerambin.*, *Clyt.* 815.
Calloctenus O White, PZSL. 1850, 12;
Lac. VIII, 192; Lmr., MSEB. 21,
 1912, 106, (Rév., 970) (*C. pulcher*
 White 1850) 1913:1 (Venez.). *Ce-*
ramb., *Prion.*, *Anacol.*, *Anac.* 107.
Calloides O ♀ J. Lee., Smiths. Misc.
 Coll. XI, 264, 1873, 319. — Biol.:
Pack., Ins. affect. Trees 1907, 443. —
 (*C. nobilis* [Harris] 1836, *Lorquini* [Buq.]
 1859) 1913:2 (Cal., Am. bor., Utah).
Ceramb., *Cerambin.*, *Clyt.* 809.
Calomegas O Lmr., ASEB. 48, 1904,
 64 (Rév., 482) = Subg. ad *Callipogon*
Serv. 1832 (*C. proletarius* Lmr. 1904,
sericeus [Ol.] 1795) 1913:2 (Porto
 Rico, Cuba, Haiti). *Ceramb.*, *Prion.*,
Callipogi., *Callipog.* 52, 2.
Callona Westw., TESL. II, 1840, 228
 = *Crioprosopus* Serv. 1834. *Ceramb.*,
Cerambyc., *Stenasp.* 962.
Calloodes White, ANH. 15, 1845, 38;
Arrow, ANH. (7) 7, 1901, 396; Ohs.,
 StEZg. 65, 1904, 67, 71 (*C. Grayanus*
 White 1845) 1918:4 (Queensl.).
Scar., *Rut. orth.*, *Anoplgni.*, *Anoplagna*.
 110.
- Callopisma* Motsch., Etud. E. 1852, 42
 = *Lychnuris* Ern. Oliv. 1907. *Lamp.*,
Lucid. 17.
Callopisma J. Thoms., Syst. Cer. 1864,
 212 = *Callancyla* Aur. 1912. *Ce-*
ramb., *Cerambin.*, *Ancyl.* 924.
Callopsenius Wasm., DEZ. 1903, 236
 (emend.); ZoJa. Suppl. VII, 1904,
 679 nota 2 (*C. clavicornis* [Wasm.]
 1902) 1916:1 (Paraguay). *Staph.*,
Cephal. 403.
Calloserica Brenske, MSEB. II, 1894,
 56; BEZ. XLII, 1897, 356; XLVIII,
 1898, 236; Reitt., VN, 40, Best.-
 Tab. 50, 182 (nota) (*C. tigrina* Brenske
 1894) 1913:1 (Ind.). *Scar.*, *Melth.*,
Seric., 43:f
Callosobruchus Pic, Rev. d'E. 21, 1902,
 6 nota; Echange 28, 1912, 92 = Subg.
 ad *Bruchus* L. 1758. *Bruch.*, *Bruchi*.
 11.
Calothilus O Wolcott, ENs. 22, 115
 (*C. eburneocinctus* Wolc. 1911) 1913:1
 (Florida). *Cler.*
Callyntra Sol., ASEFr. 5, 1836, 335;
 in Gay, H. Chile, V, 1851, 153 =
Epipedonota Sol. 1836. *Ten.*,
Nyctel. 294.
Calysphiris J. Thoms., Syst. Cer. 1864,
 411: = *Callisphyris* Newm. 1840.
Ceramb., *Cerambin.*, *Necyda*. 584.
Calobamon Kraatz, Revis. 1865 = err.
 pro *Calabomon* Kraatz 1865. *Ten.*,
Tentyr. 153.
Calobosca Fairm., ASEB. 38, 1894, 395
 (*C. pedinoides* [Fairm.] 1893) 1913:1
 (Indo-China). *Ten.*, *Tenebr.* 799.
Calobrium Fairm., ASEFr. 72, 1903,
 251 (*C. Perrieri* Fairm. 1903) 1913:1
 (Madag.). *Ceramb.*, *Cerambin.*,
Obr. 371.
Calocerambyx Heller, DEZ. 1905, 66
 (*C. Hauseri* Heller 1905) 1913:1
 (Neuguinea). *Ceramb.*, *Cerambin.*,
Cerambyc. 132.
Calocerus Fauv., Rev. d'E. 1891, 88
 (*C. crassicornis* Er. 1840) 1913:13

- (Panama, Am. mer. trop.). *Staph.*,
Oxyt., *Piest.*, *Thorac.* 27.
- Caloclerus* Kuw., ASEB. 37, 1893,
 480; Schklg., op. cit. 45, 1901, 105
 = *Callimerus* Gorh. 1876. *Cler.*,
Cleri. 44.
- Caloclytus* Gah., F. Brit. Ind. Col. I,
 1906, 260; Schaufuß in Calwer, (863);
Kuhnt, 785 = *Chlorophorus* Chevr. 1863.
Ceramb., *Cerambin.*, *Clyt.* 820.
- Calocomus* O Serv., ASEFr. I,
 1832, 194; J. Thoms., Class. *Cer.*
 287; Syst. *Cer.*, 266; *Lac.*, VIII,
 178; Lmr., MSEB. 17, 1909, 32
 (Rév., 616) (Typ.?; *Kreüchelyi*
Buquet. 1840, *C. Desmaresti* Guér.
 1844) 1913:3 (Columb., Boliv.,
 Argent.). *Ceramb.*, *Prion.*, *Deranc.*
 58.
- Calodactylus* O Blanch., Cat. Coll. E. Col.
 I, 1850, 91; *Lac.* III, 246 (*C. tibialis*
Blanch. 1850) 1913:3 (Brasil. 2,
 Peru 1). *Scar.*, *Melth.*, *Macrod.* 454.
- Calodaemon* Boileau, Nat. 19, 1897, 248;
 l. c. 1898, 119 = *Auxicerus* Waterh.
 1883. *Luc.*, *Clad.* 31.
- Caloderma* Casey, Bull. Cal. Ac. II,
 1886, 5; T. Ac. St. Louis XV, 1905,
 182 (*C. rugosus* Casey 1886) = Subg.
 15 ad *Medon* Steph. 1832; 1912:16
 Cal. 12, Nev. 2, Wash. 2, Idaho 1,
 Columb. brit.). *Staph.*, *Paed.*,
Paedi. 199, 15.
- Calodromus* O Guér., MaZo. 1832, t. 34;
Lac. VII, 1866, 407; Schoenfeldt,
 GIW. Breith. 1908, 5 (*C. Mellyi*
Guér. 1832) 1913:2 (Ind. or., Caffr.).
Breith., *Brentha.*, *Taphr.* 1.
- Calodromus* J. Thoms., ArE. I, 1857,
 119 = *Cyphagogus* Parry 1849.
Breith., *Brentha.* 3.
- Calodus* H. Lucas, Voy. Castelnau, Ins.
 1857, 184; J. Thoms., Syst. *Cer.*
 1864, 434 = *Rachidion* Serv. 1834.
Ceramb., *Cerambin.*, *Lissnt.* 1021.
- Caloenas* Reitt., DEZ. 1889, 34; Escher.,
 WEZg. 15, 1896, 121; Hartert, ENa.
 22, 1896, 142 = *Calydus* Reitt. 1896.
Melo., *Lytt.*, *Mylab.* 20.
- Calognathus* O Guér., MaZo. Ins. 1836,
 Cl. IX, t. 172; *Cast.*, HN. II, 1840,
 186; *Lac.*, V, 86 (*C. Chevrolati* Guér.
 1836) 1913:1 (Terr. cap.). *Ten.*,
Calognath. 257.
- Calolymus* Thunb., Chár. gen. Ins. ed.
 Meyer 1791, 26 [non binär] =
Lymexylon F. 1775. *Lym.* 4.
- Calomacraspis* O H. Bates, BCA. Col. II,
 2, 1888, 264 (*C. nigripennis* H. Bates
 1888) 1918:4 (Mex., Guatem. —
 Ecuad. b.-occ., Amaz.). *Scar.*,
Rut. hom., *Ruti.*, *Antich.* 59.
- Calomela* ♀ Hope, Coleopt. Man. III, 166.
 — Biol.: Froggatt, LPSNSW. 18,
 1893, 39. — (Type?; *C. crassicornis* [F.]
 1775, *Curtisi* [Kirby] 1818, *maculicollis*,
Mac Leayi et *ruficeps* [Boisd.]
 1835) 1916:46 (Austral.). *Chrys.*,
Chryso., *Phyllod.* 90.
- Calomorpha* Stål, Öfv. Vet. Akad. Förh.
 XV, 1858, 251; Lefvr., MSLiége (2).
 11, 1885, 71 (nec *Latr.*) = *Syricta*
Baly 1865. *Chrys.*, *Eumolp.*, *Scelo.*
 112.
- Calonecrus* O J. Thoms., ArE. I,
 1857, 117 (*C. Wallacei* J. Thoms.
 1857) 1913:3 (Borneo). *Nit.*, *Cat.* 13.
- Calonota* O Hope, Col. Man. I, 1837,
 107; *Burm.*, Hd. E. IV, 2, 1855,
 218; *Sharp*, EMM. 13, 1876, 72;
Waterh., ANH. (4) 17, 1876, 71
(*C. festiva* [F.] 1775) 1913:12 (Nov.
Zeal. 11, Nov. Guin. 1). *Scar.*, *Melth.*,
Lipar. 165.
- Calontholinus* Reitt., VN., 46, 1908,
 114 = Subg. ad *Xantholinus* Serv.
 1825. *Staph.*, *Staphy.*, *Xanth.* 257.
- Calophaena* Lynch., Bol. Ac. Cordoba
 VII, 1884, 267 nec Klug 1821 =
Acalophaena Sharp 1886. *Staph.*,
Paed., *Paedi.* 203.
- Calopopillia* Kolbe, SteZg. 53, 1894,
 209, 27 = Subg. (1) ad *Popillia*
 Serv. 1825 (*C. Candezei* Kraatz 1892,
dorsigera Newm. 1838) 1918:3 (Guin.,

- Congo ad Vict. Nyanz., Angola, Togo, Congo). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 86, 1.
- Calopus* O F., Syst.E. 1775, Charact. gen. nr. 47 et p. 182; G.Ins. 1777, 50; Spec. Ins. I, 1781; Mant. Ins. etc., etc.; L., Syst. Nat. ed. 13, I, 4, 1792, 1865; Latr., HN. Crust. et Ins. 1801, etc.; Zett., F. Lapp.; Steph., Ill. Brit. E. Mand. V, 1832, 61, nota; Man. Brit. Col. 1839, 336; C. R. Sahlb., Ins. Fenn.I, 1834, 446; Cast., HNIns. Col. II, 1840, 250; Redtb., F. Austr.; Gatt. deutsch. Käferf. etc.; Muls., ASLLyon n. s., V, 1858, 93; Col. Fr. *Angustip.* 1858, 29; Bach, 266; Lac., V, 701; C. G. Thoms., Sk. Col. I, 1859, 125; VI, 1864, 348; Guttl.-B., Käf. Deutschl. 1859, 441; Fairm. in Jacq. du Val, 441; J. Lec., Class. 1862, 258; Seidl., F. Ba. et Tr.; NID. V, 2, 731; Ganglb. VzbGW. 31, 1881, 97; Best.-Tab. 4a: *Oedem.* 1881, 1; J. Lec. u. Horn, Class. 1883, 404; Stierlin, Col. Helv. 1886, 195; Champ., BCA. Col. IV, 2, 1889, 110; Semen., HoR. 28, 1894, 451 (sep. 3); Horn, P. Cal. Ac. Sc. (2) 6, 1896, 384; Reitt., F. Germ. 3, 405; C. Schaufuß im Calwer, 729, 730 [Biol.]; Kuhnt, 688, 690 (*C. serraticornis* [L.] 1758) 1915:2 (Eur. b., c., mer., mont., Sibir.). *Oed.*, *Calop.* 1.
- Calosis* O Deyr., ASEFr. (4) 7, 1867, 222 (Mon.) (*C. amabilis* Deyr. 1867) 1913:1 (Afr. mer.-occ.). *Ten.*, *Zoph.* 92.
- Calospasta* J. Lec., Class. Col. N. Am. 1862, 273 (*C. elegans* [J. Lec.] 1851) 1917:13 (Cal. 10, Mex. occ. 1, Nov. Mex., Colo. 1, Ariz. 1). *Melo.*, *Lytt.* 46.
- Calostega* O Westw., PZSL. 1842, 117; TZSL. III, 1843, 221; Lac. V, 402; Geb., Mon., 169 (*C. purpuripennis* Westw. 1842) 1913:3 (Afr. occ., Congo, Guinea). *Ten.*, *Pycnoc.* 887.
- Calpazia* Pasc., TESL. (2), IV, 1857, 93; (3) III, 1869, 519 (*C. vermicularis* Pasc. 1857) 1913:1 (Borneo). *Ceramb.*, *Cerambin.*, *Cerambyc.* 149.
- Calybistum* Thoms., Rev. MaZo. (3) VI, 1878, 26 (*C. fuliginosum* Thoms. 1878) 1913:1 (Senegamb.). *Ceramb.*, *Cerambin.*, *Obri.* 365.
- Calyce* O Champ., BCA. Col. IV, 12 (1891), 307 (*C. fulva* Champ. 1891) 1915:2 (Pan., Brasil.?). *Mord.*, *Mordi.* 9.
- Calydon* O C. G. Thoms., Syst. Cer. 1864, 263 (*C. submetallicum* Blanch. 1851) 1913:2 (Chile). *Ceramb.*, *Cerambin.*, *Callid.* 781.
- Calydonis* O Pasc., ANH. (5) 9, 1882, 31; Gebien, ArN. 1917 (1918) A 3, 26 et 141 (*C. cuprea* et *refulgens* 1882) 1913:2 (Amaz. infer.). *Ten.*, *Cnodal.* 957.
- Calydus* Reitt., WEZg., 5, 1896, 192 (*C. pulcher* Reitt. 1889) 1917:4 (Asm., Pers., Vall. Arax.). *Melo.*, *Lytt.*, *Mylabr.* 20.
- Calymmaderus* O Sol. in Gay, H. Chile IV, 1849, 472; Lac., IV, 519, 526; Germain Actas Univ. Chile 1892, 257; Pic, Echange 28, 1912, 48 (*C. capucinus* Sol. 1849) 1913:60 (Am., Austral.). *Anob.*, *Dorcat.* 66.
- Calymmophorus* O Sol., ASEFr. 9, 1840, 245; Lac., V, 211; Burm., StEZg. 36, 1875, 494 (*C. cucullatus* [Lac.] 1830) 1913:4 (Tucuman., Mendoza, San Luis). *Ten.*, *Praoc.* 409.
- Calymmus* O Pasc., ANH. (4) 8, 1871, 349 (*C. Berardi* [Montr.] 1860) 1913:6 (Am. centr. et mer. Nov. Caled., Venez., Ecuad., Nicar., Peru). *Ten.*, *Bolitoph.* 585.
- Calypterus* Muls. et Rey, Op. E. 9, 181; Tered., 225, 254; Seidl., F. Ba., 505; F. Tr., 540; Fauc., F. Col. Fr. 1892, 304; Schilsky, Käf. Eur. 36, 36 CC; Reitt., Tab. 47, 29; Kuhnt, 684 = Subg. ad *Xyletinus* Latr. 1807. *Anob.*, *Xylet.* 54.

- Calyptocephalus* O Gray in Griffith's An. Kingdom, Ins. I, 1832, 370; Motsch., Etud. E. 1853, 32: E. Ol., ASEFr. (6) V, 1885, 143; GIW. *Lamp.* 1907, 10 (*C. fasciatus* Gray 1832) 1910:14 (Amer. mer.). *Lamp.*, *Lampr.* 5.
- Calyptopsis* O Sol., ASEFr. IV, 1835, 269; Lac. V, 45; Jacq. du Val III, 249; Kraatz, Rev. Ten. 1865, 225; Reitt., DEZ. 1896, 298; Best.-Tab. 42, 1900, 88, 130; Schaufuß in Calwer, 070; (*C. caraboides* [Brill.] 1835) 1913:23 (As. c. et occ., Asm., Syr., Pers. etc.). *Ten.*, *Tentyr.* 107.
- Camaldus* Fairm., ASEFr. (4) 3, 1863, 637 = *Centrophthalmus* Schmidt-Goeb. 1838. *Psel.*, *Psel.*, *Tyr.* 372.
- Camaria* O Serv., Enc. méth. X, 1825, 454; Cast., HN. VI, 1840, 231; Gebien, ArN. 1917(1918) A 3, 26, 28 et 36 (*C. nitida* Serv. 1825, *gibbosa* [Pall.] 1781, [Ol.] 1795, *striata* [F.] 1801). — *C. sensu* Gebien, ArN. 1917 (1918) A 3, 36—121 (Typ. *Bl. Okeni* Perty) 1918:54 + 8 Spp. incert. (Arg. b. usque ad Pan., Costarica). *Ten.*, *Cnodal.* 958.
- Camarimena* O Motsch., B. Mosc. 36, 1863, II, 473; Mäkl., Acta Fenn. 1864, 113; Gebien, ArN. 1917 (1918) A 3, 29 et 155 (*C. laeviuscula* et *parabolica* [Walk.] 1858) 1918:16 (Ind., Ceyl., Burma, Bengal., Indo-China, Ind. or., Java). *Ten.*, *Cnodal.* 966.
- Camariodes* Fairm., ASEFr. (4) 9, 9, 1869, 232 (*C. helopiooides* [Klug] 1833) 1913:6 (Madag.). *Ten.*, *Cnodal.* 946.
- Camarothelops* Kolbe, Mi.Zo. Mus. Berl. V, 1910, 30 (*C. Braueri* Kolbe 1910) 1913:1 (Seychellen). *Ten.*, *Helop.* 1066.
- Camenta* Er., NID. III, 1847, 695; Brenske, BEZ. 41, 1896, 341; Burm., Hd. E. IV, 2, 1855, 143; 1896, 341; Péring., TSAfr. Philad. 13, 1904, 90, 92 (Typ.?) ; *C. obesa* [Burm.] 1855) 1913:17 (Afr. centr., or., occ., mer.). Scar., Melth., Seric. 117.
- Camentoserica* Brenske, BEZ. XLV, 1900, 78; XLVI, 1901, 220; XLVII, 1902, 69; Péring., TSouth Afr. Phil. S. XIII, 1904, 33 (*C. livida* Boh. 1860) 1912:1 (Afr.; N'Gami, Rhodes. mer., Trv. Terr. Damara). Scar., Melth., Seric. 82.
- Cametis* Motsch., Bull. Moscou, 36, 1863, I, 2, 440 (*C. picea* Motsch. 1863) 1913:1 (Ceylon). *Nit.*, *Nitid.* 145.
- Camioleum* Lewis, ANH. (6) 11, 1893, 394 (*C. loripes* Lewis 1893) 1913:1 (Japon.). *Staph.*, *Oxyt.*, *Omal.* 66.
- Camphonota* Sol., ASEFr. X, 1836, 195 = Subg. ad *Pimelia* F. 1775. *Ten.*, *Pimel.* 1377.
- Campolene* O Pasc., JoE. II, 1863, 44 (*C. nitida* Pasc. 1863) 1914:1 (N. S. Wales). *Ten.*, *Helop.* 1025.
- Campsia* O Serv., Enc. méth. X, 1825, 455; Cast., HN. II, 1840, 231; Lac. V, 424; Gebien, ArN. 1917 (1918) A 3, 27, 29 (Typ. *C. testacea* Serv. 1825, *irrorata* Dalm. 1823) 1918:3 (Brasil.). *Ten.*, *Cnodal.* 959.
- Campsopyga* O Murr., Monogr. 1864, 327 (*C. pallidipennis* Murr. 1864) 1913:1 (Columb., Venez.). *Nit.*, *Carpophil.* 38.
- Campta* Steph., Ill. Brit. E. III, 1830, 30 et 43 = *Cychramus* Kugel. 1794. *Nit.*, *Nitid.* 104.
- Camptocerus* Latr., Règne anim. ed. II, V, 1829, 91; Er., ArN. II, 1836, 59; Lac. VII, 1860, 368; Chap., Syn. Scol. 1873, 258; Bldf., BCA. Col. 1896, 125 (*C. aeneipennis* [F.] 1801) 1913:9 (Amer. mer., Nicaragua etc.). *Ip.*, *Ecc.* 98.
- Camptodes* O Er. in Germar, ZE. IV, 1843, 321 (*C. scutellatus* [Sturm]

- 1826, *aterrimus* Er. 1843, *morio* Er. 1843, *vittatus* Er. 1843) 1913:155 (Am. bor., centr. et mer.). *Nit.*, *Nitid.* 102.
- Camptodium* Motsch., B. Mose. 41, 1868, II, 173, 189; Matth., Trichopt. illustr. 1872, 32; Cist. E. 3 (1884), 82 t. 4 f. 1—4; Trichopt. Suppl. 1900, 105, t. 14 f. 1, 2 etc.; Jacobs., Col. Ross. 8, 1910, 629 (*C. adustipenne* Motsch. 1868) 1913:1 (Ind. ant., Japon.). *Ptil.*, *Ptilii.* 7.
- Camptomorphus* Grouv., ASEF. 1898, 369 (*C. longipes* Grouv.) 1913:1 (Brasil.). *Nit.*, *Nitid.* 116.
- Camptorhina* Kirby, F. Bor.-Amer. IV, 1837, 128; Brenske, BEZ. 47, 1902, 34 = *Serica* M'Leay, 1819. *Scar.*, *Melth.*, *Seric.* 23.
- Campylochira* Lefvr., Rev. MaZo. (3) 4, 1876, 293; MSLiége (2) 11, 1885, 41; Jac., TESL. 1900, 493 (*C. fulvipes* et *pectoralis* Lefvr. 1876) 1914:5 (Brasil.). *Chrys.*, *Eumolp.*, *Colasp.* 58.
- Campylorhabdus* O Schm., ENa. 15, 1889, 366 (*C. Poggei* [Harold] 1878) 1913:3. (Afr. or., centr.; Sansib.). *Hist.* 37.
- Campylotrochalus* Brenske, BEZ. XLV, 1900, 81 (*C. glabrielypealis* Brenske 1902) 1913:1 (Togo). *Scar.*, *Melth.*, *Seric.* 100.
- Canifa* Lec., New Col., 144; Lec. et Horn, Class. 1883, 399 = *Scaptia* Latr. 1807. *Scapt.* 2.
- Cantharis* L., Syst. Nat. ed. 13 (Gmelin) I, 4, 1788 p. 1881 et 1900 = *Atractocerus* Palis. 1801.
- Cantharis* L., Syst. Nat. ed. 10, 1758, I, 403; ed. 12, I, 2, 1766, 650; ed. 13 (Gmelin), I, 4, 1788, p. 1900; F. Suec. ed. 2, 1761, 204; Goeze in Donndorf, Europa F. 8, 1799, 655; Bechstein u. Scharfenberg, Vollst. Naturg. schädl. Forstins. I, 1804, 224 = *Lymexylon* F. 1775. *Lym.* 1, 4.
- Cantharis* L. Schaufuß in Calwer, 364; Kuhnt, 442, 447. — *Canth.* cf. P. II.
- Cantharis* Er., in Agass. Nomencl. Zool. Col. 1842—47, 61 = *Eletica* Lac. 1859. *Melo.*, *Lytt.*, *Mylabr.* 21.
- Cantharis* Geoffr., HNIns. I 1762, 1339 = *Lyta* F. 1775. *Melo.*, *Lytt.*, *Lytti.* 26.
- Cantharocnemis* O Serv., ASEFr. I, 1832, 132; J. Thoms., Class., Cer. 275; Syst. Cer., 481; Lmr., ASEB. 46, 1902, 305 (Rév., 93); A.Mus.CongoZo. (3) II, 1903, 9; MSEB. 21, 1912, 4 (Rév., 868), 123 (Rév., 987) (*C. spondyloides* Serv. 1832) 1913:17. — Subgg.: *Cantharocn.*, *Cantharopl.*, *Cantharopr.*, *Cantharoct.* (Afr. trop.; Bombay, Ceylon). — Etiam subg. 1 *C. s. str.* Serv., ASEFr. I, 1832, 132; Lac. VIII, 32; Lmr., ASEB. 46, 1902, 310 (Rév., 98); A.Mus.CongoZo. (3) II, 1903, 10; MSEB. 21, 1912, 123 (Rév., 987); Gah., F.Brit.Ind. Col. I, 1906, 26. 1913:6 (1 + 5). Typ. ut antea. (Bombay, Ceylon). *Ceramb.*, *Prion.*, *Anacol.*, *Cantharocn.* 73; 73, 1.
- Cantharoctenus* O Westw., TESL. 1866, 134; Thes.Oxon. 1874, 107; Lac. VIII, 33; Lmr., ASEB. 46, 1902, 316 (Rév., 104); A.Mus.CongoZo. (3) II, 1903, 15; MSEB. 21, 1912, 125 (Rév., 989) = Subg. 4 ad *Cantharocnemis* Serv. 1832 (*C. Burchelli* Westw. 1866) 1913:5 (Afr. or. germ., Somali, Nil. Nil. coerule., Angol., Damara). *Ceramb.*, *Prion.*, *Anacol.*, *Cantharocn.* 73, 4.
- Cantharoplatys* Westw., PESL. 1866, 133; Thes. Oxon. 1874, 107; Lac., VIII, 33; Lmr., ASEB. 46, 1902, 306 (Rév., 94); A. Mus. Congo, Zo. (3) II, 1903, 12; MSEB. 21, 1912, 124 (Rév., 988) = Subg. 2 ad *Cantharocnemis* Westw., Serv. 1832 (*C. Felderi* Westw. 1866) 1913:5 [2 + 3] (Afr. trop.). *Ceramb.*, *Prion.*, *Anacol.*, *Cantharocn.* 73, 2.

- Cantharoprion* O Lmr., ASEB. 46, 190, 314 (RÉV., 102); A.Mus.Congo Zo. (3) II, 1903, 14 = Subg. 3 ad *Cantharocnemis* Serv. 1832 (*C. Livingstonei* Westw. 1866) 1913:1 (Zambesi). *Ceramb.*, *Prion.*, *Anacol.*, *Cantharocn.* 73,3.
- Canthidium* O Er., ArN. 13, 1847, I, 109 (*C. lentum* et *thalassinum* Er. 1847, *melanocephalum* [OI] 1789, *chrysia* [F.] 1801, *decoratum*, *onitoides* et *sulcatum* [Perty] 1830) 1913:96 (Mex., Am. mer.). *Scar.*, *Copr.*, *Copri.*, *Pinot*. 68.
- ?*Canthoderus* Motsch., Etud. E. 4, 1855, 15 t. 1 f. 4 = *Stratus* L. W. Schauf. 1872. *Psel.*, *Psel.*, *Jub*. 25.
- Canthon* O* Hfsg. in Wiedem., ZoMa. I, 1817, 38 (*C. laevis* [Drury] 1770, *triangularis* [Drury] 1770) 1913:144. (Am. bor., centr., mer.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 18.
- Canthon* Klug, Ins. Madag. 1833, 73; Abh. Ak. Wiss. Berlin 1832 (1834), 161. = *Epilissus* Reiche 1841. *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 24.
- Canthonosoma* McLeay, PESNSW. 1871, 175 (*C. Castelnau* Har. 1871, *MacLeayi* [Har.] 1868) 1913:4 (Queensl., Austral., Ins. Eclipse). *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 33.
- Canthrolethrus* O Thoms., ASEFr. (4) 2, 1862, 411; Parry, TESL. 1872, 75 (*C. Luxeri* [Buquet] 1843) 1913:5 (Ecuad., Cost. Rica, Columb.). *Luc.*, *Clad.* 33.
- Canthotrupes* Jek., ASEFr. (4) 5, 1865 (1866), 616 = *Stereopyge* A. Costa 1849 = Subg. ad *Geotrupes* Latr. 1796. *Scar.*, *Geotr.*, *Geotrp.* 17,1.
- Capnisa* Lac. V, 1859, 36; Kraatz, Revis. *Ten.* 1865, 82; Faust, HoR. 11, 1875, 166 = *Gnathosia* Fisch. 1821. *Ten.*, *Tentyr.* 100.
- Capnites* Raffr., Rev. d'E. 17, 1898, 245; ASEFr. 77, 1903, 526; GIW. *Psel.* 1908, 80 (*C. angustus* Raffr. 1898) 1913:1 (Madag.). *Psel.*, *Psel.*, *Euplect.* 82.
- Capnocalymna* Gemm. u. Har., Col. Cat. IX, 1873, 2856 = *Capnolymma* Pasc. 1858. *Ceramb.*, *Cerambin.*, *Lept.* 515.
- Capnocerambyx* O Reitt., ENa. 20, 1894, 356; Schaufuß in Calwer, 844 = *Derolus* Gahan 1891. *Ceramb.* 142.
- Capnochroa* Lee., Class. N.-Am. Col. 1862, 244; Casey, t. c., 160 (*C. juliginosa* [Melsh.] 1846) 1913:1 (N. York, Virginia). *All.*, *Allec.* 81.
- Capnodes* Broun, Man.NZeal. Col. II, 1881, 690 (*C. griseipilis* Broun 1881) 1913:1 (Nov. Zealand.). *Anob.*, *Dorcat.* 75.
- Capnolymma* O Pasc., TESL. (2) IV-1858, 265; (3) III, 1869, 556; Gah., F. Brit. Ind. Col. I, 1906, 73 (*C. stygium* Pasc. 1858) 1913:3 (Ceylon., Born., Penang). *Ceramb.*, *Cerambin.*, *Lept.* 515.
- Carabelops* Fairm., ASEB. 43, 1899, 534 (*C. aeuenescens* Fairm. 1899) 1913:1 (Madag.). *Ten.*, *Helop.* 1041.
- Caranistes* Er., G. Spec. Staph. 1839/40, 925 (nec Schönh.); Lac., II, 1855, 75 = *Naddia* Fauv. 1867. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 328.
- Caraphia* O Gah., F. Brit. Ind. Col. I, 1906 (*C. cibrata* et *minor* Gah. 1906) 1913:2 (Birma). *Ceramb.*, *Cerambin.*, *Lept.* 517.
- Carchares* Pasc., ANH. (5) 20, 1887, 12 (*C. macer* Pasc. 1887) 1913:3 (Afr. mer. occ. germ., Terr. Namaqua). *Ten.*, *Scaur.* 336.
- Carcinocephalus* Bernh., VzbGW. 53, 1903, 592, Schaufuß in Calwer, — (*C. Merkli* [Eppelsh.] 1883, *mehadiensis* Bernh. 1902/3) 1913:2 (Balcan., Hung. mer.). *Staph.*, *Oxyt.*, *Omal.* 56.
- Carcinognathus* Kirsch, BEZ. 17, 1873, 369 (*C. sulcifrons* Kirsch 1873) 1914:1 (Peru). *Dasc.*, *Artem.* 3.
- Carcinopisthius* Kolbe, StEZg. 53, 1892, 174; Schoenfeldt, GIW. *Brenth.* 1908, 27 (*C. Fruhstorferi* Kolbe 1892) 1913:6

- (Birma, Java, Mentawai, Sumatr., Nov. Guin.). *Brenth.*, *Brentha.*, *Trach.* 41.
- Carcinops* O Mars., Mon. 1855, 83; Schmidt, BEZ. 29, 1885, 283; Ganglb., KäfMEur. 3, 1899, 373; Reitt., F. Germ. II, 1909, 287; Schaufuß in Calwer, 303; Kuhnt, 364, 371 (*C. troglodytes* [Payk.] 1811) 1913:47 (Eur., As., Afr., Am.). — *C. Mars.* s. str. 1855 = Subg. 2 ad *C. Mars.* 1855 (Typ. ut antea) 1910:45. *Hist.* 48; 48,2.
- Carcinus* Mars., Mon. 1855, t. 8 f. 1—12 = *Carcinops* Mars. 1855. *Hist.* 48.
- Cardanus* O Westw., A.Sci.Nat. (2) I 1834, 112 (*C. sulcatus* Westw. 1834) 1913:7 (Ins. Malay.). *Luc. Fig.* 67.
- Cardiodora* Motsch. in Schrencks R. II 1860, 184 = *Doryphora* III. 1807. *Chrys.*, *Chryso.*, *Chysi.* 6.
- Cardiogenius* O Sol., ASEFr. 5, 1836, 492; *Lac.* V, 163; *Burm.*, StEZg. 36, 1875, 468 (*C. cicatricosus* Sol. 1836) 1913:7 (Argent., Montevideo, Chile). *Ten.*, *Asid.* 287.
- Cardiosis* O Deyr., ASEFr. (4) 7, 1867, 235 (Mon.) (*C. Mouffleti* Deyr. 1867) 1913:2 (Afr. mer.-occ., Cap. Negro). *Ten.*, *Zoph.* 96.
- Cardiostichus* O Quedf., BEZ. 29, 1885, 268; Kuw., ASEB. 38, 1894, 400 et 437; Schklg., StEZg. 64, 1903, 18; GIW. *Cler.* 81; Hintz, DEZ. 1905, 310 (*C. Mechoni* Quedf. 1885) 1913:5 (Gabun., Camerun., Congo, Usamb. etc.). *Cler.*, *Cleri.*, *Clerin.* 90.
- Cardiothorax* O Motsch., Etud.E. 8, 1859, 67 nota; Carter, PLNSNW. 31, 1906, 236. — Übersicht: Bates, EMM. 16, 1879/80, 30/3, 71/5, 131/3. — (Typ.?; *C. Walckenaeri* [Hope] 1840) 1913:44 + 7 (1911) (Austral.). *Ten.*, *Adelii.* 998.
- Caridopodus* O Schklg. in Sjöstedt, Ergebni. Zool. Exped. Kilimandj. VII, 7, 1908, 71 (*C. affinis* et *monstruosus* Schklg. 1908) 1913:2 (Meru, Kilimandj.). *Cler.*, *Cleri.*, *Clerin.* 63.
- Carilia* Muls., Col. Fr. Long. ed. 2, 1863, 489 = *Gaurotes* J. Lec. 1850. *Ceram.*, *Ceramb.*, *Ceramin.*, *Lept.* 529.
- Carinoclytus* O Aur. in Schklg. u. J., Col. Cat. Pars 39, 1912, 367 (= g. n. Jord., Nozo. X, 1903, 143) (*C. Thomsoni* [Har.] 1880, *Reichenowi* [Quedent.] 1883, *semiruber* [Quedt.] 1882) 1913:3 (Chinchoxo, Angol., Afr. or. brit.). *Ceram.*, *Ceramb.*, *Clyt.* 798.
- Caristela* Fairm., ASEB. 38, 1894, 311; Bedel, Abeille, 29, 1896—1900, 36 = *Mycetocharina* Seidl. 1891. *All.*, *Allec.* 34.
- Carpalimus* O Steph., Ill. Brit. V, 1832, 324 *Schaufuß* in Calwer, 168; Kuhnt, 197 (*C. arcuatus* Steph. 1827) = Subg. 2 ad *Trogophloeus* Mannerh. 1830) 1913:34 (in omn. part. orb. terr. distrib.). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 111, 2.
- Carpathobryrrhulus* Ganglb., VzbGW. 52, 1902, 92; Ganglb., IV, 1, 67, *Schaufuß* in Calwer, 612 (*C. transsilvanicus* Suffr. 1848) 1913:1 (Regio Carpath.). *Byrrh.*, *Byrrhi.* 19.
- Carphacis* Gozis, Rech. de l'espèce typ. 1886, 14; *Schaufuß* in Calwer, 208 = Subg. ad *Bolitobius* Mannerh. 1830. *Staph.*, *Tach.*, *Bolit.* 417.
- Carphoborus* Eichh., BEZ. 8, 1864, 27; Chap., Syn. Scol. 1873, 248; Reitt., Best.-Tab. 1894, 56; Lee., P.Am.Phil.S. 15, 1876, 382, *Schaufuß* in Calwer, 1227, Kuhnt, 170, 250 (*C. minimus* [F.] 1801) 1913:9 (Eur. m., Afr. b.; Smyrna; Am. b.). *I.p.*, *Hyles.* 25.
- Carpophagus* O McLeay in King, Surv. Aust. App. II, 1827, 447; *Lac.*, Mon. Phyt. I, 1845, 10; Chap., G. Col. X, 1874, 37; Jacoby, GIW. 14, 1903, 4 (*C. Banksiae* McLeay 1827) 1913:2 (Austral.). *Chrys.*, *Sagr.*, *Carpoph.* 9.
- Carpophilops* Grouv., ASEFr. 67, 1898, 353 (*C. Fryi* Grouv. 1898) 1913:1 (Brasil.). *Nit.*, *Carpophil.* 50.
- Carpophilus* Leach, Gutfl.-B., 235 = *Carpophilus* O Steph., Ill. Brit. Ent.

- III, 1830, 30, 50; **Schaufuß** in Calwer, 420; **Kuhnt**, 476, 481 (*C. hemipterus* [L.]) 1758 (Eur., Am. bor.), *C. dimidiatus* [F.] 1792 (Cosmopolit.), *humeralis* [F.] 1798 (Afr. trop., Madag., Seych., Ind. or., *sex-pustulatus* [F.] 1791) 1913:179 (in omn. part. orb. terr. et insul.). *Nit.*, *Carpophil.* 53.
- Cartallum* O Serv., ASEFr. III, 1834, 94; **Gutfl.-B.**, 578; **Schaufuß** in Calwer, 843; **Kuhnt**, 754, 755. — Biol.: **Xambeu**, Rev. d'E. 9, 1890, 58; **Moeurs et Mété.** VII, 1899, 2; VIII, 1902, 208; etc. — (*C. ebulinum* [L.] 1767) 1913 : 3 (Eur. mer., Afr. bor., Syr., Arab., Mesopot., Ins. Lifu). *Ceramb.*, *Ceramin*, *Pyth.* 682.
- Carteromerus* Laf., Mon. 1848, 71, Nota 1 = *Formicomus* Laf. 1848. *Anth.* 5.
- Carteronyx* Dej., Col. Cat. ed. 3, 1836, 180 = *Dicrania* Serv. 1825. *Scar.*, *Melth.*, *Macrod.* 489.
- Cartolus* Muls. et Rey, Colligères 1866, 104. = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Caryedon* O Schönh., Diss. meth. 1826, 29; **Berthold** [cf. *Pachymera*]; **Latr.**, Dict. Class. HN. 14, 1828, 589; **Steven**, M. Mosc. II, 1889, 298 = Subg. ad *Pachymerus* Thunb. 1805. **Bruch.**, *Bruchi*. 2.
- Caryoborus* Schönh., Gen. *Cure*. I, 1833, 2 et 92, **Cast.**, HN. Ins. II, 1840, 283; **Jacq. du Val**, Gen. *Cure*. 1854, 2; **Redtb.**, F. Austr. ed. II, 1858, 670 nota; **Lac.** VII, 606; **Allard**, ASEB. 11, 1868, 87; **Chenu**, Enc. HN. Col. 3, 1870, 208; **Horn**, TAmES. 4, 1873, 311; **J. Lec. u. Horn**, Class. 1883, 358; **Sharp**, BCA. Col. V, 1885, 503; **Baudi**, Milabridi 1886, 10 et 106; **DEZ**. 30, 1886, 389; 31, 1887, 468; **Abeille**, Rev. d'E. 7, 1888, 78, 86; **Decaux**, Etude Ins. nusibl. 1890, 10; **Seidl.**, F. Tr. 1891, 171; **Everti**, II, 1903, 523 et 529; **Schilsky**, 41 p. B; **Schaufuß** in Calwer, 1019; **Kuhnt**, 894,
- 895 = *Pachymerus* Thunb. 1805. *Bruch.*, *Bruchi*. 2.
- Caryopemon* O Jekel, Ins. Saunders. I, 1855, 25; **Lac.** 7, 606 (*C. hieroglyphicus* Jekel 1855, *cruciger* [Steph.] 1839) 1913:7 (Ind., China, Afr., Madag., Rhodesia). *Bruch.*, *Bruchi*. 3.
- Caryoscapha* Ganglb., KäfMEur. 3, 1899, 343; **Reitt.**, F. Germ. II, 1909, 276 = Subg. ad *Scaphosoma* Leach 1815; **Schaufuß** in Calwer, 301; (*C. limbatum* [Er.] 1845) 1913 : 1 (Eur., Caucas.). *Scaph.* 11.
- Carystea* Baly, ANH. (3) 15, 1865, 33; TESL. 1875, 24; **Chap.** X, 380 (Typ. ?; *C. inornata*, Waterhousei [Baly] 1863, *fulviflabis* [Germ.] 1856, *sapphira* [F.] 1801) 1916:7 (Austral.). *Chrys.*, *Chryso.*, *Phaedon*. 66.
- Casignetus* M'Leay, HoE. I, 1819, 97 = *Pholidotus* M'Leay 1819. *Luc.* Chias. 7.
- Casiphia* Fairm., ASEB. 38, 1894, 223; **Lmr.**, MSSEB. 21, 1912, 109 (Rév., 973) (*C. thibeticola* Fairm. 1894) 1913:1 (Thibet). *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 109.
- Casmena* O Chap., G. Col. X, 1874, 284; **Lef.**, MSLiége (2) 11, 1885, 82; **Ws.**, ASEB. 51, 1907, 132 (*C. Murrayi* Chap. 1874) 1913:— (Calab. antiqu.). *Chrys.*, *Eumolp.*, *Ner.* 158.
- Casmenella* Jac., PZSL. 1904, 1 p. 266 (*C. natalensis* Jac. 1904) 1914:1 (Natal, Estcourt). *Chrys.*, *Eumolp.*, *Ner.* 159.
- Casnonidea* Fairm., Not. Leyd. Mus. 4, 1882, 264 (*C. atriceps* Fairm. et *C. holomelaena* Fairm. 1882) 1913:14 (Archip. Malay. etc.). *Lagr.*, *Stat.* 19.
- Casopos* O Woll., TESL. (3) 1, 1862, 194 (*C. Bonvouloiri* Woll. 1862) 1913:6 (Ins. Canar.). *Ptin.*, *Ptini*. 6.
- Caspypyria* Fairm., Rev. d'E. 20, 1901, 194, 248 = *Pelecotomoides* Cast. 1840. *Rhip.*, *Pelecot*. 7.
- Cassidispa* Gestro, AMusG. 1899, 174 (*C. mirabilis* Gestro 1899) 1913:2

- (Angola, Chin.: Szetchuan). *Chrys.*, *Hisp.*, *Hispi.* 93.
Cassidoloma **Kolbe**, D.-Ostafr. IV, Käf. 1898, 113 (*C. thymaloides* [Reitt.] 1878) 1913:2 (Usam., Guinea). *Disc.* 6.
Cassidomorphus ?? (*C. silphoides* Motsch. Etud. E. 1853, 34) 1913:1 (Patria?). *Lamp.* inc. sedis 55.
Cassolus **Sharp**, Col. Hefte 13, 1875, 40 (*C. nudus* Sharp 1875) 1913:4 (Assam, Cambodscha, Perak, Penang, Sumatr. occ.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 26.
Castanochilus **Ohaus**, DEZ. 1909, 436; *C. Bruchianus* **Ohaus** 1909) 1913:1 (Argent.). *Scar.*, *Melth.*, *Pachyd.* 448.
Castiale **Pasc.**, ANH. (3) 18, 1866, 480 (*C. elegantula* Perr. 1855) 1913:1 (Brasil., Columb.). *Ceramb.*, *Cerambin.*, *Sphaero*. 256.
Catacamptus **Bernh.**, DEZ. 1903, 142 = Subg. 7 ad *Priochirus* Sharp 1887 (*C. extensus* [Fauv.] 1878) 1913:4 (Celebes 3, N. Guin. 1). *Staph.*, *Oxyt.*, *Piest.*, *Leptoch.* 16, 7.
Catagonia **Kolbe**, ENA. 25, 1899, 57 = *Apogonia* Kirby 1818. *Scar.*, *Melth.*, *Melthi*. 220.
Catalasis **Dej.**, Cat. Col. ed. 3, 1836, 176 = *Anoxia* Cast. 1832. *Scar.*, *Melth.*, *Melthi*. 340.
Catamerus **Fairm.**, ASEFr. (6) 7, 1887, 290; **Geb.**, Mon., 352 = Subg. ad *Pachylocerus* Hope 1840. *Ten.*, *Pycnoc.* 890.
Cataphrodisium **O Aur.**, Arzo. III, 18, 1907, 8 (*C. rubripenne* Hope 1843) 1913:2 (China, Assam). *Ceramb.*, *Cerambin.*, *Callichr.* 704.
Cataphronetis **O H. Luc.**, Expl. Alg. 1849, 342; **Muls.**, Col. Fr. *Latig.* 1854, 240; **Lac.** V, 1859, 335; **Jacq. du Val**, III, 1861, 303; **Seidl.**, NID. V, 1894, 571; **Desbr.**, *Frelon*, XI, 1902, 18., **Schaufuß** in Calwer, (813); — Übersicht: Reitt., ENA. 21, 1895, 147. — (*C. crenata* Germ. 1836) 1913:13 (Mediterr., Arab., Obock, Biskra, Turkest., Mesop.). *Ten.*, *Uлом.* 706.
Catapiestus **O Perty**, Obs. Col. Ind. or. 1831, 38; **Lac.** V, 381 (*C. piceus* Perty 1831) 1913:6 + 1 (1911?) (Cambodja, Sikkim, Born., Sum., Ins. Andam.). *Ten.*, *Tenebr.* 832.
Catapion **Schkg.** in **Küster**, **Kraatz**, Käf. Eur. 43, 1906, p. VI; **Kuhnt**, 1026 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.* 11.
Catapotia **Thoms.**, Musée scient. 1860, 13 = *Cremnodes* **Gerst.** 1858. *End.* *Endo.*, *Stenotars.* 69.
Cateretes **O** * **Herbst**, Käfer V, 1793, 11 (part.), 1793; **Schaufuß** in Calwer, 417; **Kuhnt**, 477, 478 (Typ.?; *C. pedicularius* [L.] 1758, *rufilabris* **Latr.**, 1807, *bipustulatus* Payk. 1798); 1913:7 (Eur., Alger., Canad., Am. bor.: Cal., Civ. confoed.; Sib.). *Nit.*, *Cat.* 1.
Cateretes **Heer**, F. Helv. I, 1841, 410 (pars) = *Heterhelus* **Jacq. du Val** 1858. *Nit.*, *Cat.* 5.
Catharsius **O** * **Hope**, Coleopt. Manual I, 1837, 21 (Type?; *Achates* [OI.] 1789, *capucinus* [F.] 1781, *ferrugineus* [OI.] 1789, *molossus* [L.] 1758, *Neptunus* **Kolbe** 1893, *Peleus* [OI.] 1789, *Phidias* [OI.] 1789, *Pithecius* [F.] 1775, *Polynices* **Kolbe** 1893, *rhinoceros* **Klug** 1855, *tricornutus* [Degeer] 1778, *Ulysses* **Boh.** 1857) 1913:82 (Birma, Syr., Ins. Timor, China, Ceylon, Afr. praecip. aequat.). *Scar.*, *Copr.*, *Copri.*, *Coprid.* 78.
Catheretes **Gyll.**, Ins. Succ. I, 1808, 245 (pars) = *Cateretes* **Herbst** 1793. *Nit.*, *Cat.* 1.
Catheretes **C. G. Thoms.**, Skand. Col. I, 1859, 67 = *Brachypterolus* **Grouv.** 1912 (1913). *Nit.*, *Cat.* 12.
Cathorama **Gemm.** u. **Har.**, Col. Cat. VI, 1869, 11784; **Schaufuß** in Calwer, 0?0; **Kuhnt**, 0?0 = *Catorama* **Guér.** 1850. *Anob.*, *Dorcat.* 69.
Catoclastus **O Sol.** in **Gay**, Hist. Chile V, 1851, 95 (*C. Chevrolati* **Sol.** 1851) 1918:1 (?Chile, Peru: Pacazmayo). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 28.

Catoeme Aur., Denkschr. med.-nat. Ges. Jena 13, 1908, 430 (*C. tessellata Aur.* 1908) 1913:1 (Afr. mer.-occ. germ.). *Ceramb.*, *Cerambin.*, *Oem.* 51.

Catolaena Reitt., DEZ. 1906, 443 = Subg. ad *Laina Latr.* 1829. *Ten.*, *Adelii*. 1022.

Catomidius Seidl., NID. V, 1896, 791; *Vaulog.*, Übers. 679, 689, 709; *Schaufuß* in Calwer, (819) = Subg. ad *Helops F.* 1772. *Ten.*, *Helop.* 1073.

Catomulus Reitt., DEZ. 1896, 302; Best.-Tab. 42, 1900, 95, 190 (*C. Olcesii Fairm.* 1883) 1913:1 (Marocco). *Ten.*, *Tentyr.* 164.

Catomus All., Rev., 4; Mon. 17, 45; 185; *Seidl.*, NID. V, 698, 748, 788; *Vaulog.*, Übers., 679, 694, 714 = *Schaufuß* in Calwer, (819) = Subg. ad *Helops F.* 1772. *Ten.*, *Helop.* 1073.

Catopsisinus Motsch., HoR. 6, 1868 Suppl., 58 (nom. nud.) = *Bathysciola Jeanneli* 1910. *Silph.*, *Bath.*, *Bathy.* 3. *Catoptyx Matth.*, ANH. (5) 19, 1887, 112; Mon. *Coryl.* 1899, 124, 167 (*C. Bowringi Matth.* 1887) 1913:1 (Java). *Orth.*, *Coryloph.* 25.

Catorama Guér., Rev. MaZo. 1850, 431; *Lac.* IV, 519, 525; *J. Lec.*, PAePhil. 1865, 238; *Gorh.*, BCA. Col. III, 2, 1880/6 (83), 207; *Fall*, TAMES. 31, 1905, 211, 225 (*C. tabaci Guér.* 1850, *palmarum Guér.* 1851) 1913:95 (Amer., Ins. Hawaii., import in Eur.). *Anob.*, *Dorcat.* 69.

Catorrhontus Waterh., ANH. (5) 5, 1880, 487 (*C. collaris Waterh.*) 1913:1 (Ecuador). *Ceramb.*, *Cerambin.*, *Rhinotr.* 654.

Catypnes Pasc., JoE. II, 1864, 243; *Lac.* VIII, 62; *Lmr.*, ASEB. 48, 1904, 21 (Rév., 439) = Subg. 1 ad *Toxeutes Newm.* (*C. Mac Leayi Pasc.* 1864; *Pascoei Lmr.* 1904) 1913:1 (Queensl., N. S. Wal.). *Ceramb.*, *Prion.*, *Callipogi.*, *Megop.* 48, 1.

Caulobius Le Guillou, Rev. Zo. IX, 1844, 224; *Blackb.*, TRSSouth-Austral. 22, 1898, 49 etc. = *Deutero-caulobius DT.* 1912. *Scar.*, *Melth.*, *Lipar.* 199.

Caulostena Fairm., ASEB. 40, 1896, 355 (*C. foveicollis Fairm.* 1896) 1913:1 (Diego-Suarez). *All.*, *Allec.* 83.

Causima Dej. in Guér., Rev. Zo. 1855, 590 = *Epicauta Redt.* 1845. *Melo.*, *Lytt.*, *Lytti.* 23.

Cebrio O Ol.*, Entom. II, 1790, nr. 30 b, p. 5; *Latr.*, HN. Crust. et Ins. III, 1802, 98; *Leach*, ZoJo. I, 1824/5, 35; *Jacq. du Val*, Glan. E. II, 1860, 104—136; *Chevr.*, ASEFr. (5) 4, 1874, 13 et 22; *Leoni*, Riv. Col. Ital. 4, 1906, 181—220, 268—9; *Schaufuß* in Calwer, 621 (*C. gigas [F.]* 1787) 1913:176 (Eur., Medit., Cap. b. sp., Am. b.). *Cebr. l.*

Biol.: *Audouin*, ASEFr. II, 1833, B. p. LXVI; *Graëls*, ASEFr. 6, 1837, 93—99; *Guér.*, Compt. rend. Ac.Sc. Paris, 36, 1833, 225/7; *Lefebure*, Rev. et Ma. Zo. (2) 5, 1853, 214—225; *Revelière*, ASEFr. (5) 4, 1874, B. CL—CLI; *Erdmann*, SE. II, 1888, 180/1; *Fairm.*, ASEFr. 60, 1891, B., CLXXXI; *Lintner*, Rep. New York Mus. 60, 1889, 100; *Carret*, Riv. Col. Ital. V, 1907, 19; *Noel*, Nat. 30, 1908, 36; *Del Guercio*, Redia, 6, 1910, 235 etc.; cf. etiam liter. in **DT.** in Schklg. u. J., P. 25, 1910, 7.

Cebriognathus Chobaut, ASEFr. 68, 1899, Busc. 22 (*C. desertorum Chobaut* 1899) 1913:1 (Alger.). *Cebr.* 2.

Cebriorhipis O Chevr., ASEFr. (5) 4, 1874, 525 (*C. coronatus, siamensis Chovr.* 1874) 1913:10 (China, Siam, Birma, Cochinch., Java, Sumatr.?, Born. ?, Malacc.). *Cebr.* 4. *Cecchiniola O Jacobs.*, HoR. 38, 1908, 624; *Schaufuß* in Calwer, — (*C.*

- platyscelidina* **Jacobs.** 1898) 1916:1
(Crim.). *Chrys.*, *Chryso.*, *Chrysi.* 27.
Cediocera **O Pasc.**, ANH. (5) 20, 1887,
20; *Schoenfeldt*, GIW. *Brenth.* 1908,
71 (*C. longicornis* **Pasc.** 1887) 1913:2
(Andam., Ind. occ.). *Brenth.*,
Brentha, *Ith.* 110.
Cedius **O J. Lee.**, Jo.NH.Bost. 6, 1850,
75; *Brendel*, B. Un. Iowa I, 1890,
228; *Raffr.*, Rev. d'E. 9, 1890, 145,
152; *Casey*, Col. Not. 7, 1897, 625;
Raffr., ASEFr. 73, 1904, 364;
GIW. *Psel.* 1908, 370, t. 9, f. 43
(*C. spinosus* **J. Lee.**, *Ziegleri* **J. Lee.**
1850) 1913:3 (Ohio, Colomb., Missour.
Iowa, Penn.). *Psel.*, *Psel.*, *Tyr.*
380.
Cedrinus **Abeille**, ASEFr. (5) 6, 1876,
312 = *Rhopalodontus* **Mellié** 1847.
Cio., *Cisi.* 12.
Cedrosius **Fairm.**, ASEFr. 71, 1902,
332 (*C. calosomoides* **Fairm.** 1902)
1913:2 (Madag.). *Ten.*, *Tenebr.* 815.
Cellomius **Lefvr.**, ASEFr. (6) 8, 1888,
300 (*C. myochroites* **Lefvr.** 1888)
1914:1 (Minas Geraes, Caracas).
Chrys., *Eumolp.*, *Myochr.* 223.
Cenocephalus **O Chapuis**, Mon. Pl. 1865, 43,
325 (*C. thoracicus* **Chap.** 1865) 1913:1
(Brasil.). *Platyp.* 12.
Cenophorus **Muls. u. Rey**, ASagr.
Lyon 1859, 177; Opusc. E. IX,
1859, 113 (*C. viduus* **Muls.** 1859)
1913:1 (St. Domingo). *Ten.*, *Pedin.*
466.
Cenoscelis **Woll.**, Col. Hesper. 1867,
179 = *Eutochia* **J. Lee.** 1862. *Ten.*,
Ulom. 707.
Centoptera **Motsch.** in Schrenck's R. II,
1860, 207 = *Chrysomela* **L.** 1758.
Chrys., *Chryso.*, *Chrysi.* 24.
Centorus **Muls.**, Col. Fr. *Latig.* 1854,
272; Opusc. E. IX, 1859, 140 et
179; *Jacq. du Val*, III, 1861, 313;
Zoufal, WEZg. 12, 1893, 115 =
Subg. ad *Belopus* **Geb.** 1911. *Ten.*,
Tenebr. 835.
Centrasioba **Semen.**, Rev. d'E. II,
1902, 351 = Subg. ad *Polyphylla*
Harris 1842. *Scar.*, *Melth.*, *Melthi.*
351.
Centrioptera **O Mannerh.**, B. Mosc. 16,
1843, II, 279; MaZo, 1843, t. 126, 1;
Lac., V, 136; **Horn**, Rev. *Ten.* 1870,
278; **Lee. u. Horn**, Class. 1883,
368; **Casey**, Rev. Mon. 1907, 502
(*C. caraboides* **Mannerh.** 1840) 1913:9
(Cal., Texas, Mex., Ariz., Utah).
Ten., *Cryptogl.* 264.
Centrocerum **Chevr.**, ASEFr. (4) I,
1861, 189 (*C. exornatum* **Newm.** 1841)
1913:2 (Argent., Cuba). *Ceramb.*,
Cerambin., *Phorac.* 226.
Centrocerum **J. Thoms.**, Syst. Cer.,
1864, 244, 251 = *Elaphidion* **Serv.**
1834. *Ceramb.*, *Cerambin.*, *Phorac.*
224.
Centroc nemis **Joseph**, BEZ. XI, 1868,
165; **Schaufuß** in Calwer, (185); =
Lathrobium s. str. **Muls. et Rey**,
1877 = Subg. ad *Lathrobium* **Grav.**
1802. *Staph.*, *Paed.*, *Paedi.* 210.
Centroc nemis **Kraatz**, DEZ. 26, 1882,
330 = Subg. ad *Lasiostola* **Sol.** 1836.
Ten., *Pimel.* 363.
Centrodera **O ♀ J. Lee.**, Jo. Acad.
Philad. (2) I, 1850, 325. — Biol.:
Felt, Ins. aff. Trees 1907, 456 fig.—
(*C. decolorata* [**Harris**] 1841) 1912:4
(Am. bor.: Pennsylv., Nev., Carol.
mer.). *Ceramb.*, *Cerambin.*, *Lept.*
470.
Centronopus **O Sol.**, Studi E. II, 1848,
154 (8), 258 (112); **Lac.**, V, 1859,
360 (*C. suppressus* [**Say**] 1835)
1913:4 (Mex., Cal.). *Ten.*, *Tenebr.*
764.
Centronopus **G. Horn**, Rev. *Ten.* 1870,
342 = *Scotobates* **Horn** 1875. *Ten.*,
Tenebr. 763.
Centrophorus **Chevr.**, Rev. Zo. 1839,
180 = *Piazocnemis* **Lac.** 1866.
Brenth., *Brenth.* 96.
Centrophthalmina **O Raffr.**, GIW. *Psel.*
1908, 365 (*C. laevis* **Raffr.** 1896)

- 1913:1 (Borneo, Sumatra). *Psel.*, *Psel.*, *Tyr.* 373.
- Centrophthalmosis* O Raffr., ASEFr. 73, 1904, 363, 376; GIW. *Psel.* 1908, 305 t. 9 f. 37 (*C. Reitteri* Raffr., *exilis* Raffr. 1882) 1913:7 (Afr.). *Psel.*, *Psel.*, *Tyr.* 374.
- Centrophthalmus* O Schmidt-Goeb., Beitr. Mon. *Psel.* 1838, 7; Saulcy Spec. I, 1874, 70; Raffr., Rev. d'E. 9, 1890, 146, 153; TrSAfr. Phil. S. 1898, 407; ASEFr. 73, 1904, 363; GIW. *Psel.* 1908, 363 (*C. paria* Schmidt-Goeb. 1838) 1913:33 (Afr., As. mer., Inds. Sundaic.). *Psel.*, *Psel.*, *Tyr.* 372.
- Centroscelis* O Vogel in Schaufuß, Nunq. otios. I, 1871, 125; Chap. X. 432, 434 (*C. notata* [F.] 1781) 1916:8 (Terr. cap., Transvaal, Calab. veter.). *Chrys.*, *Chryso.*, *Phyll.* 84.
- Centrotoclytus* O Motsch., B. Mosc. 30, I, 1836, 496; Gahan, F. Brit. Ind. Col. I, 1906, 308 (*C. quadridens* [Motsch.] 1861) 1913:2. *Ceramb.*, *Cerambin.*, *Tillon.* 859.
- Centrotoma* O Heyd., StEZg. 10, 1849, 182; Jacq. du Val, I, 133; Saulcy, Spec. I, 1874, 46; Reitt., VzbGW. 31, 1881, 450; Raffr., Rev. d'E. 9, 1890, 142; ASEFr. 73, 1904, 336; GIW. *Psel.* 1908, 234; Ganglb. II, 848; Gutfl.-B., 191; Schaufuß in Calwer, 253, 354; Kuhnt, 306, 317 (*C. lucifuga* Heyden 1849) 1913:6 (Eur. centr. et mer., Syr., Saloniki, Calcutta, Japon.). *Psel.*, *Psel.*, *Ctenist.* 349.
- Ceocephalus* O Schoenh., G. Curc. I, 1833, 357; Lac. VII, 1866, 451; Schoenfeldt, GIW. Brenth. 1908, 59 (*C. picipes* [Ol.] 1791) 1913:11 (Ceyl., Madag. etc., Guinea, Austral.). Brenth., Brenth., Ceoc. 95.
- Ceocephalus* (pars) Schoenh., G. Curc. I, 1833, 360; V, 1840, 513 = *Hormocerus* Schoenh. 1826. Brenth., Brenth., Ceoc. 87.
- Ceophyllus* O J. Lee., Bost. Jo. NH. 6. 1850, 73; Brendel, B. Un. Iowa I, 1890, 226; Raffr., ASEFr. 73, 1904, 363; GIW. *Psel.* 1908, 369, t. 9 f. 42 (*C. monilis* J. Lec. 1850) 1913:1 (Illinois, Ohio). *Psel.*, *Psel.*, *Tyr.* 379.
- Cephalallus* Sharp, TESL. 1915, 148 = Subg. 4 ad *Criocephalus* Muls. 1839 (*C. Oberthüri* Sharp 1905) 1913:2 (Yunnan, Assam, Japon.). *Ceramb.*, *Cerambin.*, *Asem.* 25, 4.
- Cephalobarus* O Schoenh., G. Curc. V, 1840, 517; Imh., Stud. Kol. 1856, 167; Lac., VII, 1866, 441; Schoenfeldt, GIW. Brenth. 1908, 51 (*C. macrocephalus* Boh. in Schoenh. 1840) 1913:1 (Columb.). Brenth., Brenth., Brenthi. 84.
- Cephalochaetus* Gemm. u. Har., Col. Cat. II, 1868, 616 = *Calliderma* Motsch. 1858. *Staph.*, *Paed.*, *Paedi.* 229.
- Cephalochetes* Kraatz, ArN. 25, 1859, 122 = *Calliderma* Motsch. 1858. *Staph.*, *Paed.*, *Paedi.* 229.
- Cephaloclerus* Kuw., ASEB. 37, 1893, 486; Kraatz, DEZ. 1899, 105; Schklg., GIW. Cler. 1903, 90 (*C. corynetoides* Kuw. 1893) 1913:9 (Afr.). Cler., Cleri., Hydnoc. 132.
- Cephalocrius* Sharp, TESL. 1905, 149 = Subg. 2 ad *Criocephalus* Muls. 1839 (*C. syriacus* Reitt. 1895) 1913:1 (Syr.). *Ceramb.*, *Cerambin.*, *Asem.* 25, 2.
- Cephalodesmius* O Westw., PESL. III, 1841, 51 (*C. armiger* Westw. 1841) 1913:5 (Austral. 2, Queensl. 3). Scar., Copr., Scarbi., Canthon. 32.
- Cephalodontia* O Baly, 1858, 124, t. 2, f. 15; Ws., VN. 49, 1910, 115 (Typ.?; *C. serraticornis* [F.] 1792 et *maculata* [Ol.] 1792) 1913:101. — 4 Subgg.: *Ceph.*, *Pseud.*, *Micr.*, *Ocn.* — Etiam Subg. 1 ad *C. Baly* 1858 (Am. mer.). *Chrys.*, *Hisp.*, *Cephalod.* 20.
- Cephaloleia* vide *Cephalolia* Blanch. 1845. *Chrys.*, *Hisp.*, *Cephal.* 8.

Cephalolia O Blanch., HIns. II, 1845, 182 (*Cephaloleia*); Baly, 39 t. 1 f. 12; Chap., XI, 277; Ws., ArN. 76, I, 1, 1910, 82 (Typ. ?; *C. nigricornis* [F.] 1792) 1913:114 (Am. centr. et mer.). *Chrys.*, *Hisp.*, *Cephal.* 8.

Cephalomerus Bernh., DEZ. 1903, 139 = Subg. 2 ad *Priochirus* Sharp 1887 (*C. pygmaeus* [Kraatz] 1859, *C. japonicus* [Sharp] 1889) 1913:10 (Birma, China, Jap., Ind. or., Sikkim, Ins. Sundaic.). *Staph.*, *Oxyt.*, *Piest.*, *Leptoc.* 16, 2.

Cephalonchères Brenske, StEZg. 59, 1898, 393 (*C. ugogensis* Brenske 1898) 1913:1 (Ugogo). *Scar.*, *Melth.*, *Pachyd.* 408.

Cephalophonus Ganglb. *C a r.* cf. P. II.

Cephaloplectus O Sharp, BCA. Col. I, 2, 1882/87(1883),—; Wasm., DEZ. 1890, 316; VzbGW. 45, 1895, 160—162 (*C. Godmani* Sharp 1883) 1916:1 (Panama). *Staph.*, *Cephal.* 400.

Cephaloserica Brenske, BEZ. XLV. 1900, 79, XLVII, 1902, 1, 62, 69 (Typ. ?; *C. carinirostris* [Brenske] 1896) 1913:3 (Beng.; Tonkin, Hindost.). *Scar.*, *Melth.*, *Seric.* 95.

Cephalostenus O Sol., ASEFr. 7, 1838, 184; *Lac.*, V, 124; *Jacq. du Val.*, III, 254 (*C. elegans* [Brill.] 1832) 1913:3 (Asm., Graec., Ture., Syr.). *Ten.*, *Scaur.* 334.

Cephalotricha Hope, Col. Man. I, 1837, 102; *Burm.*, Hd. E. IV, 2, 435; *Lac.*, III, 304 (*C. bifasciata* et *crinicolis* Hope 1837) 1913:2 (Colon. cap.). *Scar.*, *Melth.*, *Pachyd.* 385.

Cephaloxynum Bernh., WEZg. 26, 1907, 282 (*C. Gestroi* Bernh. 1907) 1913:1 (Bolivia). *Staph.*, *Oxyt.*, *Piest.*, *Piesti.* 8.

Cephax Cast., HNIns. II, 1837, 175 (= *Xiphodontus* Westw. 1838). *Luc.*, *Fig.* 68.

Cephisus Fauv., F. gallo-rhén. III, 1872, 299 nota = *Acanthoglossa* Kraatz 1859. *Staph.*, *Paed.*, *Paedi.* 198.

Ceracis O * Mellié, ASEFr. (2) 6, 1848, 375; *Lac.*, IV, 553; Gorh., BCA. Col. III, 2, 1883, 222 (*C. castaneipennis* Mellié 1848) 1913:12 (Amer., Cuba, Viti Levu). *Cio.*, *Cisi.* 17.

Ceradellum Preudh. de Borre, ASEB. 11, 1868, 126 = *Blepegenes* Pasc. 1868. *Ten.*, *Adelii.* 1001.

Ceragenia Serv., ASEFr. 1834, 32 (*C. bicornis* [F.] 1801, *Leprieuri* Guér. 1844) 1913:4 (Amaz., Surin., Cayenne, Panama). *Ceramb.*, *Cerambin.*, *Sterna.* 945.

Ceralces O * Gerst., Monatsb. Ak. Wiss. Berl., 1855, 637; Peter's Reise 1862, 338; Vogel in Schaufuß, Numq. otios. I, 1871, 144; Chap., X, 368, 402; Ws., DEZ. 1895, 347, 348. — Biol.: Aulmann, Mi.Zo.Mus. Berl.V, 1910, 263, f.4. — (*C. ferrugineus* Gerst. 1855) 1916:6 (Afr. or., Togo, Lac., Victor., Chinchoxo). *Chrys.*, *Chryso.*, *Chrysi.* 34.

Ceralomus Sharp, TR. Dublin Soc. (2) III, 1886, 442 (*C. morosus* Sharp 1886) 1913:1 (Nov. Zealand.). *Ceramb.*, *Cerambin.*, *Stenodi.*! 440.

Ceramba Fauv., Rev. d'E. 23, 1904, (*C. hydrovatina* Fauv. 1904) 1913:1 (Nov. Caled.). *Ten.*, *Helop.* 1029.

Cerambix Lam., Syst. Anim. sans Vert., 1801, 234 = *Aromia* Serv. 1833. *Ceramb.*, *Cerambin.*, *Callichr.* 721.

Cerambyx O * L., Syst. Nat. ed. 10, 1758, 388, ed. 12, 1767, 621 etc.; Guttl.-B. 573; Schaufuß in Calwer, 844, 847; Kuhnt, 755, 776 (*C. cerdo* L. 1758, *C. Scopolii* [Füssl.]) 1913:15 (Eur. med., med.-or., Medit., Syr., Alger., Siam: 10; Austral., Lifu, N. S. Wal., Nov. Zealand.: 5). *Ceramb.*, *Cerambin.*, *Cerambyc.* 135.

- Biol.: **Mayet**, BSEFr. (6) I, 1881, 162.
- Cerambyx* **Steph.**, Ill. Brit. E. Mand. 4, 1831, 229 = *Aromia* **Serv.** 1833.
- Ceramb.*, *Cerambin.*, *Callichr.* 721.
- Ceramis* **Gerst.**, Mon. Endom. 1858, 220; Fairm., in *Jacq. du Val*, G. Col. d'Eur. 4, 1868, 276 = *Hylaea* **Guér.** 1857. *End.*, *Endo.*, *Lycop.* 50.
- Crandria* **Luc.**, Expl. Alg. 1849, 344; **Muls.**, Col. Fr. *Latig.* 247; **Woll.**, Ins. Mader. 1854, 489; *Sol* in **Gay**, H. Chile, V, 1851, 237 = *Gnathocerus* **Thunb.** 1814. *Ten.*, *Ulom.* 665.
- Cerapterus* **O Swed.**, Kongl. Vet. Akad. Handl. IX, 1788, 203; **Westw.**, Arcana E. II, 1854, 6; **Lac.** II, 1845, 9; **Raffray**, Nouv. Arch. Mus. Paris (2) 8, 1885, 336; **Wasm.**, Not. Leyd. Mus. 25, 1904, 6; DEZ. 1907, 563; **Desneux**, GIW. *Pauss.* 1905, 8 (*C. latipes* Swed. 1788) 1913:15 (Afr.). *Pauss.*, *Cerapt.* 3.
- Cerapterus* subg. *Pleuropterus* **Westw.**, TSL. 18, 1841, 585; Arcana E. II, 1845, 9 = *Pleuropterus* **Westw.** (**Lac.**) *Pauss.*, *Cerapt.* 6.
- Cerapterus* subg. *Arthropterus* vide *Arthropterus* **Mac Leay**. — *C. G.* Crust. et Ins. III, *Latr.*, 1807, 4 = *Arthropterus* **Mac Leay** (1838) 1873. *Pauss.*, *Cerapt.* 5.
- Cerasphorus* **Serv.**, ASEFr. III, 1834, 10 (*C. hirticornis* **Serv.** 1834) 1913:2 (Seneg., Guin., Congo, Afr. or. germ.). *Ceramb.*, *Cerambin.*, *Hesprph.* 201.
- Cerasphorus* **J. Lec.**, Jo. Acad. Phil. (2) II, 1850, 11 = *Chion* **Newm.** 1841. *Ceramb.*, *Cerambin.*, *Hesprph.* 203.
- Ceraspis* **O Serv.**, Enc. méthod. X, 1825, 370; **Burm.**, Hd. E. IV, 2, 1855, 100; **Lac.** III, 252 (*C. bivulnerata* et *nivea* [Germ.] 1824) 1913:48 (Am. c. et mer., Brasil. et c.). *Scarr.*, *Melth.*, *Macrod.* 497.
- Ceratanisus* **Gemm. u. Har.**, Col. Cat. 1870, 818 = *Anisocerus* **Fald.** 1837. *Ten.*, *Apolut.* 332.
- Ceratapion* **Schklg.**, in **Küster**, **Kraatz**, KäfEur. 38, 1901; *Schaufuß* in Calwer, 1181; **Kuhnt**, 1024 = Subg. ad *Apion* **Hbst.** 1797. *Curc.*, *Api.*, *Apion*. 11.
- Cerathispa* **Ws.**, DEZ. 1900, 213 = *Dorathispa* **Ws.** 1900. *Chrys.*, *Hispi.*, *Hispi.* 84.
- Ceratispa* **Gestro**, AMusG. 1895, 702 = *Xiphispa* **Chap.** 1878. *Chrys.*, *Hispi.*, *Crypton.* 52.
- Ceratocentrus* **O Aur.**, (pro *Dorycera* White 1853) E. Ti. 24, 1903, 259; **Lmr.**, ASEB. 54, 1910, 261 (Rév., 692) = Subg. 3 ad *Acanthophorus* **Serv.** 1832 (*C. spinicornis* [F.] 1792) 1913:3 (Congo, trop. Afr.). *Ceramb.*, *Prion.*, *Prionin.*, *Acanthoph.* 62, 3.
- Ceratocis* **Gemm. u. Har.**, Cat. Col. 6, 1869, 1800 = *Ceracis* **Mellitae** 1848. *Cio.*, *Cisi.* 17.
- Ceratocopus* **Hintz**, DEZ. 1902, 401; **Schklg.**, GIW. *Cler.* 1903, 18 (*C. bicolor* et *ruficollis* **Hintz** 1902) 1913:3 (Afr. mer., Natal.). *Cler.*, *Cleri.*, *Till.* 30.
- Ceratoderus* **O Westw.**, TSL. 19, 1842, 51; Arcana E. II, 1845, 37; **Lac.**, II, 1854, 10; **Raffr.**, Nouv. Arch. Mus. Paris (2) 8, 1885, 340; **Wasmann**, Not. Leyd. Mus. 25, 1904, 16; **Desneux**, GIW. *Pauss.* 1905, 16 (*C. bifasciatus* [Kollar] 1836) 1913:3 (Ind. or.). *Pauss.*, *Paussin.* 8.
- Ceratoderus* **Blanch.**, HNIIns. II, 1846, 70 = *Notoxus* **Geoffr.** 1762. *Anth.* 2.
- Ceratoderus* subg. *Merismoderus* **Westw.**, TESL. IV, 1845, Proc. p. 130; l. c. V, 1847, 23 = *Merismoderus* **Westw.** *Pauss.*, *Paussin.* 9.
- Ceratodirus* **O Fisch.**, B. Mosc. 18, 1845, 340; **A. Sem.**, HoR. 28, 1894, 476. — *Synops.*: **A. Sem.**, HoR. 32, 1899, 640—643 = Subg. 5 ad *Lethrus* **Scop.** 1770 (*C. cephalotes* [Fall.] 1771) 1913:4 (Transcasp., Dsungar., Turkest. bor., Desert. Kirghis.) *Geor.*, *Lethr.* 18, 5.

- Ceratognathus* O Westw., EMa. V, 1838, 260; **Broun**, Man. N. Zeal. Col. V, 1893, 1112 (*C. niger* Westw. 1838) 1913:13 (Austral., Tasman.). *Luc.*, *Aes.* 74.
- Ceratogonia* Kolbe, ENa. 25, 1899, 45 = Subg. ad *Apogonia* Kirby 1818. *Scar.*, *Melth.*, *Melthi.* 220.
- Ceratolepis* Chap., Syn. Scol. 1873, 260; **Bldt.**, BCA. Col. IV, 6, 1895, 127 (*C. jucunda* Chap. 1873) 1913:3 (Mex., Bras., Panama). *I.p.*, *Ecc.* 97.
- Ceratophorus* Gemm. u. Har., Col. Cat. IX, 1873, 2811 = *Cerasphorus* Serv. 1834. *Ceramb.*, *Cerambin.*, *Hesprph.* 201.
- Ceratophyus* O Fisch., E. Russ. II, 1820, 148; **Jek.**, ASEFr. (4) V, 1865 (1866), 534 (*C. polyceros* [Pall.] 1771, *Fischeri* Fisch. 1820) 1913:5 (Mediterr., Russ., Sikkim, Sib., Dauria). *Scar.*, *Geotr.*, *Geotripi.* 14.
- Ceratophyus* Fisch., E. Russ. II, 1820, 143; **Heer**, F. Col. Helv. I, 1841, 508; **Muls.**, Col. Fr. ed. 1, 1842, 353; **Redtenb.**, F. Austr. 1858, 441; **Heyd.**, **Reitt.**, Ws., Col. Cat. Eur. ed. 2, 1906, 725; **Kuhnt**, 384, 400 = *Typhoeus* Leach 1815. *Scar.*, *Geotr.*, *Geotripi.* 16.
- Ceratophyus* Fisch., E. Russ. II, 1820, 150 = *Odontaeus* Kl. 1843. *Scar.*, *Geotr.*, *Bolboc.* 4.
- Ceratotrupes* O Jek., ASEFr. (4) 5, 1865 (1866), 540 (*C. fronticornis* [Er.] 1847) 1913:3 (Mex.). *Geotr.*, *Geotripi.* 15.
- Ceratupis* Perty, Del. anim. art. 1830, 57 = *Antimachus* Gistl. 1829, 686. *Ten.*, *Uлом.* 686.
- Cercoceroides* O Raffr., ASEFr. 65, 1896, 137; 73, 1904, 371; GIW. *Psel.* 1908, 402 (*C. Germaini* Raffr. 1890) 1913:3 (Brasil.). *Psel.*, *Psel.*, *Tyr.* 418.
- Cercoceropsis* Raffr., ASEFr. 73, 1904, 370, 387; GIW. *Psel.* 1908, 396, t. 9 f. 53 (*C. longipes* Raffr. 1904) 1913:1 (Brasil.). *Psel.*, *Psel.*, *Tyr.* 413.
- Cercocerulus* Raffr., ASEFr. 73, 1904, 371, 411; GIW. *Psel.* 1908, 403 (*C. hirsutus* [Schauf.] 1886) 1913:1 (Amazon.). *Psel.*, *Psel.*, *Tyr.* 419.
- Cercocerus* O J. Lee., Class., 1861, 57; Raffr., ASEFr. 65, 1896, 135, 136; 73, 370; GIW. *Psel.* 1908, 396, t. 9 f. 54 (*C. batrisoides* J. Lee. 1863) 1913:1 (Pennsylv., Nov. Orleans, Samoa Ins.). *Psel.*, *Psel.*, *Tyr.* 414.
- Cercoderma* O Raffr., Rev. d'E. 9, 1890, 108; ASEFr. 73, 1904, 2; GIW. *Psel.* 1908, 194 (*C. asperata* Raffr. 1890) 1913:2 (Penang.). *Psel.*, *Psel.*, *Batriss.* 156.
- Cercolia* Cas., Mem. Col. 4, 1913, 268 = Subg. ad *Leptura* L. 1758. *Ceramb.*, *Cerambin.*, *Lept.* 548, 6 (?).
- Cercometes* Reitt., VN. 13, 1875, 99 sep. 3 (*C. politus*, *rugosus*, *strigosus* Reitt. 1875, *abdominalis* [Er.] 1843) 1913:6 (Am. bor.: Civ. confoed., Ecuad., Brasil., Columb., Chile). *Nit.*, *Cat.* 6.
- Cercoptera* O Spin., MaZo. 1839 Ins. p.2, t. 12 (*C. Bunoni* Spin. 1839) 1913:1 (Venez., Cayenne, Goyaz.). *Ceramb.*, *Cerambin.*, *Ancyl.* 928.
- Cercus* Latr., Précis Caract. gen. Ins. 1796 (68 pars); **Kuhnt**, 477 = *Cateretes* 1793. *Nit.*, *Cat.* 1.
- Cercyonops* O Jacobs., HoR. 35, 1900, 83, 89; Finska Vet. S. Forh. 43, 1901, 129 (*C. caraganae* [Gebl.] 1823) 1916:1 (Altai). *Chrys.*, *Chryso.*, *Phyllod.* 83.
- Cerennea* O Raffr., TLSL. 16, 1913, 125 (*C. brevipennis* Raffr. 1913) 1913:1 (Seychell.). *Psel.*, *Pyx.*
- Cerenopus* O Lec., AN YAcSc. V, 1851, 143; **Lac.** V, 135; **Horn**, Rev. Ten. 1870, 325; **Lec. u. Horn**, Class. 1883 (*C. concolor* Lec. 1851) 1911:5 (Cal., Cal. inf. 3). *Ten.*, *Scaur.* 337.

- Ceresida* Jord., NoZo. I, 1894, 156 =
Alloeme Lam. 1893. *Ceramb.*,
Cerambin., Oem. 70.
- Ceresium* O Newm., Entom. I, 1842, 322
(*C. raripilum*, *aethiops* Newm. 1842,
flavipes [F.] 1792) 1913:56 (Archip.
malay., As. mer.: China, Japon.,
Assam, Birma, Siam, Ceylon, Malesia,
Ins. Andam., Philipp., Fidji, Christm.
etc., Ocean., Nov. Guin., Tasm.
etc., Madag.; Mex. 1: *flavipes*). *Ce-*
ramb., *Cerambin.*, *Calldp.* 332.
- Cerhomalus* O Quedt., BEZ. 28, 1884,
289 (*C. Mechowi* Quedt. 1884) 1913:1
(Angola). *Scar.*, *Orphn.* 8.
- Cerobates* O Schönh., G. Curc. V, 1840,
487; Imhoff, Einf. Kol. 1856, 167;
Lac., VII, 1866, 418; Schoen-
feldt, GIW. Brenth. 1905, 20 (*C. sul-*
catus Schoenh. 1840) 1913:23 (As.,
Afr., Austr., Mad.; Ins.). *Brenth.*,
Brentha., *Trach.* 31. — *C. Schoenh.*
(pars), G. Curc. V, 1840, 489 =
Stereodermus *Lac.* 1866. *Brenth.*,
Brentha., *Trach.* 28.
- Cerocamptus* Gebien, ArN. 1917 (1918)
A 3, 28 et 151 (Typ.: *C. malayana*
[Fairm.] 1893) 1918:3 (Ind., Bengal.,
Ins. Sund.). *Ten.*, *Cnodal.* 958b?
- Cerocoma* O* Geoffr., Hist. Ins. Paris,
1762, 357 t. 6 f. 9; Gutfl.-B., 440;
Kuhnt, 704, 707 (*C. Schäfferi* [L.]
1758, *festiva* Falb. 1837. 1917:14 (Eur.
centr. et mer., Medit.). *Melo.*,
Lytt., *Mylabr.* 9.
- Cerocosmus* O* Gemm., Col. Hefte XI,
1873, 146; *Lac.*, IV, 374. — Biol.:
Escher, StEZg. 58, 1897, 36. — (*C.*
cinereus [Sol. in Gay] 1849) 1913:1
(Chili). *Dril.* 6; sed cf. *Pic* in
Schlkig. et J. P. 48, 1912, 45. *Anob.*,
Ceroc. nec *Dril.*
- Ceroctenus* Serv., ASEFr. I, 1832, 196;
J. Thoms., Class. *Cer.*, 287; Syst. *Cer.*,
466; *Lac.* VIII, 186 = ♂ ad *Poecilos-*
soma Serv. 1832. *Ceramb.*, *Prion.*,
Deranc. 57.
- Ceroctis* Mars. Abeille VII, 2, 1870,
168 (Type?; *serricornis* [Gerst.] 1854,
capensis [L.] 1767, *spuria* Mars. 1870)
1917:39 (Afr.). *Melo.*, *Lytt.*, *Mylabr.*
12.
- Cerodolus* O Sharp, TRDobl.S. (2) 3,
1886, 410 (*C. chrysomeloides* Sharp
1886) 1913:3 (Nov. Zealand.). *Ten.*,
Adelii. 1018.
- Cerogenia* Gemm. u. Har., Col. Cat. IX,
1873, 2964 = *Ceragenia* Serv. 1834.
Ceramb., *Cerambin.*, *Sterna.* 945.
- Crogrinia* Borchm., Boll. S. E. Ital. 41,
1911, 210 (*C. dohrni* Borchm. 1911)
1913:7 (Luzon, Carin Chebà, Celebes,
Phil. Ins., Sumatr., Carin Gechu). *Lagr.*
- Cerophorus* Cast., HN.Col. 1840, 10,
(pars) = *Psilotus* Fisch. 1829. *Nit.*,
Nitid., *Carpophil.* 80. — *C. Cast.*,
HN.Col., 1840, 10 (pars) = *Lobiopa*
Er. 1843, *C. Cast.* (pars) = *Amphotis*
Er. 1843. *Nit.*, *Nitid.* 85, 91.
- Cerophytum* Latr. *Ceroph.* of. P. II.
- Ceroplophana* O Gestro, AMusG.
(2) XIII, 1893, 299 (*C. Modiglianii*
Gestro 1893) 1918:1 (Sumatr., Borneo)
Scar., *Rut. hom.*, *Ruti.* *Parast.* 37.
- Ceropria* Cast. et Brill., ASc.nat. 23
1831 396 (72) (Mon.) *Lac.* V, 307;
— Übersicht: Har., StEZg. 39, 1877,
345 (*C. spectabilis* Cast. et Brill. 1831,
superba [Wied.] 1823) 1913:37 (As.:
Jap., Tonkin, Afr. trop., Arch.
malay.; Austral.). *Ten.*, *Diaper.* 635.
- Cerostena* Sol., ASEFr. V, 1836, 325;
in *Gay*, H. Chile, V, 1851, 148;
Lac. V, 1859, 170 = *Psectrascelis*
Sol. 1836. *Ten.*, *Nyctel.* 296.
- Ceruchus* O McLeay, HoE. I, 1819, 115;
Schaufuß in Calwer, 1254, 1255; Kuhnt,
379, 380 (*C. tenebrioides* [F.] 1787) 1913:6
+ 1 (Eur., As., Amer. + 1 fossil.:
Miocene. Color.). *Luc.*, *Aesal.* 72.
- Cestradoretus* Ohs., DEZ. 1912, 416
(*C. tenuirostris* Ohs. 1912, *tarsatus*
[Klug] 1855) 1918:3 (Afr. or. germ.,
Mossambique, Madag.). *Scar.*, *Rut.*
orth., *Anoplgni.*, *Trignstm.* 140.

- Cestrinus* O Er., ArN. 8, 1842, I, 172;
Lac. V, 276 (Typ.?; *C. obscurus*,
trivialis Er. 1842) 1913:18 (Austral.,
 Tasm.). *Ten.*, *Pedin.* 473.
- Ceuthmonocharis* O + Jeannel, Arch. Zo.
 exp.t.54, 1914, 68.—Metam. L. Weber,
 Ill.ZE. 4, 1899, 1 t. 1 f.1—6; Jeannel,
Rev. Ba. 106 (*C. Freyeri* [L. Müller]
 1855) 1914:2 (cavern.: Mts. Uskoken.,
 Carniol.) *Silph.*, *Bath.*, *Bathy.* 7.
- Chaetadoretus* O ♀ Ohaus. DEZ. 1914,
 471, 492 = Subg. 3 ad *Adoretus* Lap.
 1840, 1918:59.
- Faunistik: Subregio madag.: 6 (*Sikorae* Nonfr. 1892). — Regio
 aethiop.: 20 O (*capicola* [Burm.]
 1844, *umbrosus* [F.] 1792). —
 Regio orient.: O 31 (*cirratus*
 [White], *sciurinus* [Burm.] 1855). —
 Regio austral.: 1 (*timo-*
riensis Ohs. 1914). — Regio pa-
 laearct.: 1 (*puberulus* [Motsch.] 1853)
 (Peking). *Scar.*, *Ruth. orth.*, *Ano-*
plgni, *Adoreta*. 132, 3.
- Chaetocanthus* O Péring., TSAfr.Phil.S.
 1901, 495; l. c. 1908, 649 (*Ch. insuetus*
 Péring. 1901) 1913:3 (Colon. Cap.)
 Afr. mer.-occ.). *Scar.*, *Ochod.* 3.
- Chaetocera* O ♀ + Ws., NID.VI, 3, 1884,
 514; Reitt., F. Germ. IV, 1912, 130;
 Schaufuß in Calwer, (953).
 Morphol.: Ws., DEZ. 1890 t. 2
 f. 1, 2; Sharp u. Muir, TESL. 1912,
 565. — Biol.: Eckstein, Danckelm.
 Zeit. 22, 1890, 145, fig.; Z. Forst-
 Jagdw. 1899, 217, vide etiam Ws.,
 in Schkgl. u. J., Col. Cat. P. 68,
 1916, 188 = Subg. 1 ad *Phyllo-*
decta [Kirby] 1837 (*Ch. vulgatissimus*
 [L.] 1758) 1913:3 (Eur., As.). *Chrys.*,
Chryso., *Phyllod.* 86, 1.
- Chaetodactyla* O Champ., BCA.Col. III,
 1, 1897, 660 (*Ch. lyciformis* Champ.
 1897) 1914:1 (Nicarag.). *Helod.*,
Ptilodact., *Ptilodacti.* 28.
- Chaetodus* O Westw., TESL. IV, 1846,
- 165 (*Ch. irregularis* Westw. 1846)
 1913:5 (Brasil., Montevideo). *Scar.*,
Hybos. 6.
- Chaetonyx* Schaum., BEZ. VI, 1862, 266
- Schaufuß* in Calwer, (1286) (*Ch. robustus*
 Schaum. 1862) 1913:1 (Serb., Turcia).
Scar., *Orphn.* 2.
- Chaetophloeus* O Lec., P.Am.Phil.S. 1876,
 382 (*Ch. hystrix* Lee. 1876) 1910:1
 (Calif.). *Ip.*, *Hyles.* 20.
- Chaetophorus* Kirby et Spence, Introd.E.
 ed. II, 2, 1818, 255 = *Syncalypta*
 Steph. 1830. *Byrrh.*, *Byrrhi.* 26.
- Chaetophorus*¹⁾ Fuchs, Morphol. Stud.
 1912, 46 (*Ch.* [*Pteleobius vestitus*
 Rey 1860]) 1913:1 (Eur. mer.-occ.).
Ip., *Hyl.* 17a.
- Chaetopisthes* O Westw., TESL. IV,
 1845/47 (47), 242, Schmidt, GIW.
 1910, 138, 139—140, Schaufuß in
 Calwer, (1260) (*Ch. fulvus* Westw. 1847)
 1910:6 (Ind., Birma, Chota, Nagpore).
Scar., *Aphod.*, *Coryth.* 42.
- Chaetoptelius* Fuchs 1912; Reitt.,
 WEZg. 32, 1913, Beiheft; Schaufuß
 in Calwer, 1218. — pro *Chaetophorus*
 Fuchs 1912.
- Chaetorhopalus* Raffr., Rev. d'E. 6,
 1887, 49; 9, 1890, 102, 104; 17, 1898,
 229; ASEFr. 1892, 470; 1903, 522;
 GIW. *Psel.* 1908, 64 (*Ch. atomus*
 [Schauf.] 1882) 1913:3 (Sansibar.,
 Jav., Sumatr., Rhodesia). *Psel.*,
Psel., *Euplect.* 56.
- Chaetoserica* O Brenske, BEZ. XLII,
 1897, 313, 355; l. c. XLIII, 1898;
 XLVII, 1902, 60 (*Ch. cymosa* Brenske
 1896) 1913:1 (Bengal.: Kurseong).
Scar., *Melth.*, *Seric.* 47.
- Chaetyllus* O Pasc., Joe. I, 1860, 122
 1913:1 (*Ch. anthicooides* Pasc. 1860)
 (Amaz.). *Ten.*, *Heterota.* 864.
- Chalcentis* Burm., HdE. IV, 1, 1844.
 369 (*Ch. victima* Burm. 1844) 1918:1
 (Brasil.). *Scar.*, *Rut. hom.*, *Ruti.*,
Antich. 58.

¹⁾ Nota: vide *Chaetoptelius* Reitt. 1913 pro *Chaetophorus* Fuchs 1912.

- Chalciclerus* Spin., Clérit. I, 1844, 278; Chenu, Enc. II, 1860, 252 = *Eleale* Newm. 1841. *Cler.*, *Cleri.*, *Clerin.* 123.
- Chalcimon* Dalm., Ephemerides E. 824, 1 = *Pholidotus* M'Leay 1819. *Luc.* Chias. 1.
- Chalcochlamys* Ohs., StEZg. 66, 1905, 260 (*Ch. Dohrni* Ohs. 1898) 1918:1 (Nov. Granad.: Sta. Rosa). *Scar.*, *Rut.* orth., *Spodochl.* 106.
- Chalcocoris* O Burm., Gen. Ins. Hft. 10, Nr. 27 (*Ch. Hesperus* [Ol.] 1789) 1913:1 (Brasil.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 74.
- Chalcocybebus* Snell. v. Vollenh., TijE. 9, 1866, 225; Faust, StEZg. 53, 1892, 205, nota; Heller, Not. Leyd. Mus. 18, 1896, 19—24 (*Ch. bispinosus* [Boisd.] 1835) 1913:9 (Queensl., Nov. Guin.). *Cure.*, *Api.*, *Eurh.* 2.
- Chalcodes* Westw. 1834 (pars) A. Sc. Nat. (2) I, 1834, 116 = *Odontolabis* Hope 1845. *Luc.*, *Odont.* 22.
- Chalcoidea* Motsch., in Schrenck's R. II, 209 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi.* 24.
- Chalcolampra* O Blanch., Voy. Pôle Sud IV, Zo. 1853, 328; Baly, TESL. (n. s.) III, 5, 1855, 180, t. 14 f. 4a, b; (3) IV, 2, 1867, 281; Chap. X, 423, 425 (pars); Jac., Not. Leyd. Mus. VI, 1884, 26; Jacobs., HoR. 35, 1900, 89 (*Ch. aenea* [Boisd.] 1835, *octodecim-guttata* [F.] 1775) 1916:36 (China, Austral., Tasman., N. S. Wales). *Chrys.*, *Chryso.*, *Phylloch.* 101.
- Chalcolema* O Jacoby, Ent. 23, 1890, 84 (*Ch. foveicollis* Jac. 1890) 1914:1 (China: Chang - Yang). *Chrys.*, *Eumolp.*, *Iphim.* 12.
- Chalcomela* O Baly, TESL. (n. s.) III, 7, 1856, 258; (3) 4, 2 1867, 296; Chap. X, 369, 404 (*Ch. sulcata* Baly 1856) 1916:15 (Austral., Nov. Guin., Ins. Thursday). *Chrys.*, *Chryso.*, *Phaedon.* 65.
- Chalconotus* Reiche, Rev. Zo. 1841, 212 = *Anachalcos* Hope 1837. *Scar.*, *Copr.*, *Scarbi.*, *Canthon* 21.
- Chalcoparia* Crotch, PAePhil. 25, 1873, 39 = *Chrysodina* Baly 1864. *Chrys.*, *Eumolp.*, *Chrysod.* 4.
- Chalcophana* O Chevr. in d'Orbigny, Dict. HN. III, 1843, 372; Chap., G. Col. X, 1874, 258 (pars), Jac., BCA. Col. VI, 1, 1882, 154; Lefvr., MSLiége (2) 11, 1885, 51 (Typ.?: *Ch. aeneipennis*, *hilaris*, *lineata*, *plicipennis*, *ruficrus* [Germ.] 1824, *ruficollis* [F.] 1881 etc.) 1914:94 (Am. centr. et mer. trop.). *Chrys.*, *Eumolp.*, *Chalcoph.* 75.
- Chalcophyma* Baly, TESL. (3) II, IV, 1865, 339; Lefvr., MSLiége (2) 11, 1885, 11 (*Ch. aeruginosa*, *cretifera* Baly 1865) 1914:16 (Cayenne 2, Amaz. 12). *Chrys.*, *Eumolp.*, *Chrysod.* 8.
- Chalcoplacis* Chevr. in d'Orbigny, Dict. Univ. HN. 3, 1843, 372; Baly, TESL. (3) II, IV, 1865, 338; Jac., BCA. Col. VI, I, 1881, 111; Lefvr., MSLiége (2) 11, 1885, 8 (Typ.?: *Ch. abdominalis* et *sumptuosa* Baly 1865, *rufiventris* Er. 1847, *fulgorans* [Klug, Preisverz. 1829]) 1914:18. *Chrys.*, *Eumolp.*, *Chrysod.* 5.
- Chalcoplethis* Burm., Hd.E. IV, 1, 1844, 410; Ohs., DEZ. 1915, 258 = Subg. 3 ad *Pelidnota* M'Leay 1819. — Sect. (Grupp.) 12. *rugulosa* (*Ch. rug.* Burm. 1844) 1918:4 (Bras., Columb., Amaz., Peru, Ecuad.). — 13. *granulata* (*Ch. gran.* [Gory] 1834) 1918:4 (Amaz.: Ega, Guyana, Obidos; Ecuad.: Rio Napo). — 14. *cyanipes* (*Ch. cyan.* [Kirby] 1818) 1918:6 (Bras., Trinid., Venez., Columb., Amaz., Peru, Ecuad.). — 15. *Kirbyi* (*Ch. Kirby.* [Gray in Griff.] 1832) 1918:6. *Scar.*, *Rut.* hom., *Ruti.*, *Pelidn.* 30, 3.
- Chalcoprionus* H. W. Bates, EMM. 11, 1875, 273; Lmr., ASEB. 49, 1906, 339 (Rév., 527); MSEB. 21, 1912,

- 167 (RÉV., 1031) (*Ch. Badeni* H. W. Bates 1875) 1913:1 (Columb.). *Ceramb.*, *Prion.*, *Macrot.*, *Tit.* 19.
- Chalcopterus* O. Bless., HoR. I, 1861, 103 (*Ch. Reichenb.* 1852 [Aves] = *Rhinoptilus*) (Typ.?; *Ch. iridicolor* Bless. 1861, *cupreus* [F.] 1775) 1913:15 (Austral.). *Ten.*, *Rhyssop.* 1141.
- Chalcostylus* Fairm., ASEB. 42, 1898, 409 (*Ch. Perrieri* Fairm. 1898) 1913:2. (Madag.). *Ten.*, *Tenebr.* 855.
- Chalcurus* O. Kolbe, D.-Ostafr. IV Col. 1897, 100 (*Ch. cyaneus* et *minor* Kolbe 1897) 1913:3 + 1 (Camer.; Afr. or.). *Hist.* 12.
- Chalepopeplus* Gemm. et Har., Cat. Col. III, 1868, 809 = *Halepopeplus* Murr. 1864. *Nit.*, *Carpophil.* 40.
- Chalepotatus* Ws., VN. 49, 1910, 121 et 133 (*Ch. scitulus* Ws. 1910) 1913:2 (Brasil., Mex.). *Chrys.*, *Hispa.*, *Chalep.* 32.
- Chalepus* O. Thunb., Götting. gel. Anz. 1805, 282; Baly, BCA. VI, 2, 1885, 48; Ws., ArN. 71, 1905, 64; VN. 49, 1910, 135 (etiam Subg. 2 ad *Ch. Thunb.* 1805) (*Ch. sanguinicollis* [L.] 1771), Subgg. *Par.*, *Chal.*, *Xen.* — 1913:131 (Amer.). *Chrys.*, *Hispa.*, *Chalep.* 33.
- Championa* O. Bates, BCA. Col. V, 1880, 69 (*Ch. aurata* Bates 1880) 1913:3 (Guatém., Mexic.). *Ceramb.*, *Cerambin.*, *Ancyl.* 926.
- Championella* O. Matth., TAmES. 1884, 118; BCA. Col. II, 1, 1888, 127, 130; *Trich.* Suppl. 1900, 24 t. 9 f. 1–8 1884 (*Ch. nubigena* Matth. 1884) 1913:1 (Guatém.). *Ptil.*, *Ptili.*, *Acrotr.* 20.
- Chanopterus* O. Bohem., Resa Eugen. 1858, 98; Lac. V, 731 (*Ch. paradoxus* Boh. 1858) 1913:1 (Port. Famine). *Ten.*, *Helop.* 1093.
- Chaodaldis* O. Pasc., JoE. II, 1865, 366 (*Ch. Macleayi* Pasc. 1865) 1913:1 (N.S.Wales). *Ceramb.*, *Cerambin.*, *Erosch.* 662.
- Chapuisia* O. & Dugès, ASEB. 29, 2, 1885, 58; Blandford, BCA. Col. IV, IV, 6, 1885, 117, 118. — Biol.: Dugès, l. c. (*Ch. mexicana* Dugès 1885) 1913:1 (Mexico). *Platyp.* 1.
- Charagmophorus* O. Waterh., ANH. (6) 15, 1895, 495 (*Ch. lineatus* Waterh. 1895) 1913:1 (Sierra-Roraima). *Luc.*, *Dorc.* 55.
- Chariphyphus* O. Sharp, BCA. Col. I, 2, 1882–1887 (1887), 709 (*Ch. brevicollis* Sharp 1887) 1913:1 (Guatemala). *Staph.*, *Oxyt.*, *Phloeoch.* 34.
- Charianus* Bates, TESL. 1897, 297 (*Ch. purpuratus* Coquer. 1897) 1913:1 (Madag.). *Ten.*, *Cnodal.* 954.
- Charichirus* Sharp, ANH. (6) II, 1889, 262 (*Ch. chinensis* [Boh.] 1858) = Subg. 20 ad *Medon* Steph. 1832 1913:5 (Ind. or. 1, China 1, Jap. 1, Madag. 3; Ins. Sundaic. 1). *Staph.*, *Paed.*, *Paedi.* 199, 20.
- Chariea* Serv., ASEFr. I, 1832, 197; J. Thom., Class. *Cer.* 287; Syst. *Cer.*, 466; *Lac.* VIII, 189; *Gah.*, PESL. 1895, XVI; *Lmr.*, MSEB. 21, 1912, 92 (RÉV., 956) (*Ch. cyanea* Serv. 1832) 1913:1 (Cayenne). *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 99.
- Chariergus* O. J. Thom., Class. *Cer.* 1860, 369 (*Ch. tabidus* [Klug] 1825; *quadripunctatus* et *signaticornis* [Lucas] 1859) 1913:3 (Brasil.). *Ceramb.*, *Cerambin.*, *Comps.* 771.
- Charissa* O. Perty, Del. Animal. Artic. 1830, 109; Spin., Rev. Zo. 1841, 75; Clérít., II, 1844, 33; *Lac.* IV, 478; Chenu, Enc. II, 273; J. Lee., Class. Col. N. Am. I; BCA. Col. III, 2; J. Lee. u. Horn, Class. Col. N. Am. ed. II, 219; Schleg., GIW. Cler. 1903, 104; Wolcott, ENs. 19, 1908; 70; B. Ind. Dep. Geol. Nat. I, 1910, 859 (Typ.?; *Ch. ramicornis* Perty 1830; *Ch. pilosa* [Forst.] 1781) 1913:6 (Am. b., centr., Brasil.). *Cler.*, *Coryn.*, *Enopli.* 155.

- Charinotes* Serv., ASEFr. III, 1834, 39; **Dupont**, Monogr. I, 20, t. 222 f. 7) 1913:1 (*Ch. fasciatus* Serv. 1834) (Brasil. mer.). *Ceramb.*, *Cerambin.*, *Trachyd.* 1015.
- Chariochilus* Brenske, StEZg. 59, 1908, 237 (*Ch. mettlescens* Brenske 1898) 1913:2 (Queensl., Nov. Guin., Ins. Roon). *Scar.*, *Melth.*, *Melthi*. 276.
- Chariodema* O Blanch., Cat. Coll. E. I, 1850, 117; *Lac.* III, 255 (Typ.?; *virescens*, *chlorodera*, *costatipennis* etc. **Blanch.** 1850) 1913:11 (Brasil., Nov. Gran., Boliv.). *Scar.*, *Melth.*, *Macrod.* 486.
- Charioserica* O Brenske, BEZ. XLIV, 1897, 236; XLV, 1900, 46 (*Ch. striata* Brenske 1900) 1912:1 (Madag.). *Scar.*, *Melth.*, *Seric.* 59.
- Chariotheca* Pasc., JoE. I, 1860, 125 (*Ch. coruscans* et *litigiosa* Pasc. 1860) 1913:14 (Ind., Molucc., Queensl. bor., Nov. Guin., Ins. Viti, Nov. Pomm., Dorey, Ins. Lizard). *Ten.*, *Cnodal.* 981.
- Charis* Newm., Ent. I, 1840, 21 = *Epimelitta* Bates 1870. *Ceramb.*, *Cerambin.*, *Rhinotr.* 645.
- Charisalia* Casey, Mém. Col. 4, 1913, 256 (—) 1913:—(—). *Ceramb.* of. P. II.
- Charisia* Champ., TESL. 1892, 161 nota = *Epimelitta* Bates 1870. *Ceramb.*, *Cerambin.*, *Rhinotr.* 645.
- Charisius* O Champ., BCA. Col. IV, 1, 1888, 417 (*Ch. fasciatus* Champ. 1888) 1913:5 (Mex., Guatem., Amer. b.). *All.*, *Allec.* 40.
- Charispa* Baly, EMM. 12, 1875, 73 = *Amplipalpa* Harold 1875. *Chrys.*, *Hisp.*, *Amplip.* 1.
- Charistena* O Baly, TESL. 1864, 251; Ws., VN. 49, 1910, 120 et 122 (*Ch. ruficollis* [F.] 1801; *Ch. Deyrollei* Baly 1864) 1913:2 (Columb., Cayenne, Venez., Brasil.). *Chrys.*, *Hisp.*, *Chalep.* 28.
- Charonites* O Apfelbeck, Glasn. Mus. Bosn. Herceg. 19, 1907, 303; WEZg. 26, 1907, 314; **Reitt.**, op. cit. 27, 1908, 113; EBl. 7, 1911, 174; **Breit**, EMi. II, 1913, 309; **Jeannel**, Arch. Zo. exp. (5) 5, 1910, 22 et 42; 54, 1914, 75; Rev. Ba., 493 (*Ch. Matzenaueri* Apfelb. 1907) 1914:4 (cavern.: Bosn.). *Silph.*, *Bath.*, *Bathy.* 48.
- Chartopteryx* O Westw., Arcana E. I, 1841, 43; *Lac.*, V, 412; *Pasc.*, ANH. (4) 3, 1869, 288 (*Ch. Childreni* Westw. 1841) 1913:5 (Austral.). *Ten.*, *Cyphal.* 903.
- Chasmatopterus* O Latr., Enc. méthod. X, 1825, 378; **Reiche**, ASEFr. (3) III, 1855, 285; **Reitt.**, VN. 40, 1901 (1902) (Best.-Tab.) 50, 159; **Schaufuß**, (1310); (*Ch. villosulus* [III.] 1803; *hirtulus* et *pilosulus* (III.) 1803) 1913:6 (Hisp. 5, Lusit. 4, Mader. 1). *Scar.*, *Melth.*, *Chasm.* 11.
- Chasme* Serv., Enc. méth. X, 1825, 378; *Burm.*, Hd. E. IV, 1, 1844, 36; *Lac.*, III, 178; **Pering**, TSAfr. Phil. S. 12, 1902, 630 (*Ch. decora* [Wiedem.] 1823) 1913:3 (Col. cap.). *Scar.*, *Melth.*, *Hopl.* 499.
- Chasmodia* O M'Leay, HE. I, App. 1819, 155; **Ohs.**, StEZg. 75, 1914, p. 142. — Biol.: **Ohs.**, StEZg. 61, 1900, 200; 70, 1909, 70, 128; DEZ. 1908, 244, 392 (*Ch. bipunctata* M'Leay 1819) 1918:24 (Ecuad., Reg. flum. Amaz., Peru or., Brasil., Parag., Boliv., Panama — Mexic., Costa Ric., Guat.). *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 69.
- Chasodium* Cast., Etud. ent. I, 1835, 131 = *Eleusis* Cast. 1835. *Staph.*, *Oxyt.*, *Piest.*, *Eleus.* 13.
- Cheilocolpus* Sol. in Gay, H. Chile IV, 1849, 320; **Kraatz**, BEZ. 1859, 5 = *Philonthus* Curtis 1825. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 286.
- Cheiragra* M'Leay, TESNSW. I, 1864; **Blackb.**, TRSSouth Austr. 22, 1898, 27 (*Ch. ruficollis*; *lurida*, *pallida* M'Leay 1864) 1912:6 (Austral.). *Scar.*, *Melth.*, *Seric.* 19.

- Cheiridea* vide *Chiridea*. *Chrys.*, *Eumolp.*, *Ner.* 157.
Cheiridisia vide *Chiridisia*. *Chrys.*, *Eumolp.*, *Ner.* 155.
Cheiriphyle vide *Chiriphyle*. *Chrys.*, *Eumolp.*, *Ner.* 156.
Cheironitis vide *Chironitus*. *Copr.* 92.
Cheirotonus O * Hope, ANH. VI, 1841, 300; *Deyr.*, ASEFr. (5) IV, 1874, 445; *Hutton*, TESL, V, 1848, 86; *Pouill.*, Insect. III, 1913, 468; *Mac Leayi* Hope 1841) 1918:7 (China, Tonkin, Annam, Irawaddy, Sikkim, Formosa, Ind. bor.). *Scar.*, *Euchi*. 2.
Cheirrhampatica Blackb., TRSSouth Austral. 22, 1898, 25 (*Ch. pubescens* Blackb. 1898) 1913:2 (Queensl., Austral. occ.). *Sear.*, *Melth.*, Seric. 22.
Cheidonidium O J. Thoms., Syst. Cer. 1864, 175, 420; *Gahan*, F. Brit. Ind. Col. I, 1906, 210 (*Ch. argentatum* [Dalm.] 1817) 1913:13 (China, Jap., Asia mer., Sumatr., Ceram, Laos). *Ceramb.*, *Cerambin.*, *Callichr.* 728.
Chelobasis O Gray, The anim. kingd. Ins. II, 1832, 143; *Ws.*, ArN. 76, I, 1, 1910, 99 (*Ch. bicolor* Gray 1832) 1913:4 (Am. mer. trop.). *Chrys.*, *Hisp.*, *Aresc.* 14.
Cheloderus O Cast., HN. II, 1840, 409 (*Ch. Childreni* Gray in Griff. 1832) 1913:1 (Chile). *Ceramb.*, *Cerambin.*, *Oxypl.* 575.
Cheilonarium O F., Syst. El. I, 1801, 101; *Lac.* II, 488; *Kirsch*, StEZg. 34, 1873, 152; *Sharp*, BCA.Col. II, 1, 1902, 685 (*Ch. punctatum* F. 1801) 1913:42 (Ind. or.; Sumatr.; Am. centr.). *Byrrh.*, *Chelon.* 12.
Chelonosternus O Bickh., EBL. V, 1909, 242 f. 5 (*Ch. Tremolerasi* Bickh. 1909) 1913:1 (Uruguay). *Hist.* 90.
Chelotrupes O Jek., ASEFr. (4) 5, 1865 (1866), 549; *Reitt.*, Best.-Tab. 24, 1893, 129 = Subg. 2 ad *Typhoeus* Leach 1815 (*Ch. Momus* [Ol.] 1789) 1913:2 (Sard., Hispan. merid.). *Scar.*, *Geotr.*, *Geotripi.* 16, 2.
Chelyocephalus Schm., DEZ. 1893, 182 (*Ch. varicolor* Schm. 1893) 1913:1 (Brasil.). *Hist.* 82.
Chelyoxenus O Hubb., Ins. Life, 1894, 309 (*Ch. xerobatis* Hubb. 1894) 1913:1 (Florida). *Hist.* 122.
Chemolanus Bates, TESL. 1879, 296; Fairm., ASEFr. (6) 4, 1884, 236 (*Ch. consobrinus* Fairm. 1868) 1913:12 (Madag.). *Ten.*, *Cnodal*. 943.
Chenniopsis O Raffr., ASEFr. 73, 1904, 338; GIW. *Psel.* 1908, 333 (*Ch. madecassa* Raffr. 1904) 1913:1 (Madag.). *Psel.*, *Psel.*, *Ctenist.* 348.
Chennium O * Latr., Gen. Crust. Ins. II, 1807, 77; *Aubé*, *Psel.* Mon. 1833, 14; ASEFr. (2) 2, 1844, 88; *Gutfl.-B.*, 191; *Jacq. du Val*, I, 133; *Saulcy*, BSHN. Metz (Spec. I), 41; *Reitt.*, *VzbGW.* 31, 1881, 450, 453; *Raffr.*, *Rev. d'E.* 9, 1890, 140, 142; ASEFr. 1904, 335; GIW. *Psel.* 1908, 333; *Ganglb.*, II, 845 (*C. bituberculatum* Latr. 1807) 1913:8. — Biol.: *Xambeu*, *Rev. d'E.* 8, 1889, 332; ASLLyon 39, 1892, 61; *Ganglb.*, II, 846. — (Eur. centr. et mer., Tiflis, Caspia., Salonik., Arbe., Hierosol.). *Psel.*, *Psel.*, *Ctenist.* 347.
Chenoderus O Fairm. u. Gemm., ASEFr. (3) 7, 1859, 532 (*Ch. tricolor* Fairm. 1859, *Ch. testaceus* [Blanch.] 1851) 1912:6 (Chile). *Ceramb.*, *Cerambin.*, *Comps.* 772.
Cheridamus Fairm., ASEB. 33, 1889, Bull. p. 93 = *Ochimus* Thoms. *Ceramb.*, *Cerambin.*, *Cleom.* 880.
Cheronia O Croiss., Misc. E. I, 1893, 113 (*Ch. Bonnemaisonii* Croiss. 1893), 1913:1 (Patria?, Pyr.). *Scar.*, *Melth.*, *Melthi*. 371.
Cherostus Waterh., ANH. (6) 14, 1894, 68 (Typ.?; *Ch. crenipennis* [Motsch.] 1858, *Walkeri* Waterh. 1894) 1913:5 (Mex., Antill., Birma, Andam., Jamaic., Austral. or., Ins. Damma). *Ten.*, *Rhipidandr.* 608.

- Cherrocarius* Berg, Commun. Mus. Buenos Ayres I, 1898, 31; Lmr., ASEB. 46, 1902, 207 (Rév., 71) = Subg. 4 ad *Anoploderma* Guér. 1840 (*Ch. Bruchi* Berg 1898) 1913:1 (Argent.). *Ceramb.*, *Prion.*, *Anoplod.*, *Anopl.* 110, 4.
- Chersomela* Ws., Beitr. Land- u. Süßwasserf. D.-Südwestafr. I, 1914, 260 (*Ch. hottentotta* Ws. 1914) 1916:1 (Afr. mer. occ.). *Chrys.*, *Chryso.*, *Phaedo*. 59.
- Chesas* Burm., StEZg. 37, 1876, 264 = Subg. ad *Trox* F. 1775. *Scar.*, *Trog.* 2.
- Chevrieria* Heer, F. Helv. I, 1838, 42, 188 = *Boreaphilus* Sahlb. 1834. *Staph.*, *Oxyt.*, *Omal.* 93.
- Chianalus* Bates, Cist. E. II, 1879, 480, Sec. Yarkand Miss. Col. 1890, 72 (*Ch. costipennis* Bates 1879) 1913:1 (Kaschmir.). *Ten.*, *Platysc.* 398.
- Chiasmetes* O Pasc., ANH. (3) 19, 1867, 411 nota; Lac., VIII, 128; Lmr., MSEB. 11, 1903, 25 (Rév., 219) = Subg. ad *Strongylaspis* J. Thoms. 1860 (*Ch. Limae* [Guér.] 1830) 1913:1 (Peru, Chile). *Ceramb.*, *Prion.*, *Macrot.*, *Arch.* 7, 1.
- Chiasmus* J. Thoms., Class. Cer. 1860, 318; Syst. Cer. 1864, 479 = *Chiasmetes* Pasc. = Subg. ad *Strongylaspis* J. Thoms. 1867. *Ceramb.*, *Prion.*, *Macrot.*, *Arch.* 7.
- Chiasognathus* O Steph., T. Phil. S. Cambr. IV, 1831, 5, t. 1, 2 (*Ch. Granti* Steph. 1831) 1913:7 (Boliv., Ecuad., Peru 1, Chili 4). *Luc.*, *Chias.* 2.
- Chileone* O Bates, TESL. 1868, 264 (*Ch. Deyrollei* Bates 1868) 1913:1 (Queensl.). *Ten.*, *Tenebr.* 783.
- Chilodiplus* Sharp, AMusG. 9, 1877, 314 (*Ch. Albertisi* Sharp 1877) 1913:1 (Cap York). *Scar.*, *Melth.*, *Systell.* 2.
- Chilometopon* G. Horn, TAmES. V, 1874, 31; Cas., Rev. Mon. 1907, 372 (*Ch. abnorme* Horn 1874) 1913:5 (Nevada, Utah, Calif., Texas). *Ten.*, *Trimyt.* 40.
- Chilothonax* Motsch., Etud. E. 8, 1859, 156; Muls. (*Volinus*), 1871, 297; Reitt. (*Volinus*), Tab., 81; VN. 30, 219; A. Schmidt, GIW., 20 et 54 = Subg. ad *Aphodius* Ill. 1798. *Scar.*, *Aphod.* 7.
- Chilotrogus* Reitt., WEZg. 24, 1905, 202 (*Ch. panotrogoides* Reitt. 1905) 1912:1 (Pers. centr.). *Scar.*, *Melth.*, *Melthi*. 306.
- Chiloxena* Baly, TESL. (n. s.) V, 1860, 254; Chap., Gen. Col. X, 1874, 34; Jacoby, GIW. 14, 1903, 4 (*Ch. Westwoodi* Baly 1860) 1913:1 (Austral.). *Chrys.*, *Sagr.*, *Megam.* 8.
- Chion* O Newm., Ent. I, 1841, 23 (*Ch. cinctus* [Drury] 1773) 1913:1 (Am. bor., Mex., Fla., Ariz.). *Ceramb.*, *Cerabin.*, *Hesprph.* 203.
- Chioneosoma* O Kraatz, DEZ. 1891, 354; HoR. 29, 1895, 129, Rev. Russe d'E. II, 1892, 198—217; Reitt., VN. 40 [Best.-Tab.], 165, 188. — Etiam Subg. Reitt., l. c., 189 (Typ.?: *Ch. pulvereum* [Knoch] 1801) 1913:21 (Ross., Transcasp., Turcmen., As. centr. et occ.). *Scar.*, *Melth.*, *Melthi*. 307.
- Chionosoma* Semen., Rev. d'E. II, 1902, 198 = *Chioneosoma* Kraatz 1891. *Scar.*, *Melth.*, *Melthi*. 307.
- Chionotrogus* Reitt., VN. 40, 190 = Subg. ad *Chionosoma* Kraatz 1891. *Scar.*, *Melth.*, *Melthi*. 307.
- Chiridea* Baly, JoSL. 14, 1878, 253; Lefvr., MSLiége(2) 11, 1885; Kuntzen, ArN. 78, 1912, 2, p. 45, 49 (*Ch. Chapuisi* [Baly] 1878) 1914:1 (Sierra Leone). *Chrys.*, *Eumolp.*, *Ner.* 157.
- Chiridella* Jac., PZSL. 1904, I, 265 (*Cheiridella*); (*Ch. zambesiana* Jac.) 1914:1 (Natal: Estcourt). *Chrys.*, *Eumolp.*, *Colus.* 72.

- Chiridisia* O Jac., PZSL. 1898, 226 (*Cheiri'isia*); Kuntzen, ArN. 78, 1912, 2, p. 44, 46 (*Ch. inornata* Jac. 1898) 1914:1 (Terr. Mashona, Salisbury). *Chrys.*, *Eumolp.*, *Ner.* 155.
- Chiriphyle* Jac., TESL. 1901, 241 (*Cheiriphyle*); Kuntzen, ArN. 78, 1912, 2, 44, 46 (*Ch. metallica* Jac. 1901) 1914:1 (Bahr el Ghazal). *Chrys.*, *Eumolp.*, *Ner.* 156.
- Chirispa* Baly, 71, t. 1 f. 16 = *Proso-podonta* Baly 1858. *Chrys.*, *Hisp.*, *Prosop.* 19.
- Chirocharis* O Kolbe, ArN. 1903, I, 2, p. 166, 179; Geb., Mon. 117 (*Ch. australis* [Westw.] 1845) 1911:1 (Afr. occ.). *Ten.*, *Pycnoc.* 879.
- Chirodines* O Bates, BCA. Col. II, 2, 1888, 169 (*Ch. zunilensis* Bates 1888) 1913:1 (Guatemala). *Scar.*, *Melth.*, *Melthi.* 311.
- Chiromeloe* Reitt., F. Germ. 3, 1911, 390 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi.* 53.
- Chiron* O M'Leay, HoE. I, 1819, 107, Schaufuß in Calwer, (1286) (*Ch. cylindrus* F. 1798) 1913:12 (Sicil., Aegypt., Afr., Madag., Assam). *Scar.*, *Chiron.*
- Chironitis* O Lansb., ASEB. 18, 1875, 14, 19, Schaufuß in Calwer, 1295 (Type?, *Ch. furcifer* [Rossi] 1792, *hungaricus* [Herbst] 1789, *irroratus* [Rossi] 1790, *Moeris* [Pallas] 1781, *scabrosus* [F.] 1776) 1913:22 (Mediterr., As. centr., Afr.). *Scar.*, *Copr.*, *Onit.*, *Onitd.* 92.
- Chiroscelis* Olm., A. Mus. II, 1804, 260; Latr., HN. Crust. et Ins. X, 1804, 261; Cast., HN. II, 1840, 216; Westw., TZSL. III, 1843, 207; Lac. V, 403; Kolbe, ArN. 1903, I, 2, 179; Geb., Mon., 110, Schaufuß in Calwer, 358 (*Ch. digitata* [F.] 1801) 1913:2 (Afr. occ.). *Ten.*, *Pycnoc.* 878.
- Chirosis* O Deyr., ASEFr. (4) 7, 1867, 220 (Mon.), Schaufuß in Calwer, (793) (*Ch. acuminata* [Ménétr.] 1832) 1913:1 (Ross. mer., Syr.). *Ten.*, *Zoph.* 91.
- Chitocompusus* Bernh., A. Hofmus. W. 27, 1913, 232 = Subg. ad *Staphylinus* L. 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Chitona* W. Schmidt, Linn. Ent. I, 1846, 134; Lac. V, 702 et 715; Fairm. in Jacq. du Val III, 447; Seidl., F.Ba. et Tr.; NID. V, 2, 817 et 836; Ganglb., VzbGW. 31, 1881, 116 nota; Best.-Tab. 4a; *Oedem.*, 20, nota; Semen., HoR. 28, 1894, 458 (sep., 10); C. Schaufuß in Calwer, 730 (*Ch. connexa* [F.] 1798) 1915:5 Tanger, Marocco, Lusit., Sard., Hisp., Biskra.) *Oed.*, *Oedem.*, *Ascler.* 43.
- Chitoniscus* Waterh., TESL. 1875, 331; Fairm., Miss. Sc. Cap Horn, VI, 2, 1891, Col. 38 (*Ch. brevipennis* Waterh. 1875) 1913:1 (Terr. ignit.). *Ten.*, *Helop.* 1089.
- Chlaenobia* O Blanch., Cat. Coll. E. Col. I, 1850, 116; Lac. III, 265; Bates, BCA. Col. II, 2, 1888, 166 (*Chl. ciliatipes* Blanch. 1850) 1913:9 (aut.: Bates) (Am. e., Mex. etc.). *Scar.*, *Melth.*, *Macrod.* 461.
- Chlamydopsis* O Westw., TESL. 1869, 317; Thesaurus Oxon. 1874, 68 (*Chl. formicicola* Westw. 1869) 1913:6 + 6 (Austr. mer., N. S. Wal.). *Hist.* 103.
- Chlidones* O Waterh., TESL. 1879, 320 (*Chl. lineolatus* Waterh. 1879) 1913:6 (Madag.). *Ceramb.*, *Cerambin.*, *Chlid.* 839.
- Chloëcharis* Lynch, Bol. Ac. Cordoba VII 1884, 259 = Subg. ad *Medon* Steph. 1832. *Staph.*, *Paed.*, *Paedi.* 199.
- Chlorethe* Bates, EMM. 4 1867, 24; TESL. 1870, 394 (*Chl. ingae* Bates 1867) 1913:1 (Ega). *Ceramb.*, *Cerambin.*, *Comps.* 763.
- Chlorida* Serv., TESL. I, 1835, 107 (*Chl. costata* Serv. 1834; *festiva* [L.] 1758) 1913:10 (Amer. centr. et mer.,

- Afr. occ., Ins. Prinz., St. Thomé). *Ceramb.*, *Cerambin.*, *Hesprph.* 209.
- Chloridolum* O ♀ J. Thoms., Syst. Cer. 1864, 174, 420; Gahan, F. Brit. Ind. I, 1906, 190, 198. — Biol.: Maxwell-Lefr., Agric. Jo. India I, 1906, 129 fig. Ind. Ins. Life 1909, 374 fig. 253. (*Chl. bivittatum* [White] 1853) 1913:42 (As., Malesia, Phil. Ins., Salom. etc.). *Ceramb.*, *Cerambin.*, *Callichr.* 725.
- Chlorocamma* Bates, TESL., 1873, 371 (*Chl. sulcatum* [Montr.] 1860, *viridipennis* [Montr.] 1855) 1913:3 (Nov. Caled., Ins. Woodlark). *Ten.*, *Helop.* 1030.
- Chlorochiton* O Arrow, ANH. (7) 11, 1903, 305 (*Chl. suturalis* [F.] 1775) 1913:1 (Nov. Zealand.). *Scar.*, *Melth.*, *Lipar.* 160.
- Chlorocnemis* Kuw., ASEB. 38, 1894, 399 et 417 = *Thalerocnemis* Lohde 1900 = Subg. ad *Dasyceroclerus* Kuw. 1894. *Cler.*, *Cleri.*, *Clerin.* 63.
- Chlorophila* Semenow, HoR. 25, 1891, 374; Fairm., ASEB. 38, 1894, 221; Not. Leyd. Mus. 19, 1897, 230; Seidl., NID. V, 2, 1898, 322 et 328 = Subg. ad *Arthromacra* Kirby 1837. 1911:2. *Lagr.* 13.
- Chlorophorus* O ♀ Chevr., MSLiége, 18, 1863, 290 (38) (Typ. *annularis* Chevr.). *Chl.*: Spp. paläaret.: 36 *figuratus* [Scop.] 1763, *Herbsti* [Brahm] 1790, *pilosus* [Forst.] 1771, *ruficornis* [Ol.] 1790, *trifasciatus* [F.] 1781, *varius* [Müll.] 1766. — Biol.: Waterh., ANH. (4) 16, 1875, 235, etc.; Chobaut, BSEFr. 1893, 265; Krausse, ZIns.Bi. 6, 1910, 301 etc. — Spp. indo-mal.: *annularis* [F.] 1787, 47 etc. — Biol.: Maxwell-Lefr., Ind. Ins. Life 1909, 375 etc.; — Spp. austral.-pap.: 14; — Spp. aethiop.: Jordan, NoZo. 10, 1903, 144 (Revis.) 9; — Spp. nearct.: Leng, EAm. III, 1887, p. 28, 23 (Synops.). 1913:107. *Ceramb.*, *Cerambin.*, *Clyt.* 820.
- Biol.: cf. *Aur.* in Schbklg. u.J., P.39, 1912.
- Chloropterus* O Moraw., HoR. I, 1861, 162; Chap., G.Col. X, 1874, 335; Ws., NID. 6, 1882, 278; Lfvr., MSLiége (2) 11, 1885, *Schaufuß* in Calwer, 924 (*Chl. versicolor* [Moraw.] 1860) 1914:8 (Mong. centr.; Arax., Buchar., Ross. mer., Sahara; Sarepta, Tunes., Alger.) *Chrys.*, *Eumolp.*, *Typoph.* 258.
- Chlorota* O ♀ Burm., Hd.E. IV, 1, 1844, 359, V, 1847, 570, IV, 2, 1855, 518; Waterh., TESL. 1881, 551; H. Bates, BCA.Col. II, 8, 1888, 268; Ohs., StEZg., 59, 1898, 44; 66, 1905, 304. 1918:18.
- Biol.: Ohs., DEZ. 1908, 248, 399. Sect. aut Grupp.: 1. *terminata* O (term. [Serv.] 1825) 1918:9 (Bras., mont. cost., Am. mer. trop.). — 2. *chalconota* (chalc. Burm. 1844) 1918:2 (Brasil., mts. cost., Guyana). — 3. *limbaticollis* O (limb. 1850) 1918:6 (Columb., Mex., Hondur., Panama, Boliv., St. Vincent). — 4. *Mathildae* (Math. Ohs. 1908) 1918:1. *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 49.
- Chnaunanthus* O Burm., Hd.E. IV, 1, 1844, 31 (*Chn. discolor* Burm. 1844) 1913:2 (Mex., Utah). *Scar.*, *Melth.*, *Chasm.* 14.
- Choaspes* Champ., BCA.Col. IV, 1, 1885, 118 = *Choastes* Champ. 1893. *Ten.*, *Tenebr.* 771.
- Choastes* O Champ., BCA.Col. IV, 1, 1893, 576 (*Ch. purpureus* et *angulicollis* [Champ.] 1885) 1913:3 (Am. c., Nicar., Venez.). *Ten.*, *Tenebr.* 771.
- Choeridiona* O Baly, TESL. 1869, 380; Chap., XI, 309 (*Ch. metallica* Baly 1869) 1913:3 (Birma, Ind. or.). *Chrys.*, *Hisp.*, *Choer.* 64.
- Choeridium* O Serv., Enc. méth. X, 1825 (8), 356 (*Ch. simplex* Serv. 1828 (5), *squalidum* [F.] 1775, *histeroides* [Weber] 1801) 1913:44 (Am. bor. et centr.; spp. plur. ex Am. mer.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 64.

- Choerodes* O White, Voy. Ereb. et Terr. E., 1846, 12; Lac. V, 287 (*Ch. trachysceloides* White 1846) 1913:4 (Nov. Zealand.). *Ten.*, *Phaler.* 579.
- Choeropsis* J. Thoms., Class. Cer. 1860, 367 = *Trichomesia* Pasc. 1859. *Ceramb.*, *Cerambin.*, *Trichom.* 632.
- Cholipus* Pasc., JoE. II, 1866, 471 = *Encyalesthus* Motsch. 1860. *Ten.*, *Tenebr.* 807.
- Chollides* O J. Thoms., Rev. MaZo., 1877, 264; Lmr., ASEB. 54, 1910, 274 (Rév., 703) = Subg. 2 ad *Priotyrannus* J. Thoms. 1857 (*Ch. closteroides* J. Thoms. 1877) 1913:2 (China mer., Tonkin, Formosa). *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 63, 2.
- Chondria* Gorh., PZSL. 1887, 651; Csiki, A.Mus.Nat.Hung. 3, 1905, 573 (*Ch. lutea* Gorh. 1887) 1913:1 (Japon.). End., *Mycet.*, *Myceta* 3.
- Chondromela* Ws., DEZ. 1915, 435 (*Ch. Mjoebergi* Ws. 1915) 1916:1 (Austral. bor.-occ.). *Chrys.*, *Chryso.*, *Chrysi.* 35.
- Chondrotheca* Lesne, BMHNP., 16, 1910, 305 (*Ch. asperula* Lesne 1910) 1913:1 (Peru). *Anob.*, *Dorcat.* 72.
- Chontalia* O Bates, TESL. 1872, 233 (*Ch. cyanicollis* Bates 1872) 1913:1 (Nicarag.). *Ceramb.*, *Cerambin.*, *Lept.* 554.
- Chorasmius* Bates, TESL. 1868, 3 nota; EMM. 9, 1872, 135 (*Ch. procerus* Er. 1847) 1913:1 (Peru). *Ten.*, *Evanios*. 52.
- Choriolaus* Bates, BCA.Col. V, 1885, 283 (*Ch. aegrotus*, *lutescens* p. 284 t. 20 f. 9, *nanus* Bates t. 20 f. 8) 1913:3 (Mexico). *Ceramb.*, *Cerambin.*, *Lept.* 555.
- Choris* O Lefvr., ASEFr. (5) 7, 1877, 123; MSLiége (2) 11, 1885, 23; ASEFr. (6) 9, 1889, 331; Jac., BCA. Col. VI, 1, Suppl. 1890, 215 (*Ch. flavida*; *lateralis*, *nueca* Lef. 1877) 1914:6 (Mex., Columb.). *Chrys.*, *Eumolp.*, *Iphim.* 14.
- Choristopsis* Kraatz, Rev. Ten. 1865, 224 = *Calyptopsis* Sol. 1835. *Ten.*, *Tentyr.* 107.
- Chorotye* O Pasc., ANH. (3) 19, 1867, 307 (*Ch. vesparia* Pasc. 1867) 1913:1 (Afr. mer.). *Ceramb.*, *Cerambin.*, *Pseb.* 592.
- Chortastus* O Schaufuß, Ins.-Börse, 1905, 15 (*Ch. camerunus* Schauf. 1905) 1913:4 (Afr. occ. 1, Camerun. 3). *Ip.*, *Hyles.* 24.
- Chramesus* * Lec., TAm.ES., 1868 App., 168; Bldf., BCA. Col. IV, 6, 1895, 1907, 170 (*Chr. icoriae* Lec. 1868) 1910:8 (Am. b., c., Nov. Gran., Argent.). *Ip.*, *Hyles.* 2.
- Chrysaëte* O Bates, ANH. (4) 11, 1873 p. 27 = Subg. 2 ad *Ommata* White 1855 (Pan., Nicar., Brasil.). *Cerambin.*, *Cerambin.*, *Rhinotr.* 638, 2.
- Chrysanthisia* O W. Schmidt, Linn. Ent. I, 1846, 17 et 125; Redt., F.Austr. 1849 56 et 624 etc.; Muls., ASLLyon (n. s.) V, 1858, 168 et 219; Col. Fr. Augustip. 1858; 104, 155; Bach, 274; Lac. V, 702, 714; Costa, F. Regni Napoli, Edem. Suppl. 1859, 5; Gutfl.-Bose, 442; Thoms., Sk. Col. I, 1859, VI, 1864, 353; Fairm. in Jacq. du Val, III, 447; Seidl., F.Ba. et Tr.; NID. V, 2, 817 et 860; Kiesw. in Schneider u. Leder, Beitr. Kaukas. Käferf. 1878, 257; Ganglb., Vzb.GW. 31, 1881; 91, Best.-Tab. 4a: *Oedem.* 1881, 2; Stierlin, Col. Helv. 1886, 195; Semen., HoR. 28, 1894, 458; Horn, P.Ac.Sc. (2) 6, 1896, 385 et 408; Pic, Feuill. Jeun. Nat. 30 (1899), 14; Desbr., Frelon 8 (1900); *Oedem.*, 2, 3 et 28; Reitt., DEZ. 1889, 226; F. Germ. III, 1911, 406/7; Everts II, 327; C. Schauf. in Calwer, 730, 733; Kuhnt, 689, 692 (*Chr. viridissima* [L.] 1758) 1915:15 (Eur., Sib., Japon., Cauc., As. minor, Kashmir. etc.); Columb., Flor., Texas, Ariz.). *Oed.* *Oedem.*, *Ascler.* 46.

- Chrisispa* O Ws., DEZ. 1897, 139 =
 Subg. ad *Hispa* L. 1767 (Typ.?) ; *Chr. viridiaenea*, *Chr. paucispina* Ws., 1897
 [Guér.] 1841) 1913:6 (Afr. centr.).
Chrys., *Hispi.* 191.
Chroaptomus Sharp, BCA.Col. I, 2,
 1882/87 (1885), 437 (*Chr. flagrans*)
 Sharp 1885, *Chr. coelites* Er.: Colomb.)
 1914:3 + 1 (Am. centr., mer.-trop.,
 Argent.). *Staph.*, *Staphy.*, *Staphyl.*,
Staphi. 298.
Chromasclera Seidl., NID. V, 1899,
 848 et 850 = Subg. ad *Ischnomera*
 Steph. 1839. *Oed.*, *Oedem.*, *A scler.* 44.
Chromatia Lee., Smiths. Misc. Coll. III
 1862, 244 (*Chr. amoena* [Say] 1823)
 1913:1 (N. York; Kentucky; Indiana).
All., *Allec.* 80.
Chromodora Motsch., in Schrenck's R. II,
 1860, 195 = *Cosmogramma* Er. 1847.
Chrys., *Chryso.*, *Chrysi.* 16.
Chromomaea O Pasc., JoE. II, 1866,
 490 (*Chr. Deplanchei* [Fvl.] 1862)
 1914:11 (Austral.). *All.*, *Allec.* 7.
Chrotoma Casey, A. New York Acad. Sc. VI,
 1892, 27 (*Chr. dunniana* Casey 1892).
 1913:1 (Texas). *Ceramb.*, *Cerambin.*,
Hesprh. 176.
Chrysina O Kirby, ZoJo. III, 1827,
Burn., Hd., E. IV, 1844, 415; *Bates*,
 BCA.Col. II, 2, 1888, 285; — Biol.:
Chevr. Rev. Ma. Zo. 1859, nr. 11;
Skinner, EN. 18, 1907, 32. — (*Chr. macro-*
pus [Francillon] 1795) 1918:6 (Mex. 5,
 Honduras 1, Guatem. 1). *Scar.*,
Rut. hom., *Ruti.*, *Pelidn.* 21.
Chrysobyrhulus O Reitt., F. Germ. 3,
 1911, 159 (*Chr. metallicus* Sturm 1807?)
 1913:1 (Eur. b. et med.). *Byrrh.*,
Byrrhi. 16a.
Chrysochares O Moraw., HoR. I, 1861,
 160; *Marshall*, JoLSLZo., 8, 1865,
 48; *Jacq. du Val*, G. Col. d'Eur. IV,
 IV, 1868, 220; *Chap.*, G. Col. X,
 1874, 342; *Weise*, NID. 6, 1882,
 278; *Lefvr.*, MS Liége (2) 11, 1855,
 151; *Schaufuß*, in Calwer, 924.
 — Morph.: *Wandolleck*, ZoJa. Anat. 22,
 1906, 544 f. c. — (*Chr. asiaticus* (Pallas)
 1771) 1914:1 (Ross. mer., Cauc.,
 Armen., Turkest., Desert. Kirghis.).
Chrys., *Eumolp.*, *Corynod.* 271.
Chrysochloa O*+ Hope, Col. Man. II,
 1840, 165; Guér., Ic. règne anim. Ins.
 1844, 302; *Bedel*, Abeille 27, 1890/2,
 156; Ws., ArN. 64, 1898, 196; *Reitt.*,
 F. Germ. IV, 1912, 109; *Schaufuß*
 in Calwer, 927; *Kuhnt*, 804, 844 (*Chr.*
cacaliae [Schrank in Fuefly] 1785,
speciosissima [Scop.] 1763) 1916:24
 (Montes Eur. c.). Subgg.: *Allor.*,
Romal., *Protor.*, *Chrysochl.*, *Chr.*
 = Subg. 4 ad *Chr.* 1916:7. *Chrys.*,
Chryso., *Chrysi.* 25; 25, 4.
 Anat. m.: *Bordas*, A. Sc. Natur.
 Zo. (8) 11, 1900, 336, t. 24, f. 9.
 Biol.: *Letzner*, Arb. Schles.
 Gesellsch. 34, 1856, 106; *Kaltenb.*,
 Pflanzenfeinde 1874, 321; Ws., DEZ.
 1883, 215; *Champ. u. Champ.*, TESL.
 8, 16, t. 1, f. 2; *Calloni*, BSE Ital.
 21, 1889, 46; cf. etiam Weise in Schklg.
 u. J., Col. Cat. P. 68, 1916, 99 etc.
Chrysochloa Mars., Abeille 24, 1886,
 29 = *Chrysomela* L. 1758. *Chrys.*,
Chryso., *Chrysi.* 24.
Chrysochus O Redtb., Gatt. deutsch.
Käfer. 1845, 117; *Morawitz*, HoR.
 I, 1861, 159; *Marshall*, JoLSLZo.
 8, 1865, 48; *Baly*, TESL. (3) IV,
 II, 1867; *Chap.*, G. Col. X, 1874,
 341; *Lefvr.*, MS Liége (2) 11, 1885,
 152; Ws., NID. 6, 1882, 278 et
 296; *Lefvr.*, MS Liége (2) 11, 1885,
 152; *Bedel*, F. Col. Bassin Seine V,
 1892, 136; *Jac.*, F. Ind. Col. II, 1908;
Schaufuß in Calwer, 924, 925; *Kuhnt*,
 804, 835.
 Biol.: *Xambeu*, Le Natural. 14,
 1892, 117—118; ASLLyon 40, 1893,
 233; Rev. d'E. 20, 1901, 59; *Beuten-*
müller, EAm. 6, 1890, 175; JoNYES.
 3, 1895, 192 (Typ.?) *Chr. asclepiadeus*
 [Pallas 1776], *auratus* [F.] 1775)
 1914:19 (Eur., Am. bor., Sibir., China,
 Amur, As. mer., Desert. Kirghis.;

Sumatr.). *Chrys.*, *Eumolp.*, *Corynod.*
272.

Chrysodina O Baly, JoE. II, 1864,
221; Lefvr., ASEFr. (6) 4, 1884,
B. p. XLV; MSLiége (2) 11, 1885,
6; G. Horn, TAmES. XIX, 1892, 196,
233 (Typ.?, *Chr. igneicollis* Baly
1864; *globosa* [Ol.] 1808; *aurichalcea*
[Germ.] 1824) 1914:60 (Am. bor-
mer., centr. et mer.-trop.). *Chrys.*,
Eumolp., *Chrysod.* 4.

Chrysolagria Seidl., NID. V, 2, 1898.
336 et 338 = Subg. ad *Lagria* F.
1775. *Lagr.* 7.

Chrysolampra O Baly, ANH. (3) 4,
1859. 126; Lefvr., MSLiége (2) 11,
1885, 12; Jac., F. Ind. Col. II, 1908,
285 (*Chr. splendens* Baly 1859, *sma-*
ragdula Boh. 8158) 1914:19 (As. mer.).
Chrys., *Eumolp.*, *Iphim.* 10.

Chrysolina Motsch. in Schrenck's R. II,
210; Mars., Abeille 24, 1886, 29 =
Chrysomela L. 1758. *Chrys.*, *Chryso.*,
Chrysi. 24.

Chrysomela L., O ♀ + Syst. Nat. ed. X,
1758, 368; Redtb., Gatt. Deutsch.
Käferf. 1845, 117; Suffr., Linn. E. V,
1851, 1; Baly, TESL. (3) 4, II, 1867,
295; Jacq. du Val, IV, 228; Vogel in
Schauf., Nunquam otios. I, 1871, 82;
Crotch, P. Ac. Philad. 25, 1873, 46;
Chap., X, 1874, 379; Ws., NID. VI, 2,
1882, 339; Marseul, Abeille, XXIV,
1886, 1; Fowl., Col. Brit. Isl. IV, 1890,
301; Bedel, F. Col. Bass. Seine V,
1892, 140; Linell, JoNYES. IV,
1895, 195; Ws., ArN. 64, II, 1898,
192; Everts, II, 1903, 429; Reitt.,
F. Germ. IV, 1912, 109; Schaufuß
in Calwer, 927, 932; Kuhnt, 804, 837;
Gutfl.-B., 612.

Anat.: Bordas, A.Sc.Nat.Zo. (8) 11,
1900, 362, 336 etc.; t. 25 f.3, 8, 9 etc.

Morphol.: Friedrichs, Nov. Act.
Ac. Leop. 85, 1906, 124, 7 t.; etc.;
Hegner, Science, N Y. 32, 1911,
71 etc.; vide Ws. in Schklig. u. J.,
Col. Cat. P. 68, 1916, 57 sq.

Biol.: Osborn, EMM. 17, 1880,
150; Ws., NID. VI, 2, 1882, 341;
Puton, Rev. d'E. 9, 1890, 113, 349;
Bedel, V, 143; Dollé, Rev. d'E. 14,
1895, 20; Puton, op. cit. 127; Holmgr.,
ZoJa. Syst. 19, 1903, 437 etc. cf.
etiam Ws. in Schklig. u. J., Col. Cat.
P. 68, 57 sq. (Typ.?). *Chr. graminis*,
haemoptera, *polita*, *sanguinolenta* L.
1758) 1916:335 (Eur., As., Afr.,
Am.). *Chrys.*, *Chryso.*, *Chrysi.* 24.

Chrysomela Vogel in Schauf., Nunquam
otios. I, 1871, 82 (pars) = *Ageniosa*
Ws. 1908. *Chrys.*, *Chryso.*, *Phaedon*.
58.

Chrysomorpha Motsch. in Schrenck's R. II,
1860, 204 = *Chrysomela* L. 1758.
Chrys., *Chryso.*, *Chrysi.* 24.

Chrysonopa O Jac., F. Ind. Col. II,
1908, 353 (Typ.?). *Chr. rotundicollis*
Jac. 1900) 1914:4 (Ind. or.; Birma,
Assam). *Chrys.*, *Eumolp.*, *Nodost.*
95.

Chrysophora O ♀ Serv., Enc. méth.
X, 1825, 806; F. Bates, TESL. 1904,
252; Ohs., BEZ. 48, 1903, 234 (*Chr.*
chrysochlora [Latr.] 1811) 1918:1
(Ecuador, Peru). *Scar.*, *Rut. hom.*,
Ruti., *Pelidn.* 22.

Chrysophtharta O Ws., ArN. 67, 1901,
166 (Type?) 1916 : 44 (Austral.,
Tasman.). *Chrys.*, *Chryso.*, *Parops*.
76.

Chrysopidea O Baly, Jo. E. I, 1861,
288; TESL. (3) IV, II, 1867, 159;
Chap., Col. X, 1874, 299; Lefvr.,
MSLiége (2) 11, 1885, 98 (*Chr.*
attelaboides [Er.] 1834) 1914 : 12
(Phil. Ins. 9, Mindanao 1, Celeb. 1).
Chrys., *Eumolp.*, *Metachr.* -169.

Chrysoplethisa Reitt., VN. 41, 1900, 56 =
Anomala Sam. s. str. 1918. *Scar.*,
Rut. hom., *Anomi.*, *Anoma.* 71, 2.

Chrysoprasis O Serv., ASEFr. (III),
1834, 5; Aur., ArkZo. VII, 3, 1901,
23—30 (Revis.) (Typ.?). *festiva* [Serv.]

- 1824) 1913:47 (Am. mer. trop.; Brasil.). *Ceramb.*, *Cerambin.*, *Heterrops*. 910.
- Chrysosericina* Brenske, BEZ. XLII, 1897, 355; XLIII, 1898, 315 (*Chr. auricomata* [Brenske] 1896) 1913:2 (Bengal.; Ind.: Mts. Khasia). *Scar.*, *Melth.*, *Seric.* 49.
- Chthonobates* O Burm., Hd. E. IV, 2, 253, 365 = *Geotrogus* Guér. 1842. *Scar.*, *Melth.*, *Melthi*. 326.
- Cibdelis* O Mannerh., B. Mosc. 16, 1843, II, 284; *Lac.* V, 362; Horn, Rev. *Ten.* 1870, 341; J. Lec. u. Horn, Classif. 1883, 377 (*C. Blaschkei* Mannerh. 1843) 1913:3 (Californ.). *Ten.*, *Tenebr.* 773.
- Cidugala* Aur., ArkZo. IV, 17, 1908, 1 (*C. grisea* Aur. 1908) 1913:1 (Afr. or. germ.). *Ceramb.*, *Cerambin.*, *Hesprph.* 200.
- Cilea* Jacq. du Val, G. Col. d'Eur. II. 1857/59, 25; *Pand.*, ASEFr. (4) IX, 1869, 277 (ex p.) = *Leucoparyphus Kraatz* 1856/58. *Staph.*, *Tach.*, *Tachi*. 429.
- Cilea* Pandellé, ASEFr. (4) IX, 1869, 277 (ex p.); AMusG. XIII, 1878, 110 = *Coproporus* Kraatz 1858. *Staph.*, *Tach.*, *Tachi*. 428.
- Cilibe* O Brême, Essai Monogr. *Cossyph.* I, 1842, 37, t. 1 f. 1—4, D; *Lac.* V, 349 (*C. elongata* Brême 1842) 1913:27 (Nov. Caled. 1, Nov. Zealand. 25, Ins. Chatham 1). *Ten.*, *Helaei*. 731.
- Cilibe* Sol., Studi Entom. 1848, 154 (8), 354 (208) = *Saragus* Fr. 1842. *Ten.*, *Helaei*. 730.
- Cilium* Fairm., ASEB. 42, 1898, 421 (*C. Perrieri* Fairm. 1898) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Ibid.* 292.
- Cillaeopeplus* O Sharp, F. Hawaiiens. III, 5 1908, 436, 505 (*C. infimus* [Sharp] 1878) 1913:3 (Ins. Hawaii.). *Nit.*, *Carpophil.* 37.
- Cillaeopsis* Grouv., ASEFr. 68, 1899 127 (*C. Kraatzi* et *nitidula* Grouv. 1899) 1913:2 (Camerun.). *Nit.*, *Carpophil.* 43.
- Cillaeus* O Cast., Etud. E. I, 1835, 133 (*C. suturalis* et *castaneus* Cast. 1835) 1913:40 (Ind. 1, Sumatr. 1, Seychell. 5, Madag., Afr. trop.; St. Doming., Am. trop.). *Nit.*, *Carpophil.* 42.
- Cinnabarium* Fairm., BSEFr. 1895, p. CCVI (*C. seminigrum* Fairm. 1895) 1914:2. *Dasc.*, *Dasci*, *Cinnab.* 30.
- Cimicia* Fairm., BSEFr. 1891, p. XXXIX (*C. spinipes* Fairm. 1891) 1913:1 (Afr. merid.). *Ten.*, *Eurych.* 214.
- Ciopera* O Pasc., PZSL. 1866, 510 (*C. decolorata* Pasc. 1866) 1913:1 (Penang). *Ceramb.*, *Cerambin.*, *Oem.* 55.
- Circellium* O Latr., Fam. nat. règne anim. ed. II, 1825, 535 (*C. Bacchus* [F.] 1781) 1913:1 (Col. Cap., Terr. Matabele). *Scar.*, *Copr.*, *Scarbi.*, *Scarbae*. 11.
- Circellium* Cast., HN. Col. II, 1840, 67 = *Epilissus* Reiche 1841. *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 24.
- Circellium* Guér., Icon. règne anim. 1844, 76 = *Coproecus* Reiche 1841. *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 36.
- Circomus* Fleisch., WEZg. 19, 1900, 236; Schaufuß in Calwer, (811) = Subg. ad *Palorus* Muls. 1854. *Ten.*, *Utom.* 677.
- Circopes* Reitt., System. Eintheil. *Nit.* 1873, 56 et 79 (*C. indicus* et *subquadratus* [Motzch.] 1858) 1913:16 (Ind. 3, Celeb. 2, Mentawci 1, Sumatra 1, Kilimandj. 1, Transv. 1, Madag. 5, Austral. 2). *Nit.*, *Nitid.* 142.
- Cirta* Luc., BSEFr. 1857, 56 = *Micipsa* Luc. 1855. *Ten.*, *Tentyr.* 156.
- Cis* O* Latr., Précis Car. gén. Ins. 1796, 50; Mellié, ASEFr. (2) 6, 1848, 236; *Lac.*, IV, 551; Jacq. du Val, III, 237; Abeille, Essai mon. *Cis* 1874, 19; Gutfl.-B., 406; Schaufuß in Calwer, 503; Kuhnt, 547 (*C. boleti* [Scop.] 1763)

- 1913:120. — 3 Subgg. *Cis*, *Erid.*, *Hadr.* — (in omn. part. orb. terr.). *Cis Thoms.* 1863 = Subg. ad *Cis*. *Cio.*, *Cisi*. 3.
- Biol.: **Fletcher**, EMM. 31, 1895, 99/100 (Nahrungsanpass.); **H. Lucas**, Explor. Algér. Ins. 1849, 470, t. 40 f. 4; **Mellié**, ASEFr. (2) 6, 1848, 212 t. 10 f. 6a, 340; **Strübing**, StEZg. 12, 1851, 24; **Chapuis u. Candèze**, MSLiége 8, 1853, t. 6 f. 4; StEZg. 15, 1854, 193; **Walker**, Zool. usw. cf. **DT.** in Schkig. u. J., Col. Cat. P. 30, 1911, 5 sq.
- Cis C. G. Thoms.*, Sk. Col. V, 183 = Subg. ad *Cis Latr.* 1796.
- Cisarthron Reitt.*, DEZ. 29, 1885, 208; **Schaufuß** in Calwer, 503, 504 (*C. laevicollis* **Reitt.** 1885) 1913:1 (Bosn., Cauc. occ.). *Cio.*, *Cisi*. 15.
- Cisdygma Reitt.*, DEZ. 29, 1885, 209 (*C. clavicornis* [Baud] 1873) 1913:1 (Cypr., Syr.). *Cio.*, *Cisi*. 13.
- Cissidium* **O Motsch.**, Etud. E. IV, 1855, 17; BSNMosc. 41, 1868, II, 173, 189; **Matth.**, Trichopt. ill. 1872, 33 (*C. basale* **Motsch.** 1855) 1913:2 (Panama). *Ptil.*, *Ptili.*, *Ptilii*. 14.
- Cissites* **O** *** Latr.**, Nouv. Dict. d'Hist. Nat. 24, 1804, 154 (Typ.); *C. testacea* [F.] 1781, *C. maculata* [Sweder.] 1787, *C. cephalotes* [Ol.] 1795) 1917:14 (Ind. or., Java, Born., Sumatr., Afr. trop. or. et occ., Abyss., Am. centr. et mer., Antill.). *Melo.*, *Nemogn.*, Hor. 86.
- Cissites* **Latr.** i. sp. **Gah.**, ANH. (8) 2, 1908, 202/203 = Subg. ad *Cissites* **Latr.** 1804. *Melo.*, *Nemogn.*, Hor. 86.
- Cissites* **Latr.**, Gen. Crust. et Ins. II, 1807, 211; in **Cuv.**, Règne anim. nouv. édit. V, 1829, 60 = *Horia* **F.** 1787. *Melo.*, *Nemogn.*, Hor. 85.
- Cissophagus* **Bed.**, F. Col. Seine, 6, 1888, 391 = *Kissophagus* **Chap.** 1873. *Ip.*, *Hyles*. 26.
- Cistela* **F.**, Syst. E. 1775, 116; E. Syst. 1792, 42; Syst. El. II, 1801, 16;
- Latr.**, HN.XI, 1804, 17; **Redtenb.**, Gatt. 1845, 130; F. Austr. 1849, 602 etc.; **Lac.**, V, 1859, 504; **Gutfl.-B.**, 422; **C. G. Thoms.**, Sk. Col. VI, 1824, 282; **Seidl.**, F. Ba. 1875, 99 = *Gonodera Muls.* 1856 = *Pseudocistela* **Crotch** 1873 (liter. ut antea et **Champ.**, BCA. Col. V, 1, 1888, 541). *All.*, *Allec.* 71, 76.
- Cistela Forster*, Nov. spec. Ins. Cent. I, 1771, 12; **Reitt.**, VzbGW. 31, 1881 (Tab. 4), 69 = *Byrrhus* **L.** 1767. *Byrrh.*, *Byrrhi.*, 21.
- Cistela Geoffr.*, H. Ins. Paris I, 1761, 115; **Seidl.**, F. Ba. ed. II, F. Tr., 44 = *Cytillus* **Er.** 1847. *Byrrh.*, *Byrrhi.* 20.
- Cistela* (*Pseudocistela*) **Seidl.**, F. Ba. ed. II, 1891, 524; F. Tr. 1891, 563 = *Pseudocistela* **Crotch** 1873. *All.*, *Allec.* 76.
- Cistelampra Fairm.*, ASEB. 41, 1897, 386 (*C. purpurina* **Fairm.** 1897) 1913:1 (Madag.). *All.*, *Allec.* 70.
- Cistelina Seidl.*, NID. V, 2, 1896, 190 (*C. Davidi* [Fairm.] 1878) 1913:2 (China et China c.). *All.*, *Imophl.* 97.
- Cistelocaula Fairm.* in Indice Col. Cat. P.3 (1910): 36, l. e. non existens, forsitan err. pro *Caulostena*! *All.*
- Cistelocyphon Pic*, Mélang. Exot. E. 7, 1913, 2 (*C. brevis* **Pic** 1913) 1914:1 (Nov. Guinea). *Helod.*, *Ptilodact.*, *Ptilodacti*. 25.
- Cisteloida Fairm.*, Not. Leyd. Mus. IV, 1882, 256 (*C. castanescens* **Fairm.** 1882) 1913 : 1 (Sum.). *All.*, *Allec.* 67.
- Cistelomorpha* **O Redtb.**, Reise Novara II, 1868, 134; **Seidl.**, NID. 2, 1896, 173, nota (*C. haematica* **Redtb.** 1868; *C. straminea* **Redtb.** 1868) 1913:27 (As. or. et mer.). *All.*, *Allec.* 87.
- Cistelopsis Fairm.*, ASEB. 40, 1896, 39 (*C. rufina* **Fairm.** 1896) 1913:2 (Belgaum). *All.*, *Allec.* 82.

- Cisurgus* Reitt., VN. 33, 1894, 65;
Schaufuß in Calwer, 1229 = *Cysurgus* Reitt. 1906. *Ip.*, *Crypt.* 44.
- Cittobium* Muls. u. Rey, *Téréd.* 1864, 237, 240; Seidl., F. Tr. 1889, 540; Schilsky, *KäfEur.* 36, 1899, (1900) 36 BB.; Reitt., *Best.-Tab.* 47, 1901, 37; F. Germ. III, 1911, 317 = Subg. ad *Ochina* Steph. *Anob.*, *Ernob.* 11.
- Clada* O Pasc., ANH. (5) 20, 1887, 9 (*Cl. Waterhousei* Pasc. 1887, *denticornis* [Cast.] 1840) 1913:5 (Birma, Senegamb., Afr. or. germ., Afr. mer.). *Anob.*, *Dryoph.* 5.
- Cladione* Latr., Dict. class. d'HN. XV, 593 = *Ulocerus* Dalman 1824. *Brenth.*, *Uloc.* 125.
- Cladiscus* Chevr., ASEFr. (2) I, 1843, 33; *Lac.*, IV, 1857, 427; *Chenu*, Enc. d'HN. Col. II, 1860, 246; Schklg., GIW. *Cler.* 1903, 10 (*Cl. strangulatus* Chevr. 1843) 1913:23 (Ind. or., Birma etc., Sum., Andam., Philipp. etc.). *Cler.*, *Cleri.*, *Till.* 11.
- Cladispa* O Baly, 22 t. 1 f. 6; Chap., XI, 276 (*Cl. quadrimaculata* Baly 1858) 1913:1 (Demerara). *Chrys.*, *Hisp.*, *Cephal.* 6.
- Cladoceras* Kirsch, BEZ. 9, 1865, 68; *Psilocladus* Blanch. 1837. *Lamp.*, *Lampr.* 6.
- Cladoctonus* Strohmeyer, EBl. 7, 1911, 17 (*Cl. affinis* Strohm.) 1913:2 (Abyss., Aethiop.). *Ip.*, *Hyles.* (prope *Hylyrgum*) 13.
- Cladodes* O Sol. in Gay, H. Chile Zo. 4, 1849, 444; *Lac.* IV, 1857, 313; Ern. Ol., ASEFr. (6) 5, 1885, 136; GIW. *Lamp.* 1907, 13 (*L. ater* Sol. 1849) 1913:17 (Am. mer. [trop. ?]). *Lamp.*, *Lampr.* 9.
- Cladognathus* O Burm., Hd.E. V, 1847, 364 (*Cl. giraffa* [F.] 1794) 1913:2 (China, Nepaul, Assam, Java). *Luc.*, *Clad.* 24.
- Cladopalpus* Lansb., Notes Leyd. Mus. 8, 1886, 35 = *Cytonops* White 1853. *Ceramb.*, *Cerambin.*, *Disten.* 2.
- Cladophorus* Gray in Griff., An. Kingd. Ins. I, 1832, 266 nom. praeocc. = *Aethra* Cast. 1833. *Lamp.*, *Lampr.* 13.
- Cladophyllus* O Houlbert, Insecta 2, 1912, 138 (*Cl. oberthuri* Houlb. 1912) 1913:1 (Yunnan). *luc.*, *Clad.* 32a.
- Cladotoma* O Westw., MaZo. and Bot. IV, 1837, 254; Guér., Spec. et Icon. fasc. 3 nr. 12, 1843, 1; *Blanch.*, HNIns. II, 1845, 56; *Lac.* IV, 1857, 276 (*Cl. ovalis* Westw. 1837) 1914:6 (Argent., Brasil.). *Helod.*, *Ptilodact.*, *Cladot.* 18.
- Claeadne* Pasc., TESL. (3) I, 1863, 560 = *Sophron* Newm. 1842. *Ceramb.*, *Cerambin.*, *Cleom.* 876.
- Claeoderes* Schoenh., G. Curc. I, 1833, 362; *Lac.*, VII, 1866, 440; Schoenfeldt, GIW. *Brenth.* 1908, 50 (*Cl. radulirostris* Boh. in Schoenh. 1833) 1913:5 (Am. c., Brasil.). *Brenth.*, *Brentha.*, *Brenthi.* 85.
- Clamoris* Gozis, Récherch. 1886, 25; Seidl., F.Ba. ed. II, 1891, 132 (Gatt.). *Ten.*, *Ulom.* 676.
- Clastopus* Fairm., ASEB. 42, 1898, 407 (*Cl. eurynotoides* Fairm. 1898) 1913:1 (Madag.). *Ten.*, *Pedin.* 436.
- Claudius* Gozis, Rev. d'E. I, 1882, 200 = *Episernus* Thoms. 1863. *Anob.*, *Ernob.* 20.
- Clavicomus* Pic, Rev. scient. Bourb. VII, 1894, 41, 42 = Sect. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Clavifer* Cast., Etud.E. 1835, 137; HNIns. I, 1835, 206 = *Claviger* Preyssl. 1790. *Psel.*, *Clavig.* 465.
- Claviger* O Preyssl., Verz. Böhm. Ins. 1790, 68; Müller, in Germar, Ma. 1818, 72; Aubé, *Psel.* Mon. 1833, 61; ASEFr. (2) 2, 1844, 151; Jacq. du Val, I, 128; Gutfl.-B., 197; C. G. Thoms. III, 1861, 240; Sauley, Spec. I, 1874, 24; Reitt., NID. III, 2; Raffr., Rev. d'E. 9, 1890, 165; Ganglb. II, 852; ASEFr.

- 73, 1904, 453; GIW. *Psel.* 1908, 448, t. 9 f. 66, 68/71; **Schaufuß** in Calwer, 256; **Kuhnt**, 318 (*Cl. testaceus* Preyssl. 1790) 1913:33 (Eur., Mediterr.; Cauc., Caspic.). *Psel.*, *Clavig.* 465.
- Clavigerodes* O Raffr., Rev. MaZo. 1877, 279, Rev. d'E. I, 1882, 2; 9, 1890, 165; ASEFr. 73, 1904, 452; GIW. *Psel.* 1908, 446 (*Cl. abyssinicus* Raffr. 1877) 1913:1 (Abyss.). *Psel.*, *Clavig.* 461.
- Clavigeropsis* O Raffr., Rev. d'E. I, 1882, 3; 9, 1890, 165; ASEFr. 73, 1904, 453; GIW. *Psel.* 1908, 448, t. 2 f. 23 (*Cl. formicaria* Raffr. 1882) 1913:1 + 1 (Abyss., N.S.Wal.). *Psel.*, *Clavig.* 464.
- Clavipalpus* O Cast., ASEFr. I, 1832, 406; HN. II, 1840, 141; **Lac.**, III, 268 (*Cl. Dejeani* Cast. 1832) 1913:13 (Bras., Am. mer. trop., Cuba). *Scar.*, *Melth.*, *Macrod.* 469.
- Cleistimum* Thoms., Rev. MaZo. (3) VI, 1878, 30 (*Cl. venatum* Thoms. 1878) 1913:1 (Austral.). *Ceramb.*, *Cerambin.*, *Obri*. 381.
- Clemmus* O Hampe, StEZg. 11, 1850, 353; **Mars.**, L'Abeille V, 1868/9, 129; Seidl., F.Ba. 1872, Gatt. p. 42; Chap., G.Col. 12, 1876, 145; Heyd., WEZg. 24, 1905, 316; Csiki, A.Mus. Nat. Hung. 3, 1905, 574; **Schaufuß** in Calwer, 1071; **Kuhnt**, 560 (*Cl. trogolytes* Hampe 1850) 1910:2 (Japon., Austria, Croat.). *End.*, *Mycet.*, *Myceta*. 11.
- Clemmys* Seidl., nec Wagl., F.Ba. 2. Aufl. (1888), Gatt. p. 62; F.Tr. (1889) Gatt. p. 62; **Ganglb.**, KäfMEur. III, 1899, 920; Csiki, Rov. Lap. 7, 1900, 145; Reitt., WEZg. 23, 1904, 42; **Schaufuß** in Calwer, 524 = *Clemmus* Hampe 1850. *End.*, *Mycet.*, *Myceta*. 11.
- Clemmus* Redt., F. Austr. 2. Aufl., 1858, p. CXXXVI, et 975; 3 ed. 1872; Reitt., VzbGW. 29, (1880), 93; Best.-Tab., 885, 29 = *Clemmus* Hampe 1850. *End.*, *Mycet.*, *Myceta*. 11.
- Cleolaus* O Champ., BCA.Col. IV, 1, 1886, 142 (*Cl. Sommeri* [Lac.] 1859) 1913:1 (Mex.). *Ten.*, *Uлом.* 662.
- Cleomenes* O J. Thoms., Syst. Cer., 1864, 161; Pasc., TESL. (3) III, 1869, 646; **Gahan**, F.Brit.Ind. Col. I, 1906, 316 (*Cl. dihammaphoroides* Thoms. 1864) 1912:4 (Malacc., Birma, Tonkin, Jav., Born., Sum., Phil. Ins.). *Ceramb.*, *Cerambin.*, *Cleom.* 873.
- Cleomis* Fairm., Not. Leyd. Mus. XV, 1893, 54 (*Cl. violaceipes* Fairm. 1893) 1913:2 (Singap., Borneo). *Ten.*, *Cnodal*. 940.
- Cleonice* O J.Thoms., Syst. Cer., 1864, 333; **Gah.**, ANH. (6) VI, 1890, 247 (*Cl. vestita* Thoms. 1869) 1913:2 (Borneo, Morty.). *Ceramb.*, *Cerambin.*, *Glaucyt.* 903.
- Cleoporus* O Lefvr., ASEFr. (6) IV, 1884; Bull. p. LXXVI; MSLiége (2) 11, 1885, 137; **Jacq.**, F. Ind. Col. II, 1918, 479 (*Cl. cruciatus* Lefvr. 1884) 1914:12 (Ind. or., Cambodja, Birma, Bengal., Assam., Phil. Ins., Timor., Sal, Ins., Sumba). *Chrys.*, *Eumolp.*, *Typoph.* 261.
- Cleopteridium* Gistl, Vacuna II, 1857, 8 = *Ptinella* Motsch. 1845. *Ptil.*, *Ptili*. 19.
- Cleorina* O Lefvr., MSLiége (2) 11, 1885, 143; **Jac.**, F. Ind. Col. II, 1908, 482 (Typ.?; *Cl. aeneomicans* Baly 1867) 1914:40 (As. mer., Males., Phil. Ins. etc., Queensl., Nov. Guinea). *Chrys.*, *Eumolp.*, *Typoph.* 262.
- Cleozona* Bates, TESL. 1874, 223, (*Cl. pulchra* Bates 1874) 1913:1 (Guatemala). *Ceramb.*, *Cerambin.*, *Tillom.* 847.
- Cleptor* Lefvr., MSLiége (2) 11, 1885, 113; **Blackb.**, TRSAustral. 24, 0190, 167 (*Cl. australis* Jac. 1879) 1914:3 (Queensl.). 207. *Chrys.*, *Eumolp.*, *Edus.* 207.
- Clerocyttus* O Kraatz, DEZ. 28, 1884, 226; **Jakowl.**, HoR. 19, 1885, 291; l. c. 34, 1900, 656—665 (Revis.).

- (*Cl. semirufus* Kraatz 1884) 1913:8
 (Kuldja etc., Turkest., Buchara).
Ceramb., *Cerambin.*, *Tillom.* 845.
Cleroides Schäff., Elem. E. 1777, t. 137
 = *Thanasimus* Latr. 1806. *Cler.*,
Cleri., *Clerin.* 75.
Cleromorpha Gorh., Cist. E. II, 1875—82
 [1876], 83; Blackb., TRSSouth Austral.
 14, 1900, 122; Schklg., GIW. *Cler.*
 1903, 53 (*Cl. novemguttata* [Westw.]
 1852) 1913:1 (Austral.). *Cler.*,
Cleri., *Clerin.* 100.
Cleronomus O Kl., *Clerii* 1842, 282;
Lac., IV, 1857, 444; *J. Lec.*
u. Horn, Class. Col. N. Am. ed. II,
 1883, 218; Schklg., GIW. *Cler.* 1903,
 39 (*Cl. bimaculatus* Kl. 1842) 1913:1
 (Mexico). *Cler.*, *Cleri.*, *Clerin.* 64.
Cleropiestus Fairm., Compt. rend. SEB. 33,
 1889, 92; ASEB. 37, 1893, 397; Schklg.,
 GIW. *Cler.* 1903, 89; Gahan, ANH.
 (8) 5, 1910, 64 (*Cl. Oberthüri* Fairm.
 1889) 1913:1 (Madag.). *Cler.*,
Cler., *Clerin.* 121.
Clerosoma O Wolcott, Publ. Field Mus.
 Chicago, 7, 1910, 363 (*Cl. gracile* Wolc.
 1910) 1913:1 (Panama). *Cler.*, *Cleri.*,
Clerin. 69.
Clerus O & F. Syst. E. 1775, 157 et Append.
 p. 823; G. Ins. Mant. 1776, 229;
 Spec. Ins. I, 1781, 201; Mant. Ins. I,
 1787, 125; Hbst., Käf. 7, 1797, 205;
Spin., Rev. Zo. 1841, 74; Kl. *Clerii*
 1842, 285; *Spin.*, *Clerit.* I, 1844,
 234; *J. Lec.*, ANYAcSc. V, 1852,
 19; *Lac.*, IV, 1857, 446; *Chenu*,
 Enc. etc. 1860, 251; *J. Lec.* et
Horn, Class. Col. N. Am. ed. II,
 1883, 218; Gorham, Cist. E. II (1876)
 76; Wickham, Can. Ent. 27, 1895,
 249; Schklg., GIW. *Cler.* 1903, 48;
 Allg. ZE. 8, 1903, 202; Wolcott,
 Publ. Field Mus. Chicago 7, 1910,
 357; Schaufuß in Calwer, 397;
Kuhnt, 465, 468. — Biol.: *Cl. ichn.*
F.: Schwarz, PSEWash. I, 1890, 165;
Cl. thoracicus: Bowditch, Psyche 7,
 1896, 387; *Ch. rosmarus* Say: Chitten-
 den, EAm. 6, 1890, 154; *Cl. thoracicus*
Ol.: Chittend., t.c. 154. — (*Cl. ichneumoneus* F. 1777) 1913:158 (Amer. b.,
 c., mer.; Nov. Hebrid.). *Cler.*, *Cleri.*,
Clerin. 78.
Clerus auct. = *Pseudoclerops* Jacq. du
 Val 1861. *Cler.*, *Cleri.*, *Clerin.* 79.
Cleteus Fairm., BMHNP. 12, 1906,
 274 (*C. marginicollis* Fairm. 1906)
 1913:1 (Madag.). *Ten.*, *Asid.* 284.
Cliaarthrus O Raffr., Rev. MaZo. 1877,
 290; ASEFr. 65, 1896, 242; 73, 1904,
 126; GIW. *Psel.* 1908, 155 (*Cl. bicolor*
Raffr. 1877) 1913:3 (Bagamoyo,
 Abyss., Sansib.). *Psel.*, *Psel.*,
Batriss. 171.
Clidonotus Chap., X, 1874, 414 (*Cl.*
gibbosus [Baly] 1862) 1916:1 (N.S.W.:
 Flum., Richmond et Dawsons).
Chrys., *Chryso.*, *Phyllod.* 88.
Clinidium O Kirby, ZoJo. V, 1835, 6;
 Westw., t. c. 213; *Lac.*, II, 1854,
 388, *Chevr.*, ASEFr. (5) 3, 1873,
 212; *Lec.*, TAmES. V, 1875, 163;
Reitt., VN 20, 1882, 140; Best.-
 Tab. 6, 28; *Lewis*, ANH. (6) 2, 1888,
 83; *Grouv.*, Rev. d'E. 22, 1903, 90.
 — Subg. 1. *Cl. s. str.* *Grouv.*, Rev.
 d'Ent. 22, 1903, 90, Schaufuß in
 Calwer, (144) (*Cl. Guildingi* [Kirby]
 1835). 2 Subgg. *Clin. u. Rhysod.* —
Cl. Kirby 1835 = Subg. 1 ad *Clinid.*
 1913:27 (Cauc., Amer., Japon.).
Rhys. 2.
Clinocranion Sol., Mem. Accad. Sc.
 Torino, (2) 6, 1843, 326 (114); *Lac.*
 V, 200; Haag, Col. Hfte. 7, 1871,
 26 (*Cl. spinosum* Sol.) 1913:2
 (Caffrar.). *Ten.*, *Molur.* 314.
Clinopleurus Lansb., Not. Leyd. Mus.
 6, 1884, 141; Lmr., ASEB. 47 (1903)
 316 (Rév. 420) (*Cl. arfakianus* Lansb.,
 1884), 1913:2 (Nov. Guin.: Arfak,
 Ins. Bougainv.). *Ceramb.*, *Prion.*,
Macrot., *Xixuth.* 41.
Clinops O Gerst., Rhip., 9; *Lac.* V, 1,
 619, 623 (*Cl. badia* Gerst. 1855)

- 1913:2 (Caffrar., Antioch.). *Rhip.*, *Pelecot.* 11.
- Clisithera* O Baly, JoE. II, 1864, 220; Lefvr., MSLiége (2) 11, 1845, 13; Jac., BCA.Col. VI, I, Suppl. 1890, 216) (*Cl. cerasina* [Perty] 1832) 1914:1 (Brasil., Panama). *Chrys.*, *Eumolp.*, *Iphim.* 13.
- Clitobius* O Muls. et Rey, Opusc. E. X, 1859, 141; Mém. Ac. Lyon X, 1860, 49; Seidl., NID. V, 1894, 410, 452; Reitt., Best.-Tab. 53, 1904, 136, 178, Schaufuß in Calwer, (802) (*Cl. ovatus* Er. 1843) 1913:10 (Mediterr., Afr., Syr., Arab., etc.). *Ten.*, *Opatr.* 556.
- Clitopa* O Er., NID. 3, 1847, 653; *Lac.* III, 309; Péring., TSAfr.Phil.S. 13, 1904, 149; 1908, 698 (*Cl. Bohemani* Blanch. 1850) 1913:9 (Afr. m., Afr. or.). *Scar.*, *Melth.*, *Pachyd.* 430.
- Cloeotus* O Germ., ZE. IV, 1843, 129; Borre, ASEB. 30, 1886, 62 (*Cl. aphodioides* Ill. 1800) 1913:38 (Amer.). *Scar.*, *Acanthoc.* 9.
- Cloniophorus* Quedf., BEZ. 26, 1882, 332; Jord., Nozo. I, 1894, 170 (*Cl. Mechowi* Quedf.) 1913:7 (Natal., Kuilu 4, Congo, Quango). *Ceramb.*, *Ceramin.*, *Callichr.* 724.
- Closterocera* Gemm. u. Har., Cat. Col. IX, 1873, 2839 = *Closterocera* Serv. 1834. *Ceramb.*, *Ceramin.*, *Clyt.* 829.
- Closteromerus* O Lac., Class. Cer. 1860, 169; Syst. Cer. 1864, 421; Gah. in Dist., Ins. Transv. 1904, 414 (*Cl. scabriusculus* Thoms. 1864) 1913:35 (Afr. trop. et mer.). *Ceramb.*, *Ceramin.*, *Callichr.* 746. — *Cl. Lac.*, IX, 1869, 26 = *Hylomela* Gah. 1904. *Ceramb.*, *Ceramin.*, *Callichr.* 750.
- Closteropus* O Guér., Icon. règne anim. Ins 1844, 222 (*Cl. blandus* Guér. 1844) 1913:3 (Venez. 1. Brasil. 2). *Ceramb.*, *Ceramin.*, *Callichr.* 734.
- Closterus* O Serv., ASEFr. I, 1832, 193; J. Thoms., Class. Cer., 289; Syst. *Cer.*, 470; *Lac.* VIII, 151; Lmr., MSEB. 21, 1912, 10 (Rév., 874) (*Cl. flabellicornis* Serv. 1832) 1913:18 [Sect.: 1 + 3 + 8 + 5 + 1] (Madagascar). *Ceramb.*, *Prion.*, *Anacol.*, *Clost.* 76.
- Clostrocera* Serv., ASEFr. III, 1834, 82; Cast., HN. II, 1840, 446 (*Cl. Banoni* Serv. 1834) 1913:1 (Patria?). *Ceramb.*, *Ceramin.*, *Clyt.* 829.
- Clunipes* Hochenw., Schrift. Berl. Ges. Nat. 1785, IV, 347 = *Lethrus* Scop. 1777. *Scar.*, *Geotr.*, *Lethr.* 18.
- Cluvia* Stål, Öfvers. Ver. Ak. Förh. 14, 1857, 63 = *Icosium* Lucas 1854. *Ceramb.*, *Ceramin.*, *Achrys.* 108.
- Clytarlus* Sharp, TESL. 1878, 206, 208 (Typ.: *Cl. pulverulentus* Motsch.); 1879, 102; EMM. 32, 1896, 238 (Typ.: *fragilis* Sharp) = *Plagithmysus* Motsch. 1845. *Ceramb.*, *Ceramin.*, *Clyt.* 815.
- Clypearia* Fairm. [non Sauss.] ASEFr. 72, 1903, 194 = *Clypeasta* Fairm. *Scar.*, *Melth.*, *Melthi.* 231.
- Clypeasta* Fairm., ASEB. 48, 1904, 226 (*Cl. pruinosa* [Fairm.] 1903) 1913:1 (Patria?). *Scar.*, *Melth.*, *Melthi.* 231.
- Clypeaster* Latr. in Cuv. Règn. anim. ed. II, V, 1829, 162; Redtb., F. Austr. 1849, 572; Woll., Ins. Mader. 1854, 472; Gutfl.-B., 660 = *Sacium* Lec. 1852. *Orth.* 4.
- Clypeastodes* O Cas., JoNYES. 8,, 1900 70 (*Cl. Maderae* Kraatz 1869) 1910:1 (Madeira). *Orth.*, *Saci.* 5.
- Clypeolaria* Lefvr., ASEFr. (6) V, 1885, Bull. p. CXXVI; MSLiége (2) 11, 97 (*Cl. thoracica* Lefvr. 1885) 1914:2 (Phil. Ins.). *Chrys.*, *Eumolp.*, *Metachr.* 166.
- Clytanthus* Lac., IX, 1869, 68; Ganglb., Best.-Tab., 7, 1882, 53 (731) = *Chlorophorus* Chevr. 1863. *Ceramb.*, *Ceramin.*, *Clyt.* 820. — *Cl. Thoms.*, Syst. Cer. 1864, 190, 424; Schaufuß in Calwer, 859, 863; Kuhnt, 755, 785 (Typ. *tricolor* Chevr. 1835) Bates, BCA.Col.

V, 1885, 299) = *Anthoboscus* Chevr.
1860. *Cerambin.*, *Cerambin.*, *Clyt.*
814.

Clytellus O Westw., TESL. (2) II,
1853, 240; Gahan, F. Brit. Ind. Col. I,
1906, 312 (*Cl. methocoides* Westw.
1853) 1913:4 (Hongkong, Andam.,
Celeb., Borneo). *Ceramb.*, *Cerambin.*,
Tillom. 862.

Clytocera Gah., F. Brit. Ind. Col. I,
1906, 279 (*Cl. chionospila* Gah. 1906)
1913:1 (Ind. or. mer.). *Ceramb.*,
Cerambin., *Clyt.* 823.

Clytoleptus Cas., Mem. Col. 3, 1912, 371
(*Cl. gracilicornis*, *tristis* Cas. 1912)
1913:2 (Civ. confoed.). *Ceramb.*,
Cerambin., *Clyt.*?

Clytosaurus O J. Thoms., Syst.
Cer. 1864, 190, 424; *Lac.*, IX,
1869, 70 (*Cl. Priapus* Thoms. 1864)
1913:2 (Malacc., Siam). *Ceramb.*,
Cerambin., *Clyt.* 826.

Clytumnus J. Thoms., Class. *Cer.* 1860,
Errata p. 404 = *Clytus* Laich. 1784.
Ceramb., *Cerambin.*, *Clyt.* 800.

Clytus O* Laich., Verz. Tyrol. Ins. II,
1784 t. 88 (ex part.); Pasc., TESL. (3)
3, 1869, 598; Gah., F. Brit. Ind. Col. I,
1906, 240, 250; Schaufuß in Calwer,
859, 861; Kuhnt, 755, 784; Gutfl.-B.,
576 (*Cl. arietis* [L.] 1758, *rhamni*
Germ. 1817), *tropicus* Panz., 1795.

Biol.: Perris, ASEFr. (2) 5, 1847,
547, t. 9; Döbner, StEZg. 11, 1850,
23; Denny, EMM. 2, 1833, 114, 5,
1868, 23; Xambeu, Moeurs usw. II,
1892, 23, 8, 1902, 95 etc.

Faunistik: Spp. paläaret.: 25

Pic., Longic. III, 1, 1900, 8—11
(Synops.). — Spp. orient.: 4. — Sp.
nearct. et mex. (5). — 15 Spp. posit.
insect. (Eur., Medit., Cauc., Sib.,
China, Japon.). *Ceramb.*, *Cerambin.*,
Clyt. 800.

Clytus Chevr., ASEFr. (4) I, 1861, 378
= *Plagionotus* Muls. 1842. *Ceramb.*,
Cerambin., *Clyt.* 809.

Clytus Thoms., Class. *Cer.* 1860, 215,
217 = *Cyllene* Newm. 1840. *Ce-*
ramb., *Cerambin.*, *Clyt.* 812.

Clytus Thoms., Skand. Col. VIII, 1866,
39 = *Chlorophorus* Chevr. 1863.
Ceramb., *Cerambin.*, *Clyt.* 820.

Cnecosochara Reitt., DEZ. 1913, 660
(*Cn. petriiformis* Reitt. 1913) 1913:1
(As. c.). *Cist.* aut *Allec.*?

Cnecus Thoms., I, 1859, 88; V, 1863,
145 = *Xestobium* Motsch. 1845.
Anob., *Ernob.* 12.

Cnemargulus Semen., Rev. Russé d'E. 3,
1903, 354 = *Cnemisus* Motsch. 1868.
Scar., *Aphod.*, *Aphodi.* 3.

Cnemargus Motsch., BSN. Mosc. 18, 1,
1845, 56 = *Cnemisus* Motsch. 1868.
Scar., *Aphod.*, *Aphodi.* 3.

Cnemeplatia O Costa, A. aspir. nat. (2) I,
1847, 146; Reiche, BSEFr. 1855,
p. CXI; Kraatz, BEZ. 3, 1859, 75;
Jacq. du Val, III, 286; G.Horn, Rev.
Ten. 1870, 360; Lec. u. Horn, Class.
1883, 380; Seidl., NID. V, 1854, 412,
452; Reitt., Best.-Tab. 53, 1904,
123, 128, Schaufuß in Calwer,
(800) (*Cr. Atropos* Costa 1847)
1910:5 (Eur. mer., Afr. bor.-occ.,
Madera, Ind., Pan., Cal.). *Ten.*,
Opatr. 509.

Cnemida O* Kirby, ZoJo. III, 1827,
146; H. Bates, BCA. Col. II, 2, 1888,
272. — Biol.: Ohs., StEZg. 70, 1909,
126. — (*Cn. retusa* [F.] 1801) 1918:6
(Mex., Guat., Nicar., Amaz., Panama,
Brasil., Surin.). *Scar.*, *Rut. hom.*,
Ruti., *Rutin.* 47.

Cnemisus Motsch., HoR. VI, 1868,
Suppl., 63; A. Schmidt, GIW. 1910,
10 et 13 (*Ch. rufescens* [Motsch.]
1845) 1913:6 (Transcasp., Mongol.,
Wolga, Astrach.). *Scar.*, *Aphod.*,
Aphodi. 3.

Cnemodinus O Cock., ENs. 17, 1906,
24 (*Cn. testaceus* Horn 1870) 1913:3
(Ariz., Cal., Utah). *Ten.*, *Cnemod.* 1.

Cnemodus **G. Horn**, Rev. Ten., 1870, 266.
= *Cnemodinus* **Cock**, 1906. *Ten.*,
Cnemod. 1.

Cnemonyx **Eichh.**, BEZ. 12, 1868, 150;
Chap., Syn. Scol. 1873, 260; **Bldfd.**,
BCA. Col. IV, 6, 1896, 124 (*Cn.*
galeritus **Eichh.** 1868) 1913:1 (Chile).
Ip., *Ecc.* 94.

Cnemoplites **Newm.**, Entom. 1842, 351;
J. Thoms., Class. Cer. 314; Syst. Cer. 478;
Lac. VIII, 112; **Lmr.**, MSEB. 11,
1903, 3, 39 (RÉV., 232, 233) (*Cn. edulis*
Newm. 1842) 1913:12. — 4 Subgg.:
Cn., *Herm.*, *Diocl.*, *Apects.* — *Cn.*
subg. 1 ad *Cn.* (Typ. ut antea,
6 spp.) (Austral., Ins. Kangaroo,
Ins. Lord Howe). *Ceramb.*, *Prion.*,
Macrot. *Cnem.* 27, 27, 1.

Cnemotrupes **Jek.**, ASEFr. (4) 5, 1865
(1866), 587; = Subg. 7 ad *Geotrupes*
Latr. 1796. — *Synops.*: **Jek.**, l. c.;
Blanch., Psyche, V, 1888, 106. (*Cn.*
Blackburni [F.] 1781) 1913:9 (Am.
b., Mex., Tex., Cal., Peru). *Scar.*,
Geotr., *Geotripi.* 17, 7.

Cneoglossa **O Guér.**, Rev. Zo. 1843, 194;
Spéc. u. Icon. fasc. 9 nr. 36, 1849, 1;
Blanchard, HNIns. II, 1845, 57;
Lac. IV, 1857, 264, 267; **Champ.**,
BCA. Col. III, 1, (1897), 594 (*Cn.*
collaris **Guér.** 1849) 1914:3 (Pan.,
Columb., Mex., Nicar.). *Dasc.*,
Dasci., *Cneogl.* 11.

Cnesimus **O Lec.**, TAm.ESPhil. II,
1868, 171; *Gemm.* u. *Har.*, Col. Cat.
9, 1872, 2673; *Lec.* u. *Horn*, Col.
N.Am. 1883, 528; **Bldfd.**, BCA. Col.
IV, 6, 1895, 132 (*Cn. strigicollis* **Lec.**
1868) 1913:13 (Am. c. et mer.-trop.
spec. Guat.). *Ip.*, *Ecc.* 89.

Cnesophagus **Reitt.**, Rev. *Cryptoph.* in:
DEZ. 19, 1875, Hft. 3, 42 = *Dacne*
Latr. 1796. *Erot.*, *Dacn.* 67.

Cnestocera **C. G. Thoms.**, Skand. Col. I,
1859, 124; VI, 1864, 342 = *Proscaraba-*
eus **Schrank** 1781 = Subg. ad
Meloe **L.** 1758. *Melo.*, *Lytt.*, *Meloi.* 53.

Cnethocerus **H. W. Bates** 1878 = *Cholli-*
des **Thoms.** 1877 = Subg. 2 ad *Prio-*
tyrranus **Thoms.** 1857. *Ceramb.*,
Prion., *Prionin.*, *Derobr.* 63, 2.

Cnetocera **Reitt.**, F. Germ. 3, 1911, 387
= *Proscarabaeus* **Schrank** 1781 =
Subg. ad *Meloe* **L.** 1758. *Melo.*,
Lytt., *Meloi.* 53.

Cnips **Philippi**, An. Univ. Chile 1864, 457
(*Cn. quadrisignatus* et *pictus* **Philippi**
1864) 1913:5 (Chile). *Nit.*, *Cryptar.*
149.

Cnodalon **O Latr.**, Précis car. génér. Ins.
1796, 23; HNCrustIns. X, 1804,
320; **Lac.** V, 419 (*Cn. viride* **Latr.**
1804) 1913:1 (Haiti). *Ten.*, *Cnodal.*
933.

Cnopus **O Champ.**, BCA. IV, 2, Suppl.
1893, 460; **Pic.**, GIW. *Hyloph.* 1902,
12; *Hyl.*, 108, 115 (*Cn. impressus*
[Lec.] 1875) 1913:2 (Civ. Am. b.,
Mex.). *Hyloph.* 5.

Coccidophilus **O Brèthes**, Anales S.
Cientif. Argent. 6 1905 (*C. citricola*
Brèthes 1905) 1913:1 (Buen. Aires)
1913:1. *Disc.* 3.

Coccimela **Ws.**, ArN. 64, 1898, 200
(*C. fulgida* **Ws.** 1898) 1916:1 (Usam-
bara). *Chrys.*, *Chryso.*, *Phyllod.* 85.

Coccimorphus **O Hope**, Rev. Zo. 1841,
114; **Lac.**, *Erot.*, 266; **Chap.** XII, 54;
Gorh., BCA. Col. VII, 1888, 83 (Typ. ?;
C. unicolor [OL.] 1807, *frenatus* [Guér.]
1841) 1913:14 (Am. c., sept.-b.).
Erot., *Erotyl.* 7.

Coccinelloides **Latr.**, G. Crust. et Ins.
III, 1807, 58 = *Paropsis* **OL.** 1807.
Chrys., *Chryso.*, *Parops.* 73.

Coccoderus **Buq.**, Rev. Zo. III, 1840, 293
(*C. novemupunctatus* **Germ.** 1824)
1912:7 (Brasil., Boliv., Ecuad.,
Cayenne, Tapajos). *Ceramb.*, *Ce-*
rambin., *Torn.* 117.

Coccotrypes * **Eichh.**, Ratio Tom.,
308; **Lec.** u. **Horn**, Col. N.Am. 1883,
518; **Swaine**, Col. Cat. N.-Am. 1909,
90; **Schaufuß** in Calwer, (1214, 1236);
Kuhnt, 1047, 1059 (= *Dryoc.* **Eichh.**

- 1864) (*C. dactyliperda* [F.] 1801)
 1913:10 (in omn. part. orb. terr.
 excl., Austral.). *Ip.*, *Ipin.* 63.
Cochleoctonus Mielz., ASci.Nat. 11824, 74
 = *Drilus* [G. A. Oliv.] 1790. *Dril.* 2.
Cochliophorus Escher., DEZ. 1891, 16;
Schautuß in Calwer, 756 (*C. Reitteri*
Escher. 1891) 1917: 1 (Graecia).
Melo., *Nemogn.*, *Nemogni.* 70.
Cochliotis O Kolbe, ASEB. 38, 1894,
 553, 564 (*C. melolonthoides* [Gerst.])
 1867; *Kolbei* Brenske 1898) [1913:2
 (Mts. Paré; Sansib.; Massai). *Scar.*,
Melth., *Melthi.* 285.
Codocera Eschz., Mém.Acad.Petersb. VI,
 1818, 451; Reitt., VN. 30, 1892, 254;
Schauftuß in Calwer, (1287) = *Ochodaeus* Serv. 1825. *Scar.*, *Ochod.* I.
Coega Péring., TSAfr.Phil.S. 12, 1902,
 823 (*C. illota* Péring. 1902) 1913:1
 (Col. cap.). *Scar.*, *Melth.*, *Hopl.* 523.
Coelaenomenodera O Blanch., HNIns.
 II, 1845, 181; *Baly*, 118 t. 2 f. 13;
Chap. XI, 304; *Gestro*, AMusG.
 1909,231 (*C. cucullata* [Guér.] 1844). —
C. etiam subg. 2 ad *C.* (Typ. ut antea)
 1913:37. Subgg.: *Anom.*, *Cael.*,
Baly. (Madag., Gab., Cong. gall., or.)
Chrys., *Hisp.*, *Coelaen.* 69, 69,2.
Coelarathron Lac., IX, 1869, 142 =
Platyarthron Guér. 1844. *Ceramb.*,
Cerambin., *Platyarth.* 931.
Coeleburia J.Thoms., Class. Cer., 1860,
 237 = *Eburia* Serv. 1834. *Ceramb.*,
Cerambin., *Ebur.* 212.
Coelocnemis O Mannerh., BMosc. 16,
 1843,II, 280; MaZo. 1844, t. 133; Lac.
 V, 363; *Horn*, Rev. *Ten.*, 1870, 335;
J. Lec. u. *Horn*, Class. 1883, 377
(*C. dilaticollis* Mannerh. 1843) 1913:6
(Calif. 4, Utah 2). *Ten.*, *Tenebr.* 774.
Coelocnemodes O Bates, Cist. E. II,
 1879, 474; Second Yark Miss. Col.
 1890, 64; *Allard*, ASEFr. (5) X,
 1880, 278; *Fairm.*, ASEFr. (6) 6
 1886, 341; *Seidl.*, NID. V, 1893,
 238 (*C. Stoliczkanus* Bates 1879)
 1913:3 (Ind. bor., Yunnan). *Ten.*,
Blapt. 385.
Coelocraera O Mars., Mon. 1857, 426
(*C. costifera* Mars. 1857) 1910:1
(Guinea). *Hist.* 68.
Coeloderia Gené, Mem. Accad. Torino
 1836 = *Pachypus* Latr. 1829. *Scar.*,
Pach.
Coelodes O Lac. III, 1856, 135 (*C.*
humeralis [Mannerh.] 1829) 1913:9
(Columb., Nicar., Chile, Bras., Ecuad.,
St. Vincent). *Scar.*, *Hybos.* 4.
Coelodon O Serv., ASEFr. I, 1832, 464
(*C. servum* White 1853) 1912:2
(Terr. Damara). *Ceramb.*, *Cerambin.*,
Cerambyc. 122.
Coelogenia Moser, ASEB. 57, 1913,
 292 (*C. flava* Moser 1913) 1913:1
(Afr. or.). *Scar.*, *Melth.*, *Schiz.*
Coelophorus O Mäkl., Mon. 394; Acta
S. Fenn. 8, 1, 1867, 502 (*C. Schaumi*
Mäkl. 1894, *Ritsemae* [Fairm.] 1882)
 1913:6 (Chin., Indo-Chin., Sum.,
Ceyl.). *Ten.*, *Strongyl.* 1172.
Coelomarathon J. Thoms., Classif. Cer.
 1866, 199; Syst. Cer. 1864, 436
= *Platyarthron* Guér. 1844. *Ceramb.*,
Cerambin., *Platyarth.* 931.
Coelomelce Reitt., F. Germ. 3, 1911, 389
= Subg. ad *Meloe* L. 1758. *Melo.*,
Lytt., *Meloi.* 53.
Coelomctopus O Sol., Studi ent. II,
 1848, 154 (8); 278 (132); *Lac.* V,
 364; *Jacq. du Val* III, 317; *Muls.*
u. Rey, Opusc. E. 9, 1859, 145;
ASagr. Lyon, 1859, 209; *Schauftuß*
in Calwer, (817) (*C. clypeatus* [Germ.]
1813) 1913:1 (Hispan.). *Ten.*,
Tenebr. 775.
Coelomorpha Cas., AN YAcSc. V, 1890,
 182; Mon. 1908, 159 (*C. maritima*
Cas. 1890) 1913:2 (Calif. inf.). *Ten.*,
Coeli. 431.
Coenonycha G. Horn, TAmES.V, 1876,
 192 (*C. rotundata* [J. Lec.] 1856)
 1913:5 (Cal. 3, Nevada, Ins. San
 Clementa 1, Oregon 1, Guadeloupe 1).
Scar., *Melth.*, *Macrod.* 451.

- Coelopterapion* O Wagner, MSEB. 19, 1912, 2 (*C. testaceum* Wagn. 1912) 1913:5 (Am. m.) = Subg. ad *Apion* Hbst. 1797. *Curc.*, *Ap.*, *Apio*. 11. *Coeloscelis* Reiche, Rev. Zool. 1841, 213 = *Canthon* Hftsg. 1817. *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 18. *Coelothetus* O J. Lec., Smiths. Misc. Coll. III, 1861, 204; Fall, TAmES. 31, 1905, 155, 186 (*C. pertinax* [L.] 1758, *denticollis* [Creutz] 1796) 1913:9 (Eur., Am. b.). *Anob.*, *Anobi*. 38. *Coelotaxis* G.Horn, TAmES.V, 1876, 200; *Cas.*, Mon. 1908, 57, 147 (*C. muricata*, *punctulata* Horn 1876) 1913:5 (Guadeloupe). *Ten.*, *Conio*. 429. *Coelothorax* Ancey, Naturaliste II, 1880, 212 (*C. Oberthüri* Ancey 1880) 1913:1 (Austral. m.). *Scar.*, *Melth.*, *Pachyd.* 437. *Coelus* O Eschsch., Zo. Atl. III, 1829, 5; *Sol.*, ASEFr. 9, 1840, 211; *Cast.*, HN. 1840, 218; *Lac.* V, 219; *Horn*, Rev. *Ten.*, 1870, 291; *Lec. u. Horn*, Class. 1883, 371; *Cas.*, Mon. 1908, 152. (*C. ciliatus* Eschsch. 1829) 1913:14 (Calif. et Insul. Calif.). — Biol.: ANYAcSc. V, 1890, 180. *Ten.*, *Coeli*. 430. *Coilodes* Westw., TESL. IV, 1846, 163 = *Coelodes* Lacord. 1856. *Scar.*, *Hyboso*. 4. *Colaphellus* O Ws. in Schkdg. u. J., Col. Cat. P. 68, 1916, 113. — Biol.: *Moulder*, Landbouw Cour. 1860, Nr. 37; 1861 Nr. 37; *Ritsema*, TijE. 23, 1879/80, 139, 251 t. 9 f. 5—10; *Goury u. Guignon*, Feuille Jeun. Natur. 37, 1907, 96, 117 (pro *Colaphus* Redt. 1845) *C. sophiae* [Schall] 1783) 1916:9 (Eur. centr., mer., As. minor, Palæst. etc., Afr. bor.). *Chrys.*, *Chryso.*, *Phaedon*. 36. *Colaphodes* Motsch., in Schrenck's R. II, 1860, 212 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi*. 24. *Colaphomega* O Reitt., F. Germ. IV, 1912, 124 = Subg. 2 ad *Colaspidea* Lap. 1833 (*C. rufifrons* [Ol.] 1807; *C. signatipenne* [Guér.] 1829/44) 1916:4 (+ ? 1) (Marocce., Alger., Tunes., Hisp., Terr. Somali, Meru, Amur). *Chrys.*, *Chryso.*, *Phaedon*. 37, 2. *Colaphoptera* Motsch., in Schrenck's R. II, 1860, 215 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi*. 24. *Colaphosoma* Motsch., in Schrenck's R. II, 1860, 216 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi*. 24. *Colaphus* Chevr., Dict. univ. HN. IV, 1844, 85 = *Colaspidema* Lap. 1833. *Chrys.*, *Chryso.*, *Phaedon*. 37, 1. *Colaphus* Redtb., Gatt. Deutsch. Käfer. 116; *Ws.*, NID. VI, 2, 1882, 303; Everts, II, 448 nec Chevr.; Gutfl.-B., 624; Schaufuß in Calwer, 927 = *Colaphellus* Ws. 1916. *Chrys.*, *Chryso.*, *Phaedon*. 36. *Colaspidea* Lap. in Silberm., Rev. d'E. I, 1833, 21; Jacq. du Val, G. Col. d'Eur. IV, 1868, 224; Chap., G. Col. X, 1874, 324; *Ws.*, NID. VI, 1882, 290; 1893, 1121; Lefvr., MSLiége (2) 11, 1885, 125; Bedel, F. Col. Bassin Seine V, 1892, 137; G. Horn, TAmES. 19, 1892, 196, 204; Schaufuß in Calwer, 924. — Biol.: Matsumura, ZInsBi. 6, 1910, 137 (*C. metallica* [Rossi] 1790) 1914:11 (Eur. mer.; Alger., Marocce., Cal.). *Chrys.*, *Eumolp.*, *Myochr.* 233. *Colaspidea* Lap. in Silberm., Rev. d'E. I, 1833, 19, 21 cf. *Ws.* in Schkdg. u. J., Col. Cat. P. 68, 1916, 114; Schaufuß in Calwer, 924 = *Colaspidema* Lap. 1833. *Chrys.*, *Chryso.*, *Phaedon*. 37. *Colaspidema* O Laporte in Silberm., Rev. d'E. I, 1833, 19 et 21 (*Colaspidea*); Fairm. in Jacq. du Val, IV, 335 (pars); Chap., X, 365; Redtb., F. Austr. ed. 3, II, 1874, 484; *Ws.*, NID. VI, 2, 1882, nota; Mars., Abeille 26, 1888, 61; Bedel, V, 156; Everts, II, 449; Reitt., F. Germ., IV, 1912, 124; Schaufuß in Calwer,

- 927 (*C. atrum* [Ol.] 1790) 1916:5 + 1.
 2 Subgg. *C. i.* sp. = Subg. 1
 (1916 : 1) et *Colaphom.* (Afr. b.,
 Maroc., Alger., Tunes.; Hisp., Terr.
 Somali, Meru, Amur). *Chrys.*,
Chryso., *Phaedon*. 37, 37, 1.
 Biol.: **Dufour**, ASEFr. 6, 1836,
 372; **Roule**, BSHN. Toulouse 35,
 1902, 121; Progr. agr. vitic. 1903, 1.
Colaspidea **Redtb.**, F. Austr. ed. 3,
 II, 1874, 484; **Reitt.**, F. Germ. IV,
 1912, 125 = *C.* (pars) **Lef.** 1874
 = *Colaphellus* Ws. 1916. *Chrys.*,
Chryso., *Phaedon*. 36.
Colaspina O Ws., NID. VI, 1893,
 1121; **Schaufuß** in Calwer, 927 (*C.*
Saportae [Grenier] 1863) 1914:1
 (Provence). *Chrys.*, *Eumolp.*,
Myochr. 232.
Colaspinella Ws., NID. 6, 1893, 1121;
Schaufuß in Calwer, (924). (*C. grandis*
Friv. 1880) 1914:1 (Turcia; Asm.).
Chrys., *Eumolp.*, *Myochr.* 234.
Colaspis O ♀ F., Syst. Ed. I, 1801, 411;
Jac., BCA.Col. VI, I, 1881, 135;
Lef., MSLiége (2) 11, 1885, 31;
Horn, TAmES. 19, 1892, 196, 222.
 — Biol.: **Riley**, III. Rep. nox. Ins.
 Missouri 1871; 1872, figs.; **Forbes**,
 l. c. XXII Rep., 1903, 145—149, f. 33;
Garman, Rep. Kent. Exp. Stat.
 Bull. 130, 1907, 20—41 (*C. occi-*
dentalis [L.] 1758, *C. brunnea* [F.]
 1798) 1914:162 (Cal. 1, Mex., Am.
 centr. et mer.-trop., Argent.). *Chrys.*,
Eumolp., *Colasp.* 51.
Colaspoides O **Lap.** in Silberm., Rev.
 d'E. I, 1833, 20; **Baly**, EMM. I,
 1864, 134; TESL. (3) IV, II, 1867,
 134; **Chap.**, G. Col. 1874, 346; **Jac.**,
 BCA.Col. VI, I, 1882, 185; **Lefvr.**,
 MSLiége (2) 11, 1885, 157; **Horn**,
 TAmES. 19, 1892, 196 et 228; **Jac.**,
 F. Ind. Col. II, 1908, 514 (Typ.?);
C. limbata [F.] 1781, *alcyonea* [Er.]
 1847, *mera* [Germ.] 1824) 1914:146
 (China, As. mer., Males., Am. trop.,
 Austral.). *Chrys.*, *Eumolp.*, *Endoc.* 282.
- Colasposoma* O **Laporte** in Silberm.,
 Rev. d'E. I, 1833, 22; **J. Thoms.**,
 Ar. E. II, 1858, 374; **Baly**, TESL. (3)
 IV, II, 1867, 270; **Chap.**, G. Col. X,
 1874, 301; **Lefvr.**, MSLiége (2) 11,
 1885, 103; **Jac.**, F. Ind. Col. II,
 1908, 438. (*C. senegalense* **Lap.** 1832;
rutilans Klug 1833, *splendidum* [F.]
 1792, (324), *rufipes* [F.] 1793; *rutilans*
Hope 1831) 1914:162 (As. mer., Jap.,
 Males., Afr. trop. et mer., Sib.).
Chrys., *Eumolp.*, *Eumolpi*. 171.
 Biol.: **Xambeu**, ASLLyon, LI,
 1904, 156.
Colastus Er. in Germar, ZE. IV, 1843,
 236 = *Colopterus* Er. 1843. *Nit.*,
Carpophil. 23.
Coleocoptus Aur., ETi. 14, 1893, 160
 (*C. senio* Newm. 1840) 1913:1 (Nov.
 Holland.). *Ceramb.*, *Cerambin.*,
Phorac. 233.
Coleoxestia O Aur. in Schkgl. u. J.,
 Cöl. Cat. 39, 1912, 64 (*C. spinipennis*
 [Serv.] 1834) 1912:32 (Am.
 mer. trop.). *Ceramb.*, *Cerambin.*,
Cerambyc. 164.
Collabonica (Blackb.) DT. in Schkgl.
 u. J., Col. Cat. P. 50, 1913, sec.
 Indic. p. 387 : p. 106 = err. pro *Calla-*
bonica Blackb. TRSSouth-Austr. 19,
 1895, 36. *Scar.*, *Melth.*, 178.
Collacerothorax Lea, PLSNSW. 36,
 1912, 451 (*C. sculpticeps* Lea 1912)
 1913:1 (N.S.W.). *Psel.*
Collyrodes O Pasc., TESL. (2) V, 1859,
 25; (3) 3, 1869, 644 (*C. Lacordairei*
 Pasc. 1859) 1913:1 (Malacca). *Ce-*
ramb., *Cerambin.*, *Sestyr.* 864.
Colobodera Klug., ArN. 4, 1838, 69
 = *Daemon* Cast. 1836. *Helod.*,
Ptilodact., *Ptilodact.* 31.
Colobopterus Muls. 1842, 165; 1871,
 153; **Reitt.**, Tab. 39; VN. 30, 177;
A. Schmidt, GIW., 17 et 22; **Schaufuß**
 in Calwer, 1268; **Kuhnt**, 389 = Subg. ad
Aphodius Ill. 1798. *Scar.*, *Aphod.* 7.
Coloborhombus O J. Thoms., Syst. Cer.
 1864 (*C. hemipterus* [Ol.] 1795; *sericeus*

- Saund., cingalensis** [White] 1855] 1912: 8
(Ceylon, Sikk., Assam., Shangh.;
Jav., Born.). *Ceramb.*, *Cerambin.*,
Callichr. 697.
Colobostoma **Blanch.**, Cat. Coll. E. Col.
I, 1850, 108; *Lac.*, III, 1856, 231
(*C. rufipennis* [Boisd.] 1835) 1913: 1
(Austral.). *Scar.*, *Melth.*, *Lipar.* 170.
Colobostomus **Fairm.**, ASEFr. (6) 5
1885, 452 (*C. griseovestitus* **Fairm.**
1885) 1915: 1 (Obock). *Oed.*, *Oedem.*,
Ascler. 42.
Colobus **Serv.**, ASEFr. II, 1833, 554
= *Coloborhombus* **Thoms.** 1864. *Ce-*
ramb., *Cerambin.*, *Callichr.* 697.
Colonia **Olliff**, PLSNSW. (2) II, 1887,
493) (*C. regalis* **Olliff** 1887) 1914: 1
(Austral.). *Staph.*, *Staphy.*, *Staphyl.*,
Xantho. 339.
Colonides **Schm.**, BEZ. 33, 1889, 320
(*C. Drakei* **Schm.** 1889) 1913: 2
(Parag., Mex.). *Hist.* 110.
Colonychus **Har.**, BEZ. 12, 1868, 10
= *Streblopus* **Lansb.** 1874. *Scar.*,
Copr., *Scarbi.*, *Canthon*. 37.
Colophon O Gray in **Griff.**, Anim.
Kingd. 1832, I, 533; **Parry**, TESL.
1864, 7; **Péringuey**, TSAfr. Phil.
S. 12, 1901, 2 (*C. Westwoodi* **Gray**
in **Griff.** 1832) 1913: 2 (Afr. mer.).
Luc., *Chias.* 12.
Colophotia O Motsch., Etud. E. 1852, 51;
Ern. **Oliv.**, AMusG. 22, 1885, 367;
GIW. *Lamp.* 1907, 56 (*C. praeusta*
[Esch.] 1823) 1913: 6 (Phil. Ins.,
Manila, Sum., Luçon.). *Lamp.*,
Luci. 48.
Colopterus O Er., ArN. VIII, 1842, I,
149 (*C. ruptus* [F.] 1801, *macro-*
pterus [F.] 1801, *unicolor* [Say] 1828)
1913: 72 (Am. b. Civ. confoed.; spp.
plurim. ex Am. centr. et mer.).
Nit., *Carpophil.* 23.
Colparthrum O Kirsch, BEZ. 10, 1866,
204; **Champ.**, BCA. Col. IV, 2, 1889, 66,
1 cte. (*C. Gerstäckeri* Kirsch 1866)
1913: 6 (Am. e.; Amer. mer.-trop.).
Lagr., *Stat.* 35.
Colpochila **Blanch.**, Cat. Coll. E. Col. I,
1850, 107; **Burm.**, Hd. E. IV, 2,
1855, 229; **Blackb.**, PLSNSW. (2)
5, 1890, 517—552 = *Haplonycha*
Blanch. 1850. *Scar.*, *Melth.*, *Lipar.*
176.
Colpochilodes **Blackb.**, TRSSouthAustr.
22, 1898, 44 (*C. raucipennis* **Blackb.**
1898) 1913: 1 (Austral. occ.). *Scar.*,
Melth., *Lipar.* 194.
Colpocrania **Burm.**, Hd. E. IV, 2, 1855,
205 (non **Er.**) = *Haplopsis* **Blanch.**
(emend.) 1850. *Scar.*, *Melth.*, *Lipar.*
200.
Colpoderus **Serv.**, ASEFr. I, 1832, 178;
J. Thoms., Class. *Cer.* 292; *Syst.*
Cer., 480; *Lac.* VIII, 136 = *Notho-*
phyasis **Serv.** 1832. *Ceramb.*, *Prion.*,
Prionin., *Nothoph.* 60.
Colpopatrum **Reitt.**, Best.-Tab. 53, 1904,
148 = Subg. ad *Opatrium* F. 1775.
Ten., *Opatr.* 529.
Colpophorus **Muls. et Rey**, Méém. Ac.
Lyon, 20, 1859, 106; Opusc. E. X,
1859, 44; **Reitt.**, Best.-Tab. 53, 1904,
148; *Schaufuß* in Calwer, 801 =
Subg. ad *Opatrium* F. 1775. *Ten.*,
Opatr. 529.
Colporhina **Curtis**, TESL. 19, 1844,
455 = *Ulomenes* **Blanch.** 1850 etiam
= *Isonychus* **Mannerh.** 1829. *Scar.*,
Melth., *Macrod.* 476, 480.
Colposcelis O *Lac.*, V, 37; **Kraatz**,
Rev. *Ten.* 1865, 90; **Reitt.**, DEZ.
1896, 298; **Reitt.**, Best.-Tab. 42,
1900, 87, 105 (Mon.); *Schaufuß* in
Calwer, (793) (Typ.?); *C. longicollis*
[Zoubkoff] 1833, *quadricollis* Ball. 1878)
1910: 14 (Turkest., Sib., Transcasp.,
Mongol. etc.). *Ten.*, *Tentyr.*, 102.
Colposcythis **Reitt.**, VN. 27, 1890, 113;
DEZ. 1896, 298; Mon., 109 = Subg.
ad *Colposcelis* *Lac.* 1859. *Ten.*,
Tentyr. 102.
Colposphena **Sem.**, HoR. 25, 1891, 355;
Seidl., NID. V, 1, 821 = Subg. ad
Sphenaria Mén. 1849. *Ten.*, *Epitrag.*
79.

- Colposternus* Fall, TAmES. 31, 1, 1905, 155, 190 (*C. tenuilineatus* Horn 1894) 1913:1 (Amer.: Civ. confoed.). *Anob.*, *Anobi.* 41.
- Colpotinus* Fairm., Compt. rend. SEB. 35, 1891, p. XVII (*C. simulator* Fairm. 1891) 1913:1 (Chang-yang). *Ten.*, *Pedin.* 456.
- Colpotus* O Muls., Mém. Ac. L. Lyon III, 1853, 124; Opusc. E. IV, 1853, 208; *Lac.* V, 246; *Jacq. du Val*, III, 274; *Seidl.*, NID. V, 1893, 361; *Desbr.*, *Frelon* X, 1901, 35; *Reitt.*, Best.-Tab. 53, 1904, 56, 62; *d' Amore-Fracassi*, *Natur. Sicil.* 19, 1907, nr. 8/9, 3 (Mon.); *Schaufuß* in Calwer, (799) (Typ.?; *C. strigosus* [Costa] 1847, *byzantinicus* Waltl. 1838) 1910:11 (Mediterr., Circass., Sard., Elba). *Ten.*, *Pedin.* 455.
- Colydium* F., Syst. El. II, 1801, 557 (pars); *Schaufuß* in Calver, 507; *Kuhnt*, 553, 554 = *Rhizophagus* Herbst 1793 (nom. emend.) 1844. *Rhiz.* 3.
- Colydobia* O Sharp, BCA.Col. II, 437 (*C. dirisus* et *signatus* Sharp 1891) 1913:3 (Pan., Guad., Guat.). *Temn.*, *Temno.* 19.
- Colymbomorpha* Blanch., Cat. Col. E. Col. I, 1850, 98; Waterh., ANH. (4) 17, 1876, 71 (*C. lineata* Blanch. 1850) 1913:1 (Swan River). *Scar.*, *Melth.*, *Lipar.* 166.
- Colynithaea* Thoms., Rev. MaZo. (3) VI, 1878, 5 (*C. grossa* Thoms. 1878) 1913:1 (Brasil.). *Ceramb.*, *Cerambin.*, *Piezo.* 269.
- Colyphus* Spin., Clér. I, 1844, 133; Chenu, Enc. d'HN. Col. II, 1860, 239; Gorham, TESL. 1878, 162; Gorh., BCA.Col. III, 2, 1882, 141 = *Derestenus* Chevr. 1843. *Cler.*, *Cleri.*, *Clerin.* 65.
- Comaserica* O Brenske, BEZ. XLII, 1897, 356; XLIV, 1899, 235, 263 (Typ.?; *tessellata* [Klug] 1832—33; (*C. conspurcata* [Blanch.] 1850) 1913:21 (Madag.). *Scar.*, *Melth.* Seric. 56.
- Comatopselaphus* Schaufuß, AMusG. 18, 1882, 368; Raffr., Rev. d'E. 14, 1895, 39; ASEFr. 73, 1904, 109; GIW. *Psel.* 1908, 202 (*C. opacicollis* Schaufuß 1882) 1913:6 (Born., Sum., Penang, Nov. Guin.). *Psel.*, *Psel.*, *Brachygl.* 219. — *Commatopselapus* [Schauf.] Raffr. in Schklg. u. J., P. 27 in Indic. p. 185 = err. pro *Comatopselaphus* Schauf.
- Combocerus* O Bedel, Abeille V, 1867, 12; Crotch, Erot., 22; Fairm. IV, 271; Chap., XII, 28; Reitt., VN. 26, 1887, 4; Ganglb. III, 646; Schaufuß in Calwer, 481; Kuhnt, 528, 530 (*C. glaber* Schall 1783) 1913:1 (Eur., Cauc.). *Erot.*, *Daen.* 68.
- Cometes* O Serv., Enc. méth. X, 1825, 485; ASEFr. IV, 1835, 208 (*C. hirticornis* Serv. 1825) 1913:16 (Am. centr.; Brasil., Argent.). *Ceramb.*, *Cerambin.*, *Disten.* 13.
- Commatocerinus* Wasm., DEZ. 1897, 260 = *Fustiger* Brendel 1866. *Psel.*, *Clavig.* 436.
- Commatocerodes* O Péring., TSAfr. Phil. S. 1888, 85; Raffr., Rev. d'E. 9, 1890, 164, 168; TSAfr. Phil. S. 1897, 120; ASEFr. 73, 1904, 452; GIW. *Psel.* 1908, 445 (*C. Raffrayi* Péring. 1888) 1913:1 (Transvaal). *Psel.*, *Clavig.* 459.
- Commatoceropsis* O Raffr., Rev. d'E. 9, 1890, 164, 167; ASEFr. 73, 1904, 448; GIW. *Psel.* 1908, 433, t. 2 f. 27 (*C. madagascariensis* Raffr. 1882) 1913:1 (Madag.). *Psel.*, *Clavig.* 442.
- Commatocerus* Raffr., Rev. d'E. I, 1882, 1; 9, 1890, 164; ASEFr. 73, 1904, 446; Wasm., DEZ. 1897, 260 = *Fustiger* Brendel 1866. *Psel.*, *Clavig.* 436.
- Comophorus* Blanch., Col. Cat. E. Col. I, 1850, 106; Blackb., TRSSouth Austral. 30, 1906, 286 (*C. testaceipennis* Blanch. 1850) 1913:1 (Austral.). *Scar.*, *Melth.*, *Lipar.* 173.
- Compsa* Perty, Del. anim. 1830, 92 (*C. albopicta* Perty 1830) 1913:31

- (Brasil., Chile, Mex., Ven., Cal., Ariz., Cayenn., Costarica). *Ceramb.*, *Cerabin.*, *Ibid.* 285.
- Compsibidion* J. Thoms., Syst. Cer. 1864, 215 = *Compsa* Perty 1830. *Ceramb.*, *Cerabin.*, *Ibid.* 285.
- Compsidia* Muls. *Ceramb.* cf. P. II.
- Compsoceridius* O Bruch, Rev. Mus. La Plata XV, 1908, 207, 211 (*C. Gounellei* Bruch 1908) 1913:1 (La Plata). *Ceramb.*, *Cerabin.*, *Comps.* 766.
- Compsocerus* O Serv., ASEFr. III, 1834, 62; *Goun.*, BSEFr. 1910, 136 (*C. equestris* Guér. 1844) 1913:4 (Brasil., Argent., Parag., Uruguay). *Ceramb.*, *Cerabin.*, *Comps.* 765.
- Compsocerus* Cast., HN. II, 1840, 435; Bruch, Rev. Mus. La Plata XV, 1908, 210 f. 2 = *Paramoeocerus* Goun. 1910. *Ceramb.*, *Cerabin.*, *Comps.* 767.
- Compsocula* Fairm., ASEB. 42, 1898, 236 (*C. apicata* Fairm. 1895) 1913:3 (Madag.). *Ten.*, *Strongyl.* 1192.
- Compsomera* O White, Col.Cat. Brit.Mus. 7, 1853, 152 (*C. elegantissima* White 1853) 1913:6 (Afr. mer., or., Damara, Mamboia, Uganda). *Ceramb.*, *Cerabin.*, *Callichr.* 969.
- Compsomorphus* Sol. in Gay, H. Chile V, 1851, 208 = *Apocrypha* Eschsch. 1831. *Ten.*, *Apocryph.* 987.
- Comusia* J. Thoms., Syst. Cer. 1864, 24 (*C. obriumoides* Thoms. 1864) 1913:1 (Mindanao). *Ceramb.*, *Cerabin.*, *Oem.* 80.
- Conalia* O Muls. et Rey, ASagr.Lyon (3) 2, 1858, 313; Opusc. E. 9, 1859, 55; E. Friy., Magy. Tud. Akad. Evk., 11, 4, 1865, 203; Seidl., F. Ba. et Tr.; Redt., F. Austr.; Emery, L'Abcille 14, 1876, *Mord.*, 8, 73; Champ., BCA. Col. IV, 2, 306; Schilsky, KäfEur. 35, 1899, p. A; Reitt., F. Germ. 3, 373; Schaufuß in Calwer, 764 (*C. Baudii* Muls. et Rey 1858) 1915:3 (Hung., Croat., Austr., Morav.; Mex.-Antill., Nicar., Ins. Grenad.). *Mord.*, *Mordi.* 7.
- Conapion* (Motsch.) Wagner, Mi. Schweiz. E. Ges. II, 1907, 261 = Subg. ad *Apion* Hbst. 1797. *Curc.*, *Api.*, *Apion.* 11.
- Conchopterus* Fairm., G.Col. d'Eur. IV, 1864, 153 = *Molorchus* s. str. Thoms., 1866 = Subg. ad *M. F.* 1792. *Ceramb.*, *Cerabin.*, *Molorch.* 606.
- Conebius* Fauvel, Rev. d'E. 22, 1903, 374 (*C. carinipennis* Fauv., 1903) 1913:1 (Nov. Caled.). *Scar.*, *Melth.*, *Pachyd.* 442.
- Congella* Péring., TSAfr.Phil.S. 12, 1902, 887 (*C. tessellatula* Péring. 1902) 1913:4 (Afr. mer.: Rhodes. mer., Col. cap. etc.). *Scar.*, *Melth.*, *Hopl.* 546.
- Conibiosoma* Cas., ANYorkAcSc. 1890, 476; 8, 1895, 617 (*C. elongatum* Horn 1870) 1913:1 (Cal.). *Ten.*, *Pedin.* 481.
- Conibius* O Lec., ANYAcSc. V, 1851, 145; *Lac.* V, 251; Muls. et Rey, ASagr.Lyon 1859, 799; Opusc. E. 9, 1859, 135; Horn, Rev. *Ten.* 1870, 349, 350; Lec. u. Horn, Class. ed. II, 1883, 379; Cas., AN YorkAcSc. V, 1890, 409, 467; VIII, 1895, 617 (*C. seriatus* Lec. 1851) 1913:9 (Am. centr., Ariz., Mex., Tex., Cal.). *Ten.*, *Pedin.* 476.
- Coniolachnus* Fairm., ASEB. 42, 1898, 422 (*C. aculeatus* Fairm. 1898) 1913:1 (Mauritius). *Ceramb.*, *Cerabin.*, *Cerambyc.* 153.
- Coniontellus* Cas., AN YorkAcSc. V, 1890, 388; Mon. 1908, 57, 142 (*C. obesus* Lec. 1851) 1913:8 (Nev., Cal., Col., Mont.). *Ten.*, *Conio.* 427.
- Coniontides* Cas., Mon. 1908, 57, 78 (*C. latus* Lec. 1866) 1913:4 (Cal.). *Ten.*, *Conio.* 425.
- Coniontis* O Eschsch., Zo. Atl. III, 1829, 7; *Lac.* V, 221; Horn, Rev. *Ten.* 1870, 295; Lec. u. Horn, Class. 1883, 371; AN YorkAcSc. V, 1890, 373,

- Mon.* 1908, 57, 80 (*C. viatica* Eschsch. 1829) 1913 : 109 (Am. b., Cal. incl. Francisco 75, Nev., Mont. etc.). *Ten.*, *Conio.* 426.
- Coniopholis* O Er., NID., 3, 1847, 657; *Lac.*, III, 1856, 302, nota; *Kolbe*, ASEB. 38, 1894, 567; *Brenske*, BEZ. 41, 1896, 355 nota; *Péring.*, TSAfr.Phil.S. 13, 1904, 271 (*C. lepidota* Burm. 1855) 1913:6 (Lac. Nyassa, Afr. mer.). *Scar.*, *Melth.*, *Melthi.* 257.
- Coniopoda* Gorh., EMM. 9, 1873, 205; *Chap.*, G.Col. 12, 1876, 116 = *Danaë Reiche* 1847. *End.*, *Endo.*, *Lycop.* 53.
- Coniosattus* Cas., AN YorkAcSc. 8, 1895, 614; *Mon.* 1908, 146 (*C. rectus* Cas. 1895) 1913:1 (Oregon). *Ten.*, *Conio.* 428.
- Conioserica* Brenske, BEZ. XLV, 1900, 78; XLVI, 1901, 435 (*C. Eisenmanni* Brenske 1901) 1913:1 (Transvaal). *Scar.*, *Melth.*, *Seric.* 84.
- Coniotrogus* Brenske, Münch. Kol. 7, I, 1903, 333 (*C. abdominalis* Brenske 1903) 1913:1 (Tibet). *Scar.*, *Melth.*, *Melthi.* 330.
- Conipinus* Lec., Class. 1863, 223 = *Eusattus* Lec. 1851. *Ten.*, *Conio.* 423.
- Connodontus* O Raffr., Rev. d'E. I, 1882, 52; IX, 1890, 109; ASEFr. 73, 1904, 145; GIW. *Psel.* 1908, 145 (*C. acuminatus* Raffr. 1882) 1913:3 (Bodos, Sudan., Abyss.). *Psel.*, *Psel.*, *Batriss.* 159.
- Conodes* O Matth., BCA.Col. II, 1, 1888, 104; *Mon.* *Coryl.* 1899, 38 t. 1, C. 1, 27 (*C. conicus* Matth. 1888) 1913:1 (Guatem.). *Orth.*, *Aenigm.* 3.
- Conoecus* O Horn, TAmES. 12, 1885, 159; *Cas.*, Rev. Mon. 1907, 429 (*C. ovipennis* Horn 1885) 1913:2 (Texas). *Ten.*, *Epitrag.* 73.
- Conophoribium* Chevr., ASEFr. (4) 1, 1861, 391 = *Ernobius* Thoms. 1859. *Anob.*, *Ernob.* 17.
- Conophthalmus* O Quedf., BEZ. 29, 1885, 13 (*C. setulosus* Quedf. 1885) 1913:1 (Afr. occ.). *Ten.*, *Eutel.* 752.
- Conoplectus* Brendel, B.Un.Jowa II, 1890, 40 = *Rhexidius* Cas. 1887. *Psel.*, *Psel.*, *Trichon.* 144.
- Conopogaster* Fairm., ASEFr. 68, 1899, 502 (*C. singularis* Fairm. 1899) 1912:1 (Madag.). *Ceramb.*, *Cerambin.*, *Necydo.* 627.
- Conosoma* O & Kraatz, N.Ins. Deutschl. (1, excl. 1 biol.). 1856/58, 431; *Cas.*, JoNYES. 8, 1900, 436; *Luze*, Vzb.GW. 52, 1902, 19; *Gutti.-B.*, 125; *Schaufuß* in Calwer, 207, 209; *Kuhnt*, 169. 252 (*C. littoreum* [L.] 1758; *bi-notatum*, *punctatum*, *pustulatum*, *pedicularium*, *crassum* [Grav.] 1802, *testaceum* [L.] 1792), 1916:141 (Palaearct., Medit., As. mer., Am., Austral.). *Staph.*, *Tach.*, *Tachi.* 420.
Biol.: *Perris*, ASEFr. (2) 4, 1846, 332—335, t. 9, III f. 1—8; *Rupertsberger*, Biol.Käf.Eur. 1894, 119.
- Conosomus* Motsch., Etud. E. VI, 1857, 54 = *Conosoma* Kraatz 1856/58. *Staph.*, *Tach.*, *Tachi.* 420.
- Conotelus* O Er. in Germar, ZE. IV, 1843, 249 (*C. conicus* [F.] 1801) 1913:22 (Am. b.: Civ. confoed. mer., Am. c. et mer. -trop.). *Nit.*, *Carpophil.* 48.
- Conohorax* J. Thoms., Syst. Cer. 1864, 230 = *Massicus* Pasc. 1867. *Ceramb.*, *Cerambin.*, *Cerambyc.* 137.
- Contacyphon* Gozis, Rech. typ. 1883, 22 = *Cyphon* Payk. 1799. *Helod.*, *Helodi.* 8.
- Contipus* O Mars., Mon. 1853, 543; Lewis, ANH. (7) 2, 1 1903, 423 = Subg. 2 ad *Hister* L. 1758 (*C. digitatus* Mars. 1853) 1913:7 (Am. c., Brasil., Argent.; Afr. centr.-occ. etc.). *Hist.* 38, 2.
- Conurus* Steph., Ill. Brit. E. V, 1832, 188; *Pand.*, ASEFr. (4) 9, 1869, 272; *Ganglb.*, KäfMEur. Col. II, 1895, 354 nec *Kuhl.*) = *Conosoma* Kraatz, 1856/58. *Staph.*, *Tach.*, *Tachi.* 420

Coolgardica Blackb., TRSSouth Austr. 23, 1899, I, 93; **Jacoby**, GIW., 14 b, 1904, 13 (*C. tenebrioides* Blackb. 1899) 1913:1 (Austr. occ.: Coolgardie). *Chrys.*, *Sagr.*, *Megam.* 2.

Cophaesthetus Waterh., Cist.E. II, 1880, 566 (*C. opacus* Waterh., 1880) 1914:1 (China). *Dasc.*, *Eubr.* 41.

Copidita Seidl., NID. V, 2, 1899, 814 = *Eobia* Semen. 1894. *Oed.*, *Oedem.*, *Ascler.* 25.

Copidita O J. Lec., New Col. I, (1866), 164; J. Lec. u. Horn, Class., 1883, 405; Champ., BCA. Col. IV, 2 (1889), 111, (1890), 144; TESL. 1895, 241; Horn, P. Cal. Ac. Sc. (2) 6, 1896, 385, 398; Semen., HoR. 28, 1894, 456, nota; Seidl., NID. V, 2, 814; Blackb., TRSSouth Austr. 23, 1899, 73 (*C. fuliginosa* J. Lec. 1866, *C. notoxoides* [F.] 1801) 1915:38 (Am. c., Cal. Antill., Austral.). *Oed.*, *Oedem.*, *Ascler.* 24.

Copistethus O Seidl., F. Ba. ed. II, I, 1891, 524; NID. V, 2, 1896, 85, Schaufuß in Calwer, 784 (*C. spadix* [Kiesw.] 1861) 1913:1 (Nauplia). All., *Allec.* 74.

Copobaenus Fairm. et Germ., ASEFr. (4) 3, 1863, 236 (*C. tristis* Fairm. et Germ. 1863). Nota ad *bicolor* Pic [n. g.?] in Pic, Schkgl. u. J., P. 26, 1911, p. 22) 1913:3 (Chile; Brasil., Brasil cf. antea). *Ped.* 16.

Copris O + Geoffr., Ins. des envir. de Paris I, 1762, 87, etc., etc. cf. P. II; Gutfl.-B., 304; Schaufuß in Calwer, 1296, 1305; Kuhnt, 382, 404 (Typ.?: *C. lunaris* [L.] 1758, *Aeneus* Ol. 1789, *Bootes* Klug 1855, *caelatus* F. 1794, *Elphenor* Klug 1855, *Fidius* Ol. 1789, *fricator* F. 1787, *hispanus* [L.] 1764, *Jacchus* F. 1775, *minutus* Drury 1773, *Orion* Klug 1838, *Oryctes* Herbst 1789, *sexdentatus* Thunb. 1818, *Sinon* Ol. 1789, *Tullius* Ol. 1789) 1913:140 (Eur., As., Males., Afr.). *Scar.*, *Copr.*, *Copri.*, *Coprid.* 79.

Biol.: **Fabre**, Souvenirs entom. V, 1897, 103—150; VI, 1899, 15—24; **Arrow**, TESL. 1904, 722; **Kolbe**, Aus d. Natur, I, 1906, 678—679; **Krausse**, EBl. III, 1907, 105.

Coprobios Guér., Icon. règne anim. Ins. 1844 t. 21 f. 4 = *Epilissus* Reiche 1841. *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 24.

Coprobios O Latr., Règne anim. ed. II, IV, 1829, 535 = *Canthon* Hffsg. 1817. *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 18. **Coproecus** Reiche, Rev.Zo. 1841, 211 (*C. hemisphaericus* Guér. 1844) 1913:1 (Austral.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 36.

Coprophilus O Latr. in Cuv., Règne anim. IV, 1829, 439; Gutfl.-B., 175; Reitt., WEZg. 13, 1894, 177; Bernh., Münch.Kol.Z. 3, 1908, 327, Schaufuß in Calwer. 164; Kuhnt, 163, 195 (*C. striatulus* [F.] 1792) 1911:14 (Eur. b., Mediterr.; As. c., Sib., China, Japon., Chile 3). — *C. s. str.* Etiam Subg. *Staph.*, *Oxyt.*, *Oxyte*, *Coproph.* 101.

Coproporus O Kraatz, BSEFr. 1858, p. CXC; NID. 1856/58 nota; Sharp, TESL. 1876, I, 81; Ganglb., Käf. MEur. II, 1895, 336; Luze, VzbGW. 52, 1902, 188, Schaufuß in Calwer, 207 (*C. colchicus* Kraatz 858) 1916:123 (Eur. mer., As., Afr., Am., Austral.). *Staph.*, *Tach.*, *Tachi*. 428.

Coprostygnum O Sharp, TRDublinS. (2) III, 1886, t. 12 f. 14 (*C. sculptipennis* Sharp 1886) 1913:2 (Nov. Zealand.). *Staph.*, *Oxyt.*, *Oxyti*, *Coproph.* 97.

Coproxenus O Lew., ANH. (6) 20, 1897, 190 (*C. Marshalli* Lew. 1897) 1913:2 (Camerun., Natal.) *Hist.* 67.

Coptengis O Crotch, Erot., 28; Chap. XII, 23; Bedel, AMusG. 18, 1882, 436 (Typ.); *C. Chapuisi* Crotch 1876, *C. Sheppardi* [Pase.] 1860) 1913:12 (Halmahera, Batchian, Nov. Guinea etc.). *Erot.*, *Dacn.* 78.

- Coptocercus* O Hope, PZSL. 8, 1840 (41), 50; ANH. (1) 7, 1841, 62; TESL. III, 1843, 194; J. Thoms., Syst. Cer. 1864, 448; Lac., VIII, 1869, 307 (*C. rubripes* Boisd. [1835]) 1913:11 (Austral., Tasm. Molucc.). *Ceramb.*, *Cerambin.*, *Phorac.* 234.
- Coptochilus* Rey, Echange 14, 1888, Schaufuß in Calwer, (308) = *Macrolistes* Lew. 1904 = Subg. 5 ad *Hister* L. 1758. *Hist.* 38, 5.
- Coptochirus* Har., BEZ. 3, 1859, 202—4; Péring., TSAfrPhil.S. 12 1901/3, Cat. 1901, 426—431; Schmidt, GIW. 1910, 11 et 98/9, t. 2; Schaufuß in Calwer, (1283) (*C. emarginatus* [Germ.] 1824) 1913:9 (Graecia; Asia minor, Afric. merid.). *Scar.*, *Aphod.*, *Aphodi.* 17.
- Coptodactyla* Burm., Gen. Ins. Hft. 10, 1846, Nr. 27 (*C. glabericollis* [Hope] 1841) 1913:6 + 1 (Cap York, Port Essingt., Queensl., Nov. Guin., Ins. Melville). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 69.
- Coptoeme* O Aur., ArkZo. I, 1904, 313 (*C. Krantzi* [Dist.] 1898) 1913:2 (Transvaal., Natal., Tasamaganga). *Ceramb.*, *Cerambin.*, *Oem.* 53.
- Coptogaster* Ill., Ma. Ins. VI 1807, 321; Bedel, F. Col. Seine VI, 1888, 386 = *Eccoptogaster* Herbst 1793. *Ip.*, *Ecc.* 99.
- Coptomma* O Newm., ANH. V, 1840, 18 (*C. variegatum* [F.] 1775) 1913:1 (Nov. Zealand.). *Ceramb.*, *Cerambin.*, *Coptom.* 1027.
- Coptonotus* Chap., Syn. Scol. 1873, 219 (*C. Cyclopus* Chap. 1873) 1913:1 (Nov. Granada). *Ip.*, *Hyles.* 8.
- Coptopterus* Hope, TZLS. I, 1835, 107; PZSL. 8, 1840, 55; ANH. 7, 1841, 66; TZSL. III, 2, 1843, 200 = *Strongylurus* Hope 1835. *Ceramb.*, *Cerambin.*, *Stronglu.* 414.
- Coptorrhina* O Hope, PZSL. I, 1830, 95 (*C. africana* Hope 1830) 1913:15 (Congo, Rhodes., Afr. mer.). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 49.
- Copiotrophis* O Lew., ANH. (7) 10, 1902, 519; Bickh., EBl. 6, 1910, 227 = Subg. 3 ad *Trypanaeus* Eschsch. 1829 (*C. proboscideus* [F.] 1801) 1913:11 + 1 (Guat., Bras., Argent., Mex.). *Hist.* 8, 3.
- Coracostira* Fairm., Not. Leyd. Mus. 20, 1898, 220; Borchm., DEZ. 1909, 89 = *Xenostethus* Bates 1868. *Lagr.*, *Stat.* 21.
- Coraliomela* O Jacobs., Ann. mus. Zo. Pétersb. 1899, 246 = Subg. 2 ad *Mecistomela* Jacobs. (Typ.?). *C. corallina* [Vigors] 1826, *nigripes* [Guér.] 1840, *quadrimaculata* [Guér.] 1840) 1913:4 (Am. merid.). *Chrys.*, *Hisp.*, *Alurn.* 17.
- Corallis* O Fauv., AMusG. 12, 1878, 212 (*C. polyporum* Fauv. 1878) 1913:1 (Ins. Key, Aru). *Staph.*, *Oxyti.*, *Oxyti.*, *Actioch.* 106.
- Cordicomus* Pic, Rev. scient. Bourb. VII, 1894, 41, 42 = Sect. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Cordobanus* Bernh., VzbGW. 60, 1910, 386 (*C. mirabilis* Bernh. 1910, 386) 1916:1 (Mex.). *Staph.*, *Tach.*, *Cord.* 430.
- Cordus* Schoenh., Mant., Sec. Fam. Curr. 1847, 10; Lac. VII. 1866, 422; Power, ASEFr. (5) 8, 1878, 479; Schoenfeldt, GIW. Brenth. 1908, 27 (*C. hospes* Germ. 1848) 1913:11 (Austral., Camerun., Nov. Guinea etc.). *Brenth.*, *Brentha.*, *Trach.* 43.
- Cordylaspis* O Nordm., Symb. 1837, 17; Sharp, BCA. Col. I, 2, 1882/87 (1884), 342 (*C. pilosa* [F.] 1787) 1916:1 (Am. centr., Brasil.). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 367.
- Cordylomera* O Serv., ASEFr. III, 1834 23 (*C. nitidipennis* Serv. 1834, *spinicornis* [F.] 1775) 1913:17 (Afr. centr.

- et mer.). *Ceramb.*, *Cerambin.*, *Phorac.* 242.
Cordylospasta Horn, TAmES. V, 1875, 152 (*C. Fulleri* Horn 1875) 1917:1
Melo., *Lytt.*, *Mylabr.* 6.
Coremia O Serv., ASEFr. III, 1834, 22; *Goun.*, BSEFr. 1905, 228 (Synops.) 1912:6. — *C. s. str.* = Subg. 1 ad *C. Serv.* 1834 (*C. plumipes* [Pallas] 1772) 1913:3 (Bras., Cayenn., Nicarag.). — Subg. 2 = *Thalus*. *Ceramb.*, *Cerambin.*, *Comps.* 774, 774, 1.
Corennys O Bates, JoLSLZo. 18, 1884, 225 (*C. sericata* Bates 1884) 1913:1 (Japon.). *Ceramb.*, *Cerambin.*, *Erosch.* 659.
Corethrogaster J. Thoms., Class. Cer. 1860, 234 = *Cerasphorus* Serv. 1834. *Ceramb.*, *Cerambin.*, *Hesprph.* 201.
Corinthiscus Fairm. u. Germ., Col. Chil. II, 1861, 4 = *Pelonium* Spin. 1844. *Cler.*, *Coryn.*, *Enopl.* 159.
Corioligithon Mars., Jorn. Sc. Lisb. VII, 1879, 65 = *Apalus* F. 1775. *Melo.*, *Nemogn.*, *Sit.* 64.
Coripera O Pasc., Jo. E. II, 1866, 483 (*C. deplanata* [Boisd.] 1835) 1913:7 (Austral., Tasm.). *Ten.*, *Adelii*. 1012.
Corminus Burm., Hd. E. IV, 2, 1855, 39 (*C. canescens*, *luridipennis*, *maniculatus* Burm. 1855) 1913:3 (Brasil.). *Scar.*, *Melth.* *Macrod.* 477.
Cormodes O Pasc., Jo. E. I, 1860, 46; *Blackb.*, TRSSouthAustral. 14, 1891, 303; *Schklg.*, GIW. *Cler.* 1903, 36 (*C. Darwini* Pasc. 1860) 1913:1 (Austral., Ins. Howe). *Cler.*, *Cleri.*, *Clerin.* 52.
Cormopus O Kolbe, StEZg. 53, 1892, 166; *Schoenfeldt*, GIW. *Brenth.* 1908, 7 (*C. penicillifer* Kolbe 1892) 1913:1 (Camerun.). *Brenth.*, *Brenth.*, *Taphr.* 5.
Cormyphora Cast., HN. Col. II, 1840, 12 = *Meligethes* Steph. 1830. *Nit.*, *Meligeth.* 18.
Cornillus Lew., ANH. (7) 20, 1907, 99 = Subg. 2 ad *Omalodes* Er. 1834 (*C. tuberculipygus* [Schm.] 1889) 1913:5 (Brasil., Cayenn.). *Hist.* 31, 31, 2.
Cornumutila O Letzn., Arb. Schles. Ges. Vaterl. Cult., 1843, 173 (*C. lineata* Letzn. 1843, *quadrivittata* Gebl. 1830) 1913:2 (Siles., Carp., Russia). *Ceramb.*, *Cerambin.*, *Lept.* 542.
Coronoserica Brenske, BEZ. XLV, 1900, 79; XLVII, 1902, 1 (*C. beata* Brenske 1902) 1913:1 (Sierra Leone). *Scar.*, *Melth.*, *Seric.* 96.
Corthylolimimus Ferr., Borkenk. 1867, 48 = *Pterocyclon* Eichh. 1868. *Ip.* 105.
Corthylus * Er., ArN. II, 1836, 64; *Lec.*, P. Am. Phil. Sc. 15, 1876, 347; Eichh., Rat. Tom. 1879, 421; *Bldfd.*, BCA. Col. IV, 6, 1904, 251 (*C. compressicornis* [F.] 1801) 1913:24 (Am.); — *C. Lac.* VII, 1866, 86 = *C. Er.* 1836. *Ip.*, *Corth.* 101.
Corthylus Er., ArN. II, 1836, I, 64 (pars); *Ferrari*, Borkenk. 1867, 49 (pars) = *Pterocyclon* Eichh. 1868. *Ip.*, *Corth.* 105.
Corticeus Crotch, TESL. 1870, I, 46 = *Hypophloeus* F. 1790. *Ten.*, *Ulm.* 723.
Corticotomus O Sharp, BCA. Col. II, 1, 1891, 390 (*C. basalis* Sharp 1891) 1913:4 (Guat., Chili, Bras., Mex.). *Temn.*, *Temno.* 8.
Cortodera O * Muls., Col. Fr. *Long.* ed. 2, 1863, 572; *Schaufuß* in Calwer, 826, 833; *Kuhnt*, 753, 765. — Biol.: *Lameere*, ASEB. 29, 1885, Bull. p. 63. — (*C. humeralis* [Schall.] 1783) 1913:25 (Eur., Cauc., As. minor, Syr., Vall. Arax.). *Ceramb.*, *Cerambin.*, *Lept.* 534.
Corycia Baly, Jo. E. II, 1864, 221 (nec Hübner 1816) = *Corysthea* Baly 1865. *Chrys.*, *Eumolp.*, *Chalcoph.* 79.

- Corylophodes* O^o Matth., EMM.22,1885, 160; BCA.Col. II, 1 (1888) 118; Mon. *Coryl.* 1899, 124, 145, t. 6, f. A; **Casey**, JoNYES. 8, 1900, 61, 62. — Biol.: **Morrill**, ENs. 14, 1903, 135 t. 6 (Typ.?). *C. marginicollis* Lec. 1852) 1913:22 (in omn. part. orb. terr. distrib.). *Orth.*, *Coryloph.* 21. *Corylophus* Steph., Ill. Brit. Ent. Mand. V, 1832, 405; Man. Brit. Col. 1839, 99, 107; **Redtb.**, F. Austr. 1849, 573; ed. III, II, 1874, 543; **Woll.**, Ins. Mader. 1854, 479; **Jacq. du Val**, II, 233, 237; **Thoms.** IV, 115; **Everts**, I, 431.; **Ganglb.**, III, 275, 288; **Reitt.**, F. Germ., II, 1909, 261/2, **Schaufuß** in Calwer, 294; **Kuhnt**, 350, 351; **Gutfl.-B.**, 660 (*C. cassidoides* [Marsh.] 1802) 1910:11 (fere in omn. part. orb. terr.). *Orth.*, *Coryloph.* 18. *Coryna* Bilb., Monogr. *Mylabr.* 1813, 73 (Type: *C. Hermanniae* [F.] 1792, *ocellata* [Ol.] 1790) 1917:57 (Medit., Syr., Afr., bor., or. et mer., occ., Mauritius). *Melo*, *Lytt.*, *Mylabr.* 11. *Corynella* Bates, BCA.Col. V, 1885, 318 (*C. ochraceus* t. 21 f. 20; *mimulus* Bates 1885) 1913:2 (Mex., Panam.). *Ceramb.*, *Cerambin.*, *Pteropl.* 959. *Corynetes* O Hbst., Käfer IV, 1792, 148 (*Korynetes*); F. Syst. *Eleuth.* I, 1801, 286; *Spin.*, Rev. Zo. 1841, 74; **Kl.**, *Clerii* 1842, 341; *Spin.*, *Clerit.* II, 1844, 92; *Lac.*, IV, 489; *Chenu*, Enc. II, 274; **Gutfl.-B.**, 394; **Jacq. du Val**, G. Col. d'Eur. III, 1861, 200; **Kiesw.**, NID. 4, 1863, 690; **Muls.**, Col. Fr. *Angustic.* 1863, 109; **Gorh.**, TESL. 1878, 158; **Reitt.**, VN. 32, 1893 (1894), 83; Best.-Tab. 1894, 50; **Schklg.**, GIW. *Cler.* 1903, 117; **Schaufuß** in Calwer, 402, 403; **Kuhnt**, 466, 470 (*C. coeruleus* [Geer.] 1775) 1913:14 (Eur., Ind., Syr., Afr., Chile; Cosmop. 1). *Cler.*, *Coryn.*, *Corynet.* 179. *Corynodes* Hope, Coleopt. Man. III, 1840, 162; **Marshall**, JoSL. 8, 1865, 30; **Gerst.**, Peter's Reise 1862, 335; **Baly**, TESL. (3) IV, II, 1867, 99; **Chap.**, G. Col. X 1874, 337; **Lefvr.**, MSLiége, (2) XI, 1885, 146 (Typ.?). *lateralis* [Hope] 1831; *azureus* [Sahlb.] 1823; *chrys* [Ol.] 1808; *compressicornis* [F.] 1801; *cyanicollis* [Ol.] 1791; *ignicollis* Hope 1841; *nitidus* [F.] 1792; *peregrinus* [Herbst] 1783; *undatus* [Ol.] 1791) 1914:111 (As. mer.; China; Malesia; Afr. trop.; Phil. Ins.). *Chrys.*, *Eumolp.*, *Corynod.* 270. *Corynetinus* Reitt., VN. 32, 1893 (1894), 82 et 84; Best.-Tab. p. 49, 51; **Schklg.**, GIW. *Cler.* 1903, 118 (*C. fimetarius* [Woll.] 1862) 1913:1 (Ins., Canar., Afr. bor., Cap. b. sp.). *Cler.*, *Coryn.*, *Corynet.* 180. *Corynetops* Jacq. du Val, G. Col. d'Eur. III, 1861, 201 = *Corynetes* Hbst. 1792. *Cler.*, *Coryn.*, *Corynet.* 179. *Corynomalus* Gerst., ArN. 23, 1857, I, 215 et 234; Mon. *Endom.* 1858, 143; **Chap.** G. Col. 12, 1876, 98; **Osiki**, Term. Füzet. 25, 1902, 285 (Best.-Tab.) = *Amphix* Cast. 1840, *End.*, *Endo.*, *Amph.* 36. *Corymbia* Des Gozis, Recherche de l'esp. typ. de quelq. anc. genres 1886 = *Leptura* L. 1758. *Ceramb.*, *Cerambin.*, *Lept.* 548. *Corynoeides* Clark, ANH. (3) 15, 1865, 139 = *Corynodes* Hope 1840. *Chrys.*, *Eumolp.*, *Corynod.* 270. *Corynommadius* Schklg., AMusG. (2) 20, 1899, 163; GIW. *Cler.* 1903, 85 (*C. speciosus* Schklg. 1899) 1910:1 (Nov. Guin.). *Cler.*, *Cleri.*, *Clerin.* 95. *Coryphaeus* Mars., Abeille 1864, 311 (*C. Wallacei* Mars. 1864) 1910:3 (Tenimb., Born., Nov. Guin.). *Hist.* 60. *Coryphoides* Bernh., VzbGW. 48, 1898, 532; **Schaufuß** in Calwer, (162) (*C.*

- Deubeli Bernh.** 1898) 1913:1 (Transsylv.). *Staph., Oxyt., Omal.* 92.
Coryphium Steph., Ill. Brit. E. V, 1832, 344; **Kraatz**, NID. II, 1856/58, 968; **Ganglb.**, KäfMEur. II, 1895, 701; **Gutfl.-B.**, 181; Schaufuß in Calwer, 153, 162; **Kuhnt**, 159, 194 (*C. angusticollis* Steph. 1832) 1913:5 (Eur. med.-bor.; Ross.; As. centr.; Novaj.-Semlia; Ross. bor.; Sib. or.). *Staph., Oxyt., Omal.* 91.
- Coryphus Csiki**, Termez. Füz. 25, 1902, 352 (*C. Birói Csiki* 1902) 1913:1 (Nov. Guinea). *End., Endo., Stenotars.* 66.
- Coryphyra Say**, Boston Jo.NH. I, 1835, 189 = *Pedilus Fisch.* 1822. *Ped.* 1.
- Corysthea Baly**, TESL. (3) II, IV, 1865, 336; **Chap.**, G. Col. X, 1874, 257; **Lefvr.**, MSLiége (2) XI, 1895, 54 (*C. ferox* Baly 1865) 1914:12 (Am. mer. trop.). *Chrys., Eumolp., Chalocoph.* 79.
- Corythoderus Klug**, Symb. Phys. V, 1845, t. 42 f. 11; **Wasmann**, DEZ. 1899, 153/5; **Péring.**, TSAfr. Phil. S. 12, 1901/3, Cat. 1901, 449—451; **Schmidt**, GIW. 1910, 138/9 (*C. loripes* Klug. 1845) 1913:3 (Ind. ant., Dongola; Nub., Bothaville, Orange-flum. colon.). *Scar., Aphod., Coryth.* 41.
- Coscinedes O Bates**, BCA.Col. V, 1885, 258 (*C. gracilis* Bates 1885) 1913:1 (Mex.). *Ceramb., Ceramin.*, (Pieze.!) 273.
- Coscinopter All.**, Rev. 1876, 4 = *Coscinoptilix* All. 1876 = Subg. ad *Helops* F. 1772. *Ten., Helop.* 1073.
- Coscinoptilix All.**, Mon. 1876, 16, 33, 127 = Subg. ad *Helops* F. 1772. *Ten., Helop.* 1073.
- Cosmisoma O Serv.**, ASEFr. 3, 1834, 19; **Cast.**, HN. 2, 1840, 434 (Typ.!?; *ammiralis* [L.] Syst. nat. ed. 12, *fasciculatum* [Ol.] 1795, *plumicorne* (Drury) 1782) 1913:22 (Am. mer. et centr.). *Ceramb., Ceramin., Rhopal.* 890.
- Cosmius Fährs.**, Öfvers. Vet. Akad. Förh. 29, 1, 1872, 67 = *Zoocosmius* Fährs 1872. *Ceramb., Ceramin., Cleom.* 872.
- Cosmocerus Guér.**, Icon. règne anim. Ins. 1844, 219 (*C. strigosus* Guér. 1844) 1913:1 (Brasil.). *Ceramb., Ceramin., Stern.* 944.
- Cosmocerus Sol.** in **Gay**, H. Chile, IV, 1849, 476 (nec Guér.); **Lac.**, IV, 1857, 374 = *Cerocosmus Gemm.* 1873. *Dril.* 6.
- Cosmocorynus Ferrari**, Borkenk. 1867, 62 = *Pterocyclon* 1868. *Ip., Corth.* 105.
- Cosmoderes Eichh.**, Ratio Tomic. 1879, 495 (*C. monilicollis* Eichh. 1879) 1913:2 (Japon., Hindostan.). *Ip., Cryph.* 52.
- Cosmogramma Er.**, ArN. 13, 1874, 157; **Stal**, Mon. III, 1865, 230; **Chap.**, X, 1874, 369, 387 (*C. patricia* Er. 1847) 1916:7 (Peru, Boliv., Brasil.). *Chrys., Chryso., Chrys.* 16.
- Cosmonota Blanch.**, HNIns. 1845, 30; **Lac.**, V, 305 (*C. angustata* et *unicolor* [Blanch.] 1843) 1913:8 (Am. centr., Brasil., Boliv.). *Ten., Diaper.* 625.
- Cosmoplatus Goun.**, ASEFr. 80, 1911, 131 (*C. mandibularis* Goun. 1911) 1913:2 (Boliv., Brasil.: Goyaz.). *Ceramb., Ceramin., Pteropl.* 954.
- Cosmoplatus Goun.**, ASEFr. 80, 1911, 131 (*C. mandibularis* Goun. 1911) = Subg. ad *Cosmoplatus* Aur. 1891. *Ceramb., Ceramin., Pteropl.* 953, 1.
- Cosmoplatus Aur.**, O ETi. 1891, 101 (*C. peruvianus* Aur. 1891) 1913:1 (Peru). *Ceramb., Ceramin., Pteropl.* 953.
- Cosmosalia Casey**, Mem. Col. 4, 1913, 267 = Subg. ad *Leptura* L. 1758. *Ceramb., Ceramin., Lept.* 548, 5.
- Cosmosoma Gemm. u. Har.**, Cat. Col. IX, 1873, 2948 = *Cosmisoma* Serv. 1834). *Ceramb., Ceramin., Rhopal.* 890.
- Cossyphus Ol.**, E. III, 1795, 44 bis p. 1; **Latr.**, HN. Crust. et Ins. X,

1804, 324; **Cast.**, HN. III, 1840, 228; **Brême**, Essai monogr. II, 1846, 13, t. 1 f. A; **Lac.**, V, 352; **Jacq. du Val**, III, 1861, 291; **Desbr.**, Frelon, XI, 1902, 108; **Schaufuß** in Calwer, (814). — Mon.: **Desbr.**, Frelon IV, 1894, 4 (*C. depressus* [F.] 1781) 1913:23 (Mediterr., As., Afr. mer.). *Ten.*, *Cossyph.* 747.

Costleya Broun, Man. New Zeal. Col. V, 1893, 1115 (*C. discoidea* **Broun** 1893) 1913:1 (Nov. Zealand.). **Scar.**, *Melth.*, *Lipar.* 163.

Cotalpa O * **Burm.**, Hd. E. IV, 1, 1844, 423; **Ohs.**, DEZ. 1915, 256 (*C. lanigera* [L.] 1764) 1918:18, 4 Subgg. *Cotalpa* s. str. *Byrsop.*, *Paracot.*, *Parabyrs.* (Am.). — *Cotalpa* **Burm.** s. str. **O** * = Subg. I ad *C. Burm.* 1844 (Typ. ut ant.) 1918:4 (Am. bor.: Civ. confoed., Ariz., Utah, Kansas mer.). — **Biol.**: **Wickh.**, *JoNYES.* XIII, 1905, 2. **Scar.**, *Rut. hom.*, *Ruti.*, *Areod.* 2; 2.

Cotes Sharp, EMM. 14, 1877, 9; **Broun**, Man. New Zeal. Col. I, 1880, 410 (*C. vestita* **Sharp** 1877, *proba* **Broun** 1881) 1913:8 (Nov. Zealand.). *Anth.* 9.

Cothurus O **Champ.**, BCA.Col. IV, 2, 1891, 259 (*C. iridescent* **Champ.** 1891) 1915:1 (Mexic.). **Mord.**, *Mordi.* 1.

Cotidia Kirby in **Boisd.**, Voy. Astrolabe, Col. 1835, 208; **Blackb.**, TRS. South-Austral. 32, 1908, 370 = *Heteronyx* **Guér.** 1830. **Scar.**, *Melth.*, *Lipar.* 184.

?**Cotidia Kirby** in **Boisd.**, Voy. Astrolabe Col. 1835, 206, 208 = *Sericesthis* [Dej.] **Boisd.** **Scar.**, *Melth.*, *Lipar.* 191.

Cotulades O **Pasc.**, JoE. I, 1860, 119; **Reitt.**, DEZ. 30, 1886, 99 (*C. fascicularis* **Pasc.** 1860) 1913:3 (Melburnia, Tasmania, N.S.Wales). *Ten.*, *Stenos.* 242.

Coytiera O **Lefvr.**, Rev. MaZo. (3) III, 1875, 116; **Jac.**, BCA.Col. VI, 1881, 126, **Lef.**, MSLiége (2) 11, 1885, 25

(*C. marginicollis* **Lefvr.** 1875) 1914:7 (Mex., Columb., Cayenne, Brasil., Parag. 1). *Chrys.*, *Eumolp.*, *Iphim.* 34.

Craniodicticus **Bldfd.**, ANH. 15, 1895, 317 (*Cr. mucronatus* **Bldfd.** 1895) 1913:1 (Ceylon.). *Ip.*, *Hyles.* 9.

Craniophorus Kolbe, StEZg. 56, 1895, 343 (*Cr. grandiceps* **Kolbe** 1895). **Scar.**, *Orphn.* 7.

Craniotus Lec., ANYAcSc. V, 1851, 142; **Lac.** V, 28; **Horn**, Rev. *Ten.* 1870, 258; **Cas.**, PWash.Ac.Sc. 9, 1907, 459 (*Cr. pubescens* **Lec.** 1851) 1910:1 (Cal.). *Ten.*, *Craniot.* 186.

Craneromorphus Blackb. in Zo. Rec. 32, 1895, 225 et **Csiki**, Cat. *Endom.* 1901, 24; falso cit. pro *Crantherophorus* **Blackb.** 1896. *End.*, *Endo.*, *Lycop.* 41.

Crantherophorus Blackb. TRSSouth Austral. XIX, 1896, 232 (*Cr. clavicornis* **Blackb.** 1891) 1913:1 (N. S. W.) *End.*, *Endo.*, *Lycop.* 41.

Craspeda Motsch. in Schrenck's R. II, 1860, 191 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi.* 24.

Craspedomerus Bernh., EBl. 7, 1911, 88 (*Cr. glenoides* Schub., DEZ. 1908, 622) 1914:1 (Himalaya). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 346.

Craspedonipa Ws., ArN. 76, I, 1, 1910, 125; VN. 49, 1910, 120 (*Cr. modesta* Ws., 1910) 1913:1 (Brasil.). *Chrys.*, *Hisp.*, *Chalep.* 23.

Craspedus Bernh., ArN. 1908, 296 (*Cr. Iheringi* Bernh. 1908) 1913:1 (Brasil.). *Staph.*, *Oxyt.*, *Osori.*, *Osor.* 132.

Crathoplus O **Blanch.**, Cat. Coll. Ent. Col. 1850, 209; **Ohs.**, StEZg. 59, 1898, 45 (*Cr. squamiferus* **Blanch.** 1850) 1918:1 (Brasil., Minas-Ger., Espir. Santo, S. Paulo). **Scar.**, *Rut. hom.*, *Ruti.*, *Antich.* 53.

Cratidus J. Lee., Class., 1862, 239; **Horn**, Rev. *Ten.*, 327; **J. Lee. u. Horn**,

- Class. 1883, 375 (*C. osculans* [J. Lee.] 1851) 1913:3 (Calif.). *Ten.*, *Adelii*. 993.
Cratna O Raffr., Rev. d'E. 9, 1890, 109; 13, 1894, 275; ASEFr. 73, 1904, 9; GIW. *Psel.* 1908, 174 (*Cr. denticornis* Raffr. 1890, *Cr. mora* [Schauf.] 1882) 1913:5 (Singap., Penang, Celeb., Nov. Guin germ.). *Psel.*, *Pselas.*, *Batriss.* 191.
- Cratolampis* Motsch., Etud.E. 1852, 43 = *Vesta* Cast. 1833. *Lamp.*, *Lampr.* 14.
- Cratomomorphus* Lac. IV, 1857, 325 = *Cratomorphus* Motsch. 1852. *Lamp.*, *Phot.* 23.
- Cratomorphus* O Motsch., Etud. E. 1852, 35; *Ern. Ol.*, BSEFr. 1895, 145; GIW. *Lamp.* 1907, 28 (*Cr. giganteus* [Drury] 1782) 1913:25 (Amer. m., b.). *Lamp.*, *Phot.* 23.
- Cratnura* Reitt., VN. 13, 1875, 60, 64, sep. 10, 14 (*Cr. rufithorax* Reitt. 1875) 1913:1 (Chile). *Nitid.*, *Nit.*, *Carpophil.* 68.
- Cratopus* Eschsch., Zo.Atl. IV, 1831, 8 = *Scelosodis* Sol. 1835. *Ten.*, *Tentyr.* 131.
- Cratoscelis* O Er., ArN. I, 1 835, 1, 2 (*Cr. vulpina* et *discolor* Er. 1835) 1913:8 (Chile). *Scar.*, *Glaphyr.* 3.
- Cregya* J. Lee., Class. Col. N. Am. 1862, 197; New Spec. Col. 1865, 98; *Gorh.*, TESL. 1877, 417; *J. Lee. u. Horn*, Class. II, 219; *Schklg.*, GIW., *Cler.* 1903, 108; *Schaeff.*, JoN YES. 12, 1904, 220; *Wolcott*, Publ. Field Mus. Chicago 7, 1910, 383; B. Ind. Dept. Geol. Nat. I, 1910, 859 = *Pelonium Spin.* 1844. *Cler.*, *Coryn.*, *Enopl.* 159.
- Cremastodus* O Solier in Gay, HN. V, 1851, 103; Lac. III, 246 (*C. pubescens* Sol. in Gay 1851) 1913:2 (Chile). *Scar.*, *Melth.*, *Macrod.* 482.
- Cremnodes* O Gerst., Mon. *Endom.* 1858, 42; *Chap.*, G. Col. 12, 1876, 129; *Gorh.*, BCA. Col. 7 1887/99 (1891), 148 (*Cr. glaber* Gerst.) 1913:2 (Am.) centr., Brasil., Ecuad.). *End.*, *Endo.*, *Stenotars.* 69.
- Cremys* O Pasc., JoE. II, 1864, 246, ANH. (3) 19, 1867, 316 (*Cr. diophthalmus* Pasc. 1862) 1913:1 (Queensl.). *Ceramb.*, *Cerambin.*, *Clyt.* 837.
- Creophilus* O Mannerh., Brach. 1830, 16; *Olliff.*, PLSNSW. (2) II, 1887, 491; *Ganglb.*, KäfMEur. II, 1895, 414; *Schaufuß* in Calwer, 193, 200; *Kuhnt*, 166, 241.
 Biol.: Westw., *Introduct. mod.* Class. Ins. I, 1839, 168 f. 16, 1—8; *Schiödte*, NTi. (3) III, 1864/65, 195—197; l. c. p. 206 t. 10 f. 8; *Rupertsb.*, Biol. Käf. Eur. 1894, 120; *Mjöberg*, Ark.Zo. II, 1905, Nr. 17, p. 28. — (*Cr. maxillosus* [L.] 1758) 1914:13 (Palaearct., Sib. arct. or., Brasil., Am. b., Hawaii., Mex., Ins. Canar., Jap., Mong., Sum., Austral., Tasm., Madag. etc.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 341.
- Creophilus* Kirby. Gutfl.-B., 134.
- Crepischiza* Brenske, DEZ. 1903, 197 (*Cr. usambarae* Brenske 1903) 1913:1 (Usambara). *Scar.*, *Melth.*, *Melth.* 239.
- Crinosoma* J. Thoms., Class. Cer. 1860, 284, 298; Syst. Cer. 1864, 472 (*Cr. maculatum* Thoms. 1860) 1913:1 (Natal). *Ceramb.*, *Cerambin.*, (Trib. an *Aphns.* aut *Phil.*?) 1030.
- Criocephalus* O Muls., Col. Fr. *Long.* ed. I, 1839, 63, ed. 2, 1862, 123; *Gutfl.-B.*, 576; *Schaufuß* in Calwer, 845, 849; *Kuhnt*, 756, 777 (*Cr. rusticus* [L.] 1758) 1913:18. — 4 Subgg.: *Cr.* s. str., *Cephalocr.*, *Megas.*, *Cephal.* — (Eur., Sib., Corea, Birma, Tibet, Teneriff., Palmas, Am. b.). — *Cr.* s. str. = Subg. 1. (Hierro, Syr., Assam, Japon.). *Ceramb.*, *Cerambin.*, *Asem.* 25; 25, 1.
- Criocephalum* Schiödte, NTi. (3) II 1864, 520 = *Criocephalus* Muls. 1839. *Ceramb.*, *Cerambin.*, *Asem.* 25.

- †*Crioceridea* **Wickham**, B. Univ. Iowa Lab. 6 No. 3, 1912, 27 (*Cr. dubia Wickh.* 1912) 1913:1 (Miocän. Florida). *Chrys.*, *Crioc.*
- Criocerinus* **Fairm.**, ASEB. 38, 1894, 50 (*Cr. corallinus* Fairm. 1894) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 506.
- Crioceris* O ♀ + Geofr., HIns. Paris I, 1762, 237; *Lac.*, Mon. Phyt. I, 1845, 546; **G.G.Thoms.**, 8, 137; **Chap.X**, 1874, 76; **Ws.**, NID. 6, 1882, 67; **Everts II**, 407; **Jacoby**, *J. Clavareau*, GIW. 23, 1904, 26; **Jacoby**, F. Brit. Ind. Col. II, 1908, 71; Schaufuß in Calwer, 901, 903; **Kuhnt**, 802, 817. Morphol., Physiol.: **Lutz**, Psyche 16, 1908, 50—52, fig.; **Ws.**, DEZ. 1889, t. 3 f. 30; **Chinaglia**, Riv. Col. Ital. 8, 1910, 29 t. 1a f. 12.
- Parasitismus: **Lucas**, ASEFr. (6) 8, 1888, Bull., p. CII—CIV; **Crawford**, PESWash. 11, 1903, 150; **Fernald**, Jo.Econ.E. II, 278/9; — Biol.: **Ws.**, NID. VI, 67/8; **Kaltenb.**, Pflanzenf. 1874, 133/6; **Surma**, Spargelkäf., Landw. Presse Berlin 29, 1902, 391; **Schuster**, Jahrb. Nass. Ver. Nat. 59, 1906, 145—152 f. 1—11; **Schuster**, WEZg. 26, 1907, 111—115; **Reineck**, ZInsBi. 6, 1910, 65; **Jacobs.**, Käf. Rußl. 1909 f. 169; **Lucas**, ASEFr. 6 (1) 1881, (6) 6, 1886, et (6) 8, 1888 in Bull.; **Marseul**, ASEFr. (6) 6; 1886 in Bull.; **Fabre**, Souvenirs E. 7, 194—208; **Xambeu**, ASLLyon 45, 1898, 205; 66, 1909, 152 et 165; **Tullgren**, ETi. 24, 1903, 233—45; **Comstock**, Rep. Dept. Agric. 1879/80, 216/8 t. 3 f. 4; **Fuller**, AmE. 3, 1880, 3—5 f. 1; **Lintner**, Rep. Ins. N York I 188 239—246 f. 70—72; **Chittenden**, Yearb. US Dept. Agric. 1896 (97) 341—352 Bull. 10 (n. s.); Div. E. US. Dept. Agric. 1898, 54/9; US.Dept. Agr. E. Circ. 102, p. 2 f. 2, p. 5 f. 3a; Wash. US.Dept. Agr. Bur. E. Bull. 66, 1, 1907, 6/10; **Smith**, Report 1898, 456—464; **Felt**, Bull. N York Mus. 37, VIII, 27 f. 42; **Surface**, Bull. Pennsylv. Dept. Agric. Div. Zo. IV, 1906, 6/9; **Felt**, US.Dept. Agr. E. Bull. 46, 65/9; **Symons**, l. c., 97—99; **Britton**, l. c., 105—7. Liter. vide etiam **Clavareau** in Schkgl. u. J., Col. Cat. P. 51, 1913, 43/44, 45/46, 47, 48, 50 (*Cr. asparagi*, *merdigera* [L.] 1758, *duodecimpunctata*, *lilii* [Scop.] 1763) 1913:148 (Eur., As., Afr., Am. b.). *Chrys.*, *Crioc.* 3.
- Criodion* O Serv., ASEFr. II, 1833, 571 (*Cr. tomentosum* Serv. 1833, *cinereus* [Ol.] 1795) 1913:24 (Am. mer. trop.). *Ceramb.*, *Cerambin.*, *Cerambyc.* 161.
- Criolais* Muls., Col. France, *Angustic.* Suppl. 1858; Schaufuß in Calwer, 756 = *Apalus* F. 1775. — *Melo.*, *Nemogn.*, *Sit.* 64.
- Criolus* Wellm., ENs. 21, 1910, 316 = *Apalus* F. 1775. *Melo.*, *Nemogn.*, *Sit.* 64.
- Criomorphus* Muls., Col. Fr. *Long.* ed. I, 1839, 58; ed. 2, 1862, 115; *Guttl.-B.*, 575 = *Tetropium* Kirby 1837. *Ceramb.*, *Cerambin.*, *Asem.* 24.
- Crioprosopus* O Serv., ASEFr. III, 1834, 53; **Bates**, BCA. Col. V, 1885, 319 (*Cr. Servillei* Serv. 1834) 1913:18 (Tex., Mex., Ariz., Nicar., Hond., Ven., Nov. Granada). *Ceramb.*, *Cerambin.*, *Stenaspa.* 962.
- Cryphaeobius* Reitt., WEZg. 8, 1889, 278 = *Cryphaeobius* Kraatz 1882. *Scar.*, *Melth.*, *Melthi.* 336.
- Crisimus* Habelm. *Car.*, cf. P. II.
- Crobenia* Blackb., TRSSouth Austral. 14, 1891, 305; Schkgl., GIW. *Cler.* 1903, 119 (*Cr. eyrensis* Blackb. 1891) 1913:1 (Austral. sept.). *Cler.*, *Coryn.*, *Corynet.* 184.
- Crocidastus* Pasc., ANH. (3) 19, 1867, 319 = *Trichophorus* Serv. 1834. *Ceramb.*, *Cerambin.*, *Sphaero.* 248.
- Cronodagus* J. Thoms., Physis I, 1867, 88; *Lac.*, VIII, 130 = *Cronodacnus*

- J. Thoms.** 1860. *Ceramb.*, *Prion.*, *Callipogi.*, *Megop.* 47.
Crosita Motsch., Etud.E.1860; Schaufuß in Calwer, (932) (*C. altaica* Gebl. 1823) 1916:15 (As. c., Sib., China). 2 Subgg.: *Cr.*, *Pezocr.* — *Cr.* s. str. = Subg. 1 ad *Cr. Motsch.* 1860. 1916:13. *Chrys.*, *Chryso.*, *Chrysi.* 22.
Croxitops Mars., Abeille 21, 1883, 105 = *Chrysomela* L. 1758. *Chrys.*; *Chryso.*, *Chrysi.* 24.
Crossidius + J. Lec., Jo.Acad. Philad. (2) II, 1852, 102. — Synopsis: **Smiths.**, Misc. Coll. XI, 1873, 264; **Cas.**, Ann.N York Acad. VI, 1892, 31; **Hamilt.**, TAmES. 23, 1896, 171. — Variation: **Wickham**, Can. Ent. 23, 1893, 189—194, tab. (*Cr. testaceus* J. Lec. 1852) 1913:18 (Am. b., Mex., Cal., Ariz. etc.). *Ceramb.*, *Cerambi.* *Stenasp.* 987.
Crossotarsus O * **Chapuis**, Non. *Pl.* = **Chap.**, *Pl.*, 1865, 23, 44 (*Cr.* 12 Typ.). 1913:61 (Ind., Kaschm., Arch. malay. etc.). *Platyp.* 2.
 Sectiones: 1. *Crossotarsi genuini* **Chap.**, *Pl.*, 50 (*Cr. Wallacei* **Thoms.** 1857) 1913:8 (Ins. Malay. etc.); — 2. *Cr. barbati* **Chap.**, *Pl.*, 65 (*Cr. barbatus* **Chap.** 1912) 1913:5 (Ins. Molucc., Nov. Guin., Celeb.); — 3. *Cr. angulati* **Chap.**, *Pl.*, 71 (*Cr. minax* **Walk.** 1856) 1913:1 (Ceylon). — 4. *Cr. mutici* **Blandf.**, TESL 1894, 578 (*Cr. concinnus* **Blandf.** 1894) 1913:1 (Jap.). — 5. *Cr. cancellati* **Chap.**, *Pl.*, 73 (*Cr. Wollastonii* **Chap.** 1865) 1913:1 (Borneo); — 6. *Cr. trepanati* **Chap.**, *Pl.*, 75 (*Cr. trepanatus* **Chap.** 1865) 1913:2 (Sum., Borneo); — 7. *Cr. nitiduli* **Chap.**, *Pl.*, 77 (*Cr. nitens* **Chap.** 1865) 1913:1 (Ins. Sula); — 8. *Cr. subdepressi* **Chap.**, *Pl.*, 78. — Biol.: * **Chap.**, *Pl.*; **White**, Voy. Ereb. 11, 1846, 18; **Sharp** in **Perkins**, F. Hawaii. II, 3, Col. I, 182; **Strohm.**, DENation. Bibl. II, 1911, 182 etc. cf. **Strohmeyer** in Schklig. u. J., Col. Cat. P. 44, 1912, 5 (*Cr. Fairmairei* **Chap.** 1865) 1913:14 (Ind., Kaschm., Formosa, Jap., Molucc., Phil. Ins., Nov. Zealand., NSW., Bcnn., Celeb.); — 9. *Cr. spinulosi* **Strohm.**, EBl. 8, 1912, 85. — Biol.: * **Strohm.**, DENation Bibl. II, 1911, 182 (*Cr. spinulosus* **Strohm.** 1912) 1913:7 (Afr. trop. or. et occ., Congo gall.); — 10. *Cr. coleoprati* **Chap.**, *Pl.*, 85 (*Cr. Lacordairei* **Chap.** 1865) 1913:3 (Nov. Guin., Java, Ceyl.); — 11. *Cr. abdominales* **Chap.**, *Pl.*, 89. — Biol.: * **Strohm.** (cf. antea), 182 (*Cr. crinitus* **Chap.** 1865) 1913:12 (Afr. trop. et occ.); — 12. *Cr. alternantes* **Chap.**, 94 (*Cr. Erichsoni* **Chap.** 1865) 1913:3 (Camer., Afr. or. germ., Port Natal). — *Cr.* inc. sedis: 3 (Afr. or. 2; Queensl. 1). *Platy.* 2.
Crymus Fauv., Rev. d'E. 23, 1904, 92 (*Cr. antarcticus* **Fauv.** 1904) 1913:1 (Nov. Georg. mer.). *Staph.*, *Oxyt.*, *Oxyti.* Toxod. 108.
Cryphaeobius Kraatz, DEZ. 26, 1882, 313; 1892, 307/11 t. 4 f. 12; 1894 77/9; **Brensk.**, BEZ. 37, 1892, 79; ENa. 19, 1893, 91/6, 109/10; **Reitt.**, WEZg. 1889, 278; VN. 40, [Best.-Tab. 50], 163, 170 (*Cr. brunneus* **Kraatz** 1882) 1913:1 (Turkest., Transcasp.). *Scar.*, *Melth.*, *Melthi.* 336.
Cryphaeus Kl., Ins. Madag. 1833, 19 = *Toxicum* **Latr.** 1804. *Ten.*, *Tenebr.* 836.
Cryphaloides Formánek, EBl. 1908, 91 = (Subg. ad) *Cryphalus* **Er.** 1836. *Ip.*, *Cryph.* 50.
Cryphalomorphus Schaufuß, Tijdschr. E. 34, 1981, 12 (*Cr. communis* **Schauf.** 1891) 1913:1 (Madag.). *Ip.*, *Cryph.* 54.
Cryphalus O * **Er.**, ArN. II, 1836, I, 64; **Eichhoff**, BEZ. 8, 1864, 34 et 45; **Rat. Tom.** 1879, 121; **Europ. Borkenk.** 1881, 172; **Leconte**, TAmES. 1868, II, 151; **P. Am. E. Phil.** S. 15, 1876, 361; **Bedel**, F. Col. Seine 6,

- 1888, 396; **Reitt.**, Best.-Tab. 1894, 69; **Barbey**, *Scol.*, l'Eur. cent. 1901, 69; **Gutfl.-B.**, 565; **Blandfd.**, BCA.Col. IV, 6, 1904, 225; **Swaine**, Cat. Col. N.Am. 1909, 91; **Schaufuß** in Calwer, 1230/31; **Kuhnt**, 1046, 1054 (*Cr. fagi* [F.] 1778) 1913:96 (in omnib. part. orb. terr.). *Cryph.* 50.
- Cryphalus* **Eichh.**, Rat. Tom. 1879, 202 (pars); **Lee.**, TAmES. II, 1868, 153 (pars) = *Gnathotrichus* **Eichh.** 1868. *Ip.*, *Corth.* 111.
- Cryphalus* **Lee.**, TAmES. II, 1868, 154 (pars); **Swaine**, Cat. *Scol.* N.Am. 1909, 90 = *Corthyulus* **Er.** 1836. *Ip.*, *Corth.* 101.
- Cryphalus* **Lee.**, TAmES. II, 1868, 142 (pars) = *Pityophtorus* **Eichh.** 1864. *Ip.*, *Ip.* 71.
- Crypsinous* **Fairm.**, ASEFr. 60, 1871, 262 (*Cr. acutispina* **Fairm.** 1871) 1913:1 (Afr. trop.). *Ten.*, *Rhyssop.* 1129.
- Crypsis* **Waterh.**, EMM. 14, 1877, 73 (*Cr. violaceipennis* **Waterh.** 1877) 1913:1 (Laos). *Ten.*, *Cyphal.* 915.
- Cryptadius* **Lee.**, ANYAcSc. V, 1851, 140; **Lae.** V, 68; **Horn**, Rev. *Ten.* 1870, 262; TAmES. V, 1874, 32; **Casey**, Rev. Mon., 327 (*Cr. inflatus* **Lee.** 1851) 1913:4 (Cal.). *Ten.*, *Eurymet.* 19.
- Cryptadius* **Fairm.**, ASEB. 38, 1894, 395 = *Crypsinous* **Fairm.** 1871. *Ten.*, *Rhyssop.* 1129.
- Cryptarcha* **O Shuck**, Element. Brit. E. 1839, 165; **Gutfl.-B.**, 247; **Schaufuß** in Calwer, 442; **Kuhnt**, 476, 500 (*Cr. imperialis* [F.] 1792, *Cr. strigata* F.] 1787), *lineola* [**Eschsch.**] 1822, *rufipes* [F.] 1801) 1913:115 (Eur., As., Afr., Am., Austral.). *Nit.*, *Cryptar.* 146.
- Cryptarchips* **Reitt.**, F. Germ. 1911, 37 = Subg. ad *Glischrochilus* (**Murr.** ined.) **Reitt.** 1873. *Nit.*, *Cryptarc.* 154.
- Cryptarchula* **Ganglb.**, KäfMEur. III, 1899, 550; **Schaufuß** in Calwer, 443 = Subg. ad *Cryptarcha* **Shuck**. 1839. *Nit.*, *Cryptar.* 146.
- Cryptarchus* **Heer**, F. Helv. I, 1841, 409 = *Cryptarcha* **Shuck**. 1839. *Nit.*, *Cryptar.* 146.
- Cryptarthrum* **Bldfd.**, TESL. 1896, 200 (*Cr. Walkeri* **Bldfd.** 1896) 1913:1 (Ins. Damma). *Ip.*, *Cryph.* 51.
- Crypticanus* **Fairm.**, ASEFr. 61, 1897, 119 (*Cr. cuneatus* **Fairm.** 1897) 1913:1 (Port. Elisabeth.). *Ten.*, *Pedin.* 434.
- Crypticoides* **Fairm.**, ASEFr. 62, 1898, 189 (*Cr. Mellyi* **Fairm.** 1898) 1913:1 (Thibet., Birma). *Ten.*, *Tentyr.* 159.
- Crypticomorpha* **Cas.**, Mon. 1908, 81 = *Coniontis* **Eschsch.** 1829. *Ten.*, *Conio.* 426.
- Crypticus* **O** Latr.**, Règne anim. ed. I, 1817, III, 298; ed. II, 1829, 22; **Cast.**, HN. II, 1840, 211; **Redt.**, Gatt. 1845, 129; F. Austr. ed. I—III; **Muls.**, Col. Fr. *Latigènes* 1854, 125; **Lae.**, V, 223; **C. G. Thoms.**, Sk. Col. I, 114; VI, 239; **Gutfl.-B.**, 411; **Jacq. du Val**, III, 269; **Seidl.**, F. Ba. et Tr.; **NID.** V, 1894, 461; **Desbr.**, Frelon, X, 1901, 26; **Schaufuß** in Calwer, 803; **Kuhnt**, 739, 745 (*Cr. quisquilius* L. 1761) 1913:59 (Eur. med., As., Afr., Am.).
- Übersicht: **Reitt.**, ENa. 22, 1896, 145—151.
- Biol.: **Bouché**, NIns. 1834, 191; **Westw.**, Introd. 1839, I, 319; **Perris**, Larves, 1874, 269; **Thoms.**, VI, 239; **Schiödte**, NTi. 1879, III, 11, 535, 586, t. 7 f. 1—6; **Rosenh.**, StEZg. 43, 1882, 30; **Seidl.**, NID. V, 1893, 210, 213; **Sehlick**, E. Meddel. (2), I, 1897, 62. *Ten.*, *Cryptic.* 580.
- Cryptobates* **Fairm.**, Not. Leyd. Mus. IV, 1882, 231; **Kolbe**, ENa. 26, 1900, 74 (*Cr. rubriginea* **Fairm.** 1882) 1913:2 (Labuan, Sumatr.). *Ten.*, App., 1207 = *Ten.*, *Tenebr.* 796a.
- Cryptobelus* **J. Thoms.**, ASEFr. (5) 8, 1878, Bull. p. CXLVIII; **Lmr.**, MSEB. 11, 1903, 22 (Rév., 216)

- (*Cr. Gestroi J. Thoms.* 1878) 1913:1
(Nov. Guin.). *Ceramb.*, *Prion.*,
Macrot., *Cnem.* 25.
- Cryptobias* O Serv., ASEFr. III, 35;
Cast., HN. II, 1840, 419 (*Cr. coccineus*
Serv. 1834) 1912:2 (Bras.). *Ceramb.*,
Cerambin., *Sterna*. 942.
- Cryptobiella* Casey, T.Ac. St.Louis XV,
1905, 26, 29 = Subg. ad *Cryptobium*
Mannerh. 1830. *Staph.*, *Paed.*,
Paedi. 233.
- Cryptobium* O * Mannerh., *Brach.*
1830, 32; Sharp, TESL. 1876, 210;
Ganglb., KäfMEur.II, 1895, 495; Casey,
T.Ac. St.Louis XV, 1095, 27; Gutfl.-B.,
151; *Schaufuß* in Calwer, 180, 186;
Kuhnt, 164, 225. — Biol.: Wickham,
B. Labor. NH. Univ. Iowa; II, 341
t.5, f.16. — (*Cr. fracticorne*[Payk.] 1800).
— 11 Subgg. *Ader.*, *Asten.*, *Bioocr.*,
Crypt., *Eucrypt.*, *Gastr.*, *Hesp.*,
Homoeo., *Lissob.*, *Monocr.* et *Pycnocr.*
— 1912:253 (in omn. part. orb. terr.
distr.). *Staph.*, *Paed.*, *Paedi.* 233.
- Cryptochile* O Latr., Règne anim. ed. II,
V, 1829, 7; **Sol.**, ASEFr. 9, 1840,
248; **Lac.**, V, 88; Haag, BEZ. 16,
1872, 274 (Mon.). (Typ. ?; *Cr. assi-*
milis Sol. 1840, *echinata* [F.] 1781,
costata [F.] 1801, *maculata* [F.] 1781,
minuta [Ol.] 1795) 1913:26 (Afr.
mer.: Terr. Cap. etc.). *Ten.*,
Cryptoch. 250.
- Cryptodacne* Sharp, EMM. 15, 1878, 82
(*Cr. synthetica* Sharp 1878, *Brauni*
[Pasc.] 1876) 1913:6 (Nov. Zealand.,
Auckl.). *Erot.*, *Dacn.* 73.
- Cryptogenius* Sol., Mem. Accad. Sc.
Torino (2) 6, 1843, 249 (37) = *Phry-*
nocolus Lacord. 1851. *Ten.*, *Molur.*
302.
- Cryptogenius* O Westw., TESL. IV,
1846, 169 (*Cr. miersianus* Westw.
1846) 1913:2 (Brasil., Columb.).
Scar., *Trog.* 3.
- Cryptoglossa* O Sol., ASEFr. 5, 1836,
680; **Lac.** V, 133; Horn, Rev. *Ten.*
1870, 278; Lec. u. Horn, Class.,
- 1883, 368 (*Cr. bicostata* Sol. 1836)
1913:5 (Mex., Cal., Rio Colorado).
Ten., *Cryptogl.* 266.
- Cryptomera* Broun, Man. N. Zeal. Col.
VI, 1893, 1358 (*Cr. nigra* Broun 1893)
1915:1 (Nova Zealand.). ?*Mord.*
(pos. inc.) [18].
- Cryptommatus* Matthews, Cist. E. III,
1884, 85 t. 5 = *Myotyphlus* Fauv.
1883. *Staph.*, *Staphy.*, *Staphyl.*,
Qued. 392.
- Cryptonychellus* Ws., Sjöst. Kilimandj.
1909, 240 = Subg. 2 ad *Cryptonychus*
Gyll., (*Cr. angusticeps* Gestro 1907)
1913:2 (Kilimandjaro, Camer.).
Chrys., *Hisp.*, *Crypton.* 63, 2.
- Cryptonychus* O Gyll., Synon. Ins. I,
3 App. 1817, 7; Kolbe, SteZg. 60,
1899, 184; Gestro, AMus.G. 1906,
132 et 505 (*Cr. porrectus* Gyll. 1817)
1913:27 (Afr. trop. or. occ. etc.).
Etiam Subg. 1 ad *Cr. Chrys.*, *Hisp.*,
Crypton. 63; 63, 1.
- Cryptophilus* * Reitt., VzbGW. 24, 1874,
381; VN. 26, 1887, 14; **Ganglb.**,
III, 1899, 655; *Schaufuß* in Calwer,
483; **Kuhnt**, 528, 530. — Biol.: **Rey**,
BSEFr. 1893, 329. — (Typ. ?; *Cr. integer*
[Heer] 1838, *obliteratus* et *propinquus*
Reitt. 1874) 1913:8 (Eur. mer., Japon.,
Ceyl., Birma, Madag.). *Erot.*,
Diphyl. 100.
- Cryptophilus* Wasm., Krit. Verz. Myrm.
Arthr. 1894, 217 nec Reitt. 1874
= *Philocryptus* Wasm. 1895. *End.*,
Mycet., *Myceta*. 9.
- Cryptopleura* J. Lec., Jo. Ac. Phil. (2)
II, 1850, 6 = *Agallissus* Dalm. 1823.
Ceramb., *Cerambin.*, *Agall.* 922.
- Cryptoporus* Motsch., B. Mosc. 31,
1858, 2, 654 = Subg. ad *Medon*
Steph. 1832. *Staph.*, *Paed.*, *Paedi.*
199.
- Cryptops* Sol. in Gay, H. Chile V,
1851, 235; **Lac.** V, 340 = *Alphitobius*
Steph. 1832. *Ten.*, *Ulam.* 700.

- Cryptoraeæ* O Reitt., Syst. Eintheil. *Nitid.* 1873, 55, 57 (*Cr. americana* Reitt. 1873, *Dalmasi* Grouv. 1902) 1913:2 (Columb., Venez.). *Nit.*, *Meligeth.* 17.
- Cryptorama* Fall., TAmES. 31, 1905, 211, 256 (*Cr. holosericeum* J. Lec., *minutum* J. Lec. 1878) 1913:4 (Am. bor.: Civ. conf. o.) *Anob.*, *Dorcat.* 70.
- Cryptorea* in **Grouvelle**, Schklg. u. Junk, Col. Cat. P. 56, 1913 in Indic. p. 197 = err. pro *Cryptoraeæ* Reitt. 1873. *Nit.*, *Meligeth.* 17.
- Cryptorhinula* O Schaufuß, TijE. 30, 1887, 149; Raffr., Rev. d'E. 9, 1890, 119, 124; ASEFr. 65, 1896, 257; 73, 1904, 112; GIW. *Psel.* 1908, 215 (*Cr. nodifera* Schaufuß 1887) 1913:7 (Brasil., Carac., Guatém.). *Psel.*, *Psel.*, *Brachygl.* 1234.
- Cryptorhopalum* O Guér., Ic. règne anim. Ins. 1838, 67; Jayne, P. Am. Phil. S. 20, 1882, 364; Sharp, BCA. Col. II, 1, 1902, 652 (Typ.?) ; *Cr. haemorrhoidale* [J. Lec.] 1824, *balteatum* [J. Lec.] 1854, *maculatum* [F.] 1801, *quadripunctatum* Guér. 1839) 1913:111 (Ind. or., Oahu, Celeb., Amer.). *Derm.*, *Metag.* 25.
- Cryptostetha* O Baly, TESL. (n. s.) IV, 1858, 349; Stal, Mon. II, 1863, 139; Chap. X, 368, 393 = Subg. 2 ad *Labidomera* Chevr. 1843 (*Cr. imperialis* Baly 1878) 1916:14 (Am. mer.-trop., Brasil.). *Chrys.*, *Chryso.*, *Chrysi.* 7, 2.
- Cryptotrogus* Kraatz, DEZ. 32, 1888, 206; 1895, 409; Brenske, StEZg. 55, 1894, 272; Reitt., WEZg. 8, 1889, 277; VN. 40 [Best.-Tab. 50], 256, 279 (*Cr. Weisei* Kraatz 1888) 1913:1 (Aegypt.). *Scar.*, *Melth.*, *Melthi*. 356.
- Crypturgus* O Er., ArN. II, 1836, I, 60; Eichb., BEZ. 8, 1864, 33 et 44, 46; Zimm., TAmES. II, 1868, 142; Lec., P. Am. Phil. S. 15, 1876, 387; Eichb., Rat. Tom. 1879, 72; Bedel, F. Col. Seine 6, 1888, 389; Reitt., Best.-Tab. 1894, 63; Barbey, Scol., 68; Trédl., EBl. 3, 1907, 11; Swaine, Cat. Col. NAm. 1909, 93; Gutfl.-B., 564; Schaufuß in Calwer, 1229; Kuhnt, 1046, 1054 (*Cr. cinereus*[Hbst.] 1793) 1913: 12 (Eur., As., Afr., Amer.). *I.p.*, *Crypt.* 43.
- Crypturgus* Zimm., TAmES. II, 1868, 142 (pars); Bldfd., BCA. Col. IV, 6, 1904, 246; Swaine, Cat. Scol. N. Am. 1909, 108 = *Gnathotrichus* Eichh. 1868 *I.p.*, *Corth.* 111.
- Crypturgus* Zimm., TAmES. II, 1868, 142 pars = *Pityophthorus* Eichb. 1864. *I.pin.* 71.
- Crypturgus* Zimm., TAmES. II, 1868, 142 = *Corthylus* Er. 1836. *I.p.*, *Corth.* 101.
- Crypturus* Mars., Mon. 1853, 290 = *Cypturus* Er. 1834. *Hist.* 29.
- Cteisa* O Sol., ASEFr. IV, 1835, 242; Cast., HN. II, 1840, 245; Lac., V, 1859, 516; Champ., BCA. Col. IV, 1, 1888, 465 (*Ct. hirta* Sol. 1835) 1913:2 (Brasil., Columb.). *All.* Allec. 94.
- Ctenaxina* Schklg., DEZ. 1906 254 = Subg. ad *Axina* Kirby 1818 (*Ct. brunnea* Schklg. 1906) 1913:1 (Peru bor.). *Cler.*, *Cleri.*, *Clerin.* 45.
- Ctenicellus* O Raffr., 1904 (Typ.?) ; *Ct. laticollis*[Raffr.] 1900, *major* Raffr. 1904) 1913:2 (Adelaide, Melbourne). *Psel.*, *Psel.*, *Ctenist.* 362.
- Ctenidia* Cast., HNIIns. Col. II, 1840, 264, Gerst., *Rhip.* 13; Lac. V, 1, 619 (*Ct. mordelloides* Cast. 1840) 1913:1 (Afr. mer.). *Rhip.*, *Pelecot.* 1.
- Cteniopachys* Fairm., Compt.rend. SEB. 33, 1889, 92; ASEB. 37, 1893, 377; Schklg., GIW. Cler. 1903, 11 (*Ct. tenebrosus* Fairm. 1889) 1913:1 (Madag.). *Cler.*, *Cleri.*, *Till.* 15.
- Cteniopinus* Seidl., NID. V, 2, 1896, 200; Reitt., VN. 45, 1906, 116, 129; Schaufuß in Calwer, (787) (*Ct. altaicus* Gebl. 1830) 1913:6 (As. or. Amur, Altai). *All.*, *Omophl.* 101.

- Ctenioposomus* Reitt., VN. 45, 1906, 131
= Subg. ad *Ctenopus* Sol. 1835.
All., *Omophl.* 107.
- Ctenopus* Lec., New Col. 1866, 64
= *Andrimus* Casey 1896. *All.*,
Allec. 86.
- Ctenopus* Sol., ASEFr. 4, 1835, 246;
Jacq. du Val, 3, 1859/63, 351; *Seidl.*,
NID. 2, 1896, 205; Reitt., VN., 45,
1906, 117, 131; Best.-Tab.; WEZg.
9, 1890, 256; *Schaufuß* in Calwer, 787;
Kuhnt, 732, 735 (*Ct. flavus* [Scop.]
1763) 1913:19 (Eur., As.). *All.*,
Omophl. 107.
- Ctenisis* Raffr., Rev. d'E. 9, 1890, 141;
ASEFr. 65, 1896 (Typ.?; *Ct. aequinoc-*
tialis Aubé 1841) 1913:8 (Mex.;
Amer. mer.). *Psel.*, *Psela.*, *Ctenist.*
365.
- Ctenisodes* Raffr., ASEFr. 65, 1896,
274; 73, 1904, 337; GIW. *Psel.*
1908, 346 (*Ct. laticeps* Raffr. 1896)
1913:1 (Mexic.). *Psel.*, *Psela.*,
Ctenist. 363.
- Ctenisomimus* O Raffr., ASEFr. 73,
1904, 336, 341; GIW. *Psel.* 1908,
339 (*O'Neili* Raffr. 1898) 1913:2
(Cap. b. sp., Madag.). *Psel.*, *Psela.*,
Ctenist. 355.
- Ctenisomorphus* O Raffr., Rev. d'E. 9,
1890, 140, 142; ASEFr. 1892, 497;
73, 1904, 497; GIW. *Psel.* 1908, 339
(*Ct. major* Raffr., 1877) 1913:3 (Abyss.
Palæst., Sumatr.). *Psel.*, *Psela.*,
Ctenist. 354.
- Ctenisophus* Raffr., PLSNSW. 1900,
208; ASEFr. 73, 1904, 337; GIW.
Psel. 1908, 344 (Typ.?; *Ct. Kreusleri*,
vernalis [King] 1863) 1913:15+3
(Austral., Queensl., Tasm., Nov.
Guin., Sum., Siam). *Psel.*, *Psela.*,
Ctenist. 361.
- Ctenistes* O Reichenb., Mon. *Psel.* 1816,
75; Aubé, *Psel.* Mon. 1833, 17;
ASEFr. (2) II, 1844, 96; *Jacq. du Val*,
I, 132; *Sauley*, B. Metz (Spec. I),
1874, 55; Reitt., VzbGW. 31, 1881,
450, 453; Raffr., Rev. d'E. 9, 1890,
141, 142; ASEFr. 73, 1904, 336;
GIW. *Psel.* 1908, 337; *Ganglb.* II, 849;
Gutfl.-B., 191; *Schaufuß* in Calwer,
253, 254; *Kuhnt*, 306, 317 (*Ct. palpalis*
Reichenb., 1816) 1913:20 (Eur. mer.
et or., Mediterr., As. mer., Arab.,
Born., Sum., Cap. b. sp.). *Psel.*,
Psela., *Ctenist.* 353.
- Ctenobium* J. Lec., PAcPhil. 1865, 229;
Fall, TAmES. 31, 1905, 154, 169
(*Ct. antennatum* J. Lec. 1861) 1913:1
(Am. bor.: Civ. confoed.). *Anob.*,
Anobi. 30.
- Ctenodes* O Ol., E. VI, 95 bis, 1807.
779; *J. Thoms.*, Syst. Cer. (*Ct. decem-*
maculata Ol. 1807) 1913:5 (Brasil.:
Pará). *Ceramb.*, *Cerambin.*, *Tropst.*
938.
- Ctenomastax* O Kraatz in Heyd., Reise
südl. Span. 1870, 84 t. 2 f. 4; Sharp,
BCA. Col. I, 2 (1886), 640 (*Ct. Kiesen-*
wetteri Kraatz 1870) 1913:3 (Hispan.,
Aeg., Andal., Tunes.). *Staph.*,
Euaesth., *Euaesthi.* 156.
- Ctenomax* Duvivier, Kat. *Staph.* 1883,
1883, 177 = *Ctenomastax* Kraatz 1870.
Staph., *Euaesth.*, *Euaesthi.* 156.
- Ctenophorus* Chap., Mém. S. Liège 1869,
105, Syn. Scol. 257 (*Ct. laevigatus*
[Ferr.] 1867) 1913:1 (Columb.). *Ip.*,
Hyl. 78.
- Ctenopteryx* O Flach, VzbGW. 39,
1889, 517; Best.-Tab. eur. Col. 18,
1889, 39; *Ganglb.*, III, 324, 325;
Schaufuß in Calwer, (299) = Subg. 1
ad *Acrotrichis* Motsch. 1845 (Typ.?;
Ct. grandicollis [Mannerh.] 1844, *Ct.*
Montandoni [Allib.] 1844; *Ct. atomaria*
[Geer] 1774, *brevipennis* [Er.] 1845,
fascicularis [Herbst] 1793) 1913:2
(Eur. As.: Sib., Jap., Afr.: Alger.,
Am. bor.: Guat.). *Ptil.*, *Ptili.*,
Acrotr. 29, 1.
- Ctenopus* O Fisch., ER. II, 1824, 174;
Schaufuß in Calwer, 756 (*Ct. melan-*
gaster Fisch. 1824) 1917:19 (As. centr.:
Transcasp., Turkest., Pers. etc.).
Melo., *Nemogn.*, *Sit.* 61.

- Ctenotis* Burm., Hd. E. IV, 2, 20 (*Ct. obesa* Burm. 1855) 1913:1 (Matto Grosso). *Scar.*, *Melth.*, *Macrod.* 464.
- Ctenoscelis* O Serv., ASEFr. I, 1832, 134; J. Thoms., Class. *Cer.*, 291; Syst. *Cer.*, 477; *Lac.* VIII, 87; Lmr., ASEB. 49, 1906, 311 (RÉV., 498) (*Ct. Coeus* Perty 1830) 1913:4. 2 Subgg. *Apotri.* et *Ct.* — *Ct. s. str.* = subg. 2 ad *Ct.* (Type ut antea). — Monogr.: **Buquet**, ASEFr. (2) 1, 1843, 231 (Parana, Goyaz, Boliv., Brasil., Misiones). *Ceramb.*, *Prion.*, *Macrot.* *Tit.* 22; 22, 2.
- Ctenotillus* O Raffr., ASEFr. 65, 1896, 277; l. c. 73, 1904, 363; GIW. *Psel.* 1908, 367 (*Ct. costatus* Raffr. 1896) 1913:1 (Sumatra). *Psel.*, *Psel.*, *Tyr.* 376.
- Ctesias* O Steph., Ill. Brit. E. III, 1830, 124; *Ganglb.*, IV, 1, 1904, 36. — Biol.: Waterh., EMa. II, 1834, 373/5, t. 10 f. 3; III, 1836, 412; Westw., Introd. Class. Ins. I, 1839, 159 (160) t. 14 nr. 18; Er., NID. III, 1846, 451; Perris, ASEFr. (2) 4, 1846, 339, t. 9 nr. 4 f. i; Sturm, 19, 83; **Candèze** u. **Chapuis**, MSScLiége 8, 1853, 442/3 t. 3 f. 2; Kawall, StEZg. 28, 1867, 123; **Muls.** et **Rey**, Scut. 135/6; **Grenier**, ASEFr. (4) 10, 1870, Bull. p. VIII; **Thevenet**, l. c. (5) 4, 1874, Bull. p. CXII; **Carpentier**, ASLinn. Nord de la Fr., III, 1877, 217—218; **Decaux**, Natural. 13, 1891, 26/27, f.; **Oudemans**, TijE. 1896, Versl. p. LXXX—LXXXI; **Donisth.**, E. Rec. 8, 1897, 162; *Ganglb.*, IV, 1, 37; **Schaufuß** in Calwer, 599, 602; **Kuhnt**, 603 (*Ct. serra* [F.] 1792) 1913:1 (Eur.). *Derm.*, *Metag.* 24.
- Ctesibius* Champ. BCA. Col. III, 1, 592 (*Ct. eumolpoides* Champ. 1897) 1914:1 (Mexico). *Dasc.*, *Artem.* 2.
- Ctesicles* O Champ. TESL. 1896, 7 (*Ct. insularis* Champ. 1896) 1913:7 (St. Vinc., Grenada). *Ten.*, *Pedin.* 471.
- Ctilocephala* Burm. Hd. E. IV, 2, 1855, 78 (*Ct. pellucens* Burm. 1855) 1913:1 (Columb.). *Scar.*, *Melth.*, *Macrod.* 493.
- Ctilodes* O Murr. Monogr. 1864, 339 (*Ct. bostrychoides* Murr. 1864) 1913:1 (Morty). *Nit.*, *Carpophil.* 52.
- Ctimene* Bates TESL. 1873, 359 (*Ct. Brewerii* Bates 1873) 1913:1 (Austral.). occ.). *Ten.*, *Cyphal.* 895.
- Ctonoxylon* O Haged. DEZ. 1910, 4 (*C. auratum* Haged. 1910) 1913:4 (Camerun.). *I.p.*, *Ecc.* 91.
- Cubaecola* Lmr. MSEB. 21, 1912, 164 (RÉV., 1045) (*C. hoploderooides* Lmr. 1912) 1913:1 (Cuba). *Ceramb.*, *Prion.*, *Callipogii*, *Hoplod.* 54.
- Cudnellia* Blackb. PLSNSW. (2) IV, 1890, 461 (*C. mystica* Blackb. 1890) 1914:1 (Austral. mer.). *Chrys.*, *Eumolp.*, *Iphim.* 39.
- Cumaltera* Jord. NoZo. I, 1894, 162 (*C. robusta* Jord. 1894) 1913:1 (Congo). *Ceramb.*, *Cerambin.*, *Callichr.* 714.
- Cumatotomicus* Ferr. Borkenk. 1867, 144 = *Ips* De Geer 1775. *I.p.*, *Ipin.* 56.
- Cuneopholis* Burm. Hd. E. IV, 2, 1855, 283 = *Coniopholis* Er. 1847. *Scar.*, *Melth.*, *Melthi.* 257.
- Cupanoscelis* Goun. ASEFr. 77, 1909, 618 (*C. heterocrita* et *clavipes* Goun. 1909) 1913:2 (Brasil.). *Ceramb.*, *Cerambin.*, *Ebur.* 25.
- Cupes* O F. Syst. El. 1801, 66; *Lac.* IV, 1857, 506 (*C. capitatus* F. 1801) 1913:13 (As. or., Afr., Madag., Phil. Ins., Amer. b.). *Cup.* 1.
- Cuphotes* O Champ. BCA. Col. IV, 1887 (Typ.? *C. erotoyloides* [Kirby] 1818, *C. Jansoni* Champ. 1887, *cinctus* [Ol.] 1795, *sphacelatus* [F.] 1801) 1913:25 (Am. c. et mer.). *Ten.*, *Strongyl.* 1155.
- Cupila* Casey, Col. Not. 7, 1897, 561 (*C. clavicornis* [Macklin] 1852) 1913:1 (Sitka). *Psel.*, *Psel.*, *Euplect.* 53
- Curculionellus* O Westw. TESL. 1870, II, 127; Raffr. Rev. d'E. 9, 1890,

- 138, 139; PLSNSW. 1900, 204; ASEFr. 73, 1904, 318; GIW. *Psel.* 1908, 311 (*C. punctatus* [King] 1865, (*C. doreianus* et *glabrimollis* Westw. 1870) 1913:9 (Austral., Nov. Guin., Sum.). *Psel.*, *Psel.*, *Pselaph.* 329.
- Curimopsis* Ganglb. Münch. Kol. Z. I, 1902, 50; Ganglb. IV, 1, 84, Schaufuß in Calwer, 619 = Subg. ad *Syncalepta* Steph. 1830. *Byrrh.*, *Byrrhi*. 26.
- Curimus* O. Er. NID.III,472; Jacq. du Val II, 264; Muls. et Rey, Pil. 42 (242); Guttl.-B.,289; Reitt., VzbGW. 31, 1881 (Tab. 4), 69; DEZ. 28, 1884, 72; Ganglb., Münch. Kol. Z. I, 1902, 46; Ganglb., IV, 1, 80; Schaufuß in Calwer, 612; Kuhnt, 610, 615. — Biol.: Ws., DEZ. 1897, 391. — (*C. erinaceus* [Duftschm.] 1825) 1913:20 (Eur., mer. Cauc., Morea). *Byrrh.*, *Byrrhi*. 25.
- Curitiba* Lmr., MSEB. 11, 1903, 26 (Rév., 220) = Subg. ad *Strongylaspis* J. Thoms. 1860 (*C. Brunni* Lmr. 1903 1913:1 (Parana). *Ceramb.*, *Prion. Macrot.*, Arch. 7.2.
- Curius* O Newm., Ent. I, 1840, 17 (*C. dentatus* Newm. 1840) 1913:2 (Florid., Panama). *Ceramb.*, *Cerambin.*, *Curi*. 344.
- Curius* Lac., VIII, 1869, 352 = *Plectromerus* J. Lec. 1873. *Ceramb.*, *Cerambin.*, *Curi*. 345.
- Curticomus* Pic, Rev. Scient. Bourb. VII 1894, 41, 42 = Sect. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Curtomerus* Steph., Man. Brit. Col. 1839, 275 = *Cylindera* Newm. 1833. *Ceramb.*, *Cerambin.*, *Calldp.* 318.
- Curtos* Motsch., Etud. E. 1854; Ern. Oliv., GIW. *Lamp.* 1907, 55 (*C. mongolicus* Motsch. 1854) 9113:2 (Mongol., Java). *Lamp.*, *Luci*. 45.
- Curtotomoderus* Pic, Echange, 16, 1900, 89 = Subg. ad *Tomoderus* Laf. 1848. *Anth.* 11.
- Cyamophthalmus* Kraatz, BEZ. VII, 1863, 99; Schaufuß in Calwer, 845 = *Alocerus* Muls. 1862. *Ceramb.*, *Cerambin.*, *Asem.* 23.
- Cyanaugea* Gorh., EMM. XI, 1874, 54 (*Cynauges*); PSZL. 1887, 650; Chap., G. Col. 12, 1876, 137 = *Caenomychus* Lewis 1893. End. 80.
- Cyaneolytta* O Péring., TRSSouthAfr. I, 1, 1909 p.249 (Typ.?; *C. pectoralis* [Gerst.] 1854, *gigas* [F.] 1792) 1917:38 (Ind. or., Afr. trop. et mer.). *Melo.*, *Lytt.*, *Lytti*. 28.
- Cyanostolus* O. Ganglb., KäfMEur. 3, 1899, 558; Mézquinon, Abeille 31, 1909, 105; 1914, 158; Reitt., F. Germ. 3, 1911, 41; Schaufuß in Calwer, 447 = Subg. 1 ad *Rhizophagus* Herbst 1793 (nom. emend. 1844) (*C. aeneus* [Richt.] 1826) 1914:1 (Europ., Cauc.). *Rhiz.* 3.
- Cyathiger* O King, TESNSW. I, 1865, 174; Raffr., Rev. d'E. 9, 1890, 134; 14, 1895, 46; ASEFr. 73, 1904, 304; GIW. *Psel.* 1908, 301 (*C. punctatus* King 1865, *C. sylvestris* Raffr. 1882) 1913:24 (Males., Singap., Austral.). *Psel.*, *Psel.*, *Cyathig.* 321.
- Cyathocerus* O Sharp, BCA. Col. I, 2, 1882, 141 (*C. Horni* Sharp 1882, 1913:1 (Guatém., Panama). *Cya.*
- Cybebus* O Schönh., Gen. Spec. Curc. V, 1839, 447; Lac., HNIns. 6, 1863, 540 (*C. dimidiatus* [F.] 1797) 1913:7 (Madag., Viti Levu). *Curc.*, *Ap.*, *Apion*. 5.
- Cybocephalus* O Er. in Germar, ZE. IV 1844, 441; Schaufuß in Calwer, 441; Kuhnt, 476, 499 (*C. politus* [Gyll.] 1813, *festivus* et *pulchellus* [Er.] 1845) 1913:50 (Eur. med. et mer., Mediterr., Ind., Assam etc., Am. b., Seychell., Afr., Am. mer.). *Nit.*, *Cyboc.* 156.
- Cybotus* Cas., ANYorkAcSc. V 1891, 409, 481; VIII, 1895, 617 (*C. striatus* [Lec.] 1878) 1913:1 (Florida). *Ten.*, *Pedin.* 468.
- †*Cychramites* O Wickh., B. Lab. Iowa 6, No. 4, 1913, 14 (*C. hirtus* Wickh. 1913) 1913:1 (Miocän. Colorado). *Nit.*, *Nitid.* 104a.

- Cychrampodes* Reitt., DEZ. 22, 1878,
383 (*C. murrayi* Reitt. 1878) 1913:1
(Austral.). *Nit.*, *Nitid.* 119.
- Cychromus* Kugel in Schneid., Ma. I,
V 1794, 543; Guttl.-B., 246; Schaufuß
in Calwer, 423, 439 (*C. luteus* [F.] 1787,
variegatus [Herbst] 1792) 1913:16
(Eur. b., med., Jap., Alger., Celeb.,
Argent., Am. b.: Civ. confoed.). *Nit.*,
Nitid. 104.
- Cycrea* Baly, JoE. II, 1864, 222;
Jac., TESL. 1900, 494 = *Chalco-*
phana Chevr. 1843. *Chrys.*, *Eumolp.*,
Chalcoeph. 75.
- Cychocephalus* Reitt., System. Eintheil.
Nitid. XIII, 1873, 180 = *Cycho-*
piestus Reitt. 1875. *Nit.*, *Meligeth.* 14.
- Cychropiestus* Reitt., Col. Hefte XIII,
1875, 185 (*C. corvinus* et *luctuosus*
Reitt. 1875) 1913:2 (Mex., Columb.).
Nit., *Meligeth.* 14.
- Cyclaxyra* Broun, Manual N. Zeal. Col.
II, 1893, 1076 (*C. politula* [Broun]
1881) 1913:1 (Nov. Zeal.). *Nit.*,
Nitid. 131.
- Cylinus* Kirby, F. bor. Am. IV, 1837,
78 = *Dineutes* McLeay 1883. *Gyr.* 1.
- Cyclopleurus* Hope, TZSL. I, 1835.
107 = *Elaphidion* Serv. 1834,
Ceramb., *Cerabin.*, *Phorac.* 224.
- Cyclococcus* Sharp, BCA. Col. II, 1,
1891, 361 (*C. brevicollis* et *monticola*
Sharp 1891) 1913:3 (Guatem., Pana-
ma). *Nit.*, *Nitid.* 124.
- Cyclocaceus* Grouvelle in Schklig. u.
Junk, Col. Cat. P. 56, 1913 in Indic.
p. 197 = err. pro *Cyclococcus* Sharp
1891. *Nit.*, *Nitid.* 124.
- Cyclocranium* O Poll, TijE. 34, 1892,
219 (*C. Swiestrae* Poll 1892) 1913:1
(Victoria). *Ceramb.*, *Cerabin.*,
Pseudeph. 449.
- Cyclodema* Cast., HN. Col. 1840, 68
= *Eucranium* Brullé 1834. *Scar.*,
Copr., *Scarbi.*, *Eucr.* 2.
- Cyclodera* White, Stokes Voy. I, 1846,
- 510 = *Purpuricenus* Germ. 1823/24,
Ceramb., *Cerabin.*, *Stenasp.* 973.
- Cycloderus* Sol. in Gay, H. Chile V,
1851, 252; Lac. V, 701 et 709; Seidl.,
NID. V, 2, 813 (*C. rubricollis* 1851)
1915:5 (Chile 4, Magellan 1). *Oed.*,
Oedem., *Ascler.* 9.
- Cyclodinus* Muls. et Rey, Colligères
1866, 77, Schaufuß in Calwer, (746)
= Subg. ad *Anthicus* Payk. 1798.
Anth. 19.
- Cyclomela* O Baly, TESL. (n. s.) III,
7, 1856, 257; Chap. X, 369, 403
(*C. nitida* Baly 1856) 1916:1 (Sin.,
Moreton). *Chrys.*, *Chryso.*, *Phaedon.*
63.
- Cyclomera* O Klug, Monatsber. Ak.
Berlin, 1855, 658; in Peters Reise n.
Mozambique V, 1862, 255 t. 15;
Péring., TSAfr. Phil. Soc. 13, 1904,
140 (*C. dipar* et *castanea* Klug 1855)
1913:5 (Mossamb. 3, Afr. m.; Lac.,
Ngami; Afr. c.-occ.). *Scar.*, *Melth.*,
Pachyd. 434.
- Cyclommatus* O Parry, TESL. 1863, 9;
Ritsema, Not. Leyd. Mus. 14, 1902, 3.
1910:32 (Birma, Nias, Arch. malay.).
Luc., *Clad.* 30.
- Cyclomorpha* Broun, Manual N. Zeal.
Col. II, 1881, 667 = *Cyclaxyra*
Broun 1893. *Nit.*, *Nitid.* 131.
- Cyclomorphus* Hope, Rev. Zo. 1841,
114; Lac., Erot., 258; Crotch, Erot.,
107; Chap. XII, 53; Gorh., BCA.
Col. VII, 1898, 254 (Typ. ? *C. globosus*
Guér. 1841) 1913:26 (Am. mer. trop.,
Peru, Mex.). *Erot.*, *Erotyl.* 5.
- Cyclonesus* Fairm., Not. Leyd. Mus. 1896
104, 18 (*C. parvicolpis* Fairm. 1896)
1913:1 (Sum.). *Ten.*, *Cnodal.* 920.
- Cyclonoda* O Baly, JoLSLZo. 13, 1878,
474 (*C. pilula* [Clark] 1864, *subpunctata*
[Clark] 1865) 1916:2 (Austral. occ.,
Sin. Mampion). *Chrys.*, *Chryso.*,
Phaedon. 64.
- Cyclonotum* Er. *Hydroph.* cf. P.II.

Cyclophanes O Carter, PLSNSW. 38, 1913, 96 (*B. variegatus* Carter 1913) 1913:3 (Austral.). *Ten.*

Cyclophthalmus Hope (Westw.), Cat. Luc. 1845 + 5 = *Cyclommatus* Parry 1863. *Luc.*, *Clad.* 30.

Cyclorasis Thoms., ASEFr. (4) 2, 1862, 397 = *Prismognathus* Motsch. 1860. *Luc.*, *Clad.* 32.

Cyclorhipidion Haged., DEZ. 1912, 355 (*C. pelliculosum* Haged. 1912) 1912:1 (Camerun.). *Ip.*, *Xyleb.*

Cyclosattus Cas., AN YorkAcSc. 6, 1892, 710 (*C. Websteri* Cas. 1892) 1913:1 (Colorado). *Ten.*, *App.* 1203 = *Ten.*, *Conio.* 420a.

Cycloserica Reitt., WEZg. 15, 1896, 184; VN. 40 (1902) Best.-Tab. 50, 318 sq. (*C. excisiceps* Reitt. 1896) 1913:1 (Turkest.). *Scar.*, *Melth.*, *Seric.* 33.

Cyclotoma O Muls., Mém.Ac.Lyon (2) I, 1851, 71; *Gerst.*, Mon. *Endom.* 1858, 365; *Ws.*, DEZ. 1903, 206 (*C. testudinaria* Muls. 1858) 1913:7 (Ind. or., Birma; Sum., Java, Born., Phil. Ins.). *End.*, *Endo.*, *Endom.* 75. *Cyclotomocerus* Kuw., ASEB. 38, 1894, 400, 435; Schklg., GIW. *Cler.* 1903, 78 (Typ.?; *australicus*, *gemmaeus*, *tuberculifer* Kuw. 1894) 1913:6 (Ceylon. 4, Austral. 1, Nov. Guin. 1). *Cler.*, *Cleri.*, *Clerin.* 85.

Cynnidolon O J.Thoms., Syst. Cer. 1864, 217 (*C. eques* Thoms. 1864, *Batesianum* [White] 1855) 1913:8 (Bras., Venez., Argent.). *Ceramb.*, *Ceramin.*, *Ibid.* 280.

Cynoderus Serv., ASEFr. III, 1834, 101; *Goun.*, ASEFr. 80, 1911, 100 2 Subgg. — *C. s. str.* = Subg. 1 ad *C. Serv.* 1834 (*C. tenuatus* Serv. 1834) 1913:3 (Bras., Goyaz, Nov. Granad.) Subg. 2 = *Ulod.* *Ceramb.*, *Ceramin.*, *Rhopal.* 889.

Cydistus O Bourg., BSEFr. 1885, 37; ASEFr. (6) 5, 1885, 272 (*C. Reitteri* Bourg. 1885) 1913:2 (Syr., Adana). *Dril.* 18.

Cylades Lac., HNIns. 6, 1863, 530 = *Myrmacielus* Chevr. 1833. *Curc.*, *Api.*, *Apion.* 4.

Cylas Latr., HN. Crust et Ins. III, 1802, 196; Schönh., Gen. Spec. *Curc.* I, 1833, 369; Lac., HNIns. 6, 1863, 529 (*C. brunneus* [F.] 1797) 1913:11 (As., Ins. Afr., Mad., Sundaic.). *Curc.*, *Api.*, *Eurh.* 3.

Cylchanus Burm., Hd.E. IV, 1, 1844, 171; Lac. III, 192; Péring., TSAfr. Phil.S. 13, 1902, 883 (*C. pilosulus* Burm. 1844) 1913:3 (Transvaal. 1, Cap. 2). *Scar.*, *Melth.*, *Hopl.* 534.

Cylidrus O Latr., Crust. Arachn. et Ins. I, 1829, 476; *Spin.*, Rev. Zo. 1841, 72; Klug, *Clerii* 1842, 261; *Spin.*, *Cler.* 1844, 82; *Lac.*, IV, 1857, 424; *Chenu*, Enc. d'HN. Col. II, 1860, 231; Schklg., GIW. *Cler.* 1903, 5; DEZ. 1906, 243 (*C. cyaneus* [F.] 1877) 1913:17 (Afr., Arch. malay., Queensl., Nov. Caled., Ind., Ocean.). *Cler.*, *Cleri.*, *Till.* 1.

Cylinder Voet, Cat. syst. Col. I, 1769 — 1806, 78 = *Tillus* Ol. 1790. *Cler.*, *Cleri.*, *Till.* 16.

Cylindera O Newm., EMa.I, 1833, 509. — Biol.: Schiödte, NTi. (3) X, 1876, 409, t. 13 f. 20—22, (*C. flava* [F.] 1775) 1913:2 (Mex., Fla., Antill., Guyana [import. in Brit.], Guadel., Honolulu). *Ceramb.*, *Ceramin.*, *Calldp.* 318.

Cylindra Duftschm., F. Austr. III, 1825, 87 = *Platypus* Herbst 1793. *Platyp.* 4.

Cylindractus O Schauf., TijE. 30, 1887, 91; Raffr., Rev.d'E. 9, 1890, 126, 129; GIW. *Psel.* 1908, 293; Casey, Col. Not. V, 1893, 487 (*C. longipalpus* [J. Lec.] 1850, *C. americanus* Schauf. 1887) 1913:5 (Illin., Louisiana, Fla., Indian.). *Psel.*, *Psel.*, *Tych.* 312.

Cylidrella O Sharp, BCA. Col. II, 1, 1891, 389 (*C. mollis* Sharp 1891) 1913:1 (Guatrem.). *Temn.*, *Nemos.* 6.

- Cylindroctenus* O Kraatz, ASEB. 33, 1899, 214; Schkig., GIW. Cler. 1903 37; Gahan, ANH. (8) 5, 1910, 61 (*C. chalybaeum* [Westw. in Whittle]. 1913:1 (Ind. or., Arch. malay., Nov. Guinea). Cler., Cleri., Till. 17.
- Cylindrembolus* Schauf., TijE. 30, 1887, 103; Raffr., ASEFr. 65, 1896, 257, 260 = *Scalenarthrus* J. Lec. 1880. *Psel.*, *Psel.*, *Brachygl.* 226.
- Cylindrocephalus* Motsch., Etud.E. 8, 1859, 128 = *Metoponcus* Kraatz 1856/58. *Staph.*, *Staph.*, *Xanth.* 236.
- Cylindrodera* Gemm. et Har., Col. Cat. IX, 1873, 2922 = *Cylinderia* Newm. 1833. *Ceramb.*, *Cerambin.*, *Calldp.* 318.
- Cylindrogaster* Fauv., BSL. Norm. (2) VI, 1870, 55; F. gall.-rhén. III, 1872, 213 = *Cylindropsis* Fauv. 1885. *Staph.*, *Oxyt.*, *Osori.*, *Osor.* 129.
- Cylindroma* O Raffr., ASEFr. 65, 1896 232; 73, 1904, 9; GIW. *Psel.* 1908, 169 (*C. excavata* Raffr. 1896) 1911:1 (Sum.). *Psel.*, *Psel.*, *Batr.* 188.
- Cylindronotus* Falderm., F. Transcauc. II, 1837, 73; All., Rev., 4; Mon., 18, 51, 214; Seidl., NID. V, 697, 720, 766 = Subg. ad *Helops* F. 1772. *Ten.*, *Helop.* 1073.
- Cylindropalpus* Strohm., DENation. Bibl. II, 1911, 174 (*C. affinis* et *africanus* Strohm. 1912). 1913:2 (Usamb. occ., Camer., Togo). *Platyp.* 9.
- Cylindropsis* O Fauv., Rev. d'E. IV, 1885, 182 (*C. corsica* [Fauv.] 1870) 1911:3 (Corsica, Alger., Mallorka). *Staph.*, *Oxyt.*, *Osori.*, *Osor.* 129.
- Cylindroptinus* Pic, Echange 26, 1910, 46 (*C. angustissimus* et *sulcatithorax* Pic 1910) 1913:2 (Buru, Banguey). *Ptin.*, *Ptin.* 23.
- Cylindrostyrax* O Aur., J. Sarawak, Mus. 3, 1913, 14 (*C. apomecynoides* Aur. 1913) 1913:1 (Borneo). *Ceramb.*, *Niphon*. cf. P. II.
- Cylindrothorax* Escher., WEZg. XV 1896 p. 28, Schaufuß in Calwer, 303, 304 (Typ.?; *angusticollis* [Haag] 1888, *palaestina* [Kirsch] 1870, *verrucicollis* [Karsch] 1881) 1913:— (Arab., Kurdist., Palaest., Alger., Hamman, Oas. Kufra). *Melo*, *Lytta*, *Lytti*. 35.
- Cylinárothorus* O Sol., Mem. Acc. Torino 6, 1844, 262; *Lac.* V, 1859, 495 (*C. pilosus* Sol. 1844) 1910:3 (N'Gami, Cap, Benguela). *All.*, *Allec.* 89.
- Cylistix* O Mars., Mon. 1857, 474 (*C. cylindrica* [Payk.] 1811) 1913:5 (Perak, Siam; Am. b.). *Hist.* 21.
- Cylistosoma* O Lew., ANH. (7) 15, 1905, 302; Reitt., F. Germ. II, 1909, 281 = Subg. 4 ad *Platysoma* Leach 1817 (Typ.?, *C. oblongum* [F.] 1792) 1913:25 (in omn. part. orb. terr.). *Hist.* 20, 4.
- Cylistus* Kl., Clerii 1842, 354; Chenu, Enc. II, 1860, 242 = *Tenerus* Cast. 1836. *Cler.*, *Coryn.*, *Enopli*. 146.
- Cylistus* Mars., Mon. 1853, 287 = *Cylistix* Mars. 1857. *Hist.* 21.
- Cyllene* O* Newm., Ent. I, 1840, 7. — Biol.: Pack., Felt in Ins. aff. Trees 1905 et 1907; Dugés, ASEB. 29, 1885, 40, t. 3 f. 1—12 etc. (*C. spinifera* Newm. 1840), *decora* [Ol.] 1795, *robiniae* [Forst.] 1771) 1913:36 (Am. b.) *Ceramb.*, *Cerambin.*, *Clyt.* 812.
- Cylletron* C. G. Thoms., Skand. Col. I. 1860, 50, III, 1861, 191. (*C. niveale* Thoms. 1861) 1913:1 (Lappo., Fenn.). *Staph.*, *Oxyt.*, *Omal.* 59.
- Cyllodes* Er. in Germar., ZE. IV, 1843, 342; Gutfl.-B., 246; Schaufuß in Calwer, 423, 440; Kuhnt, 477, 499 (*C. ater* [Herbst] 1792) 1913:64 (Eur. b., med.; Afr.; As. or., Ind., Sibir. etc.; Camerun, Afr. or., Mad., Java, Austral., Am. e., Brasil.). *Nit.*, *Nitid.* 118.
- Cyllodesus* Reitt., DEZ. 21, 1877, 189 (*C. Deyrollei* Reitt. 1877) 1913:1 (Brasil.). *Nit.*, *Nitid.* 121.
- Cylloepus* O Er., NID. 3, 1847, 521 nota; *Lac.* II, 1854, 510; Sharp, BCA.

- Col. I, 2, 1882, 129 (*C. araneolus* [Ph. Müll.] 1806) 1913:10 (Bras., Bol., Guat., Peru; Sum. [1!]). *Dryop.*, *Helmi.*, *Helmi.* 34.
- Cylopodes* Murr., Monogr. 258, 283 1864 = Subg. ad *Colopterus* Er. 1843. *Nit.*, *Carpophil.* 23.
- Cymaterus* Pasc., ANH. (5) 15, 1885, 55 (*C. torridus* Pasc. 1885) 1913:1 (Born. b.). *Ceramb.*, *Cerambin.*, *Pyr.* 665.
- Cymatoderia* O Gray in Griffith, An. Kingd. Ins. I, 1832, 375; Cast. in Silberm., Rev. 4, 1836, 37; Spin., Rev. Zo. 1841, 72; Kl., *Clerii* 1842, 270; Spin., *Cler.* I, 1844, 138; J. Lec., ANYAcSc. V, 1852; 14; Lac., IV, 4, 1857, 432; J. Lec. u. Horn, Class. Col. N.Am. ed. II, 1883, 217; G. Horn, TAmES. V, 1876, 220; Gorh., BCA. Col. III, 2, 1882, 130; Schklig., GIW. *Cler.* 1903, 20; Wolcott, B. Ind. Dept. Geol. Nat. I, 1910, 849 (*C. bicolor* et *undulata* Say 1825) 1913:87 (Am.). *Cler.*, *Cler.*, *Till.* 35.
- Cymatoderus* Chenu, Enc. d'HN. Col. II, 1860, 240 = *Cymatoderia* Gray 1832. *Cler.*, *Cleri.*, *Till.* 35.
- Cymatothes* Blanch., HNIns. II, 1845, 33 = *Pyranisia* Cast. 1840. *Ten.*, *Rhyssop.* 1149.
- Cymatothes* Sol., Studi ent. 1848, 151 (5), 178 (32) = *Pyranisia* Cast. 1840. *Ten.*, *Rhyssop.* 1149.
- Cymba* Seidl., F.Ba. ed. I, Gatt. 1875, 34; Schaufuß in Calwer, (411) (*C. procera* [Kraatz 1858]) 1913:1 (Graecia, Cypr.). *Ten.*, *Lep.* 21.
- Cymbachus* O Gerst., ArN. 23, 1857, I, 233; Mon. Endom. 1858, 140; Chap., G. Col. 12, 1876, 96 (*C. pulchellus* Gerst. 1857) 1913:2 (Birma, Java). *End.*, *Endo.*, *Eumorph.* 33.
- Cymbeba* O Pasc., JoE. II, 1866, 483 (*C. dissimilis* Pasc. 1866) 1913:7 (Nov. Caled.). *Ten.*, *Adelii.* 1010.
- Cymones* Gorh., PZSL. 1886, 157 (*C. Cowani* Gorh. 1886) 1913:5 (Madag.). *End.*, *Endo.*, *Eumorph.* 31.
- Cynaeus* Lec., Class., 1866, 233; Horn, Rev. Ten. 1870, 369 (*C. angustus* [J. Lec.] 1851) 1913:4 (Calif. 2, Mex. 1). *Ten.*, *Ulam.* 669.
- Cynauges* vide *Cyanauges*.
- Cyno* Marshall, JoE. II, 1865, 350; Chap., G. Col. X, 1874, 349; Lefvr., MSLiége (2) 11, 1885, 89 (*C. mordicans* Marshall 1885) 1914:1 (Afr. mer.) *Chrys.*, *Eumoip.*, *Cyn.* 195.
- Cyparium* O Er., NID. III, 1845, 3 nota; Lac. II 239; Reitt., VN. 18 1879 (80) 35; Cas., AN YAc.Sc. 7 1893, 511 et 512 (*C. palliatum* Er. 1845) 1913 : 12 (Am., Cap. b. sp. [1] Sib., Japon., Ind. or. [1]). *Scaph.*, *Scaphi.* 6.
- Cypha* Steph., Ill. Brit. E. V, 1832, 187 = *Hypocypitus* Mannerh. 1830. *Staph.*, *Tach.*, *Hypocy.* 436.
- Cyphagogus* O Parry, TESL. V, 1849, 182; Lac., G. Col. VII, 1866, 410; Schoenfeld, GIW. *Breath.* 1908, 5 (*C. Westwoodi* Parry 1849) 1913:24 (Regio malay., Austral.). *Breath.*, *Breath.*, *Taphr.* 3.
- Cyphaleus* O Westw., Arcan. E. I, 1841, 43; Lac. V. 409; Pasc., ANH. (4) III, 1869, 288 (*C. formosus* Westw. 1841, *fulgidipennis* [Boisd.] 1835) 1913:8 (Austral. 7, Chile 1). *Ten.*, *Cyphal.* 912.
- Cyphanobium* Broun, Man. N.Zeal.Col. V, 1893, 1149 (*C. illustre* Broun 1893) 1913:3. *Anob.* (g. inc. sed.) (84).
- Cyphonodes* Broun, Man. N. Zeal. Col. 1893, 1140 (*C. restitus* Broun 1893) 1914:1 (Nov. Zealand.). *Dasc.*, *Dasci.*, *Dascill.* 29.
- Cyphanus* Sharp, ANH. (5) 2, 1878, 43, 46; Broun, Man. N. Zeal. Col. I, 1880, 308 (*C. debilis* Sharp 1878) 1914:13 (Nov. Zealand.). *Dasc.*, *Dasci.*, *Dascill.* 28.

- Cyphelops* Fairm., Not. Leyd. Mus. 23, 73, 1901 (*C. inflatus* Fairm. 1901) 1913:1 (Mad.). *Ten.*, *Helop.* 1067.
- Cyphelytra* O Ch. Waterh., Cist. Ent. I, 1875, 367; Westw., TESL. 1875, 236 (*C. ochracea* Ch. Waterh. 1875) 1913:1 (Ind. or.: Darjeeling). *Scar.*, *Ruthom.*, *Ruti.*, *Rutin.* 43.
- Cypheroptylus* O Crotch, Cist. E. I (1873), 148; TAmES. 1873, 358; Gorh., BCA. Col. VII, 1888, 103; Kuhnt, DEZ. 1908, 225 (Typ.? *C. gibbosus* [L.] 1763) 1913:38 (Amer. e. et mer.-trop.) *Erot.*, *Erotyl.* 16.
- Cyphochilus* O Waterh., EMM. 4, 1867, 141; Brenske, Ins.-Börse, 20, 1903, 380/1 (*C. candidus* [Ol.] 1789) 1913:26 (China, Ind., Thibet, Cambodja). *Scar.*, *Melth.*, *Melthi.* 275.
- Cyphoderes* Muls. et Rey, *Gibbicolles* 1868, 54, *Schaufuß* in Calwer, 718; Kuhnt, 670 = Subg. ad *Ptinus* L. 1758. *Ptin.*, *Ptini.* 21.
- Cyphogenia* O Sol., ASEFr. V, 1836, 677; Jacq. du Val III, 256; Reitt., Best. Tab. 53, 1904, 37, 46 (Typ.?; *C. aurita* [Pall.] 1781) 1913:8 (Transcasp., Turkest., Syr., Pers. etc., As.c.) *Ten.*, *Akid.* '328.
- Cyphon* O Payk., F. Succ. II, 1799, 117; F. Syst. *Eleuth.* I, 1801, 501 etc.; Steph., Ill. Brit. E. Mand. III, 1830, 281; Man. Brit. Col. 1839, 185; Cast., HNIns. I, 1840, 259; Redtb., F. Austr. 1849, 315; 1858, 518; 1872, 561; Bach, Käferf.; C. G. Thoms., Sk. Col.; Kiesw., NID. IV, 3, 1860, 408; Jacq. du Val III, 2, 151; J. Lec., Class. 1861, 181; Muls. et Rey, *Brevic.* 1865, 46; Tourn., Descr. *Dasc.*, 48; Chenu, Enc. III, 16; Provanch., F. Canad. I 1877, 398; Sharp, ANH. (5) 2, 1878; G. Horn, TAm.ES. 8, 1880, 99; Broun, Man. N. Zeal. Col. I, 1880, 318; J. Lec. u. Horn, Class. 1883, 174; Bourg., FGRh., 14; Seidl., F. Ba. et Tr.; Fauconnet, F. anal. Col. 1892, 274; G. Col. Fr. 1894, 33; Champ., BCA. Col. III, 1, 618; Lameere, Man. Belg. II, 1900, 293; Everts, II, 138; Blatchley, 690; Pic, Cat. II, 319; Reitt., F. Germ. III, 1911, 243; Schaufuß in Calwer, 572, 573; Kuhnt, 588, 589. — Synops.: Muls. et Rey, Tourn., Bourg., Fauconnet, Blatchl., Pic [cf. antea]. — (*C. coarctatus* Payk. 1799, *padi* [L.] 1758) 1914:12 (in omnib. part. orb. terr.). *Helod.*, *Helodi.* 8.
- Cyphonichus* Sharp, BCA. Col. II, 1902, 680 (Typ.?; *C. selatus*, *panamensis*, *orientalis* Sharp 1902) 1913:7 (Am. e.; Borneo). *Byrrh.*, *Limn.* 3.
- Cyphonocerus* Kiesw., DEZ. 23, 1879, 311 (*C. ruficollis* Kiesw. 1879) 1913:1 (Jap.). *Dril.* 17.
- Cyphonotida* Cas., Mem. Col. 4, 1913, 260 (*C. [Ophistomis] ventralis*) 1913:1 (Am. e.?). *Ceramb.*, *Cerambin.*, *Lept.* 553a.
- Cyphonotus* O Fischer, E. Russ. II, 1823/24, 215; Jacq. du Val III, 8, 1860, 53, t. 15 f. 72; Sharp, Col. Hfte. 15, 1876, 85; Kraatz, DEZ. 32, 1888, 205; 1891, 347; 1895, 409/13, 413/5; Reitt., WEZg. 18, 1889, 276; 9, 1890, 265; 14, 1895, 205/7; VN. 40 [Best. Tab. 50], 257, 291; Brenske, ENa. 17, 1871, 210; MSEB. II, 1894, 26; StEZg. 55, 1894, 264—272, 397; BEZ. 41, 1896, 315; Semen., Rev. d'E. 3, 1903, 15, *Schaufuß* in Calwer, (1321) (*C. testaceus* [Pallas] 1781) 1913:1 (Transcasp., Cauc., Turcmen., Beludschist, Ross. mer.). *Scar.*, *Melth.*, *Melthi.* 345.
- Cyphonotus* Guér.¹⁾, Voy. Coquille, E. II, 1830, 102; Cast., HN. II, 1840, 239; Sol. in Gay, H. Chile V, 1851, 262; Lac. V, 1859, 479; Germain, A. Univ. Chile 97, 1897, 277 (5) (*C. dromedarius* Guér. 1830) 1913:3 (Chile). *Ten.*, *Strongyl.* 1150.

¹⁾ *Schlinkus* nom. nov. pro *Cyphonotus* Guér. 1830 nec Fischer 1823/24.

- Cyphonoxia* Reitt., WEZg. 8, 1889, 276; VN. 40 (Best.-Tab. 50), 257, 290; *Brenske*, MSEB. II, 1894, 26 nota; StEZg. 55, 1894, 271 (*C. praestabilis* Reitt. 1889) 1913:4 (Transcasp., Bagd., Ind. or.). *Scar.*, *Melth.*, *Melthi*. 344.
- Cyphopisthes* Gestro, AMusG. 39, 1899, 488 (*C. acromialis* Pasc. 1860, *humeralis* Gestro 1899) 1913:6 (Singap., Nov. Guin., Sum., Borneo). *Scar.*, *Acanthoc.* 2.
- Cyphoserica* O Brenske, BEZ. XLII, 1897, 354; XLV, 1900, 77, 85 (*C. mukengiana* Brenske, 1900) 1913:1 (Mukenge). *Scar.*, *Melth.*, *Seric.* 72.
- Cyphosterna* Chevr., O ASEFr. (4) II, 1862, 756 (*C. bicolor* Chevr. 1862) 1912:6 (Mex., Yucat., Boliv., Brasil.). *Ceramb.*, *Cerambin.*, *Stenasp.* 996.
- Cyphostetha* O Mars., Abeille IV, 1867, p. XXXIX, Seidl., NID. V, 1, 1898, 820 (Typ.; *C. Perraudierei* Mars. 1867; *C. ferrugineus* Mars. 1867) 1913:3 (Alger., Sahara). *Ten.*, *Epitrag.* 77.
- Cyphotelus* Sharp, ANH. (5) 2, 1878, 58; *Broun*, Man. N. Zeal. Col. I, 1880 (*C. angustifrons* Sharp 1878) 1914:1 (Nov. Zealand.). *Dasc.*, *Dasci.*, *Dascill.* 22.
- Cyphus* Curc. cf. P. II.
- Cyprobius* Sharp, ANH. (5) 2, 1878, 43, 44; *Broun*, Man. New Zeal. Col. I, 1880, 308 (*C. nitidus* Sharp 1878) 1914:3 (Nov. Zealand.). *Helod.* inc. sedis (33).
- Cypturus* Er. in Klug, Jahrb. Ins. I, 1834, 125 (*C. aenescens* Er. 1834) 1913:4 (Assam; Ind.). *Hist.* 29.
- Cyptus* Gerst., ArN. 37, 1871, 61; Decken's Reise III, 2, 1873, 181. *Adavius* Muls. u. Rey 1859. *Ten.*, *Opatr.* 559.
- Cyriodontus* Kirsch, BEZ. 11, 1867, 216; Schoenfeldt, GIW. *Brenth.* 1908, 40 (*C. lineatus* [Gyll. in Schoenh.] 1833) 1913:1 (Am. mer.). *Brenth.*, *Brentha.*, *Arrh.* 66.
- Cyriogeton* Pasc., ANH. (4) 8, 1871, 356 (*C. insignis* Pasc. 1871) 1913:4 (Ind. b., China, Tonkin). *Ten.*, *Rhyssop.* 1142.
- Cyriopalus* O Pasc., PZSL. 1866, 530; TESL. (3) III, 1869, 513 (*C. Wallacei* Pasc. 1866) 1913:2 (Borneo, Penang). *Ceramb.*, *Cerambin.*, *Cerambyc.* 128.
- Cyriopertha* Reitt., VN. 41, 1903, 91 = Subg. 7 ad *Phyllopertha* Steph. 1830 (*C. glabra* [Gebl.] 1841) 1918:1 (Desert. Kirgis., Turkest., Sibir.). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 77, 7.
- Cyrtanaspis* Emery, Abeille 14, 1876, *Mord.*, 8, 10; Seidl., F. Ba. et Tr.; Stierlin, Käferf. Schweiz, II, 1898, 176; Schilsky, 35 p. D; Everts II, 294; Reitt., F. Germ. 3, 373; Schaufuß in Calwer, 767; Kuhnt, 712 (*C. phalerata* [Germ.] 1831) 1915:2 (Eur., c., Formosa). *Mord.*, *Anasp.* 13.
- Cyrtengis* Reitt., DEZ. 1900, 51 (*C. testacea* Reitt. 1900) 1913:1 (Buchara). *Erot.*, *Dacn.* 69.
- Cyrthognathus* O Fald., Mém. Ac. Petr. II, 1835, 431; J. Thoms., Class. Cer. 296; Syst. Cer., 469; Lac. VIII, 52, nota 1; Lmr., ASEB., 55, 1911, 338 (Rév. 770) = Subg. 5 ad *Dorysthenes* Vigors 1826 (*C. paradoxus* Fald. 1833) 1913:2 (China). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni*. 71, 5.
- Cyrtocamenta* Brenske, StEZg. 58, 1897, 104; BEZ. 41, 1896, 341 (*C. pygmaea* Brenske 1897; *flavescens* et *rubra* Brenske 1897) 1913:3 (Abyss., Mts. Paré; Seneg.; Galam, Dakar, Sambesi, Afr. mer.-occ. germ.). *Scar.*, *Melth.*, *Seric.* 146.
- Cyrtocerus* Kraatz, DEZ. 1896, 154 = *Plectogaster* Waterh. 1881. *Ceramb.*, *Cerambin.*, *Dorcas*. 568.
- Cyrtoclytus* O Ganglb., Best.-Tab. 7, 1882, 10, 688; Rev. d'E. 3, 1884, 167; Schaufuß in Calwer, 859; Kuhnt,

- 755,785 (*C. capra* [Germ.] 1824) 1913:3
(Alp., Sib., Jap., China mer.). *Ceramb.*, *Cerambin.*, *Clyt.* 801.
Cyrtoderes Sol., M. Accad. Sc. Torino (2) 6, 1843, 244 (32) = *Phligra* Cast. 1840. *Ten.*, *Molur.* 301.
Cyrtolophus Fairm. ASEB. 39, 1895, p. 17; Ohs., DEZ. 1912, 152 (*C. viduus, limbicollis* Ohs. 1912) 1918:3 (Madagascar). *Scar.*, *Rut.* *orth.*, *Anopligni*, *Prodrtn.* 150.
Cyrtomerus Gemm. u. Har., Col. Cat. IX, 1873, 2836 = *Cylindera* Newm. 1833. *Ceramb.*, *Cerambin.*, *Callap.* 318.
Cyrtomius Cas., Rev. *Ten.* 1907, 379, 383 (*C. dentiger* [Horn] 1870, *C. cavi-cauda* Casey 1907, *plicatus* [Champ.] 1884) 1913:4 (Mex. 3, Ariz. 1). *Ten.*, *Epitrag.* 61.
Cyrtomorphus Lac., *Erot.* 240; *Crotch.*, *Erot.*, 60; *Chap.*, XII, 45; *Gorh.*, AMusG. 1896, 283; *Kuhnt*, DEZ. 1910, 235 (*C. bengalensis* [Guér.] 1841) 1913:19 (Birma, Bengal., Wales). *Erot.*, *Triplac.* 43.
Cyrtomychus Kolbe, Mi. Zo. Mus. Berlin 5, 1910, 35—36 (*C. coccinelloides* Kolbe 1910) 1913:1 (Ins. Seychell.). *End.*, *Endo*, *Stenotars.* 64a.
Cyrtonastes Fairm., ASEFr. (5) 4, 1874, 42; Ws., DEZ. 28, 1884, 227; Mars., Abeille, 27, 1889, 105; Schaufuß in Calwer, (929) (*C. aeoneumicanus* Fairm. 1874) 1916:6 (Syr., Beirut., Corfu, Creta, Cythera). *Chryso.*, *Tim.* 115.
Cyrtonops O White Col. Cat. Brit. Mus. VII, 1853, 32, 1853 (*C. punctipennis* White 1853) 1913:3 (Ind. or., Manipur, Tonkin, Sum., Born.). *Ceramb.*, *Cerambin.*, *Dister.* 2.
Cyrtonus O + Latr. in Cuv., Règne anim. ed. 2, V, 1829, 149; Chevr., Dict. unin. IV, 1844, 561; Fairm., ASEFr. (2) 8, 1850, 535; Motsch. in Schrenck's R. II, 189; Fairm. in Jacq. du Val, IV, 227; Chap. X, 417; Ws. NID.
VI, 2, 1882, 342 nota; Fairm. ASESp. HN. 12, 1883, 251; Mars., Abeille, XXI, 1883, 3; Bedel 140; Schaufuß in Calwer, 927 (*C. elegans* [Germ.] 1813) 1916:38 (Hisp. 32, Lusit., 3, Gall. mer. 2, Tanger 1).
Morphol.: Ws. DEZ. 1906; 31, 1886, t. 1 f. 50.
Biol.: Ws. DEZ. 1906, 405; Muls. u. Wachauru, Mém.S.Sc.Lyon II, 1847, 401; Fairm. ASEFr. (2) 8, 1850, 537; Chap., X, 418; Mars. Abeille, 21, 1883, 5. — *Chrys.*, *Chryso.*, *Phaedon.* 42.
Cyrtophorus J. Lee., Jo. Acad. Philad. (2) II, 1850, 29; J. Thoms., Syst. Cer. 1864, 427 = *Anaglyptus* Muls. 1839. *Ceramb.*, *Cerambin.*, *Clyt.* 831.
Cyrtoplectus O Norm. BSEFr. 1904, 200; Raffr., ASEFr. 79, 1910, 257; Schaufuß in Calwer, 245 (*C. sulciventris* [Guillebeau] 1888) 1913:1 (Pyren. orient.). *Psel.*, *Pselia.*, *Euplect.* 96.
Cyrtosoma O Perty, Del. anim. art. 1830, 59; Lac. V, 418 (*C. unicolor* Perty 1830, *atrum* [Serv.] 1825, *Lherminieri* [Chevr. in Guér.], Ic. regn. an. p. 123) 1913:17 (Am., Brasil.). *Ten.*, *Cnodal.* 932.
Cyrtosternus Guér. Icon. règne anim. Ins. 1844, 210; Lac. VIII, 52, nota 1 = *Lophosternus* Guér. 1844 = Subg. 1 ad *Dorysthenes* Vigors 1826. *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 71, 1.
Cyrtostolus O Sharp, F. Hawaïiens. III, 1908, 457 (*C. subulatus* Scott 1908) 1913:1 (Ins. Hawaii.). *Nit.*, *Carpophil.* 30.
Cyrothorax O Kraatz, BEZ. II, 1858, 366 (*C. bupthalmus* [Er.] 1839 (40) 1916:9 (Pan., Mex., Sarawak, Cambodja; Cochinch.; Guat., Nov. Gran., Nicar.). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 380.
Cyrtotomicus Ferr., Borkenkäf. 1867, 44 = *Ips* De Geer 1775. *Ip.*, *Ipin.* 56.

Cyrtotrachalus Brenske, BEZ. XLVII, 1902, 72 = errat. pro *Cyrtotrochalus* Brenske 1900). *Scar.*, *Melth.*, *Seric.* 102.

Cyrtotriplax Gorh., AMusG. (2) 16, 1896, 286; StEZg. 62, 1901, 1881, BCA.Col. VII, 1888, 80 (Typ. ?; *C. praevia* Gorh. 1896, *anisotomoides* Crotch, *postica* Crotch 1876) 1913:11 (As. mer.). *Erot.*, *Triplac.* 48.

Cyrtotriplax (part.) Crotch, EMM. 9, 1873, 189; TAmES. IV, 1873, 355; Reitt., VN. 26, 1887, 4; Kuhnt, 528 = *Tritoma* F. 1775. *Erot.*, *Triplac.* 47.

Cyrtotrochalus Brenske, BEZ., XLV, 1900, 81 (*C. opacus* Brenske 1902) 1913:1 (Calab. veter., Angola, Camerun.). *Scar.*, *Melth.*, *Seric.* 102.

Cyrtotyche Pasc. 1866 (*C. satanas* Pasc. 1866) 1913:3 (Port. Nat., Sin. Delag., Mossamb.). *Ten.*, *Eutel.* 753.

Cyrtotyctus Kolbe, Käf. Deutsch.-Ostafr. 1897, 241 (*C. osdaroides* Kolbe 1879) 1913:1 (Afr. or. germ.). *Ten.*, *Eutel.* 754.

Cyrtotyphlus Dodero, AMusG. 40, 1900, 401; Schaufuß in Calwer, (175) (*C. convexus* Dodero 1900) 1913:1 (Liguria). *Staph.*, *Leptot.*, *Leptoty.* 142.

Cysteodemus O J. Lec., AN YAcSe. V, 1851, 158 (*C. armatus* et *Wisliceni* J. Lec. 1851) 1917:2 (Cal. 1, Mex., Nov. Mex., Arizone.). *Melo.*, *Lytt.*, *Meloi.* 48.

Cystocnemis Motsch., in Schrenck's R. II, 1860, 179; Jac., HoR. 29, 1895, 924 (nec *Jac.*, DEZ. 1894, 103) (*C. discoidea* [Gebl.] 1830) 1916:2 (Sibir. (2): Altai, Sib. occ., Tarbagatai). *Chrys.*, *Chryso.*, *Chrysi.* 26.

Cystocnemis Jacobs. nec Motsch., DEZ. 1894, 104 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi.* 24.

Cysurgus Reitt., Cat. Col. Eur. 1906, 710 (*C. filum* [Reitt.] 1888) 1913:2 (Transcasp., Sieil.). *Ip.*, *Crypt.* 44.

Cytillissus Broun, ANH. (6) 12, 1893, 195 (*C. claviger* Broun 1893) 1931:1 (Nova Zealand.). *Byrrh.* 29.

Cytulus O Er., NID. III, 489; *Lac.*, II, 483; *Jacq. du Val*, II, 265; *C. G. Thoms.*, Sk. Col. IV, 215; *Muls. et Rey Pil.* 134 (334); *Reitt.*, VzbGW. 31, 1881 (Tab. 4) 69; *Gutfl.-B.*, 291; *Ganglb.*, IV, 1, 67; Schaufuß in Calwer, 612, 615; *Kuhnt*, 610, 612 (*C. sericeus* [Forster] 1771) 1913:5 (Eur., Yunnan, Kamtschatka, Am. bor.). *Byrrh.*, *Byrrh.* 20.

Cytodromus O ♀ + Abeille de Perrin, Pet., Nouv. E. 8, 1876, 29; BSHN. Toulouse, 12, 1878, 150; *Marseul*, Préc. *Silph.* in Abeille 22, 1884, 13; *Reitt.*, VN. 23, 1885, 9; WEZg. 5, 1886, 316; DEZ. 1889, 296; *Ganglb.*, KäfMEur. 3, 1889, 91; *St. Claire Dev.*, Abeille 30, 1901, 59; *Reitt.*, WEZg. 27, 1908, 115; *Jeannel*, Arch. Zo. exp. (5) 5, 1910, 9 et 35; 54, 1914, 71; *Rev. Ba.*, 402; *Breit*, EMi. II, 1913, 307; Schaufuß in Calwer (264). Chorol.: *Jeann.*, l. c. 156 f. 64 (carte).

Metam.: *Jeann.*, *Rev. Ba.*, 103, t. 24 f. 613—654 (mutmaßl. Larve). (*C. dapoides* Ab. de P. 1875) 1914:1 (cavern.: Gallia: Drôme). *Silph.*, *Bath.*, *Bathy.* 25.

Cytorea O Cast., HN. Col. II, 1840, 224 (*C. dimidiata* [Ol.] 1791) 1913:5 (Am. mer.-trop.). *Erot.*, *Erotyl.* 11.

Cytorhinus Seidl., F. Ba. ed. II, 1891, 674; F. Tr., 750 = *Kitorrhinus* Fisch. 1809. *Bruch.*, *Bruchi.* 12.

Dabrosoma Lea, Proc. R. S. Viet. n. s. 23, 135 (*D. pubescens* Lea) 1913:1 (Victoria, Tasmania). *Staph.*

Dacne O ♀ Latr., Précis car. Ins. 1796, 12; *Lac.*, *Erot.*, 63; *Crotch*, TAmES. IV, 1873, 352; *Cist. E. I.*, 1876, 396; *Chap.*, XII, 1876, 21; *J. Lee.* u. *Horn*, Class. 1883, 124; *Reitt.*,

- VN. 26, 1887, 4; **Ganglb.** III, 646; **Schaufuß** in Calwer, 481; **Kuhnt**, 528, 530.
Biol.: **Westw.**, Introd. mod. Class. Ins. I, 1839, 147 f. 11, 13; **Bedel**, Abeille V, 1867, 5. — (*D. rufifrons* [F.] 1758; *D. bipustulata* [Thunb.] 1781) 1913:18 (in divers part. orb. terr.) excl. Austral.). *Erot.*, *Dacn.* 67.
- Dacne* (pars) **Lac.**, *Erot.*, 63 = *Megalodacne* **Crotch.** 1873. *Erot.*, *Dacn.* 92.
- Dacnochilus* **J. Lec.**, New Col. I, 1863, 47; **Solsky**, HoR. V, 1867/68, 142 t. 4 (*laetus* **J. Lec.** 1863, *macularis* **Er.** 1839/40) 1913:2 (Ven., La., Tex.). *Staph.*, *Paed.*, *Paedi.* 204.
- Dacnotillus* **Raffr.**, GIW. *Psel.* 1908, 374 (Typ.?; *P. pubescens* [**Raffr.**] 1882, *Simoni* [**Raffr.**] 1891) 1913:6 (Singap., Manil., Penang., Jav., Sum.). *Psel.*, *Psel.*, *Tyr.* 384.
- Dacoderus* **Lec.**, P. Ac. Phil. 1858, 74; **Lac.**, V, 100; **Lec. et Horn**, Class. 1883, 365; **Casey**, Rev. Mon. 1907, 492 (*D. striaticeps* **Lec.** 1858) 1913:3 (St. Domingo, Tex., Cal., Ariz.). *Ten.*, *Dacod.* 246.
- Dacryostactus* **Schaufuß**, Ins. - Börse, 1905, 79 (*D. Kolbei* **Schaufuß** 1905) 1913:1 (Afr. mer.). *I.p.*, *Hyles*. 29.
- Dactylipalpus* **Chap.**, Syn. *Scol.* 220; MS. Liège 1869, 68 (= *Dactylops* **Gemm.** u. **Har.** 1872 = *Ethadops* **Bldt.** 1896) (*D. transversus* **Chap.** 1873) 1913:5 (Afr., mer., occ., Malacca, Ternate). *I.p.*, *Phloeotr.* 1.
- Dactylispa* **O. Ws.**, DEZ. 1897, 137; ArN. 1899, 265, 75 nota. — **Biol.**: **Xambeu**, MSLLyon, 1905, 100 (Typ.?; *D. spinosa* [**Weber**] 1801) 1913:199+4 (in omm. part. orb. terr. etiam Madag.; excl. Austral.). *Chrys.*, *Hispi.*, *Hispi.* 89.
- Dactylopselaphus* **Gemm.** u. **Har.**, Cat. Col. 9, 1872, 2678 = *Dactylipalpus* **Chap.** 1873. *I.p.*, *Phoeotr.* 1.
- Dadophora* **O. Ern.** **Oliv.**, GIW. *Lamp.* 1907, 27 (*D. hyalina* **Ern.** **Oliv.** 1907) 1913:1 (Brasil.). *Lamp.*, *Dad.* 22.
- Dadopora* **C. G. Thoms.**, Sk. Col. I, 1859, 68; IV, 1862, 168; IX, 1867, 378; **Schaufuß** in Calwer, 426; **Kuhnt**, 484 = Subg. ad *Epuraea* **Er.** 1843. *Nitid.*, *Nit.*, 70.
- Daedrosis* **O. Bates**, TESL. 1868, 266 (*D. crenostriata* **Bates** 1868) 1913:6 (N.S.Wales, Mt. Kosciusko). *Ten.*, *Adetii*. 1002.
- Daemon* **O. Cast.** in *Silberm.*, Rev. 4 1836 24; **Lac.** IV, 276, 278 (*D. madagascariensis* et *gigas* **Cast.** 1836) 1914:24 (Madag.). *Helod.* *Ptilodact.* *Ptilodacti*. 31.
- Daemonarthra* **Lmr.**, ASEB. 47 1903 316 (Rév. 420) = ref. ad *Xixuthrus* **J. Thoms.** 1864 (*D. Helleri* **Lmr.** 1903) 1913:1 (Nov. Guin.). *Ceramb.*, *Prion.* *Macrot.* *Xixuth.* 40.
- Dailognatha* **O. Eschsch.**, Zo. Atlas III 1829 9; **Sol.**, ASEFr. IV 1835 258; **Reitt.**, DEZ. 1896 313; **Seidl.**, NID. V 818; **Reitt.**, Best.-Tab. 42 1900, 87, 101 (Mon.); **Schaufuß** in Calwer, (793) (*D. Carceli* [**Sol.**] 1835) (Mediterr., Cauc., Syr. etc.). *Ten.*, 1913:16 *Tentyr.* 101.
- Dalila* **Thoms.**, ARE. II 1858, 147 (*D. venerea* **Thoms.** 1858) 1913:1 (Gabun.). *Ceramb.*, *Cerambin.*, *Pyr.* 670.
- Dalma* **Sharp**, TESL. 1874, 504; **Raffr.**, Rev. d'E. 17, 1898, 262; ASEFr. 72, 1903, 531; GIW. *Psel.* 1908, 162 (*D. pubescens* **Sharp** 1874) 1913:1 (Nov.-Zealand.). *Psel.*, *Psel.*, *Euplect.* 115.
- Dalmina* **O. Raffr.**, Rev. d'E. 6, 1887, 46; TSouthAfr.Phil.S. 1897, 78; ASEFr. 72, 1903, 588; GIW. *Psel.* 1908, 118 (*D. globulicornis* **Raffr.** 1887) 1913:6 (Terra cap.). *Psel.*, *Psel.*, *Trichon.* 37.
- Dalmisus* **Sharp**, TRDublinS. 1886, 381; **Broun**, Man. N.Zeal. Col. V. 1893 1048; **Raffr.**, GIW. *Pse.* 1908, 107 (*D. batrisoides* **Sharp** 1886) 1913:1

- (Nov. Zealand.). *Psel.*, *Psela.*, *Euplect.* 124.
- Dalmodes** O Reitt., VN. 20, 1881, 18; Rev. d'E. IX, 1890, 127, 130; ASEFr. 73, 1904, 257; GIW. *Psel.* 1908, 265 (*D. rybaxoides* Reitt. 1882, *plicatulus*, Schauf. 1882). 1913:9 (Mex., Guat., Bras., Rio de Jan., Venez., Guadeloupe). *Psel.*, *Psela.*, *Tych.* 280.
- Dalmomima** Raffr., GIW. *Psel.*, 1908, 270 (*D. caviceps* Raffr. 1908) 1913:1 (Bras. mer.). *Psel.*, *Psela.*, *Tych.* 288.
- Dalmophysis** Raffr., ASEFr. 65, 1896, 267; 73, 1902, 257; GIW. *Psel.* 1908, 271 (*D. cylindrica* Raffr. 1896) 1913:1 (Mexico). *Psel.*, *Psela.*, *Tych.* 290.
- Dalmoplectus** O Raffr., Rev. d'E. 9, 1890, 96, 102; 17, 1898, 227; ASEFr. 72, 1903, 521; GIW. *Psel.* 1908, 60 (*D. batrisoides* Reitt. 1890) 1913:1 (Bras.). *Psel.*, *Psela.*, *Euplectr.* 49.
- Dalmosella** Casey, Col. Not. 7 in ANYAc. Sci. 9, 1897, 570 = *Melba Casey* 1897. *Psel.*, *Psela.*, *Euplect.* 68.
- Damara** Péring., TSAfr. Phil. S. 13, 1908, 678 (*D. villosula* Péring. 1908) 1913:1 (Terr. Damara). *Scar.*, *Melth.*, *Pachyd.* 445.
- Damarus** O Péring., ASouthAfr. Mus. I, 2, 1899, 244 (*D. singularis* Péring. 1899) 1913:1 (Afr. mer.). *Ptin.*, *Gibb.* 4.
- Damasus** O Chap., G. Col. X, 1874, 321; Lefvr., MSLiége (2) 11, 1885, 121 (*D. albicans* Chap. 1874) 1914:1 (Syr.). *Chrys.*, *Eumolp.*, *Myochr.* 226.
- Damatris** Cast., HN. II, 1840, 224 = *Tetraphyllus* Cast. et Brll. 1831. *Ten.*, *Cnodal.* 945.
- Damelia** Clark, JoE. II, 1864, 255; Chap., G. Col. X, 1874, 271; Lefvr., MSLiége (2) 11, 1885, 72 (*D. Marshalli* Clark 1864) 1914:1 (Ins. Fidji). *Chrys.*, *Eumolp.*, *Leprot.* 117.
- Damicerus** Spinola in Dejean, Cat. ed. III, 1837, 333 = *Tesserocerus* Saund. 1836. *Platyp.* 6.
- Damiria** Fairm., BSEFr. 1900, 89 (*D. Perrieri* Fairm. 1900) 1913:1 (Mad.). *Ceramb.*, *Cerambin.*, *Cleom.* 882.
- Damiricus** Fairm., ASEFr. 71, 1902, 543 (*D. cribripennis* Fairm. 1902) 1913:1 (Mad.). *Cler.*, *Cleri.*, *Till.* 23.
- Dammarobius** O Broun, Man. N. Zeal. Col. I, 1881, 846 (*D. mollis* Broun 1881) 1915:1 (Nov. Zealand.). *Oed.*, *Oedem.*, *Ascler.* 17.
- Danaë** O Reiche, in Ferret u. Galinier, Voy. en Abyss. III, 1847, 408; Chap., G. Col. XII, 1876, 114; Ws., DEZ. 1903, 199 (*D. rufula* Reiche 1847) 1913:6 (Afr., Jap.). *End.*, *Endo.*, *Lycop.* 53.
- Dandamis** O Gahan, F. Brit. Ind. Col. I, 1906, 50; Lmr., ASEB. 53, 1909, 150 (Rév., 564) = Subg. 5 ad *Megopis* Serv. 1832 (*D. nigropunctata* Aur. 1907) 1913:1 (Ind. mer.). *Ceramb.*, *Prion.*, *Callipogi.*, *Megop.* 50,5.
- Danceres** O Westw., TESL. 1875, 229; Seidl., NID. V, 2, 1899, 813 (*D. luteicornis* Westw. 1875) 1915:51 (Austral., Nov. Guin., Batchian, Sao Thomé, Mysol.). *Oed.*, *Oedem.*, *Ascler.* 12.
- Daochus** O Champ., BCA. Col. IV, 1, 1886, 139 (*D. mandibularis* Champ. 1886) 1913:1 (Am. c.). *Ten.*, *Phrenap.* 658.
- Dapsa** O Latr. in Cuv., Règne anim. 2 ed. V, 1829, 159; Muls., HN. Col. Sulcic., Sécurip. 1846, 23; Redt., F. Austr. 1849, 51 et 588 etc.; Gerst., Mon. Endom. 1858, 196; Fairm., G. Col. 4, 1868, 275; Mars., Abeille, V, 1868/69, 99; Seidl., F. Ba. (1872), Gatt. p. 46, etc.; F. Tr. (1889), Gatt. p. 67; Chap., G. Col. 12, 1876, 107; Reitt., VzbGW. 29, (1880), 96; Best.-Tab., 1885, 37; Everts, 573; Ganglb., Käf. III, 1899, 130; Csiki, Rov. Lap. 7, 1900, 146; Gutfl.-B., 655; Schaufuß in Calwer, 525, 526; Kuhnt, 561, 563 (*D. denticollis* [Germ.] 1817) 1913:22

- 1 Subg. *Phyl.* — (Eur., As., Afr. b., Birm., Sib., Cauo.). *End.*, *Endo.*, *Lycop.* 43.
- Daramus* Fairm., Rev. d'E. XI, 1892, 121 (*D. serricornis* Fairm. 1892) 1913:1 (Obock). *Ceramb.*, *Cerambin.*, *Asem.*? 31.
- Dascillocyphon* O Everts, TijE. 52, 1907 (1908), 10, *D. major* et *minor* Everts 1907) (1913:2 (Sum.). *Dasc.*, *Platyd.* 45.
- †*Dascillus* O Latr., Précis Caract. Gen. 1796, 43; HN. 8, 1804, 384; Samouelle, Ent. Comp. 1819, 162; Guér., Spec. u. Icon. fasc. 4; nr. 13, 1849, 1; Redtbl., F. Austr.; Jacq. du Val, III, 2; Muls. et Rey, Brévicoll. 1865, 41; Tourn., Descr. bass. Léman 1868, 21; Horn, TAmES. 8, 1880, 77 sq.; Bourgeois, FGRh. 1884, 11; Seidl., F. Ba. et F.Tr.; Fauconnet, F. anal. Col. 1892, 273; G. Col. Fr. 1894, 32; Lameere, Man. Belg. 2, 1900, 292; Everts, II, 1903, 135; Reitt., F. Germ. 3, 1911, 290; Gutfl.-B., 374; Pic, Cat. Col. II, 1911, 318, Schaufuß in Calwer, 620; Kuhnt, 616 (*D. cervinus* [L.] 1758) 1914:32 (Eur., As., Males., Austral., Am. b., Magellan, 1 foss.: Mioc., Color). *Dasc.*, *Dasci.*, *Dascill.* 23.
- Dascyllus* Sharp, Zo. Rec. 1911, 213 = *Dascillus* Latr. 48, 1796 of. etiam P. II.
- Dasyceroclerus* O Kuw., ASEB. 38, 1894, 399 et 410 (*D. elaphroides* [Westw.] 1849. — 2 Subgg. *Das.* et Subg. *Thaleroen.*; Lohde 1900; — *Das.* Kuw., l. c. 1894 (*D. elaphroides*, *fervidus* [Westw.], 1849) 1913:27 (Males., Austral.); Cler., Cleri., Clerin. 82.
- Dasychaeta* Er., ArN. 13, 1, 1847, 104 (*D. lateralis* Er. 1847) 1913:1 (Peru). *Scar.*, *Glaphyr.* 1.
- Dasychlorus* Fairm., BSEFr. 1898, 19; Jac., PZSL. 1900, 223 = *Colasposoma* Lap. 1833. *Chrys.*, *Eumolp.*, *Eumolpi.* 171.
- Dasydera* J. Lee., P. Acad. Philad. 1861, 345; Horn, TAmES. X, 1882, 119 = *Amphicoma* Latr. 1807. *Scar.*, *Glaph.* 5.
- Dasypogon* J. Lee., Class. 1861, 170 = *Euryopogon* Motsch. 1859. *Dasc.*, *Dasc.*, *Macrop.* 6.
- Dasysterna* Del., Cat. Col. ed. 2, 1833, 159 [sin. descr.] Ramb., ASEFr. (2) 1, 1843, 331; H. Lucas, op. cit. (2) 8, 1850, 515—528 = *Pachyderma* Cast. 1832. *Scar.*, *Melth.*, *Pachyd.* 394.
- Dasytanobium* Pic, Echange, 18, 1902, 23 bis (*D. inaequale* Pic 1902) 1913:2 (Brasil.). *Anob.*, *Xylet.* 48.
- Dasytomorphus* O Fairm. et Germ., ASEFr. (4) 3, 1863, 238 (*D. ruficollis* Fairm. et Germ. 1893); 1913:1 (Chile). *Hyloph.* 4.
- Dasytrogus* Reitt., VN. 40 [Best.-Tab.], 166 et 230 (*D. transcaspicus* [Brensk.] 1886) 1913:1 (Transcasp., Afghanistan b.). *Scar.*, *Melth.*, *Melthi.* 314.
- Dasyus* O Serv., Enc. méthod. X, 1825, 369; Burm., Hd. E. IV, 2, 1855, 72; Lac. III, 250 (*D. collaris* [Serv.] 1825) 1913:1 (Rio Janeiro). *Scar.*, *Melth.*, *Macrof.* 453.
- Daulaxius* Fosc., TESL. 1887, 333 = *Synthocus* Schoenh. 1842. *Brach.* 9.
- Daulis* O Er., ArN. 8, 1842, I, 241; Gerst., Mo. Endrom. 1858, 205; Chap. G. Col. 12, 1876, 108 (*D. cimicoides* Er.) (Tasman.). *End.*, *Endo.*, *Lycop.* 45.
- Dasylepida* Moser, DEZ. 1913, 287 (*D. fissa* Moser 1913) 1913:1 (China). *Scar.*, *Melth.*
- Davegia* Lea, Roy. S. Viet. 25, 1912 (*D. mira* Lea 1912) 1913:1 (Victoria). *Psel.*, *Psel.*, *Tyr.* 383a.
- Dearthrus* O J. Lee. III, nr. 3, 1862, 108; Jayne, PAmPhil.S. 20, 1882, 357; Cas., JoN YorkES. 8, 1900, 149 (*D. longulus* J. Lee. 1863) 1913:1 (Am. b., Civ., confoed., Atlantic, Indiana) *Derm.*, *Athag.* 10.

- Debilis Fairm.*, ASEB. 39, 1895, 178
 = *Dibilissa Aur.* 1912. *Ceramb.*,
Cerambin., *Molorch.* 618.
- Debilissa Aur.* in Schklig. u. J., Col. Cat.
 P. 39, 1912, 274 (*D. rufoflavida*
 [Fairm.] 1895) 1913:2 (China, Tonkin).
Ceramb., *Cerambin.*, *Molorch.* 618.
- Debora Power*, ASEFr. (5) 8, 1878, 490;
Schoenfeldt, GIW. *Brenth.* 1908,
 34 (*D. Bocandei Pow.* 1878; *Thomsoni Pow.*) 1913:2 (Guinea). *Brenth.*,
Brentha., *Arrh.* 51.
- Decamera Muls.*, HN. Col. Fr. *Lamell.*
 1842, 503; ed. 2, 1871, 647; in ASAgr.
 Lyon, (4) 3, 1870 (1871) 391; *Jacq.*
du Val, III, 8, 1860, 46 t. 12 f. 59;
Reitt., VN. 41 (Best.-Tab.) 51, 111—115;
Schaufuß in Calwer, 1322; *Kuhnt*, 411 =
Hoplia III. 1803. *Scar.*, *Melth.*, *Hopl.* 545.
- Decamerus O Sol.* in *Gay*, H. fis. Chile
 IV, 1849, 369 (*D. haemorrhoidalis Sol.*
 1849) 1913:1 (Chile). *Temn.*,
Ostom. 39.
- Decamerus O Sol.* in *Gay*, H. fis. Chile IV
 1849, 369 (*D. haemorrhoidalis Sol.*
 1849) 1913:1 (Chile). *Derm.*, *Aitag.* 11
- Decapotoma O Voigts*, WEZg. 21, 1902,
 177 (Type: Wien. Entom. Zeit. XXI,
 1902 p. 177?; *undata* [Thunb.] 1791,
africana [Ol.] 1795, *quadriguttata*
 [Wulf] 1786, *lunulata* [Pall.] 1782
 etc.) 1917:42 (As.; Spp. plurim. ex
 Afr.). *Melo.*, *Lytt.*, *Mylab.* 17.
- Decarthron O Brendel*, P.S. Philad. 1865,
 30; B.U. Iowa I, 1890, 260; *Raffr.*,
Rev. d'E. 9 1890 117 122; ASEFr.
 73 1904, 116; GIW. *Psel.* 1908 249
 (Typ.? *D. strenuum* Brendel 1865,
corpullentum *Schauf.* 1887, *stigmosum*
Brendel 1865, *longulum* [J. Lee.] 1850)
 1913:52 (Am. b. c., et mer.-c.).
Psel., *Psela.*, *Brachygl.* 268.
- Decatelia Ws.*, DEZ. 1904, 435; VN. 49,
 1910, 121 (*D. lema Ws.* 1904) 1913:2
 (Bol., Columb.). *Chrys.*, *Hisp.*,
Chalep. 25.
- Decatocerus O Sauley*, BEZ. 14, 1870,
Beihft., 89; *Reitt.*, VzbGW. 31, 1881,
- 478; *Raffr.*, ASEFr. 73, 1904, 254;
 GIW. *Psel.* 1908, 281; *Schaufuß* in
Calwer, 249 (*D. alhambrae* *Sauley*
 1870) 1913:2 (Grenada; Baleares).
Psel., *Psela.*, *Tych.* 298.
- Decatoma Lap.*, HNIns. II, 1840, 268
 = *Decapotoma Voigts* 1902. *Melo.*,
Lytt., *Mylab.* 17.
- Dechius Pasc.*, JoE. II, 1866, 455;
Bates, ANH. (4) 12, 1873, 2 = *Sco-*
toderus Perroud 1864. *Ten.*, *Bo-*
litoph. 588.
- Decialma Pasc.*, ANH. (4) 3, 1869, 291
 (*D. tenuitarsis* *Pasc.* 1869) 1911:5
 (Tasm., Queensl., Vict.). *Ten.*,
Cyphal. 898.
- Dedana Fairm.*, ASEB. 32, 1888,
 26; Schklig., DEZ. 1903, 43; GIW.
Cler. 1903, 23 (*D. rufodorsata* Fairm.
 1888) 1913:1 (China). *Cler.*, *Cler.*,
Till. 41.
- Deilosoma Fairm.*, G. Col. d'Europ.
 IV, 1864, 804 = *Deilus Serv.* 1834
Ceramb., *Cerambin.*, *Deil.* 683.
- Deilus O Serv.*, ASEFr. III, 1834, 73;
Gutil.-B., 579 (*D. fugax* [Ol.] 1790).
 1913:2 (Mediterr. 1, N.Caled. 1).
Biol.: *Perris*, ASLLyon (2) 23,
 1877, 299, fig. 464; *Xambeu*, Rev.
d'E. 17, 1898, 48; *Moeurs et Méém.*
 8, 1902, 104; 9, 1901, 48. *Ceramb.*,
Cerambin., *Deil.* 683.
- Dejanira O J. Thoms.*, Syst. Cer. 1864,
 134 (*D. quadripunctata* Thoms. 1864)
 1913:2 (Penang, Java). *Ceramb.*,
Cerambin., *Lept.* 575.
- Dejeania Blanch.*, Cat. Coll. E. Col. I,
 1850, 96 [non Desv. 1830]; *Lac.* III, 251
 = *Dichelomorpha Burm.* 1855. *Scar.*,
Melth., *Hopl.* 536.
- Delagoa O Jord.*, NoZo. I, 1894, 155
 (*D. fenestrata* Jord. 1894) 1913:2
 (Sin. Delagoa, Transvaal.). *Ceramb.*,
Cerambin., *Calldp.* 331.
- Delagrangeus O Pic*, BSEFr. 1892, 94
 (*D. angustissimus* Pic 1892) 1912:1
 (Syria). *Ceramb.*, *Cerambin.*, *Deil.*
 684.

- Deleaster** O Er., KäfMaBr. I, 1839, 610;
Ganglb., KäfMEur. II, 1895, 677;
Schaufuß in Calwer, 164; **Kuhnt**, 163;
194 (*D. dichrous* Grah.) 1913:5 (Eur.
med., Meditarr. or., Eur. mer., Cauc.,
Buchara, Abyss., China, Cal.).
Staph., *Oxyt.*, *Oxyti.*, *Coproph.* 98.
Delenda O Croiss., Le Coléoptériste
1891, 152, Schaufuß in Calwer, (243)
(*D. carthago* Croiss. 1891) 1913:1
(Constantinop.). *Psel.*, *Psel.*,
Faron. 11.
Delibius Fauv., Rev. d'E. 18, 1899, 13
(*D. longicornis* Fauv. 1899) 1916:1
(Sum., Singap.). *Staph.*, *Pygost.* 408.
Deliodes Casey, Can. Ent. 42, 1910, 108
(emend.) (*D. duplex* Fauv. 1899)
1916:1 (Sum.). *Staph.*, *Pygost.* 410.
Deliphrosoma Reitt., F. Germ. II, 1909,
187; **Kuhnt**, 190 = Subg. ad *Arpedium*
Er. 1837. *Staph.*, *Oxyt.*, *Omal.* 68.
Deliphrum Er., KäfMaBr. I, 1837/39,
627; **Ganglb.**, KäfMEur. II, 1895,
723; **Luze**, VzbGW. 1905, 241;
Schaufuß in Calwer, 154; **Kuhnt**, 161,
189 (*D. tectum* [Payk.] 1789) 1913:6
(Eur. b. et med.; Sib., Color., Cal.).
D. s. str. = Subg. ad *Del.* Er.
Staph., *Oxyt.*, *Omal.* 64.
Delius Fauv., Rev. d'E. 18, 1899, 11 =
Deliodes Cas. 1910. *Staph.*, *Pygost.* 410.
Delocheilus J. Thoms. 1860 = *Delochilus*
J. Thoms. 1860. *Ceramb.*, *Prion.*,
Anacol., *Deloch.* 84.
Delochilus J. Thoms., Class. Cer., 309;
Syst. Cer. 472 [*Delocheilus*]; *Lac.*,
VIII, 158; *Lmr.*, MSEB. 2, 1912,
57 (Rév., 921) (*D. prionoides* J. Thoms.
1860) 1913:1 (Terr. cap., Natal).
Ceramb., *Prion.*, *Anacol.*, *Deloch.* 84.
Delognatha O *Lac.*, 1859, 315 (*D.*
Lacordairei et *auriculata* Lacord. 1859)
1913:5 (Bras. mer., Esp. Santo,
Ecuad. Bras.). *Ten.*, *Phrenap.* 656.
Delopleurus Er. NID. I, 3, 1847, 761
(*D. pullus* [Boh.] 1857) 1913:1
(Colon. cap., Rhodes. mer.,). *Scar.*,
Copr., *Copri.*, *Pinot.* 50.
Delopleurus Motsch., Etud. E. 1852, 50
= *Luciola* Cast. 1833. *Lamp.*,
Luci. 43.
Delopsis Fauv., Rev. d'E. 14, 1895,
198 (*D. cornuta* Fauv. 1895) 1913:3
(Birma 2, Java 1) + 1 (*africana* Bernh.
Camerun.). *Staph.*, *Oxyt.*, *Oxyti.*,
Oxyte. 118.
Delopygus Lee., New Col. 1866, 129
= *Eutochia* J. Lee. 1862. *Ten.*,
Ulom. 708.
Delopyrus Motsch., Etud. E. 1852, 50
= *Luciola* Cast. 1833. *Lamp.*,
Luci. 43.
Delphinobius Fairm., ASEB. 54, 1900,
241 (*D. Cottae* Fairm. 1900) 1913:1
(Madag.). *Scar.*, *Melth.*, *Hopl.* 520.
Deltaspis Serv., ASEFr. III, 1834, 7;
Chevr., JoE. I, 1861, 247; *Bates*,
BCA. Col. V, 1880, 76, 322 (*D.*
auromarginata Serv. 1834) 1913:14
(Mexico). *Ceramb.*, *Cerambin.*, *Ste-*
nasp. 964.
Deltochilum O ~~**~~ Eschz., Entomogr.
1822, 37 (*D. dentipes* Eschz. 1822,
gibbosum [F.] 1775, *Icarus* [OL]
1789) 1913:48 + 2 ?1911 (Mex., Am.
trop., Bras., Arg.). *Scar.*, *Copr.*,
Scarbi., *Canthon*. 20.
Deltorrhinum Har., Col. Hefte II, 1867,
96 (*D. Batesi* Har. 1867) 1918:1
(Ega). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 65.
Deltosoma J. Thoms., Syst. Cer. 1864,
258; *Bates*, BCA. Col. V, 1880, 72
(*D. Lacordairei* Thoms. 1864) 1913:2
(Guatem., Cayenne). *Ceramb.*, *Ce-*
rambin., *Pteropl.* 952.
Demacidia J. Thoms., Class. Cer.
1860, 246 = *Phlyctaenodes* Newm.
1840. *Ceramb.*, *Cerambin.*, *Phlyct.*
396.
Dematochroma O Baly, Descr. n. gen.
u. spec. *Phytoph.* 1864, 16; TESL.
1881, 502; *Lefvr.*, MSLiége (2) 11,
1885, 48 (*D. piceum* Baly 1864;
Laboullencii [Montrouz.] 1861) 1914:4
(Nov. Caled. 3; Ins. Balade; Timor).
Chrys., *Eumolp.*, *Colasp.* 68.

- Demelius** O Waterh., EMM. 1874, 127
(*D. semirugosus* Waterh. 1874)
(Queensland.). *Ceramb.*, *Cerambin.*,
Phorac. 236.
- Demodema** O Blanch., Cat. Coll. E. Col.
I, 1850, 121; **Lac.**, III, 258 (*D. cinerascens* et *fallax* Blanch. 1850) 1913:7
(Boliv., Brasil. Argent.). *Scar.*,
Melth., *Macrod.* 474.
- Demomisid** Pasc., ANH. (3) 19, 1867,
309 (*D. filum* Pasc. 1867) 1913:1
(Austral. occ.). *Ceramb.*, *Cerambin.*,
Stenodi. 434.
- Demonax** O J. Thoms., Class. *Cer.*
1860, 226; **Chevr.**, MSScLiége, 18,
1863, 268 (16), 226; **Pasc.**, TESL.
(3) III, 1869, 619; **Gahan**, F. Brit.
Ind. Col. I, 1906, 280 (Typ.?; *nigrofasciatus* et *mustelinus* Thoms. 1860)
1912:1 (As. mer., Males.). *Ceramb.*,
Cerambin., *Clyt.* 827.
- Demothispa** O Baly, Cat. *Hisp.* 1858,
65, t. 1 f. 14; **Ws.** in Schklig. u J.,
Col. Cat. P. 35, 1911, 6 (*Demotispa*)
- Chapuis**, XI, 274; **Ws.**, ArN. 76, I,
1, 1910, 77 (Typ.?; *D. magna* Ws.
1910, *D. pallida* Baly 1858) 1913:19
(Am. mer. trop.). *Chrys.*, *Hisp.*,
Cephal. 3.
- Demotina** O Baly, JoE. II, 1863, 158;
TESL. (3) IV. II. 1867, 84; **Chap.**,
G. Col. X, 1874, 281; **Lef.**,
MSLiége (2) XI, 1885, 80; **Jac.**,
F. Ind. Col. II, 1908, 427 (Typ.?;
D. Bourringi et *scutellata*) 1914:26
(Jap., Ind. or., Birma, Assam,
Ceylon; Ins. Ceram, Java, Celeb. etc.)
Chrys., *Eumolp.*, *Leprot.* 142.
- Demotinella** O Jac., F. Ind. Col. II,
1908, 414 (*D. pectoralis* Jac. 1908)
1914:1 (Tenass.). *Chrys.*, *Eumolp.*,
Leprot. 131.
- Demotispa** vide *Demothispa*. *Chrys.*,
Hisp., *Cephal.* 3.
- Demetrius** Broun, ANH. 6, 15, 1895,
243 (*D. carinulatus* Broun 1895)
1913:1 (Nov. Zealand.). *Ten.*, *Tenebr.*
848.
- Dendaroscelis** Reitt., Best.-Tab. 53,
1904, 79; **Schaufuß** in Calwer,
(799) = Subg. ad *Dendarus* Latr.
1829. *Ten.*, *Pedin.* 449.
- Dendarus** O Latr., Règne anim. ed. 2,
V, 1829, 20; **Cast.**, HN. II, 1840,
208; **Jacq. du Val**, III, 273; **Seidl.**,
NID. V, 1893, 384; **Reitt.**, Best.-Tab.
53, 1904, 77; **Desbr.**, Frelon X, 1901,
38; **Schaufuß** in Calwer, 799 (Typ.?);
D. piceus [Ol.] 1820) 1913:47 (Me-
diterr.). *Ten.*, *Pedin.* 449.
- Dendarus** Seidl., NID. V, 1893, 388;
Reitt., Best.-Tab. 53, 1904, 79 =
Subg. ad *Dendarus* Latr. 1829. *Ten.*,
Pedin. 449.
- Dendrobias** O Serv., ASEFr. III, 1834,
41; **Dupont**, Monogr. *Trachyd.* I,
1836, 21, II, 1838, t. 222, f. 8 (*D.*
mandibularis Serv. 1834) 1913:2
(Mex., Nov. Mex., Tex., Ariz., Calif.,
Martiniqu., Nicarag.). *Ceramb.*,
Ceramb., *Trachyd.* 1007.
- Dendrobium** Muls. et Rey, *Térédiles*
1864, 65, 68; **Seidl.**, F. Ba. 1889,
501; **F. Tr.**, 536; **Reitt.**, Tab. 47,
20; **F. Germ.** III, 312; **Everts**, II,
229; **Schaufuß** in Calwer, 724;
Kuhnt, 682 = *Coelostethus* J. Lee.
1861. *Anob.*, *Anobi*. 38.
- Dendroblaptus** Chevr., Rev. Zo. 1864,
179; **Lac.**, VIII, 124; **Lmr.**, MSEB.
9, 1902, 102, (Rév., 162); 21, 1912,
165 (Rév., 1029) = Subg. 1 ad
Callipogon Serv. 1832 (*D. barbiflavus*
Chevr. 1864) (Cuba). *Ceramb.*,
Prion., *Callipogi.*, *Callipog.* 52, 1.
- Dendroblax** O White, Voy. de Ereb.
and Terr. 1846, E., 9 (*D. Earlei*
1846) 1913:1 (Nov. Zeal.). *Luc.*,
Chias. 4.
- Dendroctonus** O Er., ArN. II, 1836,
45—65; **Chap.**, Syst. Scol. 1873, 242;
Eichh., Eur. Borkenk. 1881, 125;
Reitt., Best.-Tab. 1894, 53; **Hopkins**,
A. D., The Genus *D.*: U. S. Dept.
Agr. techn. ser. 17 pt.) 1909, 1—158

- (Ausführl. Bibliogr.); *Gutfl.-B.*, 561; *Schaufuß* in Calwer, 1045, 1051, 1222; *Kuhnt*, 1045, 1051 (*D. micans* Kugel. 1794) 1913:24 (Eur., Sibir., Amer. b.). *Hyles*. 23.
- Dendroctonus* *Zimm.*, TAmES. 1868, 148 = *Carpoborus* *Eichh.* 1864. *Ip.*, *Hyles*. 25.
- Dendrodipnis* *Woll.*, EMM. X, 1873, 33 = *Nosodendron* *Latr.* 1804. *Nosd.* 1.
- Dendropemon* *O Perty*, Delect. anim. 1830, 38 [emend.] (*D. viridis* *Perty*, *piceus* *Perty* 1830, *viridipennis* [*Cast.*] 1830) 1913:16 (Guyana, Brasil., Venez., Cayenne, Parag.). *Scar.*, *Copr.*, *Copri.*, *Phan.* 89.
- Dendrophilopsis* *O Schm.*, HoR. 24, 1890, 11; *Schaufuß* in Calwer, (309) (*D. latipes* *Bonelli* 1812) 1913:1 (Ross. mer., Asm.). *Hist.* 52.
- Dendrophilus* *O Leach*, Zo. Misc. 3, 1817, 76; *Er.* in *Klug*, Jahrb. Ins. I, 1834, 166; *Mars.*, Mon. 1855, 146; *Jacq. du Val*, II, 109; *C. G. Thoms.*, Sk. Col. 4, 243; *Schm.*, BEZ. 29, 1885, 282; *Ganglb.*, KäfMEur. 3, 1899, 372; *Reitt.*, F. Germ. II, 1909, 289; *Gutfl.-B.*, 227; *Schaufuß* in Calwer, 303; *Kuhnt*, 363, 371 (Typ.?) ; *D. punctatus* [*Herbst*] 1792, *pygmaeus* [*L.*] 1758) 1913:5 (Eur., Asm.; Jap.; Am. b., Cal.). *Hist.* 51.
- Dendrosinus* *Chap.*, Syn. Scol. 1873, 236; *Reltt.*, Best.-Tab. 1894, 45; *Bldf.*, BCA. Col. IV, 6, 1895—1907, 156 (*D. globosus* [*Eichh.*] 1868) 1913:5 (Amer. c. 1, Marseille import.?). *Ip.*, *Hyles*. 18.
- Dendroterus* *Bldfd.*, BCA. Col. IV, 6—1895—1907, 233 (*D. mexicanus* et *Sallei* *Bldfd.* 1895—1907) 1913:2 (Mexico). *Ip.*, *Ipin.* 68.
- Dendrotrupes* *Broun*, Man. N. Zeal. Col. II, 1881, 741 (*D. costiceps* et *D. vestitus* *Broun* 1881) 1913:2 (Nov. Zealand.). *Ip.*, *Hyles*. 40.
- Dengitha* *Reltt.*, DEZ. 31, 1887, 516; 1896, 300; Best.-Tab. 42, 1900, 86,
- 185; *Semen.*, A. Mus. St. Petersb. I, 1896, 47 (*D. lutea* *Reltt.* 1887) 1913:3 (Caspic. or., Desert. Karakum, Transcasp., Buchara). *Ten.*, *Tentyr*. 155.
- Deniorus* *Pic*, Rev. Zool. Afr. III, 3, 1914, 484 = *Lydoceras* *Mars.* 1870. *Melo.*, *Lytt.*, *Mylabr.* 15.
- Denops* *O Fisch.*, B. Mosc. I, 1829, 65, *Spin.*, *Cler.* I, 1844, 89; *Lac.*, IV, 1857, 425; *Chenu*, Encycl. d'HN. Col. II, 1860, 232; *Jacq. du Val*, G. Col. d'Eur. 3, 1861, 194; *Kiesw.*, NID. 4, 1863, 677; *Muls.* et *Rey*, Col. Fr. *Angustic.* 1863, 32; *Gorh.*, Cist. E. II, 1875/82 (1876), 61; *Reltt.*, VN. 32, 1893 (1894), 39; Best.-Tab. 1894, 6; *Schklg.*, GIW. *Cler.* 1903, 6; *Gutfl.-B.*, 392; *Schaufuß* in Calwer, 396; *Kuhnt*, 465, 467 (*D. albofasciatus* [*Sharp*] 1825) 1913:1 (Eur. mer., Germ., Gall., Cauc., Alger.). *Cler.*, *Cleri.*, *Till.* 2.
- Denticerus* *Jord.*, NoZo. I, 1894, 189; X, 1903, 145 (*D. reticulatus* *Jord.* 1894) 1913:1 (Camerun.; Kuilu). *Ceramb.*, *Cerambin.*, *Clyt.* 830.
- Deplanchesia* *Fauv.*, BSLinn. Norm. V, 1861, 310 (*D. metallescens* *Fauv.* 1861) 1913:1 (Cayenne). *Ten..* *Cnodal.* 934.
- Derancistrus* *O Serv.*, ASEFr. I, 1832, 181; *Lmr.*, MSEB. 17, 1909, 1 (Rév., 585). (*D. elegans* *Beauv.* 1805 Haiti) 1913:33 (Ins. Ind. occ.; Cuba 2+1?, Mex., Guat., Costa Rica; Civ. confoed.; La. — N.Y.) — 6 Subgg.: *Prost.*, *Deranc.*, *Solen.*, *Holon.*, *Elat.*, *Sphenost.* — *D. s. str.* *Serv.*, ASEFr. I, 1832, 181; *J. Thomis.*, Class. *Cer.*, 288; *Syst. Cer.*, 467; *Lac.*, VIII, 181; *Lmr.*, MSEB. 17, 1909, 5 (Rév., 589) = Subg. 2 ad *Der.* *Serv.* 1832 (Typ. ut antea) 1913:3 (1+2). *Ceramb.*, *Prion.*, *Deranc.* 56; 56, 12.
- Deratopeus* *Casey*, TAc. St. Louis, XV, 1905 = Subg. ad *Lathrobium*

- Grav.** 1802. *Staph.*, *Paed.*, *Paeid.* 210.
- Deratus* Motsch., Bull. Moscou XLV, 2, 1872—73, 51 = *Apalus* F. 1775. *Melo.*, *Nemogn.*, *Sit.* 64.
- Derbidia* Fairm., Rev. d'E. 20, 1901, 220 (*D. perelegans* Fairm. 1901) 1913:1 (Madag.). *Ceramb.*, *Cerambin.* *Chlid.* 840.
- Dere* O White, Cat. Col. Brit. Mus. VIII, 1855, 248; *Gahan*, F. Brit. Ind. Col. I, 1906, 315 (*D. thoracica* White 1855) 1912:6 (Ind. or., Penang, Jap., China b., Ceyl.). *Ceramb.*, *Cerambin.*, *Cleom.* 871.
- Derestenus* O Chevr., Rev. MaZo. 1843, 13; *Chenu*, Enc. d'E.B.N. Col. II, 1860, 238; *Gorham*, TESL. 1878, 162; *Lohde*, StEZg. 61, 1900, 33 (*D. quadrilineatus* Chevr. 1843) 1913:24 (Amer. centr.). *Cler.*, *Cleri.*, *Clerin.* 65.
- Deretrichia* Ws., Nov. Guin. IX, Zo. III, 1912, 425 (Typ.?; *D. tibialis* [Baly] 1867) 1914:6 (Nov. Guin., Waigiou, Mysol) 165. *Chrys.*, *Eumolp.*, *Metachr.*, 165.
- Deretus* Gahan, B. Liverpool Mus. III, 1900, 10 (*D. denticollis* Gah. 1900) 1913:1 (Sokotra). *Ten.*, *Helop.* 1083.
- Dereutes* Chevr., Mem. Cler. Mem. Clér. 1876, 29 = *Epiclines* Chevr. 1829/38. *Cler.*, *Cleri.*, *Clerin.* 123.
- Deridea* O Westw., TESSL. 1875, 226 (*D. curculionides* Westw. 1875) 1917:2 (Angola, Aden). *Melo.*, *Nemogn.*, *Nemogni.* 66.
- Derilis* Motsch., B. Mosc. 45, 1872, II, 27; *Waterh.*, ANH. (4) 17, 1876, 289 = Subg. ad *Amenophis* Thoms. 1858. *Ten.*, *Tenebr.* 786.
- Derispia* Lewis, ANH. (6) 13, 1894, 390 (Typ.?; *D. maculipennis* Mars. 1876, *D. coccinelloides* Westw. 1883) 1913:2 (Ceyl., Japon.). *Ten.*, *Diaper.* 652.
- Dermestes* O * + L., Syst. Nat. ed. X, 1758, 354; ed. XII, I, 2, 1767, 561; *Latr.*, G. Crust. et Ins. II, 1807, 30; *Rousseau*, ASEFr. 7, 1838, Bull. 53, fig.; *Rev. Zo.* I, 1838, 78/9; *Siebold*, SteEZg. I, 1840, 137; *Er.*, NID. III, 424; *Sturm*, XIX, 37; *Lac.* II, 461; *Jacq.duVal* II, 253; *C.G.Thoms.* IV, 199; *Anonym*, Sc. Gossip 1867, (68), 28/9; *Muls.*, et *Rey*, *Scut.* 23; *Bond*, TESL. 1868, P. p. I; *Buysson*, Feuill. j. Nat. 8, 1877/8, 85, 187; *Heustis*, Can. Ent. X, 1878, 141; *Dohrn*, StEZg. 40, 1879, 187; *Jayne*, PAm.Phil.S. 20, 1882, 347; *Ganglb.* IV, 1, 1904, 9; *Schaufuß* in Calwer, 593; *Kuhnt*, 602, 603; *Gutfl.-B.*, 282.
- Metam.: Lit. ab 1880 (lit. prior. vide *DT.* in Schklg. u. J., Col. Cat. P. 33, 40 sq.): *Anonym*, BSAgr. Lyon IX, 1884, 98 f.8; *Karsch*, ENa.13, 1887, 279/283; *Heller*, ENa. 16, 1890, 209; *Fabre*, Souv. E. 8, 1903 chap. 16, 260/8; *Ganglb.*, IV, 1, 1904, 10; *Xambeu*, Natural. 28, 1906, 199—202, 214—6; *Rosenh.*, StEZg. 43, 1882, 9; *Rey*, Ess. Et. Larves 54/57 (106); t. 2 f. 6; *Vogler*, Ill. ZE. 3, 1898, 17—20; *Kolbe*, ZE. Breslau 21, 1896, 5; *Heller*, VzbGW. 38, 1888, 157—160, t. 4; *Mjöberg*, ArkZo. 3, 1906, nr. 3, 9—11.
- Biol.: *Perris*, ASEFr. (4) 3, 1863, 116—121, 484 f. 152—160; 4 (5) 1865 Bull. p. XVIII.; Lit. ab 1880 (lit. prior. vide Schklg. u. J., Col. Cat. P. 33, 1911, 40 sq.): *Frey-Gessn.*, MiSchweiz. E. G.X, 1898, 133; *Karsch*, ENa.13, 1887, 281; *Noll*, Zo. Garten 29, 1888, 307; *Heyden*, Ja.Nass.V. Nat. 42, 1889, 161; *Vogler*, Ill. ZE. III, 1898, 17—20; *Rey*, Ess. Et. Larv. 57 (187); *Nördlinger*, Lebensw. Forstkerfe 1880, 3; *Xambeu*, Moeurs VI, 1895, 111; ASLLyon (n. s.) 42, 1896; *Naturaliste*, 22, 1900, 143; *Letzn.*, Jahresber. schles. Ges. 57 1879 (1880), 356; *Rosenh.*, StEZg. 1882, 7/11; *J. J.*

- Walker**, EMM. 21, 1884, 161; **Kolbe**, ArN. 52, 1886, I, 183; **Rey**, Ess. Et. Larv. 59 (189); ASEFr. (6) 9, 1889, Bull. p. CCXXVI; **Bourgeois**, ASEFr. 60, 1891, Bull. p. LXI; **Heim**, Compt. rend. S. Biol. Paris, 1894, 58; **Riley**, A. Rep. 1885 (86), 258—264, t. 6 f. 2; **Lintner**, 4. Rep. Albany, 1888, 89 fig.; **Jones**, Ins. Life II, 1889, 63 fig.; **Blandford**, TESL. 1899, p.V.—(*D. lardarius* L. 1758) 1913:53 + 1? (in omn. part. orb. terr. distrib. + 1 e seculoris aegypt. („aus altägypt. Gräbern“). — *D. Ganglb.* IV, 1 1904, 12 = Subg. ad *D. L.* 1758. *Derm.*, *Dermst.* 1.
- Dermestes** L., Syst. nat. ed. 9 1756, 355 = *Myelophilus* Eichh. 1870. *Ip.*, *Hyles*. 15.
- Dermestes** L., Syst. Nat. ed. X, 1758, 356 = *Xyloterus* Er. 1836. *Ip.*, *Xyl.* 113. — *Dermestes* aut antiqu. — *Cis*. *Latr.*
- Dermestoides** Schäff., Icon. Ins. III, 1771 t. 220, f. 4; **Houlbert et Bétis**, T. Sci. Univ. Rennes 4, 1905, 124 et 132 = *Orthopleura* Spin. 1844. *Cler.*, *Coryn.*, *Enopl.* 149.
- Dermestops** O Jac., Annuaire. Mus. Pétersb. III, 1898, 195 (*D. Ahngeri* Jac. 1898) 1914:1 (Transcasp.). *Chrys.*, *Eumolp.*, *Leprot.* 150.
- Dermorrhysis** O Baly, JoE. I, 1861, 282; TESL. (3) IV, II, 1867, 262; **Chap.**, G. Col. X, 1874; 252; **Lefvr.**, MSLiége (2) 11, 1885, 48; **Jac.**, F. Ind. Col. II, 1908, 367 (*D. igneofasciata* Baly 1861) 1914:23 (Ind. or., Birma, Austral., Borneo, Celeb. 1, Ceyl. 10). *Chrys.*, *Eumolp.*, *Colasp.* 69.
- Dermorrhysis** Baly, TESL. (3) 4, II, 1867, 262 (pars) = *Abirus* Chap. 1874. *Chrys.*, *Eumolp.*, *Edus.* 210.
- Dermoxanthus** Baly, ANH. (3) 4, 1859, 126; **Chap.**, G. Col. X, 1874, 347; **Lefvr.**, MSLiége (2) 11, 1885, 156 (*D. fraternus* Baly 1859) 1914:6 (Kili-mandj., Usambara 2, Calab. antiqu. 2, Sansibar 1). *Chrys.*, *Eumolp.*, *Endoc.* 287.
- Derobrachus** O ♀ Serv., ASEFr. 1, 1832, 154; **Lmr.**, ASEB. 55, 1911, 260 (Rév., 739) (*D. brevicollis* Serv. 1832) 1913:12. — 2 Subgg.: *Orth.*, *Derobr.* = Subg. 2 ad *D.* (Typ. ut antea) 1913:11 (3 + 3 + 2 + 2 + 1) *D.* s. str. Serv. (Am. b., c., Haiti). *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 70, 70,2.
- Deroderus** Sharp, BCA. Col. I, 2, 1882/87 (1886) 577 (*D. vestitus* Sharp 1886) 1913:4 (Mex. 1, Guat. 2, Panam. 1). *Staph.*, *Paed.*, *Paeedi.* 191.
- Derodontus** O J. Lec., Class. (1861), 100; **J. Lec. u. Horn**, Class. 1883, 158; **Seidl**, F. Ba. ed. II, 1887—91 (1888). Gatt. p. 52; F. Tr. 1887—91 (1888), Gatt. p. 52; *Ganglb.*, KäfMEur. 3, 1899, 766 nota; **Reitt.**, F. Germ. 3, 1911, 298; **Jacobs**, Käf. Rußl. 1905 (—11), 722 (*D. maculatus* Melsh. 1846) 1915:3 (Croat., Galic., Hungar., Tirol; Pennsylv., Alaska, Vancouver). *Schaufuß* in Calwer (405); *Dero*. 3.
- Derolophodes** O Brancs., Jahresb. Ver. Trenes. XIX—XX, 1898, 12 (*D. tuberosus* Brancs. 1898) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Saph.* 41.
- Derolus** O Gah., ANH. (6) 7 1891, 26 (Revis.); F. Br. Ind. Col. I, 1906, 185; **Gah.**, Ann. Nat. Hist. (6) 7 p. 26 (Type?; *D. volvulus* [F.] 1801 ex As. mer., *arciferus* Gah. 1891 et *femorellus* Chevr. ex Afr., *mauritanicus* Buq. e Palaearct.) 1913:17 (Palaearct. 1, As. mer. 3, Afr. 13). *Ceramb.*, *Cerambin.*, *Cerambyc.* 42.
- Deroplatys** O Sol. in Gay, H. Chile, 1851, 133 (*D. rugipennis* Sol. 1851, *costatus* Blanch. 1843) 1913:3 (Chile). *Ten.*, *Epitrag.* 55.
- Deroplectus** Raffr., Rev. d'E. 17, 1898, 271; ASEFr. 72, 1903, 533; GIW. Psel. 1908, 110 (*D. excisus* [King] 1866)

- 1913:1 (Austral.: Donybrook, Bridge Town). *Psel.*, *Psel.*, *Euplect.* 129.
Derops Sharp, ANH. (6) 3, 1889, 418
 (*D. longicornis* Sharp 1889) 1913:1
 (Japon). *Staph.*, *Oxyt.*, *Phloeoch.* 35.
Derosimus Fairm., BSEFr. 1904, 62
 (*D. quadrirollis* Fairm. 1904) 1913:1
 (Buen. Aires). 'en., *Zopher.* 227.
Derosphaerius O Westw. in Oates' Ma-
 tabeleland 1881, 362 (*D. anthracinus*
 Westw. 1881) 1913:15 (Terr. Damara,
 Cap. b. Sp., Terr. Matab., Caffr.).
Ten., *Epitrag.* 80.
Derosphaerus O J. Thoms., ArE. II, 1858,
 99 (*D. globicollis* Thoms. 1858)
 1913:23 (Jap., Ind., Annam., Phil.
 Ins., Afr. trop.). *Ten.*, *Tenebr.* 809.
Derosira Fairm., ASEB. 41, 1897, 388
 (*D. crenulipennis* Fairm. 1897) 1913:1
 (Madag.). *Lagr.* Stat. 22.
Derostrrophus Fairm., ASEFr. (6) 8,
 1888, 186 = *Derosphaerius* Westw.
 1881. *Ten.*, *Epitrag.* 80.
Desgodinsia Senna, ASEB. 38, 1894,
 381; Schoenfeldt, GIW. *Breth.* 1908,
 45 (*D. spinirostris* Senna 1894) 1913:1
 (Birma infer.). *Breth.*, *Bretha.*
Bel. 73.
Desimia O Reitt., VN. 20, 1882, 202;
 VzbGW. 31, 1881, 457; Raffr., Rev.
 d'E 9, 1890, 89 et 91; ASEFr. 73, 190
 1904, 337; GIW. *Psel.* 1908, 346
 Schaufuß in Calwer, 253 (*D. Ghilianii*
 [Aubé] 1844) 1913:11 (Mediterr.,
 Afr. occ. et or., Madag.). *Psel.*,
Psel., *Ctenist.* 364.
Desmocerus O Serv., ASEFr. IV,
 1835, 202 (*D. palliatus* [Forst.] 1771)
 1913:5 (Cal., Canad., Connect.,
 Carol. b., Va., Louis., Washingt.,
 Oregon). *Ceramb.*, *Cerabin.*, *Dor-*
cas. 572.
Desmoderus O Serv., ASEFr. III, 1834,
 37; Dupont, Monogr. *Trachyd.* I,
 1836, 17, II, 1838, t. 222 f. 5 (*D. varia-*
bilis Serv. 1834) 1913:1 (Venez.,
 Brasil.). *Ceramb.*, *Cerabin.*,
Trachyd. 1002.
Desmogramma O Er., ArN. 13, 1847,
 157; Chap. X, 368, 400 (*D. bigaria*
 et *polychordia* Er. 1847) 1916:48
 (Am. mer. trop., Bras., Argent.).
Chrys., *Chryso.*, *Chysi.* 13.
Desmonyx Arrow, ANH. (7) 9, 1907,
 355 (*D. humeralis* Arrow 1907) 1918:1
 (Birma). *Scar.*, *Rut. hom.*, *Ruti.*,
Desmnch. 40.
Deuterocampta O Chevr. in d'Orb.,
 Dict. univ. HN. IV, 1844, 715; Er.,
 ArN. 13, 1847, 157; Chap., X, 368,
 392 (Type?: *semistriata* [F.] 1775)
 (Stål, Öfv. Vet. Ak. Förh. XVI. 1859)
 1916:92 (Am. mer. trop., Mex.).
Chrys., *Chryso.*, *Chysi.* 15.
Deuterocaulobius O DT., Col. Cat. P. 47,
 1912, 126 (*D. pubescens* [Er.] 1842,
cervinus? [Boisd.] 1835) 1913:10
 (Austral., Tasm.). *Scar.*, *Melth.*,
Lipar. 199.
Deuterohapalopus DT. in Schlg. u. J.,
 Col. Cat. P. 50, 1913, 308 (*D. Chuni*
 [Brenske] 1903) 1913:1 (Afr. mer. occ.).
Scar., *Melth.*, *Pachyd.* 416.
Deuteromma Pase., TESL. 2 IV, 1857,
 98 = *Tetraommatus* Perr. 1855.
Ceramb., *Cerabin.*, *Oem.* 54.
Dexithea O J. Thoms., Syst. Cer. 1864,
 185 (*D. Klugi* Cast. et Gory, Monogr.
 51) 1913:3 (Mex., Bras.). *Ceramb.*,
Cerabin., *Clyt.* 807.
Dphysores O Grouv., Rev. d'E. 22, 1903,
 90 — Subg. 1 ad *Rhysodes* (*Dh. pensus*
 [Broun] 1880) 1913:2 (N.Z., Natal).
Rhys. 1, 1.
Dia Redtb., F. Austr. ed. 2, 1858, 894
 = *Colaspidea* Lap. 1833. *Chrys.*,
Eumolp., *Myochr.* 233.
Diabasis Burm., Hd. E. IV, 1, 1844, 366
 (*D. coerulescens* Burm. 1844) 1918:1
 (Col.). *Scar.*, *Rut. hom.*, *Ruti.*,
Antich. 50.
Diacalla O Pase., JoE. II, 1863/66, 46
 (*D. comata* Pase. 1863) 1913:1
 (Queensl.). *Lagr.* 38 (inc. sed.).
Diaclapsus Brenske, BEZ. 41, 1896,
 359 (*D. delagoensis* Brenske 1896)

- 1913:2 (Sin. Delagoa; Afr. or. brit.).
Scar., *Melth.*, *Pachyd.* 441.
Diaclina *Jacq. du Val* III, 1861, 296;
Schaufuß in Calwer, 813; *Kuhnt*,
748; 813 = Subg. ad *Alphitobius*
Steph. 1832. *Ten.*, *Ulom.* 700.
Diaglyptus *d'Orb.*, *ASEFr.* 82, 1913, 13
(*D. [Caccobius] metasternalis*)—1913:2
(—). *Scar.*, *Copr.*? of *P. II*.
Dialeges *O Pasc.*, *TESL.* (2) IV 1856, 46;
(3) III, 1869, 521; *Gahan*, *F. Brit.*
Ind. Col. I, 1906, 141 (*D. pauper*
Pasc. 1856) 1913:3 (Ceyl., Birm.,
Siam, Ins. Buru, Beng., Borneo).
Ceramb., *Cerambin.*, *Cerambyc.* 150.
Dialexia *O Gorh.*, *BCA. Col. 7*, 1887/99,
1891, 146 (*D. setulosa* *Gorh.* 1891)
1913:2 (Grenad., Guatém.). *End.*,
Endo., *Stenotars.* 68.
Dialycera *Ganglb.*, *KäfMEur.* II, 1895,
739, 743; *Schaufuß* in Calwer, 156
= Subg. 5 ad *Phyllodrepa* *Thoms.*
1860 (*D. distincticornis* *Baudi* 1869)
1913:6 (Mediterr.: Galilaea, Cauc.,
Gall. mer., Ital. mer., Asm.).
Staph., *Oxyt.*, *Omal.* 48, 5.
Dialytes *O Har.*, *Col. Hfte. V*, 1869,
101; *G. Horn*, *TAmES. 3*, 1870, 133/4;
l. c., 14, 1887, 65/7; *Wiekh.*, *Can.*
Ent. 26, 1894, 200 et 203; *A. Schmidt*,
GIW., 1910, 103, 113/4 t. 3 (*truncatus*
[Melsh.] 1844/5, *D. striatulus* [Say]
1825) 1913:6 + 1 (1911?) (Andam.,
Japon., Born., Java, Austral., Civ.
confoed.). *Scar.*, *Aphod.*, *Eupar.* 24.
Diamerus *O Er.*, *ArN. I*, 1836, I, 57
(*D. hispidus* *Klug* 1833) 1913:14
(As., Afr., Madag.,) *Ip.*, *Diam.* 5.
Diammaphora *Chev.*, *Arcana Nat.* 1859,
50 [err. typ.] = *Dihammaphora*
Chev. 1859. *Ceramb.*, *Cerambin.*,
Cleom. 887.
Diammatophora *Gemm. u. Har.*, *Col. Cat.*
IX, 1873, 2947; *Goun.*, *ASEFr.* 80,
1911, 92 = *Dihammaphora* *Chev.*
1850. *Ceramb.*, *Cerambin.*, *Cleom.*
887.
Dianous *O Samouelle*, *E. Compend.*
1819, 973; *Ganglb.*, *KäfMEur.* II,
1895, 548; *Gutfl.-B.*, 157; *Schaufuß*
in Calwer, 176 (*D. coeruleescens* [Gyll.]
1810) 1913:3 (Eur. b., med., Am. b.;
Pegu). *Staph.*, *Sten.*, *Steni.* 146.
Diaperis *O* * *Geoffr.*, *Ins. envir. Paris I*,
1792, 337; *Müll.*, *Zo.Dan.* 1776 p.XXI,
p. XXII; *F. Skr. nat. Selsk.* 1790,
216; in Schneid. *Mag.* 1791, 21; *E.*
Syst. I, 1792, II, 516; *Syst. El. II*,
1801, 585; *Latr.*, *Précis de car.* 1796,
21; *HN. X*, 1804, 306; *Gen. Crust. et*
Ins. II, 1807, 176; *Règne anim.*
1817, 301; *ed. II*, 1829, 29; *Gyll.*,
Ins. Suec. II, 1810, 549; *Cast.* et
Brill., *A.Sc.nat.* 23, 1831, 333 (9)
(Mon.); *Cast.*, *HN. II*, 1840, 222;
Redtb., *Gatt.* 1845, 128; *F. Austr.*
ed. I—III; *Muls.*, *Col. Fr.* *Latigèn.*
1854, 200 et 205; *Lac.* V, 301;
C. G. Thoms. I, 116; VI, 250; *Jacq. du*
Val III, 295; *Seidl.*, *F. Ba.* 1875, 96
(Gatt.); *ed. II*, 1891, 131 (Gatt.);
F. Tr. 1891, 131 (Gatt.); *NID. V*,
1894, 508, 251; *Desbr.*, *Frelon*, XI,
1902, 4; *Gutfl.-B.* 414; *Schaufuß* in
Calwer 806; *Kuhnt*, 740, **745** (*D.*
boleti [L.] 1758, *maculata* [Ol.] 1791)
1913:8 (Eur., Cauc., Sib., Jap.,
Am. b., Civ. confoed., Mex., Ariz.,
Ceylon) *Ten.*, *Diapre.* 614.
Biol.: *Ol.*, *Entom. III*, 1795,
55 p. 9; *Dufour*, *A.Sc.nat.* (2)
20, 1843, 290 t. 12, f. 10—13; *Muls.*,
Col. Fr. *Latigèn.* 1854, 208; *Schiödte*,
NTi. III, 1879, 547, 585 t. 8 f. 14/24;
Seidl., *NID. V*, 1894, 210, 213, 513.
Diaphanes *O Motsch.*, *Etud. E.* 1852, 44;
Gorham, *TESL.* 1880, 90; *Ern. Oliv.*,
AMusG. 1886, 345; *GIW. Lamp.*
1907, 40 (Typ.?; *D. ictericus* [Gyll.]
1817; *marginellus* [Hope] 1831, *mar-*
ginipennis [Boh.] 1851) 1913:45
(China; As. mer., Formosa, Hindost.
etc., Born., Java, Sum. 2, Afr. trop.
or., occ., Congo; Fernando Po; Ins.,
Battu). *Lamp.*, *Lampr.* 32.

- Diaphanidus* Reitt., ENa. 26 1900,
299 (*D. antennatus* Reitt. 1894)
1913:2 (Transcasp., Turkest.). *Ten.*,
Erod. 4.
- Diaphanops* O Schönh., G. Curc. VIII,
2, 1845, 342; *Chap.*, G. Col. X, 1874,
38; *Jacoby*, GIW. 14, 1903, 5 (*D.*
Westermannii Boh. 1845) 1913:3
(Austr. mer.: Swan River). *Chrys.*,
Sagr., *Carpoph.* 10.
- Diaphoetes* Waterh., PLSL. 1884, 214
Fauv., Rev. d'E. 21, 1902, 41 =
Tympanophorus Nordm. 1837. *Staph.*
Staph., *Staphy.*, *Staphyl.*, *Xantho*.
332.
- Diaphorocera* Heyd., BEZ. VII, 1863,
126 (*D. Hemprichi* Heyd. 1863) 1917:6
(Aegypt., Biskra, Tunes., Terr.,
Somali). *Melo.*, *Lytt.*, *Mylabr.* 10.
- Diaphoroserica* Péring., TSouthAfr.
Phil.S. XIII, 1904, 26 (*D. mashona*
Péring. 1904) 1913:1 (Rhodesia mer.).
Scar., *Melth.*, *Serie*. 81.
- Diaphorus* O Mars., Mon. 1860, 865
t. 2 f. 11, 1860, 854 (?*D. errans* Mars.
1860) = ref. ad Subg. I ad *Apobletes*
Mars. 1860. *Hist.* 17,1.
- Diaphylla* Er., ArN. 13, 1847, P. 1,
102; *Burm.*, Hd. E. IV, 2, 41; *Lac.*,
III, 237 (*D. hispida* Et. 1847) 1913:5
(Chile 3, Peru 1, Valdivia 1). *Scar.*,
Melth., *Macrod.* 479.
- Diaplochelus* O Burm., Hd. E. IV, 2,
1844, 132; Péring., TSAfr. Phil.
S. 12, 1902, 794 (*D. longipes* [F.]
1787; *squamulatus* Burm. 1844) 1913:4
(Terr. cap. 3, Transvaal 1). *Scar.*,
Melth., *Hopl.* 517.
- Diaposis* Raffr., ASEFr. 73, 1904, 38;
GIW. *Psel.* 1908, 165 (*D. carin-*
collis [Raffr.] 1896) 1913:1 (Sumatra).
Psel., *Psel.*, *Batriss.* 180.
- Diaprysius* O * Abeille de Peirin,
BSHN. Toulouse, 12, 1878, 149;
Reitt., VN. 23, 1885, 11; WEZg. V,
1886, 316; DEZ. 33, 1889, 296;
Peyerimhoff, BSEFr. 1904, 186;
Jeannel, BSEFr. 1910, 8, f. 1—12,
- 884 f. 1—2; *Arch. Zo. exp.* (5) 5, 1910,
5 et 35; 54, 1914, 70; *Rev. Ba.*, 382;
Breit., EMi. II, 1913, 307; Reitt.,
WEZg. 27, 1908, 115; *Schaufuß* in
Calwer, (264). — Chor.: Jeannel, *Rev.*
Ba. 160 f. LXV (carte). — (*D. caudatus*
[Ab. de P.] 1875, *caudatissimus* [A.
de P.] 1876) 1913:7 (cavern.: Gallia:
Ardèche; Gard). *Silph.*, *Bath.*,
Bathy. 21.
- Diapus* O * Chap., Mon. Pl., 43, 329. —
Biol.: Stebbing, Dept. Notes Ins. affect.
forestry 1902, 414, 418—420; Janson,
Ind. Mus. Notes III, 1893, 74. —
(*D. quadrispinatus* Chap., 1865) 1912:8
(Jap., Ind., Beng., Himal., Ins.
Sund. excl. Sum., Ins. Morty, Nov.
Guin.). *Platyp.* 13.
- Diarrogus* O Raffr., A. Mus. Nat. Hung.
1903, 36; ASEFr. 72, 1903, 527;
GIW. *Psel.* 1908, 80 (*D. pubescens*
1903) 1913:1 (Astrol. Bay, Berlinhaf.,
Golfe Huon). *Psel.*, *Psel.*, *Euplectr.*
83.
- Diartiger* O Sharp, TESL. 1883, 329;
Raffr., Rev. d'E. 9, 1890, 165; ASEFr.
73, 1904, 449; GIW. *Psel.* 1908, 437
t. 2 f. 20 (*D. fossulatus* Sharp 1883)
1913:2 (Japon.). *Psel.*, *Clavig.* 448.
- Diasomus* Dalm., Ephem. Ent. 1824, 4
= *Chiron* Mc Leay 1819. *Scar.*,
Chiron.
- Diaspila* O Jord., Nozo. 10, 1903, 192
(*D. periscelis* Jord. 1903, *D. bipunctata*
[White] 1855) 1913:2 (Sierra Leonc.,
St. Thome do Principe). *Ceramb.*,
Ceramb., *Calldp.* 320.
- Diastanus* Fairm., ASEFr. 71, 1902,
338 (*D. nitidiventris* Fairm. 1902)
1913:1 (Madag.). *All.*, *Omophl.* 114.
- Diastictulus* Raffr., ASEFr. 72, 1903,
528; GIW. *Psel.* 1908, 93 (*D. puncti-*
pennis Raffr. 1893) 1913:1 (Ceylon.).
Psel., *Psel.*, *Euplect.* 101.
- Diastictus* O Muls., Lamell. 1842, 318—
320; Muls. et Rey, 1871, 393—5; Er.,
NID. 3, 1848, 914—5; Seidl., F. Ba.
1891, 29 et 144; F. Tr. 1891, 29 et

- 152; **Reitt.**, Tab., 19 et 29; VN. 30, 157 et 167; **d'Orb.**, Abeille 28, 1896, 250; **A. Schmidt**, GIW. 1910, 116 et 121, 22 t. 3; **Schaufuß** in Calwer, 1265, 1266; **Kuhnt**, 383, 388 (*D. vulneratus* [Sturm.] 1805) 1910:1 (Eur.). *Scar.*, *Aphod.*, *Psamm.* 29.
- Diastixus* All., Rev. 1876; Mon. 17, 42, 174; **Seidl.**, NID. V, 698, 746, 787; **Vaulog.**, Übers., 679, 685, 702; **Schaufuß** in Calwer, (819)=Subg. ad *Helops F.* 1772. *Ten.*, *Helop.* 1073.
- Diastoleus* O Sol., ASEFr. 7, 1838, 67; in **Gay**, H. Chile V, 1851, 179; **Lac.**, V, 128 (*D. collaris* [Guér.] 1834) 1913:2 (Chile). *Ten.*, *Scotob.* 342.
- Diastolinus* Muls. et Rey, ASagr. Lyon 1859, 138; Opusc. E. 9, 1859, 74 (*D. clathratus* [F.] 1792) 1913:14 (Ven., Cay., Curaçao, Arg., Ins.: St. Thomae, St. Doming., Martinique, Porto Rico). *Ten.*, *Pedin.* 441.
- Diastrophorus* Perroud, ASL Lyon II, 1864, 141; Mel. Entom. 4, 1858, 96; **Lac.**, VII, 1866, 425; **Schoenfeldt**, GIW. *Brenth.* 1908, 30 (*D. planitarsis* Perr. 1864) 1913:1 (Nov. Caled.). *Brenth.*, *Brenth.*, *Trach.* 48.
- Diastrophosternus* O Goun., BSEFr. 1911, 233 (*D. Bruchi* Goun. 1911) 1912:1 (Argent.). *Ceramb.*, *Cerambin.*, *Trachyd.* 1005.
- Diatelium* O Pasc., JoE. II, 1863, 27; **Reitt.**, VN. 18, 1879 (1880), 35 (*D. Wallacei* Pasc. 1863) 1913:1 (Sumatr.). *Scaph.*, *Scaphi.* 1.
- Diatomocephala* Blanck., Voy. Pôle Sud IV, 1853, 266 = *Ceresium* Newm. 1842. *Ceramb.*, *Cerambin.*, *Calldp.* 332.
- Diatrechus* O Bernh., EBl. 7, 1911, 89 (Typ.?: *D. [Anisolinus] compressicollis* [Klug] 1834) 1914:12 (Afr. trop.; Rhodesia 1, Madag. 4). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 293.
- Diaugis* Raffr., ASEFr. 73, 1904, 14; GIW. *Psel.* 1908, 144 (*D. granulosa* Raffr. 1904, *opacea* [Raffr.] 1894) 1913:2 (Singap., Sumatra). *Psel.*, *Pselia*, *Batriss.* 157.
- Diazus* J. Lec., Col. of Kansas in Smiths. Contrib. Knowl. 11, 1859 (1860), 9 (*D. rufidus* J. Lec. 1859 [1860]) 1912:1 (Kansas). *Scar.*, *Melth.*, *Melthi.* 225.
- Dicauloccephalus* O Gestro, AMusG. (2) V, 1888, 623 (*D. Feae* Gestro 1888) 1918:2 (Birma: Mt. Mooleyit; Tonkin: Mts. Mauson). *Scar.*, *Rut.* hom., *Ruti.*, *Parast.* 36.
- Dicax* Fauv., AMusG. 13, 1878, 518 (*D. cephalotes* Fauv. 1878) 1912:7 (Austral.). *Staph.*, *Paed.*, *Paedi.* 223.
- Dicelosternus* Gah., ANH. (8) V, 1900, 309 (*D. corallinus* Gah. 1900) 1913:1 (Formosa). *Ceramb.*, *Cerambin.*, *Stenasp.* 969.
- Dicentrines* Burm., Hd. E. IV, 1, 1844, 175; **Lac.**, III, 1856, 197 (*D. pumilus* Klug 1832/33) 1913:6 (Madag.). *Scar.*, *Melth.*, *Hopl.* 555.
- Dicentrius* O Reitt., VN. 20, 1881, 192; **Raffr.**, Rev. d'E. 9, 1890, 137; ASEFr. 73, 1904, 137; GIW. *Psel.* 1908, 308; **Schaufuß** in Calwer, 252 (*D. Merkli* Reitt. 1881) 1913:1 (Bulgar.). *Psel.*, *Pselia*, *Pselaph.* 324.
- Dicentrus* O J. Lec., TAmES. 8, 1880, 195 (*D. Blüthneri* J. Lec. 1880) 1913:1 (Cal.). *Ceramb.*, *Cerambin.*, *Saph.* 34.
- Diceroderes* O Sol., ASEFr. X, 1841, 46; **Lac.** V, 256 (*D. mexicanus* Sol. 1841) 1913:1 (Mexico). *Ten.*, *Eutel.* 755.
- Dices* Latr., Fam. Règne anim. V, 1829, 63 = *Coryna* Billb. 1913. *Melo.*, *Lytt.*, *Mylabr.* 11.
- Dichastops* Gerst., ArN. 37, 1871, 1, 63; Decken's Reise III, 2, 1873, 189 (*D. subaeneus* Gerst. 1871) 1913:3 (Afr. occ., or., Rhodesia). *Ten.*, *Heterota.* 872.
- Dichecephala* Brenske, AMusG. 35, 1895, 219 nota (*D. abyssinica*

- Brenske** 1895) 1912:1 (Abyss.). *Scar.*, *Melth.*, *Seric.* 153.
Dichelhoplia **Blanch.**, Cat. Coll. E. Col. I, 1850, 68; **Lac.**, III, 194 (*D. indica* et *javanica* **Blanch.** 1850) 1913:4 (Sumatr., Java, Ind. or., Tonkin). *Scar.*, *Melth.*, *Hopl.* 542.
Dichelomorpha **O Burm.**, Hd. E. IV, 2, 1855, 480; **Arrow**, ANH. (7) 19, 1907, 436 (*D. ochracea* **Burm.** 1855) 1913:9 (China, Ind., Ceyl., Siam, Annam, Civ. Shaw, Borneo). *Scar.*, *Melth.*, *Hopl.* 536.
Dichelonycha **O Kirby**, F. Bor. Am. IV, 1837, 133; **Burm.**, Hd. E. IV, 2, 1855, 73; **Lac.**, III, 242; **J. Lec.**, Jo. Ac. Philad. (2) 3, 1856, 278/282; **G. Horn**, TAmES. 5, 1876, 185—192; **Fall.**, op. cit. 27, 1901, 277—292. (*D. Backi* **Kirby** 1837; *elongata* [F.] 1792) 1913:28 (Am. b.: Civ. confoed. Cal.; Am. mer. 1). *Scar.*, *Melth.*, *Macrod.* 450.
 Biol.: **Castle**, E. Stud. II, 1901, 5.
Dicheloplia **Burm.**, Hd. E. IV, 2, 1855, 481, **Gemm. u. Harold**, Cat. Col. IV, 1869, 1111; **Brenske**, MSEB. II, 1894, 6 = *Dicheloplia* **Blanch.** *Scar.*, *Melth.*, *Hopl.* 542.
Dichelus **O Serv.**, Enc. méthod. X, 1825, 373; **Péring.**, TSAfr. Phil. S. 12, 1902, 698 (*D. dentipes* [F.] 1781) 1913:24 (Terr. cap., Natal). *Scar.*, *Melth.*, *Hopl.* 514.
Dichillus **O Jacq. du Val**, G. Col. III, 1861, 253; **Reitt.**, DEZ. XXX, 130 (Mon.); **Desbr.**, Frelon IX, 1901, 171; **Schaufuß** in Calwer (793) (Typ.?; *D. minutus* **Sol.** 1838) 1913:35 (Transcasp., Turk., Syr., Turcmen., Ind., Peking., Mar.). *Ten.*, *Stenos.* 238.
Dichirispa **O Gestro**, AMusG. 1890, 229; 1905, 515 = Subg. 2 ad *Platypria* [Guér.] 1840 (Typ.?; *D. coronata* [Guér.] 1840) 1913:15 (Afr. trop.). *Chrys.*, *Hisp.*, *Hispi.* 92, 2.
Dichomala **Reitt.**, VN. 41, 1903, 53; **Schaufuß** in Calwer, (1328) = *Ano-* *mala* **Sam.** s. str. 1819. *Scar.*, *Rut.* *hom.*, *Anomi.*, *Anoma.* 71, 2.
Dichomma **O Sol.**, ASEFr. IV, 1835, 271; **Lac.**, V, 46; **Jacq. du Val**, III, 249; **Kraatz**, Rev. *Ten.* 1865, 221; **Reitt.**, DEZ. 1896, 298; **Best.-Tab.** 42, 1900, 88, 130; **Schaufuß** in Calwer, (793) (*D. dardanum* [Steph.] 1829) 1913:1 (Asm., Graecia, Syria). *Ten.*, *Tentyr.* 106.
Dichomorpha **O Kuhnt**, GIW. 88, 1909, 32 (*D. fulva* **Kuhnt** 1909) 1911:1 (Col.). *Erot.*, *Erotyl.* 14.
Dichotomius **Hope**, EMa. V, 1838, 321 = *Pinotus* **Er.** 1847. *Scar.*, *Copr.*, *Copri.*, *Pinot.* 73.
Dichotymus **Fairm.**, Compt. rend. SEB. 1891, p. CCXCV (17) (*D. striatipennis* Fairm. 1891) 1913:5 (Afr. or.). *Ten.*, *Rhyssop.* 1147.
Dichromma **Seidl.**, NID. V, 1893, 388; **Reitt.**, Best.-Tab. 53, 1904, 79 — Subg. ad *Dendarus* **Latr.** 1829. *Ten.*, *Pedin.* 449.
Dichtha **O Haag**, Col. Hfte. 7, 1871, 39 (*D. cubica* [Guér.] 1845, *inflata* [Gerst.] 1854) 1913:4 (Afr. mer., Angola, Benguela, Mossamb., Lac. Nyass.). *Ten.*, *Molur.* 306.
Dicladispa **Gestro**, AMusG. 1897, 81; 1899, 329 ref. ad *Hispa* **L.** 1767. *Chrys.*, *Hisp.*, *Hispi.* 91.
Diclidia **O J. Lee.**, P. Ac. Nat. Sc. Philad. 14, 1862, 43; **J. B. Smith**, TAmES. 10 (1882), 74; **Champ.**, BCA. Col. IV, 2, (1890), 250 (*D. laetula* [J. Lee.] 1858) 1915:2 (Texas, Color., Ohio, Guatem.). *Mord.*, *Anasp.* 12.
Dicolectes **Lefvr.**, ASEFr. (6) 6, 1886, Bull. p. LX; **Kuntzen**, ArN. 78, 1912, 2 p. 44, 46 (*D. aulicus* **Lefvr.** 1886) 1914:6 (Assinie, Guin. hisp., Angola, Ashanti, Togo, Dahom., Dar-es-Sal., Usamb., Kuilu, Niam Niam). *Chrys.*, *Eumolp.*, *Ner.* 153.
Dicraeodon **Er.**, ArN. 13, 1847, I, 104 (*D. basalis* [Westw.] 1846) 1913:3

- (Guyan., Panam., Guat., Columb.).
Scar., *Hybos*. 15.
- Dicraeosis* *Geb.*, in Schkdg. u. J., Col. Cat. P. 28, 1911, 355 (*D. bacillus Mars.* 1876) 1913:1 (Japon.). *Ten.*, *Bolitoph.* 584.
- Dicraeus Mars.*, ASEFr. (5) 6, 1876, 103 = *Dicraeosis Geb.* 1911. *Ten.*, *Bolitoph.* 584.
- Dicrania* O Serv., Enc. méth. X, 1825, 371; *Burm.*, Hd. E. IV, 2, 66; *Lac.*, III, 249; *Kraatz*, DEZ. 1895, 318 nota (*D. nigra* Serv. 1825) 1913:21 (Boliv., 1 Chile 1, Parag. 1, Brasil.). *Scar.*, *Melth.*, *Macrod.* 489.
- Dicranocnemus* *Burm.*, Hd. E. IV, 1, 135; *Lac.*, III, 190; *Péring*, TSAfr. Phil. S. 12, 1902, 787 (*D. squamosus* et *squamulatus* *Burm.*) 1913:10 (Afr. mer.: Natal 1, Colon. cap.). *Scar.*, *Melth.*, *Hopl.* 532.
- Dicranoderes* O Dupont, Monogr. *Trachyd.* I, 1836, 25 t. 113 f. 9 in MaZo. 8, 1836 (*D. annulatus* Dupont, 1836, 26, t. 153) 1912:1 (Bras.). *Ceramb.*, *Cerabin.*, *Trachyd.* 1009.
- Dicranoplia* Reitt., VN. 41, 1903, 42 (*D. deserticola* [Luc.] 1859) 1918:1 (Aegypt. — Alger.). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 99.
- Dicranopselaphus* O Guér., Rev. MaZo. (2) 13, 1861, 531; Horn, TAmES. 8, 1880, 95; J. Lec. et Horn, Class. 1883, 173; Champ., BCA. Col. III, 1, 595; Blatchley, Ill. Descr. Col. Cat. Indiana 1910, 690 (*D. Lesueuri* Guér. 1861) 1913:6 (Mex., Guat., Civ. confœd.). *Dasc.*, *Eubr.* 35.
- Dicranosterna* O Motsch., in Schrenck's R. II, 1860, 193; Ws, ArN. 67, 1901, I, 2, 167 (*D. picea* Ol. 1807) 1916:7 (Austral.: Queensl., Carpenteraria). *Chrys.*, *Chryso.*, *Dicran.* 69.
- Dicrobia* J. Thoms., Sk. Col. I, 1859, 54; III. 1861, 237 = *Reichenbachia* Leach, 1825. *Psel.*, *Pela*, *Brachygl.* 257.
- Dictamnia* Pasc., TESL. (3) III, 545 (*D. rugosa* Pasc. 1869) 1913:2 (Nov. Pomm., Nov., Guin.). *Ceramb.*, *Cerabin.*, *Calldp.* 336.
- Dictator* O J. Thoms., Rev. MaZo. (3) 6, 1878, 32 (*D. Falkensteinii* Quedt. 1878) 1913:4 (Chinchoxo, Afr. occ., Sierra Leone). *Ceramb.*, *Cerabin.*, *Callichr.* 709.
- Dictyalotus* Redtb., F. Austr. ed. I, 1847, 348 = *Hendecatomus* Mellié 1847. *Cio.* 1.
- Dictyneis* O Baly, JoE. II, 1865, 434; Chap., G. Col. X, 1874, 319; Lefvr., MSLiége (2) 11, 1885, 120 (*D. conspurcatus* Blanch. in Gay, H. Chile V, 1851, 545) 1914:7 (Chile). *Chrys.*, *Eumolp.*, *Myochr.* 222.
- Dictyon* Fauv., Rev. d'E. 19, 1900, 160; Luze, VzbGW. 52, 1902, 18; Schaufuß in Calwer, (209) (*D. pumilio* Eppelsh. 1886) 1916:1 (Terr. Caspiae.). *Staph.*, *Tach.*, *Tachi.* 419.
- Dicyrtus* *Lac.*, V, 482 (*D. binodosus* et *gibbosus* *Lac.* 1859) 1913:2 (Bras.). *Ten.*, *Strongyl.* 115.
- Didactylia* O d'Orb., Abeille, 28, 1896, 247; A. Schmidt, ASEB. 52, 1908, 39; GIW. 1910, 11 et 96/7 t. 2 (Typ.?). *D. pallicolor* [Fairm.] 1885, *panamensis* [Har.] 1859) 1913:10 (Congo usw., Madag., Bol., Chile, Columb., Argent.). *Scar.*, *Aphod.*, *Aphodi.* 15.
- Didalsus* Fairm., ASEFr. (6) 7, 1887, 355, (*D. latesulcatus* Fairm. 1887) 1914:1 (Afr. or. germ.). *Chrys.*, *Eumolp.*, *Cyn.* 189.
- Didrepanophorus* O Wood-Mason, ANH. (5) 2, 1878, 422 (*D. bifalcifer* Wood-Mason 1878) 1918:1 (Assam). *Scar.*, *Rut. hom.*, *Ruti.*, *Didrepnph.* 12.
- Didymocantha* Gemm. u. Har., Col. Cat. IX, 1873, 2834 = *Didymocantha* Newm. 1840. *Ceramb.*, *Cerabin.*, *Calldp.* 302.
- Didymeus* J. Thoms., Class. Cer. 1860 211, Syst. Cer. 1864, 435 = *Des-*

- moderus* Serv. 1834. *Ceramb.*, *Cerambin.*, *Trachyd.* 1002.
- Didymocantha* Newm., ANH. V, 1840, 20, (*D. obliqua* Newm. 1840) 1913:16 (Nov. Zealand. 11; N.S.Wales 1, Austr. occ. 2, Vict. 1). *Ceramb.*, *Cerambin.*, *Calldp.* 302.
- Didymoprora* Raffr., Rev. d'E. 9, 1890, 148; ASEFr. 73, 1904, 366 = *Palimbulus* Raffr. 1890. *Psel.*, *Pselia*, *Tyr.* 396.
- Diegobruchus* Pic, Echange 29, 1913, 110 (*D. mauritii* [Pic] 1907, *D. multi-notatus* Pic 1913) 1913:4 (Afr. or., Mossamb., Madag.). *Bruch.*, *Bru-chi*. 5.
- Diegosus* ASEFr. 66, 1897, (1898) 394 error typ. pro *Diegous* Pic = *Ptin.*, *Ptini*. 21.
- Diegous* Pic, BSEFr. 1896, 352 = Subg. ad *Ptinus* L. 1758. *Ptin.*, *Ptini*. 21.
- Dieropsis* Gahan, ANH. (8) I, 1908, 95 (*D. quadriplagiata* Gah. 1908) 1913:1 (Afr. c., brit.). *Cler.*, *Cleri*, *Clerin.* 120.
- Diesia* O Fisch., E. Ross. I, 1822, 166; *Sol.*, ASEFr. 5, 1836, 18; *Lac.* V, 179; Reitt., Best.-Tab. 25, 1893, 203, 244 (*D. sexdentata* Fisch., *quadri-dentata* Fisch. 1822) 1913:4 (Beludsch. Des. Kirghis., Buchara, Turomen.). *Ten.*, *Pimel.* 358.
- Diestecopus* O Sol., Studi entom. 1848, 152 (6), 941 (48), *Lac.* V, 461 (*D. erodioides* Sol. 1848) 1913:1 (Terr. cap.). *Ten.*, *Strongyl.* 1158.
- Diestica* Pasc., TESL. 1868, 12 = *Poe-liesthus* Blanch. 1845. *Ten.*, *Strongyl.* 1158.
- Diestosoma* Péring., ASAfr.Mus. III 1904, 271 (*D. pulchrum* Péring. 1904) 1913:1 (Terr. cap.). *Ten.*, *Strongyl.* 1161.
- Dietopsis* Sol., ASEFr. 4, 1835, 229 = Subg. von *Allecula* F. 1801. *All.*, *Allec.* 30.
- Dietylus* Pasc., JoE. II, 1866, 486 (*D. confusus* Pasc. 1866) 1911:16 (Ind., Phil. Ins., Ins. Sund., Saleyer, Key, Manila, Nov. Pomm.). *Ten.*, *Rhyssop.* 1144.
- Dignamptus* J. Lee., P.Am.Phil.S. 17, 1877, 421 = *Talanus* Mükl. 1878. *Ten.*, *Helop.* 1094.
- Dignomus* Woll., TESL. (3) I, 1862, 201 = Subg. ad *Ptinus* L. 1758. *Ptin.*, *Ptini*. 21.
- Digonium* Pic, Echange XI, 1895, 76 (*D. longicorne* Pic 1895) 1913:1 (Arabia). *Ceramb.*, *Cerambin.*, *Hesprph.* 192.
- Digonophorus* Waterh., ANH. (6) 16, 1895, 157 (part.) = *Hemisodorcus* Thoms. 1862. *Luc.*, *Dorc.* 37.
- Dihammaphora* O Chevr., Arcana Nat. 1859, 50 (Monogr.); J. Thomson, Class. Cer. 1860, 177; Syst. Cer. 1864, 418 (*D. signaticollis*, *marginicollis* Chevr. 1851) 1913:26 (Bras., Argent., Nov. Granad., Goyaz). *Ceramb.*, *Cerambin.*, *Cleom.* 887.
- Dihammaphora* Bates, TESL. 1870, 403; BCA. Col. V, 1880, 61 = *Dihammaphora* Chevr. 1859. *Ceramb.*, *Cerambin.*, *Cleom.* 887.
- Dihelonetes* O Sahlb., ActaS.Fenn. II, 1844, 791; Sharp, BCA. Col. I, 2 (1886), 601 (*D. biplagiatus* Sahlb. 1844) 1913:28 (Am. trop.; Madag.) 1. *Staph.*, *Paed.*, *Paedi.* 170.
- Dila* O Fisch., B. Mosc. 17, 1844, I, 111; *Lac.* V, 147; Faust, HoR. 11, 1875, 242; Allard, ASEFr. (5) 10, 1880, 276; Seidl., NID. V, 1893, 238; — Ue bersicht: Reitt., ENa. 26, 1900, 295 (Mon.) (*D. laevicollis* [Gebl.] 1841) 1913:7 (Pers.; As. c.). *Ten.*, *Blapt.* 386.
- Dilachnus* Fairm., ASEB. 40, 1896, 375 (*D. partiticornis* Fairm. 1896) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Glaucyt.* 905.
- Dilamus* Jacq. III, 279; Seidl., NID. V, 1893, 361; Desbr., Frelon XI, 1902, 65; Reitt., Best.-Tab. 53, 1904, 71; Schaufuß in Calwer, 799 (*D. rufipes*

- Luc.** 1849) 1913:9 (Afr. medit., Sic., Andal., Aegypt., Transoasp.). *Ten.*, *Pedin.* 459.
- Dilandius* Cas., AN YAcSc. 8, 1895, 640, 642; Sharp, EMM. 14, 1877, 9; Broun, Man. N. Zealand Col. I, 1880, 410 (*D. myrmecops* et *unicus* Cas. 1895) 1913:2 (Amer.). *Anth.* 8.
- Dilopersina* Reitt., Mon. II, 117, 131 = Subg. ad *Prosodes* Eschsch. 1829. *Ten.*, *Blapt.* 390.
- Dilophochila* O H. Bates, BCA. Col. II, 2, 1888, 261 (*D. bolacoides* H. Bates. 1888) 1918:1 (Mexico). *Scar.*, *Rut. hom.*, *Anomi.*, *Dilophoch.* 105.
- Dilus* Gemm. u. Har., Col. Cat. IX, 1873, 2899, Schaufuß in Calwer, 843; Kuhnt, 754, 774 = *Deilus* Serv. 1834. *Ceramb.*, *Cerambin.*, *Deil.* 683.
- Dilychnia* Motsch., Etud.E. 1852, 2859 = *Lucidota* Cast. 1833 part. *Lamp.*, *Lucid.* 15.
- Dimalus* O Mars., ASEB. 13, 1870, 55 (*D. platamodes* Mars. 1870) 1913:1 (Guyana). *Hist.* 1.
- Dimeriseis* Sol., ASEFr. 3, 1834, 530 = *Erodius* F. 1775. *Ten.*, *Erod.* 8.
- Dimerocerus* Coquerel, ASEFr. (3) 6, 1858, 788 = *Eretmotus* Mars. 1855. *Hisp.* 94.
- Dimerus* Fiori, S. N. Mat. Modena 1899, 103; Ganglb., Vzb.GW. 58, 1908, 21; Bernh., Münch. Kol. Z. III, 1908, 326, Schaufuß in Calwer, (244) (*D. staphylinoides* Fiori 1899) 1913:1 (Ital., Austr. sup., Gallia). *Staph.*, *Oxyt.*, *Dimer.* 96.
- Dimetrotina* Cas., Mem. Col. 2, 1911, 142 (*D. vaniuscula* Cas. 1911) = Subg. ad *Dimetrota*) 1913:1 (Nevada). *Staph.* cf. P. II.
- Dimorphella* Matth., ANH. (6) 3, 1889, 190; Trich. ill. 1900, 30 t. 11 f. 1—8 (*D. Reitteri* Matth. 1889) 1913:1 (Brasil.). *Ptil.*, *Ptili.*, *Acrotr.* 22.
- Dimorphochilus* O Borchm., in Michaels., F. Südwest-Austral. I, 1908, 352 (*D.*
- apicalis* Borchm. 1908) 1913:3 (Austral.). *All.*, *Allec.* 9.
- Dinacoma* Cas., AN YAcSc. V, 1889, 174 (*D. marginata* Cas. [1886] 1913:1 (Cal.). *Scar.*, *Melth.*, *Melthi*. 360.
- Dineria* Motsch., B.Ac.Petr. II, 1860, 530; Allard, ASEFr. (6) 2, 1882, 97; Seidl., F. Ba. ed. II, 1891, 513 = *Blaps* F. 1775. *Ten.*, *Blapt.* 391.
- Dineutes* O McLeay, Ann. Jav. ed. I, 1825, 30; ed. II, 1833, 133; *Cast.*, Etud.E. 1834, 109; HN. I, 1840, 170; Brullé, HIns. (V) II, 1835, 240; Aubé, Icon. V, 1838, 407; Spec. VI, 1838, 761; *Lac.* I, 1854, 439; *Lec.*, P.Ac.Nat.Sc.Philad. 1868, 366; Rég., ASEFr. (6) II, 1882, 394; *Lec.* et Horn, Class. 1883, 69; Seidl., VN. 25, 1887, 26; Roberts, T.AmES. 22, 1895, 279; Regimb., GIW. I, 1902, 3 (*D. australis* [F.] 1775) 1913:63 (in omn. part. orb. terr.). *Gyr.*, *Enhydr.* 1.
- Dinolinus* Cas., T.Ac.St.Louis XVI, 1906, 366, 373 = *Eulissus* Mannerh. 1830. *Staph.*, *Staphy.*, *Xanth.* 266.
- Dinomus* Brême, Rev.Zo. 1842, 113 (23); *Lac.* V, 444 (*D. perforatus* Brême 1842) 1913:1 (Mex.). *Ten.*, *Helop* 1044.
- Dinoprionus* O H. W. Bates, EMM. 12, 1875, 49; Gah., F. Brit. India Col. I, 1906, 43; Lmr., ASEB. 53, 1909, 133 (Rév., 550) = Subg. 1 ad *Megopis* Serv. 1832 (*D. cephalotes* H. W. Bates 1875 (Ind. b.). *Ceramb.*, *Prion.*, *Callipogi.*, *Megop.* 50,1.
- Dinoptera* O Muls., Col. Fr. Long. ed. 2 1863, 494 = Subg. 2 ad *Acmaeops* J. Lee. 1850, Schaufuß in Calwer, 833 (*D. collaris* [L.] 1758) 1913:4 (Eur., Sib., Cauc., Jap., Sib. or.). *Ceramb.*, *Cerambin.*, *Lept.* 526..
- Dinorrhina* Lac., III, 1856, 325 = *Tropiorhynchus* Blanch. 1850.
- Dinoria* Pasc., ANH. (4) 3, 1869, 142 (*D. picta* Pasc. 1869) 1913:2 (Queensl. Tasman.). *Ten.*, *Adelii.* 1014.

- Dinops* **Gemm.** et **Har.**, Cat. Col. 6, 1869, 722 = *Denops* **Fisch.** 1829. *Cler.*, *Cleri.*, *Till.* 2.
- Dinoscelis* **Gerst.**, Monatsber. Berl. Acad., 1854, 533; Peter's Reise 1862, 290; *Geb.*, Mon., 339 = Subg. ad *Pachylocerus* **Westw.** *Ten.*, *Pycnoc.* 890.
- Dinothenarus* **C.G.Thoms.**, Öfvers. Vet. Ac. Forh. 1858, 29 = *Trichoderma* **Steph.** 1832 = Subg. ad *Staphylinus* **L.** 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Dinoxantholinus* **Heller**, Abh. Zo. Mus. Dresden, 13, 1910, 7 (*D. prodigiosus* **Heller** 1910) 1914:1 (Nov. Guinea). *Staph.*, *Staphy.*, *Xanth.* 262.
- Diocares* **Rent.**, BEZ. 16, 1872, 168 = *Xenoscelis* **Woll.** 1864. *Erot.*, *Xenosc.* 101.
- Diochus* **O Er.**, G. Spec. *Staph.* 1839/40, 300; *Sharp*, TESL. 1876, 184, *Olliff*, PLSNSW. (2) II, 1887, 472; *Casey*, T.Ae.St.Louis XVI, 1906, 429, 430; *Schaufuß* in Calwer, (193) (*D. nanus* **Er.** 1839/40) 1914:2 (Ind. or., Andal., Alger., Tunes., Congo, Terr. cap.; Am. b., c. et mer. trop., Austral.). *Staph.*, *Staphy.*, *Xanth.* 277.
- Dioclides* **J. Thoms.**, Syst. Cer. 302; *Lac.* VIII, 115; *Lmr.*, MSEB. 11, 1903, 48 (Rév., 242) = Subg. 3 ad *Cnemoplites* **Newm.** 1842 (*D. priponoides* **J.Thoms.** 1864) 1913:1 (Austral. occ. et merid.). *Ceramb.*, *Prion.*, *Macrot.*, *Cnem.* 27, 3.
- Diodontes* **O Sol.**, ASEFr. 3, 1834, 518; *Cast.*, HN. II, 1840, 185; *Lac.* V, 21; *Kraatz*, Rev. *Ten.* 1865, 8 (*D. porcatus* **Sol.** 1834) 1913:6 (Afr. trop., or., Cap. b. sp.). *Ten.*, *Erod.* 7.
- Diodontolobus* **O Sol.** in **Gay**, H. fis. Chile IV, 1849, 367 (*D. punctipennis* **Sol.** 1849) 1913:2 (Chile). *Derm.* 33.
- Dioedea* **Gerst.**, ArN. 23, 1857, I, 231; Mon. *End.* 1858, 136; *Chap.*, G. Col. 12, 1876, 126 = *Haploscelis* **Bianch.** 1845. *End.*, *Endo.*, *Eumorph.* 32.
- Dioedus* **J. Lee.**, Class. 1866, 238; **Horn**, Rev. *Ten.* 1870, 365; **Seidl.**, NID. V, 1894, 548 (*D. punctatus* **J. Lee.** 1866) 1913:1 (Am. b.: Civ. confoed.). *Ten.*, *Uлом.* 673.
- Diontolobus* **O Sol.** in **Gay**, H. Chile IV, 1849, 367 (*D. punctipennis* **Sol.** 1849) 1913:6 (Chili). *Temn.*, *Ostom.* 38.
- Dionyx* **Le Pelet et Serv.**, Enc. méth. Ins. X, 1825, 221 = *Ctenistes* **Reichenb.** 1816. *Psel.*, *Psela.*, *Ctenist.* 353.
- Diorthrus* **Gah.**, ANH. (6) VII, 1891, 27; F. Brit. Ind. Col. I, 1906, 132 (*D. cinereus* [F.] 1792, *vagus* **Gah.** 1891) 1913:2 (Ind., Ceyl., Jav., Birm., Siam, Maurit.; Afr. occ.). *Ceramb.*, *Cerambin.*, *Cerambyc.* 139.
- Diorus* **O White**, Cat. Col. Brit. Mus. VII 1853, 135 (*D. biapiculatus* **White** 1853) 1912:1 (Brasil.). *Ceramb.*, *Cerambin.*, *Cerambyc.* 167.
- Diopethes* **O Pasc.**, ANH. (5) 9, 1882, 32 (*D. arachnooides* **Pasc.** 1882) 1913:1 (Bahia). *Ten.*, *Helop.* 1067.
- Dioplia* **Burm.**, Hd. E. IV, 2, 70 = *Calodactylus* **Blanch.** 1850. *Scar.*, *Melth.*, *Macrod.* 454.
- Diopoenus* **O Champ.**, BCA. Col. IV, 1, 1888, 445 (*D. compressicornis* **Champ.** 1888) 1913:1 (Mex.). *All.*, *Allec.* 56.
- Diopota* **Pasc.** JoE. I, 1860, 118 (*D. Adamsi* **Pasc.** 1860) 1913:1 (Dacca, Nilgh., Ceyl.). *Rhag.* 1.
- Diospides* **Pasc.**, JoLinn.S. IX, 1866, 99 = Subg. 2 ad *Phoracantha* **Newm.** 1843 (*D. obscura* **Donov.** 1805) 1913:1 (Tasm.). *Ceramb.*, *Cerambin.*, *Phorac.* 227, 2.
- Diosyris* **O Pasc.**, PZSL. 1866, 508 (*D. miranda* **Pasc.** 1866) 1913:1 (Penang). *Ceramb.*, *Cerambin.*, *Myth.* 446.
- Diotima* **O Pasc.**, TESL. (2) V, 1859, 57 (*D. undulata* **Pasc.** 1859) 1912:1 (Sin. Moreton). *Ceramb.*, *Cerambin.*, *Phlyct.* 395.

- Dioxiotes* Chevr., ASEFr. (4) II, 1862, 757 = *Cyphosterna* Chevr. 1862. *Ceramb.*, *Cerambin.*, *Stenasp.* 996.
- Dioxycula* Fairm., Not. Leyd. Mus. 18, 1896, 116 (*D. aranea* Fairm. 1896) 1913:1 (Java). *All.*, *Aller.* 29.
- Diozodes* Hald., TAmPhil. S.(2) X, 1847, 42 = *Obrium* Curt. 1825. *Ceramb.*, *Cerambin.*, *Obri.* 361.
- Diphobia* Olliff, PLSN-W. 1886, 837 (*D. familiaris* Olliff 1886) 1913:1 (Austral.). *Ptin.*, *Ptini.* 27.
- Diphucephala* O Serv., Encycl. méth. X, 1825, 372; Waterh., TESL I, 1836, 215; McLeay, PLSNSW. (2) I, 1886, 382; Blackb., TRSSouth Austral. 30, 1906, 264 (Typ.?) ; *D. sericea* [Kirby] 1818; *furcata* Guér. 1830; *colaspidoidea* [Gyll. in Schönh.] 1817) 1913:53 (Austral.). *Scar.*, *Melth.*, *Seric.* 150.
- Diphycerus* Fairm., ASEFr. (5) 8, 1878, 100 (*D. Davidis* Fairm. 1878) 1913:2 (China). *Scar.*, *Melth.*, *Chasm.* 15.
- Diphydactylus* J. Thoms., ArE. II, 1858, 58 = *Hoplia* Ill. 1803. *Scar.*, *Melth.*, *Hopl.* 545.
- Diphydactylus* J. Thoms. vide *Diphydactylus* J. Thoms. [emend.]. *Scar.*, *Melth.*, *Macrod.* 494.
- Diphylocera* Westw., TESL. V, 1849, 213; Baly, l. c. (n. s.) III, 5, 1855, 170, 176; Chap. X, 1874, 423, 424 (nec White) = *Johannica* Blackb. 1887. *Chrys.*, *Chryso.*, *Phylloch.* 104.
- Diphylocera* Gemm. u. Harold, Cat. Coll. E. IV, 1869, 1138; Blackb., TRSSouth Austral. 31, 1907, 281 = *Biphylocera* White 1841. *Scar.*, *Melth.*, *Lipar.* 213.
- Diphylocis* Reitt., DEZ. 29, 1885, 209 (*D. opaculus* [Reitt.] 1878) 1913:1 (Germ., Hung., Croat.). *Cio.*, *Cisi.* 14.
- Diphylostoma* Fall., Can. Ent. 33, 1901, 324 (*D. fimbriata* Fall. 1901) 1913:1 (Californ.). *Luc.*, *Aesal.* 71.
- Diphyllus* O Steph., Ill. Brit. E. III, 1830, 87 (*Biphyllus*); Lac., II, 447; Redtb., F.Austr.ed. II, 1858, 359; Jacq. du Val, II, 213; C. G. Thoms., V, 239; Reitt., Tab. I, ed. II, 1887, 20; Casey, JoN YES. 1900, 79; Ganglb., III, 652; Schaufuß in Calwer, 483; Kuhnt, 528, 530. — Biol.: Perris, ASEFr. (2) 9, 1851, 444, t. 3 f. 10—16; Ganglb., III, 653 (*D. lunatus* [F.] 1792) 1913:32 2 (Eur. b. et c., Afr., As., Ins. Canar.). *Erot.*, *Diphyll.* 95.
- Diphyodactylus* J. Thoms., ArE. II, (emend.) 1858, 58 (*Diphydactylus*) (*D. singularis* J. Thoms. 1858) 1913:1 (Gabun). *Scar.*, *Melth.*, *Macrod.* 494.
- Diphyodactylus* Gemm. u. Harold, Cat. Col. IV, 1869, 1152 = *Diphydactylus* J. Thoms. emend. *Scar.*, *Melth.*, *Macrod.* 494.
- Diphyrama* Bates, TESL., 1872, 187; BCA.Cat. V, 1880, 60 (*D. singularis* Bates 1872) 1913:1 (Nicarag., Pan., *Ceramb.*, *Cerambin.*, *Tillom.* 851).
- Diphyrrhynchus* O Fairm., Rev. Zo. 1849, 445; Lac., V, 309; Champ., TESL. 1894, 366 (*D. chalceus* Fairm. 1849) 1913:8 (Austral., Nov. Caled., Ins. Tonga, Sikkim). *Ten.*, *Diaper.* 643.
- Diplectellus* Reitt., F. Germ. Käf. II, 1909, 207 = *Euplectus* Leach 1817. *Psel.*, *Psel.*, *Euplect.* 90.
- Diplectroides* Champ., O BCA.Cat. IV, 2 (1849), 110, (1890), 126; Seidl., NID. V, 2, 1899, 814 (*D. longicornis* Champ. 1889) 1915:2 (Mex., Guatem.). *Oed.*, *Oedem.*, *Ascler.* 19.
- Diplectrus* Kirsch, BEZ. 10, 1866, 210; Champ., BCA.Cat. IV, 2, (1889), 111, (1890), 121; Seidl., NID., V, 2, 1899, 814 (*D. ferrugineus* Kirsch 1866) 1915:7 (Mex., Nicar., Costa Rica Guatem., Boliv., Panam.). *Oed.*, *Oedcm.*, *Ascler.* 18.
- Diplocoelus* O Guér., Icon. règne anim. 1836, 196; Lac., II, 447; Reitt., Tab. Eur. Col. I ed. II, 1887, 20;

- Gangib.**, III, 1899, 652; **Casey**, JoN YES. 1900, 80; **Schaufuß** in Calwer, 483, 484; **Kuhnt**, 528, 530 (*D. fagi* Guér. 1838) 1913:21 (Cauc. 1, Austral. 10, Amer., Antill. min., Cuba). *Erot.*, *Diphyll.* 96.
- Diplocolus** Guér., Guttl.-B. in Ind. P. XII = *Diplocoelus* Guér., Guttl.-B., 281.
- Diplocladon** Gorh., Not. Leyd. Mus. 1883, 5 (*D. Hasselti* Gorh. 1883) 1910:2 (Sum., Jav., Ind.). *Dril.* 14.
- Diplocladus** Fairm., Compt. rend. SEB. 29, 1885. 8 = *Diplophorus* Fairm. 1887. *Cler.*, *Cleri.*, *Till.* 14.
- Diplocoeloma** J. Thoms., ArE. II, 1858, 226 = *Coelaenomenodera* Blanch. 1845. *Chrys.*, *Hisp.*, *Coelaen.* 69.
- Diplocotes** O Westw., TESL. 1869, 317 (*D. Howittanus* Westw. 1869) 1913:2 (Austral.). *Ptin.*, *Ptini.* 26.
- Diplocotidus** Péring., A. South Afr. Mus. I, 2, 1899, 245 (*D. formicola* Péring. 1899) 1913:1. *Ptin.*, *Ptini.* 24.
- Diplocyrtus** Quedf., ENa. 13, 1887, 257; Reitt., WEZg. 6, 1887, 303; **Vauloger**, ASEFr. 68, 1899, 672 (*D. floccosus* Quedf. 1887) 1913:1 (Mar.) *Ten.*, *Apocryph.* 992.
- Diplogrammicus** Lew. ANH. (7) 20, 1907, 481 = Subg. 3 ad *Omalodes* Er. 1834 (Typ. ?; *D. intermedius* Lewis 1907, *ebeninus* [Er. in Kl.] 1834) 1913:3 (Brasil., Urug., Chile). *Hist.* 31, 31, 3.
- Diplomala** Reitt., VN. 41, 1903, 68 = *Anomala* Sam. s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71, 2.
- Diplophorus** O Fairm., ASEFr. (6) 7, 1887, 160; Schkig., GIW. *Cler.* 1903, 11 (*D. oculicollis* Fairm. 1887) 1913:4 (Afr.: Somali, Kilima-ndjaro etc.). *Cler.*, *Cleri.*, *Till.* 14.
- Diplopsis** Fauv., Rev. d'E. 1895, 33 (*D. alternans* et *laeviuscula* Fauv. 1895) 1913:4 (Bahia 3, Paraguay 1). *Staph.*, *Oxyt.*, *Piest.*, *Thorac.* 24.
- Diploschema** * Thoms., ArE. I, 1857, 404. — Biol.: *Ihering*, Ent. Brasil. II, 1909, 229 f. 3—8 (*D. rotundicolle* [Serv.] 1834) 1912:1 (Bras.). *Ceramb.*, *Cerambin.*, *Torn.* 114.
- Diplostictus** Fauv., ASEFr. (5) IV, 1874, 437 (*D. Chenui* Perroud 1864) 1914:1 (Nov. Caled.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 281.
- Diplotaxis** O Kirby, F. Bor.-Am. 4, 1837, 129; *Burm.*, Hd. E. IV, 2, 1855, 261; *Lae.*, III, 1856, 275; *J. Lec.*, Jo. Ac. Phil. (2) 3, 1856, 265—273; *Bates*, BCA.Col. II, 2, 1887, 157; *Fall*, TAmES. 35, 1909, 1—97, t. 1 (*D. tristis* Kirby 1837; *frondicola* et *sordida* [Say] 1825; *liberta* [Germ.] 1824) 1913:129 (Am. bor., cent., Ind. occ.). *Scar.*, *Melth.*, *Melthi.* 223.
- Diplotropis** Boh., Ins. Caffr. II, 1857, 104; Péring., T. South Afr. Phil. S. 13, 1904, 107 (*D. nigrina* Fährs. in Boh. 1857) 1913:3 (Natal). *Scar.*, *Melth.*, *Seric.* 136.
- Diprosodes** Reitt., Mon. II, 115, 125 = Subg. ad *Prosodes* Eschsch. 1829. *Ten.*, *Blapt.* 390.
- Dipsaconia** O Pasc., JoE. I, 1860, 31 (*D. Bakewelli*, *pyritosa* Pasc. 1860) 1913:3 (Adelaide, Tasm., Victoria). *Ten.*, *Ulod.* 610.
- Diroptrus** Motsch., Etud. E. 7, 1858, 28; Raffr., ASEFr. 62, 1893, 454; 73, 1904, 109; GIW. *Psel.* 1908, 201 (*D. ceylonicus* Motsch. 1858) 1913:2 (Ceylon). *Psel.*, *Psel.*, *Brachygl.* 218.
- Dirosis** Mill., W.E. Monatsschr. 2, 1858, 115; *Lac.* V, 1859, 722 = *Erodius* F. 1775. *Ten.*, *Erod.* 8.
- Disarthricerus** O Raffr., Rev. d'E. 14, 1895, 78; ASEFr. 73, 1904, 445; GIW. *Psel.* 1908, 424 (*D. integer* Raffr. 1895) 1913:1 (Austral.). *Psel.*, *Clavig.* 429.

- Disaulax* O Serv., ASEFr. II, 1833, 562; Cast., HN. II, 1840, 434 (*D. hirsuticornis* Kirby 1818) 1913:1 (Brasil.). *Ceramb.*, *Cerambin.*, *Rhopal.* 891.
- Dischidus* Kolbe, ENa. 12, 1886, 297 = *Taraxides* Waterh. 1876. *Ten.*, *Tenebr.* 786.
- Dischizillus* O Wasm., DEZ. 1902, 244 (*D. Rogersi* [Wasm.] 1899) 1913:1 (Ind.). *Ten.*, *Stenos.* 239.
- Discocephalus* Nordm., Symb. 1837, 29 = *Leistotrophus* Perty 1830. *Staph.*, *Staphyl.*, *Staphi.* 321.
- Discodemus* O Lec., Class. 1863, 223; Cas., Mon., 1908, 56, 59 (*D. rcticulatus* [Say] 1824) 1913:7 (Ariz., Tex., Nov. Mex., Colo.). *Ten.*, *Conio.* 420.
- Discogenia* Kolbe, D.-Ostafr. IV, Käf. 1898, 211 (*D. disciforme* Kolbe 1898) 1913:1 (Usambara). *Disc.* 5.
- Discogenia* Lec., New Col. 1866, 117; G. Horn, Rev. *Ten.* 1870; 319; Lec. u. Horn, Class. 1883, 374; Blaisd., Mon. 33 sq. = Subg. ad *Eleodes* Eschsch. 1829. *Ten.*, *Eleod.* 392.
- Discoloma* Er., NID. III, 242, 1845, nota; G. Horn, P. Am. Phil. S. 17, 1878, 556; Reitt., DEZ. 21, 1877, 176; Sharp, BCA.Col. II, 1, 1887/1905 [1895], 496. (Typ.?; *D. Fryi* Pasc. 1860!) 1913:9 (Amer. centr.). *Disc.* 4.
- Discopleurus* O Lac. V, 105; Reitt., DEZ. 30, 1886, 98 (*D. quadricollis* [Sol. in Gay] 1831) 1913:2 (Chile). *Ten.*, *Stenos.* 235.
- Discoscelis* O Schm., BEZ. 33, 1889, 318. — Biol.: Bickh., EBl. 6, 1910, 185 (*D. arechavaletae* Mars. 1870) 1913:3 (Bras., Urug., Parag., Argent.). *Hist.* 80.
- Discotus* Reitt., Best.-Tab. 53, 1904, 161; Schaufuß in Calwer, 802 = *Lobothorax* Gemm. 1870. *Ten.*, *Opatr.* 537.
- Discoxenus* Wasm., ZoJa. Suppl. VII, 1904, ZwZo. 101, 1912, 92 (*D. Assmuthi*, *lepisma* Wasm. 1904) 1916:2 (Ind. or.). *Staph.*, *Termit.* 398.
- Disema* Mäkl., Acta S. Fenn. 1875, 646 (496) (*D. bimaculata* Mäkl. 1875) 1913:8 (Brasil.). *Lagr.*, *Stat.* 28.
- Disersus* O Sharp, BCA.Col. I, 2, 1882, 127; Grouvelle, BSEFr. 1896, 78 (*D. Goudoti* [Guér.-Mén.] 1843) 1913:3 (Columb., Nov. Grenad., Panama). *Dryop.*, *Dryopi.*, *Potam.* 9.
- Disidaema* J. Thoms., Class. Cer. 1860, 147; Syst. Cer. 1864, 415 = *Erythrus* White 1853. *Ceramb.*, *Cerambin.*, *Pyr.* 666.
- Disphysema* Har., Col. Hefte XI, 1873, 102 (*D. Candezei* Har. 1873) 1913:1 (Malabar). *Scar.*, *Copr.*, *Copri.*, *Pinot.* 44.
- Dissa* Grouvelle in Schklig. u. J., Col. Cat. P. 56, in Indic. p. 197 = err. pro *Dissia* Chobaut 1896. *Nit.*, *Cyboc.* 157.
- Dissacantha* J. Thoms., Syst. Cer. 1864, 240 = *Ebyria* Serv. 1834. *Ceramb.*, *Cerambin.*, *Ebur.* 212.
- Dissacanthus* Hope, TZSL. I, 1835, 107 = *Eburia* Serv. 1834. *Ceramb.*, *Cerambin.*, *Ebur.* 212.
- Dissaporus* Aur., ArkZo. III, 18, 1907, 8 (*D. mythicus* [Gyllh.] in Schöhnh. 1817, *cylindricus* [Fährs.] 1872) 1913:3 (Caffr., Trv., Sierra Leone). *Ceramb.*, *Cerambin.*, *Cyrambyc.* 146.
- Dissia* Chobaut, BSEFr., 1896, 167 (*D. albopilosa* Chobaut 1896, *membra- nacea* [Reitt.] 1874) 1913:7 (Aegypt., Alger., Syr.). *Nit.*, *Cyboc.* 157.
- Dissocephalus* Hope, Mscr. (!) = *Ha- plopsis* Blanch. (emend.) 1850. *Scar.*, *Melth.*, *Lipar.* 200.
- Dissonomus* Jaq. du Val, III, 1861, 280 = *Heterophylus* Muls. et Rey, 1859. *Ten.*, *Pedin.* 458.
- Dissopachys* Reitt., DEZ. 30, 1886, 68; ENa. 20, 1894, 356 (*D. pulvinata*

- Reitt.** 1886) 1913:2 (Pers., Turcmen.).
Ceramb., *Cerambin.*, *Cerambyc.* 140.
Dissosternus **O Hope**, PZSL. I, 1833,
 64; TZSL. I, 1834, 106; **J. Thoms.**,
Syst. Cer., 469; **Lac.** VIII, 53; **Gah.**,
F. Brit. Ind. Col. I, 1906, 7; **Lmr.**,
ASEB. 55, 1911, 348 (Rév., 780)
 = Subg. 8 ad *Dorysthenes* — (*D. Pertii*
Hope 1834) 1913:1 (Poona). *Ceramb.*,
Prion., *Prionin.*, *Prioni.* 71, 8.
Dissotoxus **Fairm.** (= *Comaserica*) cf.
 P. II.
Distemmus **Lee.**, Class. Col. N.-Amer. I,
 1861, 69 = *Phloeonomus* **Heer** 1838/42
Staph., *Oxyt.*, *Omat.* 54.
Distenia **O Serv.**, Encycl. méth. X,
 1825, 485 (*D. columbina* **Serv.** 1825)
 1913:46 (Am. c.: 38, As.: Amur,
 Jap., Beng.: 5, Afr.: Calab. ant.,
 Natal. 2). *Ceramb.*, *Cerambin.*,
Disteni. 4.
Distichocera **O Kirby**, TSLL. XII, 1818,
 471; **Serv.**, ASEFr. III, 1834, 59.
 — Biol.: **Froggatt**, PLSNW. (2) 8,
 1894, 31.— (*D. maculicollis* **Kirby** 1834)
 1913:6 (Austral.). *Ceramb.*, *Cerambin.*,
Distich. 656.
Distolaca **Baly**, 1858, 116 (pars); **Chap.**
 XI, 305; **Gestro**, AMusG. 1897, 67
 = *Agonia* **Ws.** 1905. *Chrys.*, *Hisp.*,
Gonoph. 76.
Distretus **Haag**, Col. Hfte. 1871, 42
 (*D. Fahrsei* **Haag** 1871, *variolosus*
 [Guér.] 1845) *complipennis* **Fährs.**
 1870) 1913:9 (Afr. c. et mer.). *Ten.*,
Molur. 307.
Ditaphronotus **Cas.**, Rev. Mon. 1907, 341
 (*D. Championi* **Cas.** 1907; *foveicollis*
Champ. 1884). 1913:4 (Nicar., Am. c.,
 Pan.). *Ten.*, *Eurymet.* 25.
Ditaphrus **Cas.**, BCA. Col. II, 1886, 250
 = *Bothriophorus* **Muls.** et **Rey** 1852.
Byrrh., *Bothriop.* 11.
Dithymia **Chevr.**, ASEFr. (4) II, 1862,
 753 = *Entomosterna* **Chevr.** 1862.
Ceramb., *Cerambin.*, *Stenaspid.* 994.
Ditomoderus **O Parry**, TESL. (3) 2,
 1864, 45 (*D. mirabilis* **Parry** 1864)
 1913:1 (Born., Sum.). *Luc.*, *Dorc.* 38.
Dityloidea **Fairm.** u. **Germ.**, ASEFr. (4)
 (3), 1863, 277 (*D. janthina* [Fairm.
 et Germ.] 1861) 1915:1 (Chile). *Oed.*,
Oedem., *Nacerd.* 8.
Ditylonia **O Seidl.**, NID. V, 2, 1899,
 814, 827 (*D. cephalotes* **Champ.** 1889)
 1915:6 (Guatem., Mex.). *Oed.*,
Oedem., *Ascler.* 21.
Ditylus **Fisch.-Waldh.**, M.S. Imp. N. Mosc.
 V, 1817, 469; E. Russ. I, 1820/2, 31;
Sahlb., Ins. Fenn. I, 1834, 494; *Cast.*,
HN. Ins. Col. II, 1840, 251; **W.**
Schmidt, Linn.E. I, 1846, 17 et 24;
Redt., Gatt. Deutsch. Käferf. 1845,
 134; **F. Austr.**; **Muls.**, ASLLyon
 (n. s.) V, 1858, 100; *Col. Fr. Angust.*
 1858, 36; **Bach**, 267; *Lac.* V, 701;
Guttl.-B., 441; **Fairm.** in *Jacq. du*
Val III, 443; **J. Lee.**, Class. 1862, 258;
New Col. I, (1866), 164 nota;
Seidl., F. Ba. et Tr.; *NID.* V, 2, 814;
Ganglb., VzbGW. 31, 1881, 97;
Best.-Tab. 4a; *Oedem.* 1881, 1;
J. Lee. u. **Horn**, Class. 1883; **Semen.**,
HoR. 28, 1894, 452 (sep. 4); **Horn**,
P. Cal. Ac. Sc. (2) 6, 1896, 384; **Reitt.**,
F. Germ. 3, 1911, 405; *Guttl.-B.*,
 442; *Schaufuß* in *Calwer*, 730;
Kuhnt, 689, 692 (*D. laevis* [F.]
 1787) 1915:7 (Eur., Sibir., Cauc.,
 Japon., Sansib., Cal., Oregon etc.).
Oed., *Oedem.*, *Ascler.* 20.
Ditylus **Champ.**, BCA. Col. IV, 2 (1889),
 117 = *Ditylonia* **Seidl.** 1899. *Oed.*,
Oedem., *Ascler.* 21.
Diurus **O Pasc.**, JoE. 1862, 392;
Lac., VII, 1866, 471; *Schoenfeldt*,
GIW. *Brenth.* 1908, 77 (*D. dispar*
Pasc. 1862; *furcillatus* [Gyll.] in
Schoenh. 1833) 1913:10 (Ins. Sund.,
 Carolin., Andam.). *Brenth.*, *Brentha.*
Ith. 122.
Dizocletus **Kuw.**, SE. 8, 1893, 66 =
Dozocletus **Chevr.** 1842. *Cler.*,
Cleri., *Clerin.* 61.

- Djabiria* Duviv., ASEB., 1891, 35; Bull. p. 378; 36, 1892, 334 (*Dj. geniculata* Duviv. 1891) 1913:1 (Congo). *Ceramb.*, *Cerambin.*, *Cerambyc.* 143.
- Dlochrysa* Motsch. in Schrenck's R. II, 202; Mars., Abeille 24, 1886, 164; Ws., ArN. 64, 1898, 200 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi.* 24.
- Docalis* Pasc., JoE. I, 1860, 121 (*D. funerosus* [Hope] 1845) 1913:2 (Tasm., N. S. Wales). *Ten.*, *Nyctop.* 262.
- Dodaces* O Ern. Oliv., ASEFr. (6) 5, 1885, 136; GIW. *Lamp.* 1907, 14 (*D. nigricollis* [Gorh.] 1880) 1913:7 + 2 (Brasil.; Ecuad., Nicarg., Parag. Argent.). *Lamp.*, *Lampr.* 11.
- Dodecatoma* O Westw. in Guér., Sp. et Jc. An. art. fasc. VI nr. 16, 1843; Lac. IV, 1857, 377 (*D. bicolor* 1843) 1913:2 (Deccan; Ind.). *Dril.* 15.
- Dodecosis* O Bates, EMM. 4, 1867, 27; TESL. (3) III, 1869, 550 (*D. saperdina* Bates 1867) 1913:1 (Tapajos). *Ceramb.*, *Cerambin.*, *Dodec.* 360.
- Doesus* O Pasc., JoE. 1862, 367 (*D. telephoroides* Pasc. 1862) 1913:2 (Ceyl., Ind. or.; Afr.: Nigeria). *Ceramb.*, *Cerambin.*, *Phil.* 456.
- Dohrnia* Newm., Zool. 9, 1851, App. 133; Schaum, ArN. 18, 1852, II, 185; Lac. V, 702, 717; Champ., TESL. 1895, 246; Blackb., TRSSouth Austral. 23, 1899, 73 et 77 (*D. miranda* Newm. 1851) 1915:5 (Tasm., Austral.). *Oed.* (pos. inc.) 63.
- Dokhouroffia* O Ganglb., HoR. 20, 1886, 129 (*D. nebulosa* Gebl. 1845) 1913:1 (Sib., Kuldja). *Ceramb.*, *Cerambin.*, *Lept.* 544.
- Doleroserica* Péring., TSAfr.Phil.Soc. 13, 1904, 53 (Typ. ?; *D. carbonaria* Burm. 1855; *curtula* Fährs. 1858) 1913:6 (Afr. mer.). *Scar.*, *Melth.*, *Seric.* 99.
- Dolerotarsa* Péring., TSAfr.Phil.S. 13, 1904, 38 (*D. emendatrix* Péring. 1904) 1913:1 (Transvaal). *Scar.*, *Melth.*, *Seric.* 88.
- Dolicaon* O Cast., Etud.E. I, 1835, 119; Sharp, TESL. 1876, 247, Schaufuß in Calwer, 180, 185; Kuhnt, 165, 225 (*D. lathrobiooides* Cast. 1835; *biguttulus* Boisd. et Lac. 1835) 1913:31 (Eur.med., mer., Medit. et in div. part. et ins. orb. terr.). *Staph.*, *Paed.*, *Paedi.* 221.
- Dolicaon* [Cast.] Laporte, Gutfl.-B., 151 = *Dolicaon* Cast.
- Dolichaspis* Gah., TESL. 1890, 306 (*D. scutellata* Gah. 1890) 1913:4 (Congc., Angola, Afr. occ., Cost. aurea). *Ceramb.*, *Cerambin.*, *Callichr.* 715.
- Dolichenus* Lefvr., MSLiége (2) 11, 1885, 39 (*D. discoidalis* Har. 1885) 1914:1 (Columb.). *Chrys.*, *Eumolp.*, *Colasp.* 55.
- Dolichoherus* Kl., Ins. Madag. 1833, 15; Guér., MaZoIns. 1837 t. 203; Cast., HN. II, 1840, 202; Lac. V, 388; — Uebersicht: Bates, TESL. 1879, 278 = *Macellocerus* Sol. 1848. *Ten.*, *Tenebr.* 853.
- Dolichopsis* Gorh., TESL. 1878, 154; ANH. (7) 5, 1900, 74; Schkdg., GIW. Cler. 1903, 114 (Typ. ?; *D. cyanella* aut *haplocnemodes* Gorh.) 1913:3 (Natal, Terr. Mashona, Terr. cap.). Cler., *Coryn.*, *Corynet.* 172.
- Dolichopterus* (Murray) Geb. in Schkdg. u. J., Col. Cat. P. 37, 1911 Ind., 617 = *Strongylium* Kirby 1818. *Ten.*, *Strongyl.* 1160.
- Dolichopterum* Murray, TLSL. 23, 1862, 4 = *Strongylium* Kirby, 1818. *Ten.*, *Strongyl.* 1160.
- Dolichostyrax* O Aur., J. Sarawak Mus. 3, 1913, 3 (*D. moultoni*, *longipes* Aur. 1913) 1913:2 (Borneo). *Ceramb.*, *Lam.*, *Dorc.*
- Doliema* O Pasc., JoE. I, 1860, 50; Bates, EMM. 9, 1873, 98; Champ., BCA. Col. IV, 1, 1886, 157; Seidl., NID. V, 1894, 549 (*D. platisoides* Pasc. 1860, *plana* [F.] 1801) 1913:10

- (Am., Ceyl., Manila, Ind. Chin., An-dam., Sum., Turcia). *Ten.*, *Uлом.* 712.
- Doliopines** **G. Horn**, P.Cal.Ac.Sc. (2) 4, 1894, 427 (*D. cucujinus* **Horn** 1894) 1913:1 (Cal. inf.). *Ten.*, *Uлом.* 713.
- Dolocerus** **Muls.**, Col. Fr. *Longic.* ed. 2 1863, 230 = *Brachypterooma* **L. Heyd.** 1863. *Ceramb.*, *Cerambin.*, *Mo-lorch.* 607.
- Dolometis** **Har.**, Col. Hefte XIV, 1875, 139 (nec *Cabanis*) = *Dolichenus* **Lef.** 1885. *Chrys.*, *Eumolp.*, *Colasp.* 55.
- Dolomius** **Fairm.**, ASEFr. 72, 1903, 250 (*D. Perrieri* **Fairm.** 1903) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Callid.* 791.
- Dolphus** **O. Blanch.**, Voy. Pôle Sud IV, 1853, 171 (*D. globipennis* **Blanch.** 1853) 1913:1 (Port. Famine). *Ten.*, *Helop.* 1088.
- Dolurgus** ♀ **Eichh.**, BEZ. 12, 1868, 147; *Rat. Tom.* 1879, 83; **Chap.**, *Syn. Scol.* 1873, 232; **Lec.**, P.Am.Phil. S. 15, 1876, 387; **Lec. u. Horn**, Col. N.-Am. 1883, 524; **Swaine**, *Cat. Scol. N.-Am.* 1909, 10! (*D. pumilus* [Mann.] 1843) 1913:1 (Alasca: Oregon). *Ip.*, *Crypt.* 45.
- Dolychopyga** **Seidl.**, NID. V, 2, 1899, 816 et 822; **Schaufuß** in Calwer, 730 (*D. incana* [W. Schmidt] 1846, *acu-minata* [Reitt.] 1890) 1915:6 (Cauc., Terr., Kirgis., Pers., Vall. Araxes, Turc., Graec., Amasia etc.). *Oed.*, *Oedem.*, *Ascler.* 40.
- Domene** **Fauvel**, F. gallo-rhén. III, 1872, 305 t. 4 f. 4; **Ganglb.**, KäfMEur. II, 1895, 517; **Schaufuß** in Calwer, 180; **Kuhnt**, 165, 221 (*D. scabricollis* [Er.] 1839/40 1913:12 (Germ., Alp., Croat., Bosn., It., Lusit., Medit. or., Alger., Jap. 3, Queensl. 1, Austral. mer. 1). *Staph.*, *Paed.*, *Paedi.* 208.
- Donacia** **O. + [F.]** Syst. E. 1775, 195: **Lac.**, Mon. *Phyt.* I, 1845, 92; **Schilling**, Übers. Arb. Schles. Ges. Breslau 1846, 88; **Fairm.**, Gen. Col.d' Eur. IV, 1856,
- 206; **C. G. Thoms.** VIII., 105; **Chap.** X, 57; **Ws.**, NID. 6, 1882, 14; **Jacoby**, PZSL. 1885, 752; **Leng**, TAmES. 18, 1891, 159; **Seidl.**, F. Ba. ed. 2, 1891, 728; *F. Tr.* 1891, 819; **Jacobs.**, HoR. 26, 1892, 415; **Bedel**, V, 109; **Everts**, II, 398; **Jacoby u. Clavareau**, GIW. 21, 3: **Porta**, Riv. Col. Ital. IX, 1911, 150; **Gutfil.-B.**, 595; **Schau-fuß** in Calwer, 889, 891; **Kuhnt**, 801, 810.
- Morphol.: **Ws.**, DEZ. 1889, t. 3; **Hirschler**, ZwZo. 92, 1909, 627—744.
- Biöl.: vide sub *Donaciinae* etc.
- Clavareau** in Schklig. u. J., Col. Cat. P. 51, 1913, 17 sq.
- Anat.: **Dufour**, A. Sc. Nat. IV, 1824, 115 t. 7 f. 3—6; V, 1825, 280; Zo. (2) 19, 1843, 156, t. 7 f. 10. — (*D. simplex* et *crassipes* **F.** 1775, *aquatica* [**L.**] 1758) 1913:77 (Eur., As., Afr. bor., Am. bor.). *Chrys.*, *Donac.* 2.
- Donaciasta** **Fairm.**, Rev. d'E. 20, 1901, 233; **Jacoby u. Clavareau**, GIW. 21, 1904, 12 (*D. Perrieri* **Fairm.** 1901) 1913:1 (Madag.). *Chrys.*, *Donac.* 3.
- Donacilla** **Fairm.**, BSEFr. 1901, 127 = **Donaciasta** **Fairm.** 1901. *Chrys.*, *Donac.* 3.
- Dorcacerus** **O. Latr.**, in *Cuvier*, Règne anim. ed. 2, V, 1829, 111 = *Dor-cacerus* **Germ.** 1824. *Ceramb.*, *Cerambin.*, *Dorcad.* 1001.
- Dorcadocerus** **O. Germ.**, Ins. spec. novae 1824, 501; **Serv.**, ASEFr. 3 (1834), 30 (*D. barbatus* [**Ol.**] 1790) 1913:1 (Brasil.). *Ceramb.*, *Cerambin.*, *Dorcad.* 1001.
- Dorcasina** **Casey**, Mem. Col. 4, 1913 269 = Subg. ad *Leptura* **L.** 1758. *Ceramb.*, *Cerambin.*, *Lept.* 548, 7(?).
- Dorcasomus** **O. Serv.**, ASEFr. III, 1834, 12 (*D. ebulinus* [**F.**] 1787) 1913:2 (Natal, Colon. cap.). *Ceramb.*, *Cerambin.*, *Dorcas.* 566.
- Doreathispa** **Ws.**, DEZ. 1900, 458 (*D. bellicosa* **Guér.** 1841) 1913:3

(Afr. or.-bor., Senegal, Guin. sup., Afr. mer.). *Chrys.*, *Hisp.*, *Hispi*. 84.

Dorcatoma O⁺ **Herbst**, Natursyst. Ins. Käf. IV, 1792, 103; **F.**, Syst. Eleuth. I, 1801, 330; **Walckenaer**, F. Paris I, 1802, 98; **Steph.**, Ill. Br. E. Mand. 1830, 330; **Man.**, Brit. Col. 1839, 198 (ex parte); **Sturm**, XII, 1837, 1; **Blanch.**, H. Ins. II, 1845, 85; **Rödtb.**, F. Austr. 1849, 351; 1858, 561; 1872, 62 (ex p.); **Bach**, II, 100, 113 (ex p.); **Lac.**, IV, 519; **C. G. Thoms.**, I, 90; V, 1863, 172; **Jacq. du Val**, Col. d'Eur. III, 1861, 221; **Muls.** u. **Rey**, Tér., 328, 338; **J. Lec.**, PAcPhl. 1865, 242; **Kiesw.**, NID. V, 1877, 155; **Seidl.**, F. Ba., F. Tr., 119; **Fauc.**, F. Col. Fr., 305; Gen. Col. Fr., 32; **Schilsky**, Käf. Eur. 36, 36 E.; **Lmr.**, Man. Belg. II, 1900, 269; **Reitt.**, Tab. 38, 42, F. Germ. III, 317, 318; **Everts**, II, 1903, 223, 241; **Fall**, TAmES. 31, 1905, 212, 260; **Gutfl.-B.**, 403; **Schaufuß** in Calwer, 727; **Kuhnt**, 676, 687 (*D. dresdensis* **Herbst** 1792, *flavicornis* [F.] 1792, *serra* [Panz.] 1796) 1913:27 (Eur., Amer., Nov. Zealand.). *Anob.*, *Dorcata*. 77.

Dorcianus **Fairm.**, Rev. d'E. 20, 1901, 214 (*D. angulicollis* **Fairm.** 1901) 1913:1 (Madag.). *Ceramb.*, *Cerambin.* *Lept.* 485.

Dorcus O M'Leay, HoE. I, 1819, 111; **Gutfl.-B.**, 299; **Thoms.**, ASEFr. (4) 2, 1862, 398; **Schaufuß** in Calwer, 1252, 1258; **Kuhnt**, 379, 380 (*D. parallelolopipeius* [L.] 1735) 1913:26 (Eur., As., Afr., Am., N. Guin.). *Luc.*, *Dorc.* 40.

Dordanea **Reitt.**, HoR. 21, 1887, 357; 23, 1889, 684; DEZ. 1897, 229; Best.-Tab. 42, 1900, 154 = Subg. ad *Microdera* Eschsch. 1831. *Ten.*, *Tentyr.* 134.

Dorelogenae Péring., A. South Afr. Mus. III, 280 (*D. castanea* Péring. 1904) 1913:2 (Rhodesia). *Ten.*, *Strongyl.* 1181.

Dorthesia **Say**, Jo. Ac. Philad. 3, 1823, 274; Complete Writings II, 1859, 162 = *Rhipiphorus* **Bosc.** 1792. *Rhip.*, *Rhipid.* 18.

Dorx **Newm.**, ANH. V, 1840, 15; **J. Thoms.**, Syst. Cer. 480; **Lac.**, VIII, 138 = *Notophysis* **Serv.** 1832. *Ceramb.*, *Prion.*, *Prionin.*, *Nothoph.* 60.

Doryagus **Pasc.**, ANH. (5) 20, 1887, 12 = *Zophodes* **Fährs.** 1870. *Ten.*, *Opatr.* 487.

Dorycera White, Col. Cat. Brit. Mus. 7, 1853, 13; **J. Thoms.**, Syst. Cer., 474; **Lac.**, VIII, 70; **Lmr.**, A. Mus. Congo, Zo. (3) II, 1903 = *Ceratocentrus* *Aur.* 1903 = Subg. 3 ad *Acanthophorus* **Serv.** 1832. *Ceramb.*, *Prion.*, *Prionin.*, *Acanthoph.* 62, 3.

Doryloxenus **Wasm.**, WEZg. 19, 1898, 101 f. 1—4; **ZoJa**. 14, 1900, 263—265; **ZoJa.** Suppl. VII, 1904, 649—655 (tab. spp.); Compt. rend. VI. Congr. intern. Zo. 1904 (1905), 431—447 (*D. cornutus* **Wasm.** 1898) 1916:14 (Ind. or. 2, Ceylon 1, Afr. or. et trop., Terr. cap.). *Staph.*, *Pygost.* 411.

Doryphora O+III, Ma. Ins. VI, 1807, 331; **Schönh.**, Syn. Ins. I, 2, 1808, 237; **Latr.**, in **Cuv.**, Règne anim. ed. 2, V, 1829, 149; **Chevr.**, Dict. univ. III, 1843, 656; **Chap.** X, 368, 395; **Jacoby**, BCA. Col. II, I, 1883, 242; **Schaufuß** in Calwer, (887); (Typ.?; *D. undata* [Deg.] 1775, *rubropunctata* [Deg.] 1775, *fervida* [F.] 1775, *arcuata* [Ol.] 1790, *bifasciata* [F.] 1787, *aestuans* [F.] 1758) 1916:397. — 3 Subgg. *Dor.*, *Dorysth.* et *Trichom.* — *D. i.* sp. = Subg. 1 ad *D. III.* 1807; 1916:375. *Chrys.*, *Chryso.*, *Chrysi.* 6; 6, 1.

Doryprosopa **Motsch.** in Schrenck's R. II, 1860, 184 = *Doryphora* III. III, 1807. *Chrys.*, *Chryso.*, *Chrysi.* 6.

- Dorysterna** Motsch. in Schenck's R. II, 1860 (non Guér.), 184 = *Doryphora* III. 1807. *Chrys.*, *Chryso.*, *Chrysi*: 6.
- Dorysterna** Guér., VzbGW. V, 1855 605; Chap., X 399 = Subg. 2 ad *Doryphora* III. 1807 (*D. monticola* Ws. 1916 = *Bourcieri* Guér. 1855) 1916:14 (Brasil.; Peru, Ecuad.). *Chrys.*, *Chryso.*, *Chrysi*. 6, 2.
- Dorysthenes** O Vigors, ZoJo. II, 1826, 514; Lmr., ASEB. 55, 1911, 326 (Rév. 758); J. Thoms., Class. Cer. 296; Syst. Cer., 468; Lac., VII, 53; Gah., F. Brit. Ind. Col. I, 1906, 5; Lmr., ASEB. 55, 1911, 346 (Rév., 778) (*D. rostratus* [F.] 1913:22 (China, As. mer.). — Subgg.: *Lophost.*, *Paraphr.*, *Opisog.*, *Prion.*, *Cyrtogn.*, *Balad.*, *Dorysth.* et *Dissost.* — *D. s. str.* 1826 = Subg. 7 ad *D. Vigors* 1826 (Typ. ut antea). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni*. 71; 71, 7.
- Dorysthetus** Blanch. Hist. Ins. I, 1845, 218; Cat. Coll. E. Col. 1850, 207 = *Antichira* Eschz. 1818. *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 65.
- Downesia** O Baly, 107, t. 2 f. 9; Chap., XI, 329; Gestro, AMusG. 1899, 218, 223 (etiam subg. 1 ad *Down.*) (*D. insignis* Baly 1858) 1913:24. — 2 Subg. D. et *Parad.* (As., mer.). *Chrys.*, *Hisp.*, *Gonoph.* 74; 74, 1.
- Doxocalia** Brenske, BEZ. XLII, 1897, 354, XLV, 1900, 77; XLVI, 1901, 210 (*D. superba* Brenske) 1913:1 (Gabun.). *Scar.*, *Melth.*, *Seric.* 77.
- Dozocolletus** O Chevr., Rev. MaZo. 1842, 278; Lac. IV, 1857, 442; Schkdg., GIW. Cler. 1903, 38 (*D. oblongus* Chevr. 1842) 1913:5 (Afr. mer.). *Cler.*, *Cleri.*, *Clerin.* 61.
- Drachylis** Casey, ENs. IX, 1898, 195 (*Dr. simulans* Casey 1898) 1917:1 (Cal.). *Cephld.* 5.
- Drascalia** Fairm. et Germar, Rev. MaZo. (2) 16, 1864, 387 (*Dr. praelonga* Fairm. et Germ.) 1913:1 (Chile). *Ceramb.*, *Cerambin.*, *Phlyct.* 407.
- Drasinus** Raffr., ASEFr. 73, 1904, 112, 148; GIW. Psel., 1908, 226 (*Dr. binodus* Raffr. 1904) 1913:1 (Mexico). *Psel.*, *Psel.*, *Brachygl.* 250.
- Drasterius** Eschsch. Elat. cf. P. II.
- Drepanocanthus** Péring., T. South Afr. Phil. S. 12, 1901/3 Cat. 1901, 370 et 431/5; A. Schmidt, GIW. 1910, 11 et 99/100, t. 2 (*Dr. lineatus* [Wied.] 1823) 1913:6 (Afr. merid.). *Scar.*, *Aphod.*, *Aphodi.* 18.
- Drepanocerus** O Kirby, ZoJo. III, 1828, 521 (*Dr. Kirbyi* Kirby 1828; *planus* [F.] 1801, *setosus* [Wiedem.] 1823) 1913:13 (China, Hongkong, Bengal., Ceylon, Birma, Java; Abyss., Afr. mer.). *Scar.*, *Copr.*, *Onit.*, *Drepancrd.* 97.
- Drepanognathus** Lansb., Not. Leyd. Mus. 8, 1886, 92 = *Sissantobius* Rits. 1888. *Scar.*, *Orphn.* 4.
- Drepophylla** Fiori, Atti Soc. Mod. 1899, 90; Luze, VzbGW. 1906, 493 = *Xylodromus* Heer, 1838/42. *Staph.* *Oxyt.*, *Omal.* 55.
- Drilaster** Kiesw., DEZ. 23, 1879, 310 (*Dr. axillaris* Kiesw. 1879) 1913:2 (Japon.). *Dril.* 4.
- Drilolampadius** Gorham, BCA. Malac. 1881, 33 = *Psilocladus* Blanch. 1837. *Lamp.*, *Lampr.* 6.
- Drilonius** Kiesw., BEZ. 18, 1874, 282 (*Dr. striatulus* Kiesw. 1874) 1913:1+1 (Japon.). *Dril.* 5.
- Drilus** O G. A. Oliv., E. II, 1790, 23; Lac., IV, 1857, 372; Gutfl.-B., 378; Schaufuß in Calver, 376; Kuhnt, 440, 456; (*Dr. flavescens* G. A. Oliv. 1790) 1913:23 — 1 (?) (Eur. mer.; Afr. b.; Asm.). *Dril.* 2.
- Drimeotus** O & L. Miller, VzbGW. 6, 1856, 635; Marseul, Préc. Silph. in L'Abeille, 22, 1884, 17; Reitt., VN. 23, 1885, 10; DEZ. 1889, 297; Ganglb., KäfMEur. 3, 1899, 92; Reitt., WEZg.

- 28, 1908, 114; **Breit.**, EMi. II, 1913, 307; **Jeannel**, Arch.Zo. exp. (5)5, 1910, 20 et 23 (f. 17), 40; 54, 1914, 74. — **Chorol.**: **Jeann.**, Rev. Ba., 128; **L. Miller** 1856 s. str. = Subg. I ad **Drim.** **L. Miller** 1856 (*Dr. Kovacsii L. Miller* 1856) 1914:20 (cavern., lapid.: Hungar.: Bihar 15, Torda-Aranyos 4, Alsó-Fehér 1). *Silph.*, *Bath.*, *Bathy.* 41, 1.
- Drocleana* **Bates**, TESL. 1879, 291 (*Dr. parvicollis* (**Fairm.**) 1877, *chalcoptera* [**Kl.**] 1833) 1913:4 (Madag.). *Ten.*, *Cnodal.* 963.
- Dropephylla* **O Rey**, ASLinn. Lyon, 27, 1880, 242; *Ganglb.*, KäfMEur. II, 1895, 739; *Schaufuß* in Calwer, 156; **Kuhnt**, 185 = Subg. 2 ad *Phylodrepa* **C. G. Thoms.** 1860 (*Dr. ioptera* [**Steph.**] 1832, *linearis* [**Zett.**] 1828) 1913:16 (Eur., As.: Sib., Syr., As. minor etc., Nov. Caled.). *Staph.*, *Oxyt.*, *Omal.* 48, 2.
- Drosochrus* **Er.**, ArN. 9, 1843, I, 243; **Lac.**, V, 460 (*Dr. crenulatus* et *depressus* **Er.** 1843) 1911:6 (Terr. cap. Samb., Angol.). *Ten.*, *Helopi.* 1102.
- Drototelus* **Broun**, ANH. (7) 12, 1903, 81 (*Dr. politus* **Broun** 1903) 1913:1 (Nov. Zealand.). *Ceramb.*, *Ceramin.*, *Stenodi.* 439.
- Drotus* **Sharp**, EMM. 13, 1877, 194 (*Dr. elegans* **Sharp** 1877) 1913:1 (Nov. Zealand.). *Ceramb.*, *Ceramin.*, *Stenodi.* 437.
- Drupeus* **Lewis**, ANH. (6) 16, 1895, 102 (*Dr. laetabilis* **Lewis** 1895) 1914:3 (Japon.). *Dasc.*, *Dasci.*, *Cneogl.* 16.
- Dryadites* **O J. Friv.**, Term. Füzet. 6, 1883, 128 (*Dr. borneensis* **J. Friv.** 1883) 1913:1 (Borneo). *End.*, *Endo.*, *Eumorph.* 35.
- Drymo* **J. Thoms.**, Syst. Cer., 1864, 242 = *Eburia* **Serv.** 1834. *Ceramb.*, *Ceramin.*, *Ebur.* 212.
- Drymochares* **Muls.**, ASAgr. Lyon X, 1847, 518; *Schaufuß* in Calwer, 845; **Kuhnt**, 254 = Subg. 2 ad *Saphanus* **Serv.** 1834 (*Dr. Truqui* **Muls.** 1847) 1913:2 (Cauc., Alp. marit.). *Ceramb.*, *Cerabin.*, *Saph.* 36, 2.
- Drymoporus* **C. G. Thoms.**, Skand. Col.III, 1861, 159; *Schaufuß* in Calwer, 211; **Kuhnt**, 254 = Subg. ad *Tachinus* **Grav.** 1802. *Staph.*, *Tach.*, *Tashi.* 423.
- Dryobius* **J. Lec.**, Jo. Ac. Philad. II, 1850, 23 (*Dr. sexfasciatus* **Say** 1823) 1913:1 (Mississippi). *Ceramb.*, *Cerabin.*, *Oem.* 88.
- Dryocoetes* **O*** **Eichh.**, BEZ. 8, 1864, 38; *Rat.*, *Tom.*, 283; Eur. Borkenk., 1881, 261; **Lec.**, P. Am. Phil. S. 15, 1876, 358; **Provanch.**, F. E. Canad. I, 1877, 568; **Bedel**, F. Col. Seine 6, 1888, 396, 400; **Judeich-Nitzsche**, Forstins.-kunde I, 1895, 449; **Bldf.**, BCA.Col. IV, 6, 1898, 186; **Reitt.**, Best.-Tab. 1894, 87; **Barbey**, *Scol.* 1901, 100; **Trédl**, *EBl.* 3, 1907, 17; **Felt**, N. York State Mus. 8, 2, 1906, 337; **Swaine**, Col. N.-Am. 1909, p. 101; *Schaufuß* in Calwer, 1235 (*Dr. villosus* [**F.**] 1792) 1913:32 (in omn. part. orb. terr. (excl. Austral.), Guinea). *Ip.*, *Ipin.* 62.
- Dryocoetes* **Eichh.**, BEZ. 1864, 38 [pars] = *Coccotrypes* **Eichh.** 1879. *Ip.*, *Ipin.* 63.
- Dryocoetes* **Eichh.**, BEZ. 1864, 38 [pars]; *Schaufuß* in Calwer, 1235; **Kuhnt**, 1047, 1059 = *Coccotrypes* **Eichh.** 1879. *Ip.*, *Ipin.* 63.
- Dryophiloïdes* **Blackb.**, TRSSouth Austral. 14, 1891, 307 (*Dr. australis* et *insignis* **Blackb.** 1891) 1913:2 (Austral.). *Anob.*, *Dryoph.* 9.
- Dryophilus* **O Chevr.**, in MaZo. Ins. IX, 1832, 3; **Steph.**, Ill. Brit. E. Ma. V, 1832, Append., 413; **Man.** Brit. Col. 1839, 199; **Redtb.**, F. Austr. II, 1858, 567; III, 1872, II, 50; **Bach.**, II, 100; **C. G. Thoms.**, I, 1859, 89; V, 1863, 153; **Gutfl.-B.**, 401; **Jacq. du Val**, III, 2, 1861, 215; **Muls.** u. **Rey**, *Téréd.* 1864, 29; **Chenu**, Enc. II, 1870, 215; **Kiesw.**,

- NID. V, 89; **Seidl.**, F. Ba. et F. Tr.; **Fauc.**, F. Col. Fr. 1892, 300; Gen. Col. Fr. 1894, 31; **Schilsky**, Käf Eur. 36, 1899 (1900), 36B, 36 T; **Lmr.**, Man. Belg. II, 1900, 267; **Reitt.**, Best.-Tab. 47, 1901, 4, 8; F. Germ. III, 1911, 306, 307; **Everts**, II, 222, 225. — **Synops.**: **Abeille**, ASEFr. (5)5, 1875, 207—212; **Schilsky**, cf. supra, p. 36 T—36 U; **Reitt.**, Best.-Tab. 47, 1910, 8—10; **Schaufuß** in Calwer, 720; **Kuhnt**, 675, 677 (*Dr. anobiooides* Chevr. 1832, *pusillus* [Gyll.] 1832) 1913:9 (Eur. centr. et mer.). *Anob.*, *Dryoph.* 8.
- Dryopidius** **Grouv.**, AMusG. (2) 17, 1896, 33 (Typ. ? *D. castaneus*, *truncatus* **Grouv.** 1896) 1913:5 (Sum. [4], Java [1]). *Dryop.* *Dryopi.*, *Dryopin.* 28.
- Dryopomera** **Fairm.**, Not. Leyd. Mus. 18, 1897, 238 (*D. indica* **Fairm.** 1896) 1915:1 (Ind.: Kanara). *Oed.*, *Oedem.*, *Oedemi*. 59.
- †**Dryops** O * Oliv., Enc. méth. 6, 1791, 297; E. III, 1795, 41 bis; **Latr.**, HN. 9, 1804, 233 (ex p.); des Gozis, Rech. de l'esp. typ. 1886, 9; **Reitt.**, WEZg. V, 1886, 350; **Grouv.**, BSEFr. 1896, 27; **Ganglb.**, KäfMEur. IV, 1, 1904, 102. — Biol.: **Beling**, VzbGW. 16, 1897, 46; **Xambeu**, Natur., XV, 1893, 121. — (*Dr.auriculatus* [Geoffr. in Fourcier.] 1785) 1910:47 + 1 foss. (Eur., As., Afr., Am.; Miocän. Color. [1]). *Dryop.*, *Dryopi.*, *Dryopin.* 29.
- Dryops** O F., Ent. Syst. I, 2, 1792, 74; Syst. El. II, 1801, 67; **Redtb.**, Gatt. Deutsch. Käferf. 1845, 134; F. Austr. 1849 etc.; **W. Schmidt**, Linn. E. I, 1846, 17 et 46; **Muls.**, ASLLyon (n. s.) V, 1858, 105 et 160; Col. Fr. *Angustip.* 1858, 41 et 96; **Bach**, III, 269; **Lae.** V, 701, 711; **Gutfl.-Bose**, 442, 443; **Fairm.** in **Jacq. du Val**, III, 445; **Seidl.**, F. Ba. 1875 Gatt. p. 108; **Stierl.**, Col. Helv. 1886, 195; **Desbr.**, Frelon 8 (1900), *Oedem.*, p. 2 et 3; **Schaufuß** in Calwer, 577, 579; **Kuhnt**, 592, 593 = *Oncomera* Steph. 1832. *Oed.*, *Oedem.*, *Oedemi*. 58.
- Dryops** **Leach**, ZoMisc. III, 1817, 88; **Steph.**, Ill.Brit.E. V, 1835, 395; **Brullé**, HN.Ins. V, II, 1835, 339; **Shuckard** et **Spry**, Brit. Col. Del. 1839, 198; **Er.**, NID. I, 1851, 141; **Sharp**, BCA.Col. I, 2, 1882, 119; **Seidl.**, F. Ba. ed. II, 1888, 1 7; F. Tr. 1888, 134; **Reitt.**, WEZg. 13, 1894, 313; **Everts**, I, 630; **Stierlin**, I, 236; **Lameere**, F. Belg. II, 1900, 312 = *Helichus* **Er.** 1847. *Dryop.*, *Dryopi.*, *Dryopin.* 30.
- Dryops** + **Helichus** **Kuw.**, VzbGW. 40, 1890, 17 = *Helichus* **Er.** 1847. *Dryop.*, *Dryopi.*, *Dryopin.* 30.
- Dryotomus** **Chap.**, Syn. *Scol.*, 254; **Bldf.**, BCA. Col. IV, 6, 1897, 142 (*Dr. puberulus* **Chap.** 1873) 1913:1 (Cayenne). *I.p.*, *Hyles*. 36.
- Dryptelytra** O Cast., ASEFr. II, 1883, 128; **Lac.**, IV, 1857, 314; **Ern.** Oliv., ASEFr. (6) V, 1885, 137; GIW. *Lamp.* 1907, 15 (*Dr. cayennensis* **Cast.** 1883) 1913:6 (Pan., Venez., Boliv., Cayenne). *Lamp.*, *Lampr.* 12.
- Dryptomorpha** Motsch., Etud.E. 1852, 38 sq. = *Photuris* Lec. 1851. *Lamp.*, *Photu.* 52.
- Duboulaia** **Baly**, TESL. 1871, 381; **Chap.**, G. Col. X 1874, 33; **Jacoby**, GIW. 14, 1903, 3 (*D. flavigaster* **Baly** 1871) 1913:3 (Austral. occ.). *Chrys.*, *Sagr.*, *Megam.* 4.
- Duciola** **Reitt.**, VN. 20, 1881, 199 = *Jubus* **Schauf.** 1872. *Psel.*, *Psela.*, *Jub.* 22.
- Dularius** J. Thoms., Class. Cer. 1860, 258, 377; **Prov.**, F. E., Canad. Col. 1877, 586 = *Physocnemum* **Hald.** 1847. *Ceramb.*, *Cerambin.*, *Callid.* 777.
- Dulgieris** **Gozis**, Rech. Esp. Typ. 1886, 25 = *Ochina* Steph. 1830. *Anob.*, *Ernob.* 11.

- Dumalia* Muls., ASagr.Lyon (4) II. 1871, 647 = *Aegialia* Latr. 1807, *Scar.*, *Aegial.* 1.
- Dumerilia* Leach, ZoJo. I, 1824, 44; Chevr., ASEFr. (5) 4, 1874, 42 = *Cebrio* Ol. 1790. *Cebri.* 1.
- Dunbodianus* Pic, Echange, 20, 1905, 66 (*D. longicollis* Pic 1905) 1913:1 (Colon. cap.). *Rhip.*, *Pelecot.* 4.
- Dupontiella* O Spin., Essai Mon. Cler. II, 1844, 168; Reitt., VN. 14, 1876, 15 (*D. ichneumonoides* Spin. 1844) 1913:2 (Caracas). *Temn. Nemos.* 7.
- Dupophilus* Muls. et Rey, HN.Col.Fr. Unifères 1872, 14 et 41; Kuw., VzbGW. 4C; 1890, 16; Ganglb., KäfMEur. IV, 1, 1904, 115, Schau-fuß in Calwer, 581; Kuhnt, 592 (*D. brevis* Muls. 1872) 1913:1 (Gallia, Hisp., Transcauc.). *Dryop.*, *Helm.*, *Helmi.* 45.
- Durangoum* Pic, Echange 19, 1903, 182 = Subg. ad *Ozognathus* J. Lee. 1861. *Anob.*, *Ernob.* 15.
- Durbos* Sharp, TESL. 1874, IV, 495; Raffr., Rev. d'E. 9, 1890, 149, 159; PLNSNSW. 1900, 233; ASEFr. 73, 1904, 368; GIW. *Psel.* 1908, 388 (*D. priscus* Sharp 1874) 1913:2 (Austral.: Sydney). *Psel.*, *Pselia.*, *Tyr.* 403.
- Duvalius* Delarouzée Car. cf. P. II.
- Dyerocera* O Pasc., TESL. 1887, 334; Marshall, DEZ. 1907, 481 (*D. gravida* Pasc. 1887) 1913:1 (Transvaal). *Brach.*, *Brachy.*, *Brachyc.* 6.
- Dymasius* O J. Thoms., Syst. Cer. 1864, 234; Gahan, ANH. (6) 7, 1891, 22; F. Brit. Ind. Col. I, 1906, 139 (*D. macilentus* [Pasc.] 1859) 1913:8. — 2 Subgg.: *Dymasius* et *Elydnus*. — D. str. = Subg. 1 1913:4 (Ind. mer., Birn., Ceyl., Born., Penang, Ins. Banda). *Ceramb.*, *Cerambin.*, *Ceram-byc.* 148; 148, 1.
- Dymonus* Sol., Mém. Acad. Sci. Torino (2) 6, 1843, 219 (7) = *Vieta* Cast. 1840. *Ten.*, *Sepid.* 322.
- Dynamopus* Sem., HoR. 29, 1895, 336; Arrow, ANH. (8) 7, 1911, 610 (*D. athleta* Sem. 1895) 1913:3 (Turkestan., Punjab., Seneg., Nil. alb.). *Scar.*, *Dynam.* 1.
- Dynamostes* O Pasc., TESL. (2) IV, 1857, 90 (*D. audax* Pasc. 1857) 1913:1 (Sikkim, Manipur). *Ceramb.*, *Cerambin.*, *Disten.* 3.
- Dysanellus* Bernh., DEZ. 1911, 419 (*D. Bruchi* Bernh. 1911) 1914:1 1914:1 (Argent.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 336.
- Dysantes* Pasc., ANH. (4) 8, 1871, 348 (*D. taurus* Pasc. 1871, *D. biluna* Walk. 1858) 1913:3 (Ceylon 1, Java 2). *Ten.*, *Bolitoph.* 596.
- Dysarchus* Pasc., JoE. II, 1866, 449 (*D. Odewahni* Pasc. 1866) 1913:1 (Austral. mer.). *Ten.*, *Asid.* 291.
- Dysceladus* Waterh., ANH. (4) 15, 1875, 411 (*D. tuberculatus* Waterh. 1875) 1913:1 (Ins. Mauritius). *Ten.*, *Tenebr.* 777.
- Dyscerasphorus* Blackb., TRS.South Austral. 19, 1894/95, 235 (*D. laticeps* Blackb. 1895) 1913:1 (Queensl.). *End.*, *Endo.*, *Endom.* 82.
- Dyschara* Rey *Staph.* cf. P. II.
- Dysgena* Mäkl., Acta S. Fenn. 7, 1863 558 (70) (*D. lugubris* Mäkl. 1863) 1913:91 (Afr. c. et mer.). *Ten.*, *Strongyl.* 1183.
- Dysiatus* O Pasc., TESL. (3) 3, 1869, 604; Lmr. ASEB. 47, 1903, 309 (Rév. 413) (*D. melas* - Pasc. 1869) 1913:1 (Celeb., Ins. Sanghir.). *Ceramb.*, *Prion.*, *Macrot.*, *Xixuth.* 39.
- Dyslophocera* Schklg., MiMus.Hamburg 17, 1900, 19; DEZ. 1902, 158 = *Trogodendron* Guér. 1829/38. *Cler.*, *Cleri.*, *Clerin.* 112.

- Dysmathes* Mannerh., BMosc. 26, 1853, III, 264; Lac. V, 60 (*D. Sahlbergi* Mannerh. 1853) (Sitka). *Ten.*, *Eurymet.* 34.
- Dysmathosoma* O Waterh., ANH. (5) 9, 1882, 422 (*D. picipes* Waterh. 1882) 1913:1 (Madag.). *Ceramb.*, *Ceramin.*, *Lept.* 481.
- Dysphaga* J. Lec., Jo. Acad. Phil. (2) 1852, 143 = *Methia* Newm. 1842. *Ceramb.*, *Ceramin.*, *Meth.* 99.
- Dysphanochila* Blackb., TRS. South Austral. 22, 1848, 48 (*D. pilosipennis* Blackb. 1898) 1913:1 (Austr. occ.). *Scar.*, *Melth.*, *Lipar.* 197.
- Dystalica* Pase., ANH. (4) 3, 1869, 142 (*D. panagaeicollis* M'Leay 1872) 1913:4 (Austral. occ., Queensl., N. S. Wales). *Ten.*, *Adelii.* 1015.
- Europanta* Semen., Rev. Russe E. III, 1903, 172; HoR. 38, 1907, 178 (Typ. ?; *E. collaris* [Fisch.] 1844), *Loudoni* Sem. 1903, 1913:7 (Transcasp., Kuldja, Turkest.). *Ten.*, *Platyop.* 350.
- Europala* Semen., Rev. Russe E. III, 1903, 9 = *Europanta* Semen. 1903. *Ten.*, *Platyop.* 350.
- Earinis* O Pase., JoE. II, 1863, 240 (*C. mimula* Pase. 1863) 1913:3 (Gawler, Nov. Holl., N. S. W.). *Ceramb.*, *Ceramin.*, *Molorch.* 619.
- Ebenolus* Fairm., Not. Leyd. Mus. 19, 1897, 227 (*E. vernicatus* Fairm. 1897) 1913:1 (Nov. Guin.). *Ten.*, *Strongyl.* 1154.
- Eblisia* O Lew., ANH. (6) 3, 1889, 280; Schmidt, AMusG. (2) 17 (37) 1897, 292 = Subg. 1 ad *Phelister* Mars. 1853 (*E. celebia* Mars. 1861) 1913:15 (Males., Nov. Guin.). *Hist.* 28, 1.
- Ebonius* O Lew., ANH. (5) 16, 1885, 209 (*E. politus* Lew. 1885) 1913:3 (Ecud., Brasil.). *Hist.* 32.
- Euria* O Serv., ASEFr. III 1834, 8 (Type? ASEFr. III, 1834 p. 8, *bimaculatus* [Voet] 1778, decem-
- maculata* [F.] 1775, *didyma* [OI.] 1795, *quadrigeminata* Say 1827, *stigma* [OI.] 1795) 1913: (Am. b., c. et mer., Ins. Cuba, Haiti, Jamaic., Galapagos). *Ceramb.*, *Ceramin.*, *Ebur.* 212.
- Eburida* Broun, Man. New Zealand Col. I, 1880, 19 = *Eburilla* Aur. 1912. *Ceramb.*, *Ceramin.*, *Calldp.* 303.
- Eburida* White, Voy. Ereb. Terr. Ins. 1846, 19 = *Didymocantha* Newm. 1840. *Ceramb.*, *Ceramin.*, *Calldp.* 302.
- Eburifera* Gemm. et Harold, Cat. Col. 6, 1869, 1741 = *Eburiphora* Spin. 1841. *Cler.*, *Cleri.*, *Clerin.* 117.
- Eburigera* Gemm. u. Har., Cat. Col. IX, 1873, 2899 = *Eburophora* White 1855. *Ceramb.*, *Ceramin.*, *Deil.* 687.
- Eburilla* Aur. in Schkdg. u. J., Col. Cat. P. 39, 1912, 117 (*E. sericea* White 1855) 1913:1 (Nov. Zealand.). *Ceramb.*, *Ceramin.*, *Calldp.* 303.
- Eburiola* O J. Thoms., Syst. Cer. 1864, 203 (*E. geminata* [F.] 1787) 1913:1 (Jamaica). *Ceramb.*, *Ceramin.*, *Heterops.* 916.
- Eburiphora* O Spin., Rev. Zo. 1841, 74; *Clér. I.*, 1844, 290; *Lac.*, IV. 1857, 456; *Chenu*, Enc. II, 1860, 255; Blackb., TRSSouth Austral. 24, 1900, 138; Schkdg., GIW. *Cler.* 1903, 62 (*E. callosa* [Kl.] 1842) 1913:38 (Madag.). *Cler.*, *Cleri.*, *Clerin.* 117.
- Eburodacrys* O J. Thoms., Class. Cer. 1860, 288; Syst. Cer., 1864, 449; Bates, TESL. 1870, 267 (Type? *E. mexicana* J. Thoms. 1860, *E. sexmaculata* [OI.] 1798) 1913:44 (Am. c. et mer.). *Ceramb.*, *Ceramin.*, *Ebur.* 216.
- Eburogutta* Gemm. u. Har., Cat. Col. IX, 1873, 2815 = *Eburodacrys* Thoms. 1860. *Ceramb.*, *Ceramin.*, *Ebur.* 216.
- Eburophora* White, Cat. Col. Brit. Mus. 8, 1855, 332 (*E. octoguttata* White 1855) 1913:2 (Austral., Vict.). *Ceramb.*, *Ceramin.*, *Deil.* 685.

- Ecbletus* Sharp, BCA. Col. I, 2, 1882,—
1887 (1887), 708 (*E. simplex* Sharp
1887) 1913:1 (Panama). *Staph.*,
Oxyt., *Phloeoach.* 33.
- Eccopocerus* O Raffr. in Schkig. u. J.,
P. 27 1911 Index p. 186 = err. typ.
pro *Ectopocerus* Raffr. 1904. *Psel.*,
Psel., *Brachygl.* 251.
- Eccoptobythus* O Deville, BSEFr. 1901,
271; Raffr., ASEFr. 73, 1904, 255;
GIW. *Psel.* 1908, 291; Schaufuß in
Calwer, 250 (*E. paradoxus* Dev. 1901)
1913:1 (Nizza). *Psel.*, *Psel.*, *Tych.*
310.
- Eccoptogaster* O Hbst., Käf. V, 1793,
124; Er., ArN. II, 1836, 58; Ratz.,
Forstins. I, 1837, 168; Zimm.,
TAmES. II, 1868, 142; Ganglb.,
Münch. Kol. Z. I, 1903, 311 nota;
Reitt., Col. Cat. Eur. 1906, 707;
Tredl., EBl. 3, 1907, 5; Swaine, Cat.
Scol. N.Am. 1909, 103; Schaufuß in
Calwer (1202); (*E. scolytus* [F.] 1775)
1913:59 (Eur., As., Am., Afr. b.).
Ip., *Ecc.* 99.
- Eccoptolonthus* Bernh., EMi. I, 1912,
206, 207 = Subg. ad *Philonthus*
Curtis 1825. *Staph.*, *Staphy.*,
Staphyl., *Staphi.* 286.
- Eccrisis* Pasc., TESL. 1888, 499 =
Anthribola Bates 1879. *Ceramb.*,
Cerambin., *Lept.* 476.
- Echarista* Fairm., Rev. d'E. 20, 1901,
219 (*E. pictipennis* Fairm. 1901)
1913:1 (Madag.). *Ceramb.*, *Cerambin.*,
Lept. 509.
- Echiaster* O Er., G. Spec. *Staph.* 1839/40,
636; Sharp, TESL. 1873, 274 (*E.*
longicollis et *melanurus* Er. 1839/40)
1913:28 + 1 (*angularis* Epp. (i. l.),
Chile), (Am. trop.). *Staph.*, *Paed.*,
Paedi. 175.
- Echinocerus* Muls., Col. Fr. *Long.* ed. 2,
1863, 143 = *Plagionotus* Muls. 1842.
Ceramb., *Cerambin.*, *Clyt.* 806.
- Echinodes* O Zimm., TAmES. II 1869,
253 (*E. setiger* Lec. 1859) 1913:2
(Amer. b.). *Hist.* 85.
- Echinotus* O Sol., Mém. Ac. Sc. Torino
(2) VI, 1843, 242 (30); *Lac.* V, 203
(*E. spinicollis* [Cast.] 1840) 1913:3
(? Sambesi, Natal, Terra cap.). *Ten.*,
Sepid. 318.
- Echmatophorus* Ch. Waterh., ANH. 16,
1895, 158 = *Parastasia* Westw. 1841.
Scar., *Rut. hom.*, *Ruti.*, *Parast.* 38.
- Echoerus* G. Horn, Rev. *Ten.*, 1870, 366;
Champ., BCA. Col. IV, 1, 1886, 145;
Seidl., NID. V, 1894, 589, Schaufuß
in Calwer, 812 = Subg. ad *Gnathocerus*
Thunb. 1814. *Ten.*, *Utom.* 665.
- Echtrusia* Lefvr., TSouthAfr.Phil.Soc.
VI, 1890, 40 (*E. rhomboidea* Lefvr.
1890) 1914:2 (Terr. cap.; Capetown).
Chrys., *Eumolp.*, *Cyn.* 185.
- Echyra* Er., NID. III, 1847, 705 nota
= *Hoplia* Ill. 1803. *Scar.*, *Melth.*,
Hopl. 545.
- Ecitonides* Wasm., Krit. Verz. Myrm.
Term. 1894, 212; VzbGW. 45, 1895.
150, ZoJa. 14, 1900, 247/249, Zoologica
Hft. 26, 1899, 179 (*E. tuberculosus*
Wasm. 1894) 1913:4 (Parag., Bras. 3)
Staph., *Paed.*, *Paedi.* 228.
- Ecitoxenus* O Wasm., ZoJa. Suppl. VII,
1900, 246; Zoologica Hft. 26, 1908,
178 (*E. Heyeri* Wasm. 1900) 1916:1
(Brasil.). *Staph.*, *Cephal.* 404.
- Eclipta* Bates, ANH. (4) 11, 29 = Subg.
ad *Ommata* White 1855 (*E. Eirene*
Newm. 1840) 1913:32 (Am. mer.).
Ceramb., *Cerambin.*, *Rhinotr.* 638, 5.
- Ecnomaeus* Er. in Germar, ZE. IV, 1843,
264 (*E. planus* Er. 1843) 1913:5
(Himalaya, Seneg., Nubia, India,
Ins. Christmas). *Nit.*, *Nitid.*, *Carpophil.* 57.
- Ecnomorphus* Motseh., Etud. E. VII,
1858, 42; Schaufuß in Calwer, 420.
Steph. 1830 = Subg. ad *Carpophilus*
Nit., *Carpophil.* 53.
- Ecphoroma* Sol., ASEFr., 1836, 195;
Sen., Mon. *Pimel.* II, 1887, p. V =
Subg. ad *Pimelia* F. 1775. *Ten.*,
Pimel. 377.

- Ecranus* Walker, List Col. coll. Lord 1871, 19; *Chap.*, G. Col. X, 1874, 349; *Lefvr.*, MS Liége (2) 11, 1885, 163; *Bedel*, Abeille, 28, 1894, 256 = *Euryope* Dalm. 1824. *Chrys.*, *Eumolp.*, *Eur.* 174.
- Ecripsis* Pasc., JoE. II, 1866, 456 (*E. pubescens* Pasc. 1866) 1913:1 (Tasm.). *Ten.*, *Opatr.* 515.
- Ectatocera* Fährs., Öfv. Vet. Ak. Forh. 27, 1870 (71) 325 (*E. longicornis* Fährs. 1870 [71]) 1913:1 (Afr. m.). *All.*, *Allec.* 22.
- Ectatoxenesis* G. Horn, PAcPhil. 1866, 400 (*E. multilineatus* Horn 1866) 1913:1 (Coquimbo). *Ten.*, *Opatr.* 484.
- Ectenessa* Bates, BCA. Col. V, 1885, 257 (*E. phthisica*, *sex.-mac*, *subopaca*, *nitida* Bates 1885) 1913:8 (Brasil. 7, Mex. 1). — 2 Subgg.: *Ect.* s. str. = Subg. I et *Ectenessa*. *Ceramb.*, *Cerambin.*, *Achrys.* 104, 104, 1.
- Ectenessidia* O Goun., ASEFr. 77, 1909, 603 = Subg. 2 ad *Ectenessa* Bates 1885) (*Ect. varians* Goun. 1909) 1913:2 (Brasil.). *Ceramb.*, *Cerambin.*, *Achrys.* 104, 2.
- Ectenostoma* O Fährs., Öfv. Vet. Ak. Förh. 1870 (71), 317 (*E. nigriventris* Fährs. 1870 [71]). 1913:4 (Afr. or. germ., Afr. mer., Sambesi). *All.*, *Allec.* 20.
- Ectinocephalus* Matth., BCA. Col. II, 1 (1888), 104; Mon. *Coryl.* 1899, 35 t. 1, B. 1, 2, 7 (*E. tropicus* Matth. 1888) 1913:1 (Guatem.). *Orth.*, *Aenigm.* 2.
- Ectinohoplia* O Redtb., Reise d. Novara, Zo. II, Col. 1868, 63; *Borre*, ASEB. 30, 1886, 83; *Reitt.*, VN. 41 (Best.-Tab.) 51, 108 (*E. sulphuriventris* [Dohrn], Redtb. 1868) 1913:18 (Sib., Jap., Ind., China, Thibet. etc.). *Scar.*, *Melth.*, *Hopl.* 540.
- Ectinope* O Pasc., ANH. (4) 15, 1875, 60 (*E. spinicollis* Pasc. 1875) 1913:1 (Sydney). *Ceramb.*, *Cerambin.*, *Calldp.* 305.
- Ectinoplectron* Ohs., DEZ. 1915, 257 (*E. oryctoides* Ohs. 1905) 1918:1 (Mex.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 23.
- Ectocemus* O Pasc., JoE. I, 1862, 385; *Lac.*, VII, 1866, 433; *Schoenfeldt*, GIW. *Brenth.* 1908, 43 (*E. spinirostris* [Walk.] 1859 u. *E. Wallacei* Pasc. 1862) 1913:8 (Phil. Ins., Molucc. Malacc., etc.). *Brenth.*, *Brentha.*, *Psel.* 70.
- Ectomida* Pasc., ANH. (4) 17, 1876, 51 (*E. lacerata* Pasc. 1876) 1913:1 (Nov. Zealand.). *Ten.*, *Opatr.* 568.
- Ectomopsis* Fairm., ASEFr. 74, 1905, 299 (*E. Bruchi* Fairm. 1905) 1913:1 *Ten.*, *Cnodal.* 971.
- Ectomychus* Gorh., PZSL. 1887, 646 (*E. basalis* Gorh. 1887) 1913:1 (Japon.). *End.*, *Endo.*, *Stenotars.* 70.
- Ectopocerus* O Raffr., ASEFr. 73, 1904, 114, 149; GIW. *Psel.* 1908, 226 (*E. verticicornis* Reitt. 1885) 1913:1 (Valdivia). *Psel.*, *Psela.*, *Brachygl.* 251.
- Ectopria* O J. Lee., PAcPhil. 6, 1853, 351; Class. 1861, 180; *Lac.* IV, 274; *G. Horn*, TAMES. 8, 1880, 95; *J. Lee.* u. *Horn*, Class. 1883, 173; *Champ.*, BCA. Col. III, 1, 577; *Blatchley*, Ill. Deser. Cat. Col. Indiana, 1910, 690, 692 (*E. nervosa* [Melsh.] 1846) 1913:3 (Pan., Civ. confoed.). *Dasc.*, *Eubr.* 36.
- Ectosticta* Pasc., JoLSLZo. IX, 1866, 104; *Gahan*, TESL. 1893, 178 (*E. epurata* Pasc. 1863, *simillima* White 1855) 1913:5 (Austral. occ., Vict., Flum. Swan). *Ceramb.*, *Cerambin.*, *Calldp.* 313.
- Ectyche* O Pasc., ANH. (4) 3, 1869, 143 (*E. erebea* Pasc. 1869) 1913:6 (Austral.). *Ten.*, *Aaelii*. 996.
- Edabrius* Fauv., Rev. d'E. XIX, 1900, 63, 65 (*E. philippianus* Fauv. 1900) 1916:1 (Chile). *Staph.*, *Habroc.* 394.
- Edalus* Broun, Man. N. Zeal. Col. V, 1893, 1159 (*E. opacus* Broun 1893)

- 1913:3 (Nov. Zealand.). *Ten.*, *Adelii*. 1019.
- Edaphellus* O Fauv., AMusG. 12, 1878, 220 (*E. novae-guineae* Fauv. 1878) 1913:1 (Nov. Guin.). *Staph.*, *Euaesth.*, *Euaesthi*. 153.
- Edaphus* J. Lec., Class. Col. North Amer. I, 1861, 67; Ganglb., KäfMEur. II, 1885, 543; Schaufuß in Calwer, 179 (*E. nitidus* J. Lec. 1883, *dissimilis* Aubé 1863) 1913 : 15, (Eur.: Gallia mer., Ital., Dalm., Croat., Cauc., Ind. or., Birma, Sum., Java, Japon., Abyss., Afr. occ.). *Staph.*, *Euaesth.*, *Euaesthi*. 152.
- Ediguus* Muls. et Rey, ASagr.Lyon (4) 8, 1875, 616, Schaufuß in Calwer, 202; Kuhnt, 327, 838 = Subg. ad *Quediush* Steph. 1832. *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 383.
- Edistus* O Lefvr., ASEB.27, 1884, Compt. rend. p. CCII; MSLiége (2) 11, 1885, 63; Jac., F. Ind. Col. II, 1908, 365 (*E. fulgidus* Lefvr. 1884) 1913:3 (Ind. or.: Manipur, Mts. Nilgiri, Ins. Bintang). *Chrys.*, *Eumolp.*, *Callis*. 98.
- Edithia* Reitt., WEZg. 18, 1893, 160 = *Delagrangeus* Pic 1892. *Ceramb.*, *Cerambin.*, *Deil.* 684.
- Edocranes* Reitt. (?) = *Narcodes* King 1863). *Psel.*, *Psel.*, *Ctenist.* 367.
- Edrotes* Lee., AN YAcSc. V, 1851, 140; Lac. V, 31; Cas., Rev. Mon. 1907, 450 (Mon.) (*E. ventricosus* Lec. 1851, *rotundus* [Say] 1823) 1913:14 (Ariz., Cal., Colo., Nov. Mex. etc.). *Ten.*, *Edrot.* 178.
- Edrotinus* Fairm., ASEFr. 72, 1903, 461 = *Trilobocara* Sol. 1851. *Ten.*, *Trimyt.* 44.
- Edropotorus* Haag, StEZg. 38, 1877, 129 (*E. strigicollis* Haag 1877) 1913:1 (Cordoba). *Ten.*, *Physog.* 402.
- Edusa* Chap., G.Col. X, 1874, 307 [nec Albers 1860]; Blackb., TRDSouth Austral. 14, 1891, 140 = *Edusella* Chap. 1874. *Chrys.*, *Eumolp.*, *Edus.* 206.
- Edusella* Chap., G. Col. X, 1874, 309 (Typ.?: *E. chrysura* [Germ.] 1848; *evanescens* [Boh.] Eugen Resa Ins. 1858, *mutica* [Germ.] 1848; *varipes* [Boisd.] 1835) 1914:36 (Austral., Alp. Victor. 8, 1 Sp. insul. e Nov.Caled.). *Chrys.*, *Eumolp.*, *Edus.* 206.
- Edusia* Lefvr., MS Liége (2) 11 1885, 112 = *Edusella* Chap. 1874. *Chrys.*, *Eumolp.*, *Edus.* 206.
- Edusina* Chap., G. Col. X, 1874, 309 = *Edusella* Chap. 1874. *Chrys.*, *Eumolp.*, *Edus.* 206.
- Edusoidea* Blackb., PSLNSW. (2) 4, 1890, 477 (*E. pulcher* Blackb. 1890) 1914:1 (Austral. occ.). *Chrys.*, *Eumolp.*, *Edus.* 208.
- Edylius* Champ., TESL. 1894, 353 (*E. canescens* Champ. 1894) 1913:1 (Tasm.), *Ten.*, *Helaei*. 740.
- Egestria* O Pas., ANH. (4) 8, 1871, 358 (*E. taeniata* Pascoe 1871) 1913:8 (Austral.). *Ped.* 8.
- Egidyella* O Reitt., WEZg. 18, 1899, 284; (*E. prophetae* Reitt. 1899) 1913:1 (Buchara). *Scrap.* 1.
- Egolia* O Er., ArN. 8, 1842, I, 150; Er. in Germar, ZE. 1844, 445; Reitt., VN. 14, 1876, 8 (*E. variegata* Er. 1842) 1913:1 (Tasm., Tahiti). *Tenn.*, *Nemos*. 1.
- Eidocolastus* Murr., Monogr. 1864, 399 = Subg. ad *Carpophilus* Steph. 1830. *Nit.*, *Carpophil.* 53.
- Eidophelus* Eichh., ASEB. 18, 1875, 200 (*E. minutus* Blfd.) 1913:2 (Japon.). *I.p.*, *Ipin.* 69.
- Eidoreus* Sharp, TR Dublin S. III, 1883, 146 (*E. minutus* Sharp 1883) 1913:1 (Ins. Haw.). *Erot.*, *Dacn.* 74.
- Elacatis* Pascoe, JoE. 1, 1860, 52 = *Othnius* Lec. 1861. *Othn.* 1.
- Elachys* Matth., Zool. 18, 1860, 706; Motsch., BSN. Mosc. 41, 1868, II, 172, 183 = *Nephantes* Thoms. 1859. *Ptil.*, *Ptili.* 17.

- Elania** Muls. et Rey, Scut., 111; Schaufuß in Calwer, (601) = Subg. ad *Globicornis* Latr. 1829. *Derm.*, *Megat.* 14.
- Elaphidion** O Serv., ASEFr. III, 1834, 66 (Typ. ?; *E. irroratum* [L.] 1767, *mucronatum* [Say] 1823, *nanum* [F.], *pulverulentus* [Ol.] 1795, *spinicorne* Drury 1773) 1913:66 (Am.). *Ceramb.*, *Cerambin.*, *Phorac.* 224.
- Elaphocera** O Gené, Ins. Sardin. I, 1836, 28 in M. Acc. Toino 39, 1836, 188; Er., Entomogr. I, 1840, 26/44; Ramb., ASEFr. (2) 1, 1843, 333; Burm., Hd. E. IV, 2, 452; Lac., III, 310; Jaeq. du Val, III, 8, 1860, 61, t. 17 f. 82; Kraatz, DEZ. 26, 1882, 15/32; Tiefenb., DEZ. 26, 1882, t. 4 f. 48; Reitt., WEZg. 16, 1897, 221; VN. 40 (Best.-Tab. 50), 95, 96; Schaufuß in Calwer, 174; Kuhnt, 203; (Typ. ?; *E. emarginata* [Gyll. in Schönh.] 1817; *longitarsis* [III.] 1803) 1913: ? (Eur. et Afr. medit.) — Etiam Subg. *E. Reitt.*, VN. 40 (Best.-Tab. 50) 97. Scar., Melth., Pachyd. 415.
- Elaphocerida** Reitt., VN. 40 (Best.-Tab. 50), 97; Schaufuß in Calwer, (1321) = Subg. ad *Elaphocera* Gené 1836. Scar., Melth., Pachyd. 415.
- Elaphopsis** Serv., ASEFr. III, 1834, 101; J. Thoms., Class. Cer. 1860, 188; Syst. Cer. 1864, 437 (*E. rubida* Serv. 1834) 1913:1 (Brasil.). *Ceramb.*, *Cerambin.*, *Rhopal.* 893.
- Elaptus** O Pasc., ANH. (3) 19, 1867, 413; Lac., VIII, 150; Lmr., MSEB. 21, 1912, 5 (Rév., 869) (*E. simulator* Pasc. 1867) 1913:4. — 2 Subg.: *Miocydus* et *Elaptus* s. str. (Austral.). — *E. s. str.* ANH. (3) 19, 1867, 413, Lmr., MSEB. 21, 1912, 7 (Rév., 871) = Subg. 2 ad *E. Pasc.* 1867 (Typus etc. ut antea). *Ceramb.*, *Prion.*, *Anacol.*, *Clost.* 75; 75, 2.
- Elascus** O Pasc., JcE. I, 1860, 119 (*E. crassicornis* et *lunatus* Pasc. 1860)
- 1913:2 (Melbourne). *Ten.*, *Bolitoph.* 605.
- Elasmatius** O Raffr., A.Mus. Nat. Hung. 1903, 97; ASEFr. 73, 1904, 445; GIW. Psel. 1908, 426 (*E. lamellipes* Raffr. 1903) 1913:1 (Nov. Guinea). *Psel.*, *Clavig.* 432.
- Elasmocera** Rondani 1856 ([Dipt.] = *Ancylorrhynchus* Latr.); OMäkl., Mon., 1864, 396; Art. S. Fenn. 8, 1, 1867, 504 (*E. dentipes* Mäkl. 1864) 1913:1 (Bahia). *Ten.*, *Strongyl.* 1173.
- Elasmocerus** J. Lee., AN YAcSc. V, 1852, 13; Lac., IV, 1857, 426; J. Lee. u. Horn, Class. Col. N. Am. ed. II, 1883, 217 = *Monophylla* Spin. 1841. *Cler.*, *Cleri.*, *Till.* 8.
- Elassocanthon** Kolbe, Denkschr. med.-nat. Ges. Jena, 13, 1908, 130 (*E. brevipes* Kolbe 1908) 1913:1 (Terr. Namaqua). Scar., Copr., Scarbi., Canthon. 25.
- Elateroides** Schaeff., Elem. E. 1766 t. 139; Icon. Ins. Ratisbon. III, 1779 t. 279 f. 7a—b (non binär!).; Harrer, Beschr. Ins. Schaeffer I, 1784 nr. 237; Jacobs., Käf. Rußl. 1905—(11), 654; (1913), 722 = *Hylecoetus* Latr. 1806. Lym. 2.
- Elateropsis** O Chevr., ASEFr. (4) 2, 1862, 269; Lac., VIII, 183; Lmr., MSEB. 17, 1909, 14 (Rév., 598) = Subg. 5 ad *Derancistrus* Serv. 1832 (*E. lineatus* [L.] 1758) 1913:12 (Cuba, Jamaic., Florida, Haiti, Baham., Ins. Eleuthere). *Ceramb.*, *Prion.*, *Deranc.* 56, 5.
- Elbidus** Muls. et Rey, HN. Col. Fr. Brevip. *Oxyp.*, *Oxyt.* 1879, 130; Schaufuß in Calwer, 203 = Subg. ad *Bledius* Mannh. 1830. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.* 125.
- Eleale** O Newm., Ent. 1841, 36; Lac., IV, 1857, 461; Gorh., Cist. E. II, (1876), 89; Blackb., TRSSouth Austral. 24, 1900, 117; Schklg., GIW. Cler. 1903, 70 (*E. viridis* [Guér.] 1829/38) 1913:33 (Chile 1,

- Austral. 29, Tasm. 2, Nov. Zeal. 1).
Cler., *Cleri.*, *Clerin.* 124.
Eleanor O J. Thoms., Syst. Cer. 1864,
 197 (*E. Medici* [Bertol.] 1849, Dohrni
Fährs. 1872) 1913:2 (Afr. mer.,
 Senegal.). *Ceramb.*, *Ceramin.*,
Stenasp. 979.
Eleates Cas., B. Cal. Ac. Sc. II, 1887,
 253 (*E. occidentalis* Cas. 1887) 1913:3
 (Civ. confœd., Oreg., Cal.). *Ten.*,
Bolitoph. 599.
Electica Borchmann in Schkdg. u. J.,
 Col. Cat. Pars 69, 1917 p. 66 supra
 = Err. pro ***Electica*** Lacord. 1859.
Melo., *Lytt.*, *Mylab.* 21.
Eledona O ♀ Latr., Précis de car. 1796,
 19; HN. X, 1804, 312; Gen. Crust.
 et Ins. II, 1807, 178, Règne anim.
 1817, 302; ed. II, 1829, 31; *Lac.* V,
 296; *Jacq. du Val*, III, 294; *Redtb.*,
 F. Austr. ed. III; *Seidl.*, F. Balt.
 1875, 96 (Gatt.); ed. II 1891, 131
 (Gatt.); F. Tr. 1891, 131 (Gatt.);
 NID. V, 1894, 501; *Desbr.*, Frelon
 X, 1901, 164; Schaufuß in Calwer,
 804, 805; *Kuhnt*, 740, 745.
 Biol.: *Bouché*, Naturg. Ins. 1834,
 191 t. 9 f. 7; *Er.*, ArN. 8, 1842, I,
 365; *Dufour*, A.Sc.Nat. (2) 20, 1843,
 284 t. 12 f. 1—7; *Perris*, ASLLyon
 23, 1876, 117; *Schiödte*, Met. *Eleuth.*
 X, 1877/8, 547; *Seidl.*, NID. V, 1894,
 502. — (*E. agaricola* Hbst. in Fußl.
 1783) 1913:3 (Eur., Am. b.; Civ.
 confœd., Peru). *Ten.*, *Rhipidandr.* 609.
Eledonoprius Reitt., F. Germ. 3, 338
 Schaufuß in Calwer, 804, 805. (*E.*
Boletophagus) *armatus* [Panz.] 1799)
 1913:1 (Eur. med.). *Ten.*, *Bolitoph.*
 588a.
Elenophorus O ♀ Latr., Régne anim.
 ed. II, V, 1829, 10; *Sol.*, ASEFr. V,
 1836, 643; *Muls.*, Col. Fr. *Latigènes*
 1854, 58; *Lac.*, V, 1859, 113; *Jacq.*
du Val, III, 1861, 255; *Seidl.*, NID.
 V, 226; *Desbr.*, Frelon 9, 1901, 181.
 Schaufuß in Calwer, (793). — Biol.:
Muls., ASLLyon 1856, II, 3, p. 133;
Opusc. E. 7, 1856, 133. — (*E. collaris*
 [L.] 1767) 1913:1 (Mediterr.). *Ten.*,
Elenoph. 270.
Eleodes O ♀ + Eschsch., Zo. Atl. III, 1829,
 8; *Sol.*, Studi ent. II, 1848, 154 (8);
 235 (89); *Lac.*, V, 148; *Horn*, Rev.
Ten. in T. Am. Phil. S. 14, 1870, 301;
Lec. u. Horn, Classif. Col. N.-Am.
 1883, 374; *Cas.*, AN YAcSc. V, 1890,
 394; *Blaisd.*, Mon., 29, 31. (Typ. ?; *E.*
dentipes, *angulata*, *gravida*, *rotundicollis*
 et *sulcata* Eschsch. 1829, *suturalis* [Say]
 1823) 1913:123 (Am. b.; Tex., Mex.,
 Cal.). *Ten.*, *Eleod.* 32.
 Anat.: *Gibler*, Psyche II, 1879,
 209, fig.
 Biol.: *Blaisd.*, Mon., 494 sq. t. 13
 (Puppe), *Gibler*, Brooklyn S. I,
 1880, 19, f. 4, 5; *Williston*, Psyche
 IV, 1884, 168.
Eleodes s. str. *Blaisd.*, Mon. 1909,
 34 sq. = Subg. ad *Eleodes* Eschsch.
 1829. *Ten.*, *Eleod.* 392.
Eleodimorpha O *Blaisd.*, BUStNMus.
 63, 1909, 477 (*E. Bolcan* *Blaisd.* 1909)
 1913:1 (Cal.). *Ten.*, *Eleod.* 394.
Eleothreptus Blackb., TRSSouth Austral.
 19, 1894/95 (1895), 235 (*E. punctu-*
latus Blackb. 1895) 1913:1 (Austral.
 mer.) *End.*, *Endo.*, *Endom.* 83.
Elephastomus O M'Leay, HoE. I, 1819,
 122; Westw., TLSL. 21, 1852, 12;
Bouem., ASEFr. 79, 1910 (1911),
 334 (*E. proboscideus* [Schreib.] 1802)
 1913:2 (Austral., Tasm.). *Scar.*,
Geotr., *Bolboc.* 11.
Elestora O Pasc., PESL. 1868 p. XI;
 ANH. (4) 8, 1871, 349 t. 14 f. 1
 (*E. fulgorata* Pasc. 1871) 1910:1
 (Penang.). *Temn.*, *Lep.* 20.
Elete Pasc., TESL. (3) I, 1863, 553
 = *Skeletodes* Newm. 1850. *Ceramb.*,
Ceramin., *Phorac.* 238.
Eletica O ♀ Lac., V, 1859, 672 (*E. rufa*
 [F.] 1801) 1917:25 (Afr. or., occ.,
 mer.). *Melo.*, *Lytt.*, *Mylab.* 21.
Eleusis O Cast., Etud. ent. I, 1835, 131;
Er. Gen. *Staph.* 1839/40 (1840)

- nota (*E. tibialis* Cast. 1835) 1913:75 (Ceylon, Ins. Sund., As. mer.; Afr. occ., Nov. Guin., N. Zealand., Camerun, Togo, Afr. occ. et or., Madag. 22; Mex., Pan., Guat., Chile, Columb., Austral. etc.). *Staph.*, *Oxyt.*, *Piest.*, *Eleus.* 13.
- Eleusomatus* Rafffr., ASEFr. 72, 1903, 533; GIW. *Psel.* 1908, 112 (*E. allocephalus* Broun) 1913:2 (N. Zealand.) *Psel.*, *Psel.*, *Euplect.* 132.
- Eleutho* J. Thoms., Syst. Cer. 1864, 242 = *Eburia* Serv. 1834. *Ceramb.*, *Ceramb.*, *Ebur.* 212.
- Elezira* Pasc., TESL. (3) 3, 1869, 637 = *Demonax* J. Thoms. 1860. *Ceramb.*, *Ceramb.*, *Clyt.* 827.
- Eligmoderma* J. Thoms., Syst. Cer. 1864, 246 (*E. ibidionoides* Thoms. 1864) 1913:2 (Columb., Panama). *Ceramb.*, *Ceramb.*, *Eligm.* 297.
- Elixota* Pasc., JoE. II, 1866, 475 (*E. cuprea* Pasc. 1866) 1913:2 (China bor., Japon.). *Ten.*, *Cnodal.* 931.
- Ellipolampis* Motsch., Etud. E. 1852, 27 sq. = *Photinus* Lacord. 1857 part. *Lamp.* 28.
- Ellipotoma* Spin., Clérit. II, 1844, 36; *Lac.*, IV, 1857, 472; *Chenu*, Enc. 1860, 267; *Gorh.*, TESL. 1877, 236; *Schklg.*, GIW. *Cler.* 1903, 95; *Gahan*, ANH. (8) 5, 1910, 73 (*E. lateralis* [Kl.] 1842) 1913:4 (Pan., Bras., Columb., Mex.). *Cler.*, *Corynet.*, *Phylloba.* 140.
- Ellipotoma* Motsch., B. Mosc. 31, 1858, III, 215 = *Tachinus* Grav. 1802. *Staph.*, *Tach.*, *Tachi.* 423.
- Ellipsodes* O Woll., Ins. Mader. 1854, 485; *Lac.*, V, 224; *Seidl.*, NID. V, 1894, 46 (*E. glabrata* [F.] 1792) 1913:1 (Madera). *Ten.*, *Cryptin.* 581.
- Ellipsotomus* Gemm. u. Har., Col. Cat. II, 1868, 554 = *Tachinus* Grav. 1802. *Staph.*, *Tach.*, *Tachi.* 423.
- Elliptoma* Motsch., B. Mosc. 18, 1845, I, 41 = *Tachinus* Grav. 1802. *Staph.*, *Tach.*, *Tachi.* 423.
- Ellychnia* Motsch., Etud. E. 1852, 27 sq. = *Photinus* Lacord. 1857 part. *Lamp.*, *Phot.* 28.
- Ellychnia* Lec., TAmES. 9, 1881, 31 = *Lucidotata* Cast. 1833. *Lamp.*, *Lucid.* 15.
- Elmis* O Latr., B.S. Philom. I—II, 1798; HN. Fourm., 398; HN. IX, 1804, 227, HN. Gen. Crust. et Ins. II, 1807, 48; *Er.*, NID. III, 524; *Lac.*, II, 508; *Sturm*, 23, 1; *Cast.*, HN. II, 1840, 42; *Heer*, F. Helv. 1841, 468; *Bach*, I, 142; *Lac.*, II, 508; C.G.Thoms., II, 130; *Horn*, TAmES. III, 1870, 34; *Seidl.*, F. Ba. et Tr.; *Fowl.*, Col. Brit. Isl. III, 1889, 375; *Gutfl.-B.*, 295. — Biol.: *Kolen.*, W.E. Monatsschr. 4, 1860, 88; *Westw.*, Introd. I, 1839, 117 t. 7 f. 16, 17; *Laboulb.*, ASEFr. (4) 10, 1870, 405, t. 9; *Rolph*, ArN. 40, 1873, 2 t. 1 f. 14, 15; *Beling*, VzbGW. 32, 1882, 441; *Lmr.*, F. Belg. II, 1900, 239 fig. — (*H. Maugei* Bedel, 1878 = *H. Maugeti* Latr. 1802) 1910:93 (Eur., Afr.: C. b. sp., Congo belg., Madag., Tasm., Ceylon, Am.). *Dryop.*, *Helm.*, *Helmi.* 239.
- Elmis* (ex p.) Latr., HN. Fourm. 1802, 396; *Er.*, NID. III, 1847, 524; *Bach* I, 142; *Sturm*, 23, 1; *Jaeq. du Val*, Gen. Col. II, 1859, 277; *Muls.* et *Rey*, *Uncif.* 1872, 21; *Seidl.*, F. Ba. et Tr.; *Kuw.*, VzbGW. 40, 1890, 16; *Everts*, I, 625; *Lameere*, F. Belg. (2) 1900, 315 = *Lathelmis* Reitt. 1883. *Dryop.*, *Helm.*, *Helmi.* 44.
- Elmomorphus* Sharp, ANH. (6) 2, 1888, 242 (*E. brevicornis* Sharp 1888) 1910:1 (Japon.). *Dryop.*, *Dryopi.*, *Dryopin.* 31.
- Elmoparnus* O Sharp, BCA, Col. I, 2, 1882, 125 (*E. brevicornis* Sharp 1882) 1913:2 (Panam., Venez.). *Dryop.*, *Dryopi.*, *Dryopin.* 32.
- Elodes* O Latr., Préc. Caract. Gen. 1796, 44; *Samouelle*, E. Comp. 1819, 162; *Guér.*, (ex part.) Spéc. et Icon. fasc. 3 nr. 9, 1843, 1; *Blanchard*,

- HN. Ins. II, 1845, 56 (ex part.); Bach (ex part.), Käferf. II, 1852, 53; Lac., IV, 264; Redtb., F. Austr. 1858, 517; C.G.Thoms., Sk. Col. I, 1859, 107; Muls. u. Rey, *Brevicoll.* 1865, 46, 47; Gutf.-B., 374 (*E. minuta* [L.] 1768? [Syst. Nat. XII, p. 645]) 1914:52 (Eur., As., Am., Austr., Madag.). *Helod.*, *Helodi.* 3.
- Elomosda* O Bates, EMM. 6, 1870, 273 (*E. Berti* Bates 1870) 1913:1 (Am. o.). *Ten.*, *Cnodal.* 971.
- Elongasida* Escalera, Bol. Real. S. Esp. VI, 1906, 306; Schaufuß in Calwer, (795) = *Asida* Latr. 1804. *Ten.*, *Asid.* 286.
- Elonium Samouelle*, E. Compend. I, 1819, 175 = *Coprophilus* Latr. 1829. *Staph.*, *Oxyt.*, *Oxyti.*, *Coproph.* 101.
- Elonus Casey*, AN YAcSc. 8, 1895, 773 = Subg. ad *Hylophilus* Berth. 1827. *Hyloph.* 3.
- Elosoma Motsch.*, B. Mosc. 18, 1845, I, 33 = *Aegialites* Mannerh. 1853. *Aeg.* 1.
- Elsianus Sharp*, Col. BCA. I, 2, 1882, 131 (*E. robustus* Sharp 1882) 1913:6 +1 (Brasil., Columb., Costa Rica, Guat., Tex.). *Dryop.*, *Helm.*, *Helmi.* 35.
- Elydnus Pasc.*, TESL. (3) 3, 1869, 516 = Subg. 2 ad *Dymasius* Thoms. 1864. 1913 : 4 (Borneo, Penang, Ins. Banda). *Ceramb.*, *Cerambin.*, *Cerambyc.* 148, 2.
- Elythomerus Ch.* Waterh., TESL. 1874, 535 (*E. elongatus* Ch. Waterh. 1874) (Queensl.). *Heter.* 3.
- Elytrobaeus Sahlb.*, Acta S. Fenn. II, 2, 1847, 801 = *Oedichirus* Er. 1839/40. *Staph.*, *Paed.*, *Pinopt.* Proc. 165.
- Elytroleptus* O Dugès, La Naturaleza Mexic. IV, 1879, 182; Bates, BCA. Col. V, 1885, 317; Leng, EAm. 1880, 31 (*E. pallidus* Thoms. 1860) 1913:13 (Ariz., Mex., Hond., Florida, Texas). *Ceramb.*, *Cerambin.*, *Pteropl.* 956.
- Elytromena* Motsch., in Schrenck's R. II, 1860, 188 = *Elytrosphaera* Chevr. 1843. *Chrys.*, *Chryso.*, *Chrysi.* 20.
- Elytrosphaera* O Chevr., in d'Orbigny, Dict. Univ. III, 1843, 655; Stål, Öfv. Vet. Ak. Forh. XV, 1858, 474; Motsch., in Schrenck's R. II, 188; Stål, Mon. II, 1863, 146; Champ., X, 407; Jac., 260 (Typ.); Stål, Öfv. Vet. Ak. Förh. XV, 1858 p. 474: *xanthopyga* et *breviscula* Stål 1858) 1916:25 (Am. trop.). *Chrys.*, *Chryso.*, *Chrysi.* 20.
- Elzearius* (Guillebeau) refer. ad *Phloeophoroides* Woll. 1854. *I* p. 38.
- Embaphion* O Say, Jo. Ac. Phil. III, 1824, 254; Lac., V, 1859, 152; Lec., Class. 1861, 226; G. Horn, Rev. Ten. 1870, 320; Lec. u. Horn, Class. 1883, 374; Blaasd., BUStNMus. 63, 1909, 29 et 450 (Mon.) (*E. muri- catum* Say 1824) 1913:7 (Am. bor., Civ. confoed. occid.). *Ten.*, *Eleod.* 395.
- Embryon* J. Thoms., ArE. I, 1857, 292 = *Brevicolaspis* Lap. 1833. *Chrys.*, *Eumolp.*, *Leprot.* 135.
- Emeax* Pasc., JoE. II, 1866, 450; Lec., P. Ac. Philad. 1873, 334 = *Nyctoporis* Eschsch. 1831. *Ten.*, *Nyctop.* 260.
- Emelinus Casey*, AN YAcSc. 8, 1895, 773 = Subg. ad *Hylophilus* Berth. 1827. *Hyloph.* 3.
- Emenadia* Cast., HNIns. Col. II, 1840, 261; Lac., V, 1, 627; Seidl., F. Ba. ed. II (1890) Gatt. p. 142; F. Tr. (1891) Gatt. p. 142; Champ., BCA. Col. IV, 2 (1891), 353; Stierl., Käferf. Schweiz II, 1898, 188; Schaufuß in Calwer, (762) = *Macrosiagon* Hentz 1830. *Rhip.*, *Rhipiph.* 16.
- Emenica* O Pasc., ANH. (4) 15, 1875, 62 (*E. nigripennis* Pasc. 1875) 1913:1 (Austral. occ.). *Ceramb.*, *Cerambin.*, *Urac.* 421.
- Emma* Escalera, Bol. S. españ. 13, 1913, 318 (*E. serricornis* Esc. 1913) 1913:1 (Mogador). *Dril.*, *Emm.*

Emmalodera O Sol. in Gay, H. Chile V, 1851, 181; **Lac.** V, 130 (*E. obesa* [Guér.] 1841) 1913:6 (Patag., Mendoz., Catamarc., Chile, Magellan.). *Ten.*, *Scotob.* 344.

Emmallus O Er., ArN. IX, 1843, I, 251; **Lac.** V, 266 (*E. pilosus* Er. 1843) 1913:4 (Afr. or., Angola, Afr. mer.-occ.). *Ten.*, *Opatr.* 486.

Emmenastrichus G. Horn, P. Cal. Ac. Sc. (2) 4, 1894, 413; **Cas.**, Rev. Mon. 1907, 340 (*E. cibratus* Horn 1894) 1913:2 (Cal.). *Ten.*, *Euryt.* 24.

Emmenastus Motsch., B. Mosc. 18, 1845, I, 75; **Lac.** V, 59; **Cas.**, Rev. Mon. 1907, 287 (*E. compactus*, *rugosus* Motsch. 1845) 1913:2 (Kamtschatka, Sitka). *Ten.*, *Euryt.* 33.

Emmenides O Cas., Rev. Mon., 1907, 239 (*E. punctatus* Lec. 1866) 1913:2 (Mexic., Cal.). *Ten.*, *Euryt.* 20.

Emmepus O Motsch., B. Mosc. 18, 1845, 41; **Lac.**, G. Col. IV, 1857, 494; **Chenu**, Enc. II, 1860, 82 [sub *Staphyl.*] et p. 266; **Reitt.**, VN. 32, 1893 (1894), 39; Best.-Tab. 1894, 6; WEZg. 15, 1896, 283; Schklg., GlW. Cler. 1903, 96 (*E. arundinis* Motsch. 1845) 1913:4 (Mare Caspic., Ceylon., Alger. mer.) *Cler.*, *Cleri.*, *Hydnoc.* 135.

Emmetrus Motsch., in Schrenck's R. III, 1860, 221 = *Phaedon* i. sp. = Subg. I ad *Phaedon* Latr. 1829. *Chrys.*, *Chryso.*, *Phaedon*. 39,1.

Emopotylus Bernh., VzbGW. 60, 1910, 359 = Subg. ad *Oxytelus* Grav. 1802. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyie*. 123.

Empecamenta Brenske, AMusG. 35, 1895, 218; BEZ. 41, 1896, 341; **Pering.**, TSAfr. Phil. S. 13, 1904, 93 (Subg.) (*E. pilifera* Brenske 1895) 1913:15 (Erythr., Dar-es-Sal. 3; Sambesi, Rhodes. mer. 5, Terr. Mashona; Meru, Usambara occ. 1, Sierra Leone, Angola, Terr. Galla.). *Scar.*, *Melth.*, *Seric.* 119.

Empecta O Er., NID. 1847, 657; **Burm.**, Hd.E. 4, 2, 1855, 286; **Lac.**, G. Col. III, 1856, 277; **Brenske**, SE. 6, 1891, 98 (Type?; *E. cinerea*, *maculipennis*, *pristinaria* **Burm.** 1850) 1913:21 + 7? (Madag.). *Scar.*, *Melth.*, *Melthi*. 266. *Emphalena* Reitt., VN. 41, 1903, 67 = *Anomala* Sam. s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 71,2. *Emphania* Er., NID. III, 1847, 695 [non **Blanch.**]: **Burm.**, Hd.E. IV, 2, 1855, 180; **Brenske**, BEZ. XLII 1897, 354, XLIV, 1899, 233 (*E. metallica* **Blanch.** 1850) 1913:1 (Madag.). *Scar.*, *Melth.*, *Seric.* 52.

Emphania **Blanch.**, Col. Cat. E. Col. I, 1850, 80 [non **Er.**] = *Hyposerica* **Brenske** 1897. *Scar.*, *Melth.*, *Seric.* 53.

Emphania **Blanch.**, Col. Cat. E. Col. I, 1850, 80 = *Sericia* M'Leay 1819. *Scar.*, *Melth.*, *Seric.* 23.

Emphiesmenu Lansb., Not. Leyd. Mus. VI, 1884:, 137; **Lmr.**, ASEB. 54, 1910, 283 (Rév. 712) (*E. Schageni* Lansb. 1884) 1913:1 (Sum.). *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 64.

Empycastes O Gerst., ArN. 27, 1871, P. 1, 47; in v. d. Deck., Reis. III, P. 2, 1873, 114 (*E. coronatus* Gerst. 1871) 1913:1 (Sansibar). *Scar.*, *Melth.*, *Melthi*. 255.

Emus O Curtis, Brit. E. 12, 1835 t. 534; **Ganglb.**, KäfMEur. II, 1895, 416 (= *E. Jacq. du Val*, G. Col. d'Eur. II, 1857/58, 34 = *E. Fauv.*, F. gallo-rhén. III, 1872, 395); *Schaufuß* in Calwer, 193, 200; *Kuhnt*, 166, 241. (*E. hirtus* [L.] 1758) 1914:3, (Eur., Medit. or., Cauc.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphyi*. 316.

Emus Leach, Gutfl.-B., 134 = *E. Curtis.*

Emus Grupp. I (*Creophilus*) *Fauv.*, F. gallo-rhén. III, 1872, 395 = *Creophilus* Mannerh. 1830. *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 341.

Emydodes Pasc., JoE. 1860, 56 (*E. collaris* Pasc. 1860) 1913:2 (Bras.). *Lagr.*, *Lagr.* 14.

- Emyon Gerst.*, Monatsber. Berl. Ak. 1854, 532; Peters Reise 1862, 284; *Lac.* V, 459 (*E. caelatus* Gerst. 1854); 1913:4 (Afr. mer.-occ., Caffr., Sambesi). *Ten.*, *Helopi*. 1101.
- Emypsara Pasc.*, JoE. II, 1866, 460 = *Phaleria Latr.* 1802. *Ten.*, *Phaler.* 576.
- Enaismus Guér.*, Rev. MaZo. (2) 10, 1858, 16 = *Eumorphus* Weber 1801. *End.*, *Endo.*, *Eumorph.* 28.
- Enamillus Sharp*, AMuG. 9, 187, 319 (*E. striatus* Sharp 1877) 1913:2 (Austral. c. et occ.). *Scar.*, *Melth.*, *Systell.* 7.
- Enanea O Lewis*, ANH. (6) 13, 1894, 467 (*E. testacea* Lew. 1894) 1913:1 (Japon.). *Ten.*, *Uлом.* 674.
- Enantius O Schauf.*, *Psel.* Siams 1877, 18; *Raffr.*, Rev. d'E. 9, 1890, 145, 151; ASEFr. 73, 1904, 362; GIW. *Psel.* 1908, 362 (*E. punctipennis* *Schauf.* 1877, *E. Schaufussi* *Raffr.* 1895) 1913:5 (Siam, Singap., Sum., Born.). *Psel.*, *Psela.*, *Tyr.* 371.
- Enaria O Er.*, NID. 3, 1847, 657; *Burm.*, Hd. E. IV, 2, 1855, 280; *Lac.*, III, 1856, 279; *Waterh.*, TESL. 1882, 1882, 493/494 (*E. melanictera* [Klug] 1833) 1913:25 (Madag.). *Scar.*, *Melth.*, *Melthi*. 230.
- Enarioidea Fairm.*, Rev. d'E. 22, 1903, 25 (*E. villigera* Fairm.) 1913:1 (Madag.). *Scar.*, *Melth.*, *Melthi*. 331.
- Enasiba Olliff*, PLNSNSW. 1886, 838 (*E. tristis* Olliff 1886) 1913:1 (Austral.). *Ptin.*, *Ptini*. 28.
- Encara O Gemm.*, Col. Hfte. VI, 1870, 124; M'Leay, Mon., 515 (*E. Westwoodi* [Boisd.] 1835, *submaculatum* [Brême] 1842) 1913:6 + 1 (1911) (Austral.). *Ten.*, *Helaei*. 726.
- Encaustes Lac.* (part.), *Erot.* 1876, 102 = *Micrencaustes* *Crotch* 1876. *Encaust.* *Erot.* 30.
- Encaustes Lac.*, *Erot.*, 33; *Crotch*, *Erot.*, 100; *Chap.* XII, 47 (Typ.? *E. verticialis* [M'Leay] 1825, *dispar* *Lac.* 1842) 1913:20 (As., Males., Nov. Guin.). *Erot.*, *Encaust.* 29.
- Encephalus Brême*, Mon. 1842, 23 t. 1 f. 1—4 A; *Lac.* V, 345, *Schaufuß* in Calwer, 218; *Kuhnt*, 171, 260 = *Encara Gemm.* 1870. *Ten.*, *Helaei*. 726.
- Encephalus Westw.*, *Gutfl.-B.*, 117 = *E. Brême*.
- Enchaptera J. Thoms.*, Class. Cer. 1860, 143; Syst. Cer. 1864, 406 = *Enchoptera W. Saund.* 1850. *Ceramb.*, *Cerambin.*, *Macrn.* 442.
- Enchoptera O W. Saund.*, TESL. (2) I, 1850, 76 (*E. nigricornis*, *apicalis* W. Saund. 1850) 1913:2 (Tasm., N. S. W.). *Ceramb.*, *Cerambin.*, *Macrn.* 44.
- Encirrus Cast.*, HN. II, 1840, 130 = err. pro *Eucirrus Melly* = Subg. ad *Lepidiota Hope*. *Scar.*, *Melth.*, *Melthi*. 269.
- Encya O Blanch.*, HNIns. II, 1845, 216; *Burm.*, Hd. E. IV, 2, 1855, 275; *Lac.*, III, 1586, 298; *Waterh.*, TESL. 1882, 493; *Brenske*, SE. 6, 1891, 97; BEZ. 37, 1892, 37 (Typ.? *E. Commersoni* [Ol.] 1789; *mucronata* [Klug] 1833; *apicalis* et *bisignata*, *subnitida* et *variiennis* Blanch. 1850) 1913:27 (Madag. 26, Comor. 1). *Scar.*, *Melth.*, *Melthi*. 228.
- Encyalesthus O Motsch.*, in Schrenck's R. 1860, 139; *Mars.*, Abeille 16, 1878, 103 (*E. subriolaceus* Motsch. 1860; *coeruleescens* Guér. 1830) 1913:25 (Ind., Ceylon, Ins. Sundaic. etc.). *Ten.*, *Tenebr.* 807.
- Encyclophylla (Waterh.) DT.* in Schklig. u. J., Col. Cat. P. 50, Ind. p. 383: p. 303 = err. pro *Encyclophylla* *Waterh.* *Scar.*, *Melth.*, *Pachyd.* 404.
- Encyclops O Newm.*, EMa. V, 1838, 392 (*E. coerulea* Say 1827) 1913:2 (Japon., Canada, Connect., N. York, Illinois). *Ceramb.*, *Cerambin.*, *Encycl.* 560.
- Encymon O Gerst.*, ArN. 23, 1857, I, 230; Mon. Endom. 1858, 134; *Chap.*,

- G. Col. 12, 1876, 95; **Csiki**, Term. Füzet. 25, 1902, 28 (Best.-Tab.) (*E. immaculatus* [Montrz.] 1855) 1913:21 (Males. et Insul. austral.). *End.*, *Endo.*, *Eumorph.* 30.
- Encyophanes* **Burm.**, Hd.E. IV, 1, 1844, 139 = *Platyhelus* **Burm.** 1844. *Scar.*, *Melth.*, *Hopl.* 524.
- Endecatomus* **Mellié**, Rev. Zo. X, 1847, 108; ASEFr. (2) 6, 1848, 213; **Lac.** IV, 519; **Gutfl.-B.**, 406 = *Hendecatomus* **Mellié** 1847. *Cio.* 1.
- Endocephalus* **O Chap.**, G. Col. X, 1874, 344; **Lefvr.**, MSLiège (2) 11, 1885, 155 (Typ.?, *E. lineatus* [F. 1775], *bigatus* [Germ.] 1824) 1914:16 (Ecuador.. Brasil. 15). *Chrys.*, *Eumolp.*, *Endoc.* 276.
- Endocoelus* **Gorh.**, PZSL. 1886, 162 (*E. orbicularis* **Gorh.** 1886) 1913:1 (Ceylon). *End.*, *Endo.*, *Endom.* 76.
- Endomerus* **Murr.**, Monogr. 1864, 384 = Subg. ad *Carpophilus* Steph. 1830. *Nit.*, *Carpophil.* 53.
- Endometus* **Grouvelle**, in Schklig. u. J., P. 56, 1913 in Indic. p. 198 = err. pro *Endomerus* **Murr.** 1864. *Nit.*, *Carpophil.* 53.
- Endomia* **Cast.**, HNIns. Col. II, 1840, 259 (*E. tenuicollis* [Rossi] 1790) 1913:17 (Eur. mer., Mediterr. afr., Ins. Canar., As., Afr.). *Anth.* 25.
- Endomychus* **O Panz.**, Entom. Taschenb. 1795, 175; **Payk.**, F. Suec. II, 1799, 112; **F.** Syst. Eleuth. I, 1801, 505; **Latr.**, HNCrIns. 12, 1804, 77; **G.** Crust. et Ins. III, 1807, 72; **Redt.** in Germar, ZE. V, 1844, 120; **F.** Austr. 1849, 51 ed sq.; **Muls.**, HN. Col. Fr. *Sulcic.* 1846, 11; **Gerst.**, ArN. 23, 1857, I, 239; Mon. *Endom.* 1858, 368; **C. G. Thoms.**, Sk. Col. V, 1863, 301; **Mars.**, Abeille V, 1867/68, 72; **Fairm.**, G. Col. IV, 1868, 278; **Seidl.**, F.Ba. 1872, Gatt., p. 46 sq.; **F. Fr.** 1888/91 (89), Gatt., p. 67; **Chap.**, G. Col. 12, 1876, 135; **Reitt.**, VzbGW. 29, 1879 (1880), 96; Best.-Tab. 1885, 37; **Lec. u. Horn**, Class., 122; **Wickh.**, Can. Ent. 26, 1894, 338; **Everts**, Col. Na. I, 1898, 573; **Ganglb.**, KäfMEvr. III, 1899, 930; **Csiki**, Rov. I.ap. 7, 1909, 146; **Gutfl.-B.**, 654; *Schaufuß* in Calwer, 526, 529; **Kuhnt**, 561, 563 (*E. coccineus* [L.] 1758) 1913:5 (Eur., Ind. or., Birm., Caucas., Arm.). *End.*, *Endo.*, *Endom.* 78.
- Endoplectus* **O Raffr.**, ASEFr. 79 1910, 254 (*E. Doderoi* Reitt. 1884) 1913:5 (Sardinia). *Psel.*, *Psela.*, *Euplect.* 91.
- Endoschyurus* **Jac.**, ASEB. 45, 1901, 294 (*E. retiferus* Baly 1881) 1914:1 (Brasil.). *Chrys.*, *Eumolp.*, *Endoc.* 277.
- Endostomus* **Sharp** Zo. Rec. 47, 1910, Ins. 238 = *Endustomus* **Brême**. *Ten.*, *Cossyph.* 748.
- Endustomus* **O Brême**, Essai Monogr. Coss. II, 1846, 11 t. 1 f. 1—6; **Lac.** V, 1859, 353 (*E. senegalensis* Cast. 1833) 1913:13 (Afr. trop., Rhodesia). *Ten.*, *Cossyph.* 748.
- Endrosa* **J. Lec.**, Jo Ac. Phil. (2) 3, 1856, 234; **G. Horn**, TAmES. 7, 1878, 138 = *Lachnostenra* **Hope** 1837. *Scar.*, *Melth.*, *Melthi*. 294.
- Endytocera* **O Sharp**, BCA.Coi.II, 1, 1887, 46 (*E. vestita* Sharp 1887) 1913:2 (Vulc. Chiriquí; Bukoba). *Psel.*, *Psela.*, *Jub.* 26.
- Endytus* **Bedel**, AMusG. 18, 1882, 441 (*E. bizonatus* Crotch 1876) 1913:1 (Born., Sum., Tenass.). *Erot.*, *Dacn.* 82.
- Enganodia* **Fairm.**, ASEFr. 67, 1898, 398 (*E. sanguinicrus* Fairm. 1898) 1913:1 (Phil. Ins.). *Ten.*, *Strongyl.* 1159.
- Engertia* **DT.** in Schklig. u. J., Col. Cat. P. 49, 1912, 181 (pro *Phila* **Brenske** 1897 non *Motsch.* 1864) (*E. amboinae* [Brenske] 1897, *E. maculosa* [Brenske] 1896) 1913:2 (Amboina, Ceylon). *Scar.*, *Melth.*, *Melthi*. 288.

- Engis Payk.**, F. Suec. III, 1800, 349; **F.** Syst. El. II, 1801, 582, 74; **Gyll.**, Ins. Suec. I, 1808, 202; **C. G. Thoms.** V, 297; **Bedel**, Abeille, V, 1867, 6; **Fairm.** IV, 272; **Chap.** XII, 27; **Kuhnt**, 530 = *Dacne Latr.* 1796. *Erot.*, *Dacn.* 67. **Engis M'Leay**, Ann. Javan. 1825, 41 (pars) = *Encaustes Lac.* *Erot.*, *Encaust.* 29.
- Engis Fabr.**, Gutfl.-B., 641.
- Engonius O Gerst.**, ArN. 23, 1857, I, 220; Mon. *Endom.* 1858, 69; **Chap.**, G. Col. 12, 1876, 92 (*E. annularis*, *Klugi*, *rubropictus* et *sexguttatus* **Gerst.** 1857) 1913:11 (Ind., Birm., Males.). *End.*, *Endo.*, *Eumorph.* 26.
- Engyops Blackb.**, TRSSouthAustral. 22, 1898, 43 (*E. spectans* Blackb. 1898) 1913:1 (Queensl. mer.). *Scar.*, *Melth.*, *Lipar.* 193.
- Engyum J. Thoms.**, Syst. Cer., 1864, 217 = *Phormesium Thoms.* 1864. *Ceramb.*, *Cerambin.*, *Ibid.* 282.
- Enhydrus O Cast.**, Etud.E. 1834, 110; **Brullé**, HIns. V (II), 1835, 237; **Aubé**, Spec. Col. VI, 1838, 651; **Ic.** V, 1838 (!) 377; **Cast.**, HN. I, 1840, 170; **Lac.** I, 1854, 438; **Régimb.**, ASEFr. (6) II, 1882, 430; **GIW.**, 1902, 5; **Seidl.**, VN. 25, 1887, 26; **Ganglb.** I, 523 (*E. sulcatus* [Wied.] 1821) 1913:4 (Panam., Columb., Bras.). *Gyr.*, *Enhydr.* 3.
- Enicosoma O Lew.**, ANH. (7) 1904, 14, 149 (*E. vespertinum* Lew. 1904) 1913:1 (Brasil.). *Hist.* 77.
- Enicotarsus Cast.** (in Guér.) MaZo. 1831, t. 35 = *Dendropemon* Perty 1830. *Scar.*, *Copr.*, *Copri.*, *Phan.* 89.
- Enipeus Chap.**, G. Col. X, 1874, 294 (nec Stål 1861) = *Ennodioides Lefvr.* 1885. *Chrys.*, *Eumolp.*, *Cyn.* 190.
- Enneacoides Fairm.**, ASEFr. (6) 1, 1881, 277; **Gebien**, DEZ. 1908, 286 = *Nyctoporis Eschsch.* 1831. *Ten.*, *Myctop.* 260.
- Enneaphilus C. O. Waterh.**, ANH. (4) 19, 1877, 257; **Lmr.**, MSEB. 21, 1912
- 68 (Rév., 932) (*E. aeneipennis* **C. O. Waterh.** 1877) 1913:1 (Vict., Tasm.). *Ceramb.*, *Prion.*, *Anacol.*, *Tragos.* 91.
- Ennearabdus Lansb.**, ASEB., 17, 1874, Compt. rend. 143 (*E. lobocephalus* **Har.** 1868) 1913:1 (Argent.). *Scar.*, *Copr.*, *Copri.*, *Phan.* 84.
- Ennearhabdus Lansb.**, ASEB. 17, 1874, C. r. 143 = *Ennearabdus Lansb.* 1874. *Scar.*, *Copr.*, *Copri.*, *Phan.* 84.
- Ennearthron O^{**} Mellié**, Rev.Zo.X, 1847, 110; ASEFr. (2) 6, 1848, 360; **Lac.** IV, 552; **Jacq. du Val**, III, 238; **Gutfl.-B.**, 407; **Schaufuß** in Calwer, 547, 551; **Kuhnt**, 503, 504. — Biol.: **Mellié**, ASEFr. (2) 6, 1848, 365; ASEFr. 7, 1847, 3, etc. cf. **DT.** in Col. Cat. P. 30, 24, (*E. cornutum* [Gyll.] 1826) 1913:36 (Eur., Sib., Aegypt., Cap b. Sp., Am., Cuba, N. Caled., N. Z.). *Cio.*, *Cisi.* 16.
- Enneatoma Muls.** et **Rey**, Tér. 1864, 328, 367 = *Caenocara* **Thoms.** 1863. *Anob.*, *Dorcat.* 80.
- Enneboeopsis O Champ.**, TESL. 1894, 375 (*E. pruinosus* **Champ.** 1894) 1913:1 (Tasm.). *Ten.*, *Diaper.* 650.
- Enneboeus O Waterh.**, TESL. 1878, 228; **Champ.**, BCA.Col. IV, 1, 1892, 539 (*E. oralis* **Waterh.** 1878) 1913:5 (Mex., Col. Panama; Tasm. 2). *Ten.*, *Diaper.* 649.
- Ennodioides O Lefvr.**, MSLiége (2) 11, 1885, 90 (*E. Murrayi* **Chap.** 1874) 1914:2 (Calab. ant., Camerun., Guin. hisp., Ogowe, Congo, Lac. Albert.). *Chrys.*, *Eumolp.*, *Cyn.* 190.
- Ennychius Fährs.**, Öfv. Vet. Ak. Förh. 27, 1870, 299 (*E. morio* **Fährs.** 1870) 1913:1 (Caffrar.). *Ten.*, *Opatr.* 490.
- Enoclerus Gahan**, ANH. (8) 5, 1910, 62 et 65; **Wolcott**, B. Ind. Dept. Geol. Nat. I, 1910, 852 = *Clerus* **F.** 1775 vide Schklg. Cat. P. 23, 51. *Cler.*, *Cleri.*, *Clerin.* 78.
- Enoplioides Fairm.**, ASEFr. (6) 6, 1886, 44; **Schklg.**, GIW. *Cler.* 1903, 108

- (*E. Oberthüri* Fairm. 1886) 1913:1 (Madag.). *Cler.*, *Coryn.*, *Enopli*. 161. *Enoplium* O Latr., HNCrustIns. III, 1802, 111; G. Crust. et Ins. I, 1806, 271; *Spin.*, Rev. Zo. 1841, 75; *Kl.*, *Clerii* 1482, 356; *Spin.*, *Clerit.* I, 1844, 341; *J. Lec.*, AN YAcSc. V, 1852, 31; *Lac.* VI, 483; *Chenu*, *Ene.* II, 259; *Jacq. du Val*, Col. d'Eur. III, 199; *J. Lec.*, Class. Col. N.-Am. I; *Kiesw.*, NID. IV, 1863, 696; *Muls.*, Col. Fr. *Angustic.*, *J. Lec. u. Horn*, Class. II, 219; *Reitt.*, VN. 32, 81, Best.-Tab. 1894, 48; *Schklg.*, GIW. 1893, *Cler.* 1903, 110; *Houlb. et Batis*, Trav. scient. Univ. Rennes IV, 1905 Suppl. p. 124 *Schaufuß* in Calwer, 401, 402; *Kuhnt*, 466, 470 (*E. serraticorne* [Villers] 1789) 1913:7 (Eur. mer., China mer., Afr. bor., Tex., Ind. ant.). *Cler.*, *Coryn.*, *Enopli*. 160.
- Enoplocerus* O Serv., ASEFr. 1, 1832, 146; *J. Thoms.*, Class. *Cer.* 290; Syst. *Cer.* 474; *Lac.*, VIII, 75; *Lmr.*, ASEB. 48, 1904, 63 (Rév., 481) = Subg. 6 ad *Callipogon* Serv. 1832 (*E. armillatus* [L.] 1767) 1913:1 (Amaz., Cay., Parag., Arg.). *Ceramb.*, *Prion.*, *Callipogi.*, *Callipog.* 52, 6.
- Enoploclerus* Hintz, DEZ. 1902, 398; *Schklg.*, GIW. *Cler.* 1903, 11 (*E. carbonarius* et *Schenklingi* Hintz 1902) 1913:2 (Afr. mer.). *Cler.*, *Cleri.*, *Till.* 12.
- Enoploderes* O Fald., F. Transc. II, 1837, 309; *Ganglb.*, Best.-Tab. VII, 1881 p. 8 (686); *Schaufuß* in Calwer, 826 (*E. sanguineum* Fald. 1837) 1913:1 (Caucasus). *Ceramb.*, *Cerambin.*, *Lept.* 468.
- Enoplopus* O Sol., Studi E. 1848, 151 (5), 158 (12); *Redtb.*, F. Austr. ed. II et III; *Lac.*, V, 449; *Jacq. du Val*, III, 321; *Seidl.*, F. Ba. et F. Tr., 135; NID. V, 1896, 677; *Gutfl.-B.*, 419; *Schaufuß* in Calwer (817); *Kuhnt*, 741, 750 (*E. dentipes* [Rossi] 1790) 1913:2 (Germ., Austr., Hung., Helv., It., Morea). *Ten.*, *Helop.* 1069.
- Enoplotrupes* O H. Luc., ASEFr. (4) 9, 1869, Bull., 13; (5) 2, 1872, 287; — *Synops.*: *Bouem.*, Rev. d'E. 23, 1904 (1905) 210—214. — 2 Subg.: *Eno-* u. *Gynaecoplotrupes*. (*E. Large-*teau*R.* Oberth. 1883) 1913:10 (Birma, Siam, Assam, Yunnan, Se-Tschuen). — *E. s. str.* *R. Oberthür*, Col. Nov. 1883, 54 (Typus et distr. ut antea) 1913:8. *Scar.*, *Geotr.*, *Geotripi.* 13, 13, 1.
- Enoptostomus* O Schaum, in Woll., Col. Cat. Can. 1864, 528; *Saulcy*, Spec. I, 1874, 65; *Reitt.*, VzbGW. 31, 1881, 459; *Raffr.*, Rev. d'E. 9, 1890, 141, 143; ASEFr. 73, 1904, 330; GIW. *Psel.* 1908, 342; *Schaufuß* in Calwer, 253; (*E. Wollastoni* Schaum 1864, *E. globuli-**cornis* [Motsch.] 1851) 1913:15 (Mediterr., Syr., Arab., Madag., Abyss., Rhodes., Birm.; Amaz. 1). *Psel.*, *Psel.*, *Ctenist.* 359.
- Enosmaeus* J. Thoms., Rev. Zo. (3) VI, 1875, 9 (*E. cubanus* Thoms. 1878) 1913:1 (Cuba). *Ceramb.*, *Cerambin.*, *Smod.* 17.
- Enthora* Er., NID. 3, 1847, 656; *Burm.*, Hd.E. IV, 2, 422; *Lac.*, III, 298; *Brenske*, BEZ. 37, 1892, 37 (*E. chlorodera* Blanch. 1850) 1913:6 (Madag.). *Scar.*, *Melth.*, *Melthi*. 378.
- Enthymius* Waterh., Cist. E. II, 1878, 294 (*E. dubius* Waterh. 1878) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 482.
- Entomochilus* O Sol., Mem. Accad. Torino (2) 6, 1844, 260 (48); *Lac.*, V, 208 (*E. tomentosus* Guér. 1844) 1913:3 (Chile). *Ten.*, *Physog.* 407.
- Entomochirus* Lefvr., ASEB. 28, 1884, Compt. rend. p. CC; MSLiége (2) 11, 1885, 44 (*E. sericeus* Lef. 1884)

- 1914:5 (Ven., Cayenne, Bras.). *Chrys.*, *Eumolp.*, *Colasp.* 62.
Entomoculia Croissandeau, Le Coléopt. X, 1891, 150 = *Leptotyphlus Fauv.* 1874. *Staph.*, *Leptot.*, *Leptoty.* 140.
Entomoderes O Sol., ASEFr. 5, 1836, 346; *Lac.*, V, 1859, 173; *Burm.*, *SteZg.* 36, 1875, 483; *Fairm.*, ASEFr. (5) 6, 1876, 376 (*E. erebi Sol.* 1836) 1913:8 (Tucum., Argent., Cata-marca). *Ten.*, *Nyctel.* 299.
Entomogonus O Sol., Studi E. 1848, 151 (5), 155 (9); *Lac.*, V, 455; *Baudi*, DEZ. 20, 1876, 270; *All.*, Rev. *Helop* vrais; *Abeille*, 14, 1876, 270; *Mi. Schweiz. E. Ges.* V, 1877, 16 et 66; *Seidl.*, NID.V, 1896, 697, 763(Naturg.); — Übers.: *Reitt.*, WEZg. 23, 1903, 18; *Schaufuß* in Calwer, (817); (*E. Barthelemyi Sol.* 1848) (Gr., Turc., Asm., Syr., Arm., Caram., Cypr., Anat.). *Ten.*, *Helop.* 1076.
Entomoscelis O Chevr., Dict. univ. HN. III, 1843, 656; V, 1844, 335; *Redtb.*, Gatt. deutsch. Käferf. 1845, 116; F. Austr. 1849, 552; *Fairm.*, Gen. Col. d'Eur. IV, 1868, 225; *Chap.*, X, 419; *Ws.*, NID. VI, 2, 1882, 309; *Mars.*, *Abeille* 26, 1888, 20; *Bedel*, V, 139; *Reitt.*, F. Germ. IV, 1912, 124; *Schaufuß* in Calwer, 927, 929; *Kuhnt*, 805, 836 (*E. adonides [Pall.]* 1771, *sacra [L.]* 1758) 1916:13 (Germ., Eur. centr., m-r.-or., medit., As., Pers., Sib., Afr. bor., Madag.). *Chrys.*, *Chryso.*, *Tim.* 118.
 Biol.: *Künstler*, VzbGW. 21, 1871 (sep. p. 45); *Kraatz*, E. Monatsbl. I, 1876, 39; *Koppen*, Schädl. Ins. 1880, 274; *Lesne*, ASEFr. (6) 10, 1890, 177 p. 1—9; *Sajo*, Ill. Wochenschrift I, 1896, 87; etc. cf. *Ws.* in Schkdg. u. J., Col. Cat. P. 68, 1916, 217, 218.
Entomoscelis Vogel in *Schauf.*, Nun-quam otios. I, 1871, 123 = *Mesoplatus Baly* 1875. *Chrys.*, *Chryso.*, *Phaedon*. 56.
- Entomosterna Chevr.*, ASEFr. (4) II, 1862, 752 (*E. cruentata Chevr.* 1862) 1912:5 (Mex. 5, Nicarag. 1). *Ceramb.*, *Cerambin.*, *Stenaspid.* 994.
Entomotrogus Ganglb., IV, 1, 33 *Schaufuß* in Calwer, 599; *Kuhnt*, 602, 606; (*E. megatomoides Reitt.* 1880) 1911:1 (Eur., Mexic.). *Derm.*, *Megat.* 16.
Entypodera O Gerst., ArN. 37, 1, 1871, 66; Decken's Reise III, 2, 1873, 202 (*E. anthicoides Gerst.* 1871) 1913:5 (Afr.). *Lagr.*, *Lagr.* 11.
Entypophana Moser, ASEB. 57, 1913, 295 (*E. biapicata, apicata Moser* 1913) 1913:2 (Afr.). *Scar.*, *Melth.*, *Schiz.*
Entyposis O Kolbe, ASEB. 38, 1894, 568, 575 (*E. cavicollis [Fairm.]* 1867, *impressa Kolbe* 1894) 1913:3 (San-sibar, Terr. Witu, Rhodes. mer.). *Scar.*, *Melth.*, *Melthi*. 245.
Entypus Redtb., F. Austr. ed. II, 1858, 348 (non *Thoms.*) = *Rhopalodontus Mellie* 1847. *Cio.*, *Cisi*. 12.
Entypus Redtb., F. Austr. ed. I, 1847, 350; ed. III, 1858, 574; *Wankowicz*, ASEFr. (4) 19, 1869, 421 nota; *C. G. Thoms.*, X, 1870, 49 = *Ennearthron Mellie* 1847. *Cio.*, *Cisi*. 16.
Entypus C. G. Thoms., V, 1863, 193 (nec *Redtb.*) = *Cis Latr.* 1796. *Cio.* 3.
Eobia Semen., HoR. 28, 1894, 455 nota (sep. p. 7 nota); 34, 1900, 644 (*E. cinereipennis [Motsch.]* 1866, ?*bicolor* [Fairm.] 1849) 1915:5 (Tahiti, Japon., Formosa). *Oed.*, *Oedem.*, *Ascler.* 25.
Eocerus Sharp, F. Hawaiiens. Col. III, 5, 1908, 412 (*E. depresso* Sharp 1908) 1913:1 (Ins. Hawaii.: Kauai). *Derm.*, *Attag.* 6.
Eodalys O Pasc., TESL. (3) 3, 1869, 648 (*E. lepidus Pasc.* 1869) 1913:1 (Borneo: Sarawak). *Ceramb.*, *Cerambin.*, *Cleom.* 369.
Eolydus Denier, BSEFr. 1913, 231; *Pic*, t. c., 278 (*E. atrocoeruleus Denier* 1913) 1913:1 (Pers.). *Melo.*, *Lytt.*, *Mylabr.* 3a.

- Eomedon* Sharp, ANH. (6) III, 1889, 319 = *Acanthoglossa* Kraatz 1859. *Staph.*, *Paed.*, 198.
- Eonius* C.G.Thoms., VI, 1864, 366 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Epuraeanella* Crotch, TAmES. 1874, 76 = Subg. ad *Epuraea* Er. 1843. *Nit.*, *Nitid.* 70.
- Eoxenus* O A. Semen., HoR. 32, 1898, 570; 34 1899, 301; Lmr., ASEB. 48, 1904, 57 (Rév., 475) ref. ad *Callipogon* Serv. s. str. (*E.relictus* A. Semen. 1898) 1913:1 (Vladivostok). *Ceramb.* *Prion.*, *Callipi.*, *Callipog.* 52, 3.
- Epadoretus* Raffr., VN. 41, 1903 p. 35; *Ohs.*, DEZ. 1912, 280; *Sem.*, Rév. Russé d'Ent. XII, 1912, 500 (*E. Reitteri* [Sem.] 1890) 1918:1 (Transcasp.). *Scar.*, *Rut.* *orth.*, *Anoplgni*, *Trignstm.* 146.
- Epaiores* Fährs., Ofv. Vet. Ak. Föhr. 27, 1870, 282 (*E. fragilis* Fährs. 1870) 1910:2 (Afr. mer.-occ., Caffr.). *Ten.*, *Sepid.* 324.
- Epania* O Pasc., TESL. (2) 4, 1858; (3) 3, 1869, 566 (*E. singaporesis* J. Thoms. 1858) 1913:6 (Singap., Ceram., Sarawak, Borneo, Batjan). *Ceramb.*, *Cerambin.*, *Molorch.* 601.
- Epantius* Lee., V, 1851, 144; *Lac.*, V, 134 = *Eulabis* Eschsch. 1829. *Ten.*, *Scaur.* 339.
- Epaulaecus* Muls. u. Rey, HN. Col. Fr. *Gibbicollis* 1868, 49, 198 = *Tipnus* Thoms. 1863. *Ptin.*, *Ptini.* 15.
- Epectinaspis* O Blanch., Cat. Coll. Ent. Col. 1850, 180; *Nonfr.*, BEZ. 38, 1893, 279. — Revis.: *Nonfr.*, l. e. p. 279; (*E. moreletiana* Blanch. 1850) 1918:8 (Brit. Hond., Guat., Ven., Pan., Mex.). *Scar.*, *Rut.* hom., *Anomi.*, *Anoma.* 83.
- Epeurycaulus* Kolbe, Abh. Senckenb. Ges. 21, 1902, 579 (*E. aldabrensis* Kolbe 1902, *E. Levassorii* [Fairm.] 1893) 1913:3 (Ins. Aldabr., Comor. et Bourbon.). *Ten.*, *Opatr.* 507.
- Ephalus* J. Lec., Class. 1862, 227; 1883, 380; Horn, Rev. Ten., 360 (*E. latimanus* J. Lec. 1862) 1913:1 (Am. bor.: Civ. confoed.). *Ten.*, App. 1204 = *Ten.*, *Opatr.* 556a.
- Ephanillus* O Semen., HoR. 34, 1899 — 1900, 495 (*E. variabilis* Motsch. 1860) 1917:1 (Amur). *Cephld.* 2.
- Ephelocerus* O Schoenh., G. Curc. V, 1840, 501; Imhoff, Einf. Kol. 1856, 167; *Lac.*, VII, 1866, 416; Schönfeldt, GIW. *Breth.* 1908, 17 (*E. nanus* Boh. in Schoenh. 1833) 1913:4 (Bras., Peru, Mex., Nicar.). *Breth.*, *Bretha.*, *Epheb.* 26.
- Ephebus* O Gerst., Mon. *Endom.* 1858, 293.; *Chap.*, G. Col. 12, 1876, 125; *Gorh.*, BCA. Col. 7, 1890, 131 (*E. cardinalis* Gerst. 1858) 1910:9 (Am. mer. bor.). *End.*, *Endo.*, *Stenotars.* 62.
- Ephelinus* Cock., ENs. 1906, 241 (nom. mut.) (*E. pallidus* [Lec.] 1863) 1910:3 (Am. b.: Pennsylv., Kansas). *Staph.*, *Oxyt.*, *Omal.* 90.
- Ephelis* Fauv., BS. Linn. Norm. (3) II, 1877/78 219 (nec *Led.*) = *Ephelinus* Cock. 1906. *Staph.*, *Oxyt.*, *Omal.* 90.
- Epheus* Broun, Man. New Zeal. Col. IV 1886, 871 (*E. costifer* Broun 1886) 1913:1 (Nov. Zealand.). *Ceramb.*, *Cerambin.*, *Phlyct.* 402.
- Epidonius* O Pasc., ANH. (4) 3, 1869, 151 (*E. acuticornis* Pasc. 1869) 1913:3 (Austral.). *Ten.*, *Cyphal.* 911.
- Ephies* O Pasc., PZSL. 1866, 506; *Gahan*, F. Brit. Ind. V, Col. I, 1906, 87 (*E. cruentus* Pasc. 1866) 1912:6 (Ind. b., Yunnan, Penang, Sarawak., Singap.). *Ceramb.*, *Cerambin.*, *Lept.* 557.
- Ephimia* O Reitt., DEZ. 27, 1883, 34; Raffr., Rev. d'E. 9, 1890, 135, 137; ASEFr. 73, 1904, 310; GIW. *Psel.*, 1908, 326 (*E. Simoni* Reitt. 1883). 1913:3 (St. Thom., Pan., Grenada). *Psel.*, *Psela.*, *Hyboc.* 343.

- Epholcis* Waterh., TESL. 1875, 192; Blackb., TRSSouthAustral. 22, 1898, 28 (*E. divergens* Waterh. 1875) 1913:3 (Cap York, Sydney, Queensl.). *Scar.*, *Melth.*, *Seric.* 154.
- Ephydium* Raffr., ASEFr. 73, 1904, 115, 129; GIW. *Psel.* 1908, 227 (*E. mucronata* Raffr. 1895) 1913:1 (Singap.). *Psel.*, *Psel.*, *Brachygl.* 252.
- Ephyraea* O Lefvr., ASEFr. (6) 9, 1889, 332, *Jac.*, BCA.Col. VI, 1 Suppl. 1890, 214 (*E. Chapuisi* [Har.] 1874 1914:6 (Panama, Columb., Venez.). *Chrys.*, *Eumolp.*, *Iphim.* 33.
- Epianthe* O Pasc., PZSL. 1866, 511; TESL. (3) 3, 1869, 649 (*E. viridis* Pasc. 1866) 1913:2 (Singap., Penang.). *Ceramb.*, *Cerambin.*, *Cleom.* 874.
- Epicalla* O Champ., BCA Col. IV, 1, 1886, 249 (*E. varipes* Champ. 1886) 1913:3 (Pan., Mex., Nicar.). *Ten.*, *Cnodal.* 975.
- Epicaris* O Reitt., NV. 20, 1882, 184; Raffr., Rev. d'E. 9, 1890, 144; ASEFr. 73, 1904, p. 338; GIW. *Psel.* 1908, 343 (*E. ventralis* Raffr. 1882) 1913:2 (Abyss., Afr. occ.). *Psel.*, *Psel.*, *Ctenist.* 360.
- Epicaris* Schauf., (error), AMusG. 18, 1882, 370 = *Taphrostethus* Schauf. 1882. *Psel.*, *Psel.*, *Tyr.* 408.
- Epicaulis* Dej., Col. Cat. ed. 3, 1836, 182 (Typ.); *E. flavifrons*, *flavimana*, *marginella*, *quadrimaculata* Dej. 1836) 1913:4 (Patria?). *Scar.*, *Melth.*, *Macrod.* 490.
- Epicauta* O * Redt., Gatt. deutsch. Käfer-Fauna 1845 p. 133, Fauna Austr. 1849 p. 631; Gutf.-B., 441; Schaufuß in Calwer, 755; Kuhnt, 704, 708 (*E. rufidorsum* [Goeze], *sibirica* [Pall.] 1777, *ambusta* [Pall.] 1782) 1917:247+1 (Eur. centr. et mer., As., Sibir., Afr., Am.). *Melo.*, *Lytt.*, *Lytt.* 23.
- Biol.: Riley, T. Ac. St. Louis III, 1877, 544 t. 5 [Nahr., Metam.]; Beaur., Ins. Vesic. 1890, 217, 225, 313.
- Epichalcoplethis* F. Bates, TESL. 1904, 253, 272 = *Chalcoplethis* Burm. 1844 = Subg. 3 ad *Pelidnota* M'Leay 1819. *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 30, 3.
- Epichorius* Kirsch, DEZ. 21, 1877, 165 (*E. aucklandiae* Kirsch 1877) 1913:1 (Ins. Auckland). *Helod.* inc. sedis 34.
- Epichrysus* O White [in Gray] Journ. discov. Austral. App. II, 1841, 400; Ohs., SteZg. 65, 1904, 67, 124 (*E. lamprimoides* [White in Gray] 1841) 1918:1 (Austral. occ.). *Scar.*, *Rut. orth.*, *Anoplgni*, *Anopligna*. 113.
- Epiclines* O Chevr. in Guér., Ic. Règne an. Ins. 1829/38, 49; Blanch., Voy. d'Orb. 1843, 95; Spin. in Gay, H. Chile IV, 1849, 386; Lac., IV, 1857, 463; Gorham, Cist. E. II (1876), 91; BCA.Col. III, 2, 1882, 165; Schklig., GIW. Cler. 1903, 71; Gahan, ANH. (8) V, 1910, 64 (*E. Gayi* Chevr. 1829/38) 1913:50 (Chile [49], Guatém. [1]). *Cler.*, *Cleri.*, *Clerin.* 123.
- Epicoenoneus* Senna, AMusG. (2) 12, 1892, 476; Schoenfeldt, GIW. Brenth. 1908, 47 (*E. femoralis* Senna 1892) 1913:1 (Karin, Birmah, Java). Brenth., Brentha, Bel. 77.
- Epicydes* O Champ., BCA.Col. IV, 2, 1889, 60, 1, 2 etc. (*E. oculatus*, *E. vicinus* Champ. 1889) 1913:2 (Mex., Guat., Amer. c.). *Lagr.*, *Stat.* 32.
- Epiechinus* O Lew., EMM. (2) 1891, 319; ANH. (6) 10, 1892, 232 (Typ.); *E. costipennis* Fährs. 1851) 1913:14 +2 (Japon., Birm., Ind., Molucc., Ceylon., Afr. occ. et or., Sansib., Madag., Austral.). *Hist.* 109.
- Epierus* O Er. in Klug, Jahrb. Ins. I, 1834, 518; Mars., Mon. 1854, 671; Jacq. du Val, II, 103; Schm., BEZ. 29, 1885, 282; Ganglb., KäfMEur. III, 1899, 370; Reitt., F. Germ. II, 1901, 288; Schaufuß in Calwer, 303;

- Kuhnt**, 364, 370 (*E. fulvicornis* [F.] 1801, *E. mundus* Er. 1834, *E. italicus* [Payk.] 1811) 1911:76+1 (Eur., Amer., Bras. etc., Nov. Zealand.; Java). *Hist.* 44.
- Epiglymmius** Lewis, ANH. (6) 2, 1888, 79 = *Rhysodes* Subg. 3. *Rhys.* 1, 3.
- Epiglyptus** O* Lew., ANH. (7) 18, 1906, 342 (*E. costatus* Mars. 1857) 1913:1 (Mexic.). *Hist.* 42. Biol.: Lew., ANH. (7) 20, 1907, 105.
- Epilampus** Blanch., HNIns. II, 1845, 30 = *Ceropria* Cast. et Brill. 1831. *Ten.*, *Diaper.* 635.
- Epilasium** Blanch., HNIns. II, 1845, 4 = *Trichoton* Hope 1840. *Ten.*, *Opatr.* 526.
- Epilichas** White, ANH. (3) 3, 1859, 290; Lewis, ANH. (6) 16, 1895, 100 (*E. Candezei* White 1859) 1914:5 (China, Japon.). *Dasc.*, *Dasci.*, *Cneogl.* 15.
- Epilissus** O* Reiche, Rev. Zo. 1841, 212.—Biol.: Clouet, ASEFr. 69, Scar. 24, 1900, Bull. p. 123 (*E. prasinus* [Klug] 1833; *E. viridis* [Klug] 1833) 1913:32+2 (1911?) (Queensl. 3, Madag. 26+2, Nossi Bé 1, Caffr. et Col. cap. 1. — Brasil. (!) 1). *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 24.
- Epimelitta** O Bates, TESL. 1870, 330; ANH. (4) 11, 1873, 123 (*E. scoparia* [Klug] 1825; *meliponica* Bates 1870; *Aglaia* [Newm.] 1840) 1913:16 (Mex., Bras., Am. mer.). *Ceramb.*, *Cerambin.*, *Rhinotr.* 645.
- Epinectes** Rég., ASEFr. (5) 7, 1877, 105 = *Enhydrus* Cast. 1834. *Gyr.* 3.
- Epipagus** Haag, BEZ. 16, 1872, 311 (*E. benguelensis* Haag 1872) 1913:2 (Benguela). *Ten.*, *Cryptoch.* 256.
- Epipedocera** O Chevr., Mém. Soc. Sc. Liège, 18, 1863, 339 (87); Pasc., TESL. (3) 3, 1869, 640; Gah., F. Brit. Ind. Col. I, 1906, 305 (*E. zona* Chevr. 1863, *undulata* [Hope] 1831) 1913:11 (China, Ind., Birma, Formosa, Timor etc., Nepal, Sikkim etc.). *Ceramb.*, *Cerambin.*, *Tillom.* 858.
- Epipedonota** O Sol., ASEFr. V, 1836, 342; in Gay, H. Chile, V, 1851, 157; Lac., V, 169; Fairm., ASEFr. (5) 6, 1876, 341 (Mon.) (Typ.?; *E. ebenina* [Lac.] 1830, *Servillei* Sol. 1836, *multicosta* [Guér.] 1834) 1913:27 (Am., mer.: Chile 12, Patag. 5 etc.). *Ten.*, *Nyctel.* 294.
- Epipedus** Sol. in Gay, Chile, Zo. V, 1851, 49 = *Sclerognathus* Hope 1845. *Luc.*, *Dorc.* 53.
- Epiphaleria** Lewis, ANH. (6) 13, 1894, 382 = *Phaleria* Latr. 1802. *Ten.*, *Phaler.* 576.
- Epiphloeus** O Spin., Rev. Zo. 1841, 75; Kl., Clerii 1842, 370; Spin., Clér. II, 1844, 5; Lac., IV, 1857, 467; Chenu, Enc. II, 1860, 264; Gorh., BCA.Col. III, 2, 1882, 166; Kuw., ASEB. 37, 1893, 492; Schklig., GIW. Cler. 1903, 87; Gah., ANH. (8) 5, 1910, 71 (*E. duodecimmaculatus* Kl. 1842) 1913:30 (Amer.). *Cler.*, *Corynet.*, *Phylloba.* 142.
- Epiphyma** O Baly, JoE. I, 1860, 29; Chap., G. Col. X, 1874, 249; Lef., MSLiége (2) 11, 1885, 40 (*E. intestinorum* [J. Thoms.] 1857) 1914:1 (Bras.). *Chrys.*, *Eumolp.*, *Colasp.* 56.
- Epophysa** O Blanch., HN. Ins. II, 1845, 4; Lac., V, 30 (*E. flavicollis* [F.] 1794) 1913:3. *Ten.*, *Epiph.* 180.
- Epiplecta** Mäkl., Mon. 1864, 390; Acta S. Fenn. 8, 1, 1867, 498 (*E. maculata* Mäkl. 1864) 1913:1 (Cayenne). *Ten.*, *Strongyl.* 1170.
- Epiplectus** O Raffr., Rev. d'E. 17, 1898, 264.; ASEFr. 72, 1903, 531; GIW. Psel. 1908, 104 (*E. cavifrons* Raffr. 1898) 1913:1 (Singap.). *Psel.*, *Psel.*, *Euplect.* 119.
- Epipocus** O Germ., in Eisch. u. Grub., Allg. Enc. d. Wissenschaft. 39, 1843, 86; Lec., PAcPhil. VI, 1852, 358; Guér., ArchE. I, 1857, 265; Gerst.,

Mon. *Endom.* 1858, 240; **Chap.**, G. Col. 12, 1876, 121; **Gorh.**, BCA. Col. 7, (1889), 120; **Wickh.**, Can. Ent. 26, 1894, 338 (*E. rufitarsis* [Chevr.] 1835) 1913:20 (Amer.). *End.*, *Endo.*, *Epip.* 59.

Epirinus O **Reiche**, Rev. Zo. 1841, 212 (*E. flagellatus* [F.] 1775, *aeneus* [Wiedem.] 1823, *Hopei* [Cast.] 1840) 1913:11 (Colon. cap., Natal, Trv.). *Scar.*, *Copr.*, *Scarbi*, *Canthon*. 39.

Episacus C. O. **Waterh.**, ANH. (5) V, 1880, 291; **Lmr.**, MSEB. 21, 1912, 105 (Rév., 969) (*E. pilosicollis* C. O. **Waterh.**, 1880) 1913:1 (Ecuad.). *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 106.

Episcapha O ♀ **Lae.**, (pars), *Erot.*, 48; **Crotch**, *Erot.* 31; **Chap.**, XII, 22. — Biol.: **Cand.**, MSLiége 16, 1861, 395, t. 6 f. 4 — (Typ.?: *E. glabra* [Wiedem.] 1823, *oculata* **Laeord.** 1842) 1913:28 (As., Ins. Sundaic., Afr.). *Erot.*, *Dacn.* 89.

Episcapha **Lae.**, *Erot.* 1842, 48 (part.) = *Episcaphula* **Crotch** 1876. *Erot.*, *Dacn.* 90.

Episcaphium **Lew.**, ANH. (6) 11, 1893, 290 (*E. semirufum* **Lewis** 1893) 1913:1 (Japon.). *Scaph.*, *Scaphi*. 4.

Episcaphula **Crotch**, sec. **Arrow**, ANH. (8) 4, 1909, 195 = *Plagiopisthen* **Thoms.** 1856. *Erot.*, *Dacn.* 90.

Episcaphula O **Crotch**, *Erot.* 1876, 33 (Typ.?: *E. amboinensis*, *nigrorufa*, *oblique-signata* etc. **Crotch** 1876, *australis* [Boisd.] 1835) 1913:62 (As. mer., Males., Austral., Afr.). *Erot.*, *Dacn.* 90.

Episernus O C. G. **Thoms.**, V, 1863, 151; **Kiesw.**, NID. V, 1877, 89, 97; **Seidl.**, F. Ba. 1889, 118; F. Tr. 1889, 118; **Fauconnet**, F. Col. Fr. 301; Gen. Col. Fr. 1894, 32; **Schilsky**, Käf. Eur. 36, 1899 (1900), 36 B; **Reitt.**, Best.-Tab. 47, 1901, 4 et 11; F. Germ. III, 1911, 306; **Everts**, II, 222, 227; **Schaufuß** in Calwer, 720; **Kuhnt**, 675,

678. — **Synops.**: **Gozis**, Rev. d'E. 1, 1882, 200; **Schilsky**, Käf. Eur. 36, 1899 (1900), 36 F—36 G.; **Reitt.**, Best.-Tab. 47, 1901, 11—12; (*E. angulicollis* **Thoms.** 1863, *gentilis* [Rosenh.] 1847) 1913:10 (Eur. b., c. et mer.). *Anob.*, *Ernob.* 20.

Episopus **Bates**, TESL. 1873, 372; **Fauv.**, Rev. d'E. 23, 1904, 202 (*E. politus* **Bates** 1873) 1913:6 (Nov. Caled.). *Ten.*, *Helop.* 1028.

Episphales O **Kirsch**, BEZ. 14, 1870, 378; **Schoenfeldt**, GIW. *Brenth.* 1908, 39 (*E. interruptolineatus* **Gyll.** in Schoenh. 1840) 1913:10 (Guat., Mex., Costa Rica, Col.). *Brenth.*, *Brentha.*, *Arrh.* 62.

Episus O **Schoenh.**, Disp. meth. 1826, 78; Gen. *Curc.* I, 1833, 374,; **Lae.**, VI, 1863, 22; **Jekel**, Col. Jek. II, 1875, 104, 131; **Aur.**, Öfv. Vet. Ak. Förh. 42, 1885, 7; Sver. Vet. Ak. Hdgl. XXI, 15, 1887, 10; **Kraatz**, BEZ. 8, 1864, 169; **Bovie**, GIW. 99, 1909, 3 (Typ.?: *E. hypocritus* **Gyll.** 1833, *rostratus* [F.] 1781), *Dregei* **Boh.** 1840) 1913:44 (Afr.). *Brach.*, *Microc.* 1.

Epiteles **Newm.**, Ent. 1842, 403 = *Cylidrus* **Latr.** 1829. *Cler.*, *Cleri.* *Till.* 1.

Epithematus O **Raffr.**, A.Mus.Nat.Hung. 1903, 39; ASEFr. 72, 260; GIW. *Psel.* 1908, 98 (*E. nitidus* **Raffr.** 1903) 1913:1 (Nov. Guin. germ.). *Psel.*, *Psela*, *Euplect.* 109.

Epithora O **Pase.**, JoLSLZo. IX, 1866, 98; **Lae.** VIII, 1869, 306 (*E. dorsalis* [M'Leay] 1827, *undulata* [Hope] 1840) 1913:2 (Nov. Holl., Tasman.). *Ceramb.*, *Cerambin.*, *Phorac.* 230.

Epitomella **Motsch.**, BS.Nat. Mosc. 41, 1868, II, 172 = *Smicerus* **Matth.** 1872. *Ptil.*, *Ptili.* 27.

Epitoxicum **Bates**, EMM. X, 1873, 46 (*E. haplandroides* **Bates** 1873) 1913:1 (Ind.). *Ten.*, *Tenebr.* 839.

Epitoxus O Lew., ANH. (7) 6, 1900, 278 (Typ.?) ; *E. corycaeus* Lew. 1900, *breviusculus* Fährs. 1851) 1913:7 (Afr. occ., Afr. or., Sansib.). *Hist.*, 64.

Epitragodes Cas., ANYAcSc. V, 1890, 365; VI, 1891, 54, 1892/4, 548; P.Wash.Ac.Sc. IX, 1907, 380, 421 (Mon.) (*E. tomentosus* Lec. 1866) 1913:7 (Florida). *Ten.*, *Epitrag.* 67.

Epitragoma Cas., Rev. *Ten.* 1907, 386 = *Lobometopon* Cas. 1907. *Ten.*, *Epitrag.* 62.

Epitragopsis O Cas., Rev. Mon. 1907, 386, 518 (*E. Godmani* [Champ.] 1884) 1913:1 (Panama). *Ten.*, *Epitrag.* 63.

Epitragus O Latr., HNCrIns. X, 1804, 322; *Cast.*, HN. II, 1840, 214; *Lac.*, V, 79; *Champion*, BCA.Col. IV, 1, 1884, 23; *Casey*, Rev. Mon. 1907, 378, 518. — Nahrung: *Kuhnt*, P. Hawai. E. S. 2, 93 (*E. fuscus* Latr. 1804) 1913:55 (Am. c. et mer., Jamaica, Ins. Sandwich). *Ten.*, *Epitrag.* 57.

Epitrichia Seidl., NID. V, 1898, 820 (*E. tomentosa* Gebl. 1843) 1913:1 (Sibir.). *Ten.*, *Epitrag.* 75.

Eplophorus Chevr., JoE. I, 1861, 248 = *Apelocera* Chevr. 1862. *Ceramb.*, *Cerambin.* 846.

Epodus Chevr., MSSc. Liége 18, 1863, 335 (83); *Lac.* IX, 1869, 85 = *Aglaophis* Thoms. 1857. *Ceramb.*, *Cerambin.*, *Clyt.* 834.

Epomadius Bldfd., BCA.Col. IV, 6, 1895/1907, 179 (*E. culcitatus* Bldfd. 1895—1907) 1913:1 (Panama). *Ip.*, *Hyla*. 76.

Epomotylus G. Thoms., Skand. Col. III, III, 128 = Subg. ad *Oxytelus* Grav. 1802. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte*. 123.

Eponomastus Buysson, BSEFr. 1891, p. XCIV et CLX; Schaufuß in Calwer, 524 = *Symbiotes* Redtb. 1849. *End.*, *Mycet.*, *Myceta*. 4.

Epopterus O Chevr., in d'Orbign., Dict. univ. hist. nat. V, 1844, 380; Er., ArN. 13, 1847, I, 181; Gerst., Mon. *Endom.* 1858, 274; Chap., G. Col. 12, 1876, 123; Gorh., PZSL. 1886, 160; BCA.Col. 7 (1890) 129 (*E. ocellatus* [Oliv.] 1791) 1913:29 (Amer.). *End.*, *Endo.*, *Epip.* 61.

Eprius Fairm., ASEB. 46, 264 (*E. Perrieri* Fairm. 1902) 1914:1 (Madag. b.). *Chrys.*, *Eumolp.*, *Eumolpi*. 173.

Epropetes Bates, TESL. 1870, 400 (*E. latifascia* [White] 1855) 1913:1 (Tapajos). *Ceramb.*, *Cerambin.*, *Tillom.* 1029 = 855a.

Epuraea O Er. in Germar, ZE.IV, 1843, 267; Gutfl.-B., 236, Schaufuß in Calwer, 422, 525; Kuhnt, 478, 483 (*E. guttata* [Ol.] 1811, *boreella* [Zett.] 1828, *castanea* [Duftschm.] 1825, *depressa* [Ill.] 1798, *limbata* [F.] 1787, *melanocephala* [Marsh.] 1802, *oblonga* [Herbst] 1793, *pusilla* [III.] 1798, *pygmaea* [Gyll.] 1808, *silacea* [Herbst] 1787, *unicolor* [Ol.] 1790, *variegata* [Herbst] 1793) 1913:167 (Eur., Mex., As., Afr., Am. bor., Austral., Madag., Tasm.). *Nit.*, *Nitid.*, 70.

Epuraeopsis Reitt., VN. 13, 1875, 59, 64; (sep. 9, 14) (*E. maculipennis* [Solier] 1851) 1913:1 (Chile). *Nit.*, *Nitid.* 69.

Epytus Crotch, Erot. 1876, 57 = *Oocyanus* Hope 1841. *Erot.*, *Triplac.* 35.

Erchomus Motsch., B. Mosc. 31, 1858, III, 218; G. Horn, TAMES. 6, 1877, 107; Olliff, PLSNSW. (2) II, 1886, 900 = *Coproporus* Kraatz, 1858. *Staph.*, *Tach.*, *Tachi*. 428.

Erefusa Sharp, Zo. Record 40, 1903 (1904) Ins., 161 = errat. pro *Eretusa* Reitt. 1901 (1902). *Scar.*, *Melth.*, *Melthi*. 295.

Erelus Muls. u. Rey, Opusc. E. II, 1854, 185; *Lac.*, V, 330; Jaq. du Val, III, 302; Seidl., NID. V, 1894, 592; Schaufuß in Calwer, 813 (*E. sulci-*

- pennis* Muls. 1854) 1913:1 (Sicil.).
Ten., *Ulom.* 685.
Eremadoretus Sem., Rev. Russe d'Entom. XII, 1912, 500 (*E. validus* Sem. 1912) 1918:1 (Transcasp.). *Scar.*, *Rut.* *orth.*, *Anoplgni*, *Pseudador.* 137.
Eremazus Muls., M. Acad. Sc. Lyon (2) I, 1851, 139; *Clouët*, BSEFr. 1897, 14, 15; ASEB. 41, 1897, 264 — 271; *Schaufuß* in Calwer, (1286) (*E. unistriatus* Muls. 1851) 1913:5 (Afr. ber., As. occ., Ind.). *Scar.*, *Aegial.* 2.
Eremocetus O Lac., V, 1859, 69 (*E. Eschscholtzii* [Sol.] 1851) 1913:2 (Peru, Chile). *Ten.*, *Trimei.* 45.
Eremomus Raffr., ASEFr. 73, 1904, 177; GIW. *Psel.* 1908, 242 (*E. obesus* Raffr. 1907) 1913:2 (Boliv. sup., Para). *Psel.*, *Psela.*, *Brachygl.* 259.
Eremoñomus Woll., ANH. 1861, 199 = *Anemia* Cast. 1840. *Ten.*, *Opatr.* 573.
Eremophygus Ohs., StEZg. 71, 1910, 121 (*E. Philippii* Ohs. 1910, *lasiocalinus* Ohs. 1915) 1918:2 (Boliv., Chile bor.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 15.
Eremosis Gozis vide P. II.
Eremotes Woll. *Curc.* vide P. II.
Eremoxenus Sem., Trudy et HoR. 26, 1892, 440; *Schoenfeldt*, GIW. *Brenth.* 1908, 78 (*E. chan* Sem. 1892) 1913:1 (Transcasp.). *Brenth.*, *Brentha.*, *Erem.* 123.
Eretmotes Schm. BEZ. 29, 1885, 283 nec Mars., = *Eretmotes* Mars. 1855. *Hisp.* 94.
Eretmotes O* Mars., Mon. 1855, 141. Biol.: Lewis, Ent. 21, 1888, 289 — 294 (*E. Lucasi* Mars. 1855) (Hisp., Alg., Marocco). *Hisp.* 94.
Eretusa Reitt., VN. 40 [Best.-Tab. 50] 174; = Subg. ad *Holotrichia* Hope 1837. *Scar.*, *Melth.*, *Melthi*. 295.
Ergates O* Serv., ASEFr. I, 1832, 143; Gutfl.-B., 572; Lac., VIII, 95; J. Lee. u. Horn, Class. 1883, 271; Lmr., ASEB. 48, 1904, 43 (Rév., 461); — *E. s. str.* Serv., ASEFr. 1, 1832, 143; Muls., Col. Fr. *Long.* 1839, 22 ed. 2, 1863, 44; Redtb., F. Austr. 1849, 478; ed. 2, 1858, 839; ed. 3, II, 1874, 394; J. Thoms., Class. Cer. 291; Syst. Cer., 477; Fairm., Gen. Col. d'Eur. IV, 1864, 119; Lmr., ASEB. 48, 1904, 44 (Rév., 462). — Biol.: Riegelmann in Hoppe, E. Taschenb. 1796, 217; Muls., Col. Fr. *Long.* 1839, 22; H. Lucas, ASEFr. (2) 2, 1844, 169; Explor. Algér. II, 1849, 481 t. 41 f. 2a—j; Perris, ASEFr. (3) 6, 1856, 444; t. 6 f. 362/8; ASLLyon 23, 1876, 257; Mayer, Jena. Z. f. Naturw. X, 1875, 132; *Schaufuß* in Calwer, 823, 824; Kuhnt, 752, 759 (*E. faber* [L.] 1767) 1913:3; — 3Subgg.: *Trichocn.* *Erg.* et *Callerg.*; *E. s. str.* = Subg. 2 ad *E.* (Typ. ut antea). *Ceramb.*, *Prion.*, *Callipogi.*, *Callipog.* 53, 53, 2.
Ergenna Fairm., ASEFr. 66, 1897, 139 (*E. coerulescens* Fairm. 1897) 1913:1 (Afr. or.). *Ten.*, *Strongyl.* 1186.
Erichsonellus Bernhauer u. Schubert, Col. Cat. P. 67, 1916, 391 (= *Erichsonius* Schub. 1911 nec Fauv. 1872) (*E. bicolor* Schub. 1911) 1914:1 (Ugand. brit.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 315.
Erichsonia O Westw., TESL. V, 1849, 210; Lac., VIII, 1869, 24; Bates, BCA.Cat. V, 1879, 3; Lmr., ASEB. 46, 1902, 108 (Rév., 50) (*E. dentifrons* Westw. 1849) 1913:1 (Mexico, Honduras brit.). *Cerumb.*, *Prion.*, *Parandri.*, Erichs. 2.
Erichsonius Fauv., F. gallo-rhén. III, 1872, 427 (ex parte) (nec M. Westwood) = *Neobisnius* Ganglb. 1895. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 282.
Erichsonius Fauv., F. gallo-rhén. III, 1872, 427 (ex p.) (nec M. Westwood) = *Actobius* Fauv. 1874. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 283.

- Erichsonius Schubert**, DEZ. 1911, 32
(*E. bicolor* Schubert 1911) 1913:1
(Uganda). (*Apud Creophilum*). *Staph.*,
Staphy., *Staphyl.*, *Xantho*. 341a.
- Ericmodes Reitt.**, VzbGW. 23 1877,
(1878) 167 (*E. fuscitarsis* Reitt. 1877
(1878) 1913:3 (Austral., Chile). *Nit.*,
Nitid. 59.
- Eridaulus C. G. Thoms.**, Sk. Col. 1863,
191; **Schaufuß** in Calwer, 503; **Kuhnt**,
548 = Subg. ad *Cis Latr.* 1796. *Cio.* 3.
- Eriesthis** ♀ **Burm.**, Hd. E. IV, 1, 1844,
50; **Pering.**, TSAfr. Phil. S. 12, 1902,
662. — Biol.: **Ormerod**, Injur. Ins.
S. Afr. 1889, 1 — (*E. fallax*, *vulpina*
Burm. 1844) 1913:13 (Afr. mer.:
Natal, Cap. etc.; Afr. or.). *Scar.*,
Melth., *Hopl.* 505.
- Erigenes Marshall**, JoLSLZo. 8, 1865,
45; **Chap.**, G. Col. X, 1874, 340
= *Corynodes* **Hope** 1840. *Chrys.*,
Eumolp., *Corynod.* 270.
- Erineophilus Hopk.**, PESWash. V, 1903,
34; **Swaine**, Cat. Scol. N.-Am. 1909,
108 (*E. Schwarzi* **Hopk.**) 1913:1
(Florida). *Ip.*, *Ecc.* 96.
- Eriocharis O Aur.**, in Schkdg. u. J.,
P. 39, 1912, 843 (pro *Eriosoma*
Lacord. 1869) (*E. lanaris* **Blanch.**
1843) 1912:3 (Boliv., Brasil., Argent.).
Ceramb., *Ceramin.*, *Trachyd.* 1013.
- Erioderus O Blanch.**, HNIns. II, 1845,
141; **J. Thoms.**, Class. *Cer.*, 311;
Syst. Cer., 472; *Lac.*, VIII, 99;
Lmr., MSEB. 21, 1912, 142 (Rév.,
1006) (*E. hirtus* [F.] 1792, *scabri-*
dorsis **White** 1853) 1913:6 [2+2+2]
(Afr. mer.). *Ceramb.*, *Prion.*,
Macrot., *Macroto.* 31.
- Eriomela O Reitt.**, VN. 41, 1903, 52
= Subg. 3 ad *Mimela* **Kirby** 1825 (*E.*
Passerinii [Hope] 1842, *Leei* [Swed.]
1787) 1918:17 (Sikk., Thibet, Malacc.,
Nias, Sumatr., Born., Assam, Ceyl.,
Ind., Himalaya). *Scar.*, *Rut. hom.*,
Anomi., *Anoma*. 85, 3.
- Erionispa Chap.**, Gen. Col. XI, 1875,
302 = *Pytheus* **Newm.** 1840. *Ce-*
ramb., *Cerambin.*, *Pyth.* 675.
- Erionura Reitt.**, WEZg. 22, 1903, 18
Schaufuß in Calwer, 818 = Subg.
ad *Entomognathus* **Sol.** 1848. *Ten.*,
Helop. 1076.
- Eriosoma Lac.**, IX, 1869, 206, nota 2
= *Eriocharis Aur.* 1912. *Ceramb.*,
Ceramin., *Trachyd.* 1013.
- Eriphoserica O Brenske**, BEZ. XLIV,
1889, 237, XLV, 1900, 62 (*E. ca-*
mentoides **Brenske** 1900) 1913:1
(Madag.). *Scar.*, *Melth.*, *Seric.* 68.
- Eriphus O Serv.**, ASEFr. 1834, 88
(*E. immaculicollis* et *mexicanus* **Serv.**
1834) 1913:17 (Mexico, Boliv.,
Nicar., Cayenne, Bras.). *Ceramb.*,
Ceramin., *Stenaspid.* 1000.
- Eriphus O Serv.**, ASEFr. III, 1834,
88; **Chevr.**, ASEFr. (4) II, 1862,
747 (Monogr.) (*E. immaculicollis*
Serv. 1834) 1913:17 (Mex., Brasil.).
Ceramb., *Ceramin.*, *Stenaspid.* 1000.
- Eriphyllum Baly**, JoE. II, 1864, 222;
Marshall, t. c., 1865, 350; **Lefvr.**,
MSLiége (2) I, 1885, 54 (nec **Stål**
1861) = *Eriphyllina* **Lefvr.** 1891.
Chrys., *Eumolp.*, *Chalcopt.* 76.
- Eriphyllina O Lefvr.**, ASEB. 35, 1891,
Compt. rend. p. CCLXIII, nota 1
(*E. cyanicornis* et *vicina* **Lefvr.** 1891)
1914:1 (Cayenn., Amaz., Bras.,
Peru). *Chrys.*, *Eumolp.*, *Chalcopt.* 76.
- Eristhetus Mannerh.**, Brach. 1830, 41,
Boisd. u. **Lacord.**, F. E. Paris I,
1835, 438 = *Euaesthetus* **Grav.** 1806.
Staph., *Euaesth.*, *Euaesthi*. 155.
- Eriotrogus Reitt.**, VN. 40 (Best.-Tab. 50)
232, 252 = *Amphimallon* **Berthold**
1827. *Scar.*, *Melth.*, *Melthi*. 327.
- Erlandia O Aur.**, ETi. 25, 1904,
205 (*E. inopinata* **Aur.** 1904) 1913:1
(Bolivia). *Ceramb.*, *Ceramin.*,
Erland. 15.
- Ernobius C. G. Thoms.**, I, 1859, 88; l. c. V,
1863, 146; **J. Lec.**, PACPhil. 1865,
224; **Kiesw.**, NID. V, 1877, 89 et

- 117; **Seidl.**, F. Ba. 1889, 118; F. Tr. 1889, 118; **Fauc.**, F. Col. Fr., 302; G. Col., 32; **Schilsky**, Käf. Eur. 36, 1899 (1900), 36C; **Lmr.**, Man. Belg. II, 1900, 267; **Reitt.**, Best.-Tab. 47, 1901, 4 et 15; F. Germ. III, 1911, 306; **Everts**, II, 1903, 222, 232; **Fall**, TAmES. 31, 1905, 132 et 139; **Schaufuß** in Calwer, 720, 722; **Kuhnt**, 675, 680. — **Synops.**: **Schilsky**, l. c., 36I—36P; **Reitt.**, Best.-Tab. 47, 1901, 15—19 — (*E. mollis* [L.] 1758, *abietis* [F.] 1792) 1912:53 (Eur., As. occ., Afr., Am. bor.: Civ. confoed.; N. Caled.). *Anob.*, *Ernob.* 17.
- Ernocharis** **C. G. Thoms.**, Sk. Col. I, 1859, 118; **Seidl.**, NID. V, 2, 1896, 147; **Reitt.**, DEZ. 28, 1884, 242, 245 **Schaufuß** in Calwer, 785 = Subg. ad *Mycetochara* Berth. 1827 (1826). *All.*, *Allec.* 85.
- Ernoporus** **C. G. Thoms.**, Sk. Col. 7, 1865, 360; **Schaufuß** in Calwer, 1231, 1232 = Subg. ad *Cryphalus* **Er.** 1836. *Ip.*, *Cryph.* 50.
- Erodius** **O F.**, Syst. E. 1775, 258; **Sol.**, ASEFr. 3, 1834, 523 [Mon.]; **Lac.**, V, 20; **Jacq. du Val**, III, 245; **Kraatz**, Revis. *Ten.* 1865, 14 (Mon.); **Allard**, Rév. et MaZo. 1875, 121 (Mon.); **Reitt.**, ENa. 26, 1900, 300; **Schaufuß** in Calwer, (793) (*E. gibbus* F. 1775; *tibialis* [L.]) Syst. nat. Ed. 12) 1913:66 (Mediterr., Senegal). *Ten.*, *Erod.* 8.
- Eronyxza** **O Reitt.**, VN. 14, 1876, 57 fig., **Lev.** BSEFr. 1889, p. XLV = *Ostomodes* **Reitt.** 1877. *Temn.* 40.
- Eroschema** **O Pasc.**, TESL. (2) 5, 1859, 17 (*E. Poweri* **Pasc.** 1859) 1913:3 (Queensl., Nov. Holl., Sydney). *Ceramb.*, *Cerambin.*, *Erosch.* 661.
- Erosida** **J. Thoms.**, Class. Cer. 1860, 242; **Aur.**, ETi. 14, 1893, 184 (*E. Delia* **Thoms.** 1860, *lineola* [F.] 1781) 1913:5 (Venez., Columb., Boliv., Brasil.). *Ceramb.*, *Cerambin.*, *Ebur.* 214.
- Erotenia** **Lefvr.**, ASEB. 28, 1884, Compt. rend. p. CCIV; MSLiége (2) 11, 153 (*E. nigripes* **Lef.** 1884) 1914:1 (Brasil., *Chrys.*, *Eumolp.*, *Corynod.* 273).
- Erotylus** **O F.**, Syst. E. 1775, 123; **Lac.**, (pars) *Erot.*, 416; **Crotch**, Cist. E. I, (1873), 148; *Erot.*, 149; **Chap.**, XII, 62; **Gorh.**, BCA. Col. VII, 1888, 101; **Kuhnt**, DEZ. 1908, 67 (*E. giganteus* [L.] 1758) 1913:101 (Am. c. et mer.). *Erot.*, *Erotyl.* 15.
- Erotylus** (pars) **Lac.**, *Erot.*, 416 = *Cypheroptylus* **Crotch** 1873. *Erot.*, *Erotyl.* 16.
- Ersachus** **O Er.**, NID. 3, 1847, 497; **Sharp**, BCA. Col. II, 1, 1902, 683 (*E. variegatus* **Er.** 1847) 1913:4 (Mex., Guat., Columb.). *Dryop.*, *Dryopi.*, *Dryopin.* 19.
- Erlipus** **Fairm.**, ASEB. 47, 1903, 14 (*E. Fruhstorferi* **Fairm.** 1903) 1913:1 (Tonkin). *Ten.*, *Helop.* 1082.
- Erxiás** **O Champ.**, BCA. Col. IV, 1, 1888, 460; **Seidl.**, NID. V, 2, 1896, 304 (*E. bicolor* **Champ.** et *E. violaceipennis* **Champ.** 1888) 1913:2 (Pan., Nicarag.). *All.*, *Allec.* 79.
- Erycastus** **Fairm.**, ASEFr. 66, 1897, 133; **Péring.**, ASAfrMus. 3, 1904, 258 = *Hoplonyx* **Thoms.** 1858. *Ten.*, *Amaryg.* 1124.
- Erymanthus** **O Kl.**, *Clerii* 1842, 327; **Spin.**, *Clérít.* II, 1844, 55; **Lac.**, IV, 1857, 457; **Chenu**, Enc. II, 1860, 269; **Schklg.**, GIW. 1903, 64. (*E. gemmatus* **Kl.** 1842) 1913:11 (Afr. mer., c. et or.). *Cler.*, *Cleri.*, *Clerin.* 118.
- Erythraenus** **H. W. Bates**, EMM. 12, 1875, 52; **Lmr.**, MSEB. 21, 1912, 107 (Rév., 971) (*E. borneensis* **H. W. Bates** 1875) 1913:1 (Sarawak). *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 108.

Erythrapion Schklg., in Küster, Kraatz, Käf. Eur. 43, 1906, p. VI; Schaufuß in Calwer, 1181; Kuhnt, 1026 = Subg. ad *Apion* Hbst. 1797. *Curc.*, *Api.*, *Apion*. 11.

Erythresthes O J. Thoms., Syst. Cer. 1864, 158 (*E. Bowringi* Pasc. 1863) 1913:1 (Hongkong). *Ceramb.*, *Cerambin.*, *Pyr.* 667.

Erythrolychnia Motsch., Etud. E. 1852, 27 sq. = *Photinus* Lac. 1857 part. *Lamp.*, *Phot.* 28.

Erythroplatys O White, Cat. Col. Brit. Mus. 8, 1855, 201; Bates, TESL. 1870, 317 (*E. corallifer* White 1855) 1913:4 (Santar., Goyaz, Brasil.). *Ceramb.*, *Cerambin.*, *Rhinotr.* 635.

Erythrus O White, Cat. Col. Brit. Mus. 7, 1853, 142; Gaham, F. Brit. Ind. Col. I, 1906, 229) (*E. Fortunei* White 1853) 1913:22 (Himal., Ind., Ins. Sund.). *Ceramb.*, *Cerambin.*, *Pyr.* 666.

Erytus Muls., Pect. 1871, 273; Reitt., Tab. 52; VN. 30, 190; Schmidt, GIW., 19 et 34; Schaufuß in Calwer, (1282) = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.

Eryx Steph., Ill. Brit. E. V, 1832, 24 et 27; Muls., Col. Fr. Pect. 1856, 61; Jacq. du Val, III, 1863, t. 80 f. 399; Seidl., NID. V, 2, 1896, 54, et 59/60 = *Prionychus* Sol. 1835. *All.*, *Alec.* 68.

Eryxia Baly, JoE. II, 1865, 437; Chap., G. Col. X, 1874, 283; Lefvr., MSLiége (2) 11, 1885, 82 (*E. Baikiei* Baly 1865; *holosericea* [Klug] 1835) 1914:6 (Niger, Abyss., Gabun., Seneg., Arab., Socotra). *Chrys.*, *Eumolp.*, *Leprot.* 148.

Esamus Chevr. Curc. cf. P. II. *Eschatoporis* Blaasd., ENs. 17, 1906 76 (*E. Nunenmacheri* Blaasd. 1906) (Cal.). *Ten.*, *Cryptogl.* 268.

Esimaphodius Reitt., Tab., *Aphod.* 70; VN. 30, 208; A. Schmidt, GIW. 20 et 46; Koshant. (*Meraphodius*), HoR.

28, 1893/4 (94), 112; Schaufuß in Calwer, (1283) = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.

Esmeralda O J. Thoms., Class. Cer., 303; Syst. Cer., 466; Lac., VIII, 178; Lmr., MSEB. 17, 1909, 57 (Rév., 641); 21, 1912, 171 (Rév., 1035) = Subg. 3 ad *Pyrodes* Serv. 1832 (*E. auratus* [L.] 1758, *coeruleus* [Sehönh.] 1817) 1913:4 (Amaz., Ecuad., Peru, Boliv., Guyana). *Ceramb.*, *Prion.*, *Deranc.* 59, 3.

Esolus Muls. et Rey, HN. Col. Fr. *Improst. Uncif.* 1872, 36; Kuw., SE. IV, 1889, 32; VzbGW. 40, 1890, 16, 24; Everts, 1898, 626; Stierlin I, 1900, 233; Ganglb., KäfMEur. IV, 1, 1904, 115; Schaufuß in Calwer, 582; Kuhnt, 592, 595 (*E. parallelopipedus* [Ph. Müll.] in Illig. 1806) 1913:9 (Eur. c. med. et mer.; Alg.). *Dryop.*, *Helm.*, *Helmi.* 40.

Espespon Schauf., ASEFr. (6) II, 1882, 45 (*Er. moratus* Schauf. 1882) 1913:8 (Ins. Antill., St. Vincent, Ins. Key, Mex.; Guyan., St. Thomas, Bras., Nov. Guin.). *Staph.*, *Oxyt.*, *Piest.*, *Thorac.* 22.

Espites Pasc., ANH. (5) 9, 1882, 32 (*E. basalis* Pasc. 1882) 1913:1 (Nov. Guin.). *Ten.*, *Cnodal.* 982.

Esthesia Gemm. u. Har., Cat. Col. IX, 1873, 2893 = *Hesthesia* Newm. 1840. *Ceramb.*, *Cerambin.*, *Hesth.* 655.

Estigmene O Hope, Col. Man. III, 1840, 174; Baly, 100 t. 2 f. 7; Chap., XI, 296; Ws., DEZ. 1897, 117 (*E. chinensis* Hope 1840) 1913:3 (Ind., China, Sumatr., Java, Transv.). *Chrys.*, *Hisp.*, *Anisod.* 47.

Estenorhinus O Lac., G. Curc. 7, 1866, 431; Schoenfeldt, GIW. *Brenth.* 1908, 38 (*E. forcipatus* [Gyll. in Schoenh.] 1833) 1913:8 (Am. mer.-trop., Pan., Cuba). *Brenth.*, *Brentha.*, *Arrh.* 60.

Esymus Muls., 1871, 279; Reitt., Tab., 68; VN. 30, 206; Schmidt, GIW.,

- 20 u. 47 = Subg. ad *Aphodius* III.
1798. *Scar.*, *Aphod.* 7.
- Etazeta* Fairm., ASEFr. (6) 8, 1888,
358 (*E. aeneicolor* Fairm. 1888)
1913:1 (Tonkin). *Ten.*, *Goniad.* 858.
- Eterodiurus* Senna, Boll. S. ent. Ital.
41, 1911, 51 (*E. singularis* Senna
1911) 1913:1 (Ind.?, Polynes.).
Brenth.
- Ethadopselaphus* Blandf., ANH. (6)
17, 1896, 320 = *Dactylipalpus* Chap.
1873. *Ip.*, *Phloeotr.* 1.
- Ethas* O Pase., JoE. I, 1862, 324;
Reitt., DEZ. 30, 1886, 98, 101 (*E. carbonarius* Pasc. 1862; *carinata*
Eschsch. 1831) 1913:4 (Ind. or.,
Malabar.). *Ten.*, *Stenos.* 231.
- Ethemon* J. Thoms., Syst. Cer. 1860,
262, 460 (*E. lepidum* Thoms. 1860;
basale Burm. 1865) 1913:2 (Brasil.,
Argent.). *Ceramb.*, *Cerambin.*,
Comps. 770.
- Etheothassa* C. G. Thoms., Sk. Col. III,
1861, 206 = *Xyglodromus* Heer 1838/42.
Staph., *Oxyt.*, *Omal.* 55.
- Ethmus* O Haag, Col. Hfte. 11, 1873,
44; *Gebien*, ASEB. 54, 1910, 151
(Übers.) (*E. latus* Haag 1873) 1913:6
(Afr.). *Ten.*, *Molur.* 316.
- Etischiza* Brenske, StEZg. 69, 1898,
379 (*E. Heudelottii* [Blanch.] 1850)
1913:1 (Senegal). *Scar.*, *Melth..*
Melthin. 235.
- Etisericia* O Péring., TSAfr. Phil. Soc.
XIII, 1904, 23 (*E. simplex* Péring.
1904) 1913:1 (Rhodes. mer.). *Scar.*,
Melth., *Seric.* 37.
- Euaesthetus* O Grav., Mon. *Micr.* 1806;
Schaufuß in Calwer, 179; *Kuhnt*, 157;
215 (*E. bipunctatus* [Ljungh] 1804)
1913:21 (Eur., As. c., Sib., Am. b.,
Col., Fla., Tex.). *Saph.* *Euaesth..*
Euaesih. 155.
- Euanthroherpon* Absolon, Col. Rundschau
II, 1913, 108 = *Antroherpon* Reitt.
1889. *Silph.*, *Bath.*, *Antroherp.* 60.
- Eubactus* Lac., VII, 1866, 456; Schoen-
feldt, GIW. *Brenth.* 1908, 63 (*E.*
semiaeaeus et *E. tripartitus* Lac.
1866) 1913:5 (Ins. Fidschi, Molucc.,
Due d' York Ins.). *Brent.*, *Brenth.*,
Ceoc. 100.
- Eubalia* Cast., HN. II, 1840, 257;
Gemm. u. *Har.*, Col. Cat. 7, 1870,
2079; Fairm., ASEB. 41, 1897, 114;
43, 1899, 539; Borchm., DEZ. 1909,
713 (*E. flava* Cast. 1840) 1913:12
(Madag.). *All.*, *Allec.*, 35.
- Eubatisus* Raffr., Rev. d'E. 9, 1890,
110; ASEFr. 62, 1893, 449; 73, 1904,
11; Rev. d'E. 13, 1894, 231; GIW.
Pscl. 1908, 179 (*E. pubifer* Reitt.
1890) 1913:1 (Borneo). *Psel.*,
Psela., *Batriss.* 200.
- Euboeeus* O Boield., ASEFr. (4) V,
1865, 10; All., Rév. *Helop.* vrais:
Abeille 14, 1876, 3; Mi. Schweiz.
E. Ges. V, 1877, 19, 233; Seidl.,
NID. V, 1896, 678 (*E. mimonti*
Boield. 1865) 1913:1 (Euboea). *Ten.*,
Helop. 1078.
- Eubolbitus* O Reitt., VN. 31, 1893, 4;
Best.-Tab. 24, 1893, 125 (*E. Radovskii* [Solsky] 1876) 1913:2 (Tun.,
Turk.). *Geotr.* *Bolboc.* 12.
- Eubrachis* Baly, JoLSLZo. 14, 1878, 248;
Ws., DEZ. 1903, 356; Jac., PZSL.
1904, I, 263; *Schaufuß* in Calwer,
924; = *Macrocoma* Chap. 1874.
Chrys., *Eumolp.*, *Cyn.* 198.
- Eubrachium* O Woll., TESL. 1862, 159;
Schmidt, Abeille. 28, 1895, 178;
Schaufuß in Calwer, 315 (*E. pusillum*
[Rossi] 1792) 1913:4 (Ins. Hierro,
Ins. Lazarote, Eur. sept.-occ.).
Hist. 112.
- Eubria* O Germ., MaE. 3, 1818, 239;
Latr., Règne anim. ed. II, 1829,
462; Steph., Man. Brit. Col. 1839,
185; *Cast.*, HNIns. I, 1840, 260;
Blanch., HN. II, 1845, 56; Redtb.,
F. Austr. 1849, 317; 1858, 519, 1872,
564; Bach, Käferf. II, 1852, 53, 55;
Gutfl.-B., 375; Jacq. du Val, G. Col.
d'Eur. III, 2, 1861, 153; Muls. et Rey,

- Fossip.*, Brév. 1865, 110; **Tourn.**, Descr. Dasc. bass. Léman 1868; **G. Horn**, TAmES. 8, 1880, 95; **Bourg.**, F. Gall. Rhén. 1884, 15; **Seidl.**, F. Ba. (1889) 108; F. Tr. (1889) 108; **Faue.** F. anal. Col. 1892, 275; Gen. Col. Fr. 1894, 33; **Everts**, II, 1903, 138; **Pic**, Cat. 1911, 318, 325; **Reitt.**, F. Germ., III, 1911, 246; Schaufuß in Calwer, 575; **Kuhnt**, 588, 591 (*E. palustris* Germ. 1818) 1914:1 (Eur., Sib.). *Dasc.*, *Eubr.* 40.
- Eubria* **ZiegL.**, PAcPhil. 2, 1844, 222 = *Ectopria* **J. Lec.** 1853. *Dasc.*, *Eubr.* 36.
- Eubrianax* **Kiesw.**, BEZ. 18, 1874, 246; **Lewis**, ANH. (6) 16, 1895, 104; **Fairm.**, ASEFr. (6) 8, 1888, (1889), 351 (*E. ramicornis* Kiesw. 1874) 1914:11 (As. or., Sum., Java etc.). *Eubr.* 38.
- Eucaliga* **O Fairm.** et **Germ.**, ASEFr. (4) III 1863, 225 (*E. sanguinicollis* **Fairm.** 1863) 1913:2 (Chile). *All.*, *Allec.* 93.
- Eucalohister* **O Reitt.**, F. Germ. II. 1909, 283 = Subg. 11 ad *Hister* **L.** 1758 (*E. binotatus* **Er.** in Kl. 1834) 1913:5 (Eur. sept.-occ., Mong., Turk., Afr. bor.). *Hist.* 38, 11.
- Eucamenta* **Péring.**, TSAfr. Phil. Soc. 1904, 90 (Subg.) (*E. castanea* [Boh.] 1857, *transvaalensis* **Péring.** 1904) 1913:2 (Port. Natal, Cap., Transvaal.). *Scar.*, *Melth.*, *Seric.* 131.
- Eucamptodes* **Sharp**, BCA. Col. II, 1, 1890, 327 = Subg. ad *Camptodes* **Er.** 1843. In Col. Cat. P. 56 p. 145. nec p. 115 Indicis. *Nit.*, *Nitid.* 102.
- Eucanthus* **O Westw.**, TLSL. 21, 1852, 26; **Bouem.**, ASEFr. 79, 1910 (1911), 336. — Biol.: **Mance**, ENs. 19, 1908, 459. — (*E. Lazarus* [F.] 1775) 1912:3 (Montevid., Am. b., Austral occ.). *Scar.*, *Geotr.*, *Bolboc.* 7.
- Euceratocerus* **J. Lec.**, TAmES. V, 1874, 65; **Casey**, JoN YES. VI, 1898, 65; **Fall**, TAmES. 31, 1905, 154, 157
- (*E. Horni* **J. Lec.** 1874) 1913:1 (Am. b.: Civ. conf. d.). *Anob.*, *Anobi*. 22.
- Eucharassus* **O Bates**, BCA. Col. V, 1885, 308 (*E. dispar* **Bates** 1885) 1913:2 (Panama, Columb.). *Ceramb.*, *Cerambin.*, *Necydo*. 626.
- Eucheirus* **Kirby**, Introd. E. ed. 5, IV, 1828, Ind. Col. (nom. nud.) = *Euchirus* **Burm.** 1840. *Scar.*, *Euchi.* 1.
- Eubussea* **Zacher**, Arb. biol. Anst. Berlin 9, 1913, 93 (*E. [Alcimus] dilatatus* **Fairm.**) 1913:1 (Ins. Panope, Ins. Wallis). *Luc.*, *Dorc.* 51a.
- Euchirus* **O Burm.**, in Germar, ZE. 1840, 372; **Deyr.**, ASEFr. (5) IV, 1874, 445; Schaufuß in Calwer, (1259) (*E. longimanus* [L.] 1758; *Dupontianus* **Burm.** 1841) 1918:2 (Phil. Ins., Amboina, Ceram, Celebes). *Scar.*, *Euchl.* 1.
- Euchitonnia* **O Kolbe**, StEZg. 55, 1894, 8 (*E. suspecta* **Riss.** 1885) 1913:2 (Borneo, Java). *Ceramb.*, *Cerambin.*, *Callichr.* 701.
- Euchlanis* **O Pasc.**, TESL. (3) III, 1869, 569 (*E. collaris* **Pasc.** 1869, l. c. t. 21 f. 9) 1913:1 (Borneo). *Ceramb.*, *Cerambin.*, *Molorch.* 602.
- Euchlora* **O W. S. Mac Leay**, HoE. I, 1819, 147; **F. Hope**, PZSL. VII, 1839, 65; ANH. 4, 1840, p. 342; **Obs.**, DEZ. 1916, 39, 345 = Subg. 3 ad *Anomala* **Sam.** 1819. 1918:93. Distrib.: Regio pal.: (4): *E. albopilosa* **Hope** 1839 (Japon.). Regio orient. (81): *E. bicolor* [F.] 1875 etc.). Regio austral. (6): *E. Sieboldi* **Hope** 1839 etc. Regio aethiop. (2): *E. olivacea* [Gyll.] 1817, *tinctiventris* **Quedens** 1884 (Sierra Leon., Quango). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 71, 3.
- Euchlora* **Hope**, PZSL. VII, 1839, 65 = *Anomala* **Sam.** 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 71.

Euchlora Hope, PZSL. VII, 1839, 65
(pars); ANH. IV, 1840, 342; — *E. Lap.*,
HN. Col. II, 1840, 135 (pars); — *E.
Muls.*, HN. Col. France, *Lamell.* ed. I,
1842, 475; Reitt., VN. 41, 1903,
64 = *Anomala Sam.* s. str. 1819.
Scar., *Rut. hom.*, *Anomi.*, *Anoma.*
71, 2.

* **Euchroa** Guér. in Deless., Voy. Ind. III,
1843, 56 = *Niraeus Newm.* 1840.
Ceramb., *Cerambin.*, *Callichr.* 699.
Euchronomala Reitt., VN. 41, 1903,
65 = *Anomala Sam.* s. str. 1819.
Scar., *Rut. hom.*, *Anom.*, *Anoma.*
71, 2.

Euchronomala Reitt., VN. 41, 1903, 65
= *Euchlora* Subg. 3 W. S. Mc Leay
1819 = *Anomala Sam.* s. str. 1819.
Scar., *Rut. hom.*, *Anomi.*, *Anoma.*
71, 3.

Eucibdelus O Kraatz, ArN. 25, 1859,
I, 70 (*E. gracilis* Kraatz 1859) 1916:5
(Ind. or., Birm. 3, Japon.!). *Staph.*,
Staphy., *Staphyl.*, *Staphi.* 322.

Eucilmus Fairm., Rev. d'E. XX, 1901,
222 (*E. insignicornis* Fairm. 1901)
1913:1 (Madag.). *Ceramb.*, *Cerambin.*
Cleom. 881.

Eucinetes Germ., Gutfl.-B., 375 =
Eucinetus Germ. 1818.

Eucinetus O Germ., MaE. 3, 1818, 255;
Guér., Spec. et Icon. fasc. 1 nr. 4,
1843, 1; Redtb., F. Austr.; Bach II,
1853 et Nachtr. 1867, 424; Woll.,
Ins. Mader., 1854, 240; Lac., IV,
282; Kiesw., NID. IV, 3, 1860, 424;
J. Lec., Class. (1861) 181; Jacq.
du Val, III, 2, p. 154; *Muls.* et Rey,
Brév. 1865, 116; Tourn., 87; Chenu,
Enc. II, 1870, 17; G. Horn, TAmES. 8,
1880, 91; J. Lec. et Horn, Class. 1883,
172; Bourg., 43; Seidl., F. Ba. et Tr.;
Faue, F.anal. Col.218; G. Col. Fr. 1894,
51; Champ., BCA. III, 1, 599; Everts,
I, 427; DEZ. 1910, 534; Faue. et
Viturat, 596, 636 [in: BSHN. Autun
17, 1904, 326]; Blatchley, Descrip.
Col. Cat. Indian. 1910, 690; Reitt.,

F. Germ. 3, 1911, 427; *Schaufuß* in
Calwer, 576; Kuhnt, 587, 591. —
Synops.: Bourg., 44; Reitt., Best.-Tab.
XII (VN. 23, 71, 72); *Nécroph.* de
Reitt., traduct. in Rev. Bourb. 3, 1890,
64, 65; DEZ. 31, 1887, 515; Blatchley
(ut antea), 691; — (*E. haemorrhoidalis*
Germ. 1818) 1914:22 (Eur., As.,
Am., N. Z.). *Eucin.* 1.

Eucirrus Fauv., Rev. d'E. 14, 1895,
215 (*E. miricornis* Fauv.) 1913:1
(Ind. or.). *Staph.*, *Paed.*, *Pinoph.*,
Proc. 162.

Eucirrus Melly in Guérin, MaZo. 1832
Ins. nr. 47 = Subg. ad *Lepidiota*
Hope 1837. *Scar.*, *Melth.*, *Melthi.*
269.

Euchrysinda Reitt., VN. 41, 1903,
80 = *Adoretosoma* Blanch. 1850.
Scar., *Rut. hom.*, *Anomi.*, *Anoma.* 73.
Euclasea O Lew., BCA. Col. 1888, 220
(*E. Godmani* Lew. 1888) 1913:4
(Guat., Mex., Bras.). *Hist.* 87.

Eucnecosum Reitt., F. Germ. II, 1909,
186 = Subg. ad *Arpedium* Er. 1837.
Staph., *Oxyt.*, *Omal.* 68.

Eucnocerus O Sharp, BCA. Col. II, 1,
1902, 648 (*E. dispar* Sharp 1902)
1913:2 (Mex., Pan.). *Derm.*,
Megat. 19.

Eucolaspis Sharp, TR. Dublin S. (2)
III, 1886, 445; Broun, Man. N. Zeal.
Col. V, 1893, 1303 (Typ.?; *brunnea*
[F.] 1792; *pallidipennis* White 1846
etc.) 1914:15 (N. Z.). *Chrys.*
Eumolp., *Iphim.* 42.

Eucolus Muls. et Rey, MS. Lyon 1852,
292; Opusc. E. IV, 1853, 67 = *Pseudoblaps*
Guér. 1834. *Ten.*, *Pedin.* 439.

Euconibius Cas., AN YAcSc. VIII, 1895,
618 = *Conibius* Lec. 1851. *Ten.*,
Pedin. 476.

Euconnus Thoms. *Seydm.* vide P. II.

Eucrada J. Lec., Class. 1861, 202;
Provanch., F. Canad. I, 1877, 434;
Fall, TAmES. 31, 1905, 128 (*E.
humeralis* Melsh. 1861) 1913:1 (Am.
b.; Civ. confoed.). *Anob.*, *Hedob.* 2.

- Eucranium* O Brullé, HNIns. III, 1834, 289 (*Eucr. arachnoides* Brullé 1834) 1911:7 (Argent. 6, Ecuad., Boliv., Patag.). *Scar.*, *Copr.*, *Scarbi.*, *Eucr.* 2.
- Eucrassus* J. Lec., Aur. in Schklig et J., Col. Cat. P. 39 in Indic. p. 497 = err. pro *Eucrossus* J. Lec., l. c. p. 29.
- Eucrossus* J. Lec., Smiths. Misc. Coll. XI, 264, 1873, 174 (*E. villicornis* J. Lec., 1873) 1912:1 (Cal.). *Ceramb.*, *Cerambin.*, *Oem.* 55.
- Eucryptina* Casey, T. Ac. St. Louis XV, 1905, 24, 28 = Subg. ad *Cryptobium* Mannerh. 1830. *Staph.*, *Paed.*, *Paedi.* 233.
- Eucteanus* O Gerst., ArN. 23, 1857, I, 239; Mon. *Endom.* 1858, 356; Chap., G. Col. 12, 1876, 131 (*E. Hardwickii* [Hope in Gray] 1831) 1913:4 (Ind. orient.). *End.*, *Endo.*, *Endom.* 71.
- Eucteis* Guér., Rev. MaZo. 1861, 539 = *Paralichas* White 1859. *Dasc.*, *Dasci.*, *Cneogl.* 14.
- Euctenia* O Gerst., *Rhip.* 10; *Lac.* V, 1, 619, 625 (*E. sericea* Gerst. 1855) 1913:2 (Austral. occ., Nov. Holland.). *Rhip.*, *Pelecot.* 14.
- Eucurtia* O Mjöberg, ETi. 33, 1912, 121 (*E. paradoxa* Mjöb. 1912) 1913:1 (Austral. m.). *Hist.* 103a.
- Eucyclophyllea* Waterh., TESL. (4) XV, 1875, 406 (*E. lata* Waterh. 1875) 1913:1 (Colon. cap.). *Scar.*, *Melth.*, *Pachyd.* 404.
- Eucymatodera* Schklig., AMusG. (2) 20, 1899, 333; GIW. Cler. 1903, 19 (*E. cingulata* [Kl.] 1842) 1913:6 (Afr. mer.: Oranje; Caffr., Nub., Seneg., Afr. or., Afr. sept.-occ.). *Cler.*, *Cleri.*, *Till.* 33.
- Eucyphus* Mannerh., B. Mosc. 16, 1852, I, 341; *Lac.*, II, 484 = *Amphicyrta* Er. 1842. *Byrrh.*, *Byrrh.* 17.
- Eucyrtus* O Pasc., JoE. II, 1866, 473; Kraatz, DEZ. 24, 1880, 99 (Mon.). (*E. pretiosus* [Lacord.] 1859) 1913:52 (As. mer., Males.). *Ten.*, *Cnodal.* 919.
- Eudaemonius* Lew., ANH. (5) 20, 1887, 72 = *Eutriplax* Lewis 1887. *Erot.*, *Triplac.* 40.
- Eudectus* O Redt., F. Austr. ed. II, 1858, 245; Kraatz, NID. II, 1856/58, 972; Guttl.-B. 181; Schaufuß in Calwer, 153; Kuhnt, 154, 194; Ganglb., KäfMEur. II, 1895, 703 (*E. Giraudi* Redt. 1858) 1913:5 (Siles., Germ., Suecia, Scotia, Tatra, Japon.; Louisiana.). *Staph.*, *Oxyt.*, *Omal.* 89.
- Eudcerces* O J. Lec., Jo. Acad. Phil. (2) II, 1850, 30; Leng, EAm. II, 1887, 195 (*E. picipes* [F.] 1787, *pini* [Ol.] 1795) 1913:9 (Am. bor., Guat. 3, Mex.). *Ceramb.*, *Cerambin.*, *Tillom.* 844.
- Eudcerces* Ganglb., HoR. 24, 1889, 72 nota = *Clerolytus* Kraatz 1884. *Ceramb.*, *Cerambin.*, *Tillom.* 845.
- Euderia* Broun, Man. N. Zeal. Col. I, 1880, 344 (*E. squamosa* Broun 1880) 1912:1 (Nov. Zealand.). *Anob.*, *Dorcat.* 82.
- Eudianodes* O Pasc., PESL. 1868, 13; Lmr., MSEB. 11, 1903, 89 (Rév.) 283; A. Mus. Congo Zo. (3) II, 1903, 58 (*E. Swazyi* Pasc. 1868) 1913:2 (Guin., Camer., Congo, Afr. or. germ.). *Ceramb.*, *Prion.*, *Macrot.*, *Macroto.* 28.
- Eudinopus* O Burm., Gen. Ins. 1840 (*E. dytiscoides* [Schreib.] 1802) 1911:1 (Bras. mer., Argent., Patag.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon.* 19.
- Eudiplister* Reitt., 1909, F. Germ. II, 286 = Subg. 10 ad *Hister* L. 1758. *Hist.* 38, 10.
- Eudistenia* Fall, JoN YES. XV, 1907, 82 (*E. costipennis* Fall 1907) 1913:1 (Cal. mer.). *Ceramb.*, *Cerambin.*, *Oem.* 85.
- Eudora* Cast., HNIns. II, 1837, 174 = *Nigidius* M'Leay 1819; — *E. Westw.*, A. Sc. Nat. (2) I, 1834, 119; EMa. V,

- 1838, 261; **Burm.**, Hd.E. V, 1847, 435; *Figulus* M'Leay 1819; — **E. Cast.**(part.), HNIns. II, 1837, 174 = *Cardanus* Westw. 1834. *Luc.*, Fig. 62, 66, 67.
- Eudora** Lap., HNIns. II, 1840, 513 = *Corynodes* Hope 1840. *Chrys.*, *Eumolp.*, *Corynod.* 270.
- Eodoxilus** Lac., IX, 1869, 172 = *Deltaspis* Serv. 1834. *Ceramb.*, *Cerambin.* 964.
- Eodoxus** Kirby, F. Bor.-Amer. IV, 1837, 209 = *Eumolpus* Weber 1801. *Chrys.*, *Eumolp.*, *Eumolpi*. 170.
- Eudranes** Sharp, EMM. (2) 3, 1892, 241 (*E. carinatus* Sharp 1892) 1913:1 (Austral.). *Psel.*, *Psel.*, *Tyr.* 423.
- Eugastra** J. Lec., Jo. Ac. Philad. (3) 6, 1856, 233; **Bates**, BCA.Col. II, 2, 1888, 214 = *Lachnostenra* Hope 1837. *Scar.*, *Melth.*, *Melthi*. 294.
- Eugastus** Sharp, TESL. 1876, 141; **Fauv.**, Rev. d'E. X, 1891, 109 (*E. mundus* et *bicolor* Sharp, *fervidus* [Er.] 1839/40) 1914:3 (Amaz., Col., Ven., Nov. Gren.) *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 351.
- Eugeusis** O Westw., TESL. 1853, 238; **Lac.**, IV, 1857, 376 (*E. palpator* Westw. 1853) 1913:2 (Burm., Ceyl., Ind., Beng.). *Dril.* 11.
- Euglenes** Westw., ZoJo. V, 1829, 59; **Schaufuß** in Calwer, 743; **Kuhnt**, 698 = Subg. ad *Hylophilus* Berth. 1827. *Hyloph.* 3.
- Euglyptonotus** Gestro, AMusG. 20 (40) 1899/1901 (1901), 744 (*E. Magrettii* Gestro 1899 [1901]) 1913:1 (Sabar-guma, Samar). *Ten.*, *Rhysop.* 1118.
- Euglyptus** Broun, Man. N. Zeal. Col. 7, 1893, 1411; **Raffr.**, ASEFr. 72, 1903, 519; **GIW**. *Psel.* 1908, 51 (*E. elegans* Broun 1893 et *E. costifer* Broun 1893). *Psel.*, *Psel.*, *Euplect.* 34.
- Eugnathus** Muls. et Rey, M. Ac. Sc. Lyon 1851, I, 143; Opusc. E. I, 1852. 1 = *Hadrognathus* Schaum 1852. *Staph.*, *Oxyt.*, *Omal.* 85,
- Eugoa* O Fährs., Öfvers. Vet. Akad. Föhr. 29, 1, 1872, 57 (*E. Dalmani* Fährs. 1872, *ruficrus* [Gerst.] 1855) 1912:2 (Caffr., Mossamb.). *Ceramb.*, *Cerambin.*, *Callichr.* 708.
- Eugoides* Aur. ArkZo. I, 1904, 314 (*E. coeruleipennis* Aur. 1904) 1913:1 (Afr. or.). *Ceramb.*, *Cerambin.*, *Callichr.* 707.
- Eugoniopus* Reitt., Nitid. Japans 1884, 264 u. 267 = *Oxycnemus* Er. 1843. *Nit.*, *Nitid.* 126.
- Eugonycha* Chevr. in d'Orbigny, Dict. univ. III, 1843, 656; V, 1844, 490; Chap., X, 367, 389 (*E. melanostoma* [Stål] 1859, *impicta* [Stål] 1860) 1916:2 (Brasil.: Minas.). *Chrys.*, *Chryso*, *Chrysi*. 18.
- Eugrammicus* O Lew., ANH. (7) 20, 1907, 99 = Subg. 1 ad *Hister* L. 1758) (Typ.?: *E. didymostrius* [Mars.] 1853) 1913:6 (Afr. occ., Calabar, Congo, Erythr., Somali). *Hist.* 38, 1.
- Eulabis* O Eschsch., Zo. Atl. III, 1829, 14; **Sol.**, Studi E. 1848, 154 (8), 256 (110); **Lac.**, V, 133; **G. Horn**, Rev. *Ten.* 1870, 323; **Lec. u. Horn**, Class. 1883, 375 (*E. bicarinata* et *rufipes* Eschsch. 1829) 1913:7 (Cal.). *Ten.*, *Scaur.* 339.
- Eulaiades* Fairm., MSZoFr. 12, 1899, 12 (*E. inflatipes* Fairm. 1899) 1913:1 (Madag., Tananarive). *Scar.*, *Melth.*, *Hopl.* 511.
- Eulampra* Baly, TESL. 1878, 281; **Lef.**, MSLiège (2) 11, 1885, 5 (nec *Chaudoir* 1848). *Chrys.*, *Eumolp.*, *Chrysod.* 2.
- Eulampyris* Kraatz (ubi ?, i. l.?) = *Eurylampyris* Fairm. = *Lucernuta* Cast. 1833. *Lamp.*, *Lucid.* 20.
- Eulasia* Truqui, Studi E. 1848, 16; Reitt., VN. 41, 1903, 137; **Schaufuß** in Calwer, (1307) = Subg. ad *Amphicomia* Latr. 1807. *Scar.*, *Glaphyr.* 5.
- Eulasinus* Sharp, EMM. 1892, 240 (*E. Walkeri* Sharp 1892) 1913:1 (China). *Psel.*, *Psel.*, *Tyr.* 387.

- Eulathrobium* Casey, T. Ac. St. Louis XV, 1905, 73, 115 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Euleantus* O Haag, Col. Hefte 14, 1875, 85 (*E. humeralis* Haag 1875) 1913:2 (Terr. Damara, N'Gami). *Ten.*, *Tentyr.* 117.
- Eulepida* O Kolbe, ASEB. 38, 1894, 532, 534; Péring., TSAfr. Phil. S. 13, 1904, 282 (Typ. ?; *E. lepidota* [Kl.] 1855; *Reichei* [J. Thoms.] 1858, *Savagei* [Hope] 1842) 1913:16 (Afr., or., occ., mer.-occ.). *Scar.*, *Melth.*, *Melthi*. 279.
- Eulepidius* O Westw., TESL. 1874, 357 (*E. luridus* Westw. 1874) 1913:2 (Borneo). *Luc.*, *Dorc.* 43.
- Eulichas* Jacobs, Käfer Rußlands 10, 1913, 726 pro *Lichas* Westw. 1853 (*L. Davidis* [Fairm.] 1878) 1914:11 (As. or. et mer.). *Dasc.*, *Cneogl.* 21.
- Eulimnichus* O Casey, AN YAcSc. V, 1889, 146; Sharp, BCA.Col. II, 1 1902, 673 (*E. analis* J. Lec. 1879) 1913:16 (Am. b.-sept. et Am. c.). *Byrrh.*, *Limn.* 4.
- Eulina* O Baly, TESL. (n. s.) III, 5, 1855; 170, t. 14 f. 3a—c; Chap., 426 (*E. Curtisi* Baly 1855) 1916:2 (NSW.). *Chrys.*, *Chryso.*, *Phylloch.* 105.
- Eulipus* Woll., Cat. Canar. Col. 1864, 448; Bates, EMM. 1875, 219; Reitt., Best.-Tab. 42, 1900, 184 (*E. elongata* [Brill.] 1838) 1913:4 (Marocco, Ins. Canar., Rio Oro). *Ten.*, *Tentyr.* 151.
- Eulissus* O Mannerh., Brachél. 1830, 35 (*E. chalybaeus* Mannerh. 1830, *rutilus* [Perty] 1830) 1914:27 (in div. part. orb. terr., excl. Eur.). *Staph.*, *Staphy.*, *Xanth.* 266.
- Eulissus* O Eppelsh., Cat. Eur. 1891, 105 [nec Mannerh.]; Ganglb., KäfMEur. II, 1860, 187 = *Gauropterus* Thoms. *Staph.*, *Staphy.*, *Xanth.* 265.
- Eulitopus* Bates, Cist. E. II, 1879, 407; Jord., Nozo. I, 1894, 174 (Typ. ?; *E. glabricollis* [Murr.] 1870, *gracilis* Jord. 1894, *sphinx* [Dohrn] 1876) 1913:6 (Calab. vet., Kuilu 3, Ruwenzori 1, Liberia 1). *Ceramb.*, *Cerambin.*, *Callichr.* 736.
- Eulychius* Jac., PZSL. 1882, 52; Lefvr., MSLiége (2) 11; 1885, 129 (*E. madagascariensis* Jac. 1882) 1914:3 (Madag.). *Chrys.*, *Eumolp.*, *Typop.* 240.
- Eulyticerus* Blid., BCA.Col. IV, 6, 1897, 161 (*E. Championi*(s) Blid. 1897) 1913:1 (Panama). *Ip.*, *Hyles*. 35.
- Eulytus* Waterh., ANH. (5) 9, 1882, 175 (*E. nodipennis* Waterh. 1882) 1913:2 (Afr. or. germ.). *Ten.*, *Rhyssop.* 1132.
- Eumalus* Sharp, BCA.Col. I, 2, 1882 —87 (1887), 732 (*E. nigriceps* Sharp 1887) 1913:3+1 (*opacellus* Bernh.) (Am. b., Cal., Guat.). *Staph.*, *Oxyt.*, *Piest.*, *Eleus.* 11.
- Eumecosoma* J. Müll., VzbGW. 51, 1901, 29 = *Antroherpon* Reitt. 1889. *Silph.*, *Bath.*, *Antroherp.* 60.
- Eumede* Pasc., ANH. (4) 17, 1876, 50 = *Lemidia* Spin. 1841. *Cler.*, *Cleri.*, *Hydnoc.* 130.
- Eumela* Baly, TESL. 1875, 23; Ws., DEZ. 1902, 109 (*E. cyanicollis* [Hope] in Gray 1831, *Davidis* Fairm. 1878) 1916:4 (Assam, Ind. or., Chin., Tonkin, Mts. Mauson). *Chrys.*, *Chryso.*, *Chrysi*. 29.
- Eumichtus* O J. Lec., Smiths. Misc. Coll. XI, 264—1873, 190 (*E. Oedipus* J. Lec. 1873) 1913:1 (Ins. Vancouver). *Ceramb.*, *Cerambin.*, *Obri*. 380.
- Eumiltocerus* Casey, B.. Cal. Ac. Sc. 1886, 206 (*E. tarsalis* Casey 1886) 1916:1 (Cal.). *Staph.*, *Habroc.* 395.
- Eumolopsis* Jac., EMM. 30, 1894, 16 (*E. dimidiatus* Jac. 1893) 1914:1 (Gabun.). *Chrys.*, *Eumolp.*, *Eur.* 175.

- Eumolpus* O. Weber, Obs. Ent. I, 1801, Chap., G. Col. X, 1874, 300; Baly, TESL. 1877, 45; Jac., BCA. Col., VI, 1, 1882, 172; Lefvr., MSLiége (2) 11, 1885, 100; (*E. ignitus* [F.] 1787; *surinamensis* [F.] 1775) 1914:15 (Am. b.: Civ. conf. mer., Am. mer.-trop.). *Chrys.*, *Eumolp.*, *Eumolpi*. 170.
- Eumolpus* Duftschm., F. Austr. III, 1805, 216; Jacq. du Val, G. Col. d'Eur. IV, 1868, 221 (nec *Weber*) = *Chrysochus* Redtb. 1845. *Chrys.*, *Eumolp.*, *Corynod.* 272.
- Eumolpus* Redtb., F. Austr. ed. 2, 1858, 893; ed. 3, II, 1874, 453 = *Adoxus* Kirby 1837. *Chrys.*, *Eumolp.*, *Adox.* 200.
- Eumolpus* Kugel. Gutfl.-B., 605.
- Eumorphoides* Guér., Rev. MaZo. (2) 10, 1858, 12 = *Eucteanus* Gerst. 1858 = *Eumorphus* Weber 1801. *End.*, *Endo.*, *Eumorph.* 28.
- Eumorphus* O. Weber, Observ. ent. 1801, 31; F., Syst. Eleuth. II, 1801, 12; Oliv., Entom. VI, 1808, 1065; Gerst., ArN. 23, 1857, I, 225; Mon. Endom. 1858, 88; Guér., Arch. E. I, 1857, 240; Chap. XII, 1876, 92 (*E. quadriguttatus* [III.] 1800) 1913:37 (As. mer.: Ind., Birma, Assam, Malacc., Tenasserim., Singap.; — Ins. Sunda: Java, Borneo, Sum., Cel. — Andam., Phil. Ins.). *End.*, *Endo.*, *Eumorph.* 28.
Biol.: Bourg., ASEFr. 78, 282 t. 12 f. 1—6.
Metamorph.: Bugnion, ASEFr. 78, 282—286, fig.
- Eumorphus* Klug, Abh. Akad. Wiss. Berlin 1832 (1833), 126 = *Haploscelis* Blanch. 1845. *End.*, *Endo.*, *Eumorph.* 32.
- Eumorphus* Guér., ArE. I, 1857, 258; Iconogr., Règne Anim. 1845, 316 t. 50 f. 7 = *Amphisternus* Germ. 1843. *End.*, *Endo.*, *Eumorph.* 23.
- Eumylada* Reitt., Best.-Tab. 53, 1904, 170 = Subg. ad *Myladina* Reitt. 1889. *Ten.*, *Opatr.* 538.
- Eumysteria* Bruch, Rev. Mus. La Plata XV, 1908, 199 = *Pathocerus* C. O. Waterh. 1901 = Subg. 5 ad *Anoploderma* Guér. 1840. *Ceramb.*, *Prion.*, *Anoplod.*, *Anopl.* 110, 5.
- Eumystrops* Sharp, BCA. Col. II, 1, 1889, 304 (*Eum. centralis* Sharp 1889) 1913:1 (Am. c.). *Nit.*, *Nitid.* 55.
- Eunanus* Ohs., DEZ. 1909 p. 442 (*E. murinus* Ohs. 1909) 1918:1 (Arg.). *Scar.*, *Rut. orth.*, *Geniat.* 155.
- Eunatalis* O Schklig., DEZ. 1909, 163 (*E. porcata* [F.] 1787; *flocosus* [Schklig.] 1898) 1913:22 (Austral.). *Cler.*, *Cleri.*, *Clerin.* 50.
- Eunitidula* O Sharp, F. Hawaiens. III, 1908 (*E. sublaevis* Sharp 1908) 1913:1 (Ins. Hawaii.). *Nit.*, *Carpophil.* 28.
- Eunonia* Cas., Can. Ent. 36, 1904, 313 (*E. keeniana* Cas. 1904) 1913:1 (Columb. brit.). *Staph.*, *Oxyt.*, *Omal.* 50.
- Eunotiodes* O Cas., Rev. Mon. 1907, 518 (*E. brevicollis* Cas. 1907) 1913:1 (Mendoza). *Ten.*, *Epitrag.* 68.
- Euomma* Boh., Res. Eug. 1858, 101; Lac., V, 1891, 313; Blackb., TRS. South Austr. 14, 1891, 313 = *Apelatus* Pasc. 1866. *All.*, *Allec.* 11.
- Eupactus* J. Lec., Class. 1861, 2 PAcPhil. 1865, 235; Fall, TAMES. 31, 1905, 211, 218 = *Calymmaderus* Sol. 1849. *Anob.*, *Dorcat.* 66.
- Eupagiocerus* Blfd., BCA. Col. IV, 6, 1896, 133 (*E. dentipes* Blfd. 1896) 1913:1 (Guatemala). *Ip.*, *Ecc.* 86.
- Eupalelius* Fairm., ASEB. 40, 1896, 368 (*Eu. scapulatus* Fairm. 1896) 1913:1 (Madag.). *Ceramb.*, *Ceramb.*, *Disten.* 8.

- Eupales** O Lefvr., MSIége (2) 11, 1885, 50; Kuhnt, 804 (*E. ulema* [Germ.] 1813) 1914:1 (Hung., Dalm., Turc., Gr.). *Chrys.*, *Eumolp.*, *Colasp.* 71.
- Euparia** O Serv., Enc. méth. X, 1825, 357; Har., Col. Hefte VI, 1870, 19—30; Horn, TAmES. 3, 1871, 289/290; 14, 1887, 86/7; Bates, BCA.Col. II, 2, 1887, 93/4 et Suppl. 393; Blackb., PRS. Vict. 17, 1904, 150, 170/1; Schmidt, GIW. 1910, 102, 103/4 t. 2 (*E. castanea* Serv. 1825) 1913:13 + 1 (Amer., N.S.W., Madag.). *Scar.*, *Aphod.*, *Eupar.* 20.
- Euparia** Burm., StEZg. 38, 1877, 401; Er., ArN. 13, 1, 1847 = *Ataenius* Har. 1867. *Scar.*, *Aphod.*, 21.
- Euparius** Schönh. *Anthrib.* vide P.II.
- Euparochia** Motsch. in Schrenck's R. II, 189 = *Doryphora* Ill. 1807. *Chrys.*, *Chryso.*, *Chrysi.* 6.
- Eupeithes** Senna, AMusG. 39, 1898, 381; Schoenfeldt, GIW. Brenth. 1908, 37 (*E. dux* Senna 1898) 1910:1 (Ins. Nias). *Brenth.*, *Brentha.*, *Arrh.* 58.
- Eupegylis** Duv., ASEB. 36, 1892, 57 (*E. confusa* Duv. 1892) 1913:1 (Congo). *Scar.*, *Melth.*, *Melthi.* 263.
- Eupempelus** Bates, TESL. 1870, 401 (*E. olivaceus* Bates 1870) 1913:1 (Amaz.: Ega). *Ceramb.*, *Cerambin.*, *Cleom.* 884.
- Eupetinus** O Sharp, F. Hawaiiens. III, 5, 1908, 461 (*Eup. insignis* Scott 1908, *impressus* [Sharp] 1878) 1913:24 (Ins. Hawaii.). *Nit.*, *Carpophil.* 33.
- Eupezus** O Blanch., HN. II, 1845, 34; Lac., V, 472 (Typ.?: *E. longipes* [F.] 1781, *sulcipennis* [Kl.] 1835) 1913:11 (Afr. excl. p. bor.). *Ten.*, *Rhyssop.* 1133.
- Euphalepsus** Reitt., VzbGW. 33, 1883, 378; Raffr., ASEFr. 73, 1904, 13; GIW. *Psel.* 1908, 183 (*E. globipennis* Reitt. 1883, *tricarinatus* Raffr. 1904) 1913:20 (Bras., Ven., Bogot., Guat., Pan., Louisiana). *Psel.*, *Pselia.*, *Batris.* 206.
- Euphanias** Fairm., F. Fr. I, 1856, 657; Jacq. du Val, II, 1857—59 (1858), 65; Kraatz, NID. II, 1856—58, 806; BEZ. I, 1857, 51; Bergroth, DEZ. 1907, 573 (*E. insignis* Muls. et Rey 1856) 1913:2 (Bras.; Gall. mer.). *Staph.*, *Oxyt.*, *Piest.*, *Piesti.* 6.
- Euphanistes** Lac., *Erot.*, 255; Crotch, *Erot.*, 107; Chap., XII, 52 (*E. hydrophyloides* Lacord. 1842) 1913:1 (Columb.). *Erot.*, *Erotyl.* 4.
- Euphanistes** (pars II) Lac., *Erot.* 1842, 257; Chap., XII, 52 = *Perithonius* Crotch 1876. *Erot.*, *Erotyl.* 21.
- Euphloeus** Pasc., ANH. (5) 20, 1887, 15; Fairm., Not. Leyd. Mus. 19, 1897, 222 (*E. verrucosus* Pasc. 1887) 1913:2 (Ind. mer., Malabar). *Ten.*, *Helop.* 1050.
- Euponus** Fauv., Rev. d'E. 21, 1902, 181; Schaufuß in Calwer, (185) (*E. Apfelbecki* [Bernh.] 1899) 1913:1 (Bosn., Suec., Gall. mer., Alger.). *Staph.*, *Paed.*, *Paedi.* 215.
- Euphoresia** O Brenske, BEZ. XLII, 1897, 354; XLV, 1900, 77, 86 (*E. murina* [Gyll.] 1817) 1913:35 (Afr. centr.: Congo etc., Afr. occ.). *Scar.*, *Melth.*, *Seric.* 73.
- Euphrynus** Fairm., ASEFr. 66, 1897, 114 (*E. spinithorax* Fairm. 1897) 15913:1 (Afr. mer.). *Ten.*, *Molur.* 303.
- Euphyrtus** O Jac., BCA.Col. VI, I, 1881, 124; Lefvr., MSIége (2) 11, 1885, 25 (*E. opacicollis*, *aeneus* Jac. 1881) 1914:17 (Mex. 17, Ariz. 1). *Chrys.*, *Eumolp.*, *Iphim.* 35.
- Eupiestus** O Kraatz, ArN. 25, 1859, I, 182 (*E. sculpticollis* Kraatz 1859, I. c. t. 3 f. 4a, b) 1913:11 (Sikkim, Sumatr., Birma, Ceylon, Darjeeling). *Staph.*, *Oxyt.*, *Piest.*, *Piesti.* 5.
- Eupinella** Raffr., GIW. *Psel.* 1908, 212 (*E. dentiventris* Raffr. 1908) 1913:1

(Austral.). *Psel.*, *Psela.*, *Brachygl.*
231.

Eupines O King, TESNSW. 1866, 310; Raffr., ASEFr. 65, 1896, 257, 258; PLSNSW. 1901, 171; ASEFr. 73, 1904, 110; GIW. *Psel.* 1908, 206; Broun, Man. N. Zeal. Col. III, 1881, 759; Blackb., TRSSouthAustr. 1891, 81 (Typ.?: *atra*, *capitata*, King 1866; *E. sphaerica* [Motsch. 1851]) 1913:94+18 (Regio malay.); Siam, Ceylon, Singap., Austral., Tasm.). — 2 Subgg. *Euph.* et *Byraxis*. — *Eup.* s. str. Subg. 1 ad *Eup.* King 1866 (Typ. ut antea) 1911:65 (Distr. ut antea). *Psel.*, *Psela.*, *Brachygl.* 225.

Eupinoda O Raffr., PLSNSW. 1900, 168; ASEFr. 73, 1904, 112; GIW. *Psel.* 1908, 217 (*E. Leana* Raffr. 1900) 1913:2 (N.S.W., Austral. mer.). *Psel.*, *Psela.*, *Brachygl.* 237. *Eupinopsis* Raffr., ASEFr. 65, 1896, 257, 261; PLSNSW. 1900, 191; ASEFr. 73, 1904, 111; GIW. *Psel.* 1908, 211 (*E. perforata* [Schauf.] 1879) 1913:2 (N.S.W.). *Psel.*, *Psela.*, *Brachygl.* 229.

Euplacocerus Kraatz, DEZ. 1899, 85; Schkig., StEZg. 64, 1903, 19; GIW. Cler. 1903, 82; Hintz, DEZ. 1905, 311 (*E. apicalis* Kraatz 1899) 1913:2 (Togo). Cler., Cleri., Clerin. 92.

Euplatyrhopalus O Desn., GIW. Pauss., 1905, 18 (*E. aplustrifer* [Westw.] 1833) 1913:4 (Bengal., Sumatr., Java, Penang). Pauss., Paussin. 11.

Euplectellus Reitt., F. Germ. Käf. I, 1909, 207 = *Euplectus* Leach 1817. *Psel.*, *Psela.*, *Euplect.* 90.

Euplectina O Raffr., Rev. d'E. 13, 1894, 216; ASEFr. 721, 1903, 526; GIW. *Psel.* 1908, 81 (*E. nigripennis* Raffr. 1894) 1913:1 (Singapore). *Psel.*, *Psela.*, *Euplect.* 84.

Euplectodina Raffr., Rev. d'E. 17, 1898, 228; ASEFr. 72, 1903, 522; GIW. *Psel.* 1908, 62 (*E. hipposideros*

Schauf. 1877) 1913:1 (Siam, Java). *Psel.*, *Psela.*, *Euplect.* 52.

Euplectomorphus O Motsch., B. Mosc. 36, 1863, I, 424 (*E. pygmaeus* [Motsch.] 1861) 1913:1 (Ceylon). *Psel.*, *Psela.*, *Pyxid.* 16. *Euplectops* O Reitt., VN. 20, 1881, 197; Raffr., Rev. d'E. 17, 1898, 268; ASEFr. 72, 1903, 532; GIW. *Psel.* 1908, 109 (*E. Odewahni* [King] 1866, *E. linearis* [King] 1863) 1913:3 + 10 (Austral., N. Z., Tasm.) *Psel.*, *Psela.*, *Euplect.* 127.

Euplectopsis Raffr., Rev. d'E. 9, 1890, 95, 101; 17, 1898, 247; ASEFr. 72, 1903, 527; GIW. *Psel.* 17, 1908, 82 (Typ.?: *E. microcephala* [Reitt.] 1879) 1913:14+4 (Nov. Zealand.). *Psel.*, *Psela.*, *Euplect.* 86.

Euplectus O Leach, Zo. Misc. III, 1817, 80; Aubé, *Psel.* Mon. 1833, 51; ASEFr. (2) 2, 1844, 140; C. G. Thoms., Sk. Col. III, 225; Guttl.-B., 196; Reitt., VzbGW. 31, 1881, 452; Gangib., KäfMEur. II, 1895, 780; Raffr., Rev. d'E. 17, 1898, 248; ASEFr. 72, 1903, 257; 79, 1910, 195; GIW. *Psel.* 1908, 84; Schau-fuß in Calwer, 244; Kuhnt, 307, 309 (Typ.?: *E. nanus*, Karsteni [Reichenbach] 1816) 1911:99—1 (Eur., Medit., Amer.; Nov. Zealand. [23]). *Psel.*, *Psela.*, *Euplect.* 90.

Eupleurida Lee., PacNat.Sc.Phil. 1873, 335 = *Ischalia* Pascoe 1860. Ped. inc. sed. (20) aut *Pyrochr.* an *Phytoph.*?

Eupocus Ill., Ma. Insektenk. VI, 1807, 341 = *Opilo* Latr. 1802. Cler., Cleri., Clerin. 49.

Eupomeca Sol., Studi ent. II, 1848, 289 (143) = *Prosodes* Eschsch. 1829. Ten., Blapt. 390.

Eupompha J. Lec., Journ. Acad. Phil. (2) IV, 1858, 21 (*Eu. fissiceps* J. Lec. 1858) 1917:1 (Am. bor., Mex.). Melo., Lytt., Lytti. 43.

- Eupopillia* Kolbe, StEZg. LV, 1894 p. 209, 217 (Lit. cf. *Calopopillia* 1894) = Subg. (2) ad *Popillia* Serv. 1825 (*E. callipyga* [Dohrn] 1879, *inter-punctata* [Er.] 1842, *princeps* [Har.] 1878 etc.) 1918:31 (Afr. trop.: Afr. or., occ., Congo, Afr. centr.). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 86, 2.
- Euporomala* Reitt., VN. 41, 1903, 62 = *Anomala* Sam. s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71, 2.
- Euporomala* Reitt., VN. 41, 1903, 64 = *Euchlora* W. S. Mc Leay 1819 = Subg. ad *Anomala* Sam. s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma.* 71, 3.
- Euporus* Serv., ASEFr. 3, 1834, 20 (*E. strangulatus* Serv. 1834) 1913:23 (Afr.). *Ceramb.*, *Cerambin.*, *Callichr.* 735.
- Euprionota* O Chap. X, 320 = Subg. 1 ad *Penthispa* Chap. 1875 (*E. aterrima* [Guér.] 1844) 1913:1 (Am. c.; Am. mer.?). *Chrys.*, *Hisp.*, *Uroplat.* 44, 1.
- Euproctus* Fairm., ASEFr. 68, 1899 (1900) 488 (*E. Perrieri* Fairm. 1899 [1900]) 1913:2 (Madag.). *Anth.* 16.
- Euproctulus* Allaud, Col. Cat. Madag. 1900, 486 = *Euproctus* Fairm. 1899 (1900). *Anth.* 16.
- Eupsalis* O Lac., VII, 1866, 430; Power, ASEFr. (5) 8, 1878, 492; Schoenfeld, GIW. *Brenth.* 1908, 36; Schaufuß in Calwer, (1030) (*E. truncata* Boh. 1829) 1913:19 (As., Afr., Amer.). *Brenth.*, *Brentha.*, *Arch.* 57.
- Eupsenina* Raffr., ASEFr. 78, 1909, 35 (*E. fracticornis* Raffr. 1909) 1913:1 (Brasil.: Sao Paolo). *Psel.*, *Pselia.*, *Brachygl.* 274.
- Eupsenius* O Lec., Boston Jo. NH. 6, 1850, 90; Brendel, B. Un. Jowa I, 1890, 1; Raffr., Rev. d'E. 9, 1890, 120; ASEFr. 65, 1896, 262 (*E. glaber* J. Lec. 1850) 1911:9 (Louisiana, Carolina, Alab., Texas, St. Thom., Guadel., St. Domingo, Columb.). *Psel.*, *Pselia.*, *Brachygl.* 273.
- Eupsenius* Wasm., Boll. Mus. Torino 17, 1902 nr. 427, 5 nec J. Lec. = *Callopsenius* Wasm. 1903. *Staph.*, *Cephal.* 403.
- Eupsophulus* O Cock., ENs. 17, 1906, 242 (*E. castaneus* Horn 1870, *Horni* [Champ.] 1885) 1913:2 (Cal., Mex.). *Ten.*, *Tenebr.* 842.
- Eupsophus* G. Horn, Rev. Ten. 1870, 347; Seidl., NID. V, 1896, 624 = *Eupsophulus* Cock. 1906. *Ten.*, *Tenebr.* 843.
- Eupsorus* Broun, ANH. 14, 1904, 46 (*E. costatus* Broun 1904) 1913:1 (Nov. Zealand.). *Staph.*, *Oxyt.*, *Omal.* 87.
- Eupycnus* O Sharp, BCA. Col. II, 1891, 415 (*E. latus* Sharp 1891) 1913:1 (Mex.). *Temn.*, *Temno.* 17.
- Eupyyga* Mannerh., B. S. Moscou XI, 1838, 33 = *Phaenomeris* Hope 1835. *Scar.*, *Phaenom.* 1.
- Euptilia* Westw. (ubi?) = *Selasia* Cast. 1836. *Dril.* 8.
- Euptilium* O Flach, VzbGW. 39, 1889, 508; Best.-Tab. eur. Col. 18, 1889. 30; *Ganglb.*, III, 312; Reitt., F. Germ. II, 1909, 271; Schaufuß in Calwer, (298) = Subg. 4 ad *Ptiliolum* Flach 1888 (*E. caledonicum* [Sharp] 1871) 1913:3 (Eur. centr., Caucas.). *Ptil.*, *Ptili.*, *Ptilii.* 13, 4.
- Euranoxia* Semen., HoR. 24, 1890, 196; Brenske, StEZg. 55, 1894, 271; Reitt., WEZg. 8, 1889, 277; VN. 40 [Best.-Tab.], 257, 289 (*E. valida* Semen. 1890) 1913:1 (Buchara). *Scar.*, *Melth.*, *Melthi.* 343.
- Euraspis* Chap., X 1874, 317 = err. typ. pro *Euryaspis* (nec Blanch. 1851). *Chrys.*, *Eumolp.*, *Myochr.* 220.
- Eurea* J. Lec., P. Ac. Phil. 6, 1853, 354; Lac. IV, 274 = *Ectopria* J. Lec. 1853. *Dasc.*, *Eubr.* 36.

- Euretus* O Péring., TESL. 1896, 186;
Bovie, GIW. 99, 1909, 27 (*E. Aurivillii*
Péring. 1896) 1913:1 (Cap. b. sp.).
Brach., *Brachy.*, *Brachyc.* 7.
Eurhanius Reitt., Best.-Tab. Col. 16,
1887, 13 (*E. humeralis* Reitt. 1887)
1913:1 (Japon.). *Erot.*, *Diphyll.* 99.
Eurhexius O Sharp, BCA. Col. II, 1,
1887, 41; *Raffr.*, ASEFr. 72, 1903,
587; GIW. *Psel.* 1908, 126 (*E.*
sexpunctatus *Raffr.* 1903; *E. ma-*
jorinus [Schauf.] 1872) 1913:23
(Brasil.; Montivid., Parag., Argent.,
Panama, Guatém.). *Psel.*, *Psel.*,
Trichon. 147.
Eurhinus Kirby, TLSL. 12, 1818,
427 = *Eurhynchus* Schönh. 1833.
Circ., *Api.*, *Eurh.* 1.
Eurhizophagus O Méquinon, L'Abeille
31, 1909, 105 et 117; 1914, 170;
Reitt., F. Germ. 3, 1911, 40 = Subg. 3
ad *Rhizophagus* Herbst 1793 (nom.
emend. 1844) (*E. depressus* [F.] 1792,
E. grandis [Gyll.] 1827) 1914:3
(Eur., Afr. b., Ins. Canar., Cal.).
Rhiz. 3, 3.
Eurhopalus Sol. in Gay, H. Chile Zo.
IV, 1849, 372 = *Trogoderma* Latr.
1829. *Derm.*, *Metag.* 20.
Eurhynchus O Schönh., Gen. Spec.
Circ. I, 1833, 247 (= *Eurhinus*
Kirby 1818). — Biol.: *Froggatt*,
PLSNSW. 10, 1859, 328 (*E. muricatus*
Kirby 1818) 1913:10 (Nov. Holl.,
Tasm., Queensl.). *Circ.*, *Api.*, *Eurh.* 1.
Eurigeniomorphus Pic, Natural. 19,
1897, 25 (*E. rugosus* Pic 1897) 1913:1
(Austral.). *Ped.* 9.
Eurispa O Baly, 1858, 85, t. 2 f. 3
(Typ.?: *E. albipennis* [Germ.] 1848;
E. vittata Baly 1858) 1913:9 (Austral.,
Tasm., Nov. Guin.). *Chrys.*, *Hisp.*,
Eurisp. 56.
Euristhea Lac., VIII, 1869, 321 =
Eurysthea J. Thoms. 1860. *Ceramb.*,
Cerambin., *Sphaerio*. 249.
Euristus Fauv., Rev. d'E. 18, 1899,
23 (*E. globus* Fauv. 1899) 1916:1
(Gabun.). *Staph.*, *Staphy.*, *Staphyl.*,
Qued. 366.
Euronycha O Péring., TSAfr. Phil. S.
XIII, 1904, 30, t. 46 f. 1 (*E. sericans*
[Fährs.] 1857) 1913:4 (Afr. mer.).
Scar., *Melth.*, *Seric.* 112.
Europa J. Thoms., Class. Cer. 1860,
221 = *Clytus* Laich. 1784. *Ceramb.*,
Cerambin., *Clyt.* 800.
Europtoptinus Pic, Echange XI, 1895,
80 (*E. algericus* Pic 1895) 1913:1
(Alg.). *Ptin.*, *Ptini.* 17.
Europtron Mars., Abeille 4, 1867 p.
LXXXI; Reitt., VN. 40 [Best.-Tab.
50] 95, 96) *E. gracile* Mars. 1867)
1913:3 (Alg.). *Scar.*, *Melth.*, *Pachyd.*
399.
Eurostodes Reitt., VN. 22, 1884, 299;
Best.-Tab. XI, 1894, 5; Seidl., F. Ba.,
1889, 511; *Schaufuß* in Calwer, 717
(*E. quisquiliarum* [Baudi] 1873)
1913:1 (It.). *Ptin.*, *Ptini.* 16.
Eurostus O Muls. et Rey, VN. 22, 1884,
HN. Col. Fr. Gibbic. 1868, 49, 185
(*E. frigidus* [Boield.] 1854) 1913:6
(Montes Eur. centr., Asm.). *Ptin.*,
Ptini. 18.
Euryarthrum O Blanch., HNIns. II,
1845, 149; Pasc., TESL. (3) 3, 1869,
578 (*E. albocinctum* Blanch. 1845)
1913:8 (Singap. 1, Born. 2, Penang.
5). *Ceramb.*, *Cerambin.*, *Proth.* 674.
Euryaspis Blanch., Cat. Coll. E. Col. I,
1850, 130 = *Plectris* Serv. 1825.
Scar., *Melth.*, *Macrod.* 496.
Euryaspis vide (etiam) *Euraspis*.
Chrys., *Eumolp.*, *Myochr.* 220.
Eurybatodes A. Semen., Rev. Russo
d'E. XI, 1911, 121 (*E. Bouvieri*
Boppe, BSEFr. 1910, 235; [*Rosalia*]
= Subg. 3 ad *Rosalia* Serv. 1833.
Ceramb., *Cerambin.*, *Comps.* 759, 3.
Eurybatus O J. Thoms., Class. Cer.
1860, 250; Syst. Cer. 1864, 460;
Pasc., TESL. (3) 3, 1869, 597 (*E.*
hariola Thoms. 1860) = Subg. 2
ad *Rosalia* Serv. 1833; 1913:14

- (As. mer.). *Ceramb.*, *Ceramin.*, *Comps.* 459, 2.
- Eurycardius* **Lac.**, *Erot.*, 479; **Chap.**, XII, 65 (*E. erythropterus* **Lac.** 1842) 913:2 (Minas Geraes, Cayenne, Bras.). *Erot.*, *Erotyl.* 13.
- Eurycaulus* **Fairm.**, ASEFr. (4) 8, 1868, 492; **Mars.**, Abeille XII, 1875, 124; **Seidl.**, NID. V, 1894, 451; **Reitt.**, Best.-Tab. 53, 1904, 122 (*E. Marmottani* **Fairm.** 1868, *hir-* *sutus* [Mill.] 1861) 1913:4 (Aeg., Sinai., Alg., Tun., Tripol.). *Ten.*, *Opatr.* 506.
- Eurycephalus* **Cast.**, HN. II, 1840, 430 = *Euryphagus* **Thoms.** *Ceramb.*, *Ceramin.*, *Stenasp.* 970.
- Euryceraea* **O Steinh.**, Mi. München. E. Ver. I, 1877, 33 (*E. Badeni* **Steinh.** 1877) 1916:2 (Columb., Ecuad.). *Chrys.*, *Chryso.*, *Chrysi.* 8.
- Eurycerus* **Fauv.**, Rev. d'E. 14, 1895, 244 = *Agacerus* **Fauv.** 1895. *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 335.
- Eurychelus* **Blanch.**, Cat. Coll. E. Col. I, 1850, 112 (*E. marmoratus* **Blanch.** 1850) 1913:1 (Austral.). *Scar.*, *Melth.*, *Lipar.* 201.
- Eurychora* **O Thunb.**, Nov. Ins. Spec. 1791, 116; **Sol.**, ASEFr. 6, 1837, 154; **Cast.**, HN. II, 1840, 192; **Lac.**, V, 95; **Haag**, DEZ. 19, 1875, 361, 336 (Mon.); *Schaufuß* in Calwer, (790) (*E. ciliata* [F.] 1781) 1913:22 (Afr. mer.). *Ten.*, *Eurych.* 208.
- Euryclea* **J. Thoms.**, Syst. Cer. 1864, 196; **Pasc.**, TESL. (3) III, 1896, 655 = *Eurycelia* **Aur.** 1912. *Ceramb.*, *Ceramin.*, *Stenasp.* 971.
- Eurycelia* **Aur.** 1912 in Schkdg. u. J., P. 39, 1912, 461 pro *Euryclea* **Thoms.**, (*E. cardinalis* **Thoms.** 1860) 1913:1 (Malacca; Borneo). *Ceramb.*, *Ceramin.*, *Stenasp.* 971.
- Eurycorynus* **Marshall**, JoLSLZo. 8, 1865, 36; **Chap.**, G. Col. X, 1874, 340 = *Corynodes* **Hope** 1840. *Chrys.*, *Eumolp.*, *Corynod.* 270.
- Eurycnemus* **Bernh.**, DEZ. 1906, 90 (*E. imperialis* **Bernh.** 1906) 1914:1 (Camerun.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho.* 361.
- Eurycranium* **Blanch.**, H. Ins. II, 1845, 87; **Chenu**, Enc. II, 1860, 245 = *Epiclinae* **Chevr.** 1829/38. *Cler.* 123.
- Eurydactylus* **Haged.**, DEZ. 1909, 733 pro *Platydactylus* **Eichh.** 1886 = Subg. ad *Xyleborus* **Eichh.** 1864. *I.p.*, *Xyl.* 112.
- Eurydemus* **O Chap.**, G. Col. X, 1874, 333; **Lefvr.**, MSLiége (2) 11, 1885, 136 (*E. grandis* [Baly] 1861) 1914:26 (Afr. trop., Sansib.; Madag., Austral.). *Chrys.*, *Eumolp.*, *Typoph.* 249.
- Eurygenius* **O Laferté**, Mon. *Anthicus* (Guér., Spec. Icon. 1846/8) (1848), nr. 17, 1; **Lec.**, P. Ac. Nat. Sc. Phil. 7, 1855, 270; **Lac.**, V, 2, 578; **Lec.**, Class. 1861, 264; **Lec. u. Horn**, Class. 1883, 410; **Casey**, AN YAcSc. 8, 1895, 627 (*E. murinus* [Haldem.] 1843) 1913:18 (Jap., Beng., Tanger, Ins. Vancouv., Madag., Am. b., Mex., Guat., Bras.). *Ped.* 2.
- Eurygona* **O Cast.**, HN. II, 1840, 187; **Lac.**, V, 217 (*E. chilensis* **Cast.** 1840) (Chile). *Ten.*, *Praoc.* 415.
- Euryhelops* **Reitt.**, DEZ. 1901, 209 (*E. subaeneus* [Reitt.] 1889) (As. centr.). *Ten.*, *Helop.* 1075.
- Euryhelops* **Reitt.**, WEZg. 21, 1901, 214 = *Zophelops* **Reitt.** 1902 = Subg. ad *Helops* F. 1772. *Ten.*, *Helop.*, 1073.
- Eurylampris* **Fairm.** (ubi ?, i. l.) = *Lucernuta* **Cast.** 1833. *Lamp.*, *Lucid.* 20.
- Eurymanthus* **Quedf.**, BEZ. 32, 1888, 182 = *Erymanthus* Kl. 1842. *Cler.*, *Clerin.* 118.
- Eurymeloe* **Reitt.**, F. Germ. 3, 1911, 391 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi.* 53.
- Eurymerus* **O Serv.**, ASEFr. II, 1833, 566 (*E. eburiooides* **Serv.** 1833) 1913:7

(Brasil., Cayenne, Tucuman). *Ceram.*, *Ceramb.*, *Cerambin.*, *Achryse*. 101.

Eurymetopon O Eschsch., Zo. Atl. IV, 1831, 8; *Lac.*, V, 66; *Cas.*, Rev. Mon. 288 (*E. rufipes* Eschsch. 1831) 1913:3 (Kamtschatka 1, Cal. 2). *Ten.*, *Eurymet.* 16.

Eurymetopum Blanch., Voy. d'Orb. 1843, 92 = *Epiclimes* Chevr. 1829/38. *Cler.*, *Cleri.*, *Clerin.* 123.

Eurnyassa O J. Thoms., Syst. Cer., 1864, 303; *Lac.*, VIII, 110; *Lmr.*, MSEB. 11, 1903, 10 (Rév., 204) (*E. australis* [Boisd.] 1835) 1913:1 (Austral., Tasm.). *Ceramb.*, *Prion.*, *Macrot.*, *Arch.* 6.

Eurygnotus O Kirby, TLSL. 12, 1818, 418; *Cast.*, HN. II, 1840, 209; *Muls. et Rey*, Mém. Ac. Lyon, 1854, 164; Op. E. IV, 1854, 20; *Lac.*, V, 238 (*E. capensis* [F.] 1794) 1913:15 (Terr. cap., Abyss. 1). *Ten.*, *Pedin.* 443.

Euryope O Dalm., Ephem. E. I, 1824, 17; J. Thoms., ArE. II, 1858, 370; *Baly*, JoE. I, 1860, 33; ANH. (3) X, 1862, 19; *Chap.*, G. Col. X, 1874, 303; *Lefvr.*, MS Liége (2) 11, 1885, 108; *Ws.*, StEZg. 69, 1908 (1907), 201 (*E. rubifrons* [F.] 1787, *rubra* [Latr.] 1807) 1914:29 (Afr. trop. et mer.). *Chrys.*, *Eumolp.*, *Eur.* 174.

Euryoptera G. Horn, PAcPhil. 1860, 571 = *Rhopalopus* Muls. 1839. *Ceramb.*, *Cerambin.*, *Callid.* 778.

Euyostola Reitt., Best.-Tab. 25, 1893, 202, 207 (*E. minor* Baudi [1875] 1913:1 (Pers.). *Ten.*, *Pimel.* 372.

Eurypalpus Lee., PAcPhil. 6, 1852, 41 = *Fluvicola* de Kay 1884 = *Psephenus* Hald. 1853. *Dryop.* 1.

Euryelta O Lefvr., MS Liége (2) II, 1885, 118; *Jac.*, F. Ind. Col. I, 1908, 464 (*E. modesta* [F.] 1792) 1914:1 (Bengal.). *Chrys.*, *Eumolp.*, *Myochr.* 220.

Eurypera Pasc., ANH. 1870, (4) 5, 106 = *Amarygmus* Dalm. 1823. *Ten.*, *Rhyssop.* 1140.

Euryphagus J. Thoms., Syst. Cer. 1864, 196; Pasc., TESL. (3) III, 1869, 653; *Gahan*, F. Brit. Ind. Col. I, 1906, 187 (*E. Lundi* [F.] 1792, *pictus* [Voet] 1778) 1913:2 (Assam, Birma, Malacca, Sumatr., Java, Borneo, Phil. Ins., Molucc. bor.). *Ceramb.*, *Cerambin.*, *Stenasp.* 970.

Euryphylla Lac., III, 306 = *Polyphyllum* Blanch. 1850. *Scar.*, *Melth.*, *Melthi.* 381.

Eurypoda O W. Saund., TESL. (2) 2, 1853, 109; *Lmr.*, ASEB. 48, 1904, 8 (Rév., 426) (*E. antennata* W. Saund. 1853, *nigrita* J. Thoms. 1865) 1913:4 2 Subgg.: *Neoprion* et *Euryp.* — E.s.str. W. Saund., TESL. (2) 2, 1853, 109; J. Thoms., Class. Cer. 290; Syst. Cer., 471; *Lac.*, VIII, 148; *Lmr.*, ASEB. 48, 1904, 12 (Rév., 430) (Type ut antea) (Jap., Malacc., Sum., Born., China, Formosa). *Ceramb.*, *Prion.*, *Callipogi.*, *Euryp.* 45; 45, 2.

Eurypodæa Klages, A wonderful new form of the group Copres 1906 = *Dendropemon* Perty 1830. *Scar.*, *Copr.*, *Copri.*, *Phan.* 89.

Eurypongon O Motsch., B. Mosc., 32, 1859, IV, 363; J. Lee., Class. (1861), 178; Prov., F. Canada I, 1877, 398; G. Horn, TAmES. 8, 1880, 78, 80; J. Lee., u. Horn Class. 1883, 169; Blatchley, Ill. Descr. Col. Cat. Indiana, 1910, 689 (*E. niger* Melsh. 1846) 1914:3 (Am.: Civ. confoed.). *Dasc.*, *Dasci.*, *Macrop.* 6.

Euryporus O Er., KäfMaBr. I, 1837/39 (1839), 496; Gutfil.-B., 130; Ganglb., KäfMEur. II, 1895, 382; Schaufuß in Calwer, 201, 205; Kuhnt, 168, 247 (*E. picipes* Payk., F. Suec. III, 1800, 426) 1916:5 (Eur., Ins. Canar., Alger., Marocco, Tunes.,