

Inhaltsverzeichnis.

Lucas. Catalogus alphabeticus generum et subgenerum
Coleopterorum orbis terrarum totius. Pars I.

- Sumatra). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 375.
- Euryprosodes* Reitt., Mon. II, 1896, 122, 165 = Subg. ad *Prosodes* Eschsch. 1829. *Ten.*, *Blapt.* 390.
- Euryproscopus* O White, Cat. Col. Brit. Mus. VII, 1853, 136; *Bug.*, Rev. MaZo.(2) 5, 1853, 256; (2) IX, 1857, 409 (Monogr.) (*E. clavipes* White) 1912:8 (Brasil.). *Ceramb.*, *Cerambin.*, *Comps.* 769.
- Euryptera* Serv., Enc. méth. Ins. X, 1825, 688; ASEFr. 4, 1835, 222 (*E. latipennis* Serv. 1825) 1912:24 (Amer. b. et mer.). *Ceramb.*, *Cerambin.*, *Lept.* 556.
- Euryptilium* Matth., Trich. ill. 1872, 59, 63; Flach in Seidl., F. Ba. ed. II (1888), Art., 291 (*Ptil.* subg.); in Seidl., F. Tr. (1889), Art., 307; VzbGW. 39, 1889, 490, 505; Everts, I, 434, 438; Ganglb., III, 298, 311; Reitt., F. Germ. II, 1909, 266, 271; Jacobs., Col. Ross. 8, 1910, 630; Schaufuß in Calwer, 297; Kuhnt, 353, 356 (*E. saxonicum* [Gillm.] 1845) 1913:3 (Eur.). *Ptil.*, *Ptili.*, *Ptilii.* 12.
- Eurypus* Kirby, TSL. 12, 1818, 389, (pars) = *Camaria* Serv. 1825. *Ten.*, *Cnodal.* 958.
- Euryquedioides* Reitt., F. Germ. II, 1909, 108 = Subg. ad *Quedioides* Steph. 1832. *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 383.
- Euryarcus* Lefv., MSLiége (2) 11, 1885, 24 (Typ.?: *E. rufinus* [Lefv.], *abiroides* [Lefv.] 1876) 1914:5 (Bras.). *Chrys.*, *Eumolp.*, *Iphim.* 32.
- Euryschiza* Brenske, StEZg. 59, 1898, 379 (*E. salaama* Brenske 1898) 1912:1 (Dar-es-Salaam). *Sear.*, *Melth.*, *Melthi.* 249.
- Euryxcelis* O Chevr., ASEFr. (4) II, 1862, 530 (*E. suturalis* Ol., E. IV, 70, 1795, 62 t. 7 fig. 91) 1913:2 (Haiti). *Ceramb.*, *Cerambin.*, *Clyt.* 816.
- Eurysthea* J. Thoms., Class. Cer. 1860, 247; Syst. Cer. 1864, 452 (E. obliqua Serv. 1834) 1913:1 (Brasil.). *Ceramb.*, *Cerambin.*, *Sphaerio.* 249.
- Eurysthenes* Lefv., MSLiége (2) 11, 1885, 88 (E. *Balyi* [Chap.] 1874; *pedestris* Lefv. 1884) 1914:2 (Terr. cap.). *Chrys.*, *Eumolp.*, *Cyn.* 182.
- Eurysternus* O Dalm., Ephem. entom. 1824, 8 (E. *caribaeus* [Herbst] 1789) 1913:23 (Am. centr. et mer.-trop.). *Scar.*, *Copr.*, *Scarbi.*, *Sisphid.* 15.
- Eurysunius* Reitt., F. Germ. II, 1909, 149 = Subg. ad *Astenus* Steph. 1832. *Staph.*, *Paed.*, *Paedi.* 171.
- Eurytrachelus* O J. Thoms., ASEFr. (4) 2, 1862, 421 (*E. saiga* [Ol.] 1789) 1910:39+1 (As., Arch. Malay., Nov. Guinea, Arch. Bismarck.). *Luc.*, *Dorc.* 39.
- Eurytus* Chap., G. Col. X, 1874, 289 (nec Albers 1850) = *Eurysthenes* Lefv. 1885. *Chrys.*, *Eumolp.*, *Cyn.* 182.
- Euryxena* O Pasc., TESL. 1887, 337; Marshall, T. South Afr. Phil. S. 18, 1907, 117; Bovie, GIW. 99, 1909, 32 (*E. bruchoides* Pasc. 1887) 1913:1 (Cap. b. sp.). *Brach.*, *Broth.* 11.
- Eusapia* Goun., ASEFr. 77, 1909, 687 (*E. rubiginosa* Goun. 1909) 1912:1 (Brasil.). *Ceramb.*, *Cerambin.*, *Hesprph.* 188.
- Eusattodes* Cas., Mon. 1908, 56, 64 (*E. laevis* [Lee.] 1866) 1913:1 (Cal. inf.). *Ten.*, *Conio.* 422.
- Eusattus* O Lee., AN YAcSc. V, 1851, 131; Lac., V, 220; G. Horn, Rev. Ten. 1870, 292; Cas., P. Wash. Ac. Sc. X, 1908, 56, 64; Fall, Pap. Calif. Ac. 8, 256 (*E. difficilis*, *dubius* Lec. 1851) 1913:27 (Cal., Nov. Mex., Ariz., Colo., Kansas etc.). *Ten.*, *Conio.* 423.
- Euscaphheurus* Casey, B. Cal. Ac. Sc. I, 1885, 328 (*E. saltator* Casey 1885) 1914:1 (Am.: Civ. confoed.). *Eucin.* 3.

- Euschatia* Sol. in Gay, H. Chile V, 1851, 227 = *Heliofugus* Guér. 1830. *Ten.*, *Helop.* 1043.
- Euschides* Lec., JoAcPhil. IV, 1858. 19; *Lac.*, V, 162 = *Asida* Latr. 1804, *Ten.*, *Asid.* 286.
- Euscopaeus* Sharp, BCA.Col. I, 2, 1882/87 (1886), 548 (*E. crassitarsis* Sharp 1886) 1913:2 (Guatemala). *Staph.*, *Paed.*, *Paedi.* 206.
- Euselerus* Sharp, BCA.Col. I, 2, 1882/87, (1886) (*E. rugifrons* et *sordidus* Sharp 1886) 1913:2 (Guat. 2). *Staph.*, *Paed.*, *Paedi.* 193.
- Euserica* Reitt., WEZg. XV, 182, 185; VN., 40, 1901 (1902). [Best.-Tab.], 138; *Schaufuß* in Calwer, 1308; (Typ. ?; *mutata* [Gyllenh. in Schönl.] 1817) 1913:5. Etiam Subg. (Alg., Syr., Hisp., Lus., Gall. mer.; Tang.). *Scar.*, *Melth.*, *Seric.* 36.
- Eusericula* Reitt., VN. 40, 1901 (1902) [Best.-Tab. 50], 138 etc. = Subg. ad *Euserica* Reitt. 1896. *Scar.*, *Melth.*, *Seric.* 36.
- Eusoma* White, Voy. Erebus and Terror, Zo. XI, 1846, 10 [nec Germ. 1817, nec Fitz. 1843] = *Odontria* White. *Scar.*, *Melth.*, *Lipar.* 202.
- Eusomalia* Casey, Mém. Col. 3, 1912, 13 (*E. [Pediophorus] lecontei* [Wickh.] 1903) 1912:1 (Idaho). *Byrrh.*, *Byrrhi.* 16a.
- Eusomus* Germ., Curc. vide P. II.
- Eusonoma* Reitt., WEZg. 12, 1893, 173 = *Delenda* Croiss. 1891. *Psel.*, *Psela.*, *Faron.* 11.
- Eusphearius* Sharp, BCA.Col. II, 1, 1891, 371 (*E. Godmani*, *rubicundus* et *scutellatus* Sharp 1891) 1913:3 (Pan., Mex., Guat.). *Nit.*, *Nitid.* 130.
- Euspheariopsis* Gestro, AMusG. 39, 1899, 465 (*E. iris* Gestro 1899, *E. pulcher* [Lansb.] 1885) 1913:8 (Sumatr., Born., Mentawai, Malacc.). *Scar.*, *Acanthoc.* 5.
- Eusphalerum* Kraatz, NID. II, 1856—58, 1003; *Schaufuß* in Calwer, 154;
- Kuhnt*, 182 = Subg. ad *Anthobium* Steph. 1832. *Staph.*, *Oxyt.*, *Omal.* 44.
- Euspileotus* O Lewis, ANH. 19, 1907, 320 = Subg. 1 ad *Saprinus* Er. 1834 (Typ. ?; *E. decoratus* Er. 1834) 1913:14 (Am. centr. et mer.). *Hist.* 120, 1.
- Eustenia* Fairm., ASEFr. 74, 1905, 303 nec Snell. 1899 = *Tucumana* Geb. 1911. *Ten.*, *Strongyl.* 1177.
- Eustilicus* Sharp, BCA.Col. I, 2, 1882/87 (1886), 579 (*E. crassidens* et *orbifer* Sharp 1886) 1913:4 (Guat. 2, Mex. 1, Pan.). *Staph.*, *Paed.*, *Paedi.* 190.
- Eustrangalis* O Bates, JoLSLZo. 18, 1884, 221 (*E. distenoides* Bates 1884) 1912:1 (Japon.). *Ceramb.*, *Cerambin.*, *Lept.* 545.
- Eustrigota* Casey, Mém. Col. 2, 1911, 165 = Subg. ad *Strigota* (*E. seclusa* Casey 1911) 1913:2 (Cal., Connect.). *Staph.* cf. P. II.
- Eustroma* J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, 186 = *Eustromula* Cocker. 1906. *Ceramb.*, *Cerambin.*, *Phorac.* 220.
- Eustromula* O Cocker., ENs. 17, 1906, 282 (*E. validum* J. Lec. 1858) 1912:1 (Tex., Cal.). *Ceramb.*, *Cerambin.*, *Phorac.* 220.
- Eustrongylium* Kolbe, StEZg. 55, 1894, 366 = *Strongylium* Kirby 1818. *Ten.*, *Strongyl.* 1160.
- Eusyntelia* Waterh., PZSL. 1881, 473 (*E. Balfouri* Waterh. 1881) 1913:4 (Socotra). *Ten.*, *Tentyr.* 149.
- Eutactus* Fährs., Öfv. Vet. Akad. Förh. 29, 1, 1872, 68 = *Zosterius* Thoms. 1864. *Ceramb.*, *Cerambin.*, *Cleom.* 879.
- Eutagenia* Reitt., DEZ. 30, 1886, 98, 125 (Mon. I); l. c. 1889, 284 (Mon. II) (Typ. ?; *E. smyrnensis* Sol. 1838) 1913:8 (Mediterr. ór., Abyss., Syr., Turcomen., Terr. cap.). *Ten.*, *Stenos.* 232.

- Eutaphrimorphus* **Pic.**, Misc. E. VI, 1898, 54, 55 = Subg. ad *Ptinus* L. 1758. *Ptin.*, *Ptini*. 21.
- Eutaphrus* **Muls.** et Rey, *Gibbic.* 1868, 53, 54; *Schaufuß* in Calwer, 718; **Kuhnt**, 670 = Subg. ad *Ptinus* L. 1758. *Ptin.*, *Ptini*. 21.
- Euteleia* **Raffr.**, ASEFr. 73, 1904, 116, 183; GIW. *Psel.* 1908, 248 (Typ.?) ; *E. recens* [*Schauf.*] 1879, *E. Lewisi Raffr.* 1904) 1913:4 (Amazon., Mexico). *Psel.*, *Psel.*, *Brachygl.* 267.
- Eutelocera* **O Sol.**, ASEFr. 9, 1840, 237; **Lac.**, V, 216 (*E. viatica* **Sol.** 1840) 1910:1 (Buenos Aires). *Ten.*, *Praoc.* 414.
- Eutelus* **O Sol.**, Mém. Accad. Torino (2) 6, 1844, 268 (56); **Lac.**, V, 355 (*E. Requieni* **Sol.** 1844) 1913:6 (Terr. cap., Caffr., Port. Natal., Madag.). *Ten.*, *Eutel.* 751.
- Eutheca* **Kiesw.**, NID. V, 1877, 155; **Seidl.**, F. Ba., F. Tr. 119; *Schilsky*, Käf. Eur. 36, 36D; **Reitt.**, Tab. 47, 38, 42; **Pic.**, Mél. Exot. E. 2, 1912, 16 = *Calymmaderus* **Sol.** 1849. *Anob.* *Dorcat.* 66.
- Euthia* **Steph.** *Scydm.* vide P. II.
- Euthriptera* **Reitt.**, Best. Tab. 25, 1893, 203, 229 (*E. grisescens* **Fairm.** 1875) 1913:1 (Alger., Tunes.). *Ten.*, *Pimel.* 370.
- Euthryptus* **O Sharp**, BCA Col. II, 1, 1902, 682 (*E. orbicularis* **Sharp** 1902) 1911:2 (Guatem.). *Byrrh.*, *Limn.* 9.
- Euthysoma* **J.Thoms.**, Mus. Scient. II, 1860, 68 = *Cerapterus* **Swed.** 1788. *Pauss.*, *Cerapt.* 3.
- Eutichus* **Haag**, DEZ. 19, 1875, 417 (Mon.) (*E. Wahlbergi* **Haag** 1875) 1913:3 (Afr. mer.-occid.). *Ten.*, *Eurych.* 223.
- Eutidium* **O Lewis**, ANH. (7) 12, 1903, 419 (*E. bahiense* **Mars.** 1860) 1913:5 (Amer. centr., Brasil, Peru). *Hist.* 5.
- Eutochia* *** J. Lec.**, Class. 1862, 238; **Horn**, Rev. *Ten.* 1870, 372; **J. Lee.** u. **Horn**, Class. 1883, 381.
- Biol.: **Koningsberger**, Meded. Lands Plantent. 44, 1901, 43; **Meled. Dept.** Landb. 6, 1908, 82; **Deventer**, de Dierlijke Vijanden van het Suikerruit 1906, 53. — (*E. pulla* [Er.] 1843, *picea* [Melsh.] 1846) 1913:11 (Ind. ad Phil. Ins. Mad., Tex., Tonkin., As. et Afr. trop., Arg., Bras., Civ. confoed.). *Ten.*, *Uлом.* 708.
- Eutomus* **O Lac.**, VII, 1866, 369 = *Rhipidandrus* **J. Lec.** 1866. *Ten.*, *Rhipidandr.* 607.
- Eutrachelus* **Latr.**, Fam. Nat. Règne An. 1825, 386; **Imh.**, Stud. Kol. 1856, 167; **Lac.**, VII, 1866, 439; **Schoenfeldt**, GIW. *Brenth.* 1908, 49 (*E. Temminki* **Latr.** 1825) 1913:3 (Java; Born., Sumatr.). *Brenth.*, *Brentha.*, *Eutr.* 81.
- Eutrapela* **O Blanch.**, HNIns. II, 1845, 39; **Lac.**, V, 2, 1859, 570 [*E. Hübn.* [*Lepid.*] 1806 indescr.] (*E. elongata* [F.] 1792) 1913:24 (Afr. mer.; Sidney; Japon.). *Lagr.*, *Lagr.* 12.
- Eutrichesis* **Waterh.**, TESL. 1882, 499 (*E. punctatus* **Waterh.** 1882) 1913:3 (Madag.). *Scar.*, *Melth.*, *Melthin.* 232.
- Eutrichites* **O J. Lec.**, TAmES. 1880, 184; **Brendel.** Bull. Un. Iowa I, 1890, 256 (*E. Zimmermanni* **J. Lec.** 1880) 1913:1 (Virgin., Georg., Texas). *Psel.*, *Psel.*, *Brachygl.* 228.
- Eutrilia* **O Casey**, JoN YES. 8, 1900, 62, 65 f. 5 (*E. brunnea* **Casey** 1900) 1913:1 (Californ.). *Orth.*, *Ortho.* 27.
- Eutriplax* **Lewis**, ANH. (5) 20, 1887, 382; WEZg. 6, 1887, 309 (*E. tuberculifrons* **Lew.** 1887) 1913:1 (Japon.). *Erot.*, *Triplac.* 40.
- Eutripus* **Woll.**, TESL. 1862, 157 (*E. putricola* **Woll.** 1862) 1913:1 (Ins. Canar.). *Hist.* 49.
- Eutylistus* **Fall**, TAmES. 31, 1905, 212, 264 (Typ.?) ; *E. granus*, *intermedius* etc. [*J.Lec.*] 1878; *incomptus* [*J. Lec.*] 1865) 1913:8 (Am.: Civ. confoed.). *Anob.*, *Dorcat.* 80.

- Eutyphus* O. J. Lee., TAmES. 8, 1880, 185; Brendel, B. Un. Iowa II, 1890, 72; Raffr., Rev. d'E. 17, 1898, 263; ASEFr. 72, 1903, 531; GIW. *Psel.* 1908, 102 (*E. similis* J. Lee. 1880) 1913:3 (Virgin., Pennsylv.). *Psel.*, *Pselia*, *Euplect.* 116.
- Eutyposis* Sharp, Zo. Record. 31, 1894, Ins., 137 = errat. pro *Entyposis* Kolbe 1894. *Scar.*, *Melth.*, *Melthi*. 245.
- Euvacusus* Casey, Can. Ent. 35, 1904, 318 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Euvrilletta* Fall, TAmES. 31, 1905, 192, 196 (*E. xylosteinoides* Fall 1905) 1912:1 (Am. b.: Civ. confund.). *Anob.*, *Xylet.* 51.
- Euxema* O. Baly, BCA. Col. VI, 2, 1885, 3 (*E. insignis* Baly 1885) 1913:1 (Panama). *Chrys.*, *Hispa.*, *Cephal.* 5.
- Euzonitis* O. Sem., Rev. Russe d'Ent. III, 1903, 392; HoR. 27, 1893, 276 nota; Schaufuß in Calwer, 756; Kuhnt, 704, 708 (*E. sexmaculata* (Ol.) 1790, *quadripunctata* [F.] 1801, *sogdiana* [Sem.] 1893) 1917:13 (Eur. mer., Aeg., Asm., Syr., Alg., Arm., Turk. etc.). *Melo.*, *Nemogn.*, *Nemogni.* 74.
- Euzostria* Gorh., Not. Leyd. Mus. X, 1888, 139 (*E. aruensis* Gorh. 1886) 1913:1 (Aru, Nov. Guinea, Ins. Key). *Erot.*, *Dacn.* 87.
- Evacusus* [Casey] Pic in Schklig. u. J. P. 36, 1911 in Indic. p. 84 = err. pro *Euvacusus* Casey 1904.
- Evalces* O. Champ., BCA. Col. IV, 2, 1889, 92 (*E. dentipes*, *griseus* Champ. 1889) 1913:5 (Amer., Mex.). *Scrap.* 5.
- Evander* Lac., IX, 1869, 160 = *Parevander* Aur.. 1912. *Ceramb.*, *Ceramin.*, *Pteropl.* 948.
- Evander* J. Thoms., Class. Cer. 1860, 377; Syst. Cer. 1864, 257, 458 = *Amphidesmus* Serv. *Ceramb.*, *Ceramin.*, *Pteropl.* 949.
- Evaniocera* O. Guér., G. Ins. 1835 fasc. 1 nr. 2 t. 2; Lac., V, 1, 619, 625; Jacq. du Val, III, 410, 418; Redt., F. Austr. ed. III, 1874, I, p. CCXXV, et II, 166; Seidl., F. Ba. ed. II (1890) Gatt. p. 142; F. Tr. (1891) Gatt. p. 142; Schaufuß in Calwer, 759 (*E. Dufouri* [Latr.] 1817) 1913:14 (Eur. mer., Asm., Nov. Holl., Sib., Pers., Alg., Austral.). *Rhip.*, *Pelecot.* 15.
- Evaniosomus* O. Guér., MaZo. 1834, *Melas.* 14, *Cast.*, HN. II, 1840, 192; Lac. V. 1859, 74, 1834 (*E. Orbignyanus* Guér. 1834) 1913:5 (Peru). *Ten.*, *Evanios*. 53.
- Evanos* Cast., HN. Col. II, 1840 p. 144 (*E. villatus* Cast. 1840) 1918:1 (Brasil.). *Scar.*, *Rut. orth.*, *Geniat.* 153.
- Evelina* O. J. Thoms., Mus. scient. 1860, 22 (*E. Lacordairei* Thoms. 1860) 1913:1 (Am. mer.). *Ten.*, *Evanios*. 54.
- Evenus* O. Cast., in Silberm., Rev. IV, 1836, 41; Spin., Rev. Zo., 1841, 75; Kl., Clerii 1842, 315; Spin., Clér. II, 1844, 28; Lac., IV, 1857, 469; Chenu, Enc. II, 1860, 266; Schklig., GIW. Cler. 1903, 89; DEZ. 1906, 300 (*E. filiformis* Cast. 1836) 1913:6 (Madag.). *Cler.*, *Cleri.*, *Hydroc.* 131.
- Eugenius* Fährs., Öfvers. Vet. Akad. Föhr. 29, 1, 1872, 65 (*E. plumatus* Fährs. 1872) 1913:1 (Caffraria). *Ceramb.*, *Ceramin.*, *Comps.* 760.
- Evodinus* O. J. Lee., JoAcPhil. 1850, 325; Ganglb., Münch. Kol.-Z. I, 1903, 151; Schaufuß in Calwer, 826, 831; Kuhnt, 754, 763 (Typ.?; *E. clathratus* [F.] 1792; *quadrimaculata* [L.] 1758; *bifasciatus* [Ol.] 1792 [palaearet.]; *lituratus* [Kirby] 1837 [nearct.]) 1913:6 (Spp. palaearet. 13, nearct. 4). *Ceramb.*, *Ceramin.*, *Lept.* 524.
- Evoplus* J. Lee., New Col. 1866, 128 = *Hoplocephala* Cast. et Brll. 1831. *Ten.*, *Diaper.* 620.

- Exaereta** O Pasc., JoE. II, 1865, 368
(E. unicolor Pasc. 1865) 1913:1
 (Austral. mer.). *Ceramb.*, *Cerambin.*,
Strongli. 415.
- Exagontus** Waterh., TSL., Zo. (2)
 8, 1900, 74 (*E. denticollis* Waterh.
 1900) 1914:1 (Guin. brit.). *Helod.*
 inc. sedis (35).
- Exallus** Raffr., ASEFr. 73, 1904;
 GIW. *Psel.* 1908, 154 (*E. semiopacus*
 [Raffr.] 1896) 1913:1 (Gabun.). *Psel.*,
Psel., *Batriss.* 169.
- Examnes** O Pasc., TESL. (3) III, 1869,
 540 (*E. philippensis* [Newm.] 1842)
 1913:3 (Ins. Christm., Sarawak,
 Phil. Ins., Waigiu, Buru). *Ceramb.*,
Cerambin., *Calldpd.* 333.
- Exangeltus** Blackb., TRS. South Austr.
 2, 1897, 93 (*E. angustus* Blackb.
 1897) 1913:2 (Austral. centr. et mer.).
Ten., *Nyctop.* 261.
- Exapinaeus** Pasc., ANH. (5) 9, 1882,
 34 (*E. politus* Pasc. 1882) 1913:1
 (Amaz. super.). *Ten.*, *Diaper.* 637.
- Exapion** Bedel, Faune Col. Bass. Seine
 VI, 1885, 360; Schaufuß in Calwer,
 1181; Kuhnt, 1025 = Subg. ad *Apion*
Hbst. *Cure.*, *Api.*, *Apion.* 11.
- Exedrus** O Raffr., A. Mus. Nat. Hung.
 1903, 47; ASEFr. 73, 1904, 126;
 GIW. *Psel.* 1908, 154 (*E. identatus*
 [Raffr.] 1894) 1913:2 (Singap., Nov.
 Guin.). *Psel.*, *Psel.*, *Batriss.* 170.
- Exeirarthra** Broun, Man. N. Zeal.
 Col. V, 1893, 1054; Raffr., ASEFr.
 72 1903, 492; GIW. *Psel.* 1908, 45
 (*E. enigma* Broun 1893) 1913:2
 (Nov. Zealand.). *Psel.*, *Psel.*,
Faron. 2.
- Exeniotis** O Pasc., ANH. (4) 8, 1871,
 35 (*E. collaris* Pasc. 1871) 1913:1
 (Amaz.). *Ten.*, *Zopher.* 205.
- Exerestus** Bates, EMM. 6, 1870, 268;
 9, 1872, 98; Kraatz, DEZ. 24, 1880,
 132 = *Rhinandrus* J. Lee. 1866.
Ten., *Tenebr.* 761.
- Exilia** Muls., Col. Fr. *Long.* ed. 2,
- 1863, 195, **Ganglb.**, Best.-Tab. VII,
 1881, 65, 743 = *Penichroa* Steph.
 1839. *Ceramb.*, *Cerambin.*, *Gracil.*
 347.
- Eximia** O Jord., Nozo. I, 1894, 181
 (*E. tricolor* Jord. 1894) 1913:1 (Congo).
Ceramb., *Cerambin.*, *Callichr.* 739.
- Exocalopus** Broun, Man. N. Zeal. Col.
 V, 1893, 1170; Seidl., NID. V, 2,
 817 nota 1. (*E. pectinatus* Broun
 1893) 1915:3 (Nova Zealand.). *Oed.*,
Oedem., *Ascler.* 49.
- Exocentrus** Muls. *Ceramb.* vide P. II.
- Exochomus** Redt. *Cocc.* vide P. II.
- Exohodrus** Broun, Man. New Zeal.
 Col. V, 1893, 30 (*E. volutithorax*
 Broun 1893) 1913:1 (Nov. Zealand.).
Ten., *Opatri.* 520.
- Exolontha** Reitt., VN. 40 [Best.-Tab.
 50] 255, 269 (*E. umbraculata* Burm.
 1855) 1913:1 (China). *Scar.*, *Melth.*,
Melthi. 370.
- Exoma** Casey, Can. Ent. 40, 1908, 282
 (*E. pleuralis* Casey 1908) 1911:1
 (Columb. britann.). *Byrrh.* 30.
- Exomala** ♀ Reitt., VN. 41, 1903,
 89 = Subg. 4 ad *Phyllopertha* Steph.
 1830 (*E. orientalis* [Waterh.] 1875,
pallidipennis Reitt. 1903) 1918:2
 (Japon., Sibir. or., Corea). *Scar.*,
Rut. hom., *Anomi.*, *Anoma.* 77, 4.
- Exopholis** Motsch., Etud. E. 8, 1859,
 98; Waterh., EMM. IV, 1867, 145;
 Brenske, BEZ. 1893, 355 (*E. bir-*
manica Motsch. 1859, *hypoleuca*
 [Wiedem.] 1899) 1913:8 (Tenass.,
 Nias, Birma, Pulo, Penang, Ins.
 Sund., Phil. Ins., Amboina) 1913:8
Scar., *Melth.*, *Melthi.* 268.
- Exorhabdus** O Lewis, ANH. (8) 6, 1910,
 53 = Subg. 3 ad *Hister* L. 1758
 (*E. afer* [Payk.] 1911) 1913:9 (Afr.
 trop.). *Hist.* 38, 3.
- Exosternus** Lewis, ANH. (7) 10, 1902,
 233 (Typ.?: *E. aeratus*, *manicatus*
 Lew. 1902) 1913:4 (Afr. or., mer.,
 Angola). *Hist.* 61.

- Exothispa** Kolbe, ENa. 23, 354 (E.
Reimeri Kolbe 1897) 1913:1 (Afr.
or. germ.). *Chrys.*, *Hisp.*, *Exoth.* 67.
Exysma Gorh., BCA.Coll. 7 (1891), 145;
Csiki, A. Mus. Nat. Hung. 3, 1905,
574 (*E. laevigata* Gorh. 1891) 1913:3
(Mex., Guatém.). *End.*, *Mycet.*,
Myceta. 12.
- Facetus** Schauf., Numq. ot. II, 1872,
454 = *Bythoxenus* Motsch. 1859.
Psel., *Pselia*, *Tych.* 307.
- Fachus**¹⁾ nom. nov. R. Luc. pro *Byrrhodes* J. Lee. 1878.
- Faex** Ws., ArN. 67, 1901, 165, 168
(Type?: *F. signata* Boisd. 1835,
Ws., ArN. 67, 1901, p. 165, 168)
1916:4 (Austral.). *Chrys.*, *Chryso.*,
Parops. 80.
- Falacer** Cast., NH. 1840, 233 = *Meracantha* Kirby 1837. *Ten.*, *Merac.*
1110.
- Falagria** Mannh. *Staph.* vide P. II.
Falagrio'a Reitt. *Staph.* vide P. II.
- Falcicornis** O Planet, Naturaliste 16,
1894, 44 (*F. Groultii* Planet 1894)
1913:1 (Assam). *Luc.*, *Dorc.* 41.
- Faliscus** Casey, Contr. Descr. Col. N.
Am. II, 1884, 94 = *Bibloporus* Thoms.
1861. *Psel.*, *Pselia*, *Euplect.* 104.
- Fallacia** O Muls. u. Rey, Opusc. E.
13, 1863, 180; ASLLyon (2) X,
1863, 180 (*F. elegans* [Fald.] 1837)
1913:1 (Caucasus). *Ceramb.*, *Ce-
rambin.*, *Lept.* 540.
- Fallacioforma** Pic, Cat. *Longic.* 1900,
37; *Long.* VI, 1, 1906, 7 = *Gram-
moptera* Serv. 1835. *Ceramb.*,
Cerambin., *Lept.* 546.
- Fallaciomorpha** Pic, Cat. *Longic.* 1900,
37; *Longic.* VI, 1, 1906, 7 =
Grammoptera Serv. 1835. *Ceramb.*,
Cerambin., *Lept.* 546.
- Fallia** O Sharp, BCA.Coll. II, 1, 1902,
629; Scott, F. Hawaiiens. III, 5, 1908,
433 (*F. minor* Sharp 1902) 1913:4
- (Hond. brit., Pan., Guat.; Ins. Haw.).
Disc. 2.
- Falsobruchus** Pic, Echange 29, 1913,
110 = Subg. ad *Pseudopachymerus*
Pic 1913. *Bruchi.*, *Bruchi.* 7.
- Falsodaemon** Pic, Mélang. Exot. E. 7,
1913, 4 (*F. madecassus* Pic 1913)
1914:1 (Madag.). *Helod.*, *Ptilodact.*,
Ptilodacti. 30.
- Falsoletolus** Pic, BSEFr. 1903, 145 =
Subg. ad *Hylophilus* Berth. 1827.
Hyloph. 3.
- Falsomycterus** Pic, Echange 23, 1907,
127 (*F. diversipes* Pic 1907) 1913:2
(Brasil.). *Ten.*, *Falsom.* 330.
- Falsotherius** Pic, Echange 29, 1913, 165
(*F. sumatrensis* [Fairm.] 1888, *atricolor*
et *Dohertyi* Pic 1913) 1914:3 (Sumatr.,
Malacca). *Dasc.*, *Dasci.*, *Cneogl.* 13.
- Faradayus** Reitt., F. Germ. Käf. 1909,
217 = *Pselaphophtrus* Reitt. 1891.
Psel., *Pselia*, *Pselaph.* 328.
- Faronidius** O Casey, TESL. 1887, 381;
Raffr., Rev. d'E. 21, 1893, 3; T.SAfr.
Phil. S. 1897, 47; ASEFr. 72, 1903,
492; GIW. *Psel.* 1908, 15 (*F. afri-
canus* Casey 1887) 1913:2 (Cape
Town, Wellington.). *Psel.*, *Pselia*,
Faron. 3.
- Faronona** O Raffr., Rev. d'E. 13, 1894,
259; ASEFr. 72, 1903, 588; GIW.
Psel. 1908, 116 (*F. cavangula* [Reitt.]
1889) 1913:1 (Valdivia). *Psel.*,
Pselia, *Trichon.* 135.
- Faronus** Aubé, ASEFr. (2) II, 1844,
157; Raffr., Rev. d'E. 12, 1893, 5;
ASEFr. 72, 1903, 492; GIW. *Psel.*
1908, 16; *Ganglb.*, KäfMEur. II,
778; (*F. Lafertei* Aubé 1844) 1913:14
(Mediterr., Austral.). *Psel.*, *Pselia*,
Faron. 4. 4.
- Faula** Blanch., Cat. Coll. E. Col. I, 1851,
124 = *Ancistrosoma* Curtis 1834.
Scar., *Melth.*, *Macrod.* 497.
- Faula** Blanch., Cat. Coll. E. Col. I, 1850,
124; Bates, BCA.Coll. II, 2, 1887,

¹⁾ Nota: Dedic. amico meo Robert. Fach (Welbsleben.), mecum incensus
studio Herm. Loens, „des Heidesängers“.

- 136 = *Ceraspis* Serv. 1825. *Scar.*, *Melth.*, *Macrod.* 498.
- Faustia Reitt.**, HoR. 21, 1887, 381 (27)
= *Leipopleura* Seidl. 1893 = Subg.
ad *Platyscelis* Latr. 1825. *Ten.*,
Platysc. 397.
- Faustia Kraatz**, DEZ. 26, 1882, 92
= *Platynoscelis* Kraatz 1882 = Subg.
ad *Platyscelis* Latr. 1825. *Ten.*,
Platysc. 397.
- Fericetus** ♀ Reitt., VN. 23, 1885, 10;
WEZg. 5, 1886, 316; DEZ. 1899,
297, *Ganglb.*, KäfMEur. 3, 1899,
94; *Jeannel*, Rev. Ba., 479. —
Phylog.: *Jeannel*, Rev. Ba. 128
= Subg. ad *Drimeotus* L. Miller 1856
(*F. Kraatzii* [E. u. J. Frivaldszky] 1857)
1914:1 (cavern.: Hung.: Bihar).
Silph., Bath., Bathy. 41, 2.
- Ficicis Lea**, P. Roy. S. Vict. 22, 1911,
147 (*F. varians*, *koebeliae* Lea 1911)
1911:2 (Queensland). *Ipid.* (apud
Hylesinum), *Hyles*. 17b.
- Fidia** O ♀ Baly, JoE. II, 1863, 153;
Chap., G. Col. X, 1874, 275; **Jac.**,
BCA. Col. VI, 1882, 166; **Lefv.**,
MSLiège (2) 11, 1885, 75; **G. Horn**,
TAmES. 19, 1892, 196, 198. —
Biol.: **Sanderson**, ENs. 17, 1906,
210; **Girault**, Psyche 14, 1907, 27
—39; **Felt**, Albany Univ. Rep.
N. York State Mus. 57, 1908, 1—51,
t. 1—6, etc., etc. — Parasitism.:
Felt, Rep. N York State Mus. 57,
I, II, Bull. LXXII, Entomology XIV,
1903 (1905) 32 (Typ.?; *F. longipes*
[*Nelsh.*] 1847) 1914:15 (Mex. 9, Tex. 2,
Ariz., Hondur. brit., Guat., Am. br.
med., Fla.). *Chrys.*, *Eumolp.*, *Leprot.*
130.
- Figulus** O M'Leay, HoR. I, 1819, 110;
Westw., A.Sc.Nat. (2) I, 1834, 115;
EMa. V, 1838, 261; **Burm.**, Hd. V,
1847, 435; **Parry**, TESL. 1873, 343
(*F. striatus* [Ol.] 1789) 1913:39 (Japon.,
As.mer., Regio malay.: Ins.; Austral.).
Luc., *Fig.* 66.
- Filalia Escal.**, Bol. Soc. Espan. VI,
1906, 162 = Subg. ad *Apalus* F.
1775. *Melo*, *Nemogn.*, Sit. 64.
- Filiger** O Schauf., *Psel.* Siams 1877,
17; **Raffr.**, Rev. d'E. 5, 1890, 134,
135; ASEFr. 73, 1904, 309; GIW.
Psel. 1908, 391 (*F. ampliventris*
Schauf. 1877) 1913:7 (Siam., Batav.,
Gabun., Sumatr., Abyss.). *Psel.*,
Pselia, *Hyboc.* 337.
- Filotarsus** Sol., ASEFr. 9, 1840, 239
= *Praocis* Eschsch. 1829. *Ten.*,
Praoc. 410.
- Fissilanonicalis** Pic, Mélang. exot.
entom. 1, 1912, 4 (*F. maculicollis*
Pic 1912) 1915:1 (Sumatr.). *Oed.*,
Oedem., *Nacerd.* 7.
- Flatipalpus** Fairm., ASEFr. (5) 3,
1873, 391; l. c. (5) 9, 1879, 240;
Reitt., VN. 40 [Best.-Tab. 50], 108
= Sect. ad *Pachydema* Cast. 1832.
Scar., *Melth.*, *Pachyd.* 394.
- Flohrinia** O Sharp, BCA. Col. I, 2, 1882/87,
(1884), 391 (*Fl. laticornis* Sharp 1884)
1914:1 (Mex.). *Staph.*, *Staphy.*,
Staphyl. 296.
- Florilinus** Muls. et Rey, *Scut.*, 141;
Schaufuß in Calwer, 604 = Subg. ad
Anthrenus F. 1775. *Derm.*, *Anthren.*
27.
- Fluvicola** De Kay, NH. New York VI,
1884, 53 t. 10 f. 37/9 (Larv.) = *Psephenus*
Hald. 1853. *Dryop.* 1.
- Fontaienus**, *Fondajenus*, *Curc.* vide
P. II.
- Fonteboanius** O Senna, BSEItal. 25,
1893, 125; **Schoenfeldt**, GIW. *Brenth.*,
1908, 68 (*F. lamellipes* Senna 1893)
1913:1 (Amazonas). *Brenth.*,
Brentha., *Nem.* 109.
- Formicilla** O J. Lec., AN YAcSc. V,
1851, 152 (*F. munda* J. Lec. 1851,
leporina [Laf.] 1848) 1911:10 (Amer.).
Anth. 7.
- Formicoma** Motsch. (in litt.), BMosc.
18, 1, 1845, 83 = *Formicomus* Laf.
1848. *Anth.* 5.

- Formicomimus* **Aur.**, ETi. 18, 1897, 244 (*F. mirabilis* **Aur.** 1897) 1913:1 (N. S. Wales). *Ceramb.*, *Cerambin.*, *Pseudoph.* 451.
- Formicomus* **O Laf.**, Mon., 70 t. 25 f. 1—14; *Redtb.*, F. Austr. ed. II, 1858, 637; *Lac.*, V, 2 p. 591; *Bach.*, III, 283; *Jacq. du Val*, III, 4 p. 369; *Muls. et Rey*, *Coligères* 65; *Baudi*, *Eterom.*, 87; *Mars.*, Mon. 46; *Seidl.*, F. Ba., 147; F. Tr. 147; *Guttl.-B.*, 431; *Faué*, F. Col. Fr. 332; Gen. Col. Fr. 1894, 48; *Destr.*, Faunule 1899, p. 1, 3, 21; *Pie*, BSHN. Macon, I, 1899, 190, nota 1; *Schaufuß* in Calwer, 744, 745; *Kuhnt*, 699, 700. — *Synops.* spp. Ind. or.: *Pie*, Echanc. 11, 1895, 6 et 7; (*Typ.?*; *F. pedestris* [Rossi] 1790) 1913:158 (Mediterr., Afr., As., Males., Austral., Madag.). *Anth.* 5.
- Formicus* **J. Lee.**, Class. 1861, 266; *J. Lee. et Horn*, Class. 1883, 412; *Casey*, AN YorkAcSc. 8, 1895, 644 = *Formicilla* **J. Lee.** 1851. *Anth.* 7.
- Fossanobium* *Pie*, Echange 19, 1903, 172; Rev. d'E. 24, 186 = Subg. ad *Petalium*. **J. Lee.** 1861. *Anob.*, *Dorcat.* 59.
- Fourcartia* *Jacq.* *Curc.* vide P. II.
- Fregolia* *Goun.*, ASEFr. 80, 1911, 9 (*Fr. listropteroïdes* *Goun.* 1911) 1913:1 (Goyaz). *Ceramb.*, *Cerambin.*, *Cleom.* 885.
- Frenais* *Jac.*, Ent. 36, 1903, 209 (*Fr. peruviana* *Jac.* 1903) 1914:1 (Peru). *Chrys.*, *Eumolp.*, *Chalcoph.* 78.
- Frenchella* * **Blackb.**, PLSNSW. (2) 7, 1892, 104; TRS. South Austral. 31, 1907, 268, 269. — Biol.: PLSNSW. X, 1895, 331 (*Fr. lubrica* *Blackb.* 1892; *rugosa* [*Burm.*] 1855; *striatella* [*Blanch.*] 1850) 1913:10. (Austral.). *Scar.*, *Melth.*, *Lipar.* 189.
- Frickius* **O** * **F. Germain**, An. Univ. Chile 17, 1897, 294. — Biol.: *Arrow*, TESL. 1904, 723 t. 36 f. 5 (*Fr.*
- varioulosus* **P. Germ.** 1897) 1913:2 (Chile, Patag.). *Scar.*, *Tauroc.* 2.
- Frivaldszkyia* *Ganglb.*, KäfMEur. III, 1899, 98 (néo *Schiner*) = *Mehadiella* *Csiki* 1899. *Silph.*, *Bath.*, *Bathy.* 8.
- Fruhstorferia* *Kelbe*, STEZg. 55, 1894, 3 (*Fr. javana* *Kelbe* 1894) 1918:5 (Tonkin, Birma, Java occ., Yunnan). *Scar.*, *Rut. hom.*, *Ruti.*, *Fruhst.* 48.
- Furcipalpus* *Guér.*, Rev. MaZo. (2) 13, 1861, 533 = *Dicranopselaphus* *Guér.* 1861. *Dasc.*, *Eubr.* 35.
- Furcipes* *Curc.* *Anthon.* vide P. II.
- Fusalia* *Casey*, Mém. Col. 2, 1911, 145 (*E. brittoni* *Casey* 1911) = Subg. ad *Sableta*; 1913:1 (Connecticut). *Staph.*
- Fuscicornis* **O. Taschb.** in Heyne-Taschb. Exot. Käf. 1908, 191 = *Atractocerus* *Palis.* 1801. *Lym.* 1.
- Fusicornis* *Phil.*, STEZg. 27, 1866, 115 = *Atractocerus* *Palis* 1801. *Lym.* 1.
- Fusifer* *Raffr.*, ASEFr. 68, 1899, 524; 73, 1904, 451 = *Paussiger* *Wasm.* 1893. *Psel.*, *Clavig.* 1458.
- Fustiger* *Brendel*, PESPhil. 1866, 189; *Schaut.*, AMuG. 18, 1882, 179; *Raffr.*, Rev. d'E. 9, 1890, 164, 166; ASEFr. 73, 1904, 447; GIW. *Psel.* 1908, 429 (*F. Fuchsii* *Brendel* 1866) 1913:16 (Am., Abyss., Madag.). *Psel.*, *Clavig.* 436.
- Fustigerinus* *Wasm.*, ZwZo., 101, 1912, 105/6 (*F. kohli*, *hirsutus* *Wasm.* 1912) 1913:2 (Congo). *Psel.*, *Clavig.*
- Fustigerodes* **O Reitt.**, DEZ. 28, 1884, 168; *Raffr.*, Rev. d'E. 1890, 164/67; T.SAfr. Phil. Soc. 1897, 117; *Wasm.*, WEZg. 17, 1898, 96; *Raffr.*, ASEFr. 73, 1904, 449; GIW. *Psel.* 1908, 438, t. 2 f. 19 (*Typ.?*; *F. majusculus* *Pering.* 1888, *F. capensis* *Pering.* 1888) 1913:6 (Cap. b. sp., Natal., Sin. Delagoa). *Psel.*, *Clavig.* 449.
- Fustigeropsis* **O Raffr.**, Rev. d'E. 9, 1890, 164, 167; T.SAfr. Phil. S. 1897, 116; ASEFr. 73, 1904, 450; GIW. *Psel.* 1908, 439 (*F. Peringueyi* *Raffr.* 1890) 1913:2 (Trv., Col. Orange) 451.

- Gabata** O Raffr., T.SAfr. Phil. S. 1898, 387; ASEFr. 72, 1903, 527; GIW. *Psel.* 1908, 90 (*S. semipunctata* Raffr. 1898) 1913:2 (Port. Elisab.; Nov. Zealand.). *Psel.*, *Psela.*, *Euplect.* 94.
- Gabonia** Fairm., ASEB. 38, 1894, 326 = *Gabonisca* Fairm. 1894 = *Prioscelides* Kolbe 1889. *Ten.*, *Pycnoc.* 886.
- Gabonisca** Fairm., ASEB. 38, 1894, 326 = *Prioscelides* Kolbe 1889. *Ten.*, *Pycnoc.* 886.
- Gabrius** Steph., Ill. Brit. V, 1832, 249; **Joy**, EMM. 47, 1911, 80; **Schaufuß** in Calwer, 194; **Kuhnt**, 213 = Subg. ad *Philonthus* Curtis 1825. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 286.
- Gaenima** Casey, Mém. Col. 2, 1911, 160 (*G. impedita* Casey 1911) 1913:1 (Cal.). *Staph.* cf. P. II.
- Gahania** Dist., ANH. (7) 20, 1907, 423 (*G. Simmondsi* Dist. 1907) 1913:1 (Natal.). *Ceramb.*, *Cerambin.*, *Dorcas.* 571.
- Galaor** J. Thoms., ArE. II, 1858, 43 = *Axyra* Er. 1843. *Nit.*, *Nitid.* 79. *Galeruclerus* (Spp. *Pelonii*, *unguibus basi dilatatis*); **Gahan**, ANH. (8) 5, 1910, 75 (*G. contaminatus* et *sexnotatus* [Kl.] 1842) 1913:44 (Am. centr. et sept.). *Cler.*, *Coryn.*, *Enopli.* 158.
- Galissus** O Dupont, MaZo. X, 1840, Monogr. *Trachyd.* Suppl. ad 1; **J. Thoms.**, Syst. Cer. 1864, 434 (*G. cyanopterus* Dupont 1840) 1913:1 (Cayenne). *Ceramb.*, *Cerambin.*, *Stenasp.* 991.
- Gama** O Blanch., Cat. Coll. E. Col. I, 1850, 118; **Lac.**, III, 1856, 264 (Typ.?; *G. grandicornis*, *pallida*, *relucens* Blanch. 1850) 1913:7 (Bras., Arg. mer., Ven.). *Scar.*, *Melth.*, *Macrodr.* 460.
- Gamaxus** Bates, TESL. 1868, 314 (*G. Hauxwelli* Bates 1868) 1913:1 (Peru). *Ten.*, *Goniad.* 860.
- Gamba** Schauf., Nunq. ot. II, 1872, 455 = *Jubus* L. W. Schauf. 1872. *Psel.*, *Psela.*, *Jub.* 22.
- Gambria** Chevr., ASEFr. (4) II, 1862, 760 = *Cyphosterna* Chevr. 1862. *Ceramb.*, *Cerambin.*, *Stenasp.* 996.
- Gamka** Péring., T. South Afr. Phil. S. 13, 1904, 159; 1908, 675 (*G. minuta* Péring.) 1913:1 (Colon. cap.). *Scar.*, *Melth.*, *Seric.* 145.
- Ganascus** Casey, AN YAcSci. 8, 1895, 774, 803 = Subg. ad *Hylophilus* Berth. 1827. *Hyloph.* 3.
- Ganglbaueria** Sem., HoR. 25, 1891, 378; 28, 1894, 452 et 460 (Sep. 4 et 12); Seidl., NID. V, 2, 816 (*G. collaris* Sem. 1891) 1915:1 (Turk. chin.). *Oed.*, *Oedem.*, *Ascler.* 35.
- Ganimus** J. Lec., Smiths. Misc. Coll. XI, 264, 1873, 173 = *Malacopterus* Serv. 1833. *Ceramb.*, *Cerambin.*, *Oem.* 86.
- Ganonota** O Ohs., DEZ. 1915, 259 = Subg. 2 ad *Pelidnota* McLeay 1819. Sect. (Grupp.) [1—3 cf. *Pelidn.*]. 4. *pulchella* (*G. pulch.* [Kirby] 1818) 1918:15 (Brasil., Ecuad., Boliv., Ins. St. Domingo, Rio de Janeiro). — 5. *ebenina* (*G. eben.* [Blanch.] 1842) 1918:2 (Boliv.: St. Cruz; Bras.: Bahia). — 6. *nitescens* (*nitesc.* [Vigors] 1825) 1918:1 (Bras.: Territ. Kamp., Minas Geraes, Parana). — 7. *quadripunctata* (*G. quadr.* [F. Bates] 1904) 1918:1 (Cayenne). — 8. *cuprea* (*G. cupr.* [Germ.] 1824) 1918:1 (Brasil., mont. cost., St. Cathar., Goyaz, Parag.). — 9. *rubripennis* (*G. rubr.* [Burm.] 1844) 1918:2 (S. Paulo, Rio de Jan., Pernambuco). — 10. *tibialis* (*tib.* [Burm.] 1844) 1918:2 (Brasil.), mont. cost., Rio de Janeiro, Macahé). — 11. *litarella* (*G. lit.* [Kirby] 1818) 1918:5 (Bras., Arg., Parag., Bol., Peru or.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 30, 2.
- Ganosomus** Fairm., Rev. d'E. 1910, 207 (*G. elegans* Fairm. 1901) 1913:1

(Madag.). *Ceramb.*, *Cerambin.*, *Ibid.* 293.

Ganyme O Pasc., ANH. (4) 3, 32, 1869 (*G. sapphira* [Newm.] 1842, *Howitti* Pasc. 1869) 1913:2 (Victoria). *Ten.*, *Ulod.* 613.

Gargilius O Fairm., ASEFr. 60, 1891, 251 (*G. bicornutus*, *trispinosis* Fairm. 1891) 1913:4 (Ashant., Benin, Guinea, Afr. or. germ.). *Ten.*, *Diaper.* 633.

Gasola Reitt., DEZ. 26, 1882, 150 = *Jubus* L. W. Schauf. 1872. *Psel.*, *Pselia*, *Jub.* 22.

Gastrallus O Jacq. du Val, Glan. E. V, 1860, 142; Gen. Col. d'Eur. III, 1861, 215, 222; C. G. Thoms., V, 154; Muls. u. Rey, Téréd. 1864, 29, 114; Kiesw., NID. V, 1877, 89, 100; Seidl., F. Ba. et F. Tr. 118; Fauc. F. Col. Fr. 301; Gen. Col. Fr., 32; Schilsky, Käf. Eur. 36, 36 B; Reitt., Tab. 47, 4 et 11; F. Germ., III, 306; Everts, II, 222, 227; Fall, TAmES. 1905, 154, 168; Schaufuß in Calwer, 720; Kuhnt, 675, 679 (*G. immarginatus* [Müll.] 1821, *laevigatus* [Ol.] 1790) 1913:10 (Eur., Jap., Syr., Java, Mediterr., Am. b.). *Anob.*, *Anobi*. 29.

Gastrhaema Jacq. du Val, III, 1859/63, 353; Fairm., ASEFr. (4) 6, 1866, 48; Seidl., NID. V, 2, 1896, 226; Reitt., DEZ. 1890, 33; VN. 45, 1906, 118, 136; Bedel, Abeille 28, 1894, 157 (*G. nigripennis* [F.] 1792) 1913:6 (Hisp., Alger., Marocco, Tunes.). *All.*, *Omphol.* 108.

Gastrisus O Sharp, TESL. 1876, 136 (*G. obsoletus* Sharp 1876) 1914:8 (Am. centr.; Venez., Brasil.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 362.

Gastrobothrus Broun, Man. New Zeal. Col. III, 1886, 758; Raffray, Rev. d'E. 9, 1890, 122; ASEFr. 73, 1904, 115; GIW. *Psel.* 1908, 242 (*G. abdominalis* Broun 1880) 1913:1 (Nov.

Zealand.). *Psel.*, *Pselia*, *Brachygl.* 261.

Gastrocentrum O Gorh., Cist. E. II, 1875/82; (1876), 63; Schklig., GIW. Cler. 1903, 22; Gahan, ANH. (8) 5, 1910, 61 (*G. unicolor* [White] 1849, *dux* [Westw.] 1852) 1913:2 (Ceyl., Java; Ind. or., Phil. Ins.). Cler., Cleri., Till. 39.

Gastroeidea Hope, Col. Man. III, 1840, 164, cf. Ws. in Schklig. u. J., Col. Cat. P. 68, 1916, 116 = *Gastroidea* Hope. *Chrys.*, *Chryso.*, *Phaedon*. 38.

Gastroidea O * + Hope, Col. Man. III, 1840, 164; Ws., NID. VI, 2, 1882, 306; Fowler, Col. Brit. Isl. IV, 1890, 313; Bedel, V, 155; Everts, II, 1903, 449; Reitt., F. Germ. IV, 1912, 124; Schaufuß in Calwer, 927, 928; Kuhnt, 805, 836 (*G. polygoni* [L.] 1758, *viridula* [Deg.] 1775) 1916:13 (10+3) (Eur., Sib., Jap., China, Amur, Am. b.). *Chrys.*, *Chryso.*, *Phaedon*. 38.

Morphol.: Mc. Cracker, Jc. exp. Zo. Baltim. III, 1906, 321.

Org. eop.: Sharp u. Muir, TESL. 1912, 564.

Parthenog.: Osborne Nature 20, 1879, 430; 22, 1880, 509; EMM. 17, 1880, 127; Mc Laehl., TESL. 1881, p. XXVII.

Biol.: Baker, ENs. 6, 1895, 28; Bond, PESL. 1868, 41; Kaltenb., Pflanzenfeinde II, 1872, 511; Chap. X, 1874, 370; Webster, Insect Life II, 1890, 275; Beutenmüller, EAm. VI, 1890, 176; Luc., ASEFr. (6) 7, 1887, Bull. 148; Geury et Guignon, Feuill. Jeun. Nat. 37, 1907, 181; Kleine, Intern. EZ. Guben V, 1911, 63 et 70 etc., cf. Ws. in Schklig. u. J.; Col. Cat. P. 68, 1916, 116 sq. etc.

Gastrolina O Baly, ANH. (3) 4, 1859, 61; Chap., X. 1874, 368, 376; Harold, DEZ. 21, 1877, 362; Mars., Abeille 26, 1888, 17 (*G. peltoides*

- Gebl.** 1832) 1916:4 (Jap., Sib., Chin. bor., Amer.). *Chrys.*, *Chryso.*, *Phaedon*. 50.
- Gastrolobium* **Casey**, T.Ac.St.Louis XV, 1905, 23, 31 = Subg. ad *Cryptobium* **Mannerh.** 1830. *Staph.*, *Paed.*, *Paedi*. 233.
- Gastrophysa* **Chevr.**, Dict. univ. III. 1843, 656; VI, 1845, 34; **Redtb.**, Gatt. deutscher Käfer. 1845, 116; **Motsch.** in Schrenck's R. II, 179; **Fairm.** in Jacq. du Val IV, 1868, 234; **Chap.** X, 367; **Mars.**, Abeille 26, 1888, 71; **Kuhnt**, 805 = *Gastroidea*
- Hope** 1840. *Chrys.*, *Chryso.*, *Phaedon*. 38.
- Gastropius* **Lefv.**, MSIége (2) 11, 1885, 167 (*G. insignis* Lefv. 1885) 1914:1 (Ecuador). *Chrys.*, *Eumolp.*, *Colasp.* 50.
- Gastrosarus* **Bates**, ANH. (7) 14, 1874, 22 (*G. nigricollis* Bates 1874) 1912:4 (Nov. Zeal.). *Ceramb.*, *Cerambin.*, *Molorch.* 620.
- Gastroserica* O **Brenske**, BEZ. XLII, 1897, 355 (Typ.?: *G. impressicollis* [Fairm.] 1891, *marginalis* [Brenske] 1894) 1913:5 (China, Tonkin). *Scar.*, *Melth.*, *Seric.* 39.
- Gastrocorus* [Bates] **Aur.** in Schklig. u. J., P. 39, 1912 in Indic. p. 497 = err. pro *Gastrosarus* **Bates** 1874. *Ceramb.*, *Cerambin.*, *Molorch.* 620.
- Gaulodes* **Er.** in Germar, ZE. IV, 1843, 315 (*G. costatus* **Er.** 1843) 1913:1 (Austral.). *Nit.*, *Nitid.* 136.
- Gaurambe* **Lév.**, Temn. ed. I in ASEFr. (6) 8, 1888, (1889), 447; Catal. ed. II, l. c. 69, 1900, 24 = *Ostoma* **Laich.** 1781. *Temn.* 45.
- Gaurambopsis* **Kr.**, DEZ. 22, 1878, 238; **Reitt.**, VzbGW. 29, 1879, 508 = *Ancyrona* **Reitt.** 1876. *Temn.* 34.
- Gauresthes* **Bates**, PZSL. 1889, 392 (*G. rufipes* **Bates** 1889) 1913:1 (Borneo). *Ceramb.*, *Cerambin.*, *Callichr.* 753.
- Gauromaja* **Pasc.**, JoE. II, 1866, 473 (*G. dives* **Pasc.** 1866) 1913:12 (Arch. malay., Singap., Nias, Kaschmir.). *Ten.*, *Cnodal.* 923.
- Gauropterus* O *** C. G. Thoms.**, Sk. Col. II, 1860, 187; *Muls.* et *Rey*, Col. Fr. Brévip. 1877, 36; *Schaufuß* in Calwer, 188, 191; *Kuhnt*, 166, 228. Biol.: *Rey*, ASLLyon 33, 1886, 149; etiam sep. 1887: Essai d'étude sur cert. larv. — (*G. fulgidus* [F.] 1787) 1916:12 (Eur., Am. b., As., Cauc., Pers., Asm., Afr. or. germ., Congo etc., Madag. 4). *Staph.*, *Staphy.*, *Xanth.* 265.
- Gaurotes* O *** J. Lee.**, JoAcPhil. (2) I, 1850, 324; *Ganglb.*, Best.-Tab. VII, 1881 p. 7 (685); *Schaufuß* in Calwer, 826, 833; *Kuhnt*, 754, 765. Biol.: *Felt*, Ins. aff. Trees 1907, 454 fig. (Typ.?; *G. virginea* [L.] 1758) 1913:15 (Spp. pal. et As. or.: 8, Spp. nearct.: 7). *Ceramb.*, *Cerambin.*, *Lept.* 529.
- Gaurotina* **Ganglb.**, HoR. 24, 1889, 49 (*G. superba* **Ganglb.** 1889) 1912:1 (China: Gansu). *Ceramb.*, *Cerambin.*, *Lept.* 527.
- Gaurotinus* **Fairm.**, ASEB. 44, 1897, 392 (*G. tenuelineatus* **Fairm.** 1897) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 510.
- Gavirga* **Stål**, Öfv. Vet. Ak. Förh. 17, 1860, 469; Mon. III, 1865, 313; **Chap.**, X, 1874, 435, 436 (*G. concinnula* **Stål** 1860) 1916:9 (Bras., Bol., Peru). *Chrys.*, *Chryso.*, *Phyllod.* 97.
- Gebleria* **Motsch.**, B. Ac. Petr. 1860, II, 529 = *Prosodes* **Eschsch.** 1829. *Ten.*, *Blapt.* 390.
- Gedeon* **Reiche**, ASEFr. (3) 5, 1857, 219; *Lac.*, V, 186; *Sén.*, Mon. II, 1887, p. V; = Subg. ad *Pimelia* F. 1775. *Ten.*, *Pimel.* 377.
- Gefyrobius* **C. G. Thoms.**, Skand. Col. II, 1860, 166; *Schaufuß* in Calwer, (196) = Subg. ad *Philonthus* **Curtis** 1825. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 286.

- Gelonaetha* O J. Thoms., Rev. MaZo. (3) VI, 1878, 12; *Gahan*, F. Brit. Ind. Col. I, 1906, 154 (*G. hirta* Fairm. 1850) 1912 (Ind. or.; Phil. Ins.). *Ceramb.*, *Cerambin.*, *Calldpd.* 340.
- Geloptera* Baly, JoE. I, 1861, 283; (3) IV, II, 1867, 266; *Chap.*, G. Col. X, 1874, 253; *Lefv.*, MSLiége (2) XI, 1885, 45 (*G. tuberculata* Baly 1861) 1914:7 (Austral. 5, Celeb. 2, Nov. Guin.) *Chrys.*, *Eumolp.*, *Colasp.* 64.
- Gemadoretus* Rtrr., VN. 41, 1903, 30 = *Adoretus* Laf. 1840. *Scar.*, *Rut. orth.*, *Anoplyni*, *Adoreta*. 132.
- Genattus* O Sharp, BCA. Col. II, 1, 1902, 646 (*G. aequalis* Sharp 1902) 1913:1 (Mexic.). *Derm.*, *Attag.* 3.
- Genecerus* O Walk., List. Col. coll. Lord. 1871, 13; *Bourg.*, A.Sc.Nat. (9) 6, 1907, Zo. 349/59 (*G. cervinus* Walk. 1871) 1913:7 (Abyss., Aethiop., Terr. Somali.). *Dasc.*, *Dasci.*, *Genec.* 32.
- Geniates* Kirby, TLSL. XII, 1818, p. 401; *Burm.*, Hd. E. IV, 1 p. 506 (*G. barbatus* Kirby 1818, *catoxanthus* *dispar*, *pallidus*, *Spinolae* Burm. 1844) 1918:37 (Brasil., Argent., Parag., Cayenne). *Scar.*, *Rut. orth.*, *Geniat.* 159.
- Genus? (*Callidium?* Positio genericæ et syst. incert.) 18 Spp. *Ceramb.*, *Cerambin.*? 795.
- Geobatus* Dej., Cat. Col. ed. 2, 1833, 164; ed. 3, 1836, 164 = *Maechidius* McLeay 1819. *Scar.*, *Melth.*, *Lipar.* 157.
- Geobius* Brullé, Expéd. Mor. Zool. III, 1, 1833, 173; *Muls.*, Col. France, *Lamell.* 1842 p. 339 = *Hybalus* Brullé 1834. *Scar.*, *Crphn.* 1.
- Geobius* Heer, F. Helv. I 1838/42, 193 = *Geodromicus* Redt. 1858. *Staph.*, *Oxyt.*, *Omal.* 82.
- Geoborus* Lac., V, 1859, 77 = *Deroplatys* Sol. 1851. *Ten.*, *Epitrag.* 55.
- Geodromicus* O Redt., F. Austr. ed. II, 1858, 224; *Ganglb.*, KäfMEur. II, 1895, 710; *Luze*, VzbGW. 53, 1903, 103; *Schaufuß* in Calwer, 153; *Kuhnt*, 159, 192 (*G. plagiatus* (F.) 1798) 1913:26 (Eur. bor. et med., Cauc., Hung., Ture., Balcan., Buchar., Turk.; Sib., Am. b.). — *G. verus* *Luze*, l. c. = Subg. ad *G. Redt.* *Staph.*, *Oxyt.*, *Omal.* 82.
- Geodromus* Heer, F. Helv. I, 1838/42, 572 = *Geodromicus* Redt. 1858. *Staph.*, *Oxyt.*, *Omal.* 82.
- Geophanus* Haag, DEZ. 1875, 404 (Mon.) (*G. pygmaea* [Er.] 1843) 1913:5 (Afr. mer., or.-germ., mer.-oce.-germ., Terr. cap.). *Ten.*, *Eurych.* 219.
- Geoprionus* Lmr., ASEB. 34, 1875, Bull. p. CXXI = *Anacolus* Latr. 1825. *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 100.
- Georgia* J. Thoms., ArE. I, 1857, 21 = *Georgiana* Aur. 1912. *Ceramb.*, *Cerambin.*, *Poecilopepl.* 936.
- Georgiana* O Aur., 1912 in Schklig. u. J., P. 39, 450 (= *Georgia* Thoms. 1857) (*G. xanthomelaena* [White] 1856) 1913:1 (Amaz., Cayenne). *Ceramb.*, *Cerambin.*, *Poecilopepl.* 936.
- Georissus* Latr. 1809 = *Georyssus* Latr. 1809. *Geor.*
- Georyssus* O Latr., Gen. Crust. IV, 1809, 377 (*Georissus*); *Gyll.*, Ins. Suec. III, 1813, 675; *Steph.*, Ill. Brit. E. II, 1828, 105; *Brullé*, HIns. Col. V, II, 1825, 342; *Shuck.* et *Spry*, Brit. Col. Del. 1839, 200; *Cast.*, HIns. II, 1840, 41; *Heer*, F. Helv. 1841, 472; *Motsch.*, BMosc. 16, 1843, 645; *Er.*, NID. 3, 1847, 502; *Redt.*, F. Austr. ed. I—III; *Sturm*, 22, 1853, 33; *Lac.*, II, 491; *Jacq. du Val*, II, 271; *Gutfl.-B.*, 292; *C.G.Thoms.*, II, 133; *Muls.* u. *Rey*, *Improst.*, 7; *Seidl.*, F. Ba. Tr.; *Reitt.*, VzbGW. 31, 1881, 85; *Fowl.*, Col. Brit. Isl. 3, 1889, 373; *Everts*, I, 622; *Stierlin*, I, 231; *Lameere*, F. Belg. II, 1900, 316; *Ganglb.*, KäfMEur. IV, 1,

1904, 93; **Schaufuß** in Calwer, 587; **Kuhnt**, 598 (*G. crenulatus* [Rossi] 1794) 1913:20 (Eur., Mediterr., As., Madag., Amer.). *Geor.*

Geoscopus O Gerst., *Rhip.*, 7; *Lac.*, V, 1, 619, 622 (*G. murinus* Gerst. 1855) 1913:3 (Ceylon, Col. cap.) = Subg. *Indiog.* *Rhip.*; *Pelecot*. 9.

Geotrogus O Guér., Rev. Zo. 1842:7; **Burm.**, Hd. E. IV, 2, 365; **Jacq. du Val**, III, 1860, 57 t. 16 f. 78; **Tieffenbach**, DEZ. 26, 1882, 242, t. 4 f. 22/24; **Reitt.**, VN. 40 [Best.-Tab. 50] 165, 225; **Schaufuß** in Calwer, (1312) (*G. Magagnoscii* Guér. 1842; *dispar*, *gabalus* et *inflatus* [Buquet] 1840) 1912:18 (Afr. medit., Sic. I; Hung. 1 var.). *Scar.*, *Melth.*, *Melthi*. 326.

Metam.: **Xambeu**, Moeurs et Métam. VI, 1895 (Beil. Echange), 79.

Geotrupes O Latr., Précis car. Gen. Ins. 1796, 6; **Er.**, NID. III, 1848, 723; **Gutfl.-B.**, 320; **Jekel**, ASEFr. (4) 5, 1865 (66), 521; **Muls.**, HNCol. Fr. *Lamell.* ed. 2, 1871, 427, 430; **Redtb.**, F. Austr., ed. 3, 1872, I, 477; **Seidl.**, F. Ba. ed. 2 et F. Tr., 1891, Gatt., 30; **Reitt.**, Best.-Tab. 24, 1893, 125, 130; F. Germ. II, 1909, 321; **Schaufuß** in Calwer, 1287, 1290; **Kuhnt**, 384. 401.

Biol.: **J. C. Schiödte**, NTI. 9, 1874, 227—376; **Verh.**, Ber. Ges. Naturf. Freunde 1902, 149—155, fig.; **Arrow**, TESL. 1904, 727—731, 748; **Scholz**, Ins.-Börse 23, 1906, 86; **Ohaus**, DEZ. 1909, 105—111; **Slowitzoff**, Biochem. Z. 19, 1901, 504; **Spaney**, DEZ. 1910, 625—634, t. 4, 5; E. Rundschau 28, 1911, 15, 24 etc. fig.; vide etiam **Boucomont** in Schklig. u. J., Col. Cat. P. 46, 1912, 22 sq. — (*G. stercorarius* [L.] 1758) (Eur., As., Am., Ins. Haiti) — 12 Subgg. — 1913: 97, 95 + 2 inc. sed. [e St. Domingo]. *Scar.*, *Geotr.*, *Geotripi*. 17.

Geotrupes Jek. ASEFr. (4) 5 1865, 1866, 525; **Bouem.** Rev. d'E. 23, 1904, 1905, 216—222 (Synops: Spp. asiat.) = Subg. 2 ad *Geotrupes* Latr. 1796. (Type ut antea) 1913:12. *Scar.*, *Geotr.*, *Geotripi*. 17, 2.

Geotrupes Latr., HNIns. X, 1804, 145 = *Odontaeus* Kl. 1843. *Scar.*, *Geotr.*, *Bolboc*. 5.

Geotrupes Latr., HN. Crust. Ins. 1804, 142; **Er.**, NID. III, 1847, 726; **Lac.**, III, 1856, 144 = *Typhoeus* Leach 1815. *Scar.*, *Geotr.*, *Geotripi*. 16.

Geotrypes Bedel, BSEFr. 1911, 379 (?) [cf. Sharp, Zo. Rec. 48, 1911, Ins. 205] F. Col. Seine *Scar.* t. IV fasc. 1 [cf. Sharp, Zo. Rec. 49, 1912, Ins. 221 *Scar.*] = *Geotrupes* Latr.

Geraldus O Sharp, TESL. 1874, 493; **Raibr.**, Rev. d'E. 9, 1890, 150, 160; PLSNSW. 1900, 234; ASEFr. 73, 1904, 368; GIW. *Psel.* 1908, 389 (*G. nanus* Sharp 1874) 1913:7 (N. S. Wales, Austral., Tasman.). *Psel.*, *Psel.*, *Tyr.* 404.

Gerandryus O Rottenb., BEZ. 17, 1873, 217; **Seidl.**, NID. V, 2, 1896, 85; **Schaufuß** in Calwer, (785) = *Parablops* Rottenb. 1870 (*G. aetnensis* Rottenb. 1870) 1913:1 (Sicil.). *All.*, *Allec*. 73.

Gestronella O Ws., ArN. 75, 1909, 120 (?) = Sect. 2 ad *Xiphispa* Chap. 1878 (Typ.); *G. centroleonata* et *lugubris* [Fairm.] 1890 (Madag.). *Chrys.*, *Hisp.*, *Crypton*. 62.

Ghaleca Péring., A.SAfrMus. I, 1899, 316 = *Alymon* Pasc. 1866. *Ten.*, *Rhyssop*. 1128.

Gibbiger Csiki, Term. Füz. 23, 1900, 375 (*Milichius* Subg.) (*G. fasciatus* [K. M. Hell.] 1898) 1913:1 (Celebes). *End.*, *Endo.*, *Endom*. 74.

Gibbium O Scop., Introd. HN. 1777, 505; **Gutfl.-B.**, 398; **Reitt.**, F. Germ. III, 1911, 320; **Schaufuß** in Calwer, 716; **Kuhnt**, 668 (*G. psylliooides* Czemp., 1778) 1913:4 (Cosmop.). *Ptin.*, *Gibb.* 1.

- Gibbobruchus** **Pic.**, Echange 29, 1913,
110 = Subg. ad *Pseudopachymerus*
Pic 1913. *Bruch.*, *Bruchi*. 7.
- Gibboryletinus** **Pic**, Echange, 17, 1901,
94. — Synops.: **Pic**, ASEB. 46,
1902, 132, 133 (Typ.?; *G. fuscipennis*
Pic 1901) 1913:5 (Brasil.). *Anob.*,
Xylet. 49.
- Gillmeisterium** **O Flach**, VzbGW. 39,
1889, 498, t. 10 f. 3 Aa; Best.-Tab.
eur. Col. 18, 1889, 20; **Ganglb.**, III,
201; **Reitt.**, F. Germ., II, 1909,
268; **Britten et Newbery**, EMM. 46,
1910, 180; **Schaufuß** in Calwer, (298)
= Subg. 5 ad *Ptenidium* **Er.** 1845
(*G. punctulum* [Steph.] 1830) 1913:4
(Mediterr., Cauc., Ceylon, Lenkoran).
Ptil., *Ptili.*, *Ptilii*. 25.
- Glapharsenus** **Raffr.**, A. Mus. Nat. Hung.
1903, 36 = *Apoplectus* **Raffr.** 1890.
Psel., *Psela.*, *Tych.* 292.
- Glaphyra** **Newm.**, Ent. I, 1840, 19
= *Molorchus* **F.** 1792. *Ceramb.*,
Cerambin., *Molorch.* 606.
- Glaphyrus** **O * Latr.**, Gen. Crust. et Ins.
II, 1807, 117; **Har.**, BEZ. 13, 1869,
425; **Schaufuß** in Calwer, (1307);
Katalog: **Champenois**, Abeille
30, 1903, 146. — Biol.: **Sériziat**,
Bull. Acad. d'Hippone XXII, 1886,
282; **Bedel**, ASEFr. (6) IX, 1889,
99; (*Gl. serratulae* [F.] 1792, *maurus*
[L.] 1758) 1913:20 (Asia medit., Afr.
medit., Sib., Rossia mer., Graecia).
Scar., *Glaphyr.* 4.
- Glaphyserica** **Brenske**, BEZ. XLIV,
1899, 236; XLV, 52 (*Gl. humeralis*
Brenske 1900) 1913 : 1 (Madag.).
Scar., *Melth.*, *Seric.* 62.
- Glaresis** **Er.**, NID. III, 1848, 925;
Westw., TESL. (2) II, 1852, 71;
Reitt., VN. 30, 1892, 155; **Schau-**
fuß in Calwer, 1262 (*Gl. rufa* **Er.**
1848) 1913:8 (Ross. Turk., Hung.,
Cauc.; Tex., Cal., Ariz.). *Scar.*,
Trog. 1.
- Glastus** **Raffr.**, Rev. d'E. 17, 1898,
255; ASEFr. 72, 1903, 528; GIW.
- Psel.* 1908, 92 (*Gl. cicaticosus* [Raffr.]
1894) 1913:1 (Singapor.). *Psel.*,
Psela., *Euplect.* 99.
- Glasunovia** **Semen.**, HoR. 29, 1895,
355, 357 (*Gl. afghanica* et *caspica*
Semen. 1895) 1917:2 (Transcasp.).
Melo., *Nemogn.*, *Sit.* 62.
- Glaucytes** **O J. Thoms.**, ArN. II, 1858,
423; Class. *Cer.* 1860, 351 etc.;
Pasc., TESL. (3) III, 1869, 650 (*Gl.*
ferox **Thoms.**, *interrupta* [Ol.] 1792)
1912:30 (Madag. 17, Nov. Caled.,
Ins. Lifu, Batjan, Aldabra, Nov.
Hebrid.; Ceylon). *Ceramb.*, *Cerambin.*
Glaucyt. 900.
- Glenus** **O * Kraatz**, NID. II, 1856/58,
541; **Sharp**, BCA. Col. 1882/87
(1884), I, 2, 369; TESL. 1876, 147.
— Biol.: **Wasmann**, Ins.-Börse 19,
1902, 267. — (Typ.?; *Gl. biplagiatus*
[Perty] 1830, *chrysia* [Grav.] 1806,
regalis [Er.] 1839/40) 1914:13 (Pan.,
Brasil., Amaz., Boliv., Mex., Peru).
Staph., *Staphy.*, *Staphyl.*, *Xantho*.
318.
- Glipa** **J. Lee.**, Col. of Arkans. and E.
N. Mex. 1857, 17; **Champ.**, BCA.
Col. IV, 2 (1891) 236 (*Gl. hilaris*
Say 1835) 1915:13 (Celebes, Malacca,
Formosa, Afr. centr., Madag., Am.).
Mord., *Mordi*. 3.
- Glipodes** **O J. Lee.**, P. Ac. Nat. Sc.
Philad. 14, 1862, 47; **Emery**, L'Abeille
14, 1876, *Mord.*, 79 nota; **J. B. Smith**,
TAmES. (1882) 74 sq. t. 2 f. 10;
Champ., BCA. Col. IV, 2 (1891), 305;
Blatchley, Col. of Ind. 1910, 1309, 1315;
f. 576, 10 (*Gl. helva* **J. Lee.** 1862) 1915:2
(Am. bor. usque ad Panam.). *Mord.*,
Mordi. 6.
- Glischrochilus** **O * (Murr. ined.) Reitt.**,
System. Einth. Nitid. 1873, 162;
Schaufuß in Calwer, 442, 443; **Kuhnt**,
476, 501 (*Gl. fasciatus* [Ol.] 1790),
hortensis **Fourc.** 1875, *quadriguttatus*
[F.] 1776, *quadripunctatus* [L.] 1758)
1913:29 (Eur., As., Sumatr., Am.

- b.: Civ. conf. oed.; Cauc.; N. Zealand.). *Nit.*, *Cryptar.* 154.
- Globa* O Raffr., Rev. d'E. 6, 1887, 37; ASEFr. 65, 1896, 257/258; 73, 1904, 110; GIW. *Psel.* 1908, 204 (*G. longipes* Raffr. 1887) 1913:3 (Boliv. sup., Venez.). *Psel.*, *Psel.*, *Brachygl.* 222.
- Globasida Escalera*, Bol. Real. S. Esp. VI, 1905, 430 = *Asida Latr.* 1804. *Ten.*, *Asid.* 286.
- Globasidea Escalera*, Schaufuß in Calwer, (795) = *Globasida Esc.* *Ten.*, *Asid.* 286.
- Globicornis* O * + Latr. in Cuv., Règne anim. ed. II, IV, 1829, 511; Ganglb., IV, 1, 1904, 29; Schaufuß in Calwer, 599, 600; Kuhnt, 603, 606 (*Gl. nigripes* [F.] 1792) 1913:21 (Eur. c. mer. et medit.; Brasil., Mendoza, Guadeloupe, Cuba). *Derm.*, *Megat.*, 14.
- Metam.: Eichhoff, BEZ. X, 1866, 279/81 t. 1 f. 1.
- Metam. u. Biol.: Rosenh., StEZg. 43, 1882, 17/18; Kolbe, ZE. Bresl. 20, 1895, 3; Formanek, WEZg. 19, 1900, 78; Mjöberg, ETI. 22, 1901, 189; Schumann, Z. Ges. Wiss. Posen, 14, 1907, 57.
- Biol.: Ganglb., IV, 1, 1904, 30.
- Globicornis* Guér., Rev. Zo. IV, 1868, 372 [non Latr. 1829] = *Trogoderma* Latr. 1829. *Derm.*, *Metag.* 20.
- Globicornis* Muls. et Rey, Scut., 111; Reitt., Tab. 3, 82; ed. II, 57 = Subg. ad *Globicornis* Latr. 1829. *Derm.*, *Megat.* 14.
- Glochinocerus* Blfd., BCA. Col. IV, 6, 1905, 266 (*Gl. retusipennis* [Blfd.] 1895). 1913:2 (Guatemala). *I.p.*, *Corth.* 104.
- Glochiphorus* Strohmeyer, EBI. 6, 126 (*Gl. globosus* Strohm. 1910) 1910:1 (Madag.). *I.p.*, *Hyl.* 17a.
- Gloeosoma* Woll., Ins. Mader. 1854, 480 = *Rhypobius* Lec. Orth., Ortho. 26.
- Glossoscheilifer* Blackb., TRS. South Austral. 22, 1898, 36; 31, 1907, 240 (*Gl. labialis* Blackb. 1898) 1913:2 (Austral.). *Scar.*, *Melth.*, *Lipar.* 186.
- Glycobius* O * J. Lee., Smiths. Misc. Coll. XI, 264, 1873, 319. — Biol.: Felt, Ins. affect. Trees 1907, 51, t. 2 f. 1—6 etc. — (*Gl. speciosus* Say 1828) 1913:1 (Amer. b.). *Ceramb.*, *Cerambin.*, *Clyt.* 808.
- Glycyserica* Brenske, BEZ. XLIV, 1899, 236; XLV, 1900, 48, 49 nota, XLVII, 1902, 68 (*Gl. depravata* Brenske 1900) 1913:1 (Madag.). *Scar.*, *Melth.*, *Seric.* 60.
- Glymma* O Mars., Mon. 1856, 279; Schaufuß in Calwer, (310) (*Gl. Candeezi* Mars. 1856) 1913:1 (Belg.). *Hist.* 108.
- Glyphestes* Gemm. u. Har., Cat. Col. II, 1868, 573 = *Glyphesthus* Kraatz 1858. *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 373.
- Glyphestus* O Kraatz, BEZ. II, 1858, 364, t. 5 f. e—g; *Fauv.*, Rev. d'E. 18, 1899, 26, 27, 32 (Typ.?; *picipennis* [Roth.] 1851, *niger* Kraatz 1858) 1916:2 (Seneg. 2, Abyss.). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 373.
- Glyphestus* Kraatz, BEZ. 8, 1864, 374 = *Glyphesthus* Kraatz 1858. *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 373.
- Glyphiderus* Westw., TZSL. II, 1838, 164 t. 29 = *Glyphoderus* Westw. 1837. *Scar.*, *Copr.*, *Scarb.*, *Eucr.* 3.
- Glyphobythus* O Raffr., ASEFr. 73, 1904, 255; GIW. *Psel.* 1908, 284; Schaufuß in Calwer, 250 (Typ.?; *Gl. Doriae* Raffr. 1872) 1913:6 (Ital., Mont. marit., Mons Libanon). *Psel.*, *Psel.*, *Tych.* 301.
- Glyphoderus* O Westw., PZSL. V, 1837, 12 (*Gl. sterquilinus* Westw. 1837) 1913:3 (Argent.). *Scar.*, *Copr.*, *Scarb.*, *Eucr.* 3.
- Glyptoderes* Eichh. Schaufuß in Calwer, 1232 = *Glyptoderus* Eichh. *I.p.*, *Crypt.* 50.
- Glyptoderus* Eichh., Ratio Tom. 1879, 137 = Subg. ad *Cryphalus* Er. 1836. *I.p.*, *Crypt.* 50.
- Glyptoglossa* O Brenske, AMusG. 35, 1895, 223; Péring., T.SAfr. Phil. S.

- 13, 1904, 186 (Colon. cap.). *Scar.*, *Melth.*, *Melthi*. 233.
- Glyptoma** Er. pars = *Calocerus* Fauv. 1891. *Staph.*, *Oxyt.*, *Piest.*, *Thorac.* 27.
- Glyptoma** Er., Gen. *Staph.* 1839—1840, 1840, 908 (pars); *Gutfl.-B.*, 189; *Lac.* II, 1854, 148; *Kraatz*, NID. II, 1856/8, 1047; *Jacq. du Val* II, 1858, 62; **Fauv.** ESLNorm. II, 1863/84, (1865), 62, (2) I, 1868, 59; **Mals. et Rey**, *Brevip.*, 1879, 392 (nec *Glyptoma* Motsch., Sharp) = *Thoracophorus* Motsch. 1837. *Staph.*, *Oxyt.*, *Piest.*, *Thorac.* 26.
- Glyptomerus** Müller, StEZg. 17, 1856, 308; *Gutfl.-B.*, 148; *Schaufuß* in Calwer, 184 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Glyptophrymnus** Fairm., ASEB. 43, 1899, 532 = *Phrynocolus* Lacord. 1859. *Ten.*, *Molur.* 302.
- Glyptopterus*, *Cer.* vide P. II.
- Glyptopteryx* Geb., *Ergebn. Exped.* Kilimandj. 7, 1910, 376 (*Gl. forticostis* Geb. 1910) 1913:1 (Kilimandj.). *Ten.*, *Opatr.* 540.
- Glyptoscapus* O Aur., ETi. 20, 1899, 264 (*Gl. cicatricosus* Aur. 1899) 1913:2 (Brasil.). *Ceramb.*, *Cerambin.*, *Ibid.* 277.
- Glyptoscelis* O* J. Lee., PACphil. 9, 1859, 81; *Baly*, JoE. II, 1863, 436; *Kuhnt*, 158, 178; *Chap.*, G. Col. X, 1874, 322; *Jac.*, BCA.Col. VI, I, 1882, 176; *Lefvr.*, MSLiège (2) 11, 1885, 121. — Biol.: *Beutenmüller*, EAm. VI, 1890, 175; *Felt*, VII. Rept. Forest. Fish. com. N. York 1905, 509 t. 12, f. 7; **G. Horn**, TAmES. 19, 1892, 196, 202. — (*Gl. albida* J. Lee. 1859); *pubescens* [F.] 1777. 1914:20 (Am. bor., Mex., Nicar., Cuba, Brasil., Parag., Chile, Cal., Ven., Columb.). *Chrys.*, *Eumolp.*, *Myochr.* 227.
- Glyptosoma* Motsch., B. Mosc. 24, 1851, 480 (*Gl. Paulinae* Motsch. 1851) 1913:1 (Ind. or.). *Psel.*, g. inc. sedis (Append.).
- Glyptotus* O J. Lee., P. Ac. Philad. 1858, 75; *Lac.*, V, 729; **G. Horn**, Rev. *Ten.*, 341; *J. Lee.* u. *Horn*, Class. 1883, 377; *Seidl.*, NID. V, 1896, 616 (*Gl. cibratus* J. Lee. 1858) 1913:3 (Am. e., Yucat., Texas). *Ten.*, *Tenebr.* 804.
- Gnaphalodes* J. Thoms., Class. *Cer.*, 1860, 235; Syst. *Cer.* 1864, 455; *Lac.*, VIII, 1869, 278, 1860 (*Gn. trachyderoides* Thoms. 1860) 1913:1 (Tex., Mex., Honduras). *Ceramb.*, *Cerambin.*, *Hesprph.* 199.
- Gnaphalopoda* O Reiche, ASEFr. (3) 8, 1860, 269 nota; **Fauv.**, Rev. d'E. 22, 1903, 368 (*Gn. punctatissima* Montrouz. 1857) 1913:11 (Nov. Caled. 8, Art.-Ins. 2, Ins. Lifu 1). *Scar.*, *Melth.*, *Lipar.* 177.
- Gnaphaloryx* O Burm., Hd. E., V, 1847, 396 (*Gn. taurus* [F.] 1793) 1913:15+1 (Ind. eor., Sumatra, Arch. malay. etc.) *Luc.*, *Dorc.* 42.
- Gnaphalostetha* O Reiche, ASEFr. (3) 4, 1856, 383; WEZg. 8, 1889, 278; VN. 40 [Best.-Tab. 50], 163, 169 (*Gn. Bonvoisinii* Reiche 1889) 1913 (Palaestina). *Scar.*, *Melth.*, *Melthi*. 334.
- Gnaptor* O Brullé, Expéd. Morée III, 1832 [cf. Errata]; *Sol.*, Studi entom. II, 1848, 154 (8), 275 (129); *Lac.*, V, 142; *Jacq. du Val*, III, 266; *Allard*, ASEFr. (5) 10, 1880, 273; *Seidl.*, NID. V, 1893, 237, 239 *Schaufuß* in Calwer, (796); *Kuhnt*, 738, 742 (*Gn. spinimanus* [Pall.] 1781) 1913:2 (Eur. mer.-or., Asm.). *Ten.*, *Blapt.* 381.
- Gnaptorina* Reitt., HoR. 21, 1857, 364; 23, 1889, 692; *Seidl.*, NID., V, 1893, 238 = *Tagonoides* Fairm. 1886. *Ten.*, *Blapt.* 382.

- Gnathium* O Kirby, TSL. XII, 1818, 42 (*Gn. Francillonii* Kirby 1818) 1917:5 (Am. b., Mex., Cal., Tex., Argent.). *Melo.*, *Nemogn.*, *Nemogni*. 82.
- Gnathium* Chevr. in Guér. 1829—44, 136 = *Spastica* Lacord. 1859. *Melo.*, *Lytt.*, *Lyti*. 39.
- Gnathocerus* Thunb., Vet. Ak. Hdlgr. 1814, 47; Bach, III, 208; Redtb., F. Austr. ed. II et III; Lac., V, 322; Gutfl.-B., 415; Jacq. du Val, III, 307; J. Lec., Class. 1862, 233; G. Horn, Rev. Ten. 1870, 364; Seidl., F. Ba., F. Tr.; NID. V, 1894, 571, 586; Schaufuß in Calwer, 809, 812; Kuhnt, 741, 748 (*Gn. cornutus* [F.] 1798) 1913:5 (Eur. As., Am., Ins., Mad. et Canar., Gall. mer.; Am. b.). *Ten.*, *Utom*. 665.
- Gnatholabis* O Er., NID. III, 1847, 615; Heller, DEZ. 1891, 289; Kraatz, l. c. 1892, 298; Kolbe, StEZg. 55, 1894, 260; Ohls., StEZg. 58, 1897, 351; DEZ. 1901, 271; Péring., Trans. SAfr. Philos. Soc. XII, 1902, 616 (*Gn. suturalis* [Lap.] 1840) 1918:4 (Rhodesia, Seneg. ad Nigeriam, Uganda brit.). *Scarb.*, *Rut. hom.*, *Anomi.*, Popp. 95.
- Gnatholea* O J. Thoms., Class. Cer. 1860, 375; Pasc., TESL. (3) III, 1869, 530; Gahan, F. Brit. Ind. Col. I, 1906, 110 (*Gn. eburifera* J. Thoms. 1860) 1912:5 (Siam, Birma, Assam, Tenass., Malacc., Phil. Ins., Borneo). *Ceramb.*, *Cerambin.*, *Hesprph.* 197.
- Gnatholeophanes* O Kolbe, BEZ. 45, 1901, 301 (*Gn. octosignata* Kolbe 1901) 1913:1 (Afr. or.). *Ceramb.*, *Cerambin.*, *Hesprph.* 195.
- Gnathomela* O Jacobs., HoR. 29, 1895, 297 (*Gn. dolens* [Kraatz] 1885) 1916:1 (Turkestan.: Namagan, Samarcand.). *Chrys.*, *Chryso.*, *Chysi*. 23.
- Gnathoncus* O Jacq. du Val, II, 1858, 112; C.G.Thoms., IX, 1867, 391; Schm., BEZ. 29, 1885, 283; Ganglb., Käf MEur. III, 1899, 378; Reitt., F. Germ. II, 1909, 290; Schaufuß in Calwer, 111; Kuhnt, 364, 372 (*Gn. rotundatus* [Kug.] 1792) 1913:9 (in omn. part. orb. terr. distrib.). *Hist.* 123.
- Gnathonyx* Gah., ANH. (6) 13, 1894, 290; Lmr., MSEB. 11, 1903, 18 (Rév., 212) (*Gn. piceipennis* Gah. 1894) 1913:1 (Nov. Guin.). *Ceramb.*, *Prion.*, *Macrot.*, *Cnem.* 24.
- Gnathosia* O Fisch. de Waldh., Lettre à Pander 1821, 13; Reitt., ENa. 22, 1896, 129—135; Best.-Tab. 42, 1900, 83 etc. (Mon.); Schaufuß in Calwer, (793) (*Gn. glabra* Fisch. 1821) 1913:18 (Turkest., Samarc., Transcasp. Persia, Caspic. etc.). *Ten.*, *Tentyr.* 100.
- Gnathosia* Lac., V, 38; Jacq. du Val, III, 1861, 246; Kraatz, Rév. Ten. 1865, 82; Allard, ASEFr. 27, 1883, 15 = *Dialognatha* Eschsch. 1829. *Ten.*, *Tentyr.* 101.
- Gnathospasta* O Horn, TAES. V, 1875, 154 (*Gn. mimetica* Horn 1873) 1917:2 (Mex., Texas). *Melo.*, *Lytt.*, *Lyti*. 36.
- Gnathotrichus* Eichh., BEZ. 12, 1868, 275; Rat., Tom. 1879, 405 (*Gn. longipennis* Eichh., Blanch. in Gay 1851) 1913:11 (Amer.). — Biol.: Pack., UStat.E. Comm. Rep. V, 1890, 718; Hopkins, W., Va. Agric. Exp. Sta. Bull. 31, 128; Bull. 32, 1893, 208 etc. etc.; Fall et Cockerell, TAmES. 33, 1907 of. etiam Hagedorn in Schklg. u. J., Col. Cat. P. 4, 1910, 96/7. — Ip., Corth. 111.
- Gnathymenus* O Sol. in Gay, H. Chile IV, 1849, 326 (*Gn. apterus* Sol. 1849) 1913:4 (Chile, Chillan, Chiloe, Venez.). *Staph.*, *Paed.*, *Paedi.* 167.
- Gnesion* O Raffr., PLSNSW. 1900, 192; ASEFr. 73, 1904, 257; GIW. *Psel.* 1908, 271 (*Gn. rufulum* Raffr. 1900) 1913:1 (Austral.). *Psel.*, *Psel.*, *Tych.* 289.
- Gnesis* O Pasc., JoE. II, 1866, 477 (*Gn. helopiooides* Pasc. 1866) 1913:1 (Jap.). *Ten.*, *Helop.* 1038.

- Gnomidolon* O. J. Thoms., Syst. Cer. 1864, 219; Bates, TESL. 1870, 286; BCA. Col. V, 1885, 259. (*Gn. biarciatum* [White] 1864, *musivum* [Er.] 1847) 1913:28 (Panam., Brasil., Venez., Argent.). *Ceramb.*, *Cerambin.* *Ibid.* 278.
- Gnomodes* Broun, Man. N. Zeal. Col. V, 1232 (*Gn. piceus* Broun 1893) 1913:1 (Nov. Zealand.). *Ceramb.*, *Cerambin.*, *Aphn.* 455.
- Gnophota* Er., ArN. 9, 1843, I, 237; Lac., V, 56; Kraatz, Rev. Ten. 1865, 228; Reitt., Best.-Tab. 42, 1900, 96 (*Gn. anthracina* Er. 1843) 1913:8 (Ins. Canar., Loanda, Angola, Benguela). *Ten.*, *Tentyr.* 169.
- Gnorosus* Raffr., GIW. *Psel.* 1908, 335 (*Gn. Croissandeau* Reitt. 1891, *Oberthüri* Pérez 1881) 1913:2 (Turcoman. Hispan., Lus.). *Psel.*, *Psel.*, *Ctenist.* 351.
- Godartia* Chenu, Enc. HN. 1855, t. 15 f. 6 = *Slerognathus* Hope 1845. *Luc.* Dorc. 53.
- Godschama* Reitt., VN. 41, 1883, 49 = Subg. ad *Popillia* Serv. 1825 (*G. hexaspila* Ancey 1883) 1918:1 (Abyss.). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 86, 3.
- Goërius* Steph., Ill. Brit. V, 1832, 208; C. G. Thoms., Skand. Col. II, 1860, 146; Ganglb., KäfMEur. II, 1895, 424; Schaufuß in Calwer, 197; Kuhnt, 238 = Subg. ad *Staphylinus* L. 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
- Goërius* vide etiam *Trichoderma*, *Ocyurus*. *Goetymes* Pasc., JoE. II, 1863, 47 = *Sitarida* White 1846. *Melo.*, *Nemogn.*, *Sit.* 60.
- Golasa* O. Raffr., ASEFr. 72, 1903, 493; GIW. *Psel.* 1908, 18 (*G. microcephala* Reitt. 1903) 1913:1 (Valdivia). *Psel.*, *Psel.*, *Faron.* 6.
- Golgia* O. Muls., HN. Col. Fr. *Sulcic.* et *Securipalp.* 1846, 20; C. G. Thoms., Sk. Col. V, 1863, 305; Fairm. in *Jacq. du Val*, G. Col. d'Eur. IV, 1886, 277; Seidl., F. Ba. (1872) *Spp.* p. 185, etc. (1888) 273; F. Tr. (1889) *Spp.* p. 289; Ganglb., KäfMEur. III, 1899, 934; Csiki, Rov. Lap. 7, 1900, 149; Schaufuß in Calwer, 527 = Subg. ad *Lycoperdina* Latr. 1817 (*G. succincta* [L.] 1767) 1913:8 (As. or.; Sib., China, Jap., Am. bor., Eur.). *End.*, *Endo.*, *Lycop.* 47.
- Gonaphodius* Reitt., 102, VN. 30, 241; A. Schmidt, GIW. 21 et 65 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
- Gonatocerus* Schauf., Nunq. ot. III, 1879, 506 = *Briara* Reitt. 1881. *Psel.*, *Psel.*, *Brachygl.* 247.
- Goniacerus* O. Motsch., Etud. E. IV, 1855, 17; Raffr., Rev. d'E. IX, 1890, 131, 132; ASEFr. (6) 10, 1890, 317; 73, 1904, 302; GIW. *Psel.* 298 (*G. gibbus* [Motsch.] 1851, *setifer* Schauf. 1872) 1913:4 (Panama, Bras., Caracas). *Psel.*, *Psel.*, *Gomac.* 318.
- Goniadera* O. Perty, Del. anim. art. 1830, 62; Cast., HN. II, 1840, 238; Blanch., HNIns. II, 1845, 35; Lac., V, 391; Bates, TESL. 1868, 315 nota (*G. crenata* Perty 1830, *repanda* [F.] 1801) 1913:12 (Am. c. et mer.). *Ten.*, *Goniad.* 857.
- Goniaspidius* Burm., Hd. E. IV, 1, 1844, 126; Péring., T. SAfr. Phil. S. 12, 1902, 785 (*G. brevis* Burm. 1844) 1913:3 ((Cap. 2, Caffr. 1). *Scar.*, *Melth.*, *Hopl.* 530.
- Goniastes* O. Westw., TESL. 1870, 125; Raffr., Rev. d'E. 9, 1890, 132, 133; ASEFr. 1904, 302; GIW. *Psel.* 1908, 299 (*G. sulcifrons* Westw. 1870) 1913:1 (Brasil., Amaz.). *Psel.*, *Psel.*, *Goniac.* 319.
- Gonioctera* Redt., Gatt. deutsch. Käferf. 1845, 116; Chevr., Dict. univ. 6, 1845, 268; Motsch. in Schrenck's R. II, 1860, 180; Fairm. in *Jacq. du Val*, IV, 1868, 230; Chap., X, 432; Gutfil.-B., 620; Mars., Abeille 26, 1888, 29;

- Bedel**, V., 140; **Everts**, II, 437 = *Phytodecta* Kirby 1837. *Chrys.*, *Chryso.*, *Phyllod* 82.
- Goniolethrus* O A. Sem., HoR. 28, 1894, 478; **B. Jakovl.**, HoR. 24, 1890, 563; 26, 1892, 198 (pars); **A. Sem.**, t. c., 236 (pars); **Schaufuß** in Calwer, (1295) = Subg. 10 ad *Lethrus* Scop. 1777, (*G. acutangulus* [Ball.] 1871, *brachicollis* [Fairm.] 1855) 1913:2 (Pers. bor., Asm., Turcia, Graecia). *Scar.*, *Geotr.*, *Lethr.* 18, 10.
- Goniomena* O* + Motsch. in Schrenck's R. II, 180.
- Morphol.: **Wp.**, DEZ. 30, 1886, t. 1 f. 46, 47; Sharp u. Muir 1912, 564 Org. (cop.).
- Biol.: **Cornel.**, StEZg. 11, 1850, 19; 28, 1857, 19; **Dietrich**, BMosc. 37, 1864, 218; **Frauenfeld**, VzbGW. 22, 1872, 394; **Mars.**, Abeille 26, 1888, 33; **Donisthorpe**, E.Rec. 21, 1909, 208; **Ws.**, NID. VI, 3, 1884, 490 = Ser. C ad *Spartophila* Steph. 1834 = Subg. 2 ad *Phytodecta* Kirby 1837. — (*G. pallidus* [L.] 1758 et *G. quinquepunctatus* [F.] 1787) 1916:3 (Eur. b., med. montan., Am. b.). *Chrys.*, *Chryso.*, *Phyllod*. 82, 2 C.
- Goniopleura* O Westw. in Griffith, An. Kingd. XV, 1832, 149; **Clark**, ANH. (3) 15, 1865, 145; **Chap.**, G. Col. XI, 1875, 248; **Gahan**, ANH. (6) 15, 1895, 454 (*G. auricoma* Westw. 1832) 1914:5 (Penang, Sumatr., Java, Borneo). *Chrys.*, *Eumolp.*, *Leprot.* 125.
- Goniophnus* Arrow, ANH. (8) 7, 1911, 395 (*G. Felschei* Arrow 1911) 1913:1 (Congo gallic.). *Scar.*, *Orphn.* 6.
- Goniorrhina* Quedenf., BEZ. 32, 1888, 171 (*G. flavipes* Quedenf. 1888) 1913:1 (Afr. c.). *Scar.*, *Melth.*, *Pachyd.* 438.
- Gonioryctus* O Sharp, TESL. 1878, 128; F. Hawaiensi. III, 1908, 440; (*G. latus* Sharp 1908) 1913:22 (Ins. Hawaii.). *Nit.*, *Carpophil.* 26.
- Goniothorax* O Sharp, F. Hawaiensi. III, 1908, 436 (*G. conicollis* Sharp 1908) 1913:9 (Haw. Ins.). *Nit.*, *Carpophil.* 25.
- Gonocallus* O J. Lee., Smiths. Misc. Coll. XI, 264, 1873, 171 (*G. collaris* Kirby 1837) 1913:1 (Canada, Lac. sup.). *Ceramb.*, *Ceramin.*, *Callid.* 776.
- Gonocephalum* O Chevr. Dict. univers. d'HN. 1849, 274; **Muls.** Col. Fr. *Latigènes* 1854, 168; Mémo. Ac. Lyon IX, 1859, 128; Op. E. X, 1859, 66; **Seidl.** F. Ba. ed. II, 1891, 129; F. Tr. 1891, 129; NID. V, 1894, 490, 59; **Reitt.**, Best.-Tab. 53, 1904, 134, 140; **Schaufuß** in Calwer, 800; **Kuhnt**, 739, 744; **Lindem.**, BMosc. (n. s.) II, 1888, II, 2, p. 19, 58; **Fisch.**, *Oryctogr.* Russ. 1830, t. 9 f. c—g; **Westw.**, *Introd.* 1839, 319, f. 39, 6; **Chatanay**, BSEFr. 1913, 114 fig. (Typ. ?; *G. arenarium* [F.] 1775, *simplex* [F.] 1801, *rusticum* [Ol.] 1811) 1913:103 + 1 (1912) (Eur., Med., As., Afr., Austr., Ins. Christm. etc., Chile). *Ten.*, *Opatr.* 528.
- Gonocnemis* O* J. Thoms., ArE. II, 1858, 101; **Lac.**, V, 469. — Biol.: **Wasm.**, Jaegersk. Exped. 1904 nr. 13, p. 7 — (Typ. ?; *G. strigipennis* Thoms. 1859, *sericeus* [F.] 1801) 1913:26 (Afr. trop.). *Ten.*, *Rhyssop.* 1019.
- Gonodera* O Muls., Col. Fr. *Pect.* 1856, 41; **Lac.**, V, 1859, 506; **Jacq. du Val**, III, 1859/63, 347; **Seidl.**, NID. V, 2, 1896, 90; **Schaufuß** in Calwer, 781, 784; **Kuhnt**, 731, 733 [= *Cistela* F. 1775] (*G. Luperus* [Herbst] 1783) 1913:10 (Eur., Kaukas., Syrien). *All.*, *Allec.* 71.
- Gonogenius* Sol., ASEFr. 7, 1838, 48; in **Gay**, H. Chile V, 1851, 171 = *Scotobius* Germ. 1824. *Ten.*, *Scotob.* 343.
- Gonophora* O Baly, 108 t. 2 f. 11; **Chap.**, XI, 1875, 303 (etiam Sect. 1

G. s. str.) (*G. haemorrhoidalis* **Weber** 1801) 1913:50; 3 Sect.: *Gon.*, *Lachn.*, *Micr.* (As. mer., Males.). Sect. 1: 1914:36. *Chrys.*, *Hisp.*, *Gonoph.* 77. *Gonophora* **Baly**, 108 (pars); **Chap.**, XI, 303 = *Agonia* **Ws.**, 1905. *Chrys.*, *Hisp.*, *Gonoph.* 76.

Gonopterus **Sol.**, M. Acc. Sc. Torino (2) 6, 1843, 313 (101) = *Trachynotus* **Latr.** 1829. *Ten.*, *Molur.* 315.

Gonopus **O Latr.**, Règne anim. ed. 2, V, 1829, 17; *Cast.*, HN. II, 1840, 204; **Sol.**, Studi E. 1848, 153 (7), 228, 82; *Lac.*, V, 256; *Seidl.*, NID. V, 1894, 411 (Typ.?) ; *G. tibialis* [F.] 1798, *G. plumosus* [Thunb.] 1787) 1913:11 (Afr. mer., Terr. cap., Mossambiq.). *Ten.*, *Opatr.* 483.

Gonospa **Champ.**, BCA.Col. IV, 1, 1886, 216 (*G. amazonica* et *brasiliensis* **Champ.** 1886) 1913:3 (Amaz., Panam.) *Ten.*, *Diaper.* 642.

Gonyacantha **J. Thoms.**, AE. I, 1857, 467; Class. *Cer.* 1860, 208 (*G. rubronigra* **J. Thoms.** 1857) 1913:1 (Bras.). *Ceramb.*, *Cerambin.*, *Lissnt.* 1020.

Gorybia **Pasc.**, ANH. (3) 18, 1866, 481 (*G. mertes* **Pasc.** 1866) 1913:1 (Brasil.). *Ceramb.*, *Cerambin.*, *Piez.* 267.

Gouna **Péring.**, T.SAfr. Phil. S. 12, 1902, 861 (*G. lineolata* [Burm.] 1844; *alienata* **Péring.** 1902) 1913:3 (Colon. cap.). *Scar.*, *Melth.*, *Hopl.* 527.

Gracilia **O*** **Serv.**, ASEFr. III, 1834, 81; *Gutfl.-B.* 579; Schaufuß in Calwer, 844; *Kuhnt*, 756, 775. — Biol.: *Schmitt*, StEZg. 4, 1843, 105; *Verhoeff*, ENa. 18, 1892, 298; *Sandahl*, ETi. 13, 1892, 52; *Xambeu*, *Moeurs et Mét.* VIII, 1902, 105 (*Gr. minuta* [F.] 1781) 1913:4 (Eur., Am. b., Tex., Cal., N. York). *Ceramb.*, *Cerambin.*, *Gracil.* 349.

Grammeubria **Kiesw.**, BEZ. 18, 1874, 248 (*Gr. nitidula* et *opaca* **Kiesw.** 1874) 1913:2 (Japon.). *Dasc.*, *Eubr.* 39.

Grammicosum **O Blanch.** In *Gay*, Hist. Chile V, 1851, 489 (*Gr. flavofasciatum* **Blanch.** in *Gay* 1851) 1913:4 (Chile). *Ceramb.*, *Cerambin.*, *Hesprph.* 187.

Grammicus **O Waterh.**, ANH. 16, 1845, 323; *Lac.*, V, 1859, 104; *Reitt.*, DEZ. 30, 1886, 98 (*Gr. chilensis* **Waterh.** 1845) 1913:1 (Chile). *Ten.*, *Stenos.* 233.

Grammographus **Chevr.**, Mém. Soc. Sc. Liège, 18, 1863, 285 (33); **J. Thoms.**, Syst. *Cer.* 1864, 425 = *Demonax* **J. Thoms.** 1860. *Ceramb.*, *Cerambin.*, *Clyt.* 827.

Grammopeplus **Bickhardt**, ArN. 77, 1911, Hft. 1, 2 = Subg. ad *Pachycraerus* **Mars.** 1853. *Hist.* 25.

Grammophorus **Gerst.**, TLSL. 24, 1864, 309 = *Grammorus* **Murr.** 1868. *Nit.*, *Carpophil.* 39.

Grammoptera **O*** **Serv.**, ASEFr. IV, 1835, 215; *Gutfl.-B.* 592; Schaufuß in Calwer, 826, 841; *Kuhnt*, 753, 772 (*Gr. usulata* [Seball.] 1783, *ruficornis* [F.] 1781, *variegata* [Germ.] 1824) 1913:10 (Eur., Alger., Corsica). *Ceramb.*, *Cerambin.*, *Lept.* 546.

Grammoptera **J. Thoms.**, Syst. *Cer.* 1864, 141, 408 = *Pidonia* **Muls.** 1863. *Ceramb.*, *Cerambin.*, *Lept.* 538.

Grammorus **Murr.** in **Harold**, Col. Hefte IV, 1868, 104 (*Gr. caelatus* **Gerst.** 1864) 1913:1 (Columbia). *Nit.*, *Carpophil.* 39.

Grammostethus **Lewis** ANH. (7) 18, 1906, 400 = Subg. 12 ad *Hister* **L.** 1758 (*Gr. ruficornis* [Grimm] 1852) 1913:15 (Eur., As., Sumatr.). *Hist.* 38, 12.

Granida **O Metsch.**, Etud. E. 10, 1861, 8; *Kraatz*, DEZ. 1890, 272; *Brensko*, ENa. 16, 1890, 197 nota; 17, 1891, 211; *Reitt.*, VN. 40 (Best.-Tab. 50), 270 nota (*Gr. alboleucata* **Motsch.** 1861) 1913:2 (Jap., Himalay.). *Scar.*, *Melth.*, *Melthi.* 349.

- Grananoxia* O Breuske, ENa. 16, 1890, 198 nota (*Gr. annamensis* Fleutiaux 1887) 1913:1 (Annam.). *Scar.*, *Melth.*, *Melthi*. 350.
- Granoxia* Reitt., VN. 40 [Best.-Tab. 50], 270 nota = *Grananoxia* Breuske 1890. *Scar.*, *Melth.*, *Melthi*. 350.
- Graphops* O J. Lec., TAmES. 12, 1885, 26; — Biol.: *Forbes*, Psyche IV, 1884, 168, t. 1 f. 2, 3, 5 — (Typ. ?; *Gr. pubescens* [Melsh.] 1847, *bergyllinus* [J. Lec.,] *curtipennis* [Melsh.] 1847) 1914:? (Am. b.: Civ. confoed.). *Chrys.*, *Eumolp.*, *Scelo*. 113.
- Graptoclerus* Gorh., ANH. (7) 7 1901, 351; Schklig., DEZ. 1906, 270 (*Gr. amoenulus* [Boh.] 1851) 1913:6 (Terr. Mashona., Port. Natal, Oranje flum., Limpopo). *Cler.*, *Cleri.*, *Clerin*. 96.
- Gressnerium* Ganglb., III, 1899, 301; F. Germ. II, 1909, 267 (*Gr. Gressneri* Er. 1845); *Schaufuß* in Calwer, (298) = Subg. 1 ad *Ptenidium* Er. 1845) 1913:3 (Eur., Cauc., Talyssch.). *Ptin.*, *Ptin.*, *Ptinii*. 2, 1.
- Griphapex* Jord., NoZo. I, 1894, 184 (*Gr. scutellaris* Jord. 1894) 1913:1 (Camerun.). *Ceramb.*, *Cerambin.*, *Callichr.* 748.
- Gromphas* O Brullé, NHIns. 1834, III, 304 (*Gr. Lacordairei* Brullé 1834) 1913:4 (Amaz., Boliv., Venez., Montevid., Uruguay., Argent.). *Scar.*, *Copr.*, *Copri.*, *Phan*. 82.
- Gronerus* O Casey, JoN YES. 8, 1900, 62, 63 f. 2 (*C. truncatus* [Lec.] 1852) 1913:5 (Am. b.). *Orth.*, *Coryloph.* 22.
- Grouvelleus* O Zaitz., HoR. 28, 1908, 311 (*Gr. caucasicus* [Motsch.] 1839) 1913:8+1 (Sum.; Cauc., Syr., Turkest., Yunnan, Tonkin). *Dryop.*, *Helm.*, *Helmi*. 54.
- Grynocharina* Reitt., Mi. Münch. E. V. 14, 1877, 19 (*G. pelliformis* Reitt. 1877) 1913:1 (Ind. orient.). *Temn.*, *Ostom.* 31.
- Grynocharis* O C. G. Thoms., Sk. Col. I, 71; IV, 190; *Ganglb.*, KäfMEur. 3, 1899, 433; *Lec. u. Horn*, Class. 1883, 154; *Schaufuß* in Calwer, 412; *Kuhnt*, 412 = Subg. 3 ad *Ostoma* Laich 1781 (*G. oblonga* [L.] 1758) 1913:6 (Eur., Cauc., Jap., Tauria; Am. b.). *Temn.*, *Ostom.* 45.
- Grynobius* C.G. Thoms., Sk. Col. I, 1859, 89; V, 1863, 152; *Priobium* Motsch. 1843. *Anob.*, *Dryoph.* 6.
- Grynomia* Sharp, EMM. 1877, 267 (Typ. ?; *G. diluta*, *G. fusca* Sharp 1877) 1913:5 (Nov. Zealand.). *Temn.*, *Ostom.* 43.
- Gryphinus* Redtb., F. Austr. 1849, 573 (part.) = *Arthrolips* Woll. 1854; *Gr. Redtb.* 1849 (part.) = *Sericoderus* Steph. 1829. *Orth.* 7; 12.
- Gryphonycha* O Péring., T. South Afr. Phil. S. 13, 1904, 29 (*Gr. puberula* [Fährs.] 1857) 1913:1 (Caffr., Limpopo). *Scar.*, *Melth.*, *Seric.* 133.
- Grypidius* Steph. *Curc.*, vide P. II.
- Guerryus* Pic, Echange 18, 1903, 105; *Longic.* IV, 2, 1903, 20 (*G. aero-pubescent* Pic 1903) 1912:1 (China).
- Ceramb.*, *Cerambin.*, *Molorch.* 605.
- Guitelia* R. Oberth., Insecta I, 1901, 183 (*G. Vuilleti* R. Oberth. 1911) 1913:1 (Senegal). *Ceramb.*, *Cerambin.*, *Callichr.* 752.
- Gunarus* Gozis, Recherch. 1886, 25; *Vaulog.*, Übers., 679, 689, 707 (pars); *Schaufuß* in Calwer, (819) = Subg. ad *Helops* F. 1772. *Ten.*, *Helop.* 1073.
- Gyllenhaleus* Ws., ArkZo. 1903, 62; *Gestro*, BSEItal. 1903 (04), 154 (*Gyllenhalius*) = Subg. 3 ad *Cryptonychus* Gyll. 1817 (*G. bipunctatus* [Baly] 1858, *Feae* [Gest.] 1903 [1904]) 1913:3 (Cam., Congo, Calab. veter.). *Chrys.*, *Hispa.*, *Crypton.* 63, 3.
- Gyllenhalia* O Aur., Öfv. Vet. Ak. Förh. 42, 1885, 20; Sv. Vet. Ak. Hdlgr. XXI, 15, 1887, 79 (*G. spectrum* [F.] 1781) 1913:1 (Cap. b. sp.) *Brach.*, *Microc.* 3.

- Gyllenhalius* Gestro 1903 (04) vide
Gyllenhaleus Ws. 1903. *Chrys.*,
Hispi., *Crypton.* 63.
- Gymnetron* Schönh., *Circ.*, cf. P. II.
- Gymnochila* O Er., in *Germar*, ZE. 5,
 1844, 454; *Lac.*, II, 1854, 346; Reitt.,
 VN. 14, 1876, 37 (*G. varia* F. 1801)
 1913:6 (Mongol., Afr., praecip. mer.).
Temn., *Lep.* 24.
- Gymnochilus* Eichh., BEZ. 11, 1867,
 399; *Bldfd.*, BCA. Col. IV, 6, 1897,
 171 = *Problechilus* Eichh. 1879.
I p. 41.
- Gymnogaster* O Blanch., Cat. Coll. E.
 Col. I, 1850, 155; *Burm.*, Hd. E. IV,
 2, 423; *Lac.*, III, 291 (*G. buphtalma*
 Blanch. 1850) 1913:2 (Ind., Bourbon)
Scar., *Melth.*, *Melthi*. 379.
- Gymnognathus* Sol. in Gay, H. Chile V,
 1851, 137 = *Arthrocomus* Sol. 1851.
Ten., *Euryomet.* 14.
- Gymnoloma* O Burm., Hd. E. IV, 1,
 1844, 161; *Lac.*, III, 189; Péring.,
 T.SAfr. Phil. S. 12, 1902, 848
 (Typ. ?; *G. atomaria* [F.] 1781; *ornata*,
parvula *Burm.* 1844) 1913:12 (Col.
 cap.). *Scar.*, *Melth.*, *Hopl.* 526.
- Gymnopleurus* O *** III., Ma. I, II, 1803,
 199; Schaufuß in Calwer, 1295, 1297;
 Kuhnt, 382, 402 (*G. Geoffroyi* [Füssl.]
 1775) 1913:99 (As., Afr., Medit.).
Scar., *Copr.*, *Scarbi*, *Gymnpl.* 13.
- Gymnopygae* Linell, P.U.Stat.Nat.Mus.18,
 1895, 724 (*G. hopliaeformis* Linell
 1895) 1913:3 (Cal. 2, Utah 1).
Scar., *Melth.*, *Macrod.* 452.
- Gymnopteron* Schrank, F. Boica I, 2,
 1798, 688 (ex parte) = *Necydalis*
L. 1758. *Ceramb.*, *Cerambin.*,
Necyda. 590.
- Gymnopteron* Schrank, F. Boica I,
 2, 1798, 684 (ex p.) = *Molorchus* F.
 1792. *Ceramb.*, *Cerambin.*, *Molorch.*
 606.
- Gymnoropterus* Gestro, AMusG. 39,
 1899, 474 (*G. striatulus* Lansb. 1887)
 1913:1 (Borneo). *Scar.*, *Acanthoc.* 6.
- Gymnurus* Nordm., Symbol. 1836, 158
 = *Taenodema* Cast. 1835. *Staph.*,
Paed., *Pinoph.*, *Pinophi*. 160.
- Gymnusa* Grav. *Staph.* vide P. II.
- Gynaecomeloe* Wellm., ENs. 21, 1910,
 217 (*G. opacus* [Horn] 1867) 1917:1
 (Californ.). *Melo.*, *Lytt.*, *Meloi*. 47.
- Gynaecoplotrupes* R. Oberth., Col. No.
 1883, 54 (sub *Gynoplotrupes* R.
 Oberth.) A. Sem., Rev. Russe d'E.
 VI, 1906, 236 = Subg. ad *Enoplotrupes* H. Lue. 1869 (*G. Bieti* R.
 Oberth. 1883) 1913:2 (China, Se-Tschuen, Mou-Pin, Yunnan). *Scar.*,
Geotr., *Geotrpi.* 13, 2.
- Gynaecoserica* O Brenske, BEZ. XLII,
 1897, 356, XLVII, 1898, 314 (*G.
 pellecta* [Brenske] 1896) 1913:1
 (Bengal., Kurseong). *Scar.*, *Melth.*,
Seric. 48.
- Gynandrorrhynchus* Lac., VII, 1866,
 450; Schoenfeldt, GIW. *Brenth.* 1908,
 59 (*G. Bocandei* Lac. 1866) 1913:1
 (Guinea lusit.). *Brenth.*, *Brentha.*,
Ceoc. 94.
- Gynapteryx* Fairm. u. Germ., ASEFr.
 (4) III, 1863, 260 (*G. flavocinctus*
 Fairm. u. Germ. 1863) 1917:1 (Atacama). *Melo.*, *Lytt.*, *Meloi*. 51.
- Gynnis* J. Lee., Jo. Ac. Philad. (2) 3,
 1856, 262; Horn, TAmES. 7, 1878,
 138 = *Lachnostenra* Hope 1837.
Scar., *Melth.*, *Melthi*. 294.
- Gynoplotrupes* R. Oberth., Col. Nov.
 1883, 54 = *Gynaecoplotrupes* R.
 Oberth. *Scar.*, *Geotr.*, *Geotrpi.* 13, 2.
- Gynopterus* Muls. u. Rey, Gibbic. 1868,
 53, 54; Schaufuß in Calwer, 718;
 Kuhnt, 670 = Subg. ad *Ptinus* L.
 1758. *Ptin.*, *Ptini*. 21.
- Gyponyx* Gorh., AMusG. 18, 1883, 604;
 Schklg., Mi. Nat. Mus. Hamburg
 17, 1900, 14; GIW. Cler. 1903, 45;
 A.SAfr. Mus. V, 1907 (*G. chinensis*
 [F.] 1794) 1913:35 (Abyss., Kili-

mandj., Senegal, Usambara, Afr. mer.). *Cler.*, *Cleri.*, *Clerin.* 54.

Gyretes O Brullé, HNIns. V, 1834, 241; Aubé, Icon. V, 1838, 402; Spec. VI, 1838, 747; Laboulb., ASEFr. (3) I, 1853, 47; Lac., I, 440; Régimb., ASEFr. (6) 3, 1883, 385/6; Lec. et Horn, Class. 1883, 69; Seidl., VN. 25, 27; Rég. in GIW. Col. I, 1902, 8 (*G. bidens* [Ol.] 1792) 1913:45 (Am. mer., Brasil.; Alger., Haiti). *Gyr.*, *Orect.* 8.

Gyrinulus Zaitzev, Rev. Russe d'E. 7, 1907, 238 = Subg. ad *Gyrinus* Geoffr. 1762. *Gyr.*, *Gyri.* 7.

Gyrinus O* Geoffr., Ins. Par. I, 1762; F. Syst. E. 1775, 234; Duft., F. Austr. I, 1805, 291 (ex p.); Gyll., Ins. Suec. I, 1808, 140; C. R. Sahlb., Ins. Fenn. I, 1819, 46; Zetterst., F. Lapp. I, 1828, 204; Ins. Lapp. 1840, 126; Steph., Ill. Brit. E. II, 1828, 95; Brullé, H. Ins. (V) II, 1835, 234; Sturm, X, 1836, 80; t. CCXXVI; Aubé, Icon. V, 1836/8; 380; Spec. Col. VI, 1838, 655; Er., KäfMaBr. I, 1839, 190; Heer, F. Helv. 1839, 165; Cast., HN. I, 1840, 169; Suffr., SteZg. 3, 1842, 219; Redtb., F. Austr. ed I—III; Bach, I, 119 (ex p.); Fairm. et Laboulb., F.E.Fr. 1854/6, 220 (ex p.); Lac., I, 438; Jacq. du Val, I, 79; Gutfl.-B., 1859, 63 (ex p.; *Gyrinus* et *Orectochilus*); C. G. Thoms., Sk. Col. I, 114; Kiesw., NID. I, 2, 137; Lec., P.Ac.Nat.Sc. Philad. 1868, 367; Seidl., F. Ba. ed. I et II; F. Tr. 1888, 20; Rég., ASEFr. (6) 3, 1883, 141; Lec. u. Horn, 1883, 69; Fowl., Col. Brit. Isl. I, 1887, 211; Seidl., VN. 25, 1887, 113; Ganglb., KäfMEur. I, 525; Everts I, 146; Lameere, F. Belg. II, 1900, 829; Rég., GIW. I, 1902, 7; Zaitzev, Rev. Russe d'E. 7, 1907, 238; Csiki, Mag. Bogarf. I, 1908, 512; Reitt., F. Germ. I, 1908, 235; Süßwf. Deutschl. III—IV, 1909,

48, 49; Schaufuß in Calwer, 141; Kuhnt, 153, 154.

Biol.: Schiödte, NTi. I, 1861/3, 208, t. III, f. 1—9; III, 1864/5 p. 191; Ganglb., I, 525 (Larv.) (*G. natator* [L.] 1758) 1913:80. — *G. Zaitzev* 1907 = Subg. — (Eur., As., Mediterr., Afr., Am., Austr., Madag.). *Gyr.*, *Gyri.* 7.

Gyrinus Geoffr., Ins. Par. I, 1762, 193 = *Aulonogyrus* Rég. 1883. — *G. Zaitzev* Rev. Russe d'E. 7, 1907, 238 = Subg. ad *Gyrinus* Geoffr. *Gyr.*, *Gyri.* 7.

Gyriosomus O Guér., MaZo. 1834, Mélas., 6; Sol. in Gay, H. Chile V, 1851, 217; Studi entom. 1848, 337; Lac., V, 166; Fairm., ASEFr. (5) 6, 1876, 144 (Mon.) (*G. laevigatus* Guér. 1834, *impressus* Guér. 1834, *Hopei* [Gray] 1832) 1910:25 (Chile 2, Peru 23). *Ten.*, Nyctel. 292.

Gyrohypnus Mannh., Brach. 1830, 7; Ganglb., KäfMEur. II, 1895, 479; Schaufuß in Calwer, 189; Kuhnt, 226; Casey, T.Ac. St. Louis XVI, 1906, 367, 386 = Subg. ad *Xantholinus* Serv. 1825. *Staph.*, *Staphy.*, *Xanth.* 257.

Gyrohypnus C. G. Thoms., Skand. Col. II, 1860, 186 = *Baptolinus* Kraatz 1856/58. *Staph.*, *Staphy.*, *Xanth.* 274.

Gyronotus O Lansb., ASEB. 17, 1874, 186 (*G. pumilus* Boh. 1857) 1913:4 + 1 (1911?) (Guinea, Usambara, Col. cap., Try., Natal.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 22.

Gyronychina Casey, Mém. Col. 2, 1911, 218 (*G. longipennis* Casey 1911) 1911:1 (Cal.). *Staph.*

Gyrophia Brenske, BEZ. 38, 1893, 349 (*G. bimaculata* Brenske 1893) 1913:1 (Borneo). *Scar.*, *Melth.*, *Hopl.* 548.

- Habrobates*** Sem., Rev. Russe, E. III, 1903, 11; HoR. 38, 1907, 177 (*H. vernalis* Sem. 1903) 1913:1 (Transcasp.). *Ten.*, *Platyop.* 348.
- Habrocerus*** O Er., KäfMaBr. I, 1837 —39 (1839), 400; **Pandellé**, ASEFr. (4) IX, 1869, 275; **Ganglb.**, KäfMEur. II, 1895, 326; **Guttl.-B.** 121; Schaufuß in Calwer, 213; **Kuhnt**, 170, 256. — Biol.: **Rey**, ASL Lyon, 28, 1881, 140; **Rupertsb.**, Biol. Käf. Eur. 1894, 110; (*H. capillaricornis* [Grav.] 1806) 1916:4 (Eur. 1, Am. b. 2, Chile 1). *Staph.*, *Habroc.* 396.
- Habrochiton*** Sem., HoR. 38, 1907, 177, 179 (*H. vernus* Sem. 1907) 1913:2 (Turk. chin.). *Ten.*, *Platyop.* 347.
- Habrodactylus*** Lac., *Erot.*, 311; **Chap.**, XII, 58; **Crotch**, *Erot.*, 1842, 127 = Subg. ad *Brachysphaenus* **Lacord.** *Erot.*, *Erotyl.* 10.
- Habrolinus*** Casey, T. Ac. St. Louis XVI, 1906, 406 (*H. tahoensis* Cas. 1906) 1914:1 (Cal.). *Staph.*, *Staphy.*, *Xanth.* 242.
- Habrophora*** Er., ArN. XIII, 1847, I, 163; **Baly**, JoE. II, 1863, 155; **Chap.**, G. Col. X, 1874, 278; **Jac.** BCA. Col. VI, I, 1882, 169; **Lefv.** MSLiége, (2) II, 1885, 78 (*H. lateralis* Er. 1847) 1914:1 (Am. centr. et mer. trop.). *Chrys.*, *Eumolp.*, *Leprot.* 136.
- Hades*** Thoms., Mus. scient. 1860, 13 t. 2 f. 1a—d = *Leiochrodes* Westw. 1883. *Ten.*, *Leiochr.* 654.
- Hadesia*** O J. Müller, WEZg. 30, 1911, 175; **Breit**, EMi.II, 1913, 312; **Jeannel**, Arch.Zo.exp. 54, 1914, 77 (*H. Vasiceki J. Müll.* 1911) 1914:1 (cavern.: Herzegowina). *Silph.*, *Bath.*, *Antroherp.* 58.
- Hadimus*** Fairm., ASEB. 33, 1889, Bull. p. 93 (*H. cartalloides* Fairm. 1889) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Pyth.* 681.
- Hadraule*** = Subg. ad *Cis Latr.*, Schaufuß in Calwer, 503; **Kuhnt**, 548.
- Hadraulus*** Thoms., Sk. Col.V, 1863, 182 = Subg. ad *Cis Latr.* 1796. *Cio.* 3.
- Hadrobregmus*** O C. G. Thomis., Sk. Col. I, 1859, 89; V, 157; **J. Lec.**, PAePhil., 231; **Kiesw.**, NID. V, 108; **Provanch.**, F. Can. I, 435, 438; **Seidl**, F. Ba., 1889, 502; F. Tr. 537; **Schilsky**, Käf. Eur. 36, 36 X (Typ.?: *H. rufipes* [F.] 1792, *carinatus* [Say] 1823) 1913:17 (Eur., Am., Austral., Eur.). *Anob.*, *Anobi.* 36.
- Hadrocerus*** O Guér., Voy. Coquille, Col. 1830, 82; **Burm.**, Hd. E. IV, 2, 1855, 22; **Lac.**, III, 313 (*H. castaneipennis* Guér. 1830) 1913:1 (Brasil.). *Scar.*, *Melth.*, *Macro*. 465.
- Hadrodes*** Woll., Col. St. Helena, 1877 (*H. helenensis* Woll. 1877) 1913:1 (St. Helena). *Ten.*, *Opatr.* 524.
- Hadrognathus*** O Schaum., Col. Cat. Eur. ed. IV, 1852, 31; **Kraatz**, BEZ. I, 1857, 43; NID. II, 1856, 58 910; **Ganglb.**, KäfMEur. II, 1895, 703; Schaufuß in Calwer, 153 (*H. longipalpus* [Muls. et Rey] 1851) 1913:1 (Gallia; Pyren.). *Staph.*, *Oxyt.*, *Omal.* 85.
- Hadronigidius*** Kraatz, DEZ. 1896, 65 = *Nigidius* M'Leay 1819. *Luc.*, Fig. 62.
- Hadrophorus*** O Fairm., BSEFr. 1898, 342; **Raffr.**, ASEFr. 68, 1899, 522; 73, 1904, 431; GIW. *Psel.* 1908, 431 t. 2 f. 25 (*H. humerosus* Fairm. 1898) 1913:1 (Madag.). *Psel.*, *Clavig.* 439.
- Hadropinus*** Sharp, ANH. (6) 3, 1889, 115 (*H. fossor* Sharp 1889) 1914:1 (Japon.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 343.
- Hadropopillia*** Kraatz, DEZ. 1892, 289 = *Spilota* Burm. 1844 = Subg. 4 ad *Anomala* Sam. s. str. 1869. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 71, 4.
- Hadrostigmatium*** Kraatz, DEZ. 1899, 90 = *Phaeocyclotomus* Kuw. 1894. *Cler.*, *Clerin.* 86.

- Hadrotes** J. Lec., PAcPhil. 1861, 342 (*H. extensus* J. Lec. 1861) (*H. crassus* [Mannerh.] 1846) 1914:2 (Alaska; Am. b. arct.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 344.
- Hadrotoma** Er., NID. III, 444; Sturm, 19, 87; Lac. II, 466; Jacq. du Val, II, 256; C. G. Thoms., Sk. Col. IV, 205; Guttl.-B. 285; Muls. et Rey, *Scut.* 111; Reitt., Tab. 3, 71 ed. II, 40; Schaufuß in Calwer, 600; Kuhnt, 603, 606 = *Globicornis* Latr. 1829. *Derm.*, *Megat.* 14.
- Hadrotoma** Muls. et Rey, *Scut.*, 111; Reitt., Tab. 3, 82; ed. II, 56 = Subg. ad *Globicornis* Latr. 1827. *Derm.*, *Megat.* 14.
- Hadrus** Woll., Ins. Mader. 1854, 502; Lac., V, 274; Muls. et Rey, Mém. Ac. Lyon IX, 1859, 125; Opusc. E. X, 1859, 63; Seidl., NID. V, 1894, 409 etc.; Reitt., Best.-Tab. 53, 1904, 134, 140; Schaufuß in Calwer, 801 (*H. alpinus* Woll. 1854) 1913:5 (Madera 4, Corsic. 1). *Ten.*, *Opatr.* 523.
- Haematochiton** O Gorh., BCA. Col. VII, 1888, 81 (*H. elateroides* Gorh. 1888) 1913:1 (Mex.). *Erot.*, *Triplac.* 50.
- Haematodes** O Cast., Etud. E. I, 1835, 113; Er., G. Spec. *Staph.* 1839/40, 340 (*H. bicolor* Cast. 1835) 1916:2 (Bras., Argent., Urug., Patagon.). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 369.
- Haematoides** Fairm., ASEFr. (5) 8, 1878, 116; Jacobs., Käf. Rußl. 10, 1913, 727 (*H. Davidis* Fairm. 1878) 1914:2 (China). *Dasc.*, *Dasci.*, *Dascill.* 25.
- Haemonia** (Lac.) Guttl.-B., 599 = *H. Latr.*
- Haemonia** O Latr. in Cuvier, Regne anim. ed. 2, V, 1829, 136; Lac., Mon. *Phyt.* I, 1845, 205; Fairm., Gen. Col. d'Eur. IV, 1856, 207; Kuhnt, 801, 820; C. G. Thoms., Sk. Col. VIII, 126; Chap., X, 60; Ws., NID. VI, 1882, 10; Seidl., F. Ba., ed. II, 1891, 728;
- Bedel**, V, 108 et 211; Everts, II, 397; **Jac. u. Clav.**, GIW. 21, 1904, 2. (*H. appendiculata* [Panz.] 1794, *mutica* [F.] 1792) 1913:6 (Eur. med., Sibir., Jap., Casp., Am. bor.). *Chrys.*, *Donac.* 1.
- Morphol.: Schouteden, ASEB. 51, 1907, 299.
- Biol.: C. G. Thoms., Sk. Col. VIII, 126; **Bellevoye**, Nouv. et Faits 1870, 789; 1871, 90/1; **Montillot**, B.S. Linn. Nat. Fr. III, 1873, 164/6, 179—183; **Chap.**, X, 62; Fauvel, B.S. Linn. Norm. (2) 5, 1872, 347; **Bellevoye**, B.S. Reims, 1895, 1—26, t. 1; Macgillivray vide sub *Donaciinae*; Leesberg, E. Ber. (1) XXII, 234/6; Willem, ASEB. 51, 1907, 289; Böving, Intern. Rev. Hydrobiol. u. Hydrogr. III, Biol. Suppl. I, 1910, 1—108, t.
- Physiol.: Atmung: Deibel, Z. J. Anat. XXXI. 1910, 107—460, 2 t; cf. etiam Clavareau, in Schklig. u. J., Col. Cat. P. 51, 1913, 13, 14, 15.
- Haemus** O Péring., A.S Afr. Mus. 3, 228 (*H. carinatipennis* Péring. 1904) 1913:1 (Afr. or., Rhodesia). *Ten.*, *Asid.* 274.
- Haenydra** Kug. *Hydropk.* cf. P. II.
- Haida** Keen, Can. Ent. 29, 1897, 285 (*H. Keeni* Keen 1897) 1913:1 (Ins. Queen Charlott.). *Staph.*, *Oxyt.*, *Omal.* 51.
- Halacritus** O Schm. 1893; Schaufuß in Calwer, 319 = Subg. I ad *Acritus* Lee. 1853 (*H. punctum* Aubé 1842) 1913:3 (Eur., Ind., Seych., Calif.). *Hist.* 118, 1.
- Halambobia** O Sem., Rev. Russe d'E. I, 1901, 92; Desbr., Frelon, X, 1901, 185. — Biol.: Perris, Larves 1877, 272 f. 278; Seidl., NID. V, 1894, 478. (*H. pellucida* [Herbst] 1799) (Gall. mer., Hisp., Sicil.). *Ten.*, *Phaler.* 577.
- Halepopopeplus** O Murr, Monogr. 1864, 257, 324 (*H. bipustulatus* et Batesi

- Murr.** 1864) 1913:12 (Amaz., Peru, Nicar., Panam., Columb.). *Nit.*, *Carpophil.* 46.
- Hallomenus** **Panz.** *Melandr.* vide P.II.
- Halme** **O Pasc.**, TESL. (3) 3, 1869, 641; **Gahan**, F. Brit. Ind. Col. I, 1906, 311 (*H. cleviformis* **Pasc.** 1869) 1913:4 (Ceyl., Born., Andam., Sumatr.). *Ceramb.*, *Cerambin.*, *Tillom.* 861.
- Halonomus** **Woll.**, ANH. (3) 7, 1861, 201 = *Clitobius* **Muls.** et **Rey** 1859. *Ten.*, *Opatr.* 556.
- Halosimus** **Gemm.** u. **Har.**, Cat. Col. VII, 1870, 2157 = *Alosimus* **Muls.** 1857 = Subg. ad *Lydus* **Latr.** 1803. *Melo*, *Lytt.*, *Mylab.* 3.
- Halycidocrius** **Berg**, StEZg. 42, 1881, 62 = *Prionapterus* **Guér.** 1832. *Ceramb.*, *Prion.*, *Anacol.*, *Clost.* 83.
- Hamadryades** **J. Thoms.**, ArE. I, 1857, 23, t. 9 f. 3 = *Nicias* **J. Thoms.** 1857. *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 105.
- Hamaticherus** **O Serv.**, ASEFr. III, 1834, 15; **J. Thoms.**, Class. *Cer.*, 1860, 196; Syst. *Cer.*, 1864, 443 (*H. bellator* **Serv.** 1834, *batus* [L.] 1758, *plicatus* [Ol.] 1790) 1913:17 (Am. mer., pars bor., Bras., Argent., Parag., Mex.). *Ceramb.*, *Cerambin.*, *Cerambyc.* 134.
- Hamaticherus** **Germ.**, Ins. spec. novae 1824, 499; **Steph.**, Ill. Brit. Entom. Mand. IV, 1831, 228 = *Cerambyx* L. 1758. *Ceramb.*, *Cerambin.*, *Cerambyc.* 135.
- Hamaxobium** **Duftschm.**, F. Austr. 3, 1825, 19 = *Eucinetus* **Germ.** 1818. *Eucin.* 1.
- Hamaticherus** **Lac.**, VIII, 1869, 255 = *Hamaticherus* **Serv.** 1834. *Ceramb.*, *Cerambin.*, *Cerambyc.* 134.
- Hamatochaerus** **Bach**, Käferf. III, 1856, 9 = *Cerambyx* L. 1758. *Ceramb.*, *Cerambin.*, *Cerambyc.* 135.
- Hamatochaerus** **Gemm.** u. **Har.**, Col. Cat. IX, 1873, 2800 = *Hamaticherus* **Serv.** 1834. *Ceramb.*, *Cerambin.*, *Cerambyc.* 134.
- Hamaticherus** **Redt.**, Gatt. deutsch. Käferf. 1845, 108 = *Cerambyx* L. 1758. *Ceramb.*, *Cerambin.*, *Cerambyc.* 135.
- Hammonia** **Leach.**, ZoJo. I, 1824, 43; **Caevr.**, ASEFr. (5) 4, 1874, 15 = *Cebrio* Ol. 1790. *Cebr.* 1.
- Hamotocellus** **Raffray**, ASEFr. 80, 1912, 444 (*H. hirsutus* **Raffr.** 1912) 1913:1 (—). *Psel.*, *Tyr.*
- Hamotooides** **Schauf.**, BEZ. 31, 1887, 298; **Raffr.**, Rev. d'E. 9, 1890, 148, 154; ASEFr. 60, 1896, 137; 73, 1904, 370; GIW. *Psel.* 1908, 398 = Subg. 2 ad *Hamotus* **Aubé** 1844 (Typ.?); *H. hilaris* **Schauf.** 1887). 1913:18 (Amer. c. et mer. trop.). *Psel.*, *Psel.*, *Tyr.* 415.
- Hamotopsis** **O Raffr.**, PLSNSW. 1900, 217; ASEFr. 73, 1904, 369, 639; GIW. *Psel.* 1908, 394 (*H. australasiae* **Raffr.** 1900) 1913:1+1 (Austral., Viet.). *Psel.*, *Psel.*, *Tyr.*, 411.
- Hamotraho** **Gozis**, Rech. de l'esp. typ. 1886, 13 = *Tachinus* **Grav.** 1802. *Staph.*, *Tach.*, *Tachi.* 423.
- Hamotulus** **O Schauf.**, TijE. 30, 1887, 108; **Raffr.**, Rev. d'E. 9, 1890, 148, 159; PLSNSW. 1900, 218; ASEFr. 77, 1908, 368; GIW. *Psel.* 1908, 390 t. 9 f. 51 (*H. mutandus* [Sharp] 1874, *H. chamaeleon* [Schauf.] 1879) 1913:7 (Austral., Nov. Zealand.). *Psel.*, *Psel.*, *Tyr.* 405.
- Hamotus** **Aubé**, ASEFr. (2) 2, 1844, 92; **Raffr.**, Rev. d'E. 9, 1890, 148, 154; ASEFr. 60, 1891, 319; 65, 1896, 133; 73, 1904, 370, 388; **Schauf.**, BEZ. 31, 1887, 298; **Raffr.**, GIW. *Psel.* 1908, 397 t. 9 f. 55 (*H. lateritius* **Aubé** 1844) 1913:74 (Am.) — 2 Subgg.: *Ham.* u. *Hamatoi*. — *H. s. str.* **Aubé**, ASEFr. (2) 2, 1844, 92; **Raffr.**, ASEFr. 73, 1904, 370; GIW. *Psel.* 1908, 398 = Subg. 1 ad *H.* (Typ. ut antea) 1913:56 (Distr. ut antea). *Psel.*, *Psel.*, *Tyr.* 415.

- Hamotus* Brendel (non Aubé), B. Un. Jowa I, 1890, 240 = *Cercocerus* J. Lec. 1861. *Psel.*, *Psel.*, *Tyr.* 414.
- Hanoia* Fairm., ASEFr. (6) 8, 1888, 375; Gestro, BSEItal. 1901, 84 = *Downesia* Baly 1858. *Chrys.*, *Hisp.*, *Gonoph.* 74.
- Hapalaraea* O C. G. Thoms., Skand. Col. I, 1860, 50; III, 1861, 200; Schaufuß in Calwer, 156; Kuhnt, 185 = Subg. 3 ad *Phyllodrepa* Thoms. 1860 (*H. pygmaea* [Gyll.] 1808/28) 1913:5 (Eur. bor., med., Corsic., Circass.; Sumatr.; Am. b., Cal.). *Staph.*, *Oxyt.*, *Omal.* 48, 3.
- Hapalogenius* Hagedorn, DEZ. 1912, 352 (*H. globosus* Hagedorn 1912) 1913:1 (Terra Pondo). *Ip.*, *Hyles*.
- Hapalonychus* Lac., III, 1856, 37; Borre, ASEB. 30, 1886, 121; Arrow, TESL. 1909, 487 (*H. rufulus* [Cast.] 1846) 1913:3 (Parag.; St. Doming., Haiti, Cuba). *Scar.*, *Hybos*. 14.
- Hapalopus* Brenske, SE. 17, 1903, 185 [non Ausserer 1875] vide *Deuterohapalopus* DT. (1913). *Scar.*, *Melth.*, *Pachyd.* 416.
- Hapalosalia* Casey, Mem. Col. 4, 1913, 200 (*H. lineicornis* Casey) 1913:3 (Wisc., Ind.). *Ceramb.* cf. P. II.
- Hapalus* Gemm. u. Har., Col. Cat. VII, 1870, 2161; Kuhnt 704, 709 = *Apalus* F. 1775. *Melo.*, *Nemogn.*, *Sit.* 64.
- Haplandrus* J. Lec., Class. 1866, 230; Horn, Rev. *Ten.* 1870, 332, 339 (*H. fulvipes* [Hbst.] 1797, *ater* J. Lec. 1866) 1913:3 (Am. b.: Civ. confoed. mer., Canada). *Ten.*, *Tenebr.* 768.
- Haplidia* O Hope (emend.), Col. Man. I, 1837, 101 (*Aplidia*); Er., NID. 3, 1847, 692; Burm., Hd. E. IV, 2, 342; Lac., III, 290; Jacq. du Val, III, 8, 1860, 59 t. 16 f. 80; Kraatz, DEZ. 26, 1882, 33—42; Tieffenbach, l. c., t. 4 f. 7; Borre, ASEB. 30, 1886, Compt. rend. p. CXXXVIII; Reitt., WEZg. 8, 1889, 279; VN. 40 [Best.- Tab. 50], 164, 183; *Gemm. u. Har.*, IV, 1869, 1171; Schaufuß in Calwer, 1310; Kuhnt, 385, 406 (*H. transversa* [F.] 1801) 1913:21 (Medit.). *Scar.*, *Melth.*, *Melthi*. 303.
- Haplidus* O J. Lec., Smiths. Misc. Coll. XI, 264, 1873, 175 (*H. testaceus* J. Lec. 1873) 1913:1 (Cal.). *Ceramb.*, *Cerambin.*, *Oem.* 66.
- Haplobrachium* Boh., Ins. Caffr. II, 1857, 77 = *Rhabdopholis* Burm. 1855. *Scar.*, *Melth.*, *Melthi*. 259.
- Haplocladon* Gorh., Not. Leyd. Mus. 1883, 249 = *Diplocladon* Gorh. 1883. *Dril.* 14.
- Haplodema* O Blanch. (emend.), Cat. Coll. E. Col. I, 1850, 115 (*Aplodema*) (*H. angustata* et *magellanica* Blanch. 1850) 1913:2 (Boliv., Magellan.). *Scar.*, *Melth.*, *Lipar*. 210.
- Haplodema* Gemm. u. Harold, Col. Cat. IV, 1869, 1136 = *Haplodema* Blanch. (emend.) 1850. *Scar.*, *Melth.*, *Lipar*. 210.
- Haploerus* Kraatz, NID. II, 1856/58, 863; Schaufuß in Calwer, 163, 169; Kuhnt, 163, 199 = *Aploderus* Steph. 1832. *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte*. 121.
- Haploerus* Steph., Gutfl.-B. 172 = *Aploderus* Steph. 1832.
- Haplogaster* (Kolbe) Aur. in Schkig. u. Junk, Col. Cat. Pars 39, 1912, Index p. 498 = errat. pro *Hoplogaster* Kolbe 1894. *Ceramb.*, *Cerambin.*, *Dorcas*. 569.
- Haplogeusis* O Bourg., ASEFr. 1909, 434 (*H. ceylanica* Bourg. 1909) 1913:1 (Ceylon.). *Dril.* 13.
- Haploglossa* Gemm. u. Harold, Col. Cat. VI, 1869, 1623; Champ., BCA. Col. III, 1, 1897, 623 = *Aploglossa* Guér. 1849. *Helod.*, *Helodi.*, *Cladot*. 18.
- Haplogrammicosum* O Goun., BMus. HNP. 1913, 211 (*H. cinnamomeum* Goun. 1913) 1913:1 (—). *Ceramb.*, cf. P. II.

- Haplomorphus* Guér., Rev. et Ma. Zo. (2) 10, 1858, 18 = *Eumorphus* Weber 1801. *End.*, *Endo.*, *Eumorph.* 28.
- Haplonycha* Blanch., Cat. Coll. E. I., 1850, 107; *Burm.*, Hd. E. IV, 2, 1855, 225; *Blackb.*, TRS. South Austral. 10, 1888, 207; 30, 1906, 290; 31, 1907, 281 (*H. obesa* [Boisd.] 1835) 1913:66 (Austral.). *Scar.*, *Melth.*, *Lipar.* 176.
- Haploparmena* O Aur., ArkZo. 8, No. 22, 1913, 10 (*H. angolana* Aur. 1913) 1913:1 (Angola). *Ceramb.* cf. P. II.
- Haplopsebium* O Aur., ETi. 12, 1891, 99 (*H. nigricorne* Aur. 1891) 1913:1 (Gabun., Kuilu). *Ceramb.*, *Cerambin.*, *Psel.* 593.
- Haplopsis* Blanch. (emend.), Cat. Coll. E. I., 1850, 102 (*Aplopsis*); *Blackb.*, TRS. South Austral. 22, 1898, 48; 30, 1906, 287 (*H. lineoligera* Blanch. 1850) 1913:5 (Austral.). *Scar.*, *Melth.*, *Lipar.* 200.
- Haplopsis* Gemm. u. Har., Col. Cat. IV, 1869, 1135 = *Haplopsis* Blanch. (emend.) 1850. *Scar.*, *Melth.*, *Lipar.* 200.
- Haploscelis* O Blanch., HN. II, 1845, 312 (*H. atratus* [Klug] 1832) 1913:16 (Madag., Nossibé). *End.*, *Endo.*, *Eumorph.* 32.
- Haplotropidius* O J. Müll., Sitzb. Ak. Wiss. Wien 102, 1913, 89 (subg.); *Reitt.*, WEZg. 27, 1908, 111 (gen.); *Breit.*, EMi. II, 1913, 310; *Jeanne*, ArchZo. exp. (5) 5, 1910, 22, 24 (f. 19), 42; 54, 1914, 76; *Schaufuß* in Calwer, (264) (*H. Bokori* [Csiki] 1912, *Mariani* J. Müll. 1913, *pubescens* et *Taxi* [J. Müll.] 1903) 1914:4 (cavernic.: Dalmat. centr., Bosn., Herzog.). *Silph.*, *Bath.*, *Bathy.* 51.
- Haporema* Fairm., Rev. d'E. 11, 1892, 109 (*H. decipiens* Fairm. 1892) 1911:1 (Obock). *Ten.*, *Helop.* 1032.
- Haptoncura* Reitt., VN. 13, 1875, 61, 64, sep. 11, 14 = *Haptoncus* Murr. 1864. *Nit.*, *Nitid.* 60.
- Haptoncus* Murr., Monogr. 1864, 401 (*M. oocularis* [Fairm.] 1849, *luteolus* [Er.] 1843) 1913:34 (Reg. indo-malay., Japon., Ind., Afr. or., Madag., Seych., Hawaii., Tahiti, Timor, Réunion, Bourbon). *Nit.*, *Nitid.*, *Carpophil.* 60.
- Haptoneura* Grouvelle in Schkdg. u. J., P. 56, 1913 in Indie. = err. pro *Haptoncura* Murr. 1864. *Nit.*, *Nitid.* 60.
- Hargium* O * Samouelle, E. Comp. 1819, 210; *Schaufuß* in Calwer, 827 = Subg. 2 ad *Rhagium* F. 1775 (*H. inquisitor* [L.] 1758) 1913:4 (Eur., Sib., Jap., China, Cauc., Am. bor.). *Ceramb.*, *Cerambin.*, *Lept.* 466, 2.
- Harinius* Fairm., ASEB. 33, 1889, 96 (*H. atripennis* Fairm. 1889) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 492.
- Harmatelia* Walk. = *Haplogeusis Bourgeoisi*, BSEFr. 1911, 160. *Lamp.*, *Meg.* 40 = *Dril.* 13.
- Ha. matelia* Walk., ANH. 1858, 281; *Ern.* Oliv., GIW. *Lamp.* 1907, 47 (*H. bilineata* et *discalis* Walk. 1858) 1913:2 (Ceylon.). *Lamp.*, *Meg.* 40.
- Harmodactylus* Péring., T. South Afr. Phil. S. 12, 1901/3, Cat. 1901, 369 sq.; *A. Schmidt*, GIW. 1910, 10 et 93 (*H. oscitans* Péring. 1901) 1913:1 (Cap. b. sp.). *Scar.*, *Aphod.*, *Aphodi.* 11.
- Harmogaster* Har., BEZ. V, 1861, 112/4, Péring., T.SAfr. Phil. S. 12, 1901/3; Cat. 1901, 421/5; *A. Schmidt*, GIW. 11, 100—101, t. 2 (*H. exarata* Har. 1861) 1913:6 (Afr. merid.). *Scar.*, *Aphod.*, *Aphodi.* 19.
- Harmomima* Raffr., ASEFr. 73, 1904, 257, 269; GIW. *Psel.* 1908, 268 (*H.*

- grandiceps* Raffr. 1904) 1913:2 (Boliv. sup.). *Psel.*, *Pselia*, *Tych.* 285.
- Harmophola* Raffr., ASEFr. 65, 1896, 130; 73, 1904, 257; GIW. *Psel.* 1908, 266 (*H. clavata* Raffr. 1896) 1913:1 (Bras. merid.). *Psel.*, *Pselia*, *Tych.* 282.
- Harmophorus* Schauf., TijE. 29, 1886, 264; Raffr., Rev. d'E. 9, 1890, 127, 129; ASEFr. 73, 1904, 257; GIW. *Psel.* 1908, 269 (*H. manticoroides* Schauf. 1886) 1913:1 (Brasil.). *Psel.*, *Pselia*, *Tych.* 286.
- Harmosternus* Gah., ANH. (6) 6, 1890, 31 = *Derancistrus* s. str. = Subg. 2 ad *Derancistrus* Serv. *Ceramb.*, *Prion.*, *Deranc.* 56, 2.
- Harpina* Burm., Hd. E. IV, 1, 201; Lac., III, 197; Péring., T. S. Afr. Phil. S. 12, 1902, 881 (*H. vittigera* Burm. 1844) 1913:1 (Terr. cap.). *Scar.*, *Melth.*, *Hopl.* 552.
- Harpodactyla* Burm., Hd. E. IV, 2, 1855, 17 = *Gama* Blanch. *Scar.*, *Melth.*, *Macrod.* 460.
- Harpognathus* Wesm., Rec. Enc. Belg. I, 1834, 119 = *Coryphium* Steph. 1832. *Staph.*, *Oxyt.*, *Omal.* 91.
- Haruspex* O J. Thoms., Syst. *Ceramb.* 1864, 221 (*H. brevipes* White 1855) 1913:20 (Bras., Venez., Nicarag., Grenada). *Ceramb.*, *Cerambin.*, *Piez.* 268.
- Hastertia* Lmr., MSEB. 21, 1912, 162 (Rév., 1026) (*H. Bougainvillei* Lmr. 1912) 1913:1 (Ins. Bougainville). *Ceramb.*, *Prion.*, *Macrot.*, *Xixuth.* 43.
- Hasumius* Fairm., Compt. rend. SEB. 1891, p. CCLXXXII (*H. suturalis* Fairm. 1901) 1914:6 (Afr. or., centr., occ.) *Staph.*, *Staphy.*, *Staphyl.*, *Xanho*. 337.
- Hebascus* Er. 1843 (*H. analis* [F.] 1801, *hirtellus* Er. 1843 etc.) 1913:12 (Am. trop., Mex.). *Nit.*, *Nitid.* 115.
- Hecatomnus* Fairm., ASEB. 35, 1891, C. r. p. CCII; Reitt., VN. 40 [Best.-Tab. 50], 256 nota (*H. grandicornis* Fairm. 1891) 1913:1 (China). *Scar.*, *Melth.*, *Melthi*. 347.
- Hecistopsilus* Kolbe, ASEB. 38, 1894, 568, 574 (*H. molitor* et *H. sinuatus* Kolbe 1894) 1913:2 (Afr. or.-germ.; Lac. Nyass., Dar-es-Salaam). *Scar.*, *Melth.*, *Melthi*. 246.
- Hecistospilus* Sharp, Zo. Record 31, 1894. Ins., 137 = errat. pro *Hecistospilus* Kolbe 1894. *Scar.*, *Melth.*, *Melthi*. 246.
- Hectus* Pasc., ANH. (4) 3 1869, 289 (*H. anthracinus* Pasc. 1869) 1913:1 (Queensl.). *Ten.*, *Cyphal.* 893.
- Hedobia* O Latr., Règne anim. ed. II, IV, 1829, 482 nota; Sturm, XII, 19; Cast., H. Ins. I, 1840, 296; Redtb., F. Austr. 1849, 340; ed. II, 1858, 553; ed. III, 1872, II, 44; Bach, II, 95; Boield., 291; Lac., IV, 512; C. G. Thoms., I, 88; V, 143; Jacq. du Val, III, 209; Muls. et Rey, *Gibbicoll.* 1868, 24; Chenu, Enc. II, 211; Kiesw., NID. V, 1877, 131; Seidl., F. Ba. et Tr.; Faue., F. Col. Fr., 303; Gen. Col. Fr., 31; Reitt., WEZg. 17, 1898, 137; Best.-Tab. 47, 1901, 4; F. Germ. III, 1911, 306; Lmr., Man. F. Belg. II, 1906, 266; Schilsky, Käf. Eur. 36, 1899 (1900), 36 B, 36 R.; M. et Th. Pic, WEZg. 20, 1901, 169; Everts, II, 222; Fall, TAMES. 31, 1905, 128; Gutfl.-B., 396; Schauß in Calwer, 720; Kuhnt, 675, 677, 721. — Synopsis: Pic, BSEFr. 1896, 69; Reitt., WEZg. 17, 1898, 138; Best.-Tab. 47, 1901, 6; F. Germ. III, 1911, 307; Schilsky, Käf. Eur. 36, 1899 (1900), 36 S; M. et Th. Pic, WEZg. 20, 1901, 169—174 (*H. imperialis* [L.] 1767, *pubescens* [Ol.] 1790, *regalis* [Duft.] 1825) 1913:15 (Eur., As., Afr. b., Am. b.). *Anob.*, *Hedob.* 1.

Hedyphantes O Fisch., E. Ross. I, 1822, 171; Falderm., F. Transcauc. II, 1837, 80 nota; Lac., V, 1859, 453; Jacq. du Val, III, 323 (pars); All., Rév. Helop. vrais; Abeille 14, 1876, 4; Schaufuß in Calwer, 819; Reitt., BEZ. 1901, 211; Seidl., NID. V, 1896, 678, 789, 794. — Monogr.: All., Mi. Schweiz. E. Ges. V, 1877, 224 (*Hedyphantes* i. sp.). (*H. coeruleascens* Fisch. 1822) 1913:17 (Turc., Cauc., Asm. et c.). *Ten.*, *Helop.* 1077.

Hegemona O Cast., HN. II, 1840, 230; Lac., V, 448; All., Abeille 14, 1876, 4; Mi. Schweiz., E. Ges., V, 1877, 60; — Monogr.: Champ., BCA. Col. IV, 1, 1887, 267. — (*H. resplendens* Cast. 1840) 1913:19 (Am. c.). *Ten.*, *Helop.* 1070.

Hegeter O Latr., HNCrIns. III, 1802, 172; Sol., ASEFr. IV, 1835, 375; Woll., Ins. Mader. 1854, 508; Cat. Can. Col. 1864, 451; Lac., V, 55; Kraatz, Rev. *Ten.* 1865, 220; Reitt., DEZ. 1896, 301; Best.-Tab. 42, 1900, 95 (*H. tristis* [F.] 1792, *buprestoides* [F.] 1781) 1913:14 (Ins. Canar., Madera, Teneriffa, Cap. Verd.). *Ten.*, *Tentyr.* 166.

Hegeterocara Reitt., Best.-Tab. 42, 1900, 94, 190 (*H. arabica* Reitt. 1900) 1910:1 (Mare rubrum). *Ten.*, *Tentyr.* 161.

Helaeus O Latr., Règne anim. ed. I, III, 1817, 301; Cast., HN. II, 1840, 228. — Mon.: Lac., V, 347; Brême, Essai monogr. Coss. I, 1842, 55, t. 1, f. 1—8; McLeay, PLSNSW. (2) II, 1888, 635. — Tab. Sect. (Gruppen) McLeay's: Gr. I: Blackb., TRS. SouthAustr. 1899, 35; Gr. III: Cart., PLSNSW. 35, 1910, 88 (Typ.?: *H. perforatus* [Latr.] 1829, *Browni Kirby* 1818) 1913:46 (Austral.). *Ten.*, *Helaei.* 728.

Helibatus Muls. et Rey, M. Ac. Lyon X, 1860, 8; Opusc. E. X, 100 (*H. morio*

Muls. et Rey) 1913:1 (Terr. Cap.). *Ten.*, *Pedin.* 442.

Helichus O* Er., NID. 3, 1847, 510; Lee., PAcPhil. 6, 1852, 43; Lac., Gen. Col. II, 1855, 506; Horn, TAMES. 3, 1870; Ganglb., KäfMEur. IV, 1, 1904, 107; Schaufuß in Calwer, 578; Kuhnt, 592, 594. — Biol.: Er., ArN. 1841, I, 107; Beling, VzbGW. 32, 1883, 437; (*H. substriatus* [Ph. Müller] 1806) 1913:23+2 (Eur., As., Aeg., Am.). *Dryop.*, *Dryopi.*, *Dryopin.* 30.

Heliobletus Gorh., Endomyc. recit. 1873, 41 = *Saula* Gerst. 1858. *End.*, *Lycop.*, *End.* 51.

Heliocaës Bedel, BSEFr. 75, 1906, 92 = *Helophilus* Latr. 1829. *Ten.*, *Pedin.* 450.

Helicantharus Mac Leay, HoE. I, (2) 1821, 497 = *Scarabaeus* L. 1758. *Scar.*, *Copr.*, *Scarbii.*, *Scarbae.* 9.

Helicocoris O* Hope, Coleopt. Manual. I, 1837, 23. — Biol.: Kolbe, ZoJa. Suppl., VIII, 1905, 488; Aus der Natur I, 1906, 681; Arrow, TESL. 1904, 722 (Type?; *Antenor* [Ol.] 1789, *Atropos* Boh. 1860, *Bucephalus* [F.] 1789, *Eryx* [F.] 1801, *gigas* [Ol.] 1789, *Hamadryas* [F.] 1775, *Isidis* [Latr.] 1819, *Midas* [F.] 1775, *Pirmal* [F.] 1789) 1913:40 (Pers. m. 1, Malacca, Java, Sum. 1, Afr. 38). *Scar.*, *Copr.*, *Copri.*, *Coprid.* 77.

Heliocrates Reitt., Best.-Tab. 53, 1904, 98 = Subg. ad *Helophilus* Latr. 1829. *Ten.*, *Pedin.* 450.

Heliodromus Brill., Exp. Morée E. III, 1832, 196 = *Tentyria* Latr. 1804. *Ten.*, *Tentyr.* 150.

Heliofugus Guér., Voy. Coquille E. II, 1830, 96; Cast., HN. II, 1840, 205; Brême, Rev. Zo. 1842, 111 (21); Lac. V, 443 (*H. arenosus* Guér. 1830) 1913:13 (Chile 12; La Plata 1). *Ten.*, *Helop.* 1043.

Heliomanes Newm., ANH. 5, 1840, 17;
Ent. I, 1840, 20 = *Molorchus* F. 1792.
Ceramb., *Cerambin.*, *Molorch.* 606.

Heliomophlus Reitt., VN. 45, 1906, 118
et 147 [Best.-Tab.] (*H. scabriusculus*
[Fairm.] 1866) 1913:2 (Alg.). *All.*,
Omophl. 111.

Heliopathes Muls., Col. Fr. *Latigènes*
1854, 157; Opusc. E. V, 1854, 227;
ASLLyon X, 1855, 115; *Lac.*, V,
248; *Jacq. du Val*, III, 275; *Gutfl.-B.*,
413 = *Heliophilus* Latr. 1829. *Ten.*,
Pedin. 450.

Heliophilus O Latr. in Cuv., Règne
anim. ed. II, 1829, 20; Seidl.,
NID. V, 1893, 385; Reitt., Best.-Tab.
53, 1904, 77, 97; Reitt., WEZg. 25,
1906, 288; Schaufuß in Calwer, (799)
(Typ.?; *H. emarginatus* [F.] 1792,
lusitanicus [Herbst] 1797, *luctuosus*
Serv. 1825) 1913:25 (Eur., Hisp. 16,
Lus., Medit., incl. Ins.). *Ten.*,
Pedin. 450.

Heliophygus Gemm. et Harr., Cat. Col.
VII, 1870, 2008. — Monogr.: Fairm.,
ASEFr. (5) V, 1875, 191 = *Helio-*
fugus Guér. 1830. *Ten.*, *Helop.* 1043.

Helostola Motsch. in Schrenck's R. II,
1860, 90 = *Chrysomela* L. 1758.
Chrys., *Chryso.*, *Chysi.* 24.

Heliostrhaema Reitt., DEZ. 1890, 34;
VN. 45, 1906, 117, 138; Seidl., NID.
V, 2, 1896, 223 (*H. Rolphi* [Fairm.]
1867) 1913:2 (Mar.). *All.*, *Omophl.*
109.

Heliotaurus O Muls., Col. Fr. *Pectin.*
1856, 73; *Lac.*, V, 1859, 511; Opusc.
VII, 1859, 37—59; *Jacq. du Val*,
III, 1863, 352; Kirsch, BEZ. 13,
1869 [Revis.]; Reitt., DEZ. 1890,
34; 36; VN. 45, 1906, 118, 138
[Best.-Tab.]; Bedel, Ab. 28, 1894,
157—174; Seidl., NID. V, 2, 1896,
224; Schaufuß in Calwer, 788 (*H.*
ruficollis F.) 1913:32 (Mediterr. praec.
Afr. medit.). *All.*, *Omophl.* 110.

Heliotis Cast., Silb. Rev. IV, 1836, 18
(*H. Hopei* Cast. 1836) 1913:1 (Holl.
Nov.). *Dril.* 7.

Helodes Redt., Gatt. Deutsch. Käferf.
1845, 116 = *Prasocuris* Latr. 1802.
Chrys., *Chryso.*, *Phaedon*. 46.

Helminthocharis O Grouv., ASEFr. 75,
1906, 321, 329 (*H. nitidula* [Fairm.]
1913:2 (Madag., [1], Kiliman Ndjaro
[1]). *Dryop.*, *Helm.*, *Helmi*. 49.

Helminthopsis Grouv., ASEFr. 75, 1906,
319, 329 (*H. lucida* Grouv. 1906)
1913:2 (Afr. or. brit.). *Dryop.*,
Helm., *Helmi*. 48.

Helmis Bedel, ASEFr. (5) 8, 1878
p. LXXXV; Grouv., BSEFr. 1896, 27;
Ganglb., KäfMEur. IV, 1, 1904,
121; Schaufuß in Calwer, 581; Kuhnt,
592, 597 = *Helmis* Latr. 1798. 1913:1
(Montana). *Dryop.*, *Helm.*, *Helmi*.
39.

Helocerus Muls. et Rey, Scut. 141;
Schaufuß in Calwer, 604 = Subg.
ad *Anthrenus* F. 1775. *Derm.*,
Anthren. 27.

Helodes Jacq. du Val, III, 2, 1861, 150;
C. G. Thoms., Sk. Col. VI, 1864, 128;
Bach, Käferf. II, Nachtr. 1867, 424;
Tourn., Descr. *Dascill.* bass Léman,
1868, 21; Chenu, Enc. 3, 1870, 16;
J. Lec., Class. 1861, 181; Horn,
TAmES. 8, 1880, 99; J. Lec. u. Horn,
Class. 1883, 174; Bourg., FGRh.,
14; Seidl., F. Ba. et Tr., Fauc.,
F. anal. Col. 1892, 274; G. Col. Fr.
1894, 33; Champ., BCA. Col. III, 1,
600; Lameere, Man. Belg. II, 1900,
293; Everts, II, 1903, 138; Blatchley,
690, 693; Pic, Cat. Col. II, 1911, 319;
Reitt., F. Germ. III, 1911, 242;
Schaufuß in Calwer, 571, 572;
Kuhnt, 588.

Synops.: Redtenb., F. Austr.
ed. II, 1858, 517; Tourn., Descr.
Dascill. bass. Léman, 1868, 29—31;
Kiesenw., BEZ. 15, 1871, 87; Bourg.,
FGRh., 16; Fauc., F. anal. Col. 1892,

274; **Blatchley**, 693 = *Elodes* Latr. 1796. *Helod.*, *Helodi.* 3.

Helodes Latr., Schaufuß in Calwer, 571, 572; **Kuhnt**, 588.

Helodes Payk., F. Suec. II, 1799, 84; **Gutfl.-B.**, 623 = *Prasocuris* Latr. 1802 *Chrys.*, *Chryso.*, *Phaedon*. 46.

Helopidesthes Fairm., ASEB. 39, 1895, 446 (*H. coriarius* Fairm., 1895) 1913:1 (Madag.). *Ten.*, *Helop.* 1080.

Helopimorphus Desbr., Bull. Acad. d'Hipp. 16, 1881, 140 (92) = *Heterotarsus* Latr. 1829. *Ten.*, *Heterota.* 877.

Helopinus O Sol., Studi entom. 1848, 152 (6), 197 (51); *Lac.* V, 460 (*H. costatus* Sol. 1848) 1913:5 (Arab., Abyss., Meru, Terr. Somali). *Ten.*, *Helopi*. 1103.

Helops O Sol. + F., Syst. E. 1775, 257; Latr., Règne anim. ed. II, 1829, 39; Redtb., Gatt. 1845, 129; F. Austr. 1849, 53, 600; ed. II, 1858 p. CVIII u. 618; ed. III, 1874, p. CXX u. II, 124; Muls., Col. Fr. *Latigèn.* 1854, 295; Woll., Ins. Mad. 1854, 511; *Lac.*, V, 450; *Jacq. du Val*, III, 322, 340; *Gutfl.-Bose*, 419; *Horn*, Rev. *Ten.*; 391; **Seidl.**, F. Ba. ed. I, 1875, 98, ed. II, 1891, 135 (Gatt.); F. Tr. 1891, 135; NID. V, 1896, 677, 684; **Baudi**, BSEItal. 8, 1876, 263; DEZ. 20, 1876, 268; **Desbr.**, Frelon 11, 1902, 68; Schaufuß in Calwer, 817; **Kuhnt**, 741, 750.

Revis.: All., Rev. 1876.

Monogr.: All., Mon. 1877.

Spp. afr.: **Vaulog.**, Übers. 1899.

Helops (*H. coeruleus* et *lanipes* [L.] 1775) 1913:351) in omn. part. orb. terr. distr.). *Ten.*, *Helop.* 1073.

Anat.: **Priske**, TESL. 1905 p. VI/VII (Verdoppl. d. Fühler); **Borre**, Compt. rend. SEB. 1885, p. XXVI (Spermatozoen); **Kempers**, TijE. 44, 1901, 32, t. 3 f. 20 (Flügelgeäder).

Biol.: Waterh., TESL. I, 1836, 29 t. 4 f. 3; Westw., Introd. mod. Class. I, 1839, 312 f. 36, 20—25; **Perris**, A. Sc. Nat. 1840, 81, t. 3A f. 1—5; ASEFr. (3) 5, 1857, 367, t. 9 f. 458—463; ASLLyon 1876, 130, 133; **Muls.**, Col. Fr. *Latigèn.* 1854, 311, 350; **Schiödte**, Met., El. X, 1877/8, 571 t. 11 f. 15—22; **Seidl.**, NID. V, 687/8; **Xambeu**, ASLLyon 40, 1893, 150, 41, 1894, 106; 49, 1902, 122; **Planet**, Le Natur. 12, 1890, 17, 279; **Blanch.**, MaZo. 1837, 175, f. 1, 2.

Helops Cast., HN. II, 1840, 234 = *Nalassus* Muls. 1854 = Subg. s. str. ad *Helops* F. 1772. *Ten.*, *Helop.* 1073. *Helops* (pars) Muls., Col. Fr. *Latig.* 1854, 305; All., Rev., 4, 12; Mon. 16, 20 = *Helops* s. str. **Vaulog.** 1899 = Subg. ad *Helops* F. 1772. *Ten.*, *Helop.* 1073.

Helops Seidl., NID. V, 1896, 704, 764 = *Pelorinus* **Vaulog.** 1899 = Subg. ad *Helops* F. 1772. *Ten.*, *Helop.* 1073. *Helops* s. str. **Vaulog.**, Übers., 675 nota, 678, 679, 695 = Subg. ad *Helops* F. 1772. *Ten.*, *Helop.* 1073.

Helota O M'Leay, Annul. Jav. 1825, 42, ed. Lequien 1833, 151; **Chapuis**, XII, 18; **Reitt.**, VN. 14, 1876, 65; DEZ. 20, 1876, 31; **Kolbe**, ArN. 52, 1886, I, 155 (*H. Vigorsi* M'Leay 1825) 1913:79 (As., Afr.). *Helot.* 1.

Helymaeus O J. Thoms., Syst. Cer. 1864, 179, 421; **Jord.**, NoZo. I, 1894, 185 (*H. notaticollis* **Perroud** 1855; *insignis* **Gerst.** 1855) 1913:15 (Afr. trop. et mer.). *Ceramb.*, *Cerambin.*, *Callichr.* 747.

Hemadius Fairm., ASEFr. (6) IX, 1889, 57 (*H. oenochrous* Fairm. 1889) 1913:1 (Ngan - Hoci). *Ceramb.*, *Cerambin.*, *Ceramyg.* 136.

Hemantus Casey, AN YAcSc. 8, 1895, 641, 682 = *Omonadus* Muls. et Rey 1866 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.

- Hemasodes* Cas., Rev. *Ten.* 1907, 378 (*H. vestitus* Champ. 1884) 1913:1 (Mex.). *Ten.*, *Epitrag.* 58.
- Hemerobates* Kolbe, BEZ. 28, 1884, 189 = *Amenophis* Thoms. 1858. *Ten.*, *Tenebr.* 787.
- Hemesthocera* O Newm., Zool. VIII, 1850 App. p. 111 (*H. flaviginea* Newm. 1850) 1913:1 (Austral. b.). *Ceramb.*, *Cerambin.*, *Typh.* 690.
- Hemicallidium* Casey, Mem. Col. 3, 1912, 274 (*H. [Physocnemum] amethystinum* J. Lec. 1853?) 1913:1 (Cal.). *Ceramb.*, *Cerambin.*, *Callid.* 777a.
- Hemicamenta* Brenske, StEZg. 58, 1897, 103; BEZ. 41, 1896, 341; Féring., T. South Afr. Phil. S. 13, 1904, 93 (Subg.) (*H. Theryi* Brenske 1897) 1913:3 (Col. cap. 2, Sierra Leone 1). *Scar.*, *Melth.*, *Seric.* 123.
- Hemicera* Cast. et Brill., A. Sc. Nat. 23, 1831, 393 (69) (Mon.); *Lac.*, V, 1859, 308 (*H. splendens* [Wied.] 1823) 1913:4 (Ins. Sund., Jap.). *Ten.*, *Diaper.* 640.
- Hemicera* Cast., (pars), A. Sc. Nat. 23, 1831, 393 (69) = *Hypocalis* Lac. 1859. *Ten.*, *Cnodal.* 978.
- Hemicistela* Blackb., TRS. South Austral. 14, 1891, 331 (*H. discoidalis* Blackb. 1891) 1913:1 (Vic.). *All.*, *Allec.* 44.
- Hemicoelus* J. Lec., Smiths. Misc. Coll. III, 1861, 204 = *Hadrobregmus* C. G. Thoms. *Anob.*, *Anobi.* 36.
- Hemictenius* Reitt., WEZg. 16, 1897, 223; VN. 40 [Best. Tab. 50] 95, 133 (Typ.?; *H. gracilipes* [Sem.] (1890/1), *latitarsis* [Reitt.] 1891, *magnitarsis* Reitt. 1897, *Walteri* [Reitt.] 1888) 1913:15 (Turk., Transcasp., Buchara, Afghan., As. e.). *Scar.*, *Melth.*, *Pachyd.* 392.
- Hemicyclus* O Westw., Arcana E. I, 1841, 44; *Lac.*, V, 411; *Pasc.*, ANH. (4) 3, 1869, 288 (*H. grandis*, *metallicus* Westw. 1841, *Reaumuri* [Cast.] 1840) 1913:5 (Austral.). *Ten.*, *Cyphal.* 899.
- Hemicyphon* J. Lec., List Col. N.Am. Col. 1866, 150 = *Elodes* Latr. 1796. *Helod.*, *Helodi.* 3.
- Hemiglaphyrus* Champ., Abeille 30, 1903, 145; Schaufuß in Calwer, 1307 = Subg. ad *Glaphyrus* Latr. 1807. *Scar.*, *Glaph.* 4.
- Hemilissa* O Pasc., TESL. (2) 4, 1858, 238 (*H. gummosa* [Perty] 1830; *violascens* [Perty] 1830) 1913:5 (Brasil., Cayenn., Guatém.). *Ceramb.*, *Cerambin.*, *Piez.* 272.
- Hemimedon* Casey, T. Ac. StLouis, XV, 1905, 152, 160 (*H. angustus* Casey 1905) = Subg. 6 ad *Medon* Steph. 1832. 1913:1 (Virgin.). *Staph.*, *Paed.*, *Paedi.* 199, 6.
- Heminodes* O Jacoby, ASEB. 39, 1895, 287; F. Ind. Col. II, 1908, 512 (Typ.?; *H. indicus* Jac. 1895, *antennatus* [Jac.] ASEB. 36, 1892, 912; *unicolor* [Duviv.] ASEB. 35, 1891) 1914:3 (Birma, Bengal.). *Chrys.*, *Eumolp.*, *Endoc.* 286.
- Hemiphædon* Jacobs., Finska Vet.-S. Förh. 43, 1901, 131 = Subg. 2 ad *Phædon* Latr. 1829 (*H. subtilis* [Ws.] 1900) 1916:1 (Transcasp.). *Chrys.*, *Chryso.*, *Phædon.* 39, 2.
- Hemiplatys* Baly, JoE. II, 1863, 160; *Chap.*, G. Col. X, 1874, 282; *Lefv.*, MSLiége (2) 11, 1885, 81 (*H. Pascoei* Baly 1885) 1914:2 (Malacca, Cambodja). *Chrys.*, *Eumolp.*, *Leprot.* 143.
- Hemipristis* O* Kolbe, ArN. 1903, I, 2, 165, 177; *Geb.*, Mon. 120; [an praeooc. per Agass. in Pisc. ? cf. *Gebien* in Schklg. et J., Col. Cat. P. 28, 477]. — (Typ.?; *H. stygia* [Kolbe] 1894, *ukamia* Kolbe 1903) 1913:4 19 (Afr.or., Germ.). *Ten.*, *Pycnoc.* 8. Biol.: *Kolbe*, Käf. Ostaf. 1897, 243.
- Hemipsalis* O Sharp, BCA. Col. IV, P. 6, 1895, 34 (*D. crassus* D. Sharp

- 1895) 1913:1 (Nicaragua). *Brenth.*, *Brentha.*, *Arrh.* 56.
- Hemiptychus* J. Lec., PAcPhil. 1865, 239 = *Catorama* Guérin 1850. *Anob.*, *Dorcata.* 69.
- Hemirhopalum* O Sharp, BCA.Col. II, 1, 1902, 651 (Typ.?: *H. bicolor clythraeiforme* Sharp 1902) 1913:4 (Nicarag., Guat., Mex.). *Derm.*, *Metag.* 26.
- HemisERICA* O Brenske, MSEB. II, 1894, 57; Brenske, BEZ. XLII, 1897, 355; Reitt., VN., 40, 1901 [1902] (Best.-Tab. 50), 182, nota (*H. nasuta* Brenske 1894) 1913:1 (Ind., Kaschm., Manipur.). *Scar.*, *Melth.*, *Seric.* 32.
- Hemisodorcus* O Thoms., ASEFr. (4) 2, 1862, 421 (*H. nepalensis* [Hope in Gray] 1831) 1913:10+2 (China, Assam, Burma, Perak, Nepal, Ind. or., Sum.). *Luc.*, *Dorc.* 37.
- Hemistenus* O Motsch., BMosc. 23, 1860, II, 557 (ex p.) (Typ.?: *H. cordatus* [Grav.] 1802, *ossium* [Steph.] 1832, *impressus* [Germ.] 1824); Schaufuß in Calwer, 177; Kuhnt, 207 = Subg. 4 ad *Stenus* Latr. 1796: 1913:88 (+ *turbulentus* Bondr.: Graecia) (in divers. part. orb. terr.) — *H. Motsch.* (ex p.) = *Hypostenus* Rey = Subg. 3, 1860 ad *Stenus* Latr. 1796. *Staph.*, *Sten.*, *Steni.* 145, 4; 145, 3.
- Hemithecta* Casey, Mem. Col. 2, 1911, 211 (*H. ruficollis* Casey 1911) = Subg. ad *Thecturota*; 1913:5 (Cal.; Civ. confoed.). *Staph.* cf. P. II.
- Hemitrachys* O Gorh., Cist. E. II, 1876, 92; Schklg., GIW. *Cler.* 1903, 73 (*H. bizonatus* Gorh. 1876) 1913:1 (Born.. Malacc.). *Cler.*, *Cleri.*, *Clerin.* 93.
- Hemitrichesthes* Reitt., Best.-Tab. 53, 1904, 161 = *Lobothorax* Gemm. 1870. *Ten.*, *Opatr.* 537.
- Hemydaene* O Jac., PZSL. 1897, 244; Fairm., Rev. d'E. 20, 1901, 234; Jacoby et Clavareau, GIW. 23, 1904,
- 4 (*H. maculicollis* Jac. 1897, *unicolor* Fairm. 1901) 1913:2 (Madag. b.-occ.). *Chrys.*, *Orsod.* 2.
- Hemyloticus* O Jac., PZSL. 1892, 571 (*H. geniculatus* Jac. 1892) 1914:1 (Madag.). *Chrys.*, *Eumolp.*, *Typoph.* 243.
- Henarrhodes* O Heller, Phil. J. Sci. D. 8, 1913, 152 (*H. macgregori* Hell. 1913) 1913:1 (Phil. Ins.). *Brenth.*
- Hendecatomus* O Mellie (emend. ex En.) Rev. Zo. X, 1847, 108 [emend.], Gemm. et Har., Cat. Col. VI, 1869, 1795; Kiesw., NID. V, 1, 1877, 23; Schaufuß in Calwer, 503; Kuhnt, 547 (*H. reticulatus* [Hbst.] 1793) 1913:3 (Eur. e., mer., Am. b., Texas). *Cio.*, *Hendec.* 1.
- Hendecatus* Schklg., DEZ. 1906, 246; Lesne, BSEFr. 1907, 155 = *Teloclerus* Schklg. 1903. *Cler.*, *Cleri.*, *Tell.* 9.
- Henotiderus* Reitt., Mi. München. E. Ver. 1877, 25 (*H. centromaculatus* Reitt. 1877) 1913:2 (Jap.). *Erot.*, *Diphyll.* 98.
- Henous* O*+ Haldem., Stansburg's Exped. Great Salt Lake 1852, 377. — Biol.: Riley, T. Ac. St. Louis III, 1877, 544 t. 5 (Metam.). — (*H. parvulus* Haldem. 1852, *confertus* [Say] 1824) 1917:5 (Mex., Utah, Missouri, Arkans. Kans., Tex.). *Melo.*, *Lytt.*, *Meloi*. 52.
- Hephaestion* O Newm., Ent. I, 1840, 114 (*H. ocreatus* Newm. 1840) 1913:13 (Valdivia 1, Chile 12). *Ceramb.*, *Cerambin.*, *Necyda*. 586.
- Hephbocerus* Schoenh., G. Curc. V, 1840, 501 = *Ephebocerus* Schoenh. 1840. *Brenth.*, *Brenth.* 26.
- Hephialtes* J. Thoms., Syst. Cer. 1864, 286; Lac., VIII, 146 = *Anacanthus* Serv. 1832 = Subg. 2 ad *Stictosomus* Serv. 1832. *Ceramb.*, *Prion.*, *Callipogi.*, *Megop.* 49, 2.
- Heptaphylla* Frieden., StEzg. 44, 1883, 375 = *Rhipidandrus* J. Lec. 1866. *Ten.*, *Rhipidandr.* 607.

Heptaulacus O. Muls., 1842, 296—301; 1871, 345—355; Er. NID. III, 1848, 901/5; Redtb., F. Austr. ed. III, 1874, 1, 469; Seidl., F. Ba. 1891, 144; F. Tr. 1891, 151/2; Reitt., Tab. 24, 1892, 20 et 109/11; VN. 30, 158 et 247/9; d'Orb., Abeille 28, 1896, 246/7; A. Schmidt, GIW. 1910, 10 et 90/2 t. 2 f. 18, 19; Schaufuß in Calwer, 1267, 1284; Kuhnt, 383, 399.—Biol.: Sopp., EMM. 1898, 114; Rosenh., StEZg. 43, 1882, 24; — Schwarmzeit: Heikertinger, WEZg. 30, 220. — (*H. testudinarius* [F.] 1775) 1913:11+1 (Eur., As., Afr.). Scar., Aphod., Aphodi. 9.

Heptelia Brenske, StEZg. 59, 1898, 247 (*H. stripidea* Brenske 1898) 1912:1 (Borneo mer.). Scar., Melth., Melthi. 300.

Heptispa Ws. in Sekklig. u. J., Col. Cat. P. 35, 1911, 36; AMusG. 1906 (1241 (*Heptispa*) 1906 = Sect. 2 ad *Ochthispa* Chap. 1877) (*H. Solarii* [Ws.]) 1906, *H. limbata* [Baly] 1886) 1911:2 (Mex., Nicar., Columb.). Chrys., Hisp., Uroplat. 43.

Heptispa Ws. vide *Heptispa* Ws. 1906. Chrys., Hisp., Uroplat. 43.

Heptomera Blanch., Cat. Coll. E. I., 1850, 89 = *Emphania* Er. 1847. Scar., Melth., Seric. 52.

Heptophilla Reitt., VN. 40 [Best.-Tab. 50], 254 = err. pro *Heptophylla* Motsch. 1857. Scar., Melth., Melthi. 363.

Heptophylla Motsch., Etud. E. 1857, 32; Heyden, DEZ. 23, 1879, 342; Brenske, ENa. 18, 1892, 155; Lewis, ANH. (6) 16, 1895, 398; Reitt., VN. 40 [Best.-Tab. 50] 254 (*H. picea* Motsch. 1857) 1913:1 (Jap.). Scar., Melth., Melthi. 363.

Hercitis Burm., Hd. E. IV, 2, 79 (*H. pygmaea* Burm. 1855, 1) 1903:1 (Bras.). Scar., Melth., Macrod. 492.

Hercodera O. Gah., TESL. 1890, 302 (*H. fasciata* Gah. 1890) 1913:3 (Sin. Delag., Trv., Terr. Massai.). Ceramb., Cerabin., Phorac. 243.

Herlesa Reitt., DEZ. 1896, 298, 301; Best. Tab. 42, 1900, 88, 129 (Mon.) (*H. globicollis* Reitt. 1896) 1913:1 (Alger.). Ten., Tentyr. 104.

Hermerius Newm., Zool. 1844, 415; J. Thoms., Class. Cer. 292; Syst. Cer., 478; Lmr., MSEB. 11, 1903, 45 (Rev., 239) = Subg. 2 ad *Cnemoplites* Newm. 1842 (*H. impar* Newm. 1844) 1913:2 (Ins. Kangaroo et Lord Howe). Ceramb., Prion., Macrot., Cnem. 27, 2.

Hermesia O. Lefv., ASEFr. (5) 7, 1877, Bull. p. CLXXVIII; MSLiége (2) XI, 1885, 39; Jac., BCA.Col. VI, I, Suppl. 1890, 227; ArkZo. 1904 515 (*H. aurata* [Ol.] 1808) 114:8 (Am. m. trop.; Bras., Arg.). Chrys., Eumolp., Colasp. 53.

Herozoum J. Thoms., Rev. Zo (3) VI, 1878, 15 (*H. longulum* J. Thoms. 1878) 1913:1 (Terr. Damara). Ceramb., Cerabin., Achrys. 106.

Herpiscius O. Sol., ASEFr. 7, 1838, 188; Lac., V, 125 (*H. Spinolae* Sol. 1838) 1913:5 (Caffr., Mossamb., Terr. cap., Port. Natal.). Ten., Scaur. 335.

Herpsis O. Haag, DEZ. 19, 1875, 424 (*H. rugosa* [Gory in Guér.] 1829/38) 1913:1 (Senegal). Ten., Zopher. 226.

Hesiodus O. Champ., BCA.Col. IV, 1, 1885, 115, 525 (*H. longitarsis* Champ. 1885) 1913:9 (Am. c. et mer.). Ten., Tenebr. 769.

Hesperandrius Reitt., F. Germ. 4, 44/45 (*H. [Hesperophanes] griseus* [F.] 1792) 1913:1 (Mediterr.). Ceramb., Cerabin., Hesprph. 168a.

Hesperobium Casey, B. Cal. Ac. 1886, 33; T. Ac. St.Louis XV, 1905, 24, 33 = Subg. ad *Cryptobium* Mannerh. 1830. Staph., Paed., Paedi. 233.

- Hesperodromus* Schm., BEZ. 33, 1889, 317 (*H. sodalis* Schm. 1889) 1913:1 (Parag.). *Hist.* 91.
- Hesperolinus* Casey, T. Ac. St.Louis XV, 1906, 371, 411 (*H. parcus* J. Lec. 1863) 1914:7 (Nev. 1, Brit. Col. 1; Cal. 5). *Staph.*, *Staphy.*, *Xanth.* 250.
- Hesperophanes* Muls. 1839; Col. Fr. *Long.* ed. 1, 1839, 66; ed. 2, 1862, 131; *Gahan*, F. Brit. Ind. Col. I, 1906, 112; *Schaufuß* in Calwer, 845, 848; *Kuhnt*, 756, 776 (*H. sericeus* [F.] 1787) 1913:24 (Spp. *palaearct.*: 13 [Medit. etc.], Spp. *aethiop.*: 3, Spp. Ind. or.: 3, Spp. amer. m.: 5 [Amaz., Chile]). *Ceramb.*, *Cerambin.*, *Hesprph.* 168.
- Hesperophilus* Muls. et Rey, HN. Col. Fr. *Brévip.* *Oxyp.*, *Oxyt.* 1879, 189; *Schaufuß* in Calwer, 174; *Kuhnt*, 203. = Subg. ad *Bledius* Mannh. 1830. *Staph.*, *Oxyp.*, *Oxyti.*, *Oxyte*. 125.
- Hesperophilus* Steph., Ill. Brit. V, 1832, 307, 309 = *Bledius* Mannh. 1930 (part.). *Staph.*, *Oxyp.*, *Oxyti.*, *Oxyte*. 125.
- Hesperus* Fauv., F. gallo-rhén. III, 1872, 426; Olliff, PLSNSW. (2) II, 1887, 508; Ganglb., KäfMEur. II, 1895, 461; Fauv., Rev. d'E. 22, 1903, 268; *Schaufuß* in Calwer, 194; *Kuhnt*, 167, 230 (*H. rufipennis* [Grav.] 1806) 1914:25 (Eur. med. et m., As.: Birma 5, Java 1, Jap. 1; Mar. 1, Afr. occ. 5; Am. b.; Austral.; N. Caled.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 289.
- Hesthesia* O Newm., ANH. 5, 1840, 17 (*H. bizonata* Newm. 1840) 1913:13 (Austral.). *Ceramb.*, *Cerambin.*, *Hesth.* 655.
- Hetaeroides* Schm., DEZ. 1893, 188 (*H. fraudulentus* Schm. 1893) 1913:1 (Mex.). *Hist.* 73.
- Hetaerimorphus* Schm., DEZ., 1893, 186 *H. perplexus* Schm. 1893) 1913:1 (Mex.). *Hist.* 74.
- Hetaeriosoma* Schm., DEZ. 1893, 185 (*H. Sahlbergi* Schm. 1893) 1913:1 (Bras.). *Hist.* 75.
- Hetaerius* O & Er., in Klug., Jahrb. Ins. I, 1834, 156, Mars., Mon. 1855, 137; Jacq. du Val, II, 105; Lewis, ANH. (6) 2, 1888, 144; Ganglb., KäfMEur. III, 1899, 376; Reitt., F. Germ. II, 1909, 289. — Biol.: Viehmeyer, ZInsBi. I, 1905, 292/4; Wasmann, t. c., 330—3; *Schaufuß* in Calwer, 303; *Kuhnt*, 364, 372 (*H. ferrugineus* Ol. 1789) 1913:12 (Alger., Japon., Amer. b., Cal., Idaho etc.). *Hist.* 96.
- Hetanius* Fairm., Echange 9, 1893, 123; ASEFr. 1893, B. p. CXLVII; Reitt., VN. 40 [Best.-Tab. 50], 162 nota (*H. Demaisonii* Fairm. 1893) 1913:1 (Aegypt.). *Scar.*, *Melth.*, *Melthi*. 317.
- Heterachthes* O Newm., Ent. I, 1840, 9 (*H. ebenus* Newm. 1840, *quadrimaculatus* [F.] 1792) 1913:39 (Mex., Bras., Guat., Costarica, Bol., Nicar., Am. b. et mer., Tex., Chile, Montevid., Hond., Antill.). *Ceramb.*, *Cerambin.*, *Ibid.* 286.
- Heterachton* Thoms., Physis I, 1867, 134, 148 = *Heterachtes* Newm. 1840. *Ceramb.*, *Cerambin.*, *Ibid.* 286.
- Heterandrus* Guér., Rev. MaZo. (2) 10, 1858, 26 = *Eumorphus* Weber 1801. End. 28.
- Heterapion* O Sharp, BCA.Col. IV, 1889, 85 (*C. femoratum* Sharp 1889) 1913:2 (Mex., Guatem.). *Curc.*, *Api.*, *Apiom.* 12.
- Heteraspibrachis* vide *Heteraspibrachys*. *Chrys.*, *Eumolp.*, *Odontio*. 103.
- Heteraspibrachys* Pic, Echange 23, 1907, 170 (*Heteraspibrachis*) (*H. bipubescens* Pic 1907) 1914:1 (Turk.). *Chrys.*, *Eumolp.*, *Odontio*. 103.
- Heteraspis* Chap., G. Col. X, 1874, 284; Lefv., ASEFr. (5) 7, 1877, 309;

- MSLiége* (2) 11, 1885, 83 = *Trichochrysea* Baly 1860. *Chrys.*, *Eumolp.*, *Leprot.* 149.
- Heteraspis* J. Lec., Col. of Kansas 1859, 23 nec *Blanch.* = *Graphops* J. Lec. 1885. *Chrys.*, *Eumolp.*, *Scelo.* 113.
- Heteraspis* *Blanch.*, H. Ins. II, 1845, 186 (nec J. Lec.); *Jac.*, ASEB. 42, 1898, 186 = *Scelodonta* Westw. 1837. *Chrys.*, *Eumolp.*, *Scelo.* 109.
- Heterelmis* O Sharp, BCA. I, 2, 1882, 130 (*H. obesa* Sharp 1882) 1913:6 (Amer. c. et mer. sept.). *Dryop.*, *Helmi.*, *Helmi.* 46.
- Heterhelus* O Jacq. du Val, Gen. Col. d'Europe, II, 1858, 137; *Schaufuß* in Calwer, 477, 480 (*H. solani* et *scutellaris* [Heer] 1841) 1913:8 (Eur., Sib. or., Japon., Ind. b., Daur.). *Nit.*, *Cat.* 5.
- Heterispa* O Chapuis, XI, 1875, 321. — Metam.: *Brèthes*, An. Mus. Buenos Aires 8, 1902, 13—17 = Sectio 2 ad *Uroplata* Baly 1864 (*H. vinula* [Er.] 1847) 1913:5 (Am. c., Bras., Peru, Arg.). *Chrys.*, *Hispi.*, *Uroplat.* 41.
- Heterorrips* Reitt., WEZg. 32, 1913 Beihft.; *Schaufuß* in Calwer, 1237 = Subg. ad *Xyleborus* Eichh. *Ip.*, *Xyleb.* 112.
- Heterobrachium* Woll., Cat. Can. Col. 1864, 108 (*H. longimanum* Woll. 1864) 1913:1 (Teneriffa). *Nit.*, *Cat.* 7.
- Heterobrenthus* O Sharp, BCA. Col. IV, P. 6, 1895, 42 (*H. distans* D. Sharp 1895 (Mex., Yucatan, Guatém.). *Brenth.*, *Brenth.*, *Bel.* 74.
- Heterocerus* O F., E. Syst. I, 1792, 262; Syst. El. I, 1801, 355; *Kug.*, *Schneid.*, Ma V, 1794, 532; *Latr.*, HN. IX, 1804, 230; *Duftschm.*, F. Austr. I, 1805, 308; *Gyll.*, Ins. Suec. I, 1808, 137; *Steph.*, Ill. Brit. E. II, 1828, 100; *Brullé*, H. Ins. V, II, 1835, 344; *Shuck.* et *Spry*, Brit. Col. Del. 1839, 197; *Cast.*, HN. II, 1840, 40; *Heer*, F. Helv. 1841, 465; *Kiesw.*, *Germar*, ZE. IV, 1843, 194, V, 1844, 480; *Linnaea* EV. 1851, 281; *Er.*, NID. 3, 1847, 542; *Redt.*, F. Austr. ed. I—III; *Bach*, 297; *Lac.*, II, 515; *Sturm*, XXIII, 43; *Jacq. du Val*, II, 281; C.G.Thoms., II, 123; *Schiödte*, NTi. (3) 4, 1866, 165; *Seidl.*, F. Ba., F. Tr.; *Fowl.*, Col. Brit. Isl. III, 1889, 384; *Kuw.*, VzbGW. 40, 1890, 517; *Horn*, TAmES. 17, 1890, 1; *Everts*, I, 632; *Stierlin*, I, 237; *Lameere*, F. Belg. II, 1900, 313; *Ganglb.*, KäfMEur. IV, 1, 1904, 130; *Gutfl.-B.*, 297; *Schaufuß* in Calwer, 588; *Kuhnt*, 599. *Het.* 2.
- Heterocerus* O (s. str.) des Gozis, Rev. d'E. IV, 1885, 126; *Horn*, TAmES. 17, 1890, 4; *Ganglb.*, KäfMEur. IV, 1, 1904, 132; *H.* (excl. p.); *Schiödte*, NTi. (3) 4, 1866, 157, 165 = *H. s. str.* + *Taenoheterocerus* (ex p.); *Kuw.*, VzbGW. 40, 1890, 524, 528. (Typ.?; *H. fenestratus* [Thunb.] 1784, *marginalis* [F.] 1787) 1911:130+3 (in omn. part. orb. terr.). *Het.* 2.
- Biol.: *Letzner*, Denkschr. Schles. G. Vat. Kultur 1853, 206 t. II; *Sturm*, 22, 1853, t. 419 f. DE.
- Heterocerus* (excl. *Micilus*) + *Augyles Muls.* et *Rey*, Spinip. 1872, 13 = *Heterocerus* F. 1792. *Het.* 2.
- Heterocerus* + *Littorimus* des Gozis, Rev. d'E. 4, 1885, 120 = *Heterocerus* F. 1792. *Het.* 2.
- Heterocerus* (ex p.) + *Phyrites* + *Augyles* Schiödte, NTi. (3) 4, 1866, 157sq. = *Littorimus* des Gozis 1885 = Subg. ad *Heterocerus* F. 1772. *Het.* 2.
- Heterochelus* O Burm., Hd. E. IV, 1, 1844, 87; *Pering*, TSAfr. Phil. S. 12, 1902, 709; *Longstaff*, TESL. 1906, 94 fig. (♂) (Typ.?; *H. arthriticus* [F.] 1781; *capicola* etc., *gonager* et *poda-gricus* [F.] 1781) 1913:110 (Afr. m., Terra, Cap. Natal., etc.). *Scar.*, *Melth.*, *Hopl.* 519.

- Heterochira* Lac., V, 1859, 335 nota 3;
Bates, TESL. 1872, 266 (*H. australis*
Boisd. 1835) 1913:2 (Queensl.). *Ten.*,
Diaper. 674.
- Heterochthes* O Westw., TESL. (3) 2,
1864, 17; *Leuthner*, Monogr. 1885,
479 (*O. brachypterus* Westw. 1864)
1913:2 (Cambodja; Andam.). *Luc.*,
Odont. 23.
- Heterochitopus* Péring., T.SAfr. Phil. Soc.
1900 (1901), 110, 335; XIII, 1908,
628 = *Pinacotarsus* Har. 1875.
Scar., *Copr.*, *Copri.*, *Pinot*. 48.
- Heterocnemis* Moraw., BMosc. 33, 1860,
I, 301 (nec Albers 1852) = *Chloropterus*
Moraw. 1861. *Chrys.*,
Eumolp., *Typoph.* 258.
- Heterodontus* Murr., Monogr. 1864, 342
= Subg. ad *Carpophilus* Steph. 1830.
Nit., *Carpophil.* 53.
- Heterogeniates* Ohs., DEZ. 1909, 444
(*H. bonariensis* Ohs. 1909) 1918:1
(Argent.). *Scar.*, *Rut. orth.*, *Geniat.*
156.
- Heterognathus* Rey, Echange 14, 1888,
4 = *Pachylister* Lewis 1904 = Subg. 6
ad *Hister* L. 1758. *Hist.* 38, 6.
- Heterogria* Fairm., ASEB. 40, 1896, 42;
Borchm., ArN. 81, 1915 (1916) A.
6, 163 = *Pachylagria* Borchm., 1912,
[Col. Rundschau 1912, 5.]. — Subg.
Wallardilagria Pic, Echange 1910,
74. — H. i. sp. = Subg.; 1916:10
Spp.) *Wall.* (*H. oculata*, *punctatissima*,
quadraticollis Fairm. 1896). (1916:2
Spp.) (Belgaum). *Lagr.*, *Lagr.* 6.
- Heterolepis* Lac., VIII, 1869, 381
(*H. tmesisternooides* Lac. 1869) 1913:1
(Nov. Caled.). *Ceramb.*, *Cerambin.*,
Stronglu. 410.
- Heteroleucus* Sharp, BCA. Col. I, 2
(1886), 629 = Subg. ad *Pinophilus*
Grav. 1806. *Staph.*, *Paed.*, *Pinoph.*,
Pinophi. 157.
- Heterolinus* Sharp, BCA. I, 2, 1882/87
(1885), 475 (*H. puncticeps* [Guér.]
1844) 1914:2 (Peru, N. G., Costa
Rica, Santiago). *Staph.*, *Staphy.*,
Xanth. 263.
- Heterolobus* Philippi, StEZg. 25, 1864,
354 (*H. aeneus* Phil. 1864) 1913:1
(Chile). *Anth.* inc. sedis (26).
- Heteronitis* O Gillett, ASEB. 55,
1911, 311 (*H. tridens* Cast.
1840, *Castelnau* Har. 1862) 1911:5
(Afr. trop. or. et occ., Terr., Damar.,
Col. cap.). *Scar.*, *Copr.*, *Onit.*, *Onitid.*
93.
- Heteronyx* O Guér., Voy. Coquille, Col.
1830, 84; *Burm.*, Hd. E. IV, 2,
1855, 233; *Broun*, Man. New Zeal.
Col. I, 1880, 264; *Blackb.*, PLSNSW.
(2) 3, 1889, 1321—62, 4, 1889, 137
—170, 425—444, 661—706, 1217—46;
TRS. South Austr. 32, 1908, 368;
33, 1909, 18; 34, 1910, 146—230
(*H. australis* Guér. 1830) 1913:319
(Austral.; Tasm., Ins. Duke of York,
Ins. Kangaroo). *Scar.*, *Melth.*,
Lipar. 184.
- Heteronyx* Sauley, Spec. I, 1874, 128
= *Trogaster* Sharp 1874. *Psel.*,
Pselia, *Trichon*. 139.
- Heteropalpus* Buq., MaZo. 2 (V), 1843,
Ins. t. 118 (*H. pretiosus* Buq. 1843)
1913:1 (Cayenne). *Ceramb.*, *Ce-*
rambil., *Disten*. 14.
- Heteropaussus* Thoms., Mus. Scient. II,
1860, 70 = *Pleuropterus* Westw.
1833. *Pauss.* 6.
- Heteropelidnota* Ohs., StEZg. 73, 1912,
309 (*H. Kuhnti* Ohs. 1912) 1918:3
(Cayenne, Para, Par., Bras., Mont.
cost. Rionis de Jan.). *Scar.*, *Rut.*
hom., *Ruti.*, *Pelidn.* 31.
- Heterophaga* Redt., Gatt. 1845, 127;
F. Austr. 1849, 52 et 549; ed. II,
1858, p. CVII et 606; *Luc.*, *Expl.*
Alg. 1849, 341 = *Alphitobius* Steph.
1832. *Ten.*, *Ulam.* 700.
- Heterophotinus* O Ern. Ol., BSEFr.
1894, 24; GIW. *Lamp.* 1907, 32 (*H.*
limbipennis J. du Val 1857) 1913:3
(Urug., Cuba, Argent.). *Lamp.*,
Phot. 27.

Heterophthalmus ♀ Blanch., Cat. Coll. Ent. Col. 1850 p. 234; Ohs., DEZ. 1912 p. 280 (*H. oocularis* Blanch. 1850) 1918:1 (Pondichery). Scar., Rut. orth., Anoplgni., Trignstm. 145. Biol.: Xambeu, ASLLyon 51, 1904, 124 et 126.

Heterophyllus O ♀ Kl., Ins. Madag. 1833, 20; Cast., HN. II, 1840, 225; Lac., V., 1859, 311 (*H. chrysomelinus* Kl. 1833) 1913:6 (Madag. 4, Nossibé, Nat.). Ten., Diaper. 648. Biol.: Xambeu, ASLLyon 51, 1904, 124 et 126.

Heterophylus O Muls. et Rey, Mém. Ac. L. Lyon IX, 1859, 69; Opusc. E. X, 1859, 7; Reitt., Best.-Tab. 53, 1904, 50, 69 (*H. picipes* [Fald.] 1837) 1913:9 (Transcasp., Turk., Vall. Araxes, Alg., Asm. etc.). Ten., Pedin. 458.

Heteroplia Burm., Hd. E. IV, 1, 1844, 233 (pars) = Subg. 1 ad *Anomala* Sam. 1819. Scar., Rut. hom., Anomi., Anoma. 71, 1.

Heteroplistodus O B. Jak., HoR. 24, 1890, 563; 26, 1892, 199 pars, A. Sem., HoR. 26, 1892, 235 (pars) = Subg. 4 ad *Lethrus* Scop. 1777 (Typ.?: *H. Potanini* B. Jak. 1890, *crenulatus* [GebL.] 1845) 1913:12 (Turk., Dsungarei Mongol., Buchara or.). Scar., Geotr., Lethr. 18, 4.

Heteroplistodus Reitt., VN. 31, 1893, 36; Best.-Tab. 24, 1893, 157 = *Ceratodirus Fisch.* 1845 = Subg. 5 ad *Lethrus* Scop. 1777. Scar., Geotr., Lethr. 18, 5.

Heteroplistodus O B. Jak., HoR. 24, 1890, 478 pars = *Lethrulus* A. Sem. 1892 = Subg. 3 ad *Lethrus* Scop. 1777. Scar., Geotr., Lethr. 18, 3.

Heteroplates O Lac., VII, 1866; Schoenfeldt, GIW. Brehn. 1908, 77 (*H. erythroderes* [Boh. in Schoenh.] 1840) 1913:2 (Celeb., Phil., Ins.). Brehn., Brentha., Ith. 121.

Heteroplus Muls. et Rey, Gibbic. 1868, 54, 69, 77 = *Ptinus* L. 1758. *Ptin.*, *Ptini*. 21.

Heteropromus Blaisd., Mon. 1909, 33 = Subg. ad *Eleodes* Eschsch. 1829. *Ten.*, *Eleod.* 392.

Heterops O Blanch., ASEFr. XI, 1842, 51 (Typ.?: *H. dimidiata* Chevr., *Lanieri* Chevr. 1838, *Loreyi* Duponch. 1837) 1913:4 (Cuba). *Ceramb.*, *Cerambin.*, *Heteroph.* 913.

Heteroptinus Reitt., DEZ. 1888, 429; VN. 22, 1884, 303; Schaufuß in Calwer, 719 = Subg. ad *Ptinus* L. 1758. *Ptin.*, *Ptini*. 21.

Heteropus Cast., HN. II, 1840, 221 = *Blapstinus* Latr. 1829. *Ten.*, *Pedin.* 472.

Heteropygus Bernh., DEZ. 1906, 195 (*H. Oliveira* Lynch. 1884) = *Lampropygus* Sharp. 1884. *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 364.

Heteroscelis Latr. Règne anim. ed. 2, V, 1829, 18; Sol., ASEFr. V, 1836, 502 = *Anomalipus* Guér. 1846. *Ten.*, *Opatr.* 484.

Heteroserica O Brenske, BEZ. XLIV, 1899, 237, XLV, 63 (*H. paradoxa* Brenske 1900) 1913:1 (Madag.). Scar., Melth., Seric. 69.

Heterosoma Bernh., StEZg. 64, 1903, 33 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.

Heterosternus O Dupont, Germar, MaZo. II, 1832, cl. 9 t. 10; Ohs., StEZg. 62, 1901, 355, tab. (*H. buprestoides* Dupont in Guér. 1832) 1918:4 (Mex.: Orizaba; Pan., Guatém.). Scar., Rut. hom., Ruti., *Heterostrn.* 8.

Heterostomus Jacq. du Val, Gen. Col. d'Eur. II, 1858, 138; Schaufuß in Calwer, 417, 419; Kuhnt, 477, 481 = *Brachypterus* Grouv. 1912 (1913). *Nit.*, *Cat.* 12.

Heterotarsus O Latr., Règne anim. ed. 2, V, 1829, 26; Cast., HN. II. 1840, 214; Lac., V, 1859, 398 (*H. tenebrioides* Guér. (Icon. regn. anim.

p. 121) 1913:12 (China, Afr. or., Bengal., Jap., Ind., Java etc.).
Ten., *Heterota*. 877.

Heterothops O Steph., Ill. Brit. E. V., 1832, 256; Er., KäfMaBr. II, 1837/39 480; Rye, EMM. 4, 1868, 256; Ganglb., KäfMEur. II, 1895, 385; Schaufuß in Calwer, 201, 204; Kuhnt, 168, 246. Biol.: Muls. et Rey, ASAgr.Lyon (4) 8, 1875, 816/817; ASILY Lyon 33, 1886, 148; Rupertsberg., Biol. Lit. Käf. Eur. 1894, 119. — (*H. dissimilis* [Grav.] 1807); *quadripunctata* [Grav.] 1806); 1913:48+1 (si nigra Kraatzsp. nec var.!) (Palaeoarct., Medit. occ., Oran, Alger., Jap., Queensl., Austral.: Sydney; Am.: Col. Mex., Chile, Pan., Guat., Columb., Arg.). *Staph.*, *Staphy.*, *Staphyl.*, Qued. 374.

H. Kirby, Gutfl.-B., 130 = *H. Steph.*? *Heterotrichus* O Chap., X, 1874, 316; Lefvr., MS Liége (2) 11, 1885, 118; Jac., F. Ind. Col. II, 1908, 463 (*H. Balyi* Chap. 1874) 1914:1 (Siam, Tenass., Cochinch.). *Chrys.*, *Eumolp.*, *Myochr.* 219.

Hexacolus Eichh., BEZ. II, 1867, 399; Rat. Tom. 1879, 306; Gemm. et Har., Cat. Col. 9, 1872, 2694; Bldf., BCA. Col. IV, 6, 1897, 180 (*H. glaber* Eichh. 1867) 1913:7 (Amer. c.; Arg.). *Ip.*, *Hyl.* 77.

Hexagonochilus O Sol., H. Chile V, 168; Lac., V, 106; Reitt., DEZ. 30, 1886, 99 (*H. dilaticollis* Sol. 1851) 1913:2 (Chile). *Ten.*, *Stenos*. 241.

Hexalus Muls. et Rey, Opusc. E. 14, 1870, 200 = *Ataenius* Har. 1867. *Scar.*, *Aphod.* 21.

Hexamitodera O Heller, Abh. u. Ber. Mus. Dresden VI, 3, 1896, 22 (*H. semivelutina* Heller 1896) 1913:1 (Celebes). *Ceramb.*, *Cerambin.*, *Callichr.* 706.

Hexanthochorus O Sharp, BCA. Col. I, 2, 1882, 127 (*H. gracilipes* Sharp 1882, t. 4 f. 7; *H. cordilleræ* [Guér.])

1843) 1913:4 (Antill., Cordill., Pan., Mex., Brasil.). *Dryop.*, *Dryopi*, *Potam.* 10.

Hexaphyllum O Gray in Griff., Anim. Kingd. Ins. 1832, 536 (*H. Schuberti* [Perty] 1830) 1913:2 (Brasil.). *Luc.*, *Synd.* 70.

Hexaplocotes Lea, PSLNSW. (3) 1906, 224 (*H. sulcifrons* Lea 1906) 1913:1 (Tasm.). *Ptin.*, *Ptini*. 30.

Hexarthopalus Fairm., Compt. rend. SEB. 1891, p. XIX = *Hexaroptrum* Fairm. 1894. *Ten.*, *Helop.* 1035.

Hexaroptrum Fairm., ASEB. 38, 1894, 38 (*H. foveipenne* Fairm. 1894, *sculpticolle* [Fairm.] 1891) 1913:2 (Kurseong, Chang Yang). *Ten.*, *Helop.* 1035.

Hexarrhopala O Gah., TESL. 1890, 308 (*H. apicalis* Gah. 1890) 1913:1 (Terr. Nyassa). *Ceramb.*, *Cerambin.*, *Cleom.* 866.

Hexarthrius O Hope, TLSL. 19, 1843, II, 104 (*H. rhinoceros* [Ol.] 1789) 1913:12 (As., Sum., Born., Java). *Luc.*, *Luca*. 18.

Hexataenius Fairm., ASEB. 35, 1891, Compt. rend. p. IX; Reitt., VN. 40 [Best. Tab. 50], 254 (*H. protensus* Fairm. 1891) 1913:1 (China). *Scar.*, *Melth.*, *Melthi*. 365.

Hexaurus Reitt., VN. 23, 1885, 11; WEZg. 5, 1886, 315; 27, 1908, 114; Jeannel, Arch.Zo. exp. (5) 5, 1910, 16 et 37; 54, 1914, 72; Rev. Ba., 421; Breit, EMi. 1913, 307 (*H. Merkli* [J. Frivaldszky] 1879) 1914:1 (cavern.: Bulgar.). *Silph.*, *Bath.*, *Bathy*. 28.

Hexoplion O J. Thoms., Syst. Cer. 1864, 219; Bates, TESL. 1870, 285 (*H. venus* J. Thoms. 1864, *carissimum* [White] 1855) 1913:22. *Ceramb.*, *Cerambin.*, *Ibid.* 276.

Hicetaon O Champ., BCA. Col. IV, 1, 1885, 111 (*H. frontalis* Champ. 1885) 1913:1 (Amer. c.). *Ten.*, *Tenebr.* 791.

- Hidrosis* Haag, DEZ. 19, 1875 (Mon.)
= *Machlopsiopsis* Pom. 1871. *Ten.*,
Eurych. 216.
- Hieritis* Burm., Hd. F. IV, 41 (*H.*
macrocera Burm. 1855) 1913:1
(Venez.). *Scar.*, *Melth.*, *Macrod.*
478.
- Higonius* O Lewis, JoLSLZo. 17, 1883,
299; *Schoenfeldt*, GIW. *Brenth.* 1908,
26 (*H. Poweri* Lewis 1883) 1913:6
(Japon., Andam., Sum. etc.). *Brenth.*
Brentha., *Trach.* 40.
- Hilarianus* O Blanch., Cat. Coll. E.
Col. I, 1850, 169; *Lac.*, III, 1856.
270 (Typ.?: *H. anguliceps* Blanch.,
punctaticollis, *rufinus*, *suturalis*
Blanch. 1850) 1913:8 [auct. Blanch.]
(Brasil.). *Scar.*, *Melth.*, *Macrod.* 457.
- Hilyotrogus* Fairm., ASEFr. (6) 6,
1886, 325; *Brenske*, ENa. 17, 1891,
314; *Reitt.*, VN. 40 [Best.-Tab. 50],
253, 257 (Typ.?: *H. iridipennis*,
stolidus, *unguicularis* Fairm. 1886,
holosericeus [Redt.] 1844) (Sib.,
Mandsch., Ind., Yunnan, Tibet.).
Scar., *Melth.*, *Melthi.* 362.
- Himatismus* O Er. ArN. 13, 1843, I,
253; *Lac.*, V, 80; *Haag-Rutenb.*,
Col. Hfte., VI, 1870, 784 (Mon. I);
DEZ. 21, 1877, 273 (Mon. II); *Schau-*
fuß in Calwer, 793 (*H. mandibularis*
Er. 1843, *variegatus* [F.] 1781) 1913:40
(As., Afr., Creta). *Ten.*, *Epitrag.* 78.
- Himera* Chap., X, 1874, 292 nec *Du-*
ponchel 1829 = *Himerida* Lefv. 1885.
Chrys., *Eumolp.*, *Cyn.* 188.
- Himerida* O Lefv., MSLiége (2) 11,
1885, 90 (*H. squamulosa* [Chap.] 1874;
Chapuisi Jac. 1900) 1914:4 (Afr. or.
brit., Congo gall., Terr. Mashona,
Lac., N'Gami). *Chrys.*, *Eumolp.*,
Cyn. 188.
- Hionthis* O Mill., W.E. Monatsschr. V,
1861, 174; *Kraatz*, Rev. *Ten.* 1865,
183; *Reitt.*, DEZ. 1896, 297; Best.-
Tab. 42, 1900, 98, 138 Mon. (*H.*
tentyrioides Mill. 1861) 1913:3 (Syr.).
Ten., *Tentyr.* 110.
- Hipalmus* O Bates, EMM. 6, 1870, 269
(*H. costatus* [Guér.] 1830) 1913:2
(Ecuador., Peru). *Ten.*, *Tenebr.* 798.
- Hipponome* Cast., HN. II, 1840, 235
= *Raiboscelis*, Subg. ad *Helops* F.
1772. *Ten.*, *Helop.* 1073.
- Hirticomus* Pie, Rev. scient. Bourb.
VII, 1894, 41, 42 = Sect. ad *Anthicus*
Payk. 1798. *Anth.* 19.
- Hispa* O L., Syst. Nat. ed. XII, 1767,
603; *Chap.*, XI, 334; *Ws.*, NID.
VI, 1893, 1061; DEZ. 1897, 137;
Schaufuß in Calwer, 1110; *Kuhnt*,
809, 890; *Guttl.-B.*, 638 (etiam
Subg. 1 ad *H. L.* 1767) (*H. testacea*
L. 1767) 1913:74+1. — 3 Subg.:
Hispa, *Chrys.*, *Thor.* (Eur., As.,
Afr.). *Chrys.*, *Hispa*, *Hispi.* 91.
- Hispa* Chap., XI, 1875, 335 (part.)
= *Dactylispa* Ws. 1875. *Chrys.*,
Hispa, *Hispi.* 89.
- Hispella* O Chap., XI, 334; *Ws.*, NID.
VI, 1893, 1061, 1064; DEZ. 1897,
143; *Schaufuß* in Calwer, 1110;
1111; *Kuhnt*, 809, 890 (*H. atra* [L.]
1767) 1913:6 (Eur., As., Ind. or.).
Chrys., *Hispa*, *Hispi.* 83.
- Hispellinus* Ws., DEZ. 1897, 144;
DEZ. 1905, 317 = *Monochirus* Chap.
1875. *Chrys.*, *Hispa*, *Hispi.* 79.
- Hispodonta* Baly, 1858, 78, t. 2 f. 1;
Chap., XI, 284 (*H. janthina* Blanch.
1853) 1913:9 (Amboina, Celeb., Phil.
Ins. etc., Ind. or.). *Chrys.*, *Hispa*,
Callisp. 50.
- Hispoleptis* Baly, ANH. 1864, 262;
Ws., VN. 49, 1910, 120 (*H. diluta*
[Guér.] 1840) 1913:1 (Cayenne).
Chrys., *Hispa*, *Chalep.* 22.
- Hispopria* Baly, 94, t. 2 f. 7; *Chap.*,
XI, 297 = *Botryonopa* Blanch. 1845.
Chrys., *Hispa*, *Bothrion.* 45.
- Hispostoma* Ws., ASEB. 51, 1907, 134
(*H. marginatum* Ws. 1907) 1916:2
(Angola: Bailundo; Afr. or. germ.:
Uhehe). *Chrys.*, *Chryso.*, *Zygogr.* 1.

Hister O^{**} L., Syst. Nat. ed.12, II, 1767, 566; Mars., Mon. 1854, 161; Jaeg. du Val, II, 101; Schmidt, BEZ. 29, 1885, 282; Seidl, F. Ba. et Tr. 1891, 45; Ganglb., KäfMEur. III, 358; Reitt., F. Germ. II, 281; Gutfl.-B., 224; Schaufuß in Calwer, 303, 305; Kuhnt, 364, 366.

Biol.: Mattei, Natural. Sic. 19, 1906, 14; Bickh., EBl. 3, 1907, 101; Heinemann, EBl. 6, 1910, 21; Jacobs., Käf. Rußl. 1905, 84; Böving, Kopenh. 1906, 185/6 t. 6 f. 60—65. — (Typ.?; *H. quadrimaculatus* et *unicolor* [L.] 1758) 1913:433+4—1. — Subg.: *Eugr.*, *Cont.*, *Exorh.*, *Sant.*, *Macrol.*, *Pachyl.*, *Spilod.*, *Zabrom.*, *Meroh.*, *Hist.*, *Eucal.*, *Grammosth.*, *Peran.*, *Athol.*) (in omn. part. orb. terr.). *Hist.* 38.

Hister O s. str. (= *Eudiplaster* Reitt. 1909) = Subg. 10 ad *Hister* L. 1758 (Typ.?; *H. quadrimaculatus* aut *unicolor* L. 1758) 1913:275 (in omn. part. orb. terr.). *Hist.*, 38, 10.

Histeromimus Gah., JoLSzo. 25, 1895, 288 (*H. arabicus* Gahan 1895) 1913:1. (Arab. mer.) *Ten.*, *Erod.* 13.

Histeromorphus O Kraatz, Revis. *Ten.* 1865, 11 (*H. plicatus* Kraatz 1865) 1913:3 (Socotra, Abyss.). *Ten.*, *Erod.* 12.

Histeropsis Chevr., Pet. Nouv. E. II, 1878, 221 = *Platydema* Cast. et Brill. 1831. *Ten.*, *Diaper.* 624.

Histiaeia Fairm., Rev. d'E. 11, 1892, 107 (*H. bidentula* Fairm. 1892) 1913:1 (Obock). *Ten.*, *Trachysc.* 574.

Hoegea O Bates, BCA.Col. V, 1885, 326 (*H. distigma* Bates 1885) 1913:1 (Mex.). *Ceramb.*, *Cerambin.*, *Stenasp.* 985.

Hoffmanella J. Müll., WEZg. 31, 1912, 300; Breit, EMi. II, 1913, 313; Jeannel, Arch. Zo. exp. t. 54, 1914, 67 = Subg. 4 ad *Bathysciola* Jeannel, 1910 (*H. makariensis* J. Müll. 1912)

1914:1 (music.: Dal.). *Silph.*, *Bath.*, *Bathy.* 3.

Hohenwartia Jeannel, Arch. Zo. exp. (5) 5, 1910, 21 sq.; Rev. Ba., 520; Breit, EMi. II, 1913, 315 (subg.) (nec *Bourguignat*) = *Ceuthmonocharis* Jeannel 1914. *Silph.*, *Bath.*, *Bathy.* 7.

Holangus Pic, Longic. IV, 1, 1902, 33 (*H. flavonotatus* Pic 1902) 1913:2 (Tonkin, Yunnan). *Ceramb.*, *Cerambin.*, *Molorch.* 603.

Holaniara Fairm., ASEFr. (5) 1, 1871, 43 = *Eutochia* J. Lec 1862. *Ten.*, *Ulol.* 708.

Holcobius Sharp, TESL. 1881, 521; Perkins, F. Hawaiens. III, 4, 1910, 581. — Synops.: Perkins, t. c., 562. — (*H. major*, *glabericollis*, *granulatus* etc. Sharp 1881) 1913:12 (Haw. Ins.). *Anob.*, *Xylet.* 55.

Holopyge Champion, FMM. 25, 1890, 292 (*H. pallidicornis* Champ. 1890) 1913:2 (Venez., Col.). *Anth.* 12.

Holdhausia Reitt., VN. 45, 1906, 116, 125 (*H. crassus* Fairm. 1892) 1913:1 (Asm., Syr.). *All.*, *Omophl.* 98.

Holismorphus Kraatz, ArN. 25, 1859, I, 100 = *Pachycorynus* Motsch. 1858. *Staph.*, *Staphy.*, *Xanth.* 247.

Holisonycha Péring., T. SAfr. Phil. S. 13, 1904, 260 (*H. mellila* Péring. 1904) 1913:1 (Col. cap.). *Scar.*, *Melth.*, *Melthi.* 241.

Holitus Er., G. Spec. *Staph.* 1839/40, 298; Kraatz, BEZ. III, 1859, p. XXXI; Sharp, TESL. 1876, 180 (*H. analis*, *debilis* Fr. 1839/40) 1914:23 (Mex., Am., m., trop., Bras.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 280.

Holobrachys Fairm., ASEFr. (4) 9, 1869, 233 (*H. heterocerus* Fairm. 1869) 1913:2 (Madag.). *Ten.*, *Cnodal.* 947.

Holocephalus O Hope, EMA. 1838, 323 (*H. Eridanus* [Ol.] 1789) 1913:3 (Parag., Brasil., Bahia). *Copr.*, *Copri.*, *Pinot.* 72.

- Holocephalus* Hope, EM. V. 1838, 323
(part.) = *Pinotus* Er. 1847. *Scar.*,
Copr., *Copri.*, *Pinot*. 73.
Holochelus Reitt., WEZg. 8, 1889, 279;
VN. 40, [Best.-Tab. 50], 165, 195
(*H. subseriatus* Reitt. 1889) 1913:3
(Balcan., Asm., Ross. mer.). *Scar.*,
Melth., *Melthi*. 308.
Holocnemus Brenske, MSEB. II, 1894,
76 (*H. tomentosus* Brenske 1894) 1913:1
(Ind.). *Scar.*, *Melth.*, *Melthi*. 332.
Holocorynus Sharp, F. Hawaiensis. III,
1908, 550 (*H. discedens* [Sharp] 1880, *H.*
subdepressus Sharp 1908) 1914:2 (Ins.
Haw.). *Staph.*, *Staphy.*, *Xanth*. 246.
Hologenosis Deyr., ASEFr. (4) 7, 1867,
82 (Mon.) (*H. laceratus* Deyr. 1867)
1913:1 (Terr. cap.). *Ten.*, *Zoph*. 89.
Hologlyptus Fairm., BSEFr. 1898, 338
= *Holozodus* Fairm. 1898. *Psel.*,
Psel., *Holoz.* 333.
Hololeprus Gerst., Jahrb. Hamb. wiss.
Anst. I, 1884, 60 (*H. variolosus*
Gerst. 1884) 1913:1 (Pangani). *Ce-*
ramb., *Cerambin.*, *Hesprph*. 172.
Hololepta O Payk., Mon. *Histeroid*.
1811, 101; Er. in Klug, Ja. Ins. I,
1884, 87; Mars., Mon. 1853, 135;
Jacq. du Val, II, 98; Schmidt, Best.-
Tab. in BEZ. 29, 1885, 281; Seidl.,
F. Ba. et Tr. 1891, 45; Ganglb.,
KäfMEur. III, 1899, 353; Reitt.,
F. Germ. II, 1909, 280; Gutfli.-B.,
223; Schaufuß in Calwer, 302; Kuhnt,
363, 365 (*H. plana* [Fuessly] 1775)
1913:113+1. — 2 Subgg. *H.* s. str.
subg. 1: 86 et *Liod.* Subg. 2: 27 (in omn.
part. orb. terr. distrib.). *Hist.* 6.
Holomelia Brenske, ENa. 17, 1891, 314
(*H. mirabilis* Brenske 1891) 1913:1
(Ind.). *Scar.*, *Melth.*, *Melthi*. 302.
Holonotus O J. Thoms., Class. *Cer.* 304;
Syst. *Cer.*, 467; *Lae.*, VIII, 185;
Lmr., MSEB. 17, 1909, 12 (Rev.,
596) = Subg. 4 ad *Derancistrus* Serv.
1832 (*H. latithorax* J. Thoms. 1860)
1913:4 (Mex., Guat., Nicar., Costa
Rica). *Ceramb.*, *Prion.*, *Deranc.* 56, 4.
- Holonthogaster* Gemm. et Har., Cat.
Col. 9, 1872, 2676 = *Olonthogaster*
Motsch. 1866. *Ip.* 115 (inc. sedis).
Holophygus Sharp, BCA. II, 1, 1899,
497 (*H. celatus* Sharp 1899) 1913:1
(Pan.). *Disc.* 7.
Holophylla Blackb., TRS. South Austral.
10, 1888, 212 (nec *Er.* 1847, nec
Burm. 1855) = *Rhopaea* Er. 1847.
Scar., *Melth.*, *Melthi*. 376.
Holophylla Burm., Hd.E. IV, 2, 426
[non *Er.* 1847] = *Pseudoholophylla*
Blackb. 1911. *Scar.*, *Melth.*, *Melthi*.
383.
Holophylla Er., NID. 3, 1847, 654
(Sp. exstat). *Scar.*, *Melth.*, *Melthi*. 382.
Holopleura J. Lee., Smiths. Misc. Coll.
XI, 264, 1873, 193; XI, 265, 1873,
310; Leng, EAm. II, 1886, 31.
Ceramb., *Cerambin.*, *Pteropl.* 957.
Holopleuridia Reitt., VN. 14, 1876, 56
(*H. maculosa* Reitt. 1876) 1913:1
(Col.). *Temn.*, *Ostom*. 36.
Holopsis Breun., N. Zeal. Jo. Sc. I,
1883, 499 (part.) = *Corylophodes*
Matth. 1885. *Orth*. 21.
Holopterus O Blanch. in Gay, H. Chile
V, 1851, 475 (*H. chilensis* Blanch.
1851) 1913:6 (Chile 4, Terr. ign. 1,
Mendoza 1). *Ceramb.*, *Cerambin.*,
Holopt. 425.
Holopycnia Brenske, StEZg. 57, 1896,
198 (*H. celebesiana* Brenske 1896)
1913:1 (Col.). *Scar.*, *Melth.*, *Melthi*.
303.
Holorusius Fairm., ASEB. 42, 1898,
250 (*H. Perrieri* Fairm. 1898) 1913:1
(Madag.). *Ceramb.*, *Cerambin.*,
Asem.? 28.
Holoschiza van Lansberge, Not. Leyd.
Mus. 8, 1886, 97; Brenske, BEZ.
XLV, 1900, 82; XLVII, 1902, 20
(*H. dentilabris* van Lansberge 1886)
1913:5 (Abyss. 1; Congo 2, Gabun.
1, Loango 1). *Scar.*, *Melth.*, *Seric.* 105.
Holosus Motsch., BMsc., 1857, IV,
496 (*H. fossulatus* et *foveolatus* Motsch.
1857) 1913:22 (Ind. or., Hongkong,

- Birma, Ceylon, Annam, Ins. Sund.; Sansibar, Ins. Mentawai; Camerun., Gabun., Congo). *Staph.*, *Oxyt.*, *Piest.*, *Lisp.* 20.
- Holotrichia* O Hope, Col. Man. I, 1837, 100; *Burm.*, Hd. E. IV, 2, 1855, 310; *Tieffenbach*, DEZ. 26, 1882, t. 4 f. 10 (*Lachnost.*); *Brenske*, BEZ. 37, 1892, 159; *Reitt.*, VN. 40 [Best.-Tab. 50] 164, 173 (Typ.?; *H. serrata* [F.] 1787; *H. calliglypta* [Bates] 1819; *leucophthalma* [Wiedem.] 1819, *mucida* [Gyll. in Schönh.] 1817; *porosa* [Fischer], *sinensis* Hope 1845) 1913:167 + 3 pos. inc. (As.: Sib., China, As. c. et mer., Males., Andam., Phil. Ins., Nov. Guin.). — Etiam Subg. *Reitt.*, l. c., 174. *Scar.*, *Melth.*, *Melthi*. 295.
- Holotrochus*¹⁾ *Brenske*, MSEB. II, 1894, 75; *Reitt.*, VN. 40 (Best.-Tab. 50), 162 nota (*H. vestitus* *Brenske* 1894) 1913:1 (Shanghai, Ningpo). *Scar.*, *Melth.*, *Melthi*. 316.
- Holotrochus* O Er., G. Spec. *Staph.* 1839/40, 757 (*H. volvulus* Er., 1839/40 t. 2 f. 4; *crassicollis*, *cylindrus* Er. 1839/40) 1913:37 (Am. b. c. et mer., Madag., N. Zealand., Nov. Caled., Mysol, Born.). *Staph.*, *Oxyt.*, *Osori.*, *Osor.* 133.
- Holoxantha* O Senn., HoR. 28, 1894, 457, 470 (Sep., 9, 22); *Seidl.*, NID. V, 2, 1899, 814, 828 (*H. concolor* Brullé 1838) 1915:2 (Ins. Canar.; Ins. St. Vincent.). *Oed.*, *Oedem.*, *Ascler.* 22.
- Holozodus* Fairm., BSEFr. 1898, 346; *Raffr.*, ASEFr. 68, 1899, 518; 73, 1904, 316; GIW. *Psel.* 1908, 315 (*H. Raffrayi* Fairm. 1898) 1913:1 (Madag.). *Psel.*, *Pselia.*, *Holoz.* 333.
- Homaemota* Pasc., JoE. 1865, 371; *Lac.*, Gen. Col. IX, 1869, 90 (*H. basalis* Pasc. 1865) 1913:3 (Austral., occ. 2, Tasm. 1). *Ceramb.*, *Cerambina.*, *Tillom.* 854.
- Homaesthesia* O Lee., Smiths. Misc. Coll. VI, 1862, 288 (*H. integer* J. Lee. 1852 et *emarginatus* Say 1823) = ref. ad *Prionus* F. 1775. 1913:2 (Colo., Nov. Mex.). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Homala* O Eschsch., Zo. Atl. IV, 1831, 6; *Sol.*, ASEFr. IV, 1835, 373; *Kraatz*, Rev. Ten. 1865, 217; *Reitt.*, Best.-Tab. 42, 1900, 89 (*H. polita* Sol. 1835) 1913:6 (Afr. or.). *Ten.*, *Tentyr.* 124.
- Homales* Kolbe, Sitzber. G. naturf. Fr. Berlin 1883, 80; *Schoenfeldt* GIW. *Brenth.* 1908, 73 (*H. glaber* Kolbe 1883) 1913:2 (Madag.). *Brenth.*, *Brentha.*, *Ith.* 114.
- Homales* (= *Synhomales*) Kolbe SteZg. 44, 1883, 381; *Schoenfeldt* GIW. *Brenth.* 1908, 60 = Subg. zu *Piazocnemis* Lac. 1886. *Brenth.*, *Brentha.*, *Ceoc.* 96.
- Homalispia* Baly 33, t. 1 f. 11; *Chap.* XI, 1875, 279; *Ws.*, ArN. 1910, 76, I, 1 Hft., 75 (*H. marginata* Baly 1858, *coeruleipennis* [Guér.] 1844) 1913:18 (Am. mer.). — *H. s. str.* Baly = Subg. 2 ad *H. Chrys.*, *Hispa.*, *Cephal.* 2.
- Homalister* Reitt., VzbGW. 30, 1880, 512 (*H. ornatus* Reitt. 1880) 1913:1 (Caucas.). *Hist.* 45.
- Homalisus* Perty, Del. an. art. 1830 (pro parte) = *Pyrogaster* Motsch., 1852. *Lamp.* 51.
- Homalisus* (Geoffr.) Ill., Gutfl.-B., 377 = ? *Lycidae*.
- Homalisus* (Geoffr.) Kuhnt, 441, 445. *Canth.* cf. Pi. II.
- Homalium* Gemm. et Har., Cat. Col. II, 665 = *Omalium* Grav. 1802. *Staph.*, *Oxyt.*, *Omal.* 52.
- Homalochilus* Blanch., Cat. Coll. E., Col. I, 1850, 172; *Lac.*, III, 1856, 270 (*H. niger* et *punctatostriatus*

¹⁾ Nota: *Shangaia* nom. nov. R. Lac. pro *Holotrochus* *Brenske* 1894 nec Er. 1839/40.

- Blanch.** 1850) 1913:2 (Patag.). *Scar.*, *Melth.*, *Macrod.* 458.
Homalocoris O Solsky, HoR. 8, 1871, 136 (*Tmolus* Fisch. 1871) 1913:1 (Des. Kirghis., Turk.). *Scar.*, *Copr.*, *Copri.*, *Coprid.* 75.
Homalodora Motsch. in Schrenck's R., 1860, 186 = *Doryphora* Ill. 1807. *Chrys.*, *Chryso.*, *Chrysi*. 6.
Homalolachnus J. Thoms., Syst. Cer. 1864, 232 = *Tapinolachnus* J. Thoms. 1864. *Ceramb.*, *Cerambin.*, *Cerambyc.* 152.
Homalinus Sharp, BCA. I, 2, 1882/87 (1885), 472; Casey, T.A.C. St.Louis XVI, 1906, 366, 374 (*H. canaliculatus* [Er.] 1839/40) 1914:8 (Am. e.; Mex.). *Staph.*, *Staphy.*, *Xanth.* 264.
Homalomelas O White, Cat. Col. Brit. Mus. 8, 1855, 216; *Gahan*, F. Brit. Ind. Col. I, 1906, 232 (*H. gracilipes* Parry 1849) 1913:3 (Ceylon.). *Ceramb.*, *Cerambin.*, *Proth.* 671.
Homalopia O Steph., Ill. Brit. E. Mnad. III, 1830, 220 (*Omallopia*); Er., N. Ins. Deutschl. III, 1847, 700 (*Homalopia*); Reitt., WEZg. 6, 1887, 135/9; XV, 1896, 180; VN. 40, 1901 (1902) (Best.-Tab. 50), 138, 147; Brenske, BEZ. 42, 1897, 353; Gutfli.-B., 324; Schaufuß in Calwer, 1307 (*H. ruricola* [Steph.] 1775; *marginata* [Füssly] 1775, *spiraeae* [Pall.] 1773/76) 1913:33 (Eur. m.; China, Asm., Syr.; Alger., Abyss., Seneg., Afr. or., Trv., Natal., Madag.). *Scar.*, *Melth.*, *Seric.* 109.
Homalopygus O Boh., Resa Eugen, 1858, 36 (*H. latipes* Boh. 1858) 1913:9 (Bras.; Pan.; Parag.). *Hist.* 78.
Homaloserica Brenske, BEZ. XLII, 1897, 355; XLV, 1900, 37; XLVI, 1901, 205 (*H. fessa* Brenske 1901) 1913:1 (Victoria-Nyansa). *Scar.*, *Melth.*, *Seric.* 75.
Homalosternus Guér., Rev. et MaZo. (2) 9, 1857, 581 = *Eucteanus* Gerst. 1857. *End.*, *Endo.*, *Endom.* 71.
Homalotrichus Solier, H. Chile IV. 1849, 472 = *Coprophilus* Latr. 1829, *Staph.*, *Oxyt.*, *Oxyte.*, *Coproph.* 101.
Homalotropus M'Leay, TESNSW. II, 1871, 193 (*H. luridipennis* M'Leay) 1913:1 (Gayndah). *Scar.*, *Melth.*, *Lipar.* 159.
Homarus Broun, Man. N. Zeal. Col. II, 1881, 740 = *Acrantus* Broun 1895. *I.p.*, *Hyles.* 39.
Homepura Broun, Man. N. Zeal. Col. V, 1893, 1073 (*H. amoena* Broun 1880) 1913:1 (Nov. Zealand.). *Nit.*, *Nitid.*, *Carpophil.* 67.
Homocoris Burm., Gen. Ins. Heft 10, 1846, nr. 27 = *Pinotus* Er. 1847. *Scar.*, *Copr.*, *Copri.*, *Pinot.* 73.
Homoderus O Parry, TESL. 1862, 107; TESL. 1864, 38; 1870, 86 (*H. Mellyi* Parry 1862) 1913:6 (Afr.). *Luc.*, *Clad.* 29.
Homodesmus Sharp, Rev. MaZo. (3) I 1873, 264 = *Canthonosoma* M'Leay. *Scar.*, *Copr.*, *Scarbi.*, *Canthon* 33.
Homoeocerus Fauv., Rev d'E. 18, 1899, 27 (nec Burm.) = *Moeocerus* Fauv. 1899. *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 372.
Homoeocryphalus Lind., BMosc. 1876, 168; Fauv., Rev. d'E. III, 1884, 315. = *Cryphalus* Er. 1836. *Ipid.*, *Crypt.* 50.
Homoeogenus Waterh., Cist. E. II, 1880, 565 (*H. punctatum* Waterh. 1880) 1914:1 (China). *Dasc.*, *Eubr.* 43.
Homoeogenus¹⁾ O Waterh., ANH. (5) 9, 1882, 174; Gebien, ArN. 83, 1917 (1919) A. 3, 27, 147 t. II. f. 23. (*H. laticornis* Waterh. 1882) 1913:1 (Sum.). *Ten.*, *Tenebr.* 800.
Homoeolizus Sharp, BCA. Col. IV, P. 6, 1895, 18 (*H. Salvini* D. Sharp 1895) 1913:1 (Pan.). *Brenth.*, *Brentha.*, *Trach.* 30.

¹⁾ Nota: *Krollus* nom. nov. R. Luc. pro *Homocogenus* Waterh. 1882 nec 1880.

- Homoeonota* Fairm. 1882 (in Révoil, Faune et Flore Comal Col. 1882, 63) (*H. subopaca* Fairm. 1882) 1913:1 (Terra Somali.). *Ten.*, *Tentyr.* 146.
- Homoeoschiza* Kolbe, ASEB. 38, 1894, 568, 574 (*H. aberrans* [Gerst. in v. d. Deck. 1873]) 1913:2 (Costa Sansib., Dar-es-Salaam). *Scar.*, *Melth.*, *Melthi*. 247.
- Homoeotarsus* Hochh., BMosc. 24, 1851, III, 34; Kraatz, BEZ. X, 1866, 414, 415; Casey, T.A.C. St.Louis XV, 1905, 24 = Subg. ad *Cryptobium* Mannerh. 1830. *Staph.*, *Paed.*, *Paedi.* 233.
- Homoeotelus* O Hope, Rev. Zo. 1841, 112 (*Omoiotelus*); *Lac.*, *Erot.*, 183; Chap. XII, 71; Gorh., BCA. Col. VII, 1889, 112 (*H. pallidus* [Ol.] 1791) 1913:24 (Am. e. et mer., trop.). *Erot.*, *Erotyl.* 27.
- Homogenes* Chevr., ASEFr. (4) II, 1862, 751, 752 = *Mallosoma* Serv. 1834. *Ceramb.*, *Cerambin.*, *Heterops*. 907.
- Homogrypinus* Reitt., WEZg. 27, 1908, 63 (*H. oblongulus* Reitt. 1908) 1913:1 (Afr. or.-german.). *Orth.*, *Seric.* 13.
- Homoiosternus* O Ohs., StEZg. 62, 1901, 352 (*H. Beckeri* Ohs. 1901) 1918:1 (Mex.: Canebas.). *Scar.*, *Rut. hom.*, *Ruti.*, *Heterostrn.* 7.
- Homolamprima* M'Leay, PLSNSW. 10, 1885, 199 (*H. crenulata* M'Leay 1885) 1913:1 (Clarence River). *Luc.*, *Chias.* 6.
- Homomorpha* Semen., WEZg. 17, 1898, 177 (*H. crucifera* Semen.) 1915:1 (Turk.). *Oed.*, *Oedem.*, *Ascler.* 39.
- Homonaeomorpha* Aur., J. Sarawak Mus. 3, 1913, 11 (*H. flavovariegata* Aur. 1913) 1913:1 (Borneo). *Ceramb.* (apud *Heteroclytomorpham*) cf. P. II.
- Homonychus* Germ. in Seuddér, Nomenc. Zo. I, 1882, 165 = *Psilonychus* Burm. 1855. *Scar.*, *Melth.*, *Melthi*. 254.
- Homonyx* O Guér., Rev. Zo. II, 1839, 299 (*H. cupreus* Guér. 1839) 1918:5 (Ec., Bol., Peru, Bras., Arg., Urug., Pat.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 27.
- Homopthalmus* Ab., ASEFr. (5) 5, 1875, 209; Seidl., F. Ba. 1889, 497; F. Tr. 1889, 531; Schilsky, Käf. Eur. 36; 1899, (1900), 36 T; Reitt., Best. Tab. 47, 1901, 9; F. Germ. III, 1911, 307; Kuhnt, 677 = Subg. ad *Dryophilus* Chevr. 1832. *Anob.*, *Dryopt.* 8.
- Homopsis* Sem., HoR. 27, 1893, 258; 38, 1907, 178; Reitt., Best. Tab. 25, 1893, 204 (*H. Grumi* Semen. 1893) 1913:1 (Songorei). *Ten.*, *Platyop.* 352.
- Homopterus* O Westw., TLSL. 18, 1841, 584 (Subg. ad *Cerapterus*), Arcan. E. II, 1845, 9; *H. Lac.*, II, 1854, 10; Raffr., Nouv. Arch. Mus. Paris (2) 8, 1885, 335; Wasm., Not. Leyd. Mus. 25, 1904, 5; Desneux, GIW., Pauss. 1905, 8 (*H. brasiliensis* Westw. 1841) 1913:2 (Ec., Bras.). *Pauss.*, *Cerapt.* 2.
- Homorocerus* O Boh., Ins. Caffr. I, 1848, 272; Rev. d'E. 18, 1899, 26; Bernh. et Schub., Cat. Col. P. 67, 1916, 410 nota (*H. rufipennis* Boh. 1848) 1916:1 (Terr. cap.). *Staph.*, *Staphy.*, *Staphyl.* 372a.
- Homorocerus* Kraatz, BEZ. 2, 1858, 363; Solsky, BEZ. 8, 1864, 375; Gestro, AMusG. 16, 1881, 658; 15, 1895, XV, 1895, 392 (nec *Bohem.*) = *Moeocerus* Fauv. 1899. *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 372.
- Homopsis* Fairm., ASEFr. (6) 5, 1885, 450 [sine descr.] (*H. ustulata* Fairm. 1885 indescr.) 1913:1 (Obock). *All.*, *Allec.* 84.
- Homothermon* Ohs., StEZg. 59, 1898, 59 (*H. bugre*, *serrano* Ohs. 1898; *praemorsus* [Burm.] 1855) 1918:3 1918:3 (Brasil., St. Cathar., „Hochland“, Rio Grande do Sul, Mision.,

- S. Paulo etc.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 32.
- Homotropus* Waterh., TESL. 1878, 226; Ohls., StEZg. 65, 1904, 68, 148 (*H. luridipennis* Waterh. 1878) 1918:2 (Austral.). *Scar.*, *Rut. orth.*, *Anopligni. Schizogn.* 118.
- Homotrysis* O Pasc., JoE. II, 1866, 489; Blackb., TRS. South Austral. 14, 1891, 317, 318. — Best.-Tab.: Blackb., t. c., 319, 320; op. cit. 19, 1896, 54 (*H. rugulosa* [Boisd.] 1832) 1913:32 (Austral., Queensl.). — 2 Subg.: *Hybr.* u. *Lisa*. *All.*, *Allec.* 50.
- Hopatromorpha* Blackb., TRS. South Austral. 31, 1907, 289 = *Mesomorphus* Seidl. 1893. *Ten.*, *Pedin.* 465.
- Hopatropteron* Reitt., HoR. 23, 1889, 701 = *Heterotarsus* Latr. 1829. *Ten.*, *Heterota.* 877.
- Hopatrum* Blackb., TRS. South Austral. 31, 1907, 286 = *Gonocephalum* Chevr. 1849. *Ten.*, *Opatr.* 528.
- Hoplambius* Reitt., Best.-Tab. 53, 1904, 114 = Subg. ad *Melambius* Muls. et Rey 1854. *Ten.*, *Opatr.* 500.
- Hoplariobius* Reitt., Best.-Tab. 53, 1904, 115 = Subg. ad *Micrositus* Muls. et Rey 1854. *Ten.*, *Opatr.* 501.
- Hoplaronion* Muls. et Rey, Mém. Ac. Lyon 1854, 294; Opusc. E. V, 1854, 150; Lac., V, 1859, 271; Seidl., NID. V, 1894, 411; Reitt., Best.-Tab. 53, 1904, 108, 121 (*H. tumidum* Muls. et Rey 1854) 1913:2 (Alg., Tunes.). *Ten.*, *Opatr.* 502.
- Hoplarobius* Reitt., Best.-Tab. 53, 1904, 115 = Subg. ad *Micrositus* Muls. et Rey 1854. *Ten.*, *Opatr.* 501.
- Hoplebaea* Brenske, ASEB. 43, 1899, 378 (*H. Colmanti* Brenske 1899) 1913:1 (Afr.). *Scar.*, *Melth.*, *Hopl.* 558.
- Hoplia* O*+III., Ma. Ins. II, 1830, 226; Schmidt, StEZg. 1, 1840, 66/75, 87/96; Muls., HN. Col. Fr. Lamell. 1842, 511; ed. 2, 1871, 652 in ASAgr. Lyon (4) 3, 1870 (1871), 396; Burm., Hd. E. IV, 1, 1844, 177; Er., NID. 3, 1847, 706; Lac., III, 1856, 195; J. Lee., Jo. Ac. Philad. (2) 3, 1856, 284/7; Jaeg. du Val, III, 8, 1860, 46 t. 13 f. 61; Waterh., Cist. E. II, 1877, 265/8; Horn, TAmES. 8, 1880, 191/2; Bates, BCA. Col. II, 2, 1887, 130; Reitt., DEZ. 1890, 375/83; VN. 41 [Best.-Tab. 51], 108, 111 — 126; Gutfl.-B., 323; Schaufuß in Calwer, 1322; Kuhnt, 384, 411; — *H.* = Subg. ad *H.* Reitt., VN. 41 [Best.-Tab. 51], 115—126 (Typ.?; *H. farinosa* [L.] 1761; *aulica* [L.] 1766, *aureola* [Pallas] 1781; *coerulea* [Ditury] 1773; *graminicola* [F.] 1792, *minuta* [Panz.] 1789; *philanthus* [Füssly] 1775, *praticola* [Duftschm.] 1805) 1913:220 (in omn. part. orb. terr. etiam in Mad.; excl. Austral.). *Scar.*, *Melth.*, *Hopl.* 545.
- Morphol: Auge: Kirchhofer, Sitzb. Ges. Nat. Fr. Berlin 1905, 149—153.
- Biol.: Kopul.: Perris, ASEFr. (5) 3, 1873, 90.
- Metamorph.: Perris, Larv.-Col. in ASL Lyon (n. s.) 22, 1876, 375, f. 135—136; Le Comte, Echange 21, 1905, 189; de Buysson, Misc. ent. 14, 1906, 7; Pfeil, StEZg. 19, 1858, 212.
- Hoplicnema* O Matth., Mon. *Coryl.* 1899, 124, t. 5 f. C (*H. Salléi* [Sallaei] Matth. 1899) 1913:1 (Guadeloupe). Orth., *Coryloph.* 23.
- Hoplideres* Serv., ASEFr. I, 1832, 147 vide *Hoploderes* Serv. 1832. *Ceramb.*, *Prion.*, *Callipogi.*, *Hoplod.* 55.
- Hopliopsis* Blanch., Cat. Coll. E. Col. I, 1850, 69; Burm., Hd. E. IV, 2, 481; Lac., III, 194 (*H. fulvovestita* Blanch., 1850) 1913:1 (Mad.). *Scar.*, *Melth.*, *Hopl.* 543.

- Hopliterrhynchus* Senna, BSEItal. 24, 1892, 26; Schoenfeldt, GIW. Breth. 1908, 44 (*H. Emmae* Senna 1892) 1913:1 (Males.). Breth., Bretha., Bel. 71.
- Hoplitolabps* Fairm., ASEB. 32, 1888, 26 = *Coelocnemodes* Bates 1879. *Ten.*, *Blapt.* 385.
- Hoplitocera* Gemm. et Har., Cat. Col. IX, 1872, 2795 = *Oplatocera* White 1853. *Ceramb.*, *Cerambin.*, *Oem.* 95.
- Hoplitocranum* Jacowl., HoR. 30, 1896, 172 = *Metopodontus* Hope 1845. *Luc.*, *Clad.* 27.
- Hoplitudes* Fauv., Rev. d'E. 23, 1904, 109 (*H. echidne* Fauv. 1904) 1913:1 (Nat.). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte*. 120.
- Hoplobrachium* O Fairm., ASEFr. (6) 6, 1886, 74 (*H. asperipenne* Fairm. 1886) 1913:1 (Madag.). *Ten.*, *Rhysop.* 1125.
- Hoplocephala* O Cast. et Brill., A.Sc. nat. 23, 1831, 338 (*Mon.*); *Cast.*, HN. II, 1840, 222; Redtb., Gatt., 1845, 128; F. Austr. 1849, 52 et 590, ed. II, etc.; Muls., Col. Fr. *Latig.* 1854, 215; Lae., V, 302; C. G. Thoms., I, 116; VI, 248; Jacq. du Val, III, 295; Horn, *Ten.* 1870, 379; J. Lee. et Horn, Class. 1883, 385; Seidl., F. Ba. et Tr.; NID. V, 1894, 509. (*H. haemorrhoidalis* [F.] 1787, *bicornis* [F.] 1777) 1913:52 (in omn. part. orb. terr. distr.). *Ten.*, *Diapre.* 620.
Biol.: Gernet, HoR. VI, 1868, 8, t. 2 f. 9 (sep. p. 22, t. 4 f. 9); Perris, Larves 1877, 280 f. 297/9; C. G. Thoms., VI, 249; Seidl., NID. V, 1894, 215.
- Hoplocerambyx* J. Thoms., Syst. Cer. 1864, 229; Gahan, F. Br. Ind. Col. I, 1906, 131 (*H. spinicornis* [Newm.] 1842, *aramis* et *nitidus* Thoms. 1865) 1913:4 (Bengal., Arch. malay.). *Ceramb.*, *Cerambin.*, *Cerambyc.* 138.
- Hoplochelus* O Blanch., Cat. Col. E. Col. I, 1580, 152; Burm., Hd. E. IV, 2, 1855, 317; Kolbe, ASEB. 38, 1894, 568 (*H. rhizotrogoides* Blanch. 1850; *H. piligera* Blanch. 1850) 1913:4 (Madag.). Scar., Melth., Melthi. 250.
- Hoploclerus* White, Cat. Cler. 1849, 40 (sine diagn.); Westw., PZSL. 1852, 52 = *Lemidia* Spin. 1841. Cler., Cleri., Hydnoc. 130.
- Hoplocnemis* O Harold, Col. Hfte. V, 1869, 123; Péring., T.SAfr. Phil. S. 12, 1902, 690 (*H. hylax* [F.] I775. *crassipes* [Ol.] 1789) 1913:10 (Colon. cap.). Scar., Melth., Hopl. 512.
- Hoploderes* O Serv., ASEFr. I, 1832, 147 [*Hoplideres*]; Lmr., A. Mus. Congo Zo. (3) II, 1903, 98; ASEB. 48, 1904, 33 (Rév., 451); 49, 1906, 361 (Rév., 541) (*H. spinipennis* Serv. 1832) 1913:9. — 2 Subgg.: *Pixod.* et *Hoploderes* s.str.; — *H. Serv.*, ASEFr. I, 1832, 147; J. Thoms., Class. Cer., 290; Syst. Cer. 1864, 474; Lac., VIII, 67; Lmr., ASEB. 48, 1904, 36 (Rév., 454) = Subg. 2 ad *H.* (Type ut antea) 1913:8 [Grupp.: 3+3+2] (Mad. 8, Gde Comore, Mayotte). *Ceramb.*, *Prion.*, *Callipogi.*, *Haplod.* 55; 55, 2.
- Hoploedipus* Fairm., ASEFr. 67, 1 898, 395; Gebien, ArN. 83, 1917 (1919), A. 3, 29, 162 (*H. basicruralis* Fairm. 1898, *armipes* [Fairm.] 1882) 1919:5 (Sum., Singap. 3, Born., Kuching). *Ten.*, *Cnodal.* 966.
- Hoplogaster* Kolbe, StEZg. 55, 1894, 54 = *Aphelogaster* Kolbe 1897. *Ceramb.*, *Cerambin.*, *Dorcas*. 569.
- Hoplognathus* O M'Leay, HoE. I, 1819, 159 (*H. Kirbyi* M'Leay 1819), 1918:3 ((Bras., Minas Geraes, Parana, Rio de Janeiro). Scar., Rut. hom., Ruti., Areod. 4.
- Hoplogonus* O Parry, Cist. E. 1876, 131 (*H. Simsoni* Parry 1876) 1913:1 (Tasm.). *Luc.*, *Dorc.* 59.

Hoplolontha Fairm., Mission Pavie Indo-Chine III, Recherch. HN. 1904, 87 (*H. Paviei* Fairm. 1904) 1913:1 (Cambodja). *Scar.*, *Melth.*, *Melthi*. 372.

Hoplonyx O Thoms., ArE. II, 1858, 98 (Typ.?: *H. alleculoides* et *mono-pthalmus* Thoms. 1858) 1913:59 (Afr. excl. part. b.). *Ten.*, *Amarygg.* 1024.

Hoplopedinota F. Bates, TESL. 1904, 319 (*H. Candezei* F. Bates 1904) 1918:1 (Cayenne). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelián.* 18.

Hoplopeltis Fairm., ASEB. 38, 1894, 22 (*H. tricornis* Fairm. 1894) 1913:1 (Andam., Cambodja). *Ten.*, *Ulom.* 721.

Hoplopisthus Senna, AMusG. (2) 12, 1892, 451, 452; BSE Ital. 1892, 254; Kolbe, StEZg. 53, 1892, 173; Schoenfeldt, GIW. Brenth. 1908, 23 (*H. Doriae*, *Kolbei* et *trichemerus* Senna 1892, *Senna* 1892) 1913:6 (Malay. Regio, Birma, Nias, Tenass.), *Brenth.*, *Brentha*, *Trach.* 36.

Hoplopus (Blanch.) in DT. in Schklig. et J., P. 50, 1913, sec. Indic. p. 389: p. 163 = errat. pro *Hoplochelus* Blanch. 1850. *Scar.*, *Melth.*, *Melthi*. 250.

Hoplopus Cast., HNCol. II, 1840, 129; Reitt., VN. 41, 1903, 81 = *Anomala* Sam. s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 71, 2.

Hoploscelis Serv. ♂, ASEFr. 1, 1832, 169; Lac., VIII, 138 ref. est ad *Cantharocnemis* s. str. = Subg. ad C. Serv. 1832. *Ceramb.*, *Prion.*, *Anacol.*, *Cantharocn.* 73, 1.

Hoploscelis Burm., Hd. E. IV, 1, 1844, 53 [non Serv. 1832] = *Hoplocnemis* Harold 1869. *Scar.*, *Melth.*, *Hopl.* 512.

Hoplosoma Motsch. in Schrenck's R., II, 1860, 211. = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi*. 24.

Archiv für Naturgeschichte
1918. A. 3.

Hoplosternus O Guér., [emend.] Voy. Favorite (MaZo. 8) 1838, Zo., 63 (*Oplosternus*); Burm., Hd. E. IV, 2, 410; Brenske, MSEB. 7, 1900, 154; Reitt., VN. 40, 1901 (1902) [Best. Tab. 50], 254, 259 (*H. chinensis* Guér. 1838) 1913:20 (As.: China, As. c., Ind., Bengal. etc.). *Scar.*, *Melth.*, *Melthi*. 361.

Hoplosternus Blanch., Cat. Coll. E. Col. I, 1850, 158; Gemm. et Harold, Cat. Col. 4, 1869, 1182 = *Hoplosternus* Guér. 1838 [emend.]. *Scar.*, *Melth.*, *Melthi*. 361.

Hoplosternus Guér., Voy. Favorite Ins. 1838, 63; Bedel, Fn. Col. Bassin de la Seine IV, 1911, 117 = *Melolontha* F. 1775. *Scar.*, *Melth.*, *Melthi*. 367.

Hoplozonitis Blackb., TRS. South Austral. 1892, 228 (*H. mira* Blackb. 1892) 1917:1 (Queensl.). *Melo.*, *Nemogn.*, *Nemogni*. 81.

Horatoma O Sel., ASEFr. 9, 1840, 264; Lac., V, 89; Haag, BEZ. 16, 1872, 309 (*H. parvula* Sel. 1840) 1913:3 (Terra cap.). *Ten.*, *Cryptoch.* 254.

Horatomodes Haag, BEZ. 16, 1872, 305 (*H. Batesi* Haag 1872) 1913:1 (Terr. Damara). *Ten.*, *Cryptoch.* 252.

Horatopyga Stål, Öfv. Vet. Ak. Förh. 15, 1858, 251; Vogel in Schauf., Nunq. otios. I, 1871, 77; Chapuis, X, 409, 412 = *Iscadida* Chevr. 1843. *Chrys.*, *Chryso.*, *Tim.* 112.

Horia O* F., Mant. Ins. I, 1787, 164 (*H. testacea* F. 1781) 1917:3 (Congo; Ins. Sund., Ceyl., Phil. Ins., Tranqueb.). *Melo.*, *Nemogn.*, *Hor.* 85.

Horia F., Ent. Syst. I, 2, 1792, 87 = *Cissites* Latr. 1804. *Melo.*, *Nemogn.*, *Hor.* 86.

Horia J. Lee., Class. Col. N.Am. I, 1862, 275 = *Tricrania* J. Lee. 1860 (61). *Melo.*, *Nemogn.*, *Hor.* 83.

- Hormathus* Gah., ANH. (6) 6, 1890, 32 (*H. cinctellus* Gah. 1890) 1913:1 (St. Domingo). *Ceramb.*, *Cerambin.*, *Ibid.* 281.
- Hormocerus Schoenh.*, *Circ.*, Disp. 1826, 70; *Lac.*, VII, 447; *Schoenfeldt*, GIW. *Brenth.* 1908, 56 (*H. reticularis* [Lund] 1790) 1913:8 (Java, Ins. malay., Queensl.). *Brenth.*, *Brentha.*, *Ceoc.* 87.
- Hormocerus Schoenh.* (pars), Disp. méth. *Circ.* 1826, 70 = *Trachelizus Schoenh.* 1840. *Brenth.*, *Brentha.*, *Trach.* 32.
- Hornia* O* Riley, Trans. Acad. St. Louis III, 1877, 564 (*H. minutipennis* Riley 1877) 1917:2 (Kansas, Missouri, Indiana). *Melo.*, *Nemogn.*, *Sit.* 56.
Biol.: *Wellman*, ENs. 22, 1911, 16, 17.
- Hornia Raffr.*, ASEFr. 70, 1901, 129 = *Horniella Raffr.* 1904. *Psel.*, *Psel.*, *Tyr.* 410.
- Hornibius Fairm.*, Miss. Sci. Cape Horn, VI, 2, 1891, Col. p. 60 = *Hornius Fairm.* 1885. *Ceramb.*, *Cerambin.*, *Encycl.* 565.
- Horniella Raffr.*, ASEFr. 73, 1904, 369; GIW. *Psel.* 1908, 396 (*H. hirtella* Raffr. 1901) 1913:1 (Ceylon). *Psel.*, *Psel.*, *Tyr.* 410.
- Hornius* O Fairm., ASEFr. (6) 5, 1885, 61 (*H. sulcifrons* Fairm. 1885) 1913:1 (Terra ignit.). *Ceramb.*, *Cerambin.*, *Encycl.*! 565.
- Horticola Lindem.*, BMosc. 38, III, 1865, 148 = *Byturus Latr.* 1796. *Byt.* 1.
- Hospes* O Jord., Nozo. I, 1894, 182 (*H. nitidicollis* Jord.) 1913:4 (Congo 1, Kuilu 3). *Ceramb.*, *Cerambin.*, *Callichr.* 740.
- Hostilina Blanch.*, Cat. Coll. E. Col. I, 1850, 112 = *Heteronyx Guér.* 1830. *Scar.*, *Melth.*, *Lipar.*, 184.
- Hovachelus Fairm.*, ASEB., 41, 1897, 370 (*H. Oberthüri* Fairm. 1897) 1913:4 (Madag.). *Scar.*, *Melth.*, *Hopl.* 521.
- Hovactyla Fairm.*, Rev. d'E. 20, 1901, 174 (*H. dermestoides* Fairm. 1901) 1914:2 (Madag.). *Helod.*, *Ptilodact.*, *Ptilodacti.* 22.
- Hovacula Fairm.*, ASEB. 42, 1898, 236 (*H. lineolata* Fairm. 1898) 1913:1 (Madag.). *Ten.*, *Strongyl.* 1193.
- Hovamarygmus Fairm.*, ASEB. 42, 1898, 234 (*H. insularis* Fairm. 1898) 1913:1 (Madag.). *Ten.*, *Rhyssop.* 1137.
- Hovarygmus Fairm.*, Gebien in Schklg. et J., Col. Cat. P. 28, 1911, Ind., 620 = err. typ. pro *Hovamarygmus Fairm.* 1898. *Ten.*, *Rhyssop.* 1137.
- Hovatoma* O* Lmr., MSEB. 21, 1912, 142 (Rév., 1006) (Typ.?; *H. castanea* et *cinnamomea* [Ol.] 1795) 1913:26 [6+8+3+6+3] (Afr. or. germ., Afr. mer. 1; Madag. 18, Gde. Comore 4, Ins. Seych. 1, Ins. Rodriguez 1, Ins. Maurit. 1). *Ceramb.*, *Prion.*, *Macrot.*, *Macroto.* 30.
Biol.: *Coquer.*, ASEFr. (4) II, 1862, 107 t. 3 f. 4a.
- Howea* O Olliff, Mem. Austral. Mus. Sydney 2, 1889, 95; Lmr., MSEB. 21, 1912, 67 (Rév., 931) (*H. angulata* Olliff 1889) 1913:1 (Ins. Lord Howe). *Ceramb.*, *Prion.*, *Anacol.*, *Tragos.* 90.
- Hughia* O Raffray, TLSL. 16, 1913, 122 (*H. phantasma*, *carinata* Raffr. 1913) 1913:2 (Seychell.). *Psel.*, *Pyx.*
- Hyas* O Casteln., ASEFr. II, 1833, 134; *Lac.*, IV, 1857, 313; Motsch., Etud. E. 1852, 26; Ern. Ol., ASEFr. (6) V, 1885, 132; GIW. *Lamp.* 1907, 12 (*H. flabellata* (F.) 1801) 1913:12 (Bras., Ec., Bol., Col., Amaz.). *Lamp.*, *Lampr.* 8.
- Hybaloides* O Quedf., BEZ. 28, 1884, 291 (*H. foveolatus* Quedf. 1884) 1913:1 (Angola). *Scar.*, *Orphn.* 3.

- Hybalonomala* Reitt., VN. 41, 1903, 81 = *Anomala* Sam. s. str. 1819. *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 71, 2.
- Hybalus* O. Brullé, HNIns. Col. III, 1834, 319; Lucas, ASEFr. (3) III, 1855, 535; Reitt., VN. 30, 1892, 258; Schaufuß in Calwer, (1887). (*H. glaberratus* [F.] 1792) 1913:17 (Mediterr.). *Scar.*, *Orphn.* 1. *Biol.*: Arrow, TESL. 1904, 724.
- Hybocamenta* Brenske, StEZg. LIX, 1898, 341; Péring., T.SAfr. Phil. S. 13, 1904, 92 (Subg.) (Typ.?: *H. benitoana* Brenske 1898; *morio* [Fährs.] 1857, *nigrita* [Blanch.] 1850) 1913:16 (Gabun. 2, Cong. lusit. 1, Cel. Cap. 1, Dar-es-Salaam. 1, Nat. 11). *Scar.*, *Melth.*, *Seric.* 124.
- Hybocaulus* Fairm., ASEB. 39, 1895, 27 (*H. laticornis* Fairm. 1895) 1913:1 (Madag.). *Ten.*, *Cnodal.* 951.
- Hybocephalodes* O Raffr., GIW. *Psel.* 1908, 322 (*H. dentiventris* [Reitt.] 1883). 1913:3 (Borneo). *Psel.*, *Psel.*, *Hyboc.* 338.
- Hybocephalus* Schauf., AMusG. 18, 1882, 353; Raffr., GIW. *Psel.* 1908, 320 (*H. minimus* Schauf. 1882) 1913:2 (Cel., Birman.). *Psel.*, *Psel.*, *Hyboc.* 336.
- Hybocephalus* Reitt., (nec Schauf., nec Motsch.) VzbGW. 33, 1883, 416; Raffr., Rev. d'E. 9, 1890, 134, 136; ASEFr. 73, 1904, 309 = *Hybocephalodes* Raffr. 1908. *Psel.*, *Psel.*, *Hyboc.* 338.
- Hybochaetodus* Arrow, TESL. 1909, 500, 1909 (*H. obscurus* Arrow 1909) 1913:1 (Peru). *Scar.*, *Hybos.* 8.
- Hybodera* O J. Lec., Smiths. Misc. Coll. XI, 264, 1873, 191 (*H. tuberculata* J. Lec. 1873) 1913:2 (Cal., I.V., Oreg.). *Ceramb.*, *Cerambin.*, *Molorch.* 612.
- Hyboma* Cast., HN. Col. II, 1840, 74 = *Canthon* Hffsg. 1817. *Scar.*, *Copr.*, *Scarbi.*, *Canthon.* 18.
- Hyboma* Serv., Encycl. méth. X, 1828, 352 = *Deltochilum* Eschz. 1822. *Scar.*, *Copr.*, *Scarbi.*, *Canthon.* 20.
- Hybometopia* O Ganglb., HoR. 23, 1889, 285; Schaufuß in Calwer, (849) (*H. Starcki* Ganglb. 1889) 1913:1 (Cauc.). *Ceramb.*, *Cerambin.*, *Saph.* 35.
- Hybomidium* Shipp., ENa. 23, 1897, 195 = *Deltochilum* Eschz. 1822. *Scar.*, *Copr.*, *Scarbi.*, *Canthod.* 20.
- Hyboproctus* Kolbe, Käf. Deutsch-Ostafri. 1897, 214 (Typ.?: *H. nodifer*, *tibialis* Kolbe) 1913:2 (Afr. or. germ.). *Ten.*, *Eutel.* 750.
- Hybopterus* Fairm., Le Natural. II, 1883, 365; StEZg. 44, 1884, 141 (*H. plagiaticollis* Fairm. 1883) 1913:1 (Madag.). *End.*, *Endo.*, *Lycop.* 38.
- Hybosericia* Péring., T. South Afr. Phil. S. 13, 1904, 27 (*H. globuliformis* [Brenske] 1901; *caffra* [Fährs.] 1857) 1913:1 (Caffr., Natal.). *Scar.*, *Melth.*, *Seric.* 111.
- Hybosipa* O Ws., ArN. 76, I, 1, 1910, 96 (*H. melanura* Ws. 1910) 1913:1 (Bolivia). *Chrys.*, *Hispa.*, *Hybosi.* 11.
- Hybosoma* O Gorh., PZSL. 1883, 77 (*H. hydropicum*, *striatum* Gorh. 1883) 1913:3 (Phil. Ins.). *Erot.*, *Dacn.* 85.
- Hybosorus* O McLeay, HoR. I, 1819, 120; Westwood, TESL. IV, 1845, 158 (*H. Illigeri* [Reiche] 1853) 1913:12 (Eur. mer., As., Afr., Am. bor.). *Scar.*, *Hyboso.* 3.
- Hybrenia* Pasc., JoE. II, 1866, 489: Blackb., TRS. South Austral. 14, 1891, 317, 318 = Subg. von *Homotrysis* Pasc. 1866. *All.*, *Allec.* 50.
- Hycleus* Latr. in Cuv., Règne anim. III, 317, Ed. 2, IV, 1829, 63; Schaufuß in Calwer, 754 = *Coryna* Billb. 1813. *Melo.*, *Lytt.*, *Mylabr.* 11.
- Hydaspes* Bourg., ASEFr. (6) 10, 1890, 171 (= *Stenocladius* Fairm. 1878). *Dril.* 10.

- Hydera* Latr. in Cuv., Règn. anim. III, 1817, 268 = *Potamophilus* Germ. 1811. *Dryop.* 6.
- Hydissus* Pasc., ANH. (4) 3, 1869, 148 nota (*H. feronioides* Pasc. 1866) 1913: 1 (N.S.W.). *Ten.*, *Tenebr.* 785.
- Hydnocera* O Newm., EMA. V, 1838, 379; Spin., Rev. Zo. 1841, 75; Kl., Clerii, 1842, 311; Spin., Clerit. II, 1844, 39; J. Lec., AN YAcSc. V, 1852, 26; Lac., IV, 1857, 471; Chenu, Enc. II, 1860, 268; J. Lec., Class. Col. N. Am. I, 1862, 196; Gorh., TESL. 1877, 260; BCA. Col. III, 2, 1883, 168; J. Lec., et Horn Class. Col. N. Am. ed. II, 1883, 218; Schklig., GIW. Cler. 1903, 92; Wolcott, B. Ind. Dept. Geol. Nat. I, 1910, 855 (*H. humeralis* [Say] 1823) 1913:103+2 (Amer.). Cler., Cleri., Hydnoc. 127.
- Hydora* Broun, ANH. (5) 9, 1882, 409; ManNZ. Col. III, IV, 1886, 927 (*H. picea* [Broun] 1881) 1913:3 (Nov. Zealand.). *Dryop.*, *Dryopi.*, *Potam.* 13.
- Hydrehus* O Fairm., ASEFr. 33, 1889, Compt. rend. p. XC; Grouv., BSEFr. 1896, 77 (*H. australis* [King] 1865) 1913:2 (NSW., Madag.). *Dryop.*, *Dryopi.*, *Potam.* 7.
- Hydrocyphon* O Redtb., F. Austr. 1858, 519; 1872, I, 563; Jacq. du Val, III, 2, 152; Muls. et Rey, *Fossip. Brevicoll.* 1865, 46, 92; Bach, II, Nachtr. 1867, 425; Tourn., 77; Bourg., FGRh., 15, 38; Seidl., F. Ba. et Tr.; Fauc., F. anal. Col. 1892, 275; Gen. Col. Fr. 1894, 33; Lam., Man. Belg. II, 1900, 293; Everts, II, 1903, 138; Pic, Cat. II, 319; Reitt., F. Germ. III, 1911, 243; Schaufuß in Calwer, 572, 574; Kuhnt, 588, 591 (*H. deflexicollis* [Müll.] 1821) 1913:4 (Eur., Ceyl., Alg.). *Helod.*, *Helodi.* 10.
- Synops.: Bourg., Fauconnet, l. c.
- Hydromedion* O Waterh., TESL. 1875, 333; Fairm., Miss. Sc. Cap Horn VI, 2, 1891, Col. 42 (*H. elongatum* Waterh.) 1875) 1913:8 (Terr. ignit.). *Ten.*, *Helop.* 1091.
- Biol.: Mjöberg, ArkZo. 1906, nr. 13 p. 6 sq., t. et figg.
- Hydroscapha* O J. Lec., TAmES. V (1874), 45; Sharp, EMM. 11, 1874/5, 101; Matth., Essai gen. *H.* 1876, 1; TAmES. 11, 1884, 115; *Trichopt.* Suppl. 1900, 13 t. 15 f. 1—8, 10—11; J. Lec. et Horn, Class. 1883, 109; Rey, Rev. d'E. II, 1883, 84; Flach in Seidl., F. Ba., ed. III (1888) Gatt. p. 72; F. Tr. (1889) Gatt., p. 72; VzbGW. 39, 1889, 523; Best.-Tab. 18, 1889, 45; Ganglb., III, 335; Reitt., F. Germ. II, 1909, 11 nota f. 9, 14; Schaufuß in Calwer, (299) (*H. natans* J. Lec. 1874, *granulum* [Motsch.] 1855) 1913:5 (Fennica, Eur. medit., Creta, Sard., Lenkoran, Cal.). *Hydr.* 1.
- Hydrothassa* O C. G. Thoms., Sk. Col. VIII, 1866, 279; Ws., NID. VI, 3, 1884, 523; Fowler, Col. Brit. Isl. IV, 1890, 318; Bedel, V, 140; Jacobs., HoR. 35, 1900, 89; Everts, II, 442; Reitt., Süßwasserf. Deutschl. 1909, 218; F. Germ. IV, 1912, 128; Chap., X, 1874; Schaufuß in Calwer, 927, 954; Kuhnt, 805, 852 (*H. glabra* [Herbst in Füessly] 1783, *marginella* [L.] 1758, *analis* [L.] 1767, *hannoverana* [F.] 1775) 1913:9 (Eur. b. et med., Sibir.; Terr. cap., Cors., Sard.). *Chrys.*, *Chryso.*, *Phaedon.* 44.
- Biol.: Deg., Mem. V, 1775, 167; Rosenh., StEZg. 43, 1882, 156; Chapuis et Candèze, MSScLiège 8, 1853, 612; Cornelius, StEZg. 18, 1857, 167; Kaltenb., Pflanzenfeinde I, 1872, 7, 10; III, 1874, 7 (?) 769; Ws., NID. VI, 3, 1884, 525; W. Kolbe, ZEBreslau, 25, 1900, 19; Vion, BSLinn. Nord Fr. 7, 1884, 26.
- Hygrogeus* Rey, ASLLyon 27, 1880, 56; Ganglb., KäfMEur. II, 1895, 710; Luze, VzbGW. 52, 1902, 529; Schaufuß in Calwer, 153 (*H. aemulus*

- [Rosh.] 1847) 1913:1 (Alpes). *Staph.*, *Oxyt.*, *Omal.* 83.
- Hygrotophila* Champ., EMM. 23, 1887, 227 = *Sphaerosoma* Leach. 1819. *End.*, *Sphaero.* 1.
- Hygrotophila* Kol., Melet. E. 1846, 56 = *Agaricophilus* Motsch. 1838. *End.*, *Mycet.*, *Myceta.* 8.
- Hylaia* O Guér., Arch. E. I, 1857, 273, t. 13; Redt., F. Austr. 1858 p. CXXXV et 960 etc.; Mars., Ab. V, 1868/69, 116; Seidl., F. Ba. (1872) Gatt. p. 46, etc.; F. Tr. (1888), 67; Reitt., VzbGW. 29, (1880), 96, Best.-Tab. 1885, 37; Chap., XII, 1876, 111; Ganglb., KäfMEur. III, 1889, 1890; Csiki, Rov. Lap. 7, 1900, 146; Schaufuß in Calwer, 526; Kuhnt, 561 (*H. rubricollis* [Germ.] 1817) 1913:3 (Eur.: Dalm., Bosn., Montg., Hung., Styr., Gal.; Caucas.). *End.*, *Endo.*, *Lycop.* 48.
- Hylamorpha* O* Arrow, ANH. (7) 4, 1899, 368; Ohs., StEZg. 66, 1905, 162 (*H. elegans* [Burm.] 1844, *cylindrica* Arr. 1899) 1918:2 (Chile: Valparaiso, usque ad Boliviam). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Brachystrn.* 129.
- Hylastes* O* Er., ArN. II, 1836, I, 47; Eichh., Europ. Borkenk. 1881, 76; Chap., Syn. Scol. 1873, 224; Lee., TAmES. 1868, I, 174; Bldf., BCA. 1896, Col. IV, 6, 143; Gutf. B., 559; Schaufuß in Calwer, 1224, 1225; Kuhnt, 1045, 1052 (= *Tomicus* Bed. = *Hylastites* Haged.) (*H. angustatus* [Herbst] 1793) 1913:51 (in omn. part. orb. terr.). *Ip.*, *Hyles*. 11.
- Hylastinus* Bed., F. Col. Seine 1888, 388; Schaufuß in Calwer, 1218, 1221; Kuhnt, 1045, 1051 = Subg. ad *Hylastes* Er. 1836. *Ip.*, *Hyles*. 11.
- † *Hylastites* Haged., Schrift. Phys. oekon. Ges. Königsb. 47, 1906, 117 = *Hylastes* Er. 1836. *Ip.*, *Hyles*. 11.
- Hylax* O Lefvr., ASEFr. (6) 4, 1884, B. p. XLV; MSLiége (2) 11, 1885, 14 (*H. calcaratus* Chap.) 1913:1 (Rio Janeiro). *Chrys.*, *Eumolp.*, *Iphim.* 17.
- Hylecerus* (Subg.) Jacq. du Val, III, 1859—1863, 206; Schaufuß in Calwer, 708 = *Hylecoetus* Latr. 1806. *Lym.* 2.
- Hylecoetus* O* + Latr., Gen. Crust. et Ins. I, 1806, 266: in Cuvier, Règne anim. ed. 2, IV, 1829, 486; Le Pelet. et Serv., Enc. méth. X, 1825, 309; Zett., F. Ins. Lapp. 1828, 105; Ins. Lapp. 1838—40 (1838), 80; Guér., Icon. règne anim. 1829—44, 57 (Subg. ad *Lymexylon*); Steph., Ill. Brit. E. Mand. V, 1832, 62; Man. Brit. Col. 1839, 202; Sturm, Deutschl. F. XI, 1837, 64; Curtis, Brit. E. 14, 1837, nr. 654; Cast., HNIns. Col. I, 1840, 291; Redt., F. Austr.; Bach, II, 119; Brullé, HNIns. 6, Col. III, 1857, 122; Pfeil, StEZg. 20, 1859, 76, t. 1; Gutf. B., 395; Jacq. du Val, III, 205; Kiesw., NID. 4, 1863, 702; C. G. Thoms., Sk. Col. 6, 1864, 231; Seidl., F. Ba. 1875, Gatt. p. 88; ed. 2, 1889, Gatt. 114; F. Tr. 1889, Gatt. p. 114; Girard, Les Ins. 1873, 548; Judeich et Nitsche, I, 335 (Subg. ad *Lymexylon*) Evertz, II, 197; Reitt., F. Germ. 3, 299; Schauf. in Calwer, 708; Kuhnt, 662; Gutf. B., 395; Schaufuß in Calwer, 708; Kuhnt, 662. (*H. dermestoides* [L.] 1761) 1915:10 (Eur., Sib., Kamtschatk., Am. b., Austral., Ins. Lord Howe, Queensl., N.S.W.). *Lym.* 2.
- Anat.: Kempers, TijE. 44, 1901, 28, t. 3 f. 15.
- Biol.: Literaturam biol. vide Schklig. in Schklig. et J., Col. Cat. P. 64, 1915, 6—7, 8; Germer, ZwZo. 101, 1912, 696, figg. et tt.; Pfeil, StEZg. 20, 1899, 74, t. 1 f. 1; Hagen, Can. Ent. 18, 1886, 156; Hopkins, Ins. Life 7, 1894, 149; Nüßlin, Leitfad. Forst-insektenkde. ed. 2, 1913, 125, fig. 98A; Trägårdh, Sver. Skogsinsekter 1914, 44, f. 21a, c, d.

Hylecoetus (Subg.) **Jac. du Val**, III, 206
ref. ad *Hylecoetus* **Latr.** 1806. *Lym.* 2.
†*Hylesinutes* **Germ.**, Ma. I, 1813, 15
= Subg. ad *Hylesinus* **F.** *Ip.*, *Hyles*.
17.

Hylesinosoma **Lea**, P. Roy S. Vict. 22,
1911, 143 (*H. fici* [Lea] 1904) 1913:1
(Sydney). *Ip.*, *Hyles*. (apud *Phloeotribum*), 37a.

Hylesinus **O. F.**, Syst. *Eleuth.* II, 1801,
390; **Ratz.**, Forstins. I, 1839, 183;
Bach, Käferf., 1854/60, 142; **Doebner**,
Zo. II, 1862, 159; **Chap.**, Syn. *Scol.*
237; **Gutfl.-B.**, 561; **Eichh.**, Eur.
Borkenk. 1881, p. 133; **Reitt.**, Best.-
Tab. 1894, 51; **Lee.**, P. Am. Phil. S.
15, 1876, 378 (*H. crenatus* [F.] 1787)
1913:35 (in omn. part. orb. terr.).
Ip., *Hyles*. 17.

Biol.: Fortpfl. von *H.*-Arten: **Bian-**
des, Ill. Z. f. E. V, 1900, 104, 105; *mi-*
cans **Koch**, Naturw. Z. Landw.
Stuttg. 7, 319—340. — Literat. biol.
cf. **Hagedorn** in **Schklg.** et **J.**, P. 4,
1910, 16, 17, 18.

Hylesinus **F.**, Ent. Syst. I, 2, 1792,
367; **Ratz.**, Forstins. I, 1839, 178
= *Hylurgus* **Latr.** 1807. *Ip.*, *Hyles*. 13.

Hylesinus **F.**, Syst. El. II, 1801, 390
= *Myelophilus* **Eichh.** 1870 etc. *Ip.*,
Hyles. 15.

Hylesinus **F.**, Syst. *Eleuth.* 1801, 392
= *Campiocerus* **Latr.** 1829. *Ip.*,
Ecc. 98.

Hylesinus **Nördl.**, StEZg. 1848, 250;
Först., V.Nat.Ver. Rheinl. 1849, 383
= *Phloeophthorus* **Woll.** 1854. *Ip.*,
Hyles. 38.

Hylesinus **Schmitt**, StEZg. 1843, 108
= *Kissophagus* **Chap.** 1873. *Ip.*,
Hyles. 26.

Hylithus **O Guér.**, MaZo. Cl. IX, 1834,
12; **Sol.**, ASEFr. IV, 1835, 408;
Lac., V, 62 (*H. tentyioides* [Lacord.]
1830) 1913:3 (Pa., Peru, Arg., Chile).
Ten., *Trimyt.* 42.

Hylobaenus **Pic**, Echage 18, 1902, 33;
GIW. *Hyloph.* 1902, 3; *Hyloph.*,
p. 49, 83 (*H. indicus* **Pic** 1902) 1913:2
(Ind., Nov. Guin.). *Hyloph.* 2.

Hylocoetus **Melsch.**, Col. Cat. Un. States
1853, 86; **J. Lec.**, Class. Col. N. Am.
I, 1861/2, 119; **J. Lec.** et **Horn**,
Class. 1883, 231 = *Hylecoetus* **Latr.**
1806. *Lym.* 2.

Hylocrinus **Cas.**, Rev. Mon. 1907, 331
(Typ.?: *H. longulus* [Lee.] 1851)
1913:24 (Cal., Texas, Mex., Guatem.
etc.). *Ten.*, *Eurymet.* 23.

Hylocurus **Eichh.**, BEZ. 15, 1871, 133;
Rat., Tom. 1879, 208; **Blöf.**, BCA.Col.
IV, 6, 1898, 220 (*H. elegans* **Eichh.**
1871) 1913:10 (Mex. 7, Guat. 2,
Antill., Cuba 1, Ven. 1). *Ip.*, *Hyl.* 82.

Hyloecetus **Lac.**, IV, 1857, 500, 502;
J. Thoms., Arch. E. II, 1858, 82;
Muls. et Rey, HN. Col. Fr. *Diversipalp.*
1863/4, 13 = *Hylecoetus* **Latr.** 1806.
Lym. 2.

Hyloecotus **Chenu**, Enc. d'HN. Col. II,
1860, 223 = *Hylecoetus* **Latr.** 1806.
Lym. 2.

Hylomela **Gah.** in **Dist.**, Ins. Transvaal.
1904, 122 (*H. sexpunctata* [F.] 1792)
1913:1 (Terr. cap.). *Ceramb.*,
Cerambin., *Callichr.* 750.

Hylophilus **O Berthold**, Latr.'s Nat. Fam.
Tierreiches 1827; **Latr.**, Fam. Nat.
Règne An. 1825, 383; **Curtis**, Brit. E.
7, 1830, 299; **Stephens**, Ill. Brit.
E. V, 1832, 71, 77; **Muls. et Rey**,
Collig., 1866, 21; **Lac.**, V, 2, 1859,
584; **Baudi**, Etud. 1877, 73; **Fauc.**,
Gen. Col. 1894, 48; **Pic**, Best.-Tab.
40, 1900, 6; GIW. *Hyloph.* 1902,
3—6; **Pic**, Etud. *Hyl.*, 13—16, 98,
99 in ASEFr. 1903 et 1905; **Schaufuß**
in **Calwer**, 743; **Kuhnt**, 698 (*H.*
pygmaeus [Geer.] 1774) 1913:315
(in omn. part. orb. terr.). *Hyloph.* 3.
[Secundum Seidlitz, Jahresber. üb. Col.
1902, I, 237 err. typ. pro „*Xylo-*
philus“]; iam *praeoccup.*, cf. nota

- in: **Pic**, in **Schklg.** et **J.**, Col. Cat. P. 13, 4 *Aderus Westw.*, antecedit „*Euglenes*“ *Westw.*
- Hylorus J. Thoms.**, Syst. Cer. 1864, 261 (*H. armatus Chabrill.* 1857) 1913:1 (Bras.). *Ceramb.*, *Cerambin.*, *Comps.* 762.
- Hyloscylus Schauf.**, TijE. 40, 1897, 218 (*H. exsculptus*, *H. loricatus Schauf.* 1897) 1913:3 (Madag.). *Ip.*, *Hyles*. 16.
- Hylotorus O Dalman**, Analect. E. 1823, 103; *Westw.*, Arcana E. II, 1845, 40; **Raffray**, Nouv. Arch. Mus. Paris (2) 8, 1885, 351; **Wasm.**, Not. Leyd. Mus. 25, 1904, 29, 71; **Desneux**, GIW., *Pauss.* 1905, 28 (*H. bucephalus* [Gyll.] 1817) 1913:4 (Abyss., Sierra Leone, Afr. mer.). *Pauss.*, *Paussin*. 16.
- Hylotrogus Sharp**, Zo. Rec. 23, 1886, (1887) Ins., 138 = *Hylotrogus Fairm.* 1886. *Scar.*, *Melth.*, *Melthi*. 362.
- Hylotrupes O Serv.**, ASEFr. III, 1834, 77; *Schaufuß* in Calwer, 844, 855; *Kuhnt*, 756, 780 (*H. bajulus* [L.] 1758) 1913:3 (Eur., Am. b.; China, Syr.). *Ceramb.*, *Cerambin.*, *Callid.* 779.
- Hylotrupus Schaufuß** in Calwer, in Indice p. 1379 = err. typ. pro *Hylotrupes* **Serv.**
- Hylurgops Lee.**, P. Am. Phil. S. 15, 1876, 389; *Schaufuß* in Calwer, 1224, 1225 = Subg. ad *Hylastes* **Er.** 1836. *Ip.*, *Hyles*. 11.
- Hylurgus O* Latr.**, G. Crust. et Ins. II, 1807, 274; **Er.**, ArN. II, 1836, I, 51; **Doebner**, Zool. II, 1862, 158; **Chap.**, Syn. Scol. 1873, 241; **Eichhoff**, BEZ. 8, 1864, 24; Eur. Borkenk. 1881, 98; **Reitt.**, Best.-Tab. 1894, 58; *Schaufuß* in Calwer, 1222, 1224; *Kuhnt*, 1045, 1252 (*H. ligniperda* [F.] 1792) 1913:5 (Eur. med., Cauca., Ceyl., Madera). *Ip.*, *Hyles*. 13.
- Hylurgus Gemm. et Har.**, Cat. Col. 9, 1872, 2671 = *Kissophagus* **Chap.** 1873. *Ip.*, *Hyles*. 26.
- Hylurgus Latr.**, Gen. II, 1807, 274 = *Myelophilus* **Eichh.** 1870. *Ip.*, *Hyles*. 15.
- Hylurgus Mannerh.**, BMosc. 25, 1852, 283—387 = *Dendroctonus* **Er.** 1836. *H. Kirby*, F. Bor. Amer. IV, 1837, 195 = *Dendroctonus* **Er.** 1836. — *H. Gemm. et Har.*, Col. Cat. 9, 1872, 2671 = *Kissophagus* **Eichh.** 1881. *Ip.* 23, 26.
- Hymenalia Muls.**, Col. Fr. *Pectin.* 1856, 48; *Lac.*, V, 1859, 505; *Jacq. du Val*, III, 1859/63, 345; *Seidl.*, NID. V, 2, 1896, 72; *Schaufuß* in Calwer, 781, 783 (*H. rufipes* [F.] 1792) 1913:11 (Eur., As., Afr. b.). *All.*, *Allec.* 69.
- Hymeneus Sharp**, BCA. I, 2, 1882/87, (1885), 487 = *Agerodes* **Motsch.** 1858. *Staph.*, *Staphy.*, *Xanth.* 267.
- Hymenochelus O Reitt.**, WEZg. 9, 1890, 263; *Misc. Entom.* 7, 1899, 56; VN. 40 (1901) 1902 [Best.-Tab. 50], 139, 159 (*H. distinctus* [Uhagon] 1876) 1913:1 (Hisp., Lus.). *Scar.*, *Melth.*, *Seric.* 114.
- Hymenomontia Eschschz.**, BMosc. II, 1830, 65 = *Hymenoplia* **Eschschz.** 1830.
- Hymenophorus Muls.** 1852 vide *Hymenorush* **Muls.** 1851. *All.*, *Allec.* 55.
- Hymenoplia O Eschschz.**, (= *Hymenomontia* **Eschschz.**) BMosc. II, 1830, 65; *Heyden*, DEZ. 19, 1875, 377; *Brenské*, BEZ. XLII, 1897, 353; **Reitt.**, WEZg. 1890, 259; VN. 40, 1901 [1902] (Best.-Tab. 50), 139, 154; *Schaufuß* in Calwer, 1310 (*H. strigosa* [III.] 1803) 1913:1 (Hisp., Lus., Alg., Sard., Gall. mer., Sic.). *Scar.*, *Melth.*, *Seric.* 113.
- Hymenorush** **O Muls.**, Mém. Ac. Lyon I, 1851, 201; Opusc. E. I, 1852, 68 (*Hymenophorus*), 188; *Col. Fr. Pectinip.* 1856, 33; *Jacq. du Val*, III, 1859/63; 344; *Lec.*, New Sp. N.Am. Col. 1866, 137; *Champ.*, BCA. Col. IV, I, 1888, 424; *Casey*, AN YAcSc. 6, 1891, 83; *Seidl.*, NID. V, 2, 1896,

49. — Tab.: Lee., New Sp. I, 1866, 135; Smithson. Coll. 167; Casey, AN YAcSc. 6, 1891, 85; Schaufuß in Calwer, 781; Kuhnt, 731 (*H. pilosus* [Melsch.] 1846) 1913:86 (Eur., As., Am.). *All.*, *Allec*. 55.
- Hyocis* Fase., Joe. II, 1866, 457 (*H. Bakewelli* Fase. 1866) 1913:9 (Austral.). *Ten.*, *Opatr.* 550.
- Hyonthosoma* Reitt., Best.-Tab. 42, 1900, 89, 142 (*H. occidentalis* [Fairm.] 1887) 1913:1 (Alg.). *Ten.*, *Tentyr.* 122.
- Hyorrhynchus* Bldf., TESL. 1894, 60 (*H. Lewisi* Bldf. 1894) 1913:1 (Jap.). *Ip.*, *Hyles*. 10.
- Hypamarygmus* Geb., ArkZo. II, 1904, nr. 5, 27 (*H. coccinelloides* Geb.) 1913:1 (Camerun.). *Ten.*, *Rhyssop.* 1138.
- Hypargyra* O Gah., TESL. 1890, 303 (*H. cribripennis* Gah. 1890) 1913:2 (Mamboia, Afr. or.). *Ceramb.*, *Cerambin.*, *Callichr.* 694.
- Hypasclera* Kirsch., BEZ. 10, 1866, 210; Seidl., NID. V, 2, 1899, 726 = *Oxacis* J. Lee. (1866). *Oed.*, *Oedem.*, *Ascler.* 30.
- Hypaspidius* Arrow, ANH. (7) 4, 1899, 365 (*H. Berti* [H. Bates] 1888) 1913:3 (Nicarag., Pan., Peru, Ec.). *Scar.*, *Rut. hom.*, *Ruti.*, *Antich.* 55.
- Hypaspistes* Waterh., ANH. (5) 17, 1886, 39 (*H. armatus* Waterh. 1886) 1913:6 (Madag., Afr. or. germ., Erythr., Sudan, Ceylon.). *Anth.* 1. *Hypaspites* Hagedorn, DEZ. 1908, 374 == *Orthaspites* Haged. 1909. *Ip.*, *Hyl.* 80.
- Hypatium* O. J. Thoms., Syst. Cer. 1864, 172 (*H. opulentum* [Klug] 1842) 1912:8 (Afr. or., Terr. Somali, Congo, Natal., Terr. Damara, Senegal). *Ceramb.*, *Cerambin.*, *Callichr.* 717.
- Hypaulax* O Bates, TESL. 1868, 259; ANH. (4) 13, 1874, 16 (14) (*H. marginata* Bates 1868, *insularis* [Hope] 1848) 1913:13 (Austral.). *Ten.*, *Tenebr.* 782.
- Hyperaxis* O Gemm. et Har., Col. Cat. XI, 1874, 3377; Lefv., MSLiége (2) 11, 1885, 79; Jac., F. Ind. Col. II, 1908, 417 (*H. sellata* [Baly] 1863) 1914:15 (Ind. or., Birma, Ceylon., Malab., Bengal., Born., Andam.). *Chrys.*, *Eumolp.*, *Leprot.* 138.
- Hyperchalca* Fairm., ASEFr. (4) 9, 1869, 238 (*H. aenescens* Fairm. 1869) 1911:3 (Madag.). *Ten.*, *Strongyl.* 1196.
- Hyperephanus* O Senna, BSEItal. 24, 1892, 153; Schönfeldt, GIW. Brenth. 1908, 17 (*H. hirsutus* Senna 1892) 1913:1 (Chili). *Brenth.*, *Brentha.*, *Epheb.* 25.
- Hypericia* Bed., F. Col. Bassin Seine V, 1892, 258 nota = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi.* 24.
- Hyperis* Del., Col. Cat. ed. 3, 1833, 167 = *Hoplia* Ill. 1803. *Scar.*, *Melth.*, *Hopl.* 545.
- Hyperisus* Muls. et Rey, *Térédiles*, 1864, 122; Seidl., F. Ba. 1889, 504; F. Tr. 1889, 536; Schilsky, Käf. Eur., 36, 1899 (1900) 36 H; Reitt., Best.-Tab. 47, 1901, 13; F. Germ. III 311. *Schaufuß* in Calwer 722; Kuhnt 679 = Subg. ad *Xestobium* Motsch. 1845. *Anob.*, *Eernob.* 12.
- Hyperius* Fairm., ASEFr. (5) 8, 1878, 104 (*H. Davidis* Fairm. 1878) 1913:4 (China 1, Chin. med. 3). *Scar.*, *Melth.*, *Macrod.* 470.
- Hypermallus* Lac., VIII, 1869, 302 = *Romaleum* White 1855. *Ceramb.*, *Cerambin.*, *Phorac.* 219.
- Hyperomma* Fauv., O AMusG. XIII, 1878, 531 (*H. lacertinum* Fauv. 1878) 1912:8 (Austral., Nov. Zealand.). *Staph.*, *Paed.*, *Paeidi.* 212.
- Hyperops* O Eschsch., Zo. Atl. IV, 1831, 9; Sol., ASEFr. IV, 1835, 275; Lac. V, 61; Kraatz, Rev. Ten. 1865, 234; Reitt., DEZ. 1896, 297; Best.-Tab. 42, 1900, 88, 137. — Biol.: Wasm.,

- DEZ. 1899, 156. — (*A. tagenoides* Eschsch. 1831) 1913:13 (Ind., Pers., Afr. or., Senegal, Alger., Pers. etc.). *Ten.*, *Tentyr.* 108.
- Hypexilis* G. Horn, TAmES. 12, 1885, 173 (*H. pallida* Horn 1885) 1913:1 (Tex.). *Ceramb.*, *Cerambin.*, *Gracil.* 348.
- Hyphus* Lac., VIII, 1869, 226 (*H. aurantiacus* Lac. 1869) 1913:2 (Born., Cel.). *Ceramb.*, *Cerambin.*, *Oem.* 82.
- Hypnogrya* Casey, TAc. St.Louis XVI, 1906, 386, 394 = Subg. ad *Xantholinus* Serv. 1825. *Staph.*, *Staphy.*, *Xanth.* 257.
- Hypobletus* O Schm., BEZ. 41, 1896, 57 (Typ.?; *H. ridens* [Mars.] 1860) = Subg. 2 ad *Apobletes* Mars. 1860 1913:4 (Bras., Col., Amaz.). *Hist.* 17, 17, 2.
- Hypoborus* O Er., ArN. II, 1836, I, 62; Bedel, F. Col. Seine 6, 1888, 397 et 413; Eichh., Rat. Tom. 1879, 171; Eur. Borkenk. 1881, 171; Reitt., Best.-Tab. 1894, 56; Tredl, EBL. 3, 1907, 13; Schaufuß in Calwer, 1227, Kuhnt, 1045 (*H. fici* Er. 1836) 1913:4 (Eur. mer., Ceyl., Afr. b., Syr., Ind. or.). *Ip.*, *Hyles*. 31.
- Hypocaccus* O C. G. Thoms., Sk. Col. IX, 1867, 400, Schm., BEZ. 29, 1855, 302; Ganglb., KäfMEur. III, 382; Lewis, ANH. (7) 4, 1899, 3 fig. 6, 7; Reitt., F. Germ. II, 1909, 291; Schaufuß in Calwer 313, Kuhnt 373 = Subg. 3 ad *Saprinus* Er. 1834 (Typ.?; *H. rugiceps* [Dult.] 1805 *metallicus* [Hbst.] 1792) 1913:59 (in omn. part. orb. terr.). *Hist.* 120, 3.
- Hypocalis* Lac. V, 1859, 427 (*H. arcuata* Cast. et Brill. 1831) 1911:1 (Mauritius). *Ten.*, *Cnodal*. 978.
- Hypocephalus* O Desm., MaZo. 1832, Cl. IX, t. 24; Westw., Arcana E. I, 1841, 35; Burm., l. c., 37; Guér., Rev.Zo. 1841, 17; J. Thoms., Class. Cer., 263; Syst. Cer., 320; Lac. VIII, 30; J. Lee., TAmES. 1876, 209; Sharp, ASEB., 28, 1884, Bull. p. CVII;
- Lmr., l. c., p. CCLXV, fig.; 34, 1890, 367; 46, 1902, 217 (Rév., 81); Kolbe, BEZ. 28, 1884, 399; ArN. 1901, Beihft., 133; Schaufuß in Calwer, (819). — Biol.: Gounelle, ASEFr. 74, 1905, 105 t. 6. — (*H. armatus* Desm. 1832) 1913:1 (Bras.: Goyaz, Bahia mer.). *Ceramb.*, *Prion.*, *Anoplod.*, *Hyboc.* 111.
- Hypoceuthes* Gerst., ArN. 37, 1871, I, 46 (*H. aterrimus* Gerst. 1871) 1913:1 (Sansibar). *Derm.*, *Anthren.* 28.
- Hypochraeus* Raffr., ASEFr. 73, 1904, 13; GIW. *Psel.* 1908, 142 (Typ.?; *H. obesus* [Raffr.] 1894, *H. granosus* Raffr. 1904, *H. humeralis* [Raffr.] 1894) 1913:3 (Singap., Sumatr.). *Psel.*, *Psel.*, *Batris.* 154.
- Hypochrous* Fairm., ASEB. 35, 1891, Compt. rend. p. CCI (*H. brevicollis* Fairm. 1891) 1913:1 (China). *Scar.*, *Melth.*, *Melthi*. 364.
- Hypocilibe* Bates, TESL., 1872, 275 (*H. Macleayi* Bates 1872) 1913:11 (Austral.). *Ten.*, *Helaei*. 737.
- Hypocistela* O F. Bates, Cist. E. II, 1872, 482; Sec. Yark Miss. Col. 1890, 76; Seidl., NID. V, 2, 1896, 204 (*H. tenuipes* Bates 1872). 1913:1 (Kogyar). *All.*, *Omophl.* 105.
- Hypocrites* Fährs., Öfvers. Vet. Akad. Förh. 29, 1, 1872, 62; Bates, Cist.E. II, 1879, 414 = *Closteromerus* J.Thoms. 1860. *Ceramb.*, *Callichr.*, *Cerambin.* 747.
- Hypocyptus* Mannerh., Brachel. 1830, 11 err. typ. = *Hypocyptus* Mannerh. 1830, 58. *Staph.*, *Tach.*, *Hypocy.* 436.
- Hypocyptus* Mannerh., Brachel. 1830, 58; Pand., ASEFr. (4) 1869, 268; Ganglb., KäfMEur. II, 1895, 331; Luze, VzbGW. 52, 1902, 171; Gutfl.-B. 120; Schaufuß in Calwer, 212, 213; Kuhnt, 168, 255. (*H. laeviusculus* Mannerh. 1830; *longicornis* [Payk.] 1800) 1916:28 (Eur., Medit., Cae., Ceyl., Turemen.,

- Aeg., Kilimandj., Am. b.). *Staph.*, *Tach.*, *Hypocry.* 436.
Biol.: **Rupertsb.**, Biol.Käf.Eur. 1894, 118.
- Hypodacne* **J. Lec.**, TAmES. V, 1875 170 (*H. punctata* **J. Lec.** 1875) 1913:1 (Amer. b.). *Erot.*, *Dacn.* '70.
- Hypoderes* **Lefv.**, ASEFr. (3) 7, 1877, 153; MSLiége (2) 11, 1885, 44 (*H. denticollis* **Lefv.** 1877) 1914:1 (Austral.: Sin. Moreton). *Chrys.*, *Eumolp.*, *Colasp.* 63.
- Hypodetus* **O. Murr.**, Monogr., 1864, p. 328 (*H. xanthurus* **Murr.** 1864) 1919:1 (Brasil.). *Nit.*, *Carpophil.* 47.
- Hypoescrus* **O.J. Thoms.**, Syst. Ceramb., 1864, 249 (*H. strigosus* [Gyllh.] 1817) 1912:4 (Meru, Bengal., Territ. Galla, Sierra Leone). *Ceramb.*, *Cerambin.*, *Oem.* 46.
- Hypolorus* **Muls. et Rey**, *Pil.*, 143; (343) = *Morychus* **Er.** 1847. *Byrrh.*, *Byrrhi.* 14.
- Hypolorus* **Muls. et Rey**, *Pil.*, 143 (343) = *Pedilophorus* **Steff.** 1842. *Byrrh.*, *Byrrhi.* 16.
- Hypomares* **J. Thoms.**, Syst. Ceramb., 1864, 250 (*H. brunneus* [Thoms.] 1858) 1913:2 (Gabun.). *Ceramb.*, *Cerambin.*, *Oem.* 74.
- Hypomedon* **Muls. et Rey**, ASLLyon 25, 1877, 122, 185; *Schaufuß* in Calwer, 183 = Subg. ad *Medon* Steph. *Staph.*, *Paed.*, *Paedi.* 199.
- Hypomelus* **Sol.**, Mem. Acc. Sc. Torino (2) 6, 1843, 305 (93) = *Psammodes* Kirby 1818. *Ten.*, *Molur.* 311.
- Hypophloeus* **O. F. Skr. Nat. Selsk. I**, 1790; Deutsche Ausg. Kopenhag. I, 1, 1793, 198; in **Schneid.**, N. Mag. I, 1, 1791, 24; E. Syst. I, 2, 1792, 500; Syst. El. II, 1801, 558; **Latr.**, Précis 1796, 22; HN. X, 1804, 309; Gen. Crust. et Ins. II, 1807, 173; **Cast.**, HN. II, 1840, 221; **Redt.**, Gatt. 1845, 127; F. Austr. ed. I—III; **Muls.**, Col. Fr. *Laligèn.* 1854, 250; *Lac.* V, 338; *Jaeq. du Val*, III, 308; C. G. **Thoms.** I, 117; VI, 262; **Horn**, Rev. *Ten.* 1870, 378, 386; **J. Lec.** et **Horn**, Class. 1883, 383; **Seidl.**, F. Ba., F. Tr., NID. V, 1894, 549; **Desbr.**, *Frelon* XI, 1902, 32; *Schaufuß* in Calwer, 808, 809; **Kuhnt**, 740, 746 (*H. fasciatus* **F.**, *linearis* **F.** 1790, *bicolor* [**Ol.**] 1790 *pini* [**Panz.**], *unicolor* [**Pill.** et **Mitterp.**] 1783 1913:47; (in div. part. orb. terr. distr., excl. Austral.). *Ten.*, *Ulom.* 723.
- Biol.*: **Westw.**, Introd. mod. Class. Ins. I, 1839, 315 f. 38 nr. 6; **Schiödte**, NTi. III, 1879, 559 t. 10 f. 8—11; **Seidl.**, NID. V, 1894, 551; **Perris**, Larv. 1877, 285, 287; ASEFr. (3) 5, 1857, 354, 458 t. 8, 430/43.
- Hypopholis* **O. Er.**, NID. 3, 1847, 657; **Burm.**, Hd. E. IV, 2, 1855, 282; **Lac.** III, 1856, 299; **Kelbe**, ASEB. 38, 1894, 552; **Pering.**, TSAFr. Phil.S. 13, 1904, 277 (*H. Sommeri* **Burm.** 1855) 1913:1 (Caffr., Nat., Trv.). *Scar.*, *Melth.*, *Melthi.* 264.
- Hypoplatys* **Har.**, BEZ., 3, 1859, 221/4 = *Sybax* **Boh.** 1857. *Scar.*, *Aphod.* 12.
- Hypoplectus* **Raffr.**, Voy. Alluaud 1913, 24 (*H. abdominalis* **Raffr.** 1913) 1913:1. (—). *Psel.*, *Euplect.*
- Hypoprosodes* **Reitt.**, Mon. II, 122, 164 = Subg. ad *Prosodes* **Eschsch.** 1829. *Ten.*, *Blapt.* 390.
- Hypopycna* **O. Rey**, ASLLyon 27, 1880, 274 = Subg. 4 ad *Phyllobrepa* **Thoms.** 1860; *Schaufuß* in Calwer, 156; **Kuhnt**, 185 (*H. rufula* **Er.** 1840; *H. ufula* in **Schkig.** u. **J.**, Col. Cat. P. 19, 1910, 49 err. est) 1913:1 (Eur. centr.). *Staph.*, *Oxyt.*, *Omal.* 48, 4.
- Hypora* **Muls. et Rey**, *Ter.*, 306; **Seidl.**, F. Ba. 506, F. Tr., 541 = Subg. ad *Lasioderma* Steph. 1832. *Anob.*, *Xylet.* 57.
- Hyporhiza* **Dej.**, Col. Cat. ed. 3, 1836, 179 = *Ulomenes* **Blanch.** 1850. *Scar.*, *Melth.*, *Macrod.* 476.

Hyposericica O Brenske, BEZ., XLII, 1897, 355; XLIV, 1899, 234, 239 (Typ. ?; *H. cinnamomea*, *geminata* et *micans* [Klug] 1832/33) 1913:31 (Madag. 30; Born.). Scar., Melth., Seric. 53.

Hypsolenus O Lewis, ANH. (7) 20, 1907, 97 = Subg. 2 ad *Plaeius* Er. 1834) 1913:4 (*H. laevigatus* Mars. 1853) 1913:4 (Bengal., Tongk., Jav., Assam). *Hist.* 13, 2.

Hypostatira Fairm., Compt. rend. SEB. 33, 1889, p. XLIX (*H. varicolor* Fairm. 1889) 1913:1 (Minas Geraes). *Lagr., Stat.* 23.

Hypostenus O Rey, ASLLyon 30, 1883, 183; Schaufuß in Calwer, 177; Kuhnt, 207. (Typ. ?; *H. latifrons* [Er.] 1839, *similis* [Herbst] 1784, *cicindeloides* [Schall] 1783) = Subg. 3 ad *Stenus* Latr. 1796, 1913:200 (+ 2: *tatus*? [det. Benick]; Sard. *infidus* [Benick]; Col.) (in diversis partib. orb. terr.). *Staph.*, *Sten.*, *Steni.* 145, 3.

Hypotelus Er., Gen. *Staph.* 1839—1840 (1840), 840 (*H. pusillus* Er. l. c. t. 2 f. 8, *H. praecox* Er. 1840) 1913:7 (Col. brit., Mex., Pan., Guat., Amaz., Bras.). *Staph.*, *Oxyt.*, *Piest.*, *Piesti.* 10.

Hypothenemus Westw., TESL I, 1834, 34; Schaufuß in Calwer, 1230; Kuhnt, 1054 = Subg. ad *Cryphalus* Er. 1836. *Ip.*, *Cryph.* 50.

Hypotrichia * J. Lee., Smiths. Miscell. Collect. III, 1861—62 (1862), 137 (*H. spissipes* J. Lee. 1862) 1912:1 (Am. b.). Scar., Melth., Lipar. 218. Biol.: Hubbard, Psyche IV, 1885, 215; PESWash. I, 1886, 13.

Hypseloderus Fairm., ASEB. 37, 1893, 306 (*H. denticollis* Fairm. 1893) 1912:1 (Tankin). Scar., Hybos. inc. sedis 20.

Hypselops Sol in Gay, H. Chile V, 1851, 135; Lac. V, 1859, 83 (*H. oblonga* Sol. 1851) 1913:1 (Chile). *Ten.*, *Epitrag.* 85.

Hypsellothorax Kirsch, BEZ. 10, 1866, 188 = *Ptilodactyla* Ill. 1807. *Helod.*, *Ptilodact.*, *Ptilodacti.* 26.

Hypsogenia Sem., HoR. 27, 1893, 332 (*H. centro-asiatica* Sem. 1893) 1913:2 (As. centr., Sir-Darja, China). *Ped.* 18.

Hypsoneothrus Ganglb., ANHofmus. W. XI, 2, 1896, 177; Schaufuß in Calwer, (163) = *Niphetodes* Mill. 1868. *Staph.*, *Oxyt.*, *Omal.* 94.

Hypsosoma Ménétr. in Motsch., Etud. E. III, 1854, 30; Lac. V, 49; Reitt., DEZ. 1896, 299; Best.-Tab. 42, 1900, 91, 162 (*H. mongolica* Ménétr. 1854) 1913:2 (Mongol., China). *Ten.*, *Tentyr.* 138.

Hypsostilbus O Brancs., Jahresb. Ver. Trenes. XIX, XX, 1898, 126 (*H. griseus* Brancs. 1898) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Asem.*? 29.

Hyptioma Casey, T. Ac. St. Louis XVI, 1906, 359, 361 (*H. cubensis* Casey 1906) 1914:1 (Cuba). *Staph.*, *Xanth.* 278.

Hystatus J. Thoms., Class. *Cer.*, 321; Syst. *Cer.*, 480; Lac. VIII, 134; Pac., TESL (3) 3, 1869, 675; Lmr., ASEB. 46, 1902, 109 (Rév. 51), 48, 7 (Rév., 425) (*H. javanus*. J. Thoms. 1860) 1913:1 (Jav., Sum., Born.). *Ceramb.*, *Prion.*, *Callipogi*, *Euryop.* 44.

Hysterarthron J. Thoms., Syst. *Cer.* 1864, 224; Lac. V, 582 (? *Nematoplus*); IX, 1859, 232; Gemm. u. Har., Col. Cat. IX, p. 2987 (*Cer.*); Ritsema, Not. Leyd. Mus. XIV, 1892, 54 (*H. collare* Thoms. 1864) 1913:1 (Arch. Ind.). *Lagr.*, *Stat.* 18.

- Ibidion*** OServ., ASEFr. III, 1834, 103
(*I. comatum et signatum* Serv. 1834)
1913:69 (Mex., Am. mer.). *Ceramb.*,
Cerambin., *Ibid.* 288.
- Ibdionidum*** O Gah., AMusG. 34,
i894, 14; F. Brit. Ind. Col. I, 1906,
168, fig. (*I. Corbetti* Gah. 1894)
1913:1 (Birma). *Ceramb.*, *Cerambin.*,
Obri. 374.
- Icariotis*** O Pasc., TESL. 1888, 497
(*I. unicolor* Pasc. 1888) 1913:13
(Madag.). *Ceramb.*, *Cerambin.*, *Lept.*
497.
- Iccius*** O Champ., BCA.Col. IV, 1, 1886,
147 (*I. cylindricus et cephalotes* Champ.
1886) 1913:4 (Am. c., Grenad.,
St. Vincent.). *Ten.*, *Ulom.* 667.
- Icharonia*** Reitt., WEZg. 31, 1912, 334;
Breit, EMi. II, 1913, 309; Jeannel,
Arch.Zo. exp. 54, 1914, 75 (*I. Leon-*
hardiana Reitt. 1912) 1914:1 (ea-
vernico.: Bosn.). *Silph.*, *Bath.*,
Bathy. 47.
- Ichnea*** O Cast. in Silberm., Rev. IV,
1836, 55; Spin., Rev. Zo. 1841, 75;
Kl., Clerii 1842, 375; J. Lee.,
ANYAcSc.V, 1852, 31; Lac., IV, 1857,
476; Chenu, Enc. II 1860 265; J.
Lee., Class. Col. N. York I, 1862, 197;
Chevr., Mém. Cler. 1876, 7; Gorh.,
TESL. 1877, 409; BCA.Col. III, 2,
1883, 178; Schklig., DEZ. 1903, 16;
GIW. Cler. 1903, 101; Gahan, ANH.
(8) 5, 1910, 68 (*I. laticornis* [Say]
1835) 1913:35 (Am.). — 2 Subgg.:
Ichn. et *Pseudichn.* Cler., Coryn.,
Enopli. 151.
- Ichnea*** O Schklig., DEZ. 1900, 400;
GIW. 1903, 101 = Subg. ad *Ichnea*
Cast. 1836 (*I. lycoides* [Cast.] et
laticornis [Say] 1835) 1913:31 (Am.).
Cler., Coryn., Enod. 151.
- Ichnodactylus*** O Chevr., Pet. Nouv.
E. II, 1877, 173 (*I. quadrioculatus*
Chevr. 1877) 1913:4 (Sum., Jav.,
Jap., Sansib.). *Ten.*, *Diaper.* 629.
- Icosium*** O Lucas, ASEFr. II, 1854
Bull. p. 8; (3) V, 1857, 611; Schaufuß
in Calwer, 845 (*I. tomentosum* Lucas
1854) 1913:1 (Mediterr., 1 var. e
Gr.). *Ceramb.*, *Cerambin.*, *Achrys.*
108.
- Itctistygna*** Pasc., JoE. II, 1866, 491
(*I. adusta et vetula* Pasc. 1866
(N. S. W.). *Lagr.* 37? (inc. sed.).
- Idaecamenta*** Péring., T. South Afr.
Phil. S. 1904, 112 (*I. jucunda* Péring.
1904) 1913:1 (Natal., Trv., Rhodes.
mer.). *Scar.*, *Melth.*, *Seric.* 132.
- Idaeserica*** Péring., T. South Afr. Phil.
S. 13, 1904, (*I. gratula* Péring. 1904)
1913:1 (Rhodes. mer.). *Scar.*,
Melth., *Seric.* 134.
- Idaethina*** Reitt., VN. 13, 1875, 107
sep. 11 (*I. Deyrollei* Reitt. 1875)
1913:2 (Austral.). *Nit.*, *Nitid.* 101.
- Idaethina*** Olliff, Not. Leyd. Mus. VI,
1884, 73 = *Macroura* Reitt. 1873.
Nit., *Nitid.* 109.
- Idatius*** Fairm., BMHNP. 1906, 276
(*I. ophthalmicus* Fairm. 1906) 1913:1
(Madag.). *Ten.*, *Strongyl.* 1190.
- Ideraeus*** J. Thoms., Syst. Cer. 1864,
183 (*I. cyanipennis* Thoms. 1864)
1913:1 (Col.). *Ceramb.*, *Cerambin.*,
Comps. 761.
- Idiesa*** O Reitt., Best.-Tab. 25, 1893,
203, 245, (*I. Eversmanni* [Kraatz]
1865, *Fischeri* [Ménétr.] 1849) 1913:2
(Buchara). *Ten.*, *Pimel.* 359.
- Idiobates*** Cas., ANYAcSc. VI, 1891, 62
(*I. castaneus* [Knoch] 1801) 1913:1 (Am.
b.: Civ. confoed.). *Ten.*, *Tenebr.* 826.
- Idiocalla*** Jord., Nozo. 1913, 139 (*I.*
postica Jord. 1903) 1913:2 (Kuili,
Usambara). *Ceramb.*, *Cerambin.*,
Callid. 789.
- Idiochila*** Friv., Term. Füzet. V, 1883,
135, t. 2 f. 1—3 = *Apatetica* Westw.
1848. *Staph.*, *Oxyt.*, *Piest.*, *Trigo.* 1.
- Idiocnema*** Fald., M. Ac. St. Petersb.
1835, 12, 377; Reitt., VN. 41, 1903,
65 = *Anomala* Sam. s.str. 1819.
Scar., *Rut. hom.*, *Anomi.*, *Anoma.*
71, 2.

- Idiocnemina** Reitt., VN. 41, 1903, 67
= *Anomala* Sam. s. str. 1819. *Scar.*,
Rut. hom., *Anomi.*, *Anoma.* 71, 2.
- Idiolinus** Casey, T. Ac. St.Louis XVI,
1906, 375 = *Xantholinus* s. str. 1877
= Subg. ad *Xantholinus* Serv. 1825.
Staph., *Staphy.*, *Xanth.* 257.
- Idiophyes** Blackb., Tr. R. South Austral.
19, 1895, 234 (*I. brevis* Blackb. 1895)
1913:1 (Vict.). *End.*, *Endo.*, *Lycop.*
49.
- Idiostoma** O Arrow, TESL. 1904, 747;
l.c. 1909, 501 (*I. Landbecki* [Phil.]
1873) 1913:6 (Arg., Chile, Peru,
Pat., Bahia). *Scar.*, *Idiost.* 1.
- Idisia** O Pasc., JoE. II, 1866, 452
(*I. ornata* Pasc. 1866) 1913:2 (Jap.,
Mdsch.). *Ten.*, *Opatr.* 563.
- Idister** Mars., AMusG. 14, 1879, 154
= Subg. ad *Platysoma* Leach 1817
(*I. morphon* Mars. 1879) 1913:5
(Birm., Mentaw., Engano, Sum.).
Hist. 20.
- Idobrium** Kolbe, Abh. Senk. Ges. 26,
1902, 582 (*I. Voeltzkowi* Kolbe 1902)
1913:1 (Aldabra). *Ceramb.*, *Ce-*
rambin., *Gracil.*! 353.
- Idocolastus** Gemm. et Har., Cat. Col.
III, 1868, 814 = *Eidocolastus* Murr.
1864 = Subg. ad *Carpophilus* Steph.
1830. *Nit.*, *Carpophil.* 53.
- Idoemea** Horn, TAmES. 8, 1880, 134
(*I. Fulleri* Horn 1880) 1913:3 (Cal.
mer., Tex.). *Ceramb.*, *Cerambin.*,
Meth. 96.
- Idolia** O Lew., ANH. (5) 16, 1885, 214;
l.c. (6) 9, 1892, 351 (Typ. ?; *I. laevi-*
gata [Payk.] 1811; *punctisternum*
Lew. 1885) 1913:7 (Amer. c., Cuba).
Hist. 57.
- Idosoronia** C. Schauf., TiE. 34, 1891,
4 (*C. picta* C. Schauf.) 1913:1 (Madag.)
Nit., *Nitid.* 90.
- Idricus** Fairm., T. South Afr. Phil. S.
IV, 1888, 199; ASEB. 38, 1894, 658;
Péring., A. SAfr. Mus. III, 1904,
296 = *Ametrocera* Fährs. 1870.
Ten., *Molur.* 300.
- Idutywa** Péring., T. South Afr. Phil. S.
XII, 1902, 824 (*I. collaris* [Burm.]
1844; *viduus* [Blanch.] 1850) 1913:2
(Terr. cap.). *Scar.*, *Melth.*, *Hop.* 522.
- Igenia** Pasc., JoLSLZo. IX, 1866,
95 = *Sisyrium* Pasc. 1866. *Ce-*
ramb., *Cerambin.*, *Calldp.* 307.
- Iheringocanthon** Bernh., VzbGW. 62,
1912, 47 (*I. ypiranganus* Bernh. 1912)
1916:1 (Bras.). *Staph.*, *Tach.*,
Tachi. 422.
- Iletica** Gemm. et Har., Col. Cat. VII,
1870, 2145 = *Eletica* Lacord. 1859.
Melo., *Lytt.*, *Mylabr.* 21.
- Ilus** O Champ., BCA.Col. IV, 1, 1885,
117 (*I. apicornis* Champ. 1885)
1913:1 (Costarica). *Ten.*, *Tenebr.*
770.
- Ilyxerus** O Pasc., JoE. II, 1866, 458
(*I. asper* Pasc. 1866) 1913:1 (N.S.W.).
Ten., *Bolitoph.* 594.
- Imbrius** O Pasc., PZSL. 1866, 528;
TESL. (3) III, 1869, 518; ANH.
(6) VII, 1891, 22 (Typ. ?; *I. ephesus*
Pasc. et *lineatus* Pasc. 1866) 1913:4
(Born., Penang, Malacc., Jav.).
Ceramb., *Cerambin.*, *Cerambyc.* 147.
- Imerina** O Raffr., ASEFr. 65, 1896,
281; 73, 1904, 451; GIW. *Psel.*
1908, 443, t. 2 f. 24 (*I. breviceps*
et *I. Wasmanni* Raffr. 1896) 1913:2
(Madag.). *Psel.*, *Clavig.* 456.
- Imerinus** Gah., ANH. (6) VI, 1890,
460 (*I. granulifer* Gah. 1890) 1913:3
(Madag.). *Ceramb.*, *Cerambin.*,
Phlyct.! 408.
- Immedia** O Pasc., ANH. (5) 9, 1882, 33
(*I. occulta* Pasc. 1882) 1913:3 (Bahia
2, Rio Janeiro!). *Ten.*, *Helop.* 1065.
- Immicrohoria** Pic, Rev. Scient. Bourb.
7, 1894, 41 = Subg. ad *Anthicus*
Payk. 1798. *Anth.* 19.
- Impressobruchus** Pic, Echange 26, 1910,
95 (*I. semiruber* Pic 1910) 1913:1
(Arg.). *Bruchi.*, *Bruchi.* 9.
- Inamblyderus** Pic, Echange 27, 1911,
134 (*I. [Amblyderus] obesus* Casey) =

- subg. ad *Amblyderus*. **Laf.** 1848.
Anth. 15.
- Inanda Péring.**, T. South Afr. Phil. S. 12, 1902, 872 (*I. gracilis* et *trivialis* **Péring.** 1902) 1913:3 (Nat., Trv.). *Scar.*, *Melth.*, *Hopl.* 502.
- Indalmus Gerst.**, Mon. *Endom.* 1858, 185; *Chap.*, XII, 1876, 130 (*I. Kirbyanus* [Latr.] 1807) 1913:6 (Birm., Ind. or., Timor, Phil., Caffr., Sansib.). *End.*, *Endo.*, *Lycop.* 39.
- Indiogeoscopus Pic**, Echange 26, 1910, 21 = Subg. ad *Geoscopus Gerst.* 1855 (*G. multilineatus* **Pic** 1910) 1913:3 (Ind. ant.). *Rhip.*, *Pelecot.* 9.
- Indoscitalinus Heller**, Abh. Mus. Dresden. IX, 5, 1900/01, 5 = *Thyreoccephalus Guér.* 1844. *Staph.*, *Staphy.*, *Xanth.* 268.
- Iniocyphus O Raffray**, ASEFr. 80, 1912, 435 (*I. iheringi* **Raffr.** 1912) 1913:1 (—). *Psel.*, *Tych.*
- Inosomus Broun**, ANH. 9, 1889, 409 (= *Stenopus Broun* 1881) (*I. rufo-piceus* **Broun** 1881) 1913:1 (Nov. Zealand.). *Ip.*, *Hyles.* 12.
- Intempus O Reitt.**, VN. 20, 1881, 195; **Raffr.**, Rev. d'E. 9, 1890, 92, 99; ASEFr. 72, 1903, 519; GIW. *Psel.* 1908, 48 (*I. punctatissimus* **Reitt.** 1885!) 1913:1 (Manila). *Psel.*, *Psel.*, *Euplect.* 31.
- Iotherium Pasc.**, TESL. (3) I, 1863, 569, ♀; *Lac.*, VIII, 190 = *Phaolus Pasc.* 1863. *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 98.
- Iphiclus Lac.**, *Erot.*, 1842, 337; *Chap.*, XII, 59; *Crotch.*, *Erot.* 133, = Subg. ad *Brachysphaenus Lacord.* 1842. *Erot.*, *Erotyl.* 10.
- Iphicorynus Jacq. du Val**, III, 1861, 299 = *Pentaphyllus Latr.* 1829. *Ten.*, *Diaper.* 651.
- Iphimeis Baly**, EMM. I, 1864, 133; *Chap.*, X, 1874, 240; *Lefvr.*, MS. Liège (2) 11, 1885, 15 (Typ.?; *E. fulvipes* **Baly** 1864; *dives* et *porosa* [Germ.] 1824) 1913: — *Chrys.*, *Eumolp.*, *Iphim.* 18.
- Iphimoides Jac.**, Not. Leyd. Mus. V, 1883, 200; *Lefv.*, MSLLiège (2) 11, 1885, 22 (*I. celebensis* **Jac.**) 1914:1 (Saleyer). *Chrys.*, *Eumolp.*, *Iphim.* 25.
- Iphra Pasc.**, TESL. (3) III, 1869, 552 (*I. tillomorphoides* **Pasc.** 1869) 1913:1 (*Ceram.*) *Ceramb.*, *Cerambin.*, *Obri.* 372.
- Iphithimus O Truqui**, StEZg. 18, 1857, 92; *Lac.*, V, 370; *Muls. et Rey*, Opusc. E. IX, 1859, 149; *ASagr.* Lyon, 1859, 213; *Jacq. du Val*, X, 316; *Horn*, Rev. *Ten.* 1870, 334; *Seidl.*, NID. V, 1896, 623; *Desbr.*, *Frelon*, XI, 1890, 66; *Schaufuß* in Calwer, 815 (Typ.?; *I. croaticus*, *italicus* **Truqui** 1857) 1913:9 (Cypr., Croat., Ital.; Calif., Nov. Mex., Canad.). *Ten.*, *Tenebr.* 784.
- Ipidia Er.**, in Germar, ZE. IV, 1843, 289, 423; *Schaufuß* in Calwer, 422, 423; *Kuhnt*, 477, 482 (*I. quadrimaculata* [Quensel] 1790) 1913:4 (Hung., Eur., b. et c., Eur., Jap., Sib., Birma). *Nit.*, *Carpophil.* 73.
- Ipomoria O Pasc.**, JoLSLZo. IX, 1866, 104 (*I. tillides* **Pasc.** 1866, t. 4 f. 1) 1913:1 (Austral. mer.). *Ceramb.*, *Cerambin.*, *Pteropl.* 855.
- Ipothalia O Pasc.**, ANH. (3) 19, 1867, 314; *Gahan*, F. Brit. Ind. Col. I, 1906, 222 (Born., Phil. Ins., Pegu). *Ceramb.*, *Cerambin.*, *Callichr.* 754.
- Ips O De Geer**, Mém. Ins. V, 1775, 190; *Bergroth*, BEZ. 28, 1884, 230; *Marsham*, E. Brit. Col. 1802, 51; *Bedel*, F. Col. Seine VI, 1888, 396, 400; *Blandf.*, BCA. Col. IV, 6, 1895, 185; *Ganglb.*, Münch. Kol. Zeit. I, 1902, 311; *Reitt.*, Best.-Tab., 1894, 80; *Trédl.*, EBl. 3, 1907, 15; *Guttl.-B.*, 247; *Schaufuß* in Calwer, 1246, 1247; *Kuhnt*, 1046, 1057 (*I. typographus* [L.] 1758) 1913:72 (in omn. part. orb. terr.) 1 Subg. *Pityog.* *Ip.*, *Ipin.* 56. Biol.: Liter. biol. cf. *Hagedorn* in *Schkig.* et *J.*, P. 4, 47—62.

- Ips* F., Gen. Ins. 1776; *Kuhnt*, 501 = *Glischrochilus* (*Murr.* ined.) *Reitt.* 1873. *Nit.*, *Cryptarc.* 154.
- Ips* F., E. Syst. II, 1793, 511; Syst. El. II, 1801, 577 = *Dacne* *Latr.* 1796. *Erot.*, *Dacn.* 67.
- Ips* Marsh., E. Brit. I, 1802, 548 = *Eccoptogaster* *Herbst* 1793. *Ip.*, *Ecc.* 99.
- Ips* Ol., E. II, 1970 gen. 18, 7; Enc. méth. 7, 1792, 405 (pars) = *Rhizophagus* *Herbst* 1793 (nom. emend. 1844). *Rhiz.* 3.
- Irenaeus* Leach? = *Piestus* Grav. 1806. *Staph.*, *Oxyt.*, *Piest.*, *Piesti*. 4.
- Irenellum* Csiki, Rov. Lapok. 18, 1911, 106 subg.; 19, 1912, 158 (= *Pholeuon*) (*I. Biroi* Csiki 1912) = *Pholeuon* Hampe 1856 s. str. *Silph.*, *Bath.*, *Bathy*. 42.
- Irenes* O Chap., X, 1874, 280; Lefv., MSLiége (2) 11, 1885, 80 (*I. manca* Chap. 1874) 1914:1 (Reg. indomalay.). *Chrys.*, *Eumolp.*, *Leprot.* 141.
- Iresioides* J. Thoms., Arch. E. I, (an gen. prop.) 1857, 291; Gahan, F. Brit. Ind. Col. I, 1906, 319 = *Glaucytes* Thoms. 1858. *Ceramb.*, *Ceramin.*, *Glaucyt.* 900.
- Ironeus* O Bates, TESL. 1872, 178 (*I. duplex* Bates 1872) 1913:1 (Mex., Nicar.). *Ceramb.*, *Ceramin.*, *Sphaer.* 263.
- Irrhorhotides* Shipp, Entom. 29, 1896, 116 = ?*Pachysoma* McLeay 1821. *Scar.*, *Copr.*, *Scarbi.*, *Scarbae*. 4.
- Isalium* Pasc., TESL. (3) I, 1863, 549 = *Strongylurus* Hope 1835. *Ceramb.*, *Ceramin.*, *Stronglu.* 414.
- Isaminas* Champ., BCA. Col. IV 1, 1886, 266 (*I. gibbipennis*, *brevicollis* Champ. 1886) 1913:2 (Am.c., Guatem.) *Ten.*, *Helop.* 1059.
- Isanopus* O Sharp, TESL. 1876, 141 (*I. tenuicornis* Sharp 1876, *Gallaei* Sharp, BCA. Col. 1, 2, 1884, 360 t. 9,
- f. 3) 1914:21 (Mex., Amaz.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 350.
- Isarida* Pasc., JoE. II, 1866, 456 (*I. testacea* Pasc. 1866) 1913:1 (Ind.). *Ten.*, *Opatr.* 570.
- Isarthron* Redib., Gatt. deutsch. Käferf. 1845, 110 = *Tetropium* Kirby 1837. *Ceramb.*, *Ceramin.*, *Asem*. 24.
- Iscadida* Chevr., Diet. univ. HN. III, 1843, 655 (*I. strumifera* Stål, *caligata* Stål 1858) 1916:11 (Camerun., Afr. mer.). *Chrys.*, *Chryso.*, *Tim*. 112.
- Ischanus* Fauv., Rev. d'E. 23, 1904, 176 (*I. kuniensis* Fauv. 1904) 1913:1 (N. Caled.). *Ten.*, *Tenebr.* 847.
- Ischaena* Er. in Germar, ZE. IV, 1843, 287 = *Megauchenia* McLeay 1825. *Nit.*, *Nitid.* 183.
- Ischalia* Pascoe, JoE. I, 1860, 54 (*I. indigacea* Pasc. 1860) 1913:4 (Jap., Jav., Born., Ins.). *Ped.* inc. sed. (20) aut *Pyrochr.*
- Ischasia* O J. Thoms., Syst. Cer. 1864, 163; Bates, ANH. (4) 11, 1873, 122 (*I. rufina* J. Thoms. 1864) 1913:4 (Bras. mer.). *Ceramb.*, *Ceramin.*, *Rhinotr.* 644.
- Ischionodonta* O Chevr., Arcana Nat. 1859, 19; Goun., ASEFr. 80, 1911, 98 (*I. versicolor* Chevr. 1859) = Subg. 2 ad *Rhopalophora* Serv. 1834. 1913:11 (Am. mer. usque ad Arg.). *Ceramb.*, *Ceramin.*, *Rhopal.* 888.
- Ischnochelus* Burm., Hd. E. IV, 1, 1844, 129 = *Heterochelus* Burm. 1844. *Scar.*, *Melth.*, *Hopl.* 519.
- Ischnocnemis* J. Thoms., Syst. Cer. 1864, 199; Bates, BCA. Col. V, 1880, 83 (*I. costipennis* Thoms. 1864) 1913:5 (Mexico). *Ceramb.*, *Ceramin.*, *Stenasp.* 990.
- Ischnoderus* Fauv., B. S. Linn. Norm. (2) I, 1867, 51 (*I. insignis* [Fairm. et Germ.] 1861) 1913:7 (Chile 1, Nov. Zealand. 5). *Staph.*, *Oxyt.*, *Omal.* 88.

- Ischnodora* Chévr., MSScLiége, 18, 1863, 332, 80; Gah., F. Brit. Ind. Col. I, 1906, 259 (*I. macra* Chevr.) 1913:1 (Assam). *Ceramb.*, *Cerambin.*, *Clyt.* 804.
- Ischnomera* Steph., Ill. Brit. E. Mand. V, 1832, 53; Ganglb., VzbGW. 31, 1881, 98, 106; Best.-Tab. 4a, *Oedem.* 1881, 2 et 10; Fowl., Col. Brit. Isl. V, 1891, 61; Ab., Rev. d'E 11, 1892, 64; Reitt., Festschr. 50jähr. Besteh. Ver. schles. Insektenk. Breslau, 1897, 37; Blackb., TRS. South Austral., 23, 1899, 73; Pic., Echange 26, 1910, 94; Reitt., F. Germ. 3, 1911, 406, 408; Schaufuß in Calwer, 730, 733; Kuhnt, 689, 692 = *Asclera* Steph. 1839. *Oed.*, *Oedem.*, *Ascler.* 44.
- Ischnomera* Seidl., NID. V, 2, 847 et 848; Schaufuß in Calwer, 733 = Subg. ad *Ascl. Steph.* *Oed.*, *Oedem.*, *Ascler.* 44.
- Ischnomerus* Imh. in Labr. et Imh., G. Curc. I, 1842 = *Heteroplites* Lacord. 1866. *Brenth.*, *Brentha.*, *Ith.* 121.
- Ischnomerus* Schoenh., G. Curc. V, 1840, 571; Lac., VII, 1866, 414; Schoenfeldt, GIW. *Brenth.* 1908, 15 (*I. immotus* [Chevr.] 1840) 1913:1 (Madag.). *Brenth.*, *Brentha.*, *Ischn.* 23.
- Ischnopopillia* Kraatz, DEZ. 1892, 292; Arrow, ANH. (8) 12, 1913, 39 (*I. Moorei* Kraatz 1892, *rugicollis* [Newm.] 1838) 1918:4 (Himal.; China, mer.-occ.). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 89.
- Ischnorrhhabda* Ganglb., HoR. 24, 1889, 64 (*I. macilenta* Ganglb. 1889) 1913:1 (Szetschuan). *Ceramb.*, *Cerambin.*, *Gracil.*! 352.
- Ischnosoma* Steph., Ill. Brit. E. V, 1832, 168; C. G. Thoms., Sk. Col. III, 1861, 165; Rey, ASLLyon 29, 1882, 110; Schaufuß in Calwer, 207; Kuhnt, 248 = Subg. ad *Myctoporoides* Mannerh. 1830. *Staph.*, *Tach.*, *Bolit.* 415.
- Ischnostrangalis* Ganglb., HR. 24, 1889, 53 = Subg. 5 ad *Strangalia* Serv. 1835 (*I. Semenovi* Ganglb. 1889) 1913:1 (Mong.). *Ceramb.*, *Cerambin.*, *Lept.* 551, 5.
- Ischnotes* O Newm., ANH. 5, 1840, 18 (*I. cylindracea* Newm. 1840) 1913:2 (Melbourne, Adelaide). *Ceramb.*, *Cerambin.*, *Ancyl.* 927.
- Ischyrolampra* O Lefvr., MSLiége (2) 11, 1885, 166; Jac., BCA. Col. VI, I, Suppl. 1890, 204 (*I. Batesi* [Baly] 1878, *I. panamensis* Jac. 1890) 1914:2 (Amaz.; Pan.). *Chrys.*, *Eumolp.*, *Chrysod.* 2.
- Ischyromerus* Labr. in Labr. et Imh. G. Curc. I, 1842, nr. 14 = *Rhytidocophalus* Chévr. 1839. *Brenth.*, *Brentha.*, *Ceoc.* 86.
- Ischyromus* O Jac., HoR. 27, 1893, 241 (*I. sarvadensis* [Solsky] 1881) 1914:1 (Sarafschian). *Chrys.*, *Eumolp.*, *Leprot.* 144.
- Ischyropalpus* Laf., Mon. 1848, 106, 141 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Ischyrus* O & Lac., (pars), Erot., 89; Chap., XII, 35; Crotch, Cist. E. I (1873), 144; l. e., 426; Gorh., BCA. Col. VII, 1887, 39. — Biol.: Chap. et Cand., MSScLiége 1853, 622 t. 9 f. 6; Cand., op. cit. 16, 1861, 394 t. 6 f. 5 (Typ.?; *I. quadrivirgatus* [Ol.] 1791) 1913:58 (Am.). Erot., Triplac. 34.
- Ischyrus* Lac. (pars), Erot., 89 = *Megischyrus* Crotch (1873); *I. id.* = *Callischyrus* Crotch 1876. Erot., Triplac. 33, 36.
- Iselma* O Haag, DEZ. 23, 1879, 402 (*I. ursus*, *hirsuta* [Thunb.] 1791) 1917:15 (Terra cap., Terr. Namaqua). Melo., Nemogn., Nemogni. 67.
- Iselma* Haag, TESL. 1875, 226 = ? *Deridea* Westw. Melo. 66.
- Isereus* Reitt., WEZg. 5, 1886, 100; DEZ. 1889, 296; Ganglb., KäfMEur. 3, 1899, 91; St.-Claire Dev., L'Abeille

- 30, 1901, 59; **Reitt.**, WEZg. 27, 1908, 115; **Jeannel**, Arch. Zo. exp. (5) 5, 1910, 10 et 36; Rev. Ba. 1911, 404; 54, 1914, 71; 54, 1914, 71, **Breit**, E. Mi. II, 1913, 307; **Schaufuß** in Calwer, 1012 (*I. Xambeui* [Argod-Vallon] 1885) 1914:1 (cavern.: Gallia: Isère). *Silph.*, Bath., Bathy. 26.
- Isicerdes* **Champ.**, BCA.Col. IV, 1, 1885, 113, 524 (*I. occultus* **Champ.** 1885) 1913:4 (Am. c., Col., Guat., Yukatan). *Ten.*, Tenebr. 772.
- Ismarus* **Haag-Rutenberg**, Verh. Ver. Nat. Unterh. Hamb. III, 1878, 104; Jo. Mus. Godeffroy 14, 1879, 134 = *Simarus* **Borchm.** All., Alloc. 4.
- Isocamenta* **Kolbe** (s. deser.!), (*I. montana* et *amitina* **Kolbe**, Kilimandj., Meru-Exped. VII, nr. 18, 1910, 349) 1913:2 (Meru). *Scar.*, *Melth.*, Seric. 139.
- Isocera* **O Borchm.**, DEZ. 1909, 713 (= *Isotoma* **Blanch.** 1845) (*I. emarginaticollis* [**Blanch.**] 1843) 1913:1 (Bol.). *Lagr.*, *Trach.* 2.
- Isoceraspis* **Ohaus**, DEZ. 1911, 669 (*I. duckei* **Ohaus** 1911) 1913:1. *Scar.*, *Melth.*, *Macrod.* 497, 1.
- Isocerus* **O & Latr.**, Règne anim. ed. II, V, 1829, 20; **Cast.**, HN. II, 1840, 210; **Muls. et Rey**, Mém. Ac. Lyon, 1854, 189; Opusc. E. 1854, 45; **Lac.**, V, 246; **Jacq. du Val**, III, 1861, 275; **Seidl.**, NID. V, 1893, 384; **Reitt.**, Best.-Tab. 53, 1904, 77 (*I. purpurascens* [**Herbst**] 1799) 1913:3 (Balear., Alger., Tunes., Hisp., Lus.). *Ten.*, *Pedin.* 448.
Biol.: *Xambeu*, ASLLyon 45, 63.
- Isocheilus* **Sharp**, ANH. (6) 2, 1889, 263 (*I. staphylinoides* [**Kraatz**] 1859) = Subg. 19 ad *Medon* **Steph.** 1832. 1913:2 (Madag., Ceyl., Ind. or., Japon.). *Staph.*, *Paed.*, *Paedi.* 199, 19.
- Isochilus* **Fauv.**, Rev. d'E. 14, 1895, 227 = *Isocheilus* **Sharp** 1889 = Subg. Archiv für Naturgeschichte 1918. A. 8.
- ad *Medon Steph.* 1832. *Staph.*, *Paed.*, *Paedi.* 199, 19.
- Isochirus* **Reitt.**, Tab., 33; VN. 30, 171 = *Turanella* **Sem.** 1905. *Scar.*, *Aphod.*, *Aphodi.* 2.
- Isocleres* **Lewis**, ANH. (6) 10, 1892, 191 = *Thaneroclerus* **Lef.** 1838. *Cler.*, *Cleri.*, *Clerin.* 102.
- Isocymatodera* **Hintz**, DEZ. 1902, 179; **Schkig.**, GIW. *Cler.* 1903, 20 (*I. Kolbei* **Hintz** 1902) 1913:1 (Afr. or.). *Cler.*, *Cleri.*, *Till.* 34.
- Isodera* **White**, Voy. Ereb. Terr. Ins. 1846, 21 = *Oemona* **Newm.** 1840. *Ceramb.*, *Cerambin.*, *Calldp.* 301.
- Isognathus* **Kolbe**, ENa. 14, 1888, 305; **Schoenfeldt**, GIW. *Brenth.* 1908, 14 (*I. Mechowii* [**Kolbe**] 1883) 1913:2 (Quango). *Brenth.*, *Brentha.*, *Taphr.* 19.
- Isolemidia* **Gorh.**, TESL. 1877, 257; BCA.Col. III, 2, 1883, 177; **Schkig.**, GIW. *Cler.* 1903, 92 (*I. pulchella* **Gorh.** 1877) 1913:7 (Amaz., Nicar., Rio Jan., Pan.). *Cler.*, *Cleri.*, *Hydnoe.* 128.
- Isolomalus* **O Lewis**, ANH. (7) 19, 1907, 316 = Subg. 3 ad *Paromalus* **Er.** 1834 (Typ.?; *I. bistratus* et *seminalulum* [**Er.** in Klug] 1834) 1913:42 (Amer.). *Hist.* 50, 3.
- Isoloxantha* **Semen.**, Rev. Russe d'E. II, 1902, 353 (*I. Handlirschi* [**Seidl.**] 1899) 1915:1. *Oed.*, *Oudem.*, *Ascler.* 37.
- Isomalus* **Er.**, Gen. *Staph.* 1839—40, (1840), 838 = *Eleusis* **Cast.** 1835. *Staph.*, *Oxyt.*, *Piest.*, *Eleus.* 13.
- Isomira* **O & Muls.**, Col. Fr. Pect. 1856, 52; **Jacq. du Val**, III, 1859/63, 348; **Champ.**, BCA.Col. IV, 1, 1888, 245; **Casey**, AN YAcSc. 1891, 143; **Seidl.**, NID. V, 2, 1896, 99; **Kiesenw.**, BEZ. 7, 1863, 424 (Übersicht); **Reitt.**, DEZ. 1889, 257; 1890, 393; in **Radde**, F. Cauc. 1886, 229; WEZg. 15, 1896, 75; **Seidl.**, NID. V, 2, 1896, 99.

- Anat.: **Roger**, Flügelgeäder der Käf. 1875, 64; **Seidl.**, NID. V, 2, 1896, 100 (*I. murina* [L.] 1758) 1913:51 (in omn. part. orb. terr.), excl. Austral.). *All.*, *Allec.* 78.
- Isonota* O **Fairm.**, ASEFr. (6) 7, 1887, 171 (*I. opaca* Fairm. 1887) 1913:1 (Somali). *Ten.*, *Tentyr.* 165.
- Isonychus* O **Mannerh.**, MSNat.Mosc. 7, 1829, 69; **Burm.**, Hd. E. IV, 2, 42; **Lac.**, III, 247; **Bates**, BCA.Col. II, 2, 1887, 147 (*I. albicinctus, sulphureus* Mannerh. 1829) 1913:70 (Mex., Amer. et trop., Brasil.). *Scar.*, *Melth.*, *Macrod.* 480.
- Isopentra* **Muls.**, Opusc. E. VIII, 1858, 106; **Schaufuß** in Calwer, 756 = *Epicauta* Redt. 1845. *Melo.*, *Lytt.*, *Lytti.* 23.
- Isophia* **Burm.**, Hd. Ent. IV, 2, 1855, 487; **Pering.**, T.SAfr. Phil. Soc. XII, 1903, 622 (*I. lasiosoma* Burm. 1855) 1918:1 (Caffr., Nat.). *Scar.*, *Rut. hom.*, *Anomi.*, *Isopl.* 104.
- Isopteron* **Hope**, Col. Man. III, 1840, 112; **Lac.**, V, 262; **Champ.**, TESL. 1894, 355 = *Cestrinus* Er. 1842. *Ten.*, *Pedin.* 473.
- Isopus* **Montrz.**, ASEFr. (3) 8, 1860, 299; **Bates**, TESL. 1873, 374 (*I. Blanchardi* Montr. 1860) 1913:12 (Nov. Caled.). *Ten.*, *Helop.* 1027.
- Isosaphanus* **Hintz**, DEZ. 1913, 195 (*I. ferranti* Hintz 1913) 1913:1 (Congo) *Ceramb.*, cf. P. II.
- Isostira* **Pasc.**, ANH. (4) 5, 1870, 97 (*I. crenata* Pasc. 1870) 1913:2 (Queensl.). *Ten.*, *Opatr.* 571.
- Isotoma* **Blanch.**, H. Ins. 1845, 39; **Lac.**, V, 1859, 568; **Seidl.**, NID. V, 2, 1898, 315 = *Isocera* Borchm. 1909. *Lagr.* 2.
- Isotomus* O **Muls.**, Col. Fr. Long. ed. 2, 1863, 143, 183 (Typ.?; *I. Bartholomaei* [Motsch.] 1859, *comptus* [Mannerh.] 1825, *speciosus* [Schneid.] 1787) 1913:5 (Eur. e., Cauc. 3, Rossia; Syr., Afr. b.; Haiti import.?). *Ceramb.*, *Cerambin.*, *Clyt.* 822.
- Isotrium* **Fairm.**, ASEB. 40, 1896, 375 (*I. lutosum* Fairm. 1896) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Callid.* 792.
- Issacaris* **Fairm.**, ASEFr. (6) 9, 1889, B. p. CXVII (*I. petalophora* Fairm. 1889) 1913:1 (Chile). *Scar.*, *Melth.*, *Macrod.* 473.
- Isthmiade* O J. **Thoms.**, Syst. Cer. 1864, 166; **Bates**, TESL. 1870, 326, ANH. (4) 11, 1873, 121 (*I. braconides* Perty 1830) 1913:6 (Bras.). *Ceramb.*, *Cerambin.*, *Rhinotr.* 643.
- Itagonia* **Reitt.**, HoR. 21, 1887, 362; **Seidl.**, NID. V, 1893, 238 (*I. gnaptorinoides* Reitt. 1887) (Turk., Kanssu). *Ten.*, *Blapt.* 383.
- Itamus* **Raffr.**, ASEFr. 73, 1904, 196; GIW. *Psel.* 1908, 251 (*I. laticeps* Raffr. 1904) 1913:1 (Bras.). *Psel.*, *Pselia*, *Brachygl.* 269.
- Iteticus* **Raffr.**, ASEFr. 73, 1904, 140; GIW. *Psel.* 1908, 155 (Typ.?; *I. princeps* [Reitt.] 1882, *I. Germari* [Aubé] 1844) 1913:8 (Bras., Bol. super.). *Psel.*, *Pselia*, *Batris.* 172.
- Ithaca* **Olliff**, PLSNSW. (2) II, 1887, 153; **Seidl.**, 7, NID. V, 2, 1899, 727 = *Dohrnia* Newm. 1851. *Oed.* (pos. inc.) 63.
- Ithyphenes* **Murr.**, Mon. 1864, 316 (*I. gnatho* Murr. 1864) 1913:5 (Sum. 1, N. Guin. 3, Nov. Britan. 1). *Nit.*, *Carpophil.* 45.
- Ithrya* **Reitt.**, System. Eintheil. *Nit.* 1873, 56 et 78 (*I. hirsutula* Reitt. 1873) 1913:1 (Afr. or. et mer.). *Nit.*, *Nitid.* 141.
- Ithystenomorphus* O **Kleine**, ArN. 83. 1917 (1919), 121, 134 (*I. femoralis* Kl. 1919) 1919:1 (N. Guinea brit.) = Subg. ad *Ithystenus* Pasc. 1862. *Breth.*, *Brentha*, *Ith.* 117, 1.
- Ithystenus* O **Pasc.**, JoE. I, 1862, 390; **Lac.**, I, 1866, 467; **Kleine**, ArN. 83, 1917 (1919), 40—136, 87 figg.

- (*I. angustatus* [Guér.] 1832) 1919:27
N. Guin., Archip. Bismarck., Paenins.
Gazelle, N. Hebrid., Ins. Salomon.,
Ins. Key, Ins. Aru, Moluse., Ceram
etc.). *Brenth.*, *Brentha.*, *Ith.* 117.
- Ivongius* Har., Mi. Münch. E. Ver. I,
1877, 104; *Lefvr.*, MSLiége (2) 11,
1885, 140 (Typ.); *I. antennatus et*
rufipes Har. 1877) 1914:12 (Madag.
9, Maur. 1, Terr. Somali; Mozamb.).
Chrys., *Eumolp.*, *Typoph.* 247.
- Ixodicus* Pasc., JoLSLZo. 11, 1872, 448
= *Brotheus* Steph. 1831. *Brach.*,
10.
- Ixodina* Roth, ArN. XVII, 1851, I,
128 = *Drepanocerus* Kirby 1828.
Scar., *Copr.*, *Onit.*, *Drepancrd.* 97.
- Jalyssus* O J. Thoms., Syst. Cer., 296;
Lac., VIII, 1869, 88; *Lmr.*, MSEB.
11, 1903, 67 (Rév., 261) (*J. tuber-*
culatus [Ol.] 1795) 1913:1 (Ama.,
Cayenne). *Ceramb.*, *Prion.*, *Macrot.*
Raph. 37.
- Jamwonus* O Har., Col. Hfte. 16, 1879,
158; *Kolbe*, BEZ. 45, 1900, 298;
Lmr., A. Mus. Congo, Zo. (3) II,
1903, 96; ASEB. 48, 1904, 41 (Rév.,
459) (*J. subcostatus* Har. 1879) 1913:1
(Afr. or. germ., Congo, Chari Tschad).
Ceramb., *Prion.*, *Callipogi.*, *Jamw.*
51.
- Jansonius* Baly, JoLSLZo. 14, 1878,
264; *Lefvr.*, MSLiége (2) 11, 1885,
125 (*J. alternatus* Baly 1878) 1914:1
(Chile). 231. *Chrys.*, *Eumolp.*,
Myochr. 231.
- Japetus* Reitt., Best.-Tab. 53, 1904,
160 nota = *Trichopodus* Muls. 1859.
Ten., *Opatr.* 533.
- Javeta* O Baly, 108 t. 2 f. 10 (*J. pallida*
Baly 1858) 1913:2 (Born., Madras).
Chrys., *Hisp.*, *Coelo.* 68.
- Jeannelia* Raffr., Voy. Alluaud Col.
1913, 11 (*J. microphthalmia* Raffr.
1913) 1913:1 (Afr. or.). *Psel.*,
Pygid.
- Jebusaea* Reiche, ASEFr. (5) VII,
1877, Bull. p. 153 (*J. Hammer-*
schimidtii Reiche 1877) 1913:2 (Palaest.,
Pers.). *Ceramb.*, *Cerambin.*, *Ce-*
rambyc. 154.
- Jodamus* Cast., in Silberm., Rev. E.
4, 1863, 38 = *Pallenis* Cast. 1836.
Cler., *Cleri.*, *Till.* 20.
- Jodema* Pasc., JoE. I, 1862, 57 = *Tetra-*
onyx Latr. 1805. *Melo.*, *Lytt.*, *Lytti.*
40.
- Johannica* O Blackb., TRS. South Austr.
X, 1887, 287 (*J. gemellata* [Westw.]
1849) 1916:2 (Austral., N.S.Wales).
Chrys., *Chryso.*, *Phylloch.* 104.
- Jonthocerus* O Lac., VII, 1866, 415;
Schoenfeldt, GIW. *Brenth.* 1908, 16
(*J. cretum* Lac. 1866) 1913:14
(Jap., Birma sup., Ceylon.; Ins.
Sundaic., Sansib., Camerun., Ins.
Mentawai., Austral.). *Brenth.*,
Brentha., *Epheb.* 24.
- Jonthodes* O Serv., ASEFr. II, 1833,
558; J. Thoms., Class. Cer. 1860, 168;
Syst. Cer. 1864, 428; *Lac.*, IX, 1869,
6 (*J. formosa* Serv. 1833) 1913:3
(Sierra Leone, Seneg., Afr. mer.).
Ceramb., *Cerambin.*, *Callichr.* 695.
- Jonthodina* Achard, BSEFr. 1911, 375
(*J. sculptilis* [White] 1853, *funeraria*
Ach. 1911) 1913:2 (Afr. mer.; Abyss.:
Shoa) = *Otaromia* Aur. 1910. *Ce-*
ramb., *Cerambin.*, *Callichr.* 695a.
- Jophon* O Champ., TESL. 1895, 225
(*J. myrmecophilus* Champ. 1895)
1913:1 (Austral. b.-occ.). *All.*,
Allec. 52.
- Jubomorphus* O Raffr., ASEFr. (6)
10, 1890, 299; Rev. d'E. 12, 1893,
47; GIW. *Psel.* 1908, 28 (*J. Simoni*
Raffr. 1890) 1913:1 (Ven.). *Psel.*,
Psel., *Jub.* 20.
- Jubus* O L. W. Schauf., Nunq. ot. II,
1872, 455; Raffr., Rev. d'E. 1890,
85 et 87; 1893, 157; GIW. *Psel.*
1908, 29 (*J. spinicollis* Schauf. 1872)
1913:44 (Am. mer. b.; Bras.). *Psel.*,
Psel., *Jub.* 22.

Judolia O Muls., Col. Fr. *Longic.* ed. 2, 1863, 496; Schaufuß in Calwer, 835.; *Kuhnt*, 769 (*J. sexmaculata* [L.] 1758, *cerambyciformis* [Schrank] 1781, *nitens* [Forster] 1771) 1913:19 (Spp. pal. et jap. 6, nearct. 13) = Subg. ad *Pachytodes*. *Ceramb.*, *Ceramin.*, *Lept.* 549.

Julodia Pic., *Longic.* I, 1891, 65 = *Judolia* Muls. 1863. *Ceramb.*, *Ceramin.*, *Lept.* 549.

Julogenius Reitt., VN. 45, 1906, 138 = *Heliotaurus* Muls. 1856. *All.*, *Omophl.* 110.

Junkia DT. in Schklig. et J., Col. Cat. P. 50, 1913, 310 (= *Trichoderma Nonfr.*) (*J. ceylanica* [Nonfr.] 1894) 1913:1 (Ceylon.). *Scar.*, *Melth.*, *Pachyd.* 428.

Kalcapion Schilsky in Küst., Kraatz, KäfEur. 43, p. IV; Schaufuß in Calwer 1187.; *Kuhnt*, 1026 = Subg. ad *Apion* Hbst. 1797. *Curc.*, *Api.*, *Apion*. 11.

Kalissus J. Lec., TAmES. 1874, 51 (*K. nitidus* Lec.) 1913:1 (l. V.). *Staph.*, *Oxyt.*, *Microp.* 30.

Kareiga Péring., T.SAfr.Phil.S. 12, 1902, 890 (*K. hypocrita* Péring. 1902) 1913:1 (Col. cap.). *Scar.*, *Melth.*, *Hopl.* 547.

Karumia Escalera, BSEsp. 13, 1913, 320 (*K. estafilinoides* Esc. 1913) 1913:2 (Pers.). *Dril.*, *Karum.*

Kateretes Herbst 1793 (part.) = *Cateretes* Herbst. 1793. *Nit.*, *Cat.* 1.

Kenocoelus Broun, ANH. (8), 1911, 8, 700 (*K. dimorphus* Broun 1911) 1911:1 (Nov. Zealand.). *Psel.*, *Psela.* *Euplect.*

Khoina Péring., TSAfr.Phil.S. 12, 1902, 661 (*Kh. bilateralis* [Thunb.] 1818; *plumipes* Péring. 1902) 1913:2 (Colon. cap.). *Scar.*, *Melth.*, *Hopl.* 504.

Kinibalua O H. W. Bates, PZSL. 1889, 391; Lmr., ASEB. 54, 1910, 275

(Rev., 704) = Subg. 3 ad *Prioryrranus* J. Thoms. 1857 (*K. megalops* H. W. Bates 1889) 1913:1 (Syn., Born.). *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 63,3.

Kissister Mars. 1862, 7; Schmidt, BEZ. 29, 1885, 298 = Subg. 1 ad *Carcinops* Mars. 1855 (*K. minima* [Aubé] 1850) 1913: 2 (Eur., Hisp., Alger.). *Hist.* 48.

Kissophagus Chap., Syn. Scol. 1873. 242; Schaufuß in Calwer, 1218; *Kuhnt*, 1045 (*K. hederae* [Schmitt] 1843, 1913:3 (Eur. mer., Transc., Afr. or. germ.). *Ip.*, *Hyles*. 26. — *K. Eichh.*, Eur. Borkenk. 1881, 119; Reitt., Best.-Tab. 1894, 54 = *Kissophagus* Chap. 1873.

Kleineella O Strand, ArN. 82, 1916 (1918) A. 12, 162 pro *Mastax* Kleine, t. c. 146 (Typ.: *Kl.* [M.] *barbatus* Kleine 1918, *Kl. sulcicollis* [Pasc.] 1872) 1918:6 (Austral.; N. Guin.; Tahiti, Papete; Ins. Waigeo). *Brenth.*, *Brentha*, *Trach.* 46e. pos. cf. *Mastax*.

Klewaria Reitt., EBl. 6, 1910, 20 (*Kl. colydiiformis* Reitt. 1910) 1913:1 (Transcasp.). *Ten.*, *Klew.* 88.

Knysa DT. in Schklig. et J., P. 50, 1913 in Indic. p. 390 = err. pro *Knysna* Péring. 1902. *Scar.*, *Melth.*, *Hopl.* 528.

Knysna Péring., T.SAfr.Phil.S. 12, 1902, 857 (*Kn. humeralis* [Burm.] 1844, *sulcicollis* [Blanch.] 1850) 1913:2 (Terr. cap.). *Scar.*, *Melth.*, *Hopl.* 528.

Kokeniella Reitt., WEZg. 25, 1906, 41 (*K. lineatopunctata* [Kraatz] 1865, *mesostenoides* Reitt. 1906) 1913:2 (Ind. or., Indus.). *Ten.*, *Tentyr.* 144.

Kolbeellus Jacobs., Rev. Russie d'E. 1906, 315 (*K. ateuchoides* [Lansb.] 1875) 1913:1 (Afr. mer.). *Scar.*, *Copr.*, *Onit.*, *Onitd.* 90.

Kolbeus O Boucm., ASEFr. 79, 1910 (1911), 335 (*K. coreanus* Kolbe 1886) 1913:2 (Mex., Nicar., Korea, Cochin.,

- Assam, Yunnan). *Scar.*, *Geotr.*, *Bolboc.* 8.
- Korisaba Péring.**, T.SAfr.Phil.S. 12, 1902, 669 (*K. amabilis* Péring. 1902) 1913:1 (Colon. cap.). *Scar.*, *Melth.*, *Hopl.* 510.
- Korynetes** Hbst., Käf. IV, 51, 148 = *Corynetes* Hbst. 1792. *Coryn.*, *Corynet.* Cler. 179.
- Kraatzellus** Berg, Comunic. Mus. B. Aires I, 1898, 18 = *Plectogaster*
- Waterh.** 1881. *Ceramb.*, *Cerambin.*, *Dorcas*. 568.
- Kraseophylla** Péring., T.SAfr. Phil.S. 13, 1904, 134 (*Kr. distincta* Péring. 1904) 1913:1 (Colon. cap.?). *Scar.*, *Melth.*, *Pachyd.* 409.
- Krollus¹⁾** nom. nov. pro *Homoeogenus* Waterh. 1882 nec Waterh. 1880. *Ten.*, *Tenebr.* 800.
- Kubousa Péring.**, T.SAfr.Phil.S. 12, 1902, 799 (*K. axillaris* [Burm.] 1844 1913:4 (Cap.). *Scar.*, *Melth.*, *Hopl.* 538.
- Kunbir** O Lameere, ASEB. 34, 1890 Bull. p. 213; **Gah.**, F. Brit. Ind. Col. I 1906, 174 (*K. telephoroides* [Lmr.] 1899) 1913:1 (Ind. or.). *Ceramb.*, *Cerambin.*, *Molorch.* 616.
- Kunzea** Leach, ZoJo. II, 1825, 448 = *Bryaxis* Kug. 1794. *Psel.*, *Psel.*, *Tych.* 294.
- Kyrtogenius** Strohmeyer, EBl. 6, 1910, 127 (*K. bicolor* Strohm. 1910) 1913:1 (Aethiop.). *Ip.*, *Ipin.* 56a.
- Labetis** O Waterh., EMM. 15, 1879, 267 (*L. tibialis* Waterh., 1879) 1913:3 (Ins. Haw.). *All.*, *Allec.* 88.
- Labidomera** O * Chevr. in d'Orbigny, Dict. univ. HN. III, 1843, 656; **Guér.**, Ic. règne anim. 1844, 301; **Crotch**, PAcPhil. 25, 1873. 46; **Chap.** X, 394; **Jacoby**, BCA. Col. VI, 1, 1883, 240; **Linell**, JoNYES. IV, 1896, 195. — Biol.: **Harris**, Ins. injur. veget. ed. 2, 1852, 117; **Coquillet**, Can.Ent. 15, 1883, 21; **Beutenmüller**, EAm. VI, 1890, 176. — (*L. suturella* Chevr. 1844, *civilis* [Kirby] 1837) 1913:16, 2 Subgg. *Lab.* et *Cryptost.* — *Lab.* i. sp. = Subg. 1 ad *L.* Chevr. 1843. 1916:2 (Am. b., Mex., Tex., Kansas, Yucat.). *Chrys.*, *Chryso.*, *Chrysi.* 7; 7,1.
- Labidosterna** Motsch. in Schrenck's R. II. 1860, 182 = *Proscicela* Er. 1847 *Chrys.*, *Chryso.*, *Chrysi.* 9.
- Labomimus** Sharp, TESL. 1883, 300; **Raffr.**, ASEFr. 73, 1904, 364; GIW. *Psel.* 1908, 376 (*L. Reitteri* Sharp 1883) 1913:2 (Japon., Sikkim). *Psel.*, *Psel.*, *Tyr.* 388.
- Labrocerus** Sharp, TR.Dublin S. (2) 3, 1885, 148; F. Hawaiiens. Col. III, 5 1908, 406 (*L. concolor*, *curticornis* moerens, *Jaynei* Sharp 1885) 1913:17 (Ins. Haw.). *Derm.*, *Attag.* 4.
- Labroma** Sharp, Rev.MaZo. (3) I, 1873, 262 (*L. horrens* Sharp 1873) 1913:1 (Austral. occ.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon* 38.
- Lachnispa** Gestro, AMusG. 1897, 64 = Sect. 2 ad *Gonophora* Baly 1858 (*L. Modiglianii* [Gestro] 1892) 1913:2 (Sum., Ins. Engano). *Chrys.*, *Hisp.*, *Gonoph.* 77.
- Lachnodactyla** Champ., BCA. Col. III, 1, 1897, 658 (*L. monticola* Champ. 1897) 1914:4 (Mex., Guat., Civ. confœd.). *Helod.*, *Ptilodact.*, *Ptilodacti*. 23.
- Lachnodactylus** Seidl., NID. V, 1898, 837; Reitt., Best.-Tab. 53, 1904, 182. (*L. digitatus* Seidl. 1894) 1913:? *Ten.*, *Trachyst.* 572.
- Lachnodera** Er., NID. 3, 1847, 657; **Fairm.**, StEZg. 45, 1884 (*L. rufo-jubata* Fairm. 1884) 1913:1 (Madag.). *Scar.*, *Melth.*, *Melthi.* 293.

¹⁾ Nota: Carol. Kroll, viro celeberr. dedic., cuius in officina Catalogus expressus est.

Lachnoderus Muls. et Rey, ASagr. Lyon, 1859, 160; Opusc. E. IX, 1859, 96 = *Pedenoeces* Waterh. 1845. *Ten.*, *Pedin.* 474.

Lachnogya O Ménétr., M.Ac..Petr. 6, 1849, 228 (12); *Lac.* V, 59; *Seidl.*, NID. V, 1898, 821; *Reitt.*, Best.-Tab. 53, 1904, 34; *Schaufuß* in Calwer, (793) (*L. squamosa* Ménétr. 1849) 1913:1 (Turk., Vall. Araxes, Afghanist.). *Ten.*, *Lachnog.* 86.

Lacknopterus J. Thoms., Syst. Cer. 1864, 231; *Pasc.*, TESL. (3) III, 1869, 522 (*L. auripennis* Newm. (1842) 1913:2 (Ins. Phil., Molucc. b.).

Ceramb., *Cerambin.*, *Cerambyc.* 151.

Lachnopus *Seidl.*, NID. V, 1894, 476 = (*L. digitatus* *Seidl.* 1898). *Ten.*, *Trachysc.* 572.

Lachnosterna O*+ Hope, Col. Man. I, 1837, 99, et 100; *Burm.*, Hd. E. IV, 2, 319 subg.; *J. Lee.*, JoAcPhil. (2) 3, 1856, 235—261; PAcPhil. 1873, 330; *Horn*, EAm. 3, 1887, 141/5, op. c. 1888, 52/6; TAMES. 14, 1887, 209—296; *Bates*, BCA.Col. II, 2, 1888, 185; *J. B. Smith*, P. Am. Ac. Sci. 37, 1887, 285 ♀, P. U. S. Nat. Mus. 11, 1889, 481—525, t. 48—60; *Hart*, 17 Rep. Illin. State of E. 1891, 47—51; *Schwarz*, PESWash. II, 1892, 241/3; *Forbes*, Rep. Ins. Illin. 18, 1894, 139/144; Agr. Exp. Stat. Ill. B. nr. 116 1907, 447—480; *Howard*, Ins. Life 7, 1895, 279; *Nason*, ENs. 18, 1907, 108; *Bethune*, A. Rep. E.S. Ontar. 37, 1906 (1907), 45—56, fig. (*L. balia*, *ephilidia* [Say] 1825, *fervida* [F.] 1775; *fusca* [Frölich] 1792, *illicis* [Knoch] 1801, *tristis* [F.] 1787 1913: ? (Am. b., c., mer.-trop., Bras., Cuba, St. Vine.). *Scar.*, *Melth.*, *Melthi*. 294.

Biol.: *Nietner*, Rev. MaZo. (2) 16, 1864, 93 „White Grub“; *Forbes*, Rep. Ins. Illinois 17, 1891, 30—53 t. 4; 18, 1894, 138—140 [Larven]; 24, 1908, 135—168, t. 9—11; B.

Agr. Exp. St. Illin. nr. 116, 1907, 447—480; Ins. Life 3, 1891, 239—246; *Riley*, PESWash. 2, 1891, 132/4; *Stiles*, ZoAnz. 15, 1892, 52/54 (*Echinorrhynchus*-Wirt); etc.; *Chittenden*, B.U.Stat.Dept. Agr. E. nr. 19, 1899, 74/80 f. 16/18; *Webst.*, Yearb. Agr. 1908 (1909), 367/368; *Schwarz*, PESW. II, 1892, 241/2; *Sanderson*, B. Dept. Agr. E. nr. 57, 1906, 17 f. 6; *Comstock*, Rep. U. S. Nat. Mus. 11, 1889, 494 ♂♀ t. 48 f. 4 ♂♂; id. 1879, 247/9 t. 5 f. 5; *Lockwood*, Am. Natur. 1864, 186/194 etc. cf. *DT.* in *Schkig.* et *J.*, Col. Cat. P. 49, 1912, 283 sq.

Larve: „White Grub“, „Potato Grub“ *Lockwood*, l. c.

Anat.: Epipharynx: *Packard*, Psyche V, 1889, p. 226.

Lachnota O Reitt., WEZg. 8, 1889, 278 nota; VN. 40 [Best.-Tab. 50], 162, 167 (*L. Hennigi* [Fisch.] 1823/24) 1913:2 Daur., Sib. or., Mong. b.). *Scar.*, *Melth.*, *Melthi*. 318.

Lacodes J. Lee., PAcPhil. 6, 1853, 356 = *Eloides* Latr. 1796. *Helod.*, *Helodi*. 3.

Lacordaireus = Subg. ad *Cneorrhinus* Germ. Curc., *Cneorrh.* vide P. II.

Lacordarius Kuw., ASEB. 37, 1893, 488; Schkg., StEZg. 64, 1903, 19; GIW. Cler. 1903, 82, (*L. erythrus* Kuw.) 1913:2 (Camer., Congo, Vict. Nyanza). Cler., Cleri., Clerin. 91.

Lacris Fairm. et Germ., Rev. Zo. (2) 12, 1860, 268 (*L. dilutipes* Fairm. 1860) 1913:1 (Chillon). *Scar.*, *Melth.*, *Pachyd.* 400.

Laemoglyptus Fairm., ASEFr. (6) 6, 1886, 334 (*L. fissiventris* Fairm. 1886) 1913:1 + 1 (Mou-Pin). *Dril.* 9.

Laena O Latr., Règne anim. ed. 2, II, 1829, 39; Cast., HN. II, 1840, 237; Sol., Studi E. 1848, 152 (6), 188 (42); *Redt.*, Gatt. 1845, 129; F. Austr. ed. I —III; *Seidl.*, F.Ba. et F. Tr., 135; NID. V, 1896, 670; *Gutfli.-B.*, 420; Ws., VN. 16, 1878, 227; *Reitt.*, DEZ.

Lagenisus (5086) — *Lagriocera* (5095).

359

29, 1885; Schaufuß in Calwer, 817; Kuhnt, 741, 750. — Übersicht Gen.: Reitt., DEZ. 29, 1885, 398 — 400; — Übersicht Sect.: Reitt., DEZ. 31, 1887, 521/3; 32, 1899, 282/6; 39, 1906, 443/8; 41, 1908, 275/8; WEZg. 20, 1901, 61/3 (*L. viennensis* [Sturm] 1807; Gutfl.-B.: *L. pimelia* [F.] (?), Geb.: *L. pimelia* Duft. = *L. vienn.*) 1913:71 (Eur., Mediterr., As.). *Ten.*, *Adelii*. 1022.

Lagenisus Jek., Col. Jek. II, 1875, 105 = *Episus* Schoenh. 1833. *Brach.* 1.

Lagenotillus Fairm., BMHNP. 8, 1902, 309, Schklig., DEZ. 1903, 12; GIW. Cler. 1903, 15 = *Pseudopallenus* Kuw. 1893. *Cler.*, *Cleri.*, *Till.* 21.

Lagochile O. Hoffm. in Wiedem., ZoMa. I, 1847, 14; Ohs., StEZg. 75, 1914, 141. — Biol.: Ohs., StEZg. 61, 1900, 200; 70, 1909, 70, 128; DEZ. 1908, 244, 392 (Typ.?); Wiedem., ZoMa. I, 1817, p. 14. *L. brunnipes* [Ol.] 1789, *trigona* [Herbst] 1790, *cetonioides* [Serv.] 1825) 1918:11 (Col., Cayenn., Surin., Pan., Ven., Guyan., regio flum. Amaz., Trinidad, Bras.). *Scar.*, *Rut. hom.*, *Ruti.* Antich. 70.

Lagopelus Burm. StEZg. 37 1876, 265 = Subg. ad *Trox* F. 1775. *Scar.*, *Trog.* 2.

Lagorina O. Muls. u. Rey, Mém. Ac. Lyon 1858, 150; Schaufuß in Calwer, 755 (*L. sericea* [Waltl] 1835) 1917:2 (Alg., Mar., Oran, Hisp. mer.). *Melo.*, *Lytt.*, *Lytti.* 34.

Lagosterna Dej., Col. Cat. ed. 3, 1836, 176 = *Sparrmannia* Cast. [em.] 1840. *Scar.*, *Melth.*, *Pachyd.* 384.

Lagria O. F., E.Syst. I, 2, 1775, 124; Syst. Eleuth. II, 1801, 69; Ol., E. III, 1795, nr. 49, 1; Tigny, HNIns. 7, 1801, 139; Paykull, F. Suec. II, 1799, 154; Latr., HN. III, 1801, 179;

X, 1803, 350; G. Crust. et Ins. II, 1807; 197; Gyll., Ins. Succ. II, 1810, 504; Steph., Ill. Brit. E. V, 1832, 32; Curt., Brit.E. 15, 1836, fasc. 598; Cast., HN. II, 1840, 256; Blanch., H. Ins. II, 1845, 39; Redtb., Gatt. d. deutsch. Käfer. 1845, 134; F. Austr. 1849, 1858, 1874; Bach, III, 1856, 275; Muls., Col. Fr. *Latip.* 1856, 12; Lac. V, 563; Gutfl.-B. 1859, 428; Jacq. du Val, III, 360; C. G. Thoms., Sk. Col. VI, 1864, 273; Seidl., F. Ba. et Tr.; NID. V, 2, 1898, 323; Schaufuß in Calwer, 778, 779; Kuhnt, 730; (3 Subgg. sub *Apteron.*, *Chrysol.* u. *Microl.*) (*L. hirta* L. 1758) 1913:224 (in omn. part. terr.). *Lagr. Lagri.* 7.

Lagria i. sp. Borchmann, ArN. 81, 1915 (1916), A. 6, 61. — 9 Sect. Spp. (19+3+3+4+15+18+1+18+35).

Biol.: Seidl., NID. V, 2, 1898, 312 (Larve); Marshall, TESL. 1902, 334 sq.; Muls., ASLLyon II, 1855, 2, 73; Op. VI, 1855, 41/2 (Larve); Froggatt, PLSL. (2) 8, 1893, 41 (Larve); Er., ArN. 8, 1842, 1, 370; Kolbe, ZE. Bresl. 19, 1894, 13; Seidl., NID. V, 2, 326; Schiödte, NTI. 1881, III, 12, 525/31 t. 14 f. 12 — 21; Everts, Suppl. 1903, t. 6, f. 3; cf. ferner Borchmann, in Schklig. et J., Cat. Col. P. 3, 1910, 6, 8, 10, 11. — Ei: Xambeu, ASLLyon 1902 (1903), 38.

Lagliella Borchm., ArN. 81, 1915 (1916) A. 6, 61, 90 = Subg. ad *Lagria* F. 1775. 1916:3 (Ind., Nilgiri Hills). *Lagr.*, *Lagri.* 7f.

Lagrimina Fairm., ASEB. 38, 1894, 675 = *Porrolagria* Kolbe 1883. *Lagr.* 15.

Lagriocera Fairm., ASEB. 40, 1896, 41; Borchm., ArN. 81, 1915 (1916) A. 6, 123 (*L. cavigornis* Fairm. 1896) 1916:10 (Ind. or. et Insul., Belgaum.). *Lagr.*, *Lagri.* 8.

- Lagriogonia* Fairm., Compt. rend. SEB. 35, 1891, CCXVII (*L. humerosa* Fairm. 1891) 1913:1 (Tschangyang). *Lagr.*, Stat. 17.
- Lagiola* Kirsch, BEZ. 1873, 409 (*L. denticulata*, *L. operosa* Kirsch 1873). 1913:2 (Peru). *Lagr.*, Trach. 3.
- Lagriopsis* Borchm., ArN. 81, 1915 (1916) A. 6, 49, 138 (Typ. ?; *L. insularis*, *inaequalis*, *zonata*, *rufulipennis* Borchm.) 1916:4 (Ceram; N. Guin.). *Lagr.*, Lagri. 8a.
- Lagriostira* Kolbe (Fairm.), BEZ. 46, 1901, 550; Fairm., ASEFr. (6) 3, 1883, 103 (*L. subseriata* [Reitt.] 1880) 1913:6 (Afr. trop. or. et occ.). *Lagr.*, Lagri. 15.
- Lahejia* Gahan, ANH. (6) 18, 1896, 459 (*L. cinerascens* Gah. 1896) 1914:1 (Lahej). *Chrys.*, *Eumolp.*, *Leprot.* 146.
- Lairus* Cast., HNIns. I, 1840, 258 = *Artematopus* Pertuy 1830. *Dasc.*, *Artem.* 1.
- Lamperos* All., Abeille 14, 1876, 4; Mi. Schweiz. E. Gesellsch. V, 1877, 57, 244 = *Tarpela* Bates 1870. *Ten.*, *Helop.* 1072.
- Lampracantha* J. Thoms., Class. Cer. 1860, 244 = *Nyssicus* Pasc. 1859. *Ceramb.*, *Cerambin.*, *Sphaerio*. 245.
- Lamprigera* Motsch., Etud. E. 1852, 47; Lac., IV, 1857, 329 = *Lamprophorus* Gemm. et Har. *Lamp.*, *Lampi*. 31.
- Lamprima* O Latr., Gen. Crust. et Ins. II, 1807, 152; M'Leay, PLNSW. X, 1885, 129—140 [Revis.] (*L. aenea* [F.] 1801) 1913:13 (Austral., Tasm., Ins. Norfolk, Ins. Lord How.). *Luc.*, Chias. 8.
- Lamprinodes* Luze, VzbGW. 51, 1901, 180; Schaufuß in Calwer, 207; Kuhnt, 169, 252 (*L. saginatus* [Grav.] 1806) = Subg. 1 ad *Tachyporus* Grav. 1806. 1916:5 (Eur. b., med., Medit.). *Staph.*, *Tach.*, *Tachi*. 421, 1.
- Lamprinus* O Heer, F. Helv. I, 1836/42, 286; Ganglb., KäfMEur. II, 1895, 353; Luze, VzbGW. 51, 1901, 184; Schaufuß in Calwer, 207; Kuhnt, 169, 252 (*L. erythropterus* [Panz.] 1796) = Subg. 2 ad *Tachyporus* Grav. 1806. 1916:1 (Eur. med.). *Staph.*, *Tach.*, *Tachi*. 421, 2.
- Lamprobothris* O Fairm., ASEFr. (6) 7, 1887, 302 (*L. fossulata* [Müll.] 1887) 1913:1 (Afr. or.). *Ten.*, *Strongyl.* 1185.
- Lamprobyrrhulus* Ganglb., VzbGW. 52, 1902, 94; IV, 1, 65; Schaufuß in Calwer, 614 = Subg. ad *Pedilophorus* [Steff.] 1842. *Byrrh.*, *Byrrhi*. 16.
- Lamprocera* O Cast., ASEFr. II, 1833, 129 *Lac.*, IV, 1857, 311 (pro part.); Motsch., Etud. E. 1852, 27; Ern. Ol., ASEFr. (6) 5, 1885, 126; GIW. *Lamp.* 1907, 8 (*L. Latreillei* Kirby 1818) 1913:14 (Am.). *Lamp.*, *Lampr.* 3.
- Lamprodes* Motsch., Etud. E. 1852, 27sq. = *Photinus* Lac. 1857 part. *Lamp.*, *Phot.* 28.
- Lamprohiza* Motsch., Etud. E. 1852, 47; Jacq. du Val, Glan. E. 1859, 15; Bourgeois, FGRh. IV, 1885, 77; Kuhnt, 442 = *Phausis* Lec. 1851. *Lamp.*, *Lampi*. 33.
- Lamproolina* Baly, TESL. (n.s.) III, 5, 1855, 170, 177 t. 14 f. 2a—d; Chap., X, 423, 426 (*L. aeneipennis* [Boisd.] 1855) 1916:10 (Austral.). *Chrys.*, *Chryso.*, Tim. 120.
- Lampromeloe* Reitt., F. Germ. 3, 1911, 388; Schaufuß in Calwer, 752 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi*. 53.
- Lampromerus* J. Thoms., Class. Cer. 1860, 202; Syst. Cer. 1864, 440 = *Cylindera* Newm. 1833. *Ceramb.*, *Cerambin.*, *Calldp.* 318.
- Lampronetes* Motsch., Etud. E. 1852, 45 = *Lampyris* Geoffr. 1762 et *Nyctophilis* Ern. Ol. 1884. *Lamp.*, *Lampi*. 35, 36.

Lamprophaes O Lefvr., Rev. MaZo. (3) IV, 1876, 298; MSLiége (2) 11, 1885, 55 (*L. sumptuosus* [F.] 1798) 1914:1 (Minas Geraes). *Chrys.*, *Eumolp.*, *Chalcoph.* 80.

Lamphorophorus O Gemm. et Har., Cat. Col. 1869, 1146; Ern. Oliv., GIW. *Lamp.* 1907, 40 (*L. nepalensis* [Gray] 1831) 1913:15 (Ind. Sumatr., Java, Ceylon.). *Lamp.*, *Lampi*. 31.

Lamproptera Motsch. in Schrenck's R., II, 1860, 217 = *Calomela* Hope 1840. *Chrys.*, *Chryso.*, *Phyllod.* 90. *Lampropterus* Muls., Col. Fr. Long. ed. 2 1863, 214 = Subg. ad *Callimus* Muls. 1846. *Ceramb.*, *Cerambin.*, *Molorch.* 610.

Lampropygus Sharp, BCA. Col. I, 2, 1882/87 (1884) 346 (*L. xanthopygus* [Nordm.] 1837, *giganteus* Bernh. 1906) 1914:7 (Am. c. et mer.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 364. *Lamprorhiza* Muls., *Mollip.* 1862, 99; Ern. Oliv., Abeille, 22, 1884, 32 = *Phausis* Lec. 1851. *Lamp.*, *Lampi*. 33.

Lamproserica O Brenske, BEZ. XLII, 1897, 356; XLV, 1900, 79; XLVI, 1901, 456 (Typ. ?; *L. salaama* Brenske 1901) 1913:4 (Afr. or.). *Scar.*, *Melth.*, *Seric.* 21.

Lamprosphaerula Apfelbeck, VzbGW. 60, 1911, (60) = Subg. ad *Sphaerosoma* Leach. *End.*, *Sphaero.* 1.

Lamprosphaerus Baly, ANH. (3) 4, 1859, 124; TESL. (3) II, IV, 1865, 337; Jac., BCA. Col. VI, I, 1881, 112 (Typ. ?; *L. collaris* et *tarsatus* Baly 1859) 1914:46 (Mex., Am. c. et mer.-trop.). *Chrys.*, *Eumolp.*, *Chrysod.* 7. *Lamprotomus* Motsch., Etud. E. 1852, 46 = *Lampyris* Geoffr. 1762. *Lamp.*, *Lampi*. 35.

Lampyris O + Geoffroy, H. Ins. I, 1762, 165; Lac., IV, 1857, 330; Muls., *Mollip.* 1862, 71; Jacq. du Val, G. Col. Eur. III, 1860, 160; Ern.

Oliv., Abeille 22, 1884, 8; GIW. *Lamp.* 1907, 43; Bourg., FGGrh. 4, 1885, 70; Schaufuß in Calwer, 359; Kuhnt, 442, 446 (*L. noctiluca* [L.] 1767) 1913:43 (Eur., As., Afr.). *Lamp.*, *Lampi*. 35.

Leuchtvermögen: Weitlander, VzbGW. 61, 192, 467; Elmhirst, Zool. 1912, 190—192 (*L. n. u. künstl. Licht.*).

Larve: Vogel, ZoAnz. 39, 515/9.

Lampyris L., Gutfl.-B., 378.

Lampyroidea O Costa, BSEFr. (5) V, 1875, 169; Ern. Oliv., Abeille 22, 1884, 44; GIW. *Lamp.* 1907, 49 (*L. graeca* Cast. 1833) 1913:7 (Gr., Syr., Pers., Constantinop.). *Lamp.*, *Luci*. 42.

Lanorus Muls. et Rey, *Scut.*, 68 = Subg. ad *Attagenus* Latr. 1802. *Derm.*, *Attag.* 2.

Laodora Pasc., TESL. (3) III, 1869, 529 (*L. pilosa* Pasc. 1869) 1913:1 (Banda). *Ceramb.*, *Cerambin.*, *Hesprph.* 182.

Laonicus Haag, V. Ver. Unterh. Hamb. III, 1878, 100; Jo. Mus. Godeffr. XIV, 1879, 124 (*L. pilosus* Haag 1878) 1913:2 (Austral.: Queensl., Cap York). *Ten.*, *Cyphal.* 906.

Laphidioderus O Raffr., Rev. d'E. VI, 1887, 20; T. SAfr. Phil. S. 5, 1897, 100; ASEFr. 73, 1904, 337; GIW. *Psel.* 1908, — (*L. capensis* Raffr. 1887) 1913:2 (Cap.). *Psel.*, *Pselia.*, *Ctenist.* 366.

Laphyra Newm., Ent. I, 1842, 418 = *Molorchus* F. 1792. *Ceramb.*, *Cerambin.*, *Molorch.* 606.

Lappus Casey, ANYAcSc. 8, 1895, 641, 656 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.

Lara O Lec., PAcPhil. 6, 1852, 42; Lac., II, 1854, 501; Horn, TAmES. 3, 1870, 30 (*L. avara* Lec. 1852) 1913:1 (Civ. confoed.). *Dryop.*, *Dryopi.*, *Potam.* 15.

Lareynia Jacq. du Val, II, 276; *Muls.* et Rey, *Uncif.* 1872, 14; *Kuw.*, VzbGW. 40, 1890, 16; *Pic*, Rev. d'E. 13, 1894, 194; *Everts*, I, 1898, 627; *Lmr.*, F. Belg. II, 1900, 315 = *Helmis Latr.* 1798. *Dryop.* 39.

Laria Scop., Entom. Carn. 1763, 21; *Bedel*, V, 343; *Pic*, BSH. Nat. Macon II, 1901, 41; *Echange* 20, 1904, 39; *Schaufuß* in Calwer, 1020, 1021; *Kuhnt*, 895 = *Bruchus* L. 1758. *Bruchi*, *Bruchi*. 11.

Laria Scop., Entom. Carn. 1763, 21 (part.) = *Meligethes Steph.* *Nit.*, *Meligeth*. 18.

Laricobius O. + Rosenh., *Broscosoma* et *Laricobius*, zwei neue Käfergatt. 1846, 5; *Bach*, II, 92; *Lac.*, IV, 487; *Redt.*, F. Austr.; *Gutfl.-B.*, 394; *Jacq. du Val*, III, 204; *J. Lec.*, Class. 1861, 198; *Kiesw.*, NID. IV, 695; *Muls.* et *Rey*, HN. Col. *Angustic.*, 128; *Gorham*, TESL. 1878, 156; *J. Lec.* et *Horn*, Class. 1883, 157; *Seidl*, F. Ba. et Tr.; *Reitt*, VN. 32, 1893 (1894), 87; Best.-Tab. *Cler.* 1894, 54; F. Germ. 3, 1911, 298; *Ganglb.*, KäfMEur. III, 1899, 766, nota; *Sharp*, Cambridge NHIns. II, 1901, 244 et 253; *Schklg.* in GIW. *Cler.* 1903, 113; *Everts*, II, 208; *Jacobs*, Käf. Rußl. 1905—(1911), 722; *Schaufuß* in Calwer, 405; *Kuhnt*, 471 (*L. Erichsoni* *Rosenh.* 1846) 1915:3 (Eur., Cauc., Circass., Am. bor.: Civ. confoed., Canad.: Sib. b., Alp. maritim.). *Dero*. 1.

Anat.: Org. cop.: *Sharp et Muir*, TESL. 1912, 532 t. 63 f. 128.

Larisia Emery, Ab. 14, 1876, 13; *Seidl*, F. Ba. ed. II, 1887/91 (1890), Art. 534; F.Fr. 1888/91 (1891) Art. 574; *Schilsky*, Käf. Eur. 35, 1899, X; *Schaufuß* in Calwer, 1912, 767; *Kuhnt*, 717 = Subg. 2 ad *Anaspis Geoffr.* 1762 (*L. dichroa*, *Revelierei* et *Stierlini* *Emery* 1876; *Chevrolati*

[*Muls.*] 1856) 1915:19 (Eur. mer. et c., Mongol., Turk., Asm., Cauc., Turkmen. etc.). *Mord.*, *Anasp.* 16, 2.

Biol.: *Stierlin*, Mi. Schweiz. E. Ges. I, 1862/5 (62) nr. 2, p. 9; *Kiesw.*, NID. IV, 1863, 696; *L. Heyd.*, Jahresber. Ges. Graubünden (n. F.) VIII, 1863, 33; *Chittenden*, EAm. VI, 1890, 155.

Lasinus O. Sharp, TESL. 1874, 106; *Raffr.*, Rev. d'E. 9, 1890, 146; ASEFr. 73, 1904, 365; GIW. Psel. 1908, 378 (*L. spinosus* Sharp 1874) 1913:2 (Jap., Tonkin). *Psel.*, *Psel.*, *Tyr.* 390.

Lasiocala Blanch., Cat. Coll. E. Col. 1850, 220; — Rev.: *Ohs.*, ASEB. 54, 1910, 221 (*L. fulvohirta* Blanch. 1850) 1918:7 (Bol., Col., Ec.). *Scar.*, *Rut. hom.*, *Ruti.*, *Lasioc.* 33.

Lasiodactylus Perty, Delect. Anim. Artic. 1830/34, 34 (*L. brunneus* Perty 1830/34; *limbatus* [F.] 1781, *maculatus* [Palisot] 1811, *pictus* [M'Leay] 1825) 1913:42 (Ind. or., Ceyl., Afr. trop., Madag., Archip. malay., Ins. Bourbon; Bras., Bol.). *Nit.*, *Nitid.* 137.

Lasiodera Gray in Griffith, Anim. Kingd. Ins. I, 1832, t. 48; *Gahan*, ANH. (8) 5, 1910, 74 (Spp. gen. *Pelonii*, oculis subtiliter crenatis, late distantibus [*Gahan*]) (*L. Kirbyi* Gray in Griff. 1832) 1913:5 (Bras., Paran., Mex.). *Cler.*, *Coryn.*, *Enopl.* 157.

Lasiodera Gahan, ANH. (8) 5, 1910, 74 (pro parte „*Pelonium*“ — Spp.) cf. *Lasiodera* Gray. *Cler.*

Lasioderma O. Steph., Ill. Brit. E. Mand. Appendix, V, 1832, 417; Man. Brit. Col. 1839, 198; *Woll.*, ANH. (3) 7, 1861, 12 (ex p.); Cat. Col. Can. 1864, 245; *J. Lec.*, PAcPhil. 1865, 238; *Kiesw.*, NID. V, 1877, 131, 150; *Seidl*, F. Ba., F. Tr., 119; *Fauc.*, F. Col. Fr., 305; G. Col. Fr., 32; *Schilsky*, KäfEur., 1899 (1900) 36 D, 36 GG;

- Reitt.**, Tab. 47, 25 et 34; F. Germ. III, 1911, 314; **Everts**, II, 223, 240; **Fall**, TAmES. 31, 1905, 192, 203; **Schaufuß** in Calwer, 725; **Kuhnt**, 676, 685 (*L. serricorne* [F.] 1792) 1913:35 (Eur. mer., Ross., Turk., Alg., Am. b. etc.). *Anob.*, *Xylet.* 57. *Lasioderus Muls. et Rey*, M. Ac. Lyon, 1854, 186; Opuse. E. IV, 42 = *Eurynotus Kirby* 1818. *Ten.*, *Pedin.* 443. *Lasiochaster Gah.*, TESL. 1892, 255; Lmr., MSEB. 21, 1912, 88 (Rév. 952) (*L. costipennis* Gah. 1892) 1913:1 (Hond. brit.). *Ceramb.*, *Prion.*, *Anacol.*, *Monod.* 96. *Lasiomeloe Reitt.*, F. Germ. 3, 1911, 389 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi*. 53. *Lasiomorychus Ganglb.*, VzbGW. 52, 1902, 93; **Schaufuß** in Calwer, 614 = Subg. ad *Morychus* Er. 1847. *Byrrh.*, *Byrrhi*. 14. *Lasiopsis Er.*, NID. 3, 1847, 658 (non auct.); **Kraatz**, DEZ. 27, 1883, 153; **Brenske**, ENa. 16, 1891, 4—6, 316/9; **Reitt.**, WEZg. 8, 1889, 278; 10, 1891, 107/9; VN. 40 [Best.-Tab. 50], 163 et 168 (Typ. ?; *L. Sahlbergi* Mannerh. 1849; *canina* [Zubkoff] 1829) 1913:5 (Ross. m., Turk., Mong., Dauria, Sib., Cauc., Mts. Alexander). *Scar.*, *Melth.*, *Melthi*. 315. *Lasiopsis O Blanch.*, Cat. Coll. E. Col. II, Col. 1850, 14J [non Er.]; **Burm.**, Hd. E. IV, 2, 362; **Lac.**, III, 1856, 280; **Jacq. du Val**, III, 8, 1860, 55 t. 15 f. 74♂; **Tieffenb.**, DEZ. 26, 1882 t. 4 f. 8; **Brenske**, ENa. 17, 1891, 4—6, 316/9; **Reitt.**, WEZg. 10, 1891, 107/9; **Schaufuß** in Calwer, 1310. = *Lachnota* **Reitt.** *Scar.*, *Melth.*, *Melthi*. 318. *Lasiospus J. Lec.*, JoAcPhil. (2) III, 1856, 282 [non **Dej.** 1833] = *Podolasia* **Harold** 1869. *Scar.*, *Melth.*, *Chasm.* 13. *Lasiorrhynchus O Lac.*, VII, 1866, 469; **Schoenfeldt**, GIW. *Brenth.* 1908, 75 (*L. cylindricornis* [F.] 1787) 1913:2 (N. Z.). *Brenth.*, *Brentha.*, *Ith.* 119. *Lasioserica O Brenske*, BEZ. XLII, 1897, 357, XLVIII, 1898, 309 (Typ. ?; *L. nobilis*, *maculata* [Brenske] 1894) 1913:7 (Ind., Bengal.; Born.). *Scar.*, *Melth.*, *Seric.* 46. *Lasiostola O Sol.*, ASEFr. 5, 1836, 27; **Lac.**, V, 181; **Jacq. du Val**, III, 260; **Reitt.**, Best.-Tab. 25, 1893, 203, 220; **Schaufuß** in Calwer, 796 (*L. pubescens* [Pall.] 1781, *hirta* [Fisch.] 1821) 1913:25 (As. c.). *Ten.*, *Pimel.* 363. *Lasiotropus Reitt.*, DEZ. 1913, 655 (*L. poonensis* [Kolbe] **Reitt.** 1913) 1913:1 (Tibet.). *Scar.*, *Melth.*, *Melthi*. 315a. *Latelmis Reitt.* = *Lathelmis Reitt.* *Lathelmis O* ~~Reitt.~~ **Reitt.** = *Latelmis Reitt.*, DEZ. 27, 1883, 75; **Ganglb.**, KäfMEur. IV, 1, 1904, 117.— Biol.: *Laboulbène*, ASEFr. (4) 9, 1870, 404, t. 9; **Rolph**, ArN. 40, 1874, I, 2 t. 1 f. 1—14; **Beling**, VzbGW. 32, 1883, 441; **Schaufuß** in Calwer, 582; **Kuhnt**, 592, 596 (Typ. ?; *L. Volckmari* [Panz.] 1793) 1913:14 (Eur. c. et mer., Syr., Alg.). *Dryop.*, *Helm.*, *Helmi*. 44. *Latheticus O Waterh.*, ANH. (5) 5, 1880, 147; **Seidl**, F. Ba. ed. II, 1891, 132 (Gatt.); F. Tr. 1891, 132 (Gatt.); NID. V, 1894, 570, 572; **Schaufuß** in Calwer, 809; **Kuhnt**, 740, 747 (*L. oryzae* Waterh. 1880) 1913:2 (Eur.; Arab., Ind., Abyss.; Ariz.). *Ten.*, *Utom.* 671. *Lathrimaeum O* **Er.**, KäfMaBr. I, 1837/39 624; **Kraatz**, NID. II, 1856/58, 943; **Gutf.-B.**, 179, **Ganglb.**, Käf. MEur. II, 1895, 721; **Luze**, VbzGW. 55, 1905, 53; **Schaufuß** in Calwer, 154, 158; **Kuhnt**, 161, 189 (*L. atrocephalum* [Gyll.] 1827; *melanocephalum* [III.] 1794) 1913:18 (Eur. b., med., Mediterr., Cauc., Asm., Taschkent,

- Buchara; Jap., Cal., Afr. b.). — *L. verum* Luze, VzbGW. 1905, 58 = *L. Er.* 1837/38. *Staph.*, *Oxyt.*, *Omal.* 65.
- Lathrium Lec.*, in Agass., Lake sup. 1850, 21 = *Olophrum* Er. 1837. *Staph.*, *Oxyt.*, *Omal.* 67.
- Lathrobium Casey*, T.Ac. St.Louis XV, 1905, 75, 133 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Lathrobioma Casey*, T.Ac. St.Louis XV, 1905, 72, 98 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Lathrobiomorphus Gemm. et Harold*, Col. Cat. II, 1868, 612 = *Scimbalium* Er. 1839/40. *Staph.*, *Paed.*, *Paedi.* 213.
- Lathrobiopsis Casey*, T.Ac. St.Louis XV, 1905, 72, 97 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Lathrobium O* Grav., Col. Micr. Bruns. 1802, 51; Czwalina, DEZ. 1888, 337—355; op. cit. 1889, 367—368; Ganglb., KäfMEur. II, 1895, 501; Schaufuß in Calwer, 180, 184; Kuhnt, 165, 221; Gutfl.-B., 148 (*L. brunnipes* [F.] 1792, *quadratum* [Payk.] 1789) 1913:29 (in divers. part. orb. terr.). *Staph.*, *Paed.* 210.
Biol.: Kraatz, BEZ. III, 1859, 310 t. 4 f. 4a—d; Rupertsb., Biol. Käf. Eur. 1894, 124, 125; Xambeu, Rev. d'E. 19, 1900, 25. — *L. oryzae* Waterh.: Chittenden, U.S.Dept. Agric. E. Wash. B. No. 96, 1911, 25—28; PESWash. 12, 135 f. 2.
- Lathrobium* Fam. I Grav., Mon. Micr. 1806, 129 = *Pinophilus* Grav. 1806? *Staph.*, *Paed.*, *Pinoph.*, *Pinophi.* 157.
- Lathrobomorphus Motsch.*, BMosc. 31, 1858, II, 645 = *Scimbalium* Er. 1839/40. *Staph.*, *Paed.*, *Paedi.* 213.
- Lathrolepta Casey*, T.Ac. St.Louis XV, 1905, 72, 103 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Lathropinus* O Sharp, BCA.Col. I, 2, (1886), 628 (Typ.?; *L. parallelus* Sharp 1886, *L. tenebrosus* [Er.] 1839/40) 1913:14 (Am. b., Mex., Am. mer. usque ad Arg.). *Staph.*, *Paed.*, *Pinoph.*, *Pinophi.* 158.
- Lathropus* (Er.) Gutfl.-B., 258. Cuc. vide P. II.
- Lathropus Lec.*, PAcPhil. 1866, 379; Schaufuß in Calwer, 462 (*L. pusillus* Mannh. 1843) = *Tenebroides Pill.* et Mitt. 1783. *Temn.* 18.
- Lathrotaxis Casey*, T.Ac. St.Louis XV, 1905, 74, 122 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Lathrotropis Casey*, T.Ac. St.Louis XV, 1905, 74, 115 = Subg. ad *Lathrobium* Grav. 1802 *Staph.*, *Paed.*, *Paedi.* 210.
- Laticomus Pic*, Rev. scient. Bourb. VII, 1894, 41, 42 = Sect. ad *Anthicus Payk.* 1798. *Anth.* 19.
- Latolaeva* O Reitt., VN. 14, 1876, 49 (*L. ovalis* [McLeay] 1825) 1913:7 (Malacc., Batchian, Born., Java; Camerun. [1]; Minas Geraes [1]). *Temn.*, Ostom. 33.
- Latometus* O Er., ArN. 8, 1842, I, 213; Lac. V, 1859, 297 (*L. pubescens* Er. 1842) 1919:1 (Tasman.). *Ten.*, *Bolitoph.* 603.
- Latona Guér.*, Rev. Zo. 1844, 13 (*L. Spinolae* Guér. 1844) 1913:4 (Peru 2, N. G. 2). *Staph.*, *Paed.*, *Paedi.* 235.
- Lautarus* O Germain, Lonjic. Chil. VI, 1901, 225, t. 3 f. 53 (*L. concinnus* [F. Phil.] 1859) 1913:1 (Chile). *Cerambr.*, *Ceramb.*, *Bimi.* 577.
- Leanymus* O Raffr., PSLNSW. 1900, 219; ASEFr. 73, 1904, 363; GIW. *Psel.* 1908, 369 t. 9 f. 42 (*L. palpalis* Raffr. 1900) 1913:1 (Austral.). *Psel.*, *Psel.*, *Tyr.* 378.
- Lebasiella* O Spin., Clerit. II, 1844, 77; Lac. IV, 488; Chenu, Enc. II, 272;

- J. Lec.** et **Horn**, Class. II, 220;
Gorh., BCA. Col. III, 21, 1883, 192;
Schklg., GIW. Cler. 1903, 116 (*L. pallipes* [Kl.] 1842) 1913:11 (Am. b. et c., Chile, Col.). *Cler.*, *Coryn.*, *Corynet.* 178.
- Lebioderus** O Westw., TESL. II, 1838, 93; Arcana E. II, 1845, 39; **Lac.**, II, 1854, 12; **Raffray**, Nouv. Arch. Mus. Paris (2) 8, 1885, 343; **Wasm.**, Not. Leyd. Mus. 25, 1904, 17; **Desn.**, GIW. *Pauss.*, 1905, 17 f. 4. (*L. Goryi* Westw. 1838) 1913:5 (Malay. Arch.). *Pauss.*, *Pauss.* 10.
- Lecanotrogs** **Kolbe**, ASEB. 38, 1894, 568, 573 (*L. rufescens* **Kolbe** 1894) 1913:1 (Mts. Ru-Nssororo). *Scarb.*, *Melth*, *Melth* 251.
- Lechiromus** **Moraw.**, HoR III, 1865, 21; **Reitt.**, Best.-Tab. 53, 1904, 46; **Schaufuß** in Calwer. 795 = *Cyphogenia* Sel. 1836. *Ten.*, *Akid.* 328.
- Lecontea** O Ern. Oliv., BMHNP. V, 1899, 371; GIW. *Lamp.* 1907, 31 (*L. angulata* [Say] 1285) 1913:11 (Verein. Staaten, Am. b. et centr., Antill., Civ. confoed.). *Lamp.*, *Phot.* 25.
- Ledocas** Ern. Ol., ASEFr. (6) 5, 1885, 136; GIW. *Lamp.* 1907, 14 (*L. parallelus* E. O. 1885) 1913:8 (Am. m.). *Lamp.*, *Lampr.* 10.
- Lefevrea** O Jac., PLSL. 1897, 527 (*L. aeneicollis* Jac. 1897) 1914:14 (Terr. Mashona 8, Salisbury 5; Kilim.-Meru 1, Nat. 1, Niger(Benue). *Chrys.*, *Bumolp.*, *Iphim.* 26.
- Lefevrella** O Jac., HoR. 1894, 277, *L. Hauseri* Ws., 1890) 1914:1 (Turk.). *Chrys.*, *Eumolp.*, *Leprot.* 118.
- Leichenum** O Blanch., HN. II, 1845, 14; **Muls.**, Col. Fr. *Latigén.* 1854, 179; **Rosenh.**, Thiere Andalus. 1856, 211; **Bach** III, 216; **Redt.**, F. Austr. ed. II, et III; **Lac.** V, 278; **Jacq. du Val** III, 285; **Seidl.**, FBa. ed. II, 1891, 130; FTr. 1891, 130; NID., V, 1894, 410 etc.; **Reitt.**, ENa. 25, 1899, 83; Best.-Tab. 53, 1904, 180; **Desbr.**, Frelon, X, 1901, 101 (Typ.?). *L. canaliculatum* [F.] 1798, *pictum* [F.] 1801) 1913:16 (Eur. et Afr., Mediterr., Ind., Ceyl., Ch., etc.). *Ten.*, *Opatr.* 562.
- Leiestes** Redtb., Gatt. Deutsch. Käf.-F. 1845, 121; F. Austr. 1849, 23 et 200, etc.; **Gutfl.-B.**, 643; **Jacq. du Val**, G. Col. d'Eur. II, 1857/59, 222; **Gerst.**, Mon. *Endom.* 1858, 389; **C. G. Thoms.**, Sk. Col., 1863, 307; **Mars.**, Ab: 5, 1868/69, 120; **Seidl.**, F.Ba. 1872, Gatt. p. 43, etc.; Fr. Tr. 61; **Reitt.**, VzbGW. 29, (1880), 92; Best.-Tab. 1885, 28; **Everts**, I, 1898, 10; **Schaufuß** in Calwer, 525, 1845 = *Liesthes Ganglb.* 1899. *End.* 15.
- Leiochrinus** Westw., TijE. 26, 1883, 68; **Lewis**, ANH. (6) 13, 1894, 390 (*L. fulvicollis* Westw. 1883) 1913:6 (N. Guin., Ms. Ophir, Waigiou, Aru, Jap., Menado). *Ten.*, *Leiochr.* 653.
- Leiochrodes** O Westw., TijE. 26, 1883, 69; **Lewis**, ANH. (6) 13, 1894, 391; **Fairm.**, ASEFr. 62, 1893, 26 (Typ.?). *L. discoidalis* Westw., *piceus* Westw. 1883, *haemisphaericus* [Guér.] 1857) 1913:31 (Arch. malay., Madag., Ind. Assam, Jap.). *Ten.*, *Leiochr.* 654.
- Leiochrota** Westw., TijE. 26, 1883, 70 = *Leiochrodes* Westw. 1883. *Ten.*, *Leiochr.* 654.
- Leiochrotina** Westw., TijE. 26, 1883, 70 = *Leiochrodes* Westw. 1883. *Ten.*, *Leiochr.* 654.
- Leioderus** Redt., Gatt. deutsch. Käferf. 1845, 110 = Subg. ad *Phymatodes* **Muls.** 1839. *Ceramb.*, *Cerambin.*, *Callid.* 785.
- Leioderes** Redt., F. Austr. 1849, 482 = *Leioderus* Redt. 1845 = Subg. ad *Phymatodes* **Muls.** 1839. *Seramb.*, *Cerambin.*, *Callid.* 785.
- Leiolinus** Casey, T.Ac.St.Louis XV, 1906, 371, 416 (*L. tarsalis* et *uteanus*) 1914:2 (Nev., Utah). *Staph.*, *Staphy.*, *Xanth.* 251.

Leiopeplus **Broun**, Man. N.Zeal. Col. V 1893, 1160 (*L. expolitus* **Broun** 1880) 1913:1 (Nov. Zeland.). *Ten.*, *Helop.* 1031.

Leiopeplus **Murr.**, Mon. 1864, 287, 304 = Subg. ad *Brachypeplus* **Er.** 1842. *Nit.*, *Carpophil.* 24.

Leioplacis **Chevr.** 1843 vide *Lioplacis* **Chevr.** 1843. *Chrys.*, *Chryso.*, *Dicran.* 72.

Leipopleura **Seidl.**, Mon., 1893, 342, 354 = Subg. ad *Platyscelis* **Latr.** 1825. *Ten.*, *Platysc.* 397.

Leiporaphes **Bernh.**, VzbGW. 62, 1912, 26? (*L. attarum* **Bernh.** 1912) 1913:1 (Arg.) = Subg. ad *Medon Steph.* 1832. *Staph.*, *Paed.*, *Paedi.* 199, 23.

Leistotrophus **O Perty**, Delect. Anim. Art. Brasil. 1830, 32. (*L. versicolor* [Grav.] 1806), 1913:1 (Am. trop. c. et mer. in oriente And.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 321.

Leistotrophus **Kraatz**, NID. II, 1856/58, 532; *Muls. u. Rey*, ASAgr.Lyon 1875, 225 [nec **Perty**]; *Gutfl.-B.*, 135; **Ganglb.**, KäfMEur. II, 1895, 417; **Schaufuß** in Calwer, 119 = *Ontholestes Ganglb.* 1895. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 317.

Lelegeis **O Champ.**, BCA.Col. IV, 1, 1886, 209 (*L. aeneipennis* **Champ.** 1886) 1913:1 (Mexic.). *Ten.*, *Diaper.* 639.

Lema **O*** + **F.**, Suppl. E. Syst. 1798, 90; *Lac.*, Mon. *Phyt.* I, 1845, 303; **C. G. Thoms.**, Sk. Col. VIII, 1866, 140; *Chap.*, X, 72; *Ws.*, NID. 6, 1882, 59; *Gutfl.-B.* 600; *Everts*, II, 406; **Jacoby u. Clav.**, GIW. 23, 5; **Jacoby**, F. Brit. Ind. Col. III, 1908, 15; **Schaufuß** in Calwer, 901; **Kuhnt**, 802, 817 (*L. melanopa* et *cyanella* [**L.**] 1758) 1913:792 (in omn. part. orb. terr.). *Chrys.*, *Crioc.* 4.

Morphol.: *Ws.*, DEZ. 1889 t. 3 f. 28; **Kempers**, TijE. 45, 1902, 57; **Walker**, ENs. X, 1899, 58 f. 1, 2.

Parasitism.: **Chambolle**, Feuill. j. Nat. 11, 1881, 91.

Biol.: **Chap.**, X, 74; **Cornelius**, StEZg. 11, 1850, 191; 20, 1859, 44; **Rupertisb.**, VzbGW. 22, 1872, 20; *Ws.*, NID. 6, 1882, 60/1; **Xambeu**, Rev. d'E. 9, 1890, 285/9; ASLLyon 40, 1893, 227—233; 46, 1909, 128/9; **Künstler**, VzbGW. 21, 1871, 56; **Westwood**, Gardeners Chronicle 1849, 324 fig.; **Coquillet**, Can. Ent. 15, 1883, 148; **Baker**, ENs. 6, 1895, 27/9; **Xambeu**, Rev. d'E. 9, 1890, 285/9; **Berthelin**, ASEFr. (6) 8, 1888, Bull. p. CVI; **Natural.** X, 1888, 279; **Verhoeff**, ENa. 18, 1892, 298; **Sajo**, Z.f.Pflanzenkr. III, 3, 1893, 129—137; vide etiam **Clavareau** in **Schklg. u. J.**, Col. Cat., P. 51, 1913, 59, 61, 66/68, 70, 81.

Lemidia **O Spin.**, Rev. Zo. 1841, 75; **Kl.**, *Clerii* 1842, 311; **Spin.**, *Clerit.* II, 1844, 32; *Lac.*, IV, 1857, 470; **Chenu**, Enc. II, 1860, 267; **Gorh.**, TESL. 1877, 249; **Schklg.**, DEZ. 1898, 169; GIW. 1903, 90; **Lea**, ASEB. 51, 1907, 331 (*L. nitens* Newm. 1841) 1913:75 (Austral.); *Tasm.* [16]). *Cler.*, *Cleri.*, *Hydnoc.* 130.

Lemula **O Bates**, JoLSLZo. 18, 1884, 211 (*L. decipiens* **Bates** 1884) 1913:2 (Jap.). *Ceramb.*, *Cerambin.*, *Lept.* 474.

Lena **Casey**, T.Ac.St.Louis XV, 1905, 189 (*L. testaceus* Cas. 1905) = Subg. 17 ad *Medon Steph.* 1832. 1913:1 (Tex., Fla.). *Staph.*, *Paed.*, *Paedi.* 199, 17.

Lenax **Sharp**, EMM. 13, 1877, 269; **Broun**, Man. N.Zeal.Col. I, 1880, 175 (*L. mirandus* **Sharp** 1877) 1914:1 (N.Z.). *Rhiz.* 1.

Leocaeta **Dej.**, Cat. Col. ed. 3, 1836, 176; *Lac.* III, 304 = *Sparrmannia* **Cast.** [em.] 1840. *Scar.*, *Melth.*, *Pachyd.* 384.

Leonhardella **O Reitt.**, WEZg. 22, 1903, 209; *Apfelbeck*, SE. 22, 1907, 109; **Reitt.**, EBl. 4, 1908, 7; WEZg. 27,

- 1908, 111; Breit, EMi. II, 1913, 310; Jeannel, Arch.Zo. exp. (5) 5, 1910, 16, 19 (f. 15), 39; 54, 1914, 73; Rev.Ba. 453; Schaufuß in Calwer, (264). (*L. angulicollis* Reitt. 1903) 1914:2 (Cavern.: Herc., Montg.). *Silph.*, Bath., Bathy. 33.
- Chorol.: Jeannel, Rev. Ba., 138. *Leonhardia* O Reitt., WEZg. 20, 1901, 128; Apfelb., SE. 22, 1907, 109; Reitt., WEZg. 27, 1908, 111; Breit, EMi. II, 1913, Jeannel, Arch.Zo. exp. (5) 5, 1910, 22 et 42; 54, 1914, 75; Schaufuß in Calwer, (264) (*L. Hilfi* Reitt. 1901) 1914:2 (cavernic.: Bosn.). *Silph.*, Bath., Bathy.-49.
- Leonia* Dug., Insect Life 1889 nr. 7, 211, f. 47b—f = *Leonidia* Cock. 1900. *Melo.*, Nemogn., Sit. 57.
- Leonidia* O Cock., Psyche II, 1900, Psyche IX, 1908, p. 11 (*L. Rileyi* et *mexicana* Dugès 1889, *neomexicana* Cock. 1899) 1917:3 (Mex., Nov. Mex.). *Melo.*, Nemogn., Sit. 57.
- Leontium* O J. Thoms., Syst. Cer. 1864, 175, 420; Gahan, F. Brit. Ind. Col. I 1906, 211 (*L. viride* Thoms. 1864) 1913:6 (Ind. or., Ch., Born., Mindanao, Jap.). *Ceramb.*, *Cerambin.*, *Callichr.* 726.
- Leontium* Lac., IX, 1869, 19; Pasc., TESL. (3) 3, 1869, 595 = *Chelidonium* J. Thoms. 1864. *Ceramb.*, *Cerambin.*, *Callichr.* 728.
- Leontochaeta* Er., NID. 3, 1847, 304; Lac. III, 304 = *Sparrmannia* Cast. [em.] 1840. *Scar.*, *Melth.*, *Pachyd.* 384.
- Lepadodes* Matth., ANH. (5) 19, 1887, 112; Mon. *Coryl.* 1899, 124, 143 (*L. chilensis* Matth. 1887) 1913:1 (Chile). *Orth.*, *Coryloph.* 20.
- Lepadoretus* Reitt., VN. 41, 1903, 30; Ohs., DEZ. 1912, 635 = Subg. 2 ad *Adoretus* Lap. 1840. 1918:38. — *Subregio* madag.: 1 O (Perrieri [Fairm.] 1897). — *Regio* aethiop.: 17 O (*L. pulverulentus* et *luteipes* Cast. 1840, *guttulatus* [Kraatz] 1899, *abyssinicus* Ohs. 1912). — *Regio orient.*: 19 O (compressus [Weber] 1801, *sinicus* [Burm.] 1855). — *Regio palaearet.*: 1 O (tenuimaculatus [Waterh.] 1875). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Adoreta*. 132, 2.
- Lepernia* O Er. in Germar, ZE. 5, 1844, 453; Lac. II, 1854, 345; Reitt., VN. 14, 1876, 35; Best.-Tab. VI, l. e. 1882, 145; Marseul, Abeille 23, 1885, 146; Olliff, PLNSW. 10, 1885, 702; Fauv., Rev. d'E. 10, 1891, 159 (*decorata* [Fr.] 1842, *L. squamulosa* [Gebler] 1830) 1913:29 (Austr., et Insul.; Jap., Sib.). *Temn.*, *Lep.* 23.
- Leperisinus* Reitt., WEZg. 32, 1913, Beihft.; Schaufuß in Calwer, 1218, 1220. *Ip.*, *Hyles*. cf. P. II.
- Lepicerus* Eichh., Rat. Tom., 501 (*L. aspericollis* Eichh. 1879) 1913:2 (Birma, Sum.). *Ip.*, *Ipin.* 66.
- Lepidapion* Schilsky in Küst., Kraatz, Käf. Eur. 43, 1906, p. V; Schaufuß in Calwer, 1187 = Subg. *Apion* Hbst. 1797. *Cure.*, *Api.*, *Apion*. 11.
- Lepidioderma* Brenske, SE. 9, 1894, 41 = *Lepidoderma* Waterh. 1875. *Scar.*, *Melth.*, *Melthi*. 373.
- Lepidiota* O Hope, Col. Man. I, 1837, 98; Blanch., Cat. Coll. E. Col. I, 1850, 156; Burm., Hd.E. IV, 2, 1855, 293; Lac., III, 1856, 301; Brenske, BEZ. 37, 1892, 33—62; MSEB. II, 1894, 84—86 (Typ.?; *L. stigma* [F.] 1798, *crenulata* [Wiedem.] 1821, *Mellyi* [Guér.] 1832, *pruinosa* [Wiedem.] 1819) 1913:77 (As. mer., Ch., Males., Austral., Afr.). *Scar.*, *Melth.*, *Melthi*. 269.
- Lepidisia* White, Col. Cat. Brit. Mus. 8, 1855, 333 = *Pempsamaca* Newm. 1838. *Ceramb.*, *Cerambin.*, *Pyth.* 678.
- Lepidoderma* Waterh., TESL. 1875, 201. — Biol.: Froggatt, Agr. Gaz. NSW. 13, 1902, 64 (*L. albohirtum* Waterh. 1875) 1913:10 (Cambodja; Austral.,

- Nov. Guin., Ins. Duké of York, Aru). *Scar.*, *Melth.*, *Melthi*. 373.
- Lepidomela* **Kolbe**, ASEB. 38, 1894, 552, 561 (*L. africana* [Brenske] 1892) 1913:1 (Afr. or. nec Senegal!). *Scar.*, *Melth.*, *Melthi*. 280.
- Lepidotes* **Westw.**, ANH., 8, 1841, 124 = *Cacostomus* **Newm.** 1840. *Luc.*, *Chias.* 7.
- Lepidotroagus* **Kolbe**, ASEB. 38, 1894, 567 et 572 (*L. Conradti* **Kolbe** 1894) 1913:2 (Usambara). *Scar.*, *Melth.*, *Melthi*. 253.
- Lepina* **Baly**, JoE. II, 1863, — (Te- nimer, Pulo Penang). *Chrys.*, *Eumolp.*, *Myochr.* 236. cf. P. II.
- Lepisericia* O **Brenske**, BEZ. XLV, 1900, 78, XLVI, 1901, 222 (Typ.); *L. confinis* [Burm.] 1855) 1913:22 (Afr. trop. et mer.). *Scar.*, *Melth.*, *Seric.* 83.
- Lepisericia* **Brenske**, BEZ. 54, 1900, 78, 56, 1901, 222 = ?*Autoserica* Brenske 1897. *Scar.*, *Melth.*, *Seric.* 29.
- Lepisia* O **Serv.**, Enc. méth. X, 1825, 374; **Burm.**, Hd. E. IV, 1, 1844, 166; **Lac.**, III, 193; **Pering.**, T.SAfr. Phil. S. 12, 1902, 867 (*L. ruficola* [F.] 1775) 1913:3 (Afr. mer.; Cap.). *Scar.*, *Melth.*, *Hopl.* 539.
- Lepisomus* **Kirby**, F. Bor. Am. IV, 1837, 193 (?) = *Polygraphus* **Er.** 1836. *Ip.*, *Crypt.*, *Polygr.* 47.
- Lepisomus* **Kirby**, F. Bor. Am. IV, 1837, 193 (?); Schaufuß in Calwer, 1227, 1228 = *Polygraphus* **Er.** 1836. *Ip.*, *Crypt.*, *Polygr.* 47.
- Lepispilus* O **Westw.**, Arcana E. I, 1841, 44; **Lac.**, V, 1859, 413; **Pasc.**, ANH. (4) 3, 1869, 288 (*L. sulcicollis* [Boisd.] 1835) 1913:4 (Austral. 3, Sikkim 1). *Ten.*, *Cyphal.* 891.
- Lepithrix* O **Serv.** [emend.], Enc. méthod. X, 1825, 381 (*Lepithrix*); **Burm.**, Hd. E. IV, 1, 1844, 37; **Lac.**, III, 1856, 180; **Pering.**, T.SAfr. Phil. S. 12, 1902, 654 (*L. lineata* [F.] 1775; *stigma* [Degeer] 1778) 1913:13 (Terr. cap. 12; Caffr. 1.). *Scar.*, *Melth.*, *Hopl.* 503.
- Lepithrix* **Serv.**, vide *Lepithrix* **Serv.** *Scar.*, *Melth.*, *Hopl.* 503.
- Leprocaulus* **Fairm.**, Not. Leyd. Mus. 18, 1896, 95 (*L. clavipes* **Fairm.** 1896) 1913:1 (Java). *Ten.*, *Tenebr.* 815.
- Lepronida* **Baly**, JoE. II, 1864, 221; **Chap.**, X, 1874, 255; **Lef.**, MSLiége (2) 11, 1885, 45 (*L. Batesi* **Baly** 1864) 1914:1 (Amaz.). *Chrys.*, *Eumolp.*, *Colasp.* 65.
- Lepronota* **Chap.**, X, 1874, 241; **Lefv.**, MSLiége (2) 11, 1885, 19; **Jac.**, TESL. 1900, 463 (Typ.?; *L. erythropus* [Har.] 1874; *morbillosa* **Chap.** etc.) 1914:14 (Bras., Peru; Caraça). *Chrys.*, *Eumolp.*, *Iphim.* 21.
- Leprotella* O **Jac.**, MSEB. VII, 1900, 100: F. Ind. Col. II, 1908, 415 (*L. cashmirensis* **Jac.** 1900) 1914:1 (Kaschmir.). *Chrys.*, *Eumolp.*, *Leprot.* 132.
- Leprotes* O **Baly**, JoE. II, 1863, 158; **Chap.**, X, 1874, 279; **Lefv.**, MSLiége (2) 11, 1885, 80; **Jac.**, F. Ind. Col. II, 1908, 425 (*L. gracilicornis* **Baly** 1861) 1914:4 (Jap., Ch., Hongkong., Bom- bay mer.). *Chrys.*, *Eumolp.*, *Leprot.* 139.
- Leprotoides* **Jac.**, AMusG. 36, 1896, 406 (*L. flavipes* **Jac.** 1896) 1914:1 (Sumatr.). *Chrys.*, *Eumolp.*, *Leprot.* 140.
- Leptachrous* **Bates**, ANH. (4) 14, 1874, 19; **Broun**, ManNZ. Col. I, 1880, 571 (*L. strigipennis* Westw. 1845) 1913:1 (N. Z.). *Ceramb.*, *Cerambin.*, *Phlytc.* 399.
- Leptacinodes* **Casey**, T. Ac. St.Louis XVI, 1906, 369, 401 = *Leptacinus* **Er.** 1839. *Staph.*, *Staphy.*, *Xanth.* 240.
- Leptacinus* O* **Er.**, KäfMaBr. 1837/39 (1839), 429; *Gutfl.-B.*, 146; *Ganglb.*, KäfMEur. II, 1895, 486; **Casey**, T. Ac. St.Louis XVI, 1906, 368, 399; Schaufuß in Calwer, 188, 189; **Kuhnt**, 166, 225 (*L. batychrus* et *parum- punctatus* [Gyll.] 1827) 1914:31

(Cosmopol.). *Staph.*, *Staphy.*, *Xanth.*
240.

Biol.: **Muls.** et **Rey**, Col. Fr.
Brevip. 1877, 108, 111; **Rey**, ASL.
Lyon 33, 1886, 51.

Leptacinus Fam. IV Er., G. Spec.
Staph. 1839/40, 338 = *Linosomus*
Kraatz 1857. *Staph.*, *Staphy.*, *Xanth.*
248.

Leptacmaeops **Casey**, Mem. Col. 4, 1913,
230 (*L. basalis*, *cuneata* **Casey** 1913)
1913:14 (Cal., Utah, Wash., Col.).
Ceramb., *Cerambin.*, *Lept.* 526a.

Leptaleus O **Laf.**, Mon., 106; *Lac.*, V,
2 p. 592; **Jacq. du Val**, III, 4, p. 370;
Muls. et **Rey**, *Collig.* 1866, 65/73;
Baudi, Et. 1877, 102; **Mars.**, Mon.,
68; **Seidl**, F. Ba. 1890, 547; F. Tr.
1891, 592; **Fauc.**, F. Col. Fr., 332;
Desbr., *Frelon* 7 (1899), 151 etc.;
Pic, BSHN. Macon I, 1899, 190 nota;
Schaufuß in Calwer, (746) (*L. Klugi*
Laf. 1848, *Rodriguezi* [**Latr.**] 1802)
1913:38 (Mediterr., As., Arab., Amer.,
Nov. Guinea). *Anth.* 18.

Leptalia O **J. Lec.**, Smiths. Misc. Coll.
XI, 264, 1873, 204, XI, 265, 1873,
327 (*L. macilenta* [**Mannerh.**] 1853)
1913:1 (Alaska, 2 varr.: 1 e Alaska,
1 e V.I., Oreg., Cal.). *Ceramb.*,
Cerambin., *Encycl.* 562.

Biol.: **Kincaid**, P. Wash. Ac. II,
1900, 376 t. 25 f. 8—12.

Leptamorphocephalus O **Kleine**, ArN.
82, 1916 (1918) A. 12, 132 (*L. labo-*
rator **Kleine** 1918) 1918:5 (Ind.,
Sum.; Malacca; Mentawai; Si Oban).
Brenth., *Brentha*. [in exit], *Trach.* 46d.

Leptarthrus **Bernh.**, DEZ. 1903, 141
= Subg. 5 ad *Priochirus* **Sharp** 1887
(*L. longicornis* [**Fauv.**] 1865) 1913:1
(Ind. or.). *Staph.*, *Oxyt.*, *Piest.*,
Leptoch. 16, 5.

Leptelytron O **Chevr.**, ASEFr. (5) 4,
1874, 530 (*L. fuscus* [**F.**] 1792) 1913:2
(Cap. b. Sp.). *Cebr.* 5.

Lepthelmis **Sharp**, ANH. (6) 2, 1888,
243 = *Leptelmis* **Sharp** (*L. gracilis*

Archiv für Naturgeschichte
1918. A. 3.

Sharp 1888) 1913:1 (Jap.). *Dryop.*,
Helmi, *Helmi*. 36.

Leptispa O **Baly**, in Schklig. et J.,
Col. Cat. P. 35, 1911, 44 = *Leptispa*
Baly, Cat. *Hispi.* 1858. p. 1, t. 1 f. 1;
Chap., XI, 1875, 270; *Ws.*, NID.
VI, 1893, 1060 (Typ. ?; *L. filiformis*
Germ. 1842, *L. natalensis* et *pygmaea*
Baly 1858) 1913:17 (Medit., Afr.,
Ind. or., Annam, Ceylon.). *Chrys.*,
Hispi., *Lept.* 55.

Leptidea [Muls.] **Schaufuß** in Calwer
in Indice p. 1380 = err. typ. pro
Leptidia [Muls.] **Schaufuß**, l. c. p. 843,
846.

Leptidia O **Muls.**, Col. Fr. *Longic.* 1839,
105; ed. 2, 1862, 200; **Ganglb.**, Best.-
Tab. VII, 1881 p. 9 (87); **Schaufuß**
in Calwer, 843. — Biol.: **Delarne**,
Feuill. j. Nat. 6, 1875, 11; **Perris**,
ASLLyon (2) 23, 1877, 305; etc.;
Xambeu, Moeurs et Mét. 8, 1902,
138. — (*N. brevipennis* **Muls.** 1839)
1913:1 (Eur. mer.). *Ceramb.*, *Cer-*
rambin., *Psel.* 599.

Leptinopterus O **Hope**, EMa. V, 1838,
316 (*L. femoratus* [F.] 1775) 1913:14
(Bras.). *Luc.*, *Clad.* 34.

Leptinotarsa O **+ Stål**, Öfv. Vet. Ak.
Föhr. XV, 1858, 475; **Chap.**, X,
368, 390; **Jacq.** BCA. Col. VI, I,
1883, 287; **Linell**, JoN YorkES.
IV, 1896, 195; **Schaufuß** in Calwer,
(26, 887). (*L. cacica* et *Heydeni* **Stål**
1858, *decemlineata* [**Say**] 1824) 1916:43
(Am. b. etc.; Am. mer. trop.). *Chrys.*,
Chryso., *Chrysi*. 11.

Biol.: **Tower**, Publ. Carnegie Inst.
Washingt. 48, 1906, 1—320, t. 1—30;
etc.

Morphol.: **Hegner**, Jo. Morph.
Philad. 20, 1909, 231 (4 t.), etc.

Parasitism.: **Bethune**, Can. Ent.
43, 1911, 320; **Yothers**, t. c. 418; etc.

Canibalism.: **Norton**, t. c.; vide
etiam *Ws.* in Schklig. et J., Col. Cat.
P. 68, 1916, 30. *L. decemlineata* **Say**
p. 32—34.

- Leptispa* Baly 1858 = *Lepthispa* Baly 1858 Schklig. (1911). *Chrys.*, *Hiszp.*, *Lept.* 55.
- Leptobia* Fauv., Rev. d'E. 26, 1907, 9 (*L. laticornis* [Fauv.] 1904] 1913:2 (Ins. Maré, Guadeloupe). *Anob.*, *Dorcat.* 64.
- Leptobium* Casey, T. Ac. St.Louis XV, 1905, 57 = *Dolicaon* Cast. 1835. *Staph.*, *Paed.* 221.
- Leptocera* Latr. in Cuv., Règne anim. ed. 2 Ins. II, 1829, 121; Serv., ASEFr. III, 1834, 109; Desjardins, in Charlesw., ANH. (2) II, 1838, 468—472 (Monogr.); Cast., HN. II, 1840; 490 = *Glaucytes* Thoms. 1858. *Ceramb.*, *Cerambin.*, *Glaucyt.* 900.
- Leptochirus* O* Germ., Ins. spec. nov. 1823 p. 35; Er., Gen. Spec. *Staph.* 1839—40 (1840), 824; Bernh., DEZ. 1903, 113. — Biol.: Kraatz, ArN. XXV, 1859, I, 190. — 4 Subgg.: *Lept.* s. str., *Mesoch.*, *Tropioch.*, *Strongyl.* — 1913:35 (Am. c., Am. mer. trop.; Ind. or., Birma, Malaca, Ins. sundaic.). — *L. s. str.* Bernh., DEZ. 1903, 120 = Subg. 1 ad *Lept.* Germ. 1823 (*L. scoriaceus* Germ. 1824; *L. montanus* Brnh., [Subg. *Lept.*] e Bol.) 1913:22+1 (Am. c., Am. mer.-trop.). *Staph.*, *Oxyt.*, *Piest.*, *Lepto.* 14; 14, 1.
- Leptocerus* O Kraatz, DEZ. 1899, 83; Schklig., GIW. *Cler.* 1903, 22 (*L. amoenus* Kraatz 1899) 1913:1 (Camerun.). *Cler.*, *Cleri.*, *Till.* 37.
- Leptocolena* All., ASEFr. (5) 10, 1880, 320; Seidl., F. Ba. ed. II, 1891, 513 = *Blaps* F. 1775. *Ten.*, *Blapt.* 391.
- Leptoderus* (Schmidt 1852); *Schaufuß* in Calwer, (264); *Gutfl.-B.*, 202: vide *Leptodirus* Schmidt 1831. *Silph.*, *Bath.*, *Bathy.* 45.
- Leptodes* O Sol., ASEFr. 7, 1838, 191; Lac., V, 109; Reitt., DEZ. 1889, 31; Sem., WEZg. 10, 1891, 268; HoR. 27, 1893, 225 (Typ.?; *L. Solieri* Sem. 1908/1909; *Boisduvali* [Zoubk.] 1833) 1913:14 (Transcauc., Turemen., Transasp., Ch., Turk.). *Ten.*, *Leptod.* 188.
- Leptodirus* O* Schmidt, Illyr. Blatt. 1832 nr. 3, 9; Sturm, Deutschl. F. 20, 1849, 93; Schmidt, StEZg. 13, 1852, 381 (*Leptoderus*); *Lac.*, II, 196; *Jacq. du Val*, I, 1857, 115; Marseul, Préc. *Silph.* in L'Abeille 22, 1884, 6; Reitt., VN. 23, 1885, 9; WEZg. 5, 1886, 315; 27, 1908, 108; DEZ. 1889, 294; *Ganglb.*, KäfMEur. 3, 1899, 81; J. Müll., VzbGW. 51, 1907, 27; Breit, EMi. II, 1913, 312; Jeannel, Arch.Zo. exp. (5) 5, 1910, 33, 25 (f. 23), 44 (*Leptodirus*); 54, 1914, 75; Rev. Ba., 531 (*L. hohenwarti* F. Schmidt, 1832) 1914:1 (cavern.: Carniol., Croat., Terra costal.). *Silph.*, *Bath.*, *Bathy.* 45.
- Ethol.: Khevenhüller, VzbGW. II, 1852, 42 et 106.
- Chorol.: Jeann., Rev. Ba., 139 et 537; Bachofen, Boll. S. Adriat. Sc. Nat. 26, 2, 1912, 27.
- Leptodopsis* Haag, DEZ. 23, 1879, 409; Sem., WEZg. 10, 1891, 272; HoR. 27, 1893, 228 = Subg. ad *Leptodes* Sol. 1838. *Ten.*, *Leptod.* 188.
- Leptoeme* Jord., Nozo. 1903, 134 (*L. xantha* Jord. 1903) (Congo, Camerun.). 1913:2. *Ceramb.*, *Cerambin.*, *Oem.* 47.
- Leptogastrus* McLeay, TESNSW. II, 1872, 293 (*L. mastersi* McLeay 1872) 1913:1 (Queensl.). *Ten.*, *Adelii.* 1020.
- Leptogenius* Casey, B. Cal. Ac. Sc. II, 6, 1886, 214 = *Echiaster* Et. 1839/40. *Staph.*, *Paed.*, *Paedi.* 175.
- Leptoglenus* Reitt., WEZg. 19, 1900, 227 = Subg. ad *Leptolinus* Kraatz 1856/58. *Staph.*, *Staphy.*, *Xanth.* 238.
- Leptolinus* O Kraatz, NID. II, 1856/58, 647 nota; *Ganglb.*, KäfMEur. II, 1895, 488; Casey, T. Ac. St.Louis XVI, 1906, 418; *Schaufuß* in Calwer, 187 (*L. nothus* Er. 1839/40) 1914:4

- (Medit., Ins. Canar., And.; Samark.; Ohio, Iowa, Tex.; Afr. or.-germ.). *Staph.*, *Staphy.*, *Xanth.* 238.
- Leptomicrus* O Fauv., AMusG. 13, 1878, 240 (*L. teredo* Fauv. 1878) 1914:1 (Nov. Guin.). *Staph.*, *Staphy.*, *Xanth.* 243.
- Leptomorpha* Falb., Mém. Ac. Petr. sav. étrang. II, 1835, 406; Cast., HN. II, 1840, 201; Lac., V, 150; Allard, ASEFr. (5) 10, 1880, 299 = *Blaps* F. 1775. *Ten.*, *Blapt.* 391.
- Leptomorpha* Germar., F. Ins. Eur. 22, 1842, nr. 10 = *Leptispa* Baly 1858. *Chrys.*, *Hisp.*, *Lept.* 55.
- Leptonotus* Motsch., B.S.Imp. Nat. Mosc. 42, 1869, 253 (nec *Kaup* 1859) = *Parapropus* J. Müll. 1907. *Silph.*, *Bath.*, *Bathy.* 56.
- Leptonychus* O Chevr. in Silberm., Rev. I, 1833, 26; Cast., HN. II, 1840, 185; Lac., V, 18; Kraatz, Rev. *Ten.* 1865, 13; Reitt., ENa. 26, 1900, 298 (*L. erodiooides* Chevr. 1833) 1913:7 (Alg., Trip., Seneg.). *Ten.*, *Erod.* 2.
- Lethonymus* Mars. 1857 = Subg. ad *Nacerda* Steph. 1839. *Oed.*, *Oedem.*, *Nacerd.* 6.
- Leptonyxa* Reitt., VN. 14, 1876, 54; Lév., Acta S. Sc. Chili V, 1895, 80 (*L. brevicollis* Reitt. 1876) 1913:9 (Am. mer.: Bol., Bras., Col.). *Temn.*, *Ostom.* 35.
- Leptopalpus* O Guér., Icon. Règne anim. Ins. 1829—44, 136; Schaufuß in Calwer, 755 (*L. rostratus* [F.] 1792) 1917:2 (Lahej; Hisp., Alg.). *Melo.*, *Nemogn.*, *Nemogni.* 81.
- Leptopeltus* Bernh., VzbGW. 56, 1906, 337 (*L. flavipennis* Er. 1839/40) 1914:3 (Col. 1, Bol. 2). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 290.
- Leptoplectus* Casey, Can. Ent. 40, 1908, 266 (*L. pertenuis* [Casey] 1884) 1913:5 (Pennsylv., Ohio, Nov. Guin. germ.). *Psel.*, *Psele.*, *Euplect.* 92.
- Leptopus* Dej., Col. Cat. ed. 3, 1836, 176 = Subg. ad *Elaphocera* Gené 1836. *Scar.*, *Melth.*, *Pachyd.* 415.
- Leptoremus* Casey, Can. Ent. 35, 1904, 314 (*L. argenteus* Casey 1904) 1913:1 (Cal.). *Ped.* 5.
- Leptorrhedium* O Kraatz, DEZ. 23, 1879, 118; Schaufuß in Calwer, 827 (*L. caucasicum* Kraatz 1879) 1913:2 (Cauc., Illyr., Dalmat., Gr., Bosn.). *Ceramb.*, *Cerambin.*, *Lept.* 472.
- Leptorrhopala* Kolbe, StEZg. 54, 1893, 253 = *Pandrosos* Bates 1867. *Ceramb.*, *Cerambin.*, *Cleom.* 883.
- Leptorrhynchus* Boisd. 1835 = *Phocylides* Pascoe 1872. *Brenth.*, *Brentha.* 112.
- Leptorrhynchus* Guér., Voy. Coqu. E. 1832, 110; Lac., G. Col. VII, 1866, 467 = *Ithystenus* Pase. 1862. *Brenth.*, *Ith.* 117.
- Leptorus* Casey, B.Cal.Ac.Sc. II, 1886, 217, 220 = *Scopaeus* Er. 1839/40. *Staph.*, *Paed.*, *Paedi.* 205.
- Leptoscapha* Fairm., ASEFr. (6) 6, 1886, 73 (Typ.?) ; *L. dimidiatipennis* [Fairm.] 1880, *spissicornis* [Fairm.] 1880) 1913:2 (Madag., Nossi Bé). *Ten.*, *Ulom.* 704.
- Leptosphena* Sem., HoR. 25, 1891, 355; Seidl., NJD. V, 1, 820 = Subg. ad *Sphenaria* Mén. 1849. *Ten.*, *Epitrag.* 79.
- Leptotheca* Fauv., Rev. d'E. 23, 1904, 151 = *Leptobia* Fauv. 1909. *Anob.*, *Dorcat.* 64.
- Leptotyphlus* O Fauv., F. gallo-rhén. III, 1874, 2 Suppl. p. 36; Gangl., KäfMEur. II, 1895, 606; Bernh., Münch. Kol. Z. III, 1908, 332; Dodero, AMusG. 43, 1908, 631. — Biol.: Mocsárska, Münch. Kol. Z. III, 1908, 313; Schaufuß in Calwer, (175) (*L. sublaevis* Fauv. 1874) 1913:11 (+3: *Curtii* Breit: Istria, *brevicornis* Dodero: Sard., Dodero?)(Gall. mer., It., Car., Cors. 4, Alger.). *Staph.*, *Leptot.*, *Leptoty.* 140.

- Leptoxenus* Bates, EMM. 14, 1877 (L. *ibidiiformis* Bates 1877) 1913:1 (Jap.).
Ceramb., *Cerambin.*, *Ibid.* 295.
- Leptura* O. L., Syst. Nat. ed. 10, 1758, 397; *Schaufuß* in Calwer, 826, 835; Kuhnt, 753, 767; Gutfl.-B., 591. — Biol.: Perris, ASLLyon 1877; Xambeu, Moeurs et Mété. 1892 etc. (Typ.?: *L. rubra* et *virens* L. 1758, *sanguinolenta* [L.] 1761, *maculicornis* [Degeer] 1775 etc.) 1913:125 (Eur., As., Am.). — 4 Subg.: *Anopl.*, *Anoploderom.*, *Vad.*, *Lept.* — *L*. s.str. = Subg. 4 ad *L.* **L.** 1758 (*L. rubra* L. 1758, *cordigera* Füessly 1775, *dubia* Scop. 1763, *fulva* Degeer 1775, *maculicornis* Degeer 1775 1913:112 (Spp. palaearet. 46, indo-malay. 15, nearet. et Am. c. 41, neutr. 1). *Ceramb.*, *Cerambin.*, *Lept.* 548; 548, 4.
- Biol.: cf. supra et *Aur.* in Schlikg. et J., P. 39, 212 sq.
- Lepturalia* Reitt., F. Germ. 4, 1913, 20 = Subg. ad *Strangalia* Serv. 1835. *Ceramb.*, *Cerambin.*, *Lept.* 551, 9.
- Lepturasta* Fairm., Rev. d'E. 26, 1901, 217 (*L. russa* Fairm. 1901) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 498.
- Lepturidea* O. Fauv., B.S.Linn. Normandie 7, 1862, 150; Seidl., NID. V, 2, 728 et 876 (*L. Deplanchei* Fauv. 1862). 1915:1 (N. Caled.). Oed. (pos. inc.) 68.
- Lepturobosca* Reitt., F. Germ. 4, 1913, 17. = Subg. ad *Leptura* L. 1758. *Ceramb.*, *Cerambin.*, *Lept.* 548, 8.
- Leptynoderes* Sol., ASEFr. 7, 1838, 44; Lac., V, 127 (*L. varicosa* [Germ.] 1824) 1913:4 (Catamarca, Tucum., Pat., Buen.-Air.). *Ten.*, *Scotob.* 341.
- Leribe* Péring., T. South Afr. Phil. S. 13, 1904, 113 (*L. vesca* Péring. 1904) 1913:1 (Natal.). *Scar.*, *Melth.*, *Seric.* 126.
- Lesbidana* Reitt., Best.-Tab. 53, 1904, 173 = Subg. ad *Melanesthes* Lac. 1859. *Ten.*, *Opatr.* 544.
- Lesteva* Latr., Précis caract. Ins. 1796, 75; Er., KäfMaBr. I, 1837/39, 616; Kraatz, NID. II, 1856/58, 930; Gutfl.-B., 178; Ganglb., KäfMEur. II, 1895, 712; Luze, VzbGW. 53, 1903, 177; *Schaufuß* in Calwer, 153, 161; Kuhnt, 160, 191 (*L. longelytra* [Goeze, E. Beitr. 1777, 729]) 1913:24 (Eur.; Medit.; Turk., Transasp., Baical., Transbaic., Buchara, Syr., Asm.). *Staph.*, *Oxyt.*, *Omal.* 71.
- Lethenomus* O. Raffr., ASEFr. 64, 1895, 396; 73, 1904, 366; GIW. *Psel.* 1908, 383 (*L. villosus* [Schauf.] 1886) 1913:1 (Chile). *Psel.*, *Psel.*, *Tyr.* 398.
- Lethonymus* Mars., Col. Cat. d'Eur. 1857, 130; Lac. III, 446; Redt., F. Austr., 1874, I, p. CXXVI; II, 183; Ganglb., VzbGW. 31, 1881, 104 nota; Best.-Tab. 4a, *Oed.*, 1881, 8 nota; Seidl., F.Ba. et Tr., Gatt. et Spp.; NID. V, 2, 765, 799; Sem., HoR. 28, 1894, 453 (Sep., 5); *Schaufuß* in Calwer, 732 = Subg. ad *Nacerda* Steph. 1839. *Oed.*, *Oedem.*, *Nacerd.* 6.
- Lethrotrypes* Jacobs., HoR. 26, 1892, 257 (pars) = *Thorectes* Muls. 1842 = Subg. ad *Geotrupes* Latr. 1796. *Scar.*, *Geotr.*, *Geotrpi.* 17, 11.
- Lethrulus* O. A. Sem., HoR. 26, 1892, 235; 28, 1894, 478 = Subg. 3 ad *Lethrus* Scop. 1777 (*L. cicatricosus* Reitt. 1890) 1913:2 (Turk.). *Geotr.*, *Lethr.* 18, 3.
- Lethrus* O. Scop., Introd. HN. 1777, 439; Lac. III, 147; Gutfl.-B. 322; Redt., F. Austr. ed. 3, 1872, 478; Seidl., F.Ba. ed. 2, 1891 et F. Tr. Gatt., 30; B. Jakovlev, HoR. 26, 1892, 182 — 200; A. Sem., HoR. 26, 1892, 232 — 244; 28, 1894, 475 — 525; 32, 1899, 632 — 656; Reitt., VN. 31, 1893, 33 Best.-Tab. 24, 1909, 154; *Schaufuß* in Calwer, 1287, 1294; Kuhnt, 384, 402 (*L. apterus* [Laxm.] 1770) 1913:61 + 2 ins. sed. (e Desert. Kirgh. 1

- et Transcasp. 1, As. c., Asm., Turc., Gr.). *Scar.*, *Geotr.*, *Lethr.* 18.
- Synops.: Reitt., DEZ. 1890, 289—295.
- Lethrus* ♀ Jakovl., HoR. 28, 1894, 522; Rev. Russe d'E. 1901, 254; **B. Jakovl.**, HoR. 24, 1890, 563, pars; 26, 1892, 198, pars = Subg. 9 ad *Lethrus Scop.* 1777 (*L. apterus* [Laxm.] 1770) 1913:3 (Ross, Carpath., Asm., Ture., Arm.). *Scar.*, *Geotr.*, *Lethr.* 18, 9. Biol.: Künstler, VzbGW. 21, 1871, 8, Emich u. Mocs., Rov. Lapok I, 1884, 30, 59, t. 2; Emich, ENa. 10, 1884, 113; Tarnani, Ill.ZE. 5, 1900, 49, Zoufal, EBl. 3, 1907, 120.
- Lethrus* **B. Jakovl.**, HoR. 24, 1890, 563; 26, 1892, 198 (pars) = *Autolethrus A. Sem.* = Subg. 8 ad *Lethrus Scop.* 1777. *Scar.*, *Geotr.*, *Lethr.* 18, 8.
- Letznerella* Reitt., WEZg. 32, 1913 Beihft. = Subg. ad *Cryphalus* Er. 1836. *Ip.*, *Cryph.* 56.
- Letzneria* Kraatz, ZE.Breslau (2) 7, 1879, 63; **Ganglb.**, Best.-Tab. VII, 1881, 7 (685); Schaufuß in Calwer, 826 = *Cornumutila* Letzn. 1843. *Ceramb.*, *Cerambin.*, *Lept.* 542.
- Leucispa* O Chap., XI, 1875, 286 (*L. Odewahni* [Baly] 1869) 1913:1 (Austral.). *Chrys.*, *Hisp.*, *Crypton.* 57.
- Leucitus* O Fauv., AMusG. XII, 1878, 253; **Heller**, Abh. Zo. Mus. Dresden 13, 1910, 10 (*L. argyreus* Fauv. 1878) 1914:8 (N. Guin. 6, Java 1, Ins. Aru 1). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 309.
- Leucocera* O Stål, Öfv. Vet. Ak. Forh. XV, 1858, 477; Mon. III, 1865, 201; **Chap.** X, 369, 388 (Typ.? *L. octopustulata* et *testaceipes* Stål 1858. [Öfv. Vet. Ak. Förh. XV, 1858 p. 477.]; *L. quinquepunctata* [L.] 1767) 1916:19 (Ins. Cuba, Haiti, S. Domingo, Porto-rico). *Chrys.*, *Chryso.*, *Chysi.* 17.
- Leucolaephus* O H.Lucas, ASFER. 1859, p. XXIV; *Sem.*, HoR. 27, 1893, 261; 38, 1907; 176; **Reitt.**, Best.-Tab. 25, 1893, 204, 249 (*L. nigropunctatus* [Luc.] 1858, *liliputanus* [Luc.] 1857) 1913:5 (Abyss., Alg., Tripol., Oasis Kufra). *Ten.*, *Platyop.* 345.
- Leucopaederus* Casey, T.Ac.St.Louis XV, 2, 1905, 59, 67 = *Paederus* F. 1775. *Staph.*, *Paed.*, *Paedi.* 168.
- Leucoparyphus* ♀ Kraatz, NID. II, 393; **Gutfl.-B.**, 121; **Ganglb.**, KäfMEur. II, 1895, 335; **Luze**, VzbGW. 52, 1902, 190; **Kuhnt**, 169, 255. (*L. silphoides* [L.]) 1916:6 (Cosmop. 1, Afr. or. brit. 2, Terr. cap. 2, Natal. 1, Guatem. 1). *Staph.*, *Tach.*, *Tachi.* 429.
- Biol.: Rey, ASLLyon 18, 1886, 158; Rupertsb., Biol. Käf.Eur. 1894, 119.
- Leucopelaea* H. Bates [in Whymper], Trav. Great Andes, Suppl. Append. 1891, 30; **Ohs.**, StEZg. 66, 1905, 120; 1891 (*L. albescens* H. Bates 1891, *lutescens* [Blanch.] 1850) 1918:3 (Ec., Peru). *Scar.*, *Rut. orth.*, *Anoplgni.*, *Platycoel.* 126.
- Leucopholis* O Blanch., H.Ins. I, 1845, 216; **Burm.**, Hd.E. IV, 2, 1855, 292, 299; **Lac.**, III, 1856, 300; **Brenske**, BEZ. 37, 1892, 33 (Typ.?; *L. irrora* [Chevr.] 1841; *nummicudens* [Newm.] 1838; *rorida* [F.] 1801) 1913:48 (As. mer., Males., Phil. Ins.). *Scar.*, *Melth.*, *Melthi.* 277.
- Leucophorus* Brenske, BEZ. 37, 1892, 39 et 412 (s. descr.); MSEB. II, 1894, 79 (*L. flabellatus* Brenske 1892) 1913:1 (Ind.). *Scar.*, *Melth.*, *Melthi.* 287.
- Leucorus* Casey, T.Ac.St.Louis, XV, 1905, 191, 192 = Subg. ad *Scopaeus* Er. 1839/40. *Staph.*, *Paed.*, *Paedi.* 205.
- Leucoserica* Reitt., WEZg. XV, 181, 184; VN. 40, 1901, 138 (*L. arenicola* [Solsk.] 1876) 1913:2 (Turk., Transcasp.). *Scar.*, *Melth.*, *Seric.* 34.

- Leucothyreus* O S.M'Leay, HoE. I, 1819
App. p. 145 (*L. Kirbyanus* S.M'Leay
1819, *igneus et nitidulus* [Ol.] 1789,
opacus Perty 1832) 1918:78 (Am.
mer.-trop.). *Scar.*, *Ruth.* *orth.*,
Geniat. 152.
- Leuretra* Er., ArN. 13, 1847 P. 1, 100;
Lac. III, 308 (*L. pectoralis* Er. 1847)
1913:1 (Peru). *Scar.*, *Melth.*,
Pachyd. 435.
- Leurocorynus* Sharp, F. Hawaiensis. III,
1908, 548 (*L. cephalotes* Sharp 1908)
1914:1 (Hawaii). *Staph.*, *Staphy.*,
Xanth. 244.
- Lewisella* Broun, ANH. (8) 3, 1909,
398 (*L. modesta* Broun 1909) 1913:2
(N. Z.). *Scar.*, *Melth.*, *Lipar.* 203.
- Lewisister* Bickhardt, TijE. 55, 1912,
222 (*L. excellens* Bickh. 1912) 1913:1
(Java). *Hist.* 20a.
- Lewisium* O Matth., Mon. *Coryl.* 1899,
124 t. 5 f. A (*L. ceylonicum* Matth.
1899) 1913:2 (Jap., Ceyl.). *Orth.*,
Coryloph. 24.
- Liagrica* Costa, F. Regni Napoli Col. II,
1855, *Longic.* p. 59 = *Penichroa*
Steph. 1839. *Ceramb.*, *Cerambin.*,
Gracl. 347.
- Lianema* Fall, JoNYES. XV, 1907, 85
(*L. tenuicornis* Fall 1907) 1912:1 (Cal.).
Ceramb., *Cerambin.*, *Gracl.* 350.
- Liarcha* O Sharp, BCA. Col. II, 1, 1891,
385 (*L. placida* Sharp) 1913:1 (Mex.,
Guatem.). *Nit.*, *Cryptar.* 148.
- Liasemum* Casey, Mem. Col. 3, 1912,
262 (*L. mokelumne* Casey 1912) 1913:1
(Calif.). *Ceramb.*, cf. P. II.
- Librodor* Reitt., *Nitid.* Japans 1884,
269, 270; *Schaufuß* in Calwer, 444
= *Glischrochilus* (Murr. ined.) Reitt.
1873. *Nit.*, *Cryptar.* 154.
- Librodor* Ganglb., KäfMEur. III, 1899,
553 = Subg. ad *Glischrochilus* (Murr.
ined.) Reitt., 1873. *Nit.*, *Cryptar.*
154.
- Lichas* Westw., TESL. (2) 2, 1853, 236;
Lac. IV, 1857, 264 = *Eulichas*
- Jacobs. 1913. *Dasc.*, *Dasci.*, *Cneogl.*
21.
- Lichenum* auct., *Schaufuß* in Calwer,
(802); Kuhnt, 739 = *Leichenum* Blanch.
1845. *Ten.*, *Opatr.* 562.
- Lichminus* Casey, AN YAcSc. V, 1889,
146, 147 (*L. tenuicornis* [Casey] 1889)
1913:1 (Cal.). *Byrrh.*, *Limn.* 6.
- Lichnanthe* Burm., Hd.E. JV, 1, 1844,
26; Horn, TAmES. X, 1882, 119
= *Amphicoma* Latr. 1807. *Scar.*,
Glaph. 5.
- Lichnia* O Er., ArN. I, 1, 1835, 269
(*L. limbata* Er. 1835) 1913:1 (Chile).
Scar., *Glaphyr.* 2.
- Licinoma* Pasc., ANH. (4) 3, 1869, 140
(*L. nitida* Pasc. 1869) 1913:6
(Austral.). *Ten.*, *Adelii.* 1005.
- Licymnus* Bates, TESL., 1868, 271
(*L. foveicollis* Bates 1868) 1913:3
(Austral.). *All.*, *Allec.* 5.
- Liesthes* O Ganglb., KäfMEur. III,
1899, 925; Csiki, Rov. Lap. 7 1900,
145; *Schaufuß* in Calwer, 525 (*L.
seminigra* [Gyllh.] 1808) 1913:2
(Eur., Cauc.). *End.*, *Mycet.*,
Liesth. 15.
- Ligniperda* F., Syst. El. II, 1801, 18
= *Sinodendron* Hellw. 1794. *Luc.*,
Sinod. 77.
- Limarus* Muls., HN. Col. Fr. *Lamell.*,
1871, 264; Reitt., Tab. XXIV, 1892,
264; Reitt. Tab., 101; VN. Bd. 30, 239;
A. Schmidt, 21 et 63; *Schaufuß* in
Calwer, 1269; Kuhnt, 392 = Subg.
ad *Aphodius* III. 1798. *Scar.*,
Aphod. 7.
- Limenta* Stål, Öfv. Vet. Ak. Förh. 17,
1860, 468; Mon. III, 1865, 311;
Chap. X, 435, 438 (*L. servula* Stål
1860) 1916:1 (Bras.). *Chrys.*,
Chryso., *Phyllod.* 96.
- Limnichalia* Casey, Mem. Col. 3, 1912,
52 (*L. colonica* Casey 1912) 1913:1
(Pan.). *Byrrh.*
- Limnichites* Casey, AN YAcSc. V,
1889, 146, 147 (*L. punctatus* J. Lec.,
L. perforatus Casey 1889, *L. oli-*

- vaceus* J. Lec.) 1913:4 (Cal., Ill., Mich., Tex., Pa.). *Byrrh.*, *Limn.* 5.
- Limnichoderus* Casey, AN YAcSc. V, 1889, 146 et 147; Sharp, BCA. Col. II, 1, 1902, 677 (*L. ovatus* [J. Lec.] 1854, *naviculatus* Casey 1889) 1913:7 (Am. c., Civ. mer., Am. b.). *Byrrh.*, *Limn.* 7.
- Limnichus* O Latr., Règne anim. ed. II, IV, 1829, 510; Er., NID. III, 497; Lac. II, 486; Jacq. du Val, II, 268; Gutfl.-B. 292; C. G. Thoms., Sk. Col. II, 121; Muls. et Rey, Pil. 164 (364); J. Lec., B.U.Stat.GeoL. Surv. V, 1879, 514; Ws., DEZ. 21, 1877, 299; Reitt., VzbGW. 31, 1881, (Tab. 4) 83; Casey, AN YAcSc. V, 1885, 145.; Ganglb. IV, 1, 53; Schaufuß in Calwer, 610, 611; Kuhnt, 609, 611 (*L. pygmaeus* [Sturm] 1807) 1913:26 (Eur., As., Madag., N. Z.). *Byrrh.*, *Limn.* 2.
- Limnicus* Pic, Echange 21, 1905, 97 = *Limnichus* Latr. 1829. *Byrrh.*, *Limn.* 2.
- Limnius* O Er. (Illig. in Illig. Ma. I, 1802, 297; Müll. in Illig. Ma. V, 1806, 184; Zett., Ins. Lapp. 1838, 1075, Er., NID. III, 1847, 522; Bach, I, 142; Sturm, 22, 74; Lac. II, 509; Redtb., F. Austr. ed. I—III; Jacq. du Val, Man. Gen. Col. II, 1859, 277; Gutfl.-B., 295; C. G. Thoms., Sk. Col. II, 131; Muls. et Rey, Uncif. 1872, 43; Seidl., F. Ba. et Tr.; Fowl., Col. Brit. Isl. 3, 1889, 378; Kuw., VzbGW. 40, 1890, 19; Everis, I 1898, 378; Stierlin I, 1900, 232; Lmr., F. Belge II, 1900, 316; Ganglb., KäfMEur. IV, I, 1904, 112; Schaufuß in Calwer, 581, 582; Kuhnt, 592, 595 (*L. tuberculatus* [Ph. Müll.] 1806) 1913:18 (Eur., Mediterr., Madag. [5], Civ. confoed.; N.S.W.). *Dryop.*, *Helm.*, *Helmi.* 41.
- Limnius* Ph. Müll. in Illig. Ma. V, 1806, 184; Grouv., BSEFr. 1896, 27 = *Lathelmis* Reitt. *Dryop.* 43.
- Limoniates* Raffr., Rev. d'E. 17, 1898, 231; ASEFr. 72, 1903, 523; GIW. Psel. 1908, 67 (*L. australis* Raffr. 1898) 1913:1 + 2 (Tasm., Austr. occ., N. S. W.). *Psel.*, *Psela.*, *Euplect.* 61.
- Limozota* O Pasc., ANH. (3) 18, 1866, 482 (*L. virgata* Pasc. 1866) 1913:1 (Ven.). *Ceramb.*, *Cerambin.*, *Eligm.* 298.
- Limulodes* Matth., AN YAcSc. 8, 1867, 409; Trich. ill. 1872, 59 et 155, t. 16; TAMES. 11, 1884, 123; Flach. VzbGW. 39, 1889, 511; Best.-Tab. eur. Col. 18, 1889, 33 (*L. paradoxus* Matth. 1867) 1913:1 (Am. b.). *Ptil.*, *Limul.* 32.
- Lona* Redt., F. Austr. 1849, 551; Gutfl.-B. 619; Fairm. in Jacq. du Val, IV, 230; Chap. X, 369, 375; Jac., BCA. Col. VI, 1, 1882, 193; Mars., Abeille 26, 1888, 1; Seidl., F. Ba. ed. 2, 1891, 694, 805; Schaufuß in Calwer, 960; Kuhnt, 805 = *Melasoma* Steph. 1834. *Chrys.*, *Chryso.*, *Phaedon.* 49.
- Linaeidea* O Motsch. in Schrenk's R. II, 1860, 1199; Schaufuß in Calwer, 961 (*L. aenea* [L.] 1758) = Subg. 1 ad *Melasoma* Steph. 1834. 1916:3 (Eur., Sib., Jap., Ch. b.). *Chrys.*, *Chryso.*, *Phaedon.* 49, 1.
- Linamorpha* Motsch. in Schrenk's R. II, 1860, 197 = *Plagioderia* Redt. 1845. *Chrys.*, *Chryso.*, *Phaedon.* 47.
- Linastica* Motsch. in Schrenck's R. II, 200, 1860 = *Gastrolina* Baly 1859. *Chrys.*, *Chryso.*, *Phaedon.* 50.
- Linderia* O Sauley, ASEFr. (4) 3, 1863, 81; Raffr., l. c. 73, 1904, 255; GIW. Psel. 1908, 286; Schaufuß in Calwer, 250 (*L. Mariae* [Jacq. du Val] 1859) 1913:2 + ? 1 (Pyr. or., Carn., Venet.). *Psel.*, *Psela.*, *Tych.* 304.
- Linda* Blackb., TRS. South Austral. X, 1888, 275 = *Lyphia* Muls. et Rey 1859. *Ten.*, *Uлом.* 668.

- Lindinia* Lefv., ASEFr. 62, 1893, Bull. p. CCLXVI; Jac., StEZg., 56, 1895, 60 (Typ. ?; *L. corrugata*, *fulva*, *fusconigra*, *pictarsis*, *reflexoaenea*, *tibialis* Lefv.) 1914:7 (Phil. Ins.). *Chrys.*, *Eumolp.*, *Metachr.* 163.
- Lindus* Sharp, TESL. 1876, 281 (*L. religans* Sharp 1876) 1913:1 (Amaz.). *Staph.*, *Paed.*, *Paedi.* 166.
- Lingoria* Fairm., BSEFr. 1901, 126 (*L. sanguinicollis* Fairm. 1901) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 500.
- Linidius* Sharp, TESL. 1876, 96 (*L. recticollis* Sharp 1876) 1916:1 (Amaz.). *Staph.*, *Staphy.*, *Xanth.* 269.
- Liniscus* Lefv., MSLiége (2) 11, 1885, 129 (*L. sansibaricus* Lefv. 1885) 1914:9 (Afr. or. lusit., Terra Somali, Ruanda, Sansib., Usambara, Afr. occ.). *Chrys.*, *Eumolp.*, *Typoph.* 241.
- Linoderus* Sharp, BCA. I, 2, 1882/87 (1885), 452 (*L. gracilipes* Sharp 1885) 1914:1 (Pan.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 299.
- Linodesmus* O Bedel, AMusG. 18, 1882, 443 (*L. coecus* [F.] 1777, *magnificus* [Harold], 1878) 1913:5 (Cam., Congo, Afr. e.). *Erot.*, *Dacn.* 88.
- Linographa* Motsch. in Schrenk's R. II, 1860, 198 = *Deuterocampta Chevr.* 1844. *Chrys.*, *Chryso.*, *Chrysi.* 15.
- Linolathra* Casey, T.Ac.St.Louis XV, 1905, 75, 131 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Linomius* Muls., Col. Fr. *Longic.* ed. 2 1862, 226; *Schaufuß* in Calwer, 843 = *Molorchus* s. str. C. G. Thoms., 1866. *Ceramb.*, *Cerambin.*, *Molorch.* 606.
- Linopodium* Fairm., ASEB. 40, 1896, 369 (*L. acutipennis* Fairm. 1896) 1913:2 (Madag.). *Ceramb.*, *Cerambin.*, *Grac.* 357.
- Linopteridius* Fairm., ASEB. 40, 1896, 370 (*L. fuscipleuris* Fairm. 1896) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Grac.* 355.
- Linosoma* Eichelb., Cat. *Staph.-Gatt.* 1909, 168 = *Linosomus* Kraatz 1857. *Staph.*, *Staphy.*, *Xanth.* 248.
- Linosomus* Kraatz, NID. II, 1857, 647 (*L. tenuicornis* Nordm. 1837) 1914:1 (Terr. cap.). *Staph.*, *Staphy.*, *Xanth.* 248.
- Linostoma* Motsch. in Schrenk's R. II, 1860, 183 = *Doryphora* III. 1807. *Chrys.*, *Chryso.*, *Chrysi.* 6.
- Linyra* Fairm., ASEB. 42, 1898, 495 (*L. lymphatica* Fairm. 1898) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Calldp.* 326.
- Liobauius* Casey, Can. Ent. 35, 1904, 316 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Liochoria* Pascoe, ANH. (4) 16, 1875, 212 (*L. Huttoni* Pascoe 1875) 1913:4 (N. Z.; Auckland). *Byrrh.*, *Byrrhi.* 15.
- Liodemus* O Horn, Rev. *Ten.* 1870, 385; Bates, EMM. 9, 1873, 235; Champ., BCA. Col. IV, 1, 1886, 205 (*L. laeve* [Haldeim.] 1848) 1913:13 (Am. b. etc.). *Ten.*, *Diaper.* 628.
- Lioderes* Ganglb., Best.-Tab., VII, 1882, 72 (750); *Schaufuß* in Calwer, (853) = *Leioderus* Redt. 1845 = Subg. ad *Phymatodes* Muls. 1839. *Ceramb.*, *Cerambin.*, *Callid.* 785.
- Lioderes* Redt., Gutfl.-B., 575 = *Leioderes* Redt. *Ceramb.*, *Cerambin.*, *Callid.* 785.
- Lioderina* Ganglb., VzbGW. 35, 1885, 517 = Subg. ad *Phymatodes* Muls. 1839. *Ceramb.*, *Cerambin.*, *Callid.* 785.
- Lioderma* O Mars., Mon. 1857, 469; Schmidt, ENa. 15, 1889, 72; Bickh., EBl. 6, 1910, 226 = Subg. 2 ad *Hololepta* Payk. 1811 (*L. quadridentatum* F. 1801) 1913:27 (Am.. Afr.). *Hist.* 6.

Liogenys O Guér., Voy. Coquille, Col. 1838, 83; **Burm.**, Hd. E. IV, 2, 1855, 12; **Lac.**, III, 268; **J. Lec.**, PAcPhil., 1873, 329; **Bates**, BCA.Col. II, 2, 2, 1887, 155 (*L. palpalis* [Eschsch.] 1822) 1913:28 (Mex., Am. c., mer.). **Scar.**, *Melth.*, *Macrod.* 455.

Liogramma O Bates, ANH. (4) 14, 1874, 18 (*L. zelandicum* [Blanch.] 1853) 1913:1 (N. Z.). *Ceramb.*, *Cerambin.*, *Hesprph.* 181.

Liogigus Casey, Mem. Col. 3, 1912, 60 (*L. striolatus* Casey) 1913:4 (Am. b.) *Byrrh.*

Liomela Ws., ArN. 78, 1912, I, 2, 84 (*L. splendida* Ws. 1912) 1916:1 (Afr. or.-germ.). *Chrys.*, *Chryso.*, *Phaedon*. 60.

Lionota Mars., Mon. 1853, 196 = *Liederma* Mars. 1857 = Subg. 2 ad *Hololepta* Payk. 1811. *Hist.* 6.

Lioolius O Gorh., BCA.Col. III, 2, 1880/6 (1883), 203 (*L. punctatus* Gorh. 1883) 1913:6 (Am. c.). *Anob.*, *Dorcat.* 67.

Lioon Casey, Mem. Col. 3, 1912, 67 (*L. speculare* Casey 1912) 1913:2 (Am. b.) *Byrrh.*

Lioplacis Chevr., Dict. univ. III, 1843, 656 (*Leioplacis*); *Stål*, Mon. III, 1865, 312; *Chap.*, X, 435 (*L. elliptica* et *paupera* Stål 1860) 1916:2 (Bras.; Montevideo). *Chrys.*, *Chryso.*, *Dicran.* 72.

Lioplectus Raffr., Rev. d'E. 17, 1898, 260; ASEFr. 72, 1903, 530; GIW. *Psel.* 1908, 99 t. 1 f. 12 (*L. nitidus* Raffr. 1898) 1913:6 (Arg. 5, Am. mer.: Pampas). *Psel.*, *Psel.*, *Euplect.* 111.

Lioprosodes Reitt., Mon. II, 121, 160 = Subg. ad *Prosodes* Eschsch. 1829. *Ten.*, *Blapt.* 390.

Liopygus Lewis, ANH. (6) 8, 1891, 385 (Typ.?: *L. decemstriatus* [Motsch.] 1863) 1913:11 (As. mer., Ceyl., Sum., Mentawai). *Hist.* 19.

Lioschema O Fairm. et Gemm., Col. Chilensis II, 1861 (*L. rubrovarium* Fairm. 1861, *xacarillum* [J. Thoms.] 1856) 1913:2 (Chile). *Nit.*, *Cryptar.* 151.

Liostylus Fairm., ASEFr. (6) 6, 1886, 62; Schklg., GIW. *Cler.* 1903, 19 (*L. anthicoides* Fairm. 1886, *stricticollis* Fairm. 1886) 1913:12 (Madag., St. Marie de Madag.). *Cler.*, *Cleri.*, *Till.* 32.

Liothorax Motsch., Etud. E. 8, 1859, 156; *Muls.* HN. Col. Fr. *Lamell.* (*Nialus*) 216; Reitt., (*Nialus*) Tab., 63; VN. 30, 201; A. Schmidt, Tab. *Aphod.* 19 et 41 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.

Liozoum Muls. et Rey, Op. E. XIII, 1863, 92; Téréd. 1864, 29 et 133 = *Ernobia* Thoms. 1859. *Anob.*, *Ernob.* 17.

Liparetra Hope, Col. Man. I, 1837, 108; Blackb., TRS. South Austral. 29, 1905, 282 = *Liparetrus* Guér. 1830. *Scar.*, *Melth.*, *Lipar.* 169.

Liparetrus O Guér., Voy. Coquille, Col. 1830, 90; **Burm.**, Hd. E. IV, 2, 1855, 193; M'Leay, PLSNSW. (2) I, 1886, 807—852 (*L. discipennis* Guér. 1830, *monticola* ? ([F.] 1775) 1913:120 (Austral., Tasm.). *Scar.*, *Melth.*, *Lipar.* 169.

Liparochirus Péring., T.SAfr. Phil. S. 12, 1901/3 Cat. 1901, 370, 435; A. Schmidt, GIW. *Aphod.* 1910, t. 3 f. 37 = *Simogonius* Har. 1871. *Scar.*, *Aphod.*, *Eupar.* 23.

Liparochrus O Er., NID. III, 1848, 925; Westw., TESL. (2) II, 1852, 68; Borre, ASEB. 30, 1886, 61 (Typ.?: *L. geminatus* Westw. 1852) 1913:20 (Austral.; Nov. Guin.). *Scar.*, *Hybos.* 1.

Liparoderus Laf., Mon. 1848, 184, 229; Schaufuß in Calwer, (747) = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19

- Liparopeplus* Murr., Mon. 1864, 287, 306 = Subg. ad *Brachypeplus* Er. 1842. *Nit.*, *Carpophil.* 24.
- Liparthrum* ♀ Woll., Ins. Mader. 1854, 294; Aubé, ASEFr. (4) II, 1862, 388; Lac., VII, 1866, 376; Ferrari, Borkenkäf., 1867, 18; Eichh., Rat. Tom. 1879, 117; Eur. Borkenk. 1881, 169; Reitt., Best.-Tab. 1894, 55; Trédl., EBl. III, 1907, 13; Barbey, Scol.; Schaufuß in Calwer, 1227; Kuhnt, 1045 (*L. curtum* Woll. 1854) 1913:16 (Eur., Ins., Canar., Tiflis). *I.p.*, *Hyles.* 30.
- Lipaspis* ♀ Woll., TESL. (3) I, 1862, 140; Reitt., VN. 14, 1876, 27 (*L. caulincola et lauricola* Woll. 1862) 1913:3 (Teneriffa). *Nit.*, *Temn.*, *Temno.* 16. Biol.: Eggers, Naturw. Z. f. Land-u. Forstw. IV, 1906, 239.
- Lipiarcha* Sharp, BCA.Col. II, 1, 1881, 385 (*L. omositooides* [Reitt.] 1873) 1913:1 (Mex., Guatém.). *Nit.*, *Cryptar.* 147.
- Lisa* Haag, Jo. Mus. Godeffr. 14, 1879, 134 nota = Subg. von *Homotrysis* Pasc. 1866. *All.*, *Allec.* 50.
- Lispinodes* Sharp, TESL. 1880, 54 (*L. explicandus* Sharp 1880) 1910:17 (Birma, Ins. Sund. [excl. Cel.?]; Ind. or., Am., Ins. Haw. 10; Bras., Arg.). *Staph.*, *Oxyt.*, *Piest.*, *Lisp.* 19.
- Lispinus* O Er., Gen. *Staph.* 1839—40 (1840), 828 (*L. attenuatus* Er.: 1840) 1913:94+2 *brasiliensis*; Brnh., Bras. +1 (*sericeiventris*. Brnh.: Sum., + 1 var. = sp.!) (in omn. part. omn. terr.). *Staph.*, *Oxyt.*, *Piest.*, *Lisp.* 21.
- Lissapterus* O Deyr., TESL. 1870, 98 (*L. pelorides* Westw. 1855) 1913:2 (Austral., Sin. Moreton). *Luc.*, *Dorc.* 58.
- Lissaunicus* Waterh., Cist. E. II (1879), 532; Schklig., BMHNP. 8, 1902, 326; GIW. Cler. 1903, 57 (*L. laevis* Waterh. 1879) 1913:3 (Madag.). *Cler.* *Cleri.*, *Clerin.* 106.
- Lissobiops* Casey, T.Ac.St.Louis XV, 1905, 25, 50 = Subg. ad *Cryptobium* Mannerh. 1830. *Staph.*, *Paed.*, *Paedi.* 233.
- Lissochila* O Ws., DEZ. 1897, 118, 119 = Subg. 2 ad *Anisodera* Baly 1858. (Typ.?: *L. lucidiventris* Guér. 1840) 1913:23. (As. mer., Ins. Sundaic. magn.). *Chrys.*, *Hispa.*, *Anisod.* 48.
- Lissoclastus* Schaufuß, Ins.-Börse 1905, 71 (*L. pimeloides* Schaufuß 1905) 1913:1 (Camerun.). *I.p.*, *Hyles.* 33.
- Lissonyphus* Casey, T.Ac.St.Louis XVI, 1906, 398 (*L. texanus* Casey 1906) 1914:1 (Texas). *Staph.*, *Staphy.*, *Xanth.* 259.
- Lissonototypus* Gemm. et Har., Cat. Col. IX, 1873, 2982 = *Lissonototypus* J. Thoms. 1864. *Ceramb.*, *Cerambin.*, *Lissnt.* 1018.
- Lissonotus* O Dalm. in Schönh., Synon. Ins. I, 3, 1817, 364 (Typ.?: *L. bivittatus* Dalm. 1817, *equestris* [F.] 1787, *flabellicornis* Germ. 1842) 1913:19 (Pan., Col., Ven., Am. c., Bras., Arg. 1). *Ceramb.*, *Cerambin.*, *Lissnt.* 1017.
- Lissonotypus* J. Thoms., Syst. Cer. 1864, 211 (*L. quadrisignatus* [Buq.] 1860) 1913:2 (Bras.). *Ceramb.*, *Cerambin.*, *Lissnt.* 1018.
- Lissosternus* O Lewis, ANH. (7) 16, 1905, 347 (*L. gracilipes* Lewis 1905) 1913:1 (Bras.). *Hist.* 70.
- Lissotes* O Westw., TESL. 1855, 213; Parry, op. c. 1873, 340 (*L. cancroides* [F.] 1787) 1913:29 + 7 (Austral., Tasm., N. Z.). *Luc.*, *Dorc.* 60.
- Lissozodes* O Bates, TESL. 1870, 408 (*L. basalis* [White] 1855) 1913:1 (Amaz.: Ega). *Ceramb.*, *Cerambin.*, *Rhopal.* 897.
- Listemus* Casey, Mem. Col. 3, 1912, 11 (*L. formosus* Casey 1912) 1913:2 (Cal.). *Byrrh.*
- Listriophorus* O Schaufuß, Nunquam ot. II, 1872, 289; Raffr., Rev. d'E. 9, 1890, 131; ASEFr. 73, 1904, 302;

- GIW. *Psel.* 1908, 298 (*L. felix* Schaufuß 1872) 1913:1 (Mex.). *Psel.*, *Psela.*, *Goniac.* 317.
- Listrocerum* Chevr., Rev. Zo. (2) VII, 1855, 283 = *Psathyrus* Thoms. 1857. *Ceramb.*, *Cerambin.*, *Oem.* 72.
- Listrochelus* O Blanch., Cat. Coll. E. Col. I, 1850, 141; *Lac.*, III, 287; J. Lec., JoAcPhil. (2) 3, 1856, 262; Horn, TAmES. 7, 1878, 137; Bates, BCA. Col. II, 2, 1888, 170 (*L. Laportaei* Blanch. 1850; *mucoreus* [Germ.] 1824) 1913:28 (Am. b.: Civ. confoed. mer., Cal., Tex., Mex.). *Scar.*, *Melth.*, *Melthi*. 309.
- Listromeloe* Reitt., F. Germ. 3, 1911, 390; Schaufuß in Calwer, (752) = Subg. *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi*. 53.
- Listronyx* Guér., Rev. Zo. 1839, 302 = Subg. ad *Sericodes* Guér. 1839. *Scar.*, *Melth.*, *Lipar*. 212.
- Listroptera* O Serv., ASEFr. III, 1834, 71; Cast., HN. II, 1840, 439 (*L. tenebricosa* [Ol.] 1790) 1913:4 (Am. c., Nicar., Ven., Bras., Peru). *Ceramb.*, *Cerambin.*, *Cleom.* 886.
- Litasida* Casey, Mem. Col. 3, 1912, 184 (*L. townsendi* Casey 1912) 1913:1 (Mex.). *Ten.*, *Asid.* 286, 2.
- Litheleodes* Blaasd., Mon. 1909, 34 sq. = Subg. ad *Eleodes* Eschsch. 1829. *Ten.*, *Eleod.* 392.
- Lithoblaps* Motsch., B. Ac. Petr. II, 1860, 532; Allard, ASEFr. 1881; 151; Seidl., F. Ba. ed. II, 1891, 513 = *Blaps* F. 1775. *Ten.*, *Blapt.* 391.
- Lithocaon* Sharp, BCA. I, 2, 1882/87 (1886), 555 (*L. sparsus* Sharp 1886) 1913:2 (Mex., Pan.). *Staph.*, *Paed.*, *Paedi.* 202.
- Lithocharis* Boisd. et Lac., F. E. Paris I, 1835, 431; Sharp, TESL. 1876, 254; Ganglb., KäfMEur. II, 1895, 524; Schaufuß in Calwer, 180; Kuhtn, 165, 219 (*L. ochraceus* [Grav.] 1802) = Subg. 18 ad *Medon* Steph. 1832 1913:60+1 (*biseriata* Er. [i. l.?]: Bras.) (Eur., As., Afr., Am., Austral., Ins.). *Staph.*, *Paed.*, *Paedi.* 199, 18.
- Lithocharis* Er., KäfMaBr. 1837—39 (1839) 511; Gutfl.-B., 154; Kraatz, NID. II, 1856/58, 710; Jacq. du Val, 1857/59; Fauv., F. gall. rhén. 1872 (ex p.); Sharp, BCA. I, 2, 1886, 549 = *Medon* Steph. 1832. *Staph.*, *Paed.*, *Paedi.* 199.
- Lithocharodes* Sharp, TESL. 1876, 204; Casey, T.Ac.St.Louis XV, 1906, 409 (*L. fuscipennis* Sharp 1876; *nigripennis* et *ruficollis* [J. Lec.] 1863) 1914:16 (Am. c., mer.-trop.; La., Tex., Mex.). *Staph.*, *Staphy.*, *Xanth.* 249.
- Lithoptera* Motsch. in Schrenck's R. II, 1860, 210; Mars., Abeille 24, 1886, 162 = *Chrysomela* L. 1758. *Chrys.*, *Chryso.*, *Chrysi*. 24.
- Litoborus* O Muls. et Rey, Mém. Ac. Linn. Lyon 1854, 270; Opusc. E. V, 1854, 126; *Lac.*, V, 247; Jacq. du Val, III, 276; Seidl., NID. V, 1893, 385; Reitt., Best.Tab. 53, 1904, 108, 112; Schaufuß in Calwer, 570 (*L. planicollis* [Waltl] 1835, *L. moreleti* [Luc.] 1849) 1903:5 (Hisp., Alg., Mar., Lus., Sic.). *Ten.*, *Opatr.* 499.
- Litocoris* Waterh., ANH. (6) 8, 1891, 53 = *Copris* Geoffr. 1762. *Scar.*, *Copr.*, *Copri.*, *Coprid.* 79.
- Litolathra* Casey, T.Ac.St.Louis XV, 1905, 71, 93 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Litomeces* Murr., ANH. (4) 6, 1870, 53 (*L. splendidus* Chevr. 1858) 1913:1 (Calab. veter.). *Ceramb.*, *Cerambin.*, *Callichr.* 745.
- Litopus* O Serv., ASEFr. II, 1833, 563; Jord., NoZo. I, 1894, 180 (*L. violaceus* Serv. 1833) 1913:18 (Afr. trop. et mer.). *Ceramb.*, *Cerambin.*, *Callichr.* 738.
- Litorimus* = *Littorimus* O Des Gozis, Rev. d'E. IV, 1885, 120; Horn, TAmES. 17, 1890, 4; Ganglb., Käf.

- MEur. IV, 1, 1904, 131; **Schaufuß** in Calwer, 588; **Kuhnt**, 599 = Subg. 2 ad *Heterocerus* F. 1792 (Typ. ?; *L. flavidus* [Rossi] 1794 etc.) 1913:30 (Eur., Medit.; As.; Afr.: Aeg.). *Het.* 2. *Litororus* Reitt., Best.-Tab. 53, 1904, 96; **Schaufuß** in Calwer, 799 = Subg. ad *Phylon* Steph. 1832. *Ten.*, *Pedin.* 451.
- Liusus* Sharp, ANH. (6) III, 1889, 116 (*L. Hilleri* Ws., DEZ. 21, 1877, 93) 1914:1 (Jap.). *Staph.*, *Staphy.*, *Staphyl.*, *Xantho*. 345.
- Lixionica* Blackb. in Horn, Exped. 1896, 281 (*L. costatipennis* Blackb. 1896) 1910:1 (Austral. c.). *Lagr.* 39? (inc. sed.).
- Lobarthron* Sem., HoR. 34, 1900, 333 (*L. Balassoglooi* [B. Jakowl.] 1885) = ref. ad *Prionus* F. 1775. 1913:1 (Turk. occ. ross.). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni*. 72.
- Lobelmis* Fairm., ASEB. 42, 1898, 467; ASEFr. 75, 1906, 317, 329 = *Lophelmis* Fairm. 1898. *Dryop.* 50.
- Lobetas* Motsch., BMosc. 45, 1872, II, 26 = *Hipalmus* Bates 1870. *Ten.*, *Tenebr.* 798.
- Lobodera* Muls. et Rey, M. Ac. Linn. Lyon IX, 1859, 80; Opusc. E. X, 1859, 18 = *Lobothorax* Gemm. 1870. *Ten.*, *Opatr.* 537.
- Lobogeniates* O Ohs., StEZg. 78, 1917 p. 28 fig. 1 (*L. signatus* et *collaris* [Burm.] 1844) 1918:22 (Bras., Ec. or., Peru or., Par., Cayenne). *Scar.*, *Rut. orth.*, *Geniat.* 158.
- Loboglossa* O Sol. in Gay, H. Chile V, 1851, 254; Lac., V, 702 et 718; Seidl., NID. V, 727 (*L. variipennis* Sol. 1851) 1915:1 (Chile, Chiloe). *Oed.* (pos. inc.) 69.
- Lobometopon* O Cas., Rev. Mon. 1907, 379, 385 (cf. BCA. Col. IV, 1, 1884!)
- (Typ. ?; *L. aeratum*, *aurichalceum* [Champ.] 1884, *L. aberrans* Cas. 1907, *L. ovale* [Cas.] 1884, *plumbeum* [Lec.] 1866) 1913:35 (Am. c., Mex., Kansas, Ariz. etc.). *Ten.*, *Epitrag.* 62. *Lobophilomorphus* Pic, Echange 27, 1911, 183 (*L. rugicollis* Pic [*Lobophilus* (?*Lophophyllus*)] 1890). 1913:1 (—). *Lagr.* Stat. 26a.
- Lobopoda* Sol., ASEFr. 4, 1835, 233; Lac., V, 1859, 500; Champ., BCA. Col. IV, 1, 1884/93, 386 et 387; Casey, AN YAcSc. 1891, 77 (*L. pallicornis* [F.] 1801) 1913:68 (Am., praecipue Am. c.). *All.*, *Allec.* 24.
- Lobostoma* Fairm., Rev. d'E. 11, 1892, 90 = *Amphicrossus* Er. 1843. *Nit.*, *Nitid.* 103.
- Lobothorax* Gemm., Col. Hfte. VI, 1870, 124; Reitt., Best.-Tab. 53, 1904, 160; **Schaufuß** in Calwer, (802) (Typ. ?; *L. altaicus* [Gebl.] 1830) 1913:32 (As. c.). *Ten.*, *Opatr.* 537.
- Lobrathium* Muls. et Rey, ASLLyon 24, 1877, 129, 78; **Schaufuß** in Calwer, 184; **Kuhnt**, 221 = Subg. ad *Lathrium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Locrodes* Cas., Rev. Mon. 1907, 332 = Subg. ad *Hylocrinus* Cas. 1907. *Ten.*, *Eurymet.* 23.
- Lodinus* Muls. et Rey, ASAgr. Lyon, 1859, 195; Opusc. E. IX, 1859, 131 = *Blapstinus* Latr. 1829. *Ten.*, *Pedin.* 472.
- Loedelia*¹⁾ nom. nov. R. Luc. pro *Necroboides* Gah. 1910 nec Fairm. 1882.
- Loensus*²⁾ nom. nov. R. Luc. pro *Pedionopsis* Gebien 1910 nec Raffr. 1890.
- Logaeus* O C. O. Waterh., ANH. (5) 7, 1881, 458; Gah., F. Brit. Ind. Col. I, 1906, 19; Lmr., ASEB. 54, 1910, 282 (Rév., 711) (*L. subopacus* C. O. Waterh. 1881) 1913:1 (Ind.

¹⁾ Nota. Dedit. avunculo meo Fr. Loedel (†) (Welbsleben., region. mont. Mansfeld.).

²⁾ Nota. „Herm. Loens“ (*29.VII 1866, † pro patria 24 [26, 27?] IX. 1914) venatori — investigatori — poetae celeberrimo dedic. (cf. notam p. 294).

- mer.). *Ceramb.*, *Prion.*, *Prionin.*, *Derobr.* 66.
Loganius O **Chap.**, *Syn. Scol.* 1873, 260; **Schwarz**, *PESWash.* 3, 1894, 44; **Bldt.**, *BCA. Col. IV*, 6, 1896, 128; **Swaine**, *Cat. Scol. N. Am.* 1090, 126 (*L. flavicornis* **Chap.** 1873) 1913:8 (Am. c., Fla., Arg.). *Ip.*, *Ecc.* 95.
Logisticus O **Waterh.**, *Cist. E. II*, 1878, 290 (*L. rostratus* **Waterh.** 1878) 1913:7 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 489.
Lonchophorus **Germ.**, *Insect. sp. nov.* 1824, 106 = *Phanaeus* **M'Leay** 1819. *Scar.*, *Copr.*, *Copri.*, *Phan.* 85.
Loncovilius **Germain**, *A. Univ. Chile* 113, 1903, 51 = Subg. ad *Quedius* **Steph.** 1832. *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 383.
Longipalpus **Montrz.**, *ASEFr.* (4) X, 1861, 275 (*L. palazyanus* **Montrz.** 1861) 1913:1 (Ins. Lifu). *Ceramb.*, *Cerambin.*, *Obri.* 375.
Lophalia **Casey**, *Mem. Col.* 3, 1912, 335 (*L. [Sphenothecus] cribricollis* [Bates] 1892) 1913:1 (Mex.). *Ceramb.*, *Cerambin.*, *Stenasp.* 888a.
Lophea O **Baly**, *JoE. II*, 1865, 441; *Chap.*, X, 1874, 316; *Leiv.*, *MSLiége* (2) 11, 1885, 117; *Jac.*, *F. Ind. Col.* II, 1908, 462 (*L. melancholica* **Baly** 1865) 1914:1 (Birma). *Chrys.*, *Eumolp.*, *Myochr.* 218.
Lophelmis O **Fairm.**, *ASEB.* 42, 1898, 467 (*L. cucullata* **Fairm.** 1898) 1913:3 (Madag.[2], Kilimandjaro[1]). *Dryop.*, *Helmi.*, *Helmi.* 50.
Lophobythus **Raffr.**, *GIW. Psel.* 1908, 287; **Schaufuß** in Calwer, 250 (Typ. ?; *L. cristatus* [*Sauley*] 1872, *L. Bonvouloiri* [*Sauley*] 1865) 1913:2 + ? 1 (Gall. mer., Pyren. or., Ariège, Ins. Lissa). *Psel.*, *Psel.*, *Tych.* 305.
Lophoglagria **Borchm.**, *ArN.* 81, 1915 (1916) A. 6, 48, 97 (*L. amoena* [*Fährs.*] 1870) 1916:1 (Afr. or. et mer.). *Lagr.*, *Lagri.* 7a.
Lophocateres ♀ Olli., *TESL.* 1883, 180; *Cist. E. III*, 1883, 58; **Schaufuß** in Calwer, 413; **Kuhnt**, 473, 474.—**Biol.**: **Rey**, *BSEFr.* 1888, p. XXXVIII; (*L. pusillus* [Klug]) 1913:5 (Ga., Bras.; Born., Penang.; Madag., Alg.; Cosmop.). *Temn.*, *Ostom.* 37.
Lophocnemis O **Mäkl.**, *Mon.*, 1864, 397; *Acta S.Fenn.* 8, 1, 1867, 505 (*L. amabilis* **Mäkl.** 1864) 1913:1 (Phil. Ins.). *Ten.*, *Strongyl.* 1174.
Lophocrotaphus **Gorh.**, *ANH.* (7) 8, 1900, 42 (*L. guinensis* **Gorh.** 1900) 1913:1 (Afr. occ.). *Erot.*, *Triplac.* 42.
Lophoma **Sol.**, *ASEFr.* IV, 1835, 287 **Schaufuß** in Calwer, 793 = *Pachychile* **Eschsch.** 1831. *Ten.*, *Tentyr.* 133.
Lophonocerus **Latr.**, *Crust. Arachn. Ins.* II, 1829, 112; *Serv.*, *ASEFr.* III, 1834, 33; **J. Thoms.**, *Class. Cer.* 1860, 207; *Syst. Cer.* 1864, 459 = *Batus* **Thunb.** 1822. *Ceramb.*, *Cerambin.*, *Sterna.* 943.
Lophophyllus O **Fairm.**, *Nat.* 9, 1887, 71; *ASEB.* 40, 1896, 357 (*L. costipennis* **Fairm.** 1893) 1913:3—1 (cf. *Lophophilomorphus* cf. P. II) (Madag.). *Lagr.*, *Stat.* 26.
Lopioptera Er. in *Germar.*, *ZE.* IV, 1843, 291 (*L. cimicina* Er. 1843 et *nigromaculata* [*Blanch.*] 1842) 1913:19 (Am. b.: Civ. confoed.; Am. c. et mer.). *Nit.*, *Nitid.* 85.
Loraphodius **Reitt.**, *Tab.*, 49; *VN.* 30, 187; **A. Schmidt**, *Aphod.*, 18 et 31; **Schaufuß** in Calwer, 1282 = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
Lordites Er. in *Germar.*, *ZE.* I, 1843, 316 = *Lasiodactylus* **Perty** 1830/34. *Nit.*, *Nitid.* 137.
Lordithon C. G. **Thoms.**, *Sk. Col.* III, 1861, 171; **Schaufuß** in Calwer, 208 = Subg. ad *Bolitobius* **Mannerh.** 1830. *Staph.*, *Tach.*, *Bolit.* 417.
Lorditomaeus O **Pering.**, *T.SouthAfr. Phil.S.* 12, 1901/3, *Cat.* 1901, 370,

- 436/8; **A. Schmidt**, SteZg. 69, 1908, 231—240; GIW. 1910, 10 et 92/3, t. 2 (*L. deplanatus* [Roth] 1851) 1913:10 (Afr. trop.). *Scar.*, *Aphod.*, *Aphodi.* 10.
- Lordyrodes* Reitt., *Nitid.* Japans 181, 1884, 264 et 267; 1885, 43 (*L. latipes* Reitt. 1884) 1913:1 (Jap.). *Nit.*, *Nitid.* 134.
- Lordyrops* Reitt., VN. 13, 1875, 106, (sep. 10) (*L. Deyrollei* Reitt. 1875) 1913:1 (Bras.). *Nit.*, *Nitid.* 133.
- Lorelopsis* O Champ., TESL. 1896, 15 (*L. pilosus* Champ. 1896) 1913:1 (St. Vinc.). *Ten.*, *Tenebr.* 850.
- Lorelus* Sharp, EMM. 13, 1876, 76 (*L. priscus* Sharp 1876) 1913:14 (N.Z., N. Caled., St. Vinc.). *Ten.*, *Tenebr.* 849.
- Lostrocerum* Chevr., Rev.Zo. (2) 7, 1855, 284 = *Psathyrus* J. Thoms. 1857. *Ceramb.*, *Cerambin.*, *Oem.* 72.
- Loxopyga* Westw. in Guérin, MaZo. II 1833, Cl. IX = *Bolax* Fisch. 1829. *Scar.*, *Rut. orth.*, *Geniat.* 151.
- Lucanus* L. Syst. Nat., ed. X, 1758; Gutfl.-B., 299; Schaufuß in Calwer, 1252; Kuhnt, 379 = *Lucanus Scop.* 1763. *Luc.*, *Luca.* 14.
- Lucanus* O Scop., Entom. Carniol. 1763, 1; Planet, Essai Mon. Paris 1898 (*L. cervus* [L.] 1735) 1913:26 + 3 (Eur., As.). *Luc.*, *Luca.* 14.
- Lucanus* Laxm., Nov. Comm. Acad. Petrop. XIV, 1770, 59 = *Lethrus Scop.* 1777. *Scar.*, *Geotr.*, *Lethr.* 18.
- Lucasianus* O Pic, Longic. I, 1891, 42; VI, 1, 1906, 14; Schaufuß in Calwer, 848 (*L. Levaillanti* [Lucas] 1849) 1913:1 (Alg.). *Ceramb.*, *Cerambin.*, *Saph.* 37.
- Lucernuta* O Cast., ASEFr. II, 1833, 143; Motsch., Etud. E. 1852, 39; Lac., IV, 1857, 317; Ern. Oliv., GIW. Lamp. 1907, 24 (*L. analis* et *L. bicolor* Java) [F. 1801] 1913:42 + 1 (As. [Ch. etc.] Born., Sum., Bras. [2.]). *Lamp.*, *Lucid.* 20.
- Lucidina* O Gorh., TELS. 1883, 408; Ern. Oliv., GIW. *Lamp.* 1907, 24 (*L. biplagiata* [Motsch.] 1866) 1913:3 (Jap.). *Lamp.*, *Lucid.* 19.
- Lucidota* O ASEFr. II, 1833, 136; Motsch., Etud. E. 1852, 41; Ern. Oliv., GIW. *Lamp.* 1907, 18 (*L. pectinata* [F.] 1775) 1913:114 + 9 (Am., plerumque Am. m.). *Lamp.*, *Lucid.* 15.
- Lucio* Cast., ASEFr. II, 1833, 135; Motsch., Etud. E. 1852, 38; Ern. Oliv., ASEFr. (6) V, 1885, 128; GIW. *Lamp.* 1907, 9 (*L. abdominalis* Cast. 1833) 1913:12 + 5 (Am. mer.). *Lamp.*, *Lampr.* 7.
- Luciola* O Cast., ASEFr. II, 1833, 146; Lac., IV, 1857, 335; Motsch., Etud. E. 1852, 52; Ern. Oliv., Ab. 22, 1884, 44; GIW. *Lamp.* 1907, 50; Schaufuß in Calwer, 359, 362; Kuhnt, 442 (*L. chinensis* [L.] 1767) 1913:170 + 13 (Arch. malay. et austral., Nov. Guin. mer., Eur.). *Lamp.*, *Luci.* 43.
- Ludibrius* Des Gozis, Recherch. esp. typ. 1886, 33 = *Melolontha* F. 1775. *Scar.*, *Melth.*, *Melthi.* 367.
- Ludyella* O Reitt., WEZg. 18, 1899, 283 (*L. corticariiformis* Reitt. 1899) 1913:1 (Hisp.). *Dryop.*, *Helm.*, *Helmi.* 57.
- Lutera* O Westw., TESL., 1875, 236 (*L. luteola* Westw. 1875) 1913:4 (Himal., Siam, Nicobar., Sum., Jav., Born., Adonara, Tonkin, Lakhon, Phil. Ins., Cel., Minahasa). *Scar.*, *Rut. hom.*, *Ruti.*, *Rutin.* 44.
- †*Lutrochites* O Wickh., B. Univ. Iowa Lab. 6, No. 3, 1912, 16 (*L. lecontei* Wickh. 1912) 1913:1 (Miocän.: Colorado). *Dryop.*
- Lutochrous* O Er. = *Lutrochus* Er., NID. 3, 1847, 509; Lac. II, 503; Lee. 1861, 117; Horn, TAmES. 3, 1870, 31; Grouv., ASEFr. 1896, 16 (*L. pilula* Er. 1847) 1913:8 (Bras., Ven., Cuba, Tex., Bol., Civ. confoed.). *Dryop.*, *Dryopi.*, *Dryopin.* 16.

- Lybanoides* BCA.Col. VII, 1888, 77 (*L. castaneus* Gorh.) 1913:1 (Nicaragua). *Erot.*, *Triplac.* 52.
- Lybas* O Lac., *Erot.*, 228 (pars); *Chap.* XII, 44; *Crotch.*, 95; *Gorh.*, BCA. Col. VII, 1888, 75 (Typ.?) *L. ferrugineus* [Ol.] 1807) 1913:20 (Mex., Bras., Am. mer.-trop.). *Erot.*, *Triplac.* 61.
- Lycanthropa* O J. Thoms., Mus. scient. 1860, 20; *Haag*, BEZ. 19, 1875, 398 (Mon.) (*L. cimicoides* [Quens.] 1806) 1913:6 (Terr. Cap. 5, Terr. Somal. 1). *Ten.*, *Eurych.* 212.
- Lycaria* Chap. X, 1874, 420 = *Lygaria* Stål 1857. *Chrys.*, *Chryso.*, *Phylloch.* 99.
- Lychnacris* Motsch., Etud. E. 1852, 33 = *Hyas* Cast. 1833. *Lamp.*, *Lampr.* 8.
- Lychnebius* Motsch., Etud. E. 1857, 45 = *Diaphanes* Motsch. 1852. *Lamp.*, *Lampi.* 32.
- Lychnocrepis* Motsch., Etud. E. 1852, 26 et 33 = *Lucernuta* Cast. 1833. *Lamp.*, *Lucid.* 20.
- Lychnogaster* Motsch., Etud. E., 1852, 28 sq. = *Lucidota* Cast. 1833 part. *Lamp.*, *Lucid.* 5.
- Lychnuris* O Ern. Ol., GIW. *Lamp.*, 1907, 22 (*L. rufa* [G. A. Oliv.] 1790) 1913:9 (Cuba [7], S. Domingo [2]). *Lamp.*, *Lucid.* 17.
- Lychnuris* Motsch., Etud. E. 1852, 28 sq. = *Lucidota* Cast. 1833 part. *Lamp.*, *Lucid.* 15.
- Lycidius* Leach in Dej., Cat. ed. 3, 1837, 73 = *Pinophilus* Grav. 1806? *Staph.*, *Paed.*, *Pinoph.*, *Pinophi.* 157.
- Lycoïdes* ?? (*L. chrysomelas* Montr., ASAGr.Lyon 1857, 78) 1913:1 (Ins. Woodlark). *Lamp.* in sedis (55).
- †*Lycoperdina* O* Latr., G. Crust. et Ins. III, 1807, 73; Cuv., Règne anim. 2. ed. V, 1829, 160; *Muls.*, HN.Col. Fr. *Securip.*, 1846, 20; *Redt.*, F. Austr. 1849, 51, etc.; *Gerst.*, Mon. *Endom.* 1858, 208; *Gutfl.-B.*, 655; *Fairm.* in *Jacq. du Val*, G.Col.d'Eur.
- 4, 1868, 276 et 279; *Mars.*, Ab. V, 1868/69, 88; *C. G. Thoms.*, Sk. Col. V, 1863, 304; *Seidl.*, F. Ba. Gatt. 1888, Gatt. p. 46, Spp. p. 273; F.Tr. (1889) Gatt. p. 67, Spp. p. 289; *Lee.* u. *Horn*, Class. p. 121; *Reitt.*, Vzb.GW. 29 (1880), 96; Best.-Tab. 1885, 37; DEZ. 28, 1884, 60; *Wickh.*, Can. Ent. 26, 1894, 338; *Ganglb.*, KäfMEur. III, 1899, 932; *Csiki*, Rov. Lap. 7, 1900, 149; *Schaufuß* in Calwer, 526, 527; *Kuhnt*, 561, 563 (*L. Bovistae*[F.] 1792) — 1 Subg. *Golg.* — 1913:20 (incl. 2 foss.) (Eur., Sib., Madag., Terr. cap.). *End.*, *Endo.*, *Lycop.* 47.
- Biol.: *Dufour*, ASEFr. 1854, 647.
- Lycopeltis* Casey, AN YAc. 1890, 311 et 494 (Col. Not. II) (*L. villosa* Casey, 1890) 1913:1 (Carol. mer.). *Temn.* inc. sedis (47).
- Lycosomus* O Aur., ETi. 24, 1903, 265 (*L. mirabilis* Aur. 1903) 1913:1 (Camerun.). *Ceramb.*, *Cerambin.*, *Dorcas.*! 573.
- Lycosoma* Lewis, ANH. (6) 10, 1892, 192; *Schklg.*, GIW. *Cler.* 1903, 54 (*L. parallelum* Lewis 1892) 1913:1 (Japon.). *Cler.*, *Cleri.*, *Clerin.* 103.
- Lycetus* F., Ent. Syst. II, 2, 1792, 502; Suppl., 177; Syst. El. II, 1801, 560 (pars); *Payk.*, F. Suec. 3, 1800, 326 (pars); des *Gozis*, Rech. de l'esp. typ. 1886, 11; *Schaufuß* in Calwer, 715; *Kuhnt*, 666 = *Rhizophagus* Herbst 1793 (nom. emend. 1844). *Rhiz.* 3.
- Lydoceras* O Mars., Abeille VII, 2, 1870, 12 (*L. fasciata* [F.] 1775) 1913:5 (Arab., Aeg., Afr. or., Ind. or.?). *Melo.*, *Lytt.*, *Mylab.* 15.
- Lydoenias* Reitt. 1894 = *Lydulus* Sem. 1893. *Melo.*, *Lytt.*, *Lytti.* 31. — cf. P.II.
- Lydomorphus* Fairm. in Révoil, Faune et Flore Comal. Col., 1882, 85 (*L. cinnamomeus* Fairm. 1882) 1917:1 (Terr. Somali). *Melo.*, *Lytt.*, *Mylab.* 2.

Lydulus O. Sem., HoR. 27, 1893, 265 (*L. albopilosus* Sem. 1893, *pygmaeus* Dokht.) 1917:4 (Transasp., Turemen., Ture., Kuldja). *Melo.*, *Lytt.*, *Lytti.* 31.

Lydus O. + Latr., Hist. nat. Crust et Ins. X, 1803, 392; Schaufuß in Calwer, 755; Kuhnt, 704, 708 (Type?); *L. algiricus* [L.] *syriacus* [L.] 1764, *collaris* [F.] 1787). — 2 Subgg.: *Alosimus* et *Lydus* 1 sp. — 1917:41 (Medit. usque ad As. c.). Esch. 1896. *Melo.*, *Lytt.*, *Mylab.* 3.

Umfass. Arb.: Abeille de Perrin, BS. Toulouse XIV, 1880, 246; Escherich, DEZ. 1896, 193 (Revis.); SteZg. 57, 1897, 45.

Morphol.: Bedel, BSEFr. 1910, 83.

Biol.: Cros, Feuill. jeun. Natur. 42, 1912, 78—86, 132.

Lydus i. sp. Subg. Escher. Revis. 198.

Lyeidius Leach err. typ. pro *Lycidius* Leach in Dej. Cat. Col. ed. 3, 1837 = *Pinophilus* Grav. 1806. *Staph.*, *Paed.*, *Pinoph.*, *Pinophi.* 157.

Lygaria Stål, Öfv. Vet. Ak. Förh. 14, 1857, 59; Jacoby, Nozo. I, 1894, 521; Ws., DEZ. 1895, 349; 1900, 269 (*L. Westermanni* Stål 1857) 1916:1 (Assam). *Chrys.*, *Chryso.*, *Phylloch.* 99.

Lygesis Pasc., JoE. II, 1865, 369 (*L. cylindricollis* Pasc. 1859) 1913:3 (Sin. Moreton, N.S.Wales, Queensl.). *Ceramb.*, *Ceramin.*, *Stronglu.* 416.

Biol.: Froggatt, PLSNW. (2) IX, 1894, 118.

Lygestira Pasc., JoE. II, 1866, 470; ANH. (4) 3 1869, 288 (*L. simplex* (Westw.) 1849) 1913:3. *Ten.*, *Cyphal.* 910.

Lygrus Fährs., Öfvers. Vet. Ak. Förh. 29, 1, 1872, 55 (*L. apicalis* Fährs. 1872) 1913:4 (Afr., mer. Camerun., Usambara). *Ceramb.*, *Ceramin.*, *Oem.* 79.

Lybibaemum J. Thoms., Syst. Cer. 1864, 216 = *Octoplus* Thoms. 1864. *Ceramb.*, *Ceramin.*, *Ibid.* 279.

Lymantor Löwendal, E. Meddel. 1889, 69 (pars); Nüsslin, EBl. 8, 1912, 99 —108; Schaufuß in Calwer, 1239, 1240 = *Dryocoetes* Eichh. 1864. *I.p.*, *Ipin.* 62.

Lymernaea J. Thoms., Rev. MaZo. (3) VI, 1878, 20 (*L. picta* Thoms. 1878) 1913:1 (Bras.). *Ceramb.*, *Ceramin.*, *Obri.* 377.

Lymexylon O. + F., Syst. E. 1775, Charact. Gen. p. 3 et 204; Mant. Ins. I, 1787, p. XII u. 164, E. Syst. I, 1792 etc.; Ol. E. II, 1790 nr. 25, 1; Enc. méth. 7, 1792, 597; Panz., Deutschl. Insektf. 1795, 205; Payk., F. Suec. II, 1799, 160; Latr., HNCrIns. 9, 1804, 134 etc.; Gyll., Ins. Suec. I, 1808, 314; Steph., Ill. Brit. E. Mand. 5, 1832, 62; Man. Brit. Col. 1839, 202; Rtzb., Forstins. I 1837 et 1839; Sturm, Deutschl. F. 11, 1837, 53; Curtis, Brit. E. 8 nr. 382; Cast., HNIns. Col. I, 1840, 291; Redtb., F. Austr.; Bach II, 119; Lac., II, 500; Brullé, VI, Col. III, 121; Gutfl. B., 395; Jacq. du Val, III, 207; Chenu, 222; Enc. d'HN. Col. II, 1860, Muls. et Rey, HN. Col. Fr., Diversipalp., 21; C. G. Thoms., Sk. Col. VI, 1864, 230; Seidl., F.Ba. et Tr.; Girard, Les Ins. 1873, 548; Fowler, EMM. 19, 1882, 250; Judeich u. Nitsche, 335; Everts, II, 199; Houlbert u. Bétis, Trav. Sci. Univ. Rennes 4, 1905, Suppl., 148; Jacobs., Käf. Rußl., 1905—(11), 722; Reitt., F. Germ. 3, 1911, 299; Schaufuß in Calwer, 708; Kuhnt, 662; Nüsslin, Leitf. Forstins.-Kunde ed. 2, 1913, 125 (*L. navale* [L.] 1766) 1915:3 (Eur., Madera, Asm., Am. b., Austral.). Lym. 4.

Anat.: J. Redt., Ann. Hofmus. W. I, 1886, 218 (Flgl.-Geäder).

Biol.: Liter.: vide Schkig. in Schkig. u. J., Col. Cat. P. 64, 1915, 11—12, int. alias: Judeich u. Nitsche, Forstins.-Kde. 1, Nüsslin, Leitfaden 1913.

Lymidus Fairm., Rev. d'E. 1901, 241 (*L. Coquereli* Fairm. 1901) 1914:1 (Ins. Réunion). *Chrys.*, *Eumolp.*, *Ner.* 160.

Lypestes [Baly] Clavareau, Col. Cat. P. 59, 1914, p. 181 pro *Lypesthes* Baly 1863. *Chrys.*, *Eumolp.*, *Leprot.* 128.

Lypesthes O Baly, JoE. II, 1863, 152; Chap., X, 1874, 273; Lefv., MSLiége (2) 11, 1885, 74; Jac., F. Ind. Col. II, 1908, 412 (*L. ater* [Motsch.] 1860) 1914:2 (Jap.; Birma: Ruby Mines). *Chrys.*, *Eumolp.*, *Leprot.* 128.

Lypeticus Sharp, BCA. Col. I, 2, 1882/87 (1886), 556 (*L. mundus* [Sharp] 1876, *celatus* Sharp 1886) 1913:2 (Guat., Amaz.). *Staph.*, *Paed.*, *Paedi.* 201.

Lyphia O Muls. et Rey, Opusc. E. IX, 1859, 166; ASAgr. Lyon, 1859, 230; Jacq. du Val, III, 305; Seidl., NID. V, 1894, 571; Desbr., Frelon XI, 1902, 25; Schaufuß in Calwer, 808, 811. — Biol.: Perris, Larves 1877, 283 f., 304/9; Rudow, ZN. III, 3, 242 (*L. tetraphylla* [Fairm.] 1856) 1913:7 (Ital., Alger., Shoa, Austral., Madag., Tasmania, Jap.). *Ten.*, *Uлом.* 668.

Lyprochelida O Fairm., Not. Leyd. Mus. 20, 1898, 214 (*L. purpurina* Fairm. 1898) 1913:2 (Camerun.). *Ten.*, *Heterota.* 875.

Lyrops O Hope, TZSL. I, 1835, 101; Cast., HN. II, 1840, 241; Lac., V, 1859, 397 (*L. chrysopthalmus* Hope 1835) 1913:25 (Ind., Afr. trop., N. Guin., China, Jap.). *Ten.*, *Heterota.* 873.

Lyprosodes Reitt., Mon. II, 116, 128 = Subg. ad *Prosodes* Eschsch. 1829. *Ten.*, *Blapt.* 390.

Archiv für Naturgeschichte.
1918. A. 3.

Lyramela O Gah. in Dist., Ins. Transv. 1904, 109 (*L. sulcipennis* Gah. 1904) 1913:1 (Trv.). *Ceramb.*, *Cerambin.*, *Oem.* 44.

Lysestia Pasc., JoE. II, 1865, 364 = *Neostenus* Pasc. 1857. *Ceramb.*, *Cerambin.*, *Neost.* 383.

Lystronychus O Latr., Règne anim. ed. 2, V, 1829, 41; Cast., HN. II, 1840, 244; Sol., ASEFr. IV, 1835, 240; Lac., V, 1859, 514; Champ., BCA. Col. IV, 1, 1888, 462; Casey, AN YAcSc. VI, 1891, 74 (= *Xystronia* Sol. 1835) (*L. equestris* [F.] 1775) 1913:21 (Am.). *All.*, *Allec.* 91.

Lytta O + F., Syst. Ent. 1775, 260; Guttl.-B., 440; Schaufuß in Calwer, 755; Kuhnt, 704, 708 (*L. vesicatoria* [L.] 1758) 1917:177. *Melo.*, *Lytt.*, *Lytti.* 26.

Biol.: Div. auett. in Schkig. et J. Col. Cat. P. 69, 90.

Lyttalydulus Reitt., DEZ. 1913, 662 (*L. suturalis* Reitt. 1913) 1917:1 (Jaffa). *Melo.*, *Lytt.*, *Lytti.* 29.

Lyttomyx Mars., Nouv. et Faits nr. 9 1876, 36 (*L. bilateralis* Mars. 1876) 1917:2 (Aeg., Jeddah). *Melo.*, *Lytt.*, *Lytti.* 38.

Macellidiopygus Goun., BMHNP. 1913, 204 (*M. debilis* Goun. 1913) 1913:1 (—). *Ceramb.*, cf. P. II.

Macellocerus O Sol., Stud. E. 1848, 154 (8), 263 (117) (*M. acuminatus* [Kl.] 1833) Übers. vide sub *Dolichoderus* Kl. 1913:22 (Madag.). *Ten.*, *Tenebr.* 853.

Macetes Chap., X, 1874, 293; Lefv., MSLiége (2) 11, 1885, 90 (*M. albicans* Chap. 1874; *puberula* [Marsh.] 1865) 1914:9 (Afr. mer. 8, Nyassa 1). *Chrys.*, *Eumolp.*, *Cyn.* 196.

Machaerites O Mill., VzbGW. V, 1855, 509; Schaufuß, I. c. 13, 1863, 1242; Saulcy, ASEFr. 31, 1863, 80; Reitt., VzbGW. (4) 3, 1881, 456, 478; Raffr., Rev. d'E. 9, 1890, 126, 128; Ganglb.,

- KäfMEur. 11, 818; **Peyerimh.**, BSEFr. 1901, 204; **Raffr.**, ASEFr. 73, 1904, 255; GIW. *Psel.* 1908, 287; **Schaufuß** in Calwer, 250 (*M. spelaeus* Mill. 1855) 1913:2 (Carn., Pyr. inf.). *Psel.*, *Psela.*, *Tych.* 306.
- Machaerodes* O **Brendel**, B. Un. Jowa I, 1890, 252; TESPhil. 20, 1893, 277; **Raffr.**, ASEFr. 65, 1896, 131; l. c. 73, 1904, 256; GIW. *Psel.* 1908, 280 (*M. carinatus* Brendel 1865) 1913:1 (Montes Alleghan., Can., Va.). *Psel.*, *Psela.*, *Tych.* 296.
- Machla* O **Herbst**, Käfer 8, 1799, 152; **Sol.**, ASEFr. V, 1836, 476; **Cast.**, HN. II, 1840, 207; **Lac.**, V, 155 (*M. villosa* [Ol.] 1795) 1913:18 (Afr. mer., or.). *Ten.*, *Asid.* 271.
- Machlasida* **Escalera**, Bol. Real. S. Esp. 7, 1907, 336 = *Asida* **Latr.** 1804. 1913:2 (Mar., Atlas). *Ten.*, *Asid.* 286.
- Machlomorpha* **Pér.**, A.SAfr.Mus. I, 1899, 257 (*M. altitudinis et diversa* Pér. 1899) 1913:2 (Afr. mer., Natal). *Ten.*, *Asid.* 273.
- Machlopsis* O **Pom.**, Soc. climat. d'Alg. 8, 1871, 236; **Bedel**, ASEFr. (6) 7, 1887, 199; **Reitt.**, Best.-Tab. 42, 1900, 191 (*P. Levallanti* [Lue.] 1850) 1913:5+1 (Afr. b.). *Ten.*, *Eurych.* 216.
- Machomena* O + **Dub.**, Echange III, 1887, 25; **Jacobs.**, HoR. 35, 1900, 88. — Morph.: **Ws.**, DEZ. 1894, t. 2 f. 8 (*M. lineata* [Gené] 1839) 1916:1 (Cors., Sard.). *Chrys.*, *Chryso.*, *Phaedon*. 57.
- Machleida* **Fährs.**, Öfv. Vet. Ak. Föhr. 27, 1870, 256 (*M. nodulosa* **Fährs.** 1870) 1913:2 (Afr. mer., Nossi-Bé). *Ten.*, *Asid.* 272.
- Mac(h)r(h)elmis* (Motsch.) **Zaitzev**, in **Schklg.** et **J.**, Col. Cat. P. 17, 1910, Index p. 41 = *Macrelmis* l. c. p. 40. *Dryop.*, *Helm.*, *Helmi.* 56.
- Macleya* (**Blackb.**) **DT.** in **Schklg.** et **J.**, Col. Cat. P. 50, 1913 sec. Indic. p. 390: p. 100 = err. pro *Macleayia* **Blackb.** 1888. **Scar.**, *Melth.*
- Macleayia* **Blackb.**, TRS. South Austral. 10, 1888, 29, 209; 29, 1905, 331 = Subg. ad *Microthopus* **Burm.** **Scar.**, *Melth.*, 171.
- Macranobium* **Broun**, Man. New Zeal. Col. IV, 1886, 903 (*M. truncatum* **Broun** 1886) 1913:1 (N. Z.). *Anob.*, *Anobi.* 39.
- Macrarthria* **Er.**, ArN. 6, 1840, II, 307 = *Macratia* **Newm.** 1838. *Ped.* 11.
- Macrarthrius* **Laferté**, Mon. *Anthicus* (**Guérin**, Spec. Icon. 1846/8) 1848 nr. 20, 11 = *Macrathria* **Newm.** 1838. *Ped.* 11.
- Macraspis* **Me Leay**, HoE. I, 1819, 156; **Latr.** in **Cuv.**, Règne Anim. IV, 1829, 553; **Cast.**, HN. Col. II, 1840, 117; **Burm.**, HoE. IV, 1, 1844, 343; IV, 2, 1855, 517; **Blanch.**, HIns. I, 1845, 218; **Lac.**, III, 1856, 345 (*Antichira* partim); **Ohs.**, StEZg. 59, 1908, 46; **Arrow**, ANH. (7) 4, 1899, 367.
- Biol.: **Lac.**, Ann. scienc. nat. Paris XX, 1830, 270; **Ohs.**, StEZg. 60, 1899, 204; 61, 1900, 164; 70, 1909, 127, 128; DEZ. 1908, 245, 393.
- Sect. 1: *chrysia* O (*chrys.* [L.] 1764) 1918:42 (Pan., Col., Ec., Cayenn., Guyan., Terr. flum. Amaz., Bol., Peru). — 2. *lucida* O (*luc.* [Ol.] 1789) 1918:15 (Am. c.: Mex., Pan.; ceter. ut 1). — 3. *clavata* O (*clav.* [Ol.] 1789) 1918:14 (Mex., Bras.: Terr. Camp. et reg. mont. cost., cet. ut 1). **Scar.**, *Rut.* hom., *Ruti.*, *Antich.* 68.
- Macratria* O **Newm.**, EMM. 5, 1838, 377; **Lec.**, PAcPhil. 7, 1855, 270; **Lac.**, V, 2, 1859, 579; **Lec.**, Class. 1861, 265; **Mars.**, Mon. *Anthic.* (Abeille 17), 1879, 10; **Broun**, Man. N. Zeal. Col. I, 1880, 409; **Lec.** et **Horn**, Class. 1883, 412; **Champ.**, BCA. Col. IV, 2, 195; **Seidl.**, F. Ba. ed. II, 1890, 147; F. Tr. 1891, 147; **Casey**, ANYAeSe. 8, 1895, 637; **Pic.**,

- Echange 12, 1896, 120/2; **Schaufuß** in Calwer, 744 (*M. linearis* Newm. 1838, *murina* [F.] 1801) 1913:108 (Eur., As., Afr.; Austral., Amer.). *Ped.* 11.
 Katalog: **Pic.**, ASEB. 42, 1898, 105—8.
 Faunistik: Spp. malay.: **Pic.**, AMusG. (2) 20, (1901), 791—4.
 Reg. Nov. Guin.: **Pic.**, l. c., 547.
 Reg. Sumatr.: **Pic.**, ASEFr. 68, 1899 (1900) 59—60.
- Macrelmis** Motsch., Etud. E. 8, 1859, 52 (*M. dentata* Motsch. 1859) 1913:1 (Col.). *Dryop.*, *Helm.*, *Helmi*. 56.
- Macrispa** O Baly, 90, t. 2 f. 50 (*M. Saundersi* Baly 1858) 1913:1 (Assam, Bhutan). *Chrys.*, *Hispi.*, *Bothrion*. 46.
- Macrobasis** O + J. Lee., Class. Col. N. Am. 1862, p. 272; **Riley**, T. Ac. St. Louis III, 1877, 544 t. 5 [Metam.] **Chittend.**, B. U. Stat. Dep. Agric. E. nr. 43, 1903, 26 f. 21 nr. 40, 1903, 114; **Schaufuß** in Calwer, 250 (*M. cinerea* [F.] 1798) 1917:32 (Am. b., Cal., Mex., Tex.). *Melo.*, *Lytt.*, *Lytti*. 24.
- Macrobylus** O Raffr., GIW. *Psel.* 1908, 280 (Typ. ?; *M. Halbherri* [Reitt.] 1885; *M. clavipes* [Motsch.] 1851) 1913:9 (Mediterr., Caucas., Georg., Daghest.). *Psel.*, *Psel.*, *Tych.* 297.
- Macrocaulus** Fairm., ASEFr. 48, 1899, 501 (*M. impressicollis* Fairm. 1899) 1913:2 (Madag.). *Ceramb.*, *Cerambin.* *Asem.*? 30.
- Macrochirus** Perty, Observ. Col. Ind. orient. 1831, 15 (nom. nud.) = *Euchirus* Burm. 1840. *Scar.*, *Euchi*. 1.
- Macrocis** O Reitt., Mi. Münch. E. Ver. II, 1878, 34 (*M. taurus* Reitt. 1878) 1913:4 (Col., Guatem., Mex., Pan.). *Cio.*, *Cisi*. 4.
- Macrocoma** Chap., X, 1874, 292; Lefv., MSLiége (2) 11, 1895, 87; Ws., DEZ. 1903, 356 (*M. eriophora* Chap., 1874, *timiliathus* [J. Thoms.] 1858, *rubriceps* [Schaufuß] 1862) 1914:52
- (And., Gr., Syr., Cypr., Arab., Pal., Pers., Anatol., Ind.; Alg.; Ins. Canar., Afr. or., occ., mer., Kaschmir, Himal., Bengal.). *Chrys.*, *Eumolp.*, *Cyn.* 198.
- Macrocrates** Burm., Hd. E. V, 1847, 381 (*M. bucephalus* Hope [Westw.] 1845) 1913:1 (Bras.). *Luc.*, *Clad.* 35.
- Macrodactylus** O Latr., Fam. nat. règne anim. 1825, 371; in Cuvier, Règne anim. ed. 2, IV, 1829, 562; **Burm.**, Hd. E. IV, 2, 56; **Lac.**, III, 244; **J. Lee.**, JoAcPhil. (2) 3, 1856, 271/8; **Reiche**, ASEFr. (4) 2, 1862, B., p. VII—XI; **Horn**, TAm ES. V, 1876, 183; **Bates**, BCA. Col. II, 2, 1887, 138 (Typ. ?; *M. subspinosus* [F.] 1775, *longicollis* [Latr.] 1811) 1913:60 (Am. b., c. mer.). *Scar.*, *Melth.*, *Macrod.* 483.
- Biol.: **A. Fitch**, 8th Rep. Ins., New York, 1865, 199—202; **Riley**, Rep. E. 7, 1890 (1891), 257; Ins. Life II, 1890, 285, 302 fig. etc. vide liter. **DT.** in Schklig. et J., Col. Cat. 1913, P. 50 p. 330.
- Macroderes** O Westw., PESL. 1842, 59 (*M. Bias* [Ol.] 1789, *M. Greeni* [Kirby] 1818) 1913:12 (Afr. mer., Col. cap.). *Scar.*, *Copr.*, *Copri.*, *Pinot*. 43.
- Macroderus** Croiss., Scydm. cf. P. II.
- Macrodontia** O Serv., ASEFr. I, 1832, 139; **J. Thoms.**, Class. Cer., 294; Syst. Cer. 475; **Lac.**, VIII, 78; **Lmr.**, ASEB. 49, 1906, 322 (Rev., 510); **Schaufuß** in Calwer, 820. — Monogr.: **Gory**, ASEFr. VIII, 1839, 124. — Biol.: **H. Lucas**, ASEFr. (4) 7, 1867, Bull. p. LXXXII; **Le Moult**, BSEFr. 1909, 55 (*M. flavipennis* Chevr. 1833, *crenata* [Ol.] 1795, *cervicornis* [L.] 1758) 1913:5 (Bras., Arg., Pan., Niar., Bol., Amaz.). *Ceramb.*, *Prion.*, *Macrot.*, *Tit.* 18.
- Macrodorcas** Motsch., Etud. E. 1861, 15 (part.) = *Eurytrachelus* Thoms. 1862. *Luc.*, *Dorc.* 39.

- Macroeme* O Aur., ETi. 14, 1893, 177 (*M. plana* [Perty] 1834, *cylindrica* [Thoms.] 1857, *decorata* [Bug.] 1859) 1913:6 (Bras.). *Ceramb.*, *Cerambin.*, *Oem.* 61.
- Macrogaster* Thunb., Gött. Gel. Anz. 29, 1805, 281; Ill., Ma. Ins. 1806, 247 = *Atractocerus* Palis. 1801. *Lym.* 1.
- Macrognathus* Hope (Westw.), Cat. Luc. 1845, 5 (pars) = *Cladognathus* Burm. 1847. *Luc.*, *Clad.* 24.
- Macrognathus* Hope (Westw.), Cat. Luc., 1845, 5 (pars); Albers, DEZ. 1894, 167 = *Hemisodorcus* Thoms. 1862. *Luc.*, *Dore.* 37.
- Macrogonus* O Jac., Nozo. I, 1894, 329; Jac. et Clav., GIW. 23, 3 (*M. submetallicus* Jac. 1894) 1913:2 (Queensl.). *Chrys.*, *Crioc.* 5.
- Macrogyrus* O Rég., ASEFr. (6) 2, 1882, 432; Seidl., VN. 25, 1887, 26; Reg., GIW. I, 1902, 5 (*M. striolatus* [Guér.] 1830) 1913:32 (Austral., Amer., N. Guin., Aru etc.). *Gyr.*, *Enhydr.* 5.
- Macrohelodes* Blackb., PLSNSW. (2) 6 1892, 298 (*M. crassus* et *lucidus* Blackb. 1892) 1913:5 (Austral. [4], Tasm. [1]). *Helod.*, *Helodi.* 1.
- Macrolagria* Lewis., ANH. (6) 15, 1895, 422 = *Nemostira* Fairm. 1868. *Lagr.* 20.
- Macrolampis* O Motsch., Etud. E. 1852, 37; Ern. Oliv., ASEFr. 74, 1905, 311; GIW. *Lamp.* 1907, 31 (*M. linearis* [Latr.] 1811) 1913:23+2 (Am. mier.) *Lamp.*, *Phot.* 26.
- Macrolema* O Baly, JoE. I, 1861, 275; Chap., X, 78; Jacoby, StEZg. 44, 1883, 125; Jac. et Clav., GIW. 23, 3 (*M. vittata* Baly 1861) 1913:3 (N.S.W., Queensl., Sin. Moreton). *Chrys.*, *Crioc.* 6.
- Macrolina* Motsch. in Schrenck's R. II, 1860, 198 = *Microdera* Steph. 1834 = Subg. 2 ad *Melasoma* Steph. 1834. *Chrys.*, *Chryso.*, *Phaedon.* 49, 1.
- Macrolister* O Lew., ANH. (7) 14, 1904, 145; Reitt., F. Germ. II, 1909, 280; Kuhnt, 366 (Typ. ?; *M. major* [L.] 1758; *latipes* [Pal.] 1805) 1913:18+2 (Afr. c., or., et mer.). *Hist.* 38, 5.
- Macrones* Newm., Ent. I, 1841, 33 (*M. exilis* Newm. 1841) 1913:7 (Austral.: Adelaide, Queensl., Vict., Tasm. etc.). *Ceramb.*, *Cerambin.*, *Macrn.* 441.
- Macronoxia* Crotch, Check List North Ame. Col. 1873, 61 = *Polyphylla* Harris 1842. *Scar.*, *Melth.*, *Melthi.* 351.
- Macronychus* O Ph. Müll., in Illig., Ma. V, 1806, 207; Latr., Gen. Crust. et Ins. II, 1807, 57 nota; Brullé, H. Ins. V, II, 1835, 319; Cast., HN. II, 1840, 44; Er., NID. III, 335; Redt., F. Austr. ed. I—III; Bach, I, 146; Sturm, 23, 1857, 36; Lac., II, 511; Jaeq. du Val, II, 278; Gutfl.-B., 297; Horn, TAmES. III, 1870, 41; Muls. et Rey, Uncif. 1872, 53; Seidl., F. Ba. et Tr.; Fowl., Col. Brit. Isl. III, 1889, 379; Kuw., VzbGW. 40, 1890, 16; Everts, I, 629 f. 58 II; Ganglb., KäfMEur. IV, 1, 1904, 124; Schaufuß in Calwer, 581, 585; Kuhnt, 592, 597 (*M. quadrifurcatus* Ph. Müll. 1806) 1913:3 (Civ. confoed. Cal., Eur., c. et mer.). *Dryop.*, *Helm.*, *Helmi.* 55.
- Macropalpus* Cussae, ASEFr. (2) X, 1852, 613 = *Coryphium* Steph. 1832. *Staph.*, *Oxyt.*, *Omal.* 91.
- Macrophthalmus* Montrz., ASAgr. Lyon 7, 1855, 33 (nec *M. Lap.* 1833 [Hem.] nec *M. Latr.* 1829 (Crust.). 1855) (*M. coeruleescens* Montrz. 1855) 1913:1 (Ins. Woodlark). *Ten.*, *Strongyl.* (Posit. ?) 1198.
- Macrophylla* O Hope, Col. Man. I, 1837, 103; Burm., Hd. E. IV, 2, 447; Lac., III, 303 (Typ. ?; *M. Boei* Hope 1837; *ciliata* [Herbst] 1790; *longicornis* [F.] 1787; *nigra* Blanch. 1850) 1913:10 (Colon. cap. 9, Natal 1). *Scar.*, *Melth.*, *Pachyd.* 403.

- Macropidonia* **Pic.**, BMHNP. 1902, 339; *Longic.* IV, 1, 1902, 21, 22 (*M. ruficollis* **Pic** 1902) 1912:1 (Jap.). *Ceramb.*, *Cerambin.*, *Lept.* 536.
- Macroplea* **Curtis**, Brit. E. VII, 1830, 319; **Steph.**, Man. 1839, 281; **Porta**, Riv. Col. Ital. IX, 1911, 149; *Schaufuß* in Calwer, 889, 890; *Kuhnt*, 801, 804 = *Haemonia* **Latr.** 1829. *Chrys.*, *Donac.* 1.
- Macroplectus* **Raffr.**, Rev. d'E. 17, 1898, 254; ASEFr. 72, 1903, 528; GIW. *Psel.* 1908, 93 (*M. calcaratus* **Raffr.** 1898) 1913:3 + 3 (Vict., Swan River; Tasm.). *Psel.*, *Psel.*, *Euplect.* 100.
- Macroplia* **Brenske**, StEZg. 59, 1898, 336 (*M. ruandana* **Brenske** 1898) 1913:1 (Ruanda, Urundi). *Scar.*, *Melth.*, *Hopl.* 559.
- Macropnus* **G. Horn**, PAePhil., 1866, 317 = *Macropoides* **Guér.** 1844. *Scar.*, *Rut. hom.*, *Ruti.*, *Heterost.* 10.
- Macropoda* **Sol.**, ASEFr. 4, 1835, 515; **Allard**, Mon. 165; **Kuntzen**, ArN. 81, 1915 (1916) 132 = Subg. ad *Adesmia* **Fisch.** 1822. 1916:13 + 32 [*Kuntzen* 1916] (Senegal., Afr. trop.: Abyss., Territ. Ashanti et Afr.-mer.). *Ten.*, *Adesm.* 181.
- Macropogon* **O Motsch.**, BMosc. 18, 1845, I, 38; l. c. 32, 1859, IV, 360; **J. Lee.**, Class. 1861, 178; **Horn**, TAmES. 8, 1880, 78, 80; **J. Lee.** et **Horn**, Class. 1883, 169 (*M. pubescens*. *sibiricus*, *testaceipennis* **Motsch.** 1859) 1914:3 (Am.: Civ. confoed., Sib., Kamtschatk.). *Dasc.*, *Dasc.*, *Macrop.* 5.
- Macropoides* **O Guér.**, Rev. Zo. VII, 1844, 262; **Ohs.**, StEZg. 62, 1901, 364 (*M. Nietoi* **Guér.** 1844) 1918:3 (Hond., Mex., Nicar.). *Scar.*, *Rut. hom.*, *Rut.*, *Heterost.* 10.
- Macropollilia* **Ohs.**, DEZ., 1905, 94 (*M. Arrowi* **Ohs.** 1905) 1918:1 (Madras). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 87.
- Macroprion* **Hope**, Col. Man. III, 1840, 109 = *Trogoderma* **Latr.** 1829. *Derm.*, *Metag.* 20.
- Macroprionus* **A. Sem.**, HoR. 34, 1900, 324 (*M. heros* **A. Sem.**, 1900) = *Prionus* F. 1775 1913:1 (Turk. chin.). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Macroporus* **Agass.**, Index Univ. Nomenclatur Zoolog., 1846, 309 = *Propomacrus* **Newm.** 1837. *Scar.*, *Euchi.* 3.
- Macropsebium* **O Bates**, TESL., 1878, 191 (*M. Cotterilli* **Bates** 1878) 1913:2 (Terr. Nyassa, Lac. Ngami). *Ceramb.*, *Cerambin.*, *Pseb.* 596.
- Macroretus* **O Péring.**, T.SAfr.Phil.S. 13, (1908), 632/3; **A. Schmidt**, GIW. 1910, 11 et 95/6 (*M. singularis* **Péring.** 1908) 1913:1 (Afr. mer.?) *Scar.*, *Aphod.*, *Aphodi.* 14.
- Macrosiagon* **O** + **Hentz**, T.Am.Phil.S. (2) III, 1830, 462, t. 15 f. 3a—d; **Reitt.**, F. Germ. III, 1911, 382; *Schaufuß* in Calwer, 761, 762; *Kuhnt*, 710 (Typ.?: *M. dimidiatum* [F.] 1781; *ferrugineum* [F.] 1775; *limbatum* [F.] 1792, *pectinatum* [F.] 1775, *tricuspidatum* [Lepechin] 1774) 1913:97 (in omn. part. orb. terr.). *Rhip.*, *Rhipiph.* 16.
- Biol. et Morphol.: **Farines**, A.Sc. Nat. 8, 1826, 244; **Westw.**, Introd. mod. Class. Ins. I, 1839, 295; **Kempers**, TijE. 44, 1901, 35; **Chob.**, BSEFr. 1906, 270, fig. (triungul.) **Reitt.**, F. Germ. III, 1911, 383; *Schaufuß* in Calwer, 762; **Chobaut**, Ab., 28, 1892/6 (1895), 181; **M.Ac.** Vaucluse X, 1891, 83 tab., ASEFr. 60, 1891, 447; **Jo. Microgr.** 15, 1891, 89; **Compt. r.** CXII, 1891, 350; **ASc.Nat.Zo.(7)12**, 1891—97; **Jacobs.**, Col. Ross. fasc. I, 1905, 57, f. 150; **Fall et Cock.**, TAmES. 23, 1907, 211.
- Macrosoma* **Hope**, Col. Man. I, 1837, 172 (non autt. alii); **Burm.**, Hd.E.

- IV, 2, 1855, 214 = *Sericoides* Guér. 1839. *Scar.*, *Melth.*, *Lipar.* 212.
- Macrosternus* O Mars., Mon. 1853, 239; l. e. 1860, 850 (*M. Lafertei* Mars. 1853) 1911:1 (Afr. c.). *Hist.* 16.
- Macrostethus* O Woll., Ins. Mader., 1854, 504; *Lae.* V, 1859, 365 (*M. tuberculatus* Woll. 1854) 1913:9 (Madera). *Ten.*, *Tenebr.* 776.
- Macrostola* O Murr., Mon., 1864, 531 (*M. straminea* Murr. 1864) 1913:4 (Am. c., Col., Nicarag., Guadel.). *Nit.*, *Carpophil.* 49.
- Macrotelus* Kl. Clerii 1842, 274; Schklig., GIW. *Cler.* 1903, 307; Blackb., TRS. South Austral. 27, 1903, 307 = *Monophylla* Spin. *Cler.*, *Cleri.*, *Till.* 8.
- Macrothops* M'Leay, TESNSW. I, 1864, 89 [non Boisd.] = *Neophyllotocus* Blackb. 1898. *Scar.*, *Melth.*, *Seric.* 20.
- Macrotoma* O Serv., ASEFr. I, 1832, 137; J. Thoms., Class. *Cer.*, 291. Syst. *Cer.*, 477; *Lac.* VIII, 97; *Pasc.*, TESL. (3) 3, 1869, 666; Lmr., MSEB. 11, 1903, 99 (Rév., 293); 21, 1912, 143 (Rev., 1007); A.Mus. Congo Zo. (3) II, 1903, 64; Gah., F. Brit. India Col. I, 1906, 35; Schaufuß in Calwer, 823; Kuhnt, 752. — Etiam subg. s. str. Serv. ASEFr. 1832, 137; Lmr., MSEB. 21, 1912, 144 (Rev., 1008) (Typ.? cf. infra) 1913:53. — Subgg.: *Navos.*, *Ters.*, *Saroth.*, *Prinob.* Zoolb., *Band.*, *Macr.* — (As., Afr., Males., Madag.). *Ceramb.*, *Prion.*, *Macrot.*, *Macroto.* 32.
- Biol.: Lmr., MSScLiége (2) 11, 1884, 11, p. 9 t. 1 f. 2; Alfieri, BSE. Egypte, 3, 1910, 118 f. 1—2.
- Macrotoma* O Serv. 1832 s. str. = Subg. 7 ad *Macrotoma* Serv. 1832 (*M. palmata* [F.] 1792, *serripes* [F.] 1781) 1913:6 [3 + 3] (Afr., Terr. cap. usque ad Aegypt., Madag., Prinzen Ins.). *Ceramb.*, *Prion.*, *Macrot.*, *Macroto.* 32,7.
- Macrotemoderus* Pic, AMusG. (2) 20, 1899/1901 (1901), 741; Echange 26, 1910, 51.—*Synops.*: Pic, Echange 26, 1910, 51, 52 (*M. latipennis* Pic 1901) 1913:3 (Sum., Banguey). *Anth.* 10.
- Macroura* Reitt., System. Einteil. *Nitid.*, 1873, 568 (*M. concolor* M'Leay 1873) 1913:28 (Ind., Jav., Sum., Phil. Ins., Ceyl., Austral., N. Guin., N. Britann., Timor, N. Caled. etc.). *Nit.*, *Nitid.* 109.
- Macta* O Raffr., Rev. d'E. 9, 1890, 85; 12, 1893, 45; GIW. *Psel.* 1908, 27 (*M. constricta* Raffr. 1890) 1913:1 (Bras.). *Psel.*, *Psel.*, *Jub.* 18.
- Madobalus* Fairm., Not. Leyd. Mus. 23, 1901, 73 (*M. rotundicollis* Fairm. 1901) 1913:1 (Madag.). *Ten.*, *Opatr.* 492.
- Madotrogus* Reitt., VN. 40 [Best. Tab.], 232, 252; Schaufuß in Calwer, 1316 = *Amphimallon* Berthold 1827. *Scar.*, *Melth.*, *Melthi.* 527.
- Madrasinindus* Pic, Echange 27, 1911, 157 (*M. lineatus* Pic 1911) 1913:2 (Madras, Chambaganur, Sikkim). *Rhip.*, *Pelecot* 5.
- Maechidius* O M'Leay, HoE. I, 1819, 140; Westw., TESL. IV, 1845, 7—8; Waterh., op. cit. 1875, 193; Blackb., TRS. South Austral. 22, 1898, 54 (*M. spurius* [Kirby] 1818) 1912:46 (Austral., Nov. Guin., Celeb.). *Scar.*, *Melth.*, *Lipar.* 157.
- Mahakamia* Rits., Not. Leyd. Mus., 1913, 35, 148—153 (*M. kampmeinerti* Rits. 1913) 1914:1 (Born.). *Rhynchosph.* (apud *Macrocheirum*).
- Maheoptinus* Pic, Echange 19, 1903, 183 (*M. cephalotes* Pic 1902) 1913:2 (Java, Ind.). *Ptin.*, *Ptini*. 22.
- Makalaka* Péring., T. South Afr. Phil. S. 13, 1908, 675 (*M. rhodesina* Péring. 1908) 1913:1 (Rhodes. mer.). *Scar.*, *Melth.*, *Seric.* 142.
- Malacocis* Gerh., BCA. Col. III, 2, 1886, 356 (*M. Championi* Gerh. 1886) 1913:1 (Guatem.). *Cio.*, *Cisi.* 5.

- Malaiia** O Hell., DEZ. 1891, 289, 298; Kraatz, l. c. 1892, 298 (*M. nigrita* [Boisd.] 1835, *vestita* [Cand.] 1869) 1918:9 (Celebes 5, Salayer, Vanicoro, Bangkai, Luzon). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 91.
- Malacodrya** O Sharp, TR.Dubl. (2) 3, 1 1886, 412 (*M. pictipes* Sharp 1886) 1913:1 (N. Z.) *Ten.*, *Chodal.* 983.
- Malacogaster** Bassi, MaZo. 1833, Cl. IX, t. 99; **Lac.** IV, 1857, 371; Schaufuß in Calwer, 376 (*M. Passerinii* Bass. 1832) (Syr., Alger., Cypr., Canar.). *Dril.* 1.
- Malacomacrus** White, Cat. Col. Brit. Mus. VII, 1853, 41 = *Malacopterus* Serv. 1833. *Ceramb.*, *Cerambin.*, *Oem.* 86.
- Malacopterus** O Serv., ASEFr. (2) II, 1833, 565 (*M. tenellus* [F.] 1801) 1912:3 (Bras., Cal., Am. c., Col.). *Cerambi.*, *Cerambin.*, *Oem.* 86.
- Malacora** Fairm., ASEB. 42, 1898, 479 (*M. bicolor* et *interstitialis* Fairm. 1898) (Madag.). *Ten.*, *Cnodal.* 944.
- Maladera** O Muls., HN. Col. Fr. *Lamell.* 1871, 599; Reitt., WEZg. XV, 1896, 186; VN. 40, 1901 (1902), Best.-Tab. 50, 138 sq.; Schaufuß in Calwer, 1308; Kuhnt, 386, 405 (*M. holosericea* Scop., Annus HN. V, 1772, 77) 1913:11 (Eur. mer. or.; As. occ. mer. [Cauc. etc.], As. or.; Jap.). *Scar.*, *Melth.*, *Seric.* 25.
- Malegia** O Lefv., ASEFr. (6) 3, 1883, Bull. p. CXV; MSLiége (2) 11, 1885, 73 (*M. striatula* Lefv. 1883); Schaufuß in Calwer, (926) (Nat., Madag., Mesop., As. c., Afr.: Aegypt., Abyss., Afr. mer.). *Chrys.*, *Eumolp.*, *Leprot.* 119.
- Mallagaster** (Dej.) DT. in Schklig. u. J., Col. Cat. P. 50, 1913, in Ind. p. 390; p. 332 = errat. pro *Mallagaster* Dej. 1913. *Scar.*, *Melth.*, *Macrod.* 487.
- Mallambyx** O^{**} Bates, ANH. (4) 12, 1873, 152 (*M. Raddei* [Blessig] 1872) 1913:1 (Amur, Jap.). *Ceramb.*, *Cerambin.*, *Cerambyc.* 125. Biol.: Köppen, Schädl. Ins. Rußl. 1880, 263.
- Mallaspis** O Serv., ASEFr. 1, 1832, 188; **J. Thoms.**, Class. *Cer.*, 287; Syst. *Cer.*, 466; **Lac.** VIII, 175; **Lmr.**, MSEB. 17, 1909, 49 (Rév., 633); 21, 1912, 171 (Rév., 1035) = Subg. 2 ad *Pyrodes* Serv. 1832 (*M. Batesi* Lmr. 1909, *leucaspis* Guér., 1844, *longiceps* White 1853, *scutellaris* [Ol.] 1795) 1913:10 [6 + 3 + 1] (Ecuad., Col., Nicar., Guat., Mex., Chile, Amaz., Guyan., Bras.). *Ceramb.*, *Prion.*, *Deranc.* 59,2.
- Mallocera** O Serv., ASEFr. II, 1833, 567 (*M. glauca* Serv. 1833) 1913:9 (Bras., Nicarag.). *Ceramb.*, *Cerambin.*, *Sphaerio.* 258.
- Malloderes** Dupont in Guér., MaZo. 1835, Cl. IX, t. 125 (♂) = *Acanthnodera* Hope 1833 = Subg. ad *Ancistrodus* Serv. 1832. *Ceramb.*, *Prion.*, *Macrot.*, *Tit.* 20.
- Mallodon** O^{**} Serv., ASEFr. I, 1832, 176; **J. Thoms.**, Class. *Cer.* 293, 320; Syst. *Cer.*, 480; Physis, I, 1867, 92 (Révis.); **Lac.** VIII, 125; **Lmr.**, MSEB. IX, 1902, 71 (Rév., 131) = Subg. 1 ad *Stenodontes* Serv. 1832 (*M. spinibarbis* [L.] 1758, *dasytostomus* [Say] 1823) 1913:6 (Afr., trop.mer., Am. b., c. et mer.). *Ceramb.*, *Prion.*, *Macrot.*, *Stenodo.* 13,1. Biol.: Rojas, ASEFr. (4) 6, 1866, 238; Heller, STEZg. 65, 1904, 391 t. 4 (reehts), 5, f. 12; Dugès, ASEB. 28, 1884, 13 t. 2; Dist., Ins. Transv. V, 1904, 104 f. 16.
- Mallodon** Lac. VIII, 125 (part.) = *Aplagiognathus* J. Thoms. *Ceramb.*, *Prion.*, *Macrot.*, *Basit.* 9.
- Mallodonhoplus** J. Thoms., Class. *Cer.* 1860, 479 = *Mallodonoplus* J. Thoms.

1860. *Ceramb.*, *Prion.*, *Macrot.*, *Stenodo.* 14.
- Mallodonoplus* **J. Thoms.**, Class. *Cer.*, 320 (*Mallodonoplus*); Syst. *Cer.*, 479; *Lac.* VIII, 117; *Lmr.*, MSEB. 9, 1902, 84 (Rév., 144) (*M. nobilis* **J. Thoms.** 1860) 1913:1 (Col., Venez.). *Ceramb.*, *Prion.*, *Macrot.*, *Stenodo.* 14.
- Mallodonopsis* **O J. Thoms.**, Class. *Cer.*, 317; Syst. *Cer.*, 479; *Lac.* VIII, 118; *Lmr.*, ASEB. 47, 1903, 218 (Rév., 188) (*M. mexicana* **J. Thoms.** 1860) 1913:2 (Am. c., Mex.). *Ceramb.*, *Prion.*, *Macrot.*, *Basit.* 10.
- Mallogaster* **Dej.**, Col. Cat. ed. 3, 1837, 180 = *Rhinaspis* **Perty** 1830. *Scar.*, *Melth.*, *Macrod.* 487.
- Mallosoma* **O Serv.**, ASEFr. III, 1834, 68; **Chevr.**, ASEFr. (4) II, 1862, 751—752 (Mon.) (*M. zonatum* [Sahlb.] 1823) 1913:9 (Bras., 4 Guyana, Chile, Haiti). *Ceramb.*, *Cerambin.*, *Heterops.* 907.
- Mallotarsus* **O Blanch.**, Cat. Coll. E. Col. I, 1850, 119; *Lac.* III, 266 (*M. spadiceus* **Blanch.** 1850) 1913:1 (Camp. Geraes). *Scar.*, *Melth.*, *Macrod.* 462.
- Malobidion* **Schaeffer**, Bull. Brookl. Inst. I 1908 (*M. brunneum* **Schaeffer** 1908) 1913:1 (Ariz.). *Ceramb.*, *Cerambin.*, *Ibid.* 290.
- Malporus* **Casey**, AN Y Ac Sc. 8, 1895, 641, 651 = Subg. ad *Anthicus* **Payk.** 1798. *Anth.* 19.
- Maltheba* **Pasc.**, ANH. (4) 8, 1871, 270 (*M. flexilis* **Pasc.** 1871) 1913:1 (Austral. occ.). *Ceramb.*, *Cerambin.*, *Neost.* 384.
- Malthophia* **Casey**, Mem. Col. 3, 1912, 308 (*M. oculata* **Casey** 1912) 1913:1 (Cal.). *Ceramb.*, cf. P. II.
- Mandera* **Fauv.**, Rev. d'E. 18, 1899, 15 (*M. sanguinea* **Fauv.** 1899) 1916:1 (Sansibar). *Staph.*, *Pygost.* 407.
- Manipuria* **O Jac.**, F. Br. Ind. Col. II, 1908, 184 (*M. Dohertyi* **Jac.** 1908) 1913:1 (Ind. or.: Manipur.). *Chrys.*, *Crioc.* 7.
- Mannerheimia* **Mäkl.**, Öfv. Finska Vet. Soc. Förh. 22, 1879—80, 80; **Ganglb.**, KäfMEur. II, 1895, 725; **Luze**, VzbGW. 55, 1905, 251 (*M. divergens* **Mäkl.** 1880, *arctica* [Er.] 1840) 1913:3 (Eur. b., Sib., Tirol., Ross. b., Turk.). *Staph.*, *Oxyt.*, *Omal.* 62.
- Mannophorus* **J. Lec.**, PAcPhil. VI, 1853, 442; Smiths. Misc. Coll. XI, 1873, 314 (*M. laetus* **J. Lec.** 1853) 1913:3 (Mex. 3, Texas 1). *Ceramb.*, *Cerambin.*, *Stenasp.* 993.
- Manopus* **Cast.**, HN. II, 1840, 147; **Burm.**, Hd.E. IV, 2, 63; *Lac.* III, 255 (*M. biguttatus* **Cast.** 1840) 1913:1 (Col.). *Scar.*, *Melth.*, *Macrod.* 484.
- Mantchorula* **Reitt.**, HoR. 23, 1889, 695; Best.-Tab. 25, 1893, 246; **Sem.**, HoR. 27, 1893, 263; 38, 1907, 179 (*M. Semenowi* **Reitt.** 1889) 1913:2 (Ch., Turk. chin., Mong.). *Ten.*, *Platyp.* 353.
- Mantitheus* **Fairm.**, ASEFr. (6) 9, 1889, 30 (*M. pekinensis* **Fairm.** 1889) 1913:1 (Ch.). *Ceramb.*, *Cerambin.*, *Lept.* 464.
- Maphaea* **Casey**, JoNYES. 8, 1900, 165 (*M. Blaisdelli* **Casey** 1900) 1913:1 (Cal.). *Cio.*, *Cisi.* 10.
- Maracia* **Gebien**, ArN. 83, 1917 (1919) A. 3, 27, 34 (*M. femoralis* [Kirsch] 1866) 1919:2 (Bogota). *Ten.*, *Cnodal.* 958a.
- Maraxes* **Lewis**, ANH. (6) 16, 1895, 376; (8) 4, 1909, 304 = *Paraphytus* **Har.** 1877. *Scar.*, *Copr.*, *Copri.*, *Pinot.* 57.
- Marellus* **O Motsch.**, BMosc. 24, 1851, IV, 81; *Sauley*, Spec. I, 1874, 73; **Reitt.**, VzbGW. 31, 1881, 450, 453; **Raffr.**, Rev. d'E. 9, 1890, 146, 153; T.SAfr.Phil.S. 1897, 113; ASEFr. 73, 1904, 366; GIW. *Psel.* 1908, 381, t. 9 f. 47 (*M. aegyptiacus* **Motsch.**

- 1851) 1913:5 (Afr. or., occ., b., Sansib.). *Psel.*, *Pselia*, *Tyr*. 395.
***Margarinotus* O Mars.**, Mon. 1853, 549; Schm., BEZ. 29, 1885, 286 (*M. scaber* [F.] 1792) 1913:2 (Hisp., Alg.; Am. b.). *Hist.* 43.
- Margaris* O Schaufuß** Nunq. otios. II, 1872, 453; Raffr., Rev. d'E. 9, 1890, 138, 139; ASEFr. 73, 1904, 318; GIW. *Psel.* 1908, 312 (*M. imperialis* Schaufuß 1872) 1913:1 (Rockhampton). *Psel.*, *Pselia*, *Pselaph*. 330.
- Marginus* J. Lec.**, Class. Col. N.Am. I, 1862, 105 = *Diplocoelus* Guér. 1836. *Erot.*, *Diphyll*. 96.
- Margites* O Gah.**, ANH. (6) 1891, 26 (Revis.); F. Brit. Ind. Col. I, 1906, 137 (*M. egenus*, *fulvidus* [Pasc.] 1858 ex As., *humilis* Gah. ex Afr.). 1913:10 (Afr.: 5, As.: 5). *Ceramb.*, *Cerambin.*, *Cerambyc*. 144.
- Margus* Redt.**, Gatt. 1845, 127; F. Austr. 1849, 593 = *Tribolium* M'Leay 1825. *Ten.*, *Uлом*. 672.
- Marileus* O Germain**, An. Univ. Chile, 1898, 555; (sep. Apunt. Ent. *Longic.* II, 17) (*M. chiloensis* Germain 1898) 1913:1 (Chili). *Ceramb.*, *Cerambin.*, *Asem*. 26.
- Mariouta* Pic**, B. S. Autun XI, 2, 1899, 116 (*M. Letourneuxi* Pic 1899) 1913:1 (Aeg.). *Derm.* (34.)
- Maripanus* Germain**, An. Univ. Chile, C, 1898, 653 (sep. p. 36) (*M. decoratus* Germ. 1898) 1913:1 (Chile). *Ceramb.*, *Cerambin.*, *Hesprph*. 189.
- Marnax* Cast.**, Etud. E. 1834, 137 = *Metopias* Gory 1832. *Psel.*, *Pselia*. *Metop.* 211.
- Marnia* Lév.**, BSEFr. 1889, p. XXI (*M. Sipolisi* Lév. 1889) 1913:3 (Bras., Ven., Min. Geraes). *Temn.*, *Temno*. 15.
- Marsaeus* Clark**, JoE. II, 1864, 252 = *Rhyparida* Baly 1861. *Chrys.*, *Eumolp.*, *Metachr*. 164.
- Marseulia* Péring.**, T.SAfr. Phil. S. 4, 1888, 87 = *Monoplus* Mars. 1855. *Hist.* 63.
- Marianus* Fairm.**, ASEB. 27, 1893, 540 (*M. dermestoides* [Chevr.] 1878) 1913:2 (Ins. Comor. et Viti). *Ten.*, *Diaper*. 618.
- Massicus* O Pasc.**, ANH. (3) 19, 1867, 319 (*M. venustus* [Pasc.] 1859, *Pascoei* Thoms. 1857) 1913:3 (Malacca, Assam, Ceyl.). *Ceramb.*, *Cerambin.*, *Cerambyc*. 137.
- Massiea* Lefv.**, ASEFr. 1893 (*M. cyanipennis* Lefv., 1893) 1914:1 (Cambodja: Luang Prabang). *Chrys.*, *Eumolp.*, *Endoc*. 284.
- Mastax* Kleine**, ArN. 82, 1916 (1918) A. 12, 162 (Typ.?: *M. barbatus* Kleine 1918) 1918.1 (Austral.: Queensl.) = *Kleineella* Strand 1918. 1918:6. *Brenth.*, *Brentha.*, *Trach.* (in exit. *Trach.*, trans. ad *Arth.*) 46c.
- Mastiger* O Motsch.**, BMosc. 29, 1851, IV, 501; Raffr., Rev. d'E. 9, 1890, 164; ASEFr. 73, 1904, 445; GIW. *Psel.* 1908, 424 (*M. abruptus* Motsch. 1851) 1913:2 (Calcutt., Singap.). *Psel.*, *Clavig*. 430.
- Mastododera* O Thoms.**, ArE. I, 1857, 318 (*M. nodicollis* [Klug] 1833, *lateralis* [Guér.] 1844) 1913:13 (Madag.). *Ceramb.*, *Cerambin.*, *Lept*. 479.
- Mastodontodera* Gemm. et Har.**, Col. Cat. IX, 1873, 2857 = *Mastododera* J. Thoms. 1857. *Ceramb.*, *Cerambin.*, *Lept*. 479.
- Mastonania* Jac.**, TESL. 1901 (*M. brunnea* Jac. 1901) 1914:2 (Terr. Mashona; Nat.). *Chrys.*, *Eumolp.*, *Iphim*. 27.
- Mastoremus* Casey**, AN YAcSc. 8, 1895, 627, 630 (*M. longicornis* Casey 1895) 1913:1 (Am. b.). *Ped*. 6.
- Mataeopsephenus* Ch. Waterh.**, TESL. 1876, 15 (*M. nitidipennis* Waterh. 1876) 1913:1 (Ch.). *Dryop.*, *Pseph*. 3.
- Mathesis* Waterh.**, TESL. 1877, 7; Schkig., GIW. *Cler*. 1903, 63; Gaha u,

- ANH. (8) 5, 1910, 60 = *Phymatophaea* Pasc. 1876. *Cler.*, *Coryn.*, *Enopl.* 166.
Matheteus ?, TES. Philad. 1874, 58 (*M. Theveneti* Lee. 1874) 1913:1 (Am. b.). *Lamp.* inc. sed. 54.
Matidus Motsch., BMosc. 33, 1860, II, 569; Schaufuß in Calwer, 196 = *Staphylinus* L. 1758. *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 314.
Mattania Fairm., ASEB. 38, 1894, 147 (*M. maculicollis* Fairm. 1894) 1913:1 (Madag.). *Ceramb.*, *Ceramin.* 718.
Matthewsium O Flach, VzbgW. 39, 1889, 493, t. 10 f. 3B, b; Best.-Tab. eur Col. 18, 1889, 15; *Ganglb.*, III, 301; Reitt., F. Germ. II, 1909, 267; Britten et Newbery, EMM. 46, 1910, 179; Schaufuß in Calwer, 298 = Subg. 2 ad *Ptenidium* Er. 1845 (*M. laevigatum* Er. 1845) 1913:4 (Mediterr., Ins. Canar.). *Ptil.*, *Ptili.*, *Ptilii.* 2, 2.
Maulia Blackb., TRS. South Austr. 15, 1892, 65 (*M. picticornis* Blackb. 1892) 1913:1 (Viet.). *Ceramb.*, *Ceramin.*, *Phalo.* 630.
Mausaridaeus Pic, Longic. IV, 2, 1903, 29 (*M. argenteofasciatus* et *diversinotatus* Pic 1903) 1913:2 (Tonkin). *Ceramb.*, *Ceramin.*, *Comps.* 756.
Mayetia O Muls. et Rey, Opusc. entom. XVI, 1875, 87; Bernh., Münch. Kol. Z. III, 1908, 332; Schaufuß in Calwer, (175) (*M. sphaerifer* Muls. et Rey 1875) 1913:3 (+ *M. istriensis* Breit: Istria; *Matzenaueri* Bernh.: Hercegov.) (Sard., Corsic., Pyr. or.). *Staph.*, *Leptot.*, *Leptoty.* 141.
Maypa Blanch., Cat. Coll. E. Col. I, 1850, 115; Solier in Gay, H. Fis. Chile V, 1851, 107; Germain, ASEFr. (4) II, 1862, 721—746, t. 18 = *Sericoides* Guér. 1839. *Scar.*, *Melth.*, *Lipar.* 212.
Mecaspis Lac., IX, 1869, 12; Schaufuß in Calwer, 1072; Kuhnt, 911, 951 = *Mecosaspis* J. Thoms. 1864. *Ceramb.*, *Ceramin.*, *Calichr.* 713.
Mechanetes Waterh., ANH. (5) 19, 1887, 448 (*M. cornutus* Waterh. 1887) 1913:1 (Perak). *Ten.*, *Eutel.* 756.
Mechanicus O Schaufuß, TijE. 30, 1887, 158; Raffr., Rev. d'E. 9, 1890, 92, 98; ASEFr. 72, 1893, 465; GIW. *Psel.* 1908, 47 (*M. chlamydophorus* Schaufuß 1887; *pubescens* Raffr. 1890) 1913:5 (Singap., Sum., N. Guin. germ., Nilgh.). *Psel.*, *Psel.*, *Euplect.* 30.
Mecistes O Chap., G. Col. X, 1874, 322; Lefvr., MS Liége (2) 11, 1885, 122 (*M. tarsalis* Chap. 1874) 1914:4 (Congo belg., Nat. 3). *Chrys.*, *Eumolp.*, *Myochr.* 228.
Mecistomela O+ Jacobs., A. Mus. Zo. Pétersb., 1899, 246; Ws., ArN. 76, I, 1, 1910, 103. — Metam.: Göldi, ZoJa: II, 1887, 584 (*M. marginata* [Latr.] 1817) 1913:5 (Etiam Subg. 1 ad *M. Jacobs.* 1899); Subg. 2 = *Cor.* — (Am. mer.). *Chrys.*, *Hisp.*, *Alurn.* 17.
Mecistostethus Mars., ASEB. 13, 1870, 123 (*M. pilifer* Mars. 1870) (Amaz.). Hist. 100.
Mecocerus Sol., ASEFr. 4, 1835, 241 = *Prostenus* Latr. 1825. *All.*, *Allec.* 90.
Mecochelia Motsch., BMosc. 24, 1851, 481 (*M. impressa*, *simplex* Motsch. 1851) 1913:2 (Ind. or.). *Psel.* g. inc. sedis (Append.).
Mecognathus Woll., Ins. Mader. 1854, 595 t. 13 f. 8; Kraatz, NID. II, 1856/58, 666 = Subg. ad *Astenus* Steph. 1832. *Staph.*, *Paed.*, *Paedi.* 171.
Mecolenus Schönh., Mantiss. sec. Curc. 1847, 7; Lac., HNIIns. 6, 1863, 628; Beguin-Billecocq, BSEFr. 1905, 43 (*M. Wahlbergi* Schönh. 1847) 1913:1 (Afr. m.). *Curc.*, *Api.*, *Apio.* 6.

- Mecometopus* O.J.Thoms., Class. Cer. 1860, 216, 222; Syst. Cer. 1864, 427; Chevr., ASEFr. (4) 2, 1862, 518; Bates, TESL. 1870, 396 (*M. polygenus* J. Thoms. 1860, *palmatus* [Ol.] 1795, *laetus* [F.] 1802) 1913:40 (Am. c. et mer.). *Ceramb.*, *Cerambin.*, *Clyt.* 819.
- Mecopelidnota* F. Bates, TESL. 1904, 270; Arrow, l.c., 271 (*M. Arrowi* F. Bates 1904; *cylindrica* [Ch. Waterh.] 1876) 1918:4 (Ec., Guatemi., Col.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 29.
- Mecopisthopus* Karsch, BEZ. 25, 1881, 46 = *Leucolaephush* Lucas 1859. *Ten.*, *Platyop.* 335.
- Mecopselaphus* O Sol. in Gay, H. Chile IV, 1849, 430; *Lac.*, V, 701 et 710; Fairm. et Germ., ASEFr. (4) 3, 1863, 280; Seidl., NID. V, 2, 876 (*M. maculicollis* Sol. 1849) 1915:2 (Peru, Chile, Chiloë). *Oed.*, *Oedem.*, *Oedemi.* 53.
- Mecosarthon* O Buquet, Rev. Zo. 1840, 172; J. Thoms., Class. Cer. 292; Syst. Cer. 476; *Lac.*, VIII, 89; Lmr., ASEB. 47, 1903, 135 (Rév., 177), 318 (Rév. 422) (*M. buphagus* Buquet 1840) 1913:2 (Bras.). *Ceramb.*, *Prion.*, *Macrot.*, *Basit.* 12.
- Mecosaspis* O J. Thoms., Syst. Cer. 1864, 172; Jord., Nozo. I, 1894, 159 (*M. violacea* J. Thoms. 1864, *chalybeata* White) 1913:34 (Afr. trop.). *Ceramb.*, *Cerambin.*, *Callichr.* 713.
- Mecothyrea* Kolbe, D.-Ostafr., Col. IV, 1897, 300 = *Mecosaspis* Thoms. 1864. *Ceramb.*, *Cerambin.*, *Callichr.* 713.
- Mecyllodes* Sharp, BCA. Col. II, 1, 1891, 357 (*M. clavicornis* Sharp 1891) 1913:2 (Guatemi., Nicarag., Mex.). *Nit.*, *Nitid.* 122.
- Mecynodera* O Hope, Col. Man. III, 1840, 181; *Lac.*, Mon. Phyt. I, 1845, 16; Chapuis, X, 1874, 45; Jacoby, GIW. 14, 1903, 5 (*M. coxalgica* [Boisd.] 1835) 1913:3 (Austral.). *Chrys.*, *Sagr.*, *Mecyn.* 14.
- Mecynopus* O Er., ArN. 8, 1842, I, 222 (*M. cothurnatus* Er. 1842) 1913:2 (Tasm., Melbourne). *Ceramb.*, *Cerambin.*, *Molorch.* 622.
- Mecynotarsus* Laf., Mon. 57; Redtb., F. Austr. ed. II et III; Gutfl.-B., 431; *Lac.*, V, 2 p. 595; Bach, III, 283; Jacq. du Val, III, 366; Muls. et Rey, Collig., 51; Baudi, Eterom. 1877, 87; Mars., Mon. 37; J. Lee. et Horn, Class. 1883, 412; Seidl., F. Ba. 1890, 147; F. Tr. 1891, 147; Faue., F. Col. Fr., 335; Faue., Gen. Col. Fr., 48; Casey, AN YAcSc. 8, 1895, 771; Desbr., Frelon, 7, 1899, 152; l.c. 8, 38; Pie, Feuill. j. Nat. (3) 30 (1900), 64; BSHN. Macon I, 1899, 190; Schaufuß in Calwer, 744; Kuhnt, 699, 700. — Synops.: Horn, TAmES. XI, 1884, 175/9 (*M. serricornis* [Panz.] 1796, *nigrozonatus* Laf. 1848) — 1913:51 (in omn. part. orb. terr.). Anth. 4.
- Mecysmus* Horn, Rev. Ten. 1870, 349; Cas., AN YAcSc. V, 1891, 409; VIII, 1895, 617 (*M. angustus* Lec. 1851) 1913:5 (Tex., Cal., N. Mex.). *Ten.*, *Pedin.* 469.
- Mederis* Motsch., BMosc. 45, 1872, II, 24 = *Promethis* Pasc. 1869. *Ten.*, *Tenebr.* 811.
- Medon* O Steph., Ill. Brit. E. Mand. V, 1832, 273; Ganglb., KäfMEur. II, 1895, 518; Schaufuß in Calwer, 180; Kuhnt, 165, 220. — Biol.: Rupertsberger, Biol. Käf. Eur. 1894, 123, 124. — (*M. castaneus* [Grav.] 1802). — 24 Subgg.: Ader., Calod., Chari., Chloech., Cryptop., Isoch., Hypom., Hemim., Lena, Lithoch., Medon s. str., Medonod., Mesp., Microm., Neom., Olig., Oxym., Pansc., Param., Platym., Polym., Pseudom., Sciop., Tetram. et Trachys. — 1913:256 (in omn. part. orb. terr. distrib.). — *Medon* s. str. Muls. et Rey, ASLLyon 24, 1877, 122 (Typ. ut antea). *Staph.*, *Paed.*, *Puedi.* 199; 199, 7.

- Medonella** **Casey**, T.Ac.St.Louis XV, 1905, 154, 180 = Subg. ad *Thinocaris* **Kraatz** 1859. *Staph.*, *Paed.*, *Paedi.* 194.
- Medonodonta** **Casey**, T.Ac.St.Louis, 1905, 176 (*M. alutaceus* **Casey** 1905) = Subg. 9 ad *Medon* **Steph.** 1832 1913:1 (N. Mex.). *Staph.*, *Paed.*, *Paedi.* 199, 9.
- Megabris** **Des Gozis**, BSEFr. 1881, CXIII; **Fairm.**, BSEFr. 1881, CLIX; **Reitt.**, DEZ. 26, 1882, 296 = *Mylabris* **F.** 1775. *Melo.*, *Lytt.*, *Mylab.* 14.
- Megacantha** **O Westw.**, PZSL. 1842, 121; TZSL. III, 1843, 228; **Lac.**, V, 467 (*M. dentata* [F.] 1801) 1913:2 (Afr. or., Guinea). *Ten.*, *Amaryg.* 1123.
- Megacerus** **Montr.**, ASAgr. Lyon 8, 1857, 8 = *Ectocemus* **Pasc.** *Brenth.*, *Brentha.*, *Bel.* 70.
- Megacoelus** **Lac.**, VIII, 1869, 458 (*M. didelphis* [Chevr.] 1840) 1913:2 (Colon. cap.). *Ceramb.*, *Cerambin.*, *Dorcus*. 570.
- Megacronus** **Gozis**, Rech. de l'esp. typ. 1886, 14; *M. Steph.*, Ill. Brit. Ent. V, 1832, 165; *Bolitobius* subg. *M. Pand.*, ASEFr. (4) 9, 1869, 333 (ex p.) = *Bryocaris* **Boisd.** et **Lacord.** 1825. *Staph.*, *Tach.*, *Bolit.* 418.
- Megacronus** **Steph.**, Ill. Brit. E. V, 1832, 165 (ex p.); **Pand.**, ASEFr. (4) 9, 1869, 333 (ex p.); **Fauv.**, F. gallo-rhén. III, 1872, 553 (ex p.); **Sharp**, BCA. Col. I, 2, 1882/87 (1884), 317 = *Bryoporus* **Kraatz** 1856/58. *Staph.*, *Tach.*, *Bolit.* 416.
- Megacronus** **C. G. Thomson**, Sk. Col. III, 1861, 166 (nec *Steph.*) = *Carphacis* **Gozis** 1886 = Subg. ad *Bolitobius* **Mannerh.** 1830. *Staph.*, *Tach.*, *Bolit.*, 417.
- Megacyllene** **Casey**, Mem. Col. 3, 1912, 351 (*M. [Clytus] antennatus* **White** 1855) 1913:1 (Mex., Ariz., Sonora, Cal.) *Ceramb.*, *Cerambin.*, *Clyt.* 800a.
- Megadasus** **Reitt.**, Best.-Tab. 53, 1904, 146; **Schaufuß** in Calwer, (801) = Subg. ad *Gonocephalum* **Chevr.** 1849. *Ten.*, *Opatr.* 528.
- Megaderus** **O Germ.**, Ins. spec. nov. 1824, 501; **Serv.**, ASEFr. III, 1834, 57 (*M. stigma* [L.] 1758) 1913:3 (Mex., Tex., Surin., Nicar., Am. b.). *Ceramb.*, *Cerambin.*, *Megad.* 1023.
- Megagenius** **O Sol.**, ASEFr. 4, 1835, 513; **Lac.**, V, 27; **Haag**, DEZ. 19, 1875, Hft. 7, 41; **Allard**, ASEFr. (6) 5, 1885, 205 (*M. Frioli* **Sol.** 1835) 1913:1 (Alg.). *Ten.*, *Adesm.* 185.
- Megaleptura** **Casey**, Mem. Col. 4, 1913, 267 = Subg. ad *Leptura* **L.** 1758. *Ceramb.*, *Cerambin.*, *Lept.* 548, 9?
- Megalinus** **Muls. et Rey**, Col. Fr. *Brevip.* 1877, 45 = Subg. ad *Xantholinus* **Serv.** 1825. *Staph.*, *Staphy.*, *Xanth.* 257.
- Megalocraerus** **Lewis**, ANH. (7) 10, 1902, 231 (*M. rubricatus* **Lewis** 1902) 1913:1 (Bras.). *Hist.* 24.
- Megalodacne** **O Crotch**, TAmES. 1873, 352; *Cist.* E. I, (1873), 141; *Erot.*, 39; **Gorh.**, BCA. Col. VII, 33 (Typ.?; *M. fasciata* [F.] 1777) 1913:28 (As., Afr., Am.). *Erot.*, *Dacn.* 92.
- Megalodacne** (pars) **Crotch**, TAmES. 1873, 352; *Erot.*, 39 = *Microsternus* **Lewis** 1887. *Erot.*, *Dacn.* 93.
- Megalopaussus** **O Lea**, PLSNSW. 31, 1906, 217 (*M. amplipennis* **Lea** 1906) 1913:1 (Queensl.). *Pauss.*, *Cerapt.* 4.
- Megalophrys** **Waterh.**, ANH. 16, 1845, 321 (*M. patagonica* **Waterh.** 1845) 1913:3 (Valdiv. 1, Pat. 2). *Ten.*, *Trimyet.* 47.
- Megalophthalmus** **O Gray** in **Griffith's**, An. Kingd. Ins. I, 1832, 371; **Cast.**, ASEFr. II, 1833, 131; HN. Col. I, 1840, 265; **Motsch.**, Etud. E. 1852, 49; **Ern. Oliv.**, GIW. *Lamp.* 1907, 47 (*M. Bennetti* **Gr.** 1832) 1913:16 (Am. e. et mer. trop.; Bras.). *Lamp.*, *Meg.* 39.

- Megaloprepes* Thoms., ASEFr. (4) 2, 1862, 424 = *Cyclommatus* Parry 1863. *Luc.*, *Clad.* 30.
- Megalops* O Er., G. Spec. *Staph.* 1839/40, 751; Sharp, TESL. 1876, 378 (*M. punctatus* Er. 1839/40) 1913: 43 (+ 2: *obliquestriatus* Bernh.: Caracas; 15-*maculatus* Bernh.: Carac.) (Amer. c. et mer.). *Staph.*, *Megal.*, *Megali.* 144.
- Megalorhipis* Phil., An. Univ. Chile, 1859, 668 (*M. Leyboldi* Phil. 1859) 1913:1 (Chile). *Bruch.*, *Bruchi*. 90.
- Megalotrox* Borre, ASEB. 30. 1886, 59, = Subg. ad *Trox* F. 1775. *Scar.*, *Trog.* 2.
- Megamerus* O M'Leay in King, Surv. Austr. App. II, 1827, 448; Lac., Mon. *Phyt.*, 1845, 7; Chap., G. Col. X, 1874, 32; Jacoby, GIW. 14, 1903, 2 (*M. Kingi* M'Leay 1827) 1913:2 (Austral.). *Chrys.*, *Sagr.*, *Megam.* 1.
- Meganoxia* Reitt., VN. 40 (Best.-Tab. 50), 256, 280; *Schaufuß* in Calwer, (1321) (*M. orita* Reitt. 1901 (1902) 1913:1 (Arm. ross.). *Scar.*, *Melth.*, *Melthi*. 357.
- Megapertha* Reitt., VN. 41, 1903, 89 = Subg. 5 ad *Phyllopertha* Steph. 1830; *Schaufuß* in Calwer, (1329) (*Ph. massageta* [Kirsch] 1881) 1918:1 (Turemen., Samarcand., Transcasp.). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 77,5.
- Megaproctus* Chevr. in Silberm., Rev. d'E. V. 1840, 322 = *Megacoelus* Lac. 1869. *Ceramb.*, *Cerambin.*, *Dorcas*. 570.
- Megaprosodes* Reitt., Mon. II, 118, 134 = Subg. ad *Prosodes* Eschsch. 1829. *Ten.*, *Blapt.* 390.
- Megaprosopus* Reitt., VN. 46, 1908 104 = *Platyprosopus* Mannerh., 1830, *Staph.*, *Brachel.*, *Staphy.*, *Xanth.* 279.
- Megaprotus* Lac., *Erot.*, 1842, 297; Chap. XII, 58; *Crotch*, *Erot.*, 120 = Subg. ad *Brachysphaenus* Lac. 1842. *Erot.*, *Erotyl.* 10.
- Megarafonus* Casey, Col. Not. 7 in ANYAcSe. 1897, 550 (*M. ventralis* Casey 1897) 1913:1 (Oregon). *Psel.*, *Pselia*, *Faron*. 10.
- Megarhagium* Reitt., F. Germ. 4, 1913, 6 = Subg. ad *Harpium*. *Ceramb.*, cf. P. II.
- Megarthrus* O Steph., Ill. Brit. E. V, 1832, 330; Er., KäfMBr. 1837/9, 643; Kraatz, NID. II, 1856/8, 1026; C. G. Thoms., Sk. Col. III, 1861, 218; Sharp, BCA.Col. I, 2, 1882/7, 743; Ganglb., KäfMEur. II, 1895, 760; *Schaufuß* in Calwer, 150; Kuhnt, 159, 181 (*M. depressus* [Payk.] 1789, *demicollis* Beck [1817], *hemipterus* [III.] 1794) 1913:28+2 (*angulicollis* Mäkl.: Am. b., *africanus* Eichelb.: Afr. or.) (Am.). *Staph.*, *Oxyt.*, *Protein*. 40. Biol.: Rey, ASLLyon 23, 1886, 156, 156; Rupertsberger, Biol. Käf. Eur. 1894, 126; Xamben, Moeurs Ins. VI, 109.
- Megasattus* O Cas., Mon., 1908, 56, 62 (*M. costatus* [Horn] 1870) 1913:2 (Cal. inf., Mex.). *Ten.*, *Conio*. 421.
- Megasceloides* Jac., ASEB. 42, 1898, 352 = *Oenida* Letv. 1885. *Chrys.*, *Eumolp.*, *Edus*. 205.
- Megasemum* O Kraatz, DEZ. 23, 1879, 97 = Subg. 3 ad *Criocephalus* Muls. 1839 (*M. quadricostulatum* Kraatz 1879) 1913:1 (Amur, Jap.). *Ceramb.*, *Cerambin.*, *Asem*. 25,3.
- Megasida* Casey, Mem. Col. 3, 1912, 202 (*M. oblitterata* Champ. 1892) 1913:1 (Mex., Ariz.). *Ten.*, *Asid.* (apud 286).
- Megastilicus* Casey, EAm. V, 1889, 183; T.Ac.St.Louis XV, 1905, 227 (*M. formicarius* Casey 1905) 1913:1 (Massachusetts). *Staph.*, *Paed.*, *Paedi*. 184.
- Megatclus* Reitt., Tab., Aphod. 41; VN. 30, 179; A. Schmidt, GIW. 18 et 26

- = Subg. ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7.
- Megatharsis* Waterh., ANH. (6) 8, 1898, 59 (*M. Buckleyi* Waterh. 1891) 1913:1 (Ec.). *Scar.*, *Copr.*, *Copri.*, *Phan.* 88.
- Megathopa* O* Eschz., Entomogr., 1822, 34 (*M. villosa* Eschz. 1822) 1911:17 (Mex., Costa Rica). (Am. b., mer.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 17.
- Megatoma* O* Herbst, Nat. Käf. IV, 1792, 92; *Brahm* in *Hoppe*, E. Taschenb. 1797, 140 et 151; *Samouelle*, E. Comp. 1819, 183; *Er.*, NID. III, 1846, 443; *Sturm* 19, 1847, 82; *Lac.* II, 465; *Jæq. du Val*, II, 255; *C. G. Thoms.* Sk. Col. IV, 203; *Muls.* et *Rey*, *Scutic.* 107, *Reitt.*, Tab. 3, 71; ed. II, 1887, 40 et 46; *Ganglb.*, IV, 1, 27; *Schaufuß* in Calwer, 599, 600; *Kuhnt*, 603, 606; *Gutfl.-B.*, 284 (*M. undata* [L.] 1875) 1913:9 (Palaeart., Queensl., b., (?) Tasm.). *Derm.*, *Megat.* 12. Biol.: *Westw.*, Introd. Class. Ins. I, 1839, 159; *Azambre*, ASEFr. (3) 5, 1857, Bull., p. XVII; *Kuwert*, StEZg. 32, 1871, 305; *Carpenter*, B.S.Linn.Nord de la Fr. III, 1876, 183; ? *Lampert*, Jahresh. Ver. Nat. Württemb. 42, 1886, 100; *Rey*, Ess. Etud. Larv. 61 (191); *Ganglb.* IV, 1, 28.
- Megatoma* Guér., Ic. regne anim. Ins. 1829, 65; *Reitt.*, Best.-Tab. Eur. Col. III, 1887, 46 = *Attagenus* Latr. 1802. *Derm.*, *Attag.* 2.
- Megatracheloides*¹⁾ nom. nov. R. Luc. pro *Megatrachelus* Fst. 1889 nec *Ab. de Perrin* 1845.
- Megatrachelus* Ab. de Perrin, Bull. Moscou 18, 1845, I, 83, 1880; Bull. Soc. Toulouse 1880, 52 (*M. politus* Gebl. 1832]) 1917:2 (Mong., Mandschur.). *Melo.*, *Nemogn.*, *Nemogni*. 69.
- Megatrachelus* Fst.¹⁾, StEZg. 50, 1889, 77 (*M. chloris* Fst. 1889) 1913:1 (N. Caled.). *Cure.*, *Api.*, *Apion.* 9.
- Megatrachelus* Motsch., BMosc. XVIII, 18, 1845, I, 83 = *Stenodera* Eschschz. 1818. *Melo.*, *Nemogn.*, *Nemogni*. 68.
- Megatrachelus* Motsch., BullMosc. XVIII, 18, 1845, I, 83 = *Zonitis* F. 1775. *Melo.*, *Nemogn.*, *Nemogni*. 75.
- Megauchenia* M'Leay, Annulosa Javanica, 1825, 45, ed. Lequien 1833, 155 (*M. setipennis* M'Leay 1825) 1913:8 (Birma, Ind. or., Java, Sum., Morty, Phil. Ins.). *Nit.*, *Nitid.* 83.
- Megazopherus* O Cas., Rev. Mon., 1907, 461 (*M. chilensis* [Gray in Griff.] 1832) 1913:1 (Am. mer., e. et b.). *Ten.*, *Zopher.* 190.
- Megeleates** Cas., ANYAcSc. 8, 1895, 623 O (*M. sequoiarum* Cas. 1895) 1913:1 (Cal.). *Ten.*, *Bolitoph.* 600. Biol.: *Wickham*, JoNYES. IV, 1896, 118, fig.
- Megelenophorus* O Geb. in Schklig. u. J., Col. Cat. P. 15, 1910, 121 (*M. americanus* [Lac.] 1830) 1913:1 (Tucuman.). *Ten.*, *Elenoph.* 269.
- Megetra* O J. Lec. in Thomson, Arcan. Natur. 1859, 127 (*M. vittata* [J. Lec.] 1853, *cancellata* Brandt u. Er. 1831) 1917:2 (Mex., Nov. Mex., Ariz.). *Melo.*, *Lytt.*, *Meloi*. 49.
- Megischia* Redtenb., Gatt. 1845, 130; F. Austr. 1849, 604; 1858, 624; 1874, 33 = *Podonta* 1856. *All.*, *Omophl.* 96.
- Megischia* O Sol., ASEFr. 4, 1835, 247; *Reitt.*, DEZ. 1890, 34, 40, 118, 173 (Best.-Tab.), *Seidl.*, NID. V, 2, 1896, 292; *Schaufuß* in Calwer, (789) (*M. curvipes* [Brullé] 1832) 1913:3 (Eur. mediterr., Syr., Cypr.). *All.*, *Omophl.* 116.
- Megischina* O Reitt., VN. 45, 1906, 118, 171 (Best.-Tab. p. 11) (*M.*

¹⁾ *Megatracheloides* nom. nov. R. Luc. cf. supra.

armillata Brunlé 1832) 1913:3 (Eur. mer., As. minor). *All.*, *Omophl.* 115. *Megischyrus* O Crotch, Cist.E. I (1873), 143; l. c. 1876, 422; Gorh., BCA. Col. VII, 1887, 37 (*M. nicaraguensis* Crotch 1873) 1913:30 (Am. c. et mer. trop.). *Erot.*, *Triplac.* 33. *Megistomela* O Chap. 1874, 398; Ws., Münch. Kol. Z. III, 1908, 296 (*M. reticulata* [F.] 1787, *M. punctatissima* [Ol.] 1790, Spp. div. [auct. Stål] 1859, *multipunctata* [Chevr.] 1844) 1916:9 (Bras., Col., Bol., Mex., Nicar., Cayenne). *Chrys.*, *Chryso.*, *Zygogr.* 5. *Megistophylla* Burm., Hd.E. IV, 2, 424 (*M. Junghuhni* Burm. 1855) 1913:1 (Sum.). *Scar.*, *Melth.*, *Melthi.* 380. *Megiliphus* Motsch., BMosc. 45, 1872, II, 38, 41 (*M. laenoides* Motsch. 1872) 1913:1 (Terr. cap.). *Ten.*, *Stenos.* 243. *Megobrium* O J. Lee., Smiths. Misc. Coll. XI, 264, 1873, 192 (*M. Edwardsi* J. Lee. 1873) 1913:1 (Cal.). *Ceramb.*, *Cerambin.*, *Molorch.* 613. *Megorama* Fall, TAmES. 31, 1905, 192, 206 (*M. simplex* [J. Lee.] 1865) 1913:4 (Am. b.: Civ. confoed.) *Anob.*, *Xylet.* 58. *Megopis* O Serv., ASEFr. I, 1832, 161; (*Muls.*, Col. Fr. *Long.* 1839, 24; ed. 2, 1863, 51; *Redt.*, F. Austr. 1849, 478; etc.; *J. Thoms.*, Class. *Cer.* 1860, 289; *Syst. Cer.* 1864, 473; *Fairm.*, G. Col. d'Eur. IV, 1864, 120; *Lac.*, VIII, 1869, 154; *Gahan*, F. Br. Ind. Col. I, 1906, 44); *Lmr.*, ASEB. 53, 1909, 135 (Rév., 549) (*M. mutica* Serv. 1832) 1913:35. — Subgg.: *Dinop.*, *Aegos.*, *Nep.*, *Megopis*, *Dand.*, *Aeroogr.*, *Palaeom.*, *Baral.* — *M. s. str.* ASEFr. I, 1832, 161; *J. Thoms.*, Class. *Cer.*, 289, *Syst. Cer.*, 472; *Lac.*, VIII, 155; *Lmr.*, ASEB. 53, 1909, 145 (Rév., 559) = Subg. 4 ad *M. Serv.* 1832 (Typ. ut antea) 7 [4 + 3] (As., Ins. Andam.,

Maur., Reunion, Madag., Comor., Nat., Nov. Caled.). *Ceramb.*, *Prion.*, *Callipogia*, *Megop.* 50; 50,4. *Mehadiella* O Csiki, Term. Füz. 22, 1899, 247 (subg.); Reitt., WEZg. 27, 1908, 117; Jeannel, Arch.Zo. exp. (4) 8, 1908, 308; (5) 5, 1910, 20 (gen.); t. 54, 1914, 68 (gen.); Rev. Ba., 471; Breit, EMi. II, 1913, 315 (subg.); Schaufuß in Calwer, (264) (*M. Paveli* [J. Frivaldszky] 1880) 1914:1 (musicie.: Alp. transsylv.). *Silph.*, *Bath.*, *Bathy.* 8. *Meilichius* Gerst., ArN. 23, 1857, I, 239; Mon. *Endom.* 1858, 356; Chap., G. Col. 12, 1876, 131 = *Milichius Gerst.* 1857. *End.*, *Endo.*, *Endom.* 73. *Meioderus* O Matth., Mon. *Coryl.* 1899, 102 t. 2 f. B (*M. nitidus* Matth. 1899) 1913:1 (Japon.). *Orth.*, *Saci.* 8. *Meizoderus* O Matth., Mon. *Coryl.* 105 t. 2 f. C (*M. fuscus* Matth. 1899) 1913:1 (Japon.). *Orth.*, *Saci.* 9. *Meladeras* Muls. 1854 = Subg. ad *Phylan* Steph. 1832. *Ten.*, *Pedin.* 450. *Meladeras* Muls., Opusc. E. V. 1854, 219; ASLLyon X, 1855, 108; Reitt., Best.-Tab. 53, 1904, 96 = Subg. ad *Phylan* Steph. 1832. *Ten.*, *Pedin.* 450. *Meladiesia* Reitt., WEZg. 28, 1909, 309 (*M. miritarsis* Reitt. 1909) 1913:1 (Transcasp.). *Ten.*, *Pimel.* 357. *Meladocrates* Reitt., Best.-Tab. 53, 1904, 96; Schaufuß in Calwer, (799) = Subg. ad *Phylan* Steph. 1832. *Ten.*, *Pedin.* 450. *Melambia* Er. in Germar, ZE. V, 1844, 450; *Lac.* II, 1854, 342; Reitt., VN. 14, 1876, 24; Lév. in Grouv., Col. rég. Ind., ASEFr. 77, 1908, 322 (Typ.?); *M. striata* [Ol.] 1790) 1913:13 (As., Afr.). *Temn.*, *Temno.* 12. *Melambius* O Muls. et Rey, M. Ac. Lyon, 1854, 268; Opusc. E. V, 1854, 124; *Lac.* V, 273; Seidl., NID. V, 1894, 412, 415; Reitt., Best.-Tab. 53,

- 1904, 114 (*M. barbarus* [Er.] 1841)
1913:7 (Alger., Tunes. 1). *Ten.*,
Opatr. 500.
- Melanalia* **Casey**, Mem. Col. 2, 1911
10 (*M. tabida* **Casey** 1911) 1913:3
(Cal.). *Staph.*, *Aleoch.*, *Aleochi*.
- Melanastus* **Cas.**, Rev. Mon. 1907, 353
(Typ. ? *obesus*, *ater* [Lec.] 1851, *obtusus*
[Lec.] 1866) 1913:24 (Col., Mex.,
Ariz., Cal., etc.). *Ten.*, *Eurymet.* 30.
- Melaneleodes* **Blaisd.**, Mon. 1909, 33 sq.
= Subg. ad *Eleodes* **Eschsch.** 1829.
Ten., *Eleod.* 392.
- Melanesthes* **O Lac.** V, 260; **Muls. et Rey**, M. Ac. Lyon IX, 1859, 93;
Opusc. E. X, 1859, 31; **Jacq. du Val**, III, 281; **Seidl.**, NID. V, 1894,
409, 59; **Reitt.**, Best.-Tab. 53, 1904,
135, 171 (Typ. ? *M. laticollis* [Gebl.]
1830, *sibirica* (Falderm.) 1833,
Faldermanni [**Muls. et Rey**] 1859 etc.)
1913:14 (Mong., Turk., Sib., Ch.).
Ten., *Opatr.* 544.
- Melanetaerius* **Sharp**, Zo. Rec. 48, 1911,
Ins., 208 = err. pro *Melanotaerius*
Fall. 1907. *Hist.* 97.
- Melanimon* **O Stev.**, *Tentyr.* et *Opatra*,
1829, 18; **Steph.**, Man. Brit. Col. 1839,
323; **Seidl.**, NID. V, 1894, 410 sq.; **Reitt.**,
Best.-Tab. 53, 1904, 128; **Schaufuß**
in Calwer, 800; **Kuhnt**, 739, 744
(*M. tibiale* [F.] 1781) 1913:1 (Eur.,
As. c.). *Ten.*, *Opatr.* 512.
Biol.: **Perris**, Larves 1877, 264;
Altum, Dankelm. Zeit. 19, 1887, 466;
ENa. 13, 1887, 283; **Judeich**, Forst-
ins. 1889, 2, I, 619; **Seidl.**, NID. V,
1893, 213.
- Melanispa* **O Baly**, 30, t. 1 f. 9; **Chap.**
XI, 339 (*M. truncata* **Baly** 1858)
1913:1 (Guadeloupe). *Chrys.*,
Hisp., *Cephal.* 7.
- Melanocamenta* **Brenske**, ASEB. 43,
1899, 379 (Typ. ? *M. reflexa* [F.],
bomuana **Brenske** 1899) 1913:4 (Afr.
or.-germ.; Cap., Usambara). *Scar.*,
Melth., *Seric.* 128.
- Melanochroa* **Broun**, N.Zeal.Jo.Scient.
I, 1881, 667 = *Cyclaxyra* **Broun**
1893. *Nit.*, *Nitid.* 131.
- Melanochrus* **Woll.**, Cat. Can. Col. 1864,
467 (*M. Lacordairei* **Woll.** 1864)
1913:1 (Ins. Canaren). *Ten.*,
Tentyr. 167.
- Melanocoma* **Woll.**, Col. Hesperid. 1867,
181 (*M. vestita* **Woll.** 1837) 1913:1
(Ins. Cap. verd.). *Ten.*, *Opatr.* 535.
- Melanocratus* **Fairm.**, ASEB. 39, 1895,
21 (*M. validipes* **Fairm.** 1895) 1913:6
(Madag.). *Ten.*, *Opatr.* 491.
- Melanolophus* **Fairm.**, in *Revoil* Faune
et Flore Comal Col. 1882, 69; ASEFr.
(6) 7, 1887, 183 = *Amiantus* **Fährs.**
1870. *Ten.*, *Molur.* 308.
- Melanopterus* **Muls. et Rey**, Mém.
Ac. Lyon, 1854, 158; Opusc. E. V,
1854, 14; **Lac.** V, 235 (*M. amaroides*
Fährs. 1870) 1913:4 (Terra cap. 3,
Caffr. 1). *Ten.*, *Pedin.* 437.
- Melanorus* **Reiche**, ASEFr. (3) 5, 1857,
190 = *Oxycara* **Sol.** 1835. *Ten.*,
Tentyr. 160.
- Melanostola* **Sén[ae]**, Mon. II, 1887,
p. V = Subg. ad *Pimelia* **F.** 1775.
Ten., *Pimel.* 377.
- Melanoiaerius* **Fall**, Psyche 14, 1907,
69 = (*M. infernalis* **Fall** 1907) 1913:1
(Cal.). *Hist.* 97.
- Melanotrupes* **F. Blanch.**, Psyche, V,
1888, 103 (pars); **Bouem.**, ASEFr.
69, 1910 (11), 344; *Anoplotrupes*
Jek. 1865 (1866) = Subg. 3 ad
Geotrupes **Latr.** 1796. *Scar.*, *Geotr.*,
Geotripi. 17, 3.
- Melansis* **Woll.**, Cat. Can. Col. 1864,
491 = *Phylax* **Muls.** 1854. *Ten.*,
Opatr. 498.
- Melaphodius* **Reitt.**, Tab., 100; VN. 30,
238; **A. Schmidt**, GIW. 21 et 32;
Schaufuß in Calwer, 1269 = Subg.
ad *Aphodius* III. 1798. *Scar.*, *Aphod.* 7,
- Melaphorus* **O Guér.**, MaZo. 1834,
Mélas., 13; **Cast.**, HN. II, 1840, 191;
Lac., V, 74 (*M. Reichei* **Guér.** 1834)
1913:1 (Peru). *Ten.*, *Trion.* 176.

Melaps O Cart., PLSNSW. 33, 1908, 409 (*M. cisteloides* Cart. 1908) 1913:1 (Mons Kosciusko). *Ten.*, *Apocryph.* 991.

Melarachnica Kraatz, Rev. *Ten.* 1865, 174 (*M. Westermannii* Kraatz 1865) 1913:2 (Ind. or.) *Ten.*, *Tentyr.* 145.

Melaserica Brenske, BEZ. XLII, 1897, 355, 421; Sharp, ANH. (7) 11, 1903, 468 = *Anomalophylla* Reitt. 1887. *Scar.*, *Melth.*, *Seric.* 42.

Melasia Muls., Opusc. E. VII, 1856, 160; Schaufuß in Calwer, 809, 813; Kuhnt, 740, 748 = ?*Uloma* Cast. 1840. *Ten.*, *Ulom.* 696.

Melasma Woll., Cat. Can. Col. 1864, 484 (*M. lineatum* [Brill.] 1838) 1913:1 (Ins. Canar.). *Ten.*, *Opatr.* 534.

Melasmetus Reitt., F. Germ. 4, 1913, 39 = Subg. ad *Phymatodes* Muls. 1839. *Ceramb.*, *Cerambin.*, *Callid.* 785.

Melasoma O*+ Steph., Ill. Brit. E. IV, 1834, 350; Man. 1839, 303; Redt., Gatt. deutsch. Käferf. 1845, 116; Vogel, in Schaufuß, Nunqu. otios. I, 1871, 137; Ws., NID. VI, 3, 1884, 551; Fowl., Col. Brit. Isl. IV, 1890, 308; Everts, II, 445; Reitt., F. Germ. IV, 1912; Schaufuß in Calwer, 927, 960; Kuhnt, 805, 854 (*M. populi* [L.] 1758) 1916:35. — Subgg.: *Linaeid.*, *Microd.* et *Mel.* — *Mel.* i. sp. = Subg. 3 ad *M.* (Type ut antea); (*M. tremulae* [F.] 1787) 1916:3 (Eur., As., Am. b., Sib., Ch., Jap.; Afr. b., Am., Chile). *Chrys.*, *Chryso.*, *Phaedon*. 49; 49, 2.

Anat.: Semichon, BSEFr. 1913, 366; Bordas, A. Sc. Nat. Zo. (8) 11, 1900, 382/3.

Morphol.: Bordas, A.Sc. Nat.Zo. (8) 11, 1900, 382; Jacobs, HoR. 38, 1906, LX; McCracken, Jo. Exp. Zo. Baltimore III, 1906, 321, cf. etiam Ws. in Schklig. u. J., P. 68. 145.

Parasit.: Rabaud, Feuill. j. Nat. 39, 1909, 101; Bugnion, B.S. Vaud. (2) 17, 1881, 17, t. 1, 2

Archiv für Naturgeschichte
1918. A. 3.

Biol.: Liter. vide Ws. in Schklig. et J., Col. Cat. P. 68, 1916, 138, 139, 145, 146; Hacker, WEZg. 18, 1899, 36; Aulmann, Mi. Zo. Mus. Berl. V, 1911, 265 f. 11; Kirby et Spence, Introd. to E. II, 1817, 279; Latr., HNCrIns. XI, 1803, 332; Ratzeb., Forstins. I, 1837, 241; Westw., Introd. Class. Ins. I, 1838, 388, f. 48; Chap. et Cand., MSLiége, 8, 1853, 610; Ws., NID. VI, 3, 1884, 553.

Dimorphism. cf. *Microdera* Steph.

Melatemma Bates, TESL. 1870, 258 (*M. polita* Bates 1870) 1913:1 (Ega).

Ceramb., *Cerambin.*, *Cerambyc.* 165.

Melaxumia O Reitt., WEZg. 14, 1895, 280; DEZ. 1896, 299; Best.-Tab. 42, 1900, 92, 163 (*M. angulosa* [Gebl.] 1832) 1913:1 (Sib. or., Mong.). *Ten.*, *Tentyr.* 139.

Melba O Casey, Col. Not. 7, 1897 in ANYAcSc. 9, 1897, 565; Raffr., Rev. d'E. 17, 1898, 237; ASEFr. 72, 1903, 524; GIW. *Psel.* 1908, 71 (Typ. ?; *M. texana* Cas. 1897, *parvula* [J. Lee.] 1850) 1913:32 (Civ. confoed. sept., St. Thom., Martin., Guadel.). *Psel.*, *Psel.*, *Euplect.* 68.

Melbamima Raffr., ASEFr. 78, 1909, 17 (*M. clavicornis* Raffr. 1909) 1913:1 (Sao Paolo). *Psel.*, *Psel.*, *Euplect.* 69.

Melegena O Pasc., TESL. (3) III, 1869, 659 (*M. pubipennis* Pasc. 1869) 1913:3 (Cochinch., Bombay, Born.). *Ceramb.*, *Cerambin.*, *Disten.* 12.

Meliceria O Raffr., Rev. d'E. 17, 1898, 254; ASEFr. 72, 1903, 528; 79, 1910, 255; GIW. *Psel.* 1908, 91 (*M. acanthifera* [Reitt.] 1884) 1913:1 (Corfu). *Psel.*, *Psel.*, *Euplect.* 97.

Melichrus Brenske, ENa. 18, 1892, 156 (*M. Kolbei* Brenske 1892) 1913:1 (Darjeeling). *Scar.*, *Melth.*, *Melthi.* 333.

Melicurus Germain, An. Univ. Chile 115, 1904, 470 = *Aulacopalpus*

- Guér. 1838. *Scar.*, *Rut. orth.*, *Anoplgn.*
Brachystrn. 27.
- Meligethes* Kirby, *Gutfl.-B.*, 240.
- Meligethes* O. Steph., Ill. Brit. E. III, 1830, 30, 45 (pars); *Schaufuß* in Calwer, 422, 432; *Kuhnt*, 478, 490 (*M. atratus* [Ol.] 1790, *aeneus* [F.] 1758, *erythropus* [Gyll.] 1808, *viridescens* [F.] 1787, spp. div. ex anno 1845 per *Sturm*, *Er.*, *pedicularius* et *subrugosus*, *solidus* Ill. *viridescens* ([F.] 1787) 1913:232 (Eur., As., occ., Kamtschatka, Afr., Ch., Ins. Canar.). *Nit.*, *Meligeth.* 21.
- Meligethinus* Grouv., BSEF. 1906, 202 (*M. humeralis* Grouv. 1906) 1913:1 (Angola). *Nit.*, *Meligeth.* 22.
- Melina* Chap., G. Col. X, 1874, 345 (nec *Robineau Desvoidy* 1830) = *Melinophora* Lefv. 1885. *Chrys.*, *Eumolp.*, *Endoc.* 280.
- Melindea* Lefv., ASEFr. 6 (4) 1884, Bull. p. LXV; MSLiége (2) 11, 1885, 91 (*M. abyssinica* Lefv. 1884) 1914:1 (Abyss.). *Chrys.*, *Eumolp.*, *Cyn.* 191.
- Melinodea* Jac., TESL. 1900, 509 (*M. metallica* Jac. 1900) 1914:1 (Bras.: Minas Geraes). *Chrys.*, *Eumolp.*, *Endoc.* 279.
- Melinophora* Lefv., MSLiége (2) 11, 1885, 157 (*M. tibialis* [Germ.] 1824; *nigripes* Lefv., 1885) 1914:3 (Bras.). *Chrys.*, *Eumolp.*, *Endoc.* 280.
- Melinopterus* Muls. 1871, 329; Reitt., Tab., *Aphod.* 94; VN. 30, 232; DEZ. 1906, 435—442; A. Schmidt, GIW. 21 et 59; *Schaufuß* in Calwer, 1269; *Kuhnt*, 390, 392 = Subg. ad *Aphodius* Ill. 1798. *Scar.*, *Aphod.* 7.
- Melispa* Ws., DEZ. 1897, 115 (*M. Andrewesi* Ws. 1897, *M. cassidooides* [Guér.] 1844) 1913:2 (Ind. or., Madura, Java). *Chrys.*, *Hisp.*, *Callisp.* 53.
- Melizomma* O. Murr., ANH. (3) 20, 314 (Sep., 119); Fairm., ASEFr. 60, 1891, 246; Germer, ZwZo. 101, 1912, 721; Schklig., EMi. 3, 1914, 320 (*M. africanum* [J. Thoms.] 1858,
- M. brasiliense* [Cast.] 1832) 1915:11 (Afr., Afr., Am.; Java, Sum., N. Guin., Seychell.). *Lym.* 3.
- Meloe* L., Syst. Nat. ed. XII, 1758, 419 (pars) = *Mylabris* F. 1775. *Melo.*, *Lytt.*, *Mylab.* 14.
- Meloe* L., Syst. Nat. ed. X, 1758, 149; *Gutfl.-B.*, 438; *Schaufuß* in Calwer, 751; *Kuhnt*, 704, 705 (*M. proscarabaeus* L. 1758, *majalis* L. 1767, *autumnalis* Ol. 1792, *violaceus* Marsh. 1802) 1917: ? (Eur., As., Afr., Am.). *Melo.*, *Lytt.*, *Meloi.* 53.
- Umfass. Arb. Diversa, p. ex.
- Katter, Mon. Spp. Europ. Gattg. *Meloe* I, II, 1883—85; Escher., Rev. behaart. Meloe-Art. d. Alt. Welt., WEZg. 9, 1890, 87; Reitt., Best. Tab. XXXII, 1895. — Cat. et Biol., cf. Ws. in Schklig. et J. Cat. Col. 69 p. 119; Reitter, F. Germ. III, 1911, 385. — Larve: Friese, Ill. ZE. III, 1898, 213.
- Meloenellus* Reitt., F. Germ. 3, 1911, 390 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi.* 53.
- Meloegenius* Reitt., F. Germ. 3, 1911, 389 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi.* 53.
- Meloëtyphlus* O. C. O. Waterh., EMM. 9, 1872, 31 (*M. fusca'us* C. O. Waterh. 1872) 1917:1 (Peru or.). *Melo.*, *Lytt.*, *Meloi.* 55.
- Meloides* Piller et Mitterpacher 1783, 36; Iter per Poseganam = *Cerocoma* Geoffr. 1762. *Melo.*, *Lytt.*, *Mylab.* 9.
- Melolontha* F., Syst. E. 1775, 31; Syst. El. II, 1801, 160 [non Müller 1764]; *Muls.*, HN. Col. Fr. *Lamell.* 1842, 405, ed. 2, 1871, 279; *Er.*, NID. 3, 1847, 667; *Burm.*, Hd. E. IV, 2, 1855, 409; *Kraatz*, Amtl. Ber. 38. Vers. deutsch. Naturf. 1863 (1864), 129—135; BEZ. 8, 1864, 1—16; TESL. (3) I, 1862/4 P. p. CLXXII; Ab. 13, 1875, 15; DEZ. 26, 1882, 243/5 (I.), 29, 1885, 49—73 (II); Tagebl. 60. Vers. dtsc. Naturf. 1887

nr. 8, 260; DEZ. 31, 1887, 543/4;
Katter, ENa. 5, 1879, 167—171;
Metzler, DEZ. 26, 1882, 229—234;
Tieffenb., 26, 1882 t. 4 f. 37/45;
Westhoff, t. c., 55/74; **Kraatz**, t. c.,
405; **Reitt.**, DEZ. 31, 1887, 529—542;
WEZg. 8, 1889, 275; VN. 40 [Best.-
Tab. 50], 254, 260; **Sem.**, A. Mus.
Zo. St. Pétersb. I, 1896, 14—24;
Schewyrew, HoR. 31, 1897, Compt.
rend. p. LVIII—LXVI; **Gutfl.-B.**, 327;
Schaufuß in Calwer, 1310, 1316;
Kuhnt, 186, 407 (*M. melolontha* L.
1758, c. 16 varr., 1 subsp., 1 monstr.)
1913:41 (Eur. b., med., As. m., c.,
China; As. mer., Ceyl. etc.; *M. porcina*
Hentz 1830 ex Am. bor., Mass.).
Scar., *Melth.*, *Melthi*. 367.

Farbenvarr.: **Kolbe**, BEZ. 28,
1884, 76.

Pygid.: **Delaby**, B. S. Linn. Nord
France, 8, 1886/7, 325—331.

Larven: **Warburton**, Jo. R. Agr.
S. 8, 1897, 744—756.

Liter.: vide **DT.** in **Schklg. et J.**,
P. 49, 1912;

Morph.: **DT.**, l. c., p. 270, 273/4.
Physiol.: **DT.**, l. c., p. 270, 274.

Biol.: **DT.**, l. c., p. 270, 275—283.
etiam **O. Taschenb.**, Bibl. Zo. 3,
1890, p. 2685/90.

Monstros.: **D. T.**, l. c. p. 274.

Chemism.: **DT.**, l. c., p. 274.

Phaenol. (Period., Flugjahre):
DT., l. c., p. 283.

Util. techn. (Verwend.): **DT.**,
l. c., p. 283—284.

Melosoma **Bed.** V. 1892, 141 = *Melasoma*
Steph. 1834. *Chrys.*, *Chryso.*,
Phaedon. 49.

Melytra **O Pasc.**, ANH. (4) 3, 1869, 34
(*M. ovata* **Pasc.** 1869) 1913:1 (Tasm.).
Ten., *Cnodal*. 986.

Menandris **Haag**, V. Ver. naturw.
Unterh. Hamburg, III, 1878, 103;
Jo. Mus. Godeffr., 14, 1879, 131

(*M. aenea* **Haag** 1878) 1913:1 (Ovalau,
Upolu). *Ten.*, *Helop.* 1039.

Mencheres **O Champ.**, BCA.Coll. IV,
1, 1884, 5 (*M. nicaraguensis* **Champ.**
1884) 1913:2 (Guat., Nicar.). *Ten.*,
Trimet. 49.

Mendelius **Lewis**, ANH. (8) 2, 1908, 141
(*M. tenuipes* **Lewis** 1905) 1913:2
(Ind., Jap.). *Hist.* 27.

Mendidaphodius **Reitt.**, DEZ. 1901, 73;
A. Schmidt, *Aphod.* 21 et 59; **Schan-**
fuß in Calwer, 1283 = Subg. ad
Aphodius III. 1798. *Scar.*, *Aphod.* 7.
Mendidius **Har.**, Coll. Hfte. 3, 1868,
86; **Reitt.**, Tab. 42; VN. 30, 231;
A. Schmidt, GIW. 18, 26; **Schanfuss**
in Calwer, 1282 = Subg. ad *Aphodius*
III. 1798. *Scar.*, *Aphod.* 7.

Menechides **Motsch.**, BMosc. 45, 2,
1872, 26 = *Scotobates* **Horn** 1870.
Ten., *Tenebr.* 763.

Menederes **O Sol.**, Studi entom. 1848,
152 (6), 153 (7), 203 (57); **Lac.**, V,
462 (*M. rufilabris* **Sol.** 1848) 1913:1
(Terra cap.). *Ten.*, *Helopi*. 1105.

Menedrio **Motsch.**, BMosc. 1872, II,
27 = *Tenebrio* L. 1758. *Ten.*, *Tenebr.*
828.

Menephius **O Muls.**, Col. Fr. *Latig.*
1854, 291; **Redtb.**, F. Austr. ed. II
et III; **Jacq. du Val**, III; **Seidl.**,
F. Ba. et Tr.; NID. V, 1896, 623/4;
Desbr., *Frelon* XI, 1902, 48. — Biol.:
Perris, ASEFr. (3) 5, 1857, 361
t. 76 f. 444; **Seidl.**, NID. V, 1893,
216; **Gutfl.-B.**, 418; **Schaufuß** in
Calwer, 815; **Kuhnt**, 741, 749 (*M.*
cylindricus [Herbst in Fuessl.] 1784)
1913:29 (Eur., Jap., Ind., Afr.,
Austral.). *Ten.*, *Tenebr.* 820.

Meneristes **O Pasc.**, ANH. (4) 3, 1869,
150 (*M. laticollis* [Boisd.] 1835) 1913:7
(Austral. 4, Nat. 1, Ins. Lord Howe 2).
Ten., *Tenebr.* 822.

Menes **O Champ.**, BCA.Coll. IV, 1888,
442 (*M. meridianus* et *M. rotundatus*
Champ. 1888) 1913:2 (Yucatan,
Mex.). *All.*, *Allec.* 60.

- Meniellus* Ws., ArN. 69, 1903, 202
(*M. Kohlschütteri* Ws. 1903) 1914:1
(Afr. or.-germ.). *Chrys.*, *Eumolp.*,
Typoph. 252.
- Menimopsis* O Champ., TESL. 1896, 16
(*M. excaesus* Champ. 1896) 1913:1
(St. Vincent.). *Ten.*, *Diaper.* 647.
- Menimus* Sharp, EMM. 13, 1876, 73
(*M. Batesi*, *crassus* Sharp 1876)
1913:14 (Nov. Zealand. 13, Jap. 1).
Ten., *Diaper.* 646.
- Menioporus* Duviv., ASEB. 35, 1891,
Compt. rend. p. CCCIV (*M. thoracicus*
Duviv.) 1914:1 (Madag. or.). *Chrys.*,
Eumolp., *Typoph.* 256.
- Meniscophorus* O Champ., BCA.Col. IV,
2, 1889, 64, 2 (*M. amazonicus* Champ.
1889) 1913:2 (Amaz.; Pan.). *Lagr.*,
Stat. 34.
- Menius* O Chap., G. Col. X, 1874, 332;
Lefv., MSLiège (2) 11, 1885, 135
(*M. Lacordairei* Chap. 1874, *M.*
micans [Gerst.] 1871) 1914:23 (Afr.
or. lusit., Madag., Afr. occ.: Camerun.,
Gabun., Liber. etc.). *Chrys.*, *Eumolp.*,
Typoph. 248.
- Menoceus* O Champ., BCA.Col. IV,
1, 1888, 443; *Casey*, ANYAcSe. 6,
1891 (*M. crassicornis* Champ. 1888)
1913:3 (Am. c.; Mex., Tex.). *All.*,
Allec. 58.
- Menoedius* Fauv., Rev. d'E. 22, 1903,
55 (*M. Andrewesi* Fauv. 1903) 1914:1
(Ind. or.). *Staph.*, *Staphy.*, *Staphyl.*,
Staphi. 327.
- Mentes* O Champ., BCA.Col. IV, 1,
1893, 559 (*M. ruficollis* Champ. 1893)
1913:4 (Guat., Pan., Grenad.). *Ten.*,
Helop. 1086 aut *Lagr.*
- Mentophilus* Cast., HN. Col. II, 1840,
74 (*M. carinatus* [Reiche] 1842)
1913:3 (Austral.). *Scar.*, *Copr.*,
Scarbi., *Canthon.* 42.
- Mentraphus* Sharp, WEZg. II, 1883,
226 = *Psilocephalus* Raffr. 1877.
Psel., *Pselala.*, *Pselaph.* 332.
- Meoncerus* Sharp, BCA.Col. II, 1, 1891,
358 (*M. Salvini et scriatus* Sharp
1891) 1913:3 (Peru, Guatém., Pan.).
Nit., *Nitid.* 125.
- Mephritis* Pase., ANH. (8) 18, 1866,
479 = *Nephalius* Newm. 1841. *Ce-*
ramb., *Cerambin.*, *Sphaerio.* 250.
- Meracantha* O Kirby, F. Bor.-Am. IV,
1837, 237; *Lae.* V, 466 (*M. contracta*
[Beauv.] 1805) 1913:2 (Am. b.).
Ten., *Merac.* 1110.
Biol.: *Haldem.*, PAePhil. V, 1847,
15; P.Am.Assoc.Adv.Sc. 1849, II
347 (*subinflata* Sol.); *Wickham*,
JoNYE.S. IV, 119, t. 5 f. 2.
- Meracanthoides* Linell, P.U.Stat.Nat.
Mus. 18, 1895, 698 (*M. cupreolineatus*
Linell 1895) 1913:1 (Afr. or.-germ.).
Ten., *Merac.* 1109.
- Meralius* O Cas., Rev. Mon. 1907, 470
(*M. echinatum* [Guér.] 1838, *furcatum*
[Kirsch] 1866) 1913:2 (Cuba, Ven.).
Ten., *Zopher.* 200.
- Meraphodius* Koshant, HoR. 28, 1894,
112 = *Esimaphodius* Reitt. 1891
= Subg. ad *Aphodius* Ill. 1798.
Scar., *Aphod.* 7.
- Mericserica* Brenske, BEZ. XLII, 1897,
355; l. e. XLIII, 1898, 321 (*M. Ober-*
thüri Brenske 1897) 1913:1 (Ind.).
Scar., *Melth.*, *Seric.* 50.
- Meridion* Des Gozis, Recherche de
l'esp. typ. 1886, 32 = *Callidium* F.
1775. *Ceramb.*, *Cerambin.*, *Callid.*
783.
- Meringopalpus* Haged., BMHNP. 8,
1904, 547 (*M. fallax* Haged. 1904)
1913:1 (patria?) *Ip.*, *Hyles.* 22.
- Merinus* O J. Lec., Class., 1866, 230;
G. Horn, Rev. *Ten.* 1870, 337; **J. Lec.**
n. Horn, Class. 1883, 377 (*M. laevis*
[Ol.] 1795) 1913:1 (Am. b.: Civ.
conf. foed.). *Ten.*, *Tenebr.* 766.
- Merionoeda* O Pasc., TESL. (2) 4, 1858,
238; (3) III, 1869, 565, 570) (*M.*
puella Pasc. 1858) 1913:22 (Spp.
indomal. 18, afr. 2, neotr. 2). *Ce-*
ramb., *Cerambin.*, *Molorch.* 615.

- Merionoeodopsis* [Goun.] Sharp, Zo.Rec. 48, 1911, 234 = err. pro *Merionoeodopsis* Goun. *Ceramb.*, *Cerambin.*, *Molorch.* 615.
- Merionoeodopsis* Goun., ASEFr. 80, 1911, 11 (*M. aeneiventris* Goun. 1911) 1913:1 (Bras., Arg., Misiones). *Ceramb.*, *Cerambin.*, *Molorch.* 614.
- Merismoderus* O Westw., (*M.*) Lac. II, 1854, 11; Raffr., Nouv. Arch. Mus. Paris (2) 8, 1885, 341; Wasmann, Not.Leyd.Mus. 25, 1904, 16; Desneux, GIW. Pauss., 1905, 16 (*M. Bensoni* Westw. 1845) 1913:2 (Beng.; Sum.). Pauss., Paussin. 9.
- Merium* O (Kirby) J. Lee., Smiths. Misc. Coll. XI, 265, 1873, 296 (*M. Proteus* [Kirby] 1837, *simile* [Kirby] 1837 (Am. b., Can.). *Ceramb.*, *Cerambin.*, *Callid.* 782.
- Meroda* Baly, JoE. I, 1860, 29; Chap., G. Col. X, 1874, 328; Lefv., MSLiège (2) 11, 1885, 128 (*M. costata* Baly 1860) 1914:3 (Amaz.). *Chrys.*, *Eumolp.*, *Merod.* 239.
- Merodontus* M'Leay, TESNSW. 1871, 177 = *Platyphymania* Waterh. 1874. *Scar.*, *Copr.*, *Scarbi.*, *Sisphd.* 16.
- Merohister* Reitt., F. Germ. II, 1909, 282 = Subg. 9 ad *Hister* L. 1758 (*M. Ariasi* [Mars.] 1864) 1913:1 (His., Asm.). *Hist.* 38,9.
- Meropachys* Hope, PSZL. VIII, 1840, 20 = *Tessaromma* Newm. 1840 *Ceramb.*, *Cerambin.*, *Tess.* 409.
- Meropersina* Reitt., Mon. II, 117, 130 = Subg. ad *Prosodes* Eschsch. 1829. *Ten.*, *Blapt.* 390.
- Meroscelisus* O Serv., ASEFr. I, 1832, 157; J. Thoms., Class. Cer., 285; Syst. Cer., 468; Lac. VIII, 47; Lmr., MSEB. 21, 1912, 45 (Rev., 909). (*M. violaceus* Serv. 1832, *apicalis* White 1853, *Servillei* J. Thoms. 1865) 1913:3 [1 + 2] (Bras. mer.). *Ceramb.*, *Prion.*, *Anacol.*, *Clost.* 82.
- Merostenus* O White, Col. Cat. Brit. Mus. VIII, 1855, 244 (*M. productus* White 1855) 1913:2 (Cuba, Jamaica). *Ceramb.*, *Cerambin.*, *Calldp.* 319.
- Merotemnus* Horn, Rev. Ten. 1870, 367; J. Lee. u. Horn, Class. 1883, 381 (*M. filiformis* [Cast.] 1840) (Cal.). *Ten.*, *Ulom.* 709.
- Mesabates* O Champ., BCA. Col. IV, 1, 1887, 3; Cas., Rev. Mon. 1907, 516 (*M. latifrons* Champ. 1884) 1913:2 (Mex.). *Ten.*, *Eurymet.* 31.
- Mesabatodes* Cas., Rev. Mon. 1907, 517 (*M. inaequalis* Champ. 1907) 1913:1 (Mex.). *Ten.*, *Eurymet.* 32.
- Mesalia* Muls. et Rey, Scutic. 109 = *Hadrotoma* Muls. et Rey 1867 (1868) = Subg. ad *Globicornis* Latr. 1829. *Derm.*, *Megai.* 14.
- Mesanobium* Sharp, TESL. 1882, 85 (*M. debile* Sharp 1882) 1913:1 (N. Z.). *Anob.*, *Dryoph.* 7.
- Mescirtes* Motsch., BMosc. 36, 1863, II, 485 (*M. gagatinus* Motsch. 1863) 1914:1 (Ceyl.). *Helod.*, *Helod.* 15.
- Mesetia* Blackb., TRS.South Austral. 20 1895/96, 37; Schoenfeldt, GIW. Brenth. 1908, 74; Kleine, ArN. 83, 1917 (1919), 126, 134 (*M. amoena* Blackb. 1895/96) 1919:1 (N.S.W.). = Subg. ad *Ithystenus* Pasc. 1862. *Brenth.*, *Brentha.*, *Ith.* 116.
- Mesitogenus* O Kleine, ArN. 83, 1917 (1919) A. 2, 6 (*M. amorphocephaloides* Kleine 1919) 1919:1 (Sum.: Soekaranda). *Brenth.*, *Brentha.* [in initio], *Arrh.* [transit. ad *Trach.*] (inter 48 et 49?).
- Mesochirus* O Bernh., DEZ. 1903, 120 = Subg. 2 ad *Leptochirus* Germ. 1823 (*M. maxillosus* [F.] 1801, *brunneoniger* [Perty. Del. anim. 1830—34 p. 32 t. 7 f. 7]) 1913:7 (Am. c. et mer. trop.). *Staph.*, *Oxyt.*, *Piest.*, *Leptoch.* 14, 2.
- Mesoclastus* Gistl., *Mesocl. parad.* neue Fam. Käf. 1836, t. 1; Faunus, neue Folge I, 1837, 54 = *Hypocephalus*

- Desm.** 1832. *Ceramb.*, *Prion.*,
Anoplod., *Hypoc.* 111.
- Mesocoelopus** O Jacq., du Val, Glan.E. I, 1860, 143; G. Col. d'Eur. III, 2, 1861, 220; Muls. et Rey, Téréd., 311, 317; Redtb., F. Austr. ed. III, 1872, II, 61; Kiesw., NID., V, 153; Seidl., F. Ba., F.Tr., 119; Fauc., F. Col. Fr., 305; G. Col. Fr., 32; Schilsky, Käf. Eur. 36, 36 D; Reitt., Best.-Tab. 47, 1901, 38, 39; F. Germ. III, 317; Everts, II, 223, 240; Schaufuß in Galwer, 727; Kubat, 676, 686; Pic in Schklig. et J., P. 48, 1912 in Indic. p. 81: 50 corr. est: 60 (*M. niger* Müll. [in Germ.] 1821) 1913:8 (Eur. c. mer.; Creta; Cauc.; Ross.; Jap.; Obock., Congo, Sum.; Madag.) Anob., Dorcat. 62.
- Mesocolaspis** O Jac., F. Brit. Ind. Col. II, 1908, 437 (*M. indica* [Jac.] 1904) 1914:2 (Ind. or.). *Chrys.*, *Eumolp.*, *Cyn.* 177.
- Mesocyphon** Sharp, ANH. (5) II, 1878, 43, 52; Broun, ManNZ. Col. I, 1880, 31 (*M. setiger* et *marmoratus* Sharp 1878) 1914:10 (N.Z.). *Helod.*, *Helodi.* 5.
- Mesoderes** Senna, Not. Leyd. Mus., 20, 1898, 65; Schoenfeldt, GIW. *Breth.* 1908, 8; (*M. sexnotatus* Senna 1898) 1913:2 (Malacca, N. Guin.). *Breth.*, *Brentha.*, *Taphr.* 9.
- Mesolampis** Motsch., Etud. E. 1852, 28 sq. = *Lucidota* 1833 part. *Lamp.*, *Lucid.* 15.
- Mesomeloe** Reitt., F. Germ. 3, 1911, 392 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi.* 53.
- Mesomerodon** Ohs., StEZg. 61, 1905, 319 (*M. spinipenne* Ohs. 1905) 1918:1 (Amaz., Ec., Peru, Bol.). *Scar.*, *Rut. hom.*, *Ruti.*, *Pelidn.* 19.
- Mesomorphus** Seidl., NID. V, 1893, 361 nota; Fairm., ASEB. 38, 1894, 20; Reitt., Best.-Tab. 53, 1904, 73; Chatanay, BSEFr. 1913, 114 fig.
- (Typ.? *M. villiger* [Blanch.] 1853, *setosus* [Muls.] 1852) 1913:13 (As., Afr., Austral.). *Ten.*, *Pedin.* 465.
- Mesopatrum** Broun, ManNZ. Col. VI, 1893, 1355 (*M. granulosum* Broun 1893) 1913:1 (N. Z.). *Ten.*, *Adelii.* 1016.
- Mesophaea** O Pasc., TESL. (3) 3, 1869, 581 (*M. lachrymosa* Pasc. 1869) 1913:1 (Borneo). *Ceramb.*, *Cerambin.*, *Proth.* 673.
- Mesoplatus** O Raffr., Rev. d'E. IX, 1890, 103, 106; ASEFr. 72, 1903, 587; GIV. *Psel.* 1908, 121 1890 (Typ.? *M. barbatus* [King] 1863) 1913:8 (Tasm., Austral. occ., Vict., N.S.W., N. Guin. germ.). *Psel.*, *Pselia.*, *Trichon.* 140.
- Mesoplatypus** Strohm., EBI. 8, 1912, 78 (*M. grandiclavata* Strohm. 1912) 1913:1 (Congo gall.). *Platyp.* 3.
- Mesoplatys** O Baly, TESL. 1875, 23; Ws., ArN. 64, 1898, 212 (*M. cincta* [Ol.] 1790, *ochroptera* [Stål] 1857) 1916:3 (Afr. med. et mer., Madag., Guinea). *Chrys.*, *Chryso.*, *Phaedon.* 56.
- Mesoprionus** O B. Jakowl., HoR. 21, 1887, 323; A. Sem. l. c. 34, 1900, 327 Schaufuß in Calwer, (824) = *Prionus* F. 1775. — 1913:4 (Asm., Cypr., Turk., Pers., Transcas., Turk., Transcauc.). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 72.
- Mesoscolytus** Broun, ANH. 14 1909, 125 (*M. inurbanus* Broun 1909) 1913:1 (N.Z.). *Ip.*, *Ipin.* 72.
- Mesoserica** Brenske, BEZ. XLII, 1897, 355; XLV, 1900, 79; XLVI, 1901, 452; XLVII, 1902, 69; Péring., T.SAfr. Phil. S. XIII, 1904, 357 (*M. transvaalensis* Brenske 1901) 1913:1 (Trv.). *Scar.*, *Melth.*, *Seric.* 85.
- Mesostena** Eschsch., Zo.Atl. IV, 1831, 9; Sol., ASEFr. IV, 1835, 396; Lac. V, 1859, 52; Kraatz, Rev. *Ten.* 18 178; Reitt., DEZ. 1896, 297; Best.-Tab. 42, 1900, 89, 140 (*M. angustata* [F.] 1775) 1913:5 (Aeg., Alg., Tun.,

- Syr., Pers., Armen.). *Ten.*, *Tentyr.* 120.
- Mesostenopa* **Kraatz**, Rev. *Ten.* 1865, 179; **Reitt.**, DEZ. 1896, 297; Best.-Tab. 42, 1900, 89, 141 (*M. picea* **Kraatz** 1865) 1913:17 (Afr., As. mer., occ., Pers., Pal. etc.). *Ten.*, *Tentyr.* 121.
- Mesostenus* **Rey**, ASLLyon 30, 1883, 183 = *Hemistenus* **Motsch.** 1860 = Subg. 4 ad *Stenus* **Latr.** 1796. *Staph.*, *Sten.*, *Steni.* 145, 4.
- Mesotheis* **Muls. et Rey**, *Téréd.*, 311; ASL. Lyon, XII, 1865, 79; **Kiesw.**, NID. V, 1877, 153 nota; **Seidl.**, F. Ba., F. Tr., 119; **Fauc.**, F. Col. Fr. 305; G. Col. Fr. 32; **Schilsky**, KäfEur. 36, 36 D; **Reitt.**, Tab. 47, 1901, 38, 39; F. Germ. III, 1911, 317; **Schaufuß** in Calwer, (727) (*M. ferrugineus* **Muls. et Rey** 1864) 1913:4 (Eur., Ture., asiat., Asm., Taurus, Jap.). *Anob.*, *Dorcat.* 61.
- Mesotopus* **O Hope**, (Westw.) Cat. *Luc.* 1845, 4; **Burm.**, Hd.E. V, 1847, 362; **Zang**, DEZ. 1906, 32 (*M. tarandus* [Sweder.] 1787) 1913:2 (Guinea). *Luc.*, *Luc.* 19.
- Mesotretis* **Bates**, EMM. 9, 1872, 151 (*M. ferruginea* **Bates** 1872) 1913:1 (King George's Sound). *Ten.*, *Utom.* 670.
- Mesotrochus* **Wasm.**, DEZ. 1890, 317 (*M. paradoxus* **Wasm.** 1890) 1913:1 (Bras.). *Staph.*, *Oxyt.*, *Osori.*, *Parosor.* 138.
- Mesotypes* **Jacobs.**, HoR. 26, 1892, 256 (pars) = *Typhoeus* **Leach** 1815. *Scar.*, *Geotr.*, *Geotrpi.* 16.
- Mespalerus* **Sharp**, BCA. Col. I, 2, 1882/87 (1886), 560 (*M. debilis* **Sharp** 1886) = Subg. 2 ad *Medon* **Steph.** 1832 1913:4 (Guatem.). *Staph.*, *Paed.*, *Paedi.* 199, 2.
- Messalia* **Pasc.**, ANH. (5) 11, 1883, 442 (*M. varians* **Pasc.** 1883) 1913:1 (Penang). *Ten.*, *Strongyl.* 1168.
- Mestogaster* **Schmidt-Goeb.**, Beitr. Mon. *Psel.* 1838, 9; **Raffr.**, Rev. d'E. 9, 1890, 134, 135; ASEFr. 73, 1904 309; GIW. *Psel.* 1908, 319 (*M. crassicornis* **Schmidt-Goeb.** 1838) 1913:3 (Ind. or., Siam., Batavia). *Psel.*, *Psel.*, *Hyboc.* 335.
- Mesunius* **Sharp**, TESL. 1874, 68 = *Nazeris* **Fauv.** 1872. *Staph.*, *Paed.*, *Paedi.* 169.
- Mesystoechus* **Ch. Waterh.**, TESL. 1878, 227 (*M. ciliatus* **Ch. Waterh.** 1878) 1913:1 (Austral., Port. Moreton). *Scar.*, *Rut. hom.*, *Ruti.*, *Areod.* 1.
- Metabasis* **Gorh.**, Cist.E. II, 1875/82 (1876), 75 = *Blaesiophthalmus* 1903. *Cler.*, *Cleri.* *Clerin.* 97.
- Metabaphis* **Blaasd.**, Mon. 1909, 34 sq. t. 6 f. 16 = Subg. ad *Eleodes* **Eschsch.** 1829. *Ten.*, *Eleod.* 392.
- Metabolocerus* **Bates**, EMM., 9, 1873, 259 (*M. pilosus* **Bates** 1873) 1913:4 (Venez. 2, Columb. 2). *Ten.*, *Utom.* 687.
- Metabolus* **Fairm.**, ASEB. 31, 1887, 107; **Reitt.**, VN. 40 (Best.-Tab. 50) 163, 169 (*M. tumidifrons* **Fairm.** 1887) 1913:3 (Turk., Ch.). *Scar.*, *Melth.*, *Melthi.* 319.
- Metachaetodus* **Borre**, ASEB. 30, 1886, 118 (*M. discus* **Borre** 1886) 1913:2 (Arg., Montevideo). *Scar.*, *Hybosco.* 7.
- Metachroma* **O. J. Lee**, PAePhil. (2) 4, 1858, 85, *Chap.*, G. Col. X, 1874 (pars); *Lefv.*, MSLiége (2) 11, 1885, 92; *Jac.*, BCA. Col. VI, I, 1882, 169; *Horn*, TAmES. 19, 1892, 196, 209 (*M. puncticollis* **J. Lee**. 1858; *pallida*, *dubiosa*, *interrupta* [*Say*] 1823; *atrata* [F.] 1798) 1914:42 (Am. b., Cal., Tex., Fla., Cuba). *Chrys.*, *Eumolp.*, *Metachr.* 161.
- Metaclisa* **Jacq. du Val**, III, 296; *Horn*, Rev. *Ten.* 1870, 369; **J. Lee**. u. **Horn**, Class. 1883, 381; **Seidl.**, NID. V, 1894, 508; **Schaufuß** in Calwer, (807) (*M. viridis*, *azurea* **Faust** 1861, *azurea* [Waltl] 1838) 1913:4

- (Sic., Turc., Asm., Transcauc., Pers., Jap. — Cal. I). *Ten.*, *Diaper.* 626.
Metacolaspis Horn, P. Cal. Ac. (2) V, 1895, 247 (*M. coaspersa* Horn 1895) 1914:1 (Cal. inf.). *Chrys.*, *Eumolp.*, *Metachr.* 162.
Metacopa Fairm., ASEB. 40, 1896, 376 (*M. variipennis* Fairm. 1896) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Calldp.* 324.
Metacorthylus Blidfl., BCA.Col. IV, 6, 263 (*M. nigripennis* Blidfl. 1904) 1913:1 (Pan.). *Ip.*, *Corth.* 102.
Metacyclinus Reitt., F. Germ. II, 1909, 137 = Subg. ad *Xantholinus* Serv. 1825. *Staph.*, *Staphy.*, *Xanth.* 257.
Metademius Schklig., AMusG. (2) 20, 1899—1901 (1899) 137; Schklig., GIW. Cler. 1903, 36 (*M. penicillatus* Schklig. 1899) 1913:1 (Nov. Guin., Austral.). *Cler.*, *Cleri.*, *Clerin.* 51.
Metadorus Parry, TESL. 1870, 88 (*M. rotundatus* [Parry] 1862) 1913:1 (Bras.). *Luc.*, *Clad.* 36.
Metagonia Kolbe, ENA. 25, 1899, 42 = Subg. ad *Apogonia* Kirby 1818. *Scar.*, *Melth.*, *Melthi.* 220.
Metaleptus O Bates, TESL. 1872, 192 (*M. angulatus* Chevr. 1834) 1913:9 (Cal., mer., Mex., Am. c.). *Ceramb.*, *Cerambin.*, *Stenasp.* 980.
Metallactulus O Rits., Not. Leyd. Mus. 1885, 54 (*M. parvulus* [Hope (Westw.)] 1845) 1913:1+1 (Phil. Ins.). *Luc.*, *Dorc.* 44.
Metallactus Albers, DEZ. 1884, 54 = *Metallactulus* Rits. 1885. *Luc.*, *Dorc.* 44.
Metallicroma Aur., ETi. 24, 1903, 263 (*M. excellens* Aur. 1903) 1913:1 (Cam.). *Ceramb.*, *Cerambin.*, *Callichr.* 723.
Metallographa Motsch. in Schrenck's R., II, 1860, 198 = *Polyspila* Hope 1840. *Chrys.*, *Chryso.*, *Chrysi.* 12.
Metallonotus O Westw., TZSL. III, 2, 1843, 220; Lac., I, 402; Geb., Mon., 312 (*M. denticollis* [Gray] 1832, metallicus [F.] 1801) 1913:13 (Afr.). *Ten.*, *Pycnoc.* 889.
Metallophora Motsch. in Schrenck's R., II, 1860, 185 = *Doryphora* III. 1807. *Chrys.*, *Chryso.*, *Chrysi.* 6.
Metallotimarcha Motsch. in Schrenck's R., II, 1860, 187, = Subg. 2 ad *Timarcha Latr.* 1829 (Typ.?; *M. metallica* [Laich.] 1781) 1916:9 (Eur.c., montan., mer.). *Chrys.*, *Chryso.*, *Tim.* 109, 2.
Metallyra J. Thoms., Syst. Cer., 1864, 334 (*M. stenochioides* J. Thoms. 1864) 1913:1 (Calab. veterum). *Ceramb.*, *Cerambin.*, *Oem.* 43.
Metalocerus O Aur., ArkZo. 8, No. 21, 1913, 7 (*M. loennbergi*, *nigricornis* Aur. 1913) 1913:2 (Afr. or. brit.). *Ceramb.*, *Cerambin.*, *Asem.* 23a.
Metapachylus O H. Bates, BCA.Col. II, 2, 1889, 412 (*M. sulcatus* H. Bates 1889) 1918:1 (Guatem.: Tumbador). *Scar.*, *Rut. hom.*, *Ruti.*, *Rutin.* 41.
Metaparia Crotch, PAcPhil. 25, 1878, 40; Lefv., MSLiége (2) 11, 1885, 164; Horn, TApmES. 29, 1892, 196, 232 (*M. elytroides* Crotch 1873) 1914:1 (Tex.). *Chrys.*, *Eumolp.*, *Iphim.* 20.
Metapion Schilsky in Küster, Kraatz, Käf. Eur. 43, 1906, p. V, = Subg. *Apion* Hbst. 1797. *Cure.*, *Api.*, *Apion.* 11.
Metapollilia Kolbe, StEZg. 55, 1894, 209, 218 = Subg. 5 ad *Pollilia* Serv. 1825 (*M. bitacta* [Kraatz] 1892) 1918:11 (Afr. occ., Congo, Afr. or.). *Scar.*, *Rut. hom.*, *Anomi.*, *Popp.* 86, 5.
Metapria Grouv., Rev. d'Entom. 1908 (1909), 105 (*M. Kraatzii* [Grouv.] 1899, *perparva* Grouv. 1908 [1909]) 1913:2 (Afr. or.) Nit., *Meligeth.* 19.
Metascelis Westw., TESL. 1842, Proc. p. 66; ANH. X, 1843, 68 (*M. flexilis* Westw. 1843) 1913:1 (Patria?). *Scar.*, *Melth.*, *Systell.* 10.
Metastyla Chap., X, 1874, 400 (*M. nigrofasciata* [Stål] 1857) 1916:1 (Rio

- Janeiro). *Chrys.*, *Chryso.*, *Chrysi*. 10.
- Metaxis* **Baly**, JoE. 1863, 157 = *Hyperraxis* **Gemm.** et **Har.** *Chrys.*, *Eumolp.* *Leprot.* 138.
- Metaxis* **Motsch.**, BMosc. 24, 1851, 490 (*M. corpulentus*, *lativentris*, *politus* **Motsch.** 1851, *robustus* **Motsch.** 1855) 1913:4 (Ind. or. 3; Pan.1). *Psel.* g. inc. sedis (Append.).
- Metaxoides* **Schaufuß**, *Psel.* Siams 1877, 13; BSEFr. 1882, 85 et 117; **Raffr.**, Rev. d'E. 9, 1890, 134, 135; ASEFr. 73, 1904, 304 = *Mestogaster* **Schmidt-Goeb.** 1838. *Psel.*, *Psel.*, *Hyboc.* 335.
- Metaxydera* **O Baly**, TESL. 1864, 255; Ws., VN. 49, 1910, 121 (*M. rubro-guttata* **Baly** 1864) 1913:7 (Am. mer., trop., Bras., Ec., Col.). *Chrys.*, *Hispa.*, *Chalep.* 24.
- Metaxydonta* **Casey**, B. Cal. Ac. II, 1886, 29, l. c., 232 = *Lithocharis* **Boisd.** et **Lacord.** 1835 = *Medon* **Steph.** 1832. *Staph.*, *Paed.*, *Paedi.* 199, 18.
- Metazyonycha* **O Chevr.** in **d'Orbigny**, Dict. HN. 8, 1847, 172 (*Metazyonycha*) **Marshall**, ANH. (3) 13, 1864, 382; **Chap.**, G. Col. X, 1874, 246 (*Metazyonycha*); **Jac.**, BCA. Col. VI, I, 1881, 128; **Lefv.**, Rev. MaZo. (3) 3, 1875, 65; **Jac.**, BCA. Col. VI, I, 1881, 128; **Lefv.**, MSI Liége (2) 11, 1885, 27; **Horn**, TAmES. 19, 1892, 196, 227 (Typ. ?; *angusta* [Perty] 1832, *granulata* et *porcata* [Germ.] 1821; *quadrimaculata* [Ol.] 1808; *testacea* [F.] 1801) 1914:44 (Mex., Ariz., Pan., Cayenne, Bras.). *Chrys.*, *Eumolp.*, *Colasp.* 46.
- Metazyonycha* vide *Metaxyonycha*. *Chrys.*, *Eumolp.*, *Colasp.* 46.
- Methia* **Newm.**, Ent. I, 1842, 418 (*M. necydalea* [F.] 1798) 1913:6 (Cal., Ariz., Tex., Utah, Fla., Cub., Ins. Ind. occ.). *Ceramb.*, *Cerambin.*, *Meth.* 98.
- Methistamena* **O** [**Mäkl.** i. l.] **Gebien**, ArN. 83, 1917 (1919) A. 3, 28, 151 (*M. clavipes* **Geb.** [= *M. subaenea* **Mäkl.** i. l.] 1919) 1919:1 (Java: Malang). *Ten.*, *Cnodal.* (ex affin. *Camar.*), 958 b.
- Methorius* **Raffr.**, ASEFr. 72, 1903, 537; GIW. *Psel.* 1908, 96 (*M. bicolor* **Raffr.** 1901) 1913:1 (Rhodesia). *Psel.*, *Psel.*, *Euplect.* 105.
- Metisopus* **Bates**, TESL. 1873, 370 (*M. purpureipennis* **Bates** 1873) 1913:1 (Ins. Norfolk). *Ten.*, *Helop.* 1026.
- Metistete* **Pasc.**, JoE. II, 1866, 489 (*M. cisteloides* [Newm.] 1838) 1913:7 (Austral.). *All.*, *Allec.* 8.
- Metobrium* **O** **Gah.**, TESL. 1890, 303 (*M. elegans* [Fairm.] 1888) 1913:2 (Afr. or. germ.). *Ceramb.*, *Cerambin.*, *Obri.* 364.
- Metocetus* **Dej.**, Gutfl.-B. = *Metocetus* p. XIV = *M. Gerst.*, Gutfl.-B., 437.
- Metocetus* **O** ***Gerst.**, *Rhip.* 17; **Bach**, Käferf. III., 245, 255; **Muis.**, ASL. Lyon (2) 3, 1856, 453; **Jacq. du Val**, III, 412; **Redtb.**, F. Austr. ed. III, 1874, I, p. CXXV, l. c., II, 168; **Stierlin**, Käferf. Schweiz II, 1898, 188; **Reitt.**, F. Germ. III, 1911, 382; **Schaufuß** in Calwer, 761; **Kuhnt**, 710. (*M. paradoxus* [L.] 1761) 1913:3 (Eur.; Araxes). *Rhip.*, *Rhipiph.* 17. Biol.: Citat. numeros. cf. **Csiki** in **Schklg.** et **J.**, Col. Cat. P. 54, 1913, 19, 20; **Ramdohr**, in **Germar**, Ma. I, 1813, 137; **Bond**, EMA. 4, 1837, 225; **Hope**, ZoJo. 5, 1835, 606; **Westw.**, Intr. 294; cf. **Articula** div. Aut. in EMM. 1, 1864/5, 118; (2) 2 (27) 1891, 18; 30, 1894, 235; 33, 1897, 59; 40, 1904, 159; 41, 1905, 45; ANH. (4) 4, 1869, 346; (4) 5, 1870, 83, 191, 198; (4) 6, 1870, 314, t. 16; idem in TESL. (3) 2 (1864) Proc. p. 48, 49; 1907, 7; **Hampe**, W. E. Monatssehr. 3,

- 1861, 69; **Rouget**, M. Ac. Sc. Dijon (2) 4, 1855, 113; (2) 6, 1856, 1; (2) 7, 1858/9, 1; (3) 1, 229; **Gradl**, E.Na. 5, 1879, 224, 326; 8, 1882, 323; 9, 1883, 68 etc.; **Reineck**, E.Rundsch. 27, 1910, 89; **Reitt.**, F. Germ. 3, 1911, 383; **Fowler**, F.Br.Ind. Col. Intr. et Cic. 1912, 169.
- Metolcus* **Jacq. du Val**, Glan. E. II, 1860, 142; Gen. Col. d'Eur. III, 218; **Muls. et Rey**, Téréd. 1864, 225, 249; **Kiesw.**, NID. V, 131, 141; **Fauc.**, F. Col. Fr. 304; G. Col. Fr., 32; **Schilsky**, 36, 36D; **Reitt.**, Tab. 47, 25 et 27; F. Germ. III, 314 (*M. cylindricus* [Germ.] 1817) 1913:3 (Eur. mer., Afr. b., Syr.). *Anob.*, *Anobi*. 42.
- Metopias* **O Gory**, MaZo. II, 1832, t. 42; **Lac.**, II, 1854, 169; **Raffr.**, ASEFr. 73, 1904, 106; GIW. *Psel.* 1908, 187 (*M. curculionides* **Gory** 1832) 1913:4 (Cayenne, Amaz., Bol. sup., Pan.). *Psel.*, *Psel.*, *Metop.* 211.
- Metopiellus* **O Raffr.**, GIW. *Psel.* 1908, 188 (*M. aglenus* et *hirtus* [Reitt.] 1895) 1913:2 (Bras., Sao Paolo). *Psel.*, *Psel.*, *Metop.* 213.
- Metopoides* **Schauf.**, Nunquam ot. II, 1872, 450 = *Goniacerus* [Motsch.] 1855. *Psel.*, *Psel.*, *Goniae*. 318.
- Metopiosoma* **O Raffr.**, GIW. *Psel.* 1908, 188 (*M. pacificum* [Westw.] 1856) 1913:1 (Amazon.). *Psel.*, *Psel.*, *Metop.* 212.
- Metopioxys* **O Reitt.**, DEZ. 29, 1885, 334; **Raffr.**, ASEFr. 73, 1908, 189, t. 1 f. 8; t. 7 f. 52, 53 (*M. gladiator* Reitt. 1885) 1913:9 (Brasil.: Amazon.). *Psel.*, *Psel.*, *Metop.* 214.
- Metopocoelus* **Lac.**, VIII, 1869, 244 = *Metopocoilus* **Serv.** 1832. *Ceramb.*, *Ceramin.*, *Metopoc.* 118.
- Metopocoellus* **Cast.**, HN. II, 1840, 410 = *Metopocoilus* **Serv.** 1832. *Ceramb.*, *Ceramin.*, *Metopoc.* 118.
- Metopocoilus* **O Serv.**, ASEFr. I, 1832, 170 (*M. maculicollis* **Serv.** 1832) 1913:4 (Bras., Ven.). *Ceramb.*, *Ceramin.*, *Metop.* 118.
- Metopodontus* **O Hope**, (Westw.) Cat. Luc. 1845, 30; **Parry**, TESL. 1870, 76 (*M. bison* [F.] 1793) 1913:36+2 (As., Arch. malay., Afr. et Austral. et Insulae). *Luc.*, *Clad.* 27.
- Metopoloba* **Cas.**, Rev. Mon. 1907, 379, 412 (*M. bifossiceps* **Cas.** 1907; *pruinosa* [Horn] 1870) 1913:13 (Tex., Ariz., Nev., N. Mex., Utah etc.). *Ten.*, *Epitrag.* 65.
- Metoponcus* **O Kraatz**, NID. II, 1856/58, 651; **Ganglb.**, KäfMEur. II, 1895, 489; **Casey**, T.Ac.St.Louis XVI, 1906, 290; **Schaufuß** in Calwer, 187, 188; **Kuhat**, 186, 225; (*M. brevicornis* Er. 1839/40) 1914:15 (Germ., Austr., Gall., Hung., Cauc., Austral.; Tasm., N.Z., N.Caled., Ins. Fidji et Lord Howe). *Staph.*, *Staphy.*, *Xanth.* 236.
Biol.: **Fauv.**, F. gall.-rhén. III, 1872, 379; **Rupertsb.**, Biol. Käf. Eur. 1880, 123; **Ganglb.**, II, 1895, 490.
- Metoponiopsis* **Casey**, Rev. Mon. 290 = *Metoponium* **Cas.** 1907. *Ten.*, *Eurymet.* 17.
- Metoponium* **Cas.**, Rev. Mon. 1907, 288 (Typ.?; *M. convexicolle* [Lee.] 1851, *M. abnorme* **Cas.** 1907 etc.). (Cal., Tex., N. Mex., Ariz., Nevada). *Ten.*, *Eurymet.* 17.
- Metopotylus* **Quedf.**, BEZ. 26, 1882, 325 (*M. femoratus* **Quedf.** 1882, *micans* [F.] 1801) 1913:3 (Congo, Angola, Guin.). *Ceramb.*, *Ceramin.*, *Oem.* 42.
- Metopsia* **Woll.**, Ins. Mad. 1854, 616 **Schaufuß** in Calwer, 150, 151 = *Phloeium* **Boisd.** 1835. *Staph.*, *Oxyt.*, *Protein.* 37.
- Metriopus* **Sol.**, ASEFr. II, 1835, 570; **Lac.**, V, 1859, 26; **Haag**, DEZ. 19, 1875 Hft. 7, 40; **Allard**, ASEFr. (6) 5, 1895, 156; **Kuntzen**, ArN. 81, 1915 (1916), 130—132 (*M. Hoffmannseggii*

- Sol.** 1835) 1913:3 (Afr. mer., Cap b. sp., Benguela). *Ten.*, *Adesm.* 183.
- Metriotoma* **Kolbe**, StEZg. 55, 1894, 43 = Subg. ad *Macrotoma* **Serv.** 1832.
- Ceramb.*, *Prion.*, *Macrot.*, *Macroto.* 32.
- Metulosonia* **Bates**, EMM. 9, 1873, 261 (*M. cayennensis* [Cast.] 1832) 1913:1 (Cayenne). *Ten.*, *Utom.* 719.
- Mevania* **Har.**, Col. Hefte XII, 1874, 82; **Lefv.**, MSLiége (2) 11, 1885, 13 [nec *Stål* 1865] = *Choris* **Lefv.** 1877. *Chrys.*, *Eumolp.*, *Iphim.* 14.
- Meziomorphum* **Pic**, BSZoFr. 23, 1898, 169 (*M. echinatum* [Péring.] 1888) 1913:1 (Afr. mer.). *Ptin.*, *Gibb.* 3.
- Mezium* **O. Curtis**, Brit. Ent. V, 1828, t. 232; **Reitt.**, F. Germ. III, 1911, 320; *Schaufuß* in Calwer, 716; **Kuhnt**, 668, 669 (*M. sulcatum* [F.] 1781) 1913:6 (in omn. part. orb. terr. distrib.). *Ptin.*, *Gibb.* 2.
- Micado* **Jacobs.**, Col. Ross. 8, 1910, 633 = *Mikado* **Jacobs.**, l. c., 360. *Ptil.*, *Ptili.*, *Acrot.* 25.
- Michthysoma* **O. J. Lee.**, JoAcPhild. (2) II, 1850, 30; **Leng et Hamilton**, TAmES. 23, 1896, 103 (*M. heterodoxum* **J. Lee.** 1850) 1913:1 (Ga., Carolin. b., Va.). *Ceramb.*, *Cerambin.*, *Mychth.* 841.
- Micilus* **O. Muis. et Rey**, Spinip. 1872, 15; **Kuw.**, VzbGW. 40, 1890, 522; **Ganglb.**, KäfMEur. IV, 1, 1904, 141; *Schaufuß* in Calwer, 588; **Kuhnt**, 599, 601 (*M. murinus* [Kiesw. in Germ.] 1843) 1913:2 (Buchara, Syr-Darja, Eur. med.). *Het.* 1.
- Micipsa* **O. H. Lue.**, BSEFr. 1855, 34; MSLiége 10, 1855, 294; **Lac.**, V, 53; **Kraatz**, Rev. *Ten.* 1865, 106; **Reitt.**, DEZ. 1896, 301; Best.-Tab. 42, 1900, 93 et 186 (*M. Mulsanti* **Lefv.** 1853) 1913:16 (Afr. b., Sahara, Pers.). *Ten.*, *Tentyr.* 156.
- Micipsina* **Reitt.**, Best.-Tab. 42, 1900, 94, 188 (*M. Rolphi* **Reitt.** 1900)
- 1913:1 (Thibet, Birma). *Ten.*, *Tentyr.* 158.
- Micracis* **O. Lec.**, TAmES. II, 1868, 164; P. Am. Phil. S. 15, 1876, 367; **Eichh.**, Rat. Tom., 302; **Lec.** et **Horn**, Col. N. Am. 1883, 519; **Swaine**, Col. Cat. N.Am. 1909, 127 (*M. aculeatus, rufus* **Lec.** 1868) 1913:8 (Am. b.) *Ip.*, *Hyl.* 83. Biol.: **Riley et Howard**, Ins. Life IV, 1891, 94; **Hamilton**, l. c. IV, 1892, 268; **Felt**, N. Y. State Mus. Mem. VIII, 2, 1906, 702, 715, 720; **Hubbard et Schwarz**, P. Am. Phil. S. 17, 1878, 666; **Chittenden**, PESWash. II, 1893, 194; **Hamilton**, TAmES. 22, 1895, 346, 378; **Swaine**, Cat. Scol. N. Am. 1909, 127.
- Micralymma* **O. Westw.**, MaZo. Bot. II, 1838, 129 t. 4; **Ganglb.**, KäfMEur. II, 1895, 728; *Schaufuß* in Calwer, 154; **Kuhnt**, 161, 189. — Biol.: **Laboulb.**, ASEFr. (3) VI, 1858, 73 t. 23; **Rupertb.**, Biol. Käf. Eur. 1894, 126 etc. (*M. marinum* [Stroem] 1785) 1913:5 (Grönl., Sib., Eur. b., cost. mar.; Am. b.: Maine). *Staph.*, *Oxyt.*, *Omal.* 58.
- Micrambyx* **Kolbe**, StEZg. 54, 1893, 60 (*M. brevicornis* **Kolbe** 1893) 1913:1 (Togo). *Ceramb.*, *Cerambin.*, *Cerambyc.* 145.
- Micramorphocephalus* **O. Kleine**, ArN. 82, 1916 (1918) A. 12, 125 (*A. frater Kleine* 1918) 1918:3 (Afr. or.-germ.: Tendaguru-Lindi, Mikesse; Togo; Congo belg.: Regio Sasse). *Brenth.*, *Brentha*. [in exit.], *Trach.* 46e.
- Micranobium* **Gorh.**, BCA.Col. III, 2, 1880/6 (1883), 202 (ex parte) = *Ozognathus* **J. Lee.** 1861. *Anob.*, *Ernob.* 15.
- Micranomala* **Arrow**, ANH. (8) 8, 1911, 268 (*M. indica* **Arrow** 1911) 1918:3 (Tenasserim, Ceylon, Ind. mer.). *Sciar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 82.
- Micranops* **Cameron**, ANH. (8) 12, 1912, 350 (*M. brunneus* **Cam.** 1912)

- 1913:1 (Jamaica). *Staph.*, *Paed.*, 210a.
- Micrantereus* O Sol., Studi entom. 1848, 151 (5), 175 (29); *Lac.*, V, 458 (*M. anomalus* [Guér.] 1834) 1913:51 (Afr. excl. part. b.). *Ten.*, *Helopi*. 1098.
- Micranthicus* O Champ., TESL. 1895, 266 (*M. pulcher* [King] 1869.) 1913:1 (Austral.). *Anth.* 21.
- Micrarmalia* Casey, Rev. Mon. 1907, 516 (*M. constrictus* Champ. 1892) 1913:1 (Mex.). *Ten.*, *Eurymet.* 22.
- Microctyche* Bates, TESL. 1873, 362 (*M. intermedia* Bates) 1913:3 (Austral. Oec.). *Ten.*, *Adelii*. 997.
- Micrella* Motsch., BMosc. 41, 1868, II, 172, 186 = *Ptilium* Er. 1848. *Ptil.*, *Ptil.* 4.
- Micrencaustus* O Crotch, Erot., 1876, 102 (*M. lunulata* [M'Leay] 1825) 1913:12 (Ins. Sund., Tonkin, Birma). *Erot.*, *Encaust*. 30.
- Micerotylus* O Crotch, Erot., 165; Gorh., BCA. Col. VII, 1888, 108; Kuhnt, DEZ. 1908, 237 (Typ. ? *M. Gronovii* [Herbst] 1783, *lunulatus* [Ol.] 1797) 1913:7 (Am. c.). *Erot.*, *Erotyl*. 17.
- Micreuglenes* Pic, BSZoFr. 27, 1902, 20 = Subg. ad *Hylophilus* Berth. 1827. *Hyloph.* 3.
- Micreuphloeus* Fairm., Not. Leyd. Mus. 19, 1897, 223 (*M. asperipellis* Fairm. 1897) (Ceylon.). *Ten.*, *Helop.* 1051.
- Micridium* Motsch., BMosc. 41, 1868, II, 173, 188; Schaufuß in Calwer, 297 (*M. vittatum* [Motsch.] 1845) 1913:4 (Eur., Cauc., Ross. mer., Am. c. et b.). *Ptil.*, *Ptilii.*, *Ptil.* 6.
- Micrillus* Raffray, Rev. MaZo. (3) I, 1873, 362; Fauv., Rev. d'E. XIV, 1895, 235 = *Scimbalium* Er. 1839/40. *Staph.*, *Paed.*, *Paedi*. 213.
- Micrispa* Gestro, AMusG. 1897, 65; 1906, 479 = Sect. 3 ad *Gonophora* Baly 1858 (*M. vulnerata* [Gestro] 1895; *M. zinziparis* [Motsch.] 1863) 1913:12 (Ceyl., Ins. Sundaic., N. G.). *Chrys.*, *Hisp.*, *Gonoph.* 77.
- Microarthron* O Pic, Misc. E. VIII, 1900, 3 (*M. Komarovi* [Dohrn] 1885, *laticollis* [Drury] 1773). Biol.: Pelz, ZInsBi. 4, 1908, 135; Harris, Ins. Mass. 1842, 79; Pack., U. Stat. E. Comm. Bull. VII, 1881, 119, f. 57—58; Clarkson, Can. Ent. 16, —884, 95; Blanch., EAm. 3, 1887 85; W. Saund., Rep. Fruit Grow. Assoc. Ontario, 1882, 269 f. 1—3 = ref. ad *Prionus* F. 1775. — 1913:4 (Am. b.). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni*. 72.
- Microlemma* Sem., HoR. 24, 1890, 213; Reitt., Best.-Tab. 42, 1900, 82 (*M. simplex* Sem. 1890) 1913:1 (Transcasp.). *Ten.*, *Platam.* 245.
- Microborus* Bldfd., BCW. Col. IV, 6, 6, 1897, 175 (*M. boops* Bldfd. 1897) 1913:1 (Guatemala). *Ip.*, *Hyl.* 73.
- Microbregma* O Seidl., F. Ba. 501, 502; F. Tr., 537; Reitt., Tab. 47, 20; F. Germ. III, 312; Fall, TAmES. 31, 1905, 154, 155; Schaufuß in Calwer, 724 (*M. emarginata* [Duft.] 1825) 1913:1 (Eur., Am. b.: Civ. confed.). *Anob.*, *Anobi*. 37.
- Microcalymma* Gemm. et Har., Col. Cat. II, 633 = *Micralymma* Westw., 1838. *Staph.*, *Oxyt.*, *Omal.* 58.
- Microcamenta* Brenske, StEZg. 59, 1898, 346; Pering., T.SAfr. Ptil. S. 13, 1904, 86 (*M. transvaalensis* Brenske 1898) 1913:3 (Trv., Rhodes. mer., Terr. Ovampo). *Scar.*, *Melth.*, *Seric.* 125.
- Microcallidium* Casey, Mem. Col. 3, 1912, 283 = Subg. ad *Phymatodes* Muls. 1839. *Ceramb.*, *Cerambin.*, *Callid.* 785.
- Microcara* O C. G. Thoms., Sk. Col. I, 1859, 107; VI, 1864, 130; Muls. et Rey, Fossip., 1865, 46; Bach, Käferf. II, Nachtr. 1867, 425; Tourn., Deser. Dasc. bass. Léman 1868, 41; Horn, TAmES. 8, 1880, 99; J. Lee. et Horn, Class. 1883, 174; Bourg., FGRh., 14, 23; Seidl., F.Ba. et

- Tr.; **Fauc.**, F. anal. Col. 1892, 274; G. Col. Fr. 1894, 33; **Lam.**, Mon. Belg. II, 1903, 138; **Blatchley**, 690; **Pic.**, Cat. II, 319; **Reitt.**, F. Germ. III, 1911, 242; **Schauuß** in Calwer, 571, 573; **Kuhnt**, 588, 589 (*M. testaceus* [L.] 1767) 1913:8 (Eur., Cauca., Am. b., Pat.). *Helod.*, *Helodi.* 4.
- Microcerus** O **Schoenh.**, Gen. *Circ.* I, 1833, 441; **Imhoff u. Labram.** Gen. *Circ.* II, 1846, 17; **Lac.** VI, 23; **Jekel**, Col. Jek. II, 1875, 132; **Kraatz**, BEZ. 8, 1864, 169; **Aur.**, ÖfV. Vet. Ak. Föhr. 42, 1885, 8, 16; Sv. Vet. Ak. Hdlgr. XXI, 15, 1887, 56; **Bovie**, GIW. 99, 1909, 6, 1833 (*M. retusus* [F.] 1781) 1913:32 (Afr.). *Brach.*, *Microc.* 2.
- Microchaetes** O **Hope**, TESL. I, 1834, 12 (*M. sphaericus* **Hope** 1834) 1913:7 (Austral., Tasm.). *Byrrh.*, *Byrrhi*. 27.
- Microchilus** **Blanch.**, Col. Cat. Ent. Col. 1850 p. 240; **Ohs.**, DEZ. 1908 p. 240 (*M. lineatus* **Blanch.** 1850) 1918:1 (S. Paulo). *Scar.*, *Rut. orth.*, *Geniat.* 154.
- Microchondrus** **Woll.**, Ins. Mader., 1854, 96; **Bergr.**, DEZ. 1907, 574 = *Symbotes* **Redt.** 1849. *End.*, *Mycet.*, *Myceta.* 4.
- Microcistela** **Pic.**, Echange 20, 1904, 26 (*M. Rosinae* **Pic** 1904) 1913:1 (Terra Amur.). *All.*, *Allec.* 77 (pos.?).
- Microclerus** **Woll.**, Col. Hesperid., 1867, 99; **Schklg.**, GIW. *Cler.* 1903, 39 (*M. Dohrni* et *euphorbiae* **Woll.** 1867) 1913:2 (Cap. verd.). *Cler.*, *Cleri.*, *Clerin.* 60.
- Microclytus** **J. Lec.**, Smiths. Misc. Coll. XI, 265, 1873, 320 = *Anaglyptus* **Muls.** 1839. *Ceramb.*, *Cerambin.*, *Clyt.* 831.
- Microcorthylus** **Ferrari**, Borkenk. 1867, 58, (pars) = *Pterocyclon* **Eichh.** 1868. *I.p.*, *Corth.* 105.
- Microcrania** **Burm.**, Hd.E. IV, 2, 75 = *Barybas* **Blanch.** 1850. *Scar.*, *Melth.*, *Macrod.* 491.
- Microcyptus** G. **Horn**, PAePhil. 1882 p. I (em.); **Fauv.**, Rev. d'E. 14 1895, 13; **Wasm.**, TijE. 45, 1902, 98 (*M. testaceus* **J. Lec.** 1863, *Goeldii* **Wasm.** 1902) 1916:2 (Am. b.: Ga.; Am. mer.: Bras., Arg.). *Staph.*, *Tach.*, *Hypocyc.* 434.
- Microdaemon** O **Kolbe**, D.-Ostafr. IV, Col. 1897, 23 (*M. angustatus* et *infuscatus* **Kolbe** 1897) 1913:4 (Afr. or. germ.: Usambara). . *Helod.*, *Ptilodact.*, *Ptilodacti.* 29.
- Microdora¹⁾** O **Steph.** + **Steph.**, Ill. Brit. E. IV, 1834, 351; Man. 1839, 307 = Subg. 2 ad *Melasoma* **Steph.** 1834 (*M. lapponica* [L.] 1758, *vigintipunctata* [Scop.], 1763, *cuprea* [F.] 1775, *lineatopuntata* [Forst.] 1771, *collaris* [L.] 1758) 1916:28 (Eur., b. et med., As., Afr., Am. b., Mex.). *Chrys.*, *Chryso.*, *Phaedon*. 49, 2. *Anatom.*: **Bordas**, A.Sc.Nat.Zo. (8) 11, 1900, 383. — *Morphol.*: **Mc Cracken**, JoExp.Zo. Baltimore III, 1906, 321; IV, 1907, 221. — *Dimorphism.*: **Mc Cracken**, op. cit. II, 1905, 117 t. — *Parasitism.*: **Knab**, Psyche, 16, 1909, 34. — *Biol.* vide **Ws.** in Schklg. u. J., Col. Cat. P. 68, 140, 142, 144.
- Microdera** O **Eschsch.**, Zo.Atl. IV, 1831, 6; **Sol.**, ASEFr. IV, 1835, 304; **Lac.** V, 48; **Jacq. du Val**, II, 248; **Kraatz**, Rev. *Ten.* 1865, 184, **Reitt.**, DEZ. 1896, 300; Best.-Tab. 42, 1900, 91, 154 (*M. gracilis* **Eschsch.** 1831; *deserta* [**Tausch.**] 1812) 1913:33 (As. e.). *Ten.*, *Tentyr.* 134.
- Microderopsis** **Haag**, Col. Hfte. 14, 1875, 86 (*M. benguelensis* **Haag**) 1913:1 (Benguela). *Ten.*, *Tentyr.* 115.
- Microdes** **Motsch.**, Etud.E. 8, 1859, 48; **Kuw.**, VzbGW. 40, 1890, 16 = *Grouvelleus* **Zaitz.** 1908. *Dryop.* 54.

¹⁾ Nota: *Strickerus* nom. nov. R. Lue. pro *microdera* Steph. 1834 neo Eschsch. 1831.

- Microdinodes* O. Grouv., ASEFr. 75, 1906, 324, 329 (*M. quadrifasciatus* Grouv. 1906) 1913:2 + 4 (Afr. or., c., Kilima-Ndjaro). *Dryop.*, *Helm.*, *Helmi*. 52.
- Microdonacia* Blackb., TRS. South Austr. 17, 1893, 139; *Jac. u. Clav.*, GIW. 21, 1904, 12 (*M. incerta* Blackb. 1893) 1913:1 (Viet., Alp. Austral.). *Chrys.*, *Donac.* 6.
- Microdonta* Chap. XI, 328 = Subg. 3 ad *Cephalodonta* Baly 1858 (*M. emarginata* [F.] 1792) 1913:33 (Am. mer.). *Chrys.*, *Hisp.*, *Cephalod.* 20.
- Microdonta* Hope, Col. Man. I, 1837, 105 = *Amphimallon* Berthold 1827. *Scar.*, *Melth.*, *Melthi*. 327.
- Microdoris* Burm., Hd.E. IV, 1, 1844, 32; Péring., T.SouthAfr.Phil.S. 12, 1902, 893 (*M. aquilus* Burm. 1844) 1913:1 (Terr. cap.). *Scar.*, *Melth.*, *Chasm.* 16.
- Microedus* Lec., P. Boston S.Nat. H. XVI, 1874, 273; Fauv., B.S.Linn. Norm. (3) II, 1877—78, 250 (*M. austiniianus* Lec. 1874: Am. b., *laticollis* [Mannerh.] 1843: Sitkha) 1913:2(l.c.). *Staph.*, *Oxyt.*, *Omal.* 80.
- Microgoes* Casey, Mem. Col. 4, 298 (*M. tenuicornis* Casey) 1913:1 (Pa.). *Ceramb.*, cf. P. II.
- Microhermesia* O. Jac., PZSL. 1900, 220 (*M. hirticollis* Jac. 1900) 1914:1 (Terr. Mashona). *Chrys.*, *Eumolp.*, *Colasp.* 54.
- Microhoria* Chevr., ASEFr. (5) 7, 1877, 168 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Microlagria* Seidl., NID. V, 2, 1898, 336, 338 = Subg. ad *Lagria* F. 1775. *Lagr.* 7.
- Microlathra* (Casey) B. u. Sch. in Schklig. et J., Col. Cat. P. 40, 1912, 254 = err. typ. pro *Microlathra* Casey 1905 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Microlathra* Casey, T.Ac.St.Louis XV, 1905, 75, 142 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi.* 210.
- Microlethrus* A. Sem., HoR. 28, 1894, 476; 32, 1899, 633 (Synopsis) = Subg. 2 ad *Lethrus* Scop. 1777 (*M. pygmaeus* [Ball.] 1871) 1913:4 (Buchar., Pers., Turk. etc.). *Scar.*, *Geotr.*, *Lethr.* 18, 2.
- Microlinus* Casey, T.Ac.St.Louis XVI, 1906, 372, 419 (*M. pusio* [J. Lec.] 1880) 1914:1 (Carolin. mer.). *Staph.*, *Staphy.*, *Xanth.* 239.
- Microlister* Lewis, AMusG. 42, 1906, 400 (*M. coronatus* Lewis 1906) 1913:2 (Afr. occ. et or.). *Hist.* 41.
- Microlomalus* O. Lewis, ANH. 19, 1907, 318 = Subg. 4 ad *Paromalus* Er. 1834 (*M. parallelopedus* [Hbst.] 1792) 1913:7 + 4 (Eur., Jap., Java; Mollucc. [7], Cuba, Mex., Am. b. [4]). *Hist.* 50, 4.
- Microlymma* Motsch., BMosc. 23, 1860, II, 349 = *Micralymma* Westw. 1838. *Staph.*, *Oxyt.*, *Omal.* 58.
- Micromalthus* O. J. Lec., P.Am.Phil.S. 17, 1878, 613 (*M. debilis* J. Lec. 1878) 1915:1 (Mich., Wash., O., Ky., Va.). *Micr.* 1.
- Micromedon* Casey, T.Ac.St.Louis XV, 1905, 153, 155 = Subg. ad *Medon* Steph. 1832. *Staph.*, *Paed.*, *Paedi.* 199.
- Micromela* Baly, TESL. (n.s.) III, 7, 1856, 260 (*M. cupripennis* Baly 1856) 1916:1 (Melbourne). *Chrys.*, *Chryso.*, *Phaedon*. 62.
- Micromeloe* Reitt., F. Germ. 3, 1911, 390 = Subg. ad *Meloe* L. 1758. *Melo.*, *Lytt.*, *Meloi*. 53.
- Micromerus* Muls., M.Ac.Lyon, 1858, 147 = *Alosimus* Muls. 1857 = Subg. ad *Lydus* Latr. 1803. *Melo.*, *Lytt.*, *Mylabr.* 3.
- Micromes* Cas., P.Wash.Ac.Sc. IX, 1907, 432, 442 (*M. ovipennis* [Horn] 1874) 1913:2 (Cal.). *Ten.*, *Trior.* 171?
- Micrometopus* Quedf., Jorn. Sc. Lisboa 40, 1885, 241 (Sep. p. 2) (*M. puncti-*

- pennis* Quedf. 1885) 1913:1 (Angola). *Ceramb.*, *Cerambin.*, *Lept.* 512.
- Micromicilus* J. Sahlb., Öfv. Finsk. Vet.-S. Forh. 42, 1900, 205 = *Micilus Muls.* 1872. *Het.* 1.
- Micromulciber* Aur., ArkZo. 8, No. 22, 1913, 25 (*M. [Mulciber biguttatus] Tase.*) 1913:1 (—). *Ceramb.*, cf. P. II.
- Micronyx* Boisd. Voy. Astrolabe Col. 1835, 188 [sine descr.] (= *Chlorochiton*, Arrow 1903. *Scar.*, *Melth.*, *Lep.* 160).
- Micropedinus* Lewis, ANH. (6) 13, 1894, 379 (*M. algae* Lewis 1894) 1913:2 (Jap.). *Ten.*, *Pedin.* 461.
- Micopelecotoides* Pic, Echange 26, 1910, 21 = *Micopelecotomoides* Pic 1910 [emend.]. *Rhip.*, *Pelecot.* 7.
- Micopeleotomoides* Pic, Echange, 26, 1910, 21 = Subg. ad *Pelecotomoides* Pic (emend.) 1910) (*M. japonica*, *Rouyeri*, *sumatrensis* Pic 1910) 1913:3 (Jap., Java, Sum.). *Rhip.*, *Pelecot.* 7.
- Micropeltis* Redt., Reise Novara I, 1867, 38; Reitt., 14, 1876, 58; Léveillé, BSEFr. 1899, 160 = *Diontolobus* Sol. 1849. *Temn.* 38.
- Micropeplus* O. Latr., G. Crust. Ins. IV, 1809, 377; Reitt., DEZ. 29, 1885, 365—367; Reitt., F. Germ. II, 1909, 200; Schaufuß in Calwer, 149; Kuhnt, 157, 179; Gutfl.-B., 190. — Biol.: Lubbock, TESL. 1868, 275 t. XIII (*M. staphylinoides* (Marsh.) 1802, *porcatus* [F.] 1792) 1913:22 (Eur.; Sib., Caucas., Alaska, Sikkim, Jap.; Am. b., Guatém., Lenkoran, Alg.). *Staph.*, *Oxyt.*, *Microp.* 29.
- Microphotus* Lec., New Col. 1865, 89; Ern. Oliv., GIW. Lamp., 39 (*M. dilatatus* Lec. 1865) 1913:2 (Am. mer.). *Lamp.*, *Lampi.* 30.
- Microphyes* McLeay, TESNSW. II, 1872, 286 (*M. rufipes* McLeay 1872) 1913:1 (Queensl.). *Ten.*, *Tenebr.* 831.
- Microphylla* Kraatz, DEZ. 1890, 351; 1894, 289; 1895, 409; WEZg. 10, 1891, 135; StEZg. 55, 1894, 264; Reitt., WEZg. 9, 1890, 265; 10, 1891, 137; VN. 40 [Best.-Tab. 50]. 257, 288; Brenske, ENa. 17, 1891, 216 (*M. paupera* [Hampe] 1852) 1913:1 (Pers., Arm. ross., Transasp.) *Scar.*, *Melth.*, *Melthi.* 341.
- Microplectus* O Raffr., Rev. d'E. 17, 1898, 264; ASEFr. 72, 1903, 531; GIW. Psel. 1908, 104 (*M. exiguum* Raffr. 1898) 1913:6 (Singap., N. Guin.) Psel., *Psel.*, *Euplect.* 118.
- Microplidius* Sharp, Zo.Rec., 39, 1902 (1903), Ins. p. 130 = err. pro *Microplidus* Péring.. *Scar.*, *Melth.*, *Hopl.* 557.
- Microplidus* O Péring., T.SAfr.Phil.S. 12, 1902, 876 (Typ.?; *M. fulvovittis* [Brancick] 1896/97; *albiger* [Burm.] 1855) 1913:9 (Afr. mer.; Nat., Mossamb. etc.). *Scar.*, *Melth.*, *Hopl.* 557.
- Microplophorus* O Blanch. in Gay, H. Chile V, 1851, 454; J. Thoms., Class. Cer., 289; Syst. Cer., 472; Lac. VIII, 164; Lmr., MSEB. 21, 1912, 66 (Rév., 930) (*M. magellanicus* Blanch. in Gay 1851) 1913:1 (Chile, Arg., Terr. ignita). *Ceramb.*, *Prion.*, *Anacol.*, *Tragos.* 89.
- Microporus* Burm., Hd.E. IV, 1, 1844, 174; Lac. III, 198; Péring., T.SAfr. Phil.S. 12, 1902, 875 (*M. nemoralis* Burm. 1844) 1913:9 (Terr. cap. 1, Madag. 8). *Scar.*, *Melth.*, *Hopl.* 556.
- Microporum* C. O. Waterh., ANH. (4) 18, 1876, 109 (*M. nitens* C. O. Waterh., *dispar* Murr. 1864) 1913:2 (Madag., Ins. Rodriguez). *Nit.*, *Meligeth.* 16.
- Micropria* Grouv., ASEFr. 68, 1899, 131 = *Metapria* Grouv. 1908 (1909). *Nit.*, *Meligeth.* 19.
- Micropsalis* Burm., Reise La Plata I, 1861, 314; StEZg. 26, 1865, 157; Lac., VIII, 43; Lmr., ASEB. 54, 1910, 378 (Rév., 733) = *Apteroaulus*

- Fairm.** 1884 = Subg. 3 ad *Psali-*
dognathus Gray 1832. *Ceramb.*,
Prion., *Prionin.*, *Deroibr.* 69, 3.
- Micropsephodes* O Champion, TESL.
 1913, 119 (*M. serraticornis* Champion
 1913) 1913:1 (Guatem.). *Endom.*
- Micropsephus* O Gorh., BCA.Col. 7,
 (1891), 149 (*M. mniophilinus* Gorh.
 1891) 1913:1 (Guatem.). *End.*,
Mycet., *Myceta*. 7.
- Micropterus* Chevr., Rev. MaZo. 1843,
 277 (sine diagn.); Schklg., GIW.
Cler. 1903, 86 (*M. brevipennis* Chevr.
 1843) 1913:1 (Cap. b. sp.). *Cler.*,
Cleri., *Clerin.* 126.
- Microptilium* O Matth., Trich. ill. 1872,
 59, 107 t. 10; Flach in Seidl., F. Ba.
 ed. II, (1888); in Seidl., F. Tr. 1884,
 Gatt., 71; VzbGW. 59, 1889, 573;
 Best.-Tab. eur. Col. 18, 1889, 35;
 Everts, I, 435, 441; Ganglb., III,
 317; Jakobs., Col. Ross. 8, 1910,
 630; Schaufuß in Calwer, 297
 (*pulchellum* Allib. 1844) 1913:1 (Eur.)
Ptil., *Ptili.*, *Ptilii*. 16.
- Microptinus* O Kiesw., NID. V, 1877,
 79; Pic, Echange XI, 1895, 99—100
 (Synops.); Schaufuß in Calwer, 717
 (*M. globulus* Ill.) 1807) 1912:18
 (Mediterr.; Hamb., Brem., [import.];
 Singap.; St. Vincent.). *Ptin.*, *Ptini*.
 20.
- Microptinus* Woll., Col. Atlant. 1865,
 25 = *Nitpus* Jaq. du Val = Subg.
 ad *Sphaericus* Woll. 1854. *Ptin.*,
Ptini. 11.
- Microrhopala* O Baly, ANH. 1864, 268;
Crotch., PAePhil., 1873, 80, 82;
Chap., XI, 1875, 315; *Horn*, TAm.
 ES. 1883, 290; Ws., VN. 49, 1910,
 146; ASEB. 55, 1911, 72 (*M. vittata*
 [F.] 1798) 1913:16 (Amer.). *Chrys.*,
Hisp., *Uroplat.* 45.
- Microrhabdium* O Kraatz, DEZ. 23,
 1879, 99, 118 (*M. macilentum* Kraatz
 1879) 1913:1 (Terr. Amur). *Ceramb.*,
Cerambin., *Lept.* 473.
- Microsaurus* Muls. et Rey, ASAGr.
 Lyon (4) 8, 1875, 685; Schaufuß in
 Calwer, 202; Kuhnt, 241 = *Quedius*
 s. str. C. G. Thoms. 1860 = Subg.
 ad *Quedius* Steph. 1832. *Staph.*
Staphy., *Staphyl.*, Qued. 383.
- Microsaurus* Steph., Ill. Brit. E. V,
 1832, 435; C. G. Thoms., Sk. Col. II,
 1860, 174 = Subg. ad *Quedius* Steph.
 1832. *Staph.*, *Staphy.*, *Staphyl.*,
 Qued. 383.
- Microschatia* O Sol., ASEFr. 5, 1836,
 474; Cast., HN. II, 1840, 207; Lac.,
 V, 157 (*M. punctata* Sol. 1836) 1913:7
 (Mex., Tex.). *Ten.*, *Asid.* 275.
- Microsebus* Kolbe, SteZg. 53, 1892, 168;
 Schoenfeldt, GIW. *Breth.* 1908, 10
 (*M. adelphus* Kolbe 1892) 1913:4
 (Ceylon., Cam., N. Guin., Usam-
 barara). *Breth.*, *Taphr.* 11.
- Microserica* O Brenske, MSEB. II,
 1894, 52 (Subg.); BEZ. XLII, 1897,
 357, 417; Reitt., WEZg. XV, 1896,
 182, 186; VN. 40, 1901 (1902) [Best.-
 Tab.], 138 (Typ.?: *vittigera* Blanch.
 1850) 1913:55 (Jap., Ind., Birma,
 Beng., Ins. Java, Sum., Born., Phil.
 Ins.). *Scar.*, *Meith.*, *Seric.* 40.
- Micrositus* O Muls. et Rey, M. Ac.
 Lyon 1854, 292; Opusc. E. V. 1854,
 148; Lac., V, 272; Jaq. du Val, III,
 277; Seidl., NID. V, 1894, 412, 414;
 Reitt., Best.-Tab. 53, 1904, 108,
 115 (Typ.?: *M. granulosus* [Billb.]
 1815) 1913:20 (Hisp. 14, Lus., Ins.
 Balear., Alg., Mar., Gr., Asm.,
 Creta, Mesop.) *Ten.*, *Opatr.* 501.
- Microsphaera* Redt., Gatt. deutsch.
 Käferf. 1845, 122; F. Austr. 1849,
 159 = *Orthoperus* Steph. 1829.
Orth., 28.
- Microspiloma* Bates, EMM. IV, 1867,
 25; TESL. 1870, 418 (*M. dorilis*
 Bates 1867) 1913:1 (Amaz.). *Ce-*
ramb., *Cerambin.*, *Heterops.* 915.
- Microstagetus* O Woll., ANH. (3) 8,
 103; Matth., Mon. *Coryl.* 1899,
 124 et 127 t. 4 f. C (*M. parvulus*

- Woll.** 1861) 1913:1 (Madera). *Orth.*, *Coryloph.* 14.
- Microsternus Lewis**, ANH. (5) 20, 1887, 57; EMM. 24, 1887, 3 (Typ. ?; *M. perforatus* [Lewis] 1883, *M. Crotchi Lewis* 1887; *M. Ulkei Crotch* 1887) 1913:5 (Jap. [4], Ky.). *Erot.*, *Dacn.* 93.
- Microstigmatium Kraatz**, DEZ. 1899, 90; Schklg., GIW. *Cler.* 1903, 74 = Subg. ad *Stigmatium Gray* 1832 (*M. ruficeps* et *unifasciatum* **Kraatz** 1899) 1913:3 (Togo). *Cler.*, *Clerin.*, *Clerin.* 80.
- Microtelus O Sol.**, ASEFr. 7, 1838, 9; *Lac.*, V, 104; Reitt., DEZ. 30, 1886, 98, 127 (Mon.); Seidl., NID. V, 1893, 230 (*M. asiaticus* Sol. 1838) 1913:5 (Morea, Creta, Libanon., Aeg., Syr., Mar.). *Ten.*, *Stenos.* 234.
- Microtheca O Stål**, Öfv. Vet. Ak. Föhr. 17, 1860, 464; Mon. III, 1865, 288; *Chap.*, X, 423, 427 (*M. ochroloma* et *semilaevis* Stål 1860) 1916:5 (Col., Bras., Urug., Montev.). *Chrys.*, *Chryso.*, *Tim.* 123.
- Microthopus Burm.**, Hd. E. IV, 2, 1855, 201; **Blackburn**, TRS. South Austral. 29, 1905, 330 (*M. castanopterus* **Burm.** 1855) 1913:3 (Austral.). *Scar.*, *Melth.*, *Lipar.* 171.
- Microtrachelizus O Senna**, BSEItal. 25, 1903, 315; *Schoenfeldt*, GIW. *Brenth.* 1908, 22 (*M. lyratus* [Perroud] 1864) 1913:15 (Ind., Sum., N.Caled. etc.). *Brenth.*, *Brentha.*, *Trach.* 34.
- Microtrachelus Péring.**, T. South Afr. Phil. Soc. 13, 1904, 56 = errat. pro *Microtrochalus* **Brenske** 1900. *Scar.*, *Melth.*, *Seric.* 98.
- Microtrichia Brenske**, StEZg. 61, 1900, 3455 (Typ. ?; **Brenske**: *M. singhalensis* 1892, *parva* 1892, *puttalensis* 1900; *eurystromus* **Burm.** 1855) 1913:4 (Ceylon.). *Scar.*, *Melth.*, *Melthi.* 296.
- Microtrochalus Brenske**, BEZ. XLV, 1900, 81; **Péring.**, T. South Afr. Phil. Soc. 13, 1904, 54 (Typ. ?; *M. Archiv für Naturgeschichte.* 1918. A. 3.
- plagiger* **Péring.** 1892; *xa.thocerus* [Burm.] 1855, 162) 1913:2 (Afr. mer.). *Scar.*, *Melth.*, *Seric.* 98.
- Microtyrus Broun**, N. Zeal. Col. 7, 1893, 1413 = *Euglyptus* **Broun.** *Psel.*, *Psel.*, *Euplect.* 34.
- Microm** O Matth., BCA, Col. II, 1, 118; Mon. *Coryl.* 1899, 124, 141 t. 4 f. B (*M. ovoforme* Matth. 1887) 1913:1 (Guatem.). *Orth.*, *Coryloph.* 19.
- Microxanthus Murr.**, Mon. 1864, 389 = Subg. ad *Carpophilus Steph.* 1830. *Nit.*, *Carpophil.* 53.
- Microxenus O Woll.**, JoE. I, 1861, 139; Csiki, A. Mus. Nat. Hung. 3, 1905, 574 (*M. laticollis* Woll. 1861) 1913:1 (Cap. b. Sp.). *End.*, *Mycet.*, *Myceta.* 13.
- Microzogus Fall**, TAmES. 31, 1905, 131, 135 (*M. insolens* Fall 1905) 1913:1 (Am. b.: Civ. confoed.). *Anob.*, *Ernob.* 14.
- Microzoum Dej.**, Gutfl.-B., p. XIV = *Microzoum Redt.*, Gutfl.-B., 412.
- Microzoum Redtb.**, Gatt. 1845, 129; F. Austr. ed. I—III; *Muls.*, Col. Fr. *Latig.* 1854, 177; Opusc. E. X, 1859, 125; *Mém. Ac. Lyon* X, 1860, 33; *Lac.*, V, 277; *C. G. Thoms.*, Sk. Col. I, 115; VI, 242; *Jacq. du Val*, III, 285; Seidl., F. Ba. 1875, 96; II, 1891, 130; F. Tr. 1891, 130; *Desbr.*, *Frelon* X, 1902, 99; *Kuhnt*, 739 = *Melanimon Stev.* 1829. *Ten.*, *Opatr.* 512.
- Micrurria Reitt.**, VN. 13, 1874, 58, 64 (sep. 8, 14) = *Micrurula* **Reitt.** 1884 = Subg. ad *Epuraea* Er. 1841. *Nit.*, *Nitid.* 70.
- Micrurula Reitt.**, WEZg. 3, 1884, 209 *Schaufuß* in Calwer, 422, 428; *Kuhnt*, 478, 487 = Subg. ad *Epuraea* Er. 1841. *Nit.*, *Nitid.* 70.
- Micrus Matth.**, Zool. 16, 1858, 6107; *Redtb.*, F. Austr. ed. III, 1, 1874, p. LXXXIII; *Flach*, VzbGW. 39, 1889, 492, 515; Best.-Tab. eur. Col. 18, 1889, 14, 37; *Everts*, I, 1898, 435, 442; *Reitt.*, F. Germ. II, 1909,

- 266, 273; **Kuhnt**, 354, 359 = *Smicrus*
Matth. 1872. *Ptil.*, *Ptiti*. 27.
- Micrus* **Motsch.**, BMosc. 21, 1848,
569, l. c. 23, 1850, 234; i. c. 41,
1868, II, 172, 183 = *Ptilium* **Er.**
1845. *Ptil.*, *Ptili*. 4.
- Mictopsis* **Fairm.**, ASEB. 43, 1899,
538 (*M. laticollis* Fairm. 1899) 1913:1
(Madag.). *Ten.*, *Strongyli*. 1195.
- Migdolus* **Westw.**, JoE. 1863, 120;
J. Thoms., Syst. *Cer.*, 319; **Lac.**,
VIII, 28; **Lmr.**, ASEB. 46, 1902,
196 (Rév., 60) = Subg. 1 ad *Anoploderma* **Guér.** 1840 (*M. fryanum*
Westw. 1863) 1913:4 (Bras., Arg.,
Andes). *Ceramb.*, *Prion.*, *Anoplod.*,
Anopl. 110, 1.
- Miglica* **Reitt.**, Best.-Tab. 53 1904,
171 = Subg. ad *Melanesthes* **Lac.**
1859. *Ten.*, *Opatr.* 544.
- Mikado* **Matth.**, ANH. (6) 3, 1889,
189; *Trich.* Suppl. 1900, 34, t. 12
f. 1--8; **Jacobs.**, Col. Ross. 8, 1910,
630 = *Mikado* **Jacobson** 1910 (*M.*
japonicus Matth. 1889). 1913:1 (Jap.).
Ptil., *Ptili.*, *Acrotr.* 25.
- Miladion* **Reitt.**, HoR. 21, 1887, 385
(31) = *Myladion* **Reitt.** 1887 = Subg.
ad *Lobothorax* **Gemm.** 1870. *Ten.*,
Opatr. 537.
- Milaris* **Motsch.**, BMosc. 45, 1872,
II, 23 = *Nyctobates* **Guér.** 1834.
Ten., *Tenebr.* 793.
- Milichilinus* **Reitt.**, F. Germ. II, 1909,
137 = Subg. ad *Xantholinus* **Serv.**
1825. *Staph.*, *Staphy.*, *Xanth.* 257.
- Milichius* **Gerst.**, ArN. 23, 1857, I,
239, 240 [cf. *Meilichius*]; Mon. *Endom.*
1858, 356, 360 (*Meilichius*); **Chap.**,
XII, 1876, 131, 133 (*Meilichius*); **Csiki**,
Term. Füz. 23, 1900, 375 (Best.-
Tab.) (*M. nigriceps* **Gerst.** 1857)
1913:4 (Sum., Java, Born.). *End.*,
Endo., *Endom.* 73
- Millidium* **Motsch.**, Etud. E. IV,
1855, 18; BMosc. 41, 1868, II,
173, 179; **Matth.**, *Trichopt.* illustr.
1872, 32, 59, 90 t. 7A; TAmES. 11,
1884, 145; **J. Sahlb.**, Acta S.F. Flor.
Fenn. 6, 1889/90 nr. 1 (1889), 71;
Flach in **Seidl.**, F. Ba. ed. II (1888),
Arten, 291; in **Seidl.**, F. Tr. (1889),
Art., 307; VzbGW. 39, 1889, 503;
Best.-Tab. eur. Col. 18, 1889, 25;
Everts, I, 439; **Ganglb.**, III, 306;
Reitt., F. Germ. II, 266; **Kuhnt**,
358 (*M. minutissimum* [Ljungh] 1804)
1913:3 (Eur., Cauc., Am., c.). *Ptil.*,
Ptili., *Ptili*. 3.
- Millingenia* **Sharp**, EMM. 11, 1874/75,
1875, 124—125; **Fairm.**, ASEFr. (5)
IX, 1879, 170—171 = *Eremazus*
Muls. 1851. *Scar.*, *Aegiat.* 2.
- Miltesthus* **Bates**, TESL. 1872, 177
(*M. marginatus* Bates 1872) 1913:1
(Nicarag.). *Ceramb.*, *Cerambin.*,
Sphaerio. 264.
- Miltoprepes* **Gerst.**, ArN. 37, 1871, 65;
Decken's Reise III, 2, 1873, 198
(*M. laetus* Gerst. 1871) 1913:1 (Lacus
Jipe). *Ten.*, *Strongyl.* 1178.
- Miltotrogus* **Reitt.**, VN. 40 [Best.-Tab.
50], 196; *Schaufuß* in Calwer, 1311
= Subg. ad *Rhizotrogus* **Berthold**
1827. *Scar.*, *Melth.*, *Melthi*. 325.
- Mimadoretus* **Arrow**, ANH. (7) 7, 1901,
398; **Ohs.**, StEZg. 65, 1904, 68, 158
(*M. flavomaculatus* W. M. Leay 1887)
1918:1 (Queensl.). *Scar.*, *Rut. orth.*,
Anoplgni, *Schizogn.* 121.
- Mimela* O. Kirby, TLSL. XIV, 1825,
101; **Hope**, TESL. 1835, 108; **Reitt.**,
VN. 1903, 51; **Ohs.**, DEZ. 1908, 634;
StEZg. 76, 1915; **Burm.**, Hd. E. IV,
1, 285, IV, 2, 506. 1918:91. — Subgg.
Paramim., *Mim.* s. str. et *Eriom.* *Mim.*
s. str. = Subg. 2 ad *Mim.* Kirby
1825 (*M. chinensis* Kirby 1823 (!),
Confucius Hope 1835, *glabra* Hope
1841, *splendens* [Gyll.] 1817 etc.)
1918:63 (As. or., mer., Ceyl., Sum.,
Java, Born.; Afr. c., 4 Cam. 2).
Scar., *Rut. hom.*, *Anomi.*, *Anoma.*
85; 85, 2.
- Biol.**: **Gebler**, M. Mosc. 20, 2,
1847. 462.

- Mimesthes* Mars., Mon. *Mylabr.* 1873, 566 (*M. maculicollis* Mars. 1873) 1913:1 (Terr. cap.). *Melo*, *Lytta*, *Mylabr.* 13.
- Mimetes* Eschschz., M. Ac. Pétersb. 6, 1818, 467; Germ., MaE. 4, 1821, 400 = *Dictylus* Fisch.-Wald. 1817. *Oed.*, *Oedem.*, *Ascler.* 20.
- Mimistema* Pasc., PZSL. 1866, 513 (*M. femorata* Pasc. 1866) 1913:2 (Malacca, Penang). *Ceramb.*, *Ceramin.*, *Cleom.* 875.
- Mimocellus* O Wasm., Jaegersk. Exped. 1904, Col. p. 11 (*M. trechoides* Wasm. 1904) 1913:2 (Oranje, Sudan.). *Ten.*, *Heterota*. 871.
- Mimocete* Fauv., Rev. d'E. 18, 1899, 7 (tab. spp.); Wasm., ZoJa. 14, 1900, 263—265; ZoJa. Suppl. 7, 1904, 649—655; Kraatz, DEZ. 1899, 363 nota = *Doryloxenus* Wasm. 1898. *Staph.*, *Pygost.* 411.
- Mimofrea* Hintz, DEZ. 1912, 202 (*M. uniformis*, *latefasciata* Hintz 1912) 1913:2 (Cam.). *Ceramb.*, cf. P. II.
- Mimogonus* Fauv., Rev. d'E. 22, 1903, 261 (*M. fumator* [Fauv.] 1889) 1913:3 (Ins. Sundaic., N.Caled., Madag., Guadeloupe, Mex., Jap., Ind. or.). *Staph.*, *Oxyt.*, *Osori*, *Osor.* 131.
- Mimohammus* Aur., Jo. Sarawak Mus. 3, 1913, 5 (*M. flavescens* Aur. 1913) 1913:1 (Born.). *Ceramb.*, cf. P. II.
- Mimopeus* Pasc., JoE. II, 1866, 477 (*M. amaroides* Pasc. 1866) 1913:1 (Austral.). *Ten.*, *Helop.* 1057.
- Mimophites* Fauv., Rev. d'E. 23, 1904, 280 (*B. Bouvieri* et *tatticeps* Fauv. 1904) 1913:2 (Brasil.). *Staph.*, *Paed.*, *Paedi.* 226.
- Mimosticus* O Sharp, BCA.Col. I, 2, 1882/87, 1884, 327 (*M. viridipennis* Sharp 1884) 1916:1 (Pan.). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 386.
- Mina* O Raffr., Rev. d'E. 9, 1890, 108, 112; ASEFr. 73, 1904, 11; GIW. *Psel.* 1908, 178 (*M. elegans* Raffr. 1890) 1913:3 (Sum., Singap.). *Psel.*, *Psel.*, *Batriss.* 198.
- Minaderus* Muls., Col. Fr. *Longic.* ed. 2, 1863, 467 = *Stenocorus* F. 1775. *Ceramb.*, *Cerabin.*, *Lept.* 520.
- Minorus* Muls. et Rey, M. Ac. Lyon 1854, 185; Opusc. E. 1854, 41 = *Eurynotus* Kirby 1818. *Ten.*, *Pedin.* 443.
- Minotaurus* Muls. et God., ASLLyon 1855, 4; Jek., ASEFr. (4) 5, 1865 (66), 546; Reitt., Best.-Tab. 24, 1893, 128 = *Typhoeus* Leach 1815. *Scar.*, *Geotr.*, *Geotrpi.* 16.
- Minotaurus* Jek., ASEFr. (4) 5, 1865 (66), 546 = *Typhoeus* Leach i. sp. 1815. *Scar.*, *Geotr.*, *Geotrpi.* 16.
- Minulus* Eggers, EBl. 8, 1912, 206 (*M. barbatus* Eggers 1912) 1913:1 (Creta). *Ip.*, *Diam.*
- Minutius* Fairm., ASEFr. 71, 1902, 386 (*M. tenuis* Fairm. 1902) 1913:1 (Madag.). *Ceramb.*, *Cerabin.*, *Calldp.* 325.
- Miobdelus* Sharp, ANH. (6) 3, 1889, 119 (*M. brevipennis* Sharp 1889) 1914:1 (Jap.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 318.
- Miocris* Fairm., BSEFr. 1902, 245 (*M. nigroscutatus* Fairm. 1902) 1913:1 (Yunnan). *Ceramb.*, *Cerabin.*, *Pyr.* 668.
- Miocydus* O Pasc., ANH. (4) 15, 1875, 59; Lmr., MSEB. 21, 1912, 6 (Rév., 870) = Subg. 1 ad *Elaptus* Pas. 1867 (*M. brevicornis* et *prionoides* Pasc. 1875) 1913:2 (Austral. occ., Gawler). *Ceramb.*, *Prion.*, *Anacol.*, *Clost.* 75.1.
- Miolispoedes* Pasc., JoE. I, 1862, 393; Lac. VII, 1866, 421; Schoenfeldt, GIW. *Brenth.* 1908, 25 1862 (*M. novaequinezensis* [Guér.] 1832) 1913:28 (Arch. malay. etc.). *Brenth.*, *Brentha*, *Trach.* 38.
- Miolispoedes* Senna, ASEB. 38, 1894, 368; Schoenfeldt, GIW. *Brenth.* 1908, 26 (*M. birmanicus* Senna 1894) 1913:1 (Birma super.). *Brenth.*, *Brentha*, *Trach.* 39.

- †*Miolithocharis* O. Wickham, PUSt. Mus. 45, 1913, 289 (*M. lithographica* Wickh. 1913) 1913:1 (Miocän.: Color.). *Staph.*, *Paed.* —.
- Miopteryx* Lac. VIII, 1869, 317 (*M. spinigera* [Blanch.] 1843) 1913:1 (Arg.). *Ceramb.*, *Cerambin.*, *Sphaerio*. 251.
- †*Miostenosis* O. Wickham, P.U.Stat.Nat. Mus. 45, 1913, 297 (*M. lacordairei* Wickh. 1913) 1913:1 (Miocän.: Colorado). *Ten.*, *Stenos.* 230a.
- Miotemna* Lac., III, 1856, 210 = *Octotemna* Blanch. 1850. *Scar.*, *Melth.*, *Seric.* 147.
- Miotodera* Fairm., Rev. d'E. 20, 1901, 190 (*M. funeralia* Fairm. 1901) 1913:1 (Madag.). *Ten.*, *Strongyl.* 118.
- Mirellus* O. Raffr., Rev. d'E. 13, 1894, 204; ASEFr. 72, 1903, 520; GIW. *Psel.* 1908, 57 (*M. sulcicollis* Raffr. 1894) 1913:1 (Singap.). *Psel.*, *Psel.*, *Euplect.* 43.
- Miridiba* Reitt., VN. 40 [Best.-Tab. 50] (*M. trichophorus* [Fairm.] 1891) 1913:1 (China). *Scar.*, *Melth.*, *Melthi.* 335.
- Miroclaviger* O. Wasm., DEZ. 1893, 108; Raffr., ASEFr. 73, 1904, 451; GIW. *Psel.* 1908, 443 t. 2 f. 11 (*M. cervicornis* Wasm. 1893) 1913:2 (Madag.). *Psel.*, *Clavig.* 457.
- Mirocytus* O. Aur., ArkZo. VII, 3, 1910, 17 (*M. brunneipennis* Aur. 1910) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Clyt.* 838.
- Mirosternus* O. Sharp, TESL. 1881, 526; Gorh., BCA. III, 2, Suppl. 1886, 349; PZSL. 1898, 327; Perkins, F. Hawaiiens. III, 4, 1910, 614. Synops.: Perkins, t. c., 615 (Typ. ? *M. bicolor*, *carinatus*, *debilis*, *glabripennis*, *muticus* Sharp 1881, *sericatus* [Walzl.] 1832) 1913:74 (Haw. Ins., Antill., St. Vinc. 1, Mex., Guat. 1, Pan. 2). *Anob.*, *Dorcat.* 70.
- Mirulus* Muls et Rey, Spinip. 1872, 40; Des Gozis, Rev. d'E. 4, 1885, 120 = *Micilus* Muls. 1872. *Het.* 1.
- Mirus* O. Sauley, Pet. Nouv. E. 1877, 169; Raffr., Rev. d'E. 1890, 91, 97; GIW. *Psel.* 1908, 45 (*M. permirus* Sauley 1877) 1913:2 (Corsic., Gall. mer.). *Psel.*, *Psel.*, *Euplect.* 27.
- Misancyrus* O. Gozis, Recherche Montluçon 1886, 15 (*M. emarginatus* [Fauv. 1872]) = Subg. 1 ad *Ancyrophorus* [Kraatz] 1856/8) 1913:1 (Eur., mer., Cauc., Mar.). *Staph.*, *Oxyt.*, *Oxyti.*, *Oxyte.*, 110, 1.
- Misanthius* Sharp, BCA. Col. I, 2 1882/87 (1885), 393 (*M. carinulatus*, *optatus*, *torquatus* Sharp 1885) 1914:6 (Mex. 5, Guat. 1). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 301.
- Misolampidius* O. Solsky, HoR. 11, 1875, 292; Kolbe, ArN. 52, 1886, I, 204, t. 10 f. 1, 11—19 (*M. tentorioides* Solsky 1875) 1913:7 (Jap., Korea, Sib. or., Sikk., Himal.). *Ten.*, *Helop.* 1036.
- Misolampus* O. Latr., Gen. Crust. et Ins. II, 1807, 160; Cast., HN. II, 1840, 204; Brême, Rev.Zo. 1842, 81 (9); Sol., Studi E. 1848, 151 (5), 183 (37); Lac. V, 442; Jacq. du Val III, 319; Baudi, BSEItal. 8, 1876, 262; Seidl., NID. V, 1896, 677; Vaulog., ASEFr. 68, 1899, 672 (*M. gibbulus* [Herbst] 1799) 1913:7 (Alg., Lus., Hisp., Mar.). *Ten.*, *Helop.* 1037.
- Mithippia* O. Pasc., ANH. (4) 3, 1869, 292 (*M. aurita* Pasc. 1869) 1913:2 (Austral.). *Ten.*, *Cyphal.* 914.
- Mitomorphus* O. Kraatz, ArN. 25, 185 I, 105 (*M. indicus* Kraatz 1859) 1914:5 (Birm., Ind. or. 2, Ceyl., Madag.). *Staph.*, *Staphy.*, *Xanth.* 254.
- Mitonota* Raffr., ASEFr. 73, 1904, 129; GIW. *Psel.* 1908, 213 (*M. quadriceps* Raffr. 1904) 1913:4 (Bol. sup., Col., Ven.). *Psel.*, *Psel.*, *Brachygl.* 232.
- Mitophyllus* O. Parry, TESL. IV, 1845, 55 (*M. irroratus* Parry 1845) 1913:11 (N. Z.). *Luc.*, *Aes.* 75.

- Mitosoma* O Chap., Pl., 43, 323; Schauf. II, TijE. 40, 1891, 223; Strohmeyer, EBl. 7, 1911, 103 (*M. crenulatum* Chap. 1865) 1913:7 (Madag.). *Platyp.* 11.
- Mitracamenta* Brenske, DEZ. 1903, 296 (*M. lineella* Brenske 1903) 1913:1 (Usambara). *Scar.*, *Melth.*, *Seric.* 129.
- Mitracephala* O Raffr., Rev. d'E. 9, 1890, 104; ASEFr. 72, 1903, 583; GIW. Psel. 1908, 128 = *Mitrametopus* Raffr. 1911. *Psel.*, *Pselia*, *Trichon.* 149.
- Mitraelabrus* O Sol. in Gay, H. Chile V, 1851, 259 (*M. obscurus* et *sericeus* Sol. 1851) 1913:2 (Chile). *Ped.* 14.
- Mitragenius* O Sol., ASEFr., 5, 1836, 328; Cast., HN. II, 1840, 188; Lac. V, 172; Burm., StEZg. 36, 1875, 481; Fairm., ASEFr. (5) 6, 1876 (Mon.) (*A. dejani* Sol. 1836) 1913:9 (Am. mer : Pat., Chile, Arg. b., Tucum.). *Ten.*, *Nyctel.* 297.
- Mitrametopus* Raffr. in Sehlg. et J., P. 27, 1911, 50 (*M. longipennis* Raffr. 1890) 1911:1 (Bras.). *Psel.*, *Pselia*, *Trichon.* 149.
- Mitrephorus* O Carter, PLNSW. 1913, 38, 83 (*M. convexicollis* Carter 1913) 1913:1 (Queensl.). *Ten.*
- Mitrophorus* Burm., Hd.E. IV, 1, 1844, 140; Péring., T.SAfr.Phil.S. 12, 1902, 825 (*M. leucophaea* [Blanch.] 1850) 1913:4 (Cap., Caffr., Nat., Trv.). *Scar.*, *Melth.*, *Hopl.* 513.
- Mitua* Hope, TESL., 1848, 56 = *Cestrinus* Er. 1842. *Ten.*, *Pedin.* 473.
- Mitys* O Champ., BCA.Col. IV, 1, 1885, 97, 261, 520 (*M. inflatus* Champ. 1885, *politus* [Brême] 1842) 1913:3 (Mex.). *Ten.*, *Helop.* 1061.
- Mnematidium* O Rits., TiE. 31, 1889, 207 (*M. multidentatum* [Klug] 1845) 1913:1 (Syr., Aeg. infer.). *Scar.*, *Copr.*, *Scarbi.*, *Scarbae.* 6.
- Mnematium* O M'Leay, HoE. I, 2, 1821, 504 (*Mn. Ritchiei* M'Leay 1821) 1911:1 *Scar.*, *Copr.*, *Scarbi.*, *Scarbae.* 5.
- Modialis* Fairm. et Germ., Rev.MaZo. 1860, 267; Arrow, ANH. (7) 11, 1905, 305) (*M. prasinella* Fairm. et Germ. 1860) 1913:1 (Valdivia). *Scar.*, *Melth.*, *Lipar.* 162.
- Moeocerus* O Fauv., Rev. d'E. 18, 1899, 100 (Typ.?) ; *M. mimus* Fauv. 1899; *spinulosus* [Solsky] 1864) 1916:7 (Afr., trop., Nat.). *Staph.*, *Staphy.*, *Staphyl.*, *Qued.* 372. Biol.: Wasm., Krit. Verz., Myrm. 1894, 84.
- Moeon* O Champ., BCA.Col. IV, 1, 1886, 251 (*M. panamensis*, *isthmicus* Champ. 1886). *Ten.*, *Cnodal.* 973.
- Moerodes* Waterh., EMM. 14, 1877, 72 (*M. Westwoodi* M'Leay 1872) 1913:1 (Queensl.). *Ten.*, *Cyphal.* 909.
- Mogadoria* Esc., BSEsp. V, 1905, 467 (*M. subelegans* [Fairm.] 1870) 1913:1 (Mar.). *Ten.*, *Tentyr.* 152.
- Molamba* O Casey, JoNYES. 8, 1900, 69, 71 (*M. fasciata* [Say] 1827) 1913:6 (Amer. b., Tex.). *Orth.*, *Saci.* 6.
- Molian* O Champ., BCA.Col. IV, 1, 1886, 142 (Typ.?) ; *M. Goudotii*, *taurus* [Lac.], *cervus* [Bates] 1873/74) 1913:3 (Peru 1, Col. 2). *Ten.*, *Uлом.* 664.
- Molorchus* s.str. O Muls., Col. Fr. Longic. ed. 2, 1862, 224 = *Caenoptera* C. G. Thoms. 1859 = Subg. ad *Molorchus* F. 1792. — *M. s. str.* C. G. Thoms., Skand. Col. VIII, 1866, 43 = Subg. ad *Molorchus* F. 1792. *Ceramb.*, *Cerambin.*, *Molorch.* 606.
- Molorchus* F., Ent. Syst. I, 2, 1792, 356 (ex parte); Paykull, F. Suec. III, 1800, 129 (ex p.); Gyllenh., Ins. Suec. I, 4, 1827, 120 (ex p.); Bach, III, 1856, 52; Redt., F. Austr. ed. 2 1858, 856; ed. 3, II, 1874, 427 (ex p.); Gutfl.-B., 580 = *Necydalis* L. 1758. *Ceramb.*, *Cerambin.*, *Necyda.* 590.
- Molorchus* O F., E. Syst. I, 2, 1792, 356 (ex parte); Paykull, F. Suec. III,

- 1800, 129 (ex p.); **Gyllenh.**, Ins. Suec. I, 4, 1827, 120 (ex p.); **Steph.**, Ill. Brit. Ent. Mand. IV, 1831, 252 (ex p.); **Cast.**, HN. II, 1840, 442 (ex p.); **Bach**, III, 1856, 25 (ex p.); **Redt.**, F. Austr., 1858, 856 (ex p.); ed. 3, II, 1874, 427 (ex p.); **Gylenh.**, Ins. Suec. I, 4, 1827, 120; **Schiödte**, NTi. (3), II, 1864, 530; **Fairm.**, G. Col. d'Eur. IV, 1864, 153; **Lac.**, VIII, 1869, 486; **Cox**, Hd. Cel. II, 1874, 308; **Leng**, EAm. II, 1886, 27, 30; **Fowler**, Col. Brit. Isl. IV, 1890, 228; **Stierlin**, Col. Helvet. II, 1898, 464; **Gah.**, F. Brit. Ind. Col. I, 1906, 169; **Ganglb.**, Best.-Tab. 7, 1881, 9 (687); **Seidl.**, F. Balt. 1891, Gatt. p. 182, **Kuhnt**, 773 (*M. minor* [L.] 1758) 1913:14 (Paläaret. 7, indomal.: 1, austr.: 1, nearet.: 3). *Ceramb.*, *Ceramin.*, *Molorch.* 606. *Molosoma* **Say**, TAm.Phil.S. (n. s.) IV, 462 = *Osorius* **Latr.** 1829. *Staph.*, *Oxyt.*, *Osori.*, *Osor.* 136. *Moluris* **Sol.**, M.Acc.Sc.Torino (2) 6, 1843, 1843 (pars) 278, (66) = *Psmodes* **Kirby** 1818. *Ten.*, *Molur.* 311. *Moluris* **Latr.**, HNCrIns. X, 1804, 266; **Lac.** V, 1859, 194; **Haag**, Col. Hft. 7, 1871, 51 (Mon.) (Typ.?: *M. gibba* [Pallas] *gibbosa* [Ol.] 1795; *strigosa* [Herbst] 1799) 1913:20 (Afr., praecipue mer.). *Ten.*, *Molur.* 309. *Mombasius* **Bates**, Cist.E. II, 1879, 417; **Kolbe**, StEZg. 54, 1894, 250) (*M. frontalis* **Bates** 1879) 1913:2 (Mombassa, Usambara). *Ceramb.*, *Ceramin.*, *Callichr.* 741. *Monarthrum* **Kirsch**, BEZ. X, 1866, 213; **Lec.**, P.Am.Phil.S. XV, 1876, 347 = *Pterocyclon* **Eichh.** 1868. *I.p.*, *Corth.* 105. *Monesoma* **Lév.**, BSEFr. 1894, p. CXLIV = Subg. ad *Nemosoma* **Latr.** 1804. 1913:3 (Bras.; Kazan; Col.). *Temn.*, *Nemos.* 5. *Mongolesthes* **Reitt.**, Best.-Tab. 53, 1904, 174 = Subg. ad *Melanesthes* **Lac.** 1859. *Ten.*, *Opatr.* 544. *Monista* **Sharp**, TESL. 1876, 271 (*M. ferruginea* [Sahlb.] 1847) 1913:14 (Am. c. et mer. trop.). *Staph.*, *Paed.*, *Paedi.* 179. *Monocampta* **Motsch.** in Schrenk's R. II, 1860, 182 = *Deuterocampta* **Chev.** 1844. *Chrys.*, *Chryso.*, *Chrysi.* 15. *Monocerus* **Fald.**, F. Transc. 1837, 106 = *Notoxus* **Geoffr.** 1762. *Anth.* 2. *Monocharis* **Sharp**, BCA.Col. I, 2, 1882/87 (1886), 569 (*M. vestita* **Sharp** 1886) 1913:1 (Amaz., Pan., Carac.). *Staph.*, *Paed.*, *Paedi.* 195. *Monochelus* **O Serv.**, Enc. méthod. X, 1825, 375; **Burm.**, Hd.E. IV, 1, 1844, 153; **Péring**, T.SAfr.Phil.S. 12, 1902, 828 (Typ.?: *M. glaberrimus* **Burm.** 1844. *spinipes* [F.] 1781, *spinipes* [F.] 1781, *squamans* [Gyll.] 1817) 1913:35 (Madag., Afr. mer.: Cap, Nat. etc. 32, Afr. c.: Mts. Ugueno 1). *Scar.*, *Melth.*, *Hopl.* 516. *Monochirus* **O Chap.** XI, 1875, 330 (Typ.?: *M. callicanthus* [Bates] 1866, *multispinosus* [Germ.] 1848) 1913:16 (Males., N. Guin., Austral.). *Chrys.*, *Hisp.*, *Hispi.* 79. *Monochirus* **O Heyden** in Schneid. Leder, Beitr. Kaukas. Käferf. 1878, 343; **Ws.**, NID. VI, 1893, 1061; DEZ. 1897, 144 = *Acmenychus* **Ws.** 1905. *Chrys.*, *Hisp.*, *Hispi.* 80. *Monocladum* **O Pic**, ASEFr. 61, 1892, p. CCLX (*M. aegyptiacus* [Guér.] 1844 et *unipictinatus* [White] 1853) = ref. ad *Prionus* **F.** 1775. 1913:2 (Aeg. 2, Arab. 1). *Ceramb.*, *Prion.*, *Prionin.*, *Prioni.* 72. *Monocrania* **Cast.**, ASEFr. I, 1832, 410 = *Dicrania* **Serv.** 1825. *Scar.*, *Melth.*, *Macrod.* 489. *Monocrypta* **Casey**, T.Ac. St.Louis XV, 1905, 27, 30 = Subg. ad *Cryptobium* **Mannerh.** 1830. *Staph.*, *Paed.*, *Paedi.* 233. *Monodesmus* **Serv.**, ASEFr. 1, 1832, 160; **J. Thoms.**, Class. Cer. 285;

- Syst. Cer.*, 471; *Lac.* VIII, 158; *Lmr.*, MSEB. 21, 1912, 80 (Rév., 944) (*M. callidiooides* Serv. 1832) 1913:2 (Cuba, Jamaica). *Ceramb.*, *Prion.*, *Anacol.*, *Monod.* 95.
- Monohispa* Ws., DEZ. 1897, 147 = *Dactylispa* Ws. 1897. *Chrys.*, *Hisp.*, *Hispi*. 89.
- Monoloba* Sol., ASEFr. IV, 1835, 235 = *Lobopoda* Sol. 1835. *All.*, *Allec.* 24.
- Monophylla* O. Spin., Rev. Zo. 1841, 75; *Cler.* I, 1844, 384; *Chenu*, Enc. HN. Col. II, 1860, 263; *Wolcott*, Publ. Field Mus. Chicago 7, 1910, 339; B. Ind. Dept. Geol. Nat. I, 1910, 849 (*M. terminata* [Say] 1835) 1913:4+?1+1 (1910?) (Am. b., Cuba, Ariz., Tex.). *Cler.*, *Cleri.*, *Till.* 8, Biol.: *Chittenden*, EAm. VI, 1890, 154.
- Monoplistes* Lansb., Col. Hefte 12, 1874, 8 (*M. Haroldi* Lansb. 1874) 1913:1 (Austral. occ.). *Scar.*, *Copr.*, *Scarbi.*, *Canthon*. 27.
- Monoplus* O. Mars., Mon. 1855, 122 (*M. inflatus* Mars. 1855) 1913:8 (Afr. mer.). *Hist.* 63.
- Monotropus* O. Er., NID. 3, 1847, 658; *Burm.*, Hd.E. IV, 2, 1855, 373 nota; *Lac.* III, 281; *Jacq. du Val*, III, 8, 1860, 54, t. 15 f. 73; *Tieffenbach*, DEZ. 26, 1882, t. 4 f. 9; *Reitt.*, WEZ. 8, 1889, 277; VN. 40 [Best.-Tab. 50], 102, 166; *Brenske*, ENa. 17, 1891, 316/9 (*M. Nordmanni* Blanch. 1850) 1913:4 (Ross. mer., Hisp., Lus., Alg.). *Scar.*, *Melth.*, *Melthi*. 323.
- Montandonia* Jaquet, ASLLyon (n. s.) 32, 1885 (1886), 319; *Ganglb.*, IV, 1, 1904, 12; *Schaufuß* in Calwer, 593 = Subg. ad *Dermestes* L. 1758. *Derm.*, *Dermst.* 1.
- Mophis* O. Champ., BCA. Col. IV, 1, 1886, 168 (*M. cynaeoides*, *marginicollis* Champ. 1886) 1913:3 (Mex. 2, Guat. 1). *Ten.*, *Uлом.* 718.
- Mophon* O. Champ., BCA. Col. IV, 1, 1886, 247 (*M. tinctipennis* Champ. 1886) 1913:1 (Am. c.). *Ten.*, *Cnodal*. 974.
- Morana* Sharp, TESL. 1874, 117; 1883, 321 (*M. discedens* Sharp 1874) 1913:1 (Japon.). *Psel.*, *Pselia.*, *Batriss.* 210.
- Mordella* O. L., Syst. Nat. ed. X, 1758, 420; ed. XIII, 1767, I, 2, 692; *Sol.* in *Gay*, H. Chile, Zo. V, 1851, 267; *Bach*, III, 245 sq.; *Jacq. du Val*, III, 405; *Muls.*, ASLLyon (2) 3, 1856, 322; Col. Fr. *Longip.*, 1856, 18; *Lac.*, V, 609; *Seidl.*, F. Ba. et Tr.; *Redtb.*, F. Austr.; *Emery*, L'Abeille, 14, 1876, *Mord.*, 8 et 55; *Broun*, Man. N. Zeal. Col. I, 1880, 413; *J. B. Smith*, TAmES. 10, (1882), 74, 80, t. 1 f. 35; *Champ.*, BCA. Col. IV, 2 (1891), 264; *Stierlin*, Käferf. Schweiz II, 1898, 177; *Schilsky*, KäfEur. 35, 1899, p. A; *Everts*, II, 294; *Blatchley*, Col. of Indian. 1910, 1309; *Reitt.*, F. Germ. 3, 1911, 373; *Schaufuß* in Calwer, 764; *Kuhnt*, 711, 712 (*M. aculeata* L. 1758, *fasciata* F. 1775, *perlata* Sulz. 1776 etc.) 1914:284 (in omn. part. orb. terr.). *Mord.*, *Mordi*. 4.
- Biol.: *Er.*, ArN. 8, 1842, I, 372; *Schaufuß* in Calwer, 765; cf. etiam *Schklg.* in *Schklg.* et *J.*, P. 63, 1915, 7, 21.
- Mordellina* Schilsky in *Schultze*, Forsch. Südafr. I, 1908, Jena. Denkschr. 13, 1908, 137 = Subg. 1 ad *Mordellistena* (*M. Costa* 1854) *gracilis* Schilsky 1908) 1915:1 (Afr. mer.-occ.-germ.). *Mord.*, *Mordi*. 10, 1.
- Mordellistena* O. Costa, F. Regni Napoli, *Mord.* 1854, 16 et 31; *Muls.*, ASLLyon (2) 3, 1856, 322; Col. Fr. *Longip.* 1856, 18, 52; *Bach*, III, 250; *Lac.*, V, 609; *Jacq. du Val*, III, 406; *Redt.*, F. Austr.; *Seidl.*, F. Ba. et Tr.; *Emery*, L'Abeille 14, 1876, *Mord.*, 9, 78; *J. B. Smith*, TAmES. 10 (1882), 74 et 85, t. 2 f. 12—14;

- Champ.**, BCA. Col. IV, 2 (1891), 307; **Stierlin**, Käferf. Schweiz, II, 1898, 177; **Schilsky**, Käf. Eur. 35, 1899, p. B.; **Everts**, II, 294; **Blatchley**, Col. of Indian. 1910, 1309 etc., f. 576, 11—14; **Reitt.**, F. Germ. 3, 373; Schaufuß in Calwer, 764; **Kuhnt**, 711, 714 (*M. confinis* Costa 1854; *M. abdominalis* [F.] 1775; *M. humeralis* [L.] 1758). — 3 Subgg. *Mordellina*, *Mord.* s. str. et *Tolida*. — (*M. ferruginea* [F.] 1801; *M. pubescens* [F.] 1798, *M. parvula* [Gyll.] 1827, *M. pumila* [Gyll.] 1810; *M. variegata* [F.] 1798) 1915:277 (in omn. part. orb. terr.). *Mord.*, *Mordi*. 10; 10, 2. *M.* s. str.: **Emery**, L'Abeille, 14, 1876, *Mord.*, 81; **Seidl.**, F. Ba. et F. Tr.; **Schilsky**, Käf. Eur., 35, p. M.; **Everts**, II, 302; **Reitt.**, F. Germ. 3, 376.
- Biol.: **Perris**, ASEFr. (4) 9, 1869, 466; ASLLyon (2) 22, 1876 (77), 168—171, t. 9, 357—59; in *Muls.*, Col. Fr., Larves d. Col. 1877, 331; **Buddeberg**, Ja. Nass. Ver. HNaturk. 44, 1891, 7 etc.; cf. etiam **Schklg.** in **Schklg.** et **J.**, P. 63, 1915, 31, 34, 37, 38, 40, 42, 44, 45.
- Mordellochroa* **Emery**, L'Abeille 14, 1876, *Mord.*, 80; **Seidl.**, F. Ba. et Tr.; **Schilsky**, 35, 1899, p. M.; **Everts**, II, 302; **Kuhnt**, 714 = *Tolida* *Muls.* 1856. = Subg. 3 ad *Mordellistena* **Costa** 1854. *Mord.*, *Mordi*. 10, 3.
- Morica* **O Sol.**, ASEFr. V, 1836, 646; **Lac.**, V, 118; **Jacq. du Val**, III, 257; **Seidl.**, NID. V, 226; **Reitt.**, Best.-Tab. 53, 1904, 36, 37 (Mon.) (Typ.?; *M. planata* [F.] 1801, *M. grossa* [L.] 1767) 1913:6 (Afr. b., Medit., Hisp.). *Ten.*, Akid. 325.
- Morius* **Casey**, Col. Not. V, 1893, 445 (*M. occidens* Casey 1893) 1913:1 (Cal.). *Psel.*, *Pselia*, *Euplect.* 68, loco. 43b.
- Morizus* **Ferr.**, Borkenk. 1867, 69 = *Corthylus* **Er.** 1836. *I.p.*, *Corth.* 101.
- Morocaula* **Fairm.**, Not. Leyd. Mus. 20, 1898, 215 (*M. remipes* **Fairm.** 1898) 1913:1 (Afr. occ.). *All.*, *Allec.* 27.
- Moromeias* **Fairm.**, ASEB. 42, 1898, 481 (*M. joveipennis* **Fairm.** 1898) 1913:1 (Madag.). *Ten.*, *Helop.* 1055.
- Moronillus* **Jacq. du Val**, ASEFr. (3) II, 1854, Bull., 38; G. Col. d'Eur. II, 234; **Redt.**, F. Austr. ed. III, II, 1874, 544; **Ganglb.**, KäfMEur. III, 1899, 283; Schaufuß in Calwer, 294 = *Rhypobius* Lee. 1852. *Orth.* 26.
- Morphoides* **Gemm.** et **Har.** 1876, 3706 = *Brachysphaenus* **Lac.** 1842. *Erot.*, *Erotyl.* 10.
- Morphoides* **Hope**, Rev. Zo. 1841, 111; **Lac.**, *Erot.* 356; **Chap.**, XII, 60; **Crotch**, *Erot.*, 137 = Subg. ad *Brachysphaenus* **Lacord.** 1842. *Erot.*, *Erotyl.* 10.
- Morychastes* **O Fairm.**, ASEFr. (6) 5, 1885, 43 (*M. australis* **Blanch.** 1853) 1913:1 (Via Magellan.). *Byrrh.*, *Byrrhi.*, 24.
- Morychus* **O Er.**, NID. III, 491; **Gutfl.-B.**, 291; **Lac.**, II, 483; **Jacq. du Val**, II, 266; *Muls.* et *Rey*, *Pil.* 138 (338); **C. G. Thoms.**, IV, 216; **Ganglb.**, VzbGW. 52, 1902, 92; **Ganglb.**, IV, 62; Schaufuß in Calwer, 612 (*M. aeneus* [F.] 1775) 1913:19 (Eur., Sib., Austr., N. Z. [12]). *Byrrh.*, *Byrrhi.* 14.
- Morychus* **C. G. Thoms.**, Sk. Col. IV, 1862, 217 = Subg. ad *M. Er.* 1847. *Byrrh.*, *Byrrhi.* 14.
- Motrita* **O Westw.**, TijE. 26, 1883, 77 (*M. fulvipes* Westw. 1883) 1913:1 (Sum.). *Erot.*, *Triplac.* 49.
- Motschulskium* **Math.** 1872 = *Motschulskyum* **Math.** 1872. *Ptil.*, *Ptili.* 8.
- Motschulskyum* **Math.**, Trichopt. ill. 1872, 59, 72; TAmES. 11, 1884, 152 (*Motschulskium*) [cf. supra] (*M. sinuatocolle* **Math.** 1872) 1913:1 (Cal.). *Ptil.*, *Ptili.*, *Ptilii.* 9.

- Mouhotia** Baly, JoLSLZo. 14, 1878, 262 (nec **Lap.** 1834); **Ws.**, WEZg. 32, 1913, 18 = *Mouhotina* Lefv. 1885. *Chrys.*, *Eumolp.*, *Typoph.* 259.
- Mouhotina** O Lefv., MSLiége (2) 11, 1885, 130; **Jac.**, F. Ind. Col. II, 1908, 490 (*M. femorata* [Baly] 1878; *rufa* [Clark] 1865) 1914:7 (Birma, Cambodja, Ch., Ind. or.). *Chrys.*, *Eumolp.*, *Typoph.* 259.
- Muisca** O Spin., Clerit. II, 1844, 147; **Chenu**, Enc. II, 1860, 258; **Gorh.**, Cist. E. II, 1875/82 (1876), 84; **Schklg.**, GIW. Cler. 1903, 55; **Wolcott**, Can. Ent. 42, 1910, 246 (*M. bimaculata* Spin. 1844) 1913:1 (Col.). *Cler.*, *Cler.*, *Clerin.* 109.
- Mulsenella** R. Luc. nom. nov. pro *Sidis* Muls. *Cocc.* nec *Pasc.* cf. P. II. *Ceramb.*
- Murexus** Lewis, ANH. (7) 20, 1907, 350 (*M. longipes* Lewis 1885) 1913:1 (Parag.). *Col.*, *Hist.* 106.
- Muscicoderus** Sharp, BCA. Col. I, 2, 1882, 87 (1858), 455 (*M. cephalotes* et *gracilis* Sharp 1885) 1914:3 (Pan., Peru, Nicar.). *Staph.*, *Staphy.*, *Staphyl.*, *Staphi.* 303.
- Muscidora** J. Thoms., Syst. Cer. 1864, **Bates**, BCA. Col. V, 1885, 322, 329 (*M. tricolor* J. Thoms. 1864) 1913:1 (Mex.). *Ceramb.*, *Cerambin.*, *Stenasp.* 992.
- Musius** O Fairm., ASEB. 33, 1889, Bull. p. 94; 40, 1896, 371 (*M. quadrinodosus* Fairm. 1889) 1913:3 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 487.
- Musopsis** O Chevr., ASEFr. (5) 4, 1874, 532 (*M. minarum* Chevr. 1874) 1913:1 (Bras.). *Cebr.* 6.
- Mutinus** Cas., Rev. Sten. Amer. North of Mex. 1884, 146 = *Tesnus* Rey 1883 = Subg. 2 ad *Stenus* Latr. 1796. *Staph.*, *Sten.*, *Steni.* 145, 2.
- Myacopterus** Fairm., ASEB. 37, 1893, 520 (*M. rufosericans* Fairm. 1893) 1913:1 (Madag.). *Ceramb.*, *Cerambin.*, *Macern.* 445.
- Myatis** O Bates, Cist. E. II, 1879, 480; Sec. York Miss. Col. 1890, 73 (*M. humeralis* Bates 1879) 1913:3 (Kaschmir.). *Ten.*, *Platysc.* 400.
- Mycella** O Chap., G. Col. 12, 1876, 104 (*M. lineella* Chap. 1876) 1913:1 (Austral.). *End.*, *Endo.*, *Lycop.* 40.
- Mycernus** Broun, ANH. (7) 14, 1904, 52 (*M. elegans* Broun 1904) 1913:1 (N. Z.). *Scar.*, *Melth.*, *Lipar.* 209.
- Mycetaea** O Steph., Ill. Brit. E. Mand. III, 1830, 80; Man. of Brit. Beetl. 1839, 124; *Gutfl.-B.*, 655; *Redt.*, F. Austr.; *Gerst.*, Mon. *Endom.* 402; **C. G. Thoms.**, Sk. Col., 310; etc.; **Seidl.**, F. Ba. 1872, 42; id. 1888, 62; F. Tr. 62; *Lec. et Horn*, Class. 121, **Reitt.**, VzbGW. (1880), 92; Best.-Tab. eur. Col. I, 28; WEZg. 23, 1904, 41; **Wickh.**, Can. Ent. 26, 1894, 337; **Everts**, I, 577; **Ganglb.**, KäfMEur. III, 1899, 923; **Csiki**, Rov. Lap. 7, 1900, 145; A. Mus. Nat. Hung. 3, 1905, 573; **Schaufuß** in Calwer, 524; **Kuhnt**, 560, 562 (*M. hirta* [Marsh.] 1802) 1913:2 (Eur., Am. Cap. b. Sp.). *End.*, *Mycet.*, *Myceta.* 2.
- Biol.: **Westw.** Introd. Classif. Insects, I, 1839, 154, f. 13; **Blisson**, ASEFr. (2) 7, 1849, 315 t. 9, II; **Perris**, ASEFr. 1853, 635; HN. du Pin Marit. I, 1863, 309; **Mars.**, Ab. V, 1868/9, 135; **Ganglb.**, III, 1899, 924.
- †**Mycetina** O Muls., HN. Col. Fr. *Sulcic.* 1846, 15; *Gerst.*, Mon. *Endom.* 1858, 226; **C. G. Thoms.**, Sk. Col., 302; *Gutfl.-B.*, 654; *Fairm.* in *Jacq. du Val*, G. Col. d'Eur. IV, 1868, 277; **Mars.**, Ab. 1868/9, 82; *Redt.*, F. Austr. 1858 p. CXXXV etc., 1874, I, p. CLI etc.; **Seidl.**, F. Balt. 1872 et 1888; F. Tr. 1889; **Chap.**, G. Col. 12, 1876, 117; **Reitt.**, VzbGW. 29, 1879, (1880), 96; Best.-Tab. 1885, 37; **Wickh.**,

- Can. Ent. 26, 1894, 338; **Everts**, 573; **Ganglb.**, KäfMEur. III, 1899, 930; **Lec. et Horn**, Class. 121; **Csiki**, Rov. Lap. 7, 1900, 146; **Schaufuß** in Calwer, 526; **Kuhnt**, 561, 523 (*M. cruciata* [Schall.] 1783) 1913:22 [incl. 1 foss.] (Eur., As., Am. b.). *End.*, *Endo.*, *Lycop.* 57.
- Mycetochara* O. Latr., natürl. Fam. 1827 (1826), 371; **Cast.**, HN. II, 1840, 244; **Seidl.**, F. Ba. ed. II, F. Transs. 1891, 136; **Seidl.**, NID. V, 2, 1896, 124. — Übersicht: **Redtb.**, F. Austr. 1849, 605, 606; **Küst.**, Käf. Eur. 21, 1850; **Muls.**, *Pectin.* 1856, 17; **C. G. Thoms.**, Sk. Col. I, 1859, 118; **Lec.**, Class., 244; **Reitt.**, DEZ. 28, 1884, 241; WEZg. 15, 1896, 75; **Casey**, ANYAcSc. 1891, 124; **Seidl.**, NID. V, 2, 1896, 124; **Schaufuß** in Calwer, 781; **Kuhnt**, 731, 737 = 2 Subgg.: *Ern.* u. *Ptern.* (*M. humeralis* [F.] 1787) 1913:56 (in omn. part. orb. terr., excl. Austral.) *All.*, *Allec.* 85.
- Biol.: **Schiödte**, NTi. 1879, 11, 520, 521; 578—581, 588, t. 11, f. 23—24, t. 12, f. 14—18; **Bouché**, Nat. Ins. 1834, 196, t. 10, f. 1—11; **Seidl.**, NID. V, 2, 1896, 144; **Waterh.**, TESL. 1834, I, 29, t. 5, f. 3; **Kawall**, StEZg. 11, 1867, 124; **Will**, ENa. 12, 1886, 264; **Seidl.**, NID. V, 2, 1896, 128, 158 etc., etc.; ? **Cussac**, ASEFr. 1855, 243, t. 13, f. 11—18; cf. etiam **Borchmann** in **Schkigl et J.**, P. 3, 1910, 41.
- Mycetochares* Latr., Règne Anim. ed. II, 1829, 42; **Redtenb.**, Gatt. 1845, 130; F. Austr. ed. II, 1858, 620; ed. III, 1874, II, 131; **Bach**, Käferf. III, 1856, 225; **Lac.**, V, 1856, 507; **Gutfl.-B.**, 421; **Jacq. du Val**, III, 1863, 349; **Seidl.**, F. Ba. 1875, 99; **Reitt.**, DEZ. 28, 1884, 241 = *Mycetochara* Berth. 1827. *All.*, *Allec.* 85.
- Mycetocharina* **Seidl.**, F. Ba. ed. II, 1891, 136; F. Tr. 1891, 136; NID. V, 2, 1896, 47 (31); **Schaufuß** in Calwer, (782) (*M. macropthalma* Gebl. 1859) 1913:10 (As., Afr.). *All.*, *Allec.* 34.
- Mycetocharis* Gyll., Ins. Suec. IV, 1827, 510; **Sahlb.**, Ins. Fenn. I, 1834, 456; **Zetterst.**, Ins. Lapp. 1840, 162; **Redtb.**, F. Austr. 1849, 603 = *Mycetochara* Berth. 1827. *All.*, *Allec.* 85.
- Mycetocharus* Steph., Syst. Cat. Brit. Ins. 1829, 245; Ill. Brit. Ins. V, 1832, 28 = *Mycetochara* Berth. 1827. *All.*, *Allec.* 85.
- Mycetomychus* J. Friv., Jellemzö adatok Magyar. Fauna jához 1866, 192; **Seidl.**, F. Ba. ed. 2, 1887—91 (1888) Arten p. 226 = *Derodontus* J. Lec. 1861. *Dero.* 3.
- Mycetophila* Gyll., Ins. Suec. II, 1810, 541; **Zetterst.**, F. Ins. Lapp. 1828, 282; **Reitt.**, DEZ. 28, 1884, 242, 244 = *Mycetochara* Berth. 1827. *All.*, *Allec.* 85.
- Mycetoporus* O (1!) Mannerh., Brachel. 1830, 62; **Rey**, ASLLyon 29, 1882, 68; **Ganglb.**, KäfMEur. II, 1895, 367; **Luze**, VzbGW. 51, 1901, 663 (Typ.?; *M. longulus* Mannerh. 1830, *splendidus* [Grav.] 1806, *brunneus* [Marsh.], *punctus* [Gyll.] 1810) 1916:87 (Paläaret., Am. b., Cauc., Ind. or., Turem.; Cal., Ins. Canar.). *Staph.*, *Tach.*, *Bolit.* 415.
- Mychestes* Pasc., ANH. (4) 5, 1870, 96 (*M. lignarius* Pasc. 1870) 1913:4 (Queensl.). *Ten.*, *Bolitoph.* 603.
- Mychophilus* O J. Friv., Termesz. Füz. I, 1877, 19; **L. Heyd**, DEZ. 21, 1877, 430; **Reitt.**, VzbGW. 29, 1879 (1880), 93; Best-Tab. 1885, 29; WEZg. 23, 1904, 42; **Seidl.**, F. Ba. (1888) Gatt. p. 62; F. Tr. (1889) Gatt. p. 62; **Mars.**, Ab. 26, 1889, *Endom.* p. 8 (174); **Ganglb.**, KäfMEur. III, 1899, 918; **Csiki**, Rov. Lap. 7, 1900, 145; A. Mus. Nat. Hung. 3, 1905, 574; **Schaufuß** in Calwer, 524 (*M. minutus* J. Friv. 1877) 1913:2 (Lenkor.;

- Hung.; Croat.). *End.*, *Mycet.*, *Myceta*. 14.
- Mychthisoma* O. Gemm. et Har., Col. Cat. X, 1873, 2998 = *Michthysoma* J. Lec. 1850. *Ceramb.*, *Cerambin.*, *Michth.* 84.
- Mycolymbas* Crotch., *Erot.* 1876, 97 (Typ. ?; *M. lucidus* Lac. 1842) 1913:6 (Am. c. et mer.-b.). *Erot.*, *Triplac.* 63.
- Mycomystes* O. Gorh., BCA. Col. VII, 1888, 71 (*M. ferrugineus* Gorh. 1888) 1913:1 (Mex.). *Erot.*, *Triplac.* 45.
- Mycophagus* Friedenreich, StEZg. 44, 1883, 379 (*M. biclavatus* Friedenreich 1883) 1913:1 (Bras.). *Ptil.*, *Ptili.*, *Ptilii*. 5.
- Mycophthorus* O. Lac., *Erot.*, 193; Crotch., *Erot.*, 94; Chap., XII, 34 (*M. melanocerus* Lacord. 1842) 1913:3 (Col., Bras., Am. c.). *Erot.*, *Triplac.* 58.
- Mycotretus* O. Lac., *Erot.*, 132; Crotch., Cist. E. I (1873), 144; Chap., XII, 32; Gorh., BCA., Col. VII, 1887, 46 (Typ. ?; *M. maculatus* [Ol.] 1791) 1913:193 (Amer.). *Erot.*, *Triplac.* 44.
- Mycotrogus* G. Horn, Rev. *Ten.* 1870, 367 (*M. piceus* Horn 1870) 1913:1 (Ariz., Cal.). *Ten.*, *Uлом.* 682.
- Mycotrupes* O. J. Lec., PacPhil. 1866, 381 = Subg. ad *Geotrupes* Latr. 1796 (*M. lethroides* [Westw.] 1837) 1913:1 (Am. b., Civ. confoed. mer.). *Scar.*, *Geotr.*, *Geotrpi.* 17, 12.
- Mydasta* O. Pasc., PZSL. 1866, 512 (*M. discoidea* Pasc. 1866) 1913:1 (Penang). *Ceramb.*, *Cerambin.*, *Cleom.* 870.
- †*Myctophilites* Haged., Schrift. Phys. Ök. Ges. Königsberg 47, 1906, 118 = *Myelophilus* Eichh. 1870. *Ip.*, *Hyles.* 15.
- †*Myelophilus* Eichh., DEZ. 40, 1870, 400; Reitt., Best.-Tab. 1894, 52; Kuhnt, 1045, 1050 (*M. piniperda* [L.] 1758) 1913:4 (Eur., As.; sucin. balt.). *Ip.*, *Hyles.* 15.
- Mygalobas* Chevr., ASEFr. (4) II, 1862, 66 (*M. ferrugineus* Chevr. 1862) 1913:1 (Bras.). *Ceramb.*, *Cerambin.*, *Cylt.* 835.
- Myiodola* Fairm., BSEFr. 1900, 87 (*M. muscaria* Fairm. 1900, *Scalabrii* Fairm. 1896) 1913:7 (Madag.). *Ceramb.*, *Cerambin.*, *Lept.* 478.
- Mylabris* Fabr., Gutfl.-B., 440; Kuhnt, 704, 707 = *Zonabris* Har.
- Mylabris* Geogr., Kuhnt, 895 = *Bruchus* L.
- Mylabris* O. F. Müller, Syst. Ent., 1775, 261 (Typ. ?; *M. cichorii* [L.] 1764; *syriaca* Klug 1845 etc.) 1917:376 (+ 1 in Append.) (Eur., As., Afr.). *Melo.*, *Lytt.*, *Mylabr.* 14.
- Umfass. Arb.: Billb., Monogr. *Mylabr.* 1813; Marseul, Abeille VII, 1870, 1—240; Monogr. des *Mylabr.* in MSLLiége 1873, 363—662; Péring., TRS. South Afr. I, 1, 1909, 177—207 etc. — Kat.: Kolbe, Käf. D.-Ostafr. Col. 1897, 257, etc. — Biol.: divers.; Escherich, DEZ. 1892, 213.
- Mylabris* O. F. Müll., F. Ins. Friedrichsd. 1764, p. XIV; Geogr. in Fourer., E. Paris I, 1785, 112; Gozis, ASEFr. 6, I, 1881, B. p. CXIII; Baudi, *Milab.*, 10, 13; Faue, F. anal. Col. 1892, 427; G. Col. Fr. 1894, 59 = *Bruchus* L. 1758. *Bruch.*, *Bruchi*. 11.
- Myladina* Reitt., HoR. 23, 1889, 706; DEZ. 1896, 161, Best.-Tab. 53, 1904, 135, 169 (*M. unguiculina* Reitt., 1889) 1913:4 (Mongol. 3, Kanssu 1). *Ten.*, *Opatr.* 538.
- Myladion* Reitt., HoR. 21, 1887, 385 (31); Best.-Tab. 53, 1904, 161 = Subg. ad *Lobothorax* Gemm. 1870. *Ten.*, *Opatr.* 537.
- Mylaris* Pall., Icon. I 1781, 38 (pars) = *Camaria* Serv. 1825. *Ten.*, *Cnodal.* 958.
- Mylops* Fairm., ASEFr. (6) 3, 1883, 499 = *Hydromedion* Waterh. 1875. *Ten.*, *Helop.* 1091.

Myloxena O Burm. et Berg, DEZ. 1909, 438 (*M. vestita* [C. Berg] 1881) 1913:3 (Arg., Pat.). *Scar.*, *Melth.*, *Pachyd.* 449.

Myochrous O* Er., ArN. 8, 1847, I, 164; J. Lec., Col. of Kansas 1859, 24; Baly, JoE. II, 1885, 435; Chap., G. Col. X, 1874, 318; Jac., BCA. Col. VI, I, 1882, 174; Lefv., MSLiége (2) 11, 1885, 119; G. Horn, TAmES. 19, 1892, 196. — Biol.: Webster, JoNYES. 9, 1901, 128. — (*M. immundus* Er. 1847; *denticollis* [Say] 1824) 1914:16 (Cal., Ariz., Ill., Tex., Mex., Bras., Cuba; Caracas, Guat., Hondur. brit., Peru, Pan.). *Chrys.*, *Eumolp.*, *Myochr.* 221.

Myochrous Blanch. in Gay, H. Chile V, 1851, 544 (nec Er.) = *Dictyneis* Baly 1865. *Chrys.*, *Eumolp.*, *Myochr.* 222.

Myocryna Stål, Öfv. Vet. Ak. Förh. XV, 1858, 316; Crotch, PAcPhil. 25, 1873, 46 = *Leptinotarsa* Stål 1858. *Chrys.*, *Chryso.*, *Chrysi.* 11.

Myodes Latr., Nouv. Dict. d'HN. ed. II, 22, 1818, 130 = *Rhipiphorus* Bosc. 1792. *Rhip.*, *Rhipiph.* 18.

Myoidites Latr., Nouv. Diet. d'HN. ed. II, 29, 1818, 302 nota; Gerst., *Rhip.*, 15; Muls., ASLLyon (2) III, 1856, 465; Lac. V, 1, 630; Jaeq. du Val III, 414; Redtb., F. Austr. ed. III, 1874, 1, p. CXXV et II, 167; J. Lec., TAmES. 8, 1880, 210; Seidl., F. Ba. ed. II (1890) Gatt. p. 142; F.Tr. (1891) Gatt. p. 143 = *Rhipiphorus* Bosc 1792. *Rhip.*, *Rhipiph.* 18.

Myopocera Schklig., AMusG. (2) 20 (1899), 166; GIW. Cler. 1903, 103 (*M. basalis* Schklig. 1899) 1913:1 (N. Guin.). Cler., Coryn., Enopl. 152.

Myopsis Reye, ZoRec. 11, 1876, 293 = *Musopsis* Chevr. 1874. Cebr. 6.

Myothorax Murr., Monogr., 1864, 372 = Subg. ad *Carpophilus* Steph. 1830. Nit., *Carpophil.* 53.

Myotyphlus O Fauv., Rev.d'E. II, 1883, 37; XIX, 1900, 61 (*M. Jansoni* Fauv., 1878) 1916:1 (Tasm.). *Staph.*, *Staphy.*, *Staphyl.*, Qued. 392.

Myrmacielus O Chevr., ASEFr. II, 1833, 358; Schönh., Gen. Spec. Cure. 5, 1839, 364; Lac., HNIns. 6, 1863, 530 (*Cylades*); Faust, StEZg. 50, 1889, 79 nota (*M. formicarius* Chevr. 1833) 1913:3 (Austral. ccc.). Cure., Apio. 4.

Myrmecatops Wasm., DEZ. 1897, 268 (*M. latus* Wasm. 1897) 1913:1 (Madag.). Ten., App. 1905 = Ten., *Cryptici*. 581a.

Myrmecoclytus Fairm., ASEB, 39, 1895, 454 (*M. Raffrayi* Fairm.) 1913:1 (Madag.). Ceramb., Cerambin., Tillom. 863.

Myrmecomaea O Fairm., ASEFr. (6) 6, 1886, 44; Schklig., DEZ. 1903, 13; GIW. Cler. 1903, 47 (*M. Raffrayi* Fairm. 1886) 1913:15 (autor: Fairm.) (Madag.). Cler., Cleri., Clerin. 98. *Myrmecomeden* Bernh., VzbGW. 62, 1912, 26? (*M. bruchi* Bernh. 1912) 1913:1 (Argent.). *Staph.*, *Paed.*, *Paedi.* 199a?

Myrmecosaurus Wasm., ZoAnz. 34, 1909, 766 (*M. myrmecophilus* [Holmgr.] 1908, *solenopsidis* Wasm. 1909) 1913:2 (Boliv., Bras.). *Staph.*, *Paed.*, *Paedi.* 174.

Myrmecosoma Germ., H.Univ. Chile, 1855, 403 (*M. nycterinoides* Germ. 1855) 1913:1 (Chile). Ten., Physog. 404.

Myrmecosoma Mannerh., BMosc. 19, 1846, 227 = *Formicomus* Laf. 1848. Anth. 5.

Myrmeces O Mars., Mcn. 1862, 511; C. G. Thoms. Sk. Col. IX, 1867, 402; Schm., BEZ. 29, 1885, 283; Ganglb., KäfMEur. III, 1899, 378; Reitt., F. Germ. II, 1909, 290; Schaufuß in Calwer, 311; Kuhnt, 364, 372 (*M. piecus* [Payk.] 1811) 1913:1 (Eur.). Hist. 124.

Myrmicotrichis O Motsch., Etud.E. 4, 1855, 17; BMosc. 41, 1868, II, 172, 181; Matth., Trich. ill. 1872, 59, 150, t. 14; TAmES. 11, 1884, 114, 124 (*M. aequatorialis*, *subvittata* Motsch. 1868) 1913:2 (Pan.). *Ptil.*, *Ptili.*, *Acrotr.* 26.

Myrsinus O Gah. in Distant, Ins. Transvaal. 1904, 116 (*M. modestus* Gah. 1904) 1913:1 (Trv.). *Ceramb.*, *Cerambin.*, *Aphns.* 388.

Myrsus Lac., VIII, 1869, 368
Gahan in Distant, Ins. Transvaal. 1904, 117 (*M. unicolor* Lac. 1869). (Austral.). *Ceramb.*, *Cerambin.*, *Aphns.* 389.

Mysolius O Fauv., AMusG. XII, 1878, 255; Olliff, PLSNSW. (2) II, 1887, 497 (*M. aurichalceus* Fauv. 1878) 1914:2 (N. Guin. 2, Aru 1, Queensl. 1) *Staph.*, *Staphy.*, *Staphyl.*, *Staphi*. 310. *Mysteria* O J. Thoms., Class. Cer., 278; Syst. Cer., 318; Lac. VIII, 25; Lmr., ASEB. 46, 1902, 209 (Rév. 73) = Subg. 6 ad *Anoploderma* Guér. 1840 (*M. cylindripenne* J. Thoms. 1860) 1913:3 (Bras. mer., Arg.). *Ceramb.*, *Prion.*, *Anoplod.*, *Anopl.* 110, 6.

Mystrosa O Pasc., Joe. II, 1864, 239 (*M. rubiginea* Pasc. 1864) 1913:1 (Austral. mer.). *Ceramb.*, *Cerambin.*, *Neost.* 386.

Mystrops O Er., in Germar, ZE. IV, 1843, 234 (*M. durus et debilis* Er. 1843) 1913:13 (Col., Mex., Pan., Guat., Bras., Antill.). *Nit.*, *Meligeth.* 15.

Myteroxis Des Gozis, Rech. sp. typ. 1886, 14 = *Ischnosoma* Steph. 1832 = Subg. ad *Myceloporus* Mannerh. 1830. *Staph.*, *Tach.*, *Bolit.* 415.

Mythodes J. Thoms., Syst. Cer. 1864, 139 (*M. plumosa* J. Thoms. 1864) 1913:1 (Archip. malay.). *Ceramb.*, *Cerambin.*, *Myth.* 447.

Mythozoum J. Thoms., Rev. MaZo. (3) VI, 1878, 25 (*M. ustulatum* J. Thoms. 1878) 1913:1 (Senegal.) *Ceramb.*, *Cerambin.*, *Obri.* 363.

Myzomorphus O J. Thoms., ArE. I, 1857, 11 [Monogr.], Class. Cer., 286 Syst. Cer., 468; Lac. VIII, 172; Lmr., MSEB. 21, 1912, 96 (Rév., 960) (*M. scutellatus* [Sallé] 1849, *quadrimaculatus* [Gory] 1832) 1913:4 (Cayenne, Bras., Ven.). *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 102.

Nacerda O Steph., Man. Brit. Col. 1839, 337; Seidl., NID. V, 2, 749; Everts, II, 1903, 325; Schaufuß in Calwer, 731 (*N. melanura* [L.] 1758) 1915:34 (Eur., As., Ch., Sib., As. m. etc., Am., Afr., Austr.). *Oed.*, *Oedem.*, *Nacerd.* 6.

Nacerda Schm., Kuhnt, 689, 690 = *Anoncodes* Dup.

Nacerda Steph., Man. Brit. Col. 1839, 337; Seidl., NID. V, 2, 764; Reitt., F. Germ. III, 1911, 406 = Subg. ad *Nacerda* Steph. 1839. *Oed.*, *Oedem.*, *Nacerd.* 6.

Nacerdes Guér., Rev. Zo. 1843, 21; Fairm., Rev.Zo. 1849, 454; Sol. in Gay, H. Chile V, 1851, 256; Boh., Eug., Resa E. 1858, 110; Montrz., ASEFr. (3) 8, 1860, 307 = *Sessinia* Pasc. 1866. *Oed.*, *Oedem.*, Ascler. 28.

Nacerdes W. Schmidt, Limn.E. I, 1846, 17 et 28; Redt., F. Austr. ed. 2, 1858, p. CXIV et 659.; ed. 3, 1874, I, p. CXXVII et II, 179; Costa, F. Regn. Napoli. Edem. 1852, 7; *Muls.*, ASLLyon (n. s.) V, 1858, 105; Col.-Fr. *Angustip.* 1858, 42; Bach, III, 267; *Gulfl.-B.*, 442, 443; C. G. Thoms., Sk. Col. I, 1859, 125; VI, 1864, 150; J. Lec., Class., 1862, 258; *Ganglb.*, VzbGW. 31, 1881, 99; Best.-Tab. 4a, *Oedem.* 1881, 3; J. Lec. u. Horn, Class. 1883, 405; Seidl., F. Ba. et Tr.; NID. V, 2, 704; Fowl., Col. Brit. Isl. 1891, 61; Champ., BCA. Col. IV, 2, 1889, 110; Desbr., Frelon 8, 1900, *Oed.*, 37; Sem., HoR. 28, 1894, 453 (Sep., 5); Schaufuß in Calwer, 731 = *Nacerda* Steph. 183. *Oed.*, *Oedem.*, *Nacerd.* 6.

- Nacerdes* Sol. in Gay, H. Chile V, 1851, 256; Costa, F. Regn. Nap., Edem. 1852, 7; Lac. V, 701; Fairm. in Jacq. du Val III, 443; J. Lee., Class. 1862, 258; New Col. I, 164, nota; Seidl., F. Ba. et Tr.; Ganglb., VzbGW. 31, 1881, 98; Best.-Tab. 4a, Oedem. 1881, 2; J. Lee. u. Horn, Class. 1883, 405; Champ., BCA. Col. 4, 1889, 110; Sem., HoR. 28, 1894, 453 (Sep. p. 5) Horn, P. Cal. Ac. Sc. (2) 6, 1896, 384; Desbr., Frelon 8, 1900, Oed., 2 et 4; Blackb., TRS. South Austral. 23, 1899, 73 = *Nacerda* Steph. 1839. Oed., Oedem., Nacerd. 6.
- Nacerdochroa* Reitt., WEZg. 12, 1893, 113; Sem., HoR. 28, 1894, 454 et 464 (Sep. 6 et 16); Seidl., NID. V, 2, 1899, 815 et 831; Schaufuß in Calwer (1912) 730 (*N. caspia* Fald. 1836) 1915:2 (Astrach., Transcasp.). Oed., Oedem., Ascler. 33.
- Naddia* Fauv. in Harold, Col. Hefte II, 1867, 117 (*N. Westermannii* Er. 1839/49) 1914:2+1 (*Schulthessi* Fauv. i. l.?: Sumatr., Ind. or., Bengal.). Staph., Staphy., Staphyl., Staphi. 328.
- Nagelius* Lewis, ANH. 1814, 1909, 294 (*N. Castelnaudi* [Mars.] 1870) 1913:3 (Born., Ceylon, Assam). Hist. 35.
- Nalassus* Muls., Col. Fr. Latig. 1854, 323; All., Rev. 5, Mon., 28, 98; Seidl., F. Ba. ed. II, 1891, 521; F.Tr. 1891, 560; NID. V, 698, 742, 778; Schaufuß in Calwer, 817; Kuhnt, 750 = Subg. ad *Helops* F. 1772. Ten., Helop. 1073.
- Nalepa* Reitt., HoR. 21, 1887, 364, 368; DEZ. 1893, 316 (*N. cylindracea* Reitt. 1887) 1913:1 (Ch. c.). Ten., Blapt. 389.
- Namunia* O Reitt., VN. 20, 1881, 198; Raffr., ASEFr. 73, 1904, 12; GIW. Psel. 1908 (*N. myrmecophila* Reitt. 1884) 1913:1 (Smyrna). Psel., Psela., Batris. 205.
- Nanaga* Péring., T.SAfr. Phil. S. 12, 1902, 882 (*N. elegans* Péring. 1902)
- 1913:1 (Col. cap.). Scar., Melth., Hopl. 553.
- Nanarcta* Blanch., Cat. Coll. E. Col. I, 1850, 164 = *Achloa* Er. 1840. Scar., Melth., Pachyd. 427.
- Nanniscus* Burm., Hd.E. IV, 1, 1844, 137 (*N. pulicarius* Burm. 1844) 1913:1 (Cap.). Scar., Melth., Hopl. 533.
- Nannocerus* O Fairm., ASEFr. (6) 7, 1887, 292 (*N. cylindricus* Fairm. 1887) 1913:3 (Afr. or.-germ., Mossamb.). Ten., Cnodal. 969.
- Nannopopillia* Kolbe, StEZg. 55, 1894, 259; Ohls., I. c. 58, 1897, 352; DEZ. 1901, 271 (*N. ludificans* [Ancey] 1883, *minuscula* Har. 1879, *Nickerli* [Kraatz] 1892) 1918:6 (Terr. Damara, Sambesi, Sansib., Trv., Afr.-or. germ., Tanganyika). Scar., Rut., hom. Anomi. 93.
- Nanoptilium* Flach, VzbGW. 39, 1889, 506; Best.-Tab. eur. Col. 18, 1889, 28; Ganglb., III, 312; Reitt., F. Germ. II, 1909, 270 = Subg. 1 ad *Ptiliotum* Flach 1888 (Typ.? *N. minutum* [Steph.] 1831, Kunzei [Heer] 1841) 1913:4 (Eur.). Ptil., Ptili., Ptilii. 13,1.
- Nanos* Westw., PESL. 1842, 58; ANH. 10, 1843, 61; TESL. IV, 1847, 228 t. 16 f. 3 = *Epilissus* Reiche 1841. Scar., Copr., Scarbi., Canthon. 24.
- Nanosella* Motsch., BMosc. 41, 1868, II, 172, 187; Matth. Trich. ill. 1872, 31 sq.; TAmES. 11, 1884, 153; BCA. Col. II, 1, 127, 153; Trich. Suppl. 1900, 107, t. 13 A f. 1 sq. (*N. fungi* [J. Lee.] 1863) 1913:1 (Am. b., Guat.). Ptil., Ptili., Ptilii. 10.
- Naomorpha* Gemm. u. Har., Cat. Col. IX, 1873, 2984 = *Nanomorpha* Thoms. 1860. Ceramb., Cerambin., Navom. 1028.
- Naosoma* Gemm. u. Har., Cat. Col. IX 1873, 763 = *Navosoma* Blanch. Ceramb., Prion., Callipogt., Callipog. 52,7.
- Narcisa* O Pasc., JoE. 2, 1863, 28; Reitt., VN. 1876, 43 (*N. decidua*

- Pasc.** 1863) 1913:3 (Born., Sum., Batchian). *Temn.*, *Lep.* 28.
Narcodes King, TESNSW. I, 1863, 38
(*N. varia* King 1863) 1913:1 + 1
(Tasm., Austral.). *Psel.*, *Psela.*,
Ctenist. 367.
Narpus Casey, ANYAcSc. 7, 1893,
582 (*N. angustus* Casey 1893) 1913:1
(Cal.). *Dryop.*, *Dryopi.*, *Dryopin.* 26.
Narses O Champ., BCA.Col. IV, 1,
1888, 423 (*N. subalatus* Champ. 1888)
1913:1 (Guatem.). *All.*, *Allec.* 42.
Nassipa O Emery, L'Abeille 14,
1876, *Mord.*, 13; Seidl., F. Ba. et
Tr.; Stierlin, II, 177; Schilsky, 35,
1899, p. X; Everts, II, 297; Reitt.,
F. Germ. 3, 379; Schaufuß in Calwer,
(767); Kuhnt, 717 = Subg. 4 ad
Anaspis Geofr. 1762 (*N. Costae*)
Emery 1876, *flava* [L.] 1758, *mela-*
nostoma [Costa] 1854, *rufilabris* [Gyll.]
1827) 1915:6 (Eur., Territ. Casp.)
Mord., *Anasp.* 16, 4.
Biol.: **Perris**, ASLLyon (2) 23,
1876 (1877) 175, t. 10 f. 362—370,
178; in **Muls.**, Col. Fr. Larves 1877,
335, 338.
Nastocerus Fairm., ASEB. 41, 97, 391
(*N. maculicornis* Fairm. 1897)
1913:1 (Madag.). *Ceramb.*, *Cerambin.*
Oem. 91.
Natalis O Cast. in Silberni., Rev. IV,
1836, 40; Schklig., DEZ. 1909, 163
(*N. Laplacei* Cast. 1836) 1913:2+1
(Chile; Arg.). *Cler.*, *Cleri.*, *Clerin.* 55.
Natalis (nec Cast.) Spin., Rev. Zo. 1841,
75; *Clerit.* I, 1844, 198; *Lac.*, IV,
1857, 440; *Chenu*, Enc. d'HN. Col.
II, 1860, 246; *Blackb.*, TRS.South
Austral. 13, 1890, 126; op. cit. 14,
1891, 28; op. cit. 23, 1899, 2; 24,
1900, 120; Schklig., GIW. *Cler.* 1903,
35 = *Eunatalis* Schklig. 1909. *Cler.*,
Cleri., *Clerin.* 50.
Nathicus Casey, ANYAcSc. 8, 1895,
641, 655 = Subg. ad *Anthicus* Payk.
1798. *Anth.* 19.
- Nathrenus** Casey, JoNYES. 8, 1900,
161 = Subg. ad *Anthrenus* F. 1775.
Derm., *Anthren.* 27.
Natirrica Costa, F. Regni Napoli, *Mord.*
1854, 19 = *Mordellistena* Costa 1854.
Mord., *Mordi.* 10.
Natrirrica Lac., V, 1859, 611 = *Mor-*
dellistena Costa 1854. *Mord.*, *Mordi.*
10.
Nautes O Champ., BCA.Col. IV, 2,
(1891) 257 (*N. tibialis* Champ. 1891)
1915:4 (Pan., Guat., Mex.). *Mord.*,
Anasp. 14.
Nausicotes O Sharp, BCA.Col. I, 2,
1882/87 (1884), 368 (*N. opacipennis*
[Sharp] 1876; *spectabilis* [Sharp] 1884)
1914:4 (Bras. 1, Nicar. 1, Arg. 2).
Staph., *Staphy.*, *Staphyl.*, *Xantho.*
357.
Nautes O Pasc., JoE. II, 1866, 475;
All., Abeille 14, 1876, 3; Mi. Schweiz.
E. Ges. V, 1877, 19 et 245; Champ.,
BCA.Col. IV, 1, 1887, 277 (*N. fer-*
vidus Pasc. 1866, *azurescens* [Jacq.
du Val] 1857) (Am. e.). *Ten.*, *Helop.*
1071.
Navomorpha O J. Thoms., Class. Cer.
1860, 356; Syst. Cer. 1864, 360;
Broun, ManNZ. Col. I, 1880, 589 (*N.*
lineata [F.] 1775; *sulcata* [F.] 1775)
1913:6 (N. Z., N. Holl., Insulae
adjac.). *Ceramb.*, *Cerambin.*, *Navom.*
1028.
Navosoma O Blanch., HNIIns. II, 1845,
141; J. Thoms., Class. Cer., 129;
Syst. Cer., 477; Lac., VIII, 94;
Lmr., ASEB. 48, 1904, 67 (Rev.,
485) = Subg. 7 ad *Callipogon* Serv.
1832 (*N. luctuosus* [Schönh.] 1817)
1913:1 (Bras. mer., Arg.). *Ceramb.*,
Prion., *Callipogi.*, *Callipog.* 52, 7.
Navosomopsis O J. Thoms., Rev. MaZo.
1877, 275; Lmr., MSEB. 11, 1903,
97 (Rév., 291); 21, 1912, 143, Rév.,
1007 = Subg. 1 ad *Macrotoma* Serv.
1832 (*N. Feisthameli* [Buquet] 1860,
gregaria J. Thoms. 1877) 1913:17
Sect.: 3+1+2+1+5+4+1 (Afr.).

- trop.; Nat. 1). *Ceramb.*, *Prion.*, *Macrof.*, *Macroto.* 32, 1.
Nazeris Fauv., F. gallo-rhén. III, 1872, 298, nota; *Schaufuß* in Calwer, (181) (*N. pulcher* [Aubé] 1850) 1913:5 (Syr., Jap., Cauc., Hisp., Alg., Mar.). *Staph.*, *Paed.*, *Paedi.* 169.
Neagolius Kozancikov, Rev. russe ent. 12, 1912, 517 = Subg. ad *Aphodius Ill.* *Scar.*, *Aphod.*, *Aphodi.* 7.
Neandra O^o Lmr., MSEB. 21, 1912, 114 (Rév., 978) = Subg. 2 ad *Parandra Latr.* 1804 (*N. brunnea* [F.] 1798) 1913:1 (Am. b.). *Ceramb.*, *Prion.*, *Parandri.*, *Parandr.* 1, 2.
 Biol.: *Osten-Sacken*, PES.Philad. I, 1862, 118, t. 1 f. 6; *Snyder*, U.S. Dept. Agr. E. Bull. 94, I, 1910, pl. I t. 1—2; *Gah.*, Jo. Econ. E. IV, 1911, 299; *Hart*, Rep. E. Illinois, 26, 1911, 68 f.
Neaspis O Pasc., ANH. (4) 10, 1876, 317; *Reitt.*, VN. 14, 1876, 47 (Typ. ?); *N. villosa* Pasc. 1876, *squamata* [Esch.] 1822, *sculpturata* [Reitt.] 1876) 1913:6 (Austral., Queensl., Luzon). *Temn.*, *Ostom.* 32.
Neateuchus O^o Gillet, ASEG. 55, 1911, 309 (*N. proboscideus* [Guér.] 1844) 1913:3 (Afr. mer., Madag.). *Scar.*, *Copr.*, *Scarbi.*, *Scarbae.* 7.
Neatus J. Lee., Class. 1862, 233; *Schau-fuß* in Calwer, 816 = *Tenebrio L.* 1758. *Ten.*, *Tenebr.* 828.
Necrobia O Ol., E. IV, bis, 1795; *Latr.*, Précis car. gen. Ins. 1796 p. 35; *Spin.*, Rev. Zo. 1841, 75; *Kl.*, *Clerii* 1842, 349; *Spin.*, *Clerit.* II, 1844, 98; *J. Lec.*, ANYAcSc. V, 1852, 34; *Lae.* IV, 1857, 490; *Gutfl.-B.*, 394; *Chenu*, Enc., 275; *J. Lec.*, Class. 198; *Kiesw.*, NID. 4, 1863, 692; *Muls.*, Col. Fr. *Angustic.* 117; *Gorh.*, TESL. 1878, 159; *J. Lec.* et *Horn*, Class. II, 220; *Reitt.*, VN. 32 (1894), 85, Best.-Tab. 1894, 52; *Wickham*, Can. Ent. 27, 1895, 252; *Schklg.*, GIW. *Cler.* 1903, 119; *Walcott*, Bull. Ind. Dep. Geol. Nat. I, 1910, 861; *Schaufuß* in Calwer, 402, 406; *Kuhnt*, 466, 470 (*N. violacea* [L.] 1758) 1913:9 (Cosmopol. 4, Ceyl. 1, Afr. mer. 1, Arg. 1, import. 2). *Cler.*, *Coryn.*, *Corynet.* 181.
Necrobinus O Reitt., VN. 32, 1893/1894, 83 et 86; Best.-Tab. 1894, 50, 53; *Schklg.*, GIW. *Cler.* 1903, 119; *Schaufuß* in Calwer, 402 (*N. defunctorum* [Walp.] 1835) 1913:3 (Hisp., Mar. Syr.). *Cler.*, *Coryn.*, *Corynet.* 183.
Necrobioides¹⁾ Fairm., Not. Leyd. Mus. IV, 1882, 234 (*N. coeruleatus* Fairm. 1882) 1913:3 (Born., Sum.). *Ten.*, *Tenebr.* 808.
Necrobioides Gahan, ANH. (8) 5, 1910 76 (*M. mexicana* Gahan) 1913:1 (Mex.). *Cler.*, *Coryn.*, *Corynet.* 182.
Neculla O Baly, JoE. II, 1863, 152; *Chap.*, G. Col. X, 1874, 274; *Lefv.*, MS Liège (2) 11, 1885, 75; *Jac.*, F. Ind. Col. II, 1908, 413 (*N. pollinaria* Baly 1860) 1914:3 (Manipur., Ind. or., Ins. Mentawai). *Chrys.*, *Eumolp.*, *Leprot.* 129.
Necydalis Forst., Nov. Spec. Ins. 1781, 48 = *Apalus* F. 1775. *Melo.*, *Nemogn.*, *Sit.* 64.
Necydalis Lam., Syst. Anim. sans Vert. 1801, 234 = *Stenopterus* Ill. 1805. *Ceramb.*, *Cerambin.*, *Molorch.* 604.
Necydalis O^o L., Syst. Nat. ed. 10, 1758, 421; *Degeer*, Mém. Ins. V, 1775, 146 (ex p.); *Laich.*, Verz. Tyrol. Ins. II, 1784, 173 (ex p.); *Ol.*, E. IV, 74, 1—4 (ex p.); *Serv.*, ASEFr. II, 1833, 543 (ex p.); *Muls.*, Col. Fr. *Long.* 1839, 110; ed. 2, 1862, 233; *Redt.*, *Käferf.* 1845, 190; F. Austr. 1849, 491; *J. Lec.*, Jo. Ac. Phil. (2) II,

¹⁾ Nota. *Loedelia R. Luc. nom. nov.* pro *Necrobioides Gah.* 1910 nec *Fairm.* 1882, cf. p. 380.

- 1850, 317; **J. Thoms.**, Clas. Cer. 1860, 416; Syst. Cer. 1864, 411; **Fairm.**, G. Col. d'Eur. IV, 1864, 179; **C. G. Thoms.**, Sk. Col. VIII, 1866, 47; **Lac.**, VIII, 1869, 477; **Ganglb.**, Best. Tab. VII, 1881, 6 (684); **Bedel**, V, 1889, 9, 17; **Seidl.**, F. Ba. ed. 2, 1891, Gatt. p. 182; **Stierlin**, Col. Helvet. = Käferf. Schweiz, II, 1898, 470; **Everts**, II, 1, 1902, 358; **Csiki**, Rov. Lapok, X, 1903, 102; **Houltb.**, Faune Armor. Cer., 1904, p. 15, 39 (*N. major* L. 1758); **Schaufuß** in Calwer 842 1913:14 (Spp. palaeoarct. et japon.: 10; spp. nearct.: 4). Synops. spp. nearct.: **Leng**, EAm. 6, 1890, 12. Biol.: **Nowicki**, VzbGW. 24, 1874, 366; **Schreiber**, Korresp.-Blatt, Ent. Ver. Halle I, 1886, 73; **Nebel**, Käfer Anhalt 1894, 23; **Chobaut**, ASEFr. (6) 9, 1889, Bull., 210; Echange 7, 1891, 42; **Xambeu**, BSEFr. 1895, 348; Moeüs et Métam. VIII, 1902, 141; **Chobaut**, ASEFr. (6) IX, 1889, Bull., 210 etc. **Ceramb.**, **Cerambin.**, **Necyda**. 590.
- Necydalis* L., Syst. Nat. ed. 12, I, 2, 1766, 643 = *Atractocerus* **Palis.** 1801. Lym. 1.
- Necydalopsis* O **Blanch.** in **Gay**, H. Chile, Zooi. 5, 1851, 473 (*N. trizonata* **Blanch.** 1851) 1913:5 (Chile). **Ceramb.**, **Cerambin.**, **Necyd.** 624.
- Nedarassus* **Raffr.**, Rev. d'E. 14, 1895, 44; ASEFr. 73, 1904, 258; GIW. *Psel.* 1908, 273 (*N. punctatus* **Raffr.** 1895) 1913:1 (Penang.). *Psel.*, *Pselia*, *Tych.* 292.
- Nedymoserica* **Brenske**, BEZ. XLV, 1900, 79; XLVI, 1901, 461; **Pering.**, T. South Afr. Phii. S. 13, 1904, 20 (*N. flava* **Brenske** 1901) 1913:1 (Sin. Delagoa). *Scar.*, *Melth.*, *Seric.* 93.
- Negalius* **Casey**, ANYAcSc. VI, 1891, 175 (*N. marmoratus* **Casey** 1891) 1917:1 (Tex., Cal. inf.). *Melo.*, *Lytt.*, *Lytti.* 42.
- Nelites* **Lec.**, Rem. up. Col. of Lake Super. 1850, 232 = *Scaphidema Redt.* 1849. *Ten.*, *Diaper.* 621.
- Nemacerus* **Sol.** in **Gay**, H. Chile IV, 1849, 431 (*N. incertus* **Sol.** in **Gay** 1849) 1913:1 (Chile). *Scapt.* inc. sedis (9) (antea ad *Malac.* ref.).
- Nemanes* **Fairm.**, ASEFr. (6) 8, 1888, 195 (*N. expansicollis* **Fairm.** 1888) 1913:1 (Afr. mer.). *Ten.*, *Opatr.* 555.
- Nemocephalus* O **Latr.**, Dict. Class. d'Hist. Nat. 14, 1804, 693 (emend.); **Schoenfeldt**, GIW. *Brenth.* 1908, 66 = *Nemocephalus* **Latr.** 1804 (*N. glabratus* [Lund.] 1802) 1913:14 (Am. mer., pars med. et b.). *Brenth.*, *Brenth.*, *Nem.* 106.
- Nematocerus* **Gemm.** et **Har.**, Col. Cat. V, 1869, 1693 = *Nemacerus* **Sol.** 1849. *Scapt.* inc. sedis (9).
- Nematognatha* **Gemm.** et **Har.**, Col. Cat. VII, 1870, 2163 = *Nemognatha* III. 1807. *Melo.*, *Nemogn.*, *Nemogni.* 80.
- Nematolinus* **Casey**, T. Ac. St. Louis XVI, 1906, 370, 407 (*N. longicollis* [J. Lec.] 1863) 1914:1 (Calif.). *Staph.*, *Staphy.*, *Xanth.* 252.
- Nematophylla* **Arrow**, ANH. (7) 18, 1906, 48 (*N. rugosa* **Arrow** 1906) 1913:1 (Sum.). *Scar.*, *Melth.*, *Melthi.* 297.
- Nematoplus* **Lec.**, P. Ac. Nat. Sc. Phil. 7, 1855, 270, 275 (*N. collaris* **Lec.** 1855) 1913:1 (Am. b.). *Ped.*, inc. sed. (19).
- Nemobius* **Chap.**, Syn. Scol. 1873, 239; **Gemm.** et **Harold**, Cat. Col. 9, 1882, 2673; **Bldf.**, BCA. Col. IV, 6, 1897, 176 = *Pycnarthrum* **Eichh.** 1879. *I.p.*, *Hyl.* 74.
- Nemobrenthus* O **Sharp**, BCA. Col. IV, P. 6, 1895, 71 (*N. aeneipennis* **Sharp** 1895) 1913:1 (Pan.). *Brenth.*, *Brentha.*, *Brenth.* 83.
- Nemocephalus* **Latr.**, Dict. Class. d'Hist. Nat. 14, 1804, 693; **Schoenherr**, G. Curr. V, 1840, 541; **Lac.**, VII,

- 1866, 462 = *Nematocephalus* Latr.
1804 (emend.). *Brenth.*, *Brentha.*,
Nem. 106.
Nemocoryna Sharp, BCA.Col. IV,
P. 6, 1895, 72 (*N. Godmani* Sharp
1895) 1913:2 (Pan.). *Brenth.*,
Brenthi., *Nem.* 83.
- Nemognatha* O^{ss} Ill., Ma. Ins. VI,
1807, 333 (*N. chrysomelinu* [F.] 1775)
1917:73 (Eur. mer., Turcmen., Pers.
etc., Afr., Am.). *Melo.*, *Nemogn.*,
Nemogni. 80.
- Nemognatha* Say, Journ. Ac. Phil. I,
1817, 22, III, 2, 1824, 306 = *Zonitis*
F. 1775. *Melo.*, *Nemogn.*, *Nemogni.*
75.
- Nemophilus* Chap., MSLiége 1869, 27;
Lec., P. Am. Phil. S. XV, 1876, 378;
Swaine, Cat. Scol. N.Am. 1909, 89
= *Cnesimus* *Lec.* 1868. *I.p.*, *Ecc.* 89.
- Nemorhinus* Schoenh.. *Circ.* Disp. meth.
1826, 71 (part.) = *Rhaphidorrhynchus*
Schoenh. 1840. *Brenth.*, *Brentha.*,
Bel. 75.
- Nemosoma* O^{ss} Latr., HNCrIns.
XI, 1804, 239 (*Nemozoma*); G.
Crust. Ins. 4, 1809, 381 (*Nemosoma*);
Steph., Ill. Brit. Ent. Mand. 3, 1830,
94; *Curtis*, Brit. E. 7, 1830; *Er.* in
Germar, ZE. 5, 1844, 447; NID.
3, 1848, 238; *Redtb.*, Käferf. 1845,
126; F. Austr. ed. I—III; *Gutfl.*
B., 249; *Bach*, I, 225; *Lac.*, II,
329; *Jacq. du Val*, II, 162; *Lec.*,
Class. 1861, 88; *Seidl.*, F. Ba.
et Tr.; *Reitt.*, Syst. Eint. *Trog.* in
VN. 14, 1875, 13; Best.-Tab. 6, 1882,
l. c., 143; *Lee. et Horn*, Class. 1883,
153; *Mars.*, Abeille 23, 1885, 145;
Fowler, Col. Brit. Isl. 3, 1889,
268; *Sharp*, BCA.Col. II, 1, 1891,
388; *Ganglb.*, KäfMEur. 3, 421;
Schaufuß in Calwer, 407, 408; *Kuhnt*,
472, 473 (*N. elongatum* L. 1761)
1913:10. — 2 Subgg.: *Nemosoma* : 7
et *Monesoma* : 3. — (Mediterr.; Am.
b. u. mer.). *Temn.*, *Nemos.* 5.
- Biol.: *Westw.*, Introd. Mod. Class.
I, 1839, 146 fig.; *Lac.*, II, 1854, 337;
Rupertsb., Biol. Käf. Eur. 1880, 130;
1894, 138, 284.
- Nemosomia* O^{ss} Reitt., VN. 14, 1876, 11.
— Biol.: *Peyerimh.*, ASEFr. 71,
1902, 713, fig. (*N. vorax* Reitt. 1876)
1913:6 (Bras., Ven., Col., Martin.)
Temn., *Nemos.* 4.
- Nemostira* Fairm., ASEFr. (4) 8, 1868,
815; (6) 6, 1886, 75 (= *Macrolagria*
Lewis 1895) (*N. Coquereli* Fairm.
1868) 1913:38 (Jap.; Arch. Malay.;
Madag.; Afr.). *Lagr.*, Stat. 20.
- Nenemeca* Raffr., ASEFr. 73, 1904, 37;
GIW. *Psel.* 1908, 163 (*N. orbata*
Raffr. 1904) 1913:2 (Penang., Sum.).
Psel., *Pselu.*, *Batriss.* 177.
- Nenenia* Pasc., ANH. (5) 17, 1886,
240 (*N. aurulenta* Pasc. 1886) 1913:3
(Melbourn., Vict., Queensl.). *Cer-*
ramb., *Cerambin.*, *Phalo.* 629.
- Neoabantis* Geb., in Schklg. et J., Col.
Cat. P. 22, 1910, 341 (*N. aenescens*
[Fairm.] 1892) 1913:1 (Obock).
Ten., *Opatri.* 560.
- Neoadelium* O Cart., PLSNSW. 33,
1908, 259 (*N. austrocaledonicum*
[Montr.] 1860) 1913:5 (N. Caled.).
Ten., *Adelii.* 1009.
- Neoattractus* O Borchm., DEZ. 1909, 713
(*N. viridis* [Boisd.] 1835) 1913:10
(Austral.). *All.*, *Allec.* 1.
- Neobethelium* Blackb., PLSNSW. (2)
8, 196 (*N. megacephalum* Blackb.
1894) 1913:1 (N.S.W.). *Ceramb.*,
Cerambin., *Calldp.* 314.
- Neobisnius* O Ganglb., KäfMEur. II,
1895, 464; *Schaufuß* in Calwer, 194;
Kuhnt, 167, 229 (*N. villosulus* [Steph.]
1832) *procerulus* Grav. 1806) 1916:39
(in omn. part. orb. terr. distr.).
Staph., *Staphy.*, *Staphyl.*, *Staphi.*
282.
- Neobium* Muls. et Rey, Tered. 1864,
67 et 106; *Kiesw.*, NID. V, 1877, 111
= *Nicobium* J. Lec. 1861. *Anobi.*,
Anobi. 33.

- Neoblytus* **Bedel**, AMusG. 18, 1882, 438 (*N. aeratus* **Bedel** 1882) 1913:2 (N. Guinea). *Erot.*, *Dacn.* 80.
- Neocephalus* **Senna**, DEZ. 1898, 376; **Schoenfeldt**, GIW. *Brenth.* 1908, 61 (*N. rostralis* **Senna** 1898) 1913:2 (Cam.). *Brenth.*, *Brentha.*, *Cioc.* 97.
- Neocerambyx* **Pasc.**, TESL. (3) III, 1869, 509 = *Aeolesthes* **Gah.** 1890. *Ceramb.*, *Cerambin.*, *Cerambyc.* 126.
- Neocerambyx* **O J. Thoms.**, Class. *Cer.* 1860, 194 (*N. Paris* [Wiedem. in Germ.] 1821) 1913:4 (Assam, Bengal., Birm., Siam., Allahab., Penang., Born., Java). *Ceramb.*, *Cerambin.*, *Cerambyc.* 124.
- Neocerus* **O Wasm.**, DEZ. 1893, 105; **Raffr.**, ASEFr. 73, 1904, 446; GIW. *Psel.* 1908, 428 t. 2 f. 29 (*N. compressicornis* **Wasm.** 1893) 1913:1 (Madag.). *Psel.*, *Clavig.* 435
- Neocistela* **Borchm.**, DEZ. 1909, 713 = *Pseudocistela* **Blackb.** (*N. ovalis* [Blackb.] 1891) 1913:1 (Vict.). *All.*, *Allec.* 46.
- Neoclerus* **Lewis**, ANH. (6) 10, 1892, 190; **Schklg.**, GIW. *Cler.* 1903, 54; **Gah.**, ANH. (8) 5, 1910, 63 (*N. quinquemaculatus* **Gorh.** 1892) 1913:4 (Jap., Sum., Birma, Ceyl.). *Cler.*, *Cleri.*, *Clerin.* 104.
- Neocles* **O Chap.**, G. Col. X, 1874, 320; **Lefv.**, MSLiége (2) 11, 1885, 120 (*N. sulcicollis* **Chap.**, 1874; *innocuus* **Blackb.**, 1900) 1914:2 (N. S. W.; Sydney). *Chrys.*, *Eumolp.*, *Myochr.* 224.
- Neocloides* **Jac.**, ASEB. 42, 1898, 365 (*N. plagiatus* **Jac.** 1898) 1914:1 (*N. Guin.*). *Chrys.*, *Eumolp.*, *Myochr.* 225.
- Neoclosterus* **O Heller**, ENA. 25, 1899, 11 (*N. curvipes* **Heller** 1899) 1913:3 (Togo, Gabun., Katanga, Ogwo). *Ceramb.*, *Cerambin.*, *Dorcas.* 567.
- Neoclytus* **O J. Thoms.**, Musée scient. 1860, 67; Class. *Cer.* 1860, 216; Syst. *Cer.* 1864, 426; **Lac.**, IX, 1869, 75 (ex p.); **J. Lec.**, Smiths. Misc. Coll. XI, 265, 1873, 319; **Prov.**, Pet. Faune Ent. Canada I, 1877, 601; **Csiki**, Rov. Lapok XI, 1904, 37; **Ganglb.**, Best.-Tab. VIII, 1882, 10 (688). — Synops.: **Leng**, EAm. II, 1887, 195; III, 1887, 4. — Biol.: **Webster**, ENs. V, 1894, 140; **Felt**, Ins. aff. Trees, 1905, 71, 279 (Typ.?; *N. longipes* [Drury] 1770, *acuminatus* [F.] 1775, *cordifer* [Klug] 1829, *mucronatus* [F.] 1775, *scutellaris* [OL.] 1790; *araneiformis* [OL.] 1705) 1913:67 (Am. b., c. mer. et Ins.). *Ceramb.*, *Cerambin.*, *Clyt.* 818.
- Neoclytus* **Lac.**, IX, 1869, 75 (ex p.) = *Mecometopus* **J. Thoms.** 1860. *Ceramb.*, *Cerambin.*, *Clyt.* 819.
- Neocoptengis* **Heller**, Abh. Mus. Dresd., 1900, 2 (*N. cyanipes* **Heller** 1900) 1913:1 (Celebes). *Erot.*, *Dacn.* 79.
- Neocorus* **O J. Thoms.**, Syst. *Cer.* 1864, 220 (*N. ibidionoides* [Serv.] 1834) 1913:3 (Bol., Guadeloupe). *Ceramb.*, *Cerambin.*, *Ibid.* 291.
- Neocodon* **Bedel**, Abeille 27, 1892, 283 = *Mnematiidium* **Rits.** 1889. *Scar.*, *Copr.*, *Scarbi.*, *Scarbae.* 6.
- Neodalnus* **Raffr.**, ASEFr. (6) 10, 1890, 304; 72, 1903, 521; GIW. *Psel.* 1908, 61 (*N. carinatus* **Raffr.** 1890) 1913:1 (Ven.). *Psel.*, *Psel.*, *Euplect.* 51.
- Neodeuterus* **O Schaufuß**, TijE. 30, 1897, 151; **Raffr.**, Rev. d'E. 9, 1890, 92; GIW. *Psel.* 1908, 46 (*N. admirandus* Schaufuß 1897) 1913:2 (Sum.). *Psel.*, *Psel.*, *Euplect.* 28.
- Neodiaphanops* **Blackb.**, TRS. South Austral. 23, 1899, I, 95; **Jac.**, GIW. 14 b, 1904, 13 (*N. Froggatti* **Blackb.** 1899) 1913:1 (Austral. b.-occ.). *Chrys.*, *Sagr.*, *Carpoph.* 11.
- Neoeme* **O Goun.**, ASEFr. 77, 1909, 595 (*N. Bovvieri* **Goun.** 1909) 1913:2 (Brasil., Goyaz). *Ceramb.*, *Cerambin.*, *Oem.* 59.

- Neognathus* Sharp, TESL. 1874, 69;
Fauv., Rev. d'E. 14, 1895, 69 = Subg.
ad *Astenus Steph.* 1832. *Staph.*,
Paed., *Paedi.* 171.
- Neogria Borchmann*, BSEItal. 41, 1911,
222; ArN. 81, 1915 (1916) A. 6,
123 (*N. sulcipennis Borchm.* 1911)
1916:5 (Sum., Mentawai, Java,
Tenasserim). *Lagr.*, *Lagri.* 8a.
- Neogryponyx Schklg.*, DEZ. 1906, 266
= *Natalis Cast.* 1836. *Cier.*, *Cler.*,
Clerin. 55.
- Neoheretonyx Blackb.*, PLSNSW. (2)
4, 1890, 1255 (*N. lividus Blackb.* 1890)
1913:1 (Austral.). *Scar.*, *Melth.*,
Lipar. 180.
- Neohydinus Gorh.*, AMusG. (2) 12,
1892, 742; *Schklg.*, GIW. *Cier.* 1903,
94 (*N. scaber [Motsch.]* 1861) 1913:10
(Assam, Birma, Tenass., Siam, Ceyl.,
Manipur.). *Cler.*, *Cleri.*, *Hydnoc.* 129.
- Neolamprima Gestro*, AMusG. 7, 1875,
999 (*A. Adolphinae Gestro* 1875)
1913:2 (Nov. Guin., Queensl., Ins.
Arfalk.). *Luc.*, *Chias.* 9.
- Neolepidiota Blackb.*, TRS. South Austral.
13, 1890, 87; *Brenske*, BEZ. 37, 1892,
412 (*N. obscura Blackb.* 1890) 1913:1
(Austral. mer.). *Scar.*, *Melth.*, *Melthi.*
271.
- Neoleptura J. Thoms.*, Class. *Cer.* 1860,
153, Syst. *Cer.* 1860, 407 (*N. Lecontei*
J. Thoms. 1860) 1913:1 (Mex.).
Ceramb., *Ceramin.*, *Lept.* 552.
- Neolucanus O Thoms.*, ASEFr. (4) 2,
1862, 415; *Leuthner*, Monogr., 420
(*N. lama [Ol.]* 1789) 1913:21 (As.,
Sum., Borneo, Java). *Luc.*, *Odont.* 21.
- Neomarius Fairm.*, Rev.Zo. (2) 23, 1872,
60; *Ganglb.*, WEZg. I, 1882, 137
(*N. Gandolphi Fairm.* 1872) 1913:1
(Alg.). *Ceramb.*, *Ceramin.*, *Oem.* 90.
- Neomedon Sharp*, BCA. I, 2 1882/87,
(1886), 557; *Casey*, T.Ac.St.Louis
XV, 1905, 151, 155 (*N. princeps*
et *rufipennis* Sharp 1905) = Subg. 3
- ad *Medon Steph.* 1832 1913:12 (+ 1
Conradti Bernh. (i. l. ?): Cam.).
Staph., *Paed.*, *Paedi.* 199, 3.
- Neomenius Duviv.*, ASEB. 35, 1891,
Compt. rend. p. CCXLI (*N. rufipennis*
Duviv. 1891) 1914:1 (Madag.). *Chrys.*,
Eumolp., *Typoph.* 244.
- Neomicrus Gah.*, ANH. (6) 14, 1894 98,
(*N. Walkeri Gah.* 1894) 1913:1 (Ins.
Damma). *Ceramb.*, *Cerabin.*,
Grac. ! 354.
- Neomida Motsch.*, BMosc. 46, 1873,
476 = *Platydenia Cast. et Brill.* 1831.
Ten., *Diaper.* 624.
- Neomida Muls.*, Col. Fr. *Latig.* 1854, 217;
Seidl., NID. V, 1894, 528 = *Hoplo-*
cephala Cast. et Brill. 1831. *Ten.*,
Diaper. 620.
- Neonitis O Pér.*, T.SAfr.Phil.S. XII,
1900 [1901], 108, 153 (*N. porculus*
[iBoh.] 1857) 1913:1 (Caffr., Rhodes.
mer.). *Scar.*, *Copr.*, *Onit.*, *Onitd.* 95.
- Neopachyta Bedel*, BSEFr. 1906, 93
= *Pachyta Zett.* 1828. *Ceramb.*,
Cerabin., *Lept.* 523.
- Neopallobodes Reitt.*, *Nit.* Japans 1884,
264 et 269; 1885, 78 = *Pallobodes Er.*
1843. *Nit.*, *Nitid.* 129.
- Neopaussus Thoms.*, Mus. Scient. II,
1860, 68 = *Homopterus Westw.* 1841.
Pauss., *Cerapt.* 2.
- Neophaedon* ♀ *Jacobs.*, HoR. 35, 1901,
90, nota, *Schaufuß* in Calwer, 958.
— Biol.: *Rosenh.*, StEZg. 43, 1882,
161. *N.* = Subg. 4 ad *Phaedon Latr.*
1829) (*N. pyritosus* [Rossi] 1792)
1916:1 (Eur., med. mer. Afr. b.,
Asm., Mesop., Turk., Buchara).
Chrys., *Chryso.*, *Phaedon.* 39, 4.
- Neophamisus Reitt.*, DEZ. 1888, 234
= *Phamisulus Reitt.* 1888. *Psel.*,
Psel., *Tyr.* 416.
- Neophonius Fauv.*, Rev. d'E. 1905, 99
(*N. Bruchi Fauv.* 1905) 1913:1
(Arg.). *Staph.*, *Oxyt.*, *Neoph.* 41.

- Neophylax* Bedel, BSEFr., 1906, 92
= *Phylax* Muls. 1854. *Ten.*, *Opatr.*
498.
- Neophyllotocus* Blackb., TRS. South
Austral. 22, 1898, 27 (*N. rostratus*,
pallidipennis [McLeay] 1864) 1913:2
(N.S.W., King George's Sound).
Scar., *Melth.*, *Seric.* 20.
- Neopocadius* Grouv., BSEFr. 1906, 214
(*N. nitiduloides* Grouv. 1906) 1913:1
(Arg.). *Nit.*, *Nitid.* 135.
- Neopolyarthron* O A. Sem., HoR. 34,
1899, 255. — Biol.: *Forbes*, Rep.
Ent. Illinois 18, 1895, 106, t. 13, f. 3, 6
(*N. californicus* [Motsch.] 1845; *pal-*
paris [Say] 1823) = *Prionus* [F.]
1775. 1913:6 + 1 (Am. b., Mex.).
Ceramb., *Riron.*, *Prionin.*, *Prioni.* 72.
- Neoprion* O Lac. VIII, 131; Lmr.,
ASEB. 48, 1904, 8 (Rév., 427);
Gah., F. Brit. Ind. Col. I, 1906, 28
= Subg. ad *Euryopoda* W. Saund.
1853, *N. parandraeformis* Lac. 1869)
1913:2 (Malacc.; Andam., Jap.).
Ceramb., *Prion.*, *Callipogi.*, *Euryop.*,
Ptil. 45.
- Neopsebium* Fairm., ASEB. 38, 1894,
151 (*N. apicipenne* Fairm. 1894)
1913:1 (Madag.). *Ceramb.*, *Cerambin.*,
Pseb. 594.
- Neoptinus* Gahan, Monogr. of Christ-
mas Isl. 1900, 102 (*N. parvus* Gah.
1900) 1913:1 (Ins. Christmas). *Ptin.*,
inc. sed. (31) aut *Sphind.*
- Neosaprinus* Bickh., EBl. V, 1909, 243;
VI, 1910, 186 = *Euspilotus* Lew. =
Subg. ad *Saprinus* Er. in Kl. 1834.
Hist. 120.
- Neoscrobiger* O Blackb., TRS. South
Austral. 24, 1900, 136; Schklig., GIW.
Cler. 1903, 61 (*N. patricius* [Kl.] 1842)
1913:2 (Tasm., Austral.). *Cler.*,
Cler., *Clerin.* 114.
- Neosebus* Senna, BSEItal. 34, 1902,
156; Schoenfeldt, GIW. *Brenth.* 1908,
10 (*N. bidentatus* Senna 1902) 1913:1
(Sum.). *Brenth.*, *Brentha.*, *Taphr.* 12.
- Neoserica* O Brenske, MSEB. II, 1894,
44 (Subg.), BEZ. XLII, 1897, 357;
XLV, 1900, 79; XLVI, 1901, 437;
Reitt., WEZg. XV, 1896, 182; Péring.,
T.SAfr. Phil. S. XIII, 1904, 21 (Typ.?)
N. bombycina [Karsch] 1882, *grandis*
Brenske 1894, *obesa* [Péring.] 1892;
obscura [Blanch.] 1850, *picea* [Nonfr.]
1891, *rufobrunnea* [Nonfr.] 1913:83
(As., Afr., Java, Sum., Flores etc.)
Phil. Ins.). *Scar.*, *Melth.*, *Seric.* 38.
- Neosphaerula* Apfelbeck, VzbGW. 60,
1910, (60) = Subg. ad *Sphaerosoma*
Leach 1819 1894, (*suturata* et *ursina*
Brenske 1894). *End.*, *Sphaero.* 1.
- Neostenus* O Pasc., TESL. 2 (4), 1857, 91
(*N. Saundersi* Pasc. 1857) 1913:3
(Austr. mer., occ., c.). *Ceramb.*,
Cerambin., *Neost.* 383.
- Neostethaspis* DT., Cat. Col. [non Hope
1837 nec Burm. 1855] 1912, 89, P.
47 (= *Stethaspis* Broun 1893) (*N.*
prasinus Broun 1893) 1913:1 (N.Z.).
Scar., *Melth.*, *Lipar.* 161.
- Neotenerus* Schklig., DEZ. 1906, 309
(*N. tuberculatus* Schklig. 1906) 1913:1
(Goyaz, Parag.). *Cler.*, *Coryn.*,
Enopl. 148.
- Neothallis* Fauv., Rev. d'E. X, 1891,
151 (*N. Bedeli* Fauv. 1891, *nigro-*
aenea [Crotch] 1876) 1913:2 (N.Caled.)
Erot., *Dacn.* 76.
- Neothalycrea* Grouv., ASEB. 43, 1899,
299 (*N. gigas* et *Hacquardi* Grouv.)
1913:2 (Usamb., Zangueb. [=Sans.]).
Nit., *Nitid.* 143.
- Neotomicus* Fuchs, Hab.-Schr. techn.
Hochsch. Karlsruhe 1911, 33 =
Subg. ad *Ips* De Geer 1775. *Ips.*,
Ipin. 56.
- Neotriplax* Lewis, ANH. (5) 20, 1887,
60 (*N. atrata*, *biplagiata* Lewis 1887,
Lewisii [Crotch] 1876) 1913:4 (Jap.).
Erot., *Triplac.* 53.
- Neotrotus* Ab. *Canth.* cf. P. II.
- Neotyrus* O Raffr., ASEFr. 64, 1895,
396; 73, 1904, 367; GIW. *Psel.* 1908,
386 t. 3 f. 48 (*N. gibbicollis* [Schauf.]
1886, *N. vestitus* Raffr. 1908) 1913:2

- (Amaz., Arg.). *Psel.*, *Psela.*, *Tyr.* 400.
- Neoxestus Crotch*, 1876, 100 (*N. chilensis Crotch* 1876) 1913:1 (Chile). *Erot.*, *Triplac.* 66.
- Neoxystoma Bedel*, BSEFr. 1912, 274 *Schaufuß* in Calwer, 1181 = *Oxyystoma Dumer.* 1806 parte. *Curc.*, *Api.*, *Apio.* 11a.
- Nephalius Lac.* VII, 1869, 319 = *Stizocera Serv.* 1834. *Ceramb.*, *Cerambin.*, *Sphaero.* 253.
- Nephalius O Newm.*, Ent. I, 1841, 93 (*N. amictus Newm.* 1841) 1913:6 (Bras.). *Ceramb.*, *Cerambin.*, *Sphaero.* 250.
- Nephalius J. Thoms.*, Class. Cer. 1860, 245 = *Periboeum J. Thoms.* 1860. *Ceramb.*, *Cerambin.*, *Sphaero.* 252.
- Nephanes O C. G. Thoms.*, I, 1859, 62; IV, 1862, 100; *Matthew*, *Trichopt.* ill. 1872, 59, 104, t. 9; TAmES. 11, 1884, 141; BCA. Col. II, 1 (1888), 127, 144; *Redtb.*, F. Austr. ed. III, I, 1874, p. LXXXII; *Flach* in *Seidl.*, F. Ba. ed. II et F.Tr.; *Gatt.*, 71; VzbGW.39, 1889, 492, 514; Best.-Tab. eur. Col. 18, 1889, 14, 36; *Everts*, I, 435; *Ganglb.*, III, 299, 321; *Reitt.*, F. Germ. II, 1909, 266, 273; *Jacobs.*, Col. Ross. 8, 1910, 630; *Schaufuß* in Calwer, 297 (= *Nephanus Erics.*) 1908 (*N. titan* [Newm.] 1834) 1913:5 (Eur., Madera, Canar. Ins., Am.). *Ptil.*, *Ptili.*, *Acrotr.* 17.
- Nephanus Erics.*, ETi. 29, 1908, 122 = *Nephanes C. G. Thoms.* 1859. *Ptil.*, *Ptili.*, *Acrotr.* 17.
- Nephithea Pasc.*, ANH. (3) 19, 1867, 308 (*N. necydalooides* Pasc. 1867) 1913:1 (Terr. Natal.). *Ceramb.*, *Cerambin.*, *Pseb.* 598.
- Niphiusus O Jac.*, AMusG. 32, 1892, 995 (*N. femoratus* Jac. 1889) 1914:1 (Birma: Karennee). *Chrys.*, *Eumolp.* *Nodost.* 93.
- Nephodes O Blanch.*, HN.Ins. II, 1845, 34; *Rosenh.*, *Thiere Andalus.* 1856, 219; *Lac.* V, 454; *Jacq. du Val* III, 324; *All.*, *Revis. Helop.* vrais: *Abeille* 14, 1876, 6; *Mi.Schweiz. E.Ges.* V, 1877, 18 et 220; *Seidl.*, NID. V, 678, 798, 852; *Desbr.*, *Frelon*, 11, 1903, 105; *Vaulog.*, ASEFr. 68, 1899, 672, 717; *Schaufuß* in Calwer, (819) (*N. mettlescens Küst.* 1846) 1913:8 (Eur. med. terr.). *Ten.*, *Helop.* 1079.
- Nephrella O Baly*, JoE. II, 1863, 155; *Chap.*, G. Col. X, 1874, 277 (*N. elongata* Baly 1863) 1914:1 (Ceyl.). *Chrys.*, *Eumolp.*, *Leprot.* 133.
- Nephrites Shuck.*, EMa. V, 1838, 512 (*N. nitidus* Shuck. 1838) 1913:1 (Tasm.). *Rhip.*, *Rhipid.* 25.
- Nephus Jac.*, AMusG. 27, 1889, 165 (nec *Muls.* 1846); *Schaufuß* in Calwer, 565, 567; *Kuhnt*, 568 = *Nephiusus Jac.* 1892. *Chrys.*, *Eumolp.*, *Nodost.* 93.
- Nepioides Pasc.*, ANH. (3) 19, 1867, 410; TESL. (3) 3, 1869, 680; *Lac.* VIII, 156; *Lmr.*, ASEB. 53, 1909, 143 (Rev., 557) = Subg. 3 ad *Megopis* Serv. 1832 (*N. cognata* Pasc. 1867) 1913:3 (Java, Sum., Singap., Born.). *Ceramb.*, *Prion.*, *Callipogi.*, *Megop.* 50,3.
- Nepius J.Thoms.*, Arch.E. II, 1858, 225 = *Oncocephalia Chevr.* 1847. *Chrys.*, *Hisp.*, *Oncoc.* 66.
- Nepytis Er.*, ArN. 8, 1842, I, 165; *Burm.*, Hd.E. IV, 2, 1855, 239 (*N. russula* Er. 1842) 1913:1 (Tasm.). *Scar.*, *Melth.*, *Lipar.* 215.
- Nerdanus Fairm.*, Not. Leyd. Mus. 18, 1896, 229; *Seidl.*, NID., V, 2, 1899, 813 (*N. coeruleus* Fairm. 1896) 1915:1 (Celebes). *Oed.*, *Oedem.*, *Ascler.* 11.
- Nericonia O Pasc.*, TESL. (3) III, 1869, 657 (*N. trifasciata* Pasc. 1869) 1913:2 (Birma, Borneo). *Ceramb.*, *Cerambin.*, *Disten.* 11.
- Nerissella Jac.*, PZSL. 1904, I, 267 (*N. curculionides* Jac. 1904) 1914:1

- (Zambesia). *Chrys.*, *Eumolp.*, *Cyn.* 180.
- Nerissidius** **Ws.**, DEZ. 1895, 331; **Jac.**, PZSL. 1897, 550; **Ws.**, ArN. 69, 1903, 1, p. 203; **Kuntzen**, ArN. 78, 1912, 2, p. 45, 50 (Typ. ?; *N. sculptilis* [J. Thoms.] 1858, *hispidulus* [Lef.] 1886) 1914:4 (Camerun. mer., Terr. Lac. Tschad, Niam-Niam, Congo belg.). *Chrys.*, *Eumolp.*, *Ner.* 152.
- Nerissus** **O Chap.**, G. Col. X, 1874, 286; **Lefv.**, MSLiége (2) III, 1885, 84; ASEFr. (6) VI, 1886, Bull. p. LX; **Jac.**, Nozo. I, 1894, 520; **Ws.**, DEZ. 1906, 44; **Kuntzen**, ArN. 78, 1912, 2, p. 46, 51 (*N. strigosus* **Chap.** 1874) 1914:11 (Afr. occ. trop.). *Chrys.*, *Eumolp.*, *Ner.* —
- Nesapterus** **O Sharp**, F. Hawaiiens. III, 1908, 450 (*N. monticola* [Sharp] 1878, *exilis* Sharp 1908) 1913:2 (Haw. Ins.). *Nit.*, *Carpophil.* 27.
- Nesioticus** **O Westw.**, PZSL. 1842, 120; TZSL. 3, 1843, 227; **Lac.** V, 475 (*N. flavopictus* **Westw.** 1842) 1913:1 (Afr. occ.). *Ten.*, *Rhyssop.* 1146.
- Nesitis** **O Bedel**, AMusG. 18, 1882, 442 (*N. discrepans* **Bedel** 1882, *N. sexnotata* [Wiedem.] 1823) 1913:3 (Jav., Born., Sum., Andam.). *Erot.*, *Dacn.* 83.
- Neso** **Blackb.**, TRS. SouthAustral. 22, 1898, 45; 31, 1907, 273 (*N. usta* **Blackb.** 1898, *armaticeps* [M'Leay] 1871) 1913:6 (Queensl. 5, Gayndah.1). *Scar.*, *Melth.*, *Lipar.* 195.
- Nesogena** **Mäkl**, ActaS.Fenn. 7, 1863, 557 (Typ. ?; *M. Guerini* [Coquer.] 1851) 1913:49 (Caffr. I, Madag. 48). *Ten.*, *Strongyl.* 1187.
- Nesophopia** **O Scott**, TLSL. 15, 1912, 230 (*N. senecionis* **Scott** 1912) 1913:1 (Seychell.). *Scar.*, *Melth.*
- Nesomedon** **Sharp**, F. Hawaiiens. III, 5, 1908, 546 (*N. brunnescens* Sharp 1908) 1913:3 (Haw. Ins.). *Staph.*, *Paed.*, *Paedi.* 200.
- Nesopeplus** **O Sharp**, F. Hawaiiens. III, 5, 1908, 474 (*N. inaurotus* [Sharp] 1881, *bidens* [Sharp] 1881) 1913:31 (Haw. Ins.). *Nit.*, *Carpophil.* 34.
- Nesopetinus** **O Sharp**, F. Hawaiiens. III, 5 1908, 492 (*N. mettlescens* et *tinctus* [Sharp] 1881) 1913:23 (Haw. Ins.). *Nit.*, *Carpophil.* 35.
- Nesoptychias** **Kirk.**, Can. Ent. 42, 1910, 8 pro *Pteroptychus* **Aur.** 1912. *Ceramb.*, *Cerambin.*, *Calldp.* 304.
- Nesostes** **Casey**, Mon., 1908, 56, 58 (*N. robustus* [Lec.] 1866) 1913:2 (Cal.). *Ten.*, *Conio.* 419.
- Nesotaurus** **Fairm.**, ASEB. 40, 1896, 354 (*N. sericans* Fairm. 1896) 1913:3 (Madag.). *All.*, *Omophl.* 113.
- Nesotes** **All.**, Rev., 1876, 4, Mon. 17, 38, 159; **Seidl.**, NID. V, 698, 747, 788 = Subg. ad *Helops* **F.** 1772. *Ten.*, *Helop.* 1073.
- Nestus** **Rey**, ASLLyon 30, 1883, 183; **Schaufuß** in Calwer, 177 = *Stenus* **Latr.** (partim). *Staph.*, *Sten.*, *Steni.* 145.
- Nethinius** **Fairm.**, BSEB. 33, 1889, 94; ASEB. 41, 1897, 197 etc. = *Noemia* **Pase.** 1857. *Ceramb.*, *Cerambin.*, *Disten.* 7.
- Netopha** **Fairm.**, ASEB. 37, 1893, 299 (*N. pallidipes* Fairm. 1893) 1913:1 (Lang-song). *All.*, *Allec.* 36.
- Netolitzkya** **J. Müll.**, Denkschr. Ak. wiss. Wien 90, 1913, 2 **Jeannel**, Arch. Zo. exp. 54, 1914, 71 (*N. Maneki* [J. Müll.] 1909) 1914:1 (cavern.: Bulgar.). *Silph.*, *Bath.*, *Bathy.* 27.
- Netuschilia** **Reitt.**, Best.-Tab. 53, 1904, 34 (*N. Hauseri* [Reitt.] 1897) 1913:1 (Buchara). *Ten.*, *Lachnog.* 87.
- Neuglenes** **C. G. Thoms.**, 1859, I, 63; IV, 1862, 103; **Flach** in **Seidl.**, F.Ba. ed. II (1888), et **Seidl.**, F.Tr. (1889), Gatt., 71, VzbGW. 39, 1889, 491, 511; Best.-Tab. europ. Col. 18, 1889, 13, 33; **Everts**, I, 435, 440; **Schaufuß** in Calwer, 299 = *Ptinella* **Motsch.** 1845. *Ptil.*, *Ptili.* 19.

- Neuroserica* Brenske, BEZ. XLV, 1900, 79; XLVI, 1901, 455 (*N. fulvescens* [Blanch.] 1850) 1913:1 (Senegal). *Scar.*, *Meth.*, *Serir.* 90.
- Nialus* Muls., Lamell. 1871, 216; Reitt., Tab. 1891 (1892), 63; VN. 30, 201; *Schaufuß* in Calwer, 1269; Kuhnt, 391 = *Liothorax* Motsch. 1859 = Subg. ad *Aphodius* Ill. 1798. *Scar.*, *Aphod.* 7.
- Nicagus* O Lee., Class. I, 1860, 139; Deyr., TESL. 1873, 344, t. 5 f. 8a-b (*N. obscurus* [Lee.] 1848) 1913:1 (Amer. b.). *Luc.*, *Aes.* 73.
- Nicandra* Fairm., ASEFr. (6) 8, 1888, 191 (*N. costulipennis* Fairm. 1888) 1913:1 (Terr. Nama). *Ten.*, *Cryptoch.* 253.
- Nicias* O J. Thoms., ArE. I, 1857, 136; Class. *Cer.* 287; Syst. *Cer.*, 467; Lac., VIII, 188; Lmr., MSEB. 21, 1912, 104 (Rév., 968) (*N. alurnoides* J. Thoms. 1857) 1913:1 (Amaz., Guyana). *Ceramb.*, *Prion.*, *Anacol.*, *Anac.* 105.
- Nicobium* O J. Lee., Smiths. Misc. Coll. III, 1861, 204; PAePhil. 1865, 231; Seidl., F. Ba. 1889, 502; F. Tr. 1889, 537; Schilsky, KäfMEur. 36, 36 X; Reitt., Tab. 47, 5, 23; F. Germ. III, 306, 313; Fall, TAmES. 31, 1905, 154, 177; *Schaufuß* in Calwer, 721; Kuhnt, 675, 683 (*N. castaneum* [Ol.] 1790) 1913:4 (Medit.; Am., Chile). *Anob.*, *Anobi.* 33.
- Nicothaeus* Casey, Contr. Descr. Col. N.Am. II, 1884, 94 = *Euthyphlus* J. Lee. 1880. *Psel.*, *Pselia.*, *Euplect.* 116.
- Nida* O Pase., ANH. (3) 19, 1867, 312; Gah., F. Brit. Ind. Col. I, 1906, 318 (*N. flavovittata* Pase. 1867) 1913:2 (Andam., Birma, Siam). *Ceramb.*, *Cerambin.*, *Cleom.* 877.
- Nigidius* O M'Leny, HoE. I, 1819, 108; Westw., A. Sc. Nat. (2) I, 1834, 121; EMa. V, 1838, 121; Burm., Hd. E. V, 1847, 43; Parry, TESL. 1873, 342; Péring., T. South Afr. Phil. S. 12, 1901, 9 (*N. bubalus* [Sweder.] 1787 1913:38+2 (Afr., Nyassa, Rangoon, Madag., Regio malay.). *Luc.*, *Fig.* 62.
- Nikotikis* Hist. vide P. II.
- Nilio* Latr., HNCrIns. III, 1802, 179; X, 1804, 333; Lac., V, 1859, 519; J. Thoms., Mus. scient. 1860, 1 et 45 Champ., BCA.Col. IV, 1, 1888, 470 = *Nilion* Latr. olim (*N. villosus* [F.] 1787) 1913:22 (Mex., Am. c. et mer. trop., Bras.). *Nil.* 1.
- Niliodes* Murr. in Harold, Col. Hefte IV, 1868, 78 (*N. bipenicillatus* Murr. 1868) 1913:1 (Amazonas). *Nit.*, *Nitid.* 93.
- Nilion* Latr. cf. *Nilio* Latr.
- Nimbis* [Muls.] *Schaufuß* in Calwer, 1270 [nec 1269 in Indice]; Kuhnt 391 = *Nimbis* Muls. 1871.
- Nimbus* Muls., Lamell. 1871, 338; Reitt., Tab., 93; VN. 30, 231; A. Schmidt, GIW. 20 et 58 = Subg. ad *Aphodius* Ill. 1798. *Scar.*, *Aphod.* 7.
- Niophis* Bates, EMM. IV, 1867, 27; TESL. 1877, 240 (*N. coptorhina* Bates 1867) 1913:1 (Santarem). *Ceramb.*, *Cerambin.*, *Oem.* 64.
- Niphetodes* Mill., VzbGW. 18, 1868, 14; Ganglb., Käf.MEur. II, 1895, 699, 700; A.Nat.Hofmus. Wien XI, 2, 1896, 174; *Schaufuß* in Calwer, 193 (*N. Redtenbacheri* Mill. 1868) 1913:7 (Bosn., Carpath. or., Trsilv.). — Etiam Subg. *N. Staph.*, *Oxyt.*, *Omal.* 94.
- Niptinus* Fall, TAmES. 31, 1905, 101, 108 (*N. ovipennis* Fall 1905, *unilineatus* [Pic] 1900) (Civ. confoed., Mex., Tex.). *Ptin.*, *Ptini* 19.
- Niptodes* Reitt., VN. 22, 1884, 299; Best.-Tab. XI, 1884, 5 = *Microptinus* Kiesw. 1877. *Ptin.*, *Ptini*. 20.
- Niptomezium* Pic, Echange, 18, 1902, 50 (*N. patagonicum* et *sparsepilosum* Pic 1902) 1913:2 (Pat., St. Crux). *Ptin.*, *Ptini*. 13.

- Niptus** O Boield., Mon. 1856, 290, 662; Redt., F. Austr. ed. II, 1858, 557; Jacq. du Val, G. Col. III, 1861/2, 210, 213; J. Lee., Class. 1861, 202; C. G. Thoms., Sk. Col. V, 1863, 142; Muls. et Rey. Gibbic. 1868, 49, 192; Kiesw., NID. V, 1877, 78; J. Lee. et Horn, 1883, 222; Reitt., Best.-Tab. 11, 1884, 4; Seidl., F. Ba. 1889, 511; F. Tr. 1891, 547; Faue., F. anal. Col. 1892, 298; G. Col. Fr. 1894, 31; Lmr., Man. F. Belg. II, 1900, 270; Fall, TAmES. 31, 1905, 101, 107; Pie, Cat. II, 1911, 335; Reitt., F. Germ. III, 1911, 321; Schaufuß in Calwer, 717; Kuhnt, 668, 669 (*N. hololeucus* [Fald.] 1836) 1913:6 (Eur. c. et mer., Transcauc., Turk., Asm.; Am.: Mex., Guatem., Civ. confœd.; Bras., Peru, Tasm.). *Ptin.*, *Ptini.* 14.
- Niraeus** O Newm., ANH. (2) 4, 1840, 194 (*N. tricolor* Newm. 1840) 1913:1 (Tenasserim.). *Ceramb.*, *Cerambin.*, *Callichr.* 699.
- Nisa** Casey, B. Cal. Ac. Sc. 1886, 182 = *Brachygluta* Thoms. 1859. *Psel.*, *Psela.*, *Brachygl.* 253.
- Nisaxis** O Cas., B. Cal. Ac. Sc. 1886, 26, 27; Brendel, Bull. Un. Jowa I, 1890, 257; Raffr., ASEFr. 73, 1904, 112; GIW. *Psel.* 1908, 219 (*N. tomentosa* [Aubé] 1833) 1913:3 (Am. sept., Tex., Nebraska). *Psel.*, *Psela.*, *Brachygl.* 240.
- Nisibistum** J. Thoms., Rev. MaZo. (3) 6, 1878, 29 (*N. kaisanum* Thoms. 1878) 1913:1 (As. or.). *Ceramb.*, *Cerambin.*, *Gracil.* 358.
- Niteta** Ws., DEZ. 1891, 21 = *Cyclotoma* Muls. 1851. *End.*, *Endo.*, *Endom.* 75.
- Nitidopecten** Reichensp., ZoJa. 35, 1913, 199 (*N. comes* Reichensp. 1913) 1913:1 (Abyss.). *Nit.*, *Nitid.* 64.
- Nitidulopsis** Walker, ANH. (3) 2, 1858, 206 = *Brachypeplus* Er. 1842. *Nit.*, *Carpophil.* 24.
- Nitidulora** Reitt., Einth. *Nitid.* 1873, 10, 42 (*N. ephippium* [Er.] 1843) 1913:2 (Bras.). *Nitid.*, *Nit.* 65.
- Nitops** Murr., Mon. 1864, 382 = *Endomerus* Murr. 1864 = Subg. ad *Carpophilus* Steph. 1830. *Nit.*, *Carpophil.* 53.
- Nitips** Jacq. du Val, Glan.E. II, 1860, 138 = Subg. ad *Sphaericus* Woll. 1854. *Ptin.*, *Ptini.* 11.
- Nivellia** Muls., Col. Fr. *Longic.* ed. 2, 1863, 564; Ganglb., Best.-Tab. VII, 1881, 29, (707); Seidl., F. Ba. ed. 2 1891 p. 164; Schaufuß in Calwer, 821; Kuhnt, 753, 766 (*N. sanguinosa* [Gyllenh.] 1827) 1913:1 (Sued., Fenn., Boruss. or., Siles., Carpath., Sib.). *Ceramb.*, *Cerambin.*, *Lept.* 541.
- Noanda** Reitt., VN. 40 [Best.-Tab. 50], 174 = Subg. ad *Holotrichia* Hope 1837. *Scar.*, *Melth.*, *Melthi.* 295.
- Nocar** Blackb., TRS.SouthAustral. 14, 1891, 328 (*N. depressiuscula* MacL. 1872) 1913:4 (Austral.). *All.*, *Allec.* 45.
- Nocibotes** Cas., AN YAcSc. VIII, 1895, 617 (*N. gracilis* Cas. 1895, *nutatus* [Lec.] 1851) 1913:6 (Ariz. 3, Cal. 3). *Ten.*, *Pedin.* 478.
- Noda** Chap., G. Col. X, 1874, 240; Jac., BCA.Col. VI, I, 1881, 113; Suppl. 1890, 193; Lefv., MS Liége (2) 11, 1885, 15 [nec Schellenberg 1803]] = *Nodonota* Lefv. 1885. *Chrys.*, *Eumolp.*, *Iphim.* 19.
- Nodepus** Gorh., AMusG. (2) 12, 1892, 719; Schklig., GIW. 1903, 7 *Cler.* (*N. conicicollis* Gorh. 1892) 1913:1 (Birma). *Cler.*, *Cleri.*, *Till.* 45.
- Nodina** O Motsch., Etud. E. 7, 1858, 108; Baly, TESL. (3) IV, II, 1867, 259; Chap., G. Col. X, 1874, 262; Lefv., MS Liége (2) 11, 1885, 61; Jac., F. Ind. Col. II, 1908, 292 (*N. pusilla* Motsch. 1858) 1914:33 (As. mer. et Ins. Sund., Mentawai, Ceram etc.). *Chrys.*, *Eumolp.*, *Nodost.* 89.

- Nodolinus* Muls. et Rey, Collig. 1866, 83 = Subg. ad *Anthicus* Payk. 1798. *Anth.* 19.
- Nodonota* O. Lefv., MS Liège (2) 11, 1885, 166; G. Horn, TAmES. 19, 1892, 196, 230.— Biol.: Schwarz, Am. Nat. 17, 1883, 978 (Typ.?; *N. puncticollis* [Say] 1824; *tristis* [Ol.] 1808) 1914:99 (Civ. confoed. mer., Am. c. et mer.-trop., Tasman.; Sydn., Taiti). *Chrys.*, *Eumolp.*, *Iphim.* 19.
- Nodostella* O Jac., F. Ind. Col. II, 1908, 299 (*N. elongata* Jac. 1903) 1914:1 (Ind. or.). *Chrys.*, *Eumolp.*, *Modost.* 92.
- Nodostoma* O Motsch. in Schrenck's R., II, 1860, 176; Baly, TESL. (3) IV, II, 1867, 212; Chap., G. Col. X, 1874, 261; Lefv., MS Liège (2) 11, 1885, 57; Jac., F. Ind. Col. II, 1908, 301; Schaufuß in Calwer, 925 (*N. fulvipes* Motsch. 1860, *cribricolle* Motsch. 1860, *splendens* [Hope in Gray] 1831) 1914:141 (As. mer., Males.). *Chrys.*, *Eumolp.*, *Nodost.* 88.
- Nodostoma* Jacq. du Val, G. Col. d'Eur. IV, 1868, 222 = *Chloropterus* Moraw. 1861. *Chrys.*, *Eumolp.*, *Typoph.* 258.
- Nodostonopa* Jac., ASEB. 45, 1901, 293 (*N. subcostata* Jac. 1901) 1914:2 (Madag.). *Chrys.*, *Eumolp.*, *Pras.* 108.
- Nodulina* Raffr., ASEFr. 73, 1904, 115, 153; GIW. Psel. 1908, 232 (*N. convexa* [Schauf.] 1879) 1913:1 (Min. Geraes, Amaz., Surinam). *Psel.*, *Psela.*, *Brachygl.* 255.
- Nodynus* O Ch. O. Waterh., TESL. 1876, 12 (*N. nitidus* Waterh. 1876) 1913:2 (Jap., Ind. or.). *Staph.*, *Oxyt.*, *Piest.*, *Trigo.* 2.
- Noemia* O Pasc., TESL. (2) IV, 1857, 111; III, 1869, 656 (*N. flavigornis* Pasc. 1857) 1913:16 (As.: Sum., Malacc., Born. 3, Afr.: Madag. 13). *Ceramb.*, *Ceramin.*, *Disten.* 7.
- Noemia* (Pasc.) Fairm., ASEFr. 68, 1899, 119 non = *Naemia* Muls., Aur. in Schklig. et J., Col. Cat. P. 39, 10. *Ceramb.*, *Ceramin.*, *Dist.* 7.
- Nomaspis* J. Lee., New Col. 1866, 156, = *Henous* Haldem. 1852. *Melo.*, *Lyt.*, *Meloi.* 52.
- Nongoma* Péring., T.SAfr. Philos. Soc. XIII, 1902 p. 609 (*N. calcarata* [Arr.] 1899) 1918:1 (Terr. cap., Nat.). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 80.
- Nordenskjöeldella* * Enderl., Vet.-Ak. Handl. 48, 1912, No. 3, 65 (*N. flavitarsis* Enderl. 1912) 1913:1 (Terra ignit.). *Staph.*, *Aleoch.*
- Nordenskiöeldia* O J. Sahlb., Sv. Vet. Ak. Handl. XVII, 1880, nr. 4, 96 (*N. glacialis* J. Sahlb. 1880) 1913:1 (Sib.or.). *Staph.*, *Euaesth.*, *Nordenski.* 147.
- Normandia* Pic, BSEFr. 60, 1900, 267 (*N. villosocostata* [Reiche] 1879) 1913:1 (Alg.). *Dryop.*, *Helm.*, *Helmi*. 42.
- Norosus* Muls. et Rey, Pil. 44 (244) = *Curimus* Er. 1846. *Byrrh.*, *Byrrh.* 25.
- Nortia* J. Thoms., Syst. Cer. 1864, 252 (*N. cavicollis* J. Thoms. 1864) 1913:1 (Mindanao). *Ceramb.*, *Ceramin.*, *Achrys.* 102.
- Noserinus* Cas., Rev. Mon. 1907, 470, 471 (*N. annulatipes* Cas. 1907, *N. dormeanum* [Fairm.] 1889) (Bras.). *Ten.*, *Zopher.* 201.
- Noserius* O Pasc., TESL. (2) IV, 1857, 95; (3) III, 1899, 499 (*N. tibialis* Pasc. 1857) 1913:4 (Borneo, Timor). *N.Ceramb.*, *Ceramin.*, *Oem.* 50.
- oserodes* O Cas., Rev. Mon. 1907, 470, 479 (*N. squalidus* Casey 1907, *venustus* [Champ.] 1884) 1913:6 (Am. c., Mex., Guatam., Costa Rica). *Ten.*, *Zopher.* 202.
- Noserus* O J. Lee., Class., 1862, 216; Horn, Rev. Ten. 1870, 271; Lee. et Horn, Class. 1883, 365; Casey, P. Wash. Ac. Sc. [Rev. Mon.] 1907, 469, 473; Gebien in Schklig.

- et J., Cat. Col. P. 15, 1910, 96 nota (*N. Först.* (*Hym. Brac.*) sine typ. est) (*N. plicatus* [Lee.] 1859) 1913:6 (Cal. 5, Tex. 1). *Ten.*, *Zopher*. 197.
- Nosodendron* O+ Latr., Nouv. Dict. HN. 24, 1804, 146; Gen. Crust. et Ins. II, 1807, 43; Er., NID. III, 465; Gutfli.-B., 288; Lac., II, 478; Jacq. du Val, II, 263; C. G. Thoms., Sk. Col. IV, 184; Muls. et Rey, Pil., 26 (226); Sharp, BCA. Col. II, 1, 670; Ganglb., IV, 1, 90; Schaufuß in Calwer, 609; Kuhnt, 608 = *Dendrodipnis* Woll. 1873 (*N. fasciculare* [Ol.] 1790) 1913:27 (Eur., Jap., Sum., Am. b., et c., N. Guin., N. Z.). *Nosd.* 1.
- Biol.: Hammerschmidt, Entomotomie 1833 t. 5; Er., NID. III, 466; Candèze, MSScLiège 8, 1846, 455 t. 3 f. 6; Dufour, ASEFr. (4) 2, 1862, 146 t. 2 f. 6; Laboulb., t. c., 149 t. 2 f. 3; (4) 10, 1870, Bull. p. LXXI; C. G. Thoms., Sk. Col. IV, 185; Muls. et Rey, Pil. 27, (227), t. 1 f. 1; Ganglb., IV, 1, 1904, 88 f. 3.
- Nosoderma* O Sol., ASEFr. 10, 1841, 31; Lac., V, 92; Champ., BCA. Col. IV, 1, 1884, 44; Casey, Rev. Mon. 1907, 470, 477 (P. Wash. Ac. Sc. IX.) (Typ.??; *N. inaequale* [Say] 1835, *N. scabrosum* Sol. 1841) 1913:17 (Mex.). *Ten.*, *Zopher*. 199.
- Nosodes* J. Lee., Class. 1861, 88; Reitt., VN. 14, 1876, 43; Best.-Tab. VI, l. c., 20, 1882, 145 = *Calithys* Thoms. 1859. *Temn.* 29.
- Nosoeme* O Kolbe, StEZg. 55, 1894, 55; D.-Ostafr. Col. 1897, 296 (*N. clavipes* Kolbe 1894) 1913:2 (Albert. Nyansa, Ruwenzori). *Ceramb.*, *Cerambin.*, *Oem.* 49.
- Nosophloeus* Dup., MaZo. 1836, Ins., 15 = *Cryptobias* Serv. 1834. *Ceramb.*, *Cerambin.*, *Sternac.* 943.
- Nosphisthis* Blackb., TRS. South Austral. 22, 1898, 38 (*N. parvicornis* Blackb. 1898) 1913:2 (N.S.W., Queensl.). *Scur.*, *Melth.*, *Lipar*. 188.
- Nossidium* O Er., NID. III, 17; Gutfli.-B., 221; Jacq. du Val, II, 128; Matth., *Trichopt.* illust. 1872, 59, 60 t. 2; TAmES. 11, 1884, 154; Redtb., F. Austr. ed. III, 1874; Flach, VzbGW. 39, 1889, 490, 492; in Seidl., F. Ba. ed. II (1888) *Gatt.* p. 71; Everts, I, 434; Ganglb., III, 298, 299, f. 24; Reitt., F. Germ. II, 1909, 265; Jacobs., Ccl. Ross. fasc. 8, 1910, 629; Schaufuß in Calwer, 297; Kuhnt, 353, 354 (*N. pilosellum* [Marsh.] 1802) (Eur.: Dalm., Herzeg., Cauc., Civ. confoed.). *Ptil.*, *Ptils.*, *Ptilii*. 1.
- Nossioecus* Harold, Mi. Münch. E. Ver. I, 1877, 104 (*N. Lefevrei* Har. 1877, *lateralis* Jac. 1898) 1914:2 (Madag. mer., Mauritius). *Chrys.*, *Eumolp.*, *Typoph.* 246.
- Notaris* Steph. *Cure.* cf. P. II.
- Noterus* Clairv. *Dyt.* cf. P. II.
- Nothobium* Solsky, BMosc. 37, 1864, II, 443; Fauv., AMusG. X, 1877, 226 = Subg. ad *Lathrobium* Grav. 1802. *Staph.*, *Paed.*, *Paedi*. 210.
- Nothogaster* O Lac., 1866, 450; Schoenfeldt, GIW. Brenth. 1908, 58 (*N. paradoxus* Lacord. 1866) 1913:1 (Madag.?). *Brenth.*, *Brentha.*, *Ceoc.* 93.
- Nothogria* Borchm., ArN. 81, 1915 (1916) A. 6, 49, 142 (*N. nodipennis* Borchm. 1916) 1916:1 (Ceram, Buru). *Lagr.*, *Lagri*. 8b.
- Nothopeus* * Pasc., JoE. II, 1864, Dez. 287, Gah., F. Brit. Ind. Col. I, 1906, 202 = *Coloborombus* J. Thoms. 1864. *Ceramb.*, *Cerambin.*, *Callichr.* 697.
- Biol.: Mimier., Liste: Rits., Not. Leyd. Mus. XXXIV, 1911, 22.
- Nothophysis* O Serv., ASEFr. I, 1832, 158 [*Notophysis*]; J. Thoms., Syst. Cer., 480; Lac., VIII, 137; Lmr., A. Mus. Congo Zo. (3) II, 1903, 20; ASEB. 53, 1909, 451 (Rév., 655); MSEB. 21, 1912, 172 (Rév., 1036)

- (*N. lucanoides* Serv. 1832) 1913:7 [4+3] (Congo gall. et belg., Afr. occ. et mer.). *Ceramb.*, *Prion.*, *Prionin.*, *Nothoph.* 60.
- Nothopleurus* O Lac., VIII, 1869, 125; Lmr., MSEB, 9, 1902, 94 (Rév., 154) = Subg. 2 ad *Stenodontes* Serv. 1832 (Typ.?) ; *N. arabicus* [Buquet] 1843, *N. maxillosus* [Drury] 1773, *bituberculatus* [Beauv.] 1805) 1913:7 (Arab., N.Caled., Fidschi, Ins. Ind. occid., Yucat., Hond., Mex., Tex., Cal.). *Ceramb.*, *Prion.*, *Macrot.*, *Stenodo.* 13, 2.
- Nothopygus* O Lac., IX, 1869, 22 (*N. Mniszechi* Lac. 1869) 1913:2 (Sierra Leone; Quango). *Ceramb.*, *Cerambin.*, *Callichr.* 737.
- Nothops* Mars., Curc. cf. P. II.
- Nothorhina* O Redt., Gatt. deutsch. Käferf. 1845, 109; Schaufuß in Calwer, 844; Kuhnt, 756, 777. — Biol.: Zoufal, EBl. V, 1904, 109 (*N. muricata* [Dalm.] 1817) 1913:1 (Am. b. et med.). *Ceramb.*, *Cerambin.*, *Asem.* 22.
- Nothorrhina* Redt. = *Nothorhina* Redt.
- Nothoxus* Redt., F. Austr. ed. II, 1858, 636 = *Notoxus* Geoffr. 1762. *Anth.* 2.
- Nothrocerus* Fairm., ASEFr. (6) 7, 1887, 174 (*N. cylindricornis* Fairm. 1887) 1913:1 (Afr. or.). *Ten.*, *Tentyr.* 109.
- Nothrus* Hald., T.Am.Phil.Soc. (2) X, 1847, 43 = *Gracilia* Serv. 1834. *Ceramb.*, *Cerambin.*, *Grac.* 349.
- Notibius* O Lec., AN YAcSc. V, 1851, 144; Lac. V, 252; Horn, Rev. *Ten.* 1870, 355; Lec. u. Horn, Class., Rev. 1883, 379; Casey, AN YAcSc. V, 1890, 409, 477; VIII, 1895, 617 (*N. puberulus*, *puncticollis* Lec. 1851) 1913:7 (Cal., Mex.). *Ten.*, *Pedin.* 477.
- Notibius* Muls. et Rey, ASagr.Lyon 1859, 164; Opusc.E. IX, 1859, 110 = *Nocibiotus* Cas. 1895. *Ten.*, *Pedin.* 478.
- Notiocypyon* Blackb., Horn's Exp. II, 1896, 272 (*N. convexens* Blackb. 1896) 1914:1 (Austral.). *Dasc.*, *Artem.* 4.
- Notioscythis* Fairm., Not. Leyd. Mus. V, 1883, 3 = *Stenosida* Sol. 1835. *Ten.*, *Tentyr.* 136.
- Notiolesthus* Motsch., BMosc. 45, 2, 1872, 25 = *Derosphaerus* Thoms. 1858. *Ten.*, *Tenebr.* 809.
- Notiomimus* Woll., ANH. (3) 7, 1861, 15 (ex p.); Cat. Col. Can. 1864, 247 = *Xyletinus* Latr. 1807. *Anob.*, *Xylet.* 54.
- Notiophysus* Gory, ASEFr. 3, 1834, 452 (*N. nigropunctatus* Gory 1834) 1913:5 (Cap. b. sp.). *Disc.* 8.
- Notobrachypterus* Blackb., TRS.S. Austral. 15 1892, 26 (*N. creber* Blackb. 1892) 1913:10 (Austral., Tasm.). *Nit.*, *Cat.* 9.
- Notocalus* O Quedent., BEZ. 28, 1884, 285/7, Péring., T.SAfr.Phil.S. 12, 1901/3, Cat. 1901, 370, 441/2; A. Schmidt, GIW. *Aphod.* 1910, 132, 136/7. (*N. nigropiceus* Quedent. 1884) 1913:4 + 1 (Port. Nat., Angol., Abyss., Afr. or.). *Scar.*, *Aphod.*, *Rhypar.* 40.
- Notoceresium* Blackb., TRS. South Austral. 25, 1901, 32 (*N. impressiceps* Blackb. 1901) 1913:1 (Tasm.). *Ceramb.*, *Cerambin.*, *Calldp.* 334.
- Notoclea* Marsh., TLSL. 1808, 284 = *Paropsis* Ol. 1807. *Chrys.*, *Chryso.*, *Parrops.* 73.
- Notocoelis* O Lewis, ANH. (7) 6 1900, 283 (*N. satur* Lewis 1900) 1913:1 (Parag.). *Hist.* 81.
- Notocorax* Muls. et Rey, M.Ac.Sc.Lyon 1852, 273; Opusc. E. IV, 1853, 48 = *Pseudoblaps* Guér. 1834. *Ten.*, *Pedin.* 439.
- Notocymatodera* Schklg., DEZ. 1907, 310 (*N. dimidiata* [Germain] 1855) 1913:1 (Chile). *Cler.*, *Cleri.*, *Till.* 36.

- Notodoma* O Mars., Mon., 1855, 133 (*N. bullatum* Mars. 1870) 1913:9 (Ind., Birm., Jap., Born., Sum., Malacc.). *Hist.* 69.
- Notolinopsis* Casey, T.Ac.St.Louis XVI, 1906, 371, 377 = Subg. ad *Xantholinus* Serv. 1825. *Staph.*, *Staphy.*, *Xanth.* 257.
- Notolinus* Casey, T.Ac.St.Louis XVI, 1906, 371, 375 = Subg. ad *Xantholinus* Serv. 1825. *Staph.*, *Staphy.*, *Xanth.* 257.
- Notolister* O Lewis, ANH. (6) 14, 1894, 182 (Typ. ?; *N. Edwardsi* Mars. 1853) 1913:5 (Madag., Nossi-Be). *Hist.* 39.
- Notopeplus* Sharp, F. Hawaiensis. III, 5, 1908, 435, 505 (*N. Reitteri* [Sharp] 1878) 1913:1 (Haw. Ins.). *Nit.*, *Carpophil.* 36.
- Notophanus* Hell., Abh. Mus. Dresd., 1896, Nr. 3, p. 9 (*N. macrophyllus* et *Brenskei* Hell. 1896) 1918:2 (Celeb. mer., Bonthain). *Scar.*, *Rut. hom.*, *Anomi.*, *Anoma*. 78.
- Notophysis* Serv., ASEFr. I, 1832, 158 = *Nothophysis* Serv. 1832. *Ceramb.*, *Prion.*, *Prionin.*, *Nothoph.* 60.
- Notoplatypus* Lea, P.Roy.S.Vict. 1909, 135 (*N. elongatus* Lea 1909) 1913:1 (N. S. W.). *Platyp.* 5.
- Notostenus* O Spin., Cler. II, 1844, 89; Lac., IV, 1857, 487; Chenu, Enc. II, 1860, 274; Gorh., TESL. 1878, 154; Schklig., GIW. Cler. 1903, 114 (Typ. ?: *coeruleus*, *viridis* [Thunb.] 1781) 1913:2 (Cap. b. sp.). *Cler.*, *Coryn.*, *Corynet.* 171.
- Notoxeuglenes* Pic, ASEFr. 1912, (1913?) 281 (*N. impressithorax* Pic 1912 [1913]) 1913:1 (—). *Hyloph.* 3a.
- Notoxus* O Geoffr., HNIIns. env. Paris I, 1762, 356; ed. Delalain 1800, 336; J. Schaeffer, Elem. Ent. App. III, 1780 t. 140; F. Ent. Syst. I, 1792 p. XV, 210; Stephens, Ill. Brit. E. V, 1832, 71; Man. Brit. Col. 1839, 340; Schmidt, StEZg. 3, 1842, 78; Laf. Mon., 21; J. Lec., PAcPhil. VI, 1852, 92/4; Lac. V, 2 p. 594; Bach III, 282; J. Lec., Class., 266; C. G. Thoms., Sk. Col. I, 358; Muls. et Rey, Collig. 51; Baudi, Eterom. 1877, 87; Mars., Mon. 12; Gutf. B., 430; J. Lec. et Horn, Class. 1885, 409 et 412; Champion, BCA.Col. IV, 2, 1890, 203/14; Seidl., F.Ba. ed. II, 1890, 147; F.Tr. 1891, 147; Fauc., F.C. Fr., 335; Fauc., G. Col. Fr. 48; Casey, AN YAcSc. 1895, 756—771; Desbr., Faunule 1899, 2 et 71; Pic, BSHN. Macon, I, 1899, 190; Lmr., Man., 588/9; Schaufuß in Calwer, 744; Kuhnt, 699, 700.—Synops.: G. Horn, TAmES. 11, 1884, 165—174 (Spp. amer. *Notox.* et *Mecynotars.*); Pic, Feuill. j. Nat. (3) 30, 1899/1900 (1900), 64/8, 89/91. (*N. monocerus* [L.] 1761, 1913:116 (Mediterr., Eur., As., Afr., Am.). *Anth.* 2.
- Notoxus* auct., Chenu, Enc. II, 1860, 249; Gahan, ANH. (8) 5, 1910, 66 = *Opilo* Latr. 1803. *Cler.*, *Cleri.*, *Clerin.* 49.
- Notoxys* Seidl., F.Ba. ed. II, 1890, 546; F.Tr. 1891, 147 = *Notoxus* Geoffr. 1762. *Anth.* 2.
- Noumea* Fauv., ASEFr. (5) IV, 1874, 433; Rev.d'E. 23, 1903, 263 (*N. serpens* Fauv. 1874) 1913:1 (N. Caled.). *Staph.*, *Paed.*, *Paedi.* 230.
- Novelsis* O Casey, JoN YES., 8, 1900, 148 (*N. Horni* [Jayne] 1882) 1913:5. — Subg. *Paran.* — (Civ. pacif., Ariz., Utah, Mex.). *Derm.*, *Attag.* 8.
- Novoclaviger* Wasm., Krit. Verz. myrm. term. Arthrop. 1894, 214; WEZg. 16, 1897, 202; Raffr., T.SAfr.Phil.S. 1897, 119 = *Fustigerodes* Reitt., 1884. *Psel.*, *Clavig.* 449.
- Novofustiger* O Wasm., DEZ. 1893, 106; Raffr., ASEFr. 78, 1904, 447; GIW. *Psel.* 1908, 432, t. 6 f. 11 (*N. Raffrayi* Wasm. 1893) 1913:1 (Madag.) *Psel.*, *Clavig.* 440.

- Nudobius* O & C. G. Thoms., Sk. Col. II, 1860, 188; *Ganglb.*, KäfMiEur. II, 1895, 475; *Casey*, T. Ac. St. Louis XVI, 1906, 367, 380; *Schaufuß* in Calwer, 188; *Kuhnt*, 226. — Biol.: *Perris*, ASEFr. (3) I, 1853, 566, t. 17 f. 26—36; *Schiödte*, NTi. (3) III, 1864/65, 201, t. 9 f. 18, t. 10 f. 1—7; *Beling*, ArN. 48, 1877, I, 48—50; *Rupertsh.*, Biol. Käf.Eur. 1894, 123; *Xambeu*, Moeurs VI, 35. — (*N. lento* [Grav.] 1806, *N. collaris* [Er.] 1837/39, *cephalus* [Say] 1834) 1914:18 [incl. Subg. 2]) (Eur., Medit., Afr., c. et or. germ., Am. b., Mex., Guat.). — Subg. *Pedolinus*. *Staph.*, *Staphy.*, *Xanth.* 255.
- Numea* Harold, Col. Hfte. 13, 1874, 123 Nota = *Noumea* Fauv. 1874. *Staph.*, *Paed.*, *Paedi.* 230.
- Nupis* O Motsch., BMosc. 45, 1872, II, 25; *Champ.*, BCA. Col. II, 1885, 107 (*N. tenuis* Motsch. 1872) 1913:8 (Am. c. et mer.). *Ten.*, *Tenebr.* 803.
- Nyctaea* Berthold, Latreille's Natürl. Fam. Tierreichs 1827, 338 = *Eucinetus* Germ. 1818. *Eucin.* I.
- Nyctelia* O Latr., Fam. Nat. 1825, 375; *Sol.*, ASEFr. 1836, 308; in *Gay*, H. Chile V, 139; *Lac.* V, 167; ASEFr. (5) 6, 1876, 156 (Mon.), (Typ. ?; *N. varipes* Fairm. 1876 [= *brunnipes* Latr. 1804], *N. nodosa* [Germ.] 1824) 1913:57 (Am. mer.). *Ten.*, *Nyctel.* 293.
- Nyctelioma* Cas., Rev. Mon. (= P. Ac. Wash. Ac. Sc.) X 1908, 163 = *Nyctelia* Latr. 1825. *Ten.*, *Nyctel.* 293.
- Nycterinus* Eschsch., ZoAtl. III, 1829, 9 et 13; *Sol.*, Studi ent. II, 1848, 154 (8), 267 (121); in *Gay*, H. Chile V, 1851, 213; *Lac.* V, 150 (*N. thoracicus* Eschsch. 1829) 1913:12 (Chile). *Ten.*, *Eleod.* 395.
- Nycteropus* O & Kl., Ins. Madag. 1833, 15; *Cast.*, HN. II, 1840, 202; *Lac.* V, 390. — Biol.: *Xambeu*, ASLLyon, 51, 1904, 119, 121 (*N. anthracinus* Kl. 1833) 1913:27 (Madag. 25, Comor. 1, Terr. Cap. 1). *Ten.*, *Tenebr.* 554.
- Nycteus* Blanch., H. Ins. II, 1845, 56 = *Eucinetus* Germ. 1818. *Eucin.* I.
- Nyctipates* Sol., Studi ent. II, 1848, 154 (8), 285 (139) = *Prosodes* Eschsch. 1829. *Ten.*, *Blapt.* 390.
- Nyctobates* O Guér., MaZo. 1834, *Melas.*, 33; *Cast.*, HN. II, 1840, 212; *Lac.* V, 371 (*N. gigas* [L.] 1787, *punctulatus* [F.] 1792) 1913:6 (Am. c. et mer.). *Ten.*, *Tenebr.* 793.
- Nyctobates* Horn, Rev. *Ten.*, 1870, 331; J. Lec. u. Horn, 1883, 377 = *Alobates* Motsch. 1872. *Ten.*, *Tenebr.* 794.
- Nyctobates* Motsch., BMosc. 45, 1872, 25 = *Taraxides* Waterh. 1876. *Ten.*, *Tenebr.* 786.
- Nyctocrepis* Motsch., Etud.E., 1852, 33 = *Cladodes* Sol. 1849. *Lamp.*, *Lampr.* 9.
- Nyctopetus* O Guér., Voy. Coquille, E. II, 1830, 97; *Lac.* V, 78; *Sol.* in *Gay*, H. Chile V, 1851, 131 (*N. tenebrioides* Guér. 1830) 1913:9 (Chile 8, Andes 1). *Ten.*, *Epitrag.* 56.
- Nyctophanes* Motsch. Etud. E. 1852, 134 = *Aspisoma* Cast. 1833. *Lamp.*, *Phot.* 24.
- Nyctophila* O Ern. Oliv., Ab. 22, 1884, 8; AMusG. 22, 1885, 352; GIW. 1907, 45 (*N. conspicua* [Gyll.] 1817) 1913:12 (Eur., As. mer.-occ., Afr.). *Lamp.*, *Lampi.* 36.
- Nyctoporis* O Eschsch., ZoAtl. IV, 1831, 11; *Lac.* V, 131; *Casey*, Rev. Mon. 1907, 502, 509 (*N. cristata* Eschsch. 1831) 1913:9 (Cal. 8, N.S.W. 1). *Ten.*, *Nyctop.* 260.
- Nyctozoilus* O Guér., Voy. Coquille E. II, 1830, 92; *Cast.*, HN. II, 1840, 189; *Lac.* V, 350 (*N. obesus* Guér. 1830) 1913:12 (Austral.). *Ten.*, *Helaei*, [*Nyctozoilinae*] 745.
- Nympharescus* O Ws., DEZ. 1905, 320; ArN. 76, I, 1, 1910, 99 (*N. separatus*

- [**Baly**] 1858) 1913:4 (Col., Ec.). *Chrys.*, *Hisp.*, *Aresc.* 15.
Nyphasia **Pasc.**, ANH. (3) 19, 1867, 313; **Gahan**, F. Brit. Ind. Col. I, 1906, 151 (*N. torrida* **Pasc.** 1867) 1913:5 (Ind. mer., Bombay, Birma, Siam, Saigun, Ceylon.). *Ceramb.*, *Cerambin.*, *Phorac.* 241.
Nypsius **O Champ.**, TESL., 1895, 219 (*N. aeneopiceus* **Champ.** 1895) 1913:2 (Tasm.). *All.*, *Allec.* 53.
Nysina **Gah.**, F. Brit. Ind. Col. I, 1906 153 (*N. orientalis* [**White**] 1853) 1913:1 (Assam, Birma). *Ceramb.*, *Cerambin.*, *Phorac.* 240.
Nyssicus **Pasc.**, TESL. (2) V, 1859, 67 (*N. quadriguttatus* [**Swed.**] 1877, *conspicillatus* [**Er.**] 1847) 1913:4 (Peru, Bras., Am.). *Ceramb.*, *Cerambin.*, *Sphaerio.* 245.
Nyssodrysina **Casey**. *Ceramb.* cf. P. II.
Oatesius Westw., Oates' Matabeleland ed. II, 1889, 376 = *Derosphaerius* Westw. 1881. *Ten.*, *Epitrag.* 80.
Obelistes Lefv., MSLiége (2) 11, 1885, 66; Ws., DEZ., 1885, 328 (*O. varians* Lefv.,) 1914:3 (Ashanti, Calab. veter.). *Chrys.*, *Eumolp.*, *Pras.* 106.
Oberea **Muls.** *Ceramb.* cf. P. II.
Oberonus **Casey**, AN YAcSc. 7, 1893, 581 (*O. obesus* **Casey** 1893) 1913:1 (Tennessee). *Dryop.*, * *Dryopi.*, *Dryopin.* 21.
Obriaccum **Thoms.**, Rev. MaZo. (3) VI, 1878, 23 = *Ossibia* **Pasc.** 1867. *Ceramb.*, *Cerambin.*, *Obri.* 362.
Obriaceum (**J. Thoms.**) **Aur.** in Schklig. et J., P. 39, 1912 in Indie. p. 500 = *Obriaccum* **Thoms.** 1835 = *Ossibia* **Pasc.** 1867. *Ceramb.*, *Cerambin.*, *Obri.* 362.
Obricala **O Raffr.**, Rev. d'E. 9, 1890, 117, 121; ASEFr. 73, 1904, 109; GIW. *Psel.* 1908, 199 (*O. foveicollis* **Raffr.** 1882) 1913:1 (Java). *Psel.*, *Psel.*, *Brachygl.* 216.
Obrida **O White**, Stoke's Discov. Austral. I, 1846, Append. p. 510 (*O. fascialis* **White** 1846) 1913:2 (N.S.W.; Queensl.). *Ceramb.*, *Cerambin.*, *Pyth.* 680.
Obrium **O Curt.**, Brit. E. II, 1825, t. 91; **Seidl.**, F. Balt. ed. 2, 1891, Gatt. p. 182; *Schaufuß* in Calwer, 843, 846; **Kuhnt**, 754, 775 (*O. cantharinum* [L.] 1767, *brunneum* [F.] 1792; *maculatum* [Ol.] 1795) 1913:34 (Am. 20, Palaearet.: Eur. c., etc. 4, As. 5, Polynes. 4, Aethiop. 1). *Ceramb.*, *Cerambin.*, *Obri.* 361.
Obrium **Latr.**, *Gutfl.-B.*, 579 = *Obrium* **Curt.**
Ocalea **Er.**, *Staph.* cf. P. II.
Ocalemia **O Pasc.**, TESL. (2) IV, 1858, 264; **J. Thoms.**, Class. Cer. 1860, 155; Syst. Cer. 1864, 407; **Lac.**, VIII, 1869, 452 (*O. vigilans* **Pasc.** 1858) 1913:2 (Tonkin, Malacca). *Ceramb.*, *Cerambin.*, *Lept.* 559.
Ochimus **O J. Thoms.**, Class. Cer. 1860, 370; Syst. Cer. 1864, 421 (*O. argentatus* **J. Thoms.** 1860) 1913:2 (Afr. mer., Madag.?). *Ceramb.*, *Cerambin.*, *Cleom.* 880.
Ochina **Redt.**, *Gutfl.-B.*, 402 [Ptin.!] = *Ochina* Steph. 1830.
Ochina **O Steph.**, Ill. Brit. E. Mand. III, 1830, 330, 342; Man. Brit. Col. 1839, 199; Sturm, XI, 91; **Blanch.**, H. Ins. II, 1845, 86; **Redtb.**, F. Austr. ed. I et II; **Bach**, II, 100, 107; **Lac.** IV, 318; **Jacq. du Val**, III, 218; *Muls. et Rey*, Téréd. 1864, 225; *Chenu*, Enc. II, 1870, 214; **Seidl.**, F. Ba. 118; F. Tr. 1889, 118, 540; *Faue.*, F. Col. Fr. 1892, 304; G. Col. Fr. 1894, 32; **Schilsky**, KäfEur. 36, 1899 (1900), 36C; **Lmr.**, Man. Belg. II, 1900, 266; **Reitt.**, Best. Tab. 47, 1901, 25, 37; F. Germ. III, 1911, 314, 317; **Everts**, II, 1903, 223; *Schaufuß* in Calwer, 725; **Kuhnt**, 676, 686 (*O. ptinoides* [**Mars.**] 1802) 1913:8 (Eur. c.

- et mer., Britan., N.Z.). *Anob.*, *Ernob.* 11.
- Ochodaeus* O Serv., Enc. méth. X, 1825, 300; *Muls.*, Lamell. 1842, 341; 1871, 493; *Er.*, NID. III, 1848, 921; *Lac.* III, 1856, 131; *Jacq. du Val.* III, 1859, 32; *J. Lee.*, TAmES. II, 1868, 50; *Horn*, l. c. V, 1876, 177; *Sem.*, HoR. 25, 1891, 312; *Reitt.*, VN. 30, 1892, 255; *Fall*, JoN YES. 17, 1909 30; *Schaufuß* in Calwer, 1286; *Kuhnt*, 382, 400. — Biol.: *Arrow*, TESL. 1904, 725 (*O. chrysomeloides* [Schrenk] 1781) 1913:60 (Eur., As., Afr., Madag., Amer.) — *O. (Lep. et Serv.) Gutfl.-B.*, 319 = *Ochodaeus* Serv. *Scar.*, *Ochod.* 1.
- Ochetrya* Pasc., JoE. I, 1862, 323 (*O. semiusta* Pasc. 1862) 1913:1 (Malab., Nilgh., Ceyl., Coromand.). *Rhag.* 2.
- Ochraesthes* J. Thoms., Class. *Cer.* 1860, 216, 219 = *Ochraesthes* Chevr. 1860. *Ceramb.*, *Ceramin.*, *Clyt.* 813.
- Ochraesthes* O Chevr., ASEFr. (3) 8, 1860, 454 (Typ.?; *O. Sommeri* et *polynosus* Chevr. 1835) 1913:21 (Am. c., Pan.). *Ceramb.*, *Ceramin.*, *Clyt.* 813.
- Ochranoxia* Kraatz, DEZ. 32, 1888, 208; *Reitt.*, WEZg. 8, 1889, 275; VN. 40 [Best.-Tab. 50] 256, 278 (*O. semiflava* Kraatz 1888) 1913:1 (Transcasp., Buchar.). *Scar.*, *Melth.*, *Melthi*. 355.
- Ochrestes* Lac., IX, 1869, 65 = *Ochraesthes* Chevr. 1860. *Ceramb.*, *Ceramin.*, *Clyt.* 813.
- Ochresthes* Bates, BCA.Col. V, 1880, 50 = *Ochraesthes* Chevr. 1860. *Ceramb.*, *Ceramin.*, *Clyt.* 813.
- Ochrostethes* Chevr., ASEFr. (3) 8, 1860, 472 = *Ochraesthes* Chevr. 1860. *Ceramb.*, *Ceramin.*, *Clyt.* 813.
- Ochrolamus* Reitt., Best.-Tab. 53, 1904, 71 = *Dilamus* Jacq. du Val 1861. *Ten.*, *Pedin.* 459.
- Ochropyga* Aur., *Ceramb. Lam.* cf. P. II.
- Ochrosis* Chrys. Halt. cf. P. II.
- Ochrus* Lac., Col. VIII, 1869, 225 (*O. grammaderus* Lac. 1869) 1913:1 (Cayenne). *Ceramb.*, *Ceramin.*, *Oem.* 81.
- Ochthonomus* Schmidt, StEZg. 3, 1842, 196; *Lucas*, Expl. Alg. 1847, 380; *Laf.*, Mon. 1848, 281; *Redt.*, F. Austr. ed. II, 1858, 640; *Bach*, III, 287; *Gutfl.-B.*, 433; *Lac.*, V, 2, 597; *Jacq. du Val*, III, 4, 370, 373; *Muls.* et *Rey*, Collig. 1866, 65 et 170; *Baudi*, Eterom. 1877, 87; *Seidl.*, F. Ba. 1890; F. Tr. 1891, 147; *Fauc.*, F. Col. Fr. 335; Gen. Col. Fr., 48; *Desbr.*, Faunule 1899, 3, 66.; *Pic*, BSHN. Macon, I, 1899, 191, 196; *Schaufuß* in Calwer, 744; *Kuhnt*, 699, 703 = *Endomia* Cast. 1840. *Anth.* 25.
- Ochthexenus* Motsch., BMosc. 33, 1860, II, 546 = *Omalium* Grav. 1802. *Staph.*, *Oxyt.*, *Omal.* 52.
- Ochyra* O Pasc., ANH. (4) 8, 1871, 273 (*O. coarctata* Pasc. 1871) 1913:2 (Tasm., N.S.W.). *Ceramb.*, *Ceramin.*, *Tillom.* 853.
- Ocnera* O Fisch., E. Ross. I, 1822, 169; *Lac.*, V, 184; *Jacq. du Val*, III, 1861, 260; *Kraatz*, Rev. *Ten.* 1865, 289; *Faust*, HoR. 11, 1875, 20i; *Allard*, ASEB. 27, 1883, I, 63; *Reitt.*, Best.-Tab. 25, 1893, 202, 216 (Typ.?; *O. imbricata* [Fisch.,] 1821, *hispida* [Forsk.] 1775) 1913:25 (As. c., Mediterr.) *Ten.*, *Pimel.* 367.
- Ocnida* Lefv., MSLiége (2) 11, 1885, (111 (*O. viridis* [Clark] 1865) 1914:3 Austral. occ.). *Chrys.*, *Eumolp.*, *Edus*. 205.
- Ocnodes* Fährs., Öfv. Vet. Ak. Förh. 27, 1870, 270 = *Psammodes* Kirby 1818. *Ten.*, *Molur.* 311.
- Ocnodus* Burm., Hd. E. IV, 2, 1855, 208; *Blackb.*, TRS. South Austral. 31, 1907, 277 (*O. decipiens* Burm. 1855) 1913:8 (Austral.). *Scar.*, *Melth.*, *Lipar.* 156.
- Ocnosispa* O Ws., ArN. 76, I, 1, 1910, 113 = Subg. 4 ad *Cephalodonta*.