A description of the lectotype of Chondrina farinesii granatensis

(Mollusca: Chondrininae).

By

M. R. ALONSO,

Department of Zoology, Science Faculty, University of Granada, Spain.

During the months of July and September, 1974, numerous examples of a subspecies of Chondrina farinesii, not mentioned in the monography of GITTENBERGER (1973) or in other publications on Spanish molluscs, and whose characteristics are not in accord with those of the other known subspecies of C. farinesii, on account of which it was described, without designating it a holotype, by its author (Alonso 1974) as Chondrina farinesii granatensis (fig. 1), whose description is the following:

Shell fusiform, elongated, of medium thickness and corneous violet-coloured, except for the first whorl which is of a yellowish shade, 7 whorls of slow growth with lines of marked suture but not deep; apex obtuse.

The aperture is oval-shaped and oblique, provided with 5 teeth: 1 short parietal, 1 smooth angular straight and well-developed, 2 long palatals inserted into the aperture and 1 strong columellar, showing 2 protuberances.

The peristoma is discontinuous, thick and of a whitish colour, reflected somewhat in the umbilicus (which is small), its edges being joined by a white parietal callosity. The surface of the shell is furnished with striads of varying thickness, with the exception of the first whorl which is smooth.

Its dimensions are the following: length: 6.4 mm; width: 2.4 mm; height of the aperture: 2 mm; width of the aperture: 1.6 mm.

Its type locality is the Cueva del Agua (Sierra Harana, Granada, Spain) at a height of 1760 metres and its coordinates U. T. M. are: 30SVG5432; it was collected on July 13th 1974 by its author.

The lectotype is to be found in the Department of Zoology in the University of Granada (Spain) termed DZUGRM-1; also to be found in the same place are 4 paralectotypes termed DZUGRM-2; 3 paralectotypes in the collection GITTENBERGER (Rijksmuseum van Natuurlijke Historie, Nederland); 3 paralectotypes in the collection WALDÉN (Naturhistoriska Museet, Göteborg, Sweden); 5 paralectotypes in the Department of Malacology, The Academy of Natural Sciences of Philadelphia, USA termed ANSP340483; Senckenberg-Museum Frankfurt a. M. SMF 244805/6; the remainder, in the author's private collection.

References.

Alonso, M. R. (1974): Un nuevo chondrinido de la provincia de Granada: Chondrina farinesii granatensis, n. ssp. (Mollusca, Pulmonata, Chondrininae). — Cuad. C. Biol., 3: 87-90, 2 pl.

GITTENBERGER, E. (1973): Beiträge zur Kenntnis der Pupillacea. III. Chondrininae. — Zool. Verh. Leiden, 127: 1-267.



Fig. 1. Chondrina farinesii granatensis, lectotype, 10/1.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: Archiv für Molluskenkunde

Jahr/Year: 1976

Band/Volume: 107

Autor(en)/Author(s): Alonso Maria Rosario

Artikel/Article: A description of the lectotype of Chondrina farinesii

granatensis (Mollusca: Chondrininae). 271-272