

TRICHOPTEROLOGICAL LITERATURE

- 1981
- McFarlane, A.G., Cowie, B., 1981, Descriptions of new species and notes on some genera of New Zealand Trichoptera. - *Rec. Canterbury Mus.* 9:353-385.
- 1985
- Hönel, B., 1985, Ökologische Untersuchungen über die Trichopterenfauna des Frohns- und Geißbaches (Saarland, Buntsandstein). - *Dipl.-Arb., Univ. Saarbrücken.*
- Neel, J.K., Sr., 1985, A northern prairie stream. - *Univ. of North Dakota Press*, 274 pp.
- Ruiter, D.E., Lavigne, R.J., 1985, Distribution of Wyoming Trichoptera. - *People, Crops, Soils, Livestock (Agr. Exper. Stat., Univ. of Wyoming)*, SM 47, 102pp.
- Togashi, I., Tanida, K., 1985, Insects intruded into a tunnel. Part 4. Caddisflies (Trichoptera) captured from Tsurugi-machi, Ishikawa Prefecture. - *Bull. Jap. Sea Res. Inst. Kanazawa Univ.* 17:67-72 (Japanese).
- 1986
- Herrmann, S.J., Ruiter, D.E., Unzicker, J.D., 1986, Distribution and records of Colorado Trichoptera. - *Southw. Nat.* 31:421-457.
- Hönel, B., Kohl, R., 1986, Trichopterenfauna aus Frohnsbach, Geißbach und Obertaler Bach bei Niederwürzbach, Saarland. - *Faun.-flor. Not. Saarland* 18:485-498.
- 1987
- Braga, A.M., 1987, Utilización de macroinvertebrados bentónicos como indicadores biológicos de la calidad del agua en el río Viao-Pilona (Asturias). - *Limnetica* 3:141-150.
- Cianficconi, F., Moretti, G.P., 1987, Tricotteri del Friuli-Venezia Giulia. - *Biogeographia* 13:663-689.
- Danks, H.V., Rosenberg, D.M., 1987, Aquatic insects of peatlands and marshes in Canada: Synthesis of information and identification of needs for research. - *Mem. Ent. Soc. Can.* 140:163-174.
- Ghosh, S.K., Chaudhury, M., 1987, A new species of *Eubasilissa* Martynov (Trichoptera: Phryganeidae) from India. - *Bull. zool. Surv. India* 8:185-186.
- Gibon, F.-M., 1987, Recherches sur les Trichoptères d'Afrique occidentale. 4. Notes sur le genre *Trichosetodes* (Leptoceridae). - *Bull. Soc. ent. Fr.* 91:103-106.
- Mickoleit, G., 1987, Limnologische Untersuchung des Alpebaches und seiner Nebenbäche (Oberbergischer Kreis, NRW). - *Decheniana* 140:164-173.
- Puig, M.A., González, G., Recasens, L., 1987, Modelos de distribución de Plecopteros, Efemerópteros, Tricotteros y Simulidos en el río Ter. - *Limnetica* 3:125-132.
- 1988
- Benson, L.J., Pearson, R.G., 1988, Diversity and seasonality of adult Trichoptera captured in a light-trap at Yuccabine Creek, a tropical Australian rainforest stream. - *Aust. J. Ecol.* 13:337-344.
- Cianficconi, F., Moretti, G.P., Di Domenico, M., 1988, I Tricotteri del F. Vomano. - *Boll. Mus. St. Nat. Lunigiana* 6-7(1986-1987):151-155.
- Dumnicka, E., Kasza, H., Kownacki, A., Krzyzanek, E., Kuflikowski, T., 1988, Effects of regulated stream on the hydrochemistry and zoobenthos in differently polluted parts of the upper Vistula River (Southern Poland). - *Hydrobiologia* 169:183-191.
- Kohl, R., 1988, Limnologisch-ökologische Untersuchungen an saarländischen Gewässern unter besonderer Berücksichtigung der Trichopterenfauna. - *Diss. Univ. Saarbrücken, math.-nat. Fak.*, 172 pp.
- Moretti, G.P., Cianficconi, F., Peroni, E., Ronca, M., 1988, Considerazioni sulle comunità macrobentoniche del sistema fluviale Paglia-Chiani. - *Boll. Mus. St. Nat. Lunigiana* 6-7(1986-1987):157-161.
- Smukalla, R., Meyer, E., 1988, Insect emergence from a shallow southern West German lake, with special reference to the parasitic host-associated water mite larvae. - *Hydrobiologia* 169:149-166.
- Tanida, K., 1988, Long term changes of macrobenthic invertebrate communities and stream environment in Jadani streams, Hakusan, Central Japan. - *Ann. Rep. Hakusan Nature Cons. Center* 15:21-48 (Japanese).
- Tanida, K., Nozaki, T., 1988, Water quality monitoring using the Trichoptera genera from Japan: a simple biotic index. - In: Yasuno, M., Whitton, B.A. (eds): *Biological monitoring of environmental pollution*. Tokai University Press, pp.131-139.
- Williams, N.E., 1988, The use of caddisflies (Trichoptera) in palaeoecology. - *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 62:493-500.
- 1989
- Basaguren, A., Orive, E., 1989, Spatio-temporal changes in the caddisfly (Trichoptera) communities of the River Lea basin (Basque County, North Spain). - *Ann. Limnol.* 25:61-68.
- Bergey, E.A., Ward, J.V., 1989, Upstream-downstream movements of aquatic invertebrates in a Rocky Mountain stream. - *Hydrobiologia* 185:71-82.
- Bowles, D.E., Mathis, M.L., 1989, Caddisflies (Insecta: Trichoptera) of mountainous regions in Arkansas, with new state records for the order. - *J. Kans. Ent. Soc.* 62:234-244.
- Cox, E.J., Wagner, R., 1989, Does *Agapetus fuscipes* cultivate algae in its case? - *Hydrobiologia* 175:117-120.
- Darrow, P.O., Holland, R.S., 1989, Influence of a collector-filterer caddisfly (Trichoptera: Hydropsyche *betteni* Ross) on leaf processing rates in an artificial stream. - *Hydrobiologia* 174:201-205.

- Dudgeon, D., 1989, The influence of riparian vegetation on the functional organization of four Hong Kong stream communities. - *Hydrobiologia* 179:183-194.
- Harper, P.P., 1989, Zoogeographical relationships of aquatic insects (Ephemeroptera, Plecoptera, and Trichoptera) from the Eastern James Bay Drainage. - *Can.Field-Nat.* 103:535-546.
- Higler, L.W.G., Verdonschot, P.F.M., 1989, Macroinvertebrates in the Demmerik ditches (The Netherlands): The role of environmental structure. - *Hydrobiol.Bull.* 23:143-150.
- van den Hoek, W.F., Cuppen, J.G.M., 1989, Life cycle and growth of *Trichostegia minor* (Curtis) in temporary woodland pools (Trichoptera: Phryganeidae). - *Hydrobiol.Bull.* 23:161-168.
- Kiss, O., 1989, A *Halesus digitatus* (Schrank, 1781) életciklusa az észak-magyarországi Bükk hegység folyóvizében. - *Acta Acad. Paedag.Agricensis, Sect.Biol.Chem., N.S.* 19/9:35-44.
- Lago, P.K., Mathis, M.L., Bowles, D.E., 1989, Records of *Chimarra socia* (Trichoptera: Philopotamidae) from interior highland streams in Arkansas and Missouri. - *J.N.Y.Ent.Soc.* 97:482-483.
- Malicky, H., 1989, On a collection of caddisflies from Oman (Insecta, Trichoptera). - *J.Oman Studies* 10:85-88.
- Mathis, M.L., Bowles, D.E., 1989, A new microcaddisfly genus (Trichoptera: Hydroptilidae) from the interior highlands of Arkansas, USA. - *J.N.Y.Ent.Soc.* 97:187-191.
- McCahon, C.P., Whiles, A.J., Pascoe, D., 1989, The toxicity of cadmium to different larval instars of the trichopteran larvae *Agapetus fuscipes* Curtis and the importance of life cycle information to the design of toxicity tests. - *Hydrobiologia* 185:153-162.
- Neboiss, A., 1989, The *Oecetis reticulata* species-group from the South-West Pacific area (Trichoptera: Leptoceridae). - *Bijdr.Dierk.* 59:191-202.
- Nishimoto, H., 1989, A new species of *Moropsyche* (Trichoptera, Limnephilidae) from Japan, with some notes on the genus. - *Jap.J.Ent.* 57:695-702.
- Nógrádi U., S., 1989, Locality data of the Trichoptera collection originating from the Carpathian Basin in the Hungarian Natural History Museum. - *Fol.Ent.Hung.* 50:147-156.
- Nógrádi U., S., 1989, Trichoptera data of the Hungarian Natural History Museum concerning the Northern Mountains, Hungary. - *Fol.Hist.-nat.Mus.Matr.* 14:87-98.
- Nógrádi U., S., 1989, A Mátra Múzeum tegzes (Trichoptera) gyűjteménye. - *Fol.Hist.-nat.Mus.Matr.* 14:99-106.
- Paugy, D., Elouard, J.-M., 1989, Recherches hydrobiologiques ORSTOM réalisées dans le cadre du programme de lutte contre l'Onchocercose. Bilan bibliographique commenté (1974-1987). - *Ed.ORSTOM (Paris)*, 145pp.
- Payne, B.S., Bingham, R.C., Miller, A.C., 1989, Life history and production of dominant larval insects on stone dikes in the lower Mississippi River. - NTIS, Order No. AD-A215922/6/GAR, 46pp.
- Pontasch, K.W., Cairns, J., Jr., 1989, Establishing and maintaining laboratory-based microcosms of riffle insect communities: their potential for multispecies toxicity tests. - *Hydrobiologia* 175:49-60.
- Rosillon, D., 1989, The influence of abiotic factors and density-dependent mechanisms on between-year variations in a stream invertebrate community. - *Hydrobiologia* 179:25-38.
- Rositer, A., 1989, Substratum selection and its role in the distribution of a net-spinning caddis larva. - *Physiol.Ecol.Jap.* 26:39-53. (about *Neureclipsis bimaculata*)
- Scrimgeour, G.J., Winterbourn, M.J., 1989, Effect of floods on epilithon and benthic macroinvertebrate populations in an unstable New Zealand river. - *Hydrobiologia* 171:33-44.
- Sibatani, A., Tanida, K. (eds), 1989, Recent progress of aquatic entomology in Japan, with special references to speciation and habitat segregation. - Tokai University Press, 184+21 pp. (Japanese)
- Stroot, P., 1989, Essai de valorisation de collections existantes de macroinvertébrés à des fins de synécologie et de typologie des eaux courantes par utilisation d'analyses multivariées. Exemple des Trichoptères du bassin mosan wallon. - *Diss., Fac.Univ. Notre-Dame de la Paix, Namur*, 203 pp.
- Stroot, P., 1989, Trichoptères. In: Evaluation, élaboration, execution et gestion d'actions d'urgence visant à sauvegarder des espèces menacées de disparition, en priorité les plantes inférieures et les invertébrés. Rapport final, 10 pp. *Inst.R.Sci.Nat.Belg., Bruxelles*.
- Suren, A.M., Lake, P.S., 1989, Edibility of fresh and decomposing macrophytes to three species of freshwater invertebrate herbivores. - *Hydrobiologia* 178:165-178. (about *Triplectides ciuskus*, *Notalina fulva*)
- Tanida, K., Maruyama, T., Saito, Y., 1989, Feeding ecology of Japanese Charr (*Salvelinus leucomaenis*) in a high moor and adjacent streams in Central Japan. - *Physiol.Ecol.Jap., spec.vol.1*:279-294.
- Verdonschot, P.F.M., Higler, L.W.G., 1989, Macroinvertebrates in Dutch ditches: a typological characterization and the status of the Demmerik ditches. - *Hydrobiol.Bull.* 23:135-142.
- Wade, K.R., Ormerod, S.J., Gee, A.S., 1989, Classification and ordination of macroinvertebrate assemblages to predict stream acidity in upland Wales. - *Hydrobiologia* 171:59-78.
- Wallace, J.B., Lugthart, G.J., Cuffney, T.F., Schurr, G.A., 1989, The impact of repeated insecticidal treatments on drift and benthos of a headwater stream. - *Hydrobiologia* 179:135-147.
- Yoon, I Byong, Kim, Ki Hong, 1989, A taxonomic study of the caddisfly larvae in Korea (II). - *Rhyacophilidae, Glossosomatidae.* - *Korean J.Ent.* 19:299-318.

1990

- Andersen, T., Ligaard, S., Söli, G.E.E., 1990, Faunistical records of caddis flies (Trichoptera) from Telemark, SE Norway. - Fauna norv. Ser. B 37:49-56.
- Andersen, T., Hansen, L.O., 1990, Caddis flies (Trichoptera) from five small islands in the middle Oslofjord, SE Norway. - Fauna norv. Ser. B 37:57-61.
- Aoya, K., Yokoyama, N., 1990, Production of two species of Stenopsyche (Trichoptera: Stenopsychoidea) in Tohoku District. - Jap. J. Limnol. 51:249-260.
- Armitage, B.J., Hamilton, S.W., 1990, Diagnostic atlas of the North American caddisfly adults. II. Ecnomidae, Polycentropodidae, Psychomyiidae, and Xiphocentronidae. - Caddis Press, Athens AL, 152 pp.
- Basaguren, A., Orive, E., 1990, Downstream changes in caddisfly composition and abundance in relation to changes in water conductivity and oxygen in the River Butron basin. - Int. Rev. ges. Hydrobiol. 75:303-316.
- Becker, G., 1990, Comparison of the dietary composition of epilithic trichopteran species in a first-order stream. - Arch. Hydrobiol. 120:13-40.
- Bellstedt, R., Joost, W., 1990, Zum Vorkommen von Anomalopterygella chauviniana Stein, 1874 (Trichoptera, Limnephilidae) in Thüringen. - Abh. Ber. Mus. Nat. Gotha 16:91-94.
- Bicchierai, M.C., 1990, Dispositivo androconiale in Beraeodes minutus L. (Trichoptera: Beraeidae). - Riv. Idrobiol. 27 (1988):481-495.
- Blanke, D., 1990, Zur Ephemeroptera-, Plecoptera- und Trichoptera-Fauna des südniedersächsischen Mittelgebirgsbaches Bever bei Markoldendorf (Kreis Northeim). - Braunschw. naturkundl. Schr. 3:669-697.
- Bongard, T., 1990, Key to the Fennoscandian larvae of Arctopsychoidea and Hydropsychoidea (Trichoptera). - Fauna Norv. Ser. B 37:91-100.
- Botosaneanu, L., 1990, A superspecies, or Formenkreis, in caddisflies: Micrasema (Superspecies gelidum) McLachlan (Trichoptera). Populational thinking versus Henningian fundamentalism. - Riv. Idrobiol. 27:181-210.
- Botosaneanu, L., 1990, Results of a trichopterological (Insecta: Trichoptera) travel to the Lesser Antilles in 1989. - Bull. Inst. r. Sci. Nat. Belg. Ent. 60:39-48.
- Botosaneanu, L., 1990, A second Antillean species of Amphoropsyche Holzenthal, 1985 (Trichoptera, Leptoceridae). - Bijdr. Dierk. 60:319-322.
- Bowles, D.E., Stephan, K., Mathis, M.L., 1990, A new method for collecting adult phryganeid caddisflies (Trichoptera: Phryganeidae). - Ent. News 101:222-224.
- Bueno Soria, J., 1990, Estudios en insectos acuáticos VIII. Revision para Mexico y Centroamerica del genero Polyplectropus Ulmer (Trichoptera: Polycentropodidae). - An. Inst. Biol. Univ. Autón. Máx., Ser. Zool. 61:357-404.
- Camargo, J.A., Garcia de Jalon, D., 1990, The downstream impacts of the Burgomillodo reservoir, Spain. - Regul. Rivers 5:305-317.
- Cartwright, D.I., 1990, The Australian species of Ecnomus McLachlan (Trichoptera: Ecnomidae). - Mem. Mus. Vict. 51:1-48.
- Casado, C., Montes, C., Garcia de Jalón, D., 1990, Contribución al estudio faunístico del bentos fluvial del Río Lozoya (Sierra de Guadarrama, Espana). - Limnética 6:87-100.
- Christian, A., 1990, Köcherfliegenfunde aus der Oberlausitz (Insecta, Trichoptera). - Abh. Ber. Naturkundemus. Görlitz 63(11):39-42.
- Cianficconi, F., Corallini, Sorcetti, C., Pirisinu, Q., Zaganelli, C., 1990, Ripartizione delle comunità tricoterologiche e coleotterologiche nelle tre isole del Lago Trasimeno. - Riv. Idrobiol. 27(1988):497-546.
- Cios, St., 1990, Report on the food of grayling in the rivers Drawa and Wda, Northern Poland. - Il Prodotto Chimico (Milano), ottobre 1990:2-8. (about Brachycentrus subnubilus)
- Crichton, M.I., 1990, Final observations on British Limnephilidae (Trichoptera) from the Rothamsted insect survey, 1969-84. - Riv. Idrobiol. 27(1988):211-229.
- Czachorowski, St., 1990, Chruściki (Trichoptera) drobnych cieków okolic Olsztyna. - Frag. Faun. (Warszawa) 33:101-108.
- Darlington, S.T., Gower, A.M., 1990, Location of copper in larvae of Plectrocnemia conspersa (Curtis) (Trichoptera) exposed to elevated metal concentrations in a mine drainage stream. - Hydrobiologia 196:91-100.
- Denis, C., 1990, Les segments génitaux des femelles des Rhyacophiloidea et des Hydropsychoidea (Trichoptera) et leurs organes sensoriels. - Riv. Idrobiol. 27(1988):231-245.
- Drecktrah, H.G., 1990, Larval and pupal descriptions of Marilia fusca (Trichoptera: Odontoceridae). - Ent. News 101:1-8.
- Erman, N.A., Erman, D.C., 1990, Biogeography of caddisfly (Trichoptera) assemblages in cold springs of the Sierra Nevada (California, USA). - Contr. Calif. Water Res. Center 200:VIII+29 pp.
- Feminella, J.W., Resh, V.H., 1990, Hydrologic influences, disturbance, and intraspecific competition in a stream caddisfly population. - Ecology 71:2083-2094.
- Flint, O.S., Jr., Harp, P.A., 1990, Lepidostoma (Nosopus) ozarkense (Trichoptera: Lepidostomatidae), a new species from Arkansas. - Ent. News 101:81-87.
- Flint, O.S., Jr., 1990, Studies of Neotropical caddisflies, XLIII: Trichoptera collected in Chile by S. Jacquemart from 1975 to 1977. - Bull. Inst. R. Sci. Nat. Belg. Ent. 60:115-121.
- Florin, J., 1990, Beitrag zur Kenntnis der Köcherfliegenfauna des Ruggeller Rietes (Trichoptera). - Ber. Bot.-Zool. Ges. Liechtenstein-Sargans-Werdenberg (Vaduz) 18:357-367.

- Friedländer, M., Jeger, R.E., 1990, Phylogenesis of spermatogenesis in Annulipalpia caddisflies: An ultrastructural analysis on Philopotamidae spermogenesis. - J. Structural Biol. 105:75-79.
- Gattaponi, P., Corallini Sorcetti, C., 1990, Regime alimentare di alcune specie ittiche del Lago di Bolsena (Viterbo): Componente tricotterologica e reperti parassitologici. - Riv. Idrobiol. 27(1988):547-564.
- Gislason, G.M., Halbach, U., Flechtner, G., 1990, Habitats and life histories of the Trichoptera in Thjorsarver, central highlands of Iceland. - Fauna norv. Ser. B 37:83-90.
- Glover, J.B., Tarter, D.C., 1990, The Leptoceridae (Trichoptera) of West Virginia. - Ent. News 101:35-38.
- González, M.A., Cobo, F., Iglesias, J.C., 1990, Observaciones sobre los Tricópteros de la Península Ibérica. IX: Provincias de Cádiz y Huelva, Surcoeste de Espana (Insecta: Trichoptera). - Bol. Asoc. esp. Ent. 14:211-218.
- Gullefors, B., Müller, K., 1990, Seasonal and diurnal occurrence of adult caddisflies (Trichoptera) from the brackish water of the Bothnian Sea. - Aquat. Insects 12:227-239.
- Hamilton, S.W., Morse, J.C., 1990, Southeastern caddisfly fauna: Origins and affinities. - Fla. Ent. 73:587-600.
- Harper, P.P., 1990, Associations of aquatic insects (Ephemeroptera, Plecoptera, and Trichoptera) in a network of subarctic lakes and streams in Québec. - Hydrobiologia 199:43-64.
- Harris, S.C., Holzenthal, R.W., 1990, Hydroptilidae (Trichoptera) of Costa Rica: The genus *Mayatrichia* Mosely. - J. N.Y. Ent. Soc. 98:453-460.
- Hatakeyama, S., Shiraishi, H., Kobayashi, N., 1990, Effects of aerial spraying of insecticides on nontarget macrobenthos in a mountain stream. - Ecotoxicol. Environ. Saf. 19:254-270.
- Herrmann, S.J., 1990, New record and range extension for *Rhyacophila wallowa* (Trichoptera: Rhyacophilidae) from Rocky Mountain National Park, Colorado. - Ent. News 101:141-142.
- Ismail, A.R., Edington, J.M., 1990, Redescription of *Hydromanicus malayanus* Banks, 1931 (Trichoptera: Hydropsychidae). - Aquat. Insects 12:193-198.
- Ito, T., 1990, Lepidostomatid caddisflies (Trichoptera) from the Yakushima and Amami-ohshima Islands of Japan, with descriptions of three new species. - Jap. J. Ent. 58:361-373.
- Ito, T., 1990, Taxonomic notes on the Japanese Lepidostomatid caddisflies (Trichoptera). - Jap. J. Ent. 58:781-793.
- Ito, T., Asahina, S., 1990, Lepidostomatid caddisflies from Mishima Springs and western Kanto, Central Japan in the 1930-40's. - Gekkau-Mushi 237:20-21. (Japanese)
- Kohl, R., 1990, Möglichkeiten der Gewässerbewertung mit Köcherfliegenlarven / Limnologisch-ökologische Untersuchungen zur saarländischen Trichopterenfauna. - Abh. Delattinia (Saarbrücken) 19:1-65.
- Kornijów, R., Gulati, R.D., van Donk, E., 1990, Hydrophyte-macroinvertebrate interactions in Zwemlust, a lake undergoing biomanipulation. - Hydrobiologia 200/201:467-474.
- Krušnik, C., 1990, Nove vrste mladoletnic (Insecta, Trichoptera) za favno Slovenije. - Biol. Vestn. (Ljubljana) 38:39-44.
- Kumanski, K., 1990, Studies on the fauna of Trichoptera (Insecta) of Korea. I. Superfamily Rhyacophiloidea. - Hist. nat. bulg. 2:36-59.
- Lehrke-Ringelmann, D., Reusch, H., 1990, Untersuchungen zur Längszonierung von Fließgewässerinsekten im norddeutschen Tiefland. - Verh. Westdt. Ent. Tag (Düsseldorf) 1989:81-88.
- Li Youwen, Tian Lixin, 1990, Four new caddisflies from China (Trichoptera: Hydropsychidae). - Trich. Newsl. 17:15-18.
- Li Youwen, Tian Lixin, 1990, Notes on the subgenus *Ceratopsyche* (Trichoptera: Hydropsychidae: Hydropsyche) from China with descriptions of nine new species. - Entomotaxonomia 12(2):127-138.
- Loudon, C., Alstad, D.N., 1990, Theoretical mechanics of particle capture: Predictions for hydropsychid caddisfly distributional ecology. - Am. Nat. 135:360-381.
- McFarlane, A.G., 1990, A generic key to late instar larvae of the New Zealand Trichoptera (Caddis Flies). - Rec. Canterbury Mus. 10(3):25-38.
- McFarlane, A.G., 1990, Erratum to: McFarlane, A.G., and Cowie, B., 1981. Descriptions of new species and notes on some genera of New Zealand Trichoptera. Records of the Canterbury Museum 9:353-385. - Rec. Canterbury Mus. 10(3):38.
- McFarlane, A., Ward, J.B., 1990, *Triplectidina moselyi* n.sp., a previously misidentified New Zealand caddis-fly (Trichoptera: Leptoceridae). - New Zealand Ent. 13:55-59.
- Malicky, H., 1990, Feeding tests with caddis larvae (Insecta: Trichoptera) and amphipods (Crustacea: Amphipoda) on *Platanus orientalis* (Platanaceae) and other leaf litter. - Hydrobiologia 206:163-173.
- Malicky, H., 1990, Spuren der Eiszeit in der Trichopterenfauna Europas (Insecta, Trichoptera). - Riv. Idrobiol. 27(1988):247-297.
- Malicky, H., 1990, Zur Insektenfauna von Hospental, 1500m, Kanton Uri. IV. Trichoptera (Köcherfliegen). - Ent. Ber. Luzern 24:123-128.
- Matsumoto, K., Eguchi, M., 1990, Population study of a caddisfly, *Perissoneura paradoxa* McLachlan (Odontoceridae, Trichoptera), with special reference to wing color polymorphism. II. Microgeographic variations in the frequency of wing spot types. - Jap. J. Ent. 58:325-334.

- Matsumoto, K., Eguchi, M., 1990, Female mating frequency in the caddisfly, *Perissoneura paradoxa* McLachlan, estimated by the spermatophore counts. - Jap.J.Ent. 58:670-672. (Japanese)
- Mey, W., Joost, W., 1990, *Rhyacopsyche mutisi* n.sp. - a new microcaddisfly with an unusual larva from Colombia (Trichoptera, Hydroptilidae). - Stud.Neotrop.Fauna Environm. 25:133-138.
- Mey, W., 1990, Neue Köcherfliegen von den Philippinen (Trichoptera). - Opusc.zool.flumin. 57:1-19.
- Mey, W., 1990, Neue und wenig bekannte Arten der Gattung *Hydropsyche* Pictet von den Philippinen. - Dt.ent.Z., N.F. 37:413-424.
- le Moli, F., Gianotti, F.S., Pirisinu, Q., Maffei, A., 1990, Prime indagini sperimentali sul comportamento troglofilo degli insetti tricotteri (Trichoptera - Stenophylacinae). - Riv.Idrobiol. 27(1988):565-573.
- Morse, J.C., 1990, *Protoptila morettii* (Trichoptera: Glossosomatidae), a new caddisfly species from the southeastern United States. - Riv.Idrobiol. 27(1988):299-308.
- Neboiss, A., 1990, The family *Psychomyiidae* (Trichoptera) re-established in Australia. - Mem.Mus.Vict. 51:83-86.
- Neboiss, A., 1990, Trichoptera of the families *Goeridae* and *Lepidostomatidae* from Sulawesi, Indonesia. - Mem.Mus.Vict. 51:87-92.
- Nógrádi U., S., Uherkovich, A., 1990, The Trichoptera fauna of the Zselic Downs, Hungary. - Janus Pannonius Múz.Evkönyve 34:15-38.
- Nozaki, T., Gytoku, N., 1990, Seasonal change of caddisflies (Trichoptera; Insecta) from daily light trap collections on Chikushino City, Northern Kyushu, Japan. - Biol.Inl.Wat. 5:10-17. (Japanese)
- Reusch, H., Luszick, F., 1990, Selten im Niedersächsischen Tiefland gefangene Köcherfliegenarten (Trichoptera). - Braunsch.naturkundl.Schr. 3:711-717.
- Robert, B., Schmidt, C., 1990, Zur Unterscheidung der Weibchen von *Potamophylax cingulatus* (Stephens 1837) und *Potamophylax latipennis* (Curtis 1834) (Trichoptera: Limnephilidae). - Ent.Z.(Essen) 100:293-312.
- Rojas-Camousseight, F., Tachet, H., 1990, Les femelles d'*Hydroptila* du groupe *sparsa* (Trichoptera, Hydroptilidae). - Riv.Idrobiol. 27(1988):309-316.
- Rondorf, D.W., Gray, G.A., Fairley, R.B., 1990, Feeding ecology of subyearling chinook salmon in riverine and reservoir habitats of the Columbia River. - Trans.Am.Fish.Soc. 119:16-24.
- Ruiter, D.E., 1990, A new species of *Neotrichia* (Trichoptera: Hydroptilidae) from Colorado with additions and corrections to the distribution and records of Colorado Trichoptera. - Ent.News 101:88-92.
- Rutt, G.P., Weatherley, N.S., Ormerod, S.J., 1990, Relationships between the physiochemistry and macroinvertebrates of British upland streams: The development of modelling and indicator systems for predicting fauna and detecting acidity. - Freshw.Biol. 24:463-480.
- Schimmer, H., Friedrich, G., 1990, Die Auswirkungen der Gewässerversauerung auf das Makrozoobenthon ausgewählter Mittelgebirgsbäche im Sauer- und Siegerland. - Lauterbornia 5:49-66.
- Schulte, H., Weinzierl, A., 1990, Beiträge zur Faunistik einiger Wasserinsektenordnungen (Ephemeroptera, Plecoptera, Coleoptera, Trichoptera) in Niederbayern. - Lauterbornia 6:1-83.
- Spinelli Batta, G., 1990, La pupa e l'esuvia di quattro specie del genere *Rhyacophila* (Trichoptera) endemiche dell'Appennino. - Riv.Idrobiol. 27(1988):585-592.
- Spuris, Z., 1990, Trešais vissavienibas Trichopterologu simpozijis.-Latv.Ent. 33:138.
- Stauder, A., 1990, Untersuchungen des Makrozoobenthos in einem Bach auf Madeira mit zoogeographischen Aspekten. - Diplomarbeit, Univ.Freiburg/Br., 141 pp.
- Szczesny, B., 1990, *Potamophylax cingulatus* Stephens - a polymorphic species? - Trich.Newsl. 17:11-13.
- Szczesny, B., 1990, Benthic macroinvertebrates in acidified streams of the Swietokrzyski National Park (Central Poland). - Acta Hydrobiol. (Kraków) 32:155-169.
- Tanida, K., 1990, Trichoptera fauna in streams near Mt.Hyonosen, Hyogo Prefecture (a preliminary report). - Hyōgo Freshw.Biol. 36/37:53-58.
- Tarter, D.C., 1990, A checklist of the caddisflies (Trichoptera) from West Virginia. - Ent.News 101:236-245.
- Wagner, R., 1990, Influence of temperature, photoperiod and nutrition on growth and consumption of *Chaetopteryx villosa* (Trichoptera). - Holarct.Ecol. 13:247-254.
- Wagner, R., 1990, A laboratory study on the life cycle of *Sericostoma personatum* (Kirby & Spence), and light dark-dependent food consumption. - Hydrobiologia 208:201-212.
- Wells, A., 1990, New species and a new genus of micro-caddisfly from northern Australia, including the first Australian record of the tribe *Stactobiini* (Trichoptera: Hydroptilidae). - Trans.R.Soc.S.Austr. 114:107-128.
- Wells, A., 1990, The hydroptilid tribe *Stactobiini* (Trichoptera: Hydroptilidae) in New Guinea. - Invertebr.Taxon. 3:817-849.
- Wells, A., Dudgeon, D., 1990, Hydroptilidae (Insecta: Trichoptera) from Hong Kong. - Aquat.Insects 12:161-175.
- Wetmore, S.H., Mackay, R.J., Newbury, R.W., 1990, Characterization of the hydraulic habitat of *Brachycentrus occidentalis*, a filter-feeding caddisfly. - J.N.Am.Benthol.Soc. 9:157-169.

- Wiggins, G.B., 1990, Systematics of North American Trichoptera: present status and future prospect. pp.203-210. In: Kosztarab, M., Schaefer, C. (eds), Systematics of the North American insects and arachnids: Status and needs. - Virginia Agric. Exper. Stat. Inf. Ser. 90-1. Blacksburg, Virginia
- Williams, D.D., 1990, A field study of the effects of water temperature, discharge and trout odour on the drift of stream invertebrates. - Arch. Hydrobiol. 119:167-181.
- Xue Yingen, Yang Lianfang, 1990, Seven new species of Hydroptilidae from China (Insecta: Trichoptera). - Acta Agric. Univ. Henanensis 24(1):124-131.
- 1991
- Bongard, T., Arnekleir, J.V., Haug, A., 1991, *Hydropsyche saxonica* McLachlan, 1884 (Trichoptera, Hydropsychidae) new to Norway. - Fauna norv. Ser. B 38:27-29.
- Botosaneanu, L., Flint, O.S., Jr., 1991, Contribution to the study of the genus *Helicopsyche* (Trichoptera) from Cuba, Hispaniola and Puerto Rico. - Bull. Zool. Mus. Amst. 12:197-219.
- Botosaneanu, L., Flint, O.S., Jr., 1991, Some *Helicopsyche* von Siebold species from Cuba and Hispaniola with conspicuous androconial systems (Insecta: Trichoptera: Helicopsychidae). - Proc. Ent. Soc. Wash. 93:176-185.
- Botosaneanu, L., 1991, Remarkable double androconial systems in some West Indian Trichoptera. - Ent. Ber., Amst. 51:64-68.
- Burmeister, E.-G., 1991, Der Massenflug von *Brachycentrus subnubilus* Curtis, 1834 in Passau im Mai 1990 (Insecta, Trichoptera, Brachycentridae). - Nachrbl. Bayer. Ent. 40:20-23.
- Ivanov, V.D., 1991, New caddisflies from the mountainous regions of Soviet Central Asia (Trichoptera). - Opusc. zool. flumin. 63:1-13.
- Ivanov, V.D., 1991, Caddisflies of the genus *Hydronema* in the USSR (Hydropsychidae). - Braueria 18:5-8.
- Johansson, A., 1991, Caddis larvae cases (Trichoptera, Limnephilidae) as anti-predatory devices against brown trout and sculpin. - Hydrobiologia 211:185-194.
- Johansson, A., Nilsson, A.N., Svensson, B.W., 1991, Larval morphology, habitat and distribution of *Limnephilus diphyes* (Trichoptera, Limnephilidae). - Ent. Tidskr. 112:19-25.
- Malicky, H., Chantaramongkol, P., 1991, Elf neue Köcherfliegen (Trichoptera) aus Thailand und angrenzenden Ländern (Studien über thailändische Köcherfliegen Nr.7). - Ent. Z. (Essen) 101:80-89.
- Malicky, H., Chantaramongkol, P., 1991, Einige *Leptocerus* Leach (Trichoptera, Leptoceridae) aus Thailand. - Braueria 18:9-12.
- Merrett, W.J., Rutt, G.P., Weatherley, N.S., Thomas, S.P., Ormerod, S.J., 1991, The response of macroinvertebrates to low pH and increased aluminium concentrations in Welsh streams: multiple episodes and chronic exposure. - Arch. Hydrobiol. 121:115-125.
- Neboiss, A., 1991, Illustrated key to Australian Trichoptera families and genera. Melbourne, 41 pp.
- Nógrádi U.S., Uherkovich, A., 1991, Caddisflies of the Eastern Mecsek Mountains, Hungary (Trichoptera); II. - Janus Pannonius Múz. Evkönyve (Pécs) 35:19-25.
- Ro, Tae Ho, Yoon, Il Byong, 1991, Relationships between aquatic physiochemical factors and population fluctuations of two species of net-spinning caddisflies (Hydropsychidae: Trichoptera). - Korean J. Environ. Biol. 9:18-28. (Korean)
- Siegenthaler-Moreillon, C., 1991, Les Trichoptères de Suisse occidentale (Insecta, Trichoptera). - Thèse, Fac. Sci., Univ. Lausanne, 185 pp.
- Solem, J.O., Solem, T., 1991, Mate location and pre-mating behaviour in *Apatania fimbriata* Pictet (Trichoptera, Limnephilidae). - Aquat. Insects 13:1-8.
- St. Clair, R.M., 1991, The genus *Notalina* (Trichoptera: Leptoceridae: Triplectidinae) in southeastern Australia, with descriptions of the larvae and pupae. - Invertebr. Taxon. 4:895-934.
- Towns, D.R., 1991, Ecology of leptocerid caddisfly larvae in an intermittent South Australian stream receiving Eucalyptus litter. - Freshw. Biol. 25:117-129.
- Uherkovich, A., Nógrádi U.S., 1991, Trichoptera fauna of a typical cultivated region of the Carpathian Basin by light trap examination. - Janus Pannonius Múz. Evkönyve (Pécs) 35:27-32.

NOTE. Normally only those papers with at least one species of Trichoptera identified by scientific name, are included in the list. If a paper was not seen by the editor, i.e. if only the reference was available, and in the title only 'macroinvertebrate' or a similar expression is given, the paper will NOT be listed. Authors are requested to indicate clearly in the titles of their papers which animal groups and species are included.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Braueria](#)

Jahr/Year: 1991

Band/Volume: [18](#)

Autor(en)/Author(s): Malicky Hans

Artikel/Article: [Trichopterological Literature 23-28](#)