

## TRICHOPTEROLOGICAL LITERATURE

Please help to complete this literature list by sending me reprints or references, including dissertations and similar papers. If you send reprints, please make sure that the complete reference is included, that is the title of the journal, the volume, the year of publication, and the original page numbers.

1980

Bautista,M.-I. 1980  
Contribució a l'estudi dels Trichòpters d'Andorra.  
- Butll.Int.Cat.Hist.Nat.(sec.Zool.) 45:89-96.

1989

Lewis,S.E. 1989  
Bibliographic data on fossil Trichoptera from the Upper Mesozoic and the Cenozoic of the Nearctic, Neotropical, Palearctic and Oriental zoogeographical regions. - Occ.pap.Paleobiol.St Cloud State Univ. 3(7):1-22.

1990

Lewis,S.E., Heikes,P.M. 1990  
Entomofauna from the Emerald Creek site 1 (Miocene) near the Sunshine Mine, Benewah County, Idaho. - Occ.pap.Paleobiol.St Cloud State Univ. 4(14):1-5.

Lewis,S.E., Heikes,P.M. 1990  
Entomofauna from the Emerald Creek site 2 (Miocene) near Fernwood, Idaho. - Occ.pap.Paleobiol.St Cloud State Univ. 4(15):1-5.

Lewis,S.E., Heikes,P.M., Lewis,K.L. 1990  
Entomofauna from the Ruby River Basin (Oligocene) near Alder, Montana. - Occ.pap.Paleobiol.St Cloud State Univ. 4(8):1-15.

Lewis,S.E., Heikes,P.M., Lewis,K.L. 1990  
Entomofauna from the Clarkia site (P-33) (Miocene) near Clarkia, Idaho. - Occ.pap.Paleobiol.St Cloud State Univ. 4(10):1-8.

Lewis,S.E., Heikes,P.M., Lewis,K.L. 1990  
Entomofauna from the Brick Yard site (Miocene) near Spokane, Washington. - Occ.pap.Paleobiol.St Cloud State Univ. 4(11):1-16.

1991

Krno,I. 1991  
Macrozoobenthos of the Tatra lakes littoral (The High Tatras) and its affection by acidification. - Biologia (Bratislava) 46:495-508.

Krno,I. 1991  
Macrozoobenthos litorálu jazier západných Tatier a ich odtokov. - Zborník prác o tatranskom narodnom parku 31:217-227.

Lewis,S.E., Heikes,P.M. 1991  
Fossil caddisfly cases (Trichoptera), Miocene of eastern Washington, U S A. - Occ.pap.Paleobiol.St Cloud State Univ. 4(18):1-8.

Lewis,S.E., Heikes,P.M. 1991  
Fossil caddisfly wing (Trichoptera), Miocene of eastern Washington, U S A. - Occ.pap.Paleobiol.St Cloud State Univ. 4(19):1-6.

Lewis,S.E., Heikes,P.M. 1991  
Fossil caddisfly case (Trichoptera), Oligocene of eastern Washington, U S A. - Occ.pap.Paleobiol.St Cloud State Univ. 4(20):1-7.

Lewis,S.E., Heikes,P.M. 1991  
Fossil caddisfly case (Trichoptera), Oligocene of north central Oregon, U.S.A. - Occ.pap.Paleobiol.St Cloud State Univ. 4(21):1-6.

1992

Barnese,L.E., Lowe,R.L. 1992  
Effects of substrate, light, and benthic invertebrates on algal drift in small streams. - J.NABS 11:49-59. (on *Brachycentrus americanus*)

Krno,I. 1992  
(Trichopterans of the Zitava river basin). - Rosalia 8:135-146. (in Slovak)

Kuhara,N. 1992  
Notes on insect fauna of the Nagahashi Naeba area, Otaru, central Hokkaido, Japan. No.4 Trichoptera. - Bull.Otaru Mus. 6:45-46. (Japanese)

Lewis,S.E., Carroll,M.A. 1992  
Caddisfly case impression from the John Day Formation (Oligocene), north central Oregon. - Occ.pap.Paleobiol.St Cloud State Univ. 6(2):1-6.

Lewis,S.E., Rudolph,B.D., Kaczmarek,J.C. 1992  
Fossil Trichoptera from the Ruby River Range (Oligocene), near Alder, Montana. - Occ.pap.Paleobiol.St Cloud State Univ. 6(3):1-9.

1993

Dallai,R., Afzelius,B.A. 1993  
Development of the accessory tubules of insect sperm flagella. - J.Submicroscopic Cytol.Pathol. 25:499-504.

Lindenberg,S. 1993  
Application of the gut fluorescence method on the littoral herbivore, *Tinodes waeneri* (Trichoptera), in Lake Esrom, Denmark. - Verh.IVL 25:587-592.

Manuel,K.L., Bohart,R.M. 1993  
First report of a twisted-wing insect (Strepsiptera) larva in a caddisfly (Trichoptera). - Ent.News 104:139.

Mey,W. 1993  
Kommentiertes Verzeichnis der Köcherfliegen (Trichoptera) der Länder Berlin und Brandenburg, pp.135-145. - In: Gerstberger,M., Mey,W. (Hrsg.): Fauna in Berlin und Brandenburg. Schmetterlinge und Köcherfliegen. Berlin.

Soshkin,D.V. 1993  
Parasitic protozoans in water larvae of insects in the basin of the river Ucha near Moscow. - Parasitologija (St.Petersburg) 27:327-331.(Russian)

1994

Burkhardt,R. 1994  
Aspekte der ökologischen Isolation der Trichopteren in den Fließgewässern des Vogelsberges. - Beitr.Naturk.Osthessen 29:59-88.

Kiffney,P.M., Clements,W.H. 1994  
Effects of heavy metals on a macroinvertebrate assemblage from a Rocky Mountain stream in experimental microcosms. - J.NABS 13:511-523.

Muotka,T., Penttinen,A. 1994  
Detecting small-scale spatial patterns in lotic predator-prey relationships: statistical methods and a case study. - Can.J.Fish.Aqu.Sci. 51:2210-2218.

Regei,K.V. 1994  
*Microsomacanthus paraparvula* sp.n. (Cestoda: Hymenolepididae), the parasite of diving ducks of Chukotka. - Parasitologija (St.Petersburg) 28:92-98.(Russian) (on *Grensia praeterita*)

Ruiz Garcia,A. 1994  
Primera cita de *Rhyacophila fonticola* Giudicelli, 1984 (Trichoptera: Rhyacophilidae) en la Península Ibérica. - Bol.Asoc.Esp.Ent. 18:105.

- Soto,J.de, Fernandez-Alaez,M., Luis-Calabuig,E., Fernandez-Alaez,C. 1994  
Spatial and temporal distribution of the caddisfly (Trichoptera) communities of the Sil basin (NW Spain). - Verh.IVL 25:1716-1722.
- Yangdong Pan, Lowe,R.L. 1994  
Independent and interactive effects of nutrients and grazers on benthic algal community structure. - Hydrobiologia 291:201-209. (on *Helicopsyche borealis*)
- Yasuno,M., Hatakeyama,S. 1994  
Monitoring of heavy metal pollution with freshwater invertebrates. Pp.158-160. - In:Salanki,J., Jeffrey,D., Hughes,G.M.(eds.): Biological monitoring of the environment: a manual of methods. CAB International, Paris. 167 pp.
- 1995
- Alecke,C. 1995  
Trichopterenstudien im Einzugsgebiet des Ladberger Mühlenbaches (Münsterländer Tieflandbucht). - Verh.Westdt.Ent.tag 1994:119-131.
- Andrikovics,S., Kiss,O., Mikus,L., Vizslán,L. 1995  
Adatok a Zempléni-hegység Trichoptera faunájának ismeretéhez. - Acta Acad.Agr.N.S. 21(Suppl.1):117-124.
- Bohle,H.W. 1995  
Gehäuse der Köcherfliegen - Struktur, Entstehung und Funktion. - Verh.Westdt.Ent.tag 1994:143-154.
- Cain,D.J., Luoma,S.N., Axtmann,E.V. 1995  
Influence of gut content in immature aquatic insects on assessment of environmental metal contamination. - Can.J.Fish.Aqu.Sci. 52:2736-2746.
- Camargo,J.A., García de Jalón,D. 1995  
Structural and trophic changes in a riverine macrobenthic community following impoundment for hydroelectric power generation. - J.Freshw.Ecol. 10:311-317.
- Camargo,J.A., LaPoint,T.W. 1995  
Fluoride toxicity to aquatic life: a proposal of safe concentrations for five species of Palearctic freshwater invertebrates. - Arch.Environm.Contam.Toxicol. 29:159-163.
- Collier,K.J., Smith,B.J. 1995  
Sticky trapping of adult mayflies, stoneflies and caddisflies alongside three contrasting stream near Hamilton, New Zealand. - NZ Nat.Sci. 22:1-9.
- Gawne,B. 1995  
Effects of feeding *Agapetus* species (Trichoptera) on the density of epilithon in an Australian upland stream. - Mar.Freshw.Res. 46:991-997.
- Gawne,B., Lake,P.S. 1995  
Effects of microspatial complexity on a herbivore-epilithon interaction in an Australian upland stream. - Freshw.Biol. 33:557-565. (on *Agapetus monticolus*)
- Geissen,H.-P. 1995  
Bemerkenswerte Wasserinsekten aus dem Raum Koblenz (Insecta: Heteroptera, Ephemeroptera, Diptera, Trichoptera, Planipennia). - Fauna Flora Rheinland-Pfalz 8:25-32.
- Ghosh,S.K., Chaudhury,M. 1995  
Trichoptera. Pp.75-79. - In: Ghosh,A.K.(ed.): Fauna of western Himalaya. Part 1: Uttar Pradesh. Zool.Surv.India, Calcutta. 228 pp.
- Klima,F. 1995  
Die Köcherfliegenfauna Deutschlands - aktueller Kenntnisstand und Schwerpunkte der weiteren Bearbeitung (Insecta: Trichoptera). - Verh.Westdt.Ent.tag 1994:113-118.
- Krno,I., Sporka,F., Tirjaková,E., Bulánková,E. 1995  
Influence of the construction of the Turček reservoir on the organisms of the river bottom. - Fol. Fac.Sci.Nat.Univ.Masaryk.Brunensis, Biol. 91:53-62.
- Krušník,C. 1995  
Pohorské mladoletnice. - Proteus 57:364-365.
- Mangeaud,A. 1995  
Tiempo optimo de captura de Trichoptera adultos (Insecta), utilizando trampas de luz. - Rev.Asoc.Ci.Nat.Litoral 26:61-63.
- Masteller,E.C. 1995  
Emergence of aquatic insects during March-April 1993 from streams in the Chiricahua National Monument. - US Forestry Service General Tech.Rep. RM 264:586-589,665.
- Muir,D.C.G., Pastershank,G.M., Crosley,R., Noton,L., Ramamoorthy,S., Brownlee,B. 1995  
Pathways of accumulation and temporal trends of PCDD/Fs in fishes downstream from a bleached kraft pulp mill on the Athabasca River (Alberta). - Organohalogen Compounds 24:463-468.
- Novokshonov,V.G., Ivanov,V.D., Sukacheva,I.D. 1995  
New Jurassic caddis flies (Insecta, Phryganeida - Trichoptera) from Siberia and Mongolia. - Paleontol.J. 29:157-163.
- Pan,Y., Lowe,R.L. 1995  
The effects of hydropsychid colonization on algal response to nutrient enrichment in a small Michigan stream,U.S.A. - Freshw.Biol. 33:393-400.
- Pöpperl,R., Otto,C.-J. 1995  
Zur Fangbarkeit meromittner Insekten mittels Lichtfalle. Untersuchungen am Belauer See (Schleswig-Holstein). - Schr.Natwiss.Ver.Schlesw.-Holst. 65:25-45.
- Qian Rong, Sridhar,K.R., Bärlocher,F. 1995  
Food selection in three leaf-shredding stream invertebrates. - Hydrobiologia 316:173-181. (on *Pycnopsyche guttifer*)
- Regel,K.V., Kashin,V.A. 1995  
A life cycle and fine morphology of embryonic shells of *Microsomacanthus paraparvula* (Cestoda: Hymenolepididae) the parasite of diving ducks in Chukotka. - Parasitologija (St.Petersburg) 29:511-519. (on *Grensia praeterita*)
- Reusch,H., Otto,C.-J., Peters, A. 1995  
Kontrolluntersuchungen zur ökologischen Effizienz von Sohlgleiten. - Fließgewässerrenaturierung in der Praxis: 141-156. Niedersächs.Landesamt für Ökologie, Hildesheim.
- Ruiz Garcia,A. 1995  
Primera cita de *Ithytrichia dovporiana* Botosaneanu, 1980 (Trichoptera: Hydroptilidae) en la Península Ibérica. - Boln.Asoc.esp.Ent. 19:203.
- Schuldt,J.A., Hershey,A.E. 1995  
Effect of salmon carcass decomposition on Lake Superior tributary streams. - J.NABS 14:259-268.
- Tang,J.-X., Siegfried,B.D. 1995  
Comparative uptake of a pyrethroid and organophosphate insecticide by selected aquatic insects. - Bull.Environ.Cont.Tox. 55:130-135.
- Walton,S.P., Welch,E.B., Horner,R.R. 1995  
Stream periphyton response to grazing and changes in phosphorus concentration. - Hydrobiologia 302:31-46.
- Yang,L.,Sun,C., Tian,L. 1995  
Trichoptera. Pp.286-295. - In: Wu,H.(ed.): Insects of Baishanzu Mountain, eastern China. China Forestry Publ.House, Beijing. 586 pp. (Chinese)

- Zahrádková,S., Fiala,M., Zahráda,J. 1995  
The Morava River - benthic macroinvertebrates and water quality. - *Fol.Fac.Sci.Nat.Univ.Masaryk.Brunensis, Biol.* 91:159-172.
- Zamora-Munoz,C., Alba-Tercedor,J. 1995  
Primera cita de *Halesus tessellatus* Rambur,1842 (Trichoptera: Limnephilidae) en la Peninsula Iberica. - *Bol.Asoc.Esp.Ent.* 19:200-201.
- 1996
- Brivio,M.F., Mazzei,C., Scari,G. 1996  
proPO system of *Allogamus auricollis* (Insecta): Effects of various compounds on phenoloxidase activity. - *Comp.Biochem.Physiol.B* 113B:281-287.
- Bueno-Soria,J., Santiago-Fragoso,S. 1996  
Estudios en insectos acuáticos, XIII. Especie nueva del género *Hydroptila* (Insecta: Trichoptera: Hydroptiliidae), de Veracruz, México. - *Anales Inst.Biol.Univ.Nac.Autón.México, Ser.Zool.* 67:343-347.
- Chvojka,P. 1996  
New faunistic records of Trichoptera (Insecta) from the Czech Republic. - *Čas.Nář.muz., Kadařírodot.(Praha)* 165:131-132.
- Gawne,B., Lake,P.S. 1996  
The effects of disturbance on a herbivore-epilithon interaction in an upland stream. - *Hydrobiologia* 331:153-160.
- Glover,J.B. 1996  
Larvae of the caddisfly genera *Triaenodes* and *Ylodes* (Trichoptera: Leptoceridae) in North America. - *Bull.Ohio Biol.Survey N.S.11(2):I-VII*, 1-89.
- Grubbs,S.A., Cummins,K.W. 1996  
Linkages between riparian forest composition and shredder voltinism. - *Arch.Hydrobiol.* 137:39-58.
- Haase,P. 1996  
Neue und seltene Köcherfliegen aus dem niedersächsischen Hügel- und Bergland (Insecta: Trichoptera). - *Lauterbornia* 25:41-46.
- Hall,R.O., Jr., Peredney,C.L., Meyer,J.L. 1996  
The effect of invertebrate consumption on bacterial transport in a mountain stream. - *Limnol.Oceanogr.* 41:1180-1187.
- Hiramatsu,K. 1996  
Estimation of larval size of a net-spinning caddis 'Hydropsyche orientalis' Martynov (Hydropsychidae; Trichoptera), from retreat length measurements in the field. - *Jap.J.Limnol.* 57:267-272. (Japanese)
- Hogg,I.D., Williams,D.D. 1996  
Response of stream invertebrates to a global-warming thermal regime: an ecosystem-level manipulation. - *Ecology* 77:395-407.
- Humpesch,U.H. 1996  
Case Study - the River Danube in Austria. - *Arch.Hydrobiol.Suppl.* 113:239-266.
- Kagaya,T. 1996  
Aquatic insects in the Tama-River - longitudinal distribution of caddisflies. - *Aquabiology (Tokyo)* 18:447-452. (Japanese)
- Kennedy,K.A. 1996  
Caddis flies (Trichoptera) from Fetlar, Shetland. - *Glasgow Naturalist* 23:44-47.
- Kiss,O., Schmera,D. 1996  
Die Köcherfliegen der Quellregionen des nordungarischen Bükk-Gebirges. - *Crunoecia* 5:67-70.
- Kovats,Z.E., Ciborowski,J.J.H., Corkum,L.D. 1996  
Inland dispersal of adult aquatic insects. - *Freshw.Biol.* 36:265-276.
- Krno,I., Pomichal,R., Degma,P. 1996  
6.3.Caddisflies (Trichoptera). - In: Krno,I., et al (eds): *Limnology of the Turiec River Basin (West Carpathians, Slovakia)*, pp.58-65. - *Biologia (Bratislava) Suppl.* 2:1-122.
- Lancaster,J. 1996  
Scaling the effects of predation and disturbance in a patchy environment. - *Oecologia* 107:321-331.
- Larsson,J.I.R. 1996  
Two tetrasporoblastic microsporidian parasites of caddis flies (Trichoptera) with description of the new species *Episeptum invadens* sp.n. and *Episeptum circumscripum* sp.n. (Microspora, Gurleyidae). - *Arch.Protistenkunde* 146:349-362.
- Li Peng Hsu, Chin Seng Chen 1996  
Four new species of lepidostomatid caddisflies (Trichoptera) from Taiwan. - *Chinese J.Ent.* 16:219-224.
- Liess,M., Schulz,R. 1996  
Chronic effects of short-term contamination with the pyrethroid insecticide fenvalerate on the caddisfly *Limnephilus lunatus*. - *Hydrobiologia* 324:99-106.
- Majecki,J. 1996  
Nowe i rzadkie dla fauny Polski chrząszciki z rodzaju *Triaenodes* McLachlan, 1865 i *Ylodes* Milne, 1934 (Trichoptera, Leptoceridae). - *Przeglad Zool.* 40:215-217.
- Malicky,H., Hellrigl,K. 1996  
Trichoptera - Köcherfliegen, Haarflügler. - In: Hellrigl,K.(ed.): *Die Tierwelt Südtirols*, pp.524-531. Naturmuseum Südtirol, Bozen.
- Malmqvist,B., Sackmann,G. 1996  
Changing risk of predation for a filter-feeding insect along a current velocity gradient. - *Oecologia* 108:450-458. (on *Rhyacophila nubila*)
- Mihuc,T.B., Minshall,G.W., Mihuc,J.R. 1996  
Species-environment relationships among filter-feeding caddisflies (Trichoptera: Hydropsychidae) in Rocky Mountain streams. - *Great Basin Nat.* 56:287-293.
- Morse,J.C., Holzenthal,R.W. 1996  
Trichoptera genera. Pp.350-386. - In: Merritt,R.W., Cummins,K.W. (eds.): *An introduction to the aquatic insects of North America*. Third edition. 862 pp. Kendall/Hunt, Dubuque.
- Moulton,S.R., II 1996  
Neotype designations and synonyms of some Texas caddisflies (Trichoptera). - *J.Kansas Ent.Soc.* 69:272-273.
- Moulton,S.R., II, Stewart,K.W. 1996  
Caddisflies (Trichoptera) of the interior highlands of North America. - *Mem.Amer.Ent.Inst.* 56, 313pp.
- Newman,R.M., Kerfoot,W.C., Hanscom,Z., III 1996  
Watercress allelochemical defends high-nitrogen foliage against consumption: effects on freshwater invertebrate herbivores. - *Ecology* 77:2312-2323.
- Nozaki,T. 1996  
Terrestrial environment for caddisflies. - *Aquabiology (Tokyo)* 107:430-433. (Japanese)
- Pan'kov,N.N., Ivanov,V.D., Novokshonov,V.G. 1996  
Caddisflies (Insecta, Trichoptera) of the Sylva River Basin, the Middle Urals. - *Russian Ent.J.* 5:97-106.
- Payne,B.S., Miller,A.C. 1996  
Life history and production of filter-feeding on stone dikes in the lower Mississippi River. - *Hydrobiologia* 319:93-102.

- Poole,R.W., Gentili,P. (eds.) 1996  
Nomina Insecta Nearctica: a checklist of the insects of North America. Volume 2: Hymenoptera, Mecoptera, Megaloptera, Neuroptera, Raphidioptera, Trichoptera. - Ent.Inform.Serv.,Rockville. 793 pp.
- Saito,K., Masuda,H., Naito,R. 1996  
Occurrence of caddisfly adults from summer to autumn in Kushiro wetland, eastern Hokkaido, Japan. - Biol.inland waters 11:20-24.(Japanese)
- Soldán,T., Papáček,M., Novák,K., Zelený,J. 1996  
The Šumava Mountains: an unique biocentre of aquatic insects (Ephemeroptera, Odonata, Plecoptera, Megaloptera, Trichoptera and Heteroptera - Nepomorpha). - Silva Gabreta 1:179-186.
- Solem,J.O., Andersen,T. 1996  
Trichoptera, Varfluer. - In: Aagard,K., Dolmen,D.(eds.): Limnofauna Norvegica, pp. 172-180. Tapir Forlag, Trondheim.
- Solem,J.O., Gullefors,B. 1996  
Trichoptera, Caddisflies. - In: Nilsson,A.N.,(ed.): Aquatic Insects of North Europe - a taxonomic handbook, pp.223-255. Apollo Books, Stenstrup.
- Sykora,J.L., McCabe,D.J. 1996  
New species of Rhyacophila from Virginia (Insecta: Trichoptera: Rhyacophilidae). - Ann.Carnegie Mus. 65:13-16.
- Tarter,D.C., Wilhelm,E.S., Bailey,J.E., Nowlin,M.K. 1996  
New record and range extension for Anisocentropus pyraloides (Trichoptera: Calamoceratidae) from West Virginia. - Ent.News 107:243-244.
- Valverde,A.C. 1996  
Descripción de los estados preimaginales y de los segmentos genitales de Polycentropus joergensei Ulmer, 1909 (Trichoptera, Polycentropodidae). - Revta.bras.Ent. 40:65-70.
- Wells,A., Andersen,T. 1996  
Two new Catoxyethira species from Tanzania (Trichoptera, Hydroptilidae) and a revised key to Tanzanian hydroptilids. - Tijd.Ent. 139:85-89.
- Wiggins,G.B. 1996  
Trichoptera families. Pp.309-349. - In: Merritt,R.W., Cummins,K.W. (eds.): An introduction to the aquatic insects of North America. Third edition. 862 pp. Kendall/Hunt, Dubuque.
- Wissinger,S.A., Sparks,G.B., Rouse,G.L., Brown,W.S., Steltzer,H. 1996  
Intraguild predation and cannibalism among larvae of detritivorous caddisflies in subalpine wetlands. - Ecology 77:2421-2430.
- 1997
- Andersen,T., Kjaeransen,J. 1997  
Notoernodes inornatus new genus, new species, first Beraeidae (Trichoptera) to be described from the Afrotropical region. - Proc.8th Int.Symp.Trich.:1-5. Ohio Biol.Survey, Columbus.
- Anderson,N.H. 1997  
Phenology of Trichoptera in summer-dry headwater streams in western Oregon, U.S.A. - Proc.8th Int.Symp.Trich.:7-13. Ohio Biol.Survey, Columbus.
- Angrisano,E.B. 1997  
Contribution to the knowledge of the larvae of Hydrobiosidae. I. Neopsiloschorema tricarinatum and Australochorema rectispinum. - Proc.8th Int.Symp.Trich.:15-17. Ohio Biol.Survey, Columbus.
- Arefina,T.I. 1997  
A new species of the genus Ceraclea Stephens (Trichoptera: Leptoceridae) from Zelyonyi Island (South Kuril Islands). - Pan-Pacif.Ent. 73:100-102.
- Arefina,T.I. 1997  
Three new to the Russia species of the caddisflies (Trichoptera: Leptoceridae). - Far Eastern Ent. 47:18.
- Ballesteros Navia,Y.V., Zuniga de Cardoso,M.del C., Rojas de Hernandez,A.M. 1997  
Distribution and structure of the order Trichoptera in various drainages of the Cauca River basin, Colombia, and their relationship to water quality. - Proc.8th Int.Symp.Trich.:19-23. Ohio Biol.Survey, Columbus.
- Baumgartner,A., Waringer,J.A. 1997  
Longitudinal zonation and life cycles of macrozoobenthos in the Mauerbach near Vienna, Austria. - Int.Rev.ges.Hydrobiol. 82:379-394.
- Berlin,A. 1997  
Erstnachweis von Potamophylax cingulatus (Stephens 1837) (Trichoptera: Limnephilidae) für Mecklenburg-Vorpommern. - Lauterbornia 31:65-66.
- Berlin,A., Mehl,D. 1997  
Die Trichoptera der Nebel in Mecklenburg-Vorpommern. - Lauterbornia 31:83-97.
- Bicchieri,M.C., Gaino,E. 1997  
An ultrastructural approach to egg mass organization in some Trichoptera. - Proc.8th Int.Symp.Trich.:25-30. Ohio Biol.Survey, Columbus.
- Bicchieri,M.C., Moretti,G.P. 1997  
Androconial structure of Limnephilus helveticus Schmid (Trichoptera: Limnephilidae). - Proc.8th Int.Symp.Trich.:31-36. Ohio Biol.Survey, Columbus.
- Bicchieri,M.C., Secca,T., Vagnetti,D. 1997  
Preliminary study on the localization of guanylate cyclase in the tracheal gills of Rhyacophila dorsalis subacutidens Moretti (Trichoptera: Rhyacophilidae). - Proc.8th Int.Symp.Trich.:37-41. Ohio Biol.Survey, Columbus.
- Bitušík,P., Koppová,K. 1997  
Macrozoobenthos of the glacial lakes in the low Tatras (West Carpathians): Aquatic insects. - Biologia (Bratislava) 52:227-232.
- Blahnik,R.J., Gottschalk,R.M. 1997  
New species of Atopsyche from Costa Rica (Trichoptera: Hydropsidae). - Ent.News 108:161-174.
- Blahnik,R.J. 1997  
Systematics of Chimarrita, a new subgenus of Chimarra (Trichoptera: Philopotamidae). - Syt.Ent. 22:199-243.
- Botosaneanu,L. 1997  
Possible sympatric speciation in Hydroptilidae. - Proc.8th Int.Symp.Trich.:43-48. Ohio Biol.Survey, Columbus.
- Botosaneanu,L., Barnard,P.C. 1997  
The earliest illustration of Trichoptera. - Proc.8th Int.Symp.Trich.:49-52. Ohio Biol.Survey, Columbus.
- Bowles,D.E., Flint,O.S.,Jr. 1997  
The genus Phylloicus Müller (Trichoptera: Calamoceratidae) in the United States, with a redescription of Phylloicus ornatus (Banks). - Proc.8th Int.Symp.Trich.:53-58. Ohio Biol.Survey, Columbus.
- Bueno-Soria,J., Barba-Alvarez,R., Ramirez Garcia,E., Santiago-Fragoso,S. 1997  
Comparative analysis of Trichoptera in three rivers at Chamela, Jalisco, México. - Proc.8th Int.Symp.Trich.:59-63. Ohio Biol.Survey, Columbus.
- Bueno-Soria,J. 1997?  
Trichoptera. In: Historia Natural de los Tuxtlas:375-378.

- Bueno-Soria,J., Santiago-Fragoso,S. 1997  
Studies in aquatic insects XII: Descriptions of nineteen new species of the genus *Ochrotrichia* Mosely (Trichoptera: Hydroptilidae) from Mexico and Central America. - Proc.Ent.Soc.Wash. 99:359-373.
- Burkhardt,R. 1997  
Erstfund der Köcherfliege *Leptocerus lusitanicus* (McLachlan 1884) (Insecta: Trichoptera) in Rheinland-Pfalz. - Fauna Flora Rheinland-Pfalz 8:883-884.
- Carl,M. 1997  
Die stillgelegte Kiesgrube Jesenwang - Artenreservoir für den Landkreis Fürstenfeldbruck (Oberbayern). 1. Bestandsaufnahme der Wasserinsekten (Ephemeroptera, Odonata, Heteroptera, Planipennia, Coleoptera, Trichoptera). - Nachrbl.Bayer.Ent. 46:81-89.
- Chantaramongkol,P., Malicky,H. 1997  
Trichoptera from Doi Suthep - Pui National Park, Northern Thailand. - Proc.8th Int.Symp.Trich.: 65-67. Ohio Biol.Survey, Columbus.
- Chvojka,P. 1997  
Contribution to the knowledge of the caddisfly fauna (Trichoptera, Insecta) of Albania. - Čas.Národn.muz.(Praha), Řada přírodov. 166:27-38.
- Cianficconi,F., Moretti,G.P., Tucciarelli,F. 1997  
Italian trichopteran fauna: zoogeographical considerations. - Proc.8th Int.Symp.Trich.:69-75. Ohio Biol.Survey, Columbus.
- Cianficconi,F., Moretti,G.P. 1997  
Ricerche sulla Valle Peligna (Italia Centrale, Abruzzo). 12.Trichoptera (Insecta). - Quaderni di provincia oggi (L'Aquila) 23:225-240.
- Cobb,D.G., Rosenberg,D.M., Wiens,A.P. 1997  
Responses of caddisflies to experimental flooding of a small peatland lake in northwestern Ontario, Canada. - Proc.8th Int.Symp.Trich.:77-82. Ohio Biol.Survey, Columbus.
- Corallini Sorcetti,C., Spinelli Batta,G. 1997  
Morphology of the mouth apparatus of adults in some cavernicolous Trichoptera. - Proc.8th Int.Symp.Trich.:83-88. Ohio Biol.Survey, Columbus.
- Craft,J.S., Morse,J.C. 1997  
The larva, pupa and female of *Agapetus jocassee* Morse (Trichoptera: Glossosomatidae). - J.Ent.Sci. 32:377-385.
- Czachorowski,S. 1997  
*Limnephilus externus* Hagen (Trichoptera: Limnephilidae) in Poland. - Pols.Pis.Ent. 66:117-119.
- Czachorowski,S. 1997  
Pierwsza informacja o chrząszcikach Trichoptera ziemi Lubuskiej. - Przegl.Przyrodn. 8:145-146.
- Czachorowski,S., Moroz,M. 1997  
Materiały do znajomości chrząszcików Trichoptera Białorusi. - Przegl.Przyrodn. 8:113-120.
- Erman,N.A. 1997  
Factors affecting the distribution of a new species of *Allomyia* (Trichoptera: Apataniidae) in cold springs of the Sierra Nevada, California, USA. - Proc.8th Int.Symp.Trich.:89-93. Ohio Biol.Survey, Columbus.
- Eskov,K.Yu., Sukatcheva,I.D. 1997  
Geographical distribution of the Paleozoic and Mesozoic caddisflies (Insecta: Trichoptera). - Proc.8th Int.Symp.Trich.:95-98. Ohio Biol.Survey, Columbus.
- Flint,O.S.,Jr. 1997  
Studies of Neotropical caddisflies, LIV: the Patagonian genus *Austrocentrus*, with the description of its immature stages (Trichoptera: Helicophidae). - Proc.8th Int.Symp.Trich.:99-108. Ohio Biol.Survey, Columbus.
- Floyd,M.A., Morse,J.C., Harris,S.C. 1997  
Aquatic insects of Lake Jocassee catchment, North and South Carolina. Part II: Caddisflies (Trichoptera) of six additional drainages, with a description of a new species. - J.Elisha Mitchell Sci.Soc. 113:133-142.
- Gall,W.K. 1997  
Biogeographic and ecologic relationships in the Plenitentoria (Trichoptera). - Proc.8th Int.Symp.Trich.:109-116. Ohio Biol.Survey, Columbus.
- Goetsch,P.-A., Palmer,C.G. 1997  
Salinity tolerances of selected macroinvertebrates of the Sabie River, Kruger National Park, South Africa. - Arch.Environ.Contam.Toxicol. 32:32-41.
- Graf,W. 1997  
A new record of the perlid stonefly *Agnetina elegantula* (Klapálek, 1905) in Europe. - In: Landoit,P., Sartori,M.(eds.): Ephemeroptera & Plecoptera: Biology - Ecology - Systematics: 205-208. MTL Fribourg.
- Graf,W., Waringer,J. 1997  
The larva of *Consorophylax styriacus* Botosaneanu, 1967 (Trichoptera: Limnephilidae) from two Carinthian (Austria) mountain brooks. - Aquat.Insects 19:151-154.
- Guinand,B., Champely,S., Clermidy,A., Tachet,H. 1997  
Investigation of the within- and between-sample colour pattern differentiation in *Hydropsyche contubernalis* (Trichoptera). - Biol.J.Linn.Soc. 61:223-241.
- Halat,K.M., Resh,V.H. 1997  
Biological studies of adult Trichoptera: topics, location, and organisms examined. - Proc.8th Int.Symp.Trich.:117-121. Ohio Biol.Survey, Columbus.
- Harris,S.C., Armitage,B.J. 1997  
New member of the Chilean genus *Nothotrichia* from North America (Trichoptera: Hydroptilidae). - Proc.8th Int.Symp.Trich.:123-128. Ohio Biol.Survey, Columbus.
- Harris,S.C., Holzenthal,R.W. 1997  
Mejicanotrichia, a new genus of microcaddisflies from Mexico and Guatemala (Trichoptera: Hydroptilidae). - Proc.8th Int.Symp.Trich.:129-137. Ohio Biol.Survey, Columbus.
- Heinig,U. 1997  
Dr.Franz Klima (1952-1997) zum Gedenken. - Ent.Nachr.Ber. 41:209-211.
- Higler,L.W.G. 1997  
Red list of Dutch caddisflies. - Proc.8th Int.Symp.Trich.:139-143. Ohio Biol.Survey, Columbus.
- Hoffmann,A. 1997  
Adult feeding and reproduction in *Lasiocephala basalis* (Kol.) females (Trichoptera: Lepidostomatidae). - Proc.8th Int.Symp.Trich.:145-149. Ohio Biol.Survey, Columbus.
- Hoffmann,A. 1997  
To settle or not to settle? The aggregation behavior of *Lasiocephala basalis* (Kol.) (Trichoptera: Lepidostomatidae) larvae prior to pupation. - Proc.8th Int.Symp.Trich.:151-156. Ohio Biol.Survey, Columbus.

- Holzenthal,R.W. 1997  
The caddisfly (Trichoptera) family Atriplectididae in the Neotropics. - Proc.8th Int.Symp.Trich.: 157-165. Ohio Biol.Survey, Columbus.
- Honsig-Erlenburg,W., Konar,M., Huber,T., Gutleb,B., Wieser,G., Friedl,T., Mildner,P. 1997  
Zoologische Exkursion des Naturwissenschaftlichen Vereines zur Kolpa (Slowenien). - Carinthia II 187/107:139-152.
- Hughes,S.J. 1997  
Distribution of Trichoptera larvae in the freshwater lotic habitats of Madeira. - Proc.8th Int.Symp.Trich.:167-175. Ohio Biol.Survey, Columbus.
- Hunter,F.F., Sadonoja,T.M. 1997  
Effects of temperature and predator:prey ratio on feeding rate in larvae of *Atherix lantha* Webb (Diptera: Athericidae). - Can.J.Zool. 75:644-647.
- Ismail,A.R., Bakar,S. Ramil,M., Edington,J.M. 1997  
Descriptions and life history data for larval *Hydropsyche doctersi* Ulmer (Trichoptera: Hydropsychidae). - Serangga 2:17-28.
- Ito,T. 1997  
Oviposition preference and behavior of hatched larvae of an oligophagous caddisfly, *Palaeagapetus ovatus* (Hydroptilidae: Ptilocolepinae). - Proc.8th Int.Symp.Trich.:177-181. Ohio Biol.Survey, Columbus.
- Ivanov,V.D. 1997  
Vibrations, pheromones, and communication patterns in Trichoptera. - Proc.8th Int.Symp.Trich.:183-188. Ohio Biol.Survey, Columbus.
- Ivanov,V.D. 1997  
Rhyacophiloidea: a paraphyletic taxon. - Proc.8th Int.Symp.Trich.:189-193. Ohio Biol.Survey, Columbus.
- Janeva,I.J., Russev,B.K. 1997  
Veränderungen der Artenzusammensetzung und Gütekasse des bulgarischen Donauzuflusses Jantra nach dem Makrozoobenthos. - Lauterbornia 31:1-16.
- Johanson,K.A. 1997  
Descriptions of the larval stages of *Helicopsyche tanzanica* and *Helicopsyche barbata* (Trichoptera: Helicopsychidae). - Proc.8th Int.Symp.Trich.: 195-203. Ohio Biol.Survey, Columbus.
- Johanson,K.A. 1997  
Zoogeography and diversity of the snail case caddisflies (Trichoptera: Helicopsychidae). - Proc.8th Int.Symp.Trich.:205-212. Ohio Biol.Survey, Columbus.
- Johanson,K.A., Wichard,W. 1997  
Caddisflies of Baltic Amber. 4.New descriptions of *Palaeohelicopsyche* (Trichoptera, Helicopsychidae). - Mitt.Münch.Ent.Ges. 87:101-108.
- Johanson,K.A. 1997  
Copulation mechanism and description of the East Australian *Helicopsyche copulata*, spec.nov. (Insecta, Trichoptera, Helicopsychidae). - Spixiana 20:219-226.
- Johanson,K.A., Willlassen,E. 1997  
Are the African species of *Helicopsyche* von Siebold 1856 (Insecta Trichoptera Helicopsychidae) monophyletic? - Tropical Zoology 10:117-128.
- Kato,H. 1997  
Habitat selection by *Micrasema uenoi* in a Japanese mountain stream (Trichoptera: Brachycentridae). - Proc.8th Int.Symp.Trich.:213-219. Ohio Biol.Survey, Columbus.
- Kiss,O., Schmera,D. 1997  
The caddisflies of a refugium area in north Hungary. - Proc.8th Int.Symp.Trich.:221-225. Ohio Biol.Survey, Columbus.
- Kjaeransen,J. 1997  
*Wlitrichia intropertica* new genus, new species, and *Cyclopsiella anderseni* new genus, new species, two new monobasic genera of microcaddisflies from Ghana (Trichoptera: Hydroptilidae: Hydroptilini). - Proc.8th Int.Symp.Trich.:227-237. Ohio Biol.Survey, Columbus.
- Kjaeransen,J., Andersen,T. 1997  
Preliminary check-list of the caddisflies (Trichoptera) of Ghana, West-Africa. - Proc.8th Int.Symp.Trich.:239-247. Ohio Biol.Survey, Columbus.
- Kjaeransen,J., Netland,K. 1997  
*Pahamunaya occidentalis*, new species, from West-Africa, with a redescription of *Cyrnodes scotti* Ulmer (Trichoptera: Polycentropodidae). - Proc.8th Int.Symp.Trich.:249-257. Ohio Biol.Survey, Columbus.
- Kocharina,S.L. 1997  
Structural characteristics of the caddisfly community of a small salmon river, South Primorye, Russian Far East. - Proc.8th Int.Symp.Trich.: 259-264. Ohio Biol.Survey, Columbus.
- Konar,M. 1997  
Beschreibung der Larve von *Rhyacophila palmeni* McLachlan (Rhyacophilidae, Trichoptera). - Carinthia II 187/107:499-501.
- Kriska,G., Andrikovics,S. 1997  
The life-history and gut content of *Potamophylax nigricornis* (Trichoptera, Limnephilidae). - Opusc.Zool.(Budapest) 29-30:113-116.
- Kuhara,N. 1997  
Notes on insect fauna of the Nagahashi Naebo area, Otaru, central Hokkaido, Japan, No.20. Trichoptera, supplement. - Bull.Otaru Mus. 10:30. (Japanese)
- Kuhara,N. 1997  
Notes on insect fauna of the Okusawa - Suigenchi area, Otaru, central Hokkaido, Japan. No.8. Trichoptera. - Bull.Otaru Mus. 10:57-62. (Japanese)
- Kuhara,N. 1997  
Insect faunal survey of Mt.Yōtei, Hokkaido, Japan. Trichoptera. - Bull.Otaru Mus. 10:93-96. (Japanese)
- Kuhara,N., Kuranishi,R.B. 1997  
Caddisflies (Insecta, Trichoptera) of Hokkaido, Northern Japan. A bibliographical survey. - J.Nat.Hist.Mus.Inst.Chiba 4:147-157. (Japanese)
- Kumanski,K. 1997  
A comparative estimation of the caddisfly fauna (Insecta: Trichoptera) of Bulgaria and Turkey. - In: Biodiversity and ecological problems of Balkan fauna, Abstr.:77. Sofia.
- Kumanski,K. 1997  
Contributions to the caddisfly fauna (Trichoptera) of the central-western part of the Balkan Peninsula. - Lauterbornia 31:73-82.
- Kuranishi,R.B. 1997  
The genus *Rhyacophila* of the Ryukyu Archipelago, Part I (Trichoptera: Rhyacophilidae). - Proc.8th Int.Symp.Trich.:265-269. Ohio Biol.Survey, Columbus.
- Li Peng Hsu 1997  
A taxonomic study of Trichoptera from Taiwan (Insecta). Diss., Tunghai University, Taichung, 370pp. (Chinese)

- Li Peng Hsu, Chin Seng Chen 1997  
A new species of Uenoa (Trichoptera: Uenoidae) from Taiwan. - Zool. Studies 36:123-126.
- Li,Y.J., Morse,J.C. 1997  
Phylogeny and classification of Psychomyiidae (Trichoptera) genera. - Proc.8th Int.Symp.Trich.: 271-276. Ohio Biol.Survey, Columbus.
- Li,Y.J., Morse,J.C. 1997  
Species of the genus Economus (Trichoptera: Economidae) from the People's Republic of China. - Trans.Amer.Ent.Soc. 123:85-134.
- Maharaj,L.D., Alkins-Koo,M. 1997  
Seasonal occurrence of caddisflies and population dynamics of *Helicopsyche margaritensis* Botosaneanu in Trinidad, West Indies. - Proc.8th Int.Symp.Trich.:277-282. Ohio Biol.Survey, Columbus.
- Majecki,J., Schot,J., Verdonschot,P.F.M., Higler,L.W.G. 1997  
Influence of sand cover on mortality and behavior of *Agapetus fuscipes* larvae (Trichoptera: Glossosomatidae). - Proc.8th Int.Symp.Trich.: 283-288. Ohio Biol.Survey, Columbus.
- Majecki,J., Grzybkowska,M., Reddy,R. 1997  
Density, production and life cycle of *Brachycentrus subnubilus* Curtis (Trichoptera: Brachycentridae) in a lowland river, Central Poland. - Hydrobiologia 354:51-56.
- Malicky,H 1997  
What does biologically successful mean? The enigma of Atriplectididae. - Proc.8th Int.Symp.Trich.: 289-291. Ohio Biol.Survey, Columbus.
- Malicky,H., Chantaramongkol,P. 1997  
Weitere neue Köcherfliegen (Trichoptera) aus Thailand. Arbeit Nr.20 über thailändische Köcherfliegen. - Linzer biol.Beitr. 29:203-215.
- Malicky,H. 1997  
Weitere neue Köcherfliegen-Arten (Trichoptera) aus Asien. - Linzer biol.Beitr. 29:217-238.
- Malicky,H. 1997  
Ein Beitrag zur Kenntnis asiatischer Arten der Gattungen *Cheumatopsyche* Wallengren 1891 und *Potamyia* Banks 1900 (Trichoptera, Hydropsychidae). (Zugleich 22.Arbeit über thailändische Köcherfliegen). - Linzer biol.Beitr. 29:1015-1055.
- Malicky,H. 1997  
Die mediterranen, vorderasiatischen und europäischen Arten der *Hydropsilia sparsa*-Gruppe (Trichoptera, Hydropsittidae). - Ent.Ber.Luzern 38:137-153.
- Mathis,M.L. 1997  
Primary setation of caddisfly larvae (Trichoptera) with emphasis on limnephiloids. - Proc.8th Int.Symp.Trich.:293-302. Ohio Biol.Survey, Columbus.
- Mey,W. 1997  
Revision of the type-species of Hydropsychinae and Diplectroninae described by N.Banks from the Philippines (Trichoptera: Hydropsychidae). - Proc.8th Int.Symp.Trich.:303-308. Ohio Biol.Survey, Columbus.
- Mey,W. 1997  
Die Köcherfliegenfauna des Fan Si Pan - Massivs in Nord-Vietnam. 2.Beschreibung neuer und endemischer Arten aus der Unterordnung Integripalpia (Insecta: Trichoptera). - Entomofauna 18:197-211.
- Mey,W. 1997  
Phylogeny of the *Arctopsyche composita*-group (Insecta, Trichoptera: Arctopsychidae) with the description of three new species from Vietnam. - Aquat.Insects 19:155-164.
- Monson,M.P. 1997  
The caddisflies of the Lake Itasca region, Minnesota (Insecta: Trichoptera). - Proc.8th Int.Symp.Trich.:309-321. Ohio Biol.Survey, Columbus.
- de Moor,F. 1997  
An unusual caddisfly larva from South Africa, a possible member of the Triplectidinae (Trichoptera: Leptoceridae). - Proc.8th Int.Symp.Trich.:323-330. Ohio Biol.Survey, Columbus.
- Moretti,G.P., Cianficconi,F., Corallini,C., Tucciarelli,F. 1997  
Trichoptera of the River Nera (central Italy) and symbionts of their larvae. - Proc.8th Int.Symp.Trich.:331-337. Ohio Biol.Survey, Columbus.
- Morse,J.C. 1997  
Checklist of World Trichoptera. - Proc.8th Int.Symp.Trich.:339-342. Ohio Biol.Survey, Columbus.
- Moulton,S.R.II, Harris,S.C. 1997  
New species of southwestern Nearctic microcaddisflies (Trichoptera: Hydroptilidae). - Proc.Ent.Soc.Wash. 99:494-501.
- Moulton,S.R.II, Stewart,K.W. 1997  
A new species and first record of the caddisfly genus *Cniodocentron* Schmid (Trichoptera: Xiphocentronidae) north of Mexico. - Proc.8th Int.Symp.Trich.:343-347. Ohio Biol.Survey, Columbus.
- Moulton,S.R.II, Stewart,K.W. 1997  
A preliminary checklist of Texas caddisflies (Trichoptera). - Proc.8th Int.Symp.Trich.:349-353. Ohio Biol.Survey, Columbus.
- Muñoz-Quesada,F. 1997  
Five new species and a new record of Costa Rican *Leptonema* Guerin (Trichoptera: Hydropsychidae). - Proc.Ent.Soc.Wash. 99:115-132.
- Muñoz-Quesada,F., Holzenthal,R.W. 1997  
A new species of *Xiphocentron* (Antillotrichia) from Costa Rica with semiterrestrial immature stages (Trichoptera: Xiphocentronidae). - Proc.8th Int.Symp.Trich.:355-363. Ohio Biol.Survey, Columbus.
- Nagayasu,Y., Ito,T. 1997  
Life history of *Dicosmoecus jozankeanus* in northern Japan, with particular reference to the difference between spring brook and mountain stream populations (Trichoptera: Limnephiliidae: Dicosmocinae). - Proc.8th Int.Symp.Trich.:365-372. Ohio Biol.Survey, Columbus.
- Neboiss,A., Wells,A. 1997  
Australian *Triaenodes* species: an overview. - Proc. 8th Int.Symp.Trich.:373-378. Ohio Biol.Survey, Columbus.
- Nelson,V.A., Burian,S.K. 1997  
A correction to the species list of the caddisflies of Maine. - Northeastern Naturalist 4:50.
- Nishimoto,H. 1997  
Discovery of the genus *Manophylax* (Trichoptera, Apataniidae) from Japan with descriptions of two new species. - Jap.J.syst.Ent. 3:1-14.
- Nishimoto,H. 1997  
A systematic study on the family Apataniidae (Trichoptera) of Japan. - Thesis, Osaka Pref. University, 159 pp.
- Nisiharu,S. 1997  
Faunal study of imagoes of Ephemeroptera, Plecoptera and Trichoptera collected in Fukui Prefecture. - Ent.J.Fukui 20:55-63. (Japanese)
- Nozaki,T. 1997  
Trichoptera fauna of Tanzawa and O-yama mountains. - List of fauna and flora of Tanzawa and O-yama: 31-38. Yokohama. (Japanese)

- Nozaki,T. 1997 Trichoptera fauna of Akiruno, Tokyo. - A report on the riverside flora and the aquatic insect fauna in Akiruno-City, Tokyo:26-34. Board of education Akiruno-City,Akiruno. (Japanese)
- Nozaki,T., Kuhara,N., Kuranishi,R. 1997 A new record of *Ecclisocosmoecus spinosus* Schmid (Trichoptera, Limnephilidae) from Japan with a description of female and immature stages. - Jap.J.Ent. 65:211-216.
- Nozaki,T., Shimada,T. 1997 Nectar feeding by adults of *Nothopsyche ruficollis* (Ulmer) (Trichoptera: Limnephilidae) and its effect on their reproduction. - Proc.8th Int.Symp.Trich.:379-386. Ohio Biol.Survey, Columbus.
- de Pietro,R., Lombardo,B.M., Vigliansi,F. 1997 Genetic diversity in some species of *Hydropsyche* (Trichoptera, Hydropsychidae) in central and southern Italy. - Ital.J.Zool. 64:31-39.
- Prather,A.L., Syrett,A.L., Morse,J.C. 1997 Females of *Rhyacophila* (Trichoptera: Rhyacophilidae) from the southeastern United States.-Proc. 8th Int.Symp.Trich.:387-399. Ohio Biol.Survey, Columbus.
- Resh,V.H., Wood,J.R., Bergey,E.A., Feminella,J.W., Jackson,J.K., McElravy,E.P. 1997 Biology of *Gumaga nigricula* (McL.) in a northern California stream. - Proc.8th Int.Symp.Trich.:401-410. Ohio Biol.Survey, Columbus.
- Sanchez,M., Hendricks,A.C. 1997 Variations in life history of *Cheumatopsyche* spp. from a low-order stream in Virginia (USA). - Proc.8th Int.Symp.Trich.:411-415. Ohio Biol.Survey, Columbus.
- (Scheven,J.) 1997 Köcherfliegen. - Leben(Hagen, Deutschland) 9:1-31.
- Schmera,D., Jiss,O. 1997 A Börzsöny-hegység Bernecei-patakjának trichoptera lárva-együttesei. - Hidrol.közl. 77:96-97.
- Schmidt,E.G. 1997 OStR Dr.Jörg Michael Fey (20.5.1950 - 10.7.1996). - Nachrichten Dt.Ges.allg.ang.Ent. 11:99-101.
- Schulz,R. 1997 Aquatische Ökotoxikologie von Insektiziden. Auswirkungen diffuser Insektizideinträge aus der Landwirtschaft auf Fließgewässer - Lebensgemeinschaften. - Ecomed, Landsberg/Lech, 167pp.
- Schuster,G.A. 1997 Description of a new species of terrestrial limnephilid caddisfly (Trichoptera) from Kentucky and West Virginia (USA). - Proc.8th Int.Symp.Trich.:417-424. Ohio Biol.Survey, Columbus.
- Sommerhäuser,M., Robert,B., Schuhmacher,H. 1997 Flight periods and life history strategies of caddisflies in temporary and permanent woodland brooks in the Lower Rhine area (Germany). - Proc.8th Int.Symp.Trich.:425-433. Ohio Biol.Survey, Columbus.
- Spinelli Batta,G., Moretti,G.P. 1997 Morphology and distribution of sensilla on the ovipositor of the females of some Italian Trichoptera. - Proc.8th Int.Symp.Trich.:435-440. Ohio Biol.Survey, Columbus.
- Spuris,Z. 1997 Daži noverojumi par udenskukainu faunu 1996. Gada Latvija. - Acta hydroentomol.Latvica 4:21-28.
- Spuris,Z. 1997 Olga Kačalova (1916-1988), a Latvian hydroentomologist. - Proc.Latvian Acad Sci., Sect.B 51:289-291.
- StClair,R. 1997 Preliminary guide to the identification of late instar larvae of Australian Philorheithridae, Calamoceratidae and Helicopsychidae (Insecta: Trichoptera). - Co-operative Res.Centre for Freshw.Ecol.,Albury, Identif.guide no.12, 42 pp.
- Sykora,J.L., Koryak,M., Fowles,J.M. 1997 Adult Trichoptera as indicators of water quality in the Upper Ohio River Drainage Basin. - Proc.8th Int.Symp.Trich.:441-444. Ohio Biol.Survey, Columbus.
- Tanida,K. 1997 Trichoptera fauna of the Ryukyu Islands: taxonomic and ecological prospects. - Proc.8th Int.Symp.Trich.:445-451. Ohio Biol.Survey, Columbus.
- Terra,L.S.W., González,M.A., Cobo,F. 1997 Observations on flight periods of some caddisflies (Trichoptera: Rhyacophilidae, Limnephilidae) collected with light traps in Portugal. - Proc.8th Int.Symp.Trich.:453-457. Ohio Biol.Survey, Columbus.
- Townsend,C.R., Scarsbrook,M.R., Dolédec,S. 1997 Quantifying disturbance in streams: alternative measures of disturbance in relation to macroinvertebrate species traits and species richness. - J.N.Am.Benthol.Soc. 16:531-544.
- Uherkovich,A., Nográdi,S. 1997 Studies on caddisfly (Trichoptera) communities of larger rivers in Hungary. - Proc.8th Int.Symp.Trich.:459-465. Ohio Biol.Survey, Columbus.
- Valverde,A.del C., Miserendino,M.L. 1997 Los estados inmaduros de *Parasericostoma ovale* (Trichoptera: Sericostomatidae). - Rev.Soc.Ent. Argent. 56:33-37.
- Vieira-Lanero,R., González,M.A., Cobo,F. 1997 The larva of *Limnophilus wittmeri* Malicky, 1972 (Insecta, Trichoptera, Limnephilidae). - Spixiana 20:173-177.
- Ward,J.B. 1997 Twelve new species in the New Zealand caddis (Trichoptera) fauna, corrected type localities and new synonyms. - NZ J.Zool. 24:173-191.
- Weaver,J.S.III 1997 A new genus of Petrothrincidae (Trichoptera) from Madagascar with specialized modifications in the female terminalia for carrying the eggmass. - Proc.8th Int.Symp.Trich.:467-474. Ohio Biol.Survey, Columbus.
- Weinzierl,A. 1997 *Oxyethira falcata* Morton, 1893, neu für Bayern (Trichoptera, Hydroptilidae). - Nachrbl.Bayer.Ent. 46:80-81.
- Wells,A. 1997 A preliminary guide to the identification of larval Hydroptilidae (Insecta: Trichoptera).- Identif.Guide 13:1-28. Co-oper.Res.Centr.Freshw. Ecol.,Albury.
- Wells,A., Malicky,H. 1997 The micro-caddisflies of Sumatra and Java (Trichoptera: Hydroptilidae).-Linzer biol.Beitr. 29:173-202.
- Wichard,W., Klein,H.P., Herter,P. 1997 Pupal cocoon of Amphiesmenoptera (Lepidoptera + Trichoptera) with evolutionary considerations of the Trichoptera. - Proc.8th Int.Symp.Trich.:475-480. Ohio Biol.Survey, Columbus.
- Wiggins,G.B., Parker,C.R. 1997 Caddisflies (Trichoptera) of the Yukon, with analysis of the Beringian and Holarctic species of North America. - In:Danks,H.V., Downes,J.A.(eds.): Insects of the Yukon. Biol.Survey of Canada, Ottawa. Pp.787-866.

- Wiley, M.J., Kohler, S.L., Seelbach, P.W. 1997 Reconciling landscape and local views of aquatic communities: lessons from Michigan trout streams. - *Freshw. Biol.* 37:133-148.
- Winterbottom, J.H., Orton, S.E., Hildrew, A.G. 1997 Field experiments on the mobility of benthic invertebrates in a southern English stream. - *Freshw. Biol.* 38:37-47. (on *Plectrocnemia conspersa*)
- Wolf, K.W., Novák, K., Marec, F. 1997 Kinetic organization of metaphase I bivalents in spermatogenesis of Lepidoptera and Trichoptera species with small chromosome numbers. - *Heredity* 79:135-143.
- Yang, L., Weaver, J.S. III 1997 An annotated list of the Lepidostomatidae (Trichoptera) of China, with new collection records. - *Proc. 8th Int. Symp. Trich.*: 481-487. Ohio Biol. Survey, Columbus.
- Yang, L., Morse, J.C. 1997 Six new species of *Integripalpia* (Trichoptera) from Southern China. - *Insecta Mundi* 11:45-50.
- 1998
- Andersen, T., Huisman, J. 1998 A new species of *Symphitoneuria* (Trichoptera: Leptoceridae) from Sabah, Malaysia. - *Ent. News* 109:37-46.
- (Cianficoni, F.) 1998 Trichopterological theses made by students at the Institute of Zoology, University of Perugia (Italy). - *Braueria* 25:27-34.
- Czachorowski, S., Prishchepchik, O. 1998 Further data on Belarusian Trichoptera. - *Braueria* 25:11.
- Gallardo-Mayenco, A., Prenda, J., Toja, J. 1998 Spatio-temporal distribution and ecological preferences of coexisting hydropsychid species (Trichoptera) in two mediterranean river basins (S Spain). - *Int. Rev. Hydrobiol.* 83:123-134.
- Jackson, J. 1998 Preliminary guide to the identification of late instar larvae of Australian Calocidae, Helicopidae and Conoesucidae (Insecta: Trichoptera). - Identif. guide (Coop. Res. Centre Freshw. Ecol.) 16:1-81.
- Jackson, J.K., Resh, V.H. 1998 Morphologically cryptic species confound ecological studies of the caddisfly genus *Gumaga* (Trichoptera: Sericostomatidae) in northern California. - *Aquatic Insects* 20:69-84.
- Johanson, K.A. 1998 *Helicopsyche malickyi* sp.n. from Borneo (Trichoptera, Helicopsychidae). - *Tijds. Ent.* 140:177-180.
- Kagaya, T., Nozaki, T. 1998 Notes on Japanese *Padunia Martynov* (Trichoptera: Glossosomatidae), with the description of a new species. - *Aquatic Insects* 20:97-107.
- Leng, K., Yang, L. 1998 Eight new species of *Apataniinae* (Trichoptera: Limnephilidae) from China. - *Braueria* 25:23-26.
- Lindgaard, C., Brodersen, K.P., Wiberg-Larsen, P., Skriver, J. 1998 Multivariate analyses of macrofaunal communities in Danish springs and springbrooks. - In: Botosaneanu, L. (ed.): Studies in crenobiology. Pp. 201-219. Backhuys; Leiden.
- Malicky, H. 1998 Revision der Gattung *Mesophylax* McLachlan (Trichoptera, Limnephilidae). - *Beitr. Ent.* 48:115-144.
- Malicky, H. 1998 Neue Köcherfliegen (Trichoptera) aus Indien, Myanmar, Nepal, Laos und Palawan. - *Braueria* 25:20-22.
- Mey, W. 1998 Zwei neue Hydropsyche-Arten aus dem Himalaya (Trichoptera: Hydropsychidae). - *Ent. Z. (Essen)* 108:165-169.
- Mey, W. 1998 The genus *Hydropsyche Pictet*, 1834 on islands in the West Pacific region and description of new species (Trichoptera: Hydropsychidae). - *Tijds. Ent.* 140:191-205.
- de Moor, F. 1998 Katharine Marjorie Frances Scott 19.1.1913 - 26.4.1998. - *Braueria* 25:4-6.
- Neboiss, A., Wells, A. 1998 Review of Australian species of *Triaenodes McLachlan* (Trichoptera: Leptoceridae). - *Mem. Mus. Victoria* 57:89-132.
- Robert, B. 1998 Quelltypische Köcherfliegen (Insecta: Trichoptera) in Nordrhein-Westfalen (Deutschland). Pp. 109-123. - In: Botosaneanu, L. (ed.): Studies in crenobiology. Backhuys, Leiden.
- Robert, B. 1998 In memoriam Dr. Franz Klima (1952-1997). - *Braueria* 25:7-8.
- Robert, B., Schmidt, C. 1998 Ein Beitrag zur Kenntnis der Köcherfliegen-Fauna der Obermainaue (Trichoptera). - *Nachrbl. Bayer. Ent.* 47:18-29.
- Schöll, F., Balzer, I. 1998 Das Makrozoobenthos der deutschen Elbe 1992-1997. - *Lauterbornia* 32:113-129.
- Sipahiler, F. 1998 New species of *Hydroptilidae*, *Hydropsychidae* and *Beraeidae*, and new records of Trichoptera from Turkey. - *Braueria* 25:9-11.
- Stolzenwald, T., Schmidt-Brücken, R. 1998 Das Makrozoobenthos der Schwabach und Trubach (Regnitz/Main). - *Lauterbornia* 32:131-149.
- Sun, C., Yang, L. 1998 Studies on the genus *Rhyacophila* of China (2). - *Braueria* 25:15-17.



Photographs from the 9th Trichoptera Symposium.  
R. Weaver with Lisu women

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Braueria](#)

Jahr/Year: 1998

Band/Volume: [25](#)

Autor(en)/Author(s): Malicky Hans

Artikel/Article: [Trichopterological Literature 35-43](#)