

Literatur

BOTOSANEANU, L., 1992, Trichoptera of the Levant. – Fauna Palaestina, Insecta VI. Jerusalem.

CHEN,Y.E., 1993, Revision of the *Oecetis* (Trichoptera: Leptoceridae) of the World. – Diss. Clemson University (unpublished).

KIMMINS, D.E., 1953, Entomological results from the Swedish expedition 1934 to Burma and British India. Trichoptera. The genus *Rhyacophila* Pictet (Fam. Rhyacophilidae). – Ark.Zool.(N.S.) 4:505-555.

MALICKY, H., 1983, Atlas der europäischen Köcherfliegen. X+298pp. Junk: The Hague.

MALICKY, H., 1988, Spuren der Eiszeit in der Trichopterenfauna Europas (Insecta, Trichoptera). – Riv.Idrobiol. 27:247-297.

MALICKY, H., 1993, Eine dritte *Apataniana* aus Griechenland (Trichoptera: Limnephilidae). – Ent.Z. (Essen) 103:352-356.


MARTYNOV, A.V., 1918, Über eine neue Art der Tribus Apataniini und eigene andere Formen aus dem Minussinski Kraj. – Ann.Mus.Zool.Akad.Petrograd 21:45-63.

MEY, W., LEVANIDOVÁ, I.M., 1989, Revision der Gattung *Apataniana* Mosely, 1936 (Trichoptera, Limnephilidae). – Dtsch.ent.Z., N.F. 36:65-98.

SCHMID, F., 1970, Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera). – Mém.Soc.ent.Can. 66:1-230.

SIPAHILER, F., 1996, Two new isolated species of Limnephilidae (Trichoptera) from northern Turkey. – Aquat.Insects 18:117-127.

Dr.Hans Malicky, Sonnengasse 13, A – 3293 Lunz am See, Österreich.



Available from:

Dr.Porntip Chantaramongkol
Biology Department, Faculty of Science
Chiangmai University
CHIANGMAI 50202
Thailand

Price US\$ 120.- including postage

TRICHOPTEROLOGICAL LITERATURE

Please help to complete this literature list by sending me reprints or references, including dissertations and similar papers. If you send reprints, please make sure that the complete reference is included, that is the title of the journal, the number of the volume, the year of publication, and the original page numbers.

1990

Chen, Y.Eric 1990
The Trichoptera suborder Integripalpia of Taiwan, with a revision of the Taiwanese Leptoceridae. – Master Thesis, Clemson University, 226 pp.

1992

Bellstedt,R., Lehmann,C., Westhus,W. 1992
Flora und Fauna der Alperstedter Kiesgruben bei Stotternheim, Kreis Erfurt – Land. – Abh.Ber.Mus.Natur Gotha 17:65-82. (Trichoptera:77).

Di Giovanni, M.V., Gianotti, F.S., Pirisinu, Q., Taticchi, M.I., Goretti, E. 1992
I tricotteri italiani della collezione G.P.Moretti. Catalogo. - U.Z.I. 59, suppl.1992: XXIII + 235pp.

1993

Krno,I. 1993
Contribution to the knowledge of stoneflies (Plecoptera) and caddisflies (Trichoptera) of the Vtacnik mountain range. – Rosalia 9:119-125.

Penalver,E., Martinez Deldos,X. 1993
Aportaciones a la paleoentomofauna del Miocene inferior de Ribesalbes (Castellon, España). Pp.85-90 in: Gonzalez Donoso, J.M. (ed.): Comunicaciones de las IX Jornadas de Paleontología, Malaga. Univ.Malaga & Soc.Esp.Paleontol.

1994

Elouard,J.-M., Gibon, F.-M., Ranaivoharindriaka, F. 1994
Les insectes aquatiques. Pp.31-40 in: Goodman,S.M., Langrand,O. (eds): Inventaire biologique forêt de Zombitse. Ministère de la Recherche Appliquée au Développement, Antananarivo, Madagascar.

1995

Kato,H. 1995
Process of *Micrasema uenoii* colonization in stream bryophyte clumps (Trichoptera: Brachycentridae). - Rep.Suwa Hydrobiol. 9:131-135.

1996

Andrew, R.S. 1996
Oldest Orkney caddis fly record ? – Orkney Field Club Bulletin 1996:56.

- Botsaneanu,L., Nozaki,T. 1996 Contributions to the knowledge of the genus *Stactobia* McLachlan, 1880 from Japan (Trichoptera: Hydroptilidae). - Bull.Zool.Mus.Univ.Amst. 15:53-63.
- Brettfeld,R., Bellstedt,R., Klima,F., Mey,W., Nixdorf,F. 1996 Checklist der Köcherfliegen (Trichoptera) Thüringens. – Check-Listen Thüringer Insekten 4:61-69.
- Degrange,C., Martinot, J.-P. 1996 Entomofaune du Lac du Lait (2180m), parc national de la Vanoise (seconde partie). – Trav.Sci.Parc Nat.Vanoise 19:255-277.
- Fischer,J. 1996 Kaltstenothermie – einziger Schlüssel zum Verständnis der Krenobionten ? – Crunoecia 5:91-96.
- Fischer,J. 1996 Bewertungsverfahren zur Quellfauna. – Crunoecia 5:227-240.
- Fjellheim,A. 1996 Distribution of benthic invertebrates in relation to stream flow characteristics in a Norwegian river. – Regulat.Rivers 12:263-271.
- Guenda,W. 1996 Contribution à l'étude des Hydroptilidae (Insecta: Trichoptera) de l'Afrique de l'Ouest: Le genre *Orthotrichia* Eaton de la rivière Mouhoun (Burkina Faso). – Ann.Limnol. 32:241-249.
- Hayashi,Y., Baba,K. 1996 The activity of carboxylesterase produced by larvae of *Stenopsyche marmorata* Navás (Trichoptera: Stenopsychidae) in the field. - Jap.J.Limnology 57:333-336. (Japanese)
- Mangeaud,A. 1996 Trichopterans in a river of the Gran Chaco, Argentina. – Stud.Neotrop.Fauna Environm. 31:152-155.
- Nebeker,A.V., Onjukka,S.T., Stevens,D.G., Chapman,G.A. 1996 Effect of low dissolved oxygen on aquatic life stages of the caddisfly *Clistoronia magnifica* (Limnephilidae). – Arch.Environm.Contam.Toxicol. 31:453-458.
- Palmer,R.W. 1996 Invertebrates in the Orange River, with emphasis on conservation and management. – Sth.Afr.J.Aqu.Sci. 22:3-51.
- Rincon Hernandez,M.E. 1996 Aspectos bioecológicos de los tricópteros de la Quebrada Carrizal (Boyaca, Colombia). – Rev.Colomb.Ent. 22:53-60.
- Rose,L. 1996 Les trichoptères. Aperçu général et mention de quelques captures en province de Liège. – Rev.Vervietoise d'Hist.Nat. 1996:61-66.
- Santiago-Blay,J.A. 1996 Morphometrics of two Californian populations of *Gumaga nigricula* (McLachlan 1871) (Trichoptera: Sericostomatidae). – J.Agric.Univ.Puerto Rico 80:157-167.
- Thiele,V., Mehl,D., Berlin,A., Weber,M.v., Börner,R. 1996 Ein Verfahren zur ökologischen Bewertung von rückgestauten Fließwasserbereichen und deren Niederungen im nordostdeutschen Tiefland. – Limnologica 26:361-374.
- Tian Lixin, Yang Lianfang, Li Youwen 1996 Trichoptera (1): Hydroptilidae, Stenopsychidae, Hydropsychidae, Leptoceridae. - Economic insect fauna of China 49:1-195. (Chinese)
- 1997
- Abbott,J.C., Stewart,K.W., Moulton,S.R.II 1997 Aquatic insects of the Big Thicket Region of east Texas. – Texas J.Sci.(Suppl.) 49(3):35-50.
- Angrisano,E.B. 1997 Los Trichoptera del Uruguay. 3. Families Philopotamidae, Hydrobiosidae y Glossosomatidae. – Rev.Soc.Ent.Argentina 56:55-58.
- Bloxham,M. 1997 Entomology report. – Sandnats 19(3):13-15.
- Champely,S., Guinand,B., Thioulouse,J., Clermidy,A. 1997 Functional data analysis of curve asymmetry with application to the color pattern of *Hydropsyche contubernalis* head capsule. – Biometrics 53:294-305.
- Delgado,J.A., Carbonell,R. 1997 Case features of caddisfly larvae (*Sericostoma selysi*) as related to water velocity and potential to drift. – J.Freshw.Ecol. 12:193-197.
- Drost,C.A., Blinn,D.W. 1997 Invertebrate community of Roaring Springs Cave, Grand Canyon National Park, Arizona. – Southw.Naturalist 42:497-500.
- Dudgeon,D. 1997 Life histories, secondary production and microdistribution of hydropsychid caddisflies (Trichoptera) in a tropical forest stream. – J.Zool.(Lond.) 243:191-210.
- Ehlert,T., Arnscheidt,J., Madler,K. 1997 Köcherfliegen-Funde aus dem mittleren Erzgebirge (Insecta: Trichoptera). – Faunist.Abh.(Dresden) 21:105-114.
- Elias,S.A., Short,S.K., Birks,H.H. 1997 Late Wisconsin environments of the Bering Land Bridge. – Palaeogeography, Palaeoclimatology, Palaeoecology 136:293-308.
- Gawne,B. 1997 Inconsistency in the experimentally derived relationship between epilithon abundance and the micro-distribution of *Agapetus monticolus* (Trichoptera). – Austral.J.Ecol. 22:325-333.
- van der Geest,H.G., Stuijfzand,S.C., Kraak,M.H.S., Admiraal,W. 1997 Impact of a diazinon calamity in 1996 on the aquatic macroinvertebrates in the River Meuse, The Netherlands. – Neth.J.Aquat.Ecol. 30:327-330.

- Guenda,W. 1997 Kristensen,N.P. 1997
Nouvelles espèces du genre *Catoxyethira* Ulmer du Burkina Faso (Trichoptera, Hydroptilidae). – Bull.Soc.ent.France 102:217-224.
- Harding,J.S. 1997 Kumanski,K. 1997
Strategies of coexistence in two species of New Zealand Hydropsychidae (Trichoptera). – Hydrobiologia 350:25-33.
- Hielscher,M. 1997 Kumanski,K. 1997
Ein Nachweis von *Hagenella clathrata* (Kolenati, 1848)(Insecta: Trichoptera) im NSG „Lengener Meer“ (LKr.Leer, Niedersachsen). – Beitr.Naturk.Niedersachsens 50:162-165.
- Hoffman,R.L., Parker,C.R. 1997 Li,Y.J., Morse,J.C. 1997
Caddisflies from Greensville County, Virginia (Insecta: Trichoptera). – Banisteria 9:17-32.
- Hoffman,R.L., Parker,C.R. 1997 Li,Y.J., Morse,J.C. 1997
Limnephilus moestus Banks, a northern caddisfly in the Atlantic Coastal Plain (Trichoptera: Limnephilidae). – Banisteria 10:25-26.
- Huisman,J., Andersen,T. 1997 Li,Y.J., Morse,J.C. 1997
Four new species of *Adicella* MacLachlan (Trichoptera: Leptoceridae: Triaenodini) from Sabah, east Malaysia. – Zool.Meded. (Leiden) 71:261-268.
- Hutchens,J.J.,Jr., Benfield,E.F., Webster,J.R. 1997 Löfstedt,C., Kozlov,M. 1997
Diet and growth of a leaf-shredding caddisfly in southern Appalachian streams of contrasting disturbance history. – Hydrobiologia 346:193-201.
- Ito,T., Kuhara,N., Ito,Y. 1997 Morse,J.C., Stark,B.P., McCafferty,W.P., Tennessen,K.J. 1997
Caddisfly fauna of south part of Hokkaido, northern Japan II. Ken'ichi River, Kumaishi-cho. - Biol.Inl.Wat. 12:20-36.
- Johnson,Z.B., Kennedy,J.H. 1997 Nakajima,M., Ito,T., Kuhara,N., Takeuchi,K. 1997
Description of the pupa of *Cymellus fratermus* (Trichoptera: Polycentropodidae), with notes on variation in pupal vase construction. – Ent.News 108:253-258.
- Kappes,H., Collin,K. 1997 Nishiharu,S. 1997
Vorkommen der Köcherfliege *Enoicyla pusilla* (Burmeister, 1839) (Trichoptera: Limnephilidae) in der Hardt bei Birgel (Kr.Daun, Eifel). – Dendrocopos 24:103-106.
- Klein,C., Wolf,K.W. 1997 Oliveira,L.G., Froehlich,C.G. 1997
Spermatocytes of the caddisfly *Potamophylax rotundipennis* (Trichoptera, Insecta): a fine structure study with emphasis on synaptonuclear complex plates associated with chromatin. – Tissue & Cell 29:283-291.
- Kohler,S.L., Wiley,M.J. 1997 Reding,J.-P.G. 1997
Pathogen outbreaks reveal large-scale effects of competition in stream communities. – Ecology (Wash.) 78:2164-2176. (*Glossosoma nigrior*)
- Kondratieff,B.C., Bishop,R.J., Brasher,A.M. 1997 Renals,T.J. 1997
The life cycle of an introduced caddisfly, *Cheumatopsyche pettiti* (Banks) (Trichoptera: Hydropsychidae) in Waikolu Stream, Molokai, Hawaii. – Hydrobiologia 350:81-85.
- Ephéméroptères, Plecoptères et Trichoptères de deux cours d'eau (Drain, Lhaut) de la réserve naturelle de Remoray (Doubs, France). – Bull.Romand Ent. 15:1-15.
- Trichoptera. Pp.209-210 in: Spalding,A. (ed): Red Data Book for Cornwall and the Isles of Scilly. – Croceago Press, Praze-on-Beeble.

- Sanchez,R.M., Hendricks,A.C. 1997
Life history and secondary production of *Cheumatopsyche* spp. in a small Appalachian stream with two different land uses on ist watershed. - *Hydrobiologia* 354:127-139.
- Schlüter,T. 1997
Validity of the Paratrichoptera – an extinct order related to the Mecoptera, Diptera, Trichoptera or Lepidoptera ? Suggestions based on discoveries in the Upper Triassic Molteno Formation of South Africa. - *Berliner geowiss.Abh., Reihe E Paläobiol.* 25:303-312.
- Schulz,R., Liess,M. 1997
Runoff-related short-term pesticide input into agricultural streams: measurement by use of an in situ bioassay with aquatic invertebrates. - *Verh.Ges.Ökologie* 27:399-404.
- Sieglstetter,R., Agasse,F., Caquet,T. 1997
Ecological segregation of two species of *Hydropsyche* (Trichoptera: Hydropsychidae) in a European second-order stream (Essonne, France). - *J.Freshw.Ecol.* 12:269-279.
- Speth,S. 1997
Ephemeroptera, Plecoptera und Trichoptera (Insecta) der Dallbek (Lauenburger Geest, Schleswig-Holstein). - *Faun.-ökol.Mitt.* 7:213-219.
- Sun,Changhai 1997
Notes on six new species of Trichoptera (Insecta: Mecopterodea). - *Entomotaxonomia* 19:289-296.
- Tani,K., Nakamura,S. 1997
Ephemeroptera, Plecoptera, Megaloptera and Trichoptera from Hiroshima Prefecture, Honshu, Japan. - *Misc.Rep.Hiwa Mus.Nat.Hist.* 35:53-66. (Japanese)
- Tanida,K. 1997
Biodiversity of Trichoptera in maritime region (The Far East of Russia) with special references to large rivers. - Pp.107-126 in:Wada,E., Timoshkin,O.A., Fujita,N. & Tanida,K. (eds): New scope on boreal ecosystems in East Siberia. Novosibirsk.
- Tham,J., Jansen,W., Rahmann,H. 1997
Die Köcherfliegen-(Trichoptera-) Fauna der Torfstiche und Gräben des Hochmoor-Komplexes Wurzacher Ried, Lkr.Ravensburg. - *Veröff.Naturschutz Landschaftspflege Baden-Württemberg* 71-72:379-410.
- Usseglio-Polatera,P. 1997
Caractéristiques biologiques, stratégies écologiques et évolution environnementale d'un hydrosystème: l'exemple des trichoptères du Rhône à Lyon (France). - *Geobios.Mém.Spéc.* 21:151-158.
- Vance,S.A., Peckarsky,B.L. 1997
The effect of mermithid parasitism on predation of nymphal *Baetis bicaudatus* (Ephemeroptera) by invertebrates. - *Oecologia* 110:147-152.
- Ward,J.B., McKenzie,J.C. 1997
Synopsis of the genus *Olinga* (Trichoptera: Conoesucidae) with a comparative SEM study of the male forewing androconia and the description of a new species.-*New Zealand Nat.Sci.* 23:1-11.
- Yang,Lianfang, Sun,Changhai, Wang,Beixin 1997
Trichoptera: Economiidae, Glossosomatidae, Hydropsychidae, Philopotamidae, Psychomyiidae, Stenopsychidae, Goeridae, Lepidostomatidae, Leptoceridae, Limnephilidae, Hydrobiosidae and Rhyacophilidae. - In: *Insects of the Three Gorge Reservoir Area of Yangtze River*: 975-993.
- Yang,Lianfang, Wang,Beixin, Leng,Keming 1997
Seven new species of Trichoptera (Insecta: Mecopterodea) from Funiu Mountain. - *Entomotaxonomia* 19:279-288.
- Yu Li 1997
Notes on larvae of six species of the genus *Rhyacophila* Pictet (Trichoptera: Rhyacophilidae) from Changbai Mountain. - *Acta Ent.Sin.* 40:300-302. (Chinese)
- 1998
- Albariño,R.J., Valverde, A. del C. 1998
Hábito alimentario del estado larval de *Parasericostoma cristatum* (Trichoptera: Sericostomatidae). - *Rev.Soc.Entomol.Argent.* 57:131-135.
- Ammer,K.-J. 1998
Die Köcherfliegenfauna ausgewählter Auenstandorte der oberen und unteren Mittelalbe. - *Lauterbornia* 34:75-90.
- Angrisano,E.B. 1998
Los estados inmaduros de *Neotopsyche* (Trichoptera: Hydrobiosidae). - *Rev.Soc.Entomol.Argent.* 57:121-125.
- Arefina,T.I. 1998
A redescription of the *Anabolia appendix* (Ulmer, 1905) (Trichoptera: Limnephilidae). - *Far Eastern Ent.* 64:1-5.
- Ashe,P., O'Connor,J.P., Murray,D.A. 1998
A checklist of Irish Aquatic Insects. - *Occ.Pap.Irish Biogeogr.Soc.* 3:1-80. (Trichoptera: 27-32)
- Bolzhuber,M. 1998
Larvaltaxonomie und Entwicklung von *Annitella thuringica* (Ulmer 1909) und *Limnephilus germanus* McLachlan 1875. - *Lauterbornia* 34:219-226.
- Botosaneanu,L. 1998
Eine neue Art von *Mexitrichia* Moseley 1937 aus Nord-Venezuela (Trichoptera: Glossosomatidae: Protoptilinae). - *Ent.Z.(Essen)* 108:460-462.
- Botosaneanu,L. 1998
On several *Hydropsyche* from Iran, with description of a new species (Trichoptera: Hydropsychidae). - *Ent.Z.(Essen)* 108:496-500.
- Brinkmann,R., Lettow,G., Schwalm,J., Speth,S. 1998
Untersuchungen zur Litoralfauna schleswig-holsteinischer Seen: Veranlassung, Zielsetzung – Teil 1: Köcherfliegen (Trichoptera). - *Lauterbornia* 34:31-44.
- Brodersen,K.P., Dall,P.C., Lindegaard,C. 1998
The fauna in the upper stony littoral of Danish lakes: macro-invertebrates as trophic indicators. - *Freshw.Biol.* 39:577-592.

- Bueno-Soria,J., Holzenthal,R. 1998
Studies in aquatic insects XIV: Description of eight new species of *Ochrotrichia* Mosely (Trichoptera: Hydroptilidae), from Costa Rica. - Proc.Biol.Soc.Wash. 111:604-612.
- Cartwright, D.I. 1998
New species and a new record of *Ecnomus* McLachlan (Trichoptera: Ecnomidae) from Papua New Guinea and Irian Jaya. - Mem.Mus.Victoria 57:73-87.
- Charvet,S., Kosmala,A., Statzner,B. 1998
Biomonitoring through biological traits of benthic macroinvertebrates: perspectives for a general tool in stream management. - Arch.Hydrobiol. 142:415-432.
- Cianficconi,F., Corallini,C., Moretti,G.P. 1998
Trichoptera fauna of the Italian springs. - In: Botosaneanu,L.(ed.): Studies in crenobiology, pp.125-140. Backhuys, Leiden.
- Clenaghan,C., Giller,P.S., O'Halloran,J., Hernan,R. 1998
Stream macroinvertebrate communities in a conifer-afforested catchment in Ireland: relationships to physico-chemical and biotic factors. - Freshw.Biol. 40:175-193.
- Cronin,G., Wissing,K.D., Lodge,D.M. 1998
Comparative feeding selectivity of herbivorous insects on waterlilies: aquatic vs. semi-terrestrial insects and submersed vs. floating leaves. - Freshw.Biol. 39:243-257.
- Czachorowski,S. 1998
Chruściki (Trichoptera) Puszczy Białowieskiej – stan poznania. – Parki Narodowe i Rezerwaty Przyrody 17.3 (supl.):49-54.
- Czachorowski,S. 1998
Chruściki (Trichoptera) jezior Polski. Charakterystyka, rozmieszczenia, larw. 156pp. Wyższa Szkoła Pedagogiczna, Olsztyn (studia i materiały WSP Nr.142).
- Ehlert,T., Timm,T., Schuhmacher,H. 1998
Räumliche und zeitliche Muster des Flugverhaltens von *Athripsodes bilineatus* (Linné 1758) an einem Mittelgebirgsbach (Trichoptera, Leptoceridae). - Lauterbornia 34:241.242.
- Erman,N.A. 1998
Invertebrate richness and Trichoptera phenology in Sierra Nevada (California, USA) cold springs: sources of variation. - Pp. 95-108 in: Botosaneanu,L. (ed.): Studies in crenobiology. Backhuys, Leiden.
- Finck,P. 1998
Der Einfluß von Probenzeitnahmepunkt und -häufigkeit auf die Erfassung der Makroinvertebraten in Mittelgebirgsbächen. - Lauterbornia 34:245-254.
- Fischer,J., Neu,P.J. 1998
Zur Kenntnis der Köcherfliegenfauna von Rheinland-Pfalz (Insecta: Trichoptera). - Lauterbornia 34:131-157.
- Fischer,J., Fischer,F., Schnabel,S., Wagner,R., Bohle,H.W.1998
Die Quellfauna der hessischen Mittelgebirgsregion. – Pp.183-199 in: Botosaneanu,L., (ed.): Studies in crenobiology. Backhuys, Leiden.
- Flint,O.S.,Jr. 1998
Studies of Neotropical caddisflies, LIII: A taxonomic review of the subgenus *Curgia* of the genus *Chimarra* (Trichoptera: Philopotamidae). - Smiths.Contr.Zool. 594:1-131.
- Flint,O.S.,Jr., Bueno-Soria,J. 1998
Studies of neotropical caddisflies, LVI: Descriptions of five new species of the genus *Metricchia* Ross (Trichoptera: Hydroptilidae) from Pakitza, Peru, with a checklist and bibliography of the described species of the genus. - Proc.Ent.Soc.Wash. 100:489-496.
- Gianotti,F.S. 1998
Commemorazione di Giampaolo Moretti. – Riv.Idrobiol. 36:I-XXV.
- Di Giovanni,M.V. 1998
Un ricordo di Giampaolo Moretti (1910-1997). - Università di Camerino, 16pp.
- Gorka,M., Hackbarth,W., Roos,P., Marten,M. 1998
Bemerkenswerte Köcherfliegenfunde an Fließgewässern Baden-Württembergs (Insecta: Trichoptera). – Lauterbornia 34:193-197.
- Graf,W., Schmidt-Kloiber,A., Moritz,C. 1998
Köcherfliegenfunde aus Österreich. – Lauterbornia 34:205-213.
- Haase,P. 1998
Köcherfliegen als Charakterarten colliner und submontaner Kalkbäche in den deutschen Mittelgebirgen. – Lauterbornia 34:113-119.
- Hamilton,R.,IV, Petersen,R.L., Duffield,R.M. 1998
An unusual occurrence of caddisflies (Trichoptera: Phryganeidae) in a Pennsylvania population of the purple pitcher plant, *Sarracenia purpurea*. - Ent.News 109:36, 50.
- Harrison,S.S.C., Hildrew,A.G. 1998
Patterns in the epilithic community of a lake littoral. - Freshw.Biol. 39:477-492.
- Hayashi,Y. 1998
Identification of three *Cheumatopsyche* species (Insecta: Trichoptera) in Japan by enzyme polymorphism. - Jap.J.Limnol. 59:175-183. (Japanese)
- Hayford,B., Herrmann,S.J. 1998
Migration patterns of four macroinvertebrates along a thermal spring rheocrene. – Pp.75-83 in: Botosaneanu,L. (ed.): Studies in crenobiology. Backhuys, Leiden. [on *Chimarra utahensis*]
- Hetrick,N.D., Morse,J.C., West,J.L. 1998
Descriptions and phylogeny of four limnephiloid caddisflies (Trichoptera) based on first instars. - Ann.Ent.Soc.Amer. 91:497-514.

- Hoffmann,A. 1998
Proximate and ultimate Faktoren bei der Wahl des Verpuppungsorts von Trichoptera. - Lauterbornia 34:239-240.
- Hohmann,M. 1998
Bemerkenswerte Köcherfliegen-Fänge (Insecta, Trichoptera) im Tiefland Sachsen-Anhalts. - Lauterbornia 34:73.
- Houghton,D.C., Stewart,K.W. 1998
Life history and case-building behavior of *Culoptila cantha* (Trichoptera: Glossosomatidae) in the Brazos River, Texas. - Ann.Ent.Soc.Amer. 91:59-70.
- Houp,R.E., Houp,K.H., Harris,S.C. 1998
Two new species of microcaddisflies (Trichoptera: Hydroptilidae) from Kentucky. - Ent.News 109:99-102.
- Hübner,G., Klose,S. 1998
Erfolgskontrolle der Renaturierung eines Baches in der Lüneburger Heide anhand der Ephemeroptera, Plecoptera und Trichoptera. - Lauterbornia 34:53-66.
- Hughes,J.M., Bunn,S.E., Hurwood,D.A., Cleary,C. 1998
Dispersal and recruitment of *Tasiagma ciliata* (Trichoptera: Tasimiidae) in rainforest streams, south-eastern Australia. - Freshw.Biol. 39:117-127.
- Ito,T. 1998
The family Molannidae Wallengren in Japan (Trichoptera). - Ent.Sci. 1:87-97.
- Ito,T. 1998
The biology of the primitive, distinctly crenophilic caddisflies, Ptilocolepinae (Trichoptera, Hydroptilidae). A review. - In: Botosaneanu,L. (ed.): Studies in crenobiology, pp.85-94. Backhuys, Leiden.
- Ito,T., Kamei,H., Ohkawa,A., Kuhara,N., Nishimoto,H. 1998
Caddisfly fauna of the Shibetsu District and the Shiretoko Pass, easternmost part of Hokkaido, northern Japan. - Biol.Inl.Wat. 13:17.
- Ito,T. 1998
Description of a Far Eastern lepidostomatid caddisfly, *Dinarthrum coreanum* (Kumanski et Weaver, 1992) (Trichoptera). - Entomol.Science 1:585-588.
- Johanson,K.A. 1998
Phylogenetic and biogeographic analysis of the family Helicopsychidae (Insecta: Trichoptera). - Ent.scand.Suppl. 53:1-172.
- Kampwerth,U. 1998
Stenophylax mitis McLachlan 1875, *Wormaldia triangulifera* McLachlan 1878 und *Tinodes assimilis* McLachlan 1865 (Trichoptera) – Erstnachweis bzw. Wiederfund für Hessen. - Lauterbornia 34:121-129.
- Kiss,O., Lorincz,G., Mikus,L. 1998
A Bükk hegységi hosszú-völgy trichopterái. - Acta Acad.paedag.Agriensis Zool., N.S. 22:15-33.
- Klima,F. + 1998
Rote Liste der Köcherfliegen (Trichoptera). In: Rote Liste gefährdeter Tiere Deutschlands. - Schriftenreihe für Landschaftspflege und Naturschutz 55:112-118. Bonn.
- Klima,M., Anlauf,A. 1998
Wiederfund von *Lasiocephala basalis* (Insecta: Trichoptera) in Sachsen. - Lauterbornia 33:25-26.
- Kobayashi,T. 1998
Eurycnemus nozakii sp.nov. (Diptera: Chironomidae), the second named *Eurycnemus* species. - Ent.Sci. 1:109-114. [parasite of *Goera japonica*]
- Konar,M. 1998
Trichopteren-Lichtfallenfang am Roggbach und ein Vergleich mit weiteren Standorten in Kärnten. - Carinthia II 188/108:499-506.
- Kraft,C., Haase,P. 1998
Verbreitung von *Tinodes dives* (Pictet 1834) (Trichoptera, Psychomyiidae) in Deutschland mit Anmerkungen zur Autökologie und zur Larvaltaxonomie. - Lauterbornia 34:215-218.
- Less,S. 1998
Die Koexistenz von 3 netzspinnenden Philopotamiden (Trichoptera) im Breschterbach (Luxemburg). Mikrohabitattselektion, Lebenszyklus und Ernährungstypen. - Diplomarbeit, Centre de Recherche Public, Centre Universitaire (Luxembourg), 118 pp.
- Li,Y.J., Morse,J.C., Wang,P. 1998
New taxonomic definition of the genus *Neucentropus* Martynov (Trichoptera: Polycentropodidae). - Proc.Ent.Soc.Wash. 100:665-671.
- Lillpopp,S., Bohle,H.W., Fiedler,A. 1998
Beiträge zur Biologie von *Plectrocnemia conspersa* (Curtis) (Polycentropodidae, Trichoptera). - Lauterbornia 34:227-238.
- Lubini,V. 1998
Aquatic invertebrates of streams and rivers in the Simen Mountains. - Pp.78-83 in: Nievergelt,B., Good,T., Güttinger,R. (eds.): A survey of the flora and fauna of the Simen Mountains National Park, Ethiopia. Pano, Zürich.
- Malicky,H. 1998
Die Verbreitung der *Polycentropus ierapetra*-Gruppe (Trichoptera: Polycentropodidae). - Ent.Z.(Essen) 108:325-330.
- Malicky,H. 1998
Über einige *Hydroptila*-Arten aus der *occulta*-Gruppe (Trichoptera, Hydroptilidae). - Stafnia 55:395-397.
- Malicky,H. 1998
Ein Beitrag zur Kenntnis asiatischer *Amphipsyche* und *Polymorphanisini* (Trichoptera, Hydropsychidae). - Stafnia 55:399-408.
- Malicky,H. 1998
Ein Beitrag zur Kenntnis asiatischer *Macronematini* (Trichoptera, Hydropsychidae) (Zugleich 24.Arbeit über thailändische Köcherfliegen). - Linzer biol.Beitr. 30:767-793.

- Malicky,H. 1998
Köcherfliegen (Trichoptera) von Java und Sumatra, mit Revision einiger Ulmer – Typen aus dem Hamburger Museum. – Linzer biol.Beritr. 30:795-814.
- Marec,F., Novák,K. 1998
Absence of sex chromatin corresponds with a sex-chromosome univalent in females of Trichoptera. – Eur.J.Ent. 95:197-209.
- Marten,M., Fischer,F. 1998
Die Ergebnisse von Lichtfallenfängen am Oberrhein, Baden-Württemberg – Teil 1: Trichoptera. – Lauterbornia 34:175-192.
- Mey,W. 1998
The distribution of *Apsilochorema* Ulmer, 1907: biogeographic evidence for the Mesozoic accretion of a Gondwana microcontinent to Laurasia. - In: Hall,R., Holloway,J.D.(eds.): Biogeography and geological evolution of SE Asia, pp.91-98. Backhuys, Leiden.
- Mey,W. 1998
Contribution to the knowledge of the caddisfly fauna of the Philippines, III. (Insecta: Trichoptera). - Entomofauna (Ansfelden) 19:1-31.
- Mey,W. 1998
Contribution to the knowledge of the caddisflies of the Philippines. 2.The species of the Mt.Agtuuganon Range on Mindanao (Insecta: Trichoptera). - Nachr.ent.Ver.Apollo, Suppl.17:537-576.
- Mey,W. 1998
Die Köcherfliegenfauna des Fan Si Pan – Massivs in Nord-Vietnam. 3.Beschreibung weiterer neuer Arten (Trichoptera). – Opusc.zool.flumin. 165:1-17.
- Mey,W. 1998
Weitere Emergenz-Daten zur Trichoptera-Besiedlung der Vesser (Thüringer Wald). – Abh.Ber.Mus.Nat.Gotha 20:73-78.
- Möbes-Hansen,B., Waringer,J.A. 1998
The influence of hydraulic stress on microdistribution patterns of zoobenthos in a sandstone brook (Weidlingbach, Lower Austria). – Int.Rev.Hydrobiol. 83:381-396.
- Moretti,G.P., Di Giovanni,M.V., Gianotti,F.S., Goretti,E., Chiappafreddo,U. 1998
I tricotteri italiani della collezione G.P.Moretti. – Riv.Idrobiol. 36:XXVII-LXVIII + 1-437.
- Morris,S.J. 1998
An insect survey in the Landsborough Valley – West Coast. – Rec.Canterbury Mus. 12:44-48. [New Zealand; incl.Trichoptera]
- Murphy,J.F., Giller,P.S., Horan,M.A. 1998
Spatial scale and the aggregation of stream macroinvertebrates associated with leaf packs. - Freshw.Biol. 39:325-337.
- Neu,P.J. 1998
Köcherfliegen (Trichoptera) von Gönnersdorf (Krs.Daun). Beiträge zur Insektenfauna der Eifeldörfer XVIII. - Dendrocopos (Trier) 25:187-210.
- Nicholls,D.C., Urquhart,E.M., Ward,J.B., Johns,P.M. 1998
A list of insect primary types held in Canterbury Museum, Christchurch, New Zealand. – Rec.Canterbury Mus. 12:1-43. (Trichoptera pp.31-35)
- Nógrádi,S., Uherkovich,Á. 1998
Újabb eredmények a Duna – Dráva Nemzeti Park Dráva menti területei tegzes (Trichoptera) faunájának kutatásában. – Dunátúli Dolg.Term.tud.Sorozat (Pécs) 9:331-358.
- Nógrádi,S. 1998
New data to the caddisfly (Trichoptera) fauna of Hungary, IV. – Fol.Ent.Hung. 59:73-78.
- Nozaki,T., Ito,T. 1998
Immature stages of *Lenarchus fuscostramineus* Schmid (Trichoptera, Limnephilidae). – Jap.J.Limnol. 59:383-389.
- Nozaki,T., Itou,M. 1998
Immature stages of *BrachyPsyche sibirica* (Martynov) (Trichoptera: Limnephilidae). – Ent.Sci. 1:423-426.
- Otto, C.-J. 1998
Zur Köcherfliegen-Fauna von Seeabläufen in Schleswig-Holstein (Insecta, Trichoptera). – Lauterbornia 34:45-52.
- Sun Jin Park, Yeon Jae Bae 1998
New records of the Limnephiloidea (Insecta: Trichoptera) from Korea. – Korean J.Syst.Zool. 14:361-370.
- Peissner,T., Kappus,B. 1998
Zur Köcherfliegenfauna (Insecta, Trichoptera) der Jagst (Baden-Württemberg). – Lauterbornia 34:159-168.
- Peissner,T., Maier,K.-J., Kappus,B. 1998
Erstnachweis von *Hydropsila lotensis* (Trichoptera) in Deutschland. – Lauterbornia 34:169-173.
- De Pietro,R. 1998
A new species of *Plectrocnemia* from Sicily (Trichoptera, Polycentropodidae). - Aquatic Insects 20:257-260.
- Pottgiesser,T., Sommerhäuser,M., Ahn,B., Klausmeier,P., Koch,P., Robert,B., Tackmann,S., Schuhmacher,H. 1998
Möglichkeiten der Bewertung und Typisierung von Ufer- und Umfeldstrukturen an Tieflandbächen anhand ausgewählter Indikatorgruppen – Erste Ergebnisse. – Tagungsber.Dt.Ges.Limnol. Frankfurt/M. 1997 (Krefeld):709-713.
- Reinhold,M., Tittizer,T. 1998
Der Einfluß eines Dükers auf das Macrozoobenthos eines kanalkreuzenden Fließgewässers. - Limnologica 28:183-199.
- Reusch,H., Brinkmann,R. 1998
Zur Kenntnis der Präsenz der Trichoptera-Arten in limnischen Biototypen des norddeutschen Tieflandes. – Lauterbornia 34:91-103.
- Robert,B., Alecke,C., Schulze,W. 1998
Bemerkenswerte Köcherfliegen-Funde aus Westfalen (NRW) (Insecta, Trichoptera: Rhyacophilidae, Hydropsychidae, Leptoceridae). - Mitt.Arbgem.ostwestfäl.-lipp.Ent. 14:53-61.

- Robert,B. 1998
Bibliographie der köcherfliegen-kundlichen (Insecta, Trichoptera) Publikationen von Dr.Franz Klima (1952-1997). – Lauterbornia 34:9-14.
- Robert,B. 1998
Bericht über den Workshop „Fortschreibung der deutschen Köcherfliegen-Fauna (Insecta, Trichoptera) seit Klima & al. (1994). – Lauterbornia 34:15-20.
- Robert,B. 1998
Veränderungen in der Köcherfliegen-Fauna (Insecta, Trichoptera) Nordrhein-Westfalens (Deutschlands) seit Klima & al. (1994), Stand 08.1998. – Lauterbornia 34:105-112.
- Robinson,C.T., Minshall,G.W. 1998
Macroinvertebrate communities, secondary production, and life history patterns in two adjacent streams in Idaho, USA. - Arch.Hydrobiol. 142:257-281.
- Siebert,M. 1998
Wasserinsekten im Hyporhithral und Epipotamal der Fulda, einst und jetzt. - Lauterbornia 33:53-83.
- Sipahiler,F. 1998
Studies on the genus *Annitella* Klapálek (Trichoptera: Limnephilidae: Chaetopterygini) in the Iberian Peninsula. - Aquatic Insects 20:149-164.
- Sommerhäuser,M., Antunes,I., Bohle,H.W., Brunke,M., Diehl,U., Dieterich,M., Erpelding,Å., Fiedler,A., Foltyn,S., Hecht,M., Kampwerth,U., Lorenz,A., Meyer,A., Meyer,E.I., Ploß,E., Robert,B., Schellenberg,T., Seuter,S., Zah,R. 1998
Terminologische, typologische und biozönotische Konzepte für temporäre Fließgewässer. – Tagungsber.Dr.Ges.Limnol. Frankfurt/M. 1997 (Krefeld):936-940.
- Speth,S., Brinkmann,R. 1998
Zur Köcherfliegenfauna schleswig-holsteinischer Fließgewässer-Oberläufe (Insecta, Trichoptera). – Lauterbornia 34:21-30.
- Statzner,B., Bretschko,G. 1998
Net-building of a caddis fly (*Hydropsyche siltalai*) in a French stream: relations with larval density and physical conditions. - Arch.Hydrobiol. 144:87-102.
- Strand,R.M., Merritt,R.W. 1998
Effects of episodic sedimentation on the net-spinning caddisflies *Hydropsyche betteni* and *Ceratopsyche sparna* (Trichoptera: Hydropsychidae). – Environm.Pollut. 98:129-134.
- Sukatsheva,I.D. 1998
The Lower Cretaceous caddis assemblages (Trichoptera). - Abstr.First Paleontol.Conference (Moscow): 43.
- Szczęsny,B. 1998
Benthic macroinvertebrates in the acidified headstreams of the Vistula River. – In: Wróbel,S.(ed.): Environmental degradation of the Czarna Wiselka and Biała Wiselka catchments, Western Carpathians. – Studia Natura (Kraków) 44:145-170.
- Tappenbeck,L. 1998
Die Einwanderung der Köcherfliege *Hydropsyche contubernalis* aus der Elbe in das Gebiet der Bode im Harz seit 1993. – Lauterbornia 34:67-71.
- Thiele,V., Mehl,D., Berlin,A., Huijssoon,L. 1998
Untersuchungen zum Gegenstromwanderungsverhalten aquatischer und zum Gegenstromflug merolimnischer Evertibraten in Bereich von Fischaufstiegsanlagen in Mecklenburg-Vorpommern (Deutschland). - Limnologica 28:167-182.
- Valverde,A. del C., Miserendino,M.L. 1998
Aportes al conocimiento de los estados preimaginales de *Mastigoptila longicornuta* (Trichoptera: Glossosomatidae). – Rev.Soc.Entomol.Argent. 57:49-55.
- Vetter,J., Schulze,T., Alf,A. 1998
Untersuchungen zur Wiederbesiedlung eines renaturierten Flußabschnitts des Mains. - Lauterbornia 33:109-119.
- Vieira-Lanero,R., González,M.A., Cobo,F. 1998
The larva of *Lype auripilis* McLachlan, 1884 (Insecta, Trichoptera, Psychomyiidae). – Spixiana 21:229-234.
- Vieira-Lanero,R., González,M.A., Cobo,F. 1998
Descripción de la larva de *Agapetus segovicus* Schmid, 1952 (Trichoptera, Glossosomatidae). – Nova Acta Cient.Compostelana (Biol.) 8:263-270.
- Vieira-Lanero,R., González,M.A., Cobo,F. 1998
Larval description of *Micrasema servatum* (Navás, 1918) (Trichoptera, Brachyceridae). – Graellsia 54:3-8.
- Ward,J.B. 1998
Five new species of New Zealand Hydrobiosidae (Insecta: Trichoptera). - Rec.Canterbury Mus. 12:1-16.
- Waringer,J., Wiberg-Larsen,P. 1998
Die Larve von *Paroecetis strucki* (Klapálek 1903) (Trichoptera: Leptoceridae). Poster-Kurzfassung. – Lauterbornia 34:243-244.
- Weaver,J.S.III, Myers,M.J. 1998
Two new species of caddisflies of the genus *Lepidostoma* Rambur (Trichoptera: Lepidostomatidae) from the Great Basin. - Aquatic Insects 20:189-195.
- Weinzierl,A., Graf,W. 1998
Ein Beitrag zur Kenntnis der Köcherfliegenfauna der Berchtesgadner Alpen (Bayern). – Lauterbornia 34:199-203.
- Wells,A. 1998
Two new species of Hydroptilidae (Trichoptera) from Tasmania's World Heritage Area. – Austral.Entomologist 25:81-84.
- Wiberg-Larsen,P., Waringer,J. 1998
A re-description of the larva of *Paroecetis strucki* (Klapálek, 1903) (Trichoptera: Leptoceridae), based on Danish material. - Aquatic Insects 20:231-238.
- Wiberg-Larsen,P., Hansen,S.B. 1998
Light trapping of Trichoptera near the coast of NW Zealand, Denmark. – Natura Jutlandica 23:69-77.

- Wiberg-Larsen,P., Medin,M., Nilsson,P.-A. 1998
First record of *Setodes punctatus* (Trichoptera: Leptoceridae) in NW Europe. - Ent.Tidskr. 119:37-40.
- Wright,K.K., Li,J.L. 1998
Effects of recreational activities on the distribution of *Dicosmoecus gilvipes* in a mountain stream. - J.N.Am.Benthol.Soc. 17:535-543.
- Hui-ju Wu 1998
Taxonomy of Calamoceratidae and Lepidostomatidae in Taiwan (Trichoptera: Integripalpia). - Master thesis, Graduate Inst.Plant Path.Ent., Nat.Taiwan University, 127pp. [Chinese].
- 1999
- Alouf,N. 1999
Développement de *Hydropsyche instabilis* (Insecta, Trichoptera) dans un cours d'eau au Liban. - Proc.9th Int.Symp.Trichoptera: 1-6. Faculty of Science, University of Chiang Mai, Thailand.
- Andersen,T., Holzenthal,R.W. 1999
The genus *Allosestodes* Banks 1931, a junior synonym of *Triaenodes* MacLachlan 1865 (Trichoptera: Leptoceridae). - Proc.9th Int.Symp.Trichoptera: 7-16. Faculty of Science, University of Chiang Mai, Thailand.
- Andersen,T., Kjærandsen,J., Morse,J.C. 1999
Blyzophilus dorsohamatus gen.n., sp.n. from Ghana representing a new leptocerid tribe, Blyzophilini trib.n. (Trichoptera: Leptoceridae). - Proc.9th Int.Symp.Trichoptera: 17-23. Faculty of Science, University of Chiang Mai, Thailand.
- Berglind,S.-Å., Engblom,E., Lingdell,P.-E. 1999
Naturligt sällsynta, hotade eller förbisedda ? Nattsländorna *Semblis phalaenoides* och *Satrata* i Sverige. - Ent.Tidskr. 120:1-16.
- Bicchierai,M.C., Corallini Sorcetti,C. 1999
Attachment device of the gregarine *Pomania moretti* Corallini Sorcetti to the midgut of *Potamophylax inermis* Moretti & Cianficconi (Trichoptera: Limnephilidae). - Proc.9th Int.Symp.Trichoptera: 25-31. Faculty of Science, University of Chiang Mai, Thailand.
- Bicchierai,M.C., Gaino,E. 1999
Structural and ultrastructural investigations on the eggs of *Rhyacophila italica* Moretti (Trichoptera: Rhyacophilidae). - Proc.9th Int.Symp.Trichoptera: 33-42. Faculty of Science, University of Chiang Mai, Thailand.
- Botsaneanu,L. 1999
Caddisflies (Trichoptera) – what can they tell about biogeography of the Levant ? - Israel J.Zool. 45:75-78.
- Bowles,D.E., Harris,S.C., Bueno-Soria,J. 1999
An assessment of New World Stactobiini (Trichoptera: Hydroptilidae: Hydroptilinae) larvae with new larval descriptions of *Alisotrichia*, *Mejicanotrichia*, and *Scelobotrichia*. - Proc.9th Int.Symp.Trichoptera: 43-52. Faculty of Science, University of Chiang Mai, Thailand.
- Chaibu,P., Chantaramongkol,P. 1999
Caddisflies (Trichoptera) from the upper Ping River, northern Thailand. - Proc.9th Int.Symp.Trichoptera: 53-54. Faculty of Science, University of Chiang Mai, Thailand.
- Chantaramongkol,P., McQuillan,P., Promkutkaew,S. 1999
Analysis of Trichoptera adult seasonality from Huay Koo Kaow stream, Chiang Mai zoo, Doi Suthep, Thailand. - Proc.9th Int.Symp.Trichoptera: 469-474. Faculty of Science, University of Chiang Mai, Thailand.
- Chvojka,P., Sykora,J.L. 1999
Revision of the *Leptonema affine* group (Insecta: Trichoptera: Hydropsychidae) from Madagascar with the description of a new species. - Čas.Národn.muz., Řada přírody. 167:25-33.
- Cianficconi,F., Corallini,C., Moretti,G.P. 1999
Trichoptera and their symbionts in the eastern Italian Alps. - Proc.9th Int.Symp.Trichoptera: 55-63. Faculty of Science, University of Chiang Mai, Thailand.
- Corallini Sorcetti,C., Catapano,L. 1999
Morphology and ultrastructure of the midgut of *Rhyacophila italica* Moretti (Trichoptera: Rhyacophilidae). - Proc.9th Int.Symp.Trichoptera: 65-73. Faculty of Science, University of Chiang Mai, Thailand.
- Dean,J.C. 1999
Preliminary keys for the identification of Australian Trichoptera larvae of the family Hydropsychidae. - Coop.Res.Centre Freshw.Ecol.(Australia), Identification Guide 22:1-40.
- Dohet,A. 1999
Ordination and classification of trichopteran assemblages of the rhithral part of some basins with little or no anthropogenic disturbance in the Oesling (G.D. of Luxembourg). - Proc.9th Int.Symp.Trichoptera: 75-81. Faculty of Science, University of Chiang Mai, Thailand.
- Dudgeon,D. 1999
The population dynamics of three species of Calamoceratidae (Trichoptera) in a tropical forest stream. - Proc.9th Int.Symp.Trichoptera: 83-91. Faculty of Science, University of Chiang Mai, Thailand.
- Dudgeon,D. 1999
Patterns of variation in secondary production in a tropical stream. - Arch.Hydrobiol. 144:271-281.
- Ehlert,T., Timm,T., Schuhmacher,H. 1999
Spatial and temporal flight behaviour of *Athripsodes bilineatus* (Linné 1758) at a mountain brook (Trichoptera, Leptoceridae). - Proc.9th Int.Symp.Trichoptera: 93-98. Faculty of Science, University of Chiang Mai, Thailand.
- Eisendle,U., Waringer,J. 1999
Faunistik und Phänologie der Ephemeroptera, Plecoptera und Trichoptera eines Flysch-Wienerwaldbaches (Weidlingbach, Niederösterreich). - Lauterbornia 35:21-31.

- Englund,G., Evander,D. 1999
Interactions between sculpins, net-spinning caddis larvae and midge larvae. - Oikos 85:117-126.
- Flint,O.S.,Jr. 1999
The Chilean genus *Charadropsyche*, with the description of 1st immature stages (Trichoptera: Tasimiidae). (Studies of neotropical caddisflies, 56). - Proc.9th Int.Symp.Trichoptera: 99-105. Faculty of Science, University of Chiang Mai, Thailand.
- Gall,W.K., Wiggins,G.B. 1999
Evidence bearing on a sister-group relationship between the families Phryganeidae and Plectrotarsidae (Trichoptera). - Proc.9th Int.Symp.Trichoptera: 107-116. Faculty of Science, University of Chiang Mai, Thailand.
- van der Geest,H., Greve,G.D., Schepers,B.B., de Haas,E.M., Stuijfzand,S.C., Kraak,M.H.S. 1999
Key factors limiting the distribution of sensitive aquatic insect species: Effects of copper and diazinon on larvae of the caddisfly *Hydropsyche angustipennis* (Trichoptera). - Proc.9th Int.Symp.Trichoptera: 117-122. Faculty of Science, University of Chiang Mai, Thailand.
- Gibon,F.-M., Andriambelo,Z., Randriamasimanana,D. 1999
A study of the diversity and richness of the Malagasy Trichoptera. - Proc.9th Int.Symp.Trichoptera: 123-124. Faculty of Science, University of Chiang Mai, Thailand.
- González,M.A., Malicky,H. 1999
Une nouvelle espèce de *Hydropsyche* du groupe *pellucidula* (Trichoptera, Hydropsychidae). - Braueria 26:25-26.
- Gui,F., Yang,L. 1999
Four new species of Hydropsychidae (Insecta: Trichoptera) from Yunnan Province, China. - Braueria 26:19-20.
- Harris,S.C., Davenport,L.J. 1999
New species of Hydroptilidae (Trichoptera) from the Amazon Region of northeastern Peru. - Proc.Ent.Soc.Wash. 101:26-38.
- Hayashi,F., Ishikawa,M., Kuhara,N., Tanaka,M., Hattori,H. 1999
Seasonal changes in body size, egg size and sperm length of Japanese *Stenopsyche* (Trichoptera: Stenopsychidae). - Proc.9th Int.Symp.Trichoptera: 125-132. Faculty of Science, University of Chiang Mai, Thailand.
- Hoffmann,A. 1999
Mating systems in Trichoptera: a little about the little known. - Proc.9th Int.Symp.Trichoptera: 133-139. Faculty of Science, University of Chiang Mai, Thailand.
- Ito,T. 1999
Life histories of three free-living caddisflies in a headwater stream of Hokkaido, northern Japan. - Biol.Inl.Waters 14:28-34.
- Ito,T., Ohkawa,A., Uenishi,M., Kuhara,N. 1999
Caddisfly fauna of the Akanko District, Hokkaido, northern Japan. - Biol.Inl.Waters 14:16-27. (Japanese)
- Ito,T., Vshivkova,T. 1999
Palaeagapetus finisorientis: Description of all stages and biological observations (Trichoptera, Hydroptilidae, Ptilocolepiniae). - Proc.9th Int.Symp.Trichoptera: 141-148. Faculty of Science, University of Chiang Mai, Thailand.
- Ivanov,V.D., Löfstedt,C. 1999
Pheromones in caddisflies. - Proc.9th Int.Symp.Trichoptera: 149-156. Faculty of Science, University of Chiang Mai, Thailand.
- Johanson,K.A. 1999
Description of two new neotropical *Helicopsyche* (Trichoptera: Helicopsychidae). - Aquat.Insects 21:127-132.
- Johanson,K.A., Scheffer,P.W. 1999
Taxonomic survey of the New Caledonian species of *Helicopsyche* described by H.H.Ross (Trichoptera: Helicopsychidae). - Ent.scand. 30:1-29.
- Kato,H., Kagaya,T. 1999
The distribution pattern of genus *Micrasema* (Brachyceridae: Trichoptera) in streams in Nikko district, central Japan. - Proc.9th Int.Symp.Trichoptera: 157-164. Faculty of Science, University of Chiang Mai, Thailand.
- Keth,A.C., Harris,S.C. 1999
Two new species of *Agarodes* Banks (Trichoptera: Sericostomatidae) from southeastern United States. - Proc.Ent.Soc.Wash. 101:86-93.
- Kiss,O., Andrikovics,S., Szigetvári,G., Fisli,I. 1999
Trichoptera from a light trap near the Eger brook at Szarvaskő (Bükk Mountains, North Hungary). - Proc.9th Int.Symp.Trichoptera: 165-170. Faculty of Science, University of Chiang Mai, Thailand.
- Kiss,O., Schmera,D. 1999
Trichoptera from a light trap in the Bükk Mountains, northern Hungary, 1996. - Proc.9th Int.Symp.Trichoptera: 171-174. Faculty of Science, University of Chiang Mai, Thailand.
- Kuhara,N. 1999
Notes on the subgenus *Kisaura* of the genus *Dolophilodes* (Trichoptera: Philopotamidae) in Japan, with descriptions of three new species. - Proc.9th Int.Symp.Trichoptera: 175-184. Faculty of Science, University of Chiang Mai, Thailand.
- Kumanski,K., Malicky,H. 1999
A survey of the genus *Potamophylax* Wallengren 1891 in the Balkan Peninsula, with description of two new species (Trichoptera: Limnephilidae). - Braueria 26:27-30.
- Kuranishi,R.B. 1999
A checklist of the Rhyacophilidae (Trichoptera) in Japan. - Proc.9th Int.Symp.Trichoptera: 185-192. Faculty of Science, University of Chiang Mai, Thailand.
- Luadee,P., Malicky,H. 1999
Two new Trichoptera species (Polycentropodidae, Economiidae) from Thailand. - Braueria 26:6.

- Luhman,J.C., Holzenthal,R.W., Kjærandsen,J.K. 1999
New host record of a ceraphronid (Hymenoptera) in Trichoptera pupae. - J.Hym.Res. 8:126.
- Majecki,J. 1999
Variations in the pre-diapause activities of three autumnal caddis species (Trichoptera: Limnephilidae). - Proc.9th Int.Symp.Trichoptera: 193-198. Faculty of Science, University of Chiang Mai, Thailand.
- Malicky,H. 1999
Die Verwandtschaft von *Athripsodes bilineatus* (Linneaus 1758) im Ägäisraum (Trichoptera: Leptoceridae). - Ent.Z. (Essen) 109:231-238.
- Malicky,H. 1999
The net-spinning larvae of the Giant Microcaddisfly, *Ugandatrichia* spp. (Trichoptera, Hydroptilidae). - Proc.9th Int.Symp.Trichoptera: 199-204. Faculty of Science, University of Chiang Mai, Thailand.
- Malicky,H. 1999
Eine aktualisierte Liste der österreichischen Köcherfliegen (Trichoptera). - Braueria 26:31-40.
- Malicky,H. 1999
Neue Köcherfliegen aus Europa, Asien und von den Seychellen. - Braueria 26:44-48.
- Malicky,H., Chantaramongkol,P. 1999
A preliminary survey of the caddisflies (Trichoptera) of Thailand. - Proc.9th Int.Symp.Trichoptera: 205-216. Faculty of Science, University of Chiang Mai, Thailand.
- Mathis,M.L. 1999
Life histories of three limnephiloid caddisflies (Trichoptera: Limnephilidae, Uenoidae) inhabiting a temporary spring in the Ozark Mountains, USA. - Proc.9th Int.Symp.Trichoptera: 217-226. Faculty of Science, University of Chiang Mai, Thailand.
- Mey,W. 1999
Origin and formation of the distributional patterns of *Rhyacophila* species in the islands of South-East Asia (Insecta, Trichoptera, Rhyacophilidae). - Senckenb.biol. 78:193-203.
- Mey,W. 1999
The *Hydropsyche formosana* group in the Oriental Region: taxonomy, distribution and phylogeny (Insecta, Trichoptera: Hydropsychidae). - Proc.9th Int.Symp.Trichoptera: 227-236. Faculty of Science, University of Chiang Mai, Thailand.
- de Moor,F.C. 1999
The use of Trichoptera to assess biodiversity and conservation status of South African river systems. - Proc.9th Int.Symp.Trichoptera: 237-244. Faculty of Science, University of Chiang Mai, Thailand.
- Moretti,G.P., Raineri,V., Fava,A., Cianficconi,F. 1999
Trichoptera of a peat bog in the western Ligurian Apennines. - Proc.9th Int.Symp.Trichoptera: 245-252. Faculty of Science, University of Chiang Mai, Thailand.
- Morse,J.C. 1999
A remarkable new species of the *Limnephilus asiaticus* group (Trichoptera: Limnephilidae: Limnephilinae) from Lake Hövsgöl, Mongolia. - Proc.9th Int.Symp.Trichoptera: 253-257. Faculty of Science, University of Chiang Mai, Thailand.
- Myers,M.J., Resh,V.H. 1999
Use of pan traps to collect adult Trichoptera in high desert spring habitats of California, USA. - Proc.9th Int.Symp.Trichoptera: 259-267. Faculty of Science, University of Chiang Mai, Thailand.
- Nagayasu,Y., Ito,T. 1999
Life history of *Eccclisocosmoecus spinosus* Schmid in Hokkaido, northern Japan (Trichoptera, Limnephilidae, Dicosmoecinae). - Proc.9th Int.Symp.Trichoptera: 269-272. Faculty of Science, University of Chiang Mai, Thailand.
- Nakano,A., Tanida,K. 1999
Species richness of Trichoptera in mountain streams in Japan: some practical and statistical tests to reveal the diversity in the mother community. - Proc.9th Int.Symp.Trichoptera: 273-284. Faculty of Science, University of Chiang Mai, Thailand.
- Neboiss,A. 1999
Two new species of *Doloclanae* Banks from Sulawesi, with notes on the distribution of the genus. - Proc.9th Int.Symp.Trichoptera: 285-290. Faculty of Science, University of Chiang Mai, Thailand.
- Neboiss,A. 1999
Zandis Spuris. - Braueria 26:6.
- Nógrádi,S., Uherkovich,Á. 1999
Protected and threatened caddisflies (Trichoptera) of Hungary. - Proc.9th Int.Symp.Trichoptera: 291-297. Faculty of Science, University of Chiang Mai, Thailand.
- Nógrádi,S., Uherkovich,Á., Oláh,J. 1999
The caddisflies (Trichoptera) of the Aggtelek National Park, North Hungary. - Fauna of the Aggtelek National Park:383-393.
- Nozaki,T. 1999
A new terrestrial caddisfly, *Nothopsyche montivaga* n.sp., from Japan (Trichoptera: Limnephilidae). - Proc.9th Int.Symp.Trichoptera: 299-309. Faculty of Science, University of Chiang Mai, Thailand.
- Ohkawa,A., Ito,T. 1999
The male Polycentropodidae (Trichoptera) of Japan. - Proc.9th Int.Symp.Trichoptera: 311-323. Faculty of Science, University of Chiang Mai, Thailand.
- Radomsuk,S., Saengpradab,N. 1999
Species diversity of caddisflies (Trichoptera: Hydropsychidae) in Promlaeng and Yakhrua streams, Nam Nao National Park, Thailand. - Proc.9th Int.Symp.Trichoptera: 325-327. Faculty of Science, University of Chiang Mai, Thailand.
- Ruiter,D.E. 1999
A new species and new synonym in the genus *Psychoronia* (Limnephilidae), with significant records for caddisflies from western North America. - Great Basin Nat. 59:160-168.

- Sipahiler,F. 1999
Two new species of Chaetopterygini (Trichoptera, Limnephilidae) from North-Eastern Turkey. - *Aquat.Insects* 21:115-125.
- Sipahiler,F. 1999
Distribution of Drusinae (Limnephilidae) species in Turkey. - Proc.9th Int.Symp.Trichoptera: 329-336. Faculty of Science, University of Chiang Mai, Thailand.
- Sipahiler,F. 1999
Five new species of Trichoptera from France, Spain and Turkey (Philopotamidae, Psychomyiidae, Polycentropodidae). - *Braueria* 26:41-43.
- Sommerhäuser,M., Koch,P., Robert,B., Schuhmacher,H. 1999
Caddisflies as indicators for the classification of riparian systems along lowland streams. - Proc.9th Int.Symp.Trichoptera: 337-345. Faculty of Science, University of Chiang Mai, Thailand.
- Sompong,S., Chantaramongkol,P. 1999
Studies on phenology and life cycles of *Limnocentropus* species (Trichoptera: Limnocentropodidae) in Doi Inthanon range, northern Thailand. - Proc.9th Int.Symp.Trichoptera: 347-348. Faculty of Science, University of Chiang Mai, Thailand.
- Spänhoff,B., Alecke,C., Meyer,E.I. 1999
The colonization of aquatic woody debris by Trichoptera, with special reference to the genus *Lype* (Psychomyiidae). - Proc.9th Int.Symp.Trichoptera: 349-358. Faculty of Science, University of Chiang Mai, Thailand.
- Spinelli Batta,G., Corallini Sorcetti,C. 1999
A comparative study of the cuticular structures in the stomodeum of some Italian trichopteran families. - Proc.9th Int.Symp.Trichoptera: 359-364. Faculty of Science, University of Chiang Mai, Thailand.
- Spinelli Batta,G., Moretti,G.P., Corallini Sorcetti,C. 1999
Further information on the morphology of the labrum in Italian trichopteran larvae. - Proc.9th Int.Symp.Trichoptera: 365-370. Faculty of Science, University of Chiang Mai, Thailand.
- Sukatcheva,I.D. 1999
The Early Cretaceous caddisfly fauna of England. - Proc.9th Int.Symp.Trichoptera: 371-375. Faculty of Science, University of Chiang Mai, Thailand.
- Sykora,J. 1999
Genus *Mortoniella* and its distribution in South America (Trichoptera, Glossosomatidae, Protoptilinae). - Proc.9th Int.Symp.Trichoptera: 377-387. Faculty of Science, University of Chiang Mai, Thailand.
- Tanida,K., Nishino,M., Uenishi,M. 1999
Trichoptera of Lake Biwa: a check-list and the zoogeographical prospect. - Proc.9th Int.Symp.Trichoptera: 389-410. Faculty of Science, University of Chiang Mai, Thailand.
- Tanida,K., Nozaki,T., Itou,M. 1999
The larval stage of *Chilosigma sieboldi* McLachlan (Trichoptera, Limnephilidae), with notes on taxonomy and distribution. - *Aquat.Insects* 21:153-160.
- Thani,I., Chantaramongkol,P 1999
Life history of *Ugandatrichia maliwan* (Trichoptera: Hydroptilidae) in Mae Klang stream, Doi Inthanon range, northern Thailand. - Proc.9th Int.Symp.Trichoptera: 411-414. Faculty of Science, University of Chiang Mai, Thailand.
- Tobias,W. 1999
Köcherfliegen-Neufunde vom unteren Main in Hessen (Trichoptera). - *Ent.Z.(Essen)* 109:49-55.
- Uherkovich,Á., Nógrádi,S. 1999
The survey of caddisflies (Trichoptera) of the Hungarian catchment area of the River Dráva. - Proc.9th Int.Symp.Trichoptera: 415-423. Faculty of Science, University of Chiang Mai, Thailand.
- Uherkovich,Á., Nógrádi,S. 1999
Caddisflies (Trichoptera) of artificial water courses in the Bakony Mountains, Central Hungary. - *Braueria* 26:21-23.
- Ujvárosi,L., Nógrádi,S. 1999
The female of *Potamophylax jungi* Mey, 1976 (Trichoptera, Limnephilidae). - *Braueria* 26:24.
- Weaver,J.S. 1999
The Oriental caddisfly genus *Paraphlegopteryx* Ulmer (Trichoptera: Lepidostomatidae). - Proc.9th Int.Symp.Trichoptera: 425-460. Faculty of Science, University of Chiang Mai, Thailand.
- Weaver,J.S., Nimmo,A.P. 1999
Fernand Schmid. - *Braueria* 26:7-18.
- Yang,L., Leng,K. 1999
Fauna and distribution of the caddisfly family Limnephilidae (Insecta: Trichoptera) in China. - Proc.9th Int.Symp.Trichoptera: 461-468. Faculty of Science, University of Chiang Mai, Thailand.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Braueria](#)

Jahr/Year: 1999

Band/Volume: [26](#)

Autor(en)/Author(s): Malicky Hans

Artikel/Article: [Trichopterological Literature 48-59](#)