

## TRICHOPTEROLOGICAL LITERATURE

Please help to complete this literature list by sending me reprints or references, including dissertations and similar „grey literature“. If you send reprints, please make sure that the complete reference is included, that is the title of the journal, the volume, the year of publication, and the original page numbers.

1989

Kocharina, S.L. 1989  
Dry weight, caloric value and ash content of some caddisfly. pp. 63-68 in: Levanidova, I.M., Makarchenko, E.A. (eds.) Systematics and ecology of river organisms: collections of scientific articles. Akad. Nauk SSSR, Wladiwostok, 164 pp. [Russian].

1991

Zasypkina, I.A. 1991  
Some aspects of structure of aquatic organisms communities (Trichoptera, Ephemeroptera, Plecoptera) in the Kolyma floodland reservoirs in the zone of future Kolyma power station reservoir: 88-102, 106, 108. - In: Matis, E.G., Ryabukhin, A.S., Bukhalo, S.P. (eds): Biological problems of the North. Entomological studies in the north-east of the USSR. Collection of scientific papers. 1. DVO AN USSR: 108 pp. [Russian; see Russian bibliography in Braueria 28:24]

Zasypkina, I.A., Zasyplin, M.Yu. 1991  
Composition and distribution of caddisflies, mayflies and stoneflies (Trichoptera, Ephemeroptera, Plecoptera) in the Kolyma River basin: 69-87, 106, 107. - In: Matis, E.G., Ryabukhin, A.S., Bukhalo, S.P. (eds): Biological problems of the North. Entomological studies in the north-east of the USSR. Collection of scientific papers. 1. DVO AN USSR: 108 pp. [Russian; see Russian bibliography in Braueria 28:24]

1994

Ivanov, V.D. 1994  
Insects – caddisflies (order Trichoptera). Methodical instructions to the course „Insect Taxonomy“. – St.Petersburg, SpbGU, 63 pp. [Russian; see Russian bibliography in Braueria 28:24]

Ivanov, V.D., Tsybul'skiy, A.I. 1994  
Pheromone traps – a new method for detection of caddisflies. – 1<sup>st</sup> congress of the Hydrobiological Society of Ukraine, Kiev, 16-19 October 1993. Abstracts of the presentations, Kiev:94. [Russian; see Russian bibliography in Braueria 28:24]

Pitsch, Thomas 1994  
Schwierigkeiten bei der Bestimmung von Köcherfliegenlarven (Trichoptera). – Verh. Westd. Entom. Tag 1993 (Düsseldorf):65-78.

1995

Anikin, V.V., Malinina, Yu.A. 1995  
Faunistic complexes of caddisflies (Insecta, Trichoptera) of the small rivers and astatic water bodies of the Saratov Zavolzhie – Samarskaya Luka 6:212-217. [Russian; see Russian bibliography in Braueria 28:24]

Inozentsev, A.N., Nepomnyashchikh, V.A. 1995  
Influence of piracetam on responses caused by damaging a case in caddis fly larvae. – Zh. Vyssh. Nervnoi Deyatel'nosti Imeni IP Pavlova 45:1211-1213. [Russian]

1996

Abelho, Manuela 1996  
Diversity of benthic macroinvertebrates in Margaraça forest streams (Portugal). – Limnetica 12:93-101.

Ivanov, V.D., Tsybul'skiy, A.I., Gukov, A.Yu. 1996  
On the fauna of caddisflies of Loer Lena River. – In: Hydrobiological studies in nature reserves: 110-121. [Russian; see Russian bibliography in Braueria 28:25]

Ivanov, V.D., Laanma, M.K., Tsybul'skiy, A.I. 1996  
Attraction of caddisflies to the pheromone traps in the Ust-Lensky nature reserve. In: Hydrobiological studies in nature reserves: 121-128. [Russian; see Russian bibliography in Braueria 28:25]

1997

Cherchesova, S.K., Byazyrova, A.T. 1997  
Trichoptera in the lithorheophilous biocenosis of River Terek. – In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proceedings of the 5<sup>th</sup> All-Russian trichoptero logical symposium. Voronezh, Kvadrat: 55-59. [Russian; see Russian bibliography in Braueria 28:28]

Grigorenko, V.N., Ivanov, V.D. 1997  
New data on the fauna of Trichoptera of the Leningrad District. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proceedings of the 5<sup>th</sup> All-Russian trichoptero logical symposium. Voronezh, Kvadrat: 3-7. [Russian; see Russian bibliography in Braueria 28:25]

Collier, Kevin J., Smith, Brian J., Baillie, Brenda R. 1997  
Summer light-trap catches of adult Trichoptera in hill-country catchments of contrasting land use, Waikato, New Zealand. – NZ J. Mar. Freshw. Res. 31:623-634.

Falk, Lotar 1997  
Köcherfliegen (Trichoptera) aus dem Pfälzer Bergland und dem oberen Nahe – Bergland (Rheinland – Pfalz). – Mitt. Pollichia 84:145-157.

Ivanov, V.D., Grigorenko, V.N., 1997  
Studies of caddis larvae of the Russian fauna. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proceedings of the 5<sup>th</sup> All-Russian trichoptero logical symposium. Voronezh, Kvadrat: 7-12. [Russian; see Russian bibliography in Braueria 28:25]

Khrennikov, V.V., Shustov, Yu.A. 1997  
Larvae of Trichoptera as the main unit in the trophic chain of the rapid rivers and their role in the salmon immatures feeding. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proc. 5<sup>th</sup> All-Russian trichoptero logical symposium. Voronezh: 51-55. [Russian; see Braueria 28:28]

Kornoukhova, I.I. 1997  
Questions of origin of caddisflies (Trichoptera) of the Large Caucasus. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proceedings of the 5<sup>th</sup> All-Russian trichoptero logical symposium. Voronezh, Kvadrat: 16-21. [Russian; see Russian bibliography in Braueria 28:26]

Kozlov, A.T. 1997  
On the characteristic difference in larval ethomorphs in caddisflies. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proceedings of the 5<sup>th</sup> All-Russian trichoptero logical symposium. Voronezh, Kvadrat: 13-16. [Russian; see Russian bibliography in Braueria 28:26]

- Mazumdar, M. 1997  
Trichoptera, pp. 89-90. – In: Alfred, J.R.B. (ed): Fauna of Nanda Devi Biosphere Reserve. A world heritage site. Zool.Survey of India, Calcutta, 166 pp.
- Novokshonov, V.P. 1997  
On the knowledge of the Paleozoic Protomeropidae – presumably the first caddisflies. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proc. 5<sup>th</sup> All-Russian trichopterological symposium. Voronezh, Kvadrat: 21-24. [Russian; see Russian bibliography in Braueria 28:26]
- Novokshonov, V.G. 1997  
Early evolution of scorpionflies (Insecta: Panorpidia). Moskva, Nauka. 140pp. [Russian; see Russian bibliography in Braueria 28:29]
- Potikha, E.V. 1997  
Fauna of caddisflies (Trichoptera) of the Middle Sikhote-Alin. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proceedings of the 5<sup>th</sup> All-Russian trichopterological symposium. Voronezh, Kvadrat: 24-33. [Russian; see Russian bibliography in Braueria 28:26]
- Rozhkova, N.A., Matveev, A.N. 1997  
Caddisflies in the biocenoses of Lake Baikal tributaries. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proc. 5<sup>th</sup> All-Russian trichopterol. symposium. Voronezh: 33-36. [Russian; see Braueria 28:27]
- Silina, A.E., Savitsky, B.P. 1997  
On the fauna and ecology of caddisflies (Trichoptera) of the Belorussian Polesie. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proceedings of the 5<sup>th</sup> All-Russian trichopterological symposium. Voronezh, Kvadrat: 37-41. [Russian; see Russian bibliography in Braueria 28:27]
- Sinichenkova, N.D. 1997  
Formation of the modern morphoecological types of aquatic insect nymphs (on the example of stoneflies) in the Triassic times. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proceedings of the 5<sup>th</sup> All-Russian trichopterological symposium. Voronezh, Kvadrat: 42-45. [Russian; see Russian bibliography in Braueria 28:27]
- Sukatcheva, I.D. 1997  
Peculiarities of the Early Cretaceous caddisflies (Trichoptera) fauna of England. - In: Problems of origin, systematics and ecology of caddisflies of Russia and adjacent territories. Proc. 5<sup>th</sup> All-Russian trichopt. symp. Voronezh: 46-51. [Russian; see Braueria 28:28]
- Sun Jin Park, Sun Young Park, Jong Sun Kim, Yeon Jae Bae 1997  
Altitudinal distribution of Ephemeroptera, Plecoptera, and Trichoptera in a mountain stream of Chiaksan. – Ent.Res.Bull.(Seoul) 23:37-42.
- Vshivkova, T.S., Kholin, S.K. 1997  
[Biogeographic and ecofaunistic characteristic of caddisflies (Insecta, Trichoptera) of the Sakhalin Island. – Chteniya Pamyati Aleksey Ivanovicha Kurentsova 7:57-72.] [Russian]
- 1998
- Becker, Georg, Menzler, Dominic A. 1998  
Einfluß der Weidetätigkeit von *Agapetus fuscipes* (Trichoptera) auf Biofilme und Nahrungskonkurrenten. – Tagungsbericht 1997, Dt.Ges.Limnologie (Frankfurt/M.):477-479.
- Berlin, Angela, Braasch, Dietrich 1998  
*Rhithrogena semicolorata* Curt. (Heptageniidae, Ephemeroptera) in der norddeutschen Tiefebene. – Ent.Nachr.Ber. 42:59-60.
- Blahnik, Roger J. 1998  
A revision of the neotropical species of the genus *Chimarra*, subgenus *Chimarra* (Trichoptera: Philopotamidae). – Mem.Amer.Ent.Inst. 59:1-318.
- Cain, Daniel J., Luoma, Samuel N. 1998  
Metal exposures to native populations of the caddisfly *Hydropsyche* (Trichoptera: Hydropsychidae) determined from cytosolic and whole body metal concentrations. – Hydrobiologia 386:103-117.
- Cooper, H.John, Morse, John C. 1998  
Females of *Chimarra* (Trichoptera: Philopotamidae) from eastern North America. – J.New York Ent.Soc. 106:185-198.
- Dankova, N.V., Ivanov, V.D. 1998  
Contribution to the study of hydroptilids (Trichoptera, Hydroptilidae) of the Kola Peninsula. – In: Problems of Entomology in Russia. Collection of scientific proceedings. St.Petersburg 1:110-111. [Russian; see Russian bibliography in Braueria 28:29]
- Etnier, David A., Baxter, John T., Jr., Fraley, Stephen J., Parker, Charles 1998  
A checklist of the Trichoptera of Tennessee. – J.Tennessee Acad.Sci. 73:53-72.
- Furuya, Yaeko 1998  
Downstream distribution and annual changes in densities of net-spinning Trichoptera (Hydropsychidae and Stenopsychidae) in the Yoshino River, Shikoku, Japan, with special reference to the colonization of *Macrostemum radiatum* McLachlan (Trichoptera: Hydropsychidae). – Jap.J.Limnol. 59:429-441. [Japanese]
- Ghosh, S.K. 1998  
Faunal diversity in India: Trichoptera. pp. 319-323. – In: Alfred, J.R.B., Das, A.K., Sanyal, A.K. (eds): Faunal diversity in India: a commemorative volume in the 50<sup>th</sup> year of India's independence. Zool.Survey of India, Calcutta, 497 pp.
- Hasiotis, Stephen T., Kirkland, James I., Windscheffel, Gerhard W., Saffris, Charles 1998  
Fossil caddisfly cases (Insecta: Trichoptera), Upper Jurassic Morrison Formation, Fruita Paleontological Area, Colorado. – Modern Geology 22:493-502.
- Klima, Martina, Klima, Franz 1998  
Aquatische Wirbellose (Makrozoobenthos) im Gebiet der Krummen Lake / Grünau unter besonderer Berücksichtigung der Trichoptera (Köcherfliegen). – Novius 24:591-597.
- Nepomnyashchikh, Valentin A. 1998  
Selection behaviour in caddis fly larvae. pp. 171-176. – Proc. 5<sup>th</sup> Int.conf. on simulation of adaptive behavior, MIT Press, Cambridge, Mass., 564 pp.
- Sukatcheva, I.D. 1998  
In memory of Olga Mikhailovna Martynova (1900-1997). – Bull.Moscow Obschestva Ispytatelei Prirody, div. geology 73(6):66-69. [Russian; see Russian bibliography in Braueria 28:29]
- Wendt-Rasch, L., Vought, L.B.-M., Woin, P. 1998  
Effects of fenvalerate on the net-spinning behaviour of *Hydropsyche sitalai* (Döhler) (Trichoptera: Hydropsychidae). – Hydrobiologia 382:53-61.

- Wise, K.A.J. 1998  
Two new species of *Oxyethira* (Trichoptera: Hydroptilidae) in New Zealand. – NZ Ent. 21:17-23.
- 1999
- Anon. 1999  
Taxa new to Finland, new provincial records and deletions from the fauna of Finland. – Ent. Fenn. 10:1-5.
- Arefina, Tatyana I., Minakawa, Noboru, Ito, Tomiko, Levanidova, Iya M., Nozaki, Takao, Uenishi, Makoto 1999  
New records of sixteen caddisfly species (Trichoptera) from the Kuril Archipelago, The Asian Far East. – Pan-Pacif.Ent. 75:224-226.
- Bordelais, J.-P., Duffield, R.M. 1999  
The occurrence of *Adicrophleps hitchcocki* Flint (Trichoptera: Brachycentridae) in the diet of brook trout, *Salvelinus fontinalis* Mitchell, in a small headwater stream in Maryland. – Proc.Ent.Soc.Wash. 101:692-694.
- Christian, Axel 1999  
Köcherfliegenfunde aus dem Elb-Havel-Winkel (Insecta, Trichoptera). – Untere Havel – Naturkundliche Berichte 9:36-43.
- Cianficconi, Fernanda, Tucciarelli, Francesco 1999  
Considerazioni zoogeografiche sulla Tricoterofauna dell'Anatolia. – Biogeographia 20:213-221.
- Clark, Thomas M. 1999  
Evolution and adaptive significance of larval midgut alkalization in the insect superorder Mecoptera. – J.Chem.Ecol. 25:1945-1960.
- van Dijk, D.E., Geertsema, H. 1999  
Permian insects from the Beaufort Group of Natal, South Africa. – Ann.Natal Mus. 40:137-171.
- Etnier, David A., Baxter, John T., Jr. 1999  
Reillustration of *Hydroptila lloganae*, with new junior synonym, *Hydroptila morsei* (Trichoptera: Hydroptilidae). – Ent.News 110:147-150.
- Etnier, David A., Hix, Raymond L. 1999  
A new *Glyphopsyche* Banks (Trichoptera: Limnephilidae) from southeastern Tennessee. – Proc.Ent.Soc.Wash. 101:624-630.
- Gasith, A., Resh, V.H. 1999  
Streams in mediterranean climate regions: abiotic influences and biotic responses to predictable seasonal events. – Ann.Rev.Ecol.Syst. 30:51-81.
- van der Geest, Harm G., Greve, Gerdit D., de Haas, Elske M., Scheper, Bonnie B., Kraak, Michiel H.S., Stuijzand, Suzanne C., Augustijn, Kees H., Admiraal, Wim 1999  
Survival and behavioral responses of larvae of the caddisfly *Hydropsyche angustipennis* to coppe and diazinon. – Environm. Toxicol.Chemistry 18:1965-1971.
- Gíslason, Gísli Már, Aðalsteinsson, Hákon, Ólafsson, Jón S. 1999  
Studies on arctic and alpine streams in Europe with special emphasis on glacial rivers in Iceland. – Proc.Northern Res.Basins, 12<sup>th</sup> Int.Symp.Workshop (Reykjavik):84-92.
- Harden, Allen, Blinn, Dean W., Shannon, Joseph P., Wilson, Kevin P. 1999  
Interference competition between the net-building caddisfly *Ceratopsyche oslari* and the amphipod *Gammarus lacustris*. – J.Freshw.Ecol. 14:277-280.
- Harris, Steven C., Holzenthal, Ralph W. 1999  
Hydroptilidae (Trichoptera) of Costa Rica: The genus *Hydroptila* Dalman. – Studies Neotrop.Fauna Environment 34:16-51.
- Hoffsten, Per-Ola 1999  
Distribution of filter-feeding caddisflies (Trichoptera) and plankton drift in a Swedish lake-outlet stream. – Aquat.Ecology 33:377-386.
- Holomuzki, J.R., Pillsbury, Robert W., Khandwala, Sapna B. 1999  
Interplay between dispersal determinants of larval hydroptychid caddisflies. – Can.J.Fish.Aquat.Sci. 56:2041-2050.
- Houp, Ronald E. 1999  
New caddisfly (Trichoptera) records from Kentucky with implications for water quality. – J.Kentucky Acad.Sci. 60:1-3.
- Huhta, Arto, Muotka, Timo, Juntunen, Antti, Yrjönen, Mikko 1999  
Behavioural interactions in stream food webs: the case of drift-feeding fish, predatory invertebrates and grazing mayflies. – J.Anim.Ecol. 68:917-927.
- Ivanov, V.D., Melnitsky, S.I. 1999  
Structure of the sternal pheromone glands of caddisflies (Trichoptera). – Ent.Obozr. 78:505-526.[Russian; see Braueria 28:29]
- Jun Mi Hur, Jung Hoon Hwang, Yeon Jae Bae 1999  
Association of larval and adult stages of *Hydropsyche valvata* Martynov (Hydropsychidae, Trichoptera). – Ent.Res.Bull. (KEI, Seoul) 25:13-15.
- Ivanov, V.D., Krivokhatsky, V.A. 1999  
Insecta and spiders of the Leningrad Region, pp.341-396, in: Balashova, N.B., Zavarzin, A.A. (eds.): Biodiversity of the Leningrad region. St.Petersburg Nat.Soc. (6) 2:1-429. [Trichoptera: 354-359] [Russian; see Russian bibliography in Braueria 28:30]
- Johnston, J.E. 1999  
Caddisfly cases from the Middle Eocene (Lower Lutetian) of Mississippi, USA, pp. 61-64. – In: Vrsansky, Peter (ed): Proceedings of the First Palaeontomological conference Moscow 1998. AMBA Projects International, Bratislava, 202 pp.
- Kato, Hideo, Takamura, Noriko, Mikami, Hajime 1999  
Distribution of macroinvertebrate communities in the littoral zone of a deep and oligotrophic lake in Japan. – Acta Hydrobiol.Sinica 23 Suppl.:96-105.
- Keiper, J.B., Foote, B.A. 1999  
Biology and immature stages of two species of *Hydroptila* Dalman (Trichoptera: Hydroptilidae) which consume *Cladophora* (Chlorophyta). – Proc.Ent.Soc.Wash. 101:514-521.
- Keiper, J.B., Walton, W.E. 1999  
Biology and morphology of the mature larva of *Oxyethira arizona* Ross (Trichoptera: Hydroptilidae). – Pan-Pacif.Ent. 75:212-220.
- Kuhara, Naotoshi, Nakano, Shigeru, Miyasaka, Hitoshi 1999  
Interspecific competition between two stream insect grazers mediated by non-feeding predatory fish. – Oikos 87:27-35.
- Leslie, H.A., Pavluk, T.I., bij de Vaate, A., Kraak, M.H.S. 1999  
Triad assessment of the impact of chromium contamination on benthic macroinvertebrates in the Chusovaya River (Urals, Russia). – Arch.Environm.Cont.Toxic. 37:182-189.
- Lowe, Winsor H., Hauer, F.Richard 1999  
Ecology of two large, net-spinning caddisfly species in a mountain stream: distribution, abundance, and metabolic response to a thermal gradient. – Can.J.Zool. 77:1637-1644.

- Mey, Wolfram 1999  
Neue Arten aus der Familie Hydropsychidae (Insecta, Trichoptera) von Indonesien. – Rudolstädter nat.hist.Schr., Suppl. 3:139-144.
- Molloy, Daniel P., Vinikour, William S., Anderson, Richard V. 1999  
New North American records of aquatic insects as paratenic hosts of *Pheromermis* (Nematoda: Mermithidae). – J.Invertebr.Pathology 74:89-95.
- Moretti, G.P., Cianficconi, F., Campadelli, G., Crudele, Guido 1999  
Tricoterofauna dell'Appennino Tosco Romagnolo (II nota). – Boll.Inst.Ent. „G.Grandi“ Univ.Bologna 53:55-69.
- Moulton, Stephen R.III., Harris, Steven C., Slusark, Joseph P. 1999  
The microcaddisfly genus *Ithytrichia* Eaton (Trichoptera: Hydroptilidae) in North America. – Proc.Ent.Soc.Wash. 101:233-241.
- Moulton, Stephen R., II, Robison, Henry W., Crump, Betty G. 1999  
The female of *Lepidostoma lescheni* (Trichoptera: Lepidostomatidae), with new distributional records for the species. – Ent.News 110:85-88.
- Neboiss, Arturs 1999  
A second species of *Atriplectides* Mosely from Australia (Trichoptera, Atriplectididae). – Mem.Mus.Victoria 57:237-239.
- Neu, Peter J. 1999  
Revision der Köcherfliegen (Trichoptera) im Pflanzmuseum für Naturkunde, Bad Dürkheim. – Mitt.Pollichia 86:151-160.
- Ohkawa, Ayuko 1999  
Caddisfly fauna of a spring stream, Kikanko Creek, Tokachi, Hokkaido, northern Japan. – Biol.Int.waters 14:35-44.
- Sukatcheva, Irina D. 1999  
The Lower Cretaceous caddisfly (Trichoptera) cas assemblages. pp.163-165. – In: Vrsansky, Peter (ed): Proc. 1<sup>st</sup> Palaeontological conference Moscow 1998. AMBA Projects International, Bratislava. 202 pp.
- Sun Jin Park, Yeon Jae Bae 1999  
Description of *Goera jaewoni* n.sp., and reports of larval stages of *G.interrogationis* and *G.parvula* (Trichoptera: Goeridae) from Korea. – Korean J.Biol.Sci. 3:365-367.
- Sun-Jin Park, Yeon-Jae Bae, Lianfang Yang 1999  
New records of the Leptoceridae (Trichoptera) from Korea. – Insecta Koreana 16:155-162.
- Park, Sun Jin, Bae, Yeon Jae 1999  
New records of the Lepidostomatidae and Odontoceridae (Insecta: Trichoptera) from Korea. – Korean J.Limnol. 32:303-307.
- Pastershank, Georgine M., Muir, Derek C.G., Fairchild, Wayne L. 1999  
Accumulation and depuration of 2,3,7,8-tetrachloro-dibenzofuran and octachlorodibenzo-p-dioxin by caddisfly larvae (*Hydropsyche bidens* Ross) in miniature laboratory streams. – Environm.Toxicol.Chem. 18:2352-2360.
- Schmera, Dénes 1999  
Adatok néhány agrárterület tegeseinek (Trichoptera) ismeretéhez. – Növényvédelem 35:105-107. [Data to the Trichoptera of some agricultural areas in Hungary]
- Schulz, Ralf, Liess, Mathias 1999  
Validity and ecological relevance of an active in situ bioassay using *Gammarus pulex* and *Limnephilus lunatus*. – Environm.Toxicol.Chemistry 18:2243-2250.
- Statzner, Bernhard, Arens, Marie-Francoise, Champagne, Jean-Yves, Morel, Robert, Herouin, Eric 1999  
Silk-producing stream insects and gravel erosion: Significant biological effects on critical shear stress. – Water Resources Research 35: 3495-3506.
- Stevens, David J., Hansell, Michael H., Freel, June A., Monaghan, Pat 1999  
Developmental trade-offs in caddis flies: increased investment in larval defence alters adult resource allocation. – Proc.R.Soc.London, Ser.B, Biol.Sci. 266:22.
- Stafford, Linda J., Sykora, Jan L., Koryak, Michael, Reilly, Rosemary J. 1999  
*Rhyacophila mainensis* Banks in Elk County, Pennsylvania (Trichoptera, Rhyacophilidae). – J.Pennsylv.Acad.Sci. 73:38-39.
- Sun Changhai, Yang Lianfang 1999  
Descriptions on five new species of genus *Rhyacophila* (Trichoptera: Rhyacophilidae) from China. – Entomotaxonomia 21:39-46.
- Tarter, Donald C., Wykle, Jennifer L., Morgan, Jason A. 1999  
New West Virginia record for *Fabria inomata* (Trichoptera: Phryganeidae). – Ent.News 110; 51-52.
- Valverde, Alejandra del C., Albarino, Ricardo J. 1999  
Descripcion de los estados inmaduros de *Myotrichia murina* y *Parasericostoma cristatum* (Trichoptera: Sericostomatidae). – Rev.Soc.Ent.Argentina 58:11-16.
- Wichard, Wilfried, Robert, Berthold 1999  
Rote Liste der gefährdeten Köcherfliegen (Trichoptera) in Nordrhein-Westfalen. 3.Fassung, Stand Mai 1997. – Rote Liste der gefährdeten Pflanzen und Tiere in Nordrhein-Westfalen, 3.Fassung. LÖBF – Schriftenreihe 17:627-640.
- 2000
- Alexander, Kevin D., Whiles, Matt R. 2000  
A new species of *Ironoquia* (Trichoptera: Limnephilidae) from an intermittent slough of the central Platte River, Nebraska. – Ent.News 111:1-7.
- de Almeida, Gisele Luziane, Marinini, Luciane 2000  
Abundancia e sazonalidade das especies de Leptoceridae (Insecta, Trichoptera) capturadas com armadilha luminosa no Estado do Parana, Brasil. – Rev.Brasil.Zool. 17:347-359.
- Andrikovics, Sándor, Kiss, Ottó 2000  
Bioindikáció vízi gerinctelenekkel a Dunában. 3. Vizirovar lárvavizsgálatok a Duna magyarországi szakaszán. – Hidrol.közl. 80:272-274.
- Anon. 2000  
Short reports. – Ent.Fenn. 11:1-4.
- Ashe, Patrick, O'Connor, James P., Murray, Declan A. 2000  
Larvae of *Eurycnemus crassipes* (Panzer) (Diptera: Chironomidae) ectoparasitic on prepupae/pupae of *Hydropsyche siltalai* Döhleer (Trichoptera: Hydropsychidae), with a summary of known chironomid/trichopteran associations. – Spixiana 23:267-274.
- Bänziger, Ruth 2000  
Spatio-temporal distribution of size classes and larval instars of aquatic insects (Ephemeroptera, Trichoptera and Lepidoptera) in a *Potamogeton pectinatus* L. bed (Lake Geneva, Switzerland). – Revue Suisse Zool. 107:139-151.

- Becker, Georg 2000  
Einfluß von Larvenbiomasse, Köcherzusammensetzung und Substratrauigkeit auf die Laufgeschwindigkeit von Weidegängern (Trichoptera) eines kleinen Mittelgebirgsbaches. – Tagungsbericht 1999, Dt.Ges.Limnologie (Rostock):850-853.
- Bicchierai, Maria Clara, Gaino, Elda 2000  
Fine structure of the egg envelopes in *Silo mediterraneus saturniae* (Trichoptera, Goeridae). – Ital.J.Zool.(Modena) 67:141-146.
- Botosaneanu, L. 2000  
On some problematic near-eastern *Hydropsyche* from the instabilis-group (Trichoptera: Hydropsychidae). – Opsc.zool.flumin. 181:1-4.
- Cain, Daniel J., Carter, James L., Fend, Steven V., Luoma, Samuel N., Alpers, Charles N., Taylor, Howard E. 2000  
Metal exposure in a benthic macroinvertebrate, *Hydropsyche californica*, related to mine drainage in the Sacramento River. – Can.J.Fish.Aquat.Sci. 57:380-390.
- Cariss,Helen, Pretty, James L. 2000  
Comparing diurnal and nocturnal cased caddis activity in an upland stream. – Verh.IVL 27:942.
- Chaibu, Prachuab 2000  
Potential use of Trichoptera as water pollution biomonitoring in Ping River, Chiang Mai. – Thesis, Chiang Mai University, Thailand, 207 pp.
- Christ, Heino, Roesch, Matthias, Wolf, Beate 2000  
*Enoicyla reichenbachii* (Insecta: Trichoptera) in Hessen. – Lauterbornia 38:19-21.
- Chvojka, Pavel, Novák, Karel 2000  
Additions and corrections to the checklist of Trichoptera (Insecta) from the Czech and Slovak Republics. – Acta Mus.Nat.Pragae, Ser.B, Hist.Nat. 56:103-120.
- Cianficconi, Fernanda, Corallini, Carla, Mazzerioli, Silvia, Salerno, Piero 2000  
Palude di Colfiorito (Umbria, Perugia): tricotteri e i loro simbiotici. – Boll.Assoc.Romana Ent. 55:45-66.
- Czachorowski, Stanisław, Buczyński, Paweł, Stryjecki, Robert 2000  
Chruściki (Trichoptera) Parku Krajobrazowego Lasy Janowskie. – Parki Narodowe i Rezerваты Przyrody (Białowieża) 19.3:65-84. [Caddisflies of the Janowskie Forests Landscape Park]
- Czachorowski, Stanisław, Gruzewski, Mirosław, Pakulnicka, Joanna 2000  
Chruściki Trichoptera i chrząszcze wodne Coleoptera źródeł i ich odpływów okolic Drozdowa (Północno-wschodnia Polska). – Przegląd Przyrodniczy 11:25-28. [Caddisflies and water beetles from springs and runoffs in the vicinity of Drozdowo (northeastern Poland)]
- Czachorowski, Stanisław, Buczyński, Paweł 2000  
Zagrożenia i ochrona owadów wodnych w Polsce. – Wiad.entomol.(Poznań) 18, Supl. 2:95-120. [Threats to and protection of water insects in Poland]
- Czachorowski, Stanisław, Buczyński, Paweł, Walczak, Urszula, Pakulnicka, Joanna 2000  
Gatunki osłonowe (parasolowe) w ochronie owadów. - Przegląd Przyrodniczy 11: 139-148. [Cover species(umbrella species) in the protection of insects].
- Dieterich, Martin, Anderson,N.H. 2000  
The invertebrate fauna of summer-dry streams in western Oregon. – Arch.Hydrobiol. 147:273-295.
- Flint, Oliver S., Jr. 2000  
A new species of *Leptonema* of the *occidentale* group (Trichoptera: Hydropsychidae) from Madagascar. – Ent.News 111:177-180.
- Flint, Oliver S., Jr. 2000  
A new species of *Anisocentropus* (Trichoptera: Calamoceratidae) from Sri Lanka. – Ent.News 111:337-340.
- Gibon, François-Marie, Randriamasimanana, Désiré 2000  
*Leptocerus matilei* n.sp., première espèce du genre signalée à Madagascar (Trich., Leptoceridae). – Rev.fr.Ent.(N.S.) 22:185-188.
- Gibon, François-Marie 2000  
Biologie de la conservation et singularité des cours d'eau. L'exemple des Philopotamidae malgaches (Insecta, Trichoptera). – In: Lourenço, W.R., Goodman, S.M. (eds): Diversité et endemisme à Madagascar:319-330. (Mém.Soc.Biogéographie Paris)
- Guinand, Bruno, Tachet, Henri 2000  
Population structure of *Hydropsyche exocellata*. Genetic homogeneity in a zone of fragmented distribution. – C.R.Acad.Sci.Paris, Sci.de la vie 323:757-768.
- Gupta, Tammi S., Stewart, Kenneth W. 2000  
Life history and case building behavior of *Molanna tryphaena* (Trichoptera: Molannidae) in two east Texas spring-fed streams. – Ann.Ent.Soc.Amer. 93:65-74.
- Gong, Zhijun, Xie, Ping, Wang, Shida 2000  
Macrozoobenthos in 2 shallow, mesotrophic Chinese lakes with contrasting sources of primary production. – J.N.Am.Benthol.Soc. 19:709-724.
- Haase, Peter, Schindehütte, Karin 2000  
Die Ephemeroptera, Plecoptera, aquatische Coleoptera (partim) und Trichoptera des niedersächsischen Harzes: Faunistik und ökologische Anmerkungen. – Braunschweiger Naturk. Schriften 6:85-102.
- Hahn, Hans Jürgen 2000  
Studies on classifying of undisturbed springs in southwestern Germany by macrobenthic communities. – Limnologica 30:247-259.
- Herris, Steven C., Hury, Alexander D. 2000  
New and rare microcaddisflies (Trichoptera: Hydropsychidae) from the eastern United States. – Ent.News 111:77-83.
- Hoffsten, Per-Ola 2000  
För Hälsingland nya nattsländor – med uppgifter om fangstplatser och sallynthe. – Natur i Norr 19:49-55.
- Hohmann, Mathias 2000  
Die Eintags-, Stein- und Köcherfliegen (Ephemeroptera, Plecoptera, Trichoptera) der Fläming-Bäche in Sachsen-Anhalt. – Naturw.Beitr.Mus.Dessau 12:93-109.
- Huamantincó, A.A., Nessimian, J.L. 2000  
Variation and life strategies of the Trichoptera (Insecta) larvae community in a first order tributary of the Paqueta River, southeasterb Brazil. – Rev.Brasil. Biol. 60:73-82.
- Hur, Jun Mi, Hwang, Jung Hoon, Ro, Tae Ho, Bae, Yeon Jae 2000  
Association of immature and adult stages of *Hydropsyche kozhantschikovi* Martynov (Trichoptera: Hydropsychidae). – Korean J.Ent. 30:57-61.

- Hur, Jun Mi, Won, Doo Hee, Ro, Tae Ho, Bae, Yeon Jae 2000  
Descriptions of immature and adult stages of *Hydropsyche orientalis* Martynov (Trichoptera, Hydropsychidae) with ecological notes. – Korean J.Appl.Ent. 39:25-29.
- Huryan, Alexander D., Harris, Steven C. 2000  
High species richness of caddisflies (Trichoptera) from a riparian wetland in Maine. – Northeastern Naturalist 7:189-204.
- Ito, Tomiko, Suzuki, Ken-ichi, Ohkawa, Ayuko 2000  
Caddisfly fauna of northernmost part of Japan. – Biol.Intl.Wat. 15:20-31. [Japanese]
- Ito, T., Ohkawa, A., Kuhara, N. 2000  
Trichoptera fauna of Eniwa City, Hokkaido, northern Japan. – Ann.Rep.Eniwa Historical Museum 6:16-46 [Japanese]
- Jacobsen, Dean 2000  
Gill size of trichopteran larvae and oxygen supply in streams along a 4000-m gradient of altitude. – J.N.Am.Benthol.Soc. 19:329-343.
- Jahn, Walter, Dembinski, Michael 2000  
Vergleich von Makrozoobenthos und Gewässerstruktur in zwei Fließgewässern im Hinblick auf den Umfang erforderlicher Maßnahmen zur naturnahen Umgestaltung (natuzräumliche Region Lüneburger Heide und Wendland; nordöstliches Niedersachsen). – Limnologica 30:131-136.
- Keiper, J.B., Foote, B.A. 2000  
Biology and larval feeding habits of coexisting Hydroptilidae (Trichoptera) from a small woodland stream in northeastern Ohio. – Ann.Ent.Soc.Amer. 93:225-234.
- Keiper, J.B., Walton, W.G. 2000  
Biology and immature stages of *Ochrotrichia quadrispina* Denning and Blickle (Trichoptera: Hydroptilidae), a spring-inhabiting scraper. – Proc.Ent.Soc.Wash. 102:183-187.
- Kiss, Ottó 2000  
A magyarországi tegzeskutatók áttekintése és eredményei az ezredfordulóiig. – Hidrológiai közlöny 80:241-246.
- Kiss, Ottó 2000  
A tegzeslárvák típusai, kulcs a főbb tegzeslárvák családjaihoz. – Fol.Nist.Nat.Mus.Matraensis 24:103-117. [Types of caddis larvae and a key for the families of Trichoptera larvae]
- Kiss, Ottó 2000  
A tegzesek szaporodása. – Fol.Hist.Nat.Mus.Matraensis 24:95-102. [Reproduction of Trichoptera]
- Kiss, Ottó, Andrikovics, Sándor 2000  
Functional feeding groups along a lowland stream (Eger stream, Hungary). – Verh. IVL 27:1489-1493.
- Kiss, Ottó, Andrikovics, Sándor, Szabó, Tamás 2000  
Trichoptera lárvák kinevelése átfolyó vizű akváriumban. – Hidrol.Közl. 80:360-361.
- Kiss, Ottó, Mogyorósi, Attila, Schmera, Dénes 2000  
A Bükk hegységi Határ-lápa és Tárkányi patak Trichoptera lárvatársulásai. – Hidrol.Közl. 80:362-363. [Mosaic-like pattern associations of Trichopterous larvae in tow brooks in the Bükk Mountains]
- Konar, Martin 2000  
Zur Unterscheidung der *Rhyacophila* s.str.-Larven in Kärnten (Österreich) (Trichoptera: Rhyacophilidae). – Acta Ent.Sloven. 8:35-42.
- Kuhara, Naotoshi, Nakano, Shigeru, Miyasaka, Hitoshi 2000  
Flow rate mediates the competitive influence of a grazing caddisfly on mayflies. – Ecol.Research 15:145-152.
- Kumanski, Krassimir, Popov, Alexi 2000  
Megaloptera and Trichoptera (Insecta) of glacial waters in the Rila Mountains, Bulgaria, pp. 61-66, in: Golemansky, V., Naidenov, W. (eds.): Biodiversity and evolution of glacial water ecosystems in the Rila Mountains. Sofia: Institute of Zoology.
- Lässig, André, Brockhaus, Thomas, Küttner, Ralf 2000  
Einige interessante Insektennachweise aus dem Raum Rochlitz und Colditz (Lepidoptera, Odonata, Ephemeroptera, Trichoptera). – Ent.Nachr.Ber. 44:279-283.
- Ledger, Mark E., Winterbourn, Michael J. 2000  
Growth of New Zealand stream insect larvae in relation to food type. – Arch.Hydrobiol. 149:353-364.
- Lefcort, H., Ammann, E., Eiger, S.M. 2000  
Antipredatory behavior as an index of heavy-metal pollution? A test using snails and caddisflies. – Arch.Envir.Cont.Toxicol. 38:311-316.
- Long, Jian-guo, Zhang, Jian-yun, Peng, Nan-ni 2000  
Studies on the biological characteristics of *Amphipsyche prolata* MacLachlan. – Acta hydrobiol.sinica 24:399-401. [Chinese]
- Malicky, H. 2000  
Arealodynamik und Biomgrundtypen am Beispiel der Köcherfliegen (Trichoptera). – Entomol. Basiliensia 22:235-259.
- Malicky, Hans, Chantaramongkol, Porntip 2000  
Ein Beitrag zur Kenntnis asiatischer *Hydropsyche* – Arten (Trichoptera, Hydropsychidae). (Zugleich Arbeit Nr. 29 über thailändische Köcherfliegen). – Linzer biol. Beitr. 32:791-860.
- Malicky, H., Chantaramongkol, P., Chaibu, P., Prommi, T., Silalom, S., Sompong, S., Thani, I. 2000  
Neue Köcherfliegen aus Thailand (Trichoptera). (Arbeit über thailändische Köcherfliegen Nr. 30). – Linzer biol. Beitr. 32:861-874.
- Malmqvist, Björn, Hoffsten, Per-Ola 2000  
Macroinvertebrate taxonomic richness, community structure and nestedness in Swedish streams. – Arch.Hydrobiol. 150:29-54.
- Marinoni, Luciane, de Almeida, Gisele Luziane 2000  
Abundancia e sazonalidade das especies de Hydropsychidae (Insecta, Trichoptera) capturadas em armadilha luminosa no estado do Parana, Brasil. – Rev. Brasil.Zool. 17:283-299.
- Martin, Peter 2000  
Larval morphology and host-parasite associations of some stream living water mites (Hydrachnidia, Acari). – Arch.Hydrobiol.Suppl. 121:269-320.
- McCabe, D.J., Sykora, J.L. 2000  
Community structure of caddisflies along a temperate springbrook. – Arch.Hydrobiol. 148:263-282.
- Meidl, E.-B., Molenda, R. 2000  
Zum Vorkommen der terrestrischen Köcherfliege *Enoicyla Rambur*, 1842 (Trichoptera, Limnephilidae) in Blockhalden mit air-conditioning Effekt im außeralpinen Mitteleuropa. – Entomol.Basil 22:261-268.
- Meyer, Alexander, Meyer, Elisabeth Irmgard 2000  
Discharge regime and the effect of drying on macroinvertebrate communities in a temporary Karst stream in East Westphalia (Germany). – Aquat.sci. 62:216-231.

- Mitsuhashi, Hiromune, Nozaki, Takao, Tanida, Kazumi 2000  
Taxonomic notes on *Neophylax koizumii* (Iwata 1927) (Trichoptera, Uenoidea) from Japan. – *Limnology* 1:139-142.
- Murphy, John F., Giller, Paul S. 2000  
Seasonal dynamics of macroinvertebrate assemblages in the benthos and associated with detritus packs in two low-order streams with different riparian vegetation. – *Freshw.Biol.* 43:617-631.
- Nishimoto, Hiroyuki, Nozaki, Takao, Ruiter, David E. 2000  
New limnephilid genus (Trichoptera) from Japan, with description of a new species. – *Entomol.Science* 3:377-386.
- Nógrádi, Sára 2000  
Caddisflies (Trichoptera) from the Villány Hills, South Hungary. Collection in an area without water courses. – *Dunántúli Dolg.Term.Tud.Sorozat (Pécs)* 10:285-295.
- Nozaki, Takao, Tanida, Kazumi, Ito, Tomiko 2000  
Checklists of Trichoptera in Japan. 4.Goeridae, Uenoidea, and Limnephilidae. – *Limnology* 1:197-208.
- Nozaki, Takao 2000  
*Semblis phalaenoides* (Linnaeus) collected from Yahata-bara Mire, Hiroshima, western Japan. – *Misc.Rep.Hiwa Mus.Nat.Hist.* 39:1-4.[Japanese]
- Otto, Christian 2000  
Cost and benefit from shield cases in caddis larvae. – *Hydrobiologia* 436:35-40.
- [Sukacheva] „Workers of the Arthropod Laboratory“ 2000  
Olga Mikhailovna Martynova (1900-1997). – *Paleontol.J.* 34 Suppl. 3:S382-S383.
- Sukacheva, I.D. 2000  
New fossil caddis flies (Trichoptera) from the Shar-Teg locality in Mongolia. – *Paleontol.J.* 34 suppl. 3:S347-S351.
- Sukacheva, I.D. 2000  
Insects as a component part of aquatic association of Jurassic deposits of Shara-Teg (Mongolia). – 6<sup>th</sup> All-Russian trichopterological symposium, Voronezh:96-101. [Russian]
- Sun Jin Park, Yeon Jae Bae 2000  
A new species and two new records of the Limnephilidae (Insecta, Trichoptera) in Korea. – *Korean J.Syst.Zool.* 16:15-21.
- Parker, Charles R. 2000  
*Neophylax kolodskii* (Trichoptera: Uenoidea), a new species from the Great Smoky Mountains National Park, U.S.A. – *Aquatic Insects* 22:271-274.
- De Pietro, Renato 2000  
*Polycentropus cianficconiae* sp.n. from Sicily and descriptions of the females of the *Polycentropus* species found in Sicily (Trichoptera, Polycentropodidae). – *Aquatic Insects* 22:247-259.
- Poepperl, Rainer 2000  
The filter feeders *Hydropsyche angustipennis* and *H.pellucidula* (Trichoptera: Hydropsychidae) in a northern German lowland stream: Microdistribution, larval development, emergence pattern, and secondary production. – *Limnologica* 30:65-72.
- Poepperl, Rainer 2000  
Benthic secondary production and biomass of insects emerging from a northern German temperate stream. – *Freshw.Biol.* 44:199-211.
- Quinn, John M., Smith, Brian J., Burrell, Gregory P., Parkyn, Stephanie M. 2000  
Leaf litter characteristics affect colonization by stream invertebrates and growth of *Olinga feredayi* (Trichoptera: Conoesucidae). – *NZ J.Mar.Freshw.Res.* 34:273-287.
- Raczyńska, Małgorzata, Żurawska, Joanna, Czachorowski, Stainław 2000  
Chruściki rzeki Rurzyca i Tywy na nizinie szczecińskiej (Północno-zachodnia Polska). – *Przegląd Przyrodniczy* 11:15-23.
- Rákósy, L., Wieser, C. 2000  
Das Macin-Gebirge (Rumänien, Nord-Dobrudscha). – *Carinthia II* 190/110:7-116.
- Randriamasimanana, Désiré, Gibon, François-Marie 2000  
Nouveaux *Oecetis* malgaches (Trichoptera, Leptoceridae). – *Rev.fr.Ent.(N.S.)* 22:43-56.
- Rasch, Peter, Trapp, Stefan 2000  
Ein Fließgewässer im urbanen Umfeld. Analyse des ökologischen Zustandes des unteren Belmer Baches (Osnabrück, Niedersachsen) anhand des Macrozoobenthos. – *Osnabrücker Naturwiss.Mitt.* 26:167-190.
- del Rosario, Rosalie B., Resh, Vincent H. 2000  
Invertebrates in intermittent and perennial streams: is the hyporheic zone a refuge from drying? – *J.N.Am.Benthol.Soc.* 19:680-696.
- Ruiter, David E. 2000  
New descriptions and distributional records for eastern North American caddisflies (Trichoptera). – *Ent.News* 111:227-232.
- Runde, J.M., Hellenthal, R.A. 2000  
Effects of suspended particles on net-tending behaviors for *Hydropsyche spama* (Trichoptera, Hydropsychidae) and related species. – *Ann.Ent.Soc.Amer.* 93:678-683.
- Ruse, L.P., Herrmann, S.J. 2000  
Plecoptera and Trichoptera species distribution related to environmental characteristics of the metal-polluted Arkansas River, Colorado. – *Western N.Am.Naturalist* 60:57-65.
- Schmera, Dénes 2000  
Figyelemre méltó tegezefaj (Insecta: Trichoptera) előfordulása az országos fénycsapdahálózat. – *Növényvédelem* 36: 357-358. [Occurrence of a remarkable Trichoptera species in the collections of the countrywide light trap network]
- Schmera, Dénes, Kiss, Ottó 2000  
Mintavételezésből adódó eltérések tegezések (Trichoptera) vizsgálata esetében. – *Hidrol. Közl.* 80: 383-384. [Deviate of the trichopterological result in the case of different sampling method]
- Smith, Brian J. 2000  
The larva of *Hydrobiosis torrentis* Ward (Trichoptera: Hydrobiosidae). – *NZ J.Zool.* 27:15-20.
- Solem, John O., Birks, Hilary H. 2000  
Late-glacial and early-Holocene Trichoptera (Insecta) from Krakenes Lake, western Norway. – *J.Palaeolimnol.* 23:49-56.
- Stuijzand, Suzanne C., Poort, Liesbeth, Greve, Gerdt D., van der Geest, Harm G., Kraak, Michiel H.S. 2000  
Variables determining the impact of diazinon on aquatic insects: taxon, developmental stage, and exposure time. – *Environm.Toxicol.Chem.* 19:582-587.

- Tessier, Louis, Boisvert, Jacques L., Vought, Lena B.-M., Lacoursière, Jean O. 2000  
Effects of 2,4-dichlorophenol on the net-spinning behavior of *Hydropsyche slossonae* larvae (Trichoptera: Hydropsychidae), an early warning signal of chronic toxicity. – Ecotoxicol. Environm. Safety 46:207-217.
- Tessier, L., Boisvert, J.L., Vought, L.B.-M., Lacoursière, J.O. 2000  
Anomalies on capture nets of *Hydropsyche slossonae* larvae (Trichoptera, Hydropsychidae) following a sublethal chronic exposure to cadmium. – Environmental Pollution 108:425-438.
- Tessier, L., Boisvert, J.L., Vought, L.B.-M., Lacoursière, J.O. 2000  
Characterization of *Hydropsyche slossonae* (Trichoptera: Hydropsychidae) capture net polypeptides. – Can. Ent. 132:59-68.
- Urbanič, Gorazd, Krušnik, Ciril, Toman, Mihael J. 2000  
New records for the caddisfly fauna of Slovenia (Insecta: Trichoptera). – Acta Ent. Sloven. 8:43-48.
- Urbanič, Gorazd, Toman, Mihael J., Krušnik, Ciril 2000  
Downstream changes in caddisfly fauna (Insecta, Trichoptera) in relation to environmental variables in the river Ščavnica (NE Slovenia): a multivariate approach using a Canonical Correspondence Analysis (CCA). – Acta biol. Sloven. 43:21-35.
- Vieira Lanero, Rufino 2000  
Las larvas de los Tricópteros de Galicia (Insecta: Trichoptera). – Thesis, Universidad de Santiago de Compostela, 611 pp.
- Ward, John B., Scheffer, Patricia W. 2000  
A new genus and twenty new species of New Caledonian Economidæ (Trichoptera). – Rec. Canterbury Mus. 14:55-87.
- Wells, Alice 2000  
New Australian species of *Oecetis* allied to *O. complexa* Kimmins (Trichoptera: Leptoceridae). – Mem. Mus. Victoria 58:77-88.
- Wichard, Wilfried 2000  
Die Larve einer Köcherfliege im Baltischen Bernstein (Insecta, Trichoptera). – Mitt. Geol.-Paläontol. Inst. Univ. Hamburg 84:261-266.
- Wichard, Wilfried 2000  
Köcherfliegen des Dominikanischen Bernsteins XI. *Ochrotrichia aliciae* n.sp., eine neue fossile Hydroptilide (Insecta, Trichoptera). – Mitt. Geol.-Paläontol. Inst. Univ. Hamburg 84:241-246.
- Wichard, Wilfried, Bölling, Annette-Caroline 2000  
Recent knowledge of caddis flies (Trichoptera) from Cretaceous amber of New Jersey. – In: Grimaldi, David (ed.): Studies on fossils in amber, with particular reference to the Cretaceous of New Jersey, pp. 345-354. Backhuys, Leiden.
- Yang, Lian-fang, Morse, John C. 2000  
Leptoceridae (Trichoptera) of the People's Republic of China. – Mem. American Entomol. Institute 64:1-309.
- Zollhöfer, Jens Martin, Brunke, Matthias, Gonser, Tom 2000  
A typology of springs in Switzerland by integrating habitat variables and fauna. – Arch. Hydrobiol. Suppl. 121:349-376.
- Zurwerra, Andreas, Bur, Markus, Turcsanyi, Bela, Maier, Klaus Jürgen, Tomka, Ivan 2000  
Benthische Wirbellosenfauna des Sensesystems (Kt. Freiburg). – Mitt. Schweiz. Ent. Ges. 73:115-142.
- 2001  
Becker, Georg 2001  
Larval size, case construction and crawling velocity at different substratum roughness in three scraping caddis larvae. – Arch. Hydrobiol. 151:317-334.
- Botosaneanu, L., Giudicelli, J. 2001  
*Wormaldia langohri* spec. nov. from temporary streams in southeastern France (Trichoptera: Philopotamidae). – Opusc. zool. flumin. 190:1-5.
- Cianficconi, Fernanda 2001  
A new subspecies of *Athripsodes taouate* (Trichoptera: Leptoceridae) from Sicily. – Braueria 28:6.
- Flint, Oliver S., Jr. 2001  
Dipletroninae of Sri Lanka (Trichoptera: Hydropsychidae). – Proc. Biol. Soc. Wash. 114:91-103.
- Di Giovanni, Maria Vittoria, Goretti, Enzo, Chiappafreddo, Umberto, Ceccagnoli, Donatella 2001  
Preliminary results on the biometry of Italian Trichoptera fauna. – Braueria 28:15-18.
- Greenwood, M.T., Bickerton, M.A., Petts, G.E. 2001  
Assessing adult Trichoptera communities of small streams: a case study from Charwood Forest, Leicestershire, UK. – Aquatic Conserv.: Mar. Freshw. Ecosyst. 11:93-107.
- Ito, Tomiko 2001  
Description of the type species of the genus *Goerodes* and generic assignment of three East Asian species (Trichoptera, Lepidostomatidae). – Limnology 2:1-9.
- Johanson, Kjell Arne 2001  
Description of two new Oriental *Helicopsyche* (Trichoptera, Helicopsychidae). – Aquat. Insects 23:147-151.
- Johanson, Kjell Arne 2001  
Phylogenetic and biogeographical analysis of the New Zealand *Helicopsyche* von Siebold (Trichoptera: Helicopsychidae). – Insect Syst. Evol. 32:107-120.
- Jonsson, Micael, Malmqvist, Björn, Hoffsten, Per-Ola 2001  
Leaf litter breakdown rates in boreal streams: does shredder species richness matter? – Freshw. Biol. 46:161-171.
- Li, Youwen Joe, Morse, John C., Tachet, Henri 2001  
Pseudoneureclipsinae in Dipseudopsidae (Trichoptera: Hydropsychoidea), with descriptions of two new species of *Pseudoneureclipsis* from East Asia. – Aquat. Insects 23:107-117.
- Mey, Wolfram 2001  
*Maesaipsyche mekongensis* sp.n. – the third species of the genus from south-east Asia (Trichoptera, Arctopsychidae). – Aquat. Insects 23:161-162.
- Maier, Klaus-Jürgen, Linnenbach, Michael 2001  
Köcherfliegen. Baukünstler und Bioindikatoren unserer Gewässer. – Naturschutz-Praxis Arbeitsblätter 25:1-48. (Fachdienst Naturschutz, Landesanstalt für Umweltschutz Baden-Württemberg, Karlsruhe).
- Malicky, H. 2001  
Ein Beitrag zur Kenntnis der Arten der *Hydropsyche instabilis* – Verwandtschaft im östlichen Mittelmeergebiet (Trichoptera, Hydropsychidae). – Linzer biol. Beitr. 33:489-518.



- Malicky, Hans 2001 (Wallace, I.D.) 2001  
Notes on the taxonomy of *Rhadicoleptus*, *Ptilocolepus* and *Pseudoneureclipsis*. – *Braueria* 28:19-20. A caddisfly (*Glossosoma intermedium*). – The Cumbria biodiversity Action Plan (Windermere):143-146.
- Malicky, Hans, Chantaramongkol, Porntip, Cheunbarn, Siraporn, Saengpradab, Narumon 2001  
Einige neue Köcherfliegen (Trichoptera) aus Thailand (Arbeit Nr. 32 über thailändische Köcherfliegen). – *Braueria* 28:11-14. Wiggins, Glenn B. 2001  
Construction behavior for new pupal cases by case-making caddis larvae: Further comment (Trichoptera: Integripalpia). – *Braueria* 28:7-9.
- Mary, Nathalie J., Ward, John B. 2001  
Descriptions of the larvae and adults of three new species of Triplectides (Trichoptera: Leptoceridae) from New Caledonia. – *Aquat. Insects* 23:219-231.
- Mey, Wolfram, Yang, Lianfang 2001  
New and little known caddisflies from the Taibaishan in China (Trichoptera: Integripalpia). – *Ent.Z.* (Stuttgart) 111:83-89.
- Novokshonov, V.G., Sukacheva, I.D. 2001  
Fossil scorpionflies of the „suborder“ Paratrachoptera (Insecta: Mecoptera). – *Paleontol. J.* 35:173-182. [same paper in Russian: *Pal.Zh.* 2:76-80, 2001]
- Ohkawa, Ayuko, Ito, Tomiko 2001  
Terrestrial insect ingestion by filter feeding caddisfly larvae, *Brachycentrus americanus* (Trichoptera). – *J. Freshw. Ecol.* 16:263-266.
- Robert, Berthold, Neu, Peter J., Gorka, M. 2001  
*Lasiocephala bifidum* Décamps, 1972, ein Synonym von *Lasiocephala basalis* (Kolenati, 1848) (Trichoptera: Lepidostomatidae). – *Ent.Z.* (Stuttgart) 111:150-152.
- Robert, Berthold 2001  
Verzeichnis der Köcherfliegen (Trichoptera) Deutschlands. Die Köcherfliegen-Fauna Deutschlands: Ein kommentiertes Verzeichnis mit Verbreitungsangaben. – *Entomofauna Germanica* 5: (Ent.Nachr.Ber.Beiheft 6):107-151.
- Scheffer, Patricia W., Johanson, Kjell Arne 2001  
Three new species of *Helicopsyche* from Vietnam (Trichoptera: Helicopsychidae). – *Pan-Pac. Ent.* 77:9-18.
- Sipahiler, Füsün 2001  
*Anabolia anatolica* sp.n., a new species of genus *Anabolia* Stephens (Trichoptera, Limnephilidae) from southern Anatolia. – *Aquat. Insects* 23:135-139.
- Sipahiler, Füsün 2001  
Three new species and new records of Trichoptera from Turkey and Spain (Philopotamidae, Beraeidae, Leptoceridae). – *Braueria* 28:21-23.
- Sipahiler, Füsün 2001  
Discontinuous dimorphism in males of *Hydropsyche kinzelbachi* (Trichoptera, Hydropsychidae). – *Braueria* 28:23.
- Sukatcheva, Irina D. 2001  
New representative of Philopotamidae (Trichoptera) family from the Upper Cretaceous of Kazakhstan. – *Prace Muzeum Ziemi* 46:65-66.
- Tachet, Henri, Morse, John C., Berly, Alain 2001  
The larva and pupa of *Pseudoneureclipsis lusitanicus* Malicky, 1980 (Trichoptera: Hydropsychoidea): Description, ecological data and taxonomical considerations. – *Aquat. Insects* 23:93-106.
- Wagner, Rüdiger, Höchst, Michael 2001  
Beiträge zum Lebenszyklus von *Ecclisopteryx madida* (Insecta, Trichoptera). – *Lauterbornia* 40:109-117.



#### Caddisflies on stamps

Poland has recently issued a stamp with a caddisfly (above). This is probably the first stamp in existence with a recognizable presentation of a Trichoptera species. There was a stamp from the United Nations (New York) with a fantastic caddisfly which was not intended to represent any particular species (below).

The Polish stamp shows a limnephilid which may easily be identified as *Potamophylax luctuosus*; the larva beneath is some other limnephilid. Unfortunately, but not unusually in stamps with insects, the name is wrongly given as „*Limnophilus*“.



# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Braueria](#)

Jahr/Year: 2001

Band/Volume: [28](#)

Autor(en)/Author(s): Malicky Hans

Artikel/Article: [Trichopterological Literature 31-39](#)