

BRAUERIA (Linz am See, Austria) 42:13-20 (2015)

New faunistic records of Trichoptera in Greece

Ioannis KARAOUZAS & Hans MALICKY

Abstract. New faunistic data on Trichoptera collected mainly during the last decade (2005-2014) throughout Greece are presented. *Glossosoma intermediate*, *Hydropsyche fulvipes*, *Drusus discophoroides* and *Psilopteryx schmidti* are new to the fauna of Greece, and several other species are new regional records. One new *Plectrocnemia* species will be described separately. The number of caddisfly species present in Greece has increased and now totals 307 species.

Keywords: Trichoptera, caddisflies, faunistics, new records, distribution, Greece.

Introduction

The Trichoptera fauna of Greece was represented by 302 species of which 72 were endemic (MALICKY 2005). The first studies on the Greek caddisfly fauna dates back to the middle of the 19th century, when Theobald Krüper visited many parts of Greece on several occasions. Subsequently several scientific reports on Greek caddisflies by other authors have followed, but most systematic surveys were carried out from 1970 to 1999 (MALICKY 2005). Within that period, the Greek caddisfly fauna was extensively studied and many new species were discovered and recorded. Overall, the caddisfly fauna of Greece is very well known, but due to the complex geomorphology of the country, resulting in a wide variety of habitats, (i.e. islands, remote mountainous areas, springs, lakes, temporary ponds) and many areas have never been investigated. Since the publication of the book "Die Köcherfliegen Griechenlands" (The Trichoptera fauna of Greece) (MALICKY 2005), 10 years ago, a significant amount of new trichopterological data has been accumulated.

In this contribution, the caddisfly data of the last decade are presented. The paper is divided into three parts. The first part includes the records of the first author, and the voucher specimens are in his own collection. The second part presents the complete list of species collected in the years 2004 to 2008 by Gordon Ramel in the region of Serres during the Wetland Kerkini Research Project. The vast majority of this material is kept in the Natural History Museum, London, except for some voucher specimens in the collection of the second author who identified it. The third part includes a selection of records of species from collections by other collectors, and which were identified by the second author and are kept in his collection.

Part 1. Collections by Ioannis Karaouzas

Rhyacophilidae

Rhyacophila balcanica RADOVANOVIC 1953: **Central Greece:** Fthiotida, Oiti Mt., Koromilies, 22°14'E, 38°49'N, 1423m, 1♂, 5.9.2014.

Rhyacophila biegelmeieri MALICKY 1984: **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 1♂, 3.7.2014. **Central Greece:** Evrytania, Kleidi (Karpenisiotis R.), 21°42'E, 38°47'N, 544m, 10♂, 2♀, 14.8.2013.

Rhyacophila loxias SCHMID 1970: **Peloponnese:** Laconia, Kastori (Kastoras R.), 22°18'E, 37°10'N, 486m, 1♀, 3.5.2008; 3♀, 02.XI.2008; **Achaia, Kalamaki (Aroanios R.)**, 22°08'E, 37°55'N, 556m, 2♂, 3♀, 3.7.2014. **Euboea:** Stropones (Stropones R.), 23°53'E, 38°35'N, 851m, 1♂, 6.7.2014. **Central Greece:** Evrytania, Karpenisi (Karpenisiotis R.), 21°46'E, 38°53'N, 762m, 1♂, 10.7.2012; Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 7♂, 1♀, 8.7.2014; Evrytania, Prouso (Prousiotiko), 21°39'E, 38°44'N, 785m, 11♂, 1♀, 8.7.2014. **North Greece:** Pieria, Litochoro (Enipeas R.), 22°29'E, 40°06'N, 328m, 1♀, 1.6.2014.

Rhyacophila palmeni MCLACHLAN 1879: **Peloponnese:** Laconia, Kastori (Kastoras R.), 22°18'E, 37°10'N, 486m, 5♂, 1♀, 3.5.2008; 1♂, 3♀, 02.XI.2008; **Achaia, Kalamaki (Aroanios R.)**, 22°08'E, 37°55'N, 556m, 1♂, 3.7. 2014; **Achaia, Krinofita (Aroanios R.)**, 22°08'E, 37°52'N, 492m, 7♂, 1♀, 3.7.2014; **Euboea:** Stropones (Stropones R.), 23°53'E, 38°35'N, 851m, 1♂, 6.7.2014. **Central Greece:** Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 2♂, 2♀, 10.7.2014; Evrytania, Karpenisi (Karpenisiotis R.), 21°46'E, 38°53'N, 762m, 1♂, 10.7.2012; Evrytania, Megalo Chorio, 21°44'E, 38°49'N, 760m, 1♀, 8.4.2014; Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 7♂, 1♀, 8.7.2014; Evrytania, Prouso (Prousiotiko), 21°39'E, 38°44'N, 785m, 1♀, 8.7.2014; Fokida, Lidoriki (Mornos R.), 22°11'E, 38°35'N, 445m 1♀, 24.9.2013; Fthiotida, Perivoli (Inachos R. Oiti Mt.), 22°05'E, 38°49'N, 461m, 3♂, 2♀, 2.5.2014; Fthiotida, Gorgopotamos (Gorgopotamos R.), 22°23'E, 38°49'N, 87m, 1♂, 1♀, 4.5.2014. **North Greece:** Pieria, Litochoro (Enipeas R.), 22°29'E, 40°06'N, 328m, 1♀, 3.7.2014.

Glossosomatidae

Agapetus delicatulus MCLACHLAN 1884: **Central Greece:** Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 1♀, 10.7.2014.

Agapetus episkopi MALICKY 1972: **Crete:** Rethymno, Moni Preveli (Megas Potamos), 24°28'E, 39°24'N, 47m, 1♂, 19.10.2012.

Agapetus laniger PICTET 1834: **Central Greece:** Karditsa, Trigona (Pamisos R.), 21°37'E, 35°10'N, 280m, 1♀, 10.7.2014.

Glossosoma kirke MALICKY 2003: **Peloponnese:** Achaia, Krinofita (Aroanios R.), 22°08'E, 37°52'N, 492m, 1♂, 3.7.2014.

Glossosoma kloxo MALICKY 2003: **Central Greece:** Fthiotida, Gorgopotamos (Gorgopotamos R.), 22°23'E, 38°49'N, 87m, 2♂, 4.5.2014.

Synagapetus slavorum BOTOSANEANU 1960: **Central Greece:** Evrytania, Tsikneika (Mavri Spilia Gorge),

21°39'E, 38°44'N, 780m, 14♂, 22♀, 8.7.2014; *Hydroptila taurica* MARTYNOV 1934: **Central Greece:** Evrytania, Prousos (Prousiotiko), 21°39'E, 38°44'N, Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 1♂, 10.7.2014; Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 1♂, 8.7.2014;

Hydroptilidae

Allotrichia marinkovicae MALICKY 1977: **Peloponnese:** Lakonia, Kastori (Kastoras R.), 22°18'E, 37°10'N, 486m 1♂, 3.5.2008; **Central Greece:** Evrytania, Prousos (Prousiotiko), 21°39'E, 38°44'N, 785m, 2♂, 4♀, 8.7.2014. First record for Peloponnese. Previously reported only from Epirus.

Allotrichia pallicornis EATON 1873: **Central Greece:** Fthiotida, Perivoli (Inachos R., Oiti Mt.), 22°05'E, 38°49'N, 461m, 2♂, 2.5.2014.

Hydroptila aegyptia ULMER 1963: **Epirus:** Preveza, Petra (Louros R.), 20°47'E, 39°09'N, 0m, 20♂, 5.4.2014.

Hydroptila brissaga MALICKY 1996: **Central Greece:** Fokida, Lidoriki (Mornos R.), 22°11'E, 38°35'N, 445m, 5♂, 19♀, 24.9.2013.

Hydroptila forcipata EATON 1873: **Central Greece:** Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 1♀, 10.7.2014; Fthiotida, Perivoli (Inachos R., Oiti Mt.), 22°05'E, 38°49'N, 461m, 1♀, 2.5.2014; Fokida, Lidoriki (Mornos R.), 22°11'E, 38°35'N, 445m, 1♀, 24.9.2013; **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 5♂, 2♀, 3.7.2014.

Hydroptila kalonichtis MALICKY 1972: **Central Greece:** Karditsa, Kali Komi (Kalikomitis R.), 21°24'E, 39°21'N, 576m 1♂ (e ♀), 19.9.2013; Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 5♂, 6♀, 8.7.2014; **Lefkada:** Vasiliki (Karouchas R.), 20°36'E, 38°38'N, 17m, 1♂, 13.7.2014; Kavalos (Melissa Gorge), 20°40'E, 38°47'N, 230m, 2♂, 12♀, 13.7.2014.

Hydroptila occulta EATON 1873: **Central Greece:** Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 9♂, 48♀, 10.7.2014.

Hydroptila palaestinae BOTOSANEANU & GASITH 1971: **Central Greece:** Fokida, Chani Revesi (Limnitsiano R.), 21°59'E, 38°30'N, 200m, 2♂, 16.7.2014.

Hydroptila phaon MALICKY 1976: **Central Greece:** Fokida, Chani Revesi (Limnitsiano R.), 21°59'E, 38°30'N, 200m, 1♂, 16.7.2014.

Hydroptila simulans MOSELY 1920: **Central Greece:** Fokida, Chani Revesi (Limnitsiano R.), 21°59'E, 38°30'N, 200m, 2♂, 16.7.2014.

Hydroptila sparsa CURTIS 1834: **Central Greece:** Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 1♂, 10.7.2014; **Epirus:** Preveza, Iliovouni (Louros R.), 20°49'E, 39°10'N, 0m, 2♂, 3♀, 5.4.2014; Preveza, Petra (Louros R.), 20°47'E, 39°09'N, 0m, 1♂, 2♀, 5.4.2014. **Lefkada:** Vasiliki (Karouchas R.), 20°36'E, 38°38'N, 17m, 2♂ (many ♀), 13.7.2014.

Hydroptila taurica MARTYNOV 1934: **Central Greece:** Koronida, 37°08'N, 22°31'E, 650m, 2♂ pupae, 29.8.2011. **Samothraki:** Fonias R., 40°29'N, 25°39'E, 2m, 1♂ pupa, 20.6.2013; Yali, 40°24'N, 25°38'E, 50m, 2♂ & 1♀ pupae, 1♂, 13.8.2013; Fonias Spring tributary, 40°29'N, 25°36'E, 700m, 2♂, 23.8.2013; Gria Vathra, 40°29'N, 25°36'E, 70m, 1♀, 23.8.2013.

Hydroptila tigurina RIS 1894: **Central Greece:** Fokida, Chani Revesi (Limnitsiano R.), 21°59'E, 38°30'N, 200m, 2♂, 16.7.2014; Fokida, Lidoriki (Mornos R.), 22°11'E, 38°35'N, 445m, 11♀, 24.9.2013; Fokida, Nafpaktos (Mornos R.), 21°51'E, 38°23'N, 5m, 2♀, 23.9.2013.

Hydroptila tineoides DALMAN 1819: **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 1♂, 3.7.2014.

Hydroptila vectis CURTIS 1834: **Central Greece:** Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 28♂, 6♀, 10.7.2014; Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 1♀, 8.7.2014; **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 1♀, 3.7.2014. **Lefkada:** Vasiliki (Karouchas R.), 20°36'E, 38°38'N, 17m, many ♂ and ♀, 13.7.2014; Apolpaina (Melissa Gorge) 20°40'E, 38°48'N, 224m, 1♂, 3♀, 13.7.2014; Kavalos (Melissa Gorge), 20°40'E, 38°47'N, 230m, 1♂, 13.7.2014.

Ithytrichia bosniaca MURGOCI & BOTNARIUC & BOTOSANEANU 1948: **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 1♂, 7♀, 3.7.2014. **Lefkada:** Vasiliki (Karouchas R.), 20°36'E, 38°38'N, 17m, 2♂, 5♀, 13.7.2014. First record for Lefkada and North Peloponnese. Previously reported only from Nomia, a village near Monemvasia, S.E. Peloponnese, and the islands of Kerkira, Skiathos, Skopelos, Andros and Samos.

Oxyethira delcourtii JACQUEMART 1973: **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 1♂, 7♀, 3.7.2014. **Central Greece:** Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 1♂, 8.7.2014; **Samothraki:** Fonias (Fonias R.) 25°39'E, 40°29'N, 22m, 40♂, 2♀, 19.8.2013; **Lefkada:** Vasiliki (Karouchas R.), 20°36'E, 38°38'N, 17m, many ♂ and ♀, 13.7.2014; Apolpaina (Melissa Gorge), 20°40'E, 38°48'N, 224m, 15♂, 130♀, 13.7.2014; Kavalos (Melissa Gorge), 20°40'E, 38°47'N, 230m, 11♂, 48♀, 13.7.2014. First record for Lefkada.

Oxyethira falcata MORTON 1893: **Central Greece:** Fokida, Lidoriki (Mornos R.), 22°11'E, 38°35'N, 445m, 1♂, 3♀, 24.9.2013; **Lefkada:** Vasiliki (Karouchas R.), 20°36'E, 38°38'N, 17m, 4♂, 13.7.2014.

Philopotamidae

Philopotamus achemenus SCHMID 1959: **Naxos:** Koronida, 37°08'N, 22°31'E, 650m, 2♂ pupae, 29.8.2011. **Samothraki:** Fonias R., 40°29'N, 25°39'E, 2m, 1♂ pupa, 20.6.2013; Yali, 40°24'N, 25°38'E, 50m, 2♂ & 1♀ pupae, 1♂, 13.8.2013; Fonias Spring tributary, 40°29'N, 25°36'E, 700m, 2♂, 23.8.2013; Gria Vathra, 40°29'N, 25°36'E, 70m, 1♀, 23.8.2013.

Philopotamus montanus DONOVAN 1813: **Epirus:** Arta, Katarakes (Tzoumerka Mt.), 39°27'N, 21°07'E, 1126m, 3♂, 6.4.2014; **Central Greece:** Pieria, Platamonas, 39°59'N, 22°36'E, 27m, 2♂ pupae, 24.8.2013; Evrytania, Megalo Chorio, 21°44'E, 38°49'N, 760m, 1♂, 8.4.2014; Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 25♂, 24♀, 8.7.2014; Evrytania, Prousos (Prousiotiko), 21°39'E, 38°44'N, 785m, 17♂, 4♀, 8.7.2014; Evrytania, Dafni, 21°43'E, 39°02'N, 610m, 2♂, 1♀, 9.4.2014; Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 1♂, 10.7.2014; Fthiotida, Oiti Mt., Koromilies, 22°14'E, 38°49'N, 1423m, 1♂, 05.9.2014; Fthiotida, Gorgopotamos (Gorgopotamos R.), 22°23'E, 38°49'N, 87m, 2♂, 1♀, 4.5.2014. **Euboea:** Stropones, 38°36'N, 23°53'E, 620m, 1♀ pupa, 2♂, 11.9.2013; Stropones (Nerotrivi), 38°36'N, 23°53'E, 350m, 1♀ pupa, 2♂, 11.9.2013; Stropones (springs), 38°35'N, 23°53'E, 851m, 1♂, 6.7.2014, 1♀, 26.8.2014; Steniotiko, 38°39'N, 23°55'E, 460m, 2♀, 13.9.2013. **Peloponnese:** Laconia, Kastori (Kastoras R.), 22°18'E, 37°10'N, 486m, 1♀, 2.11.2008; Arkadia, Ag.Petros (Tanos R.), 37°19'N, 22°33'E, 847m, 1♀, 4.4.2013; Arkadia, Kastanitsa (Vrasiatris R.), 37°15'N, 22°38'E, 810m, 1♂, 4.4.2013.

Philopotamus variegatus SCOPOLI 1763: **Central Greece:** Fthiotida, Perivoli (Inachos R., Oiti Mt.), 22°05'E, 38°49'N, 461m, 1♂, 1♀, 2.5.2014; **Peloponnese:** Laconia, Kastori (Kastoras R.), 22°18'E, 37°10'N, 486m, 1♀, 2.11.2008.

Wormaldia kakopetros MALICKY 1972: **Euboea:** Stropones (springs), 38°35'N, 23°53'E, 851m, 1♂, 6.7.2014, 1♂, 26.8.2014.

Wormaldia occipitalis PICTET 1834: **Central Greece:** Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 13♂, 19♀, 8.7.2014; Evrytania, Prousos (Prousiotiko), 21°39'E, 38°44'N, 785m, 1♂, 5♀, 8.7.2014.

Wormaldia subnigra McLACHLAN 1865: **Central Greece:** Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 5♂, 8♀, 10.7.2014; Fthiotida, Oiti Mt., Kritharorema, 22°14'E, 38°49'N, 1374m, 2♂, 5.9.2014. **Peloponnese:** Arcadia, Vytina (Milaontas R.), 21°10'E, 37°39'N, 980m, 5♂, 2♀, 20.7.2014.

Polycentropodidae

Cyrnus trimaculatus CURTIS 1834: **Central Greece:** Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 1♂, 10.7.2014; Fokida, Chani Revesi (Limnitsiano R.), 21°59'E, 38°30'N, 200m, 1♂, 1♀, 16.7.2014.

Plectrocnemia conspersa CURTIS 1834: **Euboea:** Stropones, 38°36'N, 23°53'E, 620m, 1♂, 11.9.2013; **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 1♀, 3.7.2014; Achaia, Krinofita (Aroanios R.), 22°08'E, 37°52'N, 492m, 5♂, 1♀, 3.7.2014. **Central Greece:** Evrytania, Prousos (Prousiotiko), 21°39'E, 38°44'N, 785m, 11♂, 1♀, 8.7.2014; Fokida, Heptalofos, Parnassos Mt., 22°29'E, 38°35'N, 1080m, 2♂, 1♀, 6.9.2014.

Plectrocnemia geniculata McLACHLAN 1871: **North Greece:** Pieria, Litochoro (Enipeas R.), 22°29'E, 40°06'N, 328m, 1♂, 1.6.2014.

Plectrocnemia kydon MALICKY 1974: **Central Greece:** Fokida, Heptalofos, Parnassos Mt., 22°29'E, 38°35'N, 1080m, 2♂, 1♀, 6.9.2014.

Plectrocnemia mojkovacensis MALICKY 1982: **Central Greece:** Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 3♂, 8.7.2014; Evrytania, Prousos (Prousiotiko), 21°39'E, 38°44'N, 785m, 2♂, 1♀, 8.7.2014.

Polycentropus excisus KŁAPÁLEK 1894: **Central Greece:** Fokida, Lidoriki (Mornos R.), 22°11'E, 38°35'N, 445m, 1♂, 24.9.2013; Fthiotida, Oiti Mt., Koromilies, 22°14'E, 38°49'N, 1423m, 1♂, 5.9.2014. Evrytania, Trikeriotis Gorge, 21°39'E, 38°47'N, 387m, 2♂, 5♀, 14.9.2013; Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 92♂, 42♀, 8.7.2014; Evrytania, Prousos (Prousiotiko), 21°39'E, 38°44'N, 785m, 24♂, 38♀, 8.7.2014; Karditsa, Trigona (Pamisos R.) 21°37'E, 39°24'N, 280m, 64♂, 4♀, 10.7.2014; Trikala, Stefanī (Aspropotamos R.), 22°18'E, 39°40'N, 1280m, 1♂, 1♀, 19.9.2013. **Peloponnese:** Laconia, Kastori (Kastoras R.), 22°18'E, 37°10'N, 486m, 1♂, 2.11.2008; Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 2♂, 1♀, 3.7.2014; Achaia, Krinofita (Aroanios R.), 22°08'E, 37°52'N, 492m, 1♂, 3.7.2014.

Polycentropus flavomaculatus PICTET 1834: **Crete:** Rethymno, Moni Preveli (Megas Potamos), 24°28'E, 39°24'N, 47m, 1♂, 19.10.2012. **Samothraki:** Fonias (Fonias R.) 25°39'E, 40°29'N, 22m, 1♀, 19.8.2013; 2♂, 20.8.2013.

Polycentropus ierapetra dirfis MALICKY 1974: **Central Greece:** Karditsa, Trigona (Pamisos R.), 21°37'E, 39°24'N, 280m, 13♂, 60♀, 10.7.2014; Fokida, Chani Revesi (Limnitsiano R.), 21°59'E, 38°30'N, 200m, 4♂, 2♀, 16.7.2014. **Lefkada:** Vasiliki (Karouchas R.), 20°36'E, 38°38'N, 17m, 1♂ on 13.7.2014; Kavalos (Melissa Gorge), 20°40'E, 38°47'N, 230m, 1♂, 1♀ on 13.7.2014. First record for Lefkada.

Polycentropus ierapetra kalliope MALICKY 1976: **Peloponnese:** Achaia, Krinofita (Aroanios R.), 22°08'E, 37°52'N, 492m, 3♂, 1♀, 3.7.2014.

Ecnomidae

Ecnomus tenellus RAMBUR 1842: **Samothraki:** Fonias (Fonias R.) 25°39'E, 40°29'N, 22m, 1♂, 19.8.2013;

Psychomyiidae

Lype reducta HAGEN 1868: **Central Greece:** Etolokarnania, Zeugaraki (Channel of Trichonida-Lysimachia), 21°44'E, 38°49'N, 24m, 1♂, 2.4.2014.

Psychomyia pusilla FABRICIUS 1781: **Central Greece:** Fokida, Lidoriki (Mornos R.), 22°11'E, 38°35'N, 445m, 1♀, 24.9.2013; Fokida, Chani Revesi (Limnitsiano R.), 21°59'E, 38°30'N, 200m, 1♂, 16.7.2014. Evrytania,

Trikeriotis Gorge, 21°39'E, 38°47'N, 387m, 5♂, 1♀, 14.9.2013; *Evrytania*, *Tsikneika* (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 2♂, 1♀, 8.7.2014; *Evrytania*, *Prousose* (Prousiotiko), 21°39'E, 38°44'N, 785m, 11♂, 1♀, 8.7.2014; *Karditsa*, *Trigona* (Pamisos R.), 21°37'E, 39°24'N, 280m, 2♂, 10.7.2014; **Peloponnese**: *Achaia*, *Krinofita* (Aroanios R.), 22°08'E, 37°52'N, 492m, 3♂, 1♀, 3.7.2014.

Tinodes alepochori MALICKY 1975: **Peloponnese**: *Lakonia*, *Kastori* (Kastoras R.), 22°18'E, 37°10'N, 486m, 1♂, 2.11.2008;

Tinodes braueri McLACHLAN 1878: **Peloponnese**: *Lakonia*, *Kastori* (Kastoras R.), 22°18'E, 37°10'N, 486m, 2♂, 2.11.2008; **Central Greece**: *Evrytania*, *Kleidi* (Karpenisiotis R.), 21°42'E, 38°47'N, 544m, 1♂, 14.9.2013; *Fthiotida*, *Gorgopotamos* (Gorgopotamos R.), 22°23'E, 38°49'N, 87m, 1♂, 4.5.2014.

Tinodes polyhymnia MALICKY 1976: **Euboea**: *Stropones* (Nerotrivi), 38°36'N, 23°53'E, 350m, 2♂, 2♀, 11.9.2013.

Tinodes raina BOTOSANEANU 1960: **Central Greece**: *Evrytania*, *Prousose* (Prousiotiko), 21°39'E, 38°44'N, 785m, 11♂, 1♀, 8.V.7.2014; *Fthiotida*, *Oiti Mt.*, *Koutsoleka*, 22°16'E, 38°48'N, 1760m, 2♂, 4.9.2014.

Tinodes unicolor PICTET 1834: **Central Greece**: *Evrytania*, *Tsikneika* (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 2♂, 32♀, 8.7.2014. **Lefkada**: *Apolpaina* (Melissa Gorge) 20°40'E, 38°48'N, 224m, 1♂, 12♀, 13.7.2014.

Hydropsychidae

Cheumatopsyche lepida PICTET 1834: **Central Greece**: *Fokida*, *Lidoriki* (Mornos R.), 22°11'E, 38°35'N, 445m, 1♂, 6♀, 24.9.2013; *Karditsa*, *Trigona* (Pamisos R.) 21°37'E, 39°24'N, 280m, 43♂, 22♀, 10.7.2014.

Diplectrona atra McLACHLAN 1878: **Euboea**: *Stropones* (Nerotrivi), 38°36'N, 23°53'E, 350m, 2♂, 2♀, 11.9.2013; *Stropones* (springs), 38°35'N, 23°53'E, 851m, 3♂, 26.8.2014. **Central Greece**: *Evrytania*, *Tsikneika* (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 4♂, 1♀, 8.7.2014.

Hydropsyche bulbifera McLACHLAN 1878: **Central Greece**: *Evrytania*, *Krioneri* (Agrafiotis R.), 21°34'E, 38°59'N, 289m, 1♂, 15.9.2013.

Hydropsyche dinarica MARINKOVIĆ-GOSPODNETIĆ 1979: **Central Greece**: *Fthiotida*, *Perivoli* (Inachos R. Oiti Mt.), 22°05'E, 38°49'N, 461m, 2♂, 9♀, 2.5.2014.

Hydropsyche incognita PITSCHE 1993: **Central Greece**: *Fokida*, *Lidoriki* (Mornos R.), 22°11'E, 38°35'N, 445m, 1♂, 4♀, 24.9.2013; *Evrytania*, *Kleidi* (Karpenisiotis R.), 21°42'E, 38°47'N, 544m, 1♂, 1♀, 14.8.2013; *Evrytania*, *Krioneri* (Agrafiotis R.), 21°34'E, 38°59'N, 289m, 2♂, 15.9.2013; *Karditsa*, *Trigona* (Pamisos R.), 21°37'E, 39°24'N, 280m, 2♂, 1♀, 10.7.2014; **Epirus**: *Preveza*, *Ilioovouni* (Louros R.), 20°49'E, 39°10'N, 0m, 2♂, 5.4.2014.

Hydropsyche instabilis CURTIS 1834: **Peloponnese**: *Arcadia*, *Vytina* (Milaontas R.), 21°10'E, 37°39'N, 980m, 2♂, 3♀, 20.7.2014. **Central Greece**: *Evrytania*, *Karpenisi* (Karpenisiotis R.), 21°46'E, 38°53'N, 762m, 1♂, 16♀, 10.7.2012; *Karditsa*, *Kali Komi* (Kalikomitis R.), 21°24'E, 39°21'N, 576m, 1♂, 19.9.2013; *Evrytania*, *Tsikneika* (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 14♂, 8.7.2014; *Evrytania*, *Prousose* (Prousiotiko), 21°39'E, 38°44'N, 785m, 8♂, 8.7.2014; *Fthiotida*, *Oiti Mt.*, *Kritharorema*, 22°14'E, 38°49'N, 1374m, 3♀, 5.9.2014; **Euboea**: *Stropones* (springs), 38°35'N, 23°53'E, 851m, 3♂, 26.8.2014. **North Greece**: *Pieria*, *Litochoro* (Enipeas R.), 22°29'E, 40°06'N, 328m, 1♂, 1♀, 1.6.2014. **Samothraki**: *Fonias* (Fonias R.) 25°39'E, 40°29'N, 22m, 3♂, 19.8.2013; **Euboea**: *Stropones* (Nerotrivi), 38°36'N, 23°53'E, 350m, 1♂, 11.9.2013; **Lefkada**: *Apolpaina* (Melissa Gorge), 20°40'E, 38°48'N, 224m, 1♂, 1♀, 13.7.2014. First record for Lefkada.

Hydropsyche modesta NAVÁS 1925: **Central Greece**: *Fokida*, *Nafpaktos* (Mornos R.), 21°51'E, 38°23'N, 5m, 1♂, 1♀, 23.9.2013; *Evrytania*, *Krioneri* (Agrafiotis R.), 21°34'E, 38°59'N, 289m, 4♂, 15.9.2013; *Karditsa*, *Trigona* (Pamisos R.), 21°37'E, 39°24'N, 280m, 3♂, 10.7.2014; *Etolokarnania*, *Zeugaraki* (Channel of Trichonida-Lysimachia), 21°44'E, 38°49'N, 24m, 1♂, 2.4.2014;

Hydropsyche mostarensis Klapálek 1898: **Central Greece**: *Evrytania*, *Kleidi* (Karpenisiotis R.), 21°42'E, 38°47'N, 544m, 1♂, 14♀, 14.9.2013; *Evrytania*, *Trikeriotis Gorge*, 21°39'E, 38°47'N, 387m, 13♂, 99♀, 14.9.2013; *Evrytania*, *Krioneri* (Agrafiotis R.), 21°34'E, 38°59'N, 289m, 3♂, 15.9.2013; *Evrytania*, *Tsikneika* (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 14♂, 22♀, 8.7.2014; *Evrytania*, *Prousose* (Prousiotiko), 21°39'E, 38°44'N, 785m, 8♂, 8.7.2014.

Hydropsyche pellucidula CURTIS 1834: **Central Greece**: *Evrytania*, *Krenti*, 21°35'E, 39°00'N, 580m, 1♂, 15.9.2013;

Hydropsyche peristerica BOTOSANEANU & MARINKOVIĆ-GOSPODNETIĆ 1968: **Peloponnese**: *Laconia*, *Kastori* (Kastoras R.), 22°18'E, 37°10'N, 486m, 1♀, 3♀, 3.5.2008; *Arcadia*, *Davia* (Elisson R.), 21°16'E, 37°32'N, 813m, 1♂, 19.7.2013; *Korinthos*, *Feneos*, 21°18'E, 37°40'N, 833m, 3♂, 21.7.2013; **Central Greece**: *Evrytania*, *Prousose* (Prousiotiko), 21°39'E, 38°44'N, 785m, 3♂, 8.7.2014; **Euboea**: *Stropones* (springs), 38°35'N, 23°53'E, 851m, 2♂, 26.8.2014.

Hydropsyche rhadamanthys MALICKY 2001: **Crete**: *Rethymno*, *Moni Preveli* (Megas Potamos), 24°28'E, 39°24'N, 47m, 13♂, 19.10.2012.

Hydropsyche sarpdon MALICKY 2001: **Crete**: *Rethymno*, *Moni Preveli* (Megas Potamos), 24°28'E, 39°24'N, 47m, 1♂, 19.10.2012.

Lepidostomatidae

Lepidostoma doehleri MALICKY 1976: **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 2♂, 1♀, 3.7.2014.

Limnephilidae: Drusinae

Drusus franzressli MALICKY 1974: **Central Greece:** Evrytania, Velouchi, 21°50'E, 38°57'N, 1460m, 1♂, 9.4.2014;

Limnephilidae: Limnephilini

Limnephilus affinis CURTIS 1834: **Euboea:** Stropones (springs), 38°35'N, 23°53'E, 851m, 1♂, 6.7.2014.

Limnephilus sparsus CURTIS 1834: **Central Greece:** Fthiotida, Oiti Mt., Livadies, 22°16'E, 38°49'N, 1808m, 1♂, 2♀, 5.9.2014.

Limnephilidae: Stenophylacini

Allogamus pertuli MALICKY 1975: **Central Greece:** South Pindos, Stefani (Aspropotamos R.), 39°40'N, 21°18'E, 1280m, 1♀, 19.9.2013.

Halesus digitatus SCHRANK 1781: **Peloponnese:** Laconia, Kastori (Kastoras R.), 22°18'E, 37°10'N, 486m, 1♂, 2.11.2008.

Micropterna caesareica SCHMID 1959: **Peloponnese:** Laconia, Kastori (Kastoras R.), 22°18'E, 37°10'N, 486m, 1♂, 2.11.2008.

Micropterna nycterobia MCLACHLAN 1875: **Euboea:** Stropones (springs), 38°35'N, 23°53'E, 851m, 1♀, 6.7.2014.

Micropterna sequax MCLACHLAN 1875: **Central Greece:** Fokida, Athanasios Diakos, 38°41'N, 22°10'E, 1040m, 1♀, 25.9.2013; Fthiotida, Oiti Mt., Livadies, 22°16'E, 38°49'N, 1808m, 1♂, 5.9.2014; Fokida, Heptalofos, Parnassos Mt., 22°29'E, 38°35'N, 1080m, 1♀, 6.9.2014; **Euboea:** Stropones (springs), 38°35'N, 23°53'E, 851m, 1♂, 6.7.2014, 2♂, 26.8.2014.

Potamophylax gouldiorum MALICKY 1975: **Central Greece:** Fokida, Athanasios Diakos, 38°41'N, 22°10'E, 1040m, 1♂, 1♀, 25.9.2013; Fokida, Athanasios Diakos (Kanavorema R.), 38°42'N, 22°10'E, 1117m, 1♀, 25.9.2013.

Potamophylax latipennis CURTIS 1834: **Central Greece:** Fthiotida, Oiti Mt., Koromilies, 22°14'E, 38°49'N, 1423m, 1♀, 5.9.2014; Fokida, Heptalofos, Parnassos Mt., 22°29'E, 38°35'N, 1080m, 2♂, 1♀, 6.9.2014; South Pindos, Stefani (Aspropotamos R.), 39°40'N, 21°18'E, 1280m, 1♀, 19.9.2013; **Euboea:** Stropones (Nerotrivi), 38°36'N, 23°53'E, 350m, 1♂, 2♀, 11.9.2013; Stropones (Perivoli), 38°36'N, 23°53'E, 620m, 2♂, 1♀, 11.9.2013.

Leptoceridae

Adicella balcanica BOTOSANEANU & NOVÁK 1965: **Central Greece:** Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 14♂, 22♀, 8.7.2014.

Adicella syriaca ULMER 1907: **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 1♂, 3.7.2014.

Athripsodes albifrons LINNAEUS 1758: **Epirus:** Preveza, Ilioouni (Louros R.), 20°49'E, 39°10'N, 0m, 1♀, 5.4.2014. First record for the region of Epirus. Previously recorded only in the North-Eastern part of Greece.

Athripsodes bilineatus LINNAEUS 1758: **Euboea:** Stropones (Nerotrivi), 38°36'N, 23°53'E, 350m, 1♀, 11.9.2013. First record for Euboea. This is the southernmost record of the species as until now it was only recorded from Thraki (Thrace) region.

Mystacides azurea LINNAEUS 1761: **Epirus:** Preveza, Ilioouni (Louros R.), 20°49'E, 39°10'N, 0m, 1♀, 5.4.2014. First record for Epirus region.

Triaenodes ochreella lefkas MALICKY 1974: **Epirus:** Preveza, Ilioouni (Louros R.), 20°49'E, 39°10'N, 0m, 1♂, 5.4.2014.

Beraeidae

Ernodes kakofonix MALICKY 1979: **Central Greece:** Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 1♂, 8.7.2014.

Notidobia melanoptera STEIN 1863: **Central Greece:** Evrytania, Dafni, 21°43'E, 39°02'N, 610m, 1♂, 9.4.2014.

Oecismus mucidus MCLACHLAN, 1876: **Central Greece:** Fokida, Heptalofos, Parnassos Mt., 22°29'E, 38°35'N, 1080m, 1♀, 6.9.2014.

Schizopelex huettlingeri MALICKY 1974: **Central Greece:** Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 15♂, 9♀, 8.7.2014; Evrytania, Prousos (Prousiotiko), 21°39'E, 38°44'N, 785m, 23♂, 4♀, 8.7.2014.

Sericostoma flavicorne SCHNEIDER 1845: **Central Greece:** Evrytania, Karpenisi (Karpenisiotis R.), 21°46'E, 38°53'N, 762m, 5♂, 1♀, 10.7.2012; Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 2♂, 4♀, 8.7.2014; **Euboea:** Stropones (Perivoli), 23°53'E, 38°35'N, 640m, 1♂, 6.7.2014.

Sericostoma herakles MALICKY 1999: **Peloponnese:** Achaia, Kalamaki (Aroanios R.), 22°08'E, 37°55'N, 556m, 1♂, 7♀, 3.7.2014; Achaia, Krinofita (Aroanios R.), 22°08'E, 37°52'N, 492m, 3♂, 9♀, 3.7.2014.

Odontoceridae

Odontocerum hellenicum MALICKY 1972: North Greece: Pieria, Litochoro (Enipeas R.), 22°29'E, 40°06'N, 328m, 3♂, 1.6.2014. Central Greece: Evrytania, Tsikneika (Mavri Spilia Gorge), 21°39'E, 38°44'N, 780m, 1♂, 8.7.2014; Fokida, Athanasios Diakos, 38°41'N, 22°10'E, 1040m, 1♀, 25.9.2013; Fthiotida, Oiti Mt., Koromilies, 22°14'E, 38°49'N, 1423m, 2♂, 5.9.2014; Fthiotida, Oiti Mt., Kritharorema, 22°14'E, 38°49'N, 1374m, 2♂, 1♀, 5.9.2014; Fokida, Heptalofos, Parnassos Mt., 22°29'E, 38°35'N, 1080m, 4♀, 6.9.2014.

Part 2. Collections for the biodiversity study for the Wetland Kerkini Project by Gordon Ramel in the region of Serres.

Very few caddisfly records were earlier known from the surroundings of Kerkini, Serres. Most of the species in the following list are therefore new records for the region. Here we give the complete list of species found, and only some remarkable records are presented in detail. Bulgarian records refer to KUMANSKI (1985, 1988), Greek records refer to MALICKY (2005). The bulk of the material is in the Natural History Museum (London); voucher specimens are in the collection of the second author.

Collection sites:

Base camp, Kerkini Mts., 23°03'E, 41°18'N, 1300m.
Beabies, 23°13'E, 41°19'N, 1150m.
Ecotourism site, 23°13'E, 41°08'N, 65m.
Farfara sites, 23°15'E, 41°19'N, 750m.
Kerkini Mts., 23°21'E, 41°30'N
Lake Kerkini, 23°19'E, 41°15'N, 75m.
Neo Petritsi, 23°15'E, 41°19'N, 750m.
Plateaux beech, 23°01'E, 41°18'N
Ramna site, 23°11'E, 41°17'N, 750m.
Sultanitsa site, 23°12'E, 41°19'N, 1485m.

Species List

Rhyacophila denticulifera KUMANSKI 1986: Second record from Greece: Previously known from the area Elatia in the Rhodope Mountains. Vironia, Ramna site 750m, 1.-7.9.2008, 1♀, do. 15.-21.9.2008, 1♀, do. 20.-26.10.2008 1♂ - Vironia, Beabies site 1150m, 28.7.-3.8.2008 1♂, do. 1.-7.9.2008, 1♀, do. 8.-14.9.2008, 1♀, do. 15.-21.9.2008 1♀, do. 22.-28.9.2008 1♂, do. 13.-19.10.2008 1♂.

Rhyacophila fasciata HAGEN 1859

Rhyacophila fischeri BOTOSANEANU 1957

Rhyacophila loxias SCHMID 1970

Rhyacophila oblitterata MCLACHLAN 1863

Rhyacophila obtusa Klapálek 1894

Rhyacophila tristis PICTET 1834

Synagapetus iridipennis MCLACHLAN 1879

Glossosoma intermedium Klapálek 1892: First record for Greece, but not unexpected as it was found in several sites of southwestern Bulgaria. - Ramna site 750m, 9.-15.6.2008, 1♂, 5♀, do. 23.-29.6.2008, 3♂, 6♀, do. 30.6.-6.7.2008 2♂, 1♀, 26.5. - 1.6.2008 1♂, 10♀, do. 7.-13.7.2008 1♀, 2.-8.6.2008 2♂, 3♀, 16.-22.6.2008 2♂, 7♀. Neo Petritsi 24.-30.3.2008 1♂. Farfara site, 9.-15.6.2008 1♀, do. 30.6.-6.7.2008 1♂.

Hydroptila sparsa CURTIS 1834

Philopotamus montanus DONOVAN 1813

Philopotamus variegatus SCOPOLI 1763

Wormaldia bulgarica NOVÁK 1971

Wormaldia charalambi MALICKY 1980

Wormaldia occipitalis PICTET 1834

Wormaldia pulla MCLACHLAN 1878

Neureclipsis bimaculata LINNAEUS 1758: There are more records from the same region, see MALICKY (2005:78). Otherwise not found in Greece. - Ecotourism site 20.-26.6.2008 2♂, do. 13.-19.6.2006 3♂, 3♀, do. 6.-12.6.2006 1♂, do. 30.5.-5.6.2006 1♂, 1♀, do. 23.-26.5.2006 1♂. Lake Kerkini 27.4.2005 1♂, 6♀.

Plectrocnemia brevis MCLACHLAN 1871

Polycentropus excisus Klapálek 1894

Lype reducta HAGEN 1868

Tinodes kimminsi SÝKORA 1962

Tinodes unidentatus Klapálek 1894

Psychomyia pusilla FABRICIUS 1781

Diplectrona atra MCLACHLAN 1865

Hydropsyche contubernalis MCLACHLAN 1865

Hydropsyche fulvipes CURTIS 1834: First record for Greece. Relatively many records are known from adjacent western and southern Bulgaria. Careful identification is necessary because it may easily be confused with *H. peristerica*. - Sultanitsa site 23.-29.6.2008 1♂. - Ramna site 23.-29.6.2008 1♂. - Farfara site 23.-29.6.2008 1♂, do. 30.6.-6.7.2008 1♂, do. 14.-20.7.2008 1♂. - Plateau beech, Kerkini Mts., 8.-13.8.2007 1♂. - Base Camp, Kerkini mts., 25.-31.7.2007 1♂.

Hydropsyche incognita PITSCHE 1993

Hydropsyche instabilis CURTIS 1834

Hydropsyche modesta NAVÁS 1925

Hydropsyche peristerica BOTOSANEANU & MARINKOVIĆ 1968

- Hydropsyche tabacarui* BOTOSANEANU 1960
- Agrypnia varia* FABRICIUS 1793
- Micrasema minimum* McLACHLAN 1876
- Drusus botsosaneanui* KUMANSKI 1968
- Drusus discophoroides* KUMANSKI 1979: First record for Greece, but this species was described from the immediate neighborhood over the border in Bulgaria. - Beabies site 2.-8.6.2008 4♂, do. 9.-15.6.2008 2♂, 1♀, 7.-13.7.2008 1♂, 26.5.-1.6.2008 15♂, 1♀, 12.-15.5.2008 10♂, 3♀, 19.-25.5.2008 11♂, 7♀, 14.-20.4.2008 11♂.
- Glyphotaelius pellucidus* RETZIUS 1783: Second record for Greece. Previously known from Ossa Mt. - Beabies site 23.-29.6.2008 2♂. - Ramna site 8.-14.9.2008 1♀, 15.-21.9.2008 1♀.
- Limnephilus affinis* CURTIS 1834
- Limnephilus auricula* CURTIS 1834
- Limnephilus flavospinosus* STEIN 1874
- Limnephilus lunatus* CURTIS 1834
- Limnephilus sparsus* CURTIS 1834
- Limnephilus vittatus* FABRICIUS 1798
- Chaetopteryx stankovici* MARINKOVIĆ 1966
- Psiolopteryx schmidi* KUMANSKI 1970: First record for Greece, already known from adjacent southwestern Bulgaria. - Sultanitsa site 6.-12.10.2008 1♂, 1♀, do. 20.-26.10.2008 1♂, do. 27.10.-2.11.2008 1♂. - Beabies site 6.-12.10.2008 1♂, do. 13.-19.10.2008 1♂, 1♀.
- Micropterna sequax* McLACHLAN 1875
- Micropterna nycterobia* McLACHLAN 1875
- Potamophylax cingulatus* STEPHENS 1837: Second record for Greece. Previously known from a site near Florina. - Beabies site 8.-14.9.2008 1♂, 1♀, do. 29.9.-5.10.2008 1♀.
- Potamophylax pallidus* Klapálek 1899
- Stenophylax meridiorientalis* MALICKY 1980
- Stenophylax mitis* McLACHLAN 1875
- Silo pallipes* FABRICIUS 1781: Second record for Greece. Previously known from Vermion Mt. - Farfara site 12.-25.5.2008 2♂, 1♀. 21.-27.7.2008 1♂, 1♀. - Beabies site 30.6.-6.7.2008 1♂.
- Thremma anomalum* McLACHLAN 1876
- Beraea maurus* CURTIS 1834
- Beraea pullata* CURTIS 1834
- Beraeamyia hrabei* MAYER 1937: Second record for Greece. Previously known from Paikon Mt. - Farfara site 23.6.-6.7.2008 9♂, 2♀. - Beabies site 16.-22.6.2008 1♀, 7.-13.7.2008 1♀.
- Beraeamyia schmidi* BOTOSANEANU 1960
- Ernodes articularis* PICTET 1834
- Oecismus monedula* HAGEN 1859: Westernmost sites in Greece: Ramna site 23.-29.6.2008 1♀, do. 30.6.-6.7.2008 1♂, 1♀, do. 14.-20.7.2008 3♂, do. 21.-27.7.2008 6♀, 7.-13.7.2008 4♀, do. 28.7.-3.8.2008 3♀, 1.-7.9.2008 1♀. - Beabies site 23.-29.6.2008 2♂, 1♀, 7.-13.7.2008 1♀, 14.-20.7.2008 2♂, 28.7.-3.8.2008 3♂, 3♀. - Plateau beech, Kerkini Mts., 8.-13.8.2007 1♂. - Base Camp, Kerkini mts., 25.-31.7.2007 1♀. - Kerkini Mt., 6.7.2005 2♂, 1♀.
- Ylodes simulans* Tjeder 1929
- Odontocerum hellenicum* MALICKY 1972
- Part 3. Collections by other persons; mainly new regional records.**
- Rhyacophila loxias* SCHMID 1970: Thessalia, Magnesia, Othris SE Kastro 22°41'E, 39°04'N, 1080 m, 23.5.2009, 1♂, leg. H. & R. Rausch.
- Synagapetus hellenorium* MALICKY 1984: Affluent of Alpheios River near Tsuraki 21°58'E, 37°30'N, 460 m, 1.6.2013, 1♂, leg. H. Malicky.
- Allotrichia vilnensis* RACIECKA 1937: Second record for Greece and new record for the island of Andros. Previously only known from Palouri (Ioannina). - Andros, Remmata, 24°50'E, 37°52'N, 175 m, 18.6.2013, 1♂, leg. H. Malicky.
- Philopotamus montanus* DONOVAN 1813: Thessaly, Magnesia, Othris SE Kastro 22°41'E, 39°04'N, 1080 m, 23.5.2009, 1♂, leg. H. & R. Rausch.
- Cyrnus trimaculatus* CURTIS 1834: Euboea, Xerovouni Mt., NE Drimona, 23°17'E, 38°52'N, 610 m, 25.5.2009, 1♂, leg. H. & R. Rausch. New record to the island of Euboea.
- Plectrocnemia diakosensis* n.sp.: S of Athanasios Diakos, 22°11'E, 38°41'N, 900 m, 29.5.2013, 1♂, leg. H. Malicky. The description of the species is found on page 36 of this number of Braueria.
- Tinodes erato* MALICKY 1976: S of Athanasios Diakos, 22°11'E, 38°41'N, 900 m, 29.5.2013, 1♂, leg. H. Malicky.
- Tinodes unidentatus* Klapálek 1894: Smolikas, Ag. Paraskevi, 700m, 10.7.2006, 1♂, leg. C. Wieser.
- Hydropsyche botsosaneanui* MARINKOVIĆ 1966: Ioannina, Agia Paraskevi, 755m, 20°52'E, 40°08'N, 3.8.2012, 2♂, leg. C. Wieser.

Hydropsyche bulbifera McLACHLAN 1878: Thasos, Chrisi Ammoudia 25.8.2011, 3♂, 3♀, leg. U. Aistleitner: new record for the island of Thasos – More new records: Meteora 21°38'E, 39°43'N, 900 m, 9.7.2012, 7♂, leg. J. Louda – Kalambaka 21°37'E, 39°42'N, 900 m, 11.7.2012, leg. J. Louda. – Fthiotida, Vitoliki, 22°01'E, 38°57'N, 340 m, 8.6.2009, 1♂, leg. H. & R. Rausch.

Hydropsyche contubernalis McLACHLAN 1865: Florina, Amimdeo, 13.7.2006, 1♂, leg. C. Wieser.

Hydropsyche incognita PITTSCH 1993: Euboea, Dirfis Mt., Ano Steni 23°50'E, 38°35'N, 500 m, 25.6.2013, 1♂, leg. H. Malicky.

Hydropsyche instabilis CURTIS 1834: Thessaly, Magnesia, Othris SE Kastro 22°41'E, 39°04'N, 1080 m, 23.5.2009, 5♂, leg. H. & R. Rausch.

Hydropsyche modesta NAVÁS 1925: Kilkis, Paiko, Kastaneri, 22°23'E, 40°58'N, 860 m, 10.6.2009, 1♂, leg. H. & R. Rausch; - Kastraki (near Kalambaka) 8.7.2012, 13♂, leg. J. Louda.

Agyrpnia varia FABRICIUS 1793: Kozani, 21°47'E, 40°18'N, 13.7.2008, 2♀, leg. J. Louda.

Grammotaulius nigropunctatus RETZIUS 1783: Ossa Mt., 22°43'E, 39°50'N, 960 m, 1275m, 27.6.2013, 1♂, leg. H. Malicky.

Limnephilus decipiens KOLENATI 1848: Kastoria, Bitsi Ski Resort 1700m, 12.7.2006, 1♂, leg. C. Wieser.

Limnephilus flavospinosus STEIN 1874: Drama, Falakro, 15.7.2006, 2♂, leg. C. Wieser.

Limnephilus hirsutus PICTET 1834: Drama, Falakro, 15.7.2006, 1♀, leg. C. Wieser.

Limnephilus lunatus CURTIS 1834: Drama, Falakro, 15.7.2006, 1♂, leg. C. Wieser; Kastoria, Bitsi Ski Resort 1700m, 12.7.2006, 1♂, 1♀, leg. C. Wieser.

Micropterna sequax McLACHLAN 1875: Thessaly, Magnesia, Othris SE Kastro 22°41'E, 39°04'N, 1080 m, 23.5.2009, 4♂, 2♀, leg. H. & R. Rausch.

Potamophylax latipennis CURTIS 1834: Drama, Falakro, 15.7.2006, 1♂, leg. C. Wieser.

Stenophylax meridiorientalis MALICKY 1980: Euboea, Xerovouni Mt., NE Drimona, 23°17'E, 38°52'N, 610 m, 25.5.2009, 2♀, leg. H. & R. Rausch. New record for the island of Euboea; Thessaly, Magnesia, Othris SE Kastro 22°41'E, 39°04'N, 1080 m, 23.5.2009, 1♂, leg. H. & R. Rausch.

Stenophylax mitis McLACHLAN 1875: Thessaly, Magnesia, Othris SE Kastro 22°41'E, 39°04'N, 1080 m, 23.5.2009, 1♂, leg. H. & R. Rausch.

Adicella syriaca ULMER 1907: Euboea, Komiton, 24°32'E, 38°04'N, 1080 m, 23.5.2009, 1♂, leg. H. & R. Rausch.

Athripsodes bilineatus aegeus MALICKY 1999: Affluent of Alpheios River near Tsuraki 21°58'E, 37°30'N, 460 m, 1.6.2013, 3♂, leg. H. Malicky.

Ceraclea dissimilis STEPHENS 1836: Thasos, Chrisi Ammoudia 25.8.2011, 1♀, leg. U. Aistleitner. New record for the island of Thasos.

Oecetis tripunctata FABRICIUS 1793: Thiamis River near Neraida, 20°25'E, 39°31'N, 10.6.1977, 1♀, leg. H. Malicky.

Parasetodes respersella RAMBUR 1842: Asprovalta 18.7.2006, 1♀, leg. C. Wieser.

Ylodes kawraiskii MARTYNOV 1909: Thiamis River near Neraida, 20°26'E, 39°31'N, 40 m, 24.5.1913, 1♂, leg. H. Malicky.

Oecismus mucidus McLACHLAN, 1876: S of Athanasios Diakos, 22°11'E, 38°41'N, 900 m, 29.5.2013, 45♂, 10♀, leg. H. Malicky.

References

- KUMANSKI, K.P., 1985, Fauna na Bulgarija 15: Trichoptera, Annulipalpia. - Bulg. Akad. Nauk., Sofia, 243 pp.
- KUMANSKI, K.P., 1988, Fauna na Bulgarija 19: Trichoptera, Integripalpia. - Bulg. Akad. Nauk., Sofia, 354 pp.
- MALICKY, H., 1974, Die Köcherfliegen (Trichoptera) Griechenlands. Übersicht und Neubeschreibungen. - Annales Musei Goulandris 2:105–135.
- MALICKY, H., 1993, A survey of the caddisflies (Trichoptera) of Greece. - Biologia Gallo-Hellenica, 20:115–121.
- MALICKY, H., 2005, Die Köcherfliegen Griechenlands. - Denisia 17:1–240.
- MALICKY, H., 2005a, Ein kommentiertes Verzeichnis der Köcherfliegen (Trichoptera) Europas und des Mittelmeergebiets. – Linzer biol. Beitr. 37:533–596.

Authors: I.K., Institute of Marine Biological Resources & Inland Waters, Hellenic Centre for Marine Research, 46.7 km Athens-Sounio Av., 19013 Anavissos, Greece. ikarz@hcmr.gr -
H.M., Sonnengasse 13, A-3293 Lunz am See, Austria

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Braueria](#)

Jahr/Year: 2015

Band/Volume: [42](#)

Autor(en)/Author(s): Karaouzas Ioannis, Malicky Hans

Artikel/Article: [New faunistic records of Trichoptera in Greece 13-20](#)