

Beitr. Ent., Berlin 32 (1982) 2, S. 303–392

*Zoologisches Museum
der Universität Zürich-Irchel
Zürich (Schweiz)

**Museu e Laboratório
Zoológico e Antropológico
Faculdade de Ciências
Lisboa (Portugal)

GERHARD BÄCHLI* & MARIA TERESA ROCHA PITÉ**

Annotated bibliography of Palearctic species of Drosophilidae (Diptera)

Contents

Introduction	303
Acknowledgements	304
Annotated list of species	304
<i>Acletoxenus</i> FRAUENFELD	304
<i>Amiota</i> LOEW	304
<i>Cacoxenus</i> LOEW	310
<i>Chymomyza</i> CZERNY	311
<i>Dettopsomyia</i> LAMB	313
<i>Drosophila</i> FALLÉN	314
<i>Gitona</i> MEIGEN	349
<i>Hypselothryea</i> DE MEIJERE	350
<i>Leucoephenga</i> MIK	350
<i>Liodrosophila</i> DUDA	353
<i>Microdrosophila</i> MALLOCH	354
<i>Mycodrosophila</i> OLDENBERG	355
<i>Nesiodrosophila</i> WHEELER and TAKADA	357
<i>Paraleucoephenga</i> HENDEL	358
<i>Paramycodrosophila</i> DUDA	358
<i>Scaptomyza</i> HARDY	358
<i>Soederbomia</i> HENDEL	363
<i>Stegana</i> MEIGEN	363
<i>Zaprionus</i> COQUILLETT	365
Summaries	365
References	365

Introduction

The total number of publications dealing with drosophilids may well exceed 25 000, and it is often difficult to find all the relevant papers which deal with a certain aspect. Most of these publications are concerned with genetics, physiology, biochemistry, developmental biology and other such related topics; these were already reviewed by ASHBURNER and NOVITSKI (1976). However other aspects such as taxonomy, faunistics etc. have not yet been fully documented. This bibliography is based on references to the taxonomic and faunistical aspects of Palearctic species, critically reviewed under six keywords. All species included in the "Catalogue of Palearctic Diptera" (BÄCHLI and ROCHA PITÉ, in press) are dealt with, with the exception of the doubtful species. The species are alphabetically arranged within each genus.

The six keywords include the following information:

General features of adults: We refer to all descriptive notes, such as full descriptions of morphology and anatomy, diagnoses, comparisons with other species etc.

Figures: All papers with morphological and anatomical illustrations of adults, as well as those of eggs, larvae and puparia are mentioned.

Keys: We refer to all keys, including those of early stages. Keys which are out-of-date, or those made for areas outside of the Palearctic region have been included as they could give additional descriptive information.

Development: Because of the extensive experimental work being done on some species we restrict ourselves to references to basic descriptive notes of eggs, larvae and puparia.

Biology: We do not quote laboratory work papers, but we include all references to wild populations in a wide sense, covering information on distribution in time and space, breeding, feeding, collecting and so on.

Distribution: Only original records are quoted; distributional notes in catalogues, reviews and check lists have been omitted except for cases where no other references were found. The quotations are separately given for each country. The European countries are arranged in alphabetical order, including the whole of the USSR and Turkey. The other countries are arranged according to their geographic position, from west to east. The range of the Palearctic region is taken from BÄCHLI and ROCHA PITÉ (1981). Articles in *Drosophila Information Service* (DIS) are treated as preliminary reports, which are usually published later elsewhere. In order to shorten the bibliography we do not quote DIS except in cases where no other publications were found. In these cases DIS is cited by volume and page number.

We critically checked the distributional publications and excluded references considered doubtful because of possible misidentifications of species. However many questionable records may still be included. Countries without reliable records are labelled with a question-mark. In order to complete the information about the species distribution, we also mention countries with only unpublished records, which have been acquired from personal information or from collections we have seen.

Acknowledgements

We are indebted to many colleagues for taxonomic advice, reprints and personal information. Our special thanks are due to Mr. E. B. BASDEN, Dr. J. MACA, Dr. T. OKADA, and Dr. M. R. WHEELER. The manuscript was arranged with the help of Mrs. B. FREY, Mrs. R. KELLER, and Mrs. C. WÜTHRICH.

Annotated list of species

Acletoxenus FRAUENFELD, 1868

Acletoxenus formosus LOEW, 1864

Other names used: *A. syrophoides* FRAUENFELD (syn.), *A. ornata* MEIGEN (misident.).

General features of adults: COLLIN (1902a, 1902b), DUDA (1934), FRAUENFELD (1868a, 1868b), LOEW (1864), MALLOCH (1929), OLDBERG (1914), SÉGUY (1934a, 1934b), WALKER (1853).

Figures: COLLIN (1902a), DUDA (1924a, 1934), FRAUENFELD (1868b), PAPP (1973), SÉGUY (1934b).

Keys: DUDA (1924a, 1934), ENDERLEIN (1936), FONSECA (1965), LAŠTOVKA and MÁCA (1977), MCALPINE (1968), MALLOCH (1929), PAPP (1973), SÉGUY (1934b), ŠTAKELBERG (1970).

Development: FRAUENFELD (1868a).

Biology: BRAUER (1883), COLYER and HAMMOND (1951), FRAUENFELD (1868a), GAUTIER (1923), KNAB (1914), SÉGUY (1933a, 1934a, 1934b, 1950, 1951), STURTEVANT (1921), WALKER (1853).

Distribution:

AUSTRIA: BASDEN (1961), FRAUENFELD (1868a), OLDBERG (1914), STROBL (1900a, 1901). — CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1977), MÁCA (1972b). — FRANCE: GAUTIER (1923), SÉGUY (1934a, 1934b). — GERMAN DEMOCRATIC REPUBLIC: OLDBERG (1914). — GERMAN FEDERAL REPUBLIC: DUDA (1934), LOEW (1864). — GREAT BRITAIN: ADAMS (1902), COLLIN (1902a, 1911), FONSECA (1965), JENKINSON (1901), WALKER (1853). — HUNGARY: ARADI (1959), PAPP (1973), SOÓS (1945). — ITALY: FRAUENFELD (1868a), ZANGHERI (1950). — NETHERLANDS: DE MEIJERE (1933, 1939b). — POLAND: DUDA (1934), LOEW (1864). — ROMÂNIA: ARADI (1959), PAPP (1973), SOÓS (1945). — SWITZERLAND: unpublished. — YUGOSLAVIA: ARADI (1959), FRAUENFELD (1868a), SOÓS (1945), STROBL (1898a, 1900a). — CANARY IS.: DUDA (1934), FREY (1936). — ISRAEL: BASDEN (1966).

Amiota LOEW, 1862

Amiota acuta OKADA, 1968

General features of adults: OKADA (1968c, 1971a).

Figures: OKADA (1968c).

Key: OKADA (1971a).

Biology: OKADA (1968c).

Distribution:

JAPAN: OKADA (1968c).

Amiota albilabris ROTH in ZETTERSTEDT, 1860

Other name used: *A. alboguttata* var. *obscuripes* STROBL (syn.).

General features of adults: BASDEN (1961), COLLIN (1952), MÁCA (1980), OKADA (1960a, 1961a, 1971a), OLDBERG (1914), STROBL (1910), WAHLGREN (1927), ZETTERSTEDT (1860).

Figures: BEPPU et al. (1977), MÁCA (1980), OKADA (1960a), PAPP (1973).

Keys: BEPPU et al. (1977), DUDA (1934), FONSECA (1965), MÁCA (1980), OKADA (1960a, 1971a), PAPP (1973), WAHLGREN (1927).

Biology: KIMURA and TODA (1976), MINAMI et al. (1979), TODA (1977).

Distribution:

AUSTRIA: BASDEN (1961), STROBL (1894, 1910). — CZECHOSLOVAKIA: MÁCA (1980). — FINLAND: FREY et al. (1941). — GREAT BRITAIN: COLLIN (1952), FONSECA (1965). — ROMANIA: MÁCA (1980), PAPP (1973). — SWEDEN: WAHLGREN (1927), ZETTERSTEDT (1860). — SWITZERLAND: BÄCHLI (1974c), MÁCA (1980). — YUGOSLAVIA: BASDEN (1961), STROBL (1910). — JAPAN: KIMURA and TODA (1976), MÁCA (1980), MINAMI et al. (1979), OKADA (1960a), TODA (1977).

***Amiota alboguttata* WAHLBERG, 1839**

Other names used: *A. obscuripes* STROBL (misident.), *A. leucostoma* BECKER (syn.), *Phortica* sp., *Amiota* sp.

General features of adults: BASDEN (1957b), BASDEN and HARNDEN (1956), BECKER (1908a), COLLIN (1911), DUDA (1926b, 1934), MÁCA (1980), OKADA (1971a), OLDEMBERG (1914), WAHLBERG (1839), WAHLGREN (1927), ZETTERSTEDT (1847).

Figures: DUDA (1934), MÁCA (1980), PAPP (1973).

Keys: BASDEN (1954b), DUDA (1924a, 1934), FONSECA (1965), LAŠTOVKA and MÁCA (1977), MÁCA (1980), OKADA (1971a), OLDEMBERG (1914), PAPP (1973), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970), WAHLGREN (1927).

Biology: BASDEN (1954b), BASDEN and HARNDEN (1956), BUXTON (1960), EDWARDS (1936), FREY (1932), KÜHLHORN (1978) MOMMA (1957), STORA (1957), WAKELY (1953).

Distribution:

CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1977), MÁCA (1980). — FINLAND: FREY (1929, 1932), LUMME et al. (1978), STORA (1956, 1957). — FRANCE: unpublished. — GERMAN DEMOCRATIC REPUBLIC: OLDEMBERG (1914). — GERMAN FEDERAL REPUBLIC: KÜHLHORN (1978). — GREAT BRITAIN: BASDEN (1952, 1954b), COLLIN (1911), EDWARDS (1936), FONSECA (1965), WAKELY (1953), YERBURY (1913). — HUNGARY: PAPP (1973). — ITALY: OLDEMBERG (1914). — NETHERLANDS: DE MEIJERE (1939b), VAN DER WULP and DE MEIJERE (1898). — NORWAY: BASDEN and HARNDEN (1956). — ROMANIA: ARADÍ (1959), BECKER (1908a), DUDA (1934), OLDEMBERG (1914, 1922), SOÓS (1945). — SWEDEN: RINGDAHL (1941), WAHLBERG (1839), WAHLGREN (1927), ZETTERSTEDT (1847, 1855, 1860). — SWITZERLAND: BÄCHLI (1974b), MÁCA (1980). — USSR: ŠTAKELBERG (1930, 1970).

Comment:

This species was also recorded in S. Korea, Japan and Alaska, but these records may refer to other species.

***Amiota aquilotaurusata* TAKADA, BEPPU and TODA, 1979**

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

***Amiota balaenodentata* TAKADA, BEPPU and TODA, 1979**

Other name used: *Amiota* sp. 8.

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Biology: MINAMI et al. (1979).

Distribution:

JAPAN: MINAMI et al. (1979), TAKADA et al. (1979).

***Amiota basdeni* FONSECA, 1965**

Other name used: *Amiota* sp.

General features of adults: FONSECA (1965), MÁCA (1980).

Figures: MÁCA (1980).

Keys: FONSECA (1965), MÁCA (1980).

Development: MÁCA (1980).

Distribution:

CZECHOSLOVAKIA: MÁCA (1980). — GREAT BRITAIN: FONSECA (1965), MÁCA (1980). — HUNGARY: MÁCA (1980). — SWITZERLAND: BÄCHLI (1972b, 1973a, 1975a, 1975b), MÁCA (1980).

***Amiota chungi* OKADA, 1971**

Other name used: *A. alboguttata* forma *koreana* OKADA and CHUNG

General features of adults: CHUNG and RHO (1959), OKADA (1971a), OKADA and CHUNG (1960), TAKADA et al. (1979).

Figures: OKADA and CHUNG (1960).

Keys: LEE (1964c), OKADA (1971a).

Biology: OKADA and CHUNG (1960).

Distribution:

S. KOREA: LEE (1964c, 1966b), OKADA (1971a), OKADA and CHUNG (1960).

***Amiota clavata* OKADA, 1971**

Other name used: *A. alboguttata* forma *clavata* OKADA.

General features of adults: OKADA (1960a, 1971a).

Figures: BEPPU et al. (1977), OKADA (1960a).

Keys: BEPPU et al. (1977), OKADA (1960a, 1971a).

Biology: KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), TODA (1977).

Distribution:

JAPAN: KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1960a, 1971a), TODA (1977).

***Amiota conifera* OKADA, 1977**

Other names used: *A. conifera takadai* OKADA, *Amiota* sp. like *variegata*.

General features of adults: OKADA (1977a), TAKADA (1960).

Figures: OKADA (1977a), TAKADA (1960).

Key: OKADA (1977a).

Biology: MINAMI et al. (1979), TAKADA (1960).

Distribution:

JAPAN: BEPPU (1978), MINAMI (1979), MINAMI et al. (1979), OKADA (1977a), TAKADA (1960).

***Amiota curvistyla* OKADA, 1971**

General features of adults: OKADA (1971a).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

***Amiota delta* TAKADA, BEPPU and TODA, 1979**

Other name used: *Amiota* sp. 3.

General features of adults: MÁCA (1980), TAKADA et al. (1979).

Figures: BEPPU et al. (1977), TAKADA et al. (1979).

Key: BEPPU et al. (1977).

Distribution:

JAPAN: TAKADA et al. (1979).

***Amiota dentata* OKADA, 1971**

General features of adults: OKADA (1971a).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

***Amiota dispina* OKADA, 1960**

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1960a, 1971a), TAKADA et al. (1979).

Figures: OKADA (1960a).

Keys: BEPPU et al. (1977), OKADA (1960a, 1971a), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), MINAMI et al. (1979), OKADA (1960a), TODA (1973b, 1977).

Distribution:

S. KOREA: KANG et al. (1965b), LEE (1966b). — JAPAN: KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), MINAMI et al. (1979), OKADA (1960a), TODA (1973b, 1977).

***Amiota elongata* OKADA, 1971**

Other name used: *A. alboguttata* forma *elongata* OKADA.

General features of adults: OKADA (1960a, 1971a).

Figures: BEPPU et al. (1977), OKADA (1960a).

Keys: BEPPU et al. (1977), OKADA (1960a, 1971a).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976), KIMURA and TODA (1976), MINAMI et al. (1979), TODA (1977).

Distribution:

JAPAN: KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), KIMURA (1976b), KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1960a, 1971a), TODA (1977).

***Amiota erinacea* MÁCA, 1977**

General features of adults: MÁCA (1977).

Figures: MÁCA (1977).

Key: MÁCA (1977).

Biology: MÁCA (1977).

Distribution:

BULGARIA: MÁCA (1977).

***Amiota falcilis* TAKADA, BEPPU and TODA, 1979**

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

Amiota filipes MÁCA, 1980

General features of adults: MÁCA (1980).

Figures: MÁCA (1980).

Key: MÁCA (1980).

Biology: MÁCA (1980).

Distribution:

CZECHOSLOVAKIA: MÁCA (1980).

Amiota flagellata OKADA, 1971

General features of adults: MÁCA (1980), NISHIHARU (1979), OKADA (1971a).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Biology: MINAMI et al. (1979).

Distribution:

JAPAN: MINAMI et al. (1979), OKADA (1971a).

Amiota flavopruinosa DUDA, 1934

Other name used: *A. lacteoguttata* PORTSCHINSKY (misident.).

General features of adults: DUDA (1934), MÁCA (1980).

Figures: MÁCA (1980).

Keys: DUDA (1934), MÁCA (1980).

Distribution:

CZECHOSLOVAKIA: MÁCA (1980). — GERMAN DEMOCRATIC REPUBLIC: MÁCA (1980), OLDENBERG (1914). — GERMAN FEDERAL REPUBLIC: DUDA (1934), MÁCA (1980). — SWITZERLAND: MÁCA (1980). — YUGOSLAVIA: MÁCA (1980).

Amiota forficula TAKADA, BEPPU and TODA, 1979

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

Amiota furcata OKADA, 1971

Other name used: *A. alboguttata* forma *furcata* OKADA.

General features of adults: OKADA (1960a, 1971a, 1971b, 1977a).

Figures: BEPPU et al. (1977), OKADA (1960a, 1968c, 1971b).

Keys: BEPPU et al. (1977), OKADA (1960a, 1971a).

Biology: KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), SAITO et al. (1962), TODA (1977).

Distribution:

JAPAN: KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1969), KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1960a, 1971a, 1971b), SAITO et al. (1962), TAKADA (1968, 1971), TODA (1977), WAKAHAMA (1962a, 1964, 1966).

Amiota kappa MÁCA, 1977

General features of adults: MÁCA (1977), OKADA (1977a).

Figures: MÁCA (1977), OKADA (1977a).

Keys: MÁCA (1977), OKADA (1977a).

Distribution:

JAPAN: MÁCA (1977), OKADA (1977a).

Amiota lanceolata OKADA, 1971

General features of adults: OKADA (1971a), TAKADA et al. (1979).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

Amiota lata BECKER, 1907

General features of adults: BECKER (1907b), DUDA (1934).

Key: DUDA (1934).

Distribution:

CHINA: BECKER (1907b), DUDA (1934).

Amiota magna OKADA, 1960

General features of adults: MÁCA (1977), OKADA (1960a, 1971a, 1977a).

Figures: MÁCA (1977), OKADA (1960a, 1968a, 1977a).

Keys: MÁCA (1977), OKADA (1960a, 1971a, 1977a).

Development: OKADA (1963a, 1968a).

Biology: NAGATA (1960), OKADA (1960a, 1962, 1968a), WAKAHAMA (1962b, 1964).

Distribution:

JAPAN: KAWANISHI et al. (1975), MÁCA (1977), OKADA (1960a, 1962, 1966b, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964).

Amiota nagatai OKADA, 1971

Other name used: *A. alboguttata* forma *nagatai* OKADA.

General features of adults: OKADA (1960a, 1971a).

Figures: OKADA (1960a).

Keys: OKADA (1960a, 1971a).

Biology: OKADA (1960a).

Distribution:

JAPAN: OKADA (1960a, 1971a).

Recorded also on the Ryukyu Islands.

Amiota neochungi TAKADA, BEPPU and TODA, 1979

General features of adults: MÁCA (1980), TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

Amiota okadai MÁCA, 1977

Other name used: *A. variegata* FÄLLÉN (misident.).

General features of adults: MÁCA (1977), OKADA (1956, 1977a).

Figures: MÁCA (1977), OKADA (1956, 1977a).

Keys: MÁCA (1977), OKADA (1956, 1977a).

Biology: MINAMI et al. (1979).

Distribution:

JAPAN: MÁCA (1977), MINAMI (1979), MINAMI et al. (1979), OKADA (1977a).

Amiota oldenbergi DUDA, 1924

General features of adults: DUDA (1926b, 1934), MÁCA (1977).

Figures: DUDA (1924a, 1934), MÁCA (1977).

Keys: DUDA (1924a, 1934), MÁCA (1977), SÉGUY (1934a, 1934b).

Distribution:

GERMAN DEMOCRATIC REPUBLIC: DUDA (1924a, 1934), MÁCA (1977), ROHLFIEN and EWALD (1972).

Amiota onchopyga NISHIHARU, 1979

General features of adults: NISHIHARU (1979).

Figures: NISHIHARU (1979).

Distribution:

JAPAN: NISHIHARU (1979).

Amiota orchidea OKADA, 1968

General features of adults: OKADA (1968c, 1971a).

Figures: OKADA (1968c).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1968c).

Amiota palpifera OKADA, 1971

General features of adults: OKADA (1971a).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

***Amiota promissa* OKADA, 1960**

General features of adults: OKADA (1960a, 1968c, 1971a).

Figures: OKADA (1960a).

Keys: OKADA (1960a, 1971a).

Distribution:

JAPAN: OKADA (1960a), TAKADA et al. (1979).

***Amiota rufescens* OLDENBERG, 1914**

Other name used: *A. leucostoma* LOEW (misident.).

General features of adults: DUDA (1926b, 1934), MÁCA (1980), OKADA (1968c), OLDENBERG (1914), WAKAHAMA and OKADA (1958).

Figures: MÁCA (1980).

Keys: DUDA (1924a, 1934), FONSECA (1965), MÁCA (1980), OLDENBERG (1914), PAPP (1973), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970).

Biology: SCHMID (1968).

Distribution:

FINLAND: unpublished. — GREAT BRITAIN: FONSECA (1965). — ROMANIA: ARADI (1959), DUDA (1934), MÁCA (1980), OLDENBERG (1914), PAPP (1973), ROHLFEN and EWALD (1972), SOÓS (1945). — SWITZERLAND: MÁCA (1980), SCHMID (1968). — USSR: DUDA (1934), ŠTAKELBERG (1930, 1970).

Comment:

All European records of *A. leucostoma* LOEW may refer to *A. rufescens* OLDENBERG.

***Amiota semivirgo* MÁCA, 1977**

Other name used: *A. variegata* FALLÉN (misident.).

General features of adults: MÁCA (1977).

Figures: MÁCA (1977).

Key: MÁCA (1977).

Distribution:

AUSTRIA: unpublished. — CZECHOSLOVAKIA: MÁCA (1977). — ROMANIA: MÁCA (1977). — SWITZERLAND: BÁCHLÍ (1972c, 1973a, 1979). — YUGOSLAVIA: unpublished.

***Amiota sigma* OKADA, 1971**

General features of adults: OKADA (1971a), TAKADA et al. (1979).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

***Amiota sinuata* OKADA, 1968**

General features of adults: OKADA (1968c, 1971a).

Figures: OKADA (1968c).

Key: OKADA (1971a).

Biology: OKADA (1968c).

Distribution:

JAPAN: OKADA (1968c).

***Amiota stylopyga* WAKAHAMA and OKADA, 1958**

Other names used: *A. leucostoma* LOEW (misident.), *Amiota* sp. I.

General features of adults: MÁCA (1980), OKADA (1961a, 1971a), WAKAHAMA and OKADA (1958).

Figures: BEPPU et al. (1977), WAKAHAMA and OKADA (1958).

Keys: BEPPU et al. (1977), OKADA (1971a), TAKADA (1971).

Biology: BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957), TODA (1973a, 1977), WAKAHAMA and OKADA (1958).

Distribution:

S. KOREA: KANG et al. (1965), LEE (1966b). — JAPAN: BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968), KIMURA and TODA (1976), MÁCA (1980), MINAMI et al. (1979), MOMMA (1957), OKADA (1960a), TAKADA (1968), TODA (1973a, 1977), WAKAHAMA (1964), WAKAHAMA and OKADA (1958).

***Amiota subfurcata* OKADA, 1971**

Other name used: *A. alboguttata* forma *furcata* OKADA.

General features of adults: OKADA (1960a, 1971a, 1971b, 1977a).

Figures: BEPPU et al. (1977), OKADA (1960a, 1971b).

Keys: BEPPU et al. (1977), OKADA (1971a).

Biology: KIMURA and TODA (1976), MINAMI et al. (1979).

Distribution:

JAPAN: KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1960a, 1971a, 1971b).

Recorded also in Taiwan.

Amiota subtusradiata DUDA, 1934

General features of adults: DUDA (1934), MÁCA (1980), OKADA (1960a).

Figures: MÁCA (1980), PAPP (1973).

Keys: DUDA (1934), MÁCA (1980), PAPP (1973), ŠTAKELBERG (1970).

Distribution:

FINLAND: DUDA (1934), MÁCA (1980). — ? HUNGARY: PAPP (1973). — POLAND: DUDA (1934). — ROMANIA: ARADI (1959), DUDA (1934), SOOS (1945). — USSR: DUDA (1934), ŠTAKELBERG (1970).

Recorded also in North America.

Comment:

Some records, especially in North America, may refer to other species.

Amiota taurusata TAKADA, BEPPU and TODA, 1979

Other name used: *Amiota* sp. 1.

General features of adults: TAKADA et al. (1979).

Figures: BEPPU et al. (1977), TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

Amiota trifurcata OKADA, 1968

General features of adults: OKADA (1968c, 1971a).

Figures: BEPPU et al. (1977), OKADA (1968c).

Keys: BEPPU et al. (1977), OKADA (1971a).

Biology: MINAMI et al. (1979), TODA (1977).

Distribution:

JAPAN: MINAMI et al. (1979), OKADA (1968c), TODA (1977).

Amiota trochlea TAKADA and TODA, 1973

General features of adults: TAKADA and TODA (1973).

Figures: BEPPU et al. (1977), TAKADA and TODA (1973).

Key: BEPPU et al. (1977).

Biology: MINAMI et al. (1979).

Distribution:

JAPAN: MINAMI et al. (1979), TAKADA and TODA (1973).

Amiota variegata FALLÉN, 1823

General features of adults: BASDEN (1957b), DUDA (1927, 1934), FALLÉN (1823), HENDEL (1914), MÁCA (1977), MACQUART (1835), MEIGEN (1830), SÉGUY (1934a, 1934b), SHARP (1903), WAHLGREN (1927), ZETTERSTEDT (1847).

Figures: DUDA (1934), MÁCA (1977), PAPP (1973), SÉGUY (1934b).

Keys: DUDA (1924a, 1934), FONSECA (1965), LAŠTOVKA and MÁCA (1977), MÁCA (1977), SÉGUY (1934a, 1934b), WAHLGREN (1927), ZETTERSTEDT (1847).

Development: MÁCA (1977).

Biology: BEZZI (1891), COLLIN (1911), COLYER and HAMMOND (1951), DUDA (1934), KÜHLHORN (1978), MÁCA (1977), SÉGUY (1934a, 1934b), SHARP (1903), WACHTL (1882), WAHLBERG (1839).

Distribution:

? ALBANIA: unpublished. — ? AUSTRIA: SCHINER (1864), STROBL (1894, 1910). — BULGARIA: MÁCA (1977). — CZECHOSLOVAKIA: ČIZÍK (1910), LAŠTOVKA and MÁCA (1977), MÁCA (1977), MARTINEK (1973). — ? FINLAND: FREY (1929), ZETTERSTEDT (1860). — ? FRANCE: SÉGUY (1934a, 1934b). — ? GERMAN DEMOCRATIC REPUBLIC: OLDEMBERG (1914). — ? GERMAN FEDERAL REPUBLIC: KÜHLHORN (1978), MACQUART (1835), OLDEMBERG (1914). — GREAT BRITAIN: ADAMS (1906), COLLIN (1911), FONSECA (1965), MÁCA (1977), SÉGUY (1934a, 1934b), SHARP (1903). — HUNGARY: ARADI (1959), MÁCA (1977), PAPP (1973), SOÓS (1943), THALHAMMER (1899). — ? ITALY: BEZZI (1891, 1892a). — ? PORTUGAL: ROCHA PITÉ (1975a), SÉGUY (1934a, 1934b, 1936). — ? ROMANIA: ARADI (1959), DUDA (1934), OLDEMBERG (1914), THALHAMMER (1899). — ? SPAIN: SÉGUY (1934a, 1934b). — SWEDEN: FALLÉN (1823), MÁCA (1977), RINGDAHL (1949), WAHLGREN (1927), WAHLBERG (1839), ZETTERSTEDT (1838, 1847, 1855, 1860). — SWITZERLAND: unpublished. — ? USSR: DUDA (1934), PETROVA (1968), ŠTAKELBERG (1970), SYTSHEVSKAJA (1978). — ? YUGOSLAVIA: ARADI (1959), COE (1959), STROBL (1898a, 1900a, 1910), THALHAMMER (1899). — ? AZORES: SÉGUY (1936).

Comment:

Records of this species in various countries may refer to other species. This could be true especially of the Japanese and Korean area. We therefore do not quote from this area.

Cacoxenus LOEW, 1858*Cacoxenus argyreator* FREY, 1932

General features of adults: DUDA (1934), FREY (1932).

Figures: DUDA (1934).

Keys: DUDA (1934), FREY (1932), MCALPINE (1968).

Biology: FREY (1932), STORÁ (1957).

Distribution:

FINLAND: DUDA (1934), FREY (1932), HARDY and WHEELER (1960), LUMME et al. (1979), MCALPINE (1968), STORÁ (1957). — NORWAY: BASDEN and HARNDEN (1956), HARDY and WHEELER (1960). — SWEDEN: unpublished.

***Cacoxenus exiguum* DUDA, 1924**

General features of adults: DUDA (1934), HENDEL (1933), MCALPINE (1968).

Figures: DUDA (1934), MCALPINE (1968), PAPP (1973).

Keys: DUDA (1924a, 1934), FONSECA (1965), FREY (1932), MCALPINE (1968), PAPP (1973), SÉGUY (1934a, 1934b).

Distribution:

GREAT BRITAIN: FONSECA (1965). — POLAND: DUDA (1934), HARDY and WHEELER (1960). — SWITZERLAND: BÄCHLI (1974c).

***Cacoxenus indagator* LOEW, 1858**

Other name used: *C. obscura* KRÖBER (syn.).

General features of adults: DUDA (1934), ENDERLEIN (1927), HACKMAN (1969a), HARDY (1965), HARDY and WHEELER (1960), HENDEL (1933), KRÖBER (1912), LOEW (1858), MIK (1892, 1894), OSTEN-SACKEN (1892), SCHINER (1864), SÉGUY (1934a, 1934b).

Figures: DUDA (1934), HACKMAN (1969a), HARDY (1965), HARDY and WHEELER (1960), HENNIG (1952), DE MEIJERE (1944), PAPP (1973), SÉGUY (1934b).

Keys: DUDA (1924a, 1934), FONSECA (1965), FREY (1932), LAŠTOVKA and MÁCA (1977), MCALPINE (1968), PAPP (1973), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970).

Development: HENNIG (1952), DE MEIJERE (1944).

Biology: DUDA (1934), GIRAUD (1861), JULLIARD (1947, 1948), KARL (1936), KRÖBER (1910, 1912, 1935), LOEW (1858), DE MEIJERE (1944), OLDROYD (1965), RADDATZ (1873), SÉGUY (1933b, 1934a, 1934b, 1950, 1951, 1955), TSACAS and DESMIER DE CHENON (1976).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1934), MIK (1892), SÉGUY (1934a, 1934b), STROBL (1910). — CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1977). — FRANCE: GIRAUD (1861), SÉGUY (1934a, 1934b). — GERMAN DEMOCRATIC REPUBLIC: KARL (1936), RADDATZ (1873). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), KRÖBER (1910, 1912, 1935), OSTEN-SACKEN (1892), SCHINER (1864). — GREAT BRITAIN: AUDCENT (1950), FONSECA (1965), HARDY and WHEELER (1960). — HUNGARY: ARADI (1959), PAPP (1973), THALHAMMER (1899). — NETHERLANDS: DE MEIJERE (1944). — POLAND: HARDY and WHEELER (1960), KARL (1936), LOEW (1858). — ROMANIA: ARADI (1959). — SPAIN: HACKMAN (1969a), SÉGUY (1934a, 1934b). — SWITZERLAND: JULLIARD (1947, 1948). — YUGOSLAVIA: SÉGUY (1934a, 1934b), STROBL (1898a, 1900a).

***Cacoxenus inquilinus* HENDEL, 1933**

General features of adults: HENDEL (1933), MCALPINE (1968), OKADA (1973c).

Key: PAPP (1973).

Distribution:

AUSTRIA: HENDEL (1933).

***Cacoxenus kaszabi* OKADA, 1973**

General features of adults: OKADA (1973c).

Figures: OKADA (1973c).

Distribution:

CZECHOSLOVAKIA: unpublished. — MONGOLIA: OKADA (1973a).

***Cacoxenus perspicax* KNAB, 1914**

Other name used: *C. punctatus* DUDA (syn.).

General features of adults: BRYAN (1938), DUDA (1926b, 1934), GUPTA (1970), HARDY (1965), HARDY and WHEELER (1960), HENDEL (1933), KNAB (1914), MCALPINE (1968), MALLOCH (1924a, 1924b), TSACAS and DESMIER DE CHENON (1976).

Figures: DUDA (1924a), GUPTA (1970), HARDY (1965).

Keys: BRYAN (1938), DUDA (1924), HARDY (1965).

Biology: BEZZI (1917), BRYAN (1938), HARDY (1965), KNAB (1914), MALLOCH (1924a), SÉGUY (1933b, 1951), STURTEVANT (1921), SWEZLEY (1928, 1932).

Distribution:

EGYPT: unpublished.

Recorded mainly in Old World tropics.

***Cacoxenus vlasovi* (DUDA), 1934**

General features of adults: DUDA (1934), MCALPINE (1968), OKADA (1973c), SÉGUY (1941).

Figures: DUDA (1934), OKADA (1973c).

Key: DUDA (1934).

Biology: DUDA (1934).

Distribution:

USSR: DUDA (1934), MCALPINE (1968). — MONGOLIA: OKADA (1973).

Chymomyza Czernyi*, 1903**Chymomyza amoena* LOEW, 1862**

General features of adults: HSU (1949), LOEW (1862), OKADA (1976), PATTERSON (1943), STURTEVANT (1921), THROCKMORTON (1962).

Figures: DUDA (1927), HSU (1949), OKADA (1976), PATTERSON (1943), THROCKMORTON (1962).

Keys: DUDA (1927), MALLOCH and MCATEE (1924), OKADA (1976), STURTEVANT (1916, 1921), WHEELER (1949b, 1952).

Development: DUDA (1934), PATTERSON (1943).

Biology: MALLOCH and MCATEE (1924), SABATH (1974), STURTEVANT (1916, 1921), TESKEY (1976), WHEELER (1952).

Distribution:

CZECHOSLOVAKIA: unpublished.

Recorded mainly in North America.

Chymomyza atrimana OKADA, 1956

General features of adults: OKADA (1956, 1976).

Figures: OKADA (1956).

Keys: OKADA (1956, 1976), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), OKADA (1956), TODA (1973a).

Distribution:

JAPAN: KANEKO and TOKUMITSU (1969), OKADA (1956), TODA (1973a), WAKAHAMA (1964), WAKAHAMA et al. (1968).

Chymomyza caudatula OLDENBERG, 1914

Other names used: *Ch. costata* ZETTERSTEDT (misident.), *Neo tanygastrella* sp.

General features of adults: DUDA (1927, 1934), HACKMAN et al. (1970), OKADA (1954b, 1956, 1961a, 1976), OLDENBERG (1914), STURTEVANT (1916), WHEELER (1949b, 1952).

Figures: BEPPU et al. (1977), DUDA (1934), HACKMAN et al. (1970), OKADA (1956, 1968a), OLDENBERG (1914), PAPP (1978), ŠTAKELBERG (1970).

Keys: BEPPU et al. (1977), DUDA (1924a, 1927, 1934), HACKMAN et al. (1970), OKADA (1956, 1976), OLDENBERG (1914), PAPP (1978), SÉGUY (1934b), ŠTAKELBERG (1970), STURTEVANT (1916, 1921), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976), KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KÜHLHORN (1978), LUMME et al. (1979), MINAMI et al. (1979), MOMMA (1957), OKADA (1956, 1968a), SCHMID (1968), TODA (1973a, 1977), WHEELER and THROCKMORTON (1960).

Distribution:

AUSTRIA: BASDEN (1961), STROBL (1894, 1901, 1910). — FINLAND: HACKMAN et al. (1970), LUMME et al. (1979). — GERMAN FEDERAL REPUBLIC: KÜHLHORN (1978). — ROMANIA: ARADI (1959), DUDA (1934), OLDENBERG (1914), PAPP (1978), ROHLFSEN and EWALD (1972), SOÓS (1945). — SWITZERLAND: BÄCHLI (1972c, 1973c), SCHMID (1968). — USSR: ŠTAKELBERG (1970). — JAPAN: BEPPU (1976, 1978), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957), OKADA (1956, 1968a, 1976), TAKADA (1968), TODA (1973a, 1977), WAKAHAMA (1964).

Recorded also in North America.

Chymomyza costata ZETTERSTEDT, 1838

General features of adults: COLLIN (1911), CZERNY (1903a), DUDA (1934), HACKMAN et al. (1970), OKADA (1956, 1976), OLDENBERG (1914), WAHLGREN (1927), ZETTERSTEDT (1838, 1847).

Figures: BEPPU et al. (1977), DUDA (1934), HACKMAN et al. (1970), LAŠTOVKA and MáCA (1977), PAPP (1978).

Keys: BASDEN (1954b), BEPPU et al. (1977), CZERNY (1903a), DUDA (1924a, 1934), FONSECA (1965), HACKMAN et al. (1970), LAŠTOVKA and MáCA (1977), OKADA (1956, 1976), OLDENBERG (1914), PAPP (1978), SÉGUY (1934b), ŠTAKELBERG (1970), WAHLGREN (1927), ZETTERSTEDT (1847).

Development: HACKMAN et al. (1970), LAKOVAARA et al. (1972b), OKADA (1956).

Biology: BASDEN (1954b), BASDEN and HARNDEN (1956), HACKMAN et al. (1970), LAKOVAARA et al. (1972b), LUMME et al. (1978, 1979), MINAMI et al. (1979), MORGE (1963), OLDENBERG (1922), RADDATZ (1873), STORÁ (1957), TODA (1977).

Distribution:

AUSTRIA: DUDA (1934), CZERNY (1903a), OLDENBERG (1914). — CZECHOSLOVAKIA: DUDA (1934), LAŠTOVKA and MáCA (1977), OLDENBERG (1914), PAPP (1978), SOÓS (1945). — FINLAND: BASDEN (1956), HACKMAN (1971), HACKMAN et al. (1970), LAKOVAARA et al. (1972b), LUMME et al. (1978, 1979), OKADA (1976), STORÁ (1956, 1957), ZETTERSTEDT (1860). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1934), RADDATZ (1873). — GERMAN FEDERAL REPUBLIC: DUDA (1934), OLDENBERG (1914, 1922). — GREAT BRITAIN: BASDEN (1952, 1954b), COLLIN (1911), FONSECA (1965), OKADA (1976). — NETHERLANDS: DE MEIJERE (1916b, 1939b). — NORWAY: BASDEN and HARNDEN (1956), LAKOVAARA et al. (1972b), ZETTERSTEDT (1847). — POLAND: DUDA (1934), OLDENBERG (1914). — SWEDEN: LAKOVAARA et al. (1972b), RINGDAHL (1951), WAHLGREN (1927), ZETTERSTEDT (1838, 1847). — SWITZERLAND: BÄCHLI (1977), BURLA (1951), DUDA (1934), OLDENBERG (1914). — USSR: BASDEN (1956), HACKMAN (1957), ŠTAKELBERG (1930, 1970). — N. KOREA: OKADA (1974b, 1976). — JAPAN: MINAMI et al. (1979), TODA (1977).

Chymomyza distincta EGGER, 1862

Other names used: *Ch. oldenbergi* DUDA (syn.), *Ch. fuscimana* ZETTERSTEDT (misident.).

General features of adults: DUDA (1934), EGGER (1862), HACKMAN et al. (1970), OKADA (1976), OLDENBERG (1914).

Figures: BEPPU et al. (1977), DUDA (1934), HACKMAN et al. (1970), HENNIG (1958), OLDENBERG (1914), PAPP (1978).

Keys: BASDEN (1954b), BEPPU et al. (1977), DUDA (1924a, 1934), FONSECA (1965), HACKMAN et al. (1970), OKADA (1976), OLDENBERG (1914), PAPP (1978), SCHINER (1864), SÉGUY (1934b).

Biology: BASDEN (1954b), MINAMI et al. (1979), MORGE (1963).

Distribution:

AUSTRIA: EGGER (1862), FRAUSCHER (1898). — CZECHOSLOVAKIA: ARADI (1959), PAPP (1978), VIMMER (1913). — FINLAND: FREY (1929), HACKMAN et al. (1970). — ? FRANCE: KUNTZE (1913). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1934), OLDENBERG (1914). — GERMAN FEDERAL REPUBLIC: DUDA (1934), OLDENBERG (1914). — GREAT BRITAIN: BASDEN (1954b), COLLIN (1952), FONSECA (1965). — NORWAY: unpublished. — POLAND: DUDA (1934). — SWEDEN: unpublished. — SWITZERLAND: unpublished. — ? USSR: ŠTAKELBERG (1930). — ? YUGOSLAVIA: STROBL (1904). — JAPAN: MINAMI et al. (1979).

Comment:

This species was confused with *Ch. fuscimana* ZETTERSTEDT. Some records may refer to the latter species.

Chymomyza fuscimana ZETTERSTEDT, 1838

Other names used: *Ch. albo punctata* BECKER (syn.), *Ch. distincta* EGGER (misident.), *Ch. nigrimana* MEIGEN (? syn.). General features of adults: BECKER (1900), COLLIN (1911), CZEERNY (1903a), DUDA (1934), HACKMAN et al. (1970), HENNIG (1958), OKADA (1956, 1961a, 1973a, 1976), OLDENBERG (1914), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1852).

Figures: BEPPU et al. (1977), DUDA (1924a, 1934), HACKMAN et al. (1970), HENNIG (1958), OKADA (1956), OLDENBERG (1914), PAPP (1973), ŠTAKELBERG (1970).

Keys: BEPPU et al. (1977), CZEERNY (1903a), DUDA (1924a, 1934), FONSECA (1965), HACKMAN et al. (1970), OKADA (1956, 1976), OLDENBERG (1914), PAPP (1973), SÉGUY (1934b), ŠTAKELBERG (1970), TAKADA (1971), WAHLGREN (1927).

Biology: KANEKO et al. (1966), MINAMI et al. (1979), MOMMA (1957), OKADA (1956), OLDENBERG (1922), SCHMID (1968).

Distribution:

AUSTRIA: BASDEN (1961), CZEERNY (1903a), DUDA (1934), OLDENBERG (1914), STROBL (1910). — CZECHOSLOVAKIA: ARADI (1959), PAPP (1973), SOÓS (1973). — DENMARK: unpublished. — FINLAND: HACKMAN et al. (1970), LUMME et al. (1979), STORÁ (1956). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1934), OLDENBERG (1914). — GERMAN FEDERAL REPUBLIC: DUDA (1934), OLDENBERG (1914, 1922). — GREAT BRITAIN: COLLIN (1911), FONSECA (1965). — ? HUNGARY: SOÓS (1945). — POLAND: BASDEN (1961), DUDA (1934), OLDENBERG (1914). — SWEDEN: OLDENBERG (1914), RINGDAHL (1949, 1951), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1850). — SWITZERLAND: BÄCHLI (1977), SCHMID (1968). — USSR: BECKER (1900), HACKMAN (1957), HACKMAN et al. (1970), ŠTAKELBERG (1970). — JAPAN: KANEKO et al. (1966), MINAMI et al. (1979), MOMMA (1957), OKADA (1956, 1976), TAKADA (1968), WAKAHAMA (1964, 1966), WAKAHAMA et al. (1963).

Comment:

This species was confused with *Ch. distincta* EGGER. Some records may refer to the latter species.

Chymomyza japonica OKADA, 1956

General features of adults: OKADA (1956, 1961a, 1976).

Figures: OKADA (1956).

Key: OKADA (1956, 1976).

Development: OKADA (1968a).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956, 1968a, 1976).

Chymomyza obscura DE MEIJERE, 1911

General features of adults: BURLA (1954a), DE MEIJERE (1911b), OKADA (1956, 1976).

Figures: DUDA (1924a), OKADA (1976).

Keys: DUDA (1924a), OKADA (1956, 1976).

Distribution:

?JAPAN: KIKKAWA and PENG (1938).

Recorded mainly in South Asia.

Comment:

The record of this species in Japan was later not confirmed.

Chymomyza obscuroides OKADA, 1976

Other name used: *Ch. costata* ZETTERSTEDT (misident.).

General features of adults: OKADA (1956, 1976).

Figures: OKADA (1976).

Key: OKADA (1976).

Development: OKADA (1968a).

Distribution:

JAPAN: OKADA (1956, 1968a, 1976).

Chymomyza procnemis WILLISTON, 1896

General features of adults: BRYAN (1938), DUDA (1927), HARDY (1965), KUROKAWA and HIHARA (1976), NATER (1950, 1953), OKADA (1976), PATTERSON (1943), STURTEVANT (1921), WHEELER (1949b), WILLISTON (1896).

Figures: HARDY (1965), NATER (1950, 1953), OKADA (1976), PATTERSON (1943).

Keys: BRYAN (1938), HARDY (1965), OKADA (1976), PATTERSON (1943), STURTEVANT (1916, 1921), WHEELER (1949b), WILLISTON (1896).

Development: PATTERSON (1943).

Biology: CARTER (1938), SAKIMURA and LINFORD (1940), WHEELER (1952).

Distribution:

JAPAN: OKADA (1976).

Recorded mainly in America and Hawaii.

Dettopsomyia LAMB, 1914*Dettopsomyia nigrovittata* MALLOCH, 1924

Other names used: *D. argentifrons* OKADA (syn.), *Styloptera* sp.

General features of adults: DE CASTRO (1953), HARDY (1965), MALLOCH (1924b), OKADA (1953a, 1955b, 1956, 1961a), TAKADA (1966a, 1976), WHEELER (1952).

Figures: HARDY (1965), OKADA (1956, 1968a), TAKADA (1966a).

Keys: HARDY (1965), OKADA (1956).

Development: OKADA (1956, 1968a).

Biology: HACKMAN (1958), OKADA (1956, 1962), WHEELER (1951, 1952).

Distribution:

MADEIRA: unpublished. — CANARY IS.: HACKMAN (1958), MONCLÚS (1976). — JAPAN: KAWANISHI and WATANABE (1977), OKADA (1956, 1962), WAKAHAMA (1962a, 1964).

Recorded mainly in America, Australia and on some Pacific Islands.

Dettopsomyia pictipes DE MEIJERE (1911)

Other name used: *D. pictipes* var. *sumatrana* DUDA.

General features of adults: DUDA (1926a), DE MEIJERE (1911b).

Figures: DUDA (1924a).

Keys: DUDA (1924a), DE MEIJERE (1911b).

Distribution:

JAPAN: OKADA (1977b).

Recorded mainly in South Asia, America, Australia and Hawaii.

Drosophila FALLÉN, 1823

Drosophila acuminata COLLIN, 1952

General features of adults: COLLIN (1952), HACKMAN (1959), LAŠTOVKA and MÁCA (1978), OKADA (1968d), OKADA and KUROKAWA (1957), PAPP (1971).

Figures: COLLIN (1952), LAŠTOVKA and MÁCA (1978), PAPP (1973).

Keys: FONSECA (1965), LAŠTOVKA and MÁCA (1978), PAPP (1973).

Biology: LAŠTOVKA and MÁCA (1978).

Distribution:

CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1978). — GREAT BRITAIN: COLLIN (1952), FONSECA (1965). — IRELAND: ROCHA PITÉ and TSACAS (1980).

Drosophila acutissima OKADA, 1956

Other name used: *Drosophila* sp. II like *grandis*.

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1956, 1961b).

Figures: OKADA (1956).

Keys: OKADA (1956, 1966a).

Biology: OKADA (1954d, 1956, 1962).

Distribution:

JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1954d, 1956, 1962, 1966b).

Recorded also in Nepal.

Drosophila afer TAN, HSU and SHENG, 1949

General features of adults: TAN et al. (1949).

Distribution:

CHINA: TAN et al. (1949).

Drosophila alboralis MOMMA and TAKADA, 1954

Other name used: *Drosophila (Hirtodrosophila)* sp. II.

General features of adults: KIM (1962), KUROKAWA and HIHARA (1976), MOMMA and TAKADA (1954), OKADA (1956).

Figures: KIM (1962), MOMMA and TAKADA (1954), OKADA (1968a).

Keys: BEPPU et al. (1977), KANG and LEE (1964), OKADA (1956, 1967), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: BEPPU (1976), KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), MOMMA and TAKADA (1954), OKADA (1954d, 1968a), SUZUKI (1955), TAKADA (1957), TODA (1977), WAKAHAMA (1957a, 1962b, 1964).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1959), KANG and LEE (1964), KANG et al. (1959), LEE (1966b), OKADA (1967). — JAPAN: BEPPU (1976), BEPPU and TODA (1976), KANEKO (1960), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KAWANISHI et al. (1975), KIMURA (1976a, 1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a, 1965b), MOMMA and TAKADA (1954), OKADA (1954d, 1956, 1967, 1968a), SUZUKI (1955), TAKADA (1957, 1960, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), TODA (1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1962a, 1962b, 1962c, 1964, 1966).

Drosophila alpina BURLA, 1948

Other name used: *Drosophila* sp. like *alpina*.

General features of adults: BURLA (1948, 1951a), FREIRE-MAIA (1949), NATER (1953), OKADA (1953b, 1956, 1961b).

Figures: BEPPU et al. (1977), BURLA (1948, 1951a), HACKMAN (1954), OKADA (1956, 1968a), TAKADA et al. (1979).

Keys: BEPPU et al. (1977), BURLA (1951a), HACKMAN (1954), OKADA (1956).

Development: BURLA (1951a), OKADA (1956, 1968a).

Biology: BÄCHLI (1977, 1979), BURLA (1949), KANEKO and TOKUMITSU (1969), LUMME et al. (1978, 1979), OKADA (1956), STORÅ (1957).

Distribution:

FINLAND: HACKMAN (1954, 1971), LAKOVAARA et al. (1972a, 1972c), LUMME et al. (1978, 1979), STORÅ (1957). — NORWAY: ROCHA PITÉ and TSACAS (1980). — SWEDEN: LAKOVAARA et al. (1972a, 1972c). — SWITZERLAND: BÄCHLI (1973a, 1973c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1951a), NATER (1953). — MONGOLIA: HACKMAN (1968b). — N. KOREA: OKADA (1974b). — JAPAN: KANEKO and TOKUMITSU (1969), MORIWAKI et al. (1954), OKADA (1956, 1968a).

Drosophila ambigua POMINI, 1940

General features of adults: BURLA (1951a), CAIN et al. (1952), FREIRE-MAIA (1949), LAKOVAARA and LANKINEN (1974), MONCLÚS (1964), MORIWAKI et al. (1952), NATER (1953), OKADA (1953b, 1961b), POMINI (1940).

Figures: BURLA (1951a), DYSON-HUDSON (1954), LAKOVAARA and LANKINEN (1974), LAŠTOVKA and MáCA (1977), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHORROCKS (1972), THROCKMORTON (1962).

Keys: BASDEN (1954b), BURLA (1951a), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), LAŠTOVKA and MáCA (1977), MONCLÚS (1964), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHORROCKS (1972).

Development: BURLA (1951a).

Biology: BÄCHLI (1979), BASDEN (1953, 1954b, 1957a), BEGON (1975), BURLA (1961), FRYDENBERG (1956a), KÖNIG (1965), KÜHLHORN (1978), LEVER and SOBELS (1951), MAINX et al. (1958), SCHMID (1968), SHORROCKS (1974, 1975), SOBELS et al. (1954), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: BUZZATTI-TRAVERSO and SCOSSETTI (1952), MAINX et al. (1958). — CZECHOSLOVAKIA: BASDEN (1961), LAŠTOVKA and MáCA (1977), ZUSKA and LAŠTOVKA (1969). — DENMARK: FRYDENBERG (1956a). — FINLAND: HACKMAN (1971), LAKOVAARA et al. (1972a, 1972c). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: unpublished. — GERMAN FEDERAL REPUBLIC: KÖNIG (1965), KÜHLHORN (1978). — GREAT BRITAIN: BASDEN (1952, 1953, 1954b, 1957a), BEATTY and SIDHU (1969), BEGON (1975), CAIN et al. (1952), DYSON-HUDSON (1954), FONSECA (1965), KOSKE (1953), MAINX et al. (1953), POMINI (1940), SHORROCKS (1969, 1970, 1974, 1975, 1977), THROCKMORTON (1962). — GREECE: ROCHA PITÉ and TSACAS (1980). — HUNGARY: PAPP (1973). — IRELAND: BASDEN (1952). — ITALY: BUZZATTI-TRAVERSO and SCOSSETTI (1952), KOSKE (1953), MAINX et al. (1953), NIGRO (1979). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1979). — SPAIN: HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: unpublished. — SWITZERLAND: BÄCHLI (1972, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1951a, 1961), BUZZATTI-TRAVERSO and SCOSSETTI (1952), KOSKE (1953), MAINX et al. (1953), NATER (1953), SCHMID (1968). — TURKEY: unpublished. — YUGOSLAVIA: KEKIĆ and MARINKOVIĆ (1979). — CANARY IS.: unpublished. — MÓROCCO: unpublished. — TUNISIA: unpublished. — IRAN: unpublished.

Drosophila ananassae DOLESCHALL, 1858

Other names used: *D. imparata* WALKER (syn.), *D. similis* LAMB (syn.), *D. caribea* STURTEVANT, 1916 (syn.), *D. errans* MALLOCH, 1938 (syn.).

General features of adults: BOCK (1976), BOCK and WHEELER (1972), BOHART and GRESSITT (1951), BRNCIC (1957), BRUNETTI (1928), CURRAN (1936), DOLESCHALL (1858), DUDA (1926a, 1927, 1931), FUTCH (1966), HARDY (1965), HSU (1949), KIKKAWA and PENG (1938), KUROKAWA and HIHARA (1976), LAMB (1914), LIN et al. (1973), MALLOCH (1933), MALOGOLOWKIN (1948), MATHER (1955), DE MELJERE (1908), MORIWAKI and OKADA (1952), NATER (1953), OKADA (1953b, 1954c, 1954d, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), PATTERSON (1943), PENG (1937), STURTEVANT (1916, 1921), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1964).

Figures: BOHART and GRESSITT (1951), COVA GARCÍA and SUÁREZ (1962), DUDA (1927), HARDY (1965), HSU (1949), KIKKAWA and PENG (1938), LAMB (1914), MALOGOLOWKIN (1948), MONCLÚS (1964), NATER (1953), OKADA (1954c, 1956, 1968a), PATTERSON (1943), PENG (1937), THROCKMORTON (1962), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1964).

Keys: BASDEN (1954b), BOCK (1976), BOHART and GRESSITT (1951), BRNCIC (1957), BURLA (1954a), DUDA (1924a, 1925, 1926a, 1927, 1940), FONSECA (1965), GUPTA and RAY-CHAUDHURI (1970), HARDY (1965), HARRISON (1954), KIKKAWA and PENG (1938), MALLOCH (1934b, 1934c), DE MELJERE (1908), MONCLÚS (1964), OKADA (1956), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), PENG (1937), STURTEVANT (1921, 1942), WHEELER and TAKADA (1964).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964).

Biology: BASDEN (1954b), BOCK (1977b), BOHART and GRESSITT (1951), BURLA (1954a), BURUGA and OLEMBO (1971), CARSON (1965, 1971), COVA GARCÍA and SUÁREZ (1962), DAVID (1971), DOBZHANSKY and PAVAN (1950), DOLESCHALL (1858), DUDA (1926a), HERD (1956, 1957), KIKKAWA and PENG (1938), LACHAISE (1971, 1974a, 1974b, 1975), MARTINEZ et al. (1965), OKADA (1956), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), PATTERSON (1942), PIPKIN (1965), PIPKIN et al. (1966), STURTEVANT (1919b, 1921).

Distribution:

GREAT BRITAIN: BASDEN (1954b). — SPAIN: BASDEN (1954b), MONCLÚS (1964). — MADEIRA: MONCLÚS (1976). — CANARY IS.: BASDEN (1954b). — CHINA: HSU (1949), PENG (1937), TAN et al. (1949). — JAPAN: KIKKAWA and PENG (1938), MORIWAKI (1934, 1935, 1958), OKADA (1954d, 1956).

Recorded as pantropical species.

Drosophila andalusiaca STROBL, 1906

Other names used: *D. forcipata* COLLIN (syn.), *D. fenestrarum* FALLÉN (misident.).

General features of adults: BASDEN (1957a, 1961), BEARDMORE (1967), COLLIN (1952), HACKMAN (1955), LAŠTOVKA and MáCA (1978), OKADA and KUROKAWA (1957), PAPP (1971), STROBL (1906).

Figures: BASDEN (1961), COLLIN (1952), HACKMAN (1955), LAŠTOVKA and MáCA (1978), PAPP (1973).

Keys: BASDEN (1954b), FONSECA (1965), FRYDENBERG (1956a), LAŠTOVKA and MáCA (1978), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972).

Development: LAŠTOVKA and MáCA (1978).

Biology: BASDEN (1954b), BEARDMORE (1967), COE (1959), HERTING (1955), LAŠTOVKA and MáCA (1978), NASWATY (1959), PAPP (1976), ROCHA PITÉ (1979).

Distribution:

AUSTRIA: THALER (1977). — BELGIUM: unpublished. — CYPRUS: HACKMAN (1960). — CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1978). — DENMARK: FRYDENBERG (1956a). — FRANCE: ROCHA PITÉ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: HERTING (1955), NASWATY (1959). — GREAT BRITAIN: BASDEN (1952, 1954b), BEARDMORE (1967), COLLIN (1952), FONSECA (1965), SHORROCKS (1977), SMITH (1960). — GREECE: DIS 37: 135–136. — HUNGARY: LAŠTOVKA and MÁCA (1978), PAPP (1973, 1976). — IRELAND: BEARDMORE (1967). — NETHERLANDS: BEARDMORE (1967), HACKMAN (1960). — PORTUGAL: ROCHA PITÉ (1975a, 1975b, 1979). — ROMANIA: PAPP (1973). — SPAIN: BASDEN (1961), HACKMAN (1969a), STROBL (1966). — SWEDEN: BEARDMORE (1967). — SWITZERLAND: BÄCHLI (1974b). — YUGOSLAVIA: BEARDMORE (1967), COE (1959), PAPP (1973). — AZORES: FREY (1945), HACKMAN (1960). — MADEIRA: FREY (1949). — CANARY IS.: FREY (1936). — MOROCCO: HACKMAN (1960). — ISRAEL: BASDEN (1966), BEARDMORE (1967). — SYRIA: LAŠTOVKA and MÁCA (1978).

***Drosophila angularis* OKADA, 1956**

Other names used: *D. transversa* FALLÉN (misident.), *D. transversa* type B.

General features of adults: CHUNG and RHO (1959), KIKKAWA and PENG (1938), KIM (1962), OKADA (1953b, 1956, 1959, 1961b, 1963a).

Figures: KIKKAWA and PENG (1938), KIM (1962), OKADA (1956, 1968a).

Keys: KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: LEE (1962), OKADA (1956, 1962, 1968a), SAITO et al. (1962), WAKAHAMA (1961, 1962b, 1962c).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1959, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959), KIKKAWA and PENG (1938), KIM (1962, 1963), LEE (1962, 1964a, 1966b), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), OKADA (1956, 1959, 1962, 1966b, 1968a), SAITO et al. (1962), TOKUMITSU et al. (1967), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966).

***Drosophila annulipes* DUDA, 1924**

Other name used: *D. virgata* TAN, HSU and SHENG (syn.).

General features of adults: DUDA (1924b, 1926a), KIM (1963), KUROKAWA and HIHARA (1976), OKADA (1953, 1955a, 1956, 1961b, 1966a), TAN et al. (1949), WHEELER and TAKADA (1964).

Figures: DUDA (1924a, 1926a), KIM (1963), OKADA (1955a, 1956, 1968a).

Keys: DUDA (1924a, 1926a), OKADA (1956, 1966a).

Development: OKADA (1963a, 1968a).

Biology: NOZAWA (1956), OKADA (1956, 1962), TODA (1976), WAKAHAMA (1961, 1962b, 1964).

Distribution:

S. KOREA: KIM (1963), LEE (1966b). — JAPAN: KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), NOZAWA (1956), OKADA (1955a, 1956, 1962, 1966b, 1968a), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966). Recorded also in South Asia and on the Bonin Islands.

***Drosophila asozana* OKADA, 1956**

Other name used: *Drosophila* sp. like *histrio*.

General features of adults: OKADA (1956).

Figures: OKADA (1956).

Keys: OKADA (1956, 1967).

Development: OKADA (1968a).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956, 1967, 1968a).

***Drosophila auraria* PENG, 1937**

General features of adults: BOCK and WHEELER (1972), BURLA (1954a, 1954b), DE CASTRO (1953), FREIRE-MAIA (1949), HSU (1949), KIKKAWA and PENG (1938), KUROKAWA (1956, 1962, 1967b), KUROKAWA and HIHARA (1976), LEE (1964b), MATHER (1955), OKADA (1953b, 1954c, 1954d, 1956, 1959, 1961b), PENG (1937), TAKADA (1952).

Figures: BOCK and WHEELER (1972), BURLA (1954a, 1954b), HSU (1949), KIKKAWA and PENG (1938), OKADA (1954c, 1956, 1968a), PENG (1937), THROCKMORTON (1962).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), OKADA (1956), PENG (1937), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), ISHHARA (1955a, 1955b), IWAO et al. (1980), KANEKO (1960, 1968), KANeko and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968), KATO (1954d), KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI (1979), MINAMI et al. (1979), MOMMA (1964, 1965b), NOZAWA (1956), OKADA (1954, 1956, 1962), SAITO et al. (1962), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1956b, 1957a, 1957b, 1961, 1962b), WATABE (1979).

Distribution:

CHINA: BURLA (1954b), HSU (1949), KIKKAWA and PENG (1938), PENG (1937), TAN et al. (1949), THROCKMORTON (1962). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1959, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1960, 1964a), KUROKAWA (1962, 1967a), LEE (1962, 1964b, 1964c, 1965, 1966b), OKADA (1956), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), BURLA (1954b), ISHHARA (1955a, 1955b), IWAO et al. (1980), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KATO (1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KUROKAWA (1956, 1958, 1959, 1960, 1962, 1967a, 1967b), MINAMI (1979), MINAMI and KIMURA (1980), MINAMI et al. (1979),

MOMMA (1957, 1964, 1965a, 1965b), NOZAWA (1956), OKADA (1954c, 1954d, 1956, 1959, 1962, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960), SUZUKI (1955), TAKADA (1952, 1954, 1957, 1958, 1960), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956b, 1957a, 1957b, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977), WATANABE and KAWANISHI (1976).

Recorded also in India.

Comment:

Some records may refer to the sibling species *D. biauraria* BOCK and WHEELER or *D. triauraria* BOCK and WHEELER.

Drosophila biauraria BOCK and WHEELER, 1972

Other name used: *D. auraria* race B.

General features of adults: BOCK and WHEELER (1972), KUROKAWA (1956, 1967), OKADA (1953b).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), OKADA (1953b).

Keys: BEPPU et al. (1977), TAKADA (1971).

Biology: BEPPU (1976), BEPPU and TODA (1976), IWAO et al. (1980), KANEKO (1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), TAKADA (1954, 1957, 1958, 1960), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1966), WATABE (1979).

Distribution:

S. KOREA: CHUNG (1958, 1959, 1960a), CHUNG and RHO (1959, 1960), KUROKAWA (1967a), LEE (1964c, 1965, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO (1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KUROKAWA (1956, 1959, 1960, 1967a, 1967b), MINAMI (1979), OKADA (1953b, 1966b), SHIMA (1960), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TAKADA et al. (1958), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977).

Drosophila bifasciata POMINI, 1940

Other names used: *D. bilineata* POMINI (syn.), *D. obscura* FALLÉN (misident.).

General features of adults: BASDEN (1954b, 1957b), BASDEN and HARNDEN (1956), BURLA (1951a), CAIN et al. (1952), FREIRE-MAIA (1949), FRYDENBERG (1956a), HSU (1949), KIM (1962), KUROKAWA and HIHARA (1976), LAKOVAARA and LANKINEN (1974), MONCLÚS (1964), MORIWAKI et al. (1952, 1967), NATER (1953), OKADA (1953b, 1954c, 1956, 1961b), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), POMINI (1940), TAKADA and LEE (1958).

Figures: BEPPU et al. (1977), BURLA (1951a), CAIN et al. (1952), FROLOWA and ASTAUROW (1929), HSU (1949), KIM (1962), LAKOVAARA and LANKINEN (1974), OKADA (1956, 1968a), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), ŠTAKELBERG (1970), TAKADA et al. (1979).

Keys: BEPPU et al. (1977), BURLA (1951a), FONSECA (1965), GUPTA and RAY-CHAUDHURI (1970), LEE (1964c), MONCLÚS (1964), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), ŠTAKELBERG (1970), TAKADA (1971).

Development: BURLA (1951a), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964), WATABE (1979).

Biology: BASDEN and HARNDEN (1956), BEPPU (1976), BEPPU and TODA (1976), HADORN et al. (1952), ISHIHARA (1955a, 1955b), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LAKOVAARA et al. (1972b), LUMME et al. (1978, 1979), MAGNI (1959), MINAMI et al. (1979), MOMMA (1965b), MORIWAKI et al. (1952), OKADA (1954d, 1956, 1962), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), SCHMID (1968), SHIMA (1960), TAKADA (1954, 1957), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1956b, 1957a, 1962b, 1964), WATABE (1979), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: MAINX et al. (1953). — CZECHOSLOVAKIA: ZUSKA and LAŠTOVKA (1969). — FINLAND: HACKMAN (1971), LAKOVAARA et al. (1972a, 1972b, 1972c, 1976a), LUMME et al. (1978, 1979), SAURA (1974). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: unpublished. — HUNGARY: PAPP (1973). — ITALY: BUZZATI-TRAVESO (1942a), IKEDA (1970), LAKOVAARA et al. (1972c), LUMME et al. (1978, 1979), MAGNI (1952, 1953, 1959), MAINX et al. (1953), MORIWAKI and KITAGAWA (1957), POMINI (1940), SAURA (1974), YAMAGUCHI (1973). — NETHERLANDS: LEVER and SOBELS (1951). — NORWAY: BASDEN and HARNDEN (1956), LAKOVAARA et al. (1972b), SAURA (1974). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1979). — SPAIN: HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: LAKOVAARA et al. (1972a, 1972b, 1972c), SAURA (1974). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1975b, 1979), BURLA (1948, 1951a), HSU (1949), LAKOVAARA et al. (1972c), MORIWAKI and KITAGAWA (1957), NATER (1953), SAURA (1974), SCHMID (1968), YAMAGUCHI (1973). — USSR: BUZZATI-TRAVESO and SCOSIROLI (1955), DUBININ et al. (1957), FROLOWA (1926), FROLOWA and ASTAUROW (1929), HACKMAN (1957), ŠTAKELBERG (1970). — YUGOSLAVIA: KEKIĆ and MARINKOVIĆ (1979). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), IKEDA (1970), IKEDA and MORIWAKI (1968), ISHIHARA (1955a, 1955b), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LAKOVAARA et al. (1972a, 1972c), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), MORIWAKI and KITAGAWA (1955, 1957), MORIWAKI et al. (1952, 1953, 1954, 1967), OKADA (1954d, 1956, 1962, 1966b, 1968a), SAURA (1974), SHIMA (1960), TAKADA (1964, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1973c, 1974, 1977) ToYOFUKU (1957, 1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956b, 1957a, 1962a, 1962b, 1962c, 1964), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977), YAMAGUCHI (1973), YAMAGUCHI and MORIWAKI (1971).

Recorded also in India.

Comment:

Some Japanese records may refer to *D. imaii* MORIWAKI, KITAGAWA and OKADA.

Drosophila bizonata KIKKAWA and PENG, 1938

General features of adults: HARDY (1965), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), OKADA (1953a, 1954d, 1955a, 1956, 1959, 1961b, 1966a), TAN et al. (1949).

Figures: HARDY (1965), KIKKAWA and PENG (1938), KIM (1962), OKADA (1955a, 1956, 1968a).

Keys: BEPPU et al. (1977), HARDY (1965), KIKKAWA and PENG (1938), OKADA (1956).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: KATÔ (1954), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), LEE (1962), NOZAWA (1956), OKADA (1954d, 1956, 1962), SAITO et al. (1962), WAKAHAMA (1961, 1962b, 1962c, 1964).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1960), KANG et al. (1958, 1959, 1964a), KIM (1962, 1963), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: KATÔ (1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), MOMMA (1957), NOZAWA (1956), OKADA (1954d, 1955a, 1956, 1959, 1962, 1966b, 1968a), SAITO et al. (1962), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963). Recorded also in Hawaii and on the Ryukyu Islands.

Drosophila brachynephros OKADA, 1956

Other names used: *D. transversa* FALLÉN (misident.), *D. transversa* type A, *D. transversa* type I.

General features of adults: CHUNG and RHO (1959), KUROKAWA and HIHARA (1976), KIM (1962), LEE (1964c), OKADA (1953b, 1955a, 1955b, 1956, 1961b), PARSHAD and DUGGAL (1966).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1955b, 1956, 1968a), WAKAHAMA (1956a).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI et al. (1979), MOMMA (1965b), OKADA (1954d, 1956), PARSHAD and DUGGAL (1966), SAITO et al. (1962), TAKADA (1958), TAKADA and LEE (1958), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1962b, 1964), WATABE (1979).

Distribution:

S. KOREA: CHUNG (1958), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO (1960, 1968), KANEKO, and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1955a, 1956, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960, 1967), TAKADA (1958, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), TODA (1973a, 1973b, 1973c, 1974, 1977), TOKUMITSU et al. (1967), TOYOFUKU (1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977). Recorded also in India.

Drosophila brevicornis DUDA, 1935

General features of adults: DUDA (1935).

Key: DUDA (1935).

Distribution:

USSR: DUDA (1935).

Drosophila busckii COQUILLET, 1901

Other names used: *D. rubrostriata* BECKER (syn.), *D. plurilineata* VILLENEUVE (syn.).

General features of adults: BECKER (1908b), BOCK (1976), BRNCIC (1957), BURLA (1951a), DE CASTRO (1953), COQUILLET (1901), DUDA (1924c, 1925, 1935), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), LEMCHE (1949), MALLOCH (1924b), NATER (1950, 1953), NISWONGER (1911), OKADA (1953a, 1954b, 1956, 1959, 1961b, 1963a, 1963b), PARSHAD and DUGGAL (1966), PATTERSON (1943), PATTERSON and STONE (1952), PENG (1937), SÉGUIN (1934a, 1934b), STURTEVANT (1921), TSACAS and BOQUET (1976), VILLENEUVE (1911), WARREN (1920).

Figures: BEPPU et al. (1977), DUDA (1924a, 1924c, 1935), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KAMBYSELLIS (1968), KIKKAWA and PENG (1938), KIM (1962), LEMCHE (1949), NATER (1950, 1953), NISWONGER (1911), OKADA (1955b, 1956, 1963a, 1963b, 1968a), PATTERSON (1943), PATTERSON and STONE (1952), SHORROCKS (1972), STURTEVANT (1921), THROCKMORTON (1962).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BRNCIC (1957), BURLA (1951a), DUDA (1924a, 1924c, 1925, 1926a, 1927, 1935, 1940), FONSECA (1965), FRYDENBERG (1956a), GUPTA and RAY-CHAUDHURI (1970), HACKMAN (1954), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1938), LAŠTOVKA and MÁČA (1977), LEE (1964c, 1966b), MALLOCH (1923a, 1927, 1934a), MALLOCH and MCATEE (1924), MONCLÚS (1964, 1976), OKADA (1956), PAPP (1978), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), PENG (1937), ROCHA PITÉ (1975a), SÉGUIN (1934a, 1934b), SHORROCKS (1972), STAKELBERG (1970), STURTEVANT (1918, 1921), TAKADA (1971).

Development: BURLA (1951a), BURUGA and OLEMBÖ (1971), COTTIER (1983), DUDA (1934, 1935), HENNIG (1952), KAMBYSELLIS (1968), KIKKAWA and PENG (1938), LEMCHE (1949), MAYER (1935), NISWONGER (1911), OKADA (1968a), PATTERSON (1943), SÉGUIN (1934a, 1934b, 1951).

Biology: ATKINSON and SHORROCKS (1977), BASDEN (1952, 1954b, 1957a), BEPPU (1976), BEPPU and TODA (1976), BICKLEY (1956), BOCK (1976), BONNAMOUR (1921, 1926), BURLA (1949, 1951a), BURLA and BÄCHLI (1968), BURUGA (1976), CANZANELLI (1941), CARSON (1965, 1971), COLLINS (1956), COTTIER (1933), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DUDA (1935, 1940), EISESFELDER (1957), FRYDENBERG (1956a), GUYER et al. (1956), HACHIYA (1954), HACKMAN and MEINANDER (1979), HEED (1968), HENNIG (1950, 1953), HERTING (1955), HOWARD (1900), HUNTER et al. (1973), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KATO (1954), KATÔ and HORI (1952), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA and TODA (1976), KIMURA et al. (1977), KÖNIG (1965), KÜHLHORN (1964, 1968, 1978, 1979), LAURENCE (1953), LEE (1962), LEMCHE (1949), LEVER and SOBELS (1951), LINDNER (1928), LUMME et al. (1979), MCCOY (1962), MCFADDEN (1914), MAINX (1949), MALLOCH and MCATEE (1924), MATHER (1956), MAYER (1935), DE MELIERA (1916a, 1935, 1946), MERRILL and HUTSON (1953), MILES (1950), MINAMI et al. (1979), NASWATY (1959), NOZAWA (1956), OKADA (1956, 1962), OKADA and SASAKAWA (1956), OLDROYD (1965), PAPP (1979), PARSHAD and DUGGAL (1966), PATTERSON (1942), PATTERSON and STONE (1952), PETERSEN (1960)s PIPKIN (1952), PIPKIN et al. (1966), SAITO et al. (1962), SCHATZMANN (1977), SCHULZE (1912), SCHUMANNA (1963), SÉGUIN, (1953b, 1954a, 1956, 1959, 1961), SHAW (1969), SHORROCKS (1974, 1975, 1977, 1979), SHORROCKS and WOOD (1973), SOBELS et al. (1954), STURTEVANT (1919b), TAKADA (1957, 1958), TAKADA and TOYOFUKU (1960), TESCHNER (1961), TODA (1973a, 1974, 1977), WAKAHAMA (1957a, 1961, 1962b, 1964), WATABE (1979), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: ROCHA PITÉ and TSACAS (1980). — BELGIUM: unpublished. — CZECHOSLOVAKIA: DOSKOČIL (1962), LAŠTOVKA and MÁCA (1977), MÁCA (1972b), MARTINEK (1974b), ZUSKA and LAŠTOVKA (1969). — DENMARK: BASDEN (1956), FRYDENBERG (1956), LEMCHE (1949). — FINLAND: HACKMAN (1954, 1971), HACKMAN and MEINANDER (1979), LUMMA et al. (1978, 1979), SUOMALAINEN (1937). — FRANCE: BONNAMOUR (1921, 1926), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979), RÖHRLICH and EWALD (1972), SÉGUY (1934a, 1934b), VILLENEUVE (1911). — GERMAN DEMOCRATIC REPUBLIC: HENNIG (1950), SCHUMAN (1963), SÉGUY (1933b), TIMOFEEFF-RESSOVSKY (1941a). — GERMAN FEDERAL REPUBLIC: EISFELDER (1957), HERTING (1955), KÖNIG (1965), KÜHLHORN (1964, 1968, 1978, 1979), LINDNER (1928), NASWATY (1959), KRÖGER (1935). — GREAT BRITAIN: ATKINSON and SHORROCKS (1977), AUDCENT (1950) BASDEN (1952, 1954b, 1957a), BUXTON (1960), FONSECA (1965), HUNTER et al. (1973), KRIVSHENKO (1952), LAURENCE (1953), MILES (1950), SHAW (1969), SHORROCKS (1969, 1972, 1974, 1975, 1977), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SMITH (1959, 1960). — GREECE: ROCHA PITÉ and TSACAS (1980). — HUNGARY: ÁRADI (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973, 1975), SOÓS (1943, 1945). — IRELAND: ROCHA PITÉ and TSACAS (1980), SHORROCKS (1972). — ITALY: KRIVSHENKO (1952), NIGRO (1979), ZANGHERI (1969). — NETHERLANDS: LEVER and SOBELS (1951), DE MELJERE (1935, 1946), SOBELS et al. (1954). — NORWAY: BASDEN (1956). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1979). — SPAIN: HADORN et al. (1952), MONCLÚS (1964), ORTIZ (1968). — SWEDEN: BASDEN (1956), RINGDAHL (1949). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1974a, 1974b, 1975a, 1975b), BURLA (1948, 1949, 1951a), BURLA and BÄCHLI (1968), HSU (1949), NATER (1953), SCHMITZMANN (1977). — TURKEY: unpublished. — USSR: KRIVSHENKO (1963), PAPP (1979), ŠTAKELBERG (1970). — YUGOSLAVIA: KEKIĆ and MARINKOVIĆ (1978, 1979), KEKIĆ et al. (1980). — AZORES: FREY (1945). — MADEIRA: FREY (1949). — CANARY IS.: BECKER (1908b), FREY (1936), MONCLÚS (1976). — MOROCCO: PREVOSTI (1974), SÉGUY (1933b). — TUNISIA: unpublished. — EGYPT: MOURAD and MALLAH (1960), TANTAWY et al. (1970). — ISRAEL: unpublished. — LEBANON: PIPKIN (1952). — CHINA: HSU (1949), PENG (1937), TAN et al. (1949). — N. KOREA: KIKKAWA and PENG (1938), OKADA (1974b). — S. KOREA: CHUNG (1958, 1960a), KANG et al. (1958, 1959), KIKKAWA and PENG (1938), KIM (1962), LEE (1962, 1964c, 1966b), OKADA (1956), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU (1976), BEPPU and TODA (1976), HACHIYA (1954), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KATO (1954), KATO and HORI (1952, 1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), KRIVSHENKO (1952), MINAMI (1979), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a), NOZAWA (1956), OKADA (1956, 1959, 1962, 1968a), OKADA and SASAKAWA (1956), SAITO et al. (1962), SHIMA (1960), TAKADA (1957, 1958, 1968), TAKADA and OKADA (1960), TODA (1973a, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WATABE (1979).

Recorded as virtually cosmopolitan species.

Drosophila buzzatii PATTERSON and WHEELER, 1942

Other names used: *D. tigrina* BUZZATI-TRAVESO (syn.), *D. versicolor* MATHER (syn.).

General features of adults: BREUER and ROCHA (1971), BURLA (1951a), BUZZATI-TRAVESO (1943), HACKMAN (1969a), HSU (1949), MATHER (1955), NATER (1953), PATTERSON and WHEELER (1942), WASSERMAN (1962c).

Figures: BREUER and ROCHA (1971), BUZZATI-TRAVESO (1943), HSU (1949), MATHER (1955), NATER (1953), THROCKMORTON (1962), WASSERMAN (1962c).

Keys: BOCK (1976), BURLA (1951a), MATHER (1955), MONCLÚS (1964, 1976), PAVAN and DA CUNHA (1947), ROCHA PITÉ (1975a).

Biology: CARSON (1965, 1971), CARSON and WASSERMAN (1965), MATHER (1955, 1956), ORTIZ (1968), PIPKIN (1952), ROCHA PITÉ (1979).

Distribution:

ITALY: BUZZATI-TRAVESO (1943), CARSON and WASSERMAN (1965), PATTERSON (1942), SPERLICH (1961), WASSERMAN (1954), WHARTON (1942). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1979). — SPAIN: HACKMAN (1969a), MONCLÚS (1964), ORTIZ (1968). — YUGOSLAVIA: unpublished. — MADEIRA: unpublished. — CANARY IS.: MONCLÚS (1976). — MOROCCO: PREVOSTI (1974). — EGYPT: MOURAD and MALLAH (1960). — ISRAEL: CARSON (1965), CARSON and WASSERMAN (1965). — LEBANON: JOHNSON et al. (1960), PIPKIN (1952), THROCKMORTON (1962), WASSERMAN (1954, 1962c).

Recorded mainly in America and Australia.

Drosophila calidata TODA and BEPPU, 1979

Other name used: *Drosophila* sp. 5.

General features of adults: TAKADA et al. (1979).

Figures: BEPPU et al. (1977), TAKADA et al. (1979).

Key: BEPPU et al. (1977).

Distribution:

JAPAN: TAKADA et al. (1979).

Drosophila cameraria HALIDAY, 1833

Other names used: *D. unistriata* STROBL (syn.), *D. latestriata* BECKER (syn.), *D. fungicola* VILLENEUVE (syn.), *D. pallida* ZETTERSTEDT (misident.).

General features of adults: BASDEN (1961), BECKER (1908b), BURLA (1951a), BURLA and GLOOR (1952), CURTIS (1833), DUDA (1921, 1924c, 1927, 1935), FRYDENBERG (1956a), HACKMAN (1955), HALIDAY (1833), NATER (1953), OKADA (1956), SÉGUY (1934b), STROBL (1898a, 1900a, 1906), VILLENEUVE (1921).

Figures: CURTIS (1833), DUDA (1924a, 1935), NATER (1953), PAPP (1973).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), MONCLÚS (1964, 1976), PAPP (1973), SÉGUY (1934a, 1934b), SHORROCKS (1972), ŠTAKELBERG (1970).

Biology: BASDEN (1952, 1954b), BONNAMOUR (1926), BURLA (1951a), BURLA and BÄCHLI (1968), BUXTON (1960), CANZANELLI (1941), CHARLESWORTH and SHORROCKS (1980), COE (1959), CURTIS (1833), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), FALCOZ (1924), HADORN et al. (1952), HALIDAY (1833), HERTING (1955), KÖNIG (1965), LEVER and SOBELS (1951), LINDBERG (1962), DE MELJERE (1928), ORTIZ (1968), ROCHA PITÉ (1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), SCHMID (1968), SÉGUY (1934a, 1934b, 1950), SHORROCKS (1973, 1975), SHORROCKS and CHARLESWORTH (1980), SHORROCKS et al. (1979), SOBELS et al. (1954), VILLENEUVE (1921).

Distribution:

ALBANIA: DUDA (1924c, 1935). — AUSTRIA: DUDA (1924c, 1935). — BULGARIA: unpublished. — CZECHOSLOVAKIA: unpublished. — FINLAND: HACKMAN (1971), LUMME et al. (1978). — FRANCE: BONNAMOUR (1926), DUDA (1924c, 1935), FALCOZ (1924), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979), SÉGUY (1934b), VILLENEUVE (1921). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÖNIG (1965). — GREAT BRITAIN: BASDEN (1952, 1953, 1954b), BASDEN and GOODEY (1955), BUXTON (1960), CHARLESWORTH and SHORROCKS (1980), CURTIS (1833), FONSECA (1965), HALIDAY (1833), HENDERSON (1911), SHORROCKS (1975, 1977), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979). — GREECE: DIS 37: 95. — HUNGARY: DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973), SOÓS (1945). — IRELAND: DIS 27: 81. — ITALY: DUDA (1935), NIGRO (1979), ZANGHERI (1950, 1969). — NETHERLANDS: LEVER and SOBELS (1951), DE MEIJERE (1928), SOBELS et al. (1954). — POLAND: DUDA (1935). — PORTUGAL: HADORN et al. (1952), LINDBERG (1962), ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978). — ROMANIA: ARADI (1959), SOÓS (1945). — SPAIN: BURLA and GLOOR (1952), DUDA (1935), HADORN et al. (1952), MONCLÚS (1964), ORTIZ (1968). — SWEDEN: DUDA (1935). — SWITZERLAND: BÄCHLI (1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1977), BURLA (1951a), BURLA and BÄCHLI (1968), NATER (1953), SCHMID (1968). — TURKEY: unpublished. — USSR: HACKMAN (1957), STAKELBERG (1970). — YUGOSLAVIA: ARADI (1959), BASDEN (1961), COE (1959), DUDA (1924c, 1935), SOÓS (1945), STROBL (1898a, 1900a). — AZORES: unpublished. — MADEIRA: FREY (1949). — CANARY IS.: BECKER (1908b), DUDA (1924c, 1935), FREY (1936), MONCLÚS (1976). — TUNISIA: unpublished. — IRAN: unpublished.

***Drosophila cheda* TAN, Hsu and SHENG, 1949**

General features of adults: HSU (1949), KANEKO et al. (1964), KANG and LEE (1961), KIM (1962), OKADA (1956, 1961b), TAN et al. (1949).

Figures: HSU (1949), KIM (1962), OKADA (1968a).

Key: LEE (1964c).

Development: OKADA (1963a, 1968a).

Distribution:

CHINA: HSU (1949), TAN et al. (1949). — S. KOREA: CHUNG (1958), KIM (1962), LEE (1962, 1964c, 1966b), OKADA (1968a), TAKADA and LEE (1958).

***Drosophila ciliatarsis* HERING, 1940**

General features of adults: HERING (1940).

Figures: MORGE (1976b).

Distribution:

CHINA: HERING (1940), ROHLFEN and EWALD (1972).

***Drosophila clarofinis* LEE, 1959**

General features of adults: BOCK and WHEELER (1972), LEE (1959, 1964a), TAKADA et al. (1979).

Figures: LEE (1959, 1964a), TAKADA et al. (1979).

Keys: BEPPU et al. (1977), LEE (1964a).

Biology: LEE (1959, 1962).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: LEE (1959, 1962, 1964a, 1966b). — JAPAN: KAWANISHI et al. (1975), TAKADA et al. (1979).

***Drosophila collinella* OKADA, 1968**

Other names used: *Scaptomyza apicalis* HARDY (misident.), *Scaptomyza* sp. II, *Drosophila* (*Lordiphosa*) sp., *Drosophila* sp. of *fenestrarum* group.

General features of adults: KIM (1962), OKADA (1956, 1968d).

Figures: KIM (1962), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956), OKADA and SASAKAWA (1956), SUZUKI (1955), TAKADA (1958), WAKAHAMA (1957a, 1964).

Distribution:

S. KOREA: CHUNG (1958), KANG et al. (1958, 1959), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: KANEKO and SHIMA (1962), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LAŠTOVKA and MÁČA (1978), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956, 1968a, 1968d), SUZUKI (1955), TAKADA (1958, 1968), TAKADA and OKADA (1960), WAKAHAMA (1957a, 1964, 1966), WAKAHAMA et al. (1963).

***Drosophila confusa* STAEGER, 1844**

Other names used: *D. vibrissina* DUDA (syn.), *D. grischuna* BURLA (syn.), *D. histriooides* OKADA and KUROKAWA (syn.), *Drosophila* sp. like *histrio*, *Drosophila* (*Hirtodrosophila*) sp.

General features of adults: BASDEN (1961), BURLA (1951c), DUDA (1924c, 1935), FRYDENBERG (1956b), HACKMAN (1960c), KUROKAWA and HIHARA (1976), NATER (1953), NEUHAUS (1886), OKADA (1956, 1961b), OKADA and KUROKAWA (1957), SÉGUY (1934a, 1934b), STURTEVANT (1921), TAKADA (1960), ZETTERSTEDT (1847).

Figures: BEPPU et al. (1977), BURLA (1951c), DUDA (1924c, 1935), FRYDENBERG (1956b), NATER (1953), OKADA (1956, 1968a), OKADA and KUROKAWA (1957), SÉGUY (1934b), TAKADA (1960), THROCKMORTON (1962).

Keys: BEPPU et al. (1977), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), KANG and LEE (1964), LAŠTOVKA and MÁČA (1977), LEE (1964c), MONCLÚS (1964), OKADA (1967), PAPP (1973), SCHINER (1864), SHORROCKS (1972), SÉGUY (1934a, 1934b), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), BONNAMOUR (1926), BUXTON (1960), CANZANELLI (1941), CHARLESWORTH and SHORROCKS (1980), COE (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), FALCOZ (1921), FRYDENBERG (1956a), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KIMURA (1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MÁCA (1978), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956), SCHULZE (1912), SÉGUY (1934a, 1934b, 1950), SHIMA (1960), SHORROCKS (1975), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SUZUKI (1955), TAKADA (1958, 1960), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1962b, 1964), WATABE (1979).

Distribution:

AUSTRIA: STROBL (1880, 1894), WACHTL (1882). — CZECHOSLOVAKIA: ARADI (1959), BRANCSIK (1910), CZÍZEK (1910), DUDA (1935), LAŠŤOVKA and MÁCA (1977), MÁCA (1978), ROHLEFEN and EWALD (1972), SOÓS (1945), VIMMER (1913). — DENMARK: FRYDENBERG (1956a, 1956b), STAEGER (1844), ZETTERSTEDT (1847). — FRANCE: BONNAMOUR (1926), FALCOZ (1921), HADORN et al. (1952), KUNTZE (1913), ROCHA PITE and TSACAS (1979), SÉGUY (1934a, 1934b). — ?GERMAN DEMOCRATIC REPUBLIC: NEUHAUS (1886), RADATTI (1873). — GERMAN FEDERAL REPUBLIC: unpublished. — GREAT BRITAIN: BUXTON (1960), CHARLESWORTH and SHORROCKS (1980), FONSECA (1965), FRYDENBERG (1956b), SHORROCKS (1975, 1977), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SMITH (1960), YERBURY (1913). — HUNGARY: DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973). — ?ITALY: BEZZI (1892b), CANZANELLI (1941), PALM (1869), ZANGHERI (1950, 1969). — ?NETHERLANDS: DE MEIJERE (1916b, 1920). — ROMÂNIA: ARADI (1959), DUDA (1924c, 1935), ROHLEFEN and EWALD (1972), SOÓS (1945). — SPAIN: HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: ZETTERSTEDT (1847, 1849). — SWITZERLAND: BÄCHLI (1973a, 1973c, 1975b, 1979), BURLA (1951c), NATER (1953). — ?USSR: BALKASCHINA and ROMASCHOFF (1935), BOBEK (1897), FROLOWA (1926). — YUGOSLAVIA: BASDEN (1961), COE (1959), STROBL (1898a, 1900a). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1959, 1960), KANG and LEE (1964), KANMI et al. (1959, 1964a), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958), OKADA (1967). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956, 1967, 1968a), OKADA and KUROKAWA (1957), SHIMA (1960), SUZUKI (1955), TAKADA (1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), THROCKMORTON (1962), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977).

Comment:

Some records may refer to *D. funebris* FABRICIUS.

Drosophila coracina KIKKAWA and PENG, 1938

Other name used: *Drosophila* sp. of *melanica* group.

General features of adults: BUZZATTI-TRAVERSO (1943), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), MATHER (1955), OKADA (1953b, 1956, 1959, 1961b, 1966a).

Figures: BEPPU et al. (1977), KIKKAWA and PENG (1938), KIM (1962), OKADA (1955b, 1956, 1968a).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1968), KANEKO and TOKUMITSU (1963, 1969), KATO (1954), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI et al. (1979), MOMMA (1965b), NOZAWA (1956), OKADA (1954d, 1956, 1962, 1968a), SUZUKI (1955), TAKADA (1954, 1957, 1958), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1957a, 1962b, 1964).

Distribution:

CHINA: TAN et al. (1949). — S. KOREA: CHUNG (1958, 1959, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1964a), KIM (1962, 1963), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968, 1969), KATO (1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), NOZAWA (1956), OKADA (1954d, 1956, 1959, 1962, 1966, 1968a), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963). Recorded also on the Ryukyu Islands and in South Asia.

Drosophila curviceps OKADA and KUROKAWA, 1957

Other names used: *Drosophila* sp. of *immigrans* group, *D. carpiceps* (lapsus).

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1953b, 1955a, 1956, 1959, 1961b), OKADA and KUROKAWA (1957), PARSHAD and DUGGAL (1966).

Figures: OKADA (1955a, 1956, 1968a), OKADA and KUROKAWA (1957), PARSHAD and DUGGAL (1966).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), OKADA (1956).

Development: OKADA (1963a, 1968a).

Biology: KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1954d, 1955a, 1962), OKADA and KUROKAWA (1957), PARSHAD and DUGGAL (1966).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1954d, 1959, 1962, 1966b, 1968a), OKADA and KUROKAWA (1957), SAITO et al. (1962), WAKAHAMA (1962a, 1964, 1966). Recorded also in India.

Drosophila daruma OKADA, 1956

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1956, 1961b).

Figures: BEPPU et al. (1977), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), OKADA (1956).

Development: OKADA (1968a).

Biology: OKADA (1968a, 1971e).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: KAWANISHI and WATANABE (1977), MOMMA (1965a), OKADA (1956, 1968a), WAKAHAMA (1962a, 1964).

Recorded also in Southeast Asia and on the Ryukyu and Bonin Islands.

Drosophila deflexa DUDA, 1924

Other name used: *D. guyenoti* BURLA (syn.).

General features of adults: BASDEN (1952, 1954b), BURLA (1948, 1951a), DUDA (1924c, 1935), HERTING (1953), HSU (1949), NATER (1953).

Figures: BURLA (1948, 1951a), DUDA (1924a, 1924c, 1935), HSU (1949), LAŠTOVKA and MÁCA (1977), NATER (1953), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), LAŠTOVKA and MÁCA (1977), MONCLÚS (1964), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972).

Development: BASDEN (1954a), BURLA (1951a).

Biology: BASDEN (1952, 1954b), BEGON et al. (1975), BURLA (1949, 1951a), DUDA (1935), FRYDENBERG (1956a), HADORN et al. (1952), HERTING (1955), SCHMID (1968), SHORROCKS (1975), SOBELS et al. (1954).

Distribution:

CZECHOSLOVAKIA: ARADI (1959), LAŠTOVKA and MÁCA (1977), SOÓS (1945). — DENMARK: FRYDENBERG (1956a). — FINLAND: HACKMAN (1971), LUMME et al. (1978). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1935). — GERMAN FEDERAL REPUBLIC: DUDA (1935), HERTING (1955). — GREAT BRITAIN: BASDEN (1952, 1954a, 1954b), BEGON et al. (1975), COLLIN (1911, 1952), FONSECA (1965), SHORROCKS (1975, 1977). — HUNGARY: ARADI (1959), DUDA (1935), PAPP (1973), SOÓS (1945). — IRELAND: BASDEN (1952). — ITALY: NIGRO (1979). — NETHERLANDS: DUDA (1935), LEVER and SOBELS (1951), DE MEIJERE (1935), SOBELS et al. (1954). — POLAND: DUDA (1924c, 1935). — PORTUGAL: ROCHA PITÉ (1972, 1975a, 1979). — SPAIN: HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: ROCHA PITÉ and TSACAS (1980). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1975a, 1975b), BURLA (1948, 1949, 1951a, 1961), HERTING (1953), HSU (1949), NATER (1953), SCHMID (1968). — ? TURKEY: unpublished. — YUGOSLAVIA: KEKIĆ and MARINKOVIĆ (1978, 1979).

Drosophila denticeps OKADA and SASAKAWA, 1956

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1956, 1961b), OKADA and SASAKAWA (1956).

Figures: OKADA (1956), OKADA and SASAKAWA (1956).

Keys: OKADA (1956, 1967, 1971d).

Development: OKADA (1968a).

Biology: OKADA (1956), OKADA and SASAKAWA (1956).

Distribution:

JAPAN: KAWANISHI et al. (1975), OKADA (1956, 1968a, 1971d), OKADA and SASAKAWA (1956).

Drosophila elliptosa OKADA, 1974

Other name used: *D. elliptica* OKADA (syn.).

General features of adults: OKADA (1973b).

Figures: OKADA (1973b).

Distribution:

JAPAN: OKADA (1973b).

Drosophila eniwae TAKADA, BEPPU and TODA, 1979

Other name used: *Drosophila* sp. 2.

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Key: BEPPU et al. (1977).

Distribution:

JAPAN: TAKADA et al. (1979).

Drosophila eskoi LAKOVAARA and LANKINEN, 1974

General features of adults: LAKOVAARA and LANKINEN (1974).

Figures: LAKOVAARA and LANKINEN (1974).

Biology: LUMME et al. (1978, 1979).

Distribution:

FINLAND: LAKOVAARA and LANKINEN (1974), LUMME et al. (1978, 1979). — NORWAY: LAKOVAARA and LANKINEN (1974). — SWEDEN: LAKOVAARA and LANKINEN (1974).

Drosophila ezoana TAKADA and OKADA, 1957

Other names used: *D. unimaculata* STROBL (misident.), *D. lakovaarai*.

General features of adults: KUROKAWA (1972), KUROKAWA and HIHARA (1976), TAKADA and OKADA (1958), WATABE and HIGUCHI (1979).

Figures: BEPPU et al. (1977), KUROKAWA (1972), OKADA (1968a), TAKADA and OKADA (1958), THROCKMORTON (1962), WATABE and HIGUCHI (1979).

Keys: BEPPU et al. (1977), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976, 1979, 1980), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KIMURA and TODA (1976), KIMURA et al. (1977), LUMME et al. (1978, 1979), MINAMI et al. (1979), TAKADA (1957, 1958), TAKADA and OKADA (1958), TAKADA and TOYOFUKU (1960), TODA (1973a, 1974), WAKAHAMA (1964).

Distribution:

FINLAND: LAKOVAARA and HACKMAN (1973), LAKOVAARA and HOIKKALA (1979), LUMME et al. (1978, 1979). — NORWAY: ROCHA PITÉ and TSACAS (1980). — SWEDEN: ROCHA PITÉ and TSACAS (1980). — JAPAN: BEPPU (1976, 1978, 1979, 1980), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), KUROKAWA (1972), LAKOVAARA and HOIKKALA (1979), MINAMI (1979), MINAMI et al. (1979), MOMMA (1965a), OKADA (1968a), STONE et al. (1960), TAKADA (1957, 1958, 1960, 1968), TAKADA and OKADA (1958), TAKADA and TOYOFUKU (1960), THROCKMORTON (1962), TODA (1973a, 1974), WAKAHAMA (1964), WAKAHAMA et al. (1963), WATABE and BEPPU (1977), WATABE and HIGUCHI (1979).

Drosophila fascipennis OKADA, 1967

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Biology: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

Recorded also in Taiwan.

Drosophila fenestrarum FALLÉN, 1823

Other names used: *D. virginea* MEIGEN (syn.), *D. fenestrarum* var. *hirsuta* DUDA.

General features of adults: BIGOT (1881), BURLA (1951a), COLLIN (1952), DUDA (1921, 1924c, 1926a, 1927, 1935), FALLÉN (1823), HACKMAN (1955), HALIDAY (1833), HENNIG (1958), LAŠTOVKA and MÁCA (1978), LEE (1959), MACQUART (1835), MEIGEN (1830), MONCLÚS (1964), NEUAUS (1886), OKADA and KUROKAWA (1957), OLDEMBERG (1914), PAPP (1971), SÉGUY (1934b), STAEGER (1844), STURTEVANT (1916), WAHLGREN (1927), WALKER (1853), ZETTERSTEDT (1838, 1847).

Figures: COLLIN (1952), DUDA (1924a, 1924c, 1926a, 1935), HACKMAN (1954), LAŠTOVKA and MÁCA (1977, 1978), MORGE (1976a, 1976c), PAPP (1973), SÉGUY (1934b).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1926a, 1935), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), LAŠTOVKA and MÁCA (1978), PAPP (1973), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SCHINER (1864), SÉGUY (1934a, 1934b), SHORROCKS (1972), ŠTAKELBERG (1970), WAHLGREN (1927).

Development: HENNIG (1952), MAYER (1935), UNWIN (1907).

Biology: BASDEN (1954b, 1956), COLYER and HAMMOND (1951), FRYDENBERG (1956a), HERTING (1955), LAŠTOVKA and MÁCA (1978), MAYER (1935), NASWATY (1959), PAPP (1976), SCHATTZMANN (1977), SCHMID (1968), SEGUY (1934b), SOBELS et al. (1954).

Distribution:

AUSTRIA: ARADI (1959), BASDEN (1961), DUDA (1924c), STROBL (1880, 1894), THALER (1977), TIEF (1888). — CYPRUS: unpublished. — CZECHOSLOVAKIA: ARADI (1959), DALLA TORRE (1878), DOSKOČL (1962), MARTINEK (1973, 1974a), LAŠTOVKA and MÁCA (1977, 1978), VIMMER (1913). — DENMARK: FRYDENBERG (1956a), STAEGER (1844), ZETTERSTEDT (1847). — FINLAND: HACKMAN (1954), LUMME et al. (1978), ZETTERSTEDT (1860). — FRANCE: KUNTZE (1913), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: KARL (1936), KRAMER (1917), LAŠTOVKA and MÁCA (1978), NEUAUS (1886), RADATZ (1873). — GERMAN FEDERAL REPUBLIC: BASDEN (1961), BEUTHIN (1887), HERTING (1955), KRÖBER (1910, 1935), NASWATY (1959), ZETTERSTEDT (1847). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1954b), COLLIN (1952), FONSECA (1965), HENDERSON (1911), RICHARDS and HERFORD (1930), SHORROCKS (1969), WALKER (1849, 1853), YERBURY (1913). — HUNGARY: ARADI (1959), PAPP (1973, 1976), SÓS (1943), THALHAMMER (1899). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ? ITALY: BEZZI (1892b), POKORNÝ (1887), ZANGHERI (1950, 1969). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — NORWAY: BASDEN (1956). — ? POLAND: BOBEK (1890), KARL (1936), STROBL (1901). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a). — ROMANIA: ARADI (1959), THALHAMMER (1899, 1901). — SWEDEN: FALLÉN (1823), LAŠTOVKA and MÁCA (1978), RINGDAHL (1941), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1855). — SWITZERLAND: BÄCHLI (1973a), BURLA (1948, 1951a), SCHATTZMANN (1977), SCHMID (1968). — USSR: EVERSMANN (1834), HACKMAN (1954, 1957), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: ARADI (1959), KEKIĆ and MARINKOVIĆ (1978), STROBL (1898a, 1900a).

Recorded also in Sumatra.

Comment:

This species was often confused with *D. melanogaster* MEIGEN and other species. The subspecies *hirsuta* DUDA is probably a separate species.

Drosophila ficusphila KIKKAWA and PENG, 1938

General features of adults: BOCK and WHEELER (1972), FREIRE-MAIA (1949), KIKKAWA and PENG (1938), KUROKAWA and HIHARA (1976), MATHER (1955), OKADA (1953b, 1954c, 1954d, 1956, 1959, 1961b).

Figures: BOCK and WHEELER (1972), KIKKAWA and PENG (1938), OKADA (1954c, 1956, 1964, 1968a).

Keys: KIKKAWA and PENG (1938), LEE (1964a), OKADA (1956).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: KIKKAWA and PENG (1938), OKADA (1956, 1962), WAKAHAMA (1962b, 1964).

Distribution:

S. KOREA: LEE (1964a, 1966b), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), OKADA (1954c, 1954d, 1956, 1959, 1962, 1966b, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in South Asia and Australia.

Drosophila flavofasciata TAKADA, BEPPU and TODA, 1979

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

Drosophila funebris FABRICIUS, 1787Other names used: *D. clarkii* HUTTON (syn.), *Leucophenga atkinsoni* MILLER (syn.), *D. dudai* MALLOCH (syn.), *D. confusa* STAEGER (misident.).

General features of adults: BOCK (1976), BRNCIC (1957), BURLA (1951a), DUDA (1924c, 1935), DUFOUR (1845), FABRICIUS (1787, 1794, 1805), FALLÉN (1823), FREY (1954), FRYDENBERG (1956a), HALIDAY (1833), HARDY (1965), HARRISON (1952, 1959), HEEGER (1858), HSU (1949), HUTTON (1901), KIKKAWA and PENG (1938), KUROKAWA and HIHARA (1976), LEMCHE (1949), MALLOCH (1934a), MATSUMURA (1931), MEIGEN (1830), MILLER (1921), NATER (1953), NEUHAUS (1886), OKADA (1953b, 1955a, 1956, 1961b), OLDSUMBERG (1914), PATTERSON (1943), PERTTUNEN (1955), SÉGUY (1934a, 1934b), SMART (1943), STAEGER (1844), STALKER and SPENCER (1939), STROBL (1893b, 1910), STURTEVANT (1921), TAKADA (1966b), VILLENEUVE (1921), WAHLGREN (1927), WALKER (1853), ZETTERSTEDT (1838, 1847).

Figures: BASDEN (1961), BEPPU et al. (1977), DUDA (1924a, 1924c, 1935), HEEGER (1858), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), LEMCHE (1949), MALLOCH (1934a), MALOGOLOWKIN (1953), MATSUMURA (1931), MILLER (1921), MORGE (1976a), NATER (1953), OKADA (1955a, 1956, 1968a), PAPP (1973), PATTERSON (1943), PATTERSON and STONE (1952), ROCHA PITÉ (1975a), SÉGUY (1934b), SHORROCKS (1972), SMART (1943), ŠTAKELBERG (1970), STALKER and SPENCER (1939), STURTEVANT (1921), THROCKMORTON (1962), UNWIN (1907), WAHLGREN (1927).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BRNCIC (1957), BURLA (1951a), DUDA (1924a, 1924c, 1927, 1935, 1940), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1938), LAŠTOVKA and MáČA (1977), MALLOCH and MCATEE (1924), MONCLÚS (1964, 1976), OKADA (1956), PAPP (1973), PATTERSON (1943), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SCHINER (1864), SÉGUY (1934a, 1934b), SHORROCKS (1972), ŠTAKELBERG (1970), STURTEVANT (1918, 1921), TAKADA (1971), WAHLGREN (1927), ZETTERSTEDT (1847).

Development: DUDA (1934), HEEGER (1858), HENNIG (1952), KAMBYSSELLIS (1968), KIKKAWA and PENG (1938), LEMCHE (1949), MAYER (1935), DE MEIJERE (1916a), OKADA (1963a, 1968a), STURTEVANT (1921), UNWIN (1907).

Biology: ARADI and MIHALYI (1971), ATKINSON and SHORROCKS (1977), BASDEN (1953, 1954b, 1957a), BASDEN and HARNDEN (1956), BICKLEY (1956), BRAUER (1883), BRNCIC and DOBZHANSKY (1957), BURLA (1949, 1951a), BURLA and BÄCHLI (1968), BUXTON (1924, 1960), CANZANELLI (1939, 1941), CARSON (1965), COLYER and HAMMOND (1951), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DOBZHANSKY (1965), DUDA (1935, 1940), FRYDENBERG (1956a), GORDON (1942), HACKMAN and MEINANDER (1979), HEEGER (1858), HENNIG (1952, 1953), HERTING (1955), HOWARD (1900), HUNTER et al. (1973), ISHIHARA (1955a), KANEKO (1960), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KIKKAWA and PENG (1938), KIMURA et al. (1977), KÖNIG (1965), KRAMER (1917), KÜHLHORN (1964, 1968, 1978, 1979), LECLERCQ (1946a, 1946b, 1955), LEMCHE (1949), LESNE (1923), LEVER and SOBELS (1951), LINDRÖTH et al. (1973), LUMME et al. (1979), MáČA (1975), MAINX (1949), DE MEIJERE (1935, 1946), MILLER (1921), MINAMI et al. (1979), MOMMA (1965b), NASWATY (1959), NEUHAUS (1886), OKADA (1954d, 1956), OLDROYD (1965), PAPP (1976, 1979), PATTERSON (1942), PAVAN et al. (1950), PIPKIN (1952), RICHARDS and HERFORD (1930), ROCHA PITÉ (1972, 1979), SCHMID (1968), SCHOLTZ (1849, 1850), SCHULZ (1912), SCHUMANN (1963), SÉGUY (1934a, 1934b, 1950, 1951), SHORROCKS (1972, 1974, 1975, 1977), SHORROCKS and WOOD (1973), SOBELS et al. (1954), STALKER and SPENCER (1939), STORÁ (1957), STURTEVANT (1919b, 1921), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA and TO YOKU (1960), TESCHNER (1959, 1962), TIMOFÉEFF-RESSOVSKY (1927, 1935), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941a, 1941b, 1941c), UNWIN (1907), WAKAHAMA (1956b, 1957a, 1964), WEBSTER (1900), WHEELER and THROCKMORTON (1960), ZUSKA and LASTOVKA (1969).

Distribution:

AUSTRIA: BASDEN (1961), PALM (1869), STROBL (1880, 1894, 1901), TIEF (1888). — BELGIUM: LECLERCQ (1946a, 1946b, 1955). — BULGARIA: ČERNÝ (1930). — CZECHOSLOVAKIA: ARADI (1959), ČIZÍK (1906), DALLA TORRE (1878), FRITSCH (1875), LAŠTOVKA and MáČA (1977), MáČA (1972a, 1975), MARTINEC (1973), STROBL (1901), VIMMER (1913), ZUSKA and LAŠTOVKA (1969). — DENMARK: FABRICIUS (1787), FRYDENBERG (1956a), LEMCHE (1949), TIMOFÉEFF-RESSOVSKY (1935), ZETTERSTEDT (1847). — FINLAND: BASDEN (1956), FREY (1950), HACKMAN (1954, 1971), HACKMAN and MEINANDER (1979), LUMME et al. (1978, 1979), STORÁ (1956, 1957), ZETTERSTEDT (1860). — FRANCE: HADORN et al. (1952), LESNE (1923), ROCHA PITÉ and TSACAS (1979), TIMOFÉEFF-RESSOVSKY (1935). — GERMAN DEMOCRATIC REPUBLIC: BASDEN (1961), BUZZATI et al. (1938), KRAMER (1917), NEUHAUS (1886), RADATZ (1873), SCHUMANN (1963), TIMOFÉEFF-RESSOVSKY (1935), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941a, 1941b, 1941c). — GERMAN FEDERAL REPUBLIC: BRÜTHIN (1887), DAHL (1896), FISCHER (1938), HERTING (1955), KÖNIG (1965), KRÖBER (1910, 1935), KÜHLHORN (1964, 1968, 1978, 1979), NASWATY (1959), TESCHNER (1959, 1962). — GREAT BRITAIN: ATKINSON and SHORROCKS (1977), AUDCENT (1950), BASDEN (1952, 1953, 1954b, 1957a), BASDEN and GOODEY (1955), BEATTY and SIDHU (1969), BUXTON (1960), CARTER (1914), FONSECA (1965), GORDON (1942), HALIDAY (1833), HUNTER et al. (1973), PERJE (1954), RICHARDS and HERFORD (1930), SHORROCKS (1969, 1972, 1974, 1975, 1977), SMITH (1959, 1960), STURTEVANT (1921), TIMOFÉEFF-RESSOVSKY (1935), WALKER (1853). — GREECE: ROCHA PITÉ and TSACAS (1980). — HUNGARY: ARADI (1959), ARADI and MIHALYI (1971), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973, 1975, 1976), Soós (1943), THALHAMMER (1899). — ICELAND: LINDRÖTH et al. (1973), NIELSEN et al. (1954). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: BEZZI (1891, 1892a, 1892b), BEZZI and DE STEFANI-PEREZ (1897), BUZZATTI-TRAVERSO (1942a), CANZANELLI (1941), LIOY (1895), PALM (1869), PERJE (1954), TIMOFÉEFF-RESSOVSKY (1935), ZANGHERI (1950, 1969). — NETHERLANDS: LEVER and SOBELS (1951), DE MEIJERE (1935, 1946), SOBELS et al. (1954), STURTEVANT (1921). — NORWAY: BASDEN (1956), BASDEN and HARNDEN (1956), HACKMAN (1968a), STURTEVANT (1921), TIMOFÉEFF-RESSOVSKY (1935), ZETTERSTEDT (1847). — POLAND: BOBEK (1890), KARL (1936), KRAMER (1917). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1979), TIMOFÉEFF-RESSOVSKY (1935). — ROMANIA: ARADI (1959), SACK (1904), STROBL (1897), THALHAMMER (1899, 1901). — SPAIN: ČERNÝ and STROBL (1909), HACKMAN (1969a), HADORN et al. (1952), MONCLÚS (1964), ORTÍZ (1968), STURTEVANT (1921), TIMOFÉEFF-RESSOVSKY (1935). — SWEDEN: FALLÉN (1823), PERJE (1954), RINGDAHL (1941, 1951), TIMOFÉEFF-RESSOVSKY (1935), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1855). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1949, 1951a, 1961), BURLA and BÄCHLI (1968), NATER (1953), PAVAN et al. (1950), SCHMID (1968). — TURKEY: TIMOFÉEFF-RESSOVSKY (1935). — USSR: BASDEN (1956), BORISOV (1973a, 1973b), DOBZHANSKY (1965), DUBININ (1946), DUBININ and ROMASCHOFF (1932), DUBININ and TINIAKOV (1945, 1946a, 1946b, 1947), DUBININ et al. (1937b), DUDA (1935), EVERSMANN (1894), FROLOWA (1926), HACKMAN (1957), KIKKAWA and PENG (1938), PAPP (1979), PETROVA (1968), ŠTAKELBERG (1970), SYTSHEVSKAJA (1978), TIMOFÉEFF-RESSOVSKY (1927, 1933, 1935), VESELKIN

(1966). — YUGOSLAVIA: ARADI (1959), COE (1959), KEKIĆ and MARINKOVIĆ (1978, 1979), STROBL (1898a, 1900a, 1904). — AZORES: FREY (1945), HACKMAN (1960), SÉGUY (1936). — MADEIRA: unpublished. — CANARY IS.: BECKER (1908b), MONCLÚS (1976). — MOROCCO: PREVOSTI (1974). — LIBYA: TIMOFÉEFF-RESSOVSKY (1935). — EGYPT: TANTAWY and MALLAH (1961), TIMOFÉEFF-RESSOVSKY (1935). — ISRAEL: BUXTON (1924). — LEBANON: JOHNSON et al. (1966), PIPKIN (1952). — IRAN: unpublished. — MONGOLIA: HACKMAN (1968b), OKADA (1973c). — N. KOREA: OKADA (1974b). — JAPAN: ISHIHARA (1955a), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966, 1969), KIKKAWA and PENG (1938), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1955a, 1956, 1968a, 1968d), PERJE (1954), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TOYOFUKU (1957, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1964), WAKAHAMA et al. (1963).

Recorded as virtually cosmopolitan species, but absent in the Oriental region.

Drosophila grandis KIKKAWA and PENG, 1938

General features of adults: KIKKAWA and PENG (1938), OKADA (1953a, 1956, 1961b).

Figures: KIKKAWA and PENG (1938), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LIN and TSENG (1971), OKADA (1956).

Development: OKADA (1968a).

Biology: KIKKAWA and PENG (1938), OKADA (1956), WAKAHAMA (1962b, 1964).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: KIKKAWA and PENG (1938), OKADA (1956, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in India.

Drosophila guanche MONCLÚS, 1976

General features of adults: MONCLÚS (1976).

Figures: MONCLÚS (1976).

Key: MONCLÚS (1976).

Biology: MONCLÚS (1976).

Distribution:

CANARY IS.: MONCLÚS (1976).

Drosophila helvetica BURLA, 1948

Other name used: *Drosophila* sp. like *helvetica*.

General features of adults: BURLA (1948, 1951a), CAIN et al. (1952), COLLIN (1952), FREIRE-MAIA (1949), HSU (1949), NATER (1953), OKADA (1956, 1961b), PARSHAD and DUGGAL (1966).

Figures: BEPPU et al. (1977), BURLA (1948, 1951a), DYSON-HUDSON (1954), HSU (1949), MONCLÚS (1964), OKADA (1956, 1968a), PAPP (1973), SHORROCKS (1972), TAKADA et al. (1979).

Keys: BEPPU et al. (1977), BURLA (1951a), DYSON-HUDSON (1954), FONSECA (1965), GUPTA and RAY-CHAUDHURI (1970), MONCLÚS (1964), OKADA (1956), PAPP (1973), SHORROCKS (1972), TAKADA (1971).

Development: BURLA (1951a), OKADA (1963a, 1968a).

Biology: BURLA (1949, 1951a, 1961), BUZZATI-TRAVERSO and SCOSSETTI (1955), COLLIN (1952), HADORN et al. (1952), HERTING (1955), KANEKO and TOKUMITSU (1969), KÖNIG (1965), OKADA (1956), PARSHAD and DUGGAL (1966), SCHMID (1968), SOBELS et al. (1954), TAKADA (1957), TODA (1973a, 1977).

Distribution:

AUSTRIA: BASDEN (1961). — CZECHOSLOVAKIA: unpublished. — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÖNIG (1965). — GREAT BRITAIN: COLLIN (1952), DYSON-HUDSON (1954), FONSECA (1965), SHORROCKS (1969, 1977). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: NIGRO (1979), OKADA (1968a). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — SPAIN: MONCLÚS (1964). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1974b, 1974c, 1975a, 1975b), BURLA (1948, 1949, 1951a, 1951b, 1961), HSU (1949), LAKOVARA et al. (1972c), NATER (1953), SCHMID (1968). — TURKEY: unpublished. — YUGOSLAVIA: unpublished. — IRAN: unpublished. — S. KOREA: KANG et al. (1959), LEE (1966b), PAIK (1958). — JAPAN: KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), MOMMA (1965a), OKADA (1956), TAKADA (1957, 1958, 1968), TODA (1973a, 1977), WAKAHAMA (1964).

Recorded also in India.

Drosophila hexasticha PAPP, 1971

Other name used: *D. acuminata* COLLIN (misident.).

General features of adults: HACKMAN (1954, 1957), LAŠTOVKA and MÁCA (1978), PAPP (1971, 1976).

Figures: HACKMAN (1954), LAŠTOVKA and MÁCA (1978), PAPP (1973).

Keys: HACKMAN (1954), LAŠTOVKA and MÁCA (1978), PAPP (1971, 1973), ŠTAKELBERG (1970).

Biology: LAŠTOVKA and MÁCA (1978), PAPP (1976).

Distribution:

HUNGARY: LAŠTOVKA and MÁCA (1978), PAPP (1971, 1973, 1976). — ROMANIA: PAPP (1971, 1973). — USSR: HACKMAN (1954, 1957), ŠTAKELBERG (1970).

Drosophila hiharai OKADA, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Biology: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

Drosophila histrio MEIGEN, 1830

Other name used: *D. pokornyi* DUDA (syn.).

General features of adults: BECKER (1903a), BURLA (1951a), BURLA and GLOOR (1952), CHUNG and RHO (1959), DUDA (1924c, 1926a, 1935), FRYDENBERG (1955), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), MACQUART (1855), MEIGEN (1830), NATER (1953), NEUHAUS (1886), OKADA (1953b, 1954d, 1955a, 1956, 1961b), OKADA and KUROKAWA (1957), OLDENBERG (1914), SÉGUY (1934a, 1934b), WAHLGREN (1927), ZETTERSTEDT (1847).

Figures: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1935), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), MEIGEN (1830), MONCLÚS (1964), MORGÉ (1976a), NATER (1953), OKADA (1955a, 1956, 1968a), PAPP (1973), ROCHA PITÉ (1975a), SÉGUY (1934b), ŠTAKELBERG (1970).

Keys: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), HACKMAN (1954), KIKKAWA and PENG (1938), LEE (1964c), MONCLÚS (1964), OKADA (1956), PAPP (1973), ROCHA PITÉ (1975a), SCHINER (1864), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970), TAKADA (1971), WAHLGREN (1927).

Development: BURLA (1951a), MAYER (1935), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and Toda (1976), BEUTHIN (1887), BONNAMOUR (1926), BURLA (1949, 1951a), BURLA and BÄCHLI (1968), BUXTON (1960), CANZANELLI (1941), COE (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1978), FALCOZ (1924), HACKMAN (1954), HADORN et al. (1952), HERTING (1955), ISHIHARA (1955a, 1955b), KANEKO (1960), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KÖNIG (1965), KRÖBER (1910, 1935), MAYER (1935), MINAMI et al. (1979), OKADA (1954d, 1956), OLDENBERG (1914), SÉGUY (1934b, 1950), SHORROCKS (1977), SHORROCKS and WOOD (1973), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA and LEE (1958), Toda (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1957a, 1962b, 1964), WATABE (1979).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1924c, 1935), MEIGEN (1830), PALM (1869), STROBL (1880, 1894, 1901), TIEF (1888). — CZECHOSLOVAKIA: STROBL (1901). — FINLAND: HACKMAN (1954, 1971), LUMME et al. (1978). — FRANCE: BONNAMOUR (1926), FALCOZ (1924), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979), SÉGUY (1934b). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1924c, 1935), NEUHAUS (1886). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), DUDA (1924c, 1935), HERTING (1955), KÖNIG (1965), KRÖBER (1910, 1935). — GREAT BRITAIN: FONSECA (1965), SHORROCKS (1977). — HUNGARY: ARADI (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973), SOÓS (1945). — ITALY: DUDA (1924c, 1935). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — NORWAY: ROCHA PITÉ and TSACAS (1980). — POLAND: DUDA (1924c, 1935), KARŁ (1936). — PORTUGAL: ROCHA PITÉ (1972, 1975a). — ROMANIA: ARADI (1959), OLDENBERG (1914), SOÓS (1945). — SPAIN: HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: WAHLGREN (1927), ZETTERSTEDT (1847). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973b, 1974b, 1975a, 1975b, 1979), BURLA (1948, 1949, 1951a, 1961), BURLA and BÄCHLI (1968), HSU (1949), NATER (1953). — TURKEY: unpublished. — USSR: FROLOWA (1926), HACKMAN (1954, 1957), ŠTAKELBERG (1970). — YUGOSLAVIA: COĆ (1959), KEKIC and MARINKOVIC (1979). — ALGERIA: SÉGUY (1934b). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959), KIM (1962), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and Toda (1976), ISHIHARA (1955a, 1955b), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and Toda (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1955a, 1956, 1968a), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), Toda (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977).

Recorded also in South China.

Drosophila hydei STURTEVANT, 1921

Other names used: *D. repleta* WOLLASTON (misident.), *D. setosa* DOBZHANSKY and PAVAN (syn.).

General features of adults: BASDEN (1954b), BICKLEY (1956), BREUER and ROCHA (1971), BURLA (1951a), DOBZHANSKY and PAVAN (1943), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KUROKAWA and HIHARA (1976), NATER (1953), OKADA (1953b, 1955a, 1956, 1959, 1961b), PATTERSON (1943), STURTEVANT (1921), WASSERMAN (1962b), WHEELER (1960b), WHEELER and TAKADA (1964).

Figures: BREUER and ROCHA (1971), BURLA (1951a), COVA GARCÍA and SUÁREZ (1962), DOBZHANSKY and PAVAN (1943), HARDY (1965), HARRISON (1952, 1959), HSU (1949), HUFF (1925), NATER (1953), OKADA (1955a, 1956, 1968a), PAPP (1973), PATTERSON (1943), THROCKMORTON (1962), WASSERMAN (1962b), WHEELER and TAKADA (1964).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BURLA (1951a), FONSECA (1965), FRYDENBERG (1956a), HARDY (1965), HARRISON (1952, 1959), LAŠTOVKA and MÁČA (1977), MÁLLOCH (1923a, 1927), MÁLLOCH and MCATEE (1924), MONCLÚS (1964), OKADA (1956), PAPP (1978), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SHORROCKS (1972), TAKADA (1971), WASSERMAN (1962b).

Development: HENNIG (1952), HUFF (1925), KAMBYSELLIS (1968), OKADA (1963a, 1968a).

Biology: ATKINSON and SHORROCKS (1977), BASDEN (1954b, 1957a), BICKLEY (1956), BURLA (1949, 1951a), CARSON (1965, 1971), COLLINS (1956), COLYER (1951), COVA GARCÍA and STÁREK (1962), FRYDENBERG (1956a), GUYER et al. (1956), HEED (1968), HERTING (1955), HUNTER et al. (1973), KAWANISHI and WATANABE (1977), KIMURA and Toda (1976), KÜHLHORN (1964, 1968, 1978, 1979), LEVER and SOBELS (1951), LINDNER (1928), MCCOY (1962), MATHER (1956), MINAMI et al. (1979), NOZAWA (1956), OKADA (1956, 1962), OLDRYD (1965), ORTIZ (1968), PAPP (1975, 1976), PATTERSON (1942), PATTERSON and STONE (1952), PIPKIN (1952), RICHARDS and HERFORD (1930), SHAW (1969), SHORROCKS (1974, 1975), SHORROCKS et al. (1979), SOBELS et al. (1954), STALKER (1945), TAKADA (1957), WAKAHAMA (1957a, 1964), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: ROCHA PITÉ and TSACAS (1980). — BELGIUM: unpublished. — CZECHOSLOVAKIA: LAŠTOVKA and MÁČA (1977), MÁČA (1972b), MARTINEK (1973), ZUSKA and LAŠTOVKA (1969). — DENMARK: BASDEN (1956), FRYDENBERG (1956a). — FINLAND: HACKMAN (1971). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: unpublished. — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÜHLHORN (1964, 1968, 1978, 1979), LINDNER (1928). — GREAT BRITAIN: ATKINSON and SHORROCKS (1977), BASDEN (1952, 1954b, 1957a), COLYER (1951, 1954), FONSECA (1965), HUNTER et al. (1973), RICHARDS and HERFORD (1930), SHAW (1969), SHORROCKS (1974, 1975, 1977), SHORROCKS et al. (1979), SMITH (1960). — HUNGARY: PAPP (1973, 1975, 1976). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: STONE (1942). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — NORWAY: BASDEN (1956). — PORTUGAL: ROCHA PITÉ (1972, 1975a, 1977b, 1979). — SPAIN: HACKMAN (1969a), MONCLÚS (1964), ORTIZ (1968). — SWEDEN: BASDEN (1956). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973b, 1974b, 1975a, 1975b, 1979), BURLA (1948, 1949, 1951a, 1961), NATER (1953). —

YUGOSLAVIA: KERKIĆ and MARINKOVIĆ (1978, 1979), KERKIĆ et al. (1980), MARINKOVIĆ et al. (1980). — **AZORES:** HACKMAN (1960). — **MADEIRA:** unpublished. — **MOROCCO:** PREVOSTI (1974). — **TUNISIA:** PAPP (1978). — **EGYPT, TANTAWY** et al. (1970). — **ISRAEL:** unpublished. — **LEBANON:** PIPKIN (1952). — **JAPAN:** KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957, 1965a), NOZAWA (1956), OKADA (1955a, 1956, 1959, 1962, 1968a), TAKADA (1957), TAKADA et al. (1953), TODA (1973a), WAKAHAMA (1957a, 1964). Recorded as virtually cosmopolitan species.

Drosophila imaiii MORIWAKI, KITAGAWA and OKADA, 1967

Other name used: *D. bifasciata* POMINI (misident.).

General features of adults: KUROKAWA and HIHARA (1976), MORIWAKI et al. (1967), TAKADA et al. (1979).

Figures: BEPPU et al. (1977), MORIWAKI et al. (1967), TAKADA et al. (1979).

Keys: BEPPU et al. (1977), TAKADA (1971).

Biology: BEPPU (1976), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), TODA (1973a, 1973b, 1973c, 1974, 1977).

Distribution:

JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), KIMURA and TODA (1976), LAKOVAARA et al. (1972c), MINAMI (1979), MINAMI et al. (1979), MORIWAKI et al. (1967), OHNISHI and MORIWAKI (1968), TAKADA (1968), TODA (1973a, 1973b, 1973c, 1974, 1977), YAMAGUCHI (1973).

Drosophila immigrans STURTEVANT, 1921

Other names used: *D. browni* HUTTON (syn.), *D. ciliifemur* VILLENEUVE (syn.), *D. flexipilosa* PIPKIN (syn.), *D. tripunctata* LOEW (misident.).

General features of adults: BECKER (1908b), BRNCIC (1957), BURLA (1951a), DE CASTRO (1953), CURRAN (1932), DUDA (1924c, 1926a, 1934), HARDY (1965), HARRISON (1952, 1959), HEMMING (1956), HSU (1949), HUTTON (1901), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), LIN and TING (1971), LIN and TSENG (1973), MALLOCH (1923a, 1934a), MALOGOLOWKIN (1953), NATER (1953), OKADA (1953b, 1955a, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), PATTERSON (1943), PENG (1937), PIPKIN (1964), RINGDAHL (1949), SÉGUY (1934b, 1936), STURTEVANT (1921), VILLENEUVE (1923), WHEELER and TAKADA (1964).

Figures: BEPPU et al. (1977), BURLA (1951a), DUDA (1924c, 1926b, 1934), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), MALLOCH and MCATEE (1924), MALOGOLOWKIN (1953), NATER (1953), OKADA (1955a, 1956, 1968a), PAPP (1978), PARSHAD and DUGGAL (1966), PATTERSON (1943), PATTERSON and STONE (1952), PIPKIN (1964), ROCHA PITÉ (1975a), SHORROCKS (1972), THROCKMORTON (1962), WHEELER and TAKADA (1964).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BRNCIC (1957), BRYAN (1938), BURLA (1951a), DUDA (1924a, 1924b, 1926b, 1934), ENDERLEIN (1936), FONSECA (1965), FRYDENBERG (1956a), GUPTA and RAY-CHAUDHURI (1970), HACKMAN (1954), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1938), LEE (1964c), MALLOCH (1923a, 1924b, 1927), MALLOCH and MCATEE (1924), MONCLUS (1964, 1976), OKADA (1956, 1966a), PAPP (1978), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), PENG (1937), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SÉGUY (1934a, 1934b), SHORROCKS (1972), STURTEVANT (1921, 1927), TAKADA (1971), WHEELER and TAKADA (1964).

Development: BURLA (1951a), HENNIG (1952), KAMBYSELLIS (1968), KIKKAWA and PENG (1938), OKADA (1963a, 1968a), PATTERSON (1943), PIPKIN (1964).

Biology: ATKINSON and SHORROCKS (1977), BÄCHLI (1979), BASDEN (1952, 1954b, 1957a), BEPPU (1976), BEPPU and TODA (1976), BICKLEY (1956), BOCK (1976), BURLA (1949, 1951a, 1961), BURUGA (1976), CARSON (1963, 1971), COLLINS (1956), DOBZHANSKY and PAVAN (1950), DUDA (1934, 1940), FRYDENBERG (1956a), HACHIYA (1954), HEED (1968), HENNIG (1953), HERTING (1955), ISHIHARA (1955a), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KATO (1954), KATO and HORI (1952), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), KÖNIG (1965), KÜHLHORN (1964, 1978, 1979), LEVER and SOBELS (1951), MCKENZIE and PARSONS (1974), MATHER (1956), MERRILL and HUTSON (1953), MINAMI et al. (1979), MOMMA (1965b), NASWATY (1959), NOZAWA (1956), OKADA (1954d, 1956, 1962), PAPP (1975), PARSONS (1978), PATTERSON (1942), PETERSEN (1960), PIPKIN (1952, 1964), PIPKIN et al. (1966), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), SABATH (1974), SAITO et al. (1962), SÉGUY (1934b), SCHATZMANN (1977), SHORROCKS (1972, 1974), SHORROCKS et al. (1979), SOBELS et al. (1954), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974, 1976, 1977), WAKAHAMA (1957a, 1961, 1962b, 1962c, 1964), WATABE (1979), WHEELER and THROCKMORTON (1960), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: unpublished. — **BELGIUM:** unpublished. — **CZECHOSLOVAKIA:** MÁCA (1972b), ZUSKA and LAŠTOVKA (1969). — **DENMARK:** BASDEN (1956), FRYDENBERG (1956a). — **FINLAND:** HACKMAN (1971). — **FRANCE:** HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979), SÉGUY (1934b), VILLENEUVE (1923). — **GERMAN DEMOCRATIC REPUBLIC:** unpublished. — **GERMAN FEDERAL REPUBLIC:** DUDA (1934), HERTING (1955), KÓNIG (1963), KRÖBER (1935), KÜHLHORN (1964, 1978, 1979), NASWATY (1959). — **GREAT BRITAIN:** ATKINSON and SHORROCKS (1977), BASDEN (1952, 1954b, 1957a), BEATTY and SIDHU (1969), FONSECA (1965), RICHARDS and HERFORD (1930), SHORROCKS (1969, 1974, 1977), SHORROCKS et al. (1979), SMITH (1960). — **GREECE:** DIS 37: 95. — **HUNGARY:** PAPP (1973, 1975). — **IRELAND:** unpublished. — **ITALY:** DUDA (1924c, 1934), MAINX (1958), NIGRO (1979), SPERLICH (1961). — **NETHERLANDS:** LEVER and SOBELS (1951), SOBELS et al. (1954). — **NORWAY:** STURTEVANT (1921). — **PORTUGAL:** ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978). — **SPAIN:** HACKMAN (1969a), MONCLUS (1964), ORTIZ (1968). — **SWEDEN:** BASDEN (1956), RINGDAHL (1949). — **SWITZERLAND:** BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1979), BURLA (1948, 1949, 1951a, 1961), DUDA (1984), HSU (1949), NATER (1953), SCHATZMANN (1977). — **TURKEY:** unpublished. — **USSR:** DIS 11: 44. — **YUGOSLAVIA:** KERKIĆ and MARINKOVIĆ (1979), KERKIĆ et al. (1980). — **AZORES:** FREY (1945), HACKMAN (1960), SÉGUY (1934b, 1936). — **MADEIRA:** unpublished. — **CANADA:** IS.: BECKER (1908b), DUDA (1924c, 1934), FREY (1936), MONCLUS (1976). — **MOROCCO:** unpublished. — **TUNISIA:** unpublished. — **EGYPT:** MOURAD and MALLAH (1960), TANTAWI et al. (1970). — **ISRAEL:** CARSON (1965). — **LEBANON:** PIPKIN (1952). — **CHINA:** HSU (1949), KIKKAWA and PENG (1938), PENG (1937), TAN et al. (1949). — **S. KOREA:** CHUNG (1958, 1959, 1960a), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — **JAPAN:** BEPPU (1976, 1978), BEPPU and TODA (1976), HACHIYA (1954), HIRUMI (1961), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968), KATO (1954), KATO and HORI (1952, 1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), KUROKAWA (1967a), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), NOZAWA (1956), OKADA (1973a), WAKAHAMA (1957a, 1964), WHEELER and THROCKMORTON (1960), ZUSKA and LAŠTOVKA (1969).

(1954d, 1955a, 1956, 1959, 1962, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960), SUZUKI (1955), TAKADA (1952, 1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1957, 1958a, 1958b, 1961), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977), WATANABE and KAWANISHI (1976).

Recorded as virtually cosmopolitan species.

Drosophila ingrica HACKMAN (1957)

General features of adults: HACKMAN (1957).

Figures: HACKMAN (1957), ŠTAKELBERG (1970).

Key: ŠTAKELBERG (1970).

Distribution:

USSR: HACKMAN (1957), ŠTAKELBERG (1970).

Drosophila iri BURLA, 1954

General features of adults: BURLA (1954a).

Figures: BURLA (1954a).

Keys: BURLA (1954a), FONSECA (1965).

Biology: BASDEN (1957a), BURLA (1954a), LACHAISE (1975).

Distribution:

GREAT BRITAIN: BASDEN (1957a), FONSECA (1965).

Recorded mainly in the Ivory Coast.

Comment:

This species is frequently introduced by ships into British ports, but is not yet recorded there as a wild species.

Drosophila kanekoi WATABE and HIGUCHI, 1979

Other name used: *Drosophila* sp. 4.

General features of adults: WATABE and HIGUCHI (1979).

Figures: BEPPU et al. (1977), WATABE and HIGUCHI (1979).

Key: BEPPU et al. (1977).

Development: WATABE and HIGUCHI (1979).

Biology: WATABE and HIGUCHI (1979).

Distribution:

JAPAN: LAKOVAARA and HOIKKALA (1979), MINAMI (1979), WATABE and HIGUCHI (1979).

Drosophila kangi OKADA and LEE, 1961

General features of adults: KANG et al. (1965b), OKADA and LEE (1961).

Figures: OKADA and LEE (1961).

Keys: BEPPU et al. (1977), KANG and LEE (1964), OKADA (1967), TAKADA (1971).

Distribution:

S. KOREA: KANG and LEE (1964), LEE (1966b), OKADA and LEE (1961). — JAPAN: TAKADA (1968).

Drosophila kikkawai BURLA, 1954

Other name used: *D. montium* DE MEIJERE (misident.).

General features of adults: BOCK and WHEELER (1972), BURLA (1954b), DE CASTRO (1958), DUDA (1926a), HARDY (1965), HSU (1949), KIKKAWA (1936), KIKKAWA and PENG (1938), KUROKAWA and HTHARA (1976), MALLOCH (1934b), OKADA (1953b, 1954c, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), PAVAN and DA CUNHA (1947), TSACAS and DAVID (1977), VAIDYA and GODBOLE (1971), WATABE (1977), WHEELER and TAKADA (1964).

Figures: BOCK and WHEELER (1972), BURLA (1954b), DUDA (1926a), HARDY (1965), HSU (1949), KIKKAWA (1936), KIKKAWA and PENG (1938), LACHAISE (1976), OKADA (1954c, 1956, 1966a, 1968a), PAVAN and DA CUNHA (1947), THROCKMORTON (1962), TSACAS and BOQUET (1976), TSACAS and DAVID (1977), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1964). Keys: DUDA (1926a), GUPTA and RAY-CHAUDHURI (1970), HARDY (1965), HARRISON (1954), KIKKAWA and PENG (1938), MALLOCH (1934b), OKADA (1956), PAVAN and DA CUNHA (1947), WHEELER and TAKADA (1964).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964).

Biology: BOCK (1976), HACHIYA (1954), HUNTER (1966), KATO and HORI (1952), KIKKAWA and PENG (1938), LACHAISE (1976), NOZAWA (1956), OKADA (1956, 1964), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), TODA (1976).

Distribution:

CHINA: HSU (1949), KIKKAWA and PENG (1938), TAN et al. (1949). — S. KOREA: KANG et al. (1958, 1959), LEE (1966b). — JAPAN: HACHIYA (1954), KATO and HORI (1952, 1954), KAWANISHI et al. (1975), KIKKAWA (1936), KIKKAWA and PENG (1938), NOZAWA (1956), OKADA (1954c, 1956, 1959, 1968a).

Recorded as pantropical species.

Drosophila kirishimana OKADA, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

***Drosophila kuntzei* DUDA, 1924**

General features of adults: BURLA (1951a), BURLA and GLOOR (1952), DUDA (1924c, 1926a, 1935), HSU (1949), KUROKAWA and HIHARA (1976), NATER (1953), OKADA (1956, 1961b, 1978c).

Figures: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1935), HSU (1949), NATER (1953), OKADA (1956, 1968a, 1973c), PAPP (1973), SHORROCKS (1972).

Keys: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), LEE (1964c), MONCLÚS (1964), OKADA (1956), PAPP (1973), SHORROCKS (1972), TAKADA (1971).

Development: BURLA (1951a), OKADA (1968a).

Biology: BÄCHLI (1969, 1979), BURLA (1949, 1951a, 1961), BURLA and BÄCHLI (1968), COE (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), HADORN et al. (1952), HERTING (1955), KANG et al. (1960), KEKIĆ and MARINKOVIĆ (1979), KÖNIG (1965), KÜHLHORN (1978, 1979), LEVER and SOBELS (1951), NASWATY (1959), OKADA (1956), PAPP (1976, 1979), SAITO et al. (1962), SCHATZMANN (1977), SCHMID (1968), SHORROCKS and WOOD (1973), SOBELS et al. (1954), TAKADA (1957), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: unpublished. — BELGIUM: unpublished. — CZECHOSLOVAKIA: ARADI (1959), SOÓS (1945), ZUSKA and LAŠTOVKA (1969). — FRANCE: DUDA (1935), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: DUDA (1924c, 1935), HERTING (1955), KÖNIG (1965), KÜHLHORN (1978, 1979), NASWATY (1959). — GREAT BRITAIN: FONSECA (1965), SHORROCKS (1977), SHORROCKS and WOOD (1973). — GREECE: DIS 38: 76. — HUNGARY: ARADI (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DUDA (1924, 1935), PAPP (1973, 1976), SOÓS (1945). — ITALY: NIGRO (1979). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — POLAND: DUDA (1924c). — ROMANIA: ARADI (1959), SOÓS (1945). — SPAIN: HADORN et al. (1952), MONCLÚS (1964). — SWITZERLAND: BÄCHLI (1969, 1972b, 1972c, 1973a, 1974b, 1974c, 1975a, 1975b, 1979), BURLA (1948, 1949, 1951a, 1951b, 1961), BURLA and BÄCHLI (1968), HSU (1949), NATER (1953), SCHATZMANN (1977), SCHMID (1968). — TURKEY: unpublished. — USSR: PAPP (1979). — YUGOSLAVIA: BASDEN (1961), COE (1959), KEKIĆ and MARINKOVIĆ (1979). — MOROCCO: PREVOSTI (1974). — IRAN: unpublished. — S. KOREA: CHUNG and RHO (1959, 1960), KANG et al. (1959, 1960), LEE (1964c, 1966b). — JAPAN: KAWANISHI et al. (1975), MOMMA (1957), OKADA (1956, 1968a), SAITO et al. (1962), SHIMA (1960), TAKADA (1957), WAKAHAMA (1964).

***Drosophila kurokawai* OKADA, 1971**

General features of adults: OKADA (1971d).

Figures: OKADA (1971d).

Key: OKADA (1971d).

Distribution:

JAPAN: KAWANISHI et al. (1975), OKADA (1971d).

***Drosophila kyushuensis* TSACAS and CHASSAGNARD, 1976**

Other name used: *D. brunnea* DE MEIJERE (misident.).

General features of adults: OKADA (1968d), TSACAS and CHASSAGNARD (1976).

Figures: OKADA (1968d).

Distribution:

JAPAN: OKADA (1968d), TSACAS and CHASSAGNARD (1976).

***Drosophila lacertosa* OKADA, 1956**

Other name used: *Drosophila* sp. of *robusta* group I.

General features of adults: CHUNG and RHO (1959), KANEKO and TAKADA (1966), KIM (1962), KUROKAWA and HIHARA (1976), LIN and TING (1971), MOMMA (1956), OKADA (1953b, 1955a, 1956, 1959, 1961b), TAKADA (1959).

Figures: BEPPU et al. (1977), KIM (1962), MOMMA (1956), OKADA (1955a, 1955b, 1956, 1963a, 1968a).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), LEE (1964c), OKADA (1955a, 1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976, 1979, 1980), BEPPU and TODA (1976), KANEKO (1960, 1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KANG et al. (1960), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956, 1962), SAITO et al. (1962), SHIMA (1960), TAKADA (1957, 1958), TODA (1973a, 1973b, 1974, 1977), WAKAHAMA (1957a, 1961, 1962b, 1964), WAKAHAMA et al. (1963).

Distribution:

S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1960), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978, 1979, 1980), BEPPU and TODA (1976), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MOMMA (1954, 1956, 1957, 1965a, 1965b), OKADA (1955a, 1956, 1959, 1962, 1968a), SAITO et al. (1962), SHIMA (1960), TAKADA (1957, 1958, 1959, 1960, 1968), TAKADA and OKADA (1960), TAKAHASHI and KANEKO (1969), TODA (1973a, 1973b, 1974, 1977), TOYOFUKU (1957, 1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963).

Recorded also in Nepal, India and Taiwan.

***Drosophila latifrontata* FROTA-PESSOA, 1945**

Other names used: *D. carinata* DUDA (syn.), *D. latifrons* DUDA (syn.), *D. latifrontata yakuensis* OKADA.

General features of adults: BÄCHLI (1974a), DUDA (1923), OKADA (1956, 1967).

Figures: BÄCHLI (1974a), DUDA (1924a), OKADA (1967).

Keys: BÄCHLI (1974a), DUDA (1924a, 1925, 1926, 1927), OKADA (1967).

Biology: OKADA (1967).

Distribution:

JAPAN: BÄCHLI (1974a), OKADA (1967).

Recorded mainly in southeast Asia.

Comment:

The subspecies *yakuensis* OKADA is probably a separate species.

Drosophila latinokogiri OKADA, 1968

General features of adults: OKADA (1968d).

Figures: OKADA (1968d).

Distribution:

JAPAN: OKADA (1968d).

Drosophila lebanonensis WHEELER, 1949

Other names used: *D. lebanonensis casteeli* PIPKIN, *D. victoria* STURTEVANT (misident.).

General features of adults: HSU (1949), MATHER (1955), PIPKIN (1956, 1961, 1962), WATABE (1977), WHEELER (1949a).

Figures: HSU (1949).

Key: MONCLÚS (1976).

Biology: PIPKIN (1952).

Distribution:

GREECE: ROCHA PITÉ and TSACAS (1980). — SPAIN: ROCHA PITÉ and TSACAS (1980). — CANARY IS.: MONCLÚS (1976). — ISRAEL: PIPKIN (1961, 1962). — LEBANON: PIPKIN (1952, 1956, 1962), WHEELER (1949a).

Recorded also in North America.

Drosophila limbata von Roser, 1840

General features of adults: BECKER (1903a), BURLA (1951a), BURLA and GLOOR (1952), DUDA (1924c, 1935), HERTING (1940), HSU (1949), NATER (1953), NIGRO (1979), VON ROSEN (1840).

Figures: BURLA (1951a), DUDA (1924c), HSU (1949), NATER (1953), PAPP (1973), ŠTAKELBERG (1970).

Keys: DUDA (1924a, 1924c, 1935), BURLA (1951a), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), PAPP (1973), ŠTAKELBERG (1970).

Development: BURLA (1951a).

Biology: BURLA (1951a, 1961), BURLA and BÄCHLI (1968), FRYDENBERG (1956b), HERTING (1955), HUMMEL et al. (1979), KÜHLHORN (1978, 1979), LEVER and SOBELS (1951), NASWATY (1959), PAPP (1979), SCHATZMANN (1977), SOBELS et al. (1954).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1924c, 1935), THALER (1977). — BELGIUM: unpublished. — CZECHOSLOVAKIA: ARADI (1959), SOÓS (1945). — DENMARK: FRYDENBERG (1966a). — FINLAND: HACKMAN (1954, 1971). — FRANCE: DUDA (1935), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1935). — GERMAN FEDERAL REPUBLIC: DUDA (1935), HERTING (1955), KÜHLHORN (1978, 1979), NASWATY (1959), VON ROSEN (1840). — GREAT BRITAIN: FONSECA (1965), SHORROCKS (1977). — HUNGARY: ARADI (1959), DUDA (1924c, 1935), PAPP (1973), SOÓS (1945). — ITALY: NIGRO (1979), ZANGHERI (1969). — NETHERLANDS: HUMMEL et al. (1979), LEVER and SOBELS (1951), SOBELS et al. (1954). — POLAND: DUDA (1924c, 1935). — ROMANIA: ARADI (1959), SOÓS (1945). — SPAIN: HADORN et al. (1952). — SWEDEN: unpublished. — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b), BURLA (1948, 1951a, 1951b, 1961), BURLA and BÄCHLI (1968), HSU (1949), NATER (1953), SCHATZMANN (1977). — USSR: ARADI (1959), DUDA (1924c, 1935), HACKMAN (1957), SOÓS (1945), PAPP (1979), ŠTAKELBERG (1970). — YUGOSLAVIA: ARADI (1959), KEKIĆ and MARINKOVIĆ (1979), SOÓS (1945). — JAPAN: TAKADA et al. (1979).

Drosophila littoralis MEIGEN, 1830

Other names used: *D. parenti* VILLENEUVE (syn.), *D. lugubrina* DUDA (syn.), *D. imeretensis* SOKOLOV (syn.).

General features of adults: BURLA (1951a), DUDA (1924c, 1935), HACKMAN (1969c, 1972), HSU (1949), LAKOVAARA and HACKMAN (1973), MACQUART (1835), MEIGEN (1830), NATER (1953), OKADA (1961b), PATTERSON (1952), SOKOLOV (1948), TAKADA and OKADA (1958), VILLENEUVE (1921), WATABE and HIGUCHI (1979), ZETTERSTEDT (1838).

Figures: BURLA (1951a), DUDA (1924a, 1935), HACKMAN (1972), HSU (1949), KUROKAWA (1972), MORGE (1976c), NATER (1953), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972), TAKADA and OKADA (1958), THROCKMORTON (1962), WATABE and HIGUCHI (1979).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972), ŠTAKELBERG (1970).

Development: BURLA (1951a).

Biology: BASDEN (1954b), BASDEN and HARNDEN (1956), BURLA (1949, 1951a), COE (1959), FREY (1932), FRYDENBERG (1956b), HACKMAN (1954), HERTING (1955), KÜHLHORN (1978), LAKOVAARA et al. (1972b), LEVER and SOBELS (1951), LUMME et al. (1978, 1979), NASWATY (1959), SOBELS et al. (1954), SPIETH (1979), STORA (1957), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: BASDEN (1961), PATTERSON (1952). — CZECHOSLOVAKIA: ZUSKA and LAŠTOVKA (1969). — DENMARK: FRYDENBERG (1956a). — FINLAND: BASDEN (1956), DUDA (1935), FREY (1929, 1932), HACKMAN (1954, 1971), LAKOVAARA and HOIKKALA (1979), LAKOVAARA et al. (1972b, 1973), LUMME and OIKARINEN (1977), LUMME et al. (1972, 1974, 1975, 1978, 1979), STORA (1956, 1957). — FRANCE: DUDA (1935), HADORN et al. (1952), PATTERSON (1952), ROCHA PITÉ and TSACAS (1979), VILLENEUVE (1921). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1924c, 1935). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÜHLHORN (1978), NASWATY (1959), VON ROSEN (1840). — GREAT BRITAIN: BASDEN (1954b), FONSECA (1962), SHORROCKS (1972, 1977), WALKER (1853). — HUNGARY: PAPP (1973), THALHAMMER (1899). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: PATTERSON (1952). — NETHERLANDS: LEVER and SOBELS (1951), DE MEIJERE (1928), SOBELS et al. (1954). — NORWAY: BASDEN and HARNDEN (1956). — POLAND:

DUDA (1924c, 1935), KARL (1936). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a). — ROMANIA: ARADÍ (1959), LAKOVAARA and HOIKKALA (1979). — SPAIN: HADORN et al. (1952). — SWEDEN: DUDA (1935), LAKOVAARA and HOIKKALA (1979), LAKOVAARA et al. (1972b). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1975b, 1977), BURLA (1948, 1949, 1951a, 1951b), CLAYTON and WARD (1954), HSU (1949), JOHNSON et al. (1966), LAKOVAARA and HOIKKALA (1979), LAKOVAARA et al. (1973), LUMME and OIKARINEN (1977), LUMME et al. (1972, 1974, 1975), NATER (1953), PATTERSON (1952), PATTERSON and STONE (1952), THROCKMORTON (1962). — TURKEY: unpublished. — USSR: BASDEN (1956, 1961), DUDA (1935), HACKMAN (1957), LAKOVAARA and HOIKKALA (1979), LUMME and OIKARINEN (1977), SOKOLOV (1948), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: COE (1959), KEKIĆ and MARINKOVIĆ (1979). — AZORES: FREY (1945). — IRAN: unpublished.

Comment:

Some records may refer to other species.

***Drosophila lummei* HACKMAN, 1972**

General features of adults: HACKMAN (1972), LAKOVAARA and HACKMAN (1973), WATABE and HIGUCHI (1979).

Figures: HACKMAN (1972), LAKOVAARA and HACKMAN (1973), WATABE and HIGUCHI (1979).

Biology: LUMME et al. (1978), SPIETH (1979).

Distribution:

CZECHOSLOVAKIA: unpublished. — FINLAND: HACKMAN (1972), LAKOVAARA and HOIKKALA (1979), LUMME et al. (1978, 1979). — NORWAY: ROCHA PITÉ and TSACAS (1980). — SWEDEN: HACKMAN (1972), LAKOVAARA and HOIKKALA (1979). — USSR: HACKMAN (1972). — JAPAN: WATABE and HIGUCHI (1979).

***Drosophila lundstroemi* DUDA, 1935**

Other names used: *D. oldenbergi* DUDA (misident.), *D. rufipes* (misident.).

General features of adults: BÄCHLI (1972a), BASDEN (1961), DUDA (1935), HACKMAN (1965a).

Figures: BASDEN (1961), HACKMAN (1957, 1965a), PAPP (1973), ŠTAKELBERG (1970).

Keys: HACKMAN (1954), OKADA (1967), PAPP (1973), ŠTAKELBERG (1970).

Biology: DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973).

Distribution:

AUSTRIA: BASDEN (1961), STROBL (1894). — FINLAND: DUDA (1935), HACKMAN (1954, 1965a), LUMME et al. (1979). — HUNGARY: BÄCHLI (1972a), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973). — ROMANIA: BÄCHLI (1972a), PAPP (1973). — USSR: HACKMAN (1957, 1965a), ŠTAKELBERG (1970).

***Drosophila lutescens* OKADA, 1955**

Other names used: *D. luteola* OKADA (syn.), *D. lutea* KIKKAWA and PENG (syn.).

General features of adults: BOCK and WHEELER (1972), FREIRE-MAIA (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), MATHER (1955, 1957), OKADA (1953a, 1954c, 1954d, 1955c, 1956, 1959, 1961b), PARSHAD and PAIKA (1964).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), KIKKAWA and PENG (1938), KIM (1962), OKADA (1954c, 1955c, 1956, 1968a).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964a), OKADA (1956), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KATÓ (1954), KATÓ and HORI (1952), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA et al. (1977), MINAMI et al. (1979), NOZAWA (1956), OKADA (1954d, 1956, 1962), SAITO et al. (1962), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1974, 1977), WAKAHAMA (1957a, 1961, 1962b, 1962c, 1964).

Distribution:

S. KOREA: CHUNG (1960a), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU (1976), BEPPU and TODA (1976), FUKATAMI (1975), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KATÓ (1954), KATÓ and HORI (1952, 1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b), KIMURA et al. (1977), KUROKAWA (1967a), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), NOZAWA (1956), OKADA (1954c, 1954d, 1956, 1959, 1961b, 1962, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1968), TAKADA and OKADA (1960), TAKADA et al. (1958), TODA (1973a, 1973b, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATANABE and KAWANISHI (1976).

***Drosophila macromaculata* KANG and LEE, 1961**

General features of adults: KANG and LEE (1961).

Figures: KANG and LEE (1961).

Keys: BEPPU et al. (1977), KANG and LEE (1964), OKADA (1967).

Biology: KANG and LEE (1961), MINAMI et al. (1979).

Distribution:

S. KOREA: KANG and LEE (1961, 1964), LEE (1966b). — JAPAN: MINAMI et al. (1979).

***Drosophila maculonotata* OKADA, 1956**

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1956, 1961b).

Figures: OKADA (1956, 1968a).

Key: OKADA (1956).

Development: OKADA (1963a, 1968a).

Biology: OKADA (1956, 1968a).

Distribution:

JAPAN: KAWANISHI et al. (1975), OKADA (1956, 1968a).

***Drosophila magnipectinata* OKADA, 1956**

Other names used: *D. megalopectinata*, *Drosophila* sp. from Sapporo.

General features of adults: BOCK and WHEELER (1972), KIM (1962), LEE (1959), OKADA (1954c, 1955b, 1956, 1961b), TAKADA and OKADA (1960).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1954c, 1955b).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1954c, 1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956), SUZUKI (1955), TAKADA (1957), WAKAHAMA (1957a, 1964).

Distribution:

S. KOREA: KANG et al. (1959), KIM (1962), LEE (1964c, 1966b). — JAPAN: KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954c, 1956), SUZUKI (1955), TAKADA (1957, 1968), WAKAHAMA (1957a, 1964), WAKAHAMA et al. (1963).

***Drosophila makinoi* OKADA, 1956**

Other names used: *Drosophila* sp. like *pallida*, *D. cameraria* HALIDAY (misident.).

General features of adults: KIM (1962), KUROKAWA and HIHARA (1976), OKADA (1956, 1961b).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1956).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), OKADA (1954d, 1956), TAKADA (1957, 1958), TODA (1977).

Distribution:

S. KOREA: KIM (1962), LEE (1966b). — JAPAN: BEPPU (1978), KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1957), OKADA (1954b, 1956), TAKADA (1957, 1958), TODA (1977), WAKAHAMA (1964).

***Drosophila mediohispida* OKADA, 1967**

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Biology: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

***Drosophila melanogaster* MEIGEN, 1830**

Other names used: *D. fasciata* MEIGEN (syn.), *D. nigriventralis* MACQUART (syn.), *D. approximata* ZETTERSTEDT (syn.), *D. ampelophila* LOEW (syn.), *D. varum* RONDANI (syn.), *D. pilosula* BECKER (syn.), *D. fenestrarum* FALLEN (misident.).

General features of adults: ASTAUROFF (1929), AUSTEN (1905), BAIRATI (1967, 1968), BECKER (1903b, 1908b), BIGOT (1881), BOCK (1976), BOCK and WHEELER (1972), BOESIGER (1974), BOHART and GRESSITT (1951), BRNCIC (1957), BURLA (1951a, 1954a), COCKERELL (1923), CURRAN (1932), DAVID and BOCQUET (1972), DAVID et al. (1974), DELCOURT (1909), DUDA (1924c, 1934, 1935), FREIRE-MÁIA (1949), FREY (1921), GALLO (1973), GLEICHAUF (1936), GUGGENHEIM et al. (1975), HALIDAY (1833), HANNAH-ALAVA (1958), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), LIN et al. (1973), LINTNER (1882), LOEW (1862), MACQUART (1843), MAINX (1949), MALOGOLOWKIN (1948), MEIGEN (1830), DE MEIJERE (1911a), NATER (1953), NEUHAUS (1886), OKADA (1953, 1954a, 1954c, 1954d, 1956, 1958, 1959), PARSHAD and DUGGAL (1966), PARSHAD et al. (1964), PATTERSON (1943), PENG (1937), PERTTUNEN (1955), RAY-CHAUDHURI and MUKHERJEE (1941), RILEY (1919), RONDANI (1875, 1876), SALLES (1948), SÉGUY (1934a, 1934b), SOKOLOV (1948), STURTEVANT (1916, 1919a, 1921, 1929), TAKADA (1952, 1966b), TSACAS (1975), TSACAS and BOCQUET (1976), TSACAS et al. (1971), VAIDYA and GODBOLE (1971), VILLENEUVE (1911), WAHLGREN (1927), WHEELER (1960b), ZETTERSTEDT (1847).

Figures: BAIRATI (1967, 1968), BANKS (1912), BEPPU et al. (1977), BOCK and WHEELER (1972), BOESIGER (1974), BURLA (1951a), COVA GARCIA and SUÁREZ (1962), DUDA (1924a, 1924c, 1935), FREY (1921), GLEICHAUF (1936), GUGGENHEIM et al. (1975), GURNEY (1912), HANNAH-ALAVA (1958), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KEILIN (1915), KIKKAWA and PENG (1938), KIM (1962), LACHAISE (1976), LAŠTOVKA and MÁCA (1977), LINTNER (1882), MAINX (1949), MARTELLI (1910), MAYER (1935), MONCLUS (1964), MORGE (1976a, 1976c), OKADA (1954c, 1956, 1968a), PAPP (1973), PARSHAD et al. (1964), PATTERSON (1943), PATTERSON and STONE (1952), PENG (1937), RILEY (1919), ROCHA PITÉ (1975a), RONDANI (1875), SALLES (1948), SÉGUY (1934b), SHORROCKS (1972), SILVESTRI (1917), SMART (1937), STURTEVANT (1921), THROCKMORTON (1962), TSACAS et al. (1971), VAIDYA and GODBOLE (1971), ZIMIN (1948).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BOHART and GRESSITT (1951), BRNCIC (1957), BRYAN (1938), BURLA (1951a), DUDA (1924a, 1924c, 1925, 1926, 1927, 1935, 1940), FONSECA (1965), FRYDENBERG (1956a), GREGOR (1961), GUPTA and RAY-CHAUDHURI (1970), HACKMAN (1954), HARDY (1965), HARRISON (1952, 1954, 1959), KIKKAWA and PENG (1938), LAŠTOVKA and MÁCA (1977), LEE (1964c), MALLOCH (1928a, 1927, 1934b, 1934c), MALLOCH and MCATEE (1924), MONCLUS (1964, 1976), OKADA (1956, 1966a), PAPP (1973), PATTERSON (1943), PATTERSON and MAINLAND (1944), PENG (1937), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SCHINER (1964), SÉGUY (1934a, 1934b), SHORROCKS (1972), ŠTAKELBERG (1970), STURTEVANT (1921, 1942), TAKADA (1971), WAHLGREN (1927), ZIMIN (1948).

Development: BANKS (1912), BASDEN (1954a), BURLA (1951), BUZZATI-TRAVESO et al. (1938), DUDA (1934), GURNEY (1912), HENNIG (1952), KEILIN (1915), KLUG et al. (1974), MAINX (1949), MARTELLI (1910), MAYER (1935), OKADA (1963a, 1968a), PARSHAD et al. (1964), PATTERSON (1943), PERIQUET (1976), RILEY (1919), SMART (1943), TSACAS (1975), TABE (1979), ZIMIN (1948).

Biology: ATKINSON and SHORROCKS (1977), AUSTEN (1905), BASDEN (1952, 1954b, 1957a), BEPPU (1976), BICKLEY (1956), BIGOT (1881), BOCK (1977b), BOHART and GRESSITT (1951), BURLA (1949, 1951a, 1954a), BURUGA (1976), BURUGA and OLEMBO (1971), CANZANELLI (1941), CARSON (1965, 1971), COLLINS (1956), COLEYER and HAMMOND (1951), COVA GARCIA and SUÁREZ (1962), DAVID (1971), DE COURSEY (1925), DUDA (1934), FREY (1936, 1954), FRYDENBERG (1956a), GOLDSCHMIDT (1956b), GRISWOLD (1956), GURNEY (1912), GUYER et al. (1956), HADORN et al. (1952), HARRISON et al. (1954), HEED (1956), HENNIG (1950, 1953), HERTING (1955), HOENIGSBERG and LIN (1977), HOWARD (1900), HUNTER (1966), HUNTER et al. (1973), JUNGEN (1968a), KANEKO (1960), KANEKO et al. (1966), KAWANISHI and WATANABE (1977), KEKIC

and MARINKOVIĆ (1979), KIKKAWA and PENG (1983), KIMURA and TODA (1976), KIMURA et al. (1977), KÖNIG (1965), KÜHLHORN (1964, 1968, 1978, 1979), LACHAISE (1971, 1975, 1976), LEE (1962), LEVER and SOBELS (1951), LINTNER (1882), MÁCA (1975), MCCOY (1962), MCKENZIE and PARSONS (1974), MAINX (1949), MALLOCH (1933), MALLOCH and MCATEE (1924), MARTELLI (1910), MARTINEZ et al. (1965), MASON (1956), MATHER (1956), MAYER (1935), DE MEIJERE (1946), MELICHAR (1901), MICHELBACHER and MIDDLEKAUFF (1954), MINAMI et al. (1979), MOMMA (1965 b), NASWATY (1959), NELSON (1938), NOZAWA (1956), OKADA (1956, 1962), OLDROYD (1965), ORTIZ (1968), PAPP (1975), PARSHAD and DUGGAL (1966), PARSHAD and PAIK (1964), PARSHAD et al. (1964), PARSONS (1978), PATTERSON and STONE (1952), PAVAN et al. (1950), PERIQUET (1976), PICARD (1919), PIPKIN (1952, 1965), PIPKIN et al. (1966), RÉAL and RÉAL (1949), RICHARDS and HERFORD (1930), RILEY (1919), ROCHA PITÉ (1972, 1975 a, 1977 b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), RONDANI (1875), SABATH (1974), SAITO et al. (1962), SAKIMURA and LINFORD (1940), SCHATZMANN (1977), SCHULZE (1912), SÉGUY (1934 a, 1934 b, 1950, 1951), SERGENT and ROUGEBIEF (1924, 1926 a, 1926 b), SHORROCKS (1974, 1975, 1977), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SOBELS et al. (1954), SPENCER (1950), STALKER (1945), STORA (1957), STURTEVANT (1919 b, 1921), TAKADA (1954, 1957), TAKADA and TOYOFUKU (1960), TAMINI (1938), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941 a, 1941 b, 1941 c), TODA (1973 a, 1974, 1976, 1977), UNWIN (1907), WAKAHAMA (1957 a, 1961, 1962 b, 1964), WATABE (1979), WATANABE and KAWANISHI (1976), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: ASHBURNER and LEMEUNIER (1976), KUNZE-MÜHL et al. (1958), MEIGEN (1980), MELICHAR (1901), STROBL (1880, 1894), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), ASHBURNER and LEMEUNIER (1976), BRANSIK (1910), CZÍZEK (1910), DOSKOČIL (1962), DOSKOČIL and HŮRKA (1962), LAŠTOVKA and MÁCA (1977), MÁOA (1972 b, 1975), MARTINEK (1973, 1974 b), SKUHRAVÝ et al. (1959), STROBL (1901), VIMMER (1913), ZUSKA and LAŠTOVKA (1969). — DENMARK: FRYDENBERG (1956 a). — FINLAND: ASHBURNER and LEMEUNIER (1976), FREY (1917, 1918, 1921), HACKMAN (1954, 1963, 1971), LUMMIKES et al. (1978), STORA (1957). — FRANCE: ASHBURNER and LEMEUNIER (1976), BIGOT (1881), DAVID (1979), DAVID and BOQUET (1972), HADORN et al. (1952), KUNTZE (1913), PERIQUET (1976), PLUS et al. (1975), ROCHA PITÉ and TSACAS (1979), SÉGUY (1934 b), STURTEVANT (1921), TIMOFÉEFF-RESSOVSKY (1940), WALKER (1849). — GERMAN DEMOCRATIC REPUBLIC: BUZZATI-TRAVERSO et al. (1938), HENNIG (1950), KRAMER (1917), NEUHAUS (1886), RADDATZ (1873), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941 a, 1941 b, 1941 c). — GERMAN FEDERAL REPUBLIC: BAUMANN (1977), HERTING (1955), KÖNIG (1965), KRÖBER (1910, 1935), KÜHLHORN (1964, 1968, 1978, 1979), MEIGEN (1980), NASWATY (1959). — GREAT BRITAIN: ASHBURNER and LEMEUNIER (1976), ATKINSON and SHORROCKS (1977), AUDCENT (1950), AUSTEN (1905), BASDEN (1952, 1954 b, 1957 a), BEARDMORE (1973), FONSECA (1965), GORDON (1936), HUNTER et al. (1973), HALIDAY (1833), RICHARDS and HERFORD (1930), SHORROCKS (1969, 1972, 1974, 1975, 1977), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SMITH (1959, 1960), TANTAWY and EL HELW (1970), TIMOFÉEFF-RESSOVSKY (1940), WALKER (1849). — GREECE: ASHBURNER and LEMEUNIER (1976), BEARDMORE (1973), PENTZOS-DAPONTA (1964), TRIANTAPHYLIDIS (1973). — HUNGARY: ARADI (1959), ASHBURNER and LEMEUNIER (1976), PAPP (1973, 1975), SOÓS (1943), THALHAMMER (1899). — IRELAND: BASDEN (1952). — ITALY: ASHBURNER and LEMEUNIER (1976), BASDEN (1961), BEZZI (1891, 1892 a, 1892 b, 1895), BEZZI and DE STEFANI-PEREZ (1897), KARLIK and SPERLICH (1962), KÜNZE-MÜHL and SPERLICH (1962), MAINX (1958), MASING (1927), NIGRO (1979), POKORNY (1887), RONDANI (1875, 1876), SILVESTRI (1917), SPERLICH (1961), STURTEVANT (1921), ZANGHERI (1950, 1969). — NETHERLANDS: BEARDMORE (1973), EISSES et al. (1979), LEVER and SOBELS (1951), DE MEIJERE (1907, 1928, 1935, 1946), SOBELS et al. (1954), STURTEVANT (1921). — POLAND: BOBEK (1890), KARL (1936). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975 a, 1975 b, 1977 b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978). — ROMANIA: ARADI (1959), THALHAMMER (1899). — SPAIN: ASHBURNER and LEMEUNIER (1976), FRAUENFELD (1867), HACKMAN (1969 a), HADORN et al. (1952), MONCLÚS (1964), ORTIZ (1968), STROBL (1906), STURTEVANT (1921), TIMOFÉEFF-RESSOVSKY (1940). — SWEDEN: WAHLGREEN (1927), ZETTERSTEDT (1847). — SWITZERLAND: BÄCHLI (1972 b, 1972 c, 1973 a, 1974 b, 1974 c, 1975 a, 1975 b, 1977, 1979), BURLA (1948, 1949, 1951 a), NATER (1953), SCHATZMANN (1977). — TURKEY: ASHBURNER and LEMEUNIER (1976), BEARDMORE (1973), LOEW (1864). — USSR: ASHBURNER and LEMEUNIER (1976), BUZZATI-TRAVERSO et al. (1938), DUBININ et al. (1934, 1937 a, 1937 b), FROLOWA (1926), GROSSMAN and KORENEVA (1970), HACKMAN (1957), MASING (1927), NARODITSKAYA (1941), PETROVA (1968), PLUS et al. (1975), ŠTAKELBERG (1970), TIMOFÉEFF-RESSOVSKY (1932, 1933, 1940), ZUTIN (1941). — YUGOSLAVIA: BASDEN (1961), KEKIC and MARINKOVIĆ (1978, 1979), KEKIC et al. (1980), MARINKOVIĆ et al. (1980), STROBL (1989 a, 1990 a, 1994). — AZORES: FREY (1945), SÉGUY (1936). — MADEIRA: BEARDMORE (1973), FREY (1949). — CATALAN IS.: BECKER (1908 b), BIGOT (1891), FREY (1936, 1958), HACKMAN (1958), MONCLÙS (1976). — MOROCCO: ASHBURNER and LEMEUNIER (1976), PLUS et al. (1975), PREVOSTI (1974), SÉGUY (1934 b). — ALGERIA: SÉGUY (1934 b), SERGENT and ROUGEBIEF (1924, 1926 a, 1926 b). — TUNISIA: JUNGEN (1968 a), PAPP (1978). — LIBYA: BEZZI (1924 b). — EGYPT: ASHBURNER and LEMEUNIER (1976), BEARDMORE (1973), BECKER (1903 b), KHISHIN (1961), TANTAWY (1964), TANTAWY and EL HELW (1970), TANTAWY and MALLAH (1961), TANTAWY et al. (1970). — ISRAEL: ASHBURNER and LEMEUNIER (1971), BASDEN (1966), EISSES et al. (1979), GOLDSCHMIDT (1951, 1956 b), GOLDSCHMIDT et al. (1955). — LIBANON: ASHBURNER and LEMEUNIER (1976), KHISHIN (1961), PIPKIN (1952), TANTAWY and MALLAH (1961). — IRAN: ASHBURNER and LEMEUNIER (1976). — AFGHANISTAN: HACKMAN (1969 b). — CHINA: HSU (1949), KIKKAWA and PENG (1938), PENG (1937), TAN et al. (1949). — MONGOLIA: HACKMAN (1968), OKADA (1973 c). — N. KOREA: KIKKAWA and PENG (1938), OKADA (1974 b). — S. KOREA: ASHBURNER and LEMEUNIER (1976), CHUNG (1958, 1959), CHUNG and RHO (1959), KANG et al. (1958, 1959, 1964 a, 1964 b), KIKKAWA and PENG (1938), KIM (1962, 1963), LEE (1962, 1964 c, 1966 b), PAIK (1958, 1960), TAKADA and LEE (1958), YANG and YOON (1962). — JAPAN: ASHBURNER and LEMEUNIER (1976), BEPPU (1976), KANEKO (1960), KANEKO et al. (1966), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MINAMORI and AZUMA (1962), MOMMA (1957, 1965 a), NOZAWA (1956), OKADA (1954 c, 1954 d, 1956, 1959, 1962, 1966 b, 1968 a), PIUS et al. (1975), SAITO et al. (1962), TAKADA (1952, 1954, 1957, 1968), TAKADA and TOYOFUKU (1960), TAKADA et al. (1953), TAKAHASHI and KANEKO (1969), TANTAWY and EL HELW (1970), TODA (1973 a, 1974, 1977), TOYOFUKU (1957), WAKAHAMA (1956 b, 1957 a, 1961, 1962 a, 1962 b, 1962 c, 1964, 1966), WATABE (1979), WATANABE and KAWANISHI (1976).

Recorded as virtually cosmopolitan species.

Comment:

There is an immense literature about this species and our collection of references is far from being complete. Some records may refer to other *Drosophila* species, especially to *D. simulans* STURTEVANT.

Drosophila mercatorum PATTERSON and WHEELER, 1942

Other names used: *D. carinata* GRIMSHAW (syn.), *D. pararepleta* DOBZHANSKY and PAVAN (syn.), *D. pattersoni*, *D. mulleri*.

General features of adults: DE BARROS (1950), BREUER and ROCHA (1971), BRNCHIC (1957), DOBZHANSKY and PAVAN (1943), GRIMSHAW (1901), HARDY (1965), HSU (1949), KUROKAWA and HIHARA (1976), NATER (1953), PATTERSON (1943), PATTERSON and WHEELER (1942), WASSERMAN (1962 a).

Figures: BREUER and ROCHA (1971), COVA GARCÍA and SUÁREZ (1962), DOBZHANSKY and PAVAN (1943), GRIMSHAW (1901), HARDY (1965), HSU (1949), NATER (1953), PATTERSON (1943), THROCKMORTON (1962), WASSERMAN (1962 a).

Keys: BRNCHIC (1957), DOBZHANSKY and PAVAN (1943), GRIMSHAW (1901), HARDY (1965), MONCLÙS (1964, 1976), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), ROCHA PITÉ (1975 a), STURTEVANT (1942).

Development: HENNIG (1952), PATTERSON (1943).

Biology: CARSON (1965), COVA GARCÍA and SUÁREZ (1962), HEED (1968).

Distribution:

PORTUGAL: ROCHA PITÉ (1972, 1975a). — SPAIN: MONCLÚS (1964), ORTIZ (1968). — MADEIRA: unpublished. — CANARY IS.: MONCLÚS (1976). — MOROCCO: PREVOSTI (1974).

Recorded mainly in America and Hawaii.

Drosophila metakuntzei OKADA, 1973

General features of adults: OKADA (1973c).

Figures: OKADA (1973c).

Distribution:

MONGOLIA: OKADA (1973c).

Drosophila miki DUDA, 1924

General features of adults: DUDA (1924c, 1935), LAŠTOVKA and MÁCA (1978).

Figures: DUDA (1924a, 1935), LAŠTOVKA and MÁCA (1978).

Keys: DUDA (1924a, 1924c, 1935), LAŠTOVKA and MÁCA (1978), PAPP (1973).

Distribution:

AUSTRIA: DUDA (1924c, 1935), LAŠTOVKA and MÁCA (1978).

Drosophila mommai TAKADA and OKADA, 1960

Other name used: *Drosophila* sp. like *magnipectinata*.

General features of adults: LAŠTOVKA and MÁCA (1978), OKADA (1956, 1968a, 1974b), TAKADA and OKADA (1960).

Figures: BEPPU et al. (1977), OKADA (1956, 1968a), TAKADA and OKADA (1960).

Keys: BEPPU et al. (1977), OKADA (1956, 1968a), TAKADA (1971).

Development: OKADA (1968a).

Biology: KIMURA (1976a), KIMURA et al. (1977).

Distribution:

JAPAN: KANEKO et al. (1969), KIMURA (1976a), KIMURA et al. (1977), LAŠTOVKA and MÁCA (1978), MOMMA (1965a), OKADA (1956, 1968a), TAKADA (1968), TAKADA and OKADA (1960), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1964).

Drosophila montana PATTERSON and WHEELER, 1942

Other names used: *D. montana* STONE, GRIFFEN and PATTERSON (? syn.), *D. ovivororum* LAKOVAARA and HACKMAN (syn.).

General features of adults: HSU (1949), LAKOVAARA and HACKMAN (1973), NATER (1953), PATTERSON (1943), PATTERSON and WHEELER (1942), WATABE and HIGUCHI (1979).

Figures: HSU (1949), NATER (1953), PATTERSON (1943), THROCKMORTON (1962), WATABE and HIGUCHI (1979).

Keys: PATTERSON (1943), STURTEVANT (1942).

Development: PATTERSON (1943).

Biology: CARSON (1971), CARSON et al. (1956), LUMME et al. (1978, 1979), SPENCER (1950), SPIETH (1979), WHEELER and THROCKMORTON (1960).

Distribution:

FINLAND: LAKOVAARA and HACKMAN (1973), LUMME et al. (1978, 1979). — NORWAY: DIS 51: 122. — SWEDEN: LAKOVAARA and HACKMAN (1973). — JAPAN: WATABE and HIGUCHI (1979).

Recorded mainly in North America.

Drosophila moriwakii OKADA and KUROKAWA, 1957

Other name used: *Drosophila* sp. of *robusta* group II.

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1953b, 1956, 1959, 1961b), OKADA and KUROKAWA (1957).

Figures: BEPPU et al. (1977), OKADA (1955b, 1956, 1968a), OKADA and KUROKAWA (1957).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976, 1979, 1980), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1963, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), TAKADA (1957, 1958), TODA (1973a, 1973b, 1973c, 1977), WAKAHAMA (1957a, 1964).

Distribution:

JAPAN: BEPPU (1976, 1978, 1979, 1980), BEPPU and TODA (1976), ISHIHARA (1955b), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a), OKADA (1959, 1968a), OKADA and KUROKAWA (1957), TAKADA (1957, 1958, 1960, 1968), TAKAHASHI and KANEKO (1969), TODA (1973a, 1973b, 1973c, 1977), TOKUMITSU et al. (1967), WAKAHAMA (1957a, 1964, 1966), WAKAHAMA et al. (1963), WATABE and BEPPU (1977).

Drosophila multispinosa OKADA, 1956

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1956, 1961b), PARSHAD and DUGGAL (1966).

Figures: BEPPU et al. (1977), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976), KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), OKADA (1956, 1968a), TODA (1973a, 1977), WAKAHAMA (1964), WATABE (1979).

Distribution:

JAPAN: BEPPU (1976, 1978), KANEKO (1960), KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1956, 1968a), TAKADA (1968), TODA (1973a, 1977), WAKAHAMA (1964), WATABE (1979).

Drosophila neokadai KANEKO and TAKADA, 1966

General features of adults: KANEKO and TAKADA (1966).

Figures: BEPPU et al. (1977), KANEKO and TAKADA (1966).

Keys: BEPPU et al. (1977), TAKADA (1971).

Biology: BEPPU (1976, 1978, 1979, 1980), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), KIMURA et al. (1977), TODA (1973a).

Distribution:

JAPAN: BEPPU (1976, 1978, 1979, 1980), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), TODA (1973a), WATABE and BEPPU (1977).

Drosophila nigricolor STROBL, 1898

General features of adults: BASDEN (1961), DUDA (1924c, 1935, 1940), LAŠTOVKA and MÁCA (1978), STROBL (1898b).

Figures: DUDA (1924a, 1924c, 1935), LAŠTOVKA and MÁCA (1978), PAPP (1973).

Keys: DUDA (1924a, 1924c, 1935), LAŠTOVKA and MÁCA (1978), PAPP (1973), ŠTAKELBERG (1970).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1924c, 1935), STROBL (1898b, 1901, 1910), THALER (1977). — FINLAND: HACKMAN (1957), LAŠTOVKA and MÁCA (1978). — GERMAN FEDERAL REPUBLIC: DUDA (1935), LAŠTOVKA and MÁCA (1978). — USSR: HACKMAN (1957), ŠTAKELBERG (1970).

Drosophila nigripennis KANG, LEE and BAHNG, 1965

General features of adults: KANG et al. (1965b), OKADA (1968).

Figures: KANG et al. (1965b).

Key: OKADA (1967).

Biology: KANG et al. (1965b).

Distribution:

S. KOREA: KANG et al. (1965b), LEE (1966b), OKADA (1967).

Drosophila nigromaculata KIKKAWA and PENG, 1938

General features of adults: KIKKAWA and PENG (1938), KANEKO and SHIMA (1965), KIM (1962), KUROKAWA and HIRARA (1976), OKADA (1953b, 1954d, 1955a, 1956, 1959, 1961b).

Figures: BEPPU et al. (1977), KIKKAWA and PENG (1938), KIM (1962), OKADA (1955a, 1956, 1968a).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1956, 1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), HACHIYA (1954), ISHIHARA (1955a, 1955b), KANEKO (1960, 1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KANG et al. (1960), KIKKAWA and PENG (1938), KIMURA (1978a, 1978b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI et al. (1979), MOMMA (1965b), NOZAWA (1956), OKADA (1954d, 1956), SAITO et al. (1962), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA and LEE (1958), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974), WAKAHAMA (1956b, 1957a, 1957b, 1961, 1962b, 1964), WATABE (1979), WATABE and BEPPU (1977).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1959), CHUNG and RHO (1960), KANG et al. (1958, 1959, 1960) KIM (1962), LEE (1962, 1964c, 1966a), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), HACHIYA (1954), ISHIHARA (1955a, 1955b), KANEKO (1960, 1968), KANEKO and SHIMA (1962, 1965), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a, 1965b), NOZAWA (1956), OKADA (1954d, 1955a, 1956, 1959, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960, 1965), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TAKAHASHI and KANEKO (1969), TODA (1973a, 1973b, 1973c, 1974, 1977), TOKUMITSU et al. (1967), TOYOFUKU (1957, 1958a, 1958b, 1960, 1962), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956b, 1957a, 1957b, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977).

Drosophila nigrosparsa STROBL, 1898

General features of adults: BASDEN (1961), BURLA (1951a), DUDA (1924c, 1934), NATER (1953), OLDENBERG (1914), STROBL (1898b).

Figures: BURLA (1951a), DUDA (1924a, 1924c, 1934), NATER (1953), PAPP (1973).

Keys: BURLA (1951a), DUDA (1924a, 1924c, 1927, 1934), ENDERLEIN (1936), LAŠTOVKA and MÁCA (1977), PAPP (1973).

Development: BURLA (1951a).

Biology: BÄCHLI (1979).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1934), STROBL (1898b, 1910). — CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1977), MÁCA (1972b, 1975), PAPP (1973). — FRANCE: ROCHA PITÉ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: unpublished. — ITALY: DUDA (1934), OLDENBERG (1914). — POLAND: DUDA (1924c, 1934), OLDENBERG (1914). — SPAIN: unpublished. — SWITZERLAND: BÄCHLI (1973c, 1975b, 1977, 1979), BURLA (1951a, 1951b), NATER (1953).

***Drosophila nipponica* KIKKAWA and PENG, 1938**

General features of adults: BOCK and WHEELER (1972), FREIRE-MAIA (1949), KIKKAWA and PENG (1938), LEE (1959), MATHER (1955), OKADA (1953b, 1954c, 1955b, 1956, 1959, 1961b).

Figures: KIKKAWA and PENG (1938), OKADA (1954c, 1955b, 1956).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), OKADA (1954d, 1956), SUZUKI (1955), TAKADA (1958), TAKADA and TOYOFUKU (1960), WAKAHAMA (1956b, 1957a, 1961, 1964).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), KANG et al. (1959), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KIKKAWA and PENG (1938), MINAMI et al. (1979), MOMMA (1957, 1963a, 1965b), OKADA (1954c, 1954d, 1956, 1959, 1966b), SHIMA (1960), SUZUKI (1955), TAKADA (1958, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TODA and KIMURA (1978), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956b, 1957a, 1961, 1962a, 1964, 1966), WAKAHAMA et al. (1963).

Recorded also on the Ryukyu Islands.

***Drosophila nokogiri* OKADA, 1956**

General features of adults: BASDEN (1957b), KANG et al. (1965b), KIM (1962), OKADA (1956, 1961b, 1967), OKADA and LEE (1961).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1956, 1967).

Keys: BEPPU et al. (1977), KANG and LEE (1964), LEE (1964c), OKADA (1956, 1967), TAKADA (1971).

Biology: BEPPU (1976), KANEKO and TOKUMITSU (1969), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956), WAKAHAMA (1957a, 1964).

Distribution:

S. KOREA: CHUNG (1958), KANG and LEE (1964), KANG et al. (1958, 1959), KIM (1962), LEE (1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976), KANEKO and TOKUMITSU (1969), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956, 1967, 1968a), TAKADA (1968), WAKAHAMA (1957a, 1964).

***Drosophila nudinokogiri* OKADA, 1967**

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

Recorded also on the Ryukyu Islands.

***Drosophila obscura* FALLÉN, 1823**

Other names used: *D. obscuroides* POMINI (syn.), *D. obscura* var. *meigeni* DUDA, *D. obscura* 2, *D. bifasciata* POMINI (misident.).

General features of adults: BASDEN and HARNDEN (1956), BUZZATI-TRAVERSO and SCOSIROLI (1955), BURLA (1951a), BURLA and KÄLIN (1957), CAIN et al. (1952), CERNÝ and STROBL (1909), DUDA (1924c, 1925, 1935), FALLÉN (1823), FREIRE-MAIA (1949), FRYDENBERG (1955, 1956a), HSU (1949), KUROKAWA and HIHARA (1976), LOEW (1873), MACQUART (1835), MEIGEN (1830), MONCLÚS (1964), MORIWAKI et al. (1952), NATER (1953), NEUHAUS (1886), OKADA (1953b, 1958), POMINI (1940), SÉGUY (1934b), SMART (1945), STROBL (1893a, 1910), STURTEVANT (1921), WAHLGREN (1927), ZETTERSTEDT (1838, 1847).

Figures: BASDEN and HARNDEN (1956), BURLA (1951a), CAIN et al. (1952), DUDA (1924a, 1924c, 1935), DYSON-HUDSON (1954), HSU (1949), MAYER (1935), DE MELJERE (1916a), MORGE (1976a), NATER (1953), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SÉGUY (1934b), SHORROCKS (1972), ŠTAKELBERG (1970), STURTEVANT (1921).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), MALLOCH and MCABEE (1924), MONCLÚS (1964), OKADA (1956), PAPP (1973), POMINI (1940), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SCHINER (1864), SÉGUY (1934a, 1934b), SHORROCKS (1972), ŠTAKELBERG (1970), STURTEVANT (1921), WAHLGREN (1927).

Development: BURLA (1951a), DUDA (1934), HENNIG (1952), MAYER (1935), DE MELJERE (1916a, 1947), STURTEVANT (1921).

Biology: BÄCHLI (1977, 1979), BASDEN (1952, 1953, 1954b), BASDEN and HARNDEN (1956), BEGON (1975, 1976a, 1978), BEGON et al. (1975), BONNAMOUR (1926), BURLA (1949, 1951a, 1961), BURLA and GREUTER (1959a, 1959b, 1961), BURUGA (1976), BUZZATI-TRAVERSO and SCOSIROLI (1955), CANZANELLI (1941), COE (1959), COLYER and HAMMOND (1951), DYSON-HUDSON (1956), FALCOZ (1924), FREY (1932), FRYDENBERG (1956a), GORDON (1942), GREUTER (1963), HACKMAN (1954), HADORN et al. (1952), HERTING (1955), JUNGEN (1968a), KEKIĆ and MARINKOVIĆ (1979), KOCH (1967), KÖNIG (1965), KRAMER (1917), KÜHLHORN (1978), LEVER and SOBELS (1951), LUMME et al. (1978, 1979), MAYER (1935), DE MELJERE (1916a), PERRIS (1876), RADATTZ (1873), ROBERTSON (1965), ROCHA PITÉ (1978), ROCHA PITÉ and DA COSTA NICOLAU (1978), SCHATZMANN (1977), SÉGUY (1934a, 1934b, 1950), SHORROCKS (1974, 1975, 1977), SHORROCKS and BEGON (1975), SHORROCKS and WOOD (1973), SOBELS et al. (1954), STORA (1957), STURTEVANT (1921), TESCHNER (1961, 1962).

Distribution:

AUSTRIA: BASDEN (1961), MAINX et al. (1953), STROBL (1894, 1901), TIEP (1888). — CZECHOSLOVAKIA: ARADI (1959), CZIZEK (1906), STROBL (1901), VIMMER (1918). — DENMARK: FRYDENBERG (1956a), ZETTERSTEDT (1847). — FINLAND: BASDEN (1956), FREY (1932), HACKMAN (1954, 1963, 1971), LAKOVAARA and SAURA (1971a), LAKOVAARA et al. (1972c), LUMME et al. (1978, 1979), STORA (1956, 1957), ZETTERSTEDT (1860). — FRANCE: BONNAMOUR (1926), FALCOZ (1924), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: KRAMER (1917), NEUHAUS (1886), POMINI (1940), RADATTZ (1873), SCHUMANN (1963). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), DUDA (1935), HERTING (1955), KÖNIG (1965), KRÖBER (1910, 1935), KÜHLHORN (1978), TESCHNER (1961, 1962). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1953, 1954a, 1954b), BASDEN and GOODEY (1955), BEATTY and

SIDHU (1969), BEGON (1975, 1976a, 1978), BEGON et al. (1975), CAIN et al. (1952), DYSON-HUDSON (1954, 1956), FONSECA (1965), GORDON (1942), RICHARDS and HERFORD (1930), ROBERTSON (1965), SHORROCKS (1969, 1970, 1972, 1974, 1975, 1977), SMITH (1959, 1960). — GREECE: ROCHA PITÉ and TSACAS (1980). — HUNGARY: ÁRADI (1959), PAPP (1973). — IRELAND: BASDEN (1952). — ITALY: BEZZI (1891, 1892a, 1892b), BEZZI and DE STEFANI-PEREZ (1897), CANZANELLI (1941), MAINX et al. (1953), STURTEVANT (1921). — NETHERLANDS: EISSES et al. (1979), LEVER and SOBELS (1951), DE MELJERE (1916a, 1928), SOBELS et al. (1954), STURTEVANT (1921). — NORWAY: BASDEN (1956), BASDEN and HARNDEN (1956), LAKOVAARA and SAURA (1971a), LAKOVAARA et al. (1972c). — ? POLAND: KARL (1936). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978). — ROMANIA: ÁRADI (1959), SACK (1904), STROBL (1897), THALHAMMER (1899, 1901). — SPAIN: CZERNÝ and STROBL (1909), HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: BUZZATI-TRAVERSO and SCOSSETTI (1955), FALLÉN (1823), LAKOVAARA and SAURA (1971a), RINGDAHL (1941, 1951), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1860). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1978a, 1978c, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1949, 1951a, 1961), BURLA and GREUTER (1959a, 1959b), BURLA and KÄLIN (1957), GREUTER (1963), HSU (1949), KOCH (1967), LAKOVAARA et al. (1972c), NATER (1953), SCHATZMANN (1977), SCHMID (1968), STUMM-ZÖLLINGER (1953). — TURKEY: unpublished. — USSR: DUBININ et al. (1937b), FROLOWA (1926), FROLOWA and ASTAUROW (1929), GERSHENSON (1928, 1934), HACKMAN (1957), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: ČOB (1959), KEKÍĆ and MARINKOVIĆ (1979), STROBL (1893a, 1894, 1898a, 1900a). — ? CANARY IS.: SÉGUY (1934b). — IRAN: unpublished.

Comment:

This species may have been confused with other species of the *obscura* species group.

***Drosophila okadai* TAKADA, 1959**

General features of adults: KANEKO and TAKADA (1966), TAKADA (1959).

Figures: BEPPU et al. (1977), TAKADA (1959).

Key: BEPPU et al. (1977).

Biology: BEPPU (1976, 1978, 1979, 1980), KANEKO and TOKUMITSU (1963, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), TODA (1973a, 1973b).

Distribution:

JAPAN: BEPPU (1976, 1978, 1979, 1980), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1965a), TAKADA (1958, 1959, 1968), TAKADA and OKADA (1960), TAKAHASHI and KANEKO (1969), TODA (1973a, 1973b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1964), WAKAHAMA et al. (1963), WATABE and BEPPU (1977).

***Drosophila okadomei* OKADA, 1967**

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Distribution:
JAPAN: OKADA (1967).

***Drosophila oldenbergi* DUDA, 1924**

General features of adults: BÄCHLI (1972a), DUDA (1924c, 1935), HACKMAN (1965a).

Figures: HACKMAN (1957, 1965a), ŠTAKELBERG (1970).

Keys: DUDA (1924a, 1924c, 1925, 1927), ENDERLEIN (1936), OKADA (1967), PAPP (1973), ŠTAKELBERG (1970).

Distribution:

AUSTRIA: BÄCHLI (1972a). — ROMANIA: BÄCHLI (1972a), DUDA (1924c, 1935), PAPP (1973), ROHLFEN and EWALD (1972), Soós (1945). — SWITZERLAND: BÄCHLI (1972a, 1972b, 1975b). — USSR: HACKMAN (1957, 1965a), ŠTAKELBERG (1970).

***Drosophila omogoensis* OKADA, 1956**

General features of adults: OKADA (1956).

Figures: OKADA (1956).

Key: OKADA (1956, 1967).

Biology: OKADA (1956).

Distribution:
JAPAN: OKADA (1956).

***Drosophila oshimai* CHOO and NAKAMURA, 1973**

Other name used: *Drosophila* sp.

General features of adults: CHOO and NAKAMURA (1973).

Figures: CHOO and NAKAMURA (1973).

Biology: KAWANISHI (1978), OKADA (1975).

Distribution:

JAPAN: CHOO and NAKAMURA (1973), KAWANISHI (1978), KAWANISHI and WATANABE (1977).

***Drosophila pappi* OKADA, 1974**

General features of adults: LAŠTOVKA and MáČA (1978), OKADA (1974b).

Figures: OKADA (1974b).

Distribution:

N. KOREA: OKADA (1974b).

***Drosophila parakuntzei* OKADA, 1973**

General features of adults: OKADA (1973c).

Figures: OKADA (1973c).

Distribution:

MONGOLIA: OKADA (1973c).

***Drosophila pattersoni* PIPKIN, 1956**

General features of adults: PIPKIN (1956, 1961).

Figures: PIPKIN (1956), THROCKMORTON (1962).

Biology: PIPKIN (1961).

Distribution:

LEBANON: PIPKIN (1956), THROCKMORTON (1962).

***Drosophila pengi* OKADA and KUROKAWA, 1957**Other name used: *D. melanissima* STURTEVANT (misident.).

General features of adults: KIKKAWA and PENG (1938), KUROKAWA and HIHARA (1976), OKADA (1953a, 1955a, 1956, 1961b), OKADA and KUROKAWA (1957).

Figures: BEPPU et al. (1977), OKADA (1955a, 1956, 1968a), OKADA and KUROKAWA (1957).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: KIKKAWA and PENG (1957), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KIKKAWA and PENG (1938), KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1956, 1962, 1968a), OKADA and KUROKAWA (1957), TODA (1973a, 1974, 1977), WAKAHAMA (1957a, 1962b, 1964).

Distribution:

S. KOREA: LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO (1968), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KIKKAWA and PENG (1938), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1955a, 1956, 1959, 1962, 1968a), OKADA and KUROKAWA (1957), TODA (1973a, 1974, 1977), WAKAHAMA (1957a, 1962a, 1962b, 1962c, 1964, 1966), WATABE and BEPPU (1977).

***Drosophila phalerata* MEIGEN, 1830**

General features of adults: BECKER (1902), BURLA (1951a), BURLA and GLOOR (1952), DUDA (1924c, 1926a, 1935), DUFOUR (1839), HENNIG (1958), HERING (1940), HSU (1949), MACQUART (1835), MEIGEN (1830), NATER (1953), NEUHAUS (1886), OLDEMBERG (1914), SÉGUY (1934b), STROBL (1893, 1906), VILLENEUVE (1911, 1923), WAHLGREN (1927).

Figures: BURLA (1951a), DUDA (1924a, 1924c, 1935), HSU (1949), MEIGEN (1830), DE MEIJERE (1947), MONCLÚS (1964), MORGÉ (1976), NATER (1953), PAPP (1973), ROCHA PITÉ (1975), SÉGUY (1934b), SHORROCKS (1972), STAKELBERG (1970), THROCKMORTON (1962).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), LAŠTOVKA and MÁČA (1977), MONCLÚS (1964), PAPP (1973), ROCHA PITÉ (1975a), SCHINER (1864), SÉGUY (1934a, 1934b), SHORROCKS (1972), STAKELBERG (1970), WAHLGREN (1927).

Development: BURLA (1951a), HENNIG (1952), DE MEIJERE (1947), SCHATZMANN (1977).

Biology: AZARJAN (1968), BÁCHLI (1970, 1979), BASDEN (1952, 1953, 1954b, 1956), BEUTHIN (1887), BONNAMOUR (1926), BURLA (1949, 1951a, 1961), BURLA and BÁCHLI (1968), BUXTON (1960), CANZANELLI (1941), CHARLESWORTH and SHORROCKS (1980), COE (1959), CURTIS (1833), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), FALCOZ (1924), FRYDENBERG (1956a), HACKMAN (1954), HACKMAN and MEINANDER (1979), HADORN et al. (1952), HENNIG (1953), HERTING (1955), KALTENBACH (1874), KEKÍC and MARINKOVIĆ (1979), KÖNIG (1965), KRAMER (1917), KRÖBER (1910, 1935), KÜHLHORN (1978), LEVER and SOBELS (1951), LUMME et al. (1978), MAYER (1935), NASWATY (1959), ORTIZ (1968), PAPP (1976, 1979), PIPKIN (1952), RADDAZ (1973), RIEL (1921), ROCHA PITÉ (1977a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), SCHMID (1968), SCHULZE (1912), SÉGUY (1934a, 1934b, 1950), SHORROCKS (1970, 1972, 1974, 1975, 1977), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SOBELS et al. (1954), STÓRA (1957), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941a).

Distribution:

AUSTRIA: BASDEN (1961), STROBL (1880, 1894, 1901, 1910), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), CZÍZEK (1910), DOSKOČIL (1962), LAŠTOVKA and MÁČA (1977), MARTINEK (1973, 1974b), STROBL (1901), VIMMER (1913). — DENMARK: FRYDENBERG (1956a). — FINLAND: HACKMAN (1954, 1971), HACKMAN and MEINANDER (1979), LUMME et al. (1978), STÓRA (1957). — FRANCE: BONNAMOUR (1926), FALCOZ (1924), HADORN et al. (1952), RIEL (1921), ROCHA PITÉ and TSACAS (1979), SÉGUY (1934b). — GERMAN DEMOCRATIC REPUBLIC: NEUHAUS (1886), RADDAZ (1873), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941a). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), HERTING (1955), KÖNIG (1965), KRÖBER (1910, 1935), KÜHLHORN (1978), NASWATY (1959). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1953, 1954b), BUXTON (1960), CURTIS (1833), EDWARDS and COLLIN (1932), HALIDAY (1833), HENDERSON (1911), SHORROCKS (1969, 1970, 1974, 1975, 1977), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SMITH (1960), WALKER (1849), YERBURY (1913). — GREECE: ROCHA PITÉ and TSACAS (1980). — HUNGARY: ARADI (1959), BASDEN (1961), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973, 1976), THALHAMMER (1899). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: BEZZI (1892b), CANZANELLI (1941), CORTI (1897), NIGRO (1979), POKORY (1887), ZANGHERI (1950, 1969). — NETHERLANDS: DE MEIJERE (1947), LEVER and SOBELS (1951), SOBELS et al. (1954). — NORWAY: BASDEN (1956). — POLAND: KARL (1936). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978). — ROMANIA: ARADI (1959), STROBL (1897), THALHAMMER (1899, 1901). — SPAIN: CHARLESWORTH and SHORROCKS (1980), HACKMAN (1969a), HADORN et al. (1952), MONCLÚS (1964), ORTIZ (1968). — SWEDEN: BASDEN (1956), BINGDAHL (1941, 1949), WAHLGREN (1927). — SWITZERLAND: BÁCHLI (1970, 1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1949, 1951a, 1961), BURLA and BÁCHLI (1968), HSU (1949), NATER (1953), SCHATZMANN (1977), SCHMID (1968). — TURKEY: unpublished. — USSR: AZARJAN (1968), BALKASHINA and ROMASCHOFF (1935), BOBEK (1897), EVERSMANN (1834), FROLOWA (1926), GEYSPITS and SIMONENKO (1970), GIMMERTHAL (1845, 1847), HACKMAN (1954, 1957), PAPP (1979), STAKELBERG (1970). — YUGOSLAVIA: ARADI (1959), COE (1959), KEKÍC and MARINKOVIĆ (1979), STROBL (1988a, 1990a). — AZORES: FREY (1945), SÉGUY (1936). — MOROCCO: PREVOSTI (1974). — TUNISIA: unpublished. — LEBANON: CLAYTON and WARD (1954), JOHNSON et al. (1966), PIPKIN (1952), THROCKMORTON (1962). — IRAN: unpublished.

***Drosophila picta* ZETTERSTEDT, 1847**

Other names used: *D. macularis* VILLENEUVE (syn.), *D. pleurofasciata* DUDA (syn.), *D. histrio* MEIGEN (misident.). General features of adults: DUDA (1924c, 1935), FRYDENBERG (1955), OKADA (1956), OKADA and KUROKAWA (1957), TSACAS (1969), VILLENEUVE (1921), ZETTERSTEDT (1847).

Figures: DUDA (1924a, 1935), FRYDENBERG (1955), TSACAS (1969).

Keys: DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), PAPP (1973), ZETTERSTEDT (1847).

Development: DUDA (1934), HENNIG (1952), TSACAS (1969).

Biology: DUDA (1935), DYSON-HUDSON and VOCKEROTH (1955), FRYDENBERG (1955), LEVER and SOBELS (1951), PAPP (1976), SOBELS et al. (1954), TESCHNER (1961, 1962), TSACAS (1969).

Distribution:

AUSTRIA: DUDA (1924c, 1935), TSACAS (1969). — CZECHOSLOVAKIA: unpublished. — DENMARK: FRYDENBERG (1955, 1956a), TSACAS (1969), ZETTERSTEDT (1847). — FINLAND: ROCHA PITÉ and TSACAS (1980). — FRANCE: DUDA (1935), ROCHA PITÉ and TSACAS (1979), TSACAS (1969), VILLENEUVE (1921). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1924c), ROHLEBEN and EWALD (1972), TSACAS (1969). — GERMANY FEDERAL REPUBLIC: TESCHNER (1961, 1962). — GREAT BRITAIN: DYSON-HUDSON and VOCKEROTH (1955), FONSECA (1965), TSACAS (1969). — GREECE: TSACAS (1969). — HUNGARY: ARADI (1959), DUDA (1924c, 1935), PAPP (1973, 1976), SOÓS (1945), TSACAS (1969). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954), TSACAS (1969). — POLAND: DUDA (1935), TSACAS (1969). — SPAIN: unpublished. — SWEDEN: RINGDAHL (1949).

***Drosophila polychaeta* PATTERSON and WHEELER, 1942**

Other name used: *D. pattersoni*.

General features of adults: BOHART and GRESSITT (1951), DE CASTRO (1953), HARDY (1965), HSU (1949), LIN and TSENG (1971), NATER (1958), PATTERSON (1943), PATTERSON and WHEELER (1942), WHEELER and TAKADA (1964).

Figures: HARDY (1965), HSU (1949), MALOGOLOWKIN (1953), NATER (1953), PATTERSON (1943), THROCKMORTON (1962), WHEELER and TAKADA (1964).

Keys: BOHART and GRESSITT (1951), FONSECA (1965), HARDY (1965), LIN and TSENG (1971), PATTERSON (1943), STURTEVANT (1942), TAKADA (1971), WHEELER and TAKADA (1964).

Development: PATTERSON (1943).

Biology: BASDEN (1957a), BOHART and GRESSITT (1951), PATTERSON and WHEELER (1942), SOBELS et al. (1954).

Distribution:

GREAT BRITAIN: BASDEN (1957a), FONSECA (1965). — NETHERLANDS: SOBELS et al. (1954).

Recorded mainly in America and on some Pacific Islands.

***Drosophila pseudonokogiri* KANG, LEE and BAHNG, 1965**

General features of adults: KANG et al. (1965b, 1967), LIN and TING (1971), OKADA (1967, 1973a).

Figures: BEPPU et al. (1977), KANG et al. (1965b, 1967), OKADA (1967).

Keys: BEPPU et al. (1977), OKADA (1967), TAKADA (1971).

Biology: KANG et al. (1965b).

Distribution:

S. KOREA: KANG et al. (1965b, 1967), LEE (1966b). — JAPAN: OKADA (1967).

***Drosophila pseudosordidula* KANEKO, TOKUMITSU and TAKADA, 1964**

General features of adults: KANEKO and TAKADA (1966), KANEKO et al. (1964).

Figures: BEPPU et al. (1977), KANEKO et al. (1964).

Keys: BEPPU et al. (1977), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976, 1979, 1980), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1963, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), TAKADA (1971), TODA (1973a, 1973b).

Distribution:

JAPAN: BEPPU (1976, 1978, 1979, 1980), BEPPU and TODA (1976), KANEKO (1968), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KANEKO et al. (1964, 1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), TAKAHASHI and KANEKO (1969), TODA (1973a, 1973b), TOKUMITSU et al. (1967), WATABE and BEPPU (1977).

***Drosophila pulchrella* TAN, HSU and SHENG, 1949**

General features of adults: BOCK and WHEELER (1972), HSU (1949), KUROKAWA and HIHARA (1976), OKADA (1953b, 1954c, 1956, 1959, 1961b, 1966a), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), TAN et al. (1949).

Figures: BOCK and WHEELER (1972), HSU (1949), OKADA (1954c, 1956, 1968a).

Keys: GUPTA and RAY-CHAUDHURI (1970), OKADA (1956, 1966a).

Development: OKADA (1963a, 1968a).

Biology: KAWANISHI et al. (1975), NOZAWA (1956), OKADA (1956, 1962), PARSHAD and DUGGAL (1966), WAKAHAMA (1962b, 1964).

Distribution:

JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), NOZAWA (1956), OKADA (1954c, 1956, 1959, 1962, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in South Asia.

***Drosophila pullata* TAN, HSU and SHENG, 1949**

General features of adults: HSU (1949), OKADA (1956), TAN et al. (1949).

Figures: HSU (1949).

Distribution:

CHINA: TAN et al. (1949).

***Drosophila puncticeps* OKADA, 1956**

General features of adults: OKADA (1956, 1968d), WAKAHAMA (1966).

Figures: OKADA (1956, 1968d), WAKAHAMA (1966).

Keys: BEPPU et al. (1977), LEE (1964c).

Biology: OKADA (1956).

Distribution:

S. KOREA: CHUNG (1958), KANG et al. (1958, 1959), LEE (1964, 1966b). — JAPAN: KAWANISHI (1978), KAWANISHI et al. (1975), OKADA (1956, 1968d), WAKAHAMA (1966).

***Drosophila quadrisetata* TAKADA, BEPPU and TODA, 1979**

Other name used: *Drosophila* sp. 3.

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Key: BEPPU et al. (1977).

Distribution:

JAPAN: TAKADA et al. (1979).

***Drosophila quadrivittata* OKADA, 1956**

General features of adults: HACKMAN (1969c), KUROKAWA and HIHARA (1976), OKADA (1956, 1961b, 1967).

Figures: BEPPU et al. (1977), OKADA (1956, 1967, 1968a).

Keys: BEPPU et al. (1977), KANG and LEE (1964), LEE (1964c), OKADA (1956, 1967, 1968a), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976), KIMURA (1976b), KIMURA et al. (1977), OKADA (1956), TODA (1973b), WAKAHAMA (1962b, 1964).

Distribution:

S. KOREA: KANG and LEE (1964), KANG et al. (1958, 1959), LEE (1964c, 1966b). — JAPAN: BEPPU (1976), KIMURA (1976b), KIMURA et al. (1977), OKADA (1956, 1967, 1968a), TAKADA (1968), TODA (1973b), WAKAHAMA (1962a, 1962b 1962c, 1964).

***Drosophila repleta* WOLLASTON, 1858**

Other names used: *D. punctulata* LOEW (syn.), *D. adspersa* MIK (syn.), *D. prorepleta* DUDA (syn.), *D. austrorepleta* DOBZHANSKY and PAVAN (syn.).

General features of adults: BRNCIC (1957), BURLA (1951a), DE CASTRO (1953), COE (1943), DOBZHANSKY and PAVAN (1943), DUDA (1924c, 1925, 1935, 1939), FRAPPA (1931), HACKMAN (1969a), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KNAB (1912), KUROKAWA and HIHARA (1976), LOEW (1862), MALLOCH (1923a, 1924b), MALOGOLOWKIN (1958), NATER (1953), OKADA (1956, 1959, 1961b), PATTERSON (1943), SALLES (1948), SÉGUY (1934b), STURTEVANT (1916, 1921), VAIDYA and GODBOLE (1971), WHEELER (1960b), WOLLASTON (1858).

Figures: COVA GARCÍA and SUÁREZ (1962), DUDA (1935), FRAPPA (1931), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), MALOGOLOWKIN (1958), OKADA (1956), PAPP (1973), PATTERSON (1943), SÉGUY (1934b), THROCKMORTON (1962), VAIDYA and GODBOLE (1971), WHEELER (1960b).

Keys: BOCK (1976), BRNCIC (1957), BRYAN (1938), BURLA (1951a), DUDA (1924a, 1924c, 1925, 1926, 1935, 1940), ENDERLEIN (1936), FONSECA (1965), GUPTA and RAY-CHAUDHURI (1970), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1938), LAŠTOVKA and MÁCA (1977), MALLOCH and MCATEE (1924), MATHER (1955), MONCLUS (1964, 1976), OKADA (1956), PAPP (1973), PATTERSON (1943), PATTERSON and MAINLAND (1944), ROCHA PITÉ (1975a), SÉGUY (1934a, 1934b), STURTEVANT (1921, 1942), WILLISTON (1896).

Development: DUDA (1934), FRAPPA (1931), HENNIG (1952), KAMBYSSELLIS (1968), KIKKAWA and PENG (1938), OKADA (1963a), PATTERSON (1943).

Biology: BASDEN (1957a), BICKLEY (1956), BURLA (1949, 1954a), BURUGA and OLEMBRO (1971), BUXTON (1954, 1960), CARSON (1963, 1971), COE (1943), COLYER (1954), COLYER and HAMMOND (1951), COVA GARCÍA and SUÁREZ (1962), DUDA (1934), HEED (1956), HENNIG (1953), HERTING (1955), KIKKAWA and PENG (1938), KÖNIG (1965), KÜHLHORN (1964, 1968, 1978), LEVER and SOBELS (1951), MARTINEZ et al. (1965), MATHER (1956), NELSON (1938), OLDROYD (1965), ORTIZ (1968), PIPKIN (1952, 1965), PIPKIN et al. (1966), ROCHA PITÉ (1979), SAKIMURA and LINFORD (1940), SÉGUY (1933b, 1934b, 1951), SHORROCKS and WOOD (1973), SIMMONS and DOVE (1942), STURTEVANT (1919b), TAYLOR (1955), TESCHNER (1959), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: SÉGUY (1934b), STURTEVANT (1921). — CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1977), MÁCA (1972b), MARTINEK (1973), SKURRAYÝ et al. (1959), ZUSKA and LAŠTOVKA (1969). — FINLAND: HACKMAN (1965b). — FRANCE: ROCHA PITÉ and TSACAS (1979), SÉGUY (1934b). — GERMAN DEMOCRATIC REPUBLIC: unpublished. — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÖNIG (1965), KÜHLHORN (1964, 1968, 1978), TESCHNER (1959). — GREAT BRITAIN: BASDEN (1954b, 1957a), BUXTON (1954, 1960), COE (1943), COLYER (1954), FONSECA (1965), TAYLOR (1955). — GREECE: DIS 37: 95. — HUNGARY: ARADI (1959), PAPP (1973), SÓOS (1943, 1945). — ITALY: BEZZI (1910), NIGRO (1979), OKADA (1959), SÉGUY (1934b), ZANGHERI (1950, 1969). — NETHERLANDS: LEVER and SOBELS (1951), DE MEIJERE (1935). — ? POLAND: DUDA (1935). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1977b, 1979). — SPAIN: CZERNY and STROBL (1909), MONCLUS (1964), ORTIZ (1968), SÉGUY (1934b), STURTEVANT (1921). — SWITZERLAND: BÄCHLI (1973a, 1975a, 1975b), BURLA (1948, 1949, 1951a, 1961), NATER (1953). — TURKEY: unpublished. — YUGOSLAVIA: unpublished. — AZORES: FREY (1945), SÉGUY (1936). — MADEIRA: FREY (1949), GARDNER and CLAS-

SEY (1960), WOLLASTON (1858). — CANARY IS.: BECKER (1908b), FREY (1936), HACKMAN (1958), MONCLÚS (1976), SÉGUY (1934a, 1934b). — MOROCCO: SÉGUY (1933b, 1934b). — ALGERIA: SÉGUY (1934b). — TUNISIA: unpublished. — LIBYA: BEZZI (1924b). — EGYPT: DIS 30: 124. — LEBANON: PIPKIN (1952). — ISRAEL: unpublished. — CHINA: KIKKAWA and PENG (1938). — S. KOREA: LEE (1966b). — JAPAN: KIKKAWA and PENG (1938), WHARTON (1942). Recorded as virtually cosmopolitan species.

Comment:

Some records may refer to *D. hydei* STURTEVANT.

***Drosophila repletaoides* HSU, 1943**

Other names used: *D. tumiditarsus* TAN, HSU and SHENG (syn.), *D. chinoi* OKADA (syn.), *D. hayashii* OKADA, *Drosophila* sp. of *repleta* group I.

General features of adults: HSU (1949), KUROKAWA and HIHARA (1976), OKADA (1953b, 1955a, 1956), TAN et al. (1949). Figures: HSU (1949), OKADA (1955a, 1956a, 1968), THROCKMORTON (1962).

Keys: OKADA (1955a, 1956).

Development: OKADA (1963a, 1968a).

Biology: OKADA (1956, 1962), TAN et al. (1949).

Distribution:

CHINA: HSU (1949), TAN et al. (1949), THROCKMORTON (1962). — JAPAN: OKADA (1955a, 1956, 1962, 1968a).

***Drosophila rufa* KIKKAWA and PENG, 1938**

General features of adults: BOCK and WHEELER (1972), BURLA (1954b), FREIRE-MAIA (1949), HSU (1949), KIM (1962), KIKKAWA and PENG (1938), KUROKAWA and HIHARA (1976), MATHER (1955), OKADA (1953b, 1954c, 1954d, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), LIN et al. (1973), OKADA (1954c, 1956, 1968a), PARSHAD and PAIKA (1964), THROCKMORTON (1962).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), KIKKAWA and PENG (1938), OKADA (1956), TAKADA, (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964).

Biology: ISHIHARA (1955a), KANEKO (1960), KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), NOZAWA (1956), OKADA (1956, 1962), PARSHAD and DUGGAL (1966), WAKAHAMA (1957a, 1961, 1962b, 1964).

Distribution:

CHINA: HSU (1949), TAN et al. (1949), THROCKMORTON (1962). — S. KOREA: CHUNG (1959, 1960a), KANG et al. (1959), KIM (1962, 1963), LEE (1966b). — JAPAN: ISHIHARA (1955a), KANEKO (1960), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KUROKAWA (1967a), MOMMA (1954, 1957, 1965a), NOZAWA (1956), OKADA (1954c, 1954d, 1956, 1959, 1962, 1966b, 1968a), TAKADA et al. (1953), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966).

Recorded also on the Ryukyu Islands and in India.

***Drosophila rufifrons* LOEW, 1873**

Other name used: *D. nitens* BUZZATI-TRAVERSO (syn.).

General features of adults: BURLA (1948, 1951a), BUZZATI-TRAVERSO (1943), DUDA (1924c, 1935), HERTING (1953), LOEW (1873), MATHER (1955), NATER (1953), OKADA (1973b), OLDENBERG (1914), PAPP (1973), PARSHAD and DUGGAL (1966), PIPKIN (1961), POMINI (1940), STROBL (1893a), WHEELER (1949a).

Figures: BURLA (1948, 1951a), BUZZATI-TRAVERSO (1943), DUDA (1924a, 1924c, 1935), MONCLÚS (1964), OKADA (1955b), PAPP (1973), ROCHA PITÉ (1975a).

Keys: BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), MONCLÚS (1964), PAPP (1973), ROCHA PITÉ 1975a, STAKELBERG (1970).

Development: BASDEN (1954a), BURLA (1951a), BUZZATI-TRAVERSO (1943).

Biology: BASDEN (1954b), BERTANI (1947), BURLA (1951a), BUZZATI-TRAVERSO (1943), COE (1959), COLLIN (1952), HADORN et al. (1952), HERTING (1955), KEKIĆ and MARINKOVIĆ (1979), KÜHLHORN (1978), OLDENBERG (1914), ORTIZ (1968), SOBELS et al. (1954).

Distribution:

AUSTRIA: DUDA (1924c, 1935). — CZECHOSLOVAKIA: ROCHA PITÉ and TSACAS (1980). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1924c, 1935). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÜHLHORN (1978). — GREAT BRITAIN: BASDEN (1954b), COLLIN (1952), FONSECA (1965), SHORROCKS (1977). — GREECE: DIS 37: 135—136. — HUNGARY: ARADI (1959), PAPP (1973, 1975). — ITALY: BASDEN (1961), BUZZATI-TRAVERSO (1943), HERTING (1953), MAGNI (1959), NATER (1953). — NETHERLANDS: SOBELS et al. (1954). — POLAND: DUDA (1935). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977b). — ROMANIA: ARADI (1959), OLDENBERG (1914), THALHAMMER (1899). — SPAIN: HADORN et al. (1952), MONCLÚS (1964), ORTIZ (1968). — SWEDEN: DIS 29: 160—161. — SWITZERLAND: BÄCHLI (1972c, 1973a, 1975a), BURLA (1948, 1951a). — ? TURKEY: unpublished. — USSR: HACKMAN (1957), STAKELBERG (1930, 1970). — YUGOSLAVIA: ARADI (1959), COE (1959), KEKIĆ and MARINKOVIĆ (1979). — ? MOROCCO: unpublished. — ? IRAN: unpublished.

Comment:

Some records may refer to *D. deflexa* DUDA.

***Drosophila scaptomyzoptera* DUDA, 1935**

General features of adults: DUDA (1935).

Key: DUDA (1935).

Distribution:

USSR: DUDA (1935).

***Drosophila schmidti* DUDA, 1924**

General features of adults: DUDA (1924c, 1935).

Figures: DUDA (1924a, 1924c, 1935), PAPP (1973).

Keys: DUDA (1924a, 1924c, 1935), PAPP (1973).

Distribution:

HUNGARY: ARADI (1959), DUDA (1924c, 1935), PAPP (1973), SOÓS (1945).

***Drosophila sexvittata* OKADA, 1956**

Other names used: *D. sexvittata triangulata* OKADA, *Drosophila (Hirtodrosophila) sp. I.*

General features of adults: CHUNG and RHO (1959), KIM (1962), KUROKAWA and HIHARA (1976), OKADA (1956, 1959, 1961b, 1967).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), KANG and LEE (1964), LEE (1964c), OKADA (1956, 1967), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), OKADA (1954d, 1956, 1968a), SUZUKI (1955), TAKADA (1960), TODA (1977), WAKAHAMA (1957a, 1961, 1962b, 1964).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1959), KIM (1962), KANG and LEE (1964), KANG et al. (1959), LEE (1964c, 1966b). — JAPAN: BEPPU and TODA (1976), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968), KIMURA (1976a, 1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1956, 1959, 1967, 1968a), SUZUKI (1955), TAKADA (1960, 1968), TODA (1977), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963).

***Drosophila simulans* STURTEVANT, 1919**

Other name used: *D. melanogaster* MEIGEN (misident.).

General features of adults: BOCK (1976), BOCK and WHEELER (1972), BURLA (1951a, 1954a), BRNCIC (1957), DAVID and BOQUET (1972), DAVID et al. (1974), DUDA (1927), FREIRE-MAIA (1949), GALLO (1973), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KUROKAWA and HIHARA (1976), MALOGOLOWKIN (1948), NATER (1953), OKADA (1953b, 1954c, 1956, 1961b), PATTERSON (1943), SALLES (1948), SÉGUY (1934b), STURTEVANT (1919a, 1929), TSACAS et al. (1971).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), BURLA (1951a), COVA GARCÍA and SUÁREZ (1962), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), LACHAISE (1976), MAYER (1935), MONCLÚS (1964), OKADA (1954c, 1956, 1968a), PAPP (1973), PATTERSON (1943), ROCHA PITÉ (1975a), SALLES (1948), SÉGUY (1934b), SHORROCKS (1972), STURTEVANT (1919a, 1921), THROCKMORTON (1962), TSACAS et al. (1971).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BRNCIC (1957), BURLA (1951a), DUDA (1925, 1927), FONSECA (1965), FRYDENBERG (1956a), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1938), MALLOCH and MCATEE (1924), MONCLÚS (1964, 1976), OKADA (1956), PAPP (1973), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), ROCHA PITÉ (1975a), SÉGUY (1934a, 1934b), SHORROCKS (1972), STURTEVANT (1921, 1942).

Development: HENNIG (1952), KIKKAWA and PENG (1938), MAYER (1935), OKADA (1968a), PATTERSON (1943), SÉGUY (1934b), WATABE (1979).

Biology: ATKINSON and SHORROCKS (1977), BASDEN (1954b, 1957a), BOCK (1977b), BURLA (1949, 1951a), BURUGA (1976), BURUGA and OLEMO (1971), CARSON (1965, 1971), COLLINS (1965), COVA GARCÍA and SUÁREZ (1962), DAVID (1971), DOBZHANSKY (1965), DOBZHANSKY and DA CUNHA (1955), DOBZHANSKY and PAVAN (1950), FRYDENBERG (1956a), GOLDSCHMIDT (1956b), HEED (1956, 1968), HUNTER (1966), JUNGEN (1968a), KAWANISHI and WATANABE (1977), KEKIĆ and MARINKOVIĆ (1979), KIKKAWA and PENG (1938), LACHAISE (1976), MATHER (1956), MCKENZIE and PARSONS (1974), OKADA (1956), ORTIZ (1968), PARSONS (1978), PAVAN et al. (1950), PIPKIN (1952, 1968), ROCHA PITÉ (1975a, 1977a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), SHORROCKS et al. (1979), STURTEVANT (1921), TODA (1976), WATABE (1979), WATANABE and KAWANISHI (1976).

Distribution:

AUSTRIA: ROCHA PITÉ and TSACAS (1980). — CZECHOSLOVAKIA: unpublished. — DENMARK: FRYDENBERG (1956a). — FINLAND: HACKMAN (1971), LUMME et al. (1978). — FRANCE: DAVID and BOQUET (1972), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979), SÉGUY (1934b). — GERMAN DEMOCRATIC REPUBLIC: unpublished. — GREAT BRITAIN: ATKINSON and SHORROCKS (1977), BASDEN (1952, 1954b, 1957a), FONSECA (1965), SHORROCKS et al. (1979). — GREECE: TRIANTAPHYLLOIDES (1973). — HUNGARY: PAPP (1973). — IRELAND: unpublished. — ITALY: BEARDMORE (1973), KUNZE-MÜHL and SPERLICH (1962), MAGNI (1959), MAINX (1958), NIGRO (1979), SPERLICH (1961), ZANGHERI (1969). — NETHERLANDS: ROCHA PITÉ and TSACAS (1980). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977a, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978). — SPAIN: BEARDMORE (1973), MONCLÚS (1964), ORTIZ (1968). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1974b), BURLA (1948, 1949, 1951a). — TURKEY: BEARDMORE (1973). — USSR: BOCK and WHEELER (1972). — YUGOSLAVIA: KEKIĆ and MARINKOVIĆ (1978, 1979), MARINKOVIĆ et al. (1980). — AZORES: FREY (1945), HACKMAN (1960), SÉGUY (1936). — MADEIRA: unpublished. — CANARY IS.: unpublished. — MOROCCO: PREVOSTI (1974). — TUNISIA: JUNGEN (1968a). — EGYPT: BEARDMORE (1973), TANTAWY (1964), TANTAWY and MALLAH (1961), TANTAWY et al. (1970). — ISRAEL: BASDEN (1966), GOLDSCHMIDT (1956b). — LEBANON: PIPKIN (1952), TANTAWY and MALLAH (1961). — IRAQ: unpublished. — S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), WATABE (1979), WATANABE and KAWANISHI (1976).

Recorded as virtually cosmopolitan species, but absent in higher latitudes.

***Drosophila sordidula* KIKKAWA and PENG, 1938**

General features of adults: KANEKO et al. (1964), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), LIN and TING (1971), OKADA (1953b, 1955a, 1955b, 1956, 1959), TAN et al. (1949).

Figures: BEPPU et al. (1977), KIKKAWA and PENG (1938), KIM (1962), OKADA (1955a, 1955b, 1956, 1968a), THROCKMORTON (1962).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: BEPPU (1976, 1979, 1980), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and TOKUMITSU (1969), KATÔ (1954), KATÔ and HORI (1952), KIKKAWA and PENG (1988), KIMURA et al. (1977), MINAMI et al. (1979), OKADA (1956, 1961b, 1962, 1968a), SAITO et al. (1962), TAKADA (1954, 1957, 1958), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1957a, 1962b, 1964).

Distribution:

S. KOREA: CHUNG (1958), KANG et al. (1958, 1959, 1964a), KIKKAWA and PENG (1988), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978, 1979), BEPPU and TODA (1976), BEPPU et al. (1977), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KATÔ (1954), KATÔ and HORI (1952, 1954), KIKKAWA and PENG (1988), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a), OKADA (1955a, 1956, 1959, 1962, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960), TAKADA (1954, 1957, 1958), TAKAHASHI and KANEKO (1969), THROCKMORTON (1962), TODA (1973a, 1973b, 1973c, 1974, 1977), TOKUMITSU et al. (1967), TOYOFUKU (1957, 1958a, 1958b), WAKAHAMA (1957a, 1962a, 1962b, 1962c, 1964), WATABE and BEPPU (1977).

***Drosophila stackelbergi* DUDA, 1935**

General features of adults: DUDA (1935).

Key: DUDA (1935).

Distribution:

USSR: DUDA (1935).

***Drosophila sternopleuralis* OKADA and KUROKAWA, 1957**

Other names used: *Drosophila* sp. of *quinaria* section, *Drosophila* sp. of *histrio* group I.

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1953b, 1956, 1959, 1961b, 1966a), OKADA and KUROKAWA (1957).

Figures: OKADA (1956, 1968a), OKADA and KUROKAWA (1957).

Keys: BEPPU et al. (1977), LEE (1964c).

Development: OKADA (1963a, 1968a).

Biology: KAWANISHI et al. (1975), OKADA (1962), OKADA and KUROKAWA (1957), WAKAHAMA (1961, 1962b, 1964).

Distribution:

S. KOREA: CHUNG (1958, 1960), KANG et al. (1959), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1956, 1959, 1962, 1968a), OKADA and KUROKAWA (1957), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966).

***Drosophila stonei* PIPKIN, 1956**

General features of adults: PIPKIN (1956, 1961).

Figures: PIPKIN (1956).

Biology: PIPKIN (1961).

Distribution:

LEBANON: PIPKIN (1956).

***Drosophila subarctica* HACKMAN, 1969**

General features of adults: HACKMAN (1969c).

Figures: HACKMAN (1969c).

Biology: LAKOVAARA et al. (1972b), LUMME et al. (1979).

Distribution:

FINLAND: HACKMAN (1969c, 1971), LAKOVAARA et al. (1972b), LUMME et al. (1978, 1979). — NORWAY: LAKOVAARA et al. (1972b). — SWEDEN: LAKOVAARA et al. (1972b).

***Drosophila subobscura* COLLIN, 1936**

Other names used: *D. obscura* FALLÉN (misident.), *D. obscura* 3.

General features of adults: BURLA (1951a), CAIN et al. (1952), FREIRE-MAIA (1949), GORDON (1936), HSU (1949), MISRA (1966), MISRA and REEVE (1964), MONCLÚS (1964), MORIWAKI et al. (1952), NATER (1953), OKADA (1953b, 1961b), POMINI (1940), PREVOSTI (1955a, 1976), REED and REED (1948), SMART (1945).

Figures: BURLA (1951a), CAIN et al. (1952), DYSON-HUDSON (1954), HOLLINGSWORTH (1960), HSU (1949), MAYNARD SMITH and SONDHI (1961), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHORROCKS (1972).

Keys: BASDEN (1954b), BURLA (1951a), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), MONCLÚS (1964), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHORROCKS (1972).

Development: BURLA (1951a), SMART (1945).

Biology: ATKINSON and SHORROCKS (1977), BÄCHLI (1977, 1979), BASDEN (1952, 1953, 1954b, 1956, 1957a), BEGON (1975, 1976a, 1976b, 1977, 1978), BEGON et al. (1975), BURLA (1949, 1951a, 1961), BURLA and GREUTER (1959a, 1959b, 1961), BUXTON (1960), BUZZATI-TRAVERSO (1942a), BUZZATI-TRAVERSO and SCOSSETROLI (1955), CORI (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DYSON-HUDSON (1956), DYSON-HUDSON and VOCKEROTH (1955), FRYDENBERG (1956a), GOLDSCHMIDT (1956b), GORDON (1942), GREUTER (1963), HADORN et al. (1952), HERTING (1955), JUNGEN (1968a), KEKIC and MARINKOVIC (1979), KOCH (1967), KÖNIG (1965), KÜHLHORN (1978, 1979), LEVER and SOBELS (1951), LEWIS and TAYLOR (1964), MAINX et al. (1953), PHILIP et al. (1944), PIPKIN (1952), RISCH (1971), ROBERTSON (1965), ROCHA PITÉ (1972, 1975a, 1977a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), SCHATZMANN (1977), SCHMID (1978), SHORROCKS (1972, 1974, 1975, 1977), SHORROCKS and BEGON (1975), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SMART (1945), SOBELS et al. (1954), TAYLOR and KALMUS (1954), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: BALDUZZI (1954), KUNZE-MÜHL and SPERLICH (1955), KUNZE-MÜHL et al. (1958), MAINX (1950), MAINX et al. (1953), MISRA and REEVE (1964), POMINI (1940), RICHTER and HÜNDLER (1955), SPERLICH (1959, 1966), SPERLICH and

FEUERBACH (1966), THALER (1977). — BELGIUM: WATTIAUX (1968). — CYPRUS: unpublished. — CZECHOSLOVAKIA: ARADI (1959), ZUSKA and LÁSTOVKA (1969). — DENMARK: BASDEN (1956), FRYDENBERG (1956a), LAKOVAARA et al. (1976b), MCFARQUHAR and ROBERTSON (1963), MISRA and REEVE (1964), SAURA et al. (1973). — FINLAND: HACKMAN (1971), LAKOVAARA and SAURA (1971b), LAKOVAARA et al. (1972c, 1976b), SAURA et al. (1973). — FRANCE: BALDUZZI (1954), HADORN et al. (1952), LAKOVAARA et al. (1976b), MISRA and REEVE (1964), PREVOSTI (1964a, 1966b, 1968), PREVOSTI et al. (1975), ROCHA PITÉ and TSACAS (1979), SAURA et al. (1973), STUMM-ZOLLINGER (1953). — GERMAN DEMOCRATIC REPUBLIC: POMINI (1940). — GERMAN FEDERAL REPUBLIC: DAHL (1896), HERTING (1955), KÖNIG (1965), KÜHLHORN (1978, 1979), PINSKER and SPERLICH (1979), PINSKER et al. (1978). — GREAT BRITAIN: ATKINSON and SHORROCKS (1977), BASDEN (1952, 1953, 1954a, 1954b, 1957a), BASDEN and GOODEY (1955), BEGON (1975, 1976a, 1976b, 1978), BEGON et al. (1975), BUZZATI-TRAVESO (1942b), CAINE et al. (1952), CLARKY et al. (1961), DYSON-HUDSON (1954, 1956), DYSON-HUDSON and VOCKEROTH (1955), FONSECA (1965), GONZALEZ-DUARTE et al. (1973), GORDON (1936, 1942), GORDON et al. (1939), HARTMANN-GOLDSTEIN and SPERLICH (1963), KNIGHT (1961), KUNZE-MÜHL and SPERLICH (1955), LEWIS and TAYLOR (1964), MCFARQUHAR and ROBERTSON (1963), MAINX et al. (1953), MAYNARD SMITH et al. (1955), MILANI (1953), MISRA and REEVE (1964), PHILIP et al. (1944), POMINI (1940), PREVOSTI (1955a, 1955b, 1957), RICHTER and HÜNDLER (1955), ROBERTSON (1965), SHORROCKS (1969, 1970, 1974, 1975, 1977), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SMART (1945), SMITH (1959, 1960), SPERLICH (1966), TAYLOR and KALMUS (1954). — GREECE: KRIMBAS (1964a, 1967), KRIMBAS and ALEVIZOS (1973), LAKOVAARA and SAURA (1971b), PENTZOS-DAPONT (1964), PENTZOS-DAPONT et al. (1967), SPERLICH (1966), ZOUROS et al. (1974). — HUNGARY: ARADI (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973). — IRELAND: BASDEN (1952), PREVOSTI (1955b). — ITALY: BALDUZZI (1954), BUZZATI-TRAVESO (1942a, 1942b), FRIZZI (1950), KUNZE-MÜHL and SPERLICH (1955, 1962), LAKOVAARA et al. (1976b), MAGNI (1959), MAINX (1950, 1958), MAINX et al. (1953), MILANI (1953), MISRA and REEVE (1964), PHILIP et al. (1944), PINSKER and SPERLICH (1979), POMINI (1940), PREVOSTI et al. (1975), RICHTER and HÜNDLER (1955), RUDERER (1959), SAURA et al. (1973), SPERLICH (1961, 1966), SPERLICH and KUNZE-MÜHL (1963). — NETHERLANDS: EISSES et al. (1979), KRIMBAS (1964b), KUNZE-MÜHL and SPERLICH (1955), LEVER and SOBELS (1951), RICHTER and HÜNDLER (1955), SOBELS et al. (1954). — NORWAY: BASDEN (1956), JOHNSON et al. (1966), SPERLICH (1964, 1966). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), STUMM-ZOLLINGER (1953). — SPAIN: BALDUZZI (1954), BASDEN (1961), FRUÍOLS (1972), GONZALEZ-DUARTE et al. (1973), HACKMAN (1969a), HADORN et al. (1952), LAKOVAARA and SAURA (1971b), MONCLÚS (1953, 1964), ORTIZ (1968), PREVOSTI (1951, 1952, 1954, 1955a, 1957, 1960, 1961, 1964b, 1966a, 1966b, 1967, 1968). — SWEDEN: BALDUZZI (1954), BASDEN (1956), LAKOVAARA et al. (1976b), MAINX et al. (1953), PINSKER and SPERLICH (1979), SAURA et al. (1973). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BALDUZZI (1954), BECK (1972), BURLA (1948, 1949, 1951a, 1961), BURLA and GÖTZ (1965), BURLA and GREUTER (1959a, 1959b), CLARKE et al. (1961), GÖTZ (1965a), GREUTER (1963), HSU (1949), JUNGEN (1970), KOCH (1967), KUNZE-MÜHL and SPERLICH (1955), LAKOVAARA and SAURA (1971b), MCFARQUHAR and ROBERTSON (1963), MAINX (1950), MAINX et al. (1953), MAYNARD SMITH et al. (1955), MISRA and REEVE (1964), NATER (1953), PINSKER and SPERLICH (1979), PREVOSTI (1957), RISCH (1971), SCHATZMANN (1977), SCHMID (1968), STUMM-ZOLLINGER (1953), ZOLLINGER (1950). — TURKEY: GÖTZ (1965a, 1967). — USSR: DUBININ et al. (1937b), MAINX et al. (1953). — YUGOSLAVIA: ANDJELKOVIC and SPERLICH (1973), BASDEN (1961), COE (1959), KEKIĆ and MARINKOVIĆ (1974, 1979), KEKIĆ et al. (1980), MARINKOVIĆ et al. (1980). — AZORES: FREY (1945), HACKMAN (1960). — MADEIRA: FREY (1949), PREVOSTI (1972). — CANARY IS.: FREY (1936), HACKMAN (1958), MONCLÚS (1976), PREVOSTI (1971, 1972). — MOROCCO: GONZALEZ-DUARTE et al. (1973), GÖTZ (1965a, 1965b), PREVOSTI (1974), PREVOSTI et al. (1975). — TUNISIA: JUNGEN (1968a, 1968b), PAPP (1978), PINSKER and SPERLICH (1979). — EGYPT: unpublished. — ISRAEL: CLARKE et al. (1961), GOLDSCHMIDT (1956a, 1956b, 1958), KUNZE-MÜHL and SPERLICH (1955), MCFARQUHAR and ROBERTSON (1963), MISRA and REEVE (1964), RICHTER and HÜNDLER (1955), STUMM-ZOLLINGER and GOLDSCHMIDT (1959), WATTIAUX (1968). — LEBANON: PIPKIN (1952). — SYRIA: KUNZE-MÜHL and SPERLICH (1955), MAINX et al. (1953), RICHTER and HÜNDLER (1955). — IRAN: GÖTZ (1965a, 1967).

Recorded also in South America.

Drosophila subsilvestris HARDY and KANESHIRO, 1968

Other names used: *D. silvestris* BASDEN (syn.), *D. obscura* X, *Drosophila* sp. near *obscura*.

General features of adults: BASDEN (1954b), BASDEN and HARNDEN (1956), BURLA (1951a), CAIN et al. (1952), DYSON-HUDSON (1954), KNIGHT (1956).

Figures: DYSON-HUDSON (1954), KNIGHT (1956), SHORROCKS (1972), ŠTAKELBERG (1970).

Keys: BASDEN (1954b), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), PAPP (1973), SHORROCKS (1972), ŠTAKELBERG (1970).

Biology: BASDEN (1953, 1954b), BASDEN and HARNDEN (1956), BEGON (1978), BURLA (1961), FRYDENBERG (1956a), HERTING (1955), KÜHLHORN (1978), LUMME et al. (1978, 1979), SCHATZMANN (1977), SHORROCKS (1972, 1975), SOBELS et al. (1954).

Distribution:

AUSTRIA: unpublished. — CZECHOSLOVAKIA: ROCHA PITÉ and TSACAS (1980). — DENMARK: FRYDENBERG (1956a). — FINLAND: HACKMAN (1971), LAKOVAARA et al. (1972a, 1972c), LUMME et al. (1978, 1979). — FRANCE: ROCHA PITÉ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÜHLHORN (1978). — GREAT BRITAIN: BASDEN (1952, 1953, 1954b), BASDEN and GOODEY (1955), BEGON (1978), BUZZATI-TRAVESO and SCOSIROLI (1955), DYSON-HUDSON (1954), FONSECA (1965), KNIGHT (1956), SHORROCKS (1969, 1970, 1975, 1977), SMITH (1959). — IRELAND: ROCHA PITÉ and TSACAS (1980). — NETHERLANDS: SOBELS et al. (1954). — NORWAY: BASDEN and HARNDEN (1956). — SWEDEN: LAKOVAARA et al. (1972a, 1972c). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1979), BURLA (1951a, 1961), SCHATZMANN (1977). — USSR: HACKMAN (1957), ŠTAKELBERG (1970). — YUGOSLAVIA: unpublished.

Drosophila subtilis KIKKAWA and PENG, 1938

General features of adults: HSU (1949), KIKKAWA and PENG (1938), OKADA (1953a, 1955a, 1956, 1961b).

Figures: HSU (1949), KIKKAWA and PENG (1938), OKADA (1955a, 1956, 1959, 1968a).

Keys: KIKKAWA and PENG (1938), OKADA (1956).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: KIKKAWA and PENG (1938), NOZAWA (1956), OKADA (1956, 1962, 1968a), TAN et al. (1949), WAKAHAMA (1962b, 1962c, 1964).

Distribution:

S. KOREA: CHUNG (1960a), KANG et al. (1959), LEE (1966b). — JAPAN: KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), NOZAWA (1956), OKADA (1955a, 1956, 1959, 1962, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in South China.

***Drosophila suzukii* MATSUMURA, 1931**

Other name used: *D. suzukii indica* PARSHAD and PAIKA.

General features of adults: BOCK and WHEELER (1972), FREIRE-MAIA (1949), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), MATSUMURA (1931), OKADA (1953b, 1954c, 1954d, 1955, 1959, 1961b, 1966a), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), PENG (1937).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), MATSUMURA (1931), OKADA (1954c, 1956, 1968a), PARSHAD and PAIKA (1964).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), PENG (1937), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), HENNIG (1953), ISHIHARA (1955a), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KATÔ (1964), KATÔ and HORI (1952), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI (1979), MINAMI et al. (1979), MOMMA (1965a), NOZAWA (1956), OKADA (1956, 1962), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), SAITO et al. (1962), TAKADA (1954, 1957, 1958), TODA (1973a, 1973b, 1974, 1976, 1977), WAKAHAMA (1957a, 1961, 1962b, 1964).

Distribution:

CHINA: HSU (1949), PENG (1937), TAN et al. (1949). — S. KOREA: CHUNG (1958, 1959, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1962, 1964c, 1965, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968, 1969), KATÔ (1954), KATÔ and HORI (1952, 1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MATSUMURA (1931), MINAMI et al. (1979), MOMMA (1957, 1965a), NOZAWA (1956), OKADA (1954c, 1954d, 1956, 1962, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE and BEPPU (1977).

Recorded also in India and on the Ryukyu and Bonin Islands.

***Drosophila takadai* LEE, 1964**

General features of adults: LEE (1964a, 1964c).

Figures: LEE (1964a, 1964c).

Key: LEE (1964c).

Development: LEE (1964a, 1964c).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b).

***Drosophila takahashii* STURTEVANT, 1927**

General features of adults: BOCK and WHEELER (1972), BOHART and GRESSITT (1951), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), NATER (1950, 1953), OKADA (1953b, 1954c, 1954d, 1955, 1956, 1959, 1961b), PARSHAD and PAIKA (1964), PENG (1937), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1964).

Figures: BOCK and WHEELER (1972), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), NATER (1950, 1953), OKADA (1954c, 1955c, 1956, 1968a), PARSHAD and PAIKA (1964), PENG (1937), THROCKMORTON (1962), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1964).

Keys: BOHART and GRESSITT (1951), GUPTA and RAY-CHAUDHURI (1970), KIKKAWA and PENG (1938), OKADA (1956, 1966a), PENG (1937), WHEELER and TAKADA (1964).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964).

Biology: BOHART and GRESSITT (1951), KIKKAWA and PENG (1938), OKADA (1956), PARSHAD and PAIKA (1964).

Distribution:

CHINA: HSU (1949), KIKKAWA and PENG (1938), OKADA (1954c), PENG (1937), TAN et al. (1949). — S. KOREA: KIM (1962), LEE (1966b). — JAPAN: OKADA (1954c, 1954d, 1955c, 1956, 1959, 1968a).

Recorded mainly in South Asia.

***Drosophila tenuicauda* OKADA, 1956**

Other name used: *Drosophila* sp. III like *grandis*.

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1955b, 1956, 1961b, 1966a), TAKADA and LEE (1958).

Figures: BEPPU et al. (1977), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), OKADA (1956), TAKADA and LEE (1958).

Distribution:

S. KOREA: KANG et al. (1959, 1964a), LEE (1964c, 1966b), TAKADA and LEE (1958). — JAPAN: KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957), OKADA (1956, 1968a, 1968d), TAKADA (1968), TAKADA and OKADA (1960), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1964).

Recorded also on the Ryukyu Islands.

***Drosophila testacea* VON ROSER, 1840**

Other names used: *D. nigrithorax* STROBL (syn.), *D. setosa* VILLENEUVE (syn.), *D. fasciata* MEIGEN (misident.).

General features of adults: BECKER (1903a), BURLA (1951a), BURLA and GLOOR (1952), CHUNG and RHO (1959), COLLIN (1962), DUDA (1924c, 1934), HSU (1949), KIM (1962), KUROKAWA and HIHARA (1976), MALOGOLOWKIN (1953), NATER (1953), NEUHAUS (1886), OKADA (1953a, 1954d, 1955a, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), VON ROSER (1840), STROBL (1894), TAKADA (1960), VILLENEUVE (1921), WATABE (1977).

Figures: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1934), HSU (1949), KIM (1962), NATER (1953), OKADA (1955a, 1956, 1968a), PAPP (1973), TAKADA (1960), THROCKMORTON (1962), WATABE (1977).

Keys: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1927, 1934), ENDERLEIN (1936), FONSECA (1965), FRYDENBERG (1956a), GUPTA and RAY-CHAUDHURI (1970), HACKMAN (1954), LAŠTOVKA and MÁCA (1977), LEE (1964c), MONCLÚS (1964), OKADA (1956), PAPP (1973), ŠTAKELBERG (1970), STURTEVANT (1942), TAKADA (1971).

Development: BURLA (1951a), KIMURA et al. (1979), OKADA (1963a, 1968a).

Biology: BÄCHLI (1969, 1979), BEPPU (1976), BURLA (1949, 1951a, 1961), BURLA and BÄCHLI (1968), COE (1959), COLLIN (1952), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), HACKMAN (1963), HACKMAN and MEINANDER (1979), HADORN et al. (1952), HERTING (1955), ISHIHARA (1955a, 1955b), KANEKO (1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1960, 1968), KEKÍČ and MARINKOVIĆ (1979), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977, 1978), KÖNIG (1965), KÜHLHORN (1978), LEE (1962), LEVER and SOBELS (1951), LUMME et al. (1978, 1979), MINAMI et al. (1979), MOMMA (1965b), OKADA (1954d, 1956, 1968a), PAPP (1979), PARSHAD and DUGGAL (1966), SAITO et al. (1962), SCHMID (1968), SHORROCKS (1977), SHORROCKS and WOOD (1973), SOBELS et al. (1954), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1956b, 1957a, 1962b, 1964), WATABE (1977, 1979), WHEELER and THROCKMORTON (1960), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: BASDEN (1961), STROBL (1894). — CZECHOSLOVAKIA: ARADI (1959), LAŠTOVKA and MÁCA (1977), SOÓS (1945), ZUSKA and LAŠTOVKA (1969). — DENMARK: BASDEN (1956), FRYDENBERG (1956a). — FINLAND: HACKMAN (1954, 1963, 1971), HACKMAN and MEINANDER (1979), LUMME et al. (1978, 1979). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979), VILLENEUVE (1921). — ? GERMAN DEMOCRATIC REPUBLIC: NEUHAUS (1886). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÖNIG (1965), KÜHLHORN (1978), VON ROSER (1840). — GREAT BRITAIN: BASDEN (1952), COLLIN (1952), FONSECA (1965), SHORROCKS (1977). — HUNGARY: ARADI (1959), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973), SOÓS (1945). — ITALY: NIGRO (1979). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — NORWAY: ROCHA PITÉ and TSACAS (1980). — ROMANIA: ARADI (1959), SOÓS (1945). — SPAIN: BURLA and GLOOR (1952), HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: BASDEN (1956). — SWITZERLAND: BÄCHLI (1969, 1972b, 1972c, 1973a, 1973b, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1949, 1951a, 1951b, 1961), BURLA and BÄCHLI (1968), NATER (1953), SCHMID (1968). — TURKEY: unpublished. — USSR: ARADI (1959), HACKMAN (1954, 1957), SOÓS (1945), PAPP (1979), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: BASDEN (1961), COE (1959), KEKÍČ and MARINKOVIĆ (1979). — IRAN: unpublished. — MONGOLIA: OKADA (1973c). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), ISHIHARA (1955a, 1955b), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977, 1978), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1955a, 1956, 1959, 1968a), SAITO et al. (1962), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1957, 1958a), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956b, 1957a, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1977, 1979), WATABE and BEPPU (1977).

Recorded also in North America and India.

Drosophila throckmortoni OKADA, 1973

Other names used: *D. rufifrons* LOEW (misident.), *Drosophila* sp. like *lebanonensis*.

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1953b, 1956, 1961b, 1973b).

Figures: BEPPU et al. (1977), OKADA (1955b, 1956, 1968a, 1973b).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956).

Development: OKADA (1963a, 1968a).

Biology: BEPPU and TODA (1976), KIMURA and TODA (1976), KIMURA et al. (1977), OKADA (1956, 1962, 1968a), TODA (1973a, 1974, 1977).

Distribution:

S. KOREA: LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU and TODA (1976), KIMURA and TODA (1976), KIMURA et al. (1977), OKADA (1956, 1962, 1968a, 1973b), TODA (1973a, 1974, 1977).

Drosophila transversa FALLÉN, 1823

Other names used: *D. transversa* var. *laeta* ZETTERSTEDT (syn.), *D. transversa subquinaria* SPENCER.

General features of adults: BECKER (1902), BURLA (1951a), DE CASTRO (1953), CZERNÝ (1903a), DUDA (1924c, 1935), FALLÉN (1823), GOUREAU (1865), HENNIG (1958), HERING (1940), HSU (1949), MACQUART (1835), MALOGOLOWKIN (1958), MEIGEN (1830), NATER (1953), NEUHAUS (1886), OKADA (1956, 1961b), PATTERSON (1943), SÉGUY (1934b), SPENCER (1942), STROBL (1893b), STURTEVANT (1921), VILLENEUVE (1911), WAHLGREN (1927), WALKER (1853), WHEELER (1960a), ZETTERSTEDT (1838, 1847, 1855).

Figures: BURLA (1951a), DUDA (1924a, 1924c, 1935), HSU (1949), MONCLÚS (1964), MORGE (1976a), NATER (1953), PAPP (1973), PATTERSON (1943), ŠTAKELBERG (1970), THROCKMORTON (1962), WHEELER (1960a).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), LAŠTOVKA and MÁCA (1977), MONCLÚS (1964), PAPP (1973), PATTERSON (1943), SCHINER (1864), SÉGUY (1934a, 1934b), SHORROCKS (1972), ŠTAKELBERG (1970), STURTEVANT (1921, 1942), WAHLGREN (1927).

Development: BURLA (1951a), DUDA (1934), HENNIG (1952).

Biology: AZARJAN (1968), BÄCHLI (1979), BASDEN (1952, 1954b), BASDEN and HARNDEN (1956), BAUMANN (1977), BEUTHIN (1887), BONNAMOUR (1926), BURLA (1949, 1951a), BURLA (1976), BUXTON (1960), CANZANELLI (1941), CHARLESWORTH and SHORROCKS (1980), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DUDA (1934, 1935), EISFELDER (1957), FRYDENBERG (1956a), GOUREAU (1865), HACKMAN (1954, 1963), HACKMAN and MEINANDER (1979), HERTING (1955), KÖNIG (1965), KRAMER (1917), KROBER (1910, 1985), KÜHLHORN (1978), LEVER and SOBELS (1951), LUMME et al. (1978, 1979), MAYER (1935), DE MELJERE (1939a, 1947), NASWATY (1959), PAPP (1976, 1979), RADDAZ (1873), RIEL (1921), SCHULZE (1912), SÉGUY (1934b), SHORROCKS (1972, 1975, 1977), SHORROCKS and WOOD (1973), SMITH (1959), SOBELS et al. (1954), STORÁ (1957).

Distribution:

AUSTRIA: BASDEN (1961), STROBL (1880, 1894, 1901, 1910), THALER (1977), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), BRANCSIK (1910), CZEŽEK (1906), DOSKOČIL (1962), LAŠTOVKA and MÁCA (1977), MARTINEK (1974b), STROBL

(1901), VIMMER (1913). — DENMARK: FRYDENBERG (1956a), ZETTERSTEDT (1847). — FINLAND: FREY (1917a, 1950), HACKMAN (1954, 1963, 1971), HACKMAN and MEINANDER (1979), LUMME et al. (1978, 1979), STORÅ (1956, 1957), ZETTERSTEDT (1847, 1860). — FRANCE: BONNAMOUR (1926), GOUREAU (1865), HADORN et al. (1952), RIEL (1921), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: KARL (1936), KRAMER (1917), NEUHAUS (1886), RADDAZ (1873), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941a). — GERMAN FEDERAL REPUBLIC: BAUMANN (1977), BEUTHIN (1887), EISFELDER (1957), HERTING (1955), KÖNIG (1965), KRÖBER (1910, 1935), KÜHLHORN (1978), NASWATY (1959), ZETTERSTEDT (1847). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1954b), BUXTON (1960), CHARLESWORTH and SHORROCKS (1980), CURTIS (1833), FONSECA (1965), HALIDAY (1833), HENDERSON (1911), SHORROCKS (1972, 1975, 1977), SHORROCKS and WOOD (1973), SMITH (1959), THROCKMORTON (1962), WALKER (1849, 1853), YERBURY (1913). — HUNGARY: ARADI (1959), BASDEN (1961), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973, 1976), SOÓS (1943), THALHAMMER (1899). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: BEZZI (1892b), CANZANELLI (1941), POKORNY (1887). — NETHERLANDS: DE MEIJERE (1920, 1939a), LEVER and SOBELS (1951), SOBELS et al. (1954), STURTEVANT (1921). — NORWAY: BASDEN and HARNDEN (1956). — POLAND: KARL (1936). — ROMANIA: ARADI (1959), STROBL (1897), THALHAMMER (1899). — SPAIN: HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: FALLÉN (1923), RINGDAHL (1931, 1951, 1959), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1855, 1860). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1949, 1951a, 1961), HSU (1949), NATER (1953). — TURKEY: unpublished. — USSR: AZARJAN (1968), BALKASCHINA and ROMASCHOFF (1935), BASDEN (1956), BOBEK (1897), EVERSMAN (1834), FROLOWA (1926), GLEYSPTS and SIMONENKO (1970), HACKMAN (1954, 1957), PAPP (1979), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: ARADI (1959), STROBL (1898a, 1900a), KEKIĆ and MARINKOVIĆ (1979). — MONGOLIA: OKADA (1973c).

Recorded also in North America.

Drosophila triauraria BOCK and WHEELER, 1972

Other name used: *D. auraria* race C.

General features of adults: BOCK and WHEELER (1972), KIM (1962), KUROKAWA (1956, 1962, 1967b), OKADA (1953b, 1954c).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), KIM (1962), OKADA (1954c, 1955b).

Keys: BEPPU et al. (1977), TAKADA (1971).

Development: BOCK and WHEELER (1972).

Biology: KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI (1979), MINAMI et al. (1979), TODA (1973b, 1973c, 1974, 1977), WAKAHAMA (1966).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1959), KIM (1962, 1963), KUROKAWA (1962, 1963, 1967a), LEE (1964c, 1965). — JAPAN: BOCK and WHEELER (1972), KANEKO (1968), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TODA (1976), KUROKAWA (1956, 1960, 1962, 1963, 1967a, 1967b), MINAMI (1979), MINAMI et al. (1979), OKADA (1954c, 1968b), TAKADA (1960), TAKADA and OKADA (1960), TODA (1973b, 1973c, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1966), WAKAHAMA et al. (1963).

Recorded also on the Ryukyu Islands.

Drosophila trilineata CHUNG, 1960

Other name used: *D. trivittata* STROBL (misident.).

General features of adults: CHUNG (1960b), OKADA (1967).

Figures: CHUNG (1960b).

Keys: LEE (1964c), OKADA (1967).

Biology: CHUNG (1960b).

Distribution:

S. KOREA: CHUNG (1958, 1960b), LEE (1964c, 1966b).

Drosophila tristis FALLÉN, 1823

Other names used: *D. spuria* ZETTERSTEDT (syn.), *D. tinctipennis* STROBL (syn.), *D. obscura* var. *tristis*.

General features of adults: BASDEN (1958), BECKER (1902), BURLA (1951a), CAIN et al. (1952), EGGER (1862), FALLÉN (1823), FREIRE-MAIA (1949), FRYDENBERG (1955), HALIDAY (1833), MACQUART (1835), MEIGEN (1830), MONCLÚS (1964), MORIWAKI et al. (1952), NATER (1953), OLDEMBERG (1914), OKADA (1953b), POMINI (1940), SCHINER (1864), SÉGUY (1934b), STROBL (1901), ZETTERSTEDT (1847).

Figures: BURLA (1951a), DUDA (1924a), DYSON-HUDSON (1954), MORGE (1976a, 1976c), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHORROCKS (1972).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), MONCLÚS (1964), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SÉGUY (1934a, 1934b), SHORROCKS (1972).

Biology: BASDEN (1953, 1954b), BEGON et al. (1975), BURLA (1949, 1951a), BUZZATI-TRAVERSO and SCOSSETTI (1955), COLLIN (1911), FRYDENBERG (1956a), HADORN et al. (1952), HERTING (1955), RADDAZ (1873), ROCHA PITÉ and DA COSTA NICOLAU (1978), SCHMID (1968), SHORROCKS (1975), SOBELS et al. (1954), SMART (1945).

Distribution:

AUSTRIA: BASDEN (1961), MAINX et al. (1953), STROBL (1901). — CZECHOSLOVAKIA: BASDEN (1961), STROBL (1901). — DENMARK: BASDEN (1956), FRYDENBERG (1956a), ZETTERSTEDT (1847). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: RADDAZ (1873). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KRÖBER (1910, 1935). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1953, 1954a, 1954b), BASDEN and GOODEY (1955), BEGON et al. (1975), CAIN et al. (1952), COLLIN (1911), CURTIS (1833), DYSON-HUDSON (1954), FONSECA (1965), HALIDAY (1833), SHORROCKS (1969, 1970, 1975, 1977), SMART (1945), SMITH (1959, 1960), WALKER (1849, 1853). — HUNGARY: ARADI (1959), PAPP (1973). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: BUZZATI-TRAVERSO (1942b), MAINX et al. (1953), POMINI (1940). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — PORTUGAL: ROCHA PITÉ (1975a, 1975b, 1977), ROCHA PITÉ and DA COSTA NICOLAU (1978). — ROMANIA: THALHAMMER (1899). — SPAIN: HADORN et al. (1952), MONCLÚS (1964). — SWEDEN: BASDEN (1956), FALLÉN (1823), WAHLGREN (1927), ZETTERSTEDT (1847). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1974b, 1974c, 1975a, 1975b), BURLA (1948, 1949, 1951a), LAKOVAARA et al. (1972a, 1972c), NATER (1953), SCHMID (1968). — TURKEY: unpublished. — USSR: unpublished. — YUGOSLAVIA: KEKIĆ and MARINKOVIĆ (1978, 1979). — IRAN: unpublished.

***Drosophila trivittata* STROBL, 1893**

Other names used: *D. trivittata* var. *ussurica* DUDA, *Drosophila* sp. II.

General features of adults: BASDEN (1957b, 1961), CHUNG (1960b), DUDA (1921, 1924c, 1935), HENNIG (1958), OKADA (1956, 1961b), OLDEMBERG (1914), STROBL (1893b).

Figures: DUDA (1935), OKADA (1956, 1967).

Keys: BEPPU et al. (1977), DUDA (1924a, 1924c, 1935), KANG and LEE (1964), OKADA (1956, 1967), PAPP (1973), ŠTAKELBERG (1970), TAKADA (1971).

Biology: COE (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), KANEKO and TOKUMITSU (1969), KANG et al. (1960), KIMURA (1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956), OLDEMBERG (1914), PAPP (1979), TODA (1973a).

Distribution:

AUSTRIA: DUDA (1935), STROBL (1893b, 1894). — CZECHOSLOVAKIA: unpublished. — HUNGARY: DELY-DRASKOVITS and BABOS (1975), DELY-DRASKOVITS and PAPP (1973), PAPP (1973), Soós (1945). — ROMANIA: ARADI (1959), DUDA (1924c, 1935), OLDEMBERG (1914), Soós (1945) — SWEDEN: unpublished. — USSR: DUDA (1935), FROLOWA (1926), HACKMAN (1957), PAPP (1979), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: COE (1959). — S. KOREA: KANG and LEE (1964), KANG et al. (1959, 1960), LEE (1966b). — JAPAN: KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KAWANISHI et al. (1975), KIMURA (1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956, 1967), TAKADA (1968), TODA (1973a), WAKAHAMA (1964), WAKAHAMA et al. (1963).

Recorded also on the Ryukyu Islands and in Taiwan.

***Drosophila tsigana* BURLA and GLOOR, 1952**

General features of adults: BURLA and GLOOR (1952), NATER (1953).

Figures: BURLA and GLOOR (1952), NATER (1953).

Keys: ROCHA PITÉ (1975a).

Biology: HADORN et al. (1952).

Distribution:

FRANCE: BURLA and GLOOR (1952), HADORN et al. (1952), NATER (1953), ROCHA PITÉ and TSACAS (1979). — PORTUGAL: BURLA and GLOOR (1952), HADORN et al. (1952), ROCHA PITÉ (1972).

***Drosophila unimaculata* STROBL, 1893**

General features of adults: BASDEN (1961), BURLA (1951a), CZERNY (1903a), DUDA (1924c, 1935), HSU (1949), NATER (1953), OLDEMBERG (1914), STROBL (1893b).

Figures: BASDEN (1961), DUDA (1924b, 1935), HSU (1949), NATER (1953), PAPP (1973).

Keys: BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), PAPP (1973).

Development: BURLA (1951a).

Biology: BURLA (1951a), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DUDA (1924c), HERTING (1955), SCHMID (1968), TESCHNER (1961, 1962).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1935), STROBL (1893b, 1894, 1910). — CZECHOSLOVAKIA: ARADI (1959), Soós (1945). — GERMAN FEDERAL REPUBLIC: DUDA (1935), HERTING (1955), OLDEMBERG (1914), TESCHNER (1961, 1962). — GREAT BRITAIN: FONSECA (1965). — HUNGARY: DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973), Soós (1945). — POLAND: DUDA (1924c, 1935). — ROMANIA: ARADI (1959), DUDA (1935), OLDEMBERG (1914), PAPP (1973), Soós (1945). — SWITZERLAND: BÄCHLI (1972c, 1975b), BURLA (1948, 1951a), DUDA (1935), HSU (1949), NATER (1953), OLDEMBERG (1914), SCHMID (1968). — YUGOSLAVIA: unpublished.

***Drosophila unipectinata* DUDA, 1924**

Other name used: *Drosophila* sp. like *unipectinata*.

General features of adults: BOCK and WHEELER (1972), DUDA (1924b, 1931), OKADA (1953b, 1954c, 1956, 1959, 1961b).

Figures: DUDA (1924a), OKADA (1954c, 1956).

Keys: DUDA (1924a), OKADA (1956).

Biology: OKADA (1956), SAITO et al. (1962).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1954c, 1956, 1959), SAITO et al. (1962). Recorded also in Taiwan and India.

***Drosophila unispina* OKADA, 1956**

Other names used: *D. transversa* FALLÉN (misident.), *D. transversa* type C, *D. transversa* type III.

General features of adults: CHUNG and RHO (1959), KIM (1962), LEE (1964c), OKADA (1953b, 1955a, 1955b, 1956, 1961b), TAKADA (1952), WAKAHAMA (1956a).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1955a, 1956, 1968a), WAKAHAMA (1956a).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KANG et al. (1960), KATÔ (1954), KATÔ and HORI (1952), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), NOZAWA (1956), OKADA (1954d), SUZUKI (1955), TAKADA (1954, 1957, 1958), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1956b, 1957a, 1961, 1962b, 1964), WATABE (1979).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1960, 1964a), KIM (1962, 1963), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978),

BEPPE and TODA (1976), ISHIHARA (1955a), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1969), KATO (1954), KATO and HORI (1952, 1954), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MIZUNO (1952), MOMMA (1957, 1965a), NOZAWA (1956), OKADA (1954d, 1955a, 1956, 1968a), SHIMA (1967), SUZUKI (1955), TAKADA (1952, 1954, 1957, 1958, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), TODA (1973a, 1973b, 1973c, 1974, 1977), TOKUMITSU et al. (1967), TOYOFUKU (1957), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956a, 1956b, 1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977).

Drosophila virilis STURTEVANT, 1916

General features of adults: DE CASTRO (1953), CHINO (1936), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA (1972), KUROKAWA and HIHARA (1976), NATER (1953), OKADA (1953b, 1955a, 1956, 1961b), PATTERSON (1943), PENG (1937), STURTEVANT (1916, 1921), WATABE and HIGUCHI (1979).

Figures: BEPPU et al. (1977), CHINO (1936), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA (1972), MALOGOLOWKIN (1953), MAYER (1935), NATER (1953), OKADA (1955a, 1956, 1968a), PATTERSON (1943), PATTERSON and STONE (1952), PENG (1937), STURTEVANT (1921), THROCKMORTON (1962), WATABE and HIGUCHI (1979).

Keys: BEPPU et al. (1977), DUDA (1927), KIKKAWA and PENG (1938), LEE (1964c), MONCLÚS (1976), OKADA (1956), PATTERSON (1943), PATTERSON and MAINLAND (1944), PENG (1937), STURTEVANT (1918, 1921), TAKADA (1971).

Development: HENNIG (1952), KIKKAWA and PENG (1938), MAYER (1935), OKADA (1963a, 1968a), PATTERSON (1943).

Biology: HACHIYA (1954), HUNTER (1966), KANEKO (1960), KANEKO et al. (1966), KIKKAWA and PENG (1938), KIMURA and TODA (1976), NOZAWA (1956), OHMORI et al. (1960), OKADA (1956, 1962), PATTERSON (1942), SAITO et al. (1962), SPIETH (1979), STURTEVANT (1921), TAKADA (1954, 1957, 1958), TAKADA and TOYOFUKU (1960), TAN et al. (1949), TODA (1973a), WAKAHAMA (1957a, 1961, 1962b, 1964).

Distribution:

NETHERLANDS: LAKOVAARA and HOIKKALA (1979). — SPAIN: MONCLÚS (1976). — TURKEY: ROCHA PITÉ and TSACAS (1980). — USSR: KIKKAWA and PENG (1938), LAKOVAARA and HOIKKALA (1979), WHEELER and HAMILTON (1972). — MADEIRA: unpublished. — CANARY IS.: MONCLÚS (1976). — CHINA: KIKKAWA and PENG (1938), PATTERSON and GRIFFEN (1944), PATTERSON and STONE (1952), PENG (1937), TAN et al. (1949), WARTERS (1944). — N. KOREA: KIKKAWA and PENG (1938), OKADA (1974b). — S. KOREA: CHUNG (1958, 1959), KANG et al. (1959, 1964a), KIKKAWA and PENG (1938), KIM (1962), LEE (1962, 1964c, 1966b), OKADA (1956), PAIK (1958), TAKADA and LEE (1958). — JAPAN: HACHIYA (1954), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968), KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), KIMURA and TODA (1976), MOMMA (1954, 1957, 1965a), NOZAWA (1956), OHMORI et al. (1960), OKADA (1955a, 1956, 1962, 1968a), PATTERSON and STONE (1952), SAITO et al. (1962), SHIMA (1960), TAKADA (1952, 1954, 1957, 1958, 1968, 1971), TAKADA and OKADA (1960), TAKAHASHI and KANEKO (1969), TODA (1973a), TOYOFUKU (1957), TOYOFUKU and KIMURA (1960, 1961), TSUNO (1973), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WARTERS (1944).

Recorded also in America.

Drosophila yakushimana OKADA, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

Gitona MEIGEN, 1830

Gitona beckeri DUDA, 1924

General features of adults: DUDA (1934).

Figures: DUDA (1924a, 1934).

Keys: DUDA (1924a, 1934), MCALPINE (1968).

Distribution:

CHINA: DUDA (1924a, 1934).

Gitona canariensis DUDA, 1934

General features of adults: DUDA (1934), SÉGUY (1941).

Key: DUDA (1934).

Distribution:

CANARY IS.: DUDA (1934), FREY (1936), MONCLÚS (1976), TSACAS and DESMIER DE CHENON (1976).

Gitona distans BEZZI, 1924

General features of adults: BASDEN (1966), BEZZI (1924a).

Figures: BEZZI (1924a).

Biology: BEZZI (1924a).

Distribution:

CYPRUS: BEZZI (1924a).

Recorded also in Pakistan.

Gitona distigma MEIGEN, 1830

General features of adults: BEZZI (1924a), COLLIN (1902a), DUDA (1934), LANGHOFFER (1897), LOEW (1864), MACQUART (1835), MEIGEN (1830), NEUHAUS (1886), OKADA (1973c), OLDENBERG (1914), SÉGUY (1933a, 1934a, 1934b).

Figures: BEZZI (1924a), DUDA (1924a, 1934), FRAUENFELD (1868b), LIOY (1895), OKADA (1973c), PAPP (1973), SÉGUY (1934b), ŠTAKELBERG (1970).

Keys: DUDA (1924a, 1934), ENDERLEIN (1936), LAŠTOVKA and MáCA (1977), PAPP (1973), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970).

Biology: BRAUER (1883), DOSKOČIL (1962), DUDA (1934), KALTENBACH (1874), KNAB (1914), LANGHOFFER (1897), SCHOLTZ (1848/50), SÉGUY (1933b, 1934a, 1934b, 1951), STURTEVANT (1921), TIEF (1888), WHEELER (1952), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: ARADI (1959), BASDEN (1961), SCHINER (1864), STROBL (1894), TIEF (1888). — CZECHOSLOVAKIA: CZÍZEK (1906, 1910), DOSKOČIL (1962), LAŠTOVKA and MáCA (1977), VIMMER (1913), ZUSKA and LAŠTOVKA (1969). — FRANCE: MACQUART (1835), MEIGEN (1830), SÉGUY (1934a, 1934b). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1934), NEUHAUS (1886), OLDENBERG (1914). — GERMAN FEDERAL REPUBLIC: unpublished. — HUNGARY: ARADI (1959), PAPP (1973), SÓOS (1943), THALHAMMER (1899). — ITALY: BEZZI (1924a), LIOY (1895), OLDENBERG (1914). — POLAND: SCHOLTZ (1848/50). — ROMANIA: ARADI (1959). — SPAIN: CZERNÝ and STROBL (1909). — SWITZERLAND: unpublished. — USSR: DUDA (1934), ŠTAKELBERG (1970). — YUGOSLAVIA: COE (1959), LANGHOFFER (1897), STROBL (1898a, 1900a), THALHAMMER (1899). — CHINA: SÉGUY (1934a, 1934b). — MONGOLIA: OKADA (1973c).

Gitona microchaeta SÉGUY, 1941

General features of adults: SÉGUY (1941).

Distribution:

MOROCCO: SÉGUY (1941), TSACAS and DESMIER DE CHENON (1976).

Hypselothyrea DE MEIJERE, 1906*Hypselothyrea breviscutellata* DUDA, 1928

General features of adults: DUDA (1928), GUPTA (1974b), OKADA (1956, 1961b).

Figures: DUDA (1928), OKADA (1956).

Keys: DUDA (1928), OKADA (1956).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956).

Recorded also in Taiwan.

Leucophenga MIK, 1886*Leucophenga angusta* OKADA, 1956

Other names used: *L. nigriventris* MACQUART (misident.), *L. nigripalpis* DUDA (misident.), *L. guttiventris* DE MEIJERE (misident.), *Leucophenga* sp.

General features of adults: BOCK (1979), BOHART and GRESSITT (1951), LIN and WHEELER (1972), OKADA (1956, 1966a, 1970), WHEELER and TAKADA (1964).

Figures: LIN and WHEELER (1972), OKADA (1956, 1966a, 1970), WHEELER and TAKADA (1964).

Keys: BEPPU et al. (1977), BOCK (1979), OKADA (1956, 1970), WHEELER and TAKADA (1964).

Biology: BOHART and GRESSITT (1951), OKADA (1956), WAKAHAMA (1962b, 1964).

Distribution:

JAPAN: KAWANISHI (1978), LIN and WHEELER (1972), OKADA (1956, 1965, 1966a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in South Asia, Australia and on some Pacific Islands.

Leucophenga atrinervis OKADA, 1968

Other names used: *L. nigrinervis* DUDA (misident.), *Leucophenga* sp.

General features of adults: OKADA (1968c).

Figures: OKADA (1968a, 1968c).

Development: OKADA (1968a, 1968a).

Biology: OKADA (1968a).

Distribution:

JAPAN: OKADA (1968a, 1968c).

Leucophenga bellula BERGROTH, 1894

Other names used: *L. guttiventris* DE MEIJERE (syn.), *L. maculiventris* DE MEIJERE (syn.).

General features of adults: BERGROTH (1894), BOCK (1979), BURLA (1954a), DUDA (1923, 1939), GUPTA (1970), LIN and WHEELER (1972), MALLOCH (1923a), DE MEIJERE (1908, 1911b, 1918b), OKADA (1956, 1966a, 1970, 1971e).

Figures: BOCK (1979), DUDA (1924a), DE MEIJERE (1908), OKADA (1956, 1966a, 1970).

Keys: BOCK (1979), DUDA (1924a, 1939), DE MEIJERE (1908), OKADA (1956, 1966a, 1970), SINGH and GUPTA (1974).
Biology: OKADA (1956).

Distribution:
JAPAN: KAWANISHI (1978), OKADA (1956, 1966a, 1970).
Recorded mainly in South Asia and Australia.

Leucophenga concilia OKADA, 1956

General features of adults: KANG et al. (1965a), KIM (1962), OKADA (1956, 1968c).

Figures: KIM (1962), OKADA (1956, 1968c).

Keys: LEE (1964c), OKADA (1956).

Biology: OKADA (1956), WAKAHAMA (1962b, 1964).

Distribution:

S. KOREA: KANG et al. (1958, 1959), KIM (1962), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), OKADA (1956, 1966b, 1968c), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).
Recorded also on the Ryukyu Islands.

Leucophenga interrupta DUDA, 1923

General features of adults: DUDA (1924b), LIN and WHEELER (1972), OKADA (1956), SINGH and GUPTA (1974).

Figures: DUDA (1924a), LIN and WHEELER (1972), OKADA (1956), SINGH and GUPTA (1974).

Keys: DUDA (1924a, 1939), OKADA (1956), SINGH and GUPTA (1974).

Biology: OKADA (1954, 1956).

Distribution:

JAPAN: OKADA (1954d, 1956, 1964).

Recorded mainly in South Asia.

Leucophenga lacteusa TAKADA and WAKAHAMA, 1967

General features of adults: TAKADA and WAKAHAMA (1967).

Figures: TAKADA and WAKAHAMA (1967).

Distribution:

JAPAN: OKADA (1968c).

Recorded also on the Ryukyu Islands.

Leucophenga maculata DUFOUR, 1839

Other name used: *Leucophenga* sp. from Hokkaido.

General features of adults: BASDEN (1957b), DUDA (1923, 1924c, 1934), DUFOUR (1839), KIM (1962), KUROKAWA and HIHARA (1976), LAMB (1914), LIN and WHEELER (1972), DE MEIJERE (1911b), MIK (1886a), OKADA (1956), OLDENBERG (1914), SÉGUY (1934a, 1934b), SHARP (1900), STROBL (1893b, 1894), TAKADA and WAKAHAMA (1967), WAHLBERG (1927), ZETTERSTEDT (1847, 1860).

Figures: BEPPU et al. (1977), DUDA (1934), DUFOUR (1839, 1845), HENNIG (1952, 1958), KIM (1962), LAŠTOVKA and MáCA (1977), LIN and WHEELER (1972), OKADA (1956), PAPP (1973), SÉGUY (1934b).

Keys: BEPPU et al. (1977), DUDA (1924a, 1934, 1939), ENDERLEIN (1936), FONSECA (1965), LAŠTOVKA and MáCA (1977), LEE (1964c), OKADA (1956), PAPP (1973), SCHINER (1864), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970), TAKADA (1971), WAHLBERG (1927).

Development: DUDA (1934), DUFOUR (1839, 1840, 1845, 1846), HENNIG (1952), MAYER (1935), OKADA (1968a).

Biology: BRAUER (1883), BUXTON (1960), CANZANELLI (1941), COLYER and HAMMOND (1951), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DUFOUR (1839, 1840, 1845), KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KIRCHBERG (1960), MáCA (1978), MAYER (1935), MINAMI et al. (1979), MOMMA (1957), OKADA (1954d, 1962), OLDENBERG (1922), RINGDAHL (1949), SCHMID (1968), SCHULZE (1912), SÉGUY (1934a, 1934b), TODA (1973a, 1977).

Distribution:

AUSTRIA: BASDEN (1961), MIK (1886a), RINGDAHL (1957), STROBL (1894, 1901), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), LAŠTOVKA and MáCA (1977), MáCA (1978), VIMMER (1913). — FRANCE: DUFOUR (1839, 1840, 1845), SÉGUY (1934a, 1934b), ZETTERSTEDT (1847). — GERMAN DEMOCRATIC REPUBLIC: KIRCHBERG (1960), OLDENBERG (1914).

GERMAN FEDERAL REPUBLIC: KRÖBER (1910, 1935), OLDENBERG (1922). — GREAT BRITAIN: AUDCENT (1950), BUXTON (1960), FONSECA (1965), SHARP (1900). — HUNGARY: ARADI (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973). — ITALY: BEZZI (1892b), CANZANELLI (1941), OLDENBERG (1914), POKORNÝ (1887), SCHINER (1864). — POLAND: RIEDEL (1930). — ROMANIA: ARADI (1959), OLDENBERG (1914), THALHAMMER (1899). — SPAIN: HACKMAN (1969a). — SWEDEN: RINGDAHL (1949), WAHLBERG (1927), ZETTERSTEDT (1860). — SWITZERLAND: BÄCHLI (1972c, 1973a, 1973c, 1974c, 1975a, 1975b, 1979), BURLA (1951b), SCHMID (1968). — TURKEY: unpublished. — USSR: ŠTAKELBERG (1970). — YUGOSLAVIA: BASDEN (1961), COE (1959), STROBL (1894, 1898a, 1900a). — S. KOREA: KANG et al. (1958, 1959, 1964a), KIM (1962), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: KANEKO (1960), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1954d, 1956, 1962), TAKADA (1968), TODA (1973a, 1977), WAKAHAMA (1962a, 1964, 1966). Recorded also in Taiwan.

Leucophenga orientalis LIN and WHEELER, 1972

Other name used: *L. magnipalpis* DUDA (misident.).

General features of adults: KUROKAWA and HIHARA (1976), KIM (1962), LIN and WHEELER (1972), OKADA (1956, 1961a, 1970, 1971e), WAKAHAMA (1956a).

Figures: KIM (1962), LIN and WHEELER (1972), OKADA (1956, 1970), WAKAHAMA (1956a).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956, 1970), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976a), MOMMA (1957), WAKAHAMA (1962b, 1964).

Distribution:

S. KOREA: CHUNG (1960a), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: KANEKO and TOKUMITSU (1969), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a), LIN and WHEELER (1972), MOMMA (1957, 1965a), OKADA (1956, 1966b), TAKADA (1968), WAKAHAMA (1956a, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963).

Recorded also on the Ryukyu and Bonin Islands and in Taiwan.

***Leucophenga ornata* WHEELER, 1959**

Other name used: *L. ornatipennis* DE MEIJERE (syn.).

General features of adults: BASDEN (1957b), BOCK (1979), KIM (1962), KUROKAWA and HIHARA (1976), LIN and WHEELER (1972), DE MEIJERE (1914), OKADA (1953a, 1956, 1961a, 1968c).

Figures: BOCK (1979), DUDA (1924a), KIM (1962), DE MEIJERE (1914), OKADA (1956, 1968c).

Keys: BOCK (1979), DUDA (1924a), LEE (1964c), DE MEIJERE (1914), OKADA (1956, 1966a).

Biology: BEPPU (1976), KIMURA (1976a), OKADA (1956, 1964), WAKAHAMA (1961, 1962b, 1964).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU (1976), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a), LIN and WHEELER (1972), OKADA (1956, 1966b, 1968c), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964).

Recorded mainly in South Asia and Australia.

***Leucophenga quadripunctata* DE MEIJERE, 1908**

General features of adults: BOCK (1979), DE MEIJERE (1908), OKADA (1956), TAKADA and MOMMA (1975).

Figures: BOCK (1979), DUDA (1924a), DE MEIJERE (1908), OKADA (1956).

Keys: BOCK (1979), DUDA (1924a, 1939), DE MEIJERE (1908), OKADA (1956).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1956).

Recorded mainly in South Asia and Australia.

***Leucophenga quinquemaculata* STROBL, 1893**

Other name used: *L. quinquemaculata* var. *marginalis* OLDBERG.

General features of adults: BASDEN (1961), DUDA (1934), OKADA (1956), OLDBERG (1914), STROBL (1893b), TAKADA and LEE (1958), WHEELER (1952).

Figures: DUDA (1924a, 1934), PAPP (1973).

Keys: DUDA (1924a, 1934, 1939), ENDERLEIN (1936), PAPP (1973), ŠTAKELBERG (1970).

Biology: PAPP (1979).

Distribution:

AUSTRIA: DUDA (1934), STROBL (1893b, 1894). — FINLAND: FREY (1929). — ITALY: OLDBERG (1914). — POLAND: DUDA (1934). — SWEDEN: unpublished. — SWITZERLAND: BÄCHLI (1975b). — USSR: PAPP (1979), ŠTAKELBERG (1970).

***Leucophenga quinquemaculipennis* OKADA, 1956**

Other names used: *Leucophenga* sp., *L. quinquemaculata* STROBL (lapsus).

General features of adults: KIM (1962), OKADA (1956, 1968c), TAKADA (1960), TAKADA and LEE (1958).

Figures: KIM (1962), OKADA (1968a, 1968c), TAKADA (1960).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976), KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965b), OKADA (1954d), SUZUKI (1955), TAKADA (1960), TODA (1973a, 1973b, 1977).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG and RHO (1959), KANG et al. (1959), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965b), OKADA (1954d, 1956, 1968a, 1968c), SUZUKI (1955), TAKADA (1960, 1968), TODA (1973a, 1973b, 1977), WAKAHAMA (1964), WAKAHAMA et al. (1964).

***Leucophenga saigusai* OKADA, 1968**

General features of adults: OKADA (1968c).

Figures: OKADA (1968c).

Distribution:

JAPAN: OKADA (1968c).

***Leucophenga sorii* KANG, LEE and BAHNG, 1965**

General features of adults: KANG et al. (1965a).

Figures: BEPPU et al. (1977), KANG et al. (1965a).

Key: BEPPU et al. (1977).

Biology: KANG et al. (1965).

Distribution:

S. KOREA: KANG et al. (1965a), LEE (1966b). — JAPAN: BEPPU et al. (1977).

***Leucophenga stackelbergi* DUDA, 1934**

General features of adults: DUDA (1934).

Key: DUDA (1934).

Distribution:

USSR: DUDA (1934).

***Leucophenga stenomaculipennis* OKADA, 1968**

General features of adults: OKADA (1968c).

Figures: OKADA (1968c).

Biology: KIMURA (1976b), TODA (1974).

Distribution:

JAPAN: KIMURA (1976b), OKADA (1968c), TODA (1974).

***Leucophenga subpollinosa* DE MEIJERE, 1914**

General features of adults: BÄCHLI (1971, 1973b), BOCK (1979), DUDA (1926a), GUPTA (1974b), LIN and WHEELER (1972), DE MEIJERE (1914), OKADA (1956, 1966a), WHEELER and TAKADA (1964).

Figures: BÄCHLI (1971), BOCK (1979), DUDA (1924a), GUPTA (1974b), OKADA (1956).

Keys: BÄCHLI (1971), BOCK (1979), DUDA (1924, 1939), DE MEIJERE (1914), OKADA (1956, 1966), SINGH and GUPTA (1974), WHEELER and TAKADA (1964).

Biology: LACHAISE (1975).

Distribution:

JAPAN: OKADA (1956).

Recorded mainly in Old World tropics and Australia.

***Liodrosophila* DUDA, 1922**

***Liodrosophila aerea* OKADA, 1956**

Other names used: *Paramycodrosophila* sp., *L. rugulosa* DE MEIJERE (misident.).

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1953a, 1955b, 1956, 1961a, 1965, 1968d, 1974a), OKADA and CHUNG (1960).

Figures: OKADA (1956, 1965, 1968a, 1968d, 1974a).

Keys: BEPPU et al. (1977), OKADA (1965, 1974a), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: OKADA (1956).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: KANEKO and SHIMA (1962), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1956, 1966b, 1968a, 1974a), WAKAHAMA (1962a, 1964, 1966). Recorded also in Southeast Asia.

***Liodrosophila bicolor* OKADA, 1956**

General features of adults: OKADA (1956, 1965, 1968d, 1974a).

Figures: OKADA (1956, 1965, 1968d, 1974a).

Keys: OKADA (1965, 1974a).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956).

Recorded also on the Ryukyu Islands.

***Liodrosophila castanea* OKADA and CHUNG, 1960**

General features of adults: OKADA (1974a), OKADA and CHUNG (1960).

Figures: LEE (1964c), OKADA (1974a), OKADA and CHUNG (1960).

Keys: LEE (1964c), OKADA (1974a).

Development: LEE (1964c).

Biology: OKADA and CHUNG (1960).

Distribution:

S. KOREA: CHUNG (1959), LEE (1964c, 1966b), OKADA and CHUNG (1960).

***Liodrosophila nitida* DUDA, 1922**

General features of adults: DUDA (1922, 1926a), OKADA (1964, 1966a, 1974a).

Figures: DUDA (1924a), OKADA (1964, 1966a, 1974a).

Keys: DUDA (1922), OKADA (1966a, 1974a).

Distribution:

JAPAN: OKADA (1974a).

Recorded mainly in Southeast Asia.

Microdrosophila MALLOCH, 1921*Microdrosophila congesta* ZETTERSTEDT, 1847

General features of adults: BASDEN (1957b), BOHART and GRESSITT (1951), DUDA (1923, 1924c, 1926a, 1927, 1934), OKADA (1960b), WAHLGREN (1927), ZETTERSTEDT (1847).

Figures: DUDA (1924a, 1934), LAŠTOVKA and MÁCA (1977).

Keys: BOHART and GRESSITT (1951), DUDA (1924a, 1924c, 1926a, 1927, 1934), ENDERLEIN (1936), LAŠTOVKA and MÁCA (1977), WAHLGREN (1927).

Biology: BOHART and GRESSITT (1951), SCHMID (1968).

Distribution:

AUSTRIA: unpublished. — POLAND: DUDA (1924c, 1934). — SWEDEN: DUDA (1924c), WAHLGREN (1927), ZETTERSTEDT (1847). — SWITZERLAND: SCHMID (1968). — USSR: STAKELBERG (1930).

Recorded also in Southeast Asia.

Comment:

Records outside of Europe may refer to other species.

Microdrosophila cristata OKADA, 1960

General features of adults: KUROKAWA and HIHARA (1976), LEE and LEE (1967), OKADA (1960b, 1961a, 1966a, 1968b, 1968c).

Figures: BEPPU et al. (1977), LEE and LEE (1967), OKADA (1960b, 1968a, 1968b, 1968c).

Keys: BEPPU et al. (1977), OKADA (1960b), TAKADA (1971).

Development: OKADA (1968a).

Biology: KANEKO and TOKUMITSU (1969).

Distribution:

S. KOREA: LEE and LEE (1967). — JAPAN: KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KAWANISHI et al. (1975), OKADA (1960b, 1968a).

Recorded also in Taiwan.

Microdrosophila fuscata OKADA, 1960

General features of adults: OKADA (1960b, 1968b), LEE and LEE (1967).

Figures: OKADA (1960b, 1968b).

Keys: LEE (1964c), OKADA (1960b).

Biology: OKADA (1960b).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b). — JAPAN: KAWANISHI (1978), OKADA (1960b, 1966b).

Microdrosophila latifrons OKADA, 1965

General features of adults: LEE and LEE (1967), OKADA (1965).

Figures: LEE and LEE (1967), OKADA (1965).

Key: OKADA (1965).

Distribution:

S. KOREA: LEE and LEE (1967).

Recorded also on the Ryukyu Islands.

Microdrosophila maculata OKADA, 1960

General features of adults: OKADA (1960b, 1961a, 1966a, 1968b, 1968c).

Figures: OKADA (1960b, 1968b, 1968c).

Key: OKADA (1960b).

Biology: OKADA (1960).

Distribution:

JAPAN: OKADA (1960b).

Microdrosophila matsudairai OKADA, 1960

General features of adults: LEE and LEE (1967), OKADA (1960b, 1968a, 1968b, 1968c).

Figures: LEE (1964a), OKADA (1960b, 1968a, 1968b).

Keys: LEE (1964c), OKADA (1960b, 1965).

Development: LEE (1964a), OKADA (1968a).

Biology: OKADA (1960b, 1968a).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b). — JAPAN: KAWANISHI (1978), OKADA (1960b, 1968a).

Recorded also on the Ryukyu Islands.

Microdrosophila nigripalpis OKADA, 1966

General features of adults: OKADA (1966a, 1968b, 1968c).

Figures: OKADA (1966a, 1968b, 1968c).

Key: OKADA (1966a).

Distribution:

JAPAN: OKADA (1968c).

Recorded also in Nepal.

Microdrosophila pleuroolineata WHEELER and TAKADA, 1964

General features of adults: OKADA (1965, 1968b, 1968c), WHEELER and TAKADA (1964).
Figures: OKADA (1965, 1968b, 1968c), TAKADA (1966), WHEELER and TAKADA (1964).

Keys: OKADA (1965), WHEELER and TAKADA (1964).

Distribution:

JAPAN: OKADA (1977b).

Recorded also in Southeast Asia and Micronesia.

Microdrosophila pseudopleuroolineata OKADA, 1968

General features of adults: OKADA (1968c).

Figures: OKADA (1968c).

Biology: OKADA (1968c).

Distribution:

JAPAN: OKADA (1968c).

Recorded also on the Ryukyu Islands.

Microdrosophila purpurata OKADA, 1956

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1956, 1960b, 1961a, 1966a, 1968b, 1968c).

Figures: OKADA (1956, 1968a, 1968b, 1968c).

Keys: LEE (1964c), OKADA (1956, 1960b).

Development: OKADA (1968a).

Biology: LEE (1962), OKADA (1956, 1968a).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1960a), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), KAWANISHI et al. (1975), OKADA (1956, 1966b, 1968a), WAKAHAMA (1966).

Recorded also in India.

Microdrosophila urashimae OKADA, 1960

Other name used: *M. congesta* ZETTERSTEDT (misident.).

General features of adults: OKADA (1956, 1960b, 1961a, 1968b), OKADA and KUROKAWA (1957).

Figures: OKADA (1956, 1968a, 1968b), OKADA and KUROKAWA (1957).

Keys: LEE (1964c), OKADA (1956, 1960b).

Development: OKADA (1956, 1963a, 1968a).

Biology: OKADA (1956, 1968a), OKADA and KUROKAWA (1957).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b). — JAPAN: OKADA (1956, 1960b, 1966b, 1968a), OKADA and KUROKAWA (1957).

Recorded also in Taiwan.

Microdrosophila zetterstedti WHEELER, 1959

Other name used: *M. nigriventris* ZETTERSTEDT (syn.).

General features of adults: BASDEN (1961), DUDA (1934), OKADA (1960b), ZETTERSTEDT (1847).

Figures: BASDEN (1961), DUDA (1934).

Keys: DUDA (1934), HACKMAN (1954), ŠTAKELBERG (1970), ZETTERSTEDT (1847).

Distribution:

AUSTRIA: BASDEN (1961). — FINLAND: HACKMAN (1954). — NORWAY: unpublished. — SWEDEN: ZETTERSTEDT (1847). — USSR: DUDA (1934), ŠTAKELBERG (1970).

Mycodrosophila Oldenbergi, 1914*Mycodrosophila atrithorax* OKADA, 1968

General features of adults: OKADA (1968d).

Figures: OKADA (1968d).

Distribution:

JAPAN: OKADA (1968d).

Mycodrosophila basalis OKADA, 1956

General features of adults: OKADA (1956).

Figures: OKADA (1956).

Keys: LEE (1964c), OKADA (1956).

Biology: LEE (1964), OKADA (1956).

Distribution:

S. KOREA: CHUNG (1958), KANG et al. (1959), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: OKADA (1956).

***Mycodrosophila biceps* KANG, LEE and BAHNG, 1966**

General features of adults: KANG et al. (1966), OKADA (1968d).

Figures: KANG et al. (1966), OKADA (1968d).

Biology: KANG et al. (1966).

Distribution:

S. KOREA: KANG et al. (1966), LEE (1966b). — JAPAN: OKADA (1968d).

***Mycodrosophila bifibulata* TAKADA, 1968**

General features of adults: TAKADA (1968).

Figures: TAKADA (1968).

Keys: BEPPU et al. (1977), TAKADA (1971).

Biology: KIMURA (1976a), KIMURA and TODA (1976), TAKADA (1968).

Distribution:

JAPAN: KIMURA (1976a), KIMURA and TODA (1976), TAKADA (1968).

***Mycodrosophila erecta* OKADA, 1968**

Other name used: *Mycodrosophila* sp. from Kirishimayama.

General features of adults: LIN and TING (1971), OKADA (1956, 1968d).

Figures: OKADA (1956, 1968d).

Key: OKADA (1956).

Biology: OKADA (1956).

Distribution:

S. KOREA: KANG et al. (1959). — JAPAN: OKADA (1956, 1968d).

Recorded also on the Ryukyu Islands.

***Mycodrosophila gratiosa* DE MEIJERE, 1911**

Other names used: *M. fracticosta* LAMB (syn.), *M. biroi* DUDA (syn.), *M. splendida* OKADA (syn.).

General features of adults: BURLA (1954a), DUDA (1923, 1939), GUPTA (1974b), LAMB (1914), MALLOCH (1933), DE MEIJERE (1911b), OKADA (1956, 1961a, 1965, 1971e), WHEELER and TAKADA (1964).

Figures: BURLA (1954a), GUPTA (1974b), LAMB (1914), OKADA (1956, 1968a, 1971e), WHEELER and TAKADA (1964).

Keys: BEPPU et al. (1977), BURLA (1954a), DUDA (1924a), LEE (1964c), MALLOCH (1934b), DE MEIJERE (1911b), WHEELER and TAKADA (1964).

Development: OKADA (1963a, 1968a).

Biology: BURLA (1954a), OKADA (1956, 1968a), TODA (1976), WAKAHAMA (1961, 1962b, 1964).

Distribution:

S. KOREA: CHUNG (1959), KANG et al. (1959), KIM (1963), LEE (1964c, 1966b). — JAPAN: OKADA (1956, 1966b, 1968a), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966).

Recorded mainly in Old World tropics.

***Mycodrosophila japonica* OKADA, 1956**

Other name used: *Mycodrosophila* sp. I.

General features of adults: OKADA (1956, 1961a, 1968d).

Figures: OKADA (1956, 1968d).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

Biology: KIMURA (1976b), MOMMA (1957, 1965b), OKADA (1956), SUZUKI (1955).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1959, 1964c, 1966b). — JAPAN: KIMURA (1976b), MOMMA (1957, 1965b), OKADA (1956, 1966b, 1968d), SUZUKI (1955), WAKAHAMA (1964).

***Mycodrosophila koreana* LEE and TAKADA, 1959**

Other name used: *Mycodrosophila* sp.

General features of adults: KANG et al. (1964a, 1965a), KIM (1962), LEE and TAKADA (1959).

Figures: KIM (1962), LEE (1964c), LEE and TAKADA (1959).

Key: LEE (1964c).

Development: LEE (1964c).

Biology: LEE (1962, 1964c), LEE and TAKADA (1959).

Distribution:

S. KOREA: KIM (1962, 1963), LEE (1962, 1964c, 1966b), LEE and TAKADA (1959), TAKADA and LEE (1958). — JAPAN: LEE and TAKADA (1959).

***Mycodrosophila nigropteropleura* KANG, LEE and BAHNG, 1965**

General features of adults: KANG et al. (1965a, 1966).

Figures: KANG et al. (1965a).

Biology: KANG et al. (1965a).

Distribution:

S. KOREA: KANG et al. (1965a), LEE (1966b).

***Mycodrosophila palmata* OKADA, 1956**

General features of adults: LEE and TAKADA (1959), OKADA (1956).

Figures: OKADA (1956).

Key: OKADA (1956).

Biology: OKADA (1956).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1956).

***Mycodrosophila planipalpis* KANG, LEE and BAHNG, 1966**

General features of adults: KANG et al. (1966), OKADA (1968d).

Figures: KANG et al. (1966), OKADA (1968d).

Biology: KANG et al. (1966).

Distribution:

S. KOREA: KANG et al. (1966), LEE (1966b). — JAPAN: OKADA (1968d).

***Mycodrosophila poecilogastra* LOEW, 1874**

Other names used: *M. johni* POKORNÝ (syn.), *Mycodrosophila* sp. II.

General features of adults: BASDEN (1957b), DUDA (1934, 1939), HENNIG (1958), LEE and TAKADA (1959), LOEW (1874), OKADA (1953a, 1956, 1961a), OLDEMBERG (1914), POKORNÝ (1896), SEGUY (1934b).

Figures: DUDA (1924a, 1934), OKADA (1956, 1968a), PAPP (1973).

Keys: BEPPU et al. (1977), DUDA (1924a, 1934), ENDERLEIN (1936), LAŠTOVKA and MÁCA (1977), LEE (1964c), OKADA (1956), PAPP (1973), SÉGUY (1934b), ŠTAKELBERG (1970), TAKADA (1971).

Development: OKADA (1968a).

Biology: COE (1959), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965b), OKADA (1954d, 1956, 1968a), STURTEVANT (1921), SUZUKI (1955).

Distribution:

AUSTRIA: unpublished. — CZECHOSLOVAKIA: unpublished. — HUNGARY: ARADI (1959), PAPP (1973). — ROMANIA: ARADI (1959), DUDA (1934), OLDEMBERG (1914). — USSR: ŠTAKELBERG (1970). — YUGOSLAVIA: ARADI (1959). COE (1959), POKORNÝ (1896), THALHAMMER (1899). — IRAN: DUDA (1934), LOEW (1874). — S. KOREA: CHUNG (1958), KANG et al. (1958, 1959, 1964a, 1966), LEE (1964c, 1966b), PAIK (1958). — JAPAN: KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1957, 1965b), OKADA (1954d, 1956, 1966b, 1968a), SUZUKI (1955), TAKADA (1968), WAKAHAMA (1962a, 1964, 1966).

***Mycodrosophila setipalpis* OKADA, 1956**

General features of adults: OKADA (1956, 1961a).

Figures: OKADA (1956).

Key: OKADA (1956).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956).

***Mycodrosophila shikokuana* OKADA, 1956**

General features of adults: OKADA (1956, 1968d).

Figures: BEPPU et al. (1977), OKADA (1956, 1968d), TAKADA (1960).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

Biology: KIMURA (1976b), OKADA (1956), TAKADA (1960).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1964c, 1966b). — JAPAN: KIMURA (1976b), MOMMA (1965a), OKADA (1956, 1968d), TAKADA (1960), WAKAHAMA (1964).

***Mycodrosophila takachihonis* OKADA, 1956**

General features of adults: OKADA (1956, 1961a, 1968d).

Figures: BEPPU et al. (1977), OKADA (1956, 1968d), TAKADA (1960).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

Biology: OKADA (1956), TAKADA (1960).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1956, 1964, 1968d), TAKADA (1960), WAKAHAMA (1964). Recorded also on the Ryukyu Islands.

***Nesiodrosophila* WHEELER and TAKADA, 1964**

***Nesiodrosophila magnidentata* LEE, 1964**

General features of adults: LEE (1964a, 1964c).

Figures: LEE (1964a, 1964c).

Key: LEE (1964c).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b).

***Nesiodrosophila quelpartiensis* KANG, LEE and BAHNG, 1967**

General features of adults: KANG et al. (1967).

Figures: KANG et al. (1967).

Distribution:

S. KOREA: KANG et al. (1967).

***Nesiodrosophila ravidentata* OKADA and CHUNG, 1960**

General features of adults: LEE (1964a, 1964c), OKADA (1966a), OKADA and CHUNG (1960), TAKADA et al. (1979), WAKAHAMA et al. (1963).

Figures: BEPPU et al. (1977), LEE (1964c), OKADA (1966a), OKADA and CHUNG (1960).

Keys: BEPPU et al. (1977), LEE (1964), OKADA (1966a), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), OKADA and CHUNG (1960).

Distribution:

S. KOREA: LEE (1964c, 1966b), OKADA and CHUNG (1960). — JAPAN: KANEKO and TOKUMITSU (1969), KAWANISHI et al. (1975), WAKAHAMA (1964), WAKAHAMA et al. (1964).

Recorded also in Nepal.

***Nesiadrosophila sufflava* TAKADA, BEPPU and TODA, 1979**

Other name used: *Drosophila* sp. 8.

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Biology: MINAMI et al. (1979).

Distribution:

JAPAN: MINAMI et al. (1979), TAKADA et al. (1979).

***Nesiodrosophila surukella* OKADA, 1965**

Other name used: *N. clypeonigra* OKADA (syn.).

General features of adults: OKADA (1965, 1968d).

Figures: OKADA (1965, 1968d).

Distribution:

JAPAN: KAWANISHI et al. (1975), OKADA (1968d).

Recorded also on the Ryukyu Islands.

***Paraleucophenga* HENDEL, 1914**

***Paraleucophenga argentosa* OKADA, 1956**

General features of adults: KIM (1962), KUROKAWA and HIHARA (1976), OKADA (1956, 1968c).

Figures: KIM (1962), OKADA (1956, 1968c).

Keys: LEE (1964c), OKADA (1956).

Biology: OKADA (1956), WAKAHAMA (1962b, 1964).

Distribution:

S. KOREA: CHUNG and RHO (1960), KANG et al. (1958, 1959), KIM (1962), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: OKADA (1956), WAKAHAMA (1962a, 1962b, 1962c, 1964).

***Paramycodrosophila* DUDA, 1924**

***Paramycodrosophila nakamurai* OKADA, 1973**

General features of adults: OKADA (1973a).

Figures: OKADA (1973a).

Distribution:

JAPAN: OKADA (1973a).

***Scaptomyza* HARDY, 1849**

***Scaptomyza acuta* NISHIHARU, 1979**

General features of adults: NISHIHARU (1979).

Figures: NISHIHARU (1979).

Distribution:

JAPAN: NISHIHARU (1979).

***Scaptomyza amplialata* TAKADA, BEPPU and TODA, 1979**

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

***Scaptomyza atlantica* HACKMAN, 1955**Other names used: *S. incana* var. *tetrasticha* BECKER (misident.), *S. tetrasticha* BECKER (misident.).

General features of adults: BASDEN (1961), FREY (1936), HACKMAN (1955).

Figures: BASDEN (1961), HACKMAN (1955).

Key: HACKMAN (1959).

Biology: FREY (1936).

Distribution:

AZORES: HACKMAN (1955). — CANARY IS.: BASDEN (1961), FREY (1936), HACKMAN (1955, 1958).

***Scaptomyza carinata* OKADA, 1973**

General features of adults: OKADA (1973c).

Figures: OKADA (1973c).

Distribution:

MONGOLIA: OKADA (1973c).

***Scaptomyza choi* KANG, LEE and BAHNG, 1965**

General features of adults: KANG et al. (1965b).

Figures: KANG et al. (1965b).

Biology: KANG et al. (1955b).

Distribution:

S. KOREA: KANG et al. (1965b), LEE (1966b).

***Scaptomyza clavata* OKADA, 1973**

General features of adults: OKADA (1973b).

Figures: OKADA (1973b).

Distribution:

JAPAN: KAWANISHI et al. (1975), OKADA (1973b).

***Scaptomyza consimilis* HACKMAN, 1955**Other names used: *S. monitcola* OKADA (syn.), *Scaptomyza* sp.

General features of adults: HACKMAN (1955), KUROKAWA and HIHARA (1976), OKADA (1956, 1961a), SINGH (1976), WAKAHAMA (1956a).

Figures: BEPPU et al. (1977), HACKMAN (1955), OKADA (1956), ŠTAKELBERG (1970), WAKAHAMA (1956a).

Keys: BEPPU et al. (1977), HACKMAN (1955, 1959), OKADA (1956), ŠTAKELBERG (1970), TAKADA (1971).

Biology: HACKMAN (1955), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), OKADA (1956).

Distribution:

FINLAND: HACKMAN (1955). — USSR: HACKMAN (1955, 1957), ŠTAKELBERG (1970). — JAPAN: KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1956), TAKADA (1968), WAKAHAMA (1956a, 1964, 1966), WAKAHAMA et al. (1963).

***Scaptomyza elmoi* TAKADA, 1970**Other names used: *S. pallida* ZETTERSTEDT (misident.), *S. disticha* DUDA (misident.).

General features of adults: HARDY (1965), NISHIHARU (1977), OKADA (1956), OKADA and KUROKAWA (1957), TAKADA (1970).

Figures: HARDY (1965), NISHIHARU (1977), OKADA (1956), OKADA and KUROKAWA (1957), TAKADA (1970).

Keys: HARDY (1965), OKADA (1956).

Biology: NISHIHARU (1977).

Distribution:

JAPAN: KAWANISHI (1978), NISHIHARU (1977), OKADA (1956), OKADA and KUROKAWA (1957), TAKADA (1970).

Recorded also in Hawaii and Taiwan.

***Scaptomyza flava* FALLÉN, 1823**Other names used: *S. flavolea* MEIGEN (syn.), *S. apicalis* HALIDAY (syn.), *S. montana* WHEELER (syn.), *S. graminum* FALLÉN (misident.), *S. graminum* var. *flava* FALLÉN, *S. pisi*, *S. apicalis* var. *flava* FALLÉN.

General features of adults: BASDEN (1957a), BECKER (1902, 1908b), DE CASTRO (1953), COQUILLETT (1900), DUDA (1921, 1940), FALLÉN (1823), FRYDENBERG (1956a), GERICKE (1882), GOURreau (1851), HACKMAN (1959, 1960, 1969a), HARDY (1849), HEEGER (1852), HENDEL (1928), HERING (1927a), HSU (1949), KJELLANDER (1943), MÁCA (1972a), MALLOCH (1915), MEIGEN (1830), DE MEIJERE (1908, 1911a, 1950), NEUHAUS (1886), OKADA (1956), OLDEMBERG (1914), RICHARDS and HERFORD (1930), SÉGUY (1934a, 1934b), STEIN (1963), WAHLGREN (1927), WALKER (1853), WHEELER (1949c, 1952), ZETTERSTEDT (1847).

Figures: CARPENTER (1911), CHITTENDEN (1902), COQUILLETT (1895), DUDA (1921), FREY (1951), GODAN (1957), GOURreau (1851), HACKMAN (1955, 1959), HEEGER (1852), HENDEL (1928), HERING (1927a), HSU (1949), KRÄMER (1958), MÁCA (1972a), MORGE (1976c), PAPP (1973), SÉGUY (1934b), ŠTAKELBERG (1970), STEIN (1963), WHEELER and TAKADA (1966).

Keys: BASDEN (1954), BECKER (1908b), COLLIN (1953), DUDA (1924a, 1924c, 1926a, 1934), FONSECA (1965), HACKMAN (1955, 1959), MÁCA (1972a), PAPP (1973), SCHINER (1864), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970), WAHLGREN (1927), WHEELER (1952), ZOERNER (1971).

Development: CARPENTER (1911), CHITTENDEN (1902), FREY (1951), GODAN (1957), HENDEL (1928), HENNIG (1952), HERING (1927a), KJELLANDER (1943), KRÄMER (1958), MÁCA (1972a), MAYER (1935), DE MELJERE (1911a), STEIN (1963).

Biology: BASDEN (1954b, 1956, 1957a), BEUTHIN (1887), BEZZI (1918), BUHR (1933, 1937, 1941a, 1941b, 1954, 1960), CARSON (1971), CHITTENDEN (1902), COLLIN (1953), COQUILLET (1895), DUDA (1934), FREY (1951), FROST (1924), GRÖNLJEN (1926), GERCKE (1882), GODAN (1959), GOUREAU (1851), GÜNTHART (1949), HACKMAN (1955), HARDY (1849), HEEGER (1852), HENDEL (1928), HENNIG (1953), HERING (1926, 1927a, 1928, 1931, 1935/37, 1957), KJELLANDER (1943), KOZLOVSKY and RUNGS (1932), KRÄMER (1958), KRÖBER (1910, 1935), KÜHLHORN (1978), LEWIS (1966), LINNANIE (1913), MÁCA (1972a), MAYER (1935), DE MELJERE (1911a, 1950), NUNBERG (1947, 1948), RICHARDS and HERFORD (1930), SCHINER (1864), SÉGUY (1934a, 1934b), ŠTARÝ (1930), STEIN (1963), TIENSU (1951), WHEELER (1952), VAN DER WULP and DE MELJERE (1898), ZOERNER (1971), ZAVŘEL (1967).

Distribution:

ALBANIA: unpublished. — AUSTRIA: BASDEN (1961), HEEGER (1852), STROBL (1898b, 1901, 1910), THALER (1977). — BULGARIA: BUHR (1941a). — CZECHOSLOVAKIA: ARADI (1959), BASDEN (1961), CZÍŽEK (1910), DOSKOČIL (1962), MÁCA (1972a, 1975), MARTINEK (1974b), SOÓS (1945), STARÝ (1930), STROBL (1901), VIMMER (1913), ZAVŘEL (1967). — DENMARK: FRYDENBERG (1956a), HERING (1928), ZETTERSTEDT (1847). — FINLAND: BASDEN (1956), FREY (1929), HACKMAN (1955), TIENSU (1951), ZETTERSTEDT (1847). — FRANCE: BUHR (1941a, 1954), GOUREAU (1851). — GERMAN DEMOCRATIC REPUBLIC: BASDEN (1961), BUHR (1933, 1937, 1941b, 1954, 1960), GODAN (1957), KRÄMER (1917), NEUHAUS (1886), OLDEMBERG (1914), RADDTZ (1937), STEIN (1963), ZOERNER (1971). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), BUHR (1954), DAHL (1896), FREY (1951), GERCKE (1882), GODAN (1957), HERING (1928), KRÄMER (1958), KRÖBER (1910, 1935), KÜHLHORN (1978), OLDEMBERG (1914), STEIN (1963). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1954b, 1957a), COLLIN (1953), CURTIS (1833), EDWARDS and COLLIN (1932), FONSECA (1965), GRIMSHAW (1904, 1916), HENDERSON (1911), LEWIS (1966), RICHARDS and HERFORD (1930), WALKER (1849, 1853). — HUNGARY: ARADI (1959), PAPP (1973), SOÓS (1943, 1945). — IRELAND: DIS 27: 81. — ITALY: BEZZI (1925), ZANGHERI (1950, 1969). — NETHERLANDS: DE MELJERE (1911a, 1950). — NORWAY: GRÖNLJEN (1926). — POLAND: KARL (1936), NUNBERG (1947, 1948). — ROMANIA: ARADI (1959), SOÓS (1945), THADHAMMER (1901). — SPAIN: CZEŘNY and STROBL (1909), HACKMAN (1969a). — SWEDEN: BASDEN (1956), BRINCK and WINGSTRAND (1951), DUDA (1921), FALLÉN (1823), KJELLANDER (1943), LYNEBORG (1965), RINGDAHL (1941, 1951), WAHLGREN (1927), ZETTERSTEDT (1847, 1849). — SWITZERLAND: BÄCHLI (1975a, 1975b, 1977), CALLONI (1889), GÜNTHART (1949). — USSR: BOBEK (1897), HACKMAN (1955, 1957), SOÓS (1945), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: BUHR (1941a), COE (1959), SOÓS (1945), STROBL (1893a, 1893b, 1900a). — AZORES: FREY (1945), HACKMAN (1960). — MADEIRA: BECKER (1908c), FREY (1949), HACKMAN (1960). — CANARY IS.: BECKER (1908b), FREY (1936), HACKMAN (1958). — MOROCCO: KOZLOVSKY and RUNGS (1932). — AFGHANISTAN: HACKMAN (1969b). — MONGOLIA: HACKMAN (1968b), OKADA (1973c).

Recorded mainly as holarctic species.

Comment:

Some records may refer to other *Scaptomyza* species.

Scaptomyza grahami HACKMAN, 1959

General features of adults: HACKMAN (1959), OKADA (1973b).

Figures: HACKMAN (1959).

Key: HACKMAN (1959).

Distribution:

CHINA: HACKMAN (1959).

Scaptomyza graminum FALLÉN, 1823

Other names used: *S. incana* MEIGEN (syn.), *S. rufipes* MEIGEN (syn.), *S. amoena* MEIGEN (syn.), *S. flavipennis* ZETTERSTEDT (syn.), *S. sordida* ZETTERSTEDT (syn.), *S. tetraschista* BECKER (syn.), *S. graminum* var. *semiatricornis* DUDA, *S. borealis* WHEELER (syn.), *S. norica* HACKMAN (syn.), *S. pallida* ZETTERSTEDT (misident.).

General features of adults: BASDEN (1957b), BECKER (1908b), DE CASTRO (1953), COLLIN (1911), DUDA (1921, 1935), FALLÉN (1823), HACKMAN (1955, 1959), HENDEL (1928), KANG et al. (1965b), KIM (1962), KUROKAWA and HIHARA (1976), LIN and TING (1971), MÁCA (1972a), MACQUART (1835), MALLOCHE (1915, 1923b), MEIGEN (1830, 1838), NATER (1950), NEUHAUS (1886), OKADA (1956, 1961a), OLDEMBERG (1914), PARSHAD and DUGGAL (1966), SÉGUY (1934a, 1934b), STROBL, 1893a, 1910), WALKER (1853), WHEELER (1952), WHEELER and THROCKMORTON (1960), ZETTERSTEDT (1838, 1847).

Figures: BEPPU et al. (1977), DUDA (1921, 1935), HACKMAN (1955), HENNIG (1958), KIM (1962), LAŠTOVKA and MÁCA (1977), MÁCA (1972a), MORGE (1976a, 1976c), NATER (1950), OKADA (1956, 1968a), PAPP (1973), ŠTAKELBERG (1970), WHEELER and TAKADA (1966).

Keys: BASDEN (1954b), BECKER (1908b), BEPPU et al. (1977), COLLIN (1953), DUDA (1926a, 1934, 1935), FONSECA (1965), FREY (1945), HACKMAN (1955, 1959), HENDEL (1928), LAŠTOVKA and MÁCA (1977), LEE (1964c), MÁCA (1972a), OKADA (1956), PAPP (1973), RICHARDS and HERFORD (1930), SCHINER (1864), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970), STURTEVANT (1921), TAKADA (1971), WHEELER (1952).

Development: MÁCA (1972a), OKADA (1963a, 1968a), VIMMER (1931).

Biology: BÄCHLI (1977), BASDEN (1954b, 1956), BEZZI (1918), BRISCHKE (1881), BUHR (1933, 1937, 1941a, 1941b, 1954, 1960), BUXTON (1960), COLLIN (1953), COLYER and HAMMOND (1951), COQUILLET (1895), FALCOZ (1927), FREY (1936, 1954), FRIEND (1927), GRÖNLJEN (1926), GÜNTHART (1949), HACKMAN (1955, 1969b), HADORN et al. (1952), HARDY (1849), HENDEL (1928), HENNIG (1953), HERING (1927a, 1927b, 1931, 1935/37, 1957), KANEKO and TOKUMITSU (1969), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TÓDA (1976), KÜHLHORN (1978), LEWIS and TAYLOR (1964), LINDROTH (1931), LINDROTH et al. (1973), MÁCA (1972a), MAYER (1935), MINAMI et al. (1979), NASWATY (1959), NUNBERG (1948), OKADA (1956, 1968a), OKADA and SASAKAWA (1956), PARSHAD and DUGGAL (1966), PIPKIN (1952), RICHARDS and HERFORD (1930), ROCHA PITÉ (1979), SAITO et al. (1962), SCHMID (1968), SÉGUY (1934a, 1934b, 1950), SEIDEL (1957), STARÝ (1930), TAKADA (1958), VIMMER (1931), WAKAHAMA (1962b, 1964), WALKER (1853), ZAVŘEL (1967), ŽUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: ARADI (1959), BASDEN (1961), HACKMAN (1955), STROBL (1880, 1894, 1901), THALER (1977), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), BRANCSIK (1910), CZÍŽEK (1906), DALLA TORRE (1878), DOSKOČIL (1962), DOSKOČIL and HURKA (1962), LAŠTOVKA and MÁCA (1977), MÁCA (1972a, 1975), MARTINEK (1974a, 1974b), SEIDEL (1957), SKUHIRAVÝ et al. (1959), STARÝ (1930), STROBL (1901), VIMMER (1913, 1931), ZAVŘEL (1967), ŽUSKA and LAŠTOVKA (1969). — DENMARK: FRYDENBERG (1956a), ZETTERSTEDT (1847). — FINLAND: BASDEN (1956), FREY (1917, 1929, 1950), HACKMAN (1955), ZETTERSTEDT (1847, 1860). — FRANCE: BUHR (1954), FALCOZ (1927), HADORN et al. (1952), KUNTZE (1913). — GERMAN DEMOCRATIC REPUBLIC: BUHR (1933, 1937, 1941b, 1954, 1960), NEUHAUS (1886), KRÄMER (1917), RAD-

DATZ (1873). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), FISCHER (1938), KRÖBER (1910, 1935), KÜHLHORN (1978), MEIGEN (1838), NASWATY (1959), VON ROSER (1840), ZETTERSTEDT (1847). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1954b), BUXTON (1960), COLLIN (1911, 1953), CURTIS (1833), EDWARDS (1934), EDWARDS and COLLIN (1953), FONSECA (1965), FRIEND (1927), GRIMSHAW (1905, 1906, 1907, 1916), HALDADY (1833), HENDERSON (1911), LEWIS and TAYLOR (1964), RICHARDS and HERFORD (1930), WALKER (1849, 1853), WHEELER and TAKADA (1966), YERBURY (1913). — HUNGARY: ARADI (1959), PAPP (1973), SÓOS (1943), THALHAMMER (1899). — ICELAND: LINDROTH (1931), LINDROTH et al. (1973), NIELSEN et al. (1954). — IRELAND: DIS 27: 81. — ITALY: BEZZI (1891, 1892a, 1892b, 1925), BEZZI and DE STEFANI-PEREZ (1897), KOCH (1872), OLDEMBERG (1914), ZANGHERI (1950, 1969). — NETHERLANDS: MCGILLAVRY (1914), DE MELIERA (1916b, 1935). — NORWAY: BASDEN (1956), GRØNLJEN (1926), ZETTERSTEDT (1847). — POLAND: BECKER (1908b), BOBEK (1890), BRISCHKE (1881), KARL (1936), NUNEBERG (1948). — PORTUGAL: ROCHA PITÉ (1972, 1975b, 1979). — ROMANIA: ARADI (1959), DRAGHIA (1972), STROBL (1897), THALHAMMER (1899). — SPAIN: CZERNY and STROBL (1909), HACKMAN (1969a), STROBL (1900b, 1906). — SWEDEN: FALLÉN (1823), LYNEBORG (1965), RINGDAHL (1951), ZETTERSTEDT (1838, 1847). — SWITZERLAND: BACHLI (1972c, 1973a, 1973c, 1974c, 1975a, 1975b, 1977, 1979), GÜNTHARD (1949), SCHMID (1968). — USSR: ARADI (1959), BOBEK (1897), DUDA (1935), EVERSMANN (1834), HACKMAN (1955, 1957), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: ARADI (1959), BUHR (1941a), COE (1959), STROBL (1898a, 1900a, 1904). — AZORES: FREY (1945). — MADEIRA: BECKER (1908c), FREY (1949). — CANARY IS.: BECKER (1908b), FREY (1936), HERING (1927b), MONCÍUS (1978), SÉGUY (1934a, 1934b). — TUNISIA: BECKER (1907a). — LIBYA: BEZZI (1924b). — LEBANON: PIPKIN (1952). — IRAN: unpublished. — AFGHANISTAN: HACKMAN (1969b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1960), KIM (1962, 1963), LEE (1964c, 1966b). — JAPAN: KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1956, 1968a), SAITO et al. (1962), TAKADA (1958, 1968), WAKAHAMA (1962a, 1962b, 1962c, 1964), WAKAHAMA et al. (1963).

Recorded mainly as holarctic species.

Comment:
Some records may refer to other *Scaptomyza* species.

Scaptomyza griseola ZETTERSTEDT, 1847

Other names used: *S. griseocens* DUDA (syn.), *S. griseocens* DUDA (lapsus).

General features of adults: DUDA (1921, 1935), HACKMAN (1955), MÁCA (1972a), OLDEMBERG (1914), ZETTERSTEDT (1847).

Figures: HACKMAN (1955), MÁCA (1972a), PAPP (1973), ŠTAKELBERG (1970).

Keys: BASDEN (1954b), COLLIN (1953), DUDA (1924a, 1924c, 1934), FONSECA (1965), HACKMAN (1955, 1959), MÁCA (1972a), PAPP (1973), SCHINER (1864), ZETTERSTEDT (1847).

Development: MAYER (1935).

Biology: BEUTHIN (1887), HACKMAN (1955), KRÖBER (1910), MÁCA (1972a), MAYER (1935).

Distribution:

? AUSTRIA: STROBL (1880, 1894, 1901, 1910). — CZECHOSLOVAKIA: MÁCA (1972a), PAPP (1973), VIMMER (1913). — FINLAND: HACKMAN (1955). — ? GERMAN DEMOCRATIC REPUBLIC: KRAMER (1917), OLDEMBERG (1914). — ? GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), KRÖBER (1910). — GREAT BRITAIN: BASDEN (1954b), COLLIN (1953), FONSECA (1965). — HUNGARY: THALHAMMER (1899). — NORWAY: unpublished. — ? POLAND: BOBEK (1890), KARL (1936). — ? ROMANIA: STROBL (1897), THALHAMMER (1899, 1901). — ? SPAIN: STROBL (1900b, 1906). — SWEDEN: ZETTERSTEDT (1847, 1860). — USSR: HACKMAN (1955, 1957), ŠTAKELBERG (1970). — ? YUGOSLAVIA: STROBL (1894, 1898a, 1900a, 1904).

Comment:

Some records may refer to other *Scaptomyza* species.

Scaptomyza impunctata FREY, 1945

Other names used: *S. gracilis* (misident.), *S. clavigera* FREY (syn.).

General features of adults: FREY (1945), HACKMAN (1955), SÉGUY (1934a, 1934b, 1936).

Figures: FREY (1954), HACKMAN (1955).

Keys: FREY (1945, 1954), HACKMAN (1959), SÉGUY (1934a, 1934b).

Distribution:

AZORES: FREY (1945, 1954), HACKMAN (1960), SÉGUY (1936).

Scaptomyza okadai HACKMAN, 1959

Other names used: *S. unipunctum* ZETTERSTEDT (misident.), *Scaptomyza* sp.

General features of adults: HACKMAN (1959), OKADA (1956, 1961a).

Figures: HACKMAN (1959), OKADA (1956).

Keys: BEPPU et al. (1977), HACKMAN (1959), OKADA (1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1965b), SUZUKI (1955).

Distribution:

USSR: HACKMAN (1955, 1959). — JAPAN: KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1957, 1965b), OKADA (1956), SUZUKI (1955), TAKADA (1968), WAKAHAMA (1964), WAKAHAMA et al. (1963).

Scaptomyza pallida ZETTERSTEDT, 1847

Other names used: *S. disticha* DUDA (syn.), *S. gramineum* FALLÉN (misident.).

General features of adults: BASDEN (1957b), BOCK (1977a), DUDA (1921, 1934, 1940), FREY (1921), GUPTA (1970), HARRISON (1959), HERING (1927a), HSU (1949), KIM (1962), KUROKAWA and HIHARA (1976), LEE (1966a), MÁCA (1972a), NATER (1953), NISHIHARU (1977), OKADA (1956, 1961a, 1968a), OKADA and KUROKAWA (1957), PARSHAD and DUGGAL (1966), PATTERSON (1943), SÉGUY (1934a, 1934b), STALKER (1945), TAKADA (1970), WAHLGREN (1927), WHEELER and TAKADA (1964), ZETTERSTEDT (1847).

Figures: BOCK (1977), DUDA (1921, 1934), FREY (1954), GUPTA (1970), HACKMAN (1955), HARRISON (1959), HERING (1927a), HSU (1949), KIM (1962), MÁCA (1972a), MALLOCH (1934a), NATER (1953), NISHIHARU (1977), OKADA (1956, 1968a),

OKADA and KUROKAWA (1957), PAPP (1973), PATTERSON (1943), SÉGUY (1934b), TAKADA (1970), THROCKMORTON (1962, 1966), WHEELER and TAKADA (1964, 1966).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1977), COLLIN (1953), DUDA (1924a, 1924c, 1927, 1934), ENDERLEIN (1936), FONSECA (1965), HACKMAN (1959), HARRISON (1959), LAŠTOVKA and MÁČA (1977), LEE (1964c), MÁČA (1972a), MALLOCH (1934a), MALLOCH and MCATEE (1924), OKADA (1956, 1966a), PAPP (1973), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970), TAKADA (1971), WAHLGREN (1927), WHEELER (1949b), WHEELER and TAKADA (1964), ZETTERSTEDT (1847).

Development: HENNIG (1952), MÁČA (1972a), OKADA (1968a).

Biology: ARADI and MIHÁLYI (1971), BÄCHLI (1977, 1979), BASDEN (1954b), BICKLEY (1956), CARSON (1971), COLLIN (1953), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), HACKMAN (1955, 1959, 1971), HACKMAN and MEINANDER (1979), HEED (1968), HENNIG (1953), HERING (1927a, 1957), KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KÖNIG (1965), KÜHLHORN (1964, 1978, 1979), LEACH (1927), LEE (1962, 1964c), LEWIS and TAYLOR (1964), LINDBROTH et al. (1973), LUMME et al. (1979), MÁČA (1972a), MALLOCH and MCATEE (1924), MINAMI et al. (1979), MOMMA (1965b), NASWATY (1959), NISHIHARU (1977), OKADA (1956, 1962, 1968a), OKADA and KUROKAWA (1957), PAPP (1976, 1979), PARSHAD and DUGGAL (1966), POND (1956), ROCHA PITÉ (1979), SABATH (1974), SCHATZMANN (1977), SCHMID (1968), SÉGUY (1934a, 1934b), SKUHRAVÝ et al. (1959), STALKER (1945), TAKADA (1958), TAKADA and TOYOFUKU (1960), TODA (1976), TODA and KIMURA (1978), WAKAHAMA (1957a, 1961, 1964, 1966), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: BASDEN (1961), THALER (1977). — BELGIUM: unpublished. — CZECHOSLOVAKIA: ARADI (1959), DOS-KOČÍL (1962), DOSKOČIL and HŮRKA (1962), LAŠTOVKA and MÁČA (1977), MÁČA (1972a, 1975), MARTINEK (1973, 1974b), SKUHRAVÝ et al. (1959), ZUSKA and LAŠTOVKA (1969). — DENMARK: FRYDENBERG (1956a). — FINLAND: BASDEN (1956), FREY (1921, 1929, 1950), HACKMAN (1955, 1971), HACKMAN and MEINANDER (1979), LUMME et al. (1978, 1979). — FRANCE: ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: HERING (1927a). — GERMAN FEDERAL REPUBLIC: KÖNIG (1965), KRÖBER (1935), KÜHLHORN (1964, 1978, 1979), NASWATY (1959). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1953, 1954b), COLLIN (1953), EDWARDS (1934), FONSECA (1965), LEWIS and TAYLOR (1964), SMITH (1960), YERBURY (1913). — GREECE: DIS 37: 135–136. — HUNGARY: ARADI (1959), ARADI and MIHÁLYI (1971), BASDEN (1961), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973, 1976). — ICELAND: LINDBROTH (1981), LINDBROTH et al. (1973), NIELSEN et al. (1954). — IRELAND: BASDEN (1956). — ITALY: BASDEN (1961), NIGRO (1979), STROBL (1910), ZANGHERI (1969). — NETHERLANDS: DE MEIJERE (1939b). — NORWAY: BASDEN (1956), ZETTERSTEDT (1855). — POLAND: KARL (1936). — PORTUGAL: ROCHA PITÉ (1972, 1975b, 1977b, 1979). — ROMANIA: ARADI (1959). — SPAIN: BASDEN (1961), HACKMAN (1969a), ORTIZ (1968). — SWEDEN: BASDEN (1956), LYNEBORG (1965), RINGDAHL (1941), WAHLGREN (1927), ZETTERSTEDT (1847, 1860). — SWITZERLAND: BÄBLER (1910), BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1951a), NATER (1953), SCHATZMANN (1977), SCHMID (1968). — TURKEY: unpublished. — USSR: ARADI (1959), HACKMAN (1955, 1957), PAPP (1979), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: ARADI (1959), BASDEN (1961), COR (1959). — AZORES: FREY (1945), HACKMAN (1960), SÉGUY (1936). — MADEIRA: FREY (1949). — CANARY IS.: BECKER (1908b), FREY (1936, 1958), HACKMAN (1958), MONCLÚS (1976). — TUNISIA: BEZZI (1922), PAPP (1978). — ISRAEL: unpublished. — AFGHANISTAN: HACKMAN (1969b). — MONGOLIA: HACKMAN (1968b), OKADA (1973c). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1964a), KIM (1962), LEE (1962, 1964c, 1966a, 1966b), PAIK (1958), TAKADA (1970), TAKADA and LEE (1958). — JAPAN: KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968, 1969), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), NISHIHARU (1977), OKADA (1956, 1966b, 1968a), OKADA and KUROKAWA (1957), SAITO et al. (1962), TAKADA (1957, 1958, 1968, 1970), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TODA and KIMURA (1978), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963).

Recorded as virtually cosmopolitan species.

Scaptomyza polygonia OKADA, 1956

Other name used: *Scaptomyza* sp. VII

General features of adults: KIM (1962), OKADA (1956), TAKADA (1959).

Figures: KIM (1962), OKADA (1956), TAKADA (1959).

Keys: BEPPU et al. (1977), HACKMAN (1959), OKADA (1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KIMURA (1976a), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956), SUZUKI (1955), TAKADA (1958).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), KIM (1962), LEE (1966b). — JAPAN: KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966, 1968), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957, 1963, 1965b), OKADA (1956, 1965), SUZUKI (1955), TAKADA (1958, 1959, 1968), WAKAHAMA (1964, 1966).

Recorded also on the Ryukyu Islands.

Scaptomyza subsplendens DUDA, 1935

General features of adults: DUDA (1935), HACKMAN (1959), OKADA (1966a).

Keys: DUDA (1934), HACKMAN (1955, 1959).

Distribution:

USSR: DUDA (1935).

Scaptomyza teinoptera HACKMAN, 1955

General features of adults: HACKMAN (1955), TAKADA et al. (1979).

Figures: ŠTAKELBERG (1970), WHEELER and TAKADA (1966).

Keys: HACKMAN (1955, 1959), ŠTAKELBERG (1970).

Biology: HACKMAN (1955).

Distribution:

FINLAND: HACKMAN (1955), LUMME et al. (1978). — USSR: HACKMAN (1955, 1957), ŠTAKELBERG (1970).

Recorded also in North America.

***Scaptomyza trochanterata* COLLIN, 1953**

General features of adults: COLLIN (1953), HACKMAN (1959), OKADA (1973c), WHEELER and TAKADA (1966).

Figures: HACKMAN (1955, 1959), WHEELER and TAKADA (1966).

Keys: BASDEN (1954), COLLIN (1953), FONSECA (1965), HACKMAN (1955, 1959).

Distribution:

FINLAND: BASDEN (1956), HACKMAN (1955), LUMME et al. (1978). — GREAT BRITAIN: BASDEN (1954b), COLLIN (1953), FONSECA (1965).

Recorded also in North America.

***Scaptomyza unipunctum* ZETTERSTEDT, 1847**

Other names used: *S. unipunctum bocharensis* HACKMAN, *Scaptomyza* sp.

General features of adults: BASDEN (1957b), CZERNY (1903b), DUDA (1927, 1935), HACKMAN (1959), ZETTERSTEDT (1847).

Figures: DUDA (1935), HACKMAN (1955, 1959), OKADA (1973c), WHEELER and TAKADA (1966).

Keys: DUDA (1934), FREY (1945), HACKMAN (1955, 1959), ŠTAKELBERG (1970).

Distribution:

FINLAND: DUDA (1935), FREY (1929), HACKMAN (1955). — SWEDEN: ZETTERSTEDT (1847). — USSR: DUDA (1935), HACKMAN (1957, 1959), ŠTAKELBERG (1930, 1970). — MONGOLIA: HACKMAN (1968b), OKADA (1973c).

Recorded also in North America.

Soederbomia* HENDEL, 1938**Soederbomia flava* HENDEL, 1938**

General features of adults: HENDEL (1938).

Distribution:

CHINA: HENDEL (1938).

Stegana* MEIGEN, 1830**Stegana coleoptrata* SCOPOLI, 1763**

Other names used: *S. hypoleuca* MEIGEN (syn.), *S. annulata* HALIDAY (syn.), *S. coleoptrata* var. *nigrithorax* STROBL, *Stegana* sp.

General features of adults: BASDEN (1957b), DUDA (1934), HALIDAY (1833), HENNIG (1958), MACQUART (1835), MALLOCH (1924d), MEIGEN (1830), MIK (1898), NEUHAUS (1886), OLDEMBERG (1914), SCOPOLI (1763), SÉGUY (1934a, 1934b), STROBL (1898b, 1910), TAKADA (1968), WAHLGREN (1927), WHEELER (1954), ZETTERSTEDT (1838, 1847, 1860).

Figures: DUDA (1934), HENNIG (1952), MORGE (1956), PAPP (1973), ŠTAKELBERG (1970).

Keys: BEPPU et al. (1977), DUDA (1924a, 1925, 1927, 1934), FONSECA (1965), LAŠTOVKA and MÁCA (1977), MALLOCH (1924c), MALLOCH and McATEE (1924), PAPP (1973), SCHINER (1864), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970), STURTEVANT (1921), TAKADA (1971), WAHLGREN (1927), WHEELER (1952).

Development: HENNIG (1952), MORGE (1956), OKADA (1968a).

Biology: KIMURA (1976b), MORGE (1956), PERRIS (1877), SCHMID (1968), SÉGUY (1934a, 1934b), STORÅ (1957), TESKEY (1976).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1934), OLDEMBERG (1914), STROBL (1898b, 1910). — CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1977). — DENMARK: unpublished. — FINLAND: STORÅ (1957). — FRANCE: PERRIS (1877), SÉGUY (1934a, 1934b). — GERMAN DEMOCRATIC REPUBLIC: MORGE (1956), NEUHAUS (1886), OLDEMBERG (1914). — GERMAN FEDERAL REPUBLIC: DUDA (1934), MEIGEN (1830), OLDEMBERG (1914), ZETTERSTEDT (1838). — GREAT BRITAIN: AUDCENT (1950), FONSECA (1965), HALIDAY (1833). — HUNGARY: ARADI (1950), PAPP (1973), SOÓS (1943, 1945). — NETHERLANDS: DE MEIJERE (1928, 1939), VAN DER WULP and DE MEIJERE (1898). — POLAND: DUDA (1934), KARL (1936). — ROMANIA: ARADI (1959), DUDA (1934), OLDEMBERG (1914). — SWEDEN: BASDEN (1956), RINGDAHL (1949, 1951), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1852, 1855, 1860). — SWITZERLAND: BÁCHLI (1972b, 1973a, 1973c, 1975a, 1975b), SCHMID (1968). — USSR: ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: SCOPOLI (1763). — JAPAN: KIMURA (1976b).

Recorded also in North America.

Comment:

Some European records may refer to *S. mehadiae* DUDA or *S. stroblii* MIK.

***Stegana ctenaria* NISHIHARU, 1979**

General features of adults: NISHIHARU (1979).

Figures: NISHIHARU (1979).

Distribution:

JAPAN: NISHIHARU (1979).

***Stegana excavata* OKADA, 1971**

General features of adults: OKADA (1971c).

Figures: OKADA (1971c).

Key: OKADA (1971c).

Distribution:

S. KOREA: OKADA (1971c). — JAPAN: OKADA (1971c).

***Stegana furta* LINNÉ, 1767**

Other names used: *S. curvipennis* FALLÉN (syn.), *S. nigra* MEIGEN (syn.).

General features of adults: BASDEN (1956), DUDA (1934), FALLÉN (1823), FREY (1921), HENNIG (1958), LINNÉ (1767), LIOY (1895), MEIGEN (1880), NEUHAUS (1886), OKADA (1956, 1971c), OLDENBERG (1914), SÉGUY (1934b), WAHLGREN (1927), ZETTERSTEDT (1838, 1847).

Figures: DUDA (1924a, 1934), FREY (1921), LIOY (1895), MEIGEN (1880), PAPP (1973), SÉGUY (1934b).

Keys: DUDA (1924a, 1927, 1934), ENDERLEIN (1936), FONSECA (1965), LAŠTOVKA and MÁCA (1977), MALLOCH (1924c), OKADA (1971c), PAPP (1973), SCHINER (1864), SÉGUY (1934b), ŠTAKELBERG (1970), WAHLGREN (1927).

Biology: BAER (1914), JUDEICH and NITSCHE (1895), ZETTERSTEDT (1947).

Distribution:

AUSTRIA: ARADI (1959), BASDEN (1961), STROBL (1880, 1894, 1898b, 1910), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), LAŠTOVKA and MÁCA (1977), MARTINEK (1973). — DENMARK: ZETTERSTEDT (1847). — FINLAND: FREY (1917, 1921), ZETTERSTEDT (1847, 1860). — FRANCE: MACQUART (1835), SÉGUY (1934b). — GERMAN DEMOCRATIC REPUBLIC: BAER (1914), KARL (1936), KRAMER (1917), NEUHAUS (1886), OLDENBERG (1914), RADDATZ (1873), SÉGUY (1934b), ZETTERSTEDT (1855). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), KRÖBER (1910, 1935). — GREAT BRITAIN: COLLIN (1911), FONSECA (1965). — HUNGARY: ARADI (1959), PAPP (1973), SÓS (1943), THALHAMMER (1899). — ITALY: LIOY (1895). — NETHERLANDS: DE MEIJERE (1916b, 1928, 1939b), VAN DER WULP and DE MEIJERE (1898). — NORWAY: ZETTERSTEDT (1847). — POLAND: KARL (1936). — ROMANIA: ARADI (1959), THALHAMMER (1899). — SWEDEN: BASDEN (1956), FALLÉN (1823), LINNÉ (1767), POPPIUS et al. (1916), RINGDAHL (1951), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1849, 1852, 1855, 1860). — SWITZERLAND: BÄCHLI (1974c). — USSR: DUDA (1934), ŠTAKELBERG (1930, 1970). — YUGOSLAVIA: STROBL (1898a, 1900a, 1910).

***Stegana longifibula* TAKADA, 1968**

Other name used: *S. coleoptrata* SCOPOLI (misident.).

General features of adults: OKADA (1971c), TAKADA (1968).

Figures: OKADA (1971c), TAKADA (1968).

Keys: BEPPU et al. (1977), OKADA (1971c), TAKADA (1968, 1971).

Distribution:

JAPAN: OKADA (1956, 1971c), TAKADA (1968).

***Stegana mehadiae* DUDA, 1924**

General features of adults: DUDA (1934), OKADA (1956).

Keys: DUDA (1924a, 1925, 1934), PAPP (1973).

Distribution:

CZECHOSLOVAKIA: unpublished. — FINLAND: DUDA (1934). — ROMANIA: ARADI (1959), DUDA (1924), SÓS (1945). — USSR: DUDA (1934).

***Stegana nigrifrons* DE MEIJERE, 1911**

Other names used: *S. coleoptrata* SCOPOLI (misident.), *Stegana* sp.

General features of adults: DUDA (1926a, 1939), DE MEIJERE (1911b), OKADA (1953a, 1956, 1966a, 1971c).

Figures: DUDA (1924a), DE MEIJERE (1911b), OKADA (1956, 1966a, 1971c).

Keys: DUDA (1924a), DE MEIJERE (1911b), OKADA (1956, 1966a, 1971c).

Biology: DE MEIJERE (1911b).

Distribution:

JAPAN: OKADA (1953a, 1956, 1971c).

Recorded mainly in South Asia.

***Stegana nigripennis* HENDEL, 1914**

Other names used: *S. poeciloptera* DUDA (syn.), *L. kanoi* OKADA (syn.).

General features of adults: DUDA (1926b), HENDEL (1914), OKADA (1956, 1971c).

Figures: OKADA (1956).

Keys: OKADA (1956, 1971c).

Biology: OKADA (1956).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1956, 1968c, 1971c).

Recorded also on the Ryukyu Islands and in Taiwan.

***Stegana sibirica* DUDA, 1934**

General features of adults: DUDA (1934), OKADA (1956).

Key: DUDA (1934).

Distribution:

USSR: DUDA (1934).

***Stegana stroblii* MIK, 1898**

Other name used: *S. coleoptrata* SCOPOLI (misident.).

General features of adults: BASDEN (1954b), MIK (1898), OLDENBERG (1914), RINGDAHL (1949), SÉGUY (1934b) WAHLBERG (1927).

Figures: HENNIG (1958).

Keys: DUDA (1924a, 1925, 1934), PAPP (1973), SÉGUY (1934a, 1934b), WAHLGREN (1927).

Biology: BASDEN (1954b), RINGDAHL (1949).

Distribution:

AUSTRIA: unpublished. — CZECHOSLOVAKIA: unpublished. — DENMARK: MEIGEN (1830), MIK (1898), ZETTERSTEDT (1847). — FINLAND: FREY (1929). — FRANCE: SÉGUY (1934b). — GERMAN FEDERAL REPUBLIC: DUDA (1934), OLDBERG (1922). — GREAT BRITAIN: BASDEN (1954b). — HUNGARY: ARADI (1959), PAPP (1973). — ROMANIA: ARADI (1959), BASDEN (1961), DUDA (1934), MIK (1898), OLDBERG (1914), PAPP (1973), SOÓS (1945). — SWEDEN: RINGDAHL (1949), SÉGUY (1934b), WAHLGREN (1927). — USSR: ŠTAKELBERG (1930).

Stegana taba OKADA, 1971

Other name used: *Protostegana* sp. from Taba.

General features of adults: OKADA (1956, 1971c).

Figures: OKADA (1956, 1971c).

Key: OKADA (1971c).

Distribution:

S. KOREA: KANG et al. (1959). — JAPAN: OKADA (1956, 1971c).

Stegana unidentata TAKADA, 1968

General features of adults: OKADA (1971c), TAKADA (1968).

Figures: OKADA (1971c), TAKADA (1968).

Keys: BEPPU et al. (1977), OKADA (1971c), TAKADA (1968, 1971).

Biology: KIMURA (1976b).

Distribution:

JAPAN: KIMURA (1976b), OKADA (1971c), TAKADA (1968).

Zaprionus COQUILLETT, 1901

Zaprionus sp.

Other name used: *Z. vittiger* (misid.).

Distribution:

CANARY IS.: MONCLÚS (1976).

Summary

The literature on the Palearctic species of Drosophilidae was critically analysed. For each species quotations are given to the following subjects: descriptions, illustrations, keys, development, biology and distribution.

Zusammenfassung

Die Literatur über die palaearktischen Arten der Drosophilidae wurde kritisch analysiert. Für jede Art sind Zitate zu folgenden Stichworten gegeben: Beschreibungen, Abbildungen, Bestimmungsschlüssel, Entwicklung, Biologie und Verbreitung.

Резюме

Критически анализируется литература о палеарктических видах Drosophilidae. Для каждого вида приводятся цитаты по следующим ключевым словам: описания, рисунки, определительные таблицы, развитие, биология и распространение.

References

- ADAMS, F. C.
1902 *Acetoxenus syrphoides*, FRNFD., at LYNDHURST. Ent. month. Mag. 38, 110.
- ADAMS, F. C.
1906 Notes on Diptera in the New Forest, 1905. Ent. month. Mag. 42, 116—117.
- ANDJELKOVIĆ, M., and SPERLICH, D.
1973 Inversion polymorphism in a Pannonian population of *Drosophila subobscura*. Egypt. Journ. Genet. Cytol. 2, 144—147.
- ARADI, M. P.
1959 Die Drosophiliden-Fauna des Karpatenbeckens. Rov. Közlem., Ser. nov., 12, 409—426.
- ARADI, M. P., and MIHÁLYI, F.
1971 Seasonal investigations of flies visiting food markets in Budapest. Acta zool. Acad. Sci. hung. 17, 1—10.
- ASHBURNER, M., and LEMEUNIER, F.
1976 Relationships within the *melanogaster* species subgroup of the genus *Drosophila* (*Sophophora*). I. Inversion polymorphisms in *Drosophila melanogaster* and *Drosophila simulans*. Proc. R. Soc. London 193 (B), 137—157.
- ASHBURNER, M., and NOVITSKI, E. (ed.)
1976 The genetics and biology of *Drosophila*. Vol. 1a. Academic Press, London, 486 pp.
- ASTAUROFF, B. I.
1929 Studien über die erbbliche Veränderung der Halteren bei *Drosophila melanogaster* SCHIN. WILH. ROUX' Arch. Entwicklungsmech. 115, 424—447.
- ATKINSON, W., and SHORROCKS, B.
1977 Breeding site specificity in the domestic species of *Drosophila*. Oecologia (Berl.) 29, 223—232.
- AUDCENT, H. L. F.
1950 Bristol insect fauna. Diptera (cont.). Proc. Bristol Natural. Soc., Ser. 4, 28, 45—132.
- AUSTEN, E. E.
1905 A dipterous enemy of English hothouse grapes. Ent. month. Mag. 41, 276—278; 1905.

- AUSTIN, M. D.
 1933 The insect and allied fauna of cultivated mushrooms. Ent. month. Mag. 69, 16–17.
- Азарян, А. Г.
 1968 Суточный ритм вылета и яйцекладки *Drosophila transversa* FLL. и *D. phalerata* MG. (Diptera, Drosophilidae). в различных фотoperиодических условиях. Энт. Обзор. 47, 809–814.
- BÄBLER, E.
 1910 Die wirbellose, terrestrische Fauna der nivalen Region. Ein Beitrag zur Zoogeographie der Wirbellosen. Rev. suisse Zool. 18, 761–915.
- BÄCHLI, G.
 1969 Beitrag zur Kenntnis der Ueberwinterungsstätten von Insekten im Wald. Vierteljahrsschr. naturf. Ges. Zürich 114, 455–460.
 1970 Der Waldboden als Entwicklungssubstrat von Dipteren. Vierteljahrsschr. naturf. Ges. Zürich 115, 255–259.
 1971 *Leucophaenga* und *Paraleucophaenga* (Diptera Brachycera), Fam. Drosophilidae. Exploration du Parc National de l'Upemba. Mission G. F. DE WITTE, Fasc. 71, 192 pp., 38 plates. Bruxelles.
 1972a Biometrische Studie zur Unterscheidung von *Drosophila (Hirtodrosophila) oldenbergi* DUDA und *D. (H.) lundstroemi* DUDA (Diptera, Drosophilidae). Mitt. schweiz. ent. Ges. 45, 43–48.
 1972b Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. I. Fangort Zürich. Mitt. schweiz. ent. Ges. 45, 49–53.
 1972c Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. II. Fangort Arcegno TI. Mitt. schweiz. ent. Ges. 45, 55–59.
 1972a Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. III. Fangort Aigle VD. Mitt. schweiz. ent. Ges. 45, 255–259.
 1973b Beitrag zur Kenntnis der Drosophiliden-Fauna (Diptera) des Kanha-Nationalparkes. Vierteljahrsschr. naturf. Ges. Zürich 118, 23–30.
 1973c Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. IV. Fangort Klöntal GL. Mitt. schweiz. ent. Ges. 46, 195–198.
 1974a Revision der von DUDA beschriebenen südostasiatischen Arten des *Drosophila*-Subgenus *Hirtodrosophila* (Diptera: Drosophilidae). Mitt. zool. Mus. Berlin 49, 267–315.
 1974b Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. V. Fangorte Veyrier GE und Schaffhausen. Mitt. schweiz. ent. Ges. 47, 29–32.
 1974c Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. VI. Fangort Würenlingen AG. Mitt. schweiz. ent. Ges. 47, 261–264.
 1975a Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. VII. Fangorte Mariastein SO und Biel BE. Mitt. schweiz. ent. Ges. 48, 377–381.
 1975b Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. VIII. Fangort Seelisberg UR. Mitt. schweiz. ent. Ges. 48, 383–386.
 1977 Über Drosophiliden (Diptera) an der oberen Waldgrenze in der Schweiz. Mitt. schweiz. ent. Ges. 50, 47–55.
 1979 Quantitative methods for population analysis applied to a *Drosophila* (Diptera, Drosophilidae) collection. Aquilo, Ser. zool. 20, 33–40.
- BÄCHLI, G., and ROCHA PITÉ, M. T.
 1981 Drosophilidae of the Palearctic region. In: ASHBURNER, M., CARSON, H. L., and THOMPSON, J. N., (eds.), The genetics and biology of *Drosophila*. Vol. 3. Academic Press, London.
- In press Family Drosophilidae. In: Soós et al. (eds.), Catalogue of Palearctic Diptera. Budapest.
- BAER, W.
 1914 Ueber *Stegana curvipennis* FALL. Naturw. Ztschr. Forst-Landwirtsch. 12, 379.
- BAIRATTI, A.
 1967 Struttura ed ultrastruttura dell'apparato genitale maschile di *Drosophila melanogaster* MEIG. 1°. Il testicolo. Ztschr. Zellforsch. 76, 56–99.
 1968 Structure and ultrastructure of the male reproductive system in *Drosophila melanogaster* MEIG. 2. The genital duct and accessory glands. Monit. zool. ital., N. S., 2, 105–182.
- BALDUZZI, P.
 1954 Variabilità di caratteri quantitativi in ceppi di *Drosophila subobscura*. Boll. Zool. 21, 313–319.
- BALKASCHINA, E. I., and ROMASCHOFF, D. D.
 1935 Genetische Struktur der *Drosophila*-Populationen. 1. Swenigoroder (Moskauer Geb.) Populationen von *D. phalerata* MEIG., *transversa* FALL. und *vibrissina* DUDA. [In Russian with German summary]. Biol. Zhurn. 4, 81–106.
- BANKS, N.
 1912 The structure of certain dipterous larvae with particular reference to those in human foods. U. S. Dept. Agric., Bur. Ent., Techn. Ser. 22, 1–44.
- BARROS, R. DE
 1950 A new species of the genus „*Drosophila*“, with discussion about speciation in the “*mercatorum*” sub-group. Rev. brasili. Biol. 10, 265–278.
- BASDEN, E. B.
 1952 Some Drosophilidae (Diptera) of the British Isles. Ent. month. Mag. 88, 200–201.
 1953 The autumn flush of *Drosophila* (Diptera). Nature (London) 172, 1155.
 1954a Diapause in *Drosophila* (Diptera: Drosophilidae). Proc. R. ent. Soc. London, (A), 29, 114–118.
 1954b The distribution and biology of Drosophilidae (Diptera) in Scotland, including a new species of *Drosophila*. Trans. R. Soc. Edinburgh 62, 603–654.
 1956 Drosophilidae (Diptera) within the Arctic Circle. I. General survey. Trans. R. ent. Soc. London 108, 1–20.
 1957a Taxonomic and field studies. In: WADDINGTON, C. H., Research report 1955–1957 of the Institute of Animal Genetics, University of Edinburgh, pp. 25–26.
 1957b Japanese Drosophilidae (Dipt.).: A review. Ent. month. Mag. 93, 208–211.
 1958 An examination of the evidence concerning the identity of *Drosophila tristis* FALLÉN (Dipt., Drosophilidae). Ent. month. Mag. 94, 198–202.
- 1961 Type collections of Drosophilidae (Diptera). 1. The STROBL collection. Beitr. Ent. 11, 160–224.
 1966 Systematics of Drosophilidae. In: WADDINGTON, C. H., and McLAREN, A., Research Report 1962–1965 of the Institute of Animal Genetics, University of Edinburgh, p. 85.
- BASDEN, E. B., and GOODEY, J. B.
 1955 A nematode parasite of *Drosophila*. Nature (London) 175, 431.
- BASDEN, E. B., and HARNDEN, D. G.
 1956 Drosophilidae (Diptera) within the Arctic Circle. II. The Edinburgh University expedition to Sub-Arctic Norway, 1953. Trans. R. ent. Soc. London 108, 147–162.
- BAUMANN, E.
 1977 Untersuchungen über die Dipterenfauna subterrane Gangsysteme und Nester von Wühlmäusen (*Microtus*, *Clethrionomys*) auf den Wiesen der montanen Region im Naturpark Hoher Vogelsberg. Zool. Jahrb. Syst. 104, 368–414.

- BEARDMORE, J. A.
- 1967 *Drosophila andalusica*, a polymorphic species new to Holland. Arch. néerl. Zool. 17, 275–277.
 - 1973 Genetic studies of polymorphic esterases in *Drosophila*. Atti Acad. Sci. Ist. Bologna, Cl. Sci. Fis., Anno 261, Memorie, Ser. III, 1, 53–62.
- BEATTY, R. A., and SIDHU, N. S.
- 1969 Polymegaly of spermatozoan length and its genetic control in *Drosophila* species. Proc. R. Soc. Edinburgh, (B), 71, 14–28.
- BECK, H.
- 1972 Genfrequenzschätzungen in zwei schweizerischen Populationen von *Drosophila subobscura* COLLIN. Arch. Genet. 45, 191–192.
- BECKER, T.
- 1900 Beiträge zur Dipteren-Fauna Sibiriens. Nordwest-Sibirische Dipteren. Acta Soc. Sci. fenn. 26 (9), 1–66.
 - 1902 Die MEIGEN'schen Typen der sogen. Muscidae acalypterae (*Muscaria holometopa*) in Paris und Wien. Ztschr. syst. Hymenopt. Dipteral. 2, 209–256, 289–320, 337–349.
 - 1903a Die Typen der v. ROSEN'schen Dipteren-Sammlung in Stuttgart. Diptera cyclorrhapha schizophora. *Muscaria holometopa*. (Muscidae acalypterae). Jahresh. Ver. vaterl. Naturk. Würtemberg 59, 52–66.
 - 1903b Aegyptische Dipteren. Mitt. zool. Mus. Berlin 2, 1–195.
 - 1907a Die Ergebnisse meiner dipterologischen Frühjahrssreise nach Algier und Tunis, 1906. Ztschr. syst. Hymenopt. Dipteral. 7, 369–407.
 - 1907b Zur Kenntnis der Dipteren von Central-Asien. I. Ann. Mus. zool. Acad. imp. Sci. 12, 253–317.
 - 1908a Diptera duo nova ex Hungaria. Ann. hist.-nat. Mus. natn. hung. 6, 320.
 - 1908b Dipteren der Kanarischen Inseln. Mitt. zool. Mus. Berlin 4, 1–180.
 - 1908c Dipteren der Insel Madeira. Mitt. zool. Mus. Berlin 4, 181–206.
- BEGON, M.
- 1975 The relationships of *Drosophila obscura* FALLÉN and *D. subobscura* COLLIN to naturally-occurring fruits. Oecologia (Berl.) 20, 255–277.
 - 1976a Temporal variations in the reproductive condition of *Drosophila obscura* FALLÉN and *D. subobscura* COLLIN. Oecologia (Berl.) 23, 31–47.
 - 1976b Dispersal, density and microdistribution in *Drosophila subobscura* COLLIN. Journ. anim. Ecol. 45, 441–456.
 - 1977 The effective size of a natural *Drosophila subobscura* population. Heredity 38, 18–18.
 - 1978 Population densities in *Drosophila obscura* FALLÉN and *D. subobscura* COLLIN. Ecol. Ent. 3, 1–12.
- BEGON, M., MILBURN, O., and TURNER, D.
- 1975 Density estimates of *Drosophila* in Southern England. Journ. nat. Hist. 9, 315–320.
- BEPPU, K.
- 1976 *Drosophila* Survey of Hokkaido, XXXI. Microdistribution of drosophilid flies in the vicinity of the stream. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 203–210.
 - 1978 *Drosophila* survey of Hokkaido, XXXV. Further study on microdistribution of drosophilid flies in the vicinity of streams. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 21, 155–164.
 - 1979 Habitat segregation of the drosophilid flies in the vicinity of streams. Kontyû 47, 443–455.
 - 1980 Local variation of the habitat preference of the streamside drosophilid flies in Hokkaido. Kontyû 48, 59–70.
- BEPPU, K., and TODA, M. J.
- 1976 Some problems with respect to bait trap collections of drosophilid flies. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 299–312.
- BEPPU, K., KANeko, A., TODA, M. J., and KIMURA, M. T.
- 1977 Methods in the studies of wild drosophilid flies in Hokkaido. 2. Key to species of Drosophilidae in Hokkaido, with a supplementary note on phylogeny. [In Japanese]. Seibutsu Kyozai 12, 1–40.
- BERGROTH, E.
- 1894 Ueber einige australische Dipteren. Stett. ent. Ztg. 55, 71–75.
- BERTANI, G.
- 1947 Artificial "breaking" of the diapause in *Drosophila nitens*. Nature (London) 159, 809.
- BEUTHIN, H.
- 1887 Erster Beitrag zur Kenntnis der Dipteren der Umgegend von Hamburg. Verh. Ver. naturw. Unterh. Hamburg 6, 46–86.
- BEZZI, M.
- 1891 Contribuzione alla fauna ditterologica della provincia di Pavia. Parte prima. Boll. Soc. ent. ital. 23, 21–91.
 - 1892a Contribuzione alla fauna ditterologica della provincia di Pavia. Parte seconda. Boll. Soc. ent. ital. 24, 64–82, 97–149.
 - 1892b I ditteri del Trentino. Atti Soc. veneto-trent. Sci. nat., Ser. 2, 1, 209–253.
 - 1895 Contribuzioni alla fauna ditterologica italiana. I. Ditteri della Calabria. Boll. Soc. ent. ital. 27, 89–78.
 - 1910 Zur Synonymie und systematischen Stellung einiger Dipteren. Soc. ent. 25, 65–67.
 - 1917 Studies in Philippine Diptera, II. Philipp. Journ. Sci. 12 (D), 107–161.
 - 1918 Studi sulla ditterofauna nivale delle alpi italiane. Mem. Soc. Ital. Sci. nat. Milano 9, 1–164.
 - 1922 Materiali per lo studio della fauna tunisina raccolti da G. e L. DORIA. Ditteri. Ann. Mus. civ. Stor. nat. Genova, Ser. 3, 10, 97–139.
 - 1924a A new species of the drosophilid genus *Gitona* (Diptera), bred from figs in Cyprus. Ann. Mag. nat. Hist., Ser. 9, 14, 254–256.
 - 1924b Missione del Dr. E. FESTA in Cirenaica. XI. Ditteri di Cirenaica. Boll. Mus. Zool. Anat. comp. R. Univ. Torino, 39 (n. ser. 18), 1–26.
 - 1925 Materiali per una fauna dell'arcipelago toscano. XVII. Ditteri del Giglio. Ann. Mus. civ. Stor. nat. Genova 50, 291–354.
- BEZZI, M., and STEFANI-PEREZ, T. DE
- 1897 Enumerazione dei ditteri fino ad ora raccolti in Sicilia. Natural. sicil., N. S., 2, 1–72.
- BICKLEY, W. E.
- 1956 Flies associated with tomatoes in Maryland. Journ. econ. Ent. 49, 418–419.
- BIGOT, J. M. F.
- 1881 (no title). Ann. Soc. ent. France, Sér. 6, 1, XXIII–XXIV.
 - 1891 Voyage de M. CH. ALLUAUD aux Iles Canaries. Diptères. Bull. Soc. zool. France 16, 275–279.
- BOBEK, K.
- 1890 Przyczynek do fauny muchówek tatrzańskich. Spraw. Komis. fizyogr. 25, 218–242.
 - 1897 Przyczynek do fauny muchówek Podola galicyjskiego i okolicy Lwowa. Spraw. Komis. fizyogr. 32, 79–96.
- BOCK, I. R.
- 1976 Drosophilidae of Australia. I. *Drosophila* (Insecta: Diptera). Aust. Journ. Zool., Suppl. Ser., 40, 1–105.
 - 1977a Drosophilidae of Australia. II. *Scaptomyza* (Insecta: Diptera). Aust. Journ. Zool. 25, 337–345.
 - 1977b Notes on the Drosophilidae (Diptera) of Townsville, Queensland, including four new Australian species records. Journ. aust. ent. Soc. 16, 267–272.
 - 1979 Drosophilidae of Australia. III. *Leucophepha* (Insecta: Diptera). Aust. Journ. Zool., Suppl. Ser., 71, 1–56.

- BOCK, I. R., and WHEELER, M. R.
 1972 The *Drosophila melanogaster* species group. Univ. Texas Publ., no. 7213, 1–102.
- BOESIGER, E.
 1974 Polymorphismes chez les Drosophilides. Mém. Soc. zool. France 37, 167–204.
- BOHART, G. E., and GRESSITT, J. L.
 1951 Filth-inhabiting flies of Guam. Bull. B. P. Bishop Mus. 204, 1–152.
- BONNAMOUR, S.
 1921 Note sur deux diptères parasites nouveaux de la pléride du chou. Bull. Soc. ent. France 26, 217–219.
 1926 Les insectes parasites des champignons. II. Elevages et nouvelle liste de diptères fongicoles. Ann. Soc. linn. Lyon, N. Sér., 72, 85–93.
- BORISOV, A. I.
 1973a The adaptive role of chromosomal polymorphism. Communication IV. Prolonged observation of a population of *Drosophila funebris* in Moscow. Sov. Genet. 6, 357–363.
 1973b Disturbances of panmixis in natural populations of *Drosophila funebris* polymorphic with respect to II-1 inversion. Sov. Genet. 6, 597–601.
- BRANCSIK, K.
 1910 Trenčsénvármegyében talált Dipterák felsorolása. Jahresh. naturw. Ver. Trencsén Comit. 31–33, 127–158.
- brauer, F.
 1883 Die Zweiflügler des Kaiserlichen Museums zu Wien. III. Systematische Studien auf Grundlage der Dipteren-Larven nebst einer Zusammenstellung von Beispielen aus der Literatur über dieselben und Beschreibung neuer Formen. Denkschr. math.-naturw. Cl. 47, 1–100.
- BREUER, M. E., and ROCHA, R. F.
 1971 Genitália masculina de algumas espécies de *Drosophila* dos grupos “repleta” e “tripunctata” (Diptera, Drosophilidae). Papéis avuls. Zool. S. Paulo 25, 121–137.
- BRINCK, P., and WINGSTRAND, K. G.
 1951 The mountain fauna of the Virihauke area in Swedish Lapland. II. Special account. Lunds Univ. Årsskr., N. F., Avd. 2, 46 (2), 1–173.
- BRISCHKE, C. G. A.
 1881 Die Blattminirer in Danzig's Umgebung. Schrift. naturf. Ges. Danzig 5, 233–290.
- BRNCIC, D.
 1957 Las especies chilenas de Drosophilidae. Monogr. Biol. Univ. Chile, Santiago, 136 pp.
- BRNCIC, D., and DOBZHANSKY, T.
 1957 The southernmost Drosophilidae. Amer. Nat. 91, 127–128.
- BRUNETTI, E.
 1923 A new Indian drosophilid fly. Rec. ind. Mus. Calcutta 25, 303–304.
- BRYAN, E. H.
 1938 Key to the Hawaiian Drosophilidae and descriptions of new species. Proc. hawaii. ent. Soc. 10, 25–42.
- BUHR, H.
 1933 Mecklenburgische Minen. Stett. ent. Ztg. 94, 47–96.
 1937 Parasitenbefall und Pflanzenverwandtschaft. Botan. Jahrb. Syst. 68, 142–198.
- 1941a Dipteren-, insbesondere Agromyziden-Minen aus Südeuropa. Stett. ent. Ztg. 102, 73–119.
- 1941b Mecklenburgische Minen. IV. Nachtrag zu den Dipteren-Minen mit Einschluß der in den Rostocker Botanischen Gärten festgestellten. Arch. Ver. Freunde Naturgesch. Mecklenburg, N. F., 15, 21–101.
- 1954 Mecklenburgische Minen. V. Ueber neue und wenig bekannte Dipteren-Minen. Arch. Freunde Naturgesch. Mecklenburg, N. F., 1, 238–288.
- 1960 Bemerkenswerte oder neue Gallen und Minen aus Thüringen. Mitt. thüring. bot. Ges. 2, 56–150.
- BURLA, H.
 1948 Die Gattung *Drosophila* in der Schweiz. Rev. suisse Zool. 55, 272–279.
 1949 Ecology of the Swiss species of *Drosophila*. Ric. scient. 19, 92–93.
 1951a Systematik, Verbreitung und Oekologie der *Drosophila*-Arten der Schweiz. Rev. suisse Zool. 58, 23–175.
 1951b Die Chromosomensätze die in der Schweiz vorkommenden *Drosophila*-Arten *D. helvetica*, *D. kuntzei*, *D. limbata*, *D. testacea*, *D. littoralis* und *D. nigrosparsa*. Arch. JULIUS KLAUS-Stiftg. 25, 496–504.
 1951c *Drosophila grischuna* species nova, eine neue Art aus der Schweiz. Arch. JULIUS KLAUS-Stiftg. 25, 619–623.
 1954a Zur Kenntnis der Drosophiliden der Elfenbeinküste. Rev. suisse Zool. 61 (Suppl.), 1–218.
 1954b Distinction between four species of the “*melanogaster*” group, “*Drosophila séguyi*”, “*D. montium*”, “*D. kikkawai*” sp. n. and “*D. auraria*” (Drosophilidae, Diptera). Rev. brasili. Biol. 14, 41–54.
 1961 Jahreszeitliche Häufigkeitsänderungen bei einigen schweizerischen *Drosophila*-Arten. Rev. suisse Zool. 68, 173–182.
- BURLA, H., and BÄCHLI, G.
 1968 Beitrag zur Kenntnis der schweizerischen Dipteren, insbesondere *Drosophila*-Arten, die sich in Fruchtkörpern von Hutpilzen entwickeln. Vierteljahrsschr. naturf. Ges. Zürich 113, 311–336.
- BURLA, H., and GLOOR, H.
 1952 Zur Systematik der *Drosophila*-Arten Südwest-Europas. Ztschr. indukt. Abstamm.-Vererbungsl. 84, 164–169.
- BURLA, H., and GOTZ, W.
 1965 Veränderlichkeit des chromosomal Polymorphismus bei *Drosophila subobscura*. Genetica 36, 83–104.
- BURLA, H., and GREUTER, M.
 1959a Einige Komponenten des Ausbreitungsvorganges bei *Drosophila*. Vierteljahrsschr. naturf. Ges. Zürich 104, 236–245.
 1959b Vergleich des Migrationsverhaltens von *Drosophila subobscura* und *Drosophila obscura*. Rev. suisse Zool. 66, 272–279.
 1961 Orientierungsversuche mit *Drosophila obscura* und *Drosophila subobscura* (Diptera). Verh. XI. Int. Kongr. Ent. Wien 1960, I, 597–598.
- BURLA, H., and KÄLIN, A.
 1957 Biometrischer Vergleich zweier Populationen von *Drosophila obscura*. Rev. suisse Zool. 64, 246–252.
- BURUGA, J. H.
 1976 Breeding sites of some species of *Zaprionus* (Diptera) in Uganda. Journ. East Africa nat. Hist. Soc. natn. Mus. 31 (160), 1–6.
- BURUGA, J. H., and OLEMBRO, R. J.
 1971 Plant food preferences of some sympatric drosophilids of Tropical Africa. Biotropica 3, 151–158.
- BUXTON, P. A.
 1924 Applied entomology of Palestine, being a report to the Palestine government. Bull. ent. Res. 14, 289–340.
 1954 British Diptera associated with fungi. 2. — Diptera bred from Myxomycetes. Proc. R. ent. Soc. London, (A), 29, 163–171.
 1960 British Diptera associated with fungi. III. Flies of all families reared from about 150 species of fungi. Ent. month. Mag. 96, 61–94.

- BUZZATTI-TRAVERSO, A.
- 1942a Genetica di popolazioni in *Drosophila*: I. Eterozigosi in *Drosophila subobscura* COLLINS. *Sci. genet.* 2, 190–223.
1942b Genetica di popolazioni in *Drosophila*: II. I cromosomi di 5 specie del "gruppo obscura" e la incrociamabilità di varie razze geografiche. *Sci. genet.* 2, 224–241.
- 1943 Morfologia, citologia e biologia di due nuove specie di *Drosophila* (Diptera acalyptera). *Rend. R. Ist. lomb. Sci. Lett. Cl. Sci.* 77, 37–49.
- BUZZATTI-TRAVERSO, A., and SCOSSETTIROLI, R.
- 1952 Interspecific crosses between *Drosophila* species living on different continents. *Trans. Ninth Int. Congr. Ent.* 1, 246–249.
1955 The "obscura group" of the genus *Drosophila*. *Adv. Genet.* 7, 47–92.
- BUZZATTI-TRAVERSO, A., JUCCI, C., and TIMOFFEYF-RESSOVSKY, N. W.
- 1938 Genetica di popolazioni. *Ric. scient.*, Ser. 2, 9, 584–610.
- CAIN, A. J., COLLIN, J. E., and DEMEREK, V. R.
- 1952 Correct application of the name *Drosophila obscura* FALLÉN and notes on the type of *D. tristis* FALLÉN (Dipt., Drosophilidae). *Ent. month. Mag.* 88, 193–196.
- CALONI, S.
- 1889 La fauna nivale, con particolare riguardo ai viventi delle alte Alpi. *FUSI*, Pavia, 478 pp.
- CANZANELLI, A.
- 1939 La fauna dei funghi freschi. I. Contributo: Elenco delle specie e notizie generali morfobiologiche. *Boll. Zool. agr. Bachic. R. Univ. Milano* 9, 85–107.
1941 La fauna dei funghi freschi. II. Contributo: La ditterofauna fungicola. *Comm. pontif. Acad. Sci.* 5, 211–282.
- CARPENTER, G. H.
- 1911 Injurious insects and other animals observed in Ireland during the year 1910. *Econ. Proc. R. Soc. Dublin* 2, 31–51.
- CARSON, H. L.
- 1965 Chromosomal morphism in geographically widespread species of *Drosophila*. In: BAKER, H. G., and STEBBINS, G. L. (eds.), The genetics of colonizing species, pp. 503–531. Academic Press, New York.
1971 The ecology of *Drosophila* breeding sites. University of Hawaii, HAROLD L. LYON Arboretum Lecture, 2, 1–28.
- CARSON, H. L., and WASSERMAN, M.
- 1965 A widespread chromosomal polymorphism in a widespread species, *Drosophila buzzatii*. *Amer. Nat.* 99, 111–115.
- CARSON, H. L., KNAPP, E. P., and PHAFF, H. J.
- 1956 Studies on the ecology of *Drosophila* in the Yosemite Region of California. III. The yeast flora of the natural breeding sites of some species of *Drosophila*. *Ecology* 37, 538–544.
- CARTER, A. E. J.
- 1914 Perthshire diptera — Aberfoyle district. *Trans. Perthsh. Soc. Nat. Sci.* 5, 176–181.
- CARTER, W.
- 1938 (no title). *Proc. hawaii. ent. Soc.* 10, 5.
- CASTRO, L. E. DE
- 1953 Estudo comparativo das cerdas cuneiformes das pernas dos Drosophilídeos (Diptera). *Rev. brasil. Biol.* 13, 363–368.
- CHARLESWORTH, P., and SHORROCKS, B.
- 1980 The reproductive biology and diapause of the British fungal-breeding *Drosophila*. *Ecol. Ent.* 5, 315–326.
- CHINO, M.
- 1936 The genetics of *Drosophila virilis*. [In Japanese]. *Jap. Journ. Genet.* 12, 189–210.
- CHITTENDEN, F. H.
- 1902 Some insects injurious to vegetable crops. *Bull. U. S. Div. Ent.*, N. S., 33, 1–117.
- CHOI, J. K., and NAKAMURA, K.
- 1973 On a new species of *Drosophila* (Sophophora) from Japan (Diptera). *Kontyû* 41, 305–306.
- CHUNG, Y. J.
- 1958 Drosophilid survey of ten localities, South Korea. *Kor. Journ. Zool.* 1, 33–37.
1959 Drosophilid survey of Huk-San Island. *Ann. Rep. Kor. Cul. Res. Inst.* 1, 391–398.
1960a Drosophilid survey of two islands in the South Sea of Korea. *Ann. Rep. Kor. Cult. Res. Inst.* 2, 369–388.
1960b On a new species, "*Drosophila trilineata*" sp. nov. *Kor. Journ. Zool.* 3, 41–44.
- CHUNG, Y. J., and RHO, B. J.
- 1959 Drosophilid survey of Mt. Sul-Ak (Kang-Won Province). *Kor. Journ. Zool.* 2, 37–42.
1960 Drosophilid survey at two mountains in Kyung-Pook Province. *Ann. Rep. Kor. Cul. Res. Inst.* 2, 385–393.
- CLARKE, J. M., MAYNARD SMITH, J., and SONDHI, K. C.
- 1961 Asymmetrical response to selection for rate of development in *Drosophila subobscura*. *Genet. Res.* 2, 70–81.
- CLAYTON, F. E., and WARD, C. L.
- 1954 Chromosomal studies of several species of Drosophilidae. *Univ. Texas Publ.*, no. 5422, 98–105.
- COCKERELL, T. D. A.
- 1923 Insects in amber from South America. *Amer. Journ. Sci.* 205, 331–333.
- CORE, R. L.
- 1943 *Drosophila repleta* WOLLASTON (Dipt., Drosophilidae) new to Britain, with notes on the species and some account of its breeding-habits. *Ent. month. Mag.* 79, 204–207.
1959 Diptera taken in Yugoslavia from May to July, 1955, with localities and notes. *Glasnik prirodn. Muz. Beogr.*, Ser. B, 12, 181–206.
- COLLIN, J. E.
- 1902a Note on *Acletoxenus syrphoides*, FRAUENFELD. *Ent. month. Mag.* 38, 1–3.
1902b On the specific identity of *Acletoxenus syrphoides*, FRAUENF., and *Gitona formosa*, Lw. *Ent. month. Mag.* 38, 282.
1911 Additions and corrections to the British list of Muscidae acalypterae. *Ent. month. Mag.* 47, 229–234.
1952 Notes on some Drosophilidae (Dipt.), including five additional British species, two of them new to science. *Ent. month. Mag.* 88, 197–199.
1953 On the British species of *Scaptomyza* HARDY and *Parascaptomyza* DUDA (Dipt., Drosophilidae). *Entomologist* 86, 148–151.
- COLLINS, W. E.
- 1956 On the biology and control of *Drosophila* in tomatoes for processing. *Journ. econ. Ent.* 49, 607–610.
- COLYER, C. N.
- 1951 A note on *Drosophila repleta* WOLLASTON (Dipt., Drosophilidae). *Ent. Rec.* 63, 306.
1954 *Drosophila repleta* WOLLASTON (Dipt., Drosophilidae): A further British record and a correction. *Ent. month. Mag.* 90, 98.
- COLYER, C. N., and HAMMOND, C. O.
- 1951 Flies of the British Isles. WARNE, London, 383 pp.
- COQUEILLETT, D. W.
- 1895 Two dipterous leaf-miners on garden vegetables. *Insect Life* 7, 381–384.

- 1898 Report on a collection of Japanese Diptera, presented to the U. S. National Museum by the Imperial University of Tokyo. Proc. U. S. natn. Mus. 21, 301–340.
- 1900 Papers from the HARRIMAN Alaska Expedition. IX. Diptera. Proc. Wash. Acad. Sci. 2, 389–464.
- 1901 Three new species of Diptera. Ent. News 12, 16–18.
- CORTI, E.
- 1897 Aggiunte alla fauna ditterologica della provincia di Pavia. Terza centuria. Boll. Soc. ent. ital. 29, 136–143.
- COTTIER, W.
- 1933 A study of the insect fauna of swede turnips infected with dry-rot. N. Z. Journ. Sci. Techn. 14, 142–145.
- COVA GARCÍA, P., and SUÁREZ, O. M.
- 1962 Especies del genero *Drosophila* encontradas hasta ahora en Venezuela. Rev. venez. San. Asist. soc. 27, 317–351.
- CURRAN, C. H.
- 1932 Diptera (Excl. of Tipulidae and Culicidae) of the WOLLEBAEK Galapagos expedition. Nyt. Mag. Naturvidensk. 71, 347–366.
- 1936 The TEMPLETON CROCKER Expedition to Western Polynesian and Melanesian Islands, 1933. No. 30. Diptera. Proc. Calif. Acad. Sci., Ser. 4, 22, 1–66.
- CURTIS, J.
- 1833 British entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland. Vol. 10, pp. 434–481; London.
- CZERNY, L.
- 1903a Ueber *Drosophila costata* and *fuscimana* ZTT. (Dipt.). Ztschr. syst. Hymenopt. Dipterol. 3, 198–201.
- 1903b Bemerkungen zu den Arten der Gattung *Geomyza* F.L. (Dipt.). Wien. ent. Ztg. 22, 123–127.
- 1930 Dipteren auf Schnee und in Höhlen. Mitt. naturw. Inst. Sofia 3, 113–118.
- CZERNY, L., and STROBL, G.
- 1909 Spanische Dipteren. III. Beitrag. Verh. zool.-bot. Ges. Wien 59, 121–301.
- CZIŽEK, K.
- 1906 Beiträge zu einer Dipterenfauna Mährens. Ztschr. mähr. Landesmus. 6, 182–234.
- 1910 Beiträge zur Dipterenfauna Mährens. (III. Nachtrag). Ztschr. mähr. Landesmus. 10, 87–112.
- DAHL, F.
- 1896 Vergleichende Untersuchungen über die Lebensweise wirbelloser Aasfresser. Sitz.-Ber. K. preuss. Acad. Wiss. Berlin 1896, 17–30.
- DALLA TORRE, K. von
- 1878 Entomologische Notizen aus dem Egerlande. Lotos 27, 91–208.
- DAVID, J.
- 1971 Recherche sur la composition des populations de Drosophilidae de la région de Makokou (Gabon). Activité nycthemérale, abondance et répartition des espèces. Biol. gabon. 7, 67–79.
- 1979 Utilization of morphological traits for the analysis of genetic variability in wild populations. Aquilo, Ser. zool., 20, 49–61.
- DAVID, J., and BOQUET, CH.
- 1972 Parallélisme évolutif chez deux espèces jumelles de *Drosophila*: Les races géographiques de France et d'Afrique équatoriale de *D. melanogaster* et de *D. simulans*. Arch. Zool. exp. gén. 113, 451–463.
- DAVID, J.; LEMEUNIER, F., TSACAS, L., and BOQUET, C.
- 1974 Hybridisation d'une nouvelle espèce, *Drosophila mauritiana* avec *D. melanogaster* et *D. simulans*. Ann. Génét. 17, 235–241.
- DECOURSEY, R. M.
- 1925 A practical control for the pomace fly. Journ. econ. Ent. 18, 626–629.
- DELCOURT, A.
- 1909 Sur l'apparition brusque et l'hérédité d'une variation chez *Drosophila confusa*. C. R. Soc. Biol. 66, 709–711.
- DELY-DRASKOVITS, A.
- 1976 Gemeinschaftsverhältnisse pilzbewohnender Fliegenarten (Diptera). Ann. hist.-nat. Mus. natn. hung. 68, 191–194.
- DELY-DRASKOVITS, A., and BABOS, M.
- 1976 Fenologische Zusammenhänge zwischen Fliegen und Hutpilzen I. Folia ent. hung., Ser. nov., 29, 23–39.
- DELY-DRASKOVITS, A., and PAPP, L.
- 1973 Systematical and ecological investigations of fly pests of mushrooms in Hungary. V. Drosophilidae (Diptera). Folia ent. hung., Ser. nov., 26, 21–29.
- DIS = *Drosophila* Information Service, quoted by volume and page number.
- DOBZHANSKY, T.
- 1965 "Wild" and "domestic" species of *Drosophila*. In: BAKER, H. G. and STEBBINS, G. L. (eds.), The genetics of colonizing species, pp. 533–551. Academic Press, New York.
- DOBZHANSKY, T., and CUNHA, A. B. DA
- 1955 Differentiation of nutritional preferences in Brazilian species of *Drosophila*. Ecology 36, 34–39.
- DOBZHANSKY, T., and PAVAN, C.
- 1943 Studies on Brazilian species of *Drosophila*. Bol. Facul. Fil. Cién. Letr. Univ. S. Paulo 36, 7–72.
- 1950 Local and seasonal variations in relative frequencies of species of *Drosophila* in Brazil. Journ. anim. Ecol. 19, 1–14.
- DOLESCHALL, C. L.
- 1858 Derde bijdrage tot de kennis der dipteren fauna van Nederlandsch Indie. Natuurk. Tijdschr. nederl. Indië 17, 78–128.
- DOSKOČIL, J.
- 1962 Dvoukřídli (skupiny Acalyptrata) Rychlebských hor. Zweiflügler (Gruppe Acalyptrata) des Gebirges Rychlebské hory. Prir. Čas. Slezský 23, 249–272.
- DOSKOČIL, J., and HŮRKA, K.
- 1962 Entomofauna louky (Svaz Arrhenatherion elatioris) a její vývoj. Rozpravy česk. Akad. Věd 72 (7), 1–99.
- DRAGHIA, I.
- 1972 Insects mineurs (L'entomofaune du "grind" de Caraorman, delta du Danube). Trav. Mus. Hist. nat. "Gr. Antipa" 12, 221–228.
- DUBININ, N. P.
- 1946 On lethal mutations in natural populations. Genetics 31, 21–38.
- DUBININ, N. P., and ROMASCHOFF, D. D.
- 1932 Die genetische Struktur der Art und ihre Evolution. [In Russian with German summary]. Biol. Zhurn. 1, 52–95.
- DUBININ, N. P., and TINIakov, G. G.
- 1945 Seasonal cycles and the concentration of inversions in populations of *Drosophila funebris*. Amer. Nat. 79, 570–572.
- 1946a Inversion gradients and natural selection in ecological races of *Drosophila funebris*. Genetics 31, 537–545.

- 1946b Structural chromosome variability in urban and rural populations of *Drosophila funebris*. Amer. Nat. 80, 393–396.
- 1947 Inversion gradients and selection in ecological races of *Drosophila funebris*. Amer. Nat. 81, 148–153.
- DUBININ, N. P.; HEPTNER, M. A.; BESSMERTNAIA, S. J.; GOLDAT, S. J.; PANINA, K. A.; POGOSSIAN, E.; SAPRIKINA, S. W.; SIDOROV, B. N., FERRY, L. W., and TSUBINA, M. G.
- 1934 Experimental study of the ecogenotypes of *Drosophila melanogaster*. First part. [In Russian with English summary]. Biol. Zhurn. 3, 166–206.
- DUBININ, N. P.; ROMASHOV, D. D., HEPTNER, M. A., and DEMIDOV, Z. A.
- 1937a Aberrant polymorphism in *Drosophila fasciata* MEIG. (Syn. *melanogaster* MEIG.). [In Russian with English summary]. Biol. Zhurn. 6, 311–354.
- DUBININ, N. P., SOKOLOV, N. N., and TINIakov, G. G.
- 1937b Intraspecific chromosome variability. [In Russian with English summary]. Biol. Zhurn. 6, 1007–1054.
- DUDA, O.
- 1921 Kritische Bemerkungen zur Gattung *Scaptomyza* HARDY (Dipteren). Jahresh. Ver. schles. Ins. Breslau 13, 57–69.
- 1922 *Liodrosophila* und *Sphaerogastrella*, zwei neue, zu den Drosophiliden und nicht zu den Camilliden gehörige Dipteren-Gattungen aus Südostasien. Arch. Naturgesch. 88 (A), 150–160.
- 1923 Die orientalischen und australischen Drosophiliden-Arten (Dipteren) des Ungarischen National-Museums zu Budapest. Ann. hist.-nat. Mus. natn. hung. 20, 24–59.
- 1924a Beitrag zur Systematik der Drosophiliden unter besonderer Berücksichtigung der paläarktischen u. orientalischen Arten (Dipteren). Arch. Naturgesch. 90 (A), 3, 172–234.
- 1924b Die Drosophiliden (Dipteren) des Deutschen Entomologischen Institutes d. Kaiser Wilhelm-Gesellschaft (früheres Deutsches Entomologisches Museum) aus H. SAUTER's Formosa-Ausbeute. Arch. Naturgesch. 90 (A), 3, 235–259.
- 1924c Revision der europäischen Arten der Gattung *Drosophila* FALLÉN (Dipt.). Ent. Medd. 14, 246–313.
- 1925 Die costaricanischen Drosophiliden des Ungarischen National-Museums zu Budapest. Ann. hist.-nat. Mus. natn. hung. 22, 149–229.
- 1926a Fauna sumatrensis (Beitrag Nr. 26). Drosophilidae (Dipt.). Suppl. ent. 14, 42–116.
- 1926b Die orientalischen und australischen Drosophiliden-Arten (Dipteren) des Ungarischen National-Museums zu Budapest. I. Nachtrag. Ann. hist.-nat. Mus. natn. hung. 23, 241–250.
- 1927 Die südamerikanischen Drosophiliden (Dipteren) unter Berücksichtigung auch der anderen neotropischen sowie der nearktischen Arten. Arch. Naturgesch. 91 (A), 11/12, 1–228 (1925).
- 1928 Beitrag zur Kenntnis der südostasiatischen Drosophilengattung *Hypselothryea* DE MEIJERE (Dipt.). Ann. hist.-nat. Mus. natn. hung. 25, 79–90.
- 1931 Chloropidae, Drosophilidae. Dipterologischer Beitrag zu der von H. J. FEUERBORN, F. RUTTNER und A. THIENEMANN im Jahre 1928 und 1929 nach Java, Sumatra und Bali unternommenen limnologischen Forschungsreise. Arch. Hydrobiol., Suppl., 9, 192–198.
- 1934– Drosophilidae. In: LINDNER, E. (ed.), Die Fliegen der paläarktischen Region. 58 g. SCHWEIZERBART, Stuttgart, 1935 pp. 1–64 (1934), 65–118 (1935).
- 1939 Revision der afrikanischen Drosophiliden (Diptera). I. Ann. hist.-nat. Mus. natn. hung. 32, 1–57.
- 1940 Revision der afrikanischen Drosophiliden (Diptera). II. Ann. hist.-nat. Mus. natn. hung. 33, 19–53.
- DUFOUR, L.
- 1839 Mémoire sur les métamorphoses de plusieurs larves fongivores appartenant à des Diptères. Ann. Sci. nat., Sér. 2 (Zool.), 12, 5–60.
- 1840 Second mémoire sur les métamorphoses de plusieurs larves fongivores appartenant à des Diptères. Ann. Sci. nat., Sér. 2 (Zool.), 13, 148–163.
- 1845 Histoire critique des métamorphoses de la *Drosophila reaumurii*, et description de la larve de la *Drosophila maculata*. Mém. Soc. Sci. Agric. Arts Lille 1845, 201–208.
- 1846 Histoire des métamorphoses de la *Drosophila pallipes*. Ann. Soc. ent. France, Sér. 2, 4, 321–326.
- DYSON-HUDSON, V. R.
- 1954 Key to the British species of *Drosophila* of the *obscura* species-group. Journ. Genet. 52, 555–561.
- 1956 The daily activity rhythm of *D. subobscura* and *D. obscura*. Ecology 37, 562–567.
- DYSON-HUDSON, V. R., and VOCKEROTH, J. R.
- 1955 Some natural habitats of larvae of *Drosophila subobscura* COLLIN and *D. macularis* VILLENEUVE (Dipt., Drosophilidae). Ent. month. Mag. 91, 247–248.
- EDWARDS, F. W.
- 1934 Diptera on Grassholm Island, Pembrokeshire. Journ. Soc. brit. Ent. 1, 33–34.
- 1936 *Amictia alboguttata* WAHLB. in Dorset (Diptera, Drosophilidae). Entomologist 69, 218.
- EDWARDS, F. W., and COLLIN, J. E.
- 1932 A revised list of the Diptera of St. Kilda. Ent. month. Mag. 68, 263–266.
- EGGER, J.
- 1862 Dipterologische Beiträge. Verh. k. k. zool.-bot. Ges. Wien 12, 777–784.
- EISFELDER, I.
- 1957 Noch einmal pilzbewohnende Dipteren (Zweiflügler). Ztschr. Pilzk. 23, 1–5.
- EISSES, K. T., VAN DIJK, H., and VAN DELDEN, W.
- 1979 Genetic differentiation within the *melanogaster* species group of the genus *Drosophila* (Diptera, Sophophora). Evolution 33, 1063–1068.
- ENDERLEIN, G.
- 1927 Dipterologische Studien. XIX. Stett. ent. Ztg. 88, 102–109.
- 1936 Zweiflügler, Diptera. In: BROHMER, P., EHRMANN, P., and ULMER, G. (eds.), Die Tierwelt Mitteleuropas. Vol. 6, Part 2, 259 pp. QUELLE und MEYER, Leipzig.
- EVERSMANN, E.
- 1834 Diptera Wolgam fluvium inter et montes Uralenses observata. Bull. Soc. imp. Natural. Moscou 7, 420–432.
- FABRICIUS, J. C.
- 1787 Mantissa insectorum sistens species nuper detectas adiectis synonymis, observationibus, descriptionibus, emendationibus. Tom. II. PROFT, Hafniae [= Copenhagen], 381 pp.
- 1794 Entomologia systematica emendata et aucta, Tom. IV. PROFT, Hafniae (= Copenhagen), 472 pp.
- 1805 Systema antilitorum secundum ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. REICHARD, Brunsvigae [= Braunschweig], 373 pp.
- FALCOZ, L.
- 1921 Notes sur divers insects fongicoles. Misc. ent. 25, 57–62.
- 1924 Observations biologiques sur divers insects des environs de Vienne en Dauphiné. Bull. Soc. ent. France 1924, 221–224.
- 1927 Observations biologiques sur divers insects des environs de Vienne en Dauphiné. Bull. Soc. ent. France 32, 226–232.

- FALLÉN, C. F.
 1823 Diptera Sveciae Geomyzides. 8 pp., BERLING, Lundae [= Lund].
- FISCHER, H.
 1936 Die Lebensgemeinschaft des Donauriedes bei Mertingen (Schwaben). Abh. naturw. Ver. Schwaben, Augsburg, 1, 1–98.
- FONSECA, E. C. M. D'A.
 1965 A short key to the British Drosophilidae (Diptera) including a new species of *Amiota*. Trans. Soc. brit. Ent. 16, 233–244.
- FRAPPÀ, C.
 1931 La mouche des fruits à Madagascar, *Drosophila repleta* WOLL. Bull. Acad. malg., N. S., 13 (1930), 117–124.
- FRAUENFELD, G. R. VON
 1867 Zoologische Miscellen. XI. Verh. zool.-bot. Ges. Wien 17, 425–502.
 1868a Zoologische Miscellen. XIV. Verh. zool.-bot. Ges. Wien 18, 147–166.
 1868b Zoologische Miscellen. XV. Verh. zool.-bot. Ges. Wien 18, 885–902.
- FRAUSCHER, K.
 1898 Die TIEF'schen Dipteren-Sammlungen. Carinthia II, 88, 30–40, 83–100, 126–139, 153–171.
- FREIRE-MAIA, N.
 1949 Variação do número de dentes dos pentes tarsais de „*Drosophila montium*“. Rev. brasili. Biol. 9, 389–396.
- FREY, R.
 1917 Entomologiska anteckningar från norra Savolaks. Medd. Soc. Fauna Flora fenn. 43, 84–97.
 1918 Bananflugan (*Drosophila ampelophila* LOEW) anträffad i Finland. Medd. Soc. Fauna Flora fenn. 44, 120–122, 210, 253.
 1921 Studien über den Bau des Mundes der niederen Diptera Schizophora nebst Bemerkungen über die Systematik dieser Dipterengruppe. Acta Soc. Fauna Flora fenn. 48 (3), 1–245.
 1929 (no title). Notul. ent. 9, 126–127.
 1932 Neue Diptera brachycera aus Finnland und angrenzenden Ländern. II. Notul. ent. 12, 81–85.
 1936 Die Dipterenfauna der Kanarischen Inseln und ihre Probleme. Soc. Sci. fenn. Comment. biol. 6 (1), 1–237.
 1945 Tiergeographische Studien über die Dipterenfauna der Azoren. I. Verzeichnis der bisher von den Azoren bekannten Dipteren. Soc. Sci. fenn. Comment. biol. 8 (10), 1–114.
 1949 Die Dipterenfauna der Insel Madeira. Soc. Sci. fenn. Comment. biol. 8 (16), 1–47.
 1950 Dipterfaunan vid Tana älv i Utsjoki sommaren 1949. Notul. ent. 30, 5–18.
 1954 Diptera brachycera und Sciaridae von TRISTAN DA CUNHA. Results norw. sci. Exped. TRISTAN DA CUNHA 1937 to 1938, 26, 1–55.
 1958 Kanarische Diptera brachycera p.p., von HÁKON LINDBERG gesammelt. Soc. Sci. fenn. Comment. biol. 17 (4), 1–63.
- FREY, R., TIENSUU, L., and STORÅ, R.
 1941 Enumeratio Insectorum Fenniae. Diptera. 6, 1–63. Helsingfors Entomologiska Bytesförening.
- FREY, W.
 1951 Ueber das Auftreten der Minierfliege *Phytomyza rufipes* MG. an Raps. Ztschr. Pflanzen-Krankh. 58, 10–20.
- FRIEND, H.
 1927 A new raspberry pest. Garden. Chron., Ser. 3, 82, 331–332.
- FRITSCH, K.
 1875 Jährliche Periode der Insectenfauna von Oesterreich—Ungarn. I. Die Fliegen (Diptera). Denkschr. k. Akad. Wiss., math.-naturw. Cl., 34, 83–114.
- FRIZZI, G.
 1950 I cromosomi delle ghiandole salivari di *Drosophila subobscura* COLLIN. Sci. Genet. 3, 205–214.
- FROLOWA, S. L.
 1926 Normale und polyphloide Chromosomengarnituren bei einigen *Drosophila*-Arten. Ztschr. Zellforsch. 3, 682–694.
- FROLOWA, S. L., and ASTAUROW, B. L.
 1929 Die Chromosomengarnitur als systematisches Merkmal. (Eine vergleichende Untersuchung der russischen und amerikanischen *Drosophila obscura* FALL.) Ztschr. Zellforsch. 10, 201–213.
- FROST, S. W.
 1924 A study of the leaf-mining Diptera of North America. Mem. Cornell Univ. agric. Exp. Sta. 78, 1–228.
- FRUTOS, R. DE
 1972 Contribution to the study of chromosomal polymorphism in the Spanish population of *Drosophila subobscura*. Genet. iber. 24, 123–140.
- FRYDENBERG, O.
 1955 On the types of *Drosophila picta* ZETT. and *D. spurea* ZETT. (Drosophilidae, Dipt.) and a new description of the former. Ent. Medd. 27, 104–112.
 1956a The Danish species of *Drosophila* (Dipt.). Ent. Medd. 27, 249–294.
 1956b The synonymy, relationship, and distribution of *Drosophila confusa* STAEGER 1844 (Dipt.). Ent. Medd. 27, 295–308.
- FUKATAMI, A.
 1975 Chromosomal variations in *Drosophila lutescens*. Japan. Journ. Genet. 50, 433–442.
- FUTCH, D. G.
 1966 A study of speciation in South Pacific populations of *Drosophila ananassae*. Univ. Texas Publ., no. 6615, 79–120.
- GALLO, A. J.
 1973 Morphological distinction between female *Drosophila melanogaster* and female *D. simulans*. Ciência Cultura 25, 341–345.
- GARDNER, A. E., and CLASSEY, E. W.
 1960 Report on the insects collected by the E. W. CLASSEY and A. E. GARDNER expedition to Madeira in December 1957. Proc. Trans. S. Lond. ent. nat. Hist. Soc. 1959, 184–206.
- GAUTIER, C.
 1923 Un Aleurode parasite du poirier et du frêne, *Trialeurodes inaequalis*, n. sp. (Hém. Aleurodidae). Annls. Soc. ent. Fr. 91, 337–350.
- GERCKE, G.
 1882 Ueber die Metamorphose einiger Dipteren. Verh. Ver. naturw. Unterh. Hamburg 5, 68–80.
- GERSHENSON, S.
 1928 A new sex-ratio abnormality in *Drosophila obscura*. Genetics 13, 488–507.
 1934 Mutant genes in a wild population of *Drosophila obscura* FALL. Amer. Nat. 68, 569–571.
- GEYSPITS, K. F., and SIMONENKO, N. P.
 1970 An experimental analysis of seasonal changes in the photoperiodic reaction of *Drosophila phalerata* MEIG. (Diptera, Drosophilidae). Ent. Rev. Washington 49, 46–54.

- GIMMERTHAL, B. A.
- 1845 Acht neue, von Herrn Pastor KAWALL in Kurland aufgefundene Dipteren-Arten. Correspondenzbl. naturf. Ver. Riga 1, 102–106.
 - 1847 Vierter Beitrag zur Dipterologie Russlands. Bull. Soc. imp. Natural. Moscou 20, 140–208.
- GIRAUD, J.
- 1861 Fragments entomologiques. Verh. k. k. zool.-bot. Ges. Wien 11, 447–494.
- GLEICHAUF, R.
- 1936 Anatomie und Variabilität des Geschlechtsapparates von *Drosophila melanogaster* (MEIGEN). Ztschr. wiss. Zool. 148, 1–66.
- GODAN, D.
- 1957 Zur Kenntnis der Minierfliegen an Raps und Rübsen. Mitt. dtsch. ent. Ges. 16, 12, 20–23.
- GÖTZ, W.
- 1965a Beitrag zur Kenntnis der Inversionen, Duplikationen und Strukturtypen von *Drosophila subobscura* COLL. Ztschr. Vererbungsl. 96, 285–296.
 - 1965b Chromosomale Polymorphismus in einem Muster von *Drosophila subobscura* aus Marokko, mit Darstellung der Heterozygotieverhältnisse als Heterozygotiediagramm. Ztschr. Vererbungsl. 97, 40–45.
 - 1967 Untersuchungen über den chromosomal Strukturpolymorphismus in kleinasiatischen und persischen Populationen von *Drosophila subobscura* COLL. Molec. Genet. 100, 1–38.
- GOLDSCHMIDT, E.
- 1951 Deleterious genes in wild *Drosophila melanogaster* from Israel. Amer. Nat. 85, 201–205.
 - 1956a Structural polymorphism in the Israel race of *Drosophila subobscura*. Bull. Res. Council Israel 5 (b), 316–317.
 - 1956b Chromosomal polymorphism in a population of *Drosophila subobscura* from Israel. Journ. Genet. 54, 474–496.
 - 1958 Polymorphism and coadaptation in natural populations of *Drosophila subobscura*. Proc. X. Int. Congr. Ent. 2, 821–828.
- GOLDSCHMIDT, E.; WAHRMAN, J., LEDERMANN-KLEIN, A., and WEISS, R.
- 1955 A two years' survey population dynamics in *Drosophila melanogaster*. Evolution 9, 353–366.
- GONZALEZ-DUARTE, R., GONZALEZ IZQUIERDO, M. C., and PREVOSTI, A.
- 1973 Polymorphism for esterases and alcohol dehydrogenases in natural populations of *Drosophila subobscura*. Atti Acad. Sci. Ist. Bologna, Cl. Sci. Fis., Anno 261, Memorie, Ser. III, 1, 63–70.
- GORDON, C.
- 1936 The frequency of heterozygosis in free-living populations of *Drosophila melanogaster* and *Drosophila subobscura*. Journ. Genet. 33, 25–60.
 - 1942 Natural breeding sites for *Drosophila obscura*. Nature (London) 149, 499–500.
- GORDON, C., SPURWAY, H., and STREET, P. A. R.
- 1939 An analysis of three wild populations of *Drosophila subobscura*. Journ. Genet. 38, 37–90.
- GOUREAU, C. C.
- 1851 Mémoire pour servir à l'histoire des diptères dont les larves minent les feuilles des plantes, et à celle de leurs parasites. Ann. Soc. ent. France, Sér. 2, 9, 131–176.
 - 1865 Les insectes nuisibles aux arbres fruitiers, aux plantes potagères, industrielles et économiques, aux céréales et aux plantes fourragères. Bull. Soc. Sci. Hist. nat. Yonne 19, 3–147.
- GREGOR, F.
- 1961 Klič k určování synantropních dvoukřídlých pro praktickou potřebu zdravotníku. Zool. Listy 10, 193–202.
- GREUTER, M. W.
- 1963 Vergleich der Ausbreitungsaktivitäten von *Drosophila subobscura* und *Drosophila obscura*. Rev. suisse Zool. 70, 759–856.
- GRIMSHAW, P. H.
- 1901 Diptera. In: SHARP, D. (ed.), Fauna Hawaiiensis, 3 (1), 1–77. Cambridge.
 - 1904 Diptera Scotica: III — The Forth district (cont.). Ann. scott. nat. Hist. 49, 26–33, 50, 98–102.
 - 1905 On the Diptera of the Flannan Islands. Ann. scott. nat. Hist. 56, 218–220.
 - 1908 The Diptera of Fair Isle. Ann. scott. nat. Hist. 60, 207–209.
 - 1907 On the Diptera of St. Kilda. Ann. scott. nat. Hist. 63, 150–158.
 - 1916 Diptera Scotica: VI — The Western Isles. Scott. Nat. 1916, 134–138.
- GRISWOLD, CH. L.
- 1956 Interval between oak wilt fungus inoculation by *Drosophila melanogaster* and appearance of foliar symptoms. Journ. econ. Ent. 49, 429.
 - 1958 Transmission of the oak wilt fungus by certain woodland-inhabiting Drosophilidae. Journ. econ. Ent. 51, 733–735.
- GRØNLJEN, N.
- 1926 Bladminerere fra VOSS og INDRE-HARDANGER, I. Norsk ent. Tidskr. 2, 89–108.
- GROSSMAN, A. I., and KORENEVA, L. G.
- 1970 Correlation between alleles alcohol dehydrogenase and α -glycerophosphate dehydrogenase in natural populations of *Drosophila melanogaster*. [In Russian with English summary]. Genetika 6, 95–101.
- GÜNTHART, E.
- 1949 Beiträge zur Lebensweise und Bekämpfung von *Ceuthorrhynchus quadridens* PANZ. und *Ceuthorrhynchus napi* GYL. mit Beobachtungen an weiteren Kohl- und Raps-schädlings. Mitt. schweiz. ent. Ges. 22, 441–591.
- GUGGENHEIM, R., WALT, H., and TOBLER, H.
- 1975 Rasterelektronenmikroskopische Untersuchungen am männlichen Vorderbein von *Drosophila melanogaster*. Naturw. Rundsch. 28, 288–289.
- GUPTA, J. P.
- 1970 Description of a new species of *Phorticella Zaprianus* (Drosophilidae) from India. Proc. ind. natn. Sci. Acad. 36 (B), 62–70.
 - 1974a The family Drosophilidae in India. Ind. Biol. 5, 7–30.
 - 1974b Indian species of Drosophilidae, exclusive of the genus *Drosophila*. Journ. Ent. (B) 43, 209–215.
- GUPTA, J. P., and RAY-CHAUDHURI, S. P.
- 1970 Some new and unrecorded species of *Drosophila* (Diptera: Drosophilidae) from India. Proc. R. ent. Soc. London, (B), 39, 57–72.
- GURNAY, W. B.
- 1912 Fruit-flies and other insects attacking cultivated and wild fruits in New South Wales. Agric. Gaz. N. S. Wales 23, 75–80.
- GUYER, G. E.; KING, H. L., FISCHER, R. L., and DREW, W. A.
- 1956 The emergence of flies reared from grass silage in Michigan. Journ. econ. Ent. 49, 619–622.
- HACHIYA, T.
- 1954 The diurnal rhythm of activity in *Drosophila*. [In Japanese with English summary]. Ecol. Rev. 13, 107–110.
- HACKMAN, W.
- 1954 Die *Drosophila*-Arten Finnlands. Notul. ent. 34, 130–139.

- 1955 On the genera *Scaptomyza* HARDY and *Parascaptomyza* DUDA (Dipt., Drosophilidae). Notul. ent. 35, 74–91.
- 1957 Beiträge zur Kenntnis der Drosophiliden des Leningradgebietes. Notul. ent. 37, 17–22.
- 1958 Drosophilidae. In: FREY, R., Kanarische Diptera brachycera p. p., von HÁKON LINDBERG gesammelt. Soc. Sci. fenn. Comment. biol. 17(4), 47–48.
- 1959 On the genus *Scaptomyza* HARDY (Dipt., Drosophilidae) with descriptions of new species from various parts of the world. Acta zool. fenn. 97, 1–73.
- 1960 Coelopidae, Drosophilidae, Sphaeroceridae and Scatophagidae (Diptera, Cyclorrhapha) from the Azores and Madeira. Bol. Mus. munic. Funchal 13, 101–107.
- 1963 Studies on the dipterous fauna in burrows of voles (*Microtus*, *Clethrionomys*) in Finland. Acta zool. fenn. 102, 1–63.
- 1965a On *Drosophila* (*Hirtodrosophila*) *lundstroemi* DUDA and *D. (H.) oldenbergi* DUDA (Dipt., Drosophilidae). Notul. ent. 45, 61–64.
- 1965b (no title). Notul. ent. 45, 99.
- 1968a 11. Diptera. Empididae, Acalyptratae families and Scatophagidae. Ann. ent. fenn. 34, 93–98.
- 1968b 87. Drosophilidae. Ergebnisse der zoologischen Forschungen von Dr. Z. KASZAB in der Mongolei (Diptera). Reichenbachia 11, 65–67.
- 1969a Some Heleomyzidae, Opopomyzidae, Sphaeroceridae, Diastatidae, Drosophilidae, Scatophagidae and Hippoboscidae (Diptera) collected in Southern Spain, with description of a new species of *Acantholertia*. Ent. Medd. 37, 161–181.
- 1969b Beiträge zur Kenntnis der Fauna Afghanistans. Sphaeroceridae und Drosophilidae, Diptera. Časop. morav. Mus. 54, 197–304.
- 1969c A new *Drosophila* species from Northern Fennoscandia (Diptera). Notul. ent. 49, 69–72.
- 1971 Studies on Drosophilidae by a Finnish team. Acta ent. fenn. 28, 30–32.
- 1972 *Drosophila lummei* sp. n., a new species close to *D. littoralis* MEIGEN (Diptera, Drosophilidae). Notul. ent. 52, 89–92.
- HACKMAN, W., and MEINANDER, M.
- 1979 Diptera feeding as larvae on macrofungi in Finland. Ann. zool. fenn. 16, 50–83.
- HACKMAN, W.; LAKOVAARA, S., SAURA, A., SORSKA, M., and VEPSÄLÄINEN, K.
- 1970 On the biology and karyology of *Chymomyza costata* ZETTERSTEDT, with reference to the taxonomy and distribution of various species of *Chymomyza* (Dipt., Drosophilidae). Ann. ent. fenn. 36, 1–9.
- HADORN, E.; BURLA, H., GLOOR, H., and ERNST, F.
- 1952 Beitrag zur Kenntnis der *Drosophila*-Fauna von Südwest-Europa. Ztschr. indukt. Abstamm.-Vererbungsl. 84, 133–163.
- HALIDAY, A. H.
- 1833 Catalogue of Diptera occurring about Holywood in Downshire. Ent. Mag. 1, 147–180.
- HANNAH-ALAVA, A.
- 1958 Morphology and chaetotaxy of the legs of *Drosophila melanogaster*. Journ. Morph. 103, 281–310.
- HARDY, D. E.
- 1965 Family Drosophilidae. In: Insects of Hawaii, Vol. 12, Diptera: Cyclorrhapha II, Series Schizophora, Section Acalyptratae I. Univ. Hawaii Press, Honolulu, 814 pp.
- HARDY, D. E., and WHEELER, M. R.
- 1960 *Paracoxzenus*, new genus, with notes on *Coxzenus indagator* LOEW (Diptera: Drosophilidae). Ann. ent. Soc. Amer. 53, 356–359.
- HARDY, J.
- 1849 Note on remedies for the turnip-fly amongst the ancients, and on the turnip-fly of New Holland, with notice of a new genus and species of Diptera. Hist. Berwickshire Naturalists Club 2, 359–362.
- HARRISON, F. P., DITMAN, L. P., and BICKLEY, W. E.
- 1954 Habits of *Drosophila* with reference to animal excrement. Journ. econ. Ent. 47, 935.
- HARRISON, R. A.
- 1952 New Zealand Drosophilidae (Diptera). I. Introduction and descriptions of domestic species of the genus *Drosophila* FALLÉN. Trans. R. Soc. N. Z. 79, 505–517.
- 1954 Some notes on and additions to the Drosophilidae (Diptera) of Samoa and Fiji. Trans. R. ent. Soc. London 105, 97–116.
- 1959 Acalyptrate Diptera of New Zealand. Bull. Dep. sci. industr. Res. N. Z. 128, 1–382.
- HARTMANN-GOLDSTEIN, I., and SPERLICH, D.
- 1963 The viability of structural heterozygotes of *Drosophila subobscura* at different temperatures. Genetics 48, 863–869.
- HEED, W. B.
- 1956 Apuntes sobre la ecología y la dispersión de los Drosophilidae (Diptera) de El Salvador. Comun. Inst. trop. El Salvador 5, 59–74.
- 1957 Ecological and distributional notes on the Drosophilidae (Diptera) of El Salvador. Univ. Texas Publ., no. 5721, 62–78.
- 1968 Ecology of the Hawaiian Drosophilidae. Univ. Texas Publ., no. 6818, 387–419.
- HEEGER, E.
- 1852 Beiträge zur Naturgeschichte der Insecten. Sitzungsber. math.-naturw. Cl. k. Akad. Wiss. 9, 774–781.
- 1858 Neue Metamorphosen einiger Dipteren. Sitzungsber. k. k. Akad. Wiss. Wien 31, 295–309.
- HEMMING, F.
- 1956 Opinion 396. Use of the Plenary Powers to permit of the addition to the Official List of Specific Names in Zoology of the specific name *immigrans* STURTEVANT, 1921, as published in the combination *Drosophila immigrans* (Class Insecta, Order Diptera). Opin. Declar. 12, 347–362.
- HENDEL, F.
- 1914 Acalyptrate Musciden (Dipt.), III. Suppl. ent. 3, 90–117.
- 1928 Über die minierenden europäischen *Scaptomyza*-Arten und ihre Biologie (Diptera). Zool. Anz. 76, 289–302.
- 1933 Neue acalyptrate Musciden aus der paläarktischen Region (Dipt.). Dtsch. ent. Ztschr. 1933, 39–56.
- 1938 *Muscaria holometopa* (Dipt.) aus China im Naturhistorischen Reichsmuseum zu Stockholm. Ark. Zool. 30 (A) 3, 1–13.
- HENDERSON, R.
- 1911 The Diptera of Clyde (Third list). Trans. nat. Hist. Soc. Glasgow, Ser. 2, 8 (1905–1908), 156–173.
- HENNIG, W.
- 1950 Entomologische Beobachtungen an kleinen Wirbeltierleichen. Ztschr. hygien. Zool. 38, 33–88.
- 1952 Die Larvenformen der Dipteren, eine Übersicht über die bisher bekannten Jugendstadien der zweiflügeligen Insekten. Teil 3. Akademie-Verlag, Berlin, 628 pp.
- 1953 Diptera, Zweiflügler. In: BLUNCK, H. (ed.), Handbuch der Pflanzenkrankheiten. Vol. 5, Part 2, 166 pp., PAREY, Berlin.
- 1958 Die Familien der Diptera Schizophora und ihre phylogenetischen Verwandtschaftsbeziehungen. Beitr. Ent. 8, 505–688.

- HERING, [E.] M.
- 1926 Die Oekologie der blattminierenden Insektenlarven. Zoologische Bausteine, Vol. 1 (3). BORNTRÄGER, Berlin, 253 pp.
 - 1927a Beiträge zur Kenntnis der Oekologie und Systematik blattminierender Insekten (Minenstudien VIII.). Ztschr. angew. Ent. 13, 156–198.
 - 1927b Die Minenfauna der Kanarischen Inseln. Zool. Jahrb. Syst. 53, 405–486.
 - 1928 Beiträge zur Kenntnis der Oekologie und Systematik blattminierender Insekten (Minenstudien IX). Zool. Jahrb. Syst. 55, 535–588.
 - 1931 Minenstudien 11. Ztschr. wiss. Insektenbiol. 26, 93–108.
 - 1935– Die Blattminen Mittel- und Nord-Europas, einschließlich Englands. Bestimmungstabellen aller von Insektenlarven der verschiedenen Ordnungen erzeugten Minen. FELLER, Neubrandenburg, 631 pp.
 - 1940 Neue Acalyptraten aus Manchukuo (Diptera: Pyrgotidae, Drosophilidae, Otitidae). Arb. morph. taxon. Ent. 7, 288–295.
 - 1957 Bestimmungstabellen der Blattminen von Europa einschließlich des Mittelmeerbeckens und der Kanarischen Inseln. JUNK, S-Gravenhage, 1185 pp.
- HERTING, B.
- 1953 Revision zweier europäischer *Drosophila*-Arten. Beitr. Ent. 3, 166–168.
 - 1955 Untersuchungen über die Ökologie der wildlebenden *Drosophila*-Arten Westfalens. Ztschr. Morphol. Ökol. Tiere 44, 1–42.
- HIRUMI, H.
- 1961 Studies on the chromosomal polymorphism in natural populations of *Drosophila immigrans* in southern-central districts of Japan. [In Japanese with English summary]. Jap. Journ. Genet. 36, 297–305.
- HOENIGSBERG, H. F., and LINN, F. J.
- 1977 Population genetics in the American Tropics. XIV. *Drosophila melanogaster* MEIGEN in Colombian and Chinese natural habitats. Mitt. schweiz. ent. Ges. 50, 57–58.
- HOLLINGSWORTH, M. J.
- 1960 The morphology of intersexes in *D. subobscura*. Journ. exp. Zool. 143, 123–151.
- HOWARD, L. O.
- 1900 A contribution to the study of the insect fauna of human excrement. Proc. Wash. Acad. Sci. 2, 541–604.
- HSU, T. C.
- 1949 The external genital apparatus of male Drosophilidae in relation to systematics. Univ. Texas Publ., no. 4920, 80–142.
- HUFF, C. G.
- 1925 The "sun-ray" structure in the posterior larval spiracles of some muscoid flies (Diptera). Ent. News 36, 239–243.
- HUMMEL, H. K., VAN DELDEN, W., and DRENT, R. H.
- 1979 Estimation of some population parameters of *Drosophila limbata* v. ROSER in a greenhouse. Oecologia (Berl.) 41, 135–143.
- HUNTER, A. S.
- 1966 High-Altitude *Drosophila* of Colombia (Diptera: Drosophilidae). Ann. ent. Soc. Amer. 59, 413–423.
- HUNTER, F. A., TULLOCH, J. B. M., and LAMBOURNE, M. G.
- 1973 Insects and mites of maltings in the East Midlands of England. Journ. stored Prod. Res. 9, 119–141.
- HUTTON, F. W.
- 1901 Synopsis of the Diptera Brachycera of New Zealand. Trans. Proc. N. Z. Inst. 33, 1–95.
- IKEDA, H.
- 1970 The cytoplasmatically-inherited "sex-ratio" condition in natural and experimental populations of *Drosophila bifasciata*. Genetics 65, 311–333.
- IKEDA, H., and MORIWAKI, D.
- 1968 Genetical analysis of "sex-ratio" in population of *D. bifasciata*. Proc. XII. Int. Congr. Genet. 2, 86–87.
- ISHIHARA, T.
- 1955a A preliminary study on diurnal activity of *Drosophila* in Hokkaido. [In Japanese with English summary]. Zool. Mag. 64, 84–89.
 - 1955b Some aspects on the diurnal feeding behavior of *Drosophila* observed on Mt. Asahi (Hokkaido). [In Japanese with English summary]. Zool. Mag. 64, 90–93.
- IWAQI, Y.; KIMURA, M. T., MINAMI, N., and WATABE, H.
- 1980 Bionomics of Drosophilidae (Diptera) in Hokkaido. III. *Drosophila auraria* and *D. biauraria*. Kontyū 48, 160–168.
- JENKINSON, F.
- 1901 *Acetoxenus*, syrphoides, FRAUNF., at Cambridge. Ent. month. Mag. 37, 300.
- JOHNSON, F. M.; CANAPI, C. G.; RICHARDSON, R. H.; WHEELER, M. R., and STONE, W. S.
- 1966 An operational classification of *Drosophila esterases* for species comparison. Univ. Texas Publ., no. 6615, 517–532.
- JUDEICH, J. F., and NITSCHE, H.
- 1895 Lehrbuch der Mitteleuropäischen Forstinsektenkunde. Vol. II. PAREY, Berlin, pp. 737–1421.
- JULLIARD, CH.
- 1947 *Cacoxenus indagator* LOEW (Dipt. Drosophilidae). Contribution à la biologie d'un parasite d'*Osmia rufa* L. Mitt. schweiz. ent. Ges. 20, 587–593.
 - 1948 Le comportement des larves de *Cacoxenus indagator* dans les nids de l'*Osmia rufa*. Mitt. schweiz. ent. Ges. 21, 547–554.
- JUNGEN, H.
- 1968a Inversionspolymorphismus in tunesischen Populationen von *Drosophila subobscura* COLLIN. Arch. JULIUS KLAUS-Stiftg. 48, 3–54.
 - 1968b "Sex ratio" in natürlichen Populationen von *Drosophila subobscura*. Arch. JULIUS KLAUS-Stiftg. 43, (52)–(57).
 - 1970 Tageszeitliche Verschiebung von Strukturtypfrequenzen bei *Drosophila subobscura*. Arch. JULIUS KLAUS-Stiftg. 45, 43–44.
- KALTENBACH, J. H.
- 1874 Die Pflanzenfeinde aus der Klasse der Insekten. Stuttgart, 848 pp.
- KAMBYSELLIS, M. P.
- 1968 Comparative studies of oogenesis and egg morphology among species of the genus *Drosophila*. Univ. Texas Publ., no. 6818, 71–92.
- KANEKO, A.
- 1960 *Drosophila* survey of Hokkaido, XVI. Some ecological notes on the attractiveness of different yeasts to drosophilid flies. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 14, 493–498.
 - 1968 *Drosophila* survey of Hokkaido, XXV. Some observations on summer diurnal activity of drosophilid flies in two localities of Southwestern Hokkaido. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 16, 537–541.

- KANEKO, A., and SHIMA, T.
- 1962 *Drosophila* survey of Hokkaido, XVIII. Drosophilidae from four localities of Hokkaido. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 15, 74–79.
 - 1965 Variation in triangularly black spot-patterns on the abdominal tergite in natural populations of *Drosophila nigromaculata*, with preliminary cross-tests. [In Japanese with English summary]. Jap. Journ. Genet. 40, 233–239.
- KANEKO, A., and TAKADA, H.
- 1966 *Drosophila* survey of Hokkaido, XXI. Description of a new species, *Drosophila neokadai* sp. nov. (Diptera, Drosophilidae). Annot. zool. japon. 39, 55–59.
- KANEKO, A., and TOKUMITSU, T.
- 1963 Seasonal fluctuations of *Drosophila* populations in two adjacent localities of Hokkaido. [In Japanese with English summary]. Zool. Mag. 72, 123–127.
 - 1969 *Drosophila* survey of Hokkaido. XXVII. On drosophilid flies from seven localities of Hidako district in southern Hokkaido. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 17, 244–256.
- KANEKO, A., TOKUMITSU, T., and TAKADA, H.
- 1964 *Drosophila* survey of Hokkaido, XX. Description of a new species, *Drosophila pseudosordidula* sp. nov. (Diptera, Drosophilidae). Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 15, 374–377.
- KANEKO, A., KAWAKAMI, M., and TAKADA, H.
- 1966 *Drosophila* survey of Hokkaido. XXII. Drosophilid flies collected in breweries. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 16, 31–37.
- KANEKO, A., TOKUMITSU, T., and SHIMA, T.
- 1968 *Drosophila* survey of Hokkaido, XXIV. On *Drosophila* collections of six localities in the Southwestern part of Hokkaido. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 16, 531–536.
- KANEKO, A., MOMMA, E., and TOKUMITSU, T.
- 1969 *Drosophila* survey of Hokkaido, XXVIII. Drosophilid flies from six localities of Northern Hokkaido. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 17, 381–385.
- KANG, Y. S., and LEE, H. Y.
- 1961 On a new species, *Drosophila macromaculata* sp. nov. [In Korean with English summary]. Kor. Journ. Zool. 4, 29–31.
 - 1964 Notes on the subgenus *Hirtodrosophila* (Diptera: Drosophilidae). Proc. R. ent. Soc. London, (B), 33, 37–38.
- KANG, Y. S., CHUNG, O. K., and LEE, H. Y.
- 1958 Drosophilidae species of Seoul and adjacent localities. Kor. Journ. Zool. 1, 57–58.
 - 1959 Studies on the classification and the living conditions of Drosophilidae in Korea (II). On the unrecorded species of *Drosophila* flies in Korea. [In Korean with English summary]. Kor. Journ. Zool. 2, 61–65.
 - 1960 Studies on the classification and the living conditions of Drosophilidae in Korea (3). “Seasonal changes and difference in distribution by altitude in *Drosophila* population”. [In Korean with English summary]. Kor. Journ. Zool. 3, 5–8.
- KANG, Y. S., KIM, Y. J., and BAHNG, K. W.
- 1964a Chromosome studies on several wild species of Drosophilidae. [In Korean with English summary]. Kor. Journ. Zool. 7, 83–88.
 - 1964b The genetic studies of *Drosophila* population. 1. On the frequencies of sex-linked recessive lethal mutation in *D. melanogaster* irradiated with X-rays. [In Korean with English summary]. Zoologica 3, 1–6.
- KANG, Y. S., LEE, T. J., and BAHNG, K. W.
- 1965 Two new species of the Drosophilidae from Korea. Annot. zool. japon. 38, 97–100.
 - 1965b Three new species and two unrecorded species of Drosophilidae from Korea. Kor. Journ. Zool. 8, 51–54.
 - 1966 Two new species of the genus *Mycodrosophila* (Diptera, Drosophilidae) from Korea. Kor. Journ. Zool. 9, 26–28.
 - 1967 On *Drosophila quelpartiensis* sp. nov. with supplementary notes on the female of *Drosophila pseudonokogiri* KANG, LEE and BAHNG. Kor. Journ. Zool. 10, 71–72.
- KARL, O.
- 1936 Die Fliegenfauna Pommerns. Diptera Brachycera. Stett. ent. Ztg. 97, 108–136.
- KARLIK, A., and SPERLICH, D.
- 1962 Frequenz und Alleliegrad autosomaler Letalfaktoren einer Inselepopulation von *Drosophila melanogaster*. Ztschr. indukt. Abstamm.-Vererbungsl. 93, 229–236.
- KATO, M.
- 1954 The structure of the comparatively stable or balanced natural population. Sci. Rep. Tōhoku Univ., Ser. 4 (Biology), 20, 265–273.
 - 1955 Studies on the associative ecology of insects. V. Syncological analysis of *Drosophila* association in Sendai, Japan. Sci. Rep. Tōhoku Univ., Ser. 4 (Biology), 19, 231–237.
 - 1954 Syncological analysis of *Drosophila* association in Sendai, Japan. [In Japanese]. Kontyū 20, 92.
- KAWANISHI, M.
- 1978 An ecological note on *Drosophila oshimai*. Jap. Journ. Ecol. 28, 97–99.
 - 1977 Ecological factors controlling the coexistence of the sibling species *Drosophila simulans* and *D. melanogaster*. Jap. Journ. Ecol. 27, 279–283.
- KAWANISHI, N., CHOO, J.-K., and NAKAMURA, K.
- 1975 Altitudinal and seasonal variations of the family Drosophilidae (Diptera) on the southern slope of Mt. Fuji. [In Japanese with English summary]. Kontyū 43, 106–116.
- KEILIN, D.
- 1915 Recherches sur les larves de diptères cyclorrhaphes. Bull. scient. France Belg. 49, 143–198.
- KEKIĆ, V., and MARINKOVIĆ, D.
- 1974 Multiple-choice selection for light preference in *Drosophila subobscura*. Beh. Genet. 4, 285–300.
 - 1978 Vrste roda *Drosophila* FALL. (Diptera, Drosophilidae) u Jugoslaviji. Biosistematica 4, 315–317.
 - 1979 Ecological and behavioral adaptations of *Drosophila* in field and laboratory conditions. Aquilo, Ser. zool., 20, 118–128.
- KEKİĆ, V., TAYLOR, C. E., and ANDJELKOVIĆ, M.
- 1980 Habitat choice and resource spezialization by *Drosophila subobscura*. Genetica, Beograd, 12, 219–225.
- KHISHIN, A. F.
- 1961 Genetical studies on some Egyptian natural populations of *Drosophila melanogaster*. Alexandria Journ. agric. Res. 9, 25–38.
- KIKKAWA, H.
- 1936 Two races of *Drosophila montium* (a preliminary note). Jap. Journ. Genet. 12, 137–142.
- KIKKAWA, H., and PENG, F. T.
- 1938 *Drosophila* species of Japan and adjacent localities. Jap. Journ. Zool. 7, 507–552.

- KIM, K. W.
- 1962 Studies on the external male genitalia of Drosophilidae in Korea. Theses Chonnam Univ. 7, 117–137.
 - 1963 Survey of Drosophilidae in Tol-San Island. Theses Chonnam Univ. 9, 243–248.
- KIMURA, M. T.
- 1976a *Drosophila* survey of Hokkaido, XXX. Microdistribution and seasonal fluctuations of drosophilid flies dwelling among the undergrowth plants. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 192–202.
 - 1976b *Drosophila* survey of Hokkaido, XXXII. A field survey of fungus preferences of drosophilid flies in Sapporo. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 288–298.
 - 1980a Bionomics of Drosophilidae (Diptera) in Hokkaido. IV. *Drosophila sexvittata*, *D. trivittata*, and *D. alboralis*. Zool. Mag. 89, 206–209.
 - 1980b Evolution of food preferences in fungus-feeding *Drosophila*: An ecological study. Evolution 34, 1009–1018.
- KIMURA, M. T., and TODA, M. J.
- 1976 Drosophilid fauna in Nakagawa experiment forest, Hokkaido University. [In Japanese with English summary]. Res. Bull. Coll. Exper. Forests, Coll. Agr. Hokkaido Univ., 33, 449–456.
- KIMURA, M. T., TODA, M. J., BEPPU, K., and WATABE, H.
- 1977 Breeding sites of drosophilid flies in and near Sapporo Northern Japan, with supplementary notes in adult feeding habits. Kontyû 45, 571–582.
- KIMURA, M. T., BEPPU, K., ICHIJO, N., and TODA, M. J.
- 1978 Bionomics of Drosophilidae (Diptera) in Hokkaido. II. *Drosophila testacea*. Kontyû 46, 585–595.
- KIRCHBERG, E.
- 1960 Beiträge zur Fliegenfauna Berlins und seiner Umgebung, III. Mitt. dtsch. ent. Ges. 19, 30–33.
- KJELLANDER, E.
- 1943 Nagra skadeinsekter på oljeväxter. Växtskyddsnotiser 7(6), 1–6.
- KLUG, W. S., CAMPBELL, D., and CUMMINGS, M. R.
- 1974 External morphology of the egg of *Drosophila melanogaster* MEIGEN (Diptera: Drosophilidae). Int. Journ. Ins. Morph. Embryol. 3, 33–40.
- KNAB, F.
- 1912 *Drosophila repleta* WOLLASTON. Psyche (Boston) 19, 106–108.
 - 1914 Drosophilidae with parasitic larvae. Insector Inscitiae Menstr. 2, 165–169.
- KNIGHT, G. R.
- 1956 Chromosome number and morphology of *Drosophila silvestris* BASDEN — with a descriptive note on the internal genitalia of the adults. Ztschr. indukt. Abstamm.-Vererbungsl. 87, 439–442.
 - 1961 Structural polymorphism in *Drosophila subobscura* COLL. from various localities in Scotland. Genet. Res. 2, 1–9.
- KOCH, C.
- 1872 Beitrag zur Dipterenfauna Tirols. Ztschr. Ferdinandum Innsbruck 17, 329–344.
- KOCH, R.
- 1967 Tagesperiodik der Aktivität und der Orientierung nach Wald und Feld von *Drosophila subobscura* und *Drosophila obscura*. Ztschr. vergl. Physiol. 54, 353–394.
- KÖNIG, J.
- 1965 Über die Verbreitung der Fruchtfliegen aus der Gattung *Drosophila* im Kaiserstuhl und Breisgau. Wein-Wissenschaft 20, 452–471.
- KOSKE, T.
- 1953 Artkreuzungsversuche in der *obscura*-Gruppe der Gattung *Drosophila*. Ztschr. indukt. Abstamm.-Vererbungsl. 85, 373–381.
- KOZLOWSKY, S., and RUNGS, C.
- 1932 Sur quelques insectes ennemis des plantes maraîchères au Maroc. Bull. Soc. Sci. nat. Maroc. 12, 66–68.
- KRÄMER, K.
- 1958 *Drosophila (Scaptomyza) flava* FALLÉN als Blattminierer an Treibkohlrabi. Anz. Schädlingsk. 31, 171–172.
- KRAMER, H.
- 1917 Die Musciden der Oberlausitz. Abh. naturf. Ges. Görlitz 28, 257–352.
- KRIMBAS, C. B.*
- 1964a The genetics of *Drosophila subobscura* populations. I. Inversion polymorphism in populations of Southern Greece. Evolution 18, 541–552.
 - 1964b The genetics of *Drosophila subobscura* populations. II. Inversion polymorphism in a population from Holland. Ztschr. Vererbungsl. 95, 125–128.
 - 1967 The genetics of *Drosophila subobscura* populations. III. Inversion polymorphism and climatic factors. Molec. gen. Genet. 99, 133–150.
- KRIMBAS, C. B., and ALEVIZOS, V.
- 1973 The genetics of *Drosophila subobscura* populations. IV. Further data on inversion polymorphism in Greece — Evidence of microdifferentiation. Egypt. Journ. Genet. Cytol. 2, 121–132.
- KRIVSHENKO, J. D.
- 1952 A cytogenetic study of the Y chromosome in *Drosophila busckii*. Genetics 37, 500–518.
 - 1963 The chromosomal polymorphism of *Drosophila busckii* in natural populations. Genetics 48, 1239–1258.
- KRÖBER, O.
- 1910 Fauna Hamburgensis. Verzeichnis der in der Umgegend von Hamburg gefundenen Dipteren. Verh. Ver. naturw. Unterh. Hamburg 14, 3–113.
 - 1912 Beitrag zur Biologie der Drosophilinae. Ztschr. wiss. Insektenbiol. 8, 235–236.
 - 1935 Dipterenfauna von Schleswig-Holstein und den benachbarten westlichen Nordseegebieten. Verh. Ver. naturw. Heimatf. Hamburg 24, 45–61.
- KÜHLHORN, F.
- 1964 Über die Dipterenfauna des Stallbiotops. Beitr. Ent. 14, 85–118.
 - 1968 Über Substratkontakte und Raumbeziehungen einiger heimischer Dipterenarten von medizinisch-hygienischer Bedeutung. (Untersuchungen über die Insektenfauna von Räumen: 19). Ztschr. angew. Zool. 55, 257–293.
 - 1978 Substratbefallsketten Lebens- und Futtermittel aufsuchender heimischer Dipterenarten unter Berücksichtigung medizinisch-hygienischer Gesichtspunkte. Ztschr. angew. Zool. 65, 257–291.
 - 1979 Dipterenfauna zoologischer Präparatorien und veterinär-medizinischer Sektionsräume. Angew. Parasitol. 20, 17–34.
- KUNTZE, A.
- 1913 Dipterologische Sammelreise in Korsika des Herrn W. SCHNUSE in Dresden im Juni und Juli 1899. Dtsch. ent. Ztschr. 1913, 544–552.
- KUNZE-MÜHL, E., and SPERLICH, D.
- 1955 Inversionen und chromosomale Strukturtypen bei *Drosophila subobscura* COLL. Ztschr. indukt. Abstamm.-Vererbungsl. 87, 65–84.
 - 1962 Vergleichende Untersuchungen über den chromosomal Strukturpolymorphismus in Insel- und Festlandpopulationen von *Drosophila subobscura*. Ztschr. Vererbungsl. 93, 237–248.

- KUNZE-MÜHL, E., MÜLLER, E., and SPERLICH, D.
- 1958 Qualitative, quantitative und jahreszeitliche Untersuchungen über den chromosomal Polymorphismus natürlicher Populationen von *Drosophila subobscura* COLL. in der Umgebung von Wien. *Ztschr. Vererbungsl.* **98**, 636–646.
- KUROKAWA, H.
- 1956 Comparative studies on some characteristics of three races of *Drosophila auraria*. *Annot. zool. japon.* **29**, 225–233.
- 1958 On the three races of *Drosophila auraria* PENG. [In Japanese]. *Bull. biogeogr. Soc. Japan.* **20**, 1–3.
- 1959 Experiments on sexual isolation between races A and B of *Drosophila auraria*. *Annot. zool. japon.* **32**, 220–224.
- 1960 Sexual isolation among the three races, A, B and C of *Drosophila auraria*. *Jap. Journ. Genet.* **35**, 161–166.
- 1962 Population genetics on three races of *Drosophila auraria* PENG. I. Bristle number of sixth sternite in male. *Jap. Journ. Genet.* **37**, 510–517.
- 1963 Population genetics on three races of *Drosophila auraria* PENG. II. Sexual isolation among strains within a race C. *Jap. Journ. Genet.* **38**, 1–5.
- 1967a Population genetics on three races of *Drosophila auraria* PENG. III. Geographical and ecological distribution of the races, A, B and C, with special regard to its speciation. *Jap. Journ. Genet.* **42**, 109–119.
- 1967b Variation in male genitalia of *Drosophila auraria* collected in nature. *Annot. zool. japon.* **40**, 154–160.
- 1972 On the spermatheca of *Drosophila ezoana* TAKADA and OKADA. *Annot. zool. japon.* **45**, 60–62.
- KUROKAWA, H., and HIHARA, F.
- 1976 Number of first spermatocytes in relation to phylogeny of *Drosophila* (Diptera: Drosophilidae). *Int. Journ. Insect Morphol. Embryol.* **5**, 51–63.
- LACHAISE, D.
- 1971 Répartition des espèces de Drosophiles du sous-genre Sophophora group *melanogaster* dans une mosaïque „savane à palmiers Rôniers-galerie forestière“ (Côte-d'Ivoire). *C. R. Acad. Sc. Paris* **273**, 1527–1530.
- 1974a Les Drosophilidae des Savanes préforestières de la région tropicale de Lamto (Côte-d'Ivoire). I. Isolement écologique des espèces affines et sympatiques; rythmes d'activité saisonnière et circadienne; rôle des feux de brousse. *Ann. Univ. Abidjan, Sér. E (Ecol.)* **7**, 1–152.
- 1974b Les Drosophilidae des Savanes préforestières de la région tropicale de Lamto (Côte-d'Ivoire). V. Les régimes alimentaires. *Ann. Soc. ent. Fr. (N. S.)* **10**, 3–50.
- 1975 Les Drosophilidae des Savanes préforestières de Lamto (Côte-d'Ivoire). III. Le peuplement du Palmier Rônier. *Ann. Univ. Abidjan, Sér. E (Ecol.)* **8**, 223–280.
- 1976 Les Drosophilidae des Savanes préforestières de Lamto (Côte-d'Ivoire). IV. b. Synécologie fonctionnelle du peuplement de *Ficus capensis*. *Bull. Ecol.* **7**, 79–104.
- LAKOVAARA, S., and HACKMAN, W.
- 1973 *Drosophila ovivororum* sp. n., a new species of the *Drosophila virilis* group (Diptera, Drosophilidae). *Notul. ent.* **53**, 167–169.
- LAKOVAARA, S., and HOIKKALA, A.
- 1979 Analysis of the male courtship sounds of certain species of the *Drosophila virilis* group. *Aquilo, Ser. zool.* **20**, 94–99.
- LAKOVAARA, S., and LANKINEN, P.
- 1974 *Drosophila eskov* sp. n., a new species of the *Drosophila obscura* group (Diptera, Drosophilidae). *Notul. ent.* **54**, 121–124.
- LAKOVAARA, S., and SAURA, A.
- 1971a Genetic variation in natural populations of *Drosophila obscura*. *Genetics* **69**, 377–384.
- 1971b Genic variation in marginal populations of *Drosophila subobscura*. *Hereditas* **69**, 77–82.
- LAKOVAARA, S., SAURA, A., and FAULK, C. T.
- 1972a Genetic distance and evolutionary relationships in the *Drosophila obscura* group. *Evolution* **26**, 177–184.
- LAKOVAARA, S., SAURA, A., KOREF-SANTIBÁÑEZ, S., and EHRMAN, L.
- 1972b Aspects of diapause and its genetics in northern drosophilids. *Hereditas* **70**, 89–96.
- LAKOVAARA, S., SAURA, A., LANKINEN, P., and LOKKI, J.
- 1972c Evolution of enzymes and genetic distance in *Drosophila obscura* and *affinis* subgroups. XVII. *Congr. Int. Zool. Monte Carlo*, Theme No. 5, 1–18.
- LAKOVAARA, S., LUMME, J., and OIKARINEN, A.
- 1973 Genetics and evolution of diapause in European species of the *Drosophila virilis* group (Abstr.). *Genetics* **74** (Suppl.), 149.
- LAKOVAARA, S.; SAURA, A.; LANKINEN, P., POHJOLA, L., and LOKKI, J.
- 1976a The use of isoenzymes in tracing evolution and in classifying Drosophilidae. *Zool. Scripta* **5**, 173–179.
- LAKOVAARA, S.; SAURA, A., LOKKI, J., and LANKINEN, P.
- 1976b Genic polymorphism in marginal populations of *Drosophila*. *Notul. ent.* **56**, 65–72.
- LAMB, C. G.
- 1914 The PERCY SLADEN TRUST Expedition to the Indian Ocean in 1905. XV. Diptera: Heteroneuridae, Ortalidae, Tryptidae, Sepsidae, Micropezidae, Drosophilidae, Geomyzidae, Milichidae. *Trans. linn. Soc. London, Ser. 2, Zool.* **16**, 307–372.
- LANDROCK, K.
- 1908 Beitrag zur Dipterenfauna Mährens. *Ztschr. mähr. Landesmus.* **8**, 161–180.
- 1910 Neuer Beitrag zu einer Dipterenfauna Mährens. *Ztschr. mähr. Landesmus.* **10**, 126–147.
- LANGHOFFER, A.
- 1897 Légytaj tömeges előfordulása. *Rovart. Lapok* **4**, 101–102.
- LAŠTOVKA, P., and MÁCA, J.
- 1977 92. čísel Octomilkovití – Drosophilidae. In: DOSKOČIL, J. (ed.), *Klič zvířený ČSSR* V, pp. 272–275, Academia, Praha.
- 1978 European species of the *Drosophila* subgenus *Lordiphosa* (Diptera, Drosophilidae). *Acta ent. bohemoslov.* **75**, 404–420.
- LAURENCE, B. R.
- 1953 Some Diptera bred from cow dung. *Ent. month. Mag.* **89**, 281–283.
- LEACH, J. G.
- 1927 The relation of insects and weather to the development of heart rot of celery. *Phytopathology* **17**, 663–667.
- LECLERCQ, M.
- 1946a Observations écologiques sur les mouches de nos habitations. *Rev. fr. Ent.* **13**, 76–79.
- 1946b Some predaceous flies and their prey. *Ent. month. Mag.* **82**, 177.
- 1955 Diptères prédateurs et leur proies. *Bull. Ann. Soc. ent. Belgique* **91**, 341.
- LEE, T. J.
- 1959 On a new species „*Drosophila clarofinis*“ sp. nov. *Kor. Journ. Zool.* **2**, 43–45.
- 1962 Ecological studies of *Drosophila* populations in Korea. *Kor. Journ. Zool.* **5**, 13–20.
- 1964a New and unrecorded species of Drosophilidae in Korea. *Kor. Journ. Zool.* **7**, 107–110.
- 1964b Genetic analysis of the polymorphism of color pattern in *Drosophila auraria*. [In Korean with English summary]. *Kor. Journ. Zool.* **7**, 111–117.

- 1964c Taxonomy, and geographical distribution of Drosophilidae (Diptera) in Korea. Chungang Univ. Theses Coll. 9, 425–459.
- 1965 Sex-ratio in wild *Drosophila suzukii* and *Drosophila auraria*. [In Korean with English summary]. Chungang Univ. Theses Coll. 10, 431–445.
- 1966a On the polymorphism of color pattern in *Scaptomyza pallida* in natural populations of Korea. [In Korean with English summary]. Chungang Univ. Theses Coll. 11, 427–436.
- 1966b A list of drosophilid fauna in Korea. Rev. Sci. Engin. Chungang Univ. 2, 7–20.
- LEE, T. J., and LEE, B. W.
- 1967 Two unrecorded species of *Microdrosophila* (Diptera, Drosophilidae) from Korea. Rev. Sci. Engin. Chungang Univ. 3, 26–28.
- LEE, T. J., and TAKADA, H.
- 1959 On *Mycodrosophila koreana* sp. nov. from South Korea. Annot. zool. japon. 32, 94–96.
- LEMCHE, H.
- 1949 Forurening af Mælkeflasker ved Fluer. Nord. hygien. Tidskr. 30, 364–393.
- LESNIE, P.
- 1923 Faune entomologique des fosses d'aisances et des excréments humains. Bull. Mus. natn. Hist. nat. Paris 29, 161–167.
- LEVER, J., and SOBELS, F. H.
- 1951 Some remarks on the occurrence of the genus *Drosophila* in the Netherlands. Proc. kon. ned. Akad. Wetensch., Ser. C, 54, 84–88.
- LEWIS, T.
- 1966 Artificial windbreaks and the distribution of turnip mild yellows virus and *Scaptomyza apicalis* (Diptera) in a turnip crop. Ann. appl. Biol. 58, 371–376.
- LEWIS, T., and TAYLOR, L. R.
- 1964 Diurnal periodicity of flight by insects. Trans. R. ent. Soc. Lond. 116, 393–469.
- LIN, F. J., and TING, J. I.
- 1971 Several additions to the fauna of Taiwan Drosophilidae (Diptera). Bull. Inst. Zool., Acad. sin., 10, 17–35.
- LIN, F. J., and TSENG, H. C.
- 1971 A new species of *polychaeta* species group of subgenus *Drosophila* from Taiwan (*Drosophila*, Drosophilidae, Diptera). Bull. Inst. Zool., Acad. sin., 10, 69–72.
- 1973 The *Drosophila immigrans* species group in Taiwan with descriptions of five new species. Bull. Inst. Zool., Acad. sin., 12, 13–26.
- LIN, F. J., and WHEELER, M. R.
- 1972 The Drosophilidae of Taiwan. I. Genera *Leucophenga* and *Paraleucophenga*. Univ. Texas Publ., no. 7213, 237–256.
- LIN, F. J., WANG, T. C., and TSENG, H. C.
- 1973 Allometric analyses in wing length and wing indices of *Drosophila* species. Bull. Inst. Zool., Acad. sin., 12, 59–69.
- LINDBERG, K.
- 1962 Notes sur quelque grottes et aperçu de leur faune. Voyage au Portugal du Dr. K. LINDBERG. Résultats zoologiques 3. Bol. Soc. port. Ciênc. nat. (Ser. 2), 9, 49–89.
- LINDNER, E.
- 1928 Die Fliegen der Milchzentrale. Mitt. Ges. Vorratsschutz 4, 42–43.
- LINDROTH, C. H.
- 1931 Die Insektenfauna Islands und ihre Probleme. Zool. Bidr. Uppsala 13, 105–599.
- LINDROTH, C. H., ANDERSSON, H., BÖDVARSSON, H., and RICHTER, S. H.
- 1973 Surtsey, Iceland. The development of a new fauna, 1963–1970. Terrestrial Invertebrates. Ent. scand., Suppl. 5, 1–280.
- LINNANIEMI, W. M.
- 1913 Zur Kenntnis der Blattminierer speziell derjenigen Finnlands, I. Acta Soc. Fauna Flora fenn. 37 (4), 1–137.
- LINNE, C.
- 1766– Systema Naturae. Tomus I. Ed. 12. SALVIUS, Holmiae [= Stockholm], 1327 pp.
- 1767
- LINTNER, J. A.
- 1882 First annual report on the injurious and other insects of the State of New York. WEED, PARSONS and Company, Albany, N.Y. .
- LIOY, P.
- 1895 Ditteri italiani, con 227 incisioni. HOEPLI, Milano, 356 pp.
- LOEW, H.
- 1858 Ueber *Cacoxenus indagator* nov. sp. und seine Verwandten. Wien. ent. Monatsschr. 2, 213–222.
- 1862 Diptera Americae septentrionalis indigena. Centuria secunda. Berl. ent. Ztschr. 6, 185–232.
- 1864 *Gitona formosa*, eine neue deutsche Art. Wien. ent. Monatsschr. 8, 366–368.
- 1873 *Diptera nova*, in Pannoniâ inferiori et in confinibus Daciea regionibus a FERD. KOWARZIO capta. Berl. ent. Ztschr. 17, 33–52.
- 1874 Diptera nova a HUG. THEOD. CHRISTOPHO collecta. Ztschr. ges. Naturw. 43, 413–420.
- LUMME, J., and OIKARINEN, A.
- 1977 The genetic basis of the geographically variable photoperiodic diapause in *Drosophila littoralis*. Hereditas 86, 129–141.
- LUMME, J.; LAKOVAARA, S., and SAURA, A.
- 1972 The influence of daylength and temperature on the testis pterin content of *Drosophila littoralis*. Journ. Insect Physiol. 18, 2043–2053.
- LUMME, J.; OIKARINEN, A.; LAKOVAARA, S., and ALATALO, R.
- 1974 The environmental regulation of adult diapause in *Drosophila littoralis*. Journ. Insect Physiol. 20, 2023–2033.
- LUMME, J.; LAKOVAARA, S., OIKARINEN, A., and LOKKI, J.
- 1975 Genetics of the photoperiodic diapause in *Drosophila littoralis*. Hereditas 79, 143–148.
- LUMME, J.; MUONA, O., and OELL, M.
- 1978 Phenology of boreal drosophilids (Diptera). Ann. ent. fenn. 44, 73–85.
- LUMME, J.; LAKOVAARA, S., MUONA, O., and JÄRVINEN, O.
- 1979 Structure of a boreal community of drosophilids (Diptera). Aquilo, Ser. zool., 20, 65–73.
- LYNEBORG, L.
- 1965 Hansted-Reservatets Entomologi. 9. Diptera: Brachycera & Cyclorrhapha – Fluer. Ent. Medd. 30, 201–262.
- MÁCA, J.
- 1972a Czechoslovak species of the genus *Scaptomyza* HARDY (Diptera, Drosophilidae) and their bionomics. Acta ent. bohemoslav. 69, 119–132.
- 1972b Present situation in faunistic research of the family Drosophilidae (Diptera) in Czechoslovakia. Sborník jihoč. Muz. Česk. Buděj., Přír. vědy, 12 (Suppl. 2), 49–50.

- 1975 Drosophilidae (Diptera) of the subalpine and upper mountain zones in the Central Europe. *Opera corcont.* 12, 153–158.
- 1977 Revision of Palaearctic species of *Amiota* subg. *Phortica* (Diptera, Drosophilidae). *Acta ent. bohemoslov.* 74, 115–130.
- 1978 Czechoslovak species of the family Odiniidae (Diptera). *Dipterol. bohemoslov. (Bratislava)* 1, 147–153.
- 1980 European species of the subgenus *Amiota* s. str. (Diptera, Drosophilidae). *Acta ent. bohemoslov.* 77, 328–346.
- MCAULIFFE, J. F.
1968 An annotated key to drosophilid genera with bare or micropubescent aristae and a revision of *Paracoxacoxenus* (Diptera: Drosophilidae). *Can. Ent.* 100, 514–532.
- MCCOY, C. E.
1962 Population ecology of the common species of *Drosophila* in Indiana. *Journ. econ. Ent.* 55, 978–985.
- MCFADDEN, E. T.
1914 A fruit fly from fungi. *Journ. Ent. Zool. Claremont* 6, 50.
- MCFARQUHAR, A. M., and ROBERTSON, F. B.
1963 The lack of evidence for co-adaptation in crosses between geographical races of *Drosophila subobscura* COLL. *Genet. Res.* 4, 104–131.
- MCGILLAVRY, D.
1914 De entomologische fauna van het eiland Terschelling voor zoover zij tot nu toe bekend is. *Tijdschr. Ent.* 57, 89–106.
- MCKENZIE, J. A., and PARSONS, P. A.
1974 Numerical changes and environmental utilization in natural populations of *Drosophila*. *Aust. Journ. Zool.* 22, 175–187.
- MACQUART, J.
1835 Histoire naturelle des Insectes. Diptères. II. DE RORET, Paris, 703 pp.
- 1843 Diptères exotiques nouveaux ou peu connus. *Mém. Soc. Sci. Agric. Arts Lille* 1842, 162–460.
- MAGNI, G. E.
1952 Sex-ratio in *Drosophila bifasciata*. *Rend. Ist. lomb. Sci. Lett. Cl. Sci. mat. nat.* 85, 391–411.
- 1953 "sex ratio": A non-mendelian character in *Drosophila bifasciata*. *Nature (London)* 172, 81.
- 1959 Il carattere sex-ratio in popolazioni naturali ed artificiali di *Drosophila bifasciata*. *Rend. Ist. lomb. Sci. Lett. Cl. Sci. biol. med. (B)* 93, 103–116.
- MAINX, F.
1949 Das kleine *Drosophila*-Praktikum. SPRINGER, Wien, 49 pp.
- 1950 Die Bedeutung der Chromosomen-Aberrationen in natürlichen Populationen. *Portug. Acta Biol. Ser. A (R. B. GOLDSCHMIDT Vol.)* 1950, 563–592.
- 1958 Populationsgenetische Untersuchungen an *Drosophila*-Arten auf den Liparischen Inseln. *Verh. dtsch. zool. Ges. Graz, Zool. Anz., Suppl.*, 21, 430–431.
- MAINX, F., KOSZIE, T., and SMITAL, E.
1953 Untersuchungen über die chromosomale Struktur europäischer Vertreter der *Drosophila obscura*-Gruppe. *Ztschr. indukt. Abstamm.-Vererbungs.* 55, 354–372.
- MALLOCH, J. R.
1915 Some additional records of Chironomidae for Illinois and notes on other Illinois Diptera. *Bull. Ill. State Lab. nat. Hist.* 11, 305–363.
- 1923a Notes on Australian Diptera with descriptions. *Proc. linn. Soc. N. S. Wales* 48, 601–622.
- 1923b A biological survey of the Pribilof Islands, Alaska. Part II. Diptera (except Tipulidae, Rhypidae, and Calliphoridae). *N. Amer. Fauna* 46, 170–227.
- 1924a Two Drosophilidae from Coimbatore. *Mem. Dept. Agr. India, Ent. Ser.*, 8, 63–65.
- 1924b Notes on Australian Diptera. IV. *Proc. linn. Soc. N. S. Wales* 49, 348–359.
- 1924c The American species of the drosophilid genus *Stegana* (Diptera). *Ent. News* 35, 96–100.
- 1924d Descriptions of Neotropical two-winged flies of the family Drosophilidae. *Proc. U. S. natn. Mus.* 66, 1–11.
- 1927 Notes on Australian Diptera, X. *Proc. linn. Soc. N. S. Wales* 52, 1–16.
- 1929 Exotic Muscaridae (Diptera). XXVII. *Ann. Mag. nat. Hist.*, Ser. 10, 4, 249–257.
- 1933 Some acalyprate Diptera from the Marquesas Islands. *Bull. B. P. Bishop Mus.* 114, 3–31.
- 1934a Diptera of Patagonia and South Chile. Part 6, Fasc. 5: Acalyprata (concluded), pp. 393–489. *Brit. Mus. N. H.*, London.
- 1934b Diptera. Drosophilidae. In: *Insects of Samoa* 6 (8), 267–312.
- 1934c Additional new species and other records of acalyprate Diptera (Sapromyzidae, Asteiidae, Drosophilidae, Ephydriidae and Trypetidae) from the Marquesan Islands. *Bull. B. P. Bishop Mus.* 114, 179–200.
- MALLOCH, J. R., and MCATEE, W. L.
1924 Flies of the family Drosophilidae of the District of Columbia region, with keys to genera, and other notes, of broader application. *Proc. biol. Soc. Wash.* 37, 25–41.
- MALOGOLOWKIN, C.
1948 Sobre a genitália dos Drosophilídeos (Diptera): II. *Drosophila ananassae*. *Sum. brasili. Biol.* 1, 429–457.
- 1953 Sobre a genitália dos Drosophilídeos. IV. A genitália masculina no subgênero „*Drosophila*“ (Diptera, Drosophilidae). *Rev. brasili. Biol.* 13, 245–264.
- MARINKOVIĆ, D., TUCIĆ, N., and KEKIĆ, V.
1980 Genetic variation and ecological adaptations. *Genetica* 52/53, 249–262.
- MARTELLI, G.
1910 Notizie sulla *Drosophila ampelophila* Lw. *Boll. Lab. Zool. gen. Agr. Portici* 4, 163–174.
- MARTINEK, V.
1973 Nálezy zajímavějších druhů dvoukřídlých (Diptera) v okolí Dobrušky a v pásmu Orlických hor. *Orlické hory, Podorlicko*, 5, 32–58.
- 1974a Nové nálezy druhů skupiny Acalyprata (Diptera) v severních a severovýchodních čechách. *Sb. severočesk. Mus., Ser. Nat., Liberec*, 6, 151–175.
- 1974b Rozšíření a frekvence některých druhů dvoukřídlých (Diptera — Acalyprata), především v lesních porostech severní části Krušných hor přilehlých oblastí. *Práce Výzk. úst. les. hosp. mysl.* 45, 5–26.
- MARTINEZ, P. M., MALDONADO, C., and LEVINS, R.
1965 Ecology and genetics of Puerto Rican *Drosophila*: I. Food preferences of sympatric species. *Carib. Journ. Sci.* 5, 29–37.
- MASING, R.
1927 Ueber die quantitativen Unterschiede zwischen den Rassen und Arten von *Drosophila*. [In Russian with English summary]. *Trav. Soc. Natur. Leningrade* 57, 35–56.
- MASON, H. C.
1956 Tests with bait sprays for the control of *Drosophila*. *Journ. econ. Ent.* 49, 708–709.
- MATHER, W. B.
1955 The genus *Drosophila* (Diptera) in Eastern Queensland. I. Taxonomy. *Aust. Journ. Zool.* 3, 545–582.

- 1956 The genus *Drosophila* (Diptera) in Eastern Queensland. II. Seasonal changes in a natural population 1952–1953. Aust. Journ. Zool. 4, 65–75.
- 1957 Genetic relationships of four *Drosophila* species from Australia (Diptera: Drosophilidae). Univ. Texas Publ., no. 5721, 221–225.
- MATSUMURA, S.
1931 6000 illustrated insects of Japan-Empire. [In Japanese]. Tokyo, 1497 pp.
- MAYER, K.
1935 Die Metamorphose einiger Drosophiliden aus Niederländisch-Indien (Dipt.). Arch. Hydrobiol., Suppl., 13, 462–473.
- MAYNARD SMITH, J., and SONDHI, K. C.
1961 The arrangement of bristles in *Drosophila*. Journ. Embryol. exp. Morphol. 9, 661–672.
- MAYNARD SMITH, J., CLARKE, J. M., and HOLLINGSWORTH, M. J.
1955 The expression of hybrid vigor in *Drosophila subobscura*. Proc. R. Soc. London, (B), 144, 159–171.
- MEIGEN, J. W.
1830 Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Sechster Theil. SCHULZE, Hamm, 401 pp.
1838 Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Siebenter Theil oder Supplementband. SCHULZE, Hamm, 433 pp.
- MEIJERE, J. C. H. DE
1907 Eerste Supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 50, 151–195.
1908 Studien über südostasiatische Dipteren. II. Tijdschr. Ent. 51, 105–180.
1911a Ueber zwei schädliche Cecidomyiiden *Contarinia ribis* KIEFF. und *pisicola* n. sp. und über die Erbse bewohnende Dipteren. Tijdschr. Ent. 54, 180–194.
1911b Studien über südostasiatische Dipteren. VI. Tijdschr. Ent. 54, 258–432.
1914 Studien über südostasiatische Dipteren. IX. Tijdschr. Ent. 57, 187–275.
1916a Beiträge zur Kenntnis der Dipteren-Larven und -Puppen. Zool. Jahrb. Syst. 40, 177–322.
1916b Tweede supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 59, 293–317.
1918 Studien über südostasiatische Dipteren. XIV. Tijdschr. Ent. 60, 275–369.
1920 Derde supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 62, 161–195.
1928 Vierde supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 71, 11–83.
1935 Vijfde supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 78, 188–230.
1939a Diptera, uit paddenstoelen gekweekt. Ent. Bericht. 10, 188–191.
1939b Naamlijst van nederlandse Diptera, afgelopen 1 April 1939. Tijdschr. Ent. 82, 137–174.
1944 Over de metamorphose van *Metopria leucoccephala* ROSSI, *Cacozenus indagator* Löw, *Palloptera saltuum* L., *Paranthomyza nitida* MG. en *Hydrellia nigripes* ZETT. (Dipt.). Tijdschr. Ent. 86, 57–61.
1946 Zevende supplement op de nieuwe naamlijst van nederlandse Diptera van 1898. (Eerste supplement op mijne naamlijst van 1939). Tijdschr. Ent. 87, 1–25.
1947 Over eenige Dipterenlarven, waaronder een galgum, die mijngangen maakt, en twee Dipteren, die gallen op paddenstoelen veroorzaken. Tijdschr. Ent. 88, 49–62.
1950 Achtste supplement op de nieuwe naamlijst van nederlandse Diptera van 1898 (Tweede supplement op mijne naamlijst van 1939). Tijdschr. Ent. 92, 1–14.
- MELICHAR, L.
1901 Ueber das massenhafte Vorkommen von *Drosophila ampelophila* Löw. Wien. ent. Ztg. 20, 7–8.
- MERRILL, L. G., and HUTSON, R.
1953 Maggots attacking Michigan onions. Journ. econ. Ent. 46, 678–680.
- MICHELBACHER, A. E., and MIDDLEKAUFF, W. W.
1954 Vinegar fly investigations in Northern California. Journ. econ. Ent. 47, 917–922.
- MIK, J.
1883 Dipterologische Bemerkungen. Verh. zool.-bot. Ges. Wien 33, 181–192.
1886a Dipterologische Miscellen. III. Wien. ent. Ztg. 5, 317–318.
1886b Eine neue *Drosophila* aus Nieder-Oesterreich und den Aschanti-Ländern. (Ein dipterologischer Beitrag). Wien. ent. Ztg. 5, 328–331.
1892 Dipterologische Miscellen. (2. Serie). II. Wien. ent. Ztg. 11, 181–186.
1894 Dipterologische Miscellen. (2. Serie). III. Wien. ent. Ztg. 13, 22–27.
1898 Altes und Neues über Dipteren. Wien. ent. Ztg. 17, 196–219.
- MILANI, R.
1953 Variabilità di alcuni aspetti del comportamento sessuale in *Drosophila subobscura*. Symp. Genet. Biol. Ital. Parma 3, 338–380.
- MILES, P. M.
1950 *Drosophila buscki* COQ. (Dipt., Drosophilidae) in Wales. Ent. month. Mag. 86, 141.
- MILLER, D.
1921 A new species of drosophilid fly. N. Z. Journ. Sci. Technol. 3, 302–303.
- MINAMI, N.
1979 Niche analysis of three closely related species of the genus *Drosophila*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 22, 33–41.
- MINAMI, N., and KIMURA, M. T.
1980 Geographical variation of photoperiodic adult diapause in *Drosophila auraria*. Jap. Journ. Genet. 55, 319–324.
- MINAMI, N., TODA, M. J., and BEPPU, K.
1979 Ecological structure of drosophilid assemblage in Tomakomai Experiment Forest, Hokkaido University. Appendix: Some discussions on the calculation of niche parameters. [In Japanese with English summary]. Res. Bull. College Exp. For., College Agric., Hokkaido Univ., 36, 479–508.
- MINAMORI, S., and AZUMA, M.
1962 A study of deleterious genes in some natural populations of *Drosophila melanogaster* in Japan. Jap. Journ. Genet. 37, 36–41.
- MISRA, R. K.
1966 Vectorial analysis for genetic clines in body dimensions in populations of *Drosophila subobscura* COLL. and a comparison with those of *D. robusta* STURT. Biometrics 22, 469–487.
- MISRA, R. K., and REEVE, E. C. R.
1964 Clines in body dimensions in populations of *Drosophila subobscura*. Genet. Res. 5, 140–256.
- MIZUNO, T.
1952 A note on the genetical survey of *Drosophila* in Hokkaido. [In Japanese with English summary]. Papers coord. Comit. Res. Genet. 3, 51–55.
- MOMMA, E.
1954 *Drosophila* survey of Hokkaido, II. Chromosomes of seven wild species. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 12, 200–208.

- 1956 *Drosophila* survey of Hokkaido, IV. On a new member of "robusta group" common in woodlands. *Annot. zool. japon.* 29, 171–173.
- 1957 *Drosophila* survey of Hokkaido, V. Distribution and habitats of drosophilid flies. *Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool.*, 13, 93–98.
- 1964 The dynamic aspects of *Drosophila* populations in seminatural areas. II. Seasonal variations in activity and sex-ratio of *Drosophila auraria* race A. *Jap. Journ. Genet.* 39, 306–312.
- 1965a The dynamic aspects of *Drosophila* populations in seminatural areas. I. Associations and relative numbers of species. Part 1. Results of trapping. *Jap. Journ. Genet.* 40, 275–295.
- 1965b The dynamic aspects of *Drosophila* populations in seminatural areas. I. Associations and relative numbers of species. Part 2. Results of sweeping. *Jap. Journ. Genet.* 40, 297–305.
- MOMMA, E., and TAKADA, H.
- 1954 *Drosophila* survey of Hokkaido, I. Description of a new species, *Drosophila alboralis* sp. nov. (Subgenus *Hirtodrosophila*). *Annot. zool. japon.* 27, 97–101.
- MONCLÚS, M.
- 1953 Variacion geografica de los peines tarsales de los machos de „*D. subobscura*“. *Genet. iber.* 5, 101–114.
- 1964 Distribucion y ecología de Drosophilidos en España. I. Especies de *Drosophila* de la region Catalana. *Genet. iber.* 16, 143–165.
- 1976 Distribución y ecología de Drosophilidos en España. II. Especies de *Drosophila* de las Islas Canarias, con la descripción de una nueva especie. *Bol. R. Soc. española Hist. nat., Biol.*, 74, 197–213.
- MORGE, G.
- 1956 Über Morphologie und Lebensweise der bisher unbekannten Larven von *Palloptera usta* MEIGEN, *Palloptera ustulata* FÄLLÉN und *Stegana coleoptrata* SCOPOLI (Diptera). *Beitr. Ent.* 6, 124–137.
- 1963 Die Lonchaeidae und Pallopteridae Österreichs und der angrenzenden Gebiete. Eine Revision auf der Grundlage der Linzer Sammlungen und anderer österreichischer Kollektionen. I. Teil: Die Lonchaeidae. *Naturk. Jahrb. Linz* 1963, 123–312.
- 1976a Dipteren-Farbtafeln nach den bisher nicht veröffentlichten Original-Handzeichnungen MEIGENS: „JOHANN WILHELM MEIGEN: Abbildung der europaeischen zweiflügeligen Insecten, nach der Natur“. Pars II. *Beitr. Ent.* 26, 441, plates LXXXI–CLX.
- 1976b Beiträge zur Kenntnis von Typen-Exemplaren und wenig bekannten Dipteren-Arten — II. *Beitr. Ent.* 26, 489–530.
- 1976c Dipteren-Farbtafeln nach den bisher nicht veröffentlichten Original-Handzeichnungen MEIGENS: „JOHANN WILHELM MEIGEN: Abbildung der europaeischen zweiflügeligen Insecten, nach der Natur. Pars III. *Beitr. Ent.* 26, 543, plates CLXI–CCCV.
- MORIWAKI, D.
- 1934 Mutant characters in a species of *Drosophila*. [In Japanese with English summary]. *Jap. Journ. Genet.* 9, 164–168.
- 1935 Some mutant characters in *Drosophila ananassae*. *Genetica* 17, 32–46.
- 1958 Genetic studies in *Drosophila ananassae*. [In Japanese with English summary]. *Jap. Journ. Genet.* 33, 364–377.
- MORIWAKI, D., and KITAGAWA, O.
- 1955 Salivary gland chromosomes of *Drosophila bifasciata*. *Cytologia* 20, 247–257.
- 1957 "Sex-ratio-J" in *Drosophila bifasciata*. I. A preliminary note. *Jap. Journ. Genet.* 32, 208–210.
- 1963 "yellowish" in *Drosophila bifasciata*, conceivable as an incipient species. *Proc. XI. Int. Congr. Genet. The Hague, Genetics Today*, 1, 162.
- MORIWAKI, D., and OKADA, T.
- 1952 Variations of peg-like bristles on egg-guide in *Drosophila ananassae*. *Annot. zool. japon.* 25, 212–217.
- MORIWAKI, D., OKADA, T., OHBA, S., and KUROKAWA, H.
- 1952 *Drosophila* species belonging to the "obscura" group found in Japan. [In Japanese with English summary]. *Zool. Mag.* 61, 283–287.
- 1953 On *Drosophila* species belonging to the "obscura" group found in Japan. [In Japanese]. *Zool. Mag.* 62, 79–80.
- 1954 On *Drosophila* species belonging to the "obscura" group found in Japan. [In Japanese]. *Zool. Mag.* 63, 108–109.
- MORIWAKI, D., KITAGAWA, O., and OKADA, T.
- 1967 *Drosophila imai*, a new sibling species related to *Drosophila bifasciata*. *Evolution* 21, 109–116.
- MOURAD, A. M., and MALLAH, G. S.
- 1960 Chromosomal polymorphism in Egyptian populations of *Drosophila melanogaster*. *Evolution* 14, 166–170.
- NAGATA, Y.
- 1960 The discovery of eye-worm, *Thelazia callipaeda* RAILLIET et HENRY 1910. *Jap. Journ. vet. Sci.* 22 (Suppl.), 475.
- NARODITSKAYA, M. B.
- 1941 Visible mutations in a natural population of *Drosophila fasciata*. *C. R. (Doklady) Acad. Sci. URSS, N. S.*, 30, 169–171.
- NASWATY, R.
- 1959 Beiträge zur Ökologie und Systematik der Sepsidae und Drosophilidae Frankens. *Sitz. Ber. phys.-med. Soc. Erlangen* 80, 74–120.
- NATER, H.
- 1950 Der Samenpumpen-Skleriton von *Drosophila* als taxonomisches Merkmal. *Arch. JULIUS KLAUS-Stiftg.* 25, 623–625.
- 1953 Vergleichend-morphologische Untersuchung des äußeren Geschlechtsapparates innerhalb der Gattung *Drosophila*. *Zool. Journ. Syst.* 81, 437–486.
- NELSON, R. H.
- 1938 Observations on Diptera breeding in tomatoes. *Journ. econ. Ent.* 31, 128–129.
- NEUHAUS, G. H.
- 1886 Diptera Marchica. Systematisches Verzeichnis der Zweiflügler (Mücken und Fliegen) der Mark Brandenburg. Mit kurzer Beschreibung und analytischen Bestimmungs-Tabelle. NICOLAI, Berlin, 371 pp., 6 Tafeln.
- NIELSEN, P., RINGDAHL, O., and TUXEN, S. L.
- 1954 Diptera 1 (exclusive of Ceratopogonidae and Chironomidae). In: *The Zoology of Iceland*, Vol. III, Part 48a, 189 pp. MUNKSGAARD, Copenhagen and Reykjavík.
- NIGRO, L.
- 1979 Preliminary data on the distribution of drosophilids population in Veneto (Italy). *Boll. Zool.* 46, 109–111.
- NISHIHARU, S.
- 1977 Morphological differences between egg-guides of *Scaptomyza (Parascaptomyza) pallida* and *S. (P.) elmoi*. *Proc. jap. Soc. syst. Zool.* 13, 85–87.
- 1979 Three new species of Drosophilidae from Japan. (Diptera). *Kontyū* 47, 38–43.
- NOZONGER, H. R.
- 1911 Two species of Diptera of the genus *Drosophila*. *Ohio Nat.* 11, 374–377.
- NOZAWA, K.
- 1956 A statistical study on the natural population of genus *Drosophila*. [In Japanese with English summary]. *Jap. Journ. Ecol.* 6, 1–6.

- NUNBERG, M.
- 1947 Pierwszy przyczynek do znajomości krajowej fauny owadów minujących liście. *Fragm. faunist. Mus. zool. pol.* 5, 95–121.
- 1948 Drugi przyczynek do znajomości krajowej fauny owadów minujących liście. *Fragm. faunist. Mus. Zool. pol.* 5, 185–197.
- OHMORI, Y., SAITO, S., and MATSUI, S.
- 1960 A great occurrence of *Drosophila virilis* in the neighborhood of a lumberyard in Niigata City. [In Japanese with English summary]. *Jap. Journ. Sanit. Zool.* 11, 191–193.
- OHNISHI, M., and MORIWAKI, D.
- 1958 Analysis of "yellowish mutant" of *Drosophila bifasciata* found in natural populations (A preliminary note). [In Japanese]. *Jap. Journ. Genet.* 33, 319.
- OKADA, T.
- 1953a Comparative morphology of the drosophilid flies, III. The "phallosomal index" and its relation with systematics. [In Japanese with English summary]. *Zool. Mag.* 62, 278–283.
- 1953b Comparative morphology of the drosophilid flies, IV. The "phallosomal index" of the closely allied species, in relation to their geographical distribution and the adult food-habits. [In Japanese with English summary]. *Zool. Mag.* 62, 284–287.
- 1954a Comparative morphology of the drosophilid flies, V. Convolution of the proximal intestine in adult flies. [In Japanese with English summary]. *Zool. Mag.* 63, 257–261.
- 1954b Comparative morphology of the drosophilid flies, VI. Rectal papillae, their number, arrangement and shape. [In Japanese with English summary]. *Zool. Mag.* 63, 262–265.
- 1954c Comparative morphology of the drosophilid flies, I. Phallic organs of the *melanogaster* group. *Kontyû* 22, 36–46.
- 1954d Fungus-feeding drosophilid flies in Japan. [In Japanese with English summary]. *Japan. Journ. appl. Zool.* 19, 78–82.
- 1955a Comparative morphology of the drosophilid flies, II. Phallic organs of the subgenus *Drosophila*. *Kontyû* 23, 97–104.
- 1955b Comparative morphology of the drosophilid flies, VII. The malpighian tubes of the adult flies. [In Japanese with English summary]. *Zool. Mag.* 64, 108–112.
- 1955c *Drosophila*. In: KIHARA, H. (ed.), Fauna and Flora of Nepal Himalaya. Scientific results of the Japanese expeditions to Nepal Himalaya, 1952–1953. Vol. 1, pp. 387–390. Kyoto.
- 1956 Systematic study of Drosophilidae and allied families of Japan. Gihodo, Tokyo, 183 pp.
- 1958 Comparative morphology of the drosophilid flies, VIII. Ejaculatory caeca of the adult flies. [In Japanese with English summary]. *Zool. Mag.* 67, 264–271.
- 1959 Interspecific and intraspecific variations of the wing-indices in the genus *Drosophila*, in relation to the wing-lengths (Diptera). *Kontyû* 27, 21–34.
- 1960a On the Japanese species of the genus *Amiota* LOEW (Diptera, Drosophilidae). *Mushi* 34, 89–102.
- 1960b The genus *Microdrosophila* MALLOCH from Japan (Diptera, Drosophilidae). *Kontyû* 28, 211–223.
- 1961a Comparative morphology of the drosophilid flies, IX. Differentiation of the ejaculatory apodeme in view of systematic relationships. [In Japanese with English summary]. *Zool. Mag.* 70, 253–258.
- 1961b Comparative morphology of the drosophilid flies, X. Differentiation of the ejaculatory apodeme in the genus *Drosophila*. [In Japanese with English summary]. *Zool. Mag.* 70, 259–266.
- 1962 Bleeding sap preference of the drosophilid flies. *Japan. Journ. appl. Ent. Zool.* 6, 216–229.
- 1963a Caenogenetic differentiation of mouth hooks in drosophilid larvae. *Evolution* 17, 84–98.
- 1963b Cladogenetic differentiation of Drosophilidae in relation to material compensation. *Mushi* 37, 79–100.
- 1964 New and unrecorded species of Drosophilidae in the Amami Islands, Japan. *Kontyû* 32, 105–115.
- 1965 Drosophilidae of the Okinawa Islands. *Kontyû* 33, 327–350.
- 1966a Diptera from Nepal. Cryptochaetidae, Diastatidae, and Drosophilidae. *Bull. brit. Mus. nat. Hist., Ent., Suppl.*, 6, 1–129.
- 1966b A list of Drosophilidae collected at the National Park for Nature Study, Tokyo, in 1953–5 and 1963–4. *Ecol. Stud. Biot. Commun. natn. Park Nat. Stud.* 1, 131–132.
- 1967 A revision of the subgenus *Hirtodrosophila* of the Old World, with descriptions of some new species and subspecies (Diptera, Drosophilidae, *Drosophila*). *Mushi* 41, 1–36.
- 1968a Systematic study of the early stages of Drosophilidae. Bunka Zugeisha, Tokyo, 188 pp.
- 1968b Taxonomic treatment of the correlative characters in the genus *Microdrosophila* (Diptera, Drosophilidae). *Proc. jap. Soc. syst. Zool.* 4, 1–7.
- 1968c Addition to the fauna of the family Drosophilidae of Japan and adjacent countries (Diptera). I. Genera *Stegana*, *Amiota*, *Leucophenga* and *Microdrosophila*, with discussion on the homology of phallic organs. *Kontyû* 36, 303–323.
- 1968d Addition to the fauna of the family Drosophilidae of Japan and adjacent countries (Diptera). II. Genera *Paramycodrosophila*, *Mycodrosophila*, *Liodrosophila*, and *Drosophila*, including a new subgenus *Psilodorha*. *Kontyû* 36, 324–340.
- 1970 Preliminary classification of the *nigriventris*-complex of the genus *Leucophenga* MIK, having sexually dimorphic palpi (Diptera, Drosophilidae). *Proc. Jap. Soc. syst. Zool.* 6, 16–22.
- 1971a A revision and taxometric analysis of the genus *Amiota* LOEW of Japan and adjacent countries (Diptera, Drosophilidae). *Kontyû* 39, 82–98.
- 1971b Morphological and biogeographical relationships of closely related species of the genus *Amiota* (Diptera, Drosophilidae). *Kontyû* 39, 327–332.
- 1971c A revision and taxometric analysis of the genus *Stegana* MEIGEN of Japan and adjacent countries (Diptera, Drosophilidae). *Mushi* 45, 81–99.
- 1971d Systematic and biogeographical analyses of the *denticeps* group, with description of two new species (Diptera, Drosophilidae). *Bull. biogeogr. Soc. Jap.* 26, 29–38.
- 1971e Taxonomic and ecological notes on the Drosophilidae of the Bonin Islands (Diptera). *Proc. Jap. Soc. syst. Zool.* 7, 67–73.
- 1973a Descriptions of four new species of Drosophilidae of the Bonins, with taxometrical analyses of the *Scaptomyza* species (Diptera). *Kontyû* 41, 83–90.
- 1973b Four new species of Drosophilidae from Japan (Diptera). *Kontyû* 41, 434–439.
- 1973c Drosophilidae and Diastatidae from Mongolia (Diptera). *Ann. hist.-nat. Mus. natn. hung.* 65, 271–279.
- 1974a A revision and taxometric analysis of the genera *Sphaerogastrella* DUDA and *Liodrosophila* DUDA of the world. *Mushi* 48, 29–63.
- 1974b Drosophilidae (Diptera) from Korea. *Ann. hist.-nat. Mus. natn. hung.* 66, 269–275.
- 1975 The Oriental drosophilids breeding in flowers. *Kontyû* 43, 356–363.
- 1976 Subdivision of the genus *Chymomyza* CZERNY (Diptera, Drosophilidae), with description of three new species. *Kontyû* 44, 496–511.
- 1977a The subgenus *Phortica* SCHINER of the genus *Amiota* LOEW of Japan and the Oriental region, with reference to anti-BURLA's rule (Diptera, Drosophilidae). *Bull. biogeogr. Soc. Jap.* 32, 17–31.

- 1977b Family Drosophilidae. In: DELFINADO, M. D., and HARDY, D. E., (eds.), A catalog of the Diptera of the Oriental region. Vol. III. Suborder Cyclorrhapha (excluding Division Aschizida), pp. 342–387. University Press of Hawaii, Honolulu, 854 pp.
- OKADA, T., and CHUNG, Y. J.
1960 Three species of Drosophilidae from South Korea. Akitu 9, 25–30.
- OKADA, T., and KUROKAWA, H.
1957 New or little known species of Drosophilidae of Japan (Diptera). Kontyu 25, 2–12.
- OKADA, T., and LEE, H. Y.
1961 A new species of *Hirtodrosophila* from South Korea (Diptera, Drosophilidae). Akitu 10, 20–22.
- OKADA, T., and SASAKAWA, M.
1956 Leaf-mining species of Drosophilidae (Diptera). Akitu 5, 25–28.
- OLDENBERG, L.
1914 Beitrag zur Kenntnis der europäischen Drosophiliden (Dipt.). Arch. Naturgesch. 80 (A) 2, 1–42.
- 1922 Bemerkungen über die ehemaligen Drosophiliden (Dipt.). Dtsch. ent. Ztschr. 1922, 214–215.
- OLDROYD, H.
1965 The natural history of flies. NORTON, New York, 324 pp.
- ORTIZ, E.
1968 Drosophilidos de la Reserva de Doñana. Bol. R. Soc. española Hist. nat. (Biol.) 66, 11–16.
- OSTEN SACKEN, C. R.
1892 On the chaetotaxy of *Cacoxenus indagator* Lw. Berl. ent. Ztg. 36 (1891), 411–413.
- PAIK, Y. K.
1958 Seasonal changes in *Drosophila* populations at the two adjacent areas in Korea. Comm. Thesis 60th Birthd. Dr. CHANG CHOON WOO, pp. 209–227.
- 1960 Genetic variability in Korean populations of *Drosophila melanogaster*. Evolution 14, 293–303.
- PALM, J.
1869 Beitrag zur Dipterenfauna Tirols. Verh. zool.-bot. Ges. Wien 19, 395–454.
- PAPP, [J.] L.
1971 A new species of *Drosophila* from Hungary (Dipt., Drosophilidae). Fol. ent. hung., Ser. nov., 24, 333–338.
- 1973 Trágyalegyek — Harmatlegyek — Sphaeroceridae — Drosophilidae. Fauna Hung. 112, 1–146.
- 1975 Micropopulations of two cosmopolitan *Drosophila* species. Folia ent. hung., Ser. nov., 28, 237–238.
- 1976 Some tericolous sphaerocerids and drosophilids from Hungary (Diptera, Sphaeroceridae and Drosophilidae). Folia ent. hung., Ser. nov., 29, 75–85.
- 1978 Species of nine Acalyptratae fly families from Tunisia (Diptera). Folia ent. hung., Ser. nov., 31, 211–217.
- 1979 Some fungivorous species of Sphaeroceridae and Drosophilidae (Diptera) from Karelia, USSR. Folia ent. hung., Ser. nov., 32, 189–193.
- PARSHAD, R., and DUGGAL, K. K.
1966 Drosophilid survey of India. III. The Drosophilidae of Kashmir Valley. Res. Bull. Panjab Univ., N.S., 17, 277–290.
- PARSHAD, R., and PAIKA, I. J.
1964 Drosophilid survey of India. II. Taxonomy and cytology of the subgenus *Sophophora* (*Drosophila*). Res. Bul. Panjab Univ., N.S., 15, 225–252.
- PARSHAD, R., NARDA, R. D., and PAIKA, I. J.
1964 Drosophilid survey of India. I. Variations in the five strains of *Drosophila melanogaster* MEIGEN and their relationship with *Drosophila emulata* RAY-CHAUDHURY & MUKHERJEE. Res. Bull. Panjab Univ., N.S., 15, 7–17.
- PARSONS, P. A.
1978 Boundary conditions for *Drosophila* resource utilization in temperate regions, especially at low temperatures. Amer. Nat. 112, 1063–1074.
- PATTERSON, J. T.
1942 Distribution of the *virilis* group in the United States. Univ. Texas Publ., no. 4228, 153–161.
- 1943 The Drosophilidae of the Southwest. Univ. Texas Publ., no. 4313, 7–216.
- 1952 The genetic relationships of *Drosophila littoralis* MEIGEN to the other members of the *virilis* group. Univ. Texas Publ., no. 5204, 7–19.
- PATTERSON, J. T., and GRIFFEN, A. B.
1944 Relationship of *Drosophila montana* and *D. lacicola* to other members of the *virilis* group. Univ. Texas Publ., no. 4445, 194–211.
- PATTERSON, J. T., and MAINLAND, G. B.
1944 The Drosophilidae of Mexico. Univ. Texas Publ., no. 4445, 9–101.
- PATTERSON, J. T., and STONE, W. S.
1952 Evolution in the genus *Drosophila*. MACMILLAN, New York, 610 pp.
- PATTERSON, J. T., and WHEELER, M. R.
1942 Description of new species of the subgenera *Hirtodrosophila* and *Drosophila*. Univ. Texas Publ., no. 4213, 67–109.
- PAVAN, C., and CUNHA, A. B. DA
1947 Espécies brasileiras de *Drosophila*. Bol. Facul. Fil. Cien. Letr. Univ. S. Paulo 86, 3–46.
- PAVAN, C., DOBZHANSKY, T., and BURLA, H.
1950 Diurnal behavior of some Neotropical species of *Drosophila*. Ecology 31, 36–43.
- PENG, F. T.
1937 On some species of *Drosophila* from China. Annot. zool. japon. 16, 20–27.
- PENTZOS-DAPONTE, A.
1964 Qualitative und quantitative Untersuchungen über den chromosomal Polymorphismus natürlicher Population von *Drosophila subobscura* in der Umgebung von Thessaloniki/Griechenland. Ztschr. Vererbungsl. 95, 129–144.
- PENTZOS-DAPONTE, A., BOESIGER, E., and KANELLIS, A.
1967 Fréquences de gènes mutants dans plusieurs populations naturelles de *Drosophila subobscura* de Grèce. Epistemonike Epiteris Physikomathematik Scholes 10, 133–159.
- PERIQUET, G.
1976 Influence de quelques facteurs physiques d'un biotope sur la biologie préimaginaire et imaginaire d'une population naturelle de *Drosophila melanogaster*. Bull. Soc. zool. France 101, 387–399.
- PERJE, A. M.
1954 Genetic and cytological studies of *Drosophila funebris* FBR. Mutations, salivary gland chromosomes and variation in sex ratios in natural and laboratory strains. Acta zool. 35, 259–288.
- PERRIS, E.
1876 Nouvelles promenades entomologiques. Ann. Soc. ent. France, Sér. 5, 6, 171–244.
- 1877 Rectifications et additions à mes promenades entomologiques. Ann. Soc. ent. France, Sér. 5, 7, 379–386.
- PERTUTUNEN, V.
1955 The blood circulation and the accessory pulsatile organs in the wings of *Drosophila funebris* and *D. melanogaster* (Dipt., Drosophilidae). Ann. ent. fenn. 21, 78–88.

- PETERSEN, J. A.
- 1960 Studies on the ecology of the genus "Drosophila". I. Collections in two different life zones and seasonal variations in Rio Grande do Sul, Brazil. Rev. brasili. Biol. 20, 3–16.
- Петрова, Е. К.
- 1968 Фаунистико-экологический обзор синантропных двукрылых (Diptera) юга приморского края. Энт. Обозр. 47, 95–105.
- PHILIP, U., RENDEL, J. M., SPURWAY, H., and HALDANE, J. B. S.
- 1944 Genetics and karyology of *Drosophila subobscura*. Nature (London) 154, 260–265.
- PICARD, F.
- 1919 Contribution à l'étude du peuplement d'un végétal. La faune entomologique du Figuier. Ann. Service Epiphyties 6 (1918), 34–174.
- PINSKER, W., and SPERLICH, D.
- 1979 Allozyme variation in natural populations of *Drosophila subobscura* along a North-South gradient. Genetica 50, 207–219.
- PINSKER, W., LANKINEN, P., and SPERLICH, D.
- 1978 Allozyme and inversion polymorphism in a Central European population of *Drosophila subobscura*. Genetica 48, 207–214.
- PIPKIN, S. B.
- 1952 Seasonal fluctuations in *Drosophila* populations at different altitudes in the Lebanon Mountains. Ztschr. indukt. Abstamm.-Vererbungsl. 84, 270–305.
- 1956 Two new species of the *Drosophila* subgenus *Pholadoris* and a redescription of *Drosophila hypocausta* OSTEN SACKEN (Diptera, Drosophilidae). Proc. ent. Soc. Wash. 58, 251–258.
- 1961 Taxonomic relationships within the *Drosophila victoria* species group, subgenus *Pholadoris* (Diptera: Drosophilidae). Proc. ent. Soc. Wash. 63, 145–161.
- 1962 Mesonotal color polymorphism in *Drosophila l. lebanonensis*. Genetics 47, 1275–1290.
- 1964 New flower breeding species of *Drosophila* (Diptera, Drosophilidae). Proc. ent. Soc. Wash. 66, 217–245.
- 1965 The influence of adult and larval food habits on population size of neotropical ground-feeding *Drosophila*. Amer. Midl. Nat. 74, 1–27.
- PIPKIN, S. B., RODRIGUEZ, R. L., and LEON, J.
- 1966 Plant host specificity among flower-feeding neotropical *Drosophila* (Diptera: Drosophilidae). Amer. Nat. 100, 135–156.
- PLUS, N., CROIZIER, G., JOUSSET, F. X., and DAVID, J.
- 1975 Picornaviruses of laboratory and wild *Drosophila melanogaster*: Geographical distribution and serotypic composition. Ann. Microbiol. (Inst. Pasteur), 126 (A), 107–117.
- POKORNY, E.
- 1887 Beitrag zur Dipterenfauna Tirols. Verh. zool.-bot. Ges. Wien 37, 381–420.
- 1896 Eine neue *Drosophila*. Mitt. naturw. Vereins Troppau 2, 63–64.
- POMINI, F. P.
- 1940 Contributi alla conoscenza delle *Drosophila* (Diptera Acalyptrata) europee. I. Descrizione di alcune specie riferibili al gruppo *obscura*. Boll. Ist. Ent. Bologna 12, 145–164.
- POND, D. D.
- 1956 Annotated list of insects found in or near roots of cultivated crucifers in New Brunswick. Journ. econ. Ent. 49, 336–338.
- POPIUS, B., LUNDSTRÖM, C., and FREY, R.
- 1916 Dipteren aus dem Sarekgebiet. Naturw. Untersuch. Sarekgeb. 4 (Zool.), 665–696.
- PREVOSTI, A.
- 1951 Datos sobre los caracteres vti y vli en una poblacion natural de *Drosophila subobscura* COLLIN. Genet. iber. 3, 37–46.
- 1952 Variabilidad genica en una poblacion natural de *Drosophila subobscura*. Genet. iber. 4, 95–128.
- 1954 Variacion geografica de varios caracteres cuantitativos en poblaciones catalanas de *Drosophila subobscura*. Genet. iber. 6, 33–68.
- 1955a Geographical variability in quantitative traits in populations of *Drosophila subobscura*. Cold Spring Harbor Symp. quant. Biol. 10, 294–299.
- 1955b Variacion geografica de caracteres cuantitativos en poblaciones britanicas de *Drosophila subobscura*. Genet. iber. 7, 3–43.
- 1957 Viabilidad en cruces entre poblaciones de *Drosophila subobscura* de distinta procedencia geografica. Publ. Inst. Biol. apl. 26, 53–60.
- 1960 Cambios en la heterocigosis por inversion cromosomica al variar por seleccion la longitud del ala en "*Drosophila subobscura*". Genet. iber. 12, 27–41.
- 1961 Variacion con la altitud en caracteres cuantitativos de *Drosophila subobscura*. Bol. R. Soc. española Hist. nat. (Biol.) 59, 29–34.
- 1964a Tipos cromosomicos de *Drosophila subobscura* en una poblacion de Lagrasse (Francia). Genet. iber. 16, 1–19.
- 1964b Chromosomal polymorphism in *Drosophila subobscura* populations from Barcelona (Spain). Genet. Res. 5, 27–38.
- 1966a Inversion heterozygosity and size in a natural population of *Drosophila subobscura*. Proc. Sym. Mutational Process, Prag. Mutation in population, 49–53.
- 1966b Chromosomal polymorphism in western Mediterranean populations of *Drosophila subobscura*. Genet. Res. 7, 149–158.
- 1967 Inversion heterozygosity and selection for wing length in *Drosophila subobscura*. Genet. Res. 10, 81–93.
- 1968 Efecto de la Cordillera Pirenaica sobre la distribución geográfica de las ordenaciones cromosómicas de *Drosophila subobscura*. Pirineos 79–80, 221–228.
- 1971 Chromosomal polymorphism in *Drosophila subobscura* COLL. populations from the Canary Islands. Genet. iber. 23, 69–84.
- 1972 Chromosomal polymorphism in *Drosophila subobscura* populations from the Madeira Island. Genet. iber. 24, 11–21.
- 1974 Chromosomal inversion polymorphism in the southwestern range of *Drosophila subobscura* distribution area. Genetica 45, 111–124.
- 1976 Cariotipo de *Drosophila guanche* MONCLÚS y *Dettopsomyia nigrovittata* MALLOCH. Bol. R. Soc. española Hist. nat. (Biol.) 74, 215–217.
- PREVOSTI, A., OCANÁ, J., and ALONSO, G.
- 1975 Distances between populations of *Drosophila subobscura*, based on chromosome arrangement frequencies. Theor. appl. Genet. 45, 231–241.
- RADDATZ, A.
- 1873 Uebersicht der in Mecklenburg bis jetzt beobachteten Fliegen (Diptera). Arch. Ver. Freunde Naturg. Mecklenburg 27, 22–131.

- RAY-CHAUDHURI, S. P., and MUKHERJEE, D. P.
- 1941 Genetic and systematic studies on Indian *Drosophila*. I. Description of two new species of *Drosophila*: Life-history and preliminary studies on the genetic constitution of *Drosophila emulata*, sp. nov. Ind. Journ. Ent. 3, 215–224.
- RÉAL, S., and RÉAL, P.
- 1949 Sur le tropisme des Drosophiles vis-à-vis du vinaigre. Bull. Soc. ent. France 54, 26–30.
- REED, S. C., and REED, E. W.
- 1948 Morphological differences and problems of speciation in *Drosophila*. Evolution 2, 40–48.
- RICHARDS, O. W., and HERFORD, G. V. B.
- 1930 Insects found associated with cacao, spices and dried fruits in London warehouses. Ann. appl. Biol. 17, 367–395.
- RICHTER, H., and HÜNDLER, M.
- 1955 Die geographische Verbreitung der chromosomalen Strukturtypen von *Drosophila subobscura* COLL. Ztschr. indukt. Abstamm.-Vererbungsl. 87, 85–92.
- RIEDEL, M. P.
- 1930 Die subalpine Fliegenfauna von Reinerz (Glatzer Gebirge, Schlesien). Ztschr. wiss. Insektenbiol. 25, 71–81.
- RIEL, P.
- 1921 Les insects parasites des champignons. I. Elevages et première liste de diptères fongicoles. Ann. Soc. linn. Lyon, N.S., 67, 37–44.
- RILEY, W. A.
- 1919 Fly pupae in bottled milk. Journ. Dairy Sci. 2, 183–188.
- RINGDAHL, O.
- 1931 Flugor-Diptera brachycera. In: Y. SJÖSTEDT, Insektafaunan inom Abisko Nationalpark. III. K. svenska Vetensk. Akad. Skr. Nat. 18, 1–32.
- 1941 Bidrag till kännedomen om flugfaunan (Diptera Brachycera) på Hallands Väderö. Ent. Tidskr. 62, 1–23.
- 1949 Nya fynd av holometopna flugor. Ent. Tidskr. 69, 1–4.
- 1951 Flugor från Lapplands, Jämtlands och Härdedalens fjällstrakter (Diptera Brachycera). Opusc. ent. 16, 113–186.
- 1957 Fliegenfunde aus den Alpen. Ent. Tidskr. 78, 115–134.
- 1959 Några tillag till flugfaunan på Hallands Väderö. Ent. Tidskr. 79, 120–122.
- RISCH, P.
- 1971 Die Überwinterung als adaptive Leistung, geprüft an verschiedenen Karyotypen der inversionspolymorphen Art *Drosophila subobscura*. Genetica 42, 79–103.
- ROBERTSON, F. W.
- 1965 The analysis and interpretation of population differences. Proc. I. Int. Union Biol. Sci. Symp. Genet. Biol., pp. 95–115.
- ROCHA PITÉ, M. T.
- 1972 An introduction to the study of Portuguese Drosophilidae. Arq. Mus. Boc., Sér. 2, 3, 367–384.
- 1975a Notas sobre a captura, conservação e identificação das Drosófilas de Portugal. Arq. Mus. Boc., Sér. ECE, 10, 1–19.
- 1975 b Collection notes on Drosophilidae. Arq. Mus. Boc., Sér. 2, 5, I–X.
- 1977a Analyse statistique de l'influence des facteurs climatiques sur les rythmes d'activité des populations naturelles des Drosophilidae dans la région de Sintra-Colares (Portugal). Arq. Mus. Boc., Sér. 2, 6, 133–151.
- 1977b Rythmes d'activité saisonnière des populations naturelles des Drosophilidae dans la région Sintra-Colares (Portugal). Bull. Mus. natn. Hist. nat., Paris, Sér. 3, No. 463, Ecologie générale, 38, 109–160.
- 1978 Rythmes d'activité journalière des populations naturelles des Drosophilidae dans la région de Sintra-Colares (Portugal). Bolm. Soc. port. Cienc. nat. 18, 69–90.
- 1979 A note on Drosophilidae collected in different provinces of Portugal. Arq. Mus. Bocage, (2a Sér.), 7, 67–80.
- ROCHA PITÉ, M. T., and COSTA NICOLAU, M. H. DA
- 1978 Etude des rythmes d'activité des populations naturelles des Drosophilidae dans la région de Sintra-Colares (Portugal) par l'analyse factorielle des correspondances. Arq. Mus. Boc., Sér. 2, 6, 261–278.
- ROCHA PITÉ, M. T., and TSACAS, L.
- 1979 Nouvelles données sur la répartition des Drosophiles en France (Diptera Drosophilidae). Rev. fr. Ent., N.S., 1, 135–140.
- 1980 Catalogue of the European species of the genus *Drosophila*. Bolm. Soc. port. Cienc. nat. 19, 37–47.
- ROHLIFIEN, K., and EWALD, B.
- 1972 Katalog der in den Sammlungen des ehemaligen Deutschen Entomologischen Institutes aufbewahrten Typen – VIII. (Diptera: Cyclorrhapha: Schizophora: Acalyptratae). Beitr. Ent. 22, 407–469.
- RONDANI, C.
- 1875 Notizie sul moscerino dell'uva. Boll. Comiz. agr. parm. 8, 145–149.
- 1876 Diagnosi di tre vesparii microsomi insetticidi. Boll. Soc. ent. ital. 8, 83–86.
- ROSER, C. VON
- 1840 Erster Nachtrag zu dem im Jahre 1834 bekannt gemachten Verzeichnisse in Württemberg vorkommender zweiflügiger Insekten. Correspondenzbl. K. württ. landw. Ver. Stuttgart 1840, 49–64.
- RUDERER, E.
- 1959 Über den Auslesewert chromosomaler Strukturtypen von *Drosophila subobscura* unter experimentellen Bedingungen. Experientia 15, 9–12.
- SABATH, M. D.
- 1964 Niche breadth and genetic variability in sympatric natural populations of drosophilid flies. Amer. Nat. 108, 533–540.
- SACK, P.
- 1904 Die Dipteren Rumäniens. Gesammelt von Dr. ED. FLECK (Azuga). Bul. Soc. Sciente 13, 92–116.
- SAITO, S., OHMORI, Y., MATSUI, S., and KOMATSUBARA, T.
- 1962 Seasonal observation of *Drosophila* in Niigata City. [In Japanese with English summary]. Jap. Journ. Sanit. Zool. 13, 229–232.
- SAKIMURA, K., and LINFORD, M. B.
- 1940 An annotated list of insects from Lanai. Proc. hawaii. ent. Soc. 10, 451–454.
- SALLES, H.
- 1948 Sobre a genitália dos Drosophilídos (Diptera): I. *Drosophila melanogaster* e *D. simulans*. Sum. brasili. Biol. 1, 311–333.
- SAURA, A.
- 1974 Genic variation in Scandinavian populations of *Drosophila bifasciata*. Hereditas 76, 161–172.
- SAURA, A., LAKOVAARA, S., LOKKI, J., and LANKINEN, P.
- 1973 Genic variation in central and marginal populations of *Drosophila subobscura*. Hereditas 75, 33–46.
- SCHATZMANN, E.
- 1977 Früchte als natürliche Entwicklungssubstrate von Drosophiliden. Mitt. schweiz. ent. Ges. 50, 135–148.
- SCHINER, J. R.
- 1864 Fauna austriaca. (Diptera). II. Teil. GEROLD's Sohn, Wien, 658 pp.

- SCHMID, V.
 1968 Die Flugaktivität von Drosophiliden am Waldrand. Mitt. schweiz. ent. Ges. 41, 266–274.
- SCHOLTZ, H.
 1848– Ueber den Aufenthalt der Dipteren während ihrer ersten Stände. Ztschr. Ent. Breslau 8 (1848), 1–8, 9 (1849), 1850 9–20, 10 (1849), 21–24, 15 (1850), 25–34.
- SCHULZE, P.
 1912 Entwicklung von *Drosophila rubrostriata* BECKER in Formol: ein Beitrag zur Kenntnis der Lebensweise der Drosophilalarven. Zool. Anz. 39, 199–202.
- SCHUMANN, H.
 1963 Beitrag zur Kenntnis der Dipteren im Wohnbereich des Menschen. Dtsch. ent. Ztschr., N.F., 10, 315–322.
- SCOPOLI, J. A.
 1763 Entomologia carniolica exhibens insecta carnioliae indigena et distributa in ordines, genera, species, varietates methodo Linnaeana. TRATTNER, Vindobonae [= Vienna], 414 pp.
- SÉGUY, E.
 1933a Contribution à l'étude de la faune du Mozambique. Voyage de M. P. LESNE (1928–1929). Mem. Est. Mus. zool. Univ. Coimbra, Sér. 1, 67, 5–80.
 1933b Une nouvelle espèce de *Gitona* (Dipt.) de la Somalie italienne et note sur les Drosophiles parasites. Boll. Soc. ent. ital. 65, 187–190.
 1934a Contribution à l'étude des mouches phytophages de l'Europe occidentale. II. Encycl. ent., Ser. B II, Dipt., 7, 167–264.
 1934b Diptères (Brachycères). Muscidae Acalypterae et Scatophagidae. In: Faune de France, Vol. 28. LECHEVALIER, Paris, 832 pp.
 1936 Voyage de MM. L. CHOPARD et A. MÉQUIGNON aux Açores (Août–Septembre 1930). Ann. Soc. ent. France 105, 11–26.
 1941 Diptères recueillis par M. L. BERLAND dans le sud marocain. Ann. Soc. ent. France 110, 1–23.
 1950 La biologie des Diptères. Encyclop. Ent., Ser. A, 26, 1–609.
 1951 Un Drosophilide phytophage nouveau. Mém. Inst. scientif. Madagascar, Sér. A, 6, 399–405.
 1955 Introduction à l'étude biologique et morphologique des insectes diptères. Publ. avulsas Mus. Nac. 17, 1–260.
- SEIDEL, J.
 1957 Pflanzengallen und Blattminen aus dem Gebiete des Glatzer Schneeberges. Přírodov. sbor. Ostr. kraje 18, 248–270.
- SERGENT, E., and ROUGEBIEF, H.
 1924 Dissémination des levures dans les vignobles par les insectes. Mutualisme entre levures et drosophiles. C. R. Acad. Sci. 178, 732–734.
 1926a Des rapports entre les moucherons du genre *Drosophila* et les microbes du raisin. Ann. Inst. Pasteur 40, 901–921.
 1926b Moucherons (Drosophiles) et fermentations. Arch. Inst. Pasteur d'Algérie 4, 519–527.
- SHARP, D.
 1900 *Drosophila maculata*, DUFOUR, a new British dipteron. Ent. month. Mag. 36, 251, 289.
 1903 *Phortica variegata*, FALL.: A drosophilid fly new to Britain. Ent. month. Mag. 39, 248–249.
- SHAW, M. W.
 1969 *Drosophila* spp. (Dipt., Drosophilidae) associated with pea silage. Ent. month. Mag. 104, 236.
- SHIMA, T.
 1960 A collection record of *Drosophila* around Iwamizawa, Hokkaido. [In Japanese with English summary]. Zool. Mag. 70, 403–407.
 1965 Some aspects of courtship behavior in *Drosophila nigromaculata*, with regard to sperm storage. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 15, 763–769.
 1967 Notes on sexual activities observed in two species of *Drosophila*, *brachynephros* and *unispina*. Jap. Journ. Zool. 15, 335–341.
- SHORROCKS, B.
 1969 A notes on *Drosophila* species along the Tyne Valley. Entomologist 102, 229–230.
 1970 A note on *Drosophila* species collected at Woodchester Park, Gloucestershire. Entomologist 103, 286–288.
 1972 Invertebrate types. *Drosophila*. GINN, London, 144 pp.
 1974 Niche parameters in domestic species of *Drosophila*. Journ. nat. Hist. 8, 215–222.
 1975 The distribution and abundance of woodland species of British *Drosophila* (Diptera: Drosophilidae). Journ. anim. Ecol. 44, 851–864.
 1977 An ecological classification of European *Drosophila* species. Oecologia (Berl.) 26, 335–345.
- SHORROCKS, B., and BEGON, M.
 1975 A model of competition. Oecologia (Berl.) 20, 363–367.
- SHORROCKS, B., and CHARLESWORTH, P.
 1980 The distribution and abundance of the British fungalbreeding *Drosophila*. Ecol. Ent. 5, 61–78.
- SHORROCKS, B., and WOOD, A. M.
 1973 A preliminary note on the fungus feeding species of *Drosophila*. Journ. nat. Hist. 7, 551–556.
- SHORROCKS, B., ATKINSON, W., and CHARLESWORTH, P.
 1979 Competition on a divided and ephemeral resource. Journ. anim. Ecol. 48, 899–908.
- SILVESTRI, F.
 1917 Sulla *Lonchaea aristella* BECK. (Diptera: Lonchaeidae) dannosa alla infiorescenze e fruttescenze del Caprifico e del Fico. Boll. Lab. Zool. Agr. Portici 12, 123–146.
- SIMMONS, S. W., and DOVE, W. E.
 1942 Waste celery as a breeding medium for the stablefly or "dog fly", with suggestions for control. Journ. econ. Ent. 35, 709–715.
- SINGH, A.
 1976 Descriptions of new species of the genera *Sinopthalmus* and *Scaptomyza* (Insecta: Diptera: Drosophilidae) from Chandigarh, India. Rec. zool. Surv. India 69, 187–202.
- SINGH, B. K., and GUPTA, J. P.
 1974 The genus *Leucophenga* (Diptera: Drosophilidae) in India. Ind. Journ. Zool. 15, 23–26.
- SKUHRAVÝ, V., NOVÁK, K. and STARÝ, P.
 1959 Entomofauna jetele (*Trifolium pratense* L.) a její vývoj. Rozpravy česk. Akad. Věd 69 (7), 1–83.
- SMART, J.
 1937 On the larva and pupa of *Drosophila gibbinsi* AUB. Proc. R. ent. Soc. London, (B), 6, 170–172.
 1943 A handbook for the identification of insects of medical importance. British Museum (Natural History), London, 272 pp.
 1945 *Drosophila subobscura* COLLIN: Descriptive notes on the species with comments on its nomenclatorial status (Diptera). Proc. R. ent. Soc. London, (B), 14, 53–56.
- SMITH, K. G.
 1959 Some Midland Drosophilidae (Diptera) records. Ent. month. Mag. 95, 65.
 1960 Drosophilidae (Diptera) occurring at Neston, Cheshire. Ent. month. Mag. 96, 47.

- SOBELS, F. H., VLIJM, L., and LEVER, J.
 1934 The distribution of the genus *Drosophila* in the Netherlands. Arch. néerl. Zool. **10**, 357–374.
- СОКОЛОВ, Н. Н.
 1948 Новый вид дрозофиль — *Drosophila imeretensis*. Доклады Академии Наук СССР **59**, 1007–1008.
- SOÓS, A.
 1943 Adatok a Balaton-környéke acalyptáris Muscida faunájának ismeretéhez. Magyar Biol. Kut. Munk **15**, 309–323.
 1945 Ueber die Sepsiden, Piophiliden und Drosophiliden des Karpatenbeckens. Fragm. faunist. hung. **8**, 18–23.
- SPENCER, W. P.
 1942 New species in the *quinaria* group of the subgenus *Drosophila*. Univ. Texas Publ., no. 4213, 53–66.
 1950 The *Drosophila* of Jackson Hole, Wyoming — A taxonomic and ecological survey. Amer. Midl. Nat. **43**, 79–87.
- SPERLICH, D.
 1959 Experimentelle Beiträge zum Problem des positiven Heterosiseffektes bei der strukturpolymorphen Art *Drosophila subobscura*. Ztschr. Vererbungsl. **90**, 273–287.
 1961 Untersuchungen über den chromosomal Polymorphismus einer Population von *Drosophila subobscura* auf den Liparischen Inseln. Ztschr. Vererbungsl. **92**, 74–84.
 1964 Chromosomal Strukturanalyse und Fertilitätsprüfung an einer Marginalpopulation von *Drosophila subobscura*. Ztschr. Vererbungsl. **95**, 73–81.
 1966 Unterschiedliche Paarungsaktivität innerhalb und zwischen verschiedenen geographischen Stämmen von *Drosophila subobscura*. Ztschr. Vererbungsl. **98**, 10–15.
- SPERLICH, D., and FEUERBACH, H.
 1966 Ist der chromosomal Strukturpolymorphismus von *Drosophila subobscura* stabil oder flexibel? Ztschr. Vererbungsl. **98**, 16–24.
- SPERLICH, D., and KUNZE-MÜHL, E.
 1963 Der chromosomal Polymorphismus einer Population von *Drosophila subobscura* auf der Insel Ustica im Vergleich mit anderen Insel- und Festlandstandorten. Ztschr. Vererbungsl. **94**, 94–100.
- SPIETH, H. T.
 1979 The *virilis* group of *Drosophila* and the beaver *Castor*. Amer. Nat. **114**, 312–316.
- STAEGER, C.
 1844 Nogle Bemaerkninger til Slaegten *Drosophila*. Naturhist. Tidsskr. **1**, 16–18.
- ШТАКЕЛЬБЕРГ, А. А.
 1930 К фауне Drosophilidae (Diptera) Ингрии. Русск. Энтом. Обозр. **24**, 63–66.
 1970 97. Сем. Drosophilidae — плодовые мушки. Г. Я. Бей-Биенко: Определитель насекомых европейской части СССР в пяти томах. Вторая часть, pp. 390–399. Издательство „наука“ Ленинградское отделение, Ленинград.
- STALKER, H. D.
 1945 On the biology and genetics of *Scaptomyza graminum* FALLÉN (Diptera, Drosophilidae). Genetics **30**, 266–279.
- STALKER, H. D., and SPENCER, W. P.
 1939 Four new species of *Drosophila*, with notes on the *funebris* group. Ann. ent. Soc. Amer. **32**, 105–112.
- STARÝ, B.
 1930 U minujícím hmyzu v zemi Moravskoslezské. Práce morav. přírodot. spol. Brno **6**, 125–242.
- STEIN, E.
 1963 Zur Biologie von *Drosophila flava* FALL. (Diptera, Drosophilidae), einer Minierfliege an Kulturcruciferen. Ztschr. angew. Ent. **52**, 39–56.
- STONE, W. S.
 1942 Heterosis in *Drosophila hydei*. Univ. Texas Publ., no. 4228, 16–22.
- STONE, W. S., GUEST, W. C., and WILSON, F. D.
 1960 The evolutionary implications of the cytological polymorphism and phylogeny of the *virilis* group of *Drosophila*. Proc. natn. Acad. Sci., USA, **46**, 350–361.
- STORÅ, R.
 1956 Fynd av sällsynta dipterer i Oesterbotten (Om.). Notul. ent. **36**, 17–22.
 1957 Einige bemerkenswerte Dipteren-Funde an einem saftenden Birkenstamme. Notul. ent. **37**, 23–26.
- STROBL, G.
 1880 Dipterologische Funde um Seitenstetten. Ein Beitrag zur Fauna Nieder-Oesterreichs. Progr. k. k. Ober-Gymnas. Benediktiner Seitenstetten **14**, 3–65.
 1893a Beiträge zur Dipterenfauna des österreichischen Litorale. Fortsetzung 3. Wien. ent. Ztg. **12**, 121–136.
 1893b Neue Österreichische Muscidae Acalyptratae. III. Theil. Wien. ent. Ztg. **12**, 280–285.
 1894 Die Dipteren von Steiermark. II. Theil. Mitt. naturw. Ver. Steiermark **30** (1893), 1–152.
 1897 Siebenbürgische Zweiflügler, gesammelt von Prof. G. STROBL, Dr. D. CZEKELIUS und M. v. KIMAKOWICZ. Verh. Mitt. siebenbürg. Ver. Naturw. Hermannstadt **46** (1896), 11–48.
 1898a Фауна диптера Босне, Херцеговине и Далмације. Glasnik zemaljsk. Muzej. Bosni Herzegov. **10**, 387–466, 561–616.
 1898b Die Dipteren von Steiermark. IV. Theil: Nachträge. Mitt. naturw. Ver. Steiermark **34**, 192–298.
- 1900a Dipterenfauna von Bosnien, Hercegovina und Dalmatien. Wiss. Mitt. Bosnien Herzegov. **7**, 552–670.
 1900b Spanische Dipteren. VIII. Theil. Wien. ent. Ztg. **19**, 1–10.
- 1901 TIEF's dipterologischer Nachlaß aus Kärnten und Oesterr.-Schlesien. Jahrb. naturh. Landesmus. Kärnten **26** (1900), 171–246.
- 1904 Neue Beiträge zur Dipterenfauna der Balkanhalbinsel. Wiss. Mitt. Bosnien Herzegov. **9**, 519–581.
- 1906 Spanische Dipteren. II. Beitrag. Mem. R. Soc. española Hist. nat. **3** (1905), 271–422.
- 1910 Die Dipteren von Steiermark. II. Nachtrag. Mitt. naturw. Ver. Steiermark **46**, 45–293.
- STUMM-ZOLLINGER, E.
 1953 Vergleichende Untersuchungen über die Inversionshäufigkeit bei *Drosophila subobscura* in Populationen der Schweiz und Südwesteuropas. Ztschr. indukt. Abstamm.-Vererbungsl. **85**, 382–407.
- STUMM-ZOLLINGER, E., and GOLDSCHMIDT, E.
 1959 Geographical differentiation of inversion systems in *Drosophila subobscura*. Evolution **13**, 89–98.
- STURTEVANT, A. H.
 1916 Notes on North American Drosophilidae with descriptions of twenty-three new species. Ann. ent. Soc. Amer. **9**, 323–343.
 1918 A synopsis of the Nearctic species of the genus *Drosophila* (sensu lato). Bull. amer. Mus. nat. Hist. **38**, 441–446.
 1919a A new species closely resembling *Drosophila melanogaster*. Psyche (Boston) **26**, 153–155.
 1919b Flies of the genus *Drosophila* as possible disease carriers. Journ. Parasitol. **5**, 84–85.
 1921 The North American species of *Drosophila*. Carnegie Inst. Wash. Publ. **301**, 1–150.
 1927 Philippine and other Oriental Drosophilidae. Philipp. Journ. Sci. **32**, 361–374.
 1929 The genetics of *Drosophila simulans*. Carnegie Inst. Wash. Publ. **399**, 1–62.
 1942 The classification of the genus *Drosophila*, with descriptions of nine new species. Univ. Texas Publ., no. 4213, 5–51.

- SUOMALAINEN, P.
1937 (no title). Ann. ent. fenn. 3, 229, 233.
- SUZUKI, K.
1955 A field survey of drosophilids which feed and breed on plants. [In Japanese with English summary]. Zool. Mag. 64, 44–49.
- SWEZEY, O. H.
1928 Insect fauna of *Panicum torridum*, a native grass in Hawaii. Proc. hawaii. ent. Soc. 7, 179–182.
- Сычевская, В. И.
1978 Синантропные мухи (Diptera) алтая. Энт. Обозр. 57, 81–85.
- ТАКАДА, Н.
1952 Geographical variations in the wing-indices of the drosophilid flies. [In Japanese]. Kagaku 22, 540–541.
1954 Two types of *D. auraria*, with special regard to the difference in distribution by altitude. [In Japanese with English summary]. Jap. Journ. Genet. 29, 109–113.
1957 Some collections of *Drosophila* in Hokkaido through traps using fermenting fruits. [In Japanese with English summary]. Zool. Mag. 66, 206–212.
1958 *Drosophila* survey of Hokkaido, X. Drosophilidae from several localities of Hokkaido. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 14, 120–127.
1959 *Drosophila* survey of Hokkaido, IX. On *Drosophila okadai* sp. nov. with supplementary notes on the female of *Scaptomyza polygonia* OKADA. Annot. zool. japon. 32, 152–155.
1960 *Drosophila* survey of Hokkaido, XIII. Some remarkable or rare species of *Drosophila* from the southern-most area in the Hidaka mountain range. Annot. zool. japon. 33, 188–195.
1966a Male Genitalia of some Hawaiian Drosophilidae. Univ. Texas Publ., no. 6615, 315–333.
1966b Differentiation of the external male genitalia in the Drosophilidae. [In Japanese with English summary]. Proc. Kushiro Women's Coll. 1, 39–50, 131–132.
1968 *Drosophila* survey of Hokkaido, XXVI. Descriptions of three new species of Drosophilidae from Japan. Journ. Fac. gener. Educ. Sapporo Univ. 1, 119–127.
1970 *Scaptomyza (Parascaptomyza) pallida* (ZETTERSTEDT) and two related new species, *S. (P.) elmoi* n. sp. and *S. (P.) himalayana* n. sp. (Diptera: Drosophilidae). Annot. zool. japon. 43, 142–147.
1971 *Drosophila* in Hokkaido, its taxonomy and ecology. [In Japanese]. Journ. Fac. gener. Educ. Sapporo Univ. 2, 15–30.
1976 A new species of *Dettopsomyia* (Diptera, Drosophilidae) from the Philippines. Kontyû 44, 169–171.
- ТАКАДА, Н., and LEE, J. J.
1958 A preliminary survey of the Drosophilidae from Kongju and its adjacent localities, South Korea. Annot. zool. japon. 31, 113–116.
- ТАКАДА, Н., and МОММА, Е.
1975 Distribution and population constitution of *Drosophila* in South East Asia and Oceania. II. Drosophilidae in the suburbs of Kuala Lumpur, West Malaysia. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 9–48.
- ТАКАДА, Н., and ОКАДА, Т.
1958 *Drosophila* survey of Hokkaido, VI. A new species of the *virilis* group of the genus *Drosophila* (Diptera). Jap. Journ. Zool. 12, 133–137.
1960 *Drosophila* survey of Hokkaido, XI. A new species of *Drosophila (Sephophora)* from Japan. Annot. zool. japon. 33, 142–145.
- ТАКАДА, Н., and TODA, M. J.
1973 *Drosophila* survey of Hokkaido, XXIX. On *Amiota trochlea* sp. nov. (Drosophilidae) with supplementary notes on Diastatidae from Japan. Journ. Fac. gener. Educ. Sapporo Univ. 5, 1–4.
- ТАКАДА, Н., and TOYOFUKU, Y.
1960 Notes on hibernation of Drosophilidae in Hokkaido. [In Japanese with English summary]. Zool. Mag. 69, 223–232.
- ТАКАДА, Н., and WAKAHAMA, K. I.
1967 A *Drosophila* survey on Okinawa Main Island. Annot. zool. japon. 40, 55–60.
- ТАКАДА, Н., МОММА, Е., and НАКАХАРА, А.
1953 Drosophilid flies of Hokkaido and their distribution (Preliminary report). [In Japanese]. Zool. Mag. 62, 120.
- ТАКАДА, Н., BEPPU, K., and TODA, M. J.
1979 *Drosophila* survey of Hokkaido, XXXVI. New and unrecorded species of Drosophilidae (Diptera). Journ. Fac. gener. Educ. Sapporo Univ. 14, 105–129.
- ТАКАHASHI, Y., and KANEKO, A.
1969 A preliminary study of the enzymatic pattern of glucose 6-phosphate dehydrogenase in the *robusta* species group of *Drosophila*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 17, 386–392.
- TAMINI, E.
1938 *Drosophila*, lieviti e batteri. Natura (Milano) 29, 149–156.
- TAN, C. C., HSU, T. C., and SHENG, T. C.
1949 Known *Drosophila* species in China with descriptions of twelve new species. Univ. Texas Publ., no. 4920, 196–206.
- TANTAWY, A. O.
1964 Studies in natural populations of *Drosophila*. III. Morphological and genetic differences of wing length in *Drosophila melanogaster* and *D. simulans* in relation to season. Evolution 18, 560–570.
- TANTAWY, A. O., and EL-HELW, M. R.
1970 Studies on natural populations of *Drosophila*. XIII. Heterosis and fitness characters in hybrids between different populations of *Drosophila melanogaster*. Can. Journ. Genet. Cytol. 12, 695–710.
- TANTAWY, A. O., and MALLAH, G. S.
1961 Studies on natural populations of *Drosophila*. I. Heat resistance and geographical variation in *Drosophila melanogaster* and *D. simulans*. Evolution 15, 1–14.
- TANTAWY, A. O., MOURAD, A. M., and MASRI, A. M.
1970 Studies on natural populations of *Drosophila*. VIII. A note on the directional changes over a long period of time in the structure of *Drosophila* near Alexandria, Egypt. Amer. Nat. 104, 105–109.
- TAYLOR, E.
1955 *Drosophila repleta* WOLL. (Dipt. Drosophilidae) at Oxford. Ent. month. Mag. 91, 109.
- TAYLOR, L. R., and KALMUS, H.
1954 Dawn and dusk flight of *Drosophila subobscura* COLLIN. Nature (London) 174, 221–223.
- TESCHNER, D.
1959 Hausfliegen als Fäkalienbesucher im Stadtgebiet. Ztschr. angew. Zool. 47, 358–363.
1961 Beiträge zur Kenntnis der Fauna eines Müllplatzes in Hamburg. 6. Die Fliegen eines Hamburger Müllplatzes. Ent. Mitt. zool. Staatsinst. zool. Mus. Hamburg 35, 1–16 (= 189–204).

- 1962 Fliegen einer Hamburger Wohnung und in Hamburg neu aufgefundenen Fliegenarten (Diptera). Ent. Mitt. zool. Staatsinst. zool. Mus. Hamburg 37, 9–20 (= 221–232).
- TESKEY, H. J.
1976 Diptera larvae associated with trees in North America. Mem. ent. Soc. Canada 100, 1–53.
- THALER, K.
1977 Fragmenta Faunistica Tirolensis, III. (Insecta: Saltatoria, Hymenoptera, Diptera; Arachnida: Opiliones). Veröffentl. Mus. Ferdinandeaum 57, 137–151.
- THALHAMMER, J.
1899 Fauna Regni Hungariae. III. Arthropoda. Diptera: pp. 1–76, Budapest.
- 1901 Quaadem de Fauna dipterologica Transylvaniae (Adatok az erdélyi légyfauna ismeretéhez). A Jézus-tarsasagi Kalocsai érseki főgymnasium értesítője. Kalocsa 42, 3–25.
- THROCKMORTON, L. H.
1962 The problem of phylogeny in the genus *Drosophila*. Univ. Texas Publ., no. 6205, 207–343.
- 1966 The relationships of the endemic Hawaiian Drosophilidae. Univ. Texas Publ., no. 6615, 335–396.
- TIER, W.
1888 Beitrag zur Kenntnis der Dipterenfauna Kärntens. (Fortsetzung und Schluss). Jahresschr. k. k. Staatsgymnas. Villach 19, 3–40.
- TIENSUU, L.
1951 (no title). Ann. ent. fenn. 17, 175.
- TIMOFÉEFF-RESSOVSKY, N. W.
1927 Studies on the phenotypic manifestation of hereditary factors. I. On the phenotypic manifestation of the geno-variation radius incompletus in *Drosophila funebris*. Genetics 12, 128–198.
- 1932 Verschiedenheit der „normalen“ Allele der white-Serie aus zwei geographisch getrennten Populationen von *Drosophila melanogaster*. Biol. Zentralbl. 52, 468–476.
- 1933 Ueber die relative Vitalität von *Drosophila melanogaster* MEIGEN und *Drosophila funebris* FABRICIUS (Diptera, Muscidae acalypteratae) unter verschiedenen Zuchtbedingungen, im Zusammenhang mit den Verbreitungsarealen dieser Arten. Arch. Naturgesch., N. F., 2, 285–290.
- 1935 Ueber geographische Temperaturrasen bei *Drosophila funebris* F. Arch. Naturgesch., N. F., 4, 245–257.
- 1940 Spontane und strahleninduzierte Mutabilität in geographisch verschiedenen Stämmen von *Drosophila melanogaster*. Biol. Zentralbl. 60, 267–275.
- TIMOFÉEFF-RESSOVSKY, N. W., and TIMOFÉEFF-RESSOVSKY, E. A.
1941a Populationsgenetische Versuche an *Drosophila*. I. Zeitliche und räumliche Verteilung der Individuen einiger *Drosophila*-Arten über das Gelände. Ztschr. indukt. Abstamm.-Vererbungsl. 79, 28–34.
- 1941b Populationsgenetische Versuche an *Drosophila*. II. Aktionsbereiche von *Drosophila funebris* und *Drosophila melanogaster*. Ztschr. indukt. Abstamm.-Vererbungsl. 79, 35–43.
- 1941c Populationsgenetische Versuche an *Drosophila*. III. Quantitative Untersuchungen an einigen *Drosophila*-Populationen. Ztschr. indukt. Abstamm.-Vererbungsl. 79, 44–49.
- TODA, M. J.
1973a Influence of forest felling upon drosophilid fauna at several localities in Hokkaido. Res. Bull. Coll. Exp. Forests, Coll. Agric. Hokkaido Univ., 30, 389–410.
- 1973b Seasonal activity and microdistribution of drosophilid flies in Misumai in Sapporo. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 18, 532–550.
- 1973c Daily activity and vertical microdistribution of drosophilid flies in undergrowth layers. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 19, 105–124.
- 1974 A preliminary study on microdistribution and dispersal in drosophilid natural populations. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 19, 641–656.
- 1976 A preliminary study on drosophilid ecology (Diptera, Drosophilidae) in the Bonin Islands. Kontyū 44, 337–353.
- 1977 Vertical microdistribution of Drosophilidae (Diptera) within various forests in Hokkaido. I. Natural broad-leaved forest. Jap. Journ. Ecol. 27, 207–214.
- TODA, M. J., and KIMURA, M. T.
1978 Bionomics of Drosophilidae (Diptera) in Hokkaido. I. *Scaptomyza pallida* and *Drosophila nipponica*. Kontyū 46, 83–98.
- TOKUMITSU, T., SHIMA, T., and KANEKO, A.
1967 *Drosophila* survey of Hokkaido. XXIII. A karyotype study in seven species of the *quinaria* and the *robusta* groups. Jap. Journ. Genet. 42, 279–282.
- TOYOFUKU, Y.
1957 Chromosomal polymorphism found in natural populations of *Drosophila* (a preliminary report). Jap. Journ. Genet. 32, 229–233.
- 1958a *Drosophila* survey of Hokkaido, VII. Notes on the chromosomal polymorphism in populations of several species of *Drosophila* observed in the University Botanical Garden, Sapporo. Ann. zool. japon. 31, 103–108.
- 1958b Further notes on the chromosomal polymorphism in natural populations of *Drosophila* in Hokkaido. Jap. Journ. Genet. 33, 92–96.
- 1960 *Drosophila* survey of Hokkaido, XV. The salivary gland chromosomes of *Drosophila nigromaculata*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 14, 473–477.
- 1961 Chromosomal polymorphism found in natural populations of *Drosophila immigrans*. Jap. Journ. Genet. 36, 32–36.
- 1962 *Drosophila* survey of Hokkaido, XVII. A study of chromosomal polymorphism in natural populations of *Drosophila nigromaculata*. Jap. Journ. Genet. 37, 291–301.
- TOYOFUKU, Y., and KIMURA, Y.
1960 Distribution of drosophilid flies in Taisei-Mura, in Southwestern part of Hokkaido, in relation to the flora. [In Japanese with English summary]. Zool. Mag. 69, 357–361.
- 1961 *Drosophila* survey of Hokkaido, XIV. Distribution of drosophilid flies in Taisei-Mura, in the Southwestern part of Hokkaido, in relation to the flora. Jap. Journ. Zool. 13, 7–14.
- TRIANTAPHYLIDIS, C. D.
1978 Allozyme variation in populations of *Drosophila melanogaster* and *D. simulans* from northern Greece. Journ. Hered. 64, 69–72.
- TSACAS, L.
1969 Etude sur *Drosophila picta* (Dipt. Drosophilidae). Ann. Soc. ent. France, N. S., 5, 719–753.
- 1975 Structure fine et fonctionnement de l'ovipositeur de *Drosophila melanogaster* MEIGEN (Diptera, Drosophilidae). Arch. Zool. exp. gén. 116, 431–436.
- TSACAS, L., and BOQUET, CH.
1976 L'espèce chez les Drosophilidae. In: BOCQUET, CH., GÉNERMONT, J., and LAMOTTE, M. (eds.), Les problèmes de l'espèce dans le règne animale. Vol. 1, pp. 203–247. Société zoologique de France, Paris.
- TSACAS, L., and CHASSAGNARD, M. T.
1976 Identité de *Drosophila brunnea* DE MELJERE et description de nouvelles espèces orientales et africaines à pointe du scutellum blanche (Diptera, Drosophilidae). Bull. zool. Mus. Univ. Amsterdam 5, 89–105.

- TSACAS, L., and DAVID, J.
- 1977 Systematics and biogeography of the *Drosophila kikkawai*-complex, with descriptions of new species (Diptera, Drosophilidae). Ann. Soc. ent. France, N. S., 13, 675–693.
- TSACAS, L., and DESMIER DE CHENON, R.
- 1976 Taxinomie et biogéographie des „genres“ *Cacoxenus* – *Paracacoxenus* – *Gitonides* – *Gitona* (Dipt., Drosophilidae) et biologie d'une nouvelle espèce africaine commensale d'Apoidea (Hymenoptera). Ann. Soc. ent. France, N. S., 12, 491–507.
- TSACAS, L., BOCQUET, CH., DAGUZAN, M., and MERCIER, A.
- 1971 Comparison des genitalia males de *Drosophila melanogaster*, de *Drosophila simulans* et de leurs hybrides. (Dipt. Drosophilidae). Ann. Soc. ent. France, N. S., 7, 75–93.
- TSUNO, K.
- 1973 Esterase gene frequency differences and linkage equilibrium in *Drosophila virilis* populations from different ecological habitats. Genetics 80, 585–594.
- UNWIN, E. E.
- 1907 The vinegar-fly (*Drosophila funebris*). Trans. R. ent. Soc. London 1907, 285–302.
- VAIDYA, V. G., and GODBOLE, N. N.
- 1971 Systematic study of Drosophilidae in Poona and neighbouring areas. I. Journ. Univ. Poona, Sci. Section, 40, 49–61.
- Беселкин, Г. А.
- 1966 Мухи (Diptera) — спутники домашних животных и человека в южной части тюменской области. Энт. Обозр. 45, 779–792.
- VILLENEUVE, J.
- 1911 Description de deux nouveaux diptères. Wien. ent. Ztg. 30, 81–84.
- 1921 Description de diptères nouveaux. Ann. Soc. ent. Belgique 61, 157–161.
- 1923 Description d'une nouvelle espèce du genre *Drosophila* FALLÉN (Dipt. Muscidae). Bull. Soc. ent. France 1923, 28.
- VIMMER, A.
- 1913 Seznam českého hmyzu dvoukřídlého. Catalogus Dipterorum. Ent. přír. (Praha) 8, 1–99.
- 1931 O larvách mušič (Diptera) které škodí v Československém rostlinám vyhodáváním podkopů nečili hyponomů [Über die Larven kleiner Fliegen, welche in der Tschechoslowak. Rep. durch Ausnagen von Hyponomen den Pflanzen schaden]. Arch. přírodn. výzk. Cech. 18, 1–160.
- WACHTL, F. A.
- 1882 Beiträge zur Kenntnis der Biologie, Systematik und Synonymie der Insecten. Wien. ent. Ztg. 1, 275–280.
- WAHLBERG, P. F.
- 1839 Bidrag till Svenska Dipternas kännedom. K. svenska vet. Akad. Handl., Ser. 3, 1838, 1–23.
- WAHLGREN, E.
- 1927 Dagfflugor. Drosophilidae. Svensk Insektafauna 11, 351–361.
- WAKAHAMA, K. I.
- 1956a *Drosophila* survey in Hokkaido, III. Some flies new to *Drosophila* fauna of Hokkaido. Annot. zool. japon. 29, 116–120.
- 1956b Notes on the seasonal activity of *Drosophila* observed in the University Botanical Gardens, Sapporo. Annot. zool. japon. 29, 161–164.
- 1957a Further notes on the seasonal activity of *Drosophila* observed in the University Botanical Garden, Sapporo. Annot. zool. japon. 30, 217–224.
- 1957b Notes on the diurnal activity and its seasonal variations in *Drosophila nigromaculata*. [In Japanese with English summary]. Zool. Mag. 66, 269–272.
- 1961 Note on the seasonal activity of *Drosophila* observed in the Rakuzan Park, Matsue City. Bull. Shimane Univ. (Nat. Sci.) 10, 90–95.
- 1962a Further note on the geographical distribution of the Drosophilidae in San-in region. Bull. Shimane Univ. (Nat. Sci.) 11, 41–46.
- 1962b Studies on the seasonal variation of population structures in *Drosophila*. I. Seasonal activity of drosophilid flies observed on Mt. Dakesan, near the city of Matsue. Annot. zool. japon. 35, 234–242.
- 1962c Studies on the seasonal variation of population structure in *Drosophila*. II. The effect of altitude on seasonal activity of *Drosophila* with a note on the monthly numerical variation of species. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 15, 65–73.
- 1964 Some ecological studies in *Drosophila*. Bull. Shimane Univ. (Nat. Sci.) 13, 50–122.
- 1966 Notes on the drosophilid fauna from the Oki Islands. Annot. zool. japon. 39, 89–94.
- WAKAHAMA, K., and OKADA, T.
- 1958 *Drosophila* survey of Hokkaido, VIII. Description of a new species of the genus *Amiota* (Drosophilidae) from Japan. Annot. zool. japon. 31, 109–112.
- WAKAHAMA, K., KANEKO, A., and TOKUMITSU, T.
- 1963 *Drosophila* survey of Hokkaido, XIX. Collection records in three localities of Hokkaido, with a note on the diurnal behavior of certain species. Annot. zool. japon. 36, 92–96.
- WAKELEY, S.
- 1953 *Amiota alboguttata* (WAHLB.) (Dipt., Drosophilidae) in Surrey. Entomologist 86, 199.
- WALKER, F.
- 1849 List of the specimens of dipterous insects of the collection of the British Museum. Part 4. pp. 689–1172. London, Brit. Mus. N.H.
- 1853 *Insecta Britannica*. Diptera. Vol. II. LOVELL REEVE, London, 297 pp.
- WARD, C. L.
- 1949 Karyotype variation in *Drosophila*. Univ. Texas Publ., no. 4920, 70–79.
- WARREN, D. C.
- 1920 Spotting inheritance in *Drosophila busckii* COQ. Genetics 5, 60–110.
- WARTERS, M.
- 1944 Chromosomal aberrations in wild populations of *Drosophila*. Univ. Texas Publ., no. 4445, 129–174.
- WASSERMAN, M.
- 1954 Cytological studies of the *repleta* group. Univ. Texas Publ., no. 5422, 130–152.
- 1962a Cytological studies of the *repleta* group of the genus *Drosophila*: III. The *mercatorum* subgroup. Univ. Texas Publ., no. 6205, 63–71.
- 1962b Cytological studies of the *repleta* group of the genus *Drosophila*: IV. The *hydei* subgroup. Univ. Texas Publ., no. 6205, 73–83.
- 1962c Cytological studies of the *repleta* group of the genus *Drosophila*: V. The *mulleri* subgroup. Univ. Texas Publ., no. 6205, 85–117.
- WATABE, H.
- 1977 *Drosophila* survey of Hokkaido, XXXIV. Seasonal variations of body color of *Drosophila testacea*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 21, 21–30.

- 1979 *Drosophila* survey of Hokkaido, XXXVI. Seasonal changes in the reproductive condition of wild and domestic species of *Drosophila*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 21, 365–372.
- WATABE, H., and BEPPU, K.
1977 *Drosophila* survey of Hokkaido, XXXIII. Ovarian development of *Drosophila* in relation to wild population Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 611–620.
- WATABE, H., and HIGUCHI, C.
1979 On a new species of the *virilis* group of the genus *Drosophila* (Dipt., Drosophilidae), with revision of geographical distribution of the group. Annot. zool. japon. 52, 203–211.
- WATANABE, T. K., and KAWANISHI, M.
1976 Colonization of *Drosophila simulans* in Japan. Proc. Japan Acad. 52, 191–194.
- WATTIAUX, J. M.
1968 Cumulative parental age effects in *Drosophila subobscura*. Evolution 22, 406–421.
- WEBSTER, F. M.
1900 Some species of Diptera inhabiting or frequenting the wheat fields of the Middle West. Can. Ent. 32, 213.
- WHARTON, L. T.
1942 Analysis of the *repleta* group of *Drosophila*. Univ. Texas Publ., no. 4228, 23–52.
- WHEELER, M. R.
1949a The subgenus *Pholadoris* (*Drosophila*) with descriptions of two new species. Univ. Texas Publ., no. 4920, 143–156.
1949b Taxonomic studies on the Drosophilidae. Univ. Texas Publ., no. 4920, 157–195.
1951 *Dettopsomyia* and *Ptilomyia*. Two genera new to the United States (Diptera: Drosophilidae, Ephydriidae). Pan-Pacif. Ent. 27, 92–93.
1952 The Drosophilidae of the Nearctic region, exclusive of the genus *Drosophila*. Univ. Texas Publ. no. 5204, 162–218.
1954 Taxonomic studies on American Drosophilidae. Univ. Texas Publ., no. 5422, 47–64.
1957 Taxonomic and distributional studies of Nearctic and Neotropical Drosophilidae. Univ. Texas Publ., no. 5721, 79–114.
1960a New species of the *quinaria* group of *Drosophila* (Diptera, Drosophilidae). Southw. Nat. 5, 160–164.
1960b Sternite modification in males of the Drosophilidae (Diptera). Ann., ent. Soc. Amer. 53, 133–137.
- WHEELER, M. R., and HAMILTON, N.
1972 Catalog of *Drosophila* species names, 1959–1971. Univ. Texas Publ. no. 7213, 257–268.
- WHEELER, M. R., and TAKADA, H.
1964 Insects of Micronesia. Diptera: Drosophilidae. Publ. Bishop Mus. Honolulu 14 (6), 163–242.
1966 The Nearctic and Neotropical species of *Scaptomyza* HARDY (Diptera; Drosophilidae). Univ. Texas Publ., no. 6615, 37–78.
- WHEELER, M. R., and THROCKMORTON, L. H.
1960 Notes on Alaskan Drosophilidae (Diptera), with the description of a new species. Bull. Brooklyn ent. Soc. 55, 134–143.
- WILLIS, J. C., and BURKILL, I. H.
1895 Flowers and insects in Great Britain. Part. I. Ann. Bot. 9, 227–273.
- WILLISTON, S. W.
1896 On the Diptera of St. Vincent (West Indies). Trans. ent. Soc. London 1896, 253–446.
- WOLLASTON, T. V.
1858 Brief diagnostic characters of undescribed Madeiran insects. Ann. Mag. nat. Hist., Ser. 3, 1, 113–125.
- WULP, F. M. VAN DER, and MEIJERE, J. C. H. DE
1898 Nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 41 (Suppl.), 1–149.
- YAMAGUCHI, O.
1973 Salivary gland chromosome relationship between *Drosophila bifasciata* and *D. imaiii*. Cytologia 38, 603–614.
- YAMAGUCHI, O., and MORIWAKI, D.
1971 Chromosomal variation in natural populations of *Drosophila bifasciata*. Jap. Journ. Genet. 46, 383–391.
- YANG, S. Y., and YOON, I. B.
1962 The fauna of Kur-moon Island, Korea. Zoologica 1, 7–17.
- YERBURY, J. W.
1913 A list of the Diptera met with in Wester Ross, with notes on other species known to occur in the neighbouring areas. Scott. Nat. 20 (1913), 173–177.
- ZANGHEI, P.
1950 Fauna di Romagna. Ditteri. 2a parte. Mem. Soc. ent. ital. 29, 68–95.
1969 Repertorio sistematico e topografico della flora e fauna vivente e fossile della Romagna. Tomo 3. Mem. Mus. civic. Storia nat. Verona, f. s., 1, 855–1414.
- ZAVŘEL, H.
1967 Výsledky hyponomického výzkumu jihomoravského kraje. Část. I. Zpr. oblast. Muz. Gottwaldov 1967, 90–105.
- ZETTERSTEDT, J. W.
1838–
1840 Insecta lapponica. VOSS, Lipsiae [= Leipzig], 1139 pp.
1847–
1860 Diptera Scandinaviae disposita et descripta. Vol. 6, 2163–2580 (1847); Vol. 8, 2935–3366 (1849); Vol. 11, 4091–4545 (1852); Vol. 12, 4547–4942 (1855); Vol. 14, 6191–6609 (1860). LUNDBERG, Lundae [= Lund].
- ЗИМИН, А. С.
1948 Определитель личинок синантропных мух таджикистана (по III-й стадии). Издательство Академии Наук СССР Москва-Ленинград.
- ZOERNER, H.
1971 Minenstudien II. (Beitrag zur Kenntnis der Lebensweise bekannter und unbekannter minierender Dipteren-Larven). Dtsch. ent. Ztschr., N.F., 18, 233–250.
- ZOLLINGER, E.
1950 Ein strukturell homozygoter Stamm von *Drosophila subobscura* aus einer Wildpopulation. Arch. JULIUS KLAUS-Stiftg. 25, 33–35.
- ZOUROS, E., KRIMBAS, C. B., TSAKAS, S., and LOUKAS, M.
1974 Genic versus chromosomal variation in natural populations of *Drosophila subobscura*. Genetics 78, 1223–1244.
- ZUJITIN, A. I.
1941 Influence of the change from the natural complex of developmental conditions to the laboratory one on the mutation rate in *Drosophila melanogaster*. C.R. (Doklady) Acad. Sci. URSS 30, 61–63.
- ZUSKA, J., and LAŠTOVKA, P.
1969 Species-composition of the dipterous fauna in various types of food-processing plants in Czechoslovakia. Acta ent. bohemoslov. 66, 201–221.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Beiträge zur Entomologie = Contributions to Entomology](#)

Jahr/Year: 1982

Band/Volume: [32](#)

Autor(en)/Author(s): Bächli Gerhard, Pite Maria Theresia Rocha

Artikel/Article: [Annotated bibliography of Palearctic species of Drosophilidae \(Diptera\). 303-392](#)