

Bibliographie der europäischen Literatur über Ameisen des Jahres 2009 mit Nachträgen für die Jahre 1998 - 2008 (Insecta, Hymenoptera: Formicidae)

WERNER SCHULZE

Die vierzehnte Zusammenstellung [dreizehnte Zusammenstellung: BEMBIX **31**, S. 26-41 (2010)] der in Europa publizierten **ameisenkundlichen Literatur** des Jahres 2009 (mit Nachträgen für die letzten elf Jahre) umfasst über 360 Zitate aus allen Bereichen der allgemeinen wie der speziellen Entomologie, dem Natur- und Landschaftsschutz sowie der angewandten Entomologie.

Auch für diese Ausgabe möchte ich mich bei Günther Schulze, Berlin, und Reiner Theunert, Hohenhameln, für Unterstützungen bedanken; Kritik, Anregungen und Ergänzungen sind wie immer willkommen.

Bibliographie 2009 mit Nachträgen für die Jahre 1998 - 2008

- ABRIL, S., N. ROURA-PASCUAL, J. OLIVERAS & C. GÓMEZ (2009): Assessing the distribution of the Argentine ant using physiological data. - *Acta Oecol.* **35**: 739 - 745. Paris.
- ADANDONON, A., J.-F. VAYSSIÈRES, A. SINZOGAN & P. VAN MELE (2009): Density of pheromone sources of the weaver ant *Oecophylla longinoda* affects oviposition behaviour and damage by mango fruit flies (Diptera: Tephritidae). - *Int. J. Pest Management* **55**: 285 - 292. London.
- ALTFELD, L. & P. STILING (2009): Effects of aphid-tending Argentine ants, nitrogen enrichment and early-season herbivory on insects hosted by a coastal shrub. - *Biol. Invasions* **11**: 183 - 191. Dordrecht.
- AMBACH, J. (2009a): Zur Geschichte und Entwicklung der Myrmekologie in Österreich. - *Denisia* **25**: 37 - 52. Linz/D.
- AMBACH, J. (2009b): Hügelbauende Waldameisen (*Formica rufa*-Gruppe) - ein aktueller Überblick. - *Denisia* **25**: 93 - 106. Linz/D.
- AMBACH, J. (2009c): Checkliste der Ameisen Oberösterreichs mit einer Einstufung ihrer Gefährdung (Hymenoptera, Formicidae). - *Beitr. Naturkde. Oberösterreichs* **19**: 3 - 48. Linz/D.
- AMBACH, J. & CH. DIETRICH (Hrsg.) (2009): Geschätzt, verflucht, allgegenwärtig - Ameisen in Biologie und Volkskultur. - *Denisia* **25**: 188 S.; Linz/D.
- ANONYM (2009): Ameisen - Unbekannte Faszination vor der Haustüre. Naturkundliche Sonderausstellung im Niederösterreichischen Landesmuseum, St. Pölten, 22. März 2009 bis 7. Februar 2010. - *Myrmecol. News* **12**: 254. Wien.

- ANTON, A., M. MUSCHE & J. SETTELE (2007): Spatial patterns of host exploitation in a larval parasitoid of the predatory dusky large blue *Maculinea nausithous*. - *Basic & Appl. Ecol.* **8**: 66 - 74. Jena.
- ANTONOVA, V. (2009): First record of the slave-maker ant *Harpagoxenus sublaevis* (NYLANDER, 1849) from Bulgaria (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 1 - 2. Wien.
- AVARGUES-WEBER, A. & T. MONNIN (2009): Dynamics of colony emigration in the ant *Aphaenogaster senilis*. - *Insectes Soc.* **56**: 177 - 183. Basel.
- AZIZI, T., J.SP. JOHNSTON & S.B. VINSON (2009): Initiation of flight muscle apoptosis and wing casting in the red imported fire ant *Solenopsis invicta*. - *Physiol. Entomol.* **34**: 79 - 85. Oxford.
- BABIK, H., CZECHOSWKA, W. & CZWECHOWSKI, W. (2009): *Temnothorax affinis* (Mayr) (Hymenoptera: Formicidae) - not extinct in Poland. - *Fragm. faun.* **52**: 13 - 16. Warszawa.
- BAER, B., S.P.A. DEN BOER, D.J.C. KRONAUER, D.R. NASH & J.J. BOOMSMA (2009): Fungus gardens of the leafcutter ant *Atta colombica* function as egg nurseries for the snake *Leptodeira annulata*. - *Insectes Soc.* **56**: 289 - 291. Basel.
- BAER, B., M.B. DIJKSTRA, U.G. MUELLER, D.R. NASH & J.J. BOOMSMA (2009): Sperm length evolution in the fungus-growing ants. - *Behav. Ecol.* **20**: 38 - 45. Oxford.
- BARAIBAR, B., P.R. WESTERMAN, E. CARRIÓN & J. RECASENS (2009): Effects of tillage and irrigation in cereal fields on weed seed removal by seed predators. - *J. Appl. Ecol.* **46**: 380 - 387. Oxford.
- BARBERO, F., J.A. THOMAS, S. BONELLI, E. BALLETO & K. SCHÖNRÖGGE (2009): Queen ants make distinctive sounds that are mimicked by a butterfly social parasite. - *Science* **323**: 782 - 785. Washington, D.C.
- BARONI URBANI, C. (2000): Rediscovery of the Baltic amber ant genus *Prionomyrmex* (Hymenoptera, Formicidae) and its taxonomic consequences. - *Eclogae geologicae Helvetiae* **93**: 471 - 480. Basel.
- BARONI URBANI, C. & M.L. DE ANDRADE (2008): The ant tribe Dacetini: Limits and constituent genera, with descriptions of new species. - *Annali Mus. Civ. Stor. Nat. "Giacome Doria"* **98**: 1 - 191. Genova.
- BAS, J.M., J. OLIVERAS & C. GÓMEZ (2009): Myrmecochory and short-term seed fate in *Rhamnus alaternus*: Ant species and seed characteristics. - *Acta Oecol.* **35**: 380 - 384. Paris.
- BATÁRY, P., Á. KÖRÖSI, N. ÖRVÖSSY, S. KÖVÉR & L. PEREGOVITS (2009): Species-specific distribution of two sympatric *Maculinea* butterflies across different meadow edges. - *J. Insect Conservation* **13**: 223 - 230. Dordrecht.
- BAUER, S., V. WITTE, M. BÖHM & S. FOITZIK (2009): Fight or flight? A geographic mosaic in host reaction and potency of a chemical weapon in the social parasite *Harpagoxenus sublaevis*. - *Behav. Ecol. Sociobiol.* **64**: 45 - 56. Berlin/Heidelberg.
- BECKENBACH, A.T. (2009): Numts and mitochondrial pseudogenes. - *Myrmecol. News* **12**: 217 - 218. Wien.
- BERGHOFF, ST.M., E. WURST, E. EBERMANN, A.B. SENDOVA-FRANKS, C.W. RETTENMEYER & N.R. FRANKS (2009): Symbionts of societies that fission: mites as guests or parasites of army ants. - *Ecol. Entomol.* **34**: 684 - 695. Oxford.

- BEVERLY, B.D., H. MCLENDON, S. NACU, S. HOLMES & D.M. GORDON (2009): How site fidelity leads to individual differences in the foraging activity of harvester ants. - *Behav. Ecol.* **20**: 633 - 638. Oxford.
- BILLEN, J. (2009): Occurrence and structural organization of the exocrine glands in the legs of ants. - *Arthropod Structure & Development* **38**: 2 - 15. Oxford.
- BILLEN, J., E.D. MORGAN, F. DRIJFHOUT & K. FARMIER (2009): Unusual structural and chemical characteristics of the Dufour gland in the ant *Meranoplus diversus*. - *Physiol. Entomol.* **34**: 93 - 97. Oxford.
- BILICK, I. (2003): Worker demography in the ant *Formica neorufibarbis*. - *Ecol. Ent.* **28**: 139 - 144. Oxford.
- BLISS, P., A. KATZERKE & P. NEUMANN (2006): The role of molchills and grasses for filial nest founding in the wood ant *Formica exsecta* (Hymenoptera: Formicidae). - *Sociobiology* **47**: 903 - 914. Chico, Calif.
- BOER, P. (2009a): Nieuws over de Nederlandse mieren (2004-2008) (Hymenoptera: Formicidae). - *Nederlandse Faun. Meded.* **30**: 39 - 46. Leiden.
- BOER, P. (2009b): Blauwwrat (*Aegeritella superficialis*) op bosmieren (*Formica*) in Nederland. - *Ent. Ber., Amst.* **69**, 116. Amsterdam.
- BOER, P. & M. BROOKS (2009). Succesvolle buitenshuis vestigingen van de Argentijnse mier *Linepithema humile* in Nederland (Hymenoptera: Formicidae). - *Nederlandse Faun. Meded.* **31**: 17 - 23. Leiden.
- BOOMSMA, J.J. (2009): Lifetime monogamy and the evolution of eusociality. - *Phil. Trans. R. Soc. B* **364**: 3191 - 3207. London.
- BORGELT, A. & T.R. NEW (2006): Pitfall trapping for ants (Hymenoptera, Formicidae) in mesic Australia: What is the best trapping period? - *J. Insect Conservation* **10**: 75 - 77. Dordrecht.
- BOROVSKY, V. (2009a): Aggressives Verhalten von *Camponotus piceus* (LEACH, 1825) und *Camponotus lateralis* (OLIVIER, 1792). - *Ameisenschutz aktuell* **23**: 49 - 53. Schauenburg.
- BOROVSKY, V. (2009b): Erstfund von *Pyramica argiola* (EMERY, 1869) (Hymenoptera, Formicidae) in Kärnten. - *Carinthia II* **119**: 479-484. Klagenfurt.
- BOROWIEC, M.L. (2009): New ant species related to *Cerapachys sexspinus* and discussion of the status of *Yunodorylus* (Hymenoptera: Formicidae). - *Zootaxa* **2069**: 43 - 58. Auckland.
- BOSWELL, G.P., N.R. FRANKS & N.F. BRITTON (2001): Arms races and the evolution of big fierce societies. - *Proc. R. Soc. Lond. B* **268**: 1723 - 1730. London.
- BRAČKO, G. (2006): Review of the ant fauna (Hymenoptera: Formicidae) of Croatia. - *Acta entomol. Slovenica* **14**: 131 - 156. Ljubljana.
- BRAČKO, G. (2007b): Checklist of the ants of Slovenia (Hymenoptera: Formicidae). - *Natura Sloveniae* **9**: 15 - 24. Ljubljana.
- BRANDT, M., E. VAN WILGENBURG, R. SULC, K.J. SHEA & D. TSUTSUI (2009): The scent of supercolonies: the discovery, synthesis and behavioural verification of ant colony recognition cues. - *BMC Biology* 2009, **7** (71): 1 - 9. Berlin/Heidelberg.
- BRANDT, M., E. VAN WILGENBURG & N.D. TSUTSUI (2009): Global-scale analyses of chemical ecology and population genetics in the invasive Argentine ant. - *Molec. Ecol.* **18**: 997 - 1005. Oxford.

- BRANSTETTER, M.G. (2009): The ant genus *Stenammina* Westwood (Hymenoptera: Formicidae) redefined, with a description of a new genus *Propodilobus*. - *Zootaxa* **2221**: 41 - 57. Auckland.
- BRETZ, D. (2009a): Hügel bauende Waldameisen (1). - *Ameisenschutz aktuell* **23**: 1 + 1 - 8. Schauenburg.
- BRETZ, D. (2009b): Hügel bauende Waldameisen (2): *Formica lugubris*. - *Ameisenschutz aktuell* **23**: 36 + 9 - 16. Schauenburg.
- BRETZ, D. (2009c): Waldameisen. Bedrohte Helfer des Waldes. 4. Aufl. - *Ameisenschutz aktuell* **S/2009**: 1 - 24. Schauenburg.
- BRETZ, D. (2009d): Hügel bauende Waldameisen (3): *Formica pratensis*. - *Ameisenschutz aktuell* **23**: 60 + 17 - 24. Schauenburg.
- BRETZ, D. (2009e): Hügel bauende Waldameisen (4): *Formica polyctena*. - *Ameisenschutz aktuell* **23**: 84 + 25 - 32. Schauenburg.
- BREUER, H. (2009): Der Ameisenfreund. - *Spektrum d. Wissenschaft* 3/2009: 46 - 53. Heidelberg.
- BRITVEC, B. (2009): Giuseppe (Josef) Müller. Biolog i entomolog – sistematičar o 130. obljetnici rođenja i 45. obljetnici smrti. - *Natura Croat.* **18**: 187 - 205. Zagreb.
- BRUNNER, E. & J. HEINZE (2009): Worker dominance and policing in the ant *Temnothorax unifasciatus*. - *Insectes Soc.* **56**: 397 - 404. Basel.
- BUCHHOLZ, S. & K. HANNIG (2009): Do covers influence the capture efficiency of pitfall traps? - *Eur. J. Entomol.* **106**: 667 - 671. České Budějovice.
- BÜCHNER, A. (2009): Ameisenlehrpfad eröffnet. - *Allg. Forst Z.-Der Wald* **64**: 1163. München.
- BUCKZOWSKI, G. & G. BENNETT (2009a): The influence of forager number and colony size on food distribution in the odorous house ant, *Tapinoma sessile*. - *Insectes Soc.* **56**: 185 - 192. Basel.
- BUCKZOWSKI, G. & G. BENNETT (2009b): Colony budding and its effects on food allocation in the highly polygynous ant, *Monomorium pharaonis*. - *Ethology* **115**: 1091 - 1099. Berlin.
- BUHL, J., K. HICKS, E.R. MILLER, S. PERSEY, O. ALINVI & D.J.T. SUMPTER (2009): Shape and efficiency of wood ant foraging networks. - *Behav. Ecol. Sociobiol.* **63**: 451 - 460. Berlin/Heidelberg.
- BUSCHINGER, A. (2009): Social parasitism among ants: a review (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 219 - 235. Wien.
- CALLOT, H. (2009): Données nouvelles pour *Myrmica salina* Ruzsky, 1905 (Alsace et Drôme, France) et *Myrmica gallieni* Bondroit, 1920 (Alsace) (Hymenoptera, Formicidae). - *Bull. Soc. ent. Mulhouse* **65**: 43 - 46.
- CAMMAERTS, M.C. & A. LAMBERT (2009): Maze negotiation by a myrmicine ant (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 41 - 49. Wien.
- CAMMAERTS, M.-C. & Z. RACHIDI (2009): Olfactive conditioning and use of visual and odorous cues for movement in the ant *Myrmica sabuleti* (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 117 - 127. Wien.
- CAMPOS, R.B.F. & J.H. SCHOEREDER (2007): Small-scale patch dynamics after disturbance in litter ant communities. - *Basic & Appl. Ecol.* **8**: 36 - 43. Jena.
- CARRIÈRE, Y., CH. ELLERS-KIRK, M.G. CATTANEO, CH.M. YAFUSO, L. ANTILLA, CH.-Y. HUANG, M. RAHMAN, B.J. ORR & ST.E. MARSH (2009): Landscape effects of

- transgenic cotton on non-target ants and beetles. - *Basic & Appl. Ecol.* **10**: 597 - 606. München.
- CASEVITZ-WEULERSSE, J. & CH. GALKOWSKI (2009): Liste actualisée des Fourmis de France (Hymenoptera Formicidae). - *Bull. Soc. ent. France* **114**: 475 - 510. Paris.
- CASTELLA, G., P. CHRISTE & M. CHAPUISAT (2009): Mating triggers dynamic immune regulations in wood ant queens. - *J. Evol. Biol.* **22**: 564 - 570. Oxford.
- CERDÁ, X., E. ANGULO, R. BOULAY & A. LENOIR (2009): Individual and collective foraging decisions: a field study of worker recruitment in the gypsy ant *Aphaenogaster senilis*. - *Behav. Ecol. Sociobiol.* **63**: 551 - 562. Berlin/Heidelberg.
- CERDÁ, X., A. DAHBI & J. RETANA (2002): Spatial patterns, temporal variability, and the role of multi-nest colonies in a monogynous Spanish desert ant. - *Ecol. Ent.* **27**: 7 - 15. Oxford.
- CHEN, L., K.R. SHARMA & H.Y. FADAMIRO (2009): Fire ant venom alkaloids act as key attractants for the parasitic phorid fly, *Pseudacteon tricuspidis* (Diptera: Phoridae). - *Naturwissenschaften* **96**: 1421 - 1429. Berlin/Heidelberg.
- CHERIX, D. (2009a): Nécrologie. Georges Gris, myrmécologue amateur et membre honoraire de la Société vaudoise d'entomologie (1921-2008). - *Entomo Helvetica* **2**: 255 - 259.
- CHERIX, D. (2009b): Book Review: PASSERA, L. 2008: *Le monde extraordinaire des fourmis*. - Librairie Arthème, Fayard, Paris, 235 pp. - *Myrmecol. News* **12**: 66. Wien.
- CHOI, M.-Y. & R.K. VANDER MEER (2009): Identification of a new member of the PBAN family of neuropeptides from the fire ant, *Solenopsis invicta*. - *Insect Molec. Biol.* **18**: 161 - 169. Oxford.
- COLLINS, C.M. & S.R. LEATHER (2002): Ant-mediated dispersal of the black willow aphid *Pterocomma salicis* L.; does the ant *Lasius niger* L. judge aphid-host quality. - *Ecol. Ent.* **27**: 238 - 241. Oxford.
- COURNAULT, L. & S. ARON (2009): Diploid males, diploid sperm production, and triploid females in the ant *Tapinoma erraticum*. - *Naturwissenschaften* **96**: 1393 - 1400. Berlin/Heidelberg.
- COURNAULT, L. & J.-CH. DE BISEAU (2009): Hierarchical perception of fertility signals and nestmate recognition cues in two dolichoderine ants. - *Behav. Ecol. Sociobiol.* **63**: 1635 - 1641. Berlin/Heidelberg.
- CRIST, T.O. (2009): Biodiversity, species interactions, and functional roles of ants (Hymenoptera: Formicidae) in fragmented landscapes: a review. - *Myrmecol. News* **12**: 3 - 13. Wien.
- CRONIN, A.L. & TH. MONNIN (2009): Bourgeois queens and high stakes games in the ant *Aphaenogaster senilis*. - *Frontiers in Zool.* **6** (24): 9 pp. [<http://www.frontiersinzoology.com/content/6/1/24>].
- CSÖSZ, S. & G. MAJOROS (2009): Ontogenetic origin of mermithogenic *Myrmica* phenotypes (Hymenoptera, Formicidae). - *Insectes Soc.* **56**: 70 - 76. Basel.
- COELHO, M.S., G.W. FERNANDES, J.C SANTOS & J.H.CH. DELABIE (2009): Ants (Hymenoptera: Formicidae) as Bioindicators of Land Restoration in a Brazilian Atlantic Forest Fragment. - *Sociobiology* **54**: 51 - 63. Chico, Calif.
- CZECHOWSKI, W. (2008): Around-nest "cemeteries" of *Myrmica schencki* Em. (Hymenoptera: Formicidae): their origin and a possible significance. - *Polish J. Ecol.* **56**: 359 - 363. Łomianki.

- CZECHOWSKI, W. (2009): *Myrmica slovaca* SADIL and *Myrmica deplanata* EMERY rather than *M. salina* RUZSKY and *M. lacustris* RUZSKY (Hymenoptera: Formicidae) in Poland. - *Polskie Pismo Ent.* **78**: 315 - 317. Bydgoszcz.
- CZECHOWSKI, W., B. MARKÓ & E.J. GODZIŃSKA (2009): Corpse carrying in ants (Hymenoptera: Formicidae): behavioural side effect of aggressive arousal or competitive signaling? - *Polish J. Ecol.* **57**: 341 - 352. Łomianki.
- CZECHOWSKI, W., B. MARKÓ & A. RADCHENKO (2008): Rubbish dumps reveal the diet of ant colonies: *Myrmica schencki* Em. and *Myrmica rubra* (L.) (Hymenoptera: Formicidae) as facultative polleneaters. - *Polish J. Ecol.* **56**: 737 - 741. Łomianki.
- CZECHOWSKI, W. & P. ŚLIPIŃSKI (2008): No *Lasius platythorax* Seifert (Hymenoptera: Formicidae) in the urban greenery of Warsaw? - *Polish J. Ecol.* **56**: 541 - 544. Łomianki.
- CZECHOWSKI, W. & K. VEPSÄLÄINEN (2009): Territory size of wood ants (Hymenoptera: Formicidae): a search for limits of existence of *Formica polyctena* Först., an inherently polygynic and polycalic species. - *Annales zool.* **59**: 179 - 187. Warszawa.
- DAUBER, J. (2009): Ameisen (Hymenoptera, Formicidae) in Kulturlandschaften. - *Denisia* **25**: 67 - 78. Linz/D.
- DEBOUT, G.D.G., A. DALECKY, A. NGOMI NGOMI & D.B. MCKEY (2009): Dynamics of species coexistence: maintenance of a plant-ant competitive metacommunity. - *Oikos* **118**: 873 - 884. Oxford.
- DEJEAN, A., CH. DJIÉTO-LORDON, R. CÉRÉGHINO & M. LEPONCE (2008): Ontogenetic succession and the ant mosaic: An empirical approach using pioneer trees. - *Basic & Appl. Ecol.* **9**: 316 - 323. München.
- DEJEAN, A., J. GRANGIER, C. LEROY & J. ORIVEL (2009): Predation and aggressiveness in host plant protection: a generalization using ants from the genus *Azteca*. - *Naturwissenschaften* **96**: 57 - 63. Berlin/Heidelberg.
- DEKONINCK, W., H. DE KONINCK, J.-Y. BAUGNÉE & J.-P.E. MAELFAIT (2007): Ant biodiversity conservation in Belgian calcareous grasslands: active management is vital (Hymenoptera: Formicidae). - *Belg. J. Zool.* **137**: 137 - 146. Diepenbeek.
- DEKONINCK, W. & P. GROOTAERT (2005): Rediscovery of *Lasius bicornis* (FÖRSTER, 1850) in Belgium (Hymenoptera: Formicidae). - *Bull. Soc. roy. belg. Entomol.* **141**: 27 - 29. Bruxelles.
- DEKONINCK, W., J.-P.E. MAELFAIT, F. VANKERKHOVEN, J.-Y. BAUGNÉE & P. GROOTAERT (2006): An update of the checklist of the Belgian ant fauna with comments on new species for the country (Hymenoptera, Formicidae). - *Belg. J. Entomol.* **8**: 27 - 41. Brussels.
- DEKONINCK, W., P. WEGENEZ, X. ESPADALER & P. GROOTAERT (2006): First record of infestation of the ghost ant *Tapinoma melanocephalum* (FABRICIUS, 1793) in Belgium (Hymenoptera, Formicidae) – a new indoor pest problem for the country? - *Bull. Soc. roy. belg. Entomol.* **142**: 25 - 28. Bruxelles.
- DELABIE, J.H. (2001): Trophobiosis between Formicidae and Hemiptera (Sternorrhyncha and Auchenorrhyncha): an overview. - *Neotrop. Entomol.* **30**: 501 - 512. Londrina.
- DEL TORO, I., J.A. PACHECO & W.P. MACKAY (2009): Revision of the Ant Genus *Liometopum* (Hymenoptera: Formicidae). - *Sociobiology* **53**: 295 - 372. Chico, Calif.
- DEWES, E. (2009): *Camponotus piceus* (LEACH 1825), Erstnachweis für das Saarland. - *Ameisenschutz aktuell* **23**: 13 - 15. Schauenburg.

- DIETERICH, A. & O. BETZ (2009): Elementsensitive Synchrotron-Mikrotomographie zur Darstellung von Zinkeinlagerungen in den Mandibeln ausgewählter Insekten. - Mitt. Dtsch. Ges. allg. angew. Ent. **17**: 285 - 288. Gießen.
- DIETRICH, CH. & E. STEINER (2009a): Ameisen – unbekannte Faszination vor der Haustüre. 80 S.; Niederösterreichisches Landesmuseum, St. Pölten.
- DIETRICH, CH. & E. STEINER (2009b): Das Leben unserer Ameisen - ein Überblick. - *Denisia* **25**: 7 - 36. Linz/D.
- DIETRICH, R.A. (2009): Katze-und-Maus-Spiel mit Waldameisen. - *Ameisenschutz aktuell* **23**: 83 - 84. Schauenburg.
- DIGIROLAMO, L.A. & L.R. FOX (2006): The influence of abiotic factors and temporal variation on local invasion patterns of the Argentine ant (*Linepithema humile*). - *Biol. Invasions* **8**: 125 - 135. Dordrecht.
- DILL, M., D.J. WILLIAMS & U. MASCHWITZ (2002): Herdsmen ants and their mealybug partners. - *Abh. Senckenberg Naturforsch. Ges.* **557**: 1 - 373. Stuttgart.
- DISNEY, R.H.L., S. LIZON À L'ALLEMAND, C. V. BEEREN & V. WITTE (2009): A new genus and new species of scuttle flies (Diptera: Phoridae) from colonies of ants (Hymenoptera: Formicidae) in Malaysia. - *Sociobiology* **53**: 1 - 12. Chico, Calif.
- DITTMER, J. (2009a): Warum sind die in das Waldameisennest eingetragenen Harzpartikel meistens auffällig rund? - *Ameisenschutz aktuell* **23**: 7. Schauenburg.
- DITTMER, J. (2009b): Eine sehr robuste Kolonie von *Formica polycтена*. - *Ameisenschutz aktuell* **23**: 37 - 39. Schauenburg.
- DITTMER, J. (2009c): Schmetterlinge als Anzeiger für das Vorhandensein von Ameisen? Ameisen und Bläulinge. - *Ameisenschutz aktuell* **23**: 54 - 57. Schauenburg.
- DITTMER, J. (2009d): Ameisen und Wildschweine. - *Ameisenschutz aktuell* **23**: 58 - 60. Schauenburg.
- DLUSSKY, G.M., T. WAPPLER & S. WEDMANN (2009): Fossil ants of the genus *Gesomyrmex* Mayr (Hymenoptera, Formicidae) from the Eocene of Europe and remarks on the evolution of arboreal ant communities. - *Zootaxa* **2031**: 1 - 20. Auckland.
- DOLEK, M., A. FREESE-HAGER, H. BUSSLER, A. FLOREN, A. LIEGL & J. SCHMIDL (2009): Ants on oaks: effects of forest structure on species composition. - *J. Insect Conservation* **13**: 367 - 375. Dordrecht.
- DOMISCH, T., L. FINÉR, S. NEUVONEN, P. NIEMELÄ, A.C. RISCH, J. KILPELÄINEN, M. OHASHI & M.F. JURGENSEN (2009): Foraging activity and dietary spectrum of wood ants (*Formica rufa* group) and their role in nutrient fluxes in boreal forests. - *Ecol. Entomol.* **34**: 369 - 377. Oxford.
- DORNHAUS, A. (2009): Book Review: D'ETTORRE, P. & HUGHES, D.P. (Eds.) 2008: *Sociobiology of communication: an interdisciplinary perspective*. - Oxford University Press, Oxford, UK, 320 pp. - *Myrmecol. News* **12**: 84. Wien.
- DORNHAUS, A., J.-A. HOLLEY & N.R. FRANKS (2009): Larger colonies do not have more specialized workers in the ant *Temnothorax albipennis*. - *Behav. Ecol.* **20**: 922 - 929. Oxford.
- DREIER, S. & P. D'ETTORRE (2009): Social context predicts recognition systems in ant queens. - *J. Evol. Biol.* **22**: 644 - 649. Oxford.
- DUANGPHAKDEE, O., N. KOENIGER, S. DEOWANISH, H.R. HEPBURN & S. WONGSIRI (2009): Ant repellent resins of honeybees and stingless bees. - *Insectes Soc.* **56**: 333 - 339. Basel.

- DUNN, R.R., D. AGOSTI, A.N. ANDERSEN , X. ARNAN, C.A. BRUHL, X. CERDÁ, A.M. ELLISON, B.L. FISHER, M.C. FITZPATRICK, H. GIBB, N.J. GOTELLI, A.D. GOVE, B. GUENARD, M. JANDA , M. KASPARI, E.J. LAURENT, J.-PH. LESSARD , J.T. LONGINO, J.D. MAJER, S.B. MENKE, T.P. MCGLYNN, C.L. PARR , ST.M. PHILPOTT, M. PFEIFFER, J. RETANA, A.V. SUAREZ, H.L. VASCONCELOS , M.D. WEISER & N.J. SANDERS (2009): Climatic drivers of hemispheric asymmetry in global patterns of ant species richness. - *Ecol. Letters* **12**: 324 - 333. Oxford.
- DUSSUTOUR, A., M. BEEKMAN, S.C. NICOLIS & B. MEYER (2009): Noise improves collective decision-making by ants in dynamic environments. - *Proc. R. Soc. Lond. B* **276**: 4353 - 4361. London.
- EILMUS, S. (2009): Ein neuer Ansatz zur Erfassung der mit Insekten assoziierten bakteriellen Gemeinschaften am Beispiel der Ameisenakazien Mexikos. - *Entomol. heute* **21**: 101 - 126. Düsseldorf.
- ELMES, W. & A.G. RADCHENKO (2009): Two new Himalayan ant species (Hymenoptera, Formicidae) related to *Myrmica indica*. - *Vestnik zool.* **43**: 107 - 119. Kyiv.
- FADAMIRO, H.Y., X. HE & L. CHEN (2009): Aggression in imported fire ants: an explanation for shifts in their spatial distributions in Southern United States? - *Ecol. Entomol.* **34**: 427 - 436. Oxford.
- FELDMANN, R. (2009): Buckelwiesen, Buckelweiden; Häufung von Nesthügeln der Gelben Wiesenameise, *Lasius flavus*. - *Ameisenschutz aktuell* **23**: 1 - 6. Schauenburg.
- FELLNER, T., BOROVSKY, V. & K. FIEDLER (2009): First records of the dacetine ant species *Pyramica argiola* (EMERY, 1869) (Hymenoptera: Formicidae) from Austria. - *Myrmecol. News* **12**: 167 - 169. Wien.
- FERNÁNDEZ-MARIN, H., J.K. ZIMMERMAN, D.R. NASH, J.J. BOOMSMA & W.T. WCISLO (2009): Reduced biological and enhanced chemical pest management in the evolution of fungus farming in ants. - *Proc. R. Soc. Lond. B* **276**: 2263 - 2269. London.
- FOITZIK, S. (2009): Grenzenloses Wachstum: Ameisenkolonien von Portugal bis Italien. In: NÜSSLEIN-VOLLHARD, CH. et al. (eds): Wachstum – Eskalation, Steuerung und Grenzen. **125**. Versammlung der Gesellschaft Deutscher Naturforscher und Ärzte: 229 - 238. Georg Thieme Verlag, Stuttgart.
- FOITZIK, S., S. BAUER, S. LAURENT & P.S. PENNINGS (2009): Genetic diversity, population structure and sex-biased dispersal in three co-evolving species. - *J. Evol. Biol.* **22**: 2470 - 2480. Oxford.
- FOURNIER, D., J.-CH. DE BISEAU & S. ARON (2009) : Genetics, behaviour and chemical recognition of the invading ant *Pheidole megacephala*. - *Molec. Ecol.* **18**: 186 - 199. Oxford.
- FRANKS, N.R., A. DORNHAUS, B.G. METHERELL, T.R. NELSON, S.A.J. LANFEAR & W.S. SYMES (2006): Not everything that counts can be counted: ants use multiple metrics for a single nest trait. - *Proc. R. Soc. Lond. B* **273**: 165 - 169. London.
- FRANKS, N.R., J.W. HOOPER, A. DORNHAUS, PH.J. AUKETT, A.L. HAYWARD & ST.M. BERGHOFF (2007): Reconnaissance and latent learning in ants. - *Proc. R. Soc. Lond. B* **274**: 1505 - 1509. London.
- FREITAG, A. & D. CHERIX. (2009): Distribution des fourmis des bois et espèces apparantées (Hymenoptera, Formicidae, genre *Formica*) dans le canton de Vaud. - *Entomo Helvetica* **2**: 83 - 95.

- FROHSCHAMMER, S. & J. HEINZE (2009a): Male fighting and “territoriality” within colonies of the ant *Cardiocondyla venustula*. - *Naturwissenschaften* **96**: 159 - 163. Berlin/Heidelberg.
- FROHSCHAMMER, S. & J. HEINZE (2009b): A heritable component in sex ratio and caste determination in a *Cardiocondyla* ant. - *Frontiers in Zool.* **6** (27): 6 pp. [<http://www.frontiersinzoology.com/content/6/1/27>]
- FROUZ, J., R. JOHN, V. RUPEŠ, G. CECHE & K. MARIALIGETI (2009): Aggression, cooperation, and relatedness among colonies of the invasive ant, *Monomorium pharaonis*, originating from different areas of the world. - *Biologia* **64**: 139 - 142. Bratislava/Wien.
- GALARZA, J.A., R. BOULAY, X. CERDÁ, C. DOUMS, P. FEDERICI, H. MAGALON, T. MONNIN & C. RICO (2008): Development of single sequence repeat markers for the ant *Aphaenogaster senilis* and cross-species amplification in *A. iberica*, *A. gibbosa*, *A. subterranea* and *Messor maroccanus*. - *Conservation Genetics* **10**: 519 - 521. Dordrecht.
- GALLÉ, L., S. CZÖSZ, A. TARTALLY & É. KOVÁCS (1998): A checklist of Hungarian ants (Hymenoptera: Formicidae). - *Folia ent. hung.* **59**: 213 - 220. Budapest.
- GALLÉ, L., B. MARKÓ, K. KISS, É. KOVÁCS, H. DÜRGÖ, K. KÓVÁRY & S. CZÖSZ (2005): Ant fauna of Tisza river basin (Hymenoptera: Formicidae). In: GALLÉ, L. (ed.): *Vegetation and Fauna of Tisza River Basin I*. - *Tiscia Monograph Series* **7**: 149 - 197. Târgu-Mureş.
- GARNIER, S., A. GUÉRÉCHEAU, M. COMBE, V. FOURCASSIÉ & G. THERAULAZ (2009): Path selection and foraging efficiency in Argentine ant transport networks. - *Behav. Ecol. Sociobiol.* **63**: 1167 - 1179. Berlin/Heidelberg.
- GARRIDO, J.L., P.J. REY & C.M. HERRERA (2009): Influence of elaiosome on postdispersal dynamics of an ant-dispersed plant. - *Acta Oecol.* **35**: 393 - 399. Paris.
- GERBIER, G., S. GARNIER, C. RIEU, G. THERAULAZ & V. FOURCASSIÉ (2008): Are ants sensitive to the geometry of tunnel bifurcation? - *Animal Cognition* **11**: 637 - 642. Berlin/Heidelberg.
- GIBB, H. & S.A. CUNNINGHAM (2009): Does the availability of arboreal honeydew determine the prevalence of ecologically dominant ants in restored habitats? - *Insectes Soc.* **56**: 405 - 412. Basel.
- GILL, R.J., A. ARCE, L. KELLER & R.L. HAMMOND (2009): Polymorphic social organization in an ant. - *Proc. R. Soc. Lond.* **B 276**: 4423 - 4431. London.
- GIULIO, A. DI (2008): Fine morphology of the myrmecophilous larva of *Paussus kannegieteri* (Coleoptera: Carabidae: Paussinae: Paussini). - *Zootaxa* **1741**: 37 - 50. Auckland.
- GLASER, F. (2009a): Die Ameisen des Fürstentums Liechtenstein (Hymenoptera, Formicidae). 72 S.; Amtlicher Lehrmittelverlag, Vaduz.
- GLASER, F. (2009b): Ameisen (Hymenoptera, Formicidae) im Brennpunkt des Naturschutzes. Eine Analyse für die Ostalpen und Österreich. - *Denisia* **25**: 79 - 92. Linz/D.
- GLASER, F. (2009c): GEO-Tag der Artenvielfalt 2008 am Reschenpass (Gemeinde Graun im Vinschgau, Südtirol, Italien). Ameisen (Hymenoptera, Formicidae). - *Gredleriana* **9**, 334 - 336. Bozen/Bolzano.
- GONZÁLEZ, D., Q. ZHAO, C. MCMAHAN, D. VELASQUEZ, W.E. HASKINS, V. SPONSEL, A. CASSILL & R. RENTHAL (2009): The major antennal chemosensory protein of red imported fire ant workers. - *Insect Molec. Biol.* **18**: 395 - 404. Oxford.

- GONZÁLEZ-TEUBER, M. & M. HEIL (2009): The Role of Extrafloral Nectar Amino Acids for the Preferences of Facultative and Obligate Ant Mutualists. - *J. Chemical Ecol.* **35**: 459 - 468. Dordrecht.
- GORDON, D.M. (2009a): Book Review: TSCHINKEL, W.R. 2006: The fire ants. – Belknap Press of Harvard University Press, Cambridge, MA, 744 pp. - *Myrmecol. News* **12**: 40. Wien.
- GORDON, D.M. (2009b): Book Review: Keller, L. & E. Gordon (2009): The Lives of Ants. Oxford University Press. 272 pp. - *Trends Ecol. Evol.* **24**: 477- 478. London.
- GOTOH, A., J. BILLEN, R. HASHIM & F. ITO (2009): Evolution of specialized spermatheca morphology in ant queens: Insight from comparative developmental biology between ants and polistine wasps. - *Arthropod Structure & Developm.* **38**: 521 - 525. Oxford.
- GOTWALD, W.H. (2009): In memoriam - Carl W. Rettenmeyer (1931 - 2009). - *Myrmecol. News* **12**: 250. Wien.
- GRANGIER, J., A. DEJEAN, P.-J.G. MALÉ, P.-J. SOLANO & J. ORIVEL (2009): Mechanisms driving the specificity of a myrmecophyte-ant association. - *Biol. J. Linnean Soc.* **97**: 90 - 97. London.
- GRASSO, D.A., R. VISICCHIO, C. CASTRACANI, A. MORI & F. LE MOLI (2003): The mandibular glands as a source of sexual pheromones in virgin queens of *Polyergus rufescens* (Hymenoptera, Formicidae). - *Italian J. Zool.* **124**: 229 - 232. Modena.
- GROC, S., J. ORIVEL, A. DEJEAN, J.-M. MARTIN, M.-P. ETIENNE, B. CORBARA & J.H.C. DELABIE (2009): Baseline study of the leaf-litter ant fauna in a French Guianese forest. - *Insect Conservation & Diversity* **2**: 183 - 193. Oxford.
- GROß, F. (2009): Ameise und Volkskultur. - *Denisia* **25**: 165 - 188. Linz/D.
- GRZEŚ, I.M. (2009): Ant species richness and evenness increase along a metal pollution gradient in the Bolesław zinc smelter area. - *Pedobiologia* **53**: 65 - 73. Jena.
- GUERRIERI, F.J., V. NEHRING, CH.G. JØRGENSEN, J. NIELSEN, C.G. GALIZIA & P. D'ETTORRE (2009): Ants recognize foes and not friends. - *Proc. R. Soc. Lond.* **B 276**: 2461 - 2468. London.
- HABERMANN, G. (2009): Eine außergewöhnliche Bildungsinitiative der DASW Niedersachsen öffnet 3.000 Schülern den Blick in die vernetzte Welt der Ameisen. - *Ameisenschutz aktuell* **23**: 25 - 33. Schauenburg.
- HAMMEN, T. VAN DER, J.S. PEDERSEN & J.J. BOOMSMA (2002): Convergent development of low-relatedness supercolonies in *Myrmica* ants. - *Heredity* **89**: 83 - 89. Oxford.
- H[ÄNDEL], J. (2009): Ameisen: Flexibel bei der Brutpflege. - *DGaaE-Nachr.* **23**: 160 - 161. Müncheberg & Halle/S.
- HANNIG, K., CH. KERKERING, P. SCHÄFER, P. DECKER, H. SONNENBURG, M. RAUPACH & H. TERLUTTER (2009): Kommentierte Artenliste zu ausgewählten Wirbelosengruppen (Coleoptera: Carabidae, Hygrobiidae, Haliplidae, Noteridae, Dytiscidae, Hydrophilidae; Heteroptera; Hymenoptera: Formicidae; Crustacea: Isopoda; Myriapoda: Chilopoda, Diplopoda) des NSG „Emsdettener Venn“ im Kreis Steinfurt (Nordrhein-Westfalen). - *Natur u. Heimat* **69**: 1 - 29. Münster.
- HELANTERÄ, H. & F.L.W. RATNIEKS (2009): Two independent mechanisms of egg recognition in worker *Formica fusca* ants. - *Behav. Ecol. Sociobiol.* **63**: 573 - 580. Berlin/Heidelberg.

- HELANTERÄ, H., J.E. STRASSMANN, J. CARRILLO & D.C. QUELLER (2009): Unicolonial ants: where do they come from, what are they and where are they going? - *Trends Ecol. Evol.* **24**: 341 - 349. London.
- HELLER, N.E., N.J. SANDERS & D.M. GORDON (2006): Linking temporal and spatial scales in the study of an Argentine ant invasion. - *Biol. Invasions* **8**: 501 - 507. Dordrecht.
- HERRMANN, K. (2009): Rabenkrähen besuchen Waldameisennester. - *Ameisenschutz aktuell* **23**: 39. Schauenburg.
- HILL, S.L. & M.A. HOY (2003): Interactions between the red imported ant *Solenopsis invicta* and the parasitoid *Lipoxelis scutellaris* potentially affect classical biological control of the aphid *Toxoptera citricida*. - *Biol. Control* **27**: 11 - 19. Amsterdam.
- HLAVÁČ, P., R. BEKCHIEV, J. RŮŽIČKA & T. LACKNER (2007): Contribution to the knowledge of myrmecophilous beetles (Coleoptera) of Bulgaria. - *Acta soc. zool. bohém.* **71**: 131 - 136. Praha.
- HOJO, M.K., A. WADA-KATSUMATA, T. AKINO, S. YAMAGUCHI, M. OZAKI & R. YAMAOKA (2009): Chemical disguise as particular caste of host ants in the ant inquiline parasite *Niphanda fusca* (Lepidoptera: Lycaenidae). - *Proc. R. Soc. Lond. B* **276**: 551 - 558. London.
- HÖLLDOBLER, B. & E.O. WILSON (2009): The superorganism. The Beauty, Elegance, and Strangeness of Insect Societies. 522 pp.; Norton & Co.; New York.
- HOFFMANN, B.D. & A. KAY (2009): *Pisonia grandis* monocultures limit the spread of an invasive ant - a case of carbohydrate quality? - *Biol. Invasions* **11**: 1403 - 1410. Dordrecht.
- HUGHES, D.P., H.C. EVANS, N. HYWEL-JONES, J.J. BOOMSMA & S.A.O. ARMITAGE (2009): Novel fungal disease in complex leaf-cutting ant societies. - *Ecol. Entomol.* **34**: 214 - 220. Oxford.
- ICHINOSE, K., X. CERDÁ, CH. JEAN-PHILIPPE & A. LENOIR (2005) : Detecting Nestmate Recognition Patterns in the Fission-Performing Ant *Aphaenogaster senilis*: A Comparison of Different Indices. - *J. Insect Behavior* **18**: 633 - 650. Dordrecht.
- ICHINOSE, K. & A. LENOIR (2009): Reproductive conflict between laying workers in the ant *Aphaenogaster senilis*. - *J. Ethology* **27**: 475 - 481. Tokyo.
- INGRAM, K.K., G. BERNARDELLO, ST. COVER & E.O. WILSON (2006): The ants of the Juan Fernández Islands: Genesis of an invasive fauna. - *Biol. Invasions* **8**: 383 - 387. Dordrecht.
- INGRAM, K.K., S. KRUMMEY & M. LEROUX (2009): Expression patterns of a circadian clock gene are associated with age-related polyethism in harvester ants, *Pogonomyrmex occidentalis*. - *BMC Ecology* **9** (7): 1 - 9. London.
- INUI, Y., H.O. TANAKA, F. HYODO & T. ITIOKA (2009): Within-nest abundance of a tropical cockroach *Pseudoanaplectinia yumotoi* associated with *Crematogaster* ants inhabiting epiphytic fern domatia in a Bornean dipterocarp forest. - *J. Nat. Hist.* **43**: 1139 - 1145. London.
- IONESCU-HIRSCH, A., B. MARKÓ & S. SZÖSZ (2009): *Camponotus tergestinus* Müller, 1921 (Hymenoptera: Formicidae) first records of a rare species for Romania and Hungary. - *Entomol. rom.* **14**: 19 - 22. Cluj-Napoca.
- ITO, F., M. OKAUE & T. ICHIKAWA (2009): A note on prey composition of the Japanese treefrog, *Hyla japonica*, in an area invaded by Argentine ants, *Linepithema humile*, in

- Hiroshima Prefecture, western Japan (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 35 - 39. Wien.
- IVENS, A.B.F., D.R. NASH, M. POULSEN & J.J. BOOMSMA (2009): Caste-specific symbiont policing by workers of *Acromyrmex* fungus-growing ants. - *Behav. Ecol.* **20**: 378 - 384. Oxford.
- IZZO, T.J., E.M. BRUNA, H.L. VASCONCELOS & B.D. INOUE (2009): Cooperative colony founding alters the outcome of interspecific competition between Amazonian plant-ants. - *Insectes Soc.* **56**: 341 - 345. Basel.
- JACKSON, D.E., M. BICAK & M. HOLCOMBE (2009): Decentralised Communication and Connectivity in Ant Trail Networks. - *Studies in Computational Intelligence* **236**. 25 - 36. Heidelberg.
- JANSEN, G. & A. RADCHENKO (2009): *Myrmica specioidea* Bondroit: a new invasive ant species in the USA? - *Biol. Invasions* **11**: 253 - 256. Dordrecht.
- JANSEN, G., R. SAVOLAINEN & K. VEPSÄLÄINEN (2009): DNA barcoding as a heuristic tool for classifying undescribed Nearctic *Myrmica* ants (Hymenoptera: Formicidae). - *Zoologica Scripta*, **38**: 527 - 536. Oxford.
- KARAMAN, M. (2004): Checklist of known species of ants (Hymenoptera, Formicidae) in the fauna of Montenegro. - *Natura Montenegrina* **3**: 83 - 92. Podgorica.
- KARAMAN, M. (2009): An introduction to the ant fauna of Macedonia (Balkan Peninsula), a check list (Hymenoptera, Formicidae). - *Natura Montenegrina* **8**: 151 - 162. Podgorica.
- KELLER, L. & E. GORDON (2009): *The Lives of Ants*. Oxford University Press. 256 pp.; Oxford.
- KENIS, M., M.-A. AUGER-ROZENBERG, A. ROQUES, L. TIMMS, CH. PÉRÉ, M.J.W. COCK, J. SETTELE, S. AUGUSTIN & C. LOPEZ-VAAMONDE (2009): Ecological effects of invasive alien insects. - *Biol. Invasions* **11**: 21 - 45. Dordrecht.
- KENNE, M., R. FENERON, C. DJIETO-LORDON, M.-C. MALHERBE, M. TINDO, P.R. NGNEGUEU & A. DEJEAN (2009): Nesting and foraging habits in the arboreal ant *Atopomyrmex mocquersyi* ANDRÉ, 1889 (Hymenoptera: Formicidae: Myrmicinae). - *Myrmecol. News* **12**: 109 - 115. Wien.
- KIKUCHI, T. (2002): Between- and within-population morphological comparisons of all castes between monogynous and polygynous colonies of the ant *Myrmica kotokui*. - *Ecol. Ent.* **27**: 505 - 508. Oxford.
- KING, J.R., W.R. TSCHINKEL & K.G. ROSS (2009): A case study of human exacerbation of the invasive species problem: transport and establishment of polygyne fire ants in Tallahassee, Florida, USA. - *Biol. Invasions* **11**: 373 - 377. Dordrecht.
- KISTNER, D.H., U. MASCHWITZ & V. WITTE (2009): New Records of Aenictophiles Including a New Genus and Species (Coleoptera: Staphylinidae). - *Sociobiology* **53**: 13 - 26. Chico, Calif.
- KLINGENBERG, CH. & C.R.F. BRANDÃO (2009): Revision of the fungus-growing ant genera *Mycetophylax* Emery and *Paramycetophylax* Kusnezov rev. stat., and description of *Kalathomyrmex* n. gen. (Formicidae: Myrmicinae: Attini). - *Zootaxa* **2052**: 1 - 31. Auckland.
- KÖHLER, G. & B. FABIAN (2009): Der Ameisenjäger *Zodarion rubidum* Simon, 1914 auf Uranerzbergbauhalden um Ronneberg / Ostthüringen (Araneae: Zodariidae). - *Thüringer Faun. Abh.* **14**: 93 - 102. Erfurt.

- KÖRBER, I. (2009): Crematogaster-Funde. - Prakt. Schädlbek. **61** (1): 15. Lehrte.
- KRONAUER, D.J.C. (2009): Recent advances in army ant biology (Hymenoptera: Formicidae). - Myrmecol. News **12**: 51 - 65. Wien.
- KUMSCHICK, S., M.H. SCHMIDT-ENTLING, S. BACHER, TH. HICKLER, X. ESPADALER & W. NENTWIG (2009): Determinants of local ant (Hymenoptera: Formicidae) species richness and activity density across Europe. - Ecol. Entomol. **34**: 748 - 754. Oxford.
- KÜPPERS, P.V. & L. JANIKORN (2009): Beobachtungen zur Lebensweise von *Catopsilia pyranthe* (LINNAEUS, 1758) und deren Beziehungen zu Ameisen (Lepidoptera, Pieridae). - Atalanta **41**: 251 - 257, 349 - 350 (Farbtaf. 21 - 22). Marktleuthen.
- KVAMME, T. & C.A. COLLINGWOOD (2009): The first records in Norway of *Myrmica specioidea* Bondroit, 1918 and *Formica cunicularia* Latreille, 1798 (Hymenoptera, Formicidae). - Norw. J. Entomol. **56**: 65 - 68. Oslo.
- LACH, L., C.L. PARR & K.L. ABBOTT (eds) (2009): Ant Ecology. 402 pp.; Oxford University Press.
- LANAN, M. & J.L. BRONSTEIN (2009): Book Review: STADLER, B. & DIXON, A.F.G. 2008: Mutualism: ants and their insect partners. - Cambridge University Press, Cambridge, UK, 248 pp. - Myrmecol. News **12**: 138. Wien.
- LATTKE, J.E., M. KASPARI, S. O'DONNELL & S. POWELL (2007): Las hormigas ecitoninas de Venezuela (Hymenoptera: Formicidae: Ecitoninae): elenco preliminar. - Entomotropica **22**: 153 - 170. Maracay.
- LEHOUCQ, V.S., D.B. BONTE, W. DEKONINCK & J.-P.E. MAELFAIT (2004b): The distribution of ant nests (Hymenoptera, Formicidae) in coastal grey dunes of Flanders (Belgium) and their relation to myrmecochorous plants. - Belg. J. Zool. **134**: 95 - 102. Diepenbeek.
- LENOIR, A., ST. DEPICKÈRE, S. DEVERS, J.-PH. CHRISTIDÈS & C. DETRAIN (2009): Hydrocarbons in the Ant *Lasius niger*: From the Cuticle to the Nest and Home Range Marking. - J. Chemical Ecol. **35**: 913 - 921. Dordrecht.
- LENOIR, L. (2009): Effects of ants on plant diversity in semi-natural grasslands. - Arthropod-Plant Interact. **3**: 163 - 172. Dordrecht.
- LESSARD, J.-P., R.R. DUNN & N.J. SANDERS (2009): Temperature-mediated coexistence in temperate forest ant communities. - Insectes Soc. **56**: 149 - 156. Basel.
- LEVIN, E., Y. YOM-TOV & A. BARNEA (2009): Frequent summer nuptial flights of ants provide a primary food source for bats. - Naturwissenschaften **96**: 477 - 483. Berlin/Heidelberg.
- LONGINO, J.T. & D.J. COX (2009) *Pheidole bilimeki* reconsidered (Hymenoptera: Formicidae). - Zootaxa **1985**: 34 - 42. Auckland.
- LUSCHÜTZKY, H.CH. (2009): Myrmekonymia Europaea. Ein wortgeschichtlicher Streifzug auf den Spuren der Ameisen. - Denisia **25**: 53 - 66. Linz/D.
- LUSH, M.J. (2009): Some ant records (Hymenoptera: Formicidae) from the Middle East. - Zool. Middle East **47**: 114 - 116. Heidelberg.
- MABELIS, A.A. & J.P. CHARDON (2005): Survival of the black bog ant (*Formica transcaucasica* Nasonov) in relation to the fragmentation of its habitat. - J. Insect Conserv. **9**: 95 - 108. Dordrecht..
- MANZANEDA, A.J., P.J. REY & J.M. ALCÁNTARA (2009): Conflicting selection on diaspore traits limits the evolutionary potential of seed dispersal by ants. - J. Evol. Biol. **22**: 1407 - 1417. Oxford.

- MARKÓ, B. (2008b): Ants (Hymenoptera: Formicidae) of the “Sand Dunes of Foieni” protected area and its surroundings (Satu mare County, Romania), and a new species for the Romanian fauna. - *Acta scient. Transylvanica* **16** (3): 87 - 99.
- MARKÓ, B., A. IONESCU-HIRSCH & A. SZÁSZ-LEN (2009): Genus *Camponotus* MAYR, 1861 (Hymenoptera: Formicidae) in Romania: distribution and identification key to the worker caste. - *Entomol. rom.* **14**: 29 - 41. Cluj-Napoca.
- MARTIN, ST.J. & F.P. DRIJFHOUT (2009a): Nestmate and Task Cues are Influenced and Encoded Differently within Ant Cuticular Hydrocarbon Profiles. - *J. Chemical Ecol.* **35**: 368 - 374. Dordrecht.
- MARTIN, ST.J. & F.P. DRIJFHOUT (2009b): How Reliable is the Analysis of Complex Cuticular Hydrocarbon Profiles by Multivariate Statistical Methods? - *J. Chemical Ecol.* **35**: 375 - 382. Dordrecht.
- MARTIN, ST.J. & F.P. DRIJFHOUT (2009c): A Review of Ant Cuticular Hydrocarbons. - *J. Chemical Ecol.* **35**: 1151 - 1161. Dordrecht.
- MARTIN, ST.J., H. HELANTERÄ, K. KISS, Y.R. LEE & F.P. DRIJFHOUT (2009): Polygyny reduces rather than increases nestmate discrimination cue diversity in *Formica exsecta* ants. - *Insectes Soc.* **56**: 375 - 383. Basel.
- MASCHWITZ, U., H. FELDHAAR & R.H.L. DISNEY (2006): A virgin killer: The phorid *Trucidophora feldhaarae* sp. n. parasitizes female reproductives of obligate plant-ants of the genus *Crematogaster* (Diptera: Phoridae; Formicidae: Myrmicinae). - *Sociobiology* **47**: 811 - 828. Chico, Calif.
- MASCHWITZ, U., J. MOOG, A. WEISSFLOG & W. DOROW (2009): Das Waffenarsenal des tausendstacheligen Gelbholzbaums. - *Natur u. Museum* **139**: 334 - 343. Frankfurt/M.
- MASUKO, K. (2009): Studies on the predatory biology of Oriental dacetine ants (Hymenoptera: Formicidae) II. Novel prey specialization in *Pyramica benten*. - *J. Nat. Hist.* **43**: 825 - 841. London.
- MAYER, V. (2009): Tragedienste gegen Nahrung: Ameisen als Frucht- und Samenverbreiter. - *Denisia* **25**: 107 - 118. Linz/D.
- MCCARTHER, A.J. (2009): New species, new status and new synonymy for *Camponotus* from Australia (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 273 - 286. Wien.
- MEEHAN, CH.J., E.J. OLSON, M.W. REUDINK, T.K. KYSER & R.L. CURRY (2009): Herbivory in a spider through exploitation of an ant-plant mutualism. - *Current Biol.* **19**: R892 - R893. Cambridge, Mass.
- MENZEL, F. & N. BLÜTHGEN (2009): Parabiogenic associations between tropical ants: equal partnership or parasitic exploitation? - *J. Anim. Ecol.* **79**: 71 - 81. Oxford.
- MENZEL, F., T. SCHMITT & N. BLÜTHGEN (2009): Intraspecific nestmate recognition in two parabiogenic ant species: acquired recognition cues and low inter-colony discrimination. - *Insectes Soc.* **56**: 251 - 260. Basel.
- MERKLE, T. (2009): Surface structure helps desert ants return to known feeding sites. - *Communicative & Integrative Biology* **2**: 27 - 28. Austin, Tex.
- MERKLE, T. & R. WEHNER (2009a): Repeated training does not improve the path integrator in desert ants. - *Behav. Ecol. Sociobiol.* **63**: 391 - 402. Berlin/Heidelberg.
- MERKLE, T. & R. WEHNER (2009b): How flexible is the systematic search behaviour of desert ants? - *Anim. Behav.* **77**: 1051 - 1056. Amsterdam.
- MERTL, A.L. & J.F.A. TRANIELLO (2009): Behavioral evolution in the major worker subcaste of twig-nesting *Pheidole* (Hymenoptera: Formicidae): does morphological

- specialization influence task plasticity? - *Behav. Ecol. Sociobiol.* **63**: 1411 - 1426. Berlin/Heidelberg.
- MEUNIER, J. & M. CHAPUISAT (2009): The determinants of queen size in a socially polymorphic ant. - *J. Evol. Biol.* **22**: 1906 - 1913. Oxford.
- MIKHEYEV, A.S., S. BRESSON & P. CONANT (2009): Single-queen introductions characterize regional and local invasions by the facultatively clonal little fire ant *Wasmannia auropunctata*. - *Molec. Ecol.* **18**: 2937 - 2944. Oxford.
- MORALES, M.A. (2002): Ant-dependent oviposition in the membracid *Publilia concava*. - *Ecol. Ent.* **27**: 247 - 250. Oxford.
- MOREAU, C.S. (2009): Inferring ant evolution in the age of molecular data (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 201 - 210. Wien.
- MORELL, V. (2009): Nigel Franks Profile: Watching as ants go marching - and deciding - one by one. - *Science* **323**: 1284 - 1285. Washington, D.C.
- MORGAN, E.D. (2009): Trail pheromones of ants. - *Physiol. Entomol.* **34**: 1 - 17. Oxford.
- MORI, A. & D.A. GRASSO (2009): In memoriam Francesco Le Moli (1943–2008). - *Insectes Soc.* **56**: 221 - 222. Basel.
- MOSCALIUC, L. (2009) Notes on the distribution of the genus *Plagiolepis* Mayr, 1861 (Hymenoptera: Formicidae) in Dobrogea, and the first record of *Plagiolepis obscuriscapa* Santschi, 1923 in Romania. - *Trav. Mus. Nat. d'Hist. Nat. "Grigore Antipa"* **52**: 297 - 301. București.
- M[Ü]LLER, G. (2009): 20 Jahre Ameisenschutzware Ostfriesland. - *Ameisenschutz aktuell* **23**: 8 - 12. Schauenburg.
- MÜNCH, W. (2009): Ameisengesellschaften als Bioindikatoren für den Zustand der Moore in den Naturschutzgebieten „Birken-Mittelveß“ und „Unterhölzer Wald“. - *Schr. Ver. Gesch. Naturgesch. der Baar* **52**: 133 - 150. Donaueschingen.
- MYSORE, K., K.A. SUBRAMANIAN, R.C. SARASIJ, A. SURESH, B.V. SHYAMALA, K.VIJAYRAGHAVAN & V. RODRIGUES (2009): Caste and sex specific olfactory glomerular organization and brain architecture in two sympatric ant species *Camponotus sericeus* and *Camponotus compressus* (Fabricius, 1798). - *Arthropod Structure & Development* **38**: 485 - 497. Oxford.
- NAGY, C., A. TARTALLY, F. VILISICS, O. MERKL, E. SZITA, G. SZÉL, A. PODLUSSÁNY, D. RÉDEI, S. CSÖSZ, G. POZSGAI, A. OROSZ, G. SZÖVÉNYI & V. MARKÓ (2009): Effects of the invasive garden ant, *Lasius neglectus* VAN LOON, BOOMSMA & ANDRÁSFALVY, 1990 (Hymenoptera: Formicidae), on arthropod assemblages: pattern analyses in the type supercolony. - *Myrmecol. News* **12**: 171 - 181. Wien.
- NAKAMURA, A., C.P. CATTERALL, CH.J. BURWELL, R.L. KITCHING & A.P.N. HOUSE (2009): Effects of shading and mulch depth on the colonisation of habitat patches by arthropods of rainforest soil and litter. - *Insect Conserv. Diversity* **2**: 221 - 231. Oxford.
- NARENDRA, A. (2007): Homing strategies of the Australian desert ant *Melophorus bagoti* I. Proportional path-integration takes the ant half-way home. - *J. Exp. Biol.* **210**: 1798 - 1803. Cambridge.
- NARENDRA, A., K. CHENG & R. WEHNER (2007): Acquiring, retaining and integrating memories of the outbound distance in the Australian desert ant *Melophorus bagoti*. - *J. Exp. Biol.* **210**: 570 - 577. Cambridge.

- NASH, D.R., T.D. ALS & J J. BOOMSMA (2011): Survival and growth of parasitic *Maculinea alcon* caterpillars (Lepidoptera, Lycaenidae) in laboratory nests of three *Myrmica* ant species. - *Insectes Soc.* **58**: 391 - 401. Basel.
- NELSON, X.J. & R.R. JACKSON (2009): The influence of ants on the mating strategy of a myrmecophilic jumping spider (Araneae, Salticidae). - *J. Nat. Hist.* **43**: 713 - 735. London.
- NESS, J.H. (2003): Contrasting exotic *Solenopsis invicta* and native *Forelius pruinosus* ants as mutualists with *Catalpa bignonioides*, a native plant. - *Ecol. Ent.* **28**: 247 - 251. Oxford.
- NEUMEYER, R. (2009): Book Review: GLASER, F. 2009: Die Ameisen des Fürstentums Liechtenstein (Hymenoptera, Formicidae). - Amtlicher Lehrmittelverlag, Vaduz, 72 pp. - *Myrmecol. News* **12**: 170. Wien.
- NEWAY, P., S.K.A. ROBSON & R.H. CROZIER (2009): Nest and colony-specific spectra in the weaver ant *Oecophylla smaragdina*. - *Insectes Soc.* **56**: 261 - 268. Basel.
- NICKEL, K.-B. (2009): Zwei Urgesteine des Ameisenschutzes sind 70! - *Ameisenschutz aktuell* **23**: 87 - 88. Schauenburg.
- NIEDERER, W., T. KOPF, F. GLASER & K.-H. STEINBERGER (2006): Zur Arthropodenfauna des Falvkopfes bei Blons (Großes Walsertal, Vorarlberg) I - Spinnen, Weberknechte, Ameisen und Laufkäfer (Arachnida: Araneae, Opiliones; Hymenoptera: Formicidae; Coleoptera: Carabidae). - *Vorarlberger Naturschau* **19**: 135 - 164. Dornbirn.
- NIELSEN, M.G., K. CHRISTIAN & H. MALTE (2009): Hypoxic conditions and oxygen supply in nests of the mangrove ant, *Camponotus anderseni*, during and after inundation. - *Insectes Soc.* **56**: 35 - 39. Basel.
- NIKBAKHTZADEH, M.R. & N. MOVAHHEDI (2009): Hydrocarbon Diversity of the Dufour Glands in the Iranian Populations of *Pachycondyla sennaarensis* (Hymenoptera: Formicidae). - *Mitt. Dtsch. Ges. allg. angew. Ent.* **17**: 307 - 310. Gießen.
- O'DONNELL, S., J. LATTKE, S. POWELL & M. KASPARI (2009): Species and site differences in Neotropical army ant emigration behaviour. - *Ecol. Entomol.* **34**: 476 - 482. Oxford.
- OETTLER, J. & J. HEINZE (2009): Polymorphism of female reproductives in the tramp ant *Technomyrmex vitiensis* (Hymenoptera: Formicidae: Dolichoderinae). - *Myrmecol. News* **12**: 133 - 137. Wien.
- OLIVEIRA, M.A., T.M.C. DELLA LUCIA, C.G.S. MARINHO, J.H.CH. DELABIE & E.F. MORATO (2009): Ant diversity in an area of the Amazon forest in Acre, Brazil. - *Sociobiology* **54**: 243 - 267. Chico, Calif.
- ORIVEL, J., J. GRANGIER, J. FOUCAUD, J. LE BRETON, F.-X. ANDRES, H. JOURDAN, J.H.C. DELABIE, D. FOURNIER, PH. CERDAN, B. FACON, A. ESTOUP & A. DEJEAN (2009): Ecologically heterogeneous populations of the invasive ant *Wasmannia auropunctata* within its native and introduced ranges. - *Ecol. Entomol.* **34**: 504 - 512. Oxford.
- ORR, M.R., D.L. DAHLSTEN & W.W. BENSON (2003): Ecological interactions among ants in the genus *Linepithema*, their phorid parasitoids, and ant competitors. - *Ecol. Ent.* **28**: 203 - 210. Oxford.
- OTTESEN, P.S., T. BIRKEMOE & A. AAK (2009): Tracing carpenter ants (*Camponotus* sp.) in buildings with radioactive iodine 131. - *Int. J. Pest Management* **55**: 45 - 49. London.

- PARIS, C.I. & X. ESPADALER (2009): Honeydew collection by the invasive garden ant *Lasius neglectus* versus the native ant *L. grandis*. - *Arthropod-Plant Interactions* **3**: 75 - 85. Dordrecht.
- PEARCY, M., I. TIMMERMANS, D. ALLARD & S. ARON (2009): Multiple mating in the ant *Cataglyphis cursor*: testing the sperm limitation and the diploid male load hypotheses. - *Insectes Soc.* **56**: 94 - 102. Basel.
- PEDERSEN, J.S. (2009): Book Review: SLEIGH, C. 2007: Six legs better: a cultural history of myrmecology. - Johns Hopkins University Press, Baltimore, MD, VIII + 302 pp. - *Myrmecol. News* **12**: 236. Wien.
- PEKÁR, ST. & S. TOFT (2009): Can ant-eating Zodarion spiders (Araneae: Zodariidae) develop on a diet optimal for euryphagous arthropod predators? - *Physiol. Entomol.* **34**: 195 - 201. Oxford.
- PENG, R.K. & K. CHRISTIAN (2009): Determination and management of weaver ant, *Oecophylla smaragdina* (Fabricius) (Hymenoptera: Formicidae), marks on mango fruit in the Northern Territory of Australia. - *Int. J. Pest Management* **55**: 27 - 30. London.
- PERNETTE, L.N., F. SPILL & M. RAUCH (2009): Les Papillons de la Réserve de la Biosphère des Vosges du Nord. - *Ciconia* **33** (N. sp.): 324 p., Eguelshardt.
- PETROV, I.Z. (2006): Mravi Srbije i Crne Gore [The ants of Serbia and Montenegro]. 136 pp.; SANU [Serbian Academy of Sciences and Arts], Beograd.
- PINTEA, C.-M., C. CHIRA & D. DUMITRESCU (2009): Sensitive Ants: Inducing Diversity in the Colony. - *Studies in Computational Intelligence* **236**. 15 - 24. Heidelberg.
- PIRK, G.I., F. DI PASQUO & J. LOPEZ DE CASENAVE (2009): Diet of two sympatric *Pheidole* spp. ants in the central Monte desert: implications for seed-granivore interactions. - *Insectes Soc.* **56**: 277 - 283. Basel.
- POSPISCHIL, R. (2009): Rasenameisen der Gattung *Tetramorium* (Myrmicinae, Formicidae). - *Prakt. Schädlbek.* **61** (12): 16 - 17. Lehrte.
- POWELL, S. & N. R. FRANKS (2005): Caste evolution and ecology: a special worker for novel prey. - *Proc. R. Soc. Lond. B* **272**: 2173 - 2180. London.
- PRIEN, S. (2009a): Hügel bauende Waldameisen in den ostdeutschen Bundesländern. - *Allg. Forst Z.-Der Wald* **64**: 825 - 829. München.
- PRIEN, S. (2009b): Nestzustand und Gefährdung Hügel bauender Waldameisen in den Wäldern Ostdeutschlands. - *Allg. Forst Z.-Der Wald* **64**: 1256 - 1259. München. [nachgedruckt in: *Ameisenschutz aktuell* **25** (2011): 37-50. Schauenburg]
- PUNTTILA, P. & J. KILPELÄINEN (2009): Distribution of mound-building ant species (*Formica* spp., Hymenoptera) in Finland: preliminary results of a national survey. - *Ann. Zool. Fennici* **46**: 1 - 15. Helsinki.
- QUINET, Y., R. HAMIDI, M.X. RUIZ-GONZALEZ, J.-CH. DE BISEAU & J.T. LONGINO (2009): *Crematogaster pygmaea* (Hymenoptera: Formicidae: Myrmicinae), a highly polygynous and polydomous *Crematogaster* from northeastern Brazil. - *Zootaxa* **2075**: 45 - 54. Auckland.
- RABITSCH, W. (2009): Gebietsfremde Ameisen: Eine Übersicht (Hymenoptera: Formicidae). - *Denisia* **25**: 119 - 140. Linz/D.
- RADCHENKO A.G. (2009): New data on the taxonomy and distribution of ants *Myrmica hellenica* and *Myrmica vandeli* (Hymenoptera, Formicidae). - *Vestnik zool.* **43**: 69 - 72. Kyiv.

- RADCHENKO, A., W. CZECHOWSKA & W. CZECHOWSKI (2004): Mrówki - Formicidae. Klucze do Oznaczania Owadów Polski Part **XXIV**, no. **63**: 138 pp. Polskie Towarzystwo Entomologiczne, Toruń.
- RADCHENKO, A. & G.W. ELMES (2004): Taxonomic notes on the scabrinodis-group of *Myrmica* species (Hymenoptera: Formicidae) living in eastern Europe and western Asia, with a description of a new species from Tien Shan. - *Proc. Russian Ent. Soc.* **75**: 222 - 233. St. Petersburg.
- RADCHENKO, A. & G.W. ELMES (2009a): Taxonomic revision of the *pachei* species-group of the genus *Myrmica* Latreille (Hymenoptera: Formicidae). - *Annales zool.* **59**: 67 - 92. Warszawa.
- RADCHENKO, A. & G.W. ELMES (2009b): Important alterations in the taxonomic of the ant genus *Myrmica* (Hymenoptera, Formicidae), based on the investigation of the M. RUZSKY's type specimens, preserved in the Museo Civico di Storia Naturale "Giacomo Doria" in Genoa. - *Annali del Mus. Civ.Stor. Nat. "Giacomo Doria"* **100**: 501 - 525. Genova.
- RAPPSILBER, I. (2009): Der Bitterfelder Bernstein-Wald. - *Mauritiana* **20**: 463 - 484. Altenburg.
- RATNIEKS, F.L.W. (2008): Biomimicry: Further Insights from Ant Colonies? - *Lecture Notes in Computer Science (LNCS)* **5151**: 58 - 66. Berlin/Heidelberg.
- REZNIKOVA, Z. (2009): To the memory of Professor Pavel Marikovsky (1912 - 2008). - *Myrmecol. News* **12**: 216. Wien.
- ROBINSON, E.J.H. (2009): Physiology as a caste-defining feature. - *Insectes Soc.* **56**: 1 - 6. Basel.
- ROBINSON, E.J.H., O. FEINERMAN & N.R. FRANKS (2009): Flexible task allocation and the organization of work in ants. - *Proc. R. Soc. Lond.* **B 276**: 4373 - 4380. London.
- ROBINSON, E.J.H., TH.O. RICHARDSON, A.B. SENDOVA-FRANKS, O. FEINERMAN & N.R. FRANKS (2009): Radio tagging reveals the roles of corpulence, experience and social information in ant decision making. - *Behav. Ecol. Sociobiol.* **63**: 627 - 636. Berlin/Heidelberg. [Erratum: *Behav. Ecol. Sociobiol.* **63**: 779 (2009)].
- ROBINSON, E.J.H., F.D. SMITH, K.M.E. SULLIVAN & N.R. FRANKS (2009): Do ants make direct comparisons? - *Proc. R. Soc. Lond.* **B 276**: 2635 - 2641. London.
- RONACHER, B., E. WESTWIG & R. WEHNER (2006): Integrating two-dimensional paths: do desert ants process distance information in the absence of celestial compass cues? - *J. Exp. Biol.* **209**: 3301 - 3308. Cambridge.
- ROSUMEK, F.B., F.A.O. SILVEIRA, F. DE S. NEVES, N.P. DE U. BARBOSA, L. DINIZ, Y. OKI, F. PEZZINI, G.W. FERNANDES & T. CORNELISSEN (2009): Ants on plants: a meta-analysis of the role of ants as plant biotic defenses. - *Oecologia* **160**: 537 - 549. Berlin/Heidelberg.
- ROURA-PASCUAL, N., J.M. BAS, W. THUILLER, C. HUI, R.M. KRUG & L. BROTONS (2009): From introduction to equilibrium: reconstructing the invasive pathways of the Argentine ant in a Mediterranean region. - *Global Change Biol.* **15**: 2101 - 2115. Oxford.
- ROURA-PASCUAL, N., L. BROTONS, A.T. PETERSON & W. THUILLER (2009): Consensual predictions of potential distributional areas for invasive species: a case study of Argentine ants in the Iberian Peninsula. - *Biol. Invasions* **11**: 1017 - 1031. Dordrecht.

- ROUX, O., J.-M. MARTIN, N.T. GHOMSI & A. DEJEAN (2009): A non-lethal water-based removal-reapplication technique for behavioral analysis of cuticular compounds of ants. - *J. Chemical Ecol.* **35**: 904 - 912. Dordrecht.
- ROWLES, A.D. & D.J. O'DOWD (2009): New mutualism for old: indirect disruption and direct facilitation of seed dispersal following Argentine ant invasion. - *Oecologia* **158**: 709 - 716. Berlin/Heidelberg.
- ROWLES, A.D. & J. SILVERMAN (2009): Carbohydrate supply limits invasion of natural communities by Argentine ants. - *Oecologia* **161**: 161 - 171. Berlin/Heidelberg.
- RUCHTY, M., R. ROMANI, L.S. KUEBLER, S. RUSCHIONI, F. ROCES, N. ISIDOROC & CH.J. KLEINEIDAM (2009): The thermo-sensitive sensilla coeloconica of leaf-cutting ants (*Atta vollenweideri*). - *Arthropod Structure & Development* **38**: 195 - 205. Oxford.
- RYDER WILKIE, K.T, A.L. MERTL & J.F.A. TRANIELLO (2009): Diversity of ground-dwelling ants (Hymenoptera: Formicidae) in primary and secondary forests in Amazonian Ecuador. - *Myrmecol. News* **12**: 139 - 147. Wien.
- SAGATA, K. & PH.J. LESTER (2009): Behavioural plasticity associated with propagule size, resources, and the invasion success of the Argentine ant *Linepithema humile*. - *J. Appl. Ecol.* **46**: 19 - 27. Oxford.
- SANDERS, D., H. NICKEL, TH. GRÜTZNER & CH. PLATNER (2008): Habitat structure mediates top-down effects of spiders and ants on herbivores. - *Basic & Appl. Ecol.* **9**: 152 - 160. München.
- SANTOS, J.C. & K. DEL-CLARO (2009): Ecology and behaviour of the weaver ant *Camponotus* (*Myrmobrachys*) *senex*. - *J. Nat. Hist.* **43**: 1423 - 1435. London.
- SCHATZ, B. & M. HOSSAERT-MCKEY (2003): Interactions of the ant *Crematogaster scutellaris* with the fig/fig wasp mutualism. - *Ecol. Ent.* **28**: 359 - 368. Oxford.
- SCHIØTT, M., H.H. DE FINE LICHT, L. LANGE & J.J. BOOMSMA (2008): Towards a molecular understanding of symbiont function: Identification of a fungal gene for the degradation of xylan in the fungus gardens of leaf-cutting ants. - *BMC Microbiol.* **8**, Number 1, 40: 1 - 10. [<http://www.biomedcentral.com/1471-2180/8/40>] [open access]
- SCHLÜNS, E.A., B.J. WEGENER, H. SCHLÜNS, N. AZUMA, S.K.A. ROBSON & R.H. CROZIER (2009): Breeding system, colony and population structure in the weaver ant *Oecophylla smaragdina*. - *Molec. Ecol.* **18**: 156 - 167. Oxford.
- SCHLÜNS, H. & R.H. CROZIER (2009): Molecular and chemical immune defenses in ants (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 237 - 249. Wien.
- SCHMICKL, T. (2009): Schwarmintelligenz am Beispiel der Ameisenstraßen. - *Denisia* **25**: 141 - 155. Linz/D.
- SCHOLES, D.R. & A.V. SUAREZ (2009): Speed-versus-accuracy trade-offs during nest relocation in Argentine ants (*Linepithema humile*) and odorous house ants (*Tapinoma sessile*). - *Insectes Soc.* **56**: 413 - 418. Basel.
- SCHREIBER, U.C. (2009): Die Flucht der Ameisen. Ein Geo-Thriller. 351 S.; Piper Verlag, München.
- SCHULTZ, R. & T. BUSCH (2009): The northernmost record of the invasive garden ant, *Lasius neglectus* (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 183 - 186. Wien.
- SCHULZE, W. (2009): Bibliographie der europäischen Literatur über Ameisen des Jahres 2007 mit Nachträgen für die Jahre 1994 - 2006 (Insecta, Hymenoptera: Formicidae). - *Mitt. ArbGem. westfäl. Entomol.* **25**: 25 - 48. Bielefeld.

- SCHULZE, W. & H. DUDLER (2009): Der Ameisenbläuling *Phengaris alcon* ([DENIS & SCHIFFERMÜLLER], 1775) im Truppenübungsplatz Senne (Nordrhein-Westfalen) (Lepidoptera, Lycaenidae). - Mitt. ArbGem. westfäl. Entomol. **25**: 1 - 14. Bielefeld.
- SCHUMACHER, E. & C. PLATNER (2009): Nutrient dynamics in a tritrophic system of ants, aphids and beans. - J. Appl. Ent. **133**: 33 - 46. Berlin.
- SCHUSTER, E. (2009): Ame(i)s als Bestandteil von Orts- und Flurnamen in Nieder- und Oberösterreich. - *Denisia* **25**: 157 - 163. Linz/D.
- SCUPOLA, A. (2009): Le specie italiane de genere *Cardiocondyla* (Hymenoptera Formicidae). - Boll. Soc. ent. ital. **141**: 187 - 190. Genova.
- SCUPOLA, A. & R. BALLARIN (2009): The genus *Leptanilla* EMERY, 1870 in Sicily (Hymenoptera: Formicidae). - Myrmecol. News **12**: 129 - 132. Wien.
- SEAL, J.N. (2009a): Scaling of body weight and fat content in fungus-gardening ant queens: does this explain why leaf-cutting ants found claustrally? - Insectes Soc. **56**: 135 - 141. Basel.
- SEAL, J.N. (2009b): Book Review: HÖLLDOBLER, B. & WILSON, E.O. 2008: The Superorganism: the beauty, elegance and strangeness of insect societies. - W.W. Norton and Company, New York, 576 pp. - Myrmecol. News **12**: 22. Wien.
- SEIFERT, B. (2009): Cryptic species in ants (Hymenoptera: Formicidae) revisited: we need a change in the alpha-taxonomic approach. - Myrmecol. News **12**: 149 - 166. Wien.
- SEIFERT, B.C. SCHLICK-STEINER & F.M. STEINER (2009): *Myrmica constricta* Karavajev, 1834 - a cryptic sister species of *Myrmica hellenica* Finzi, 1926 (Hymenoptera: Formicidae). - Soil Organisms **81**: 53 - 76. Görlitz.
- SEIFERT, B. & R. SCHULTZ (2009a): A taxonomic revision of the *Formica subpilosa* RUZSKY, 1902 group (Hymenoptera: Formicidae) . - Myrmecol. News **12**: 67 - 83. Wien.
- SEIFERT, B. & R. SCHULTZ (2009b): A taxonomic revision of the *Formica rufibarbis* FABRICIUS, 1793 group (Hymenoptera: Formicidae). - Myrmecol. News **12**: 255 - 272. Wien.
- SEPPÄ, P., H. HELANTERÄ, A. CHERNENKO, K. TRONTTI, P. PUNTTILA & L. SUNDSTRÖM (2009): Population genetics of the black ant *Formica lemani* (Hymenoptera: Formicidae). - Biol. J. Linnean Soc. **97**: 247 - 258. London.
- SERVIGNE, P. & C. DETRAIN (2009): Seed desiccation limits removal by ants. - Arthropod-Plant Interactions **3**: 225 - 232. Dordrecht.
- SHARAF, M.R. (2009): A new ant species of the *Technomyrmex albipes*-group from Saudi Arabia (Hymenoptera: Formicidae). - Fauna of Arabia **24**: 211 - 216. Riyadh & Frankfurt/M.
- SHARAF, M.R., B. TAYLOR & CH. KLINGENBERG (2009): Ants of the genus *SOLENOPSIS* Westwood, 1840 (Hymenoptera: Formicidae) in Egypt with a description of the worker castes of *S. cooperi* Donisthorpe, 1947. - Zootaxa **2004**: 49 - 58. Auckland.
- SHATTUCK, S. & M. JANDA (2009): A new species of the *Camponotus auropileus* VIEHMEYER, 1914 species group (Hymenoptera: Formicidae) from Papua New Guinea. - Myrmecol. News **12**: 251 - 253. Wien.
- SHIK, J. Z. & M. KASPARI (2009): Lifespan in male ants linked to mating syndrom. - Insectes Soc. **56**: 131 - 134. Basel.

- SIELEZNIEW, M. & A.M. DZIEKAŃSKA (2009): Butterfly-ant relationships: host ant specificity of *Phengaris 'rebeli'* Hirschke (Lepidoptera: Lycaenidae) in Pieniny Mts. (Southern Poland). - *Polish J. Ecol.* **57**: 403 - 409. Łomianki.
- SIELEZNIEW, M. & I. STANKIEWICZ-FIEDUREK (2009): Host ant use by *Phengaris (=Maculinea) alcon* (Lepidoptera, Lycaenidae) in Poland. - *Polskie Pismo Ent.* **78**: 323 - 335. Bydgoszcz.
- SILVEIRA, F.A.O., J.C. SANTOS, L.R. VIANA, S.A. FALQUETO, F.Z. VAZ-DE-MELLO & G.W. FERNANDES (2006): Predation on *Atta laevigata* (Smith 1858) (Formicidae Attini) by *Canthon virens* (Mannerheim 1829) (Coleoptera Scarabaeidae). - *Tropical Zool.* **19**: 1 - 7. Firenze.
- SMITH, M.A. & B.L. FISHER (2009): Invasions, DNA barcodes, and rapid biodiversity assessment using ants of Mauritius. - *Frontiers in Zoology* 2009, **6** (31): 12 pp. [<http://www.frontiersinzoology.com/content/6/1/31>]
- SONNENBURG, H. (2009): Die Ameisenfauna der Hannoverschen Moorgeest. - *Naturhistorica. Ber. Naturhist. Ges. Hannover* **151**: 119 - 155.
- SONNENBURG, H. & K. HANNIG (2009): Die Ameisen (Insecta, Hymenoptera: Formicidae) des Truppenübungsplatzes Haltern-Borkenberge (Kreise Coesfeld und Recklinghausen) mit Nachträgen zum TÜP Haltern Lavesum und zum NSG Westruper Heide. In: HANNIG, K., M. OLTHOFF, K. WITTJEN & TH. ZIMMERMANN (Hrsg.): Die Tiere, Pflanzen und Pilze des Truppenübungsplatzes Haltern-Borkenberge. - *Abh. Westf. Mus. Naturk.* **71** (Heft 3): 379 - 392. Münster.
- SORGER, D.M. & H. ZETTEL (2009): *Polyrhachis (Myrma) cyaniventris* F. Smith, 1858 (Hymenoptera: Formicidae) and a related new ant species from the Philippines. - *Zootaxa* **2174**: 27 - 37. Auckland.
- SORVARI, J. (2009): Foraging distances and potentiality in forest pest insect control: an example with two candidate ants (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 211 - 215. Wien.
- SORVARI, J. & H. HAKKARAINEN (2009): Forest clear-cutting causes small workers in the polydomous wood ant *Formica aquilonia*. - *Ann. Zool. Fenn.* **46**: 431 - 438. Helsinki.
- SPAGNA, J.C., A. SCHELKOPF, T. CARRILLO & A.V. SUAREZ (2009): Evidence of behavioral co-option from context-dependent variation in mandible use in trap-jaw ants (*Odontomachus* spp.). - *Naturwissenschaften* **96**: 243 - 250. Berlin/Heidelberg.
- STECK, K., B.S. HANSSON & M. KNADEN (2009): Smells like home: Desert ants, *Cataglyphis fortis*, use olfactory landmarks to pinpoint the nest. - *Frontiers in Zool.* **6** (5): 8pp. [<http://www.frontiersinzoology.com/content/6/1/5>].
- STEINER, F.M., B.C. SCHLICK-STEINER, K. MODER, A. BRUCKNER & E. CHRISTIAN (2005): Congruence of data from different trapping periods of ant pitfall catches (Hymenoptera: Formicidae). - *Sociobiology* **46**: 105 - 116. Chico, Calif.
- STEINER, F.M., B.C. SCHLICK-STEINER, J.C. TRAGER, K. MODER, M. SANETRA, E. CHRISTIAN & CH. STAUFFER (2006): *Tetramorium tsushimae*, a new invasive ant in North America. - *Biol. Invasions* **8**: 117 - 123. Dordrecht.
- STÜBEN, M. & K.E. LINSENMAIR (2009): Advances in insect preparation: bleaching, clearing and relaxing ants (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 15 - 21. Wien.
- STUBLE, K.L., L.K. KIRKMAN & C.R. CARROLL (2009): Patterns of abundance of fire ants and native ants in a native ecosystem. - *Ecol. Entomol.* **34**: 520 - 526. Oxford.

- SUNAMURA, E., X. ESPADALER, H. SAKAMOTO, S. SUZUKI, M. TERAYAMA & S. TATSUKI (2009): Intercontinental union of Argentine ants: behavioral relationships among introduced populations in Europe, North America, and Asia. - *Insectes Soc.* **56**: 143 - 147. Basel.
- SUNAMURA, E., S. HATSUMI, SATOSHI KARINO, K. NISHISUE, M. TERAYAMA, O. KITADE & S. TATSUKI (2009): Four mutually incompatible Argentine ant supercolonies in Japan: inferring invasion history of introduced Argentine ants from their social structure. - *Biol. Invasions* **11**: 2329 - 2339. Dordrecht.
- TAMARRI, V., C. CASTRACANI, D. A. GRASSO, R. VISICCHIO, F. LE MOLI & A. MORI (2009): The defensive behaviour of two *Formica* slave-ant species: coevolutionary implications with their parasite *Polyergus rufescens* (Hymenoptera, Formicidae). - *Italian J. Zool.* **76**: 229 - 238. London.
- TANNER, C.J. (2009a): Individual experience-based foraging can generate community territorial structure for competing ant species. - *Behav. Ecol. Sociobiol.* **63**: 591 - 603. Berlin/Heidelberg.
- TANNER, C.J. (2009b): Chill out: cooling promotes aggressive behavior in the ant *Formica xerophila*. - *Insectes Soc.* **56**: 64 - 69. Basel.
- TANNURE-NASCIMENTO, I.C., F.S. NASCIMENTO, J.O. DANTAS & R. ZUCCHI (2009): Decision rules for egg recognition are related to functional roles and chemical cues in the queenless ant *Dinoponera quadricaps*. - *Naturwissenschaften* **96**: 857 - 861. Berlin/Heidelberg.
- TARTALLY, A. & Z. VARGA (2008): Host ant use of *Maculinea teleius* in the Carpathian Basin (Lepidoptera: Lycaenidae). - *Acta zool. Acad. Sci. hung.* **54**: 257 - 268. Budapest.
- THOMPSON, G.J. (2009): Book Review: GADAU, J. & FEWELL, J. (Eds.) 2009: Organization of insect societies: from genome to sociocomplexity. - *Myrmecol. News* **12**: 182. Wien.
- THURIN, N. & S. ARON (2009): Sib-mating in the ant *Plagiolepis pygmaea*: adaptive inbreeding? - *J. Evol. Biol.* **22**: 2481 - 2487. Oxford.
- TINAUT, A., F. RUANO, O. SANLLORENTE, A. ZAMBRANO & Y. KAZ (2008): *Rossomyrmex quadratinodum* Xia & Zheng, 1995 a new ant species for Kazakhstan (Hymenoptera, Formicidae). - *Graellsia* **64**: 339 - 340. Madrid.
- TOFILSKI, A. (2009): Shorter-lived workers start foraging earlier. - *Insectes Soc.* **56**: 359 - 366. Basel.
- VALDERRAMA-ESLAVA, E.I., J. MONTAYA-LERMA & C. GIRALDO (2009): Enforced herbivory on *Canavalia ensiformis* and *Tithonia diversifolia* and its effects on leaf-cutting ants, *Atta cephalotes*. - *J. Appl. Ent.* **133**: 689 - 694. Berlin.
- VAN MELE, P., K. CAMARA & J. F. VAYSSIERES (2009): Thieves, bats and fruit flies: local ecological knowledge on the weaver ant *Oecophylla longinoda* in relation to three 'invisible' intruders in orchards in Guinea. - *Int. J. Pest Management* **55**: 57 - 61. London.
- VÁSQUEZ, G.M., C. SCHAL & J. SILVERMAN (2009): Colony Fusion in Argentine Ants is Guided by Worker and Queen Cuticular Hydrocarbon Profile Similarity. - *J. Chemical Ecol.* **35**: 922 - 932. Dordrecht.
- VELE, A., J. HOLUSA & J. FROUZ (2009): Sampling for ants in different-aged spruce forests: a comparison of methods. - *Eur. J. Soil Biol.* **45**: 301 - 305. Paris.

- VEPSÄLÄINEN, K., J.R. EBSER, R. SAVOLAINEN & J.J. BOOMSMA (2009): Genetic differentiation between the ant *Myrmica rubra* and its microgynous social parasite. - *Insectes Soc.* **56**: 425 - 437. Basel.
- VILJAKAINEN, L., J.D. EVANS, M. HASSELMANN, O. RUEPPELL, S. TINGEK & P. PAMILO (2009): Rapid evolution of immune proteins in social insects. - *Molec. Biol. Evol.* **26**: 1791 - 1801. Oxford.
- VISICCHIO, R., A. MORI & F. LE MOLI (2003): A morphometric analysis of intercastes of the slave-making ant *Polyergus rufescens* (Hymenoptera, Formicidae). - *Sociobiology* **42**: 255 - 264. Chico, Calif.
- VISICCHIO, R., M.F. SLEDGE, A. MORI, D.A. GRASSO & F. LE MOLI (2000): Dufour's gland contents of queens of slave-making ant *Polyergus rufescens* and its host species *F. cunicularia*. - *Ethol. Ecol. Evol.* **12**: 67 - 73. Firenze.
- VONSHAK, M., T. DAYAN, J. FOUCAUD, A. ESTOUP & A. HEFETZ (2009): The interplay between genetic and environmental effects on colony insularity in the clonal invasive little fire ant *Wasmannia auropunctata*. - *Behav. Ecol. Sociobiol.* **63**: 1667 - 1677. Berlin/Heidelberg.
- WAIBEL, M. (2004): Book Review: DORIGO, M. & STÜTZLE, T. 2004: Ant Colony Optimization. - *Myrmecol. Nachr.* **6**: 18. Wien.
- WARD, D.F. (2007): Modelling the potential geographic distribution of invasive ant species in New Zealand. - *Biol. Invasions* **9**: 723 - 735. Dordrecht.
- WARD, D.F. (2009): The diversity, community composition and seasonality of native and introduced ants (Hymenoptera: Formicidae) in northern New Zealand. - *Myrmecol. News* **12**: 195 - 200. Wien.
- WEHNER, R. (2009): The architecture of the desert ant's navigational toolkit (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 85 - 96. Wien.
- WEITSCHAT, W. (2008): Inklusionsammlung Otto HELM - erste paläontologische Ergebnisse. - *Abh. Ber. Mus. Nat. Gotha* **25**: 33 - 38.
- WEITSCHAT, W. (2009): Jäger, Gejagte, Parasiten und Blinde Passagiere - Momentaufnahmen aus dem Bernsteinwald. - *Denisia* **26**: 243 - 256. Linz/D.
- WESENIGK-STURM, B. (2009): Mitteilung zur Flugaktivität der Männchen von *Formica foreli* BONDROIT 1918 (Hymenoptera, Formicidae). - *Ameisenschutz aktuell* **23**: 34 - 36. Schauenburg.
- WETTERER, J.K. (2009a): Worldwide spread of the ghost ant, *Tapinoma melanocephalum* (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 23 - 33. Wien.
- WETTERER, J.K. (2009b): Worldwide spread of the destroyer ant, *Monomorium destructor* (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 97 - 108. Wien.
- WETTERER, J.K. (2009c): Worldwide spread of the Penny Ant, *Tetramorium bicarinatum* (Hymenoptera: Formicidae). - *Sociobiology* **54**: 811 - 830. Chico, Calif.
- WETTERER, J.K. & A.L. WETTERER (2006): A disjunct Argentine ant metacolony in Macaronesia and Southwestern Europe. - *Biol. Invasions* **8**: 1123 - 1129. Dordrecht.
- WETTERER, J.K., A.L. WILD, A.V. SUAREZ, N. ROURA-PASCUAL & X. ESPADALER (2009): Worldwide spread of the Argentine ant, *Linepithema humile* (Hymenoptera: Formicidae). - *Myrmecol. News* **12**: 187 - 194. Wien.
- WIELINK, P. VAN, R. FELIX & H. SPIJKERS (2009): Biodiversiteit op stammen van zomereiken in De Kaaistoep: 2. Fauna met uitzondering van kevers. - *Ent. Ber., Amst.* **69**: 214 - 225. Amsterdam.

- WILD, A.L. (2009): Evolution of the Neotropical ant genus *Linepithema*. - Syst. Ent. **34**: 49 - 62. Oxford.
- WILSON, D.S. & E.O. WILSON (2009): Evolution - Gruppe oder Individuum? - Spektrum **1/2009**: 32 - 41. Heidelberg.
- WITTE, V., S. FOITZIK, R. HASHIM, U. MASCHWITZ & ST. SCHULZ (2009): Fine Tuning of Social Integration by Two Myrmecophiles of the Ponerine Army Ant, *Leptogenys distinguenda*. - J. Chemical Ecol. **35**: 355 - 367. Dordrecht.
- WITTE, V., L. LEHMANN, A. LUSTIG & U. MASCHWITZ (2009): *Polyrhachis lama*, a parasitic ant with an exceptional mode of social integration. - Insectes Soc. **56**: 301 - 307. Basel.
- WITTLINGER, M., R. WEHNER & H. WOLF (2007): The desert ant odometer: a stride integrator that accounts for stride length and walking speed. - J. Exp. Biol. **210**: 198 - 207. Cambridge.
- WITTLINGER, M., H. WOLF & R. WEHNER (2007): Hair plate mechanoreceptors associated with body segments are not necessary for three-dimensional path integration in desert ants, *Cataglyphis fortis*. - J. Exp. Biol. **210**: 375 - 382. Cambridge.
- WŁODARCZYK, T., M. ŻMIHORSKI & A. OLCZYK (2009): Ants inhabiting stumps on clearcuts in managed forest in western Poland. - Entomol. Fennica. **20**: 121 - 128. Helsinki.
- WOLKOVICH, E.M., D.T. BOLGER & D.A. HOLWAY (2009): Complex responses to invasive grass litter by ground arthropods in a Mediterranean scrub ecosystem. - Oecologia **161**: 697 - 708. Berlin/Heidelberg.
- XU, Y.J., L. ZENG, Y.Y. LU & G.W. LIANG (2009): Effect of soil humidity on the survival of *Solenopsis invicta* Buren workers. - Insectes Soc. **56**: 367 - 373. Basel.
- YOSHIMURA, M. (2009): Impact of secondary forest management on ant assemblage composition in the temperate region in Japan. - J. Insect Conservation **13**: 563 - 568. Dordrecht.
- YOSHIZAWA, J., K. MIMORI, K. YAMAUCHI & K. TSUCHIDA (2009): Sex mosaics in a male dimorphic ant *Cardiocondyla kagutsuchi*. - Naturwissenschaften **96**: 49 - 55. Berlin/Heidelberg.
- YUSUPOV, Z.M. (2009): An ant species of the genus *Pyramica* (Hymenoptera, Formicidae) new for the fauna of Russia and the Northern Caucasus. - Entomol. Rev. **89**: 123 - 124. Moscow.
- ZERCHE, L. (2009a): *Stenus "aterrimus"* - ein Komplex aus sechs wirtsspezifischen myrmecophilen Arten (Coleoptera: Staphylinidae; Hymenoptera: Formicidae). - Beitr. Ent. **59**: 423 - 480. Keltern.
- ZERCHE, L. (2009b): [Buchbesprechung] KLAUSNITZER, B.; BEHNE, L.; FRANKE, R.; GEBERT, J.; HOFFMANN, W.; HORNIG, U.; JÄGER, O.; RICHTER, W.; SIEBER, M. & VOGEL, J. 2009: Die Käferfauna (Coleoptera) der Oberlausitz. Teil 1. - Entomologische Nachrichten und Berichte, Beiheft 12, Dresden: 252 S., 1 Karte (Beiträge zur Insektenfauna Sachsens 7). - Beitr. Ent. **59**: 535 - 536. Keltern.

Anschrift des Verfassers:

Werner Schulze, Samlandweg 15a, D-33719 Bielefeld;
E-Mail: WSchulze@entomon.de

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Bembix - Zeitschrift für Hymenopterologie](#)

Jahr/Year: 2012

Band/Volume: [34](#)

Autor(en)/Author(s): Schulze Werner

Artikel/Article: [Bibliographie der europäischen Literatur über Ameisen des Jahres 2009 mit Nachträgen für die Jahre 1998 - 2008 \(Insecta, Hymenoptera: Formicidae\). 30-53](#)