

AMMONOID PALAEOBIOGEOGRAPHY - THE *PSEUDOSCHLOENBACHIA* PARADOX.

Klinger Herbert C. ⁽¹⁾, Kennedy, W.J. ⁽²⁾.

⁽¹⁾ S.A. Museum, Cape Town. hklinger@samuseum.ac.za

⁽²⁾ Oxford University Museum of Natural History. Jim.Kennedy@earth.ox.ac-uk

The ammonoid genus *Pseudoschloenbachia* is common in the late Santonian of South Africa and Madagascar and as a whole, has a virtually world-wide distribution. However, in the early Campanian in Madagascar, *Pseudoschloenbachia* s.s. disappears and is replaced by taxa which are regarded as chronologically derived subgenera of the nominal genus. Here, *Pseudoschloenbachia* s.l. occurs in abundance, comprising about 80% (8000 specimens) of the total ammonoid fauna. In contrast, only five specimens are known from Zululand, none from Pondoland, and perhaps less than a dozen from other parts of the world. Reasons for the sudden proliferation of *Pseudoschloenbachia* s.l. in the early Campanian of Madagascar, coincident with the sudden decline of the genus in the rest of the world remain enigmatic.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Berichte der Geologischen Bundesanstalt](#)

Jahr/Year: 1999

Band/Volume: [46](#)

Autor(en)/Author(s): Klinger Herbert Christian, Kennedy William James

Artikel/Article: [Ammonoid palaeobiogeography - the Pseudoschloenbachia Paradox 57](#)