

Bonner zoologische Beiträge	Band 52 (2004)	Heft 1/2	Seiten 1–2	Bonn, August 2004
-----------------------------	----------------	----------	------------	-------------------

A new *Mecynotarsus* from Pakistan (Coleoptera, Anthicidae)¹⁾

Gerhard UHMANN
Pressath, Germany

Abstract. *Mecynotarsus bordoni* sp. n. from Pakistan is described and illustrated.

Riassunto. L'autore descrive *Mecynotarsus bordoni* sp. n. from Pakistan.

Key words: Taxonomy, new species.

Dr. Arnaldo Bordoni (Museum "La Specola" in Florence, Italy) sent to me 583 anthicid beetles for determination. This sample contains mainly specimens from Asia (China, Laos, Malaysia, Pakistan, Thailand, Turkmenistan) Italy and Kazakhstan. A single specimen is present of an undescribed species. Neither the classical work of LA FERTÉ-SÉNECTÈRE (1849) nor the monograph of the genus *Mecynotarsus* LaFerté by HEBERDEY (1942) contain a comparable species.¹⁾




Fig. 1: *Mecynotarsus bordoni* sp. n., holotype, female, habitus.

Mecynotarsus bordoni sp. n. (Fig. 1)

Holotype (female): Pakistan, 17.-18.4.1993, SW Balochistan, Gwadar, leg. S. Becvar, in coll. Bordoni, Florence.

Measurements (in mm): Total length 3.5, max. width 1.1. Head length 0.8, width (across the eyes) 0.6. Pronotum length 1.4, width 0.9. Horn length 0.6, width 0.5. Elytra length 2.1, combined width 1.1.

Coloration: Yellowish-brown with dark brown spots on elytra.

Head: Little shiny, wrinkled. Pubescence silvery, rather stout, but very short. Antennae conspicuous thin, pubescence fine.

Pronotum: Little shiny. Punctuation nearly covered by silvery, stout, dense, recumbent pubescence. Horn on each side with seven teeth, becoming smaller posteriorly. Crest consists of seven lengthy bumps, forming a nearly closed line. Row of stout, rounded bumps in middle of horn.

Elytra: Rather shiny. Punctuation strong. Spaces between punctures much smaller than punctures. These become smaller posteriorly, spaces larger. Pubescence silverish, stout, rather dense, recumbent.

Legs: Pubescence very fine.

Remarks: By the length of this species there is nothing in comparison with all other known species of this genus.

Derivatio nominis: I name this new species after the well known coleopterist Dr. Arnaldo Bordoni in Florence.

Acknowledgements: My thanks go to Dr. Bordoni for sending this very interesting material.

¹⁾ 65th contribution to the knowledge of Anthicidae

REFERENCES

- HEBERDEY, R. (1942): Revision der paläarktischen Arten der Gattung *Mecynotarsus* LaFerté. Mitteilungen der Münchener Entomologischen Gesellschaft **32**: 445–485.
LA FERTÉ SÉNECTÈRE, F. T. de (1849): Livraison 4, in GUÉRIN-MENEVILLE, F. E. Species et iconographie générique des animaux articulés. Félix Édouard, Paris (1826–1849).

Author's address: Gerhard UHMANN, Tannenhofstr. 10, D-92690 Pressath, Germany, phone ++49 9644-513

Received: 29.10.2002

Accepted: 31.03.2003

Corresponding editor: M. SCHMITT

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Bonn zoological Bulletin - früher Bonner Zoologische Beiträge.](#)

Jahr/Year: 2004

Band/Volume: [52](#)

Autor(en)/Author(s): Uhmann Gerhard

Artikel/Article: [A new Mecynotarsus from Pakistan \(Coleoptera, Anthicidae\) 1-2](#)