

Alien plants of Fuerteventura, Canary Islands

Plantas extranjeras de Fuerteventura, Islas Canarias

- korrigierte Fassung vom 23.01.2002 -

Dietmar Brandes & Katrin Fritzsch

Abstract: The nowadays flora of Fuerteventura contains some 780 species. At least 119 species are aliens, some 150 further species of mediterranean and/or North African origin are probably introduced too. The estimated percentage of aliens therefore reaches 35 %.

Resumen: Esta publicación se ocupa de una primera colocación provisional de las plantas vasculares no indígenas de la isla Fuerteventura. Según presentes resultados, actualmente el total de las especies se aproxima a las 780. Aproximadamente 300 especies tienen su origen mediterráneo o norteafricano. Detalladamente es difícil definir su estado, si es una especie nativa o introducida.

La obra contiene una primera lista de especies de América, Asia, Australia o de origen tropical, que son neophytica (recien llegados) porque llegó a la isla después de 1500. Una segunda lista, cita especies de la zona tropical o del sur de África, algunas de éstas especies pueden ser indígenas. La tercera lista, menciona plantas cultivadas asilvestradas las cuales descenden del oeste de Asia o de Europa. La cuarta y última lista, encierra especies mediterraneas y con una distribución en África del Norte, existen problemas a la hora de definir su estado.

1. Introduction - Introducción

Fuerteventura is the second largest island of the Canary Islands. The surface covers an area of 1725 km². It is the lowest populated island of the archipelago [24 inhabitants per km²]. The shortest distance to Africa is only 100 km. As things are Fuerteventura is the oldest volcano island of the archipelago. Due to the long lasting erosion processes Fuerteventura has a smooth relief, only interrupted by the massif of the peninsula of Jandía with the Pico de la Zarza (807 m) and the massif of Betancuria (724 m). The climate is arid, only every 2-3 years there are 1-2 months showing some semiarid conditions. In general there is an average precipitation of 147 mm p.a. (HÖLLERMANN 1991). The mean average temperature is about 20°C. Small daily and yearly temperature deviations as well as no frost are characteristics of a marginal tropical climate.

Usually Fuerteventura is dealt as part of the Macaronesian region. Within this region Fuerteventura is said by KUNKEL (1993) to be part of the Central Macaronesian region. Based on comparisons of the nowadays flora of the basal regions the uniformity and the existence of this floral region is questioned by LÜPNITZ (1995). He therefore integrates the Canary Islands to the Saharo-Sindian region.

2. The development of the flora of Fuerteventura – El desarrollo de la flora de Fuerteventura

Colonizing of the island by plants is a dynamic process, which is in no way completed. The uncertainties of the classification of the species in respect to the time of introduction is relatively high, in so far a quantification is only provisory. Even the differentiation indigenous vs. adventive is problematical. The nowadays flora of Fuerteventura contains more than 300 species of mediterranean and/or North African origin, whereas just these species are dominating in the vegetation of the lower altitudes. Most of them are weeds or ruderals. The relatively high part of North African elements is at least partly promoted by man. Overgrazing destroyed the remnants of thermophilous shrub vegetation and promoted the desertification. Most of these plants seem to be introduced to the island after its conquest by the Europeans [at the beginning of the 15th century], some of them may be introduced already by the natives, others may be indigenous. Production of firewood and timber, overgrazing by goats caused during the last centuries a change in vegetation as well as the exploitation of ground water during this century. Nowadays urban spread and new roads reduce many areas grown by endemic plants.

During the last century nutrition plants and useful plants were first of all introduced to Fuerteventura. Together with these plants many weeds have been introduced unintentionally. Some of the useful plants run wild and became part of the flora e.g. the *Opuntia* and *Agave* species. During the second half of the 20th century the whole collection of the subtropical gardens has been imported. Irrigated areas around the hotels and borders along the streets are nowadays the main source for aliens.

3. State of the art – El estado de las especies

In contrary to the other Canary Islands the knowledge of the flora of Fuerteventura is still insufficient. KUNKEL published in 1977 a checklist containing 599 species; 258 of them (43,1 %) are classified as adventive or possibly introduced. As stated above the classification as adventive is not to prove in any case and therefore to some extent speculative. In 1993 KUNKEL reports 560 species and [only] 160 „introduced elements“ (27,6 %). Reasons for the reduction in the number of imported species are not given.

HANSEN & SUNDING (1993) reported 667 taxa for Fuerteventura without any differentiation between indigenous and alien. Our checklist contains some 780 species (BRANDES 2000).

Differentiations based on the origin are not possible in every case as already mentioned in chapter 2. But it is sure that taxa originating from far continents (South and Central America, Australia, East Asia) are aliens. Most of them are deemed to be neophytic, because they have been introduced after the discovery of the respective sea-routes. A classification based on the degree of naturalization is not yet possible due to lack of ecological information. There is some need for further investigation, especially on the naturalization of trees and shrubs.

4. Checklist of plant species running wild introduced from America, Asia, Australia, and also of pantropical origin – Lista de las especies asilvestradas de América, Asia, Australia y orígenes tropicales:

Acacia cyanophylla	Coronopus didymus
Acacia cyclops	Cucurbita pepo
Acacia farnesiana	Cyperus articulatus
Acacia saligna	Cyperus peruvianus
Acanthoxanthium spinosum	Cyperus rotundus
Agave americana	Datura innoxia
Agave attenuata	Datura metel
Agave fourcroydes	Datura stramonium
Agave sisalana	Dichondra micrantha
Albizia lophanta	Eucalyptus camaldulensis
Amaranthus deflexus	Euphorbia prostrata
Amaranthus muricatus	Euphorbia pucherrima
Amaranthus viridis	Euphorbia repens
Arundo donax	Euphorbia serpens
Asclepias curassavica	Furcraea foetida
Aster squamatus	Gnaphalium pensylvanicum
Atriplex semibaccata	Gossypium herbaceum
Atriplex subrecta	Helianthus annuus
Austrocyllindropuntia cylindrica	Heliotropium curassavicum
Austrocyllindropuntia exaltata	Hylocereus undulatus
Bidens aurea	Ipomoea indica
Bidens pilosa	Lantana camara
Bromus willdenowii	Lycopersicon esculentum
Caesalpinia gillesii	Maireana brevifolia
Caesalpinia spinosa	Mirabilis jalapa
Cassia bicapsularis	Morus nigra
Cassia tomentosa	Musa acuminata
Casuarina equisetifolia	Nicotiana glauca (Zoom)
Chenopodium ambrosioides	Nicotiana tabacum
Chenopodium giganteum	Oenothera rosea
Conyza bonariensis	Opuntia dillenii

Alien plants of Fuerteventura

Opuntia ficus-indica	Schinus molle
Opuntia tomentosa	Schinus terebinthifolius
Opuntia vulgaris[= Opuntia spec. (KUNKEL 1977) ?]	Sclerophylax spinescens (Zoom)
Oxalis latifolia	Sesuvium portulacastrum
Parkinsonia aculeata	Solanum tuberosum
Phoenix dactylifera	Stenotaphrum secundatum
Punica granatum	Tropaeolum majus
Salpichroa organifolia	Washingtonia cf. robusta
	Zea mays

Notes:

- (1) Nicotiana glauca is the only invasive plant of greater importance (see BRANDES & FRITZSCH 2000).
- (2) Xanthium strumarium ssp. italicum is probably also originating from America.

5. Plant species running wild introduced from tropical and South Africa – *Especies asilvestradas de la región tropicana y Sudafricana:*

Aloe vera [= A. barbadense (KUNKEL 1977)]	Gazzania spec.
Anredera cordifolia	Gomphocarpus fruticosus
Aptenia cordifolia	Ipomoea batatas
Calotropis procera	Ipomoea cairica
Carpobrotus edulis	Oxalis pes-caprae (Zoom)
Cassia didymobotrya	Oxalis purpurea
Catharanthus roseus	Pelargonium inquinans x zonale
Commicarpus helenae (Zoom) [? =	Pelargonium x hybridum
Boerhavia verticillata (HOHENESTER & WELB 1993)]	Pennisetum setaceum
Cyperus longus	Ricinus communis
Cyperus mundtii	Zantedeschia aethiopica

Note:

There is also some evidence, that Mesembryanthemum crystallinum, which is nowadays very frequent, may be introduced from South Africa as well. However that may be, Mesembryanthemum crystallinum was promoted by man, especially for producing soda.

6. Cultivated plants originating from West Asia and Europe and probably running wild – Plantas cultivadas que descienden de la zona del oeste de Asia o de Europa, tal vez asilvestradas:

Allium cepa	Lactuca sativa
Allium sativum	Lens culinaris
Althaea rosea	Medicago sativa
Avena sativa	Nerium oleander
Brassica cf. oleracea	Papaver setigerum
Centranthus ruber	Papaver somniferum
Ceratonia siliqua	Petroselinum crispum
Cicer arietinum	Pisum sativum
Coriandrum sativum	Prunus dulcis
Cymbalaria muralis	Sinapis alba

7. Checklist of further species probably introduced to Fuerteventura [mostly weeds and ruderals from the Mediterranean Area and North Africa] compiled with special regard to KUNKEL (1977) – Lista de otras especies que pueden ser nativas o bien haber sido introducidas en Fuerteventura (en general malas hierbas o ruderales) por regiones mediterraneas o Nortfricanas (véase también KUNKEL 1977):

Achyranthes aspera	Carduus tenuiflorus
Achyranthes aspera L. var. sicula L.	Carthamus lanatus
Agrostis castellana	Carthamus tinctorius
Agrostis semiverticillata	Centaurea calcitrapa
Amaranthus lividus	Centaurea melitensis
Anacyclus radiatus	Cerastium glomeratum
Anagallis arvensis	Chamomilla recutita
Anchusa azurea	Chenopodium album
Andrachne telephioides	Chenopodium murale
Anthemis arvensis	Chrysanthemum coronarium
Anthemis cotula	Cichorium endivia ssp. divaricatum
Atriplex tatarica	Coleostephus myconis
Avena fatua	Convolvulus althaeoides
Borago officinalis	Convolvulus arvensis
Briza maxima	Coronopus squamatus
Bromus diandrus	Cynara cardunculus
Bromus lanceolatus	Cynodon dactylon
Bromus rigidus	Dittrichia viscosa (?)
Calendula bicolor	Echinochloa crus-galli
Capsella bursa-pastoris	Emex spinosa
Carduus pycnocephalus	Erodium botrys

Alien plants of Fuerteventura

Erodium cicutarium	Melilotus sulcata
Erodium moschatum	Mentha x rotundifolia [KUNDEL 1977] [=
Eruca vesicaria ssp. sativa	M suaveolens Ehrh.]
Euphorbia exigua	Mercurialis annua
Euphorbia helioscopia	Moriscandia arvensis
Euphorbia peplus	Nasturtium officinale
Euphorbia serrata	Ononis pendula
Euphorbia sulcata	Ornithogalum narbonense
Foeniculum vulgare ssp. piperitum	Oxalis corniculata
Fumaria bastardii	Pallenis spinosa
Fumaria capreolata	Papaver argemone
Fumaria parviflora	Papaver dubium
Fumaria vaillantii	Papaver rhoeas
Galium anglicum	Parietaria debilis
Galium aparine	Parietaria judaica
Galium murale	Phalaris canariensis
Galium parisiense	Phalaris paradoxa
Galium tricornutum	Plantago albican*
Geranium molle	Plantago major
Geranium rotundifolium	Poa annua
Gladiolus italicus	Polycarpon tetraphyllum
Glaucium corniculatum	Polygonum aviculare
Hedera helix	Populus alba
Helminthotheca echinoides	Portulaca oleracea
Hirschfeldia incana	Raphanus raphanistrum
Hordeum murinum ssp. leporinum	Raphanus sativus
Hordeum vulgare	Rapistrum rugosum
Hyoscyamus albus	Rhagadiolus stellatus
Juncus bufonius	Rumex acetosella ssp. angiocarpus
Kochia scoparia	Ruta chalepensis
Lactuca serriola	Salvia verbenaca
Lamium amplexicaule	Sansevieria trifasciata
Lathyrus clymenum	Scandix pecten-veneris
Lathyrus sativus	Scolymus hispanicus
Lathyrus tingitanus	Scolymus maculatus
Launea capitata*	Sedum cf. dendroideum
Lavatera arborea	Senecio vulgaris
Lavatera cretica	Setaria adhaerens
Leopoldia comosa	Sherardia arvensis
Limonium sinuatum	Silene gallica
Lolium multiflorum	Silene nocturna
Marrubium vulgare	Silene vulgaris ssp. commutata
Melilotus indica	Silybum marianum

Alien plants of Fuerteventura

<i>Sinapis arvensis</i>	<i>Trifolium stellatum</i>
<i>Sisymbrium officinale</i>	<i>Trifolium striatum</i>
<i>Solanum luteum</i>	<i>Urospermum picroides</i>
<i>Solanum nigrum</i>	<i>Urtica membranacea</i>
<i>Sonchus oleraceus</i>	<i>Urtica urens</i>
Sonchus tenerrimus	<i>Verbena officinalis</i>
<i>Spergula arvensis</i>	<i>Verbena supina</i>
<i>Stachys arvensis</i>	<i>Veronica arvensis</i>
<i>Stachys ocymastrum</i>	<i>Vicia benghalensis</i>
<i>Stellaria media</i>	<i>Vicia lutea</i>
<i>Taraxacum officinale</i>	<i>Vicia sativa</i> ssp. <i>nigra</i>
<i>Torilis leptophylla</i>	<i>Xanthium strumarium</i> ssp. <i>italicum</i> [see chapter 4]
<i>Torilis nodosa</i>	
<i>Trifolium angustifolium</i>	

Acknowledgements - Agradecimiento

We would like to thank STEPHAN SCHOLZ (Esquinzo/Morro Jable, Fuerteventura) for helpful comments and discussions.

Bibliography – Referencias Bibliográficas

BRANDES, D. (2000): Checkliste der Flora von Fuerteventura. - In: Brandes, D.: Beiträge zur Vegetationsökologie von Fuerteventura. - Braunschweig (in press).

BRANDES, D. & K. FRITZSCH (2000): *Nicotiana glauca*: vegetationskundliche Analyse einer invasiven Pflanze auf Fuerteventura. (Electron. publication in preparation.)

FRITZSCH, K. (1999): Die Flora der episodischen Fließgewässer auf Fuerteventura. - Unpubl. diploma thesis, Technical University Braunschweig. VIII, 181 p.

FRITZSCH, K. & D. BRANDES (1999): Flora und Vegetation salzbeeinflusster Habitats auf Fuerteventura. – In: D. BRANDES (Hrsg.): Vegetation salzbeeinflusster Habitats im Binnenland, p. 205-219. – Braunschweig. (Braunschweiger Geobotanische Arbeiten, 6.)

HANSEN, A. & P. SUNDING (1993): Flora of Macaronesia: Checklist of vascular plants. - *Sommerfeltia*, 17: 275 p.

HÖLLERMANN, P. (1991): Neuere Materialien zum Klima von Fuerteventura, Kanarische Inseln. In: HÖLLERMANN, P. (Hrsg.): Studien zur physikalischen Geographie und zum Landnutzungspotential der östlichen Kanarischen Inseln, p. 133-174. - Stuttgart.

HOHENESTER, A. & W. WELB (1993): Exkursionsflora für die Kanarischen Inseln mit Ausblicken für ganz Makaronesien. - Stuttgart. 374 p.

KUNKEL, G. (1977): Las plantas vasculares en Fuerteventura (Islas Canarias) con especial interes da las forrajeras. - Madrid. 130 p. (Naturalia Hispanica, 8.)

KUNKEL, G. (1993): Die Kanarischen Inseln und ihre Pflanzenwelt. 3. Aufl. - Stuttgart. 239 p.

LÜPNITZ, D. (1995): Beitrag zur phytogeographischen Stellung der Kanarischen Inseln. - Mainzer naturwiss. Archiv, 33: 83-98.

RODRÍGUEZ PÉREZ, J.-A. (1998): Die exotische Pflanzenwelt der Kanarischen Inseln. – Madrid. 191 p.

ROTHER, P. (1996): Kanarische Inseln. 2. Aufl. - Berlin, Stuttgart. 307 p. (Sammlung geologischer Führer, 81.)

SCHÖNFELDER, P. & I. SCHÖNFELDER (1997): Die Kosmos-Kanarenflora. - Stuttgart. 319 p.

Address of the authors:

Prof. Dr. Dietmar Brandes, Dipl.-Biol. Katrin Fritsch

Arbeitsgruppe für Vegetationsökologie und experimentelle Pflanzensoziologie

Botanisches Institut und Botanischer Garten der TU Braunschweig

D-38023 Braunschweig

Alien plants of Fuerteventura



Acacia farnesiana



Acanthoxanthium spinosum

Alien plants of Fuerteventura



Atriplex semibaccata



Atriplex suberecta

Alien plants of Fuerteventura



Caesalpinia gillesii

Alien plants of Fuerteventura



Caesalpinia spinosa




Chenopodium giganteum

Alien plants of Fuerteventura



Datura innoxia



Datura stramonium

Alien plants of Fuerteventura



Dichondra micrantha



Heliotropium curassavicum

Alien plants of Fuerteventura



Nicotiana glauca



Nicotiana glauca

Alien plants of Fuerteventura



Opuntia dillenii



Parkinsonia aculeata

Alien plants of Fuerteventura



Salpichroa organifolia



Sclerophylax spinescens

Alien plants of Fuerteventura



Sclerophylax spinescens



Sesuvium portulacastrum

Alien plants of Fuerteventura



Aptenia cordifolia



Calotropis procera

Alien plants of Fuerteventura



Commicarpus helenae



Commicarpus helenae

Alien plants of Fuerteventura



Oxalis pes-caprae



Oxalis pes-caprae

Alien plants of Fuerteventura



Pennisetum setaceum



Chrysanthemum coronarium

Alien plants of Fuerteventura



Lavatera arborea



Moricandia arvensis

Alien plants of Fuerteventura



Maireana brevifolia



Parietaria judaica

Alien plants of Fuerteventura



Salvia verbenaca



Sonchus tenerrimus

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Brandes Dietmar__diverse botanische Arbeiten](#)

Jahr/Year: 2002

Band/Volume: [23_2002](#)

Autor(en)/Author(s): Fritzsch Katrin, Brandes Dietmar

Artikel/Article: [Alien plants of Fuerteventura, Canary Islands. Plantas extranjeras de Fuerteventura, Islas Canarias 1-25](#)