

1.3.10

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 10:

E. Olivier

Rhagophthalmidae, Drilidae.



Einzel-Preis: Mark 1.—
Subscriptions-Preis: Mark —.65

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
17. II. 1910.

W. JUNK, Berlin W. 15.

Coleopterorum Catalogus.

- Pars 1: **R. Gestro**, Rhysodidae. 1910. 11 p.
(Mark 1) Mk. 0.65
- 2: **F. Borchmann**, Nilionidae, Othniidae, Aegialitidae,
Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) Mk. 2.—
- 3: **F. Borchmann**, Alleculidae. 1910. 80 p.
(Mark 7.50) Mk. 5.—
- 4: **M. Hagedorn**, Ipidae. 1910. 134 p.
(Mark 12.75) Mk. 8.50
- 5: **R. Gestro**, Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) Mk. 2.—
- 6: **H. Wagner**, Curculionidae: Apioninae. 1910. 81 p.
(Mark 7.50) Mk. 5.—
- 7: **H. von Schönfeldt**, Brentidae. 1910. 57 p.
(Mark 5.25) Mk. 3.50
- 8: **G. van Roon**, Lucanidae. 1910. 70 p.
(Mark 6.50) Mk. 4.35
- 9: **E. Olivier**, Lampyridae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 10:

E. Olivier



Rhagophthalmidae, Drilidae.



W. Junk

Berlin W. 15, Kurfuerstendamm 201.

1910.

pp 10.

Druck von A. Hopfer in Burg b. M.

Fam. Rhagophthalmidae.

Auct. E. Olivier.

Dioptoma Pasc.

Pascoe, Journ. Ent. I, 1860, p. 118.

- Adamsi* Pasc. l. c. t. 5, f. 2. — Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 310. — Gahan, Proc. Ent. Soc. Lond. 1908, p. XLVIII[♀] ~~Trans. Ent. Soc. Lond. 1912. p. 718-19. pl. 86.~~ *Trans. Ent. Soc. Lond. 1912. p. 718-19. pl. 86.* Dacca, Nilgiri, Ceylon — Green,
altripennis Pic, Mél. 18. 1916. p. 8. S. India, Madura. Ceylon.
Greeni Gah. Proc. Ent. Soc. Lond. 1912 (1913) p. cxviii.

Ochotyra Pasc.

Pascoe, Journ. Ent. I, 1862, p. 323.

- semiusta* Pasc. l. c. t. 16, f. 7. — Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 310. Malabar, Nilgiri, Ceylon, Coromandel
obscura Pic, Mél. 33. 1921. p. 18. ¹ India.

Rhagophthalmus Motsch.

Motschulsky, Et. Ent. 1859, p. 59.

- brevipennis* Fairm. Notes Leyd. Mus. XVIII, 1896, p. 227. Bengale
gibbosulus Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, Chine
p. 624.
giganteus Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, Yunnan
p. 25.
ingens Fairm. Notes Leyd. Mus. XVIII, 1896, p. 227. Chine
scutellatus Motsch. Et. Ent. 1853, p. 45; 1859, t. 1, Pekin
f. 12 u. 12¹.
sumatreensis Ern. Oliv. Ann. Mus. Genova XXII, 1885, Sumatra
p. 372.
tonkineus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 352. Tonkin

7

notaticollis Pic, Mél. 18. 1916. p. 9.

Ceylon

1*

Fam. Drilidae.

Auct. E. Olivier.

Drilides Lacordaire, Gen. Col. IV, 1857, p. 368.

Drilini Gemminger et Harold, Cat. Col. VI, 1869, p. 1684.

Drilidae Ern. Olivier, Gen. Ins. (Wytsman) Lamp. 1907, p. 1.

Biologie: Mielzinsky, Mémoires sur une larve qui dévore l'*Helix nemoralis* et sur l'insecte auquel elle donne naissance (Ann. Sc. Nat. I, 1824, p. 67—77, t. 7, f. 1—11; Mém. Soc. Phys. Genève II, 2, 1824, p. 1, t. 1; Isis 1825, IV, p. 477). — Desmarest, Ann. Sc. Nat. II, 1824, p. 257, t. 15, f. 1, 2; Bull. Soc. philom. Paris 1824, p. 57—62, t. 1, f. 9, 10. — Latreille, Note sur un Mémoire de Mr. Ignace Mielzinsky (Ann. Sc. Nat. 1824, p. 78—80). — Audouin, Ann. Sc. Nat. II, 1824, p. 443—459, t. 15; Isis 1830, IV, p. 443. — Guérin-Méneville, Mag. Zool. 1833, Ins. nr. 99, fig. — Westwood, Introd. to the mod. Class. of Insects I, 1839, p. 247, f. 16—18. — Lucas, Expl. Algér. Ent. 1849, t. 17, f. 9a, g. — Rouget, Cat. Col. Côte d'Or 1854, p. 148. — Lacordaire, Gen. Col. IV, 1857, p. 369. — Mulsant, Mollip. 1862, p. 422, f. 19—21. — Bellevoye, Remarques sur le *Drilus flavescens* (Bull. Soc. Ent. Fr. 1870, p. XXXVI). — Lucas, Ann. Soc. Ent. Fr. (5) I, 1871, p. 19—28. — Bourgeois Fne Gallo-rhén. Malac. 1894, p. 92. — Bayford, Ent. monthly Mag. XVII, 1906, p. 267. — Crawshay, Trans. Ent. Soc. 1903, p. 39—51. *M.*

Malacogaster Bassi.

Bassi, Mag. zool. 1833, Cl. IX, t. 99. — Lacord. Gen. Col. IV, 1857, p. 371.

adustus Chevr. Rev. zool. 1854, p. 433, t. 6, f. 5a—d.

Syrie

akbesianus Fairm. Bull. Soc. Ent. Fr. 1895, p. CX.

"

Bassii Luc. Ann. Soc. Ent. Fr. (5) I, 1871, p. 23, t. 1, f. 3, 4.

Algérie

nigripes Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 85.

Valencia

Passerinii Bassi, Mag. zool. 1832, Cl. IX, t. 99. — Jacq.

Sicile

du Val, Gen. Col. III, 1859—63, p. 164, t. 40, f. 198.

var. *thoracicus* Redt. Fn. Austr. ed. II, 1858, p. 525.

Chypre

rufipes Baudi, Berl. Ent. Zeit. XV, 1871, p. 62.

Iles Canaries

tilloides Woll. Cat. Col. Canar. 1864, p. 215.

Chypre

Truquii Baudi, Berl. Ent. Zeit. XV, 1871, p. 62.

Cyclanidulus. Thorax trapeziform,
arcuate in front, transversely sinuate at
base, post. angles faintly marked. Ante-
dorsal spine 2nd pair short, 1st, 3rd
equal, rest rather longer. Last pair of
palpi short, suboval. El. as wide as thick.
Gonostyli long, slender, legs strong,
flattened. Hind shank sparsely hairy
blurred. Scales brownish, stiff,
oblique.

C. bipunctatus. Abdomen elongated,
slender, with 2 black, brilliant, bands with
irregular edges, placed near the extremes.
Cervical reddish, pink, shiny & clear, of
extreme density. Mouth reflexed. 4-5 mm.

Borneo. Borneo.

Polyommatus Pet. Bo., 1911, p. 10
Type locality: Taverae, Sicily.
var. *leucanthus* Pfeiffer, a small species
sometimes. Both pink and pale very
similar, though probably a
superior, but less, much flattened, and
from 3 to 4 feet, and gradually rising from base
beyond to height, 1000 feet, and
is then quite inaccessible above. It is a
wide as flat as, parallel to, and
rather moist ground, supporting two fairly
few May-flowers (*Hedysarum* Bong.)
A few more species than of Ranunculus
(Ranunculaceae).

In pink subsection. The alpenglow
called, from brilliant, broken sunbeams
brightly reflected from snow and ice,
now, the band becoming a little higher
and white, extending round about 4000
feet, the upper limit of the snow.
In pink, the glaucous, that of glaucous plants & a
superior, undifferentiated surface from
bright, small blue, triangular, pink.

T.O.

False phoe option

near Thompson like Gygax
driller but not closer, body more
elegant, tail longer and thickened
Also near Euanomia Reitt

It probably tebaica, but
extreme lateral maxillary, cl.
black with small orange spot
2 basal pits of anterodorsal, cl. on orbicular
fins with strong median septum
small flag.

Lateral

Dolichos

Feb 26. '27

Mandib. & long bent pub. flat be
Subcylindric, elongate slender
Appendiculate at apex. Dark, short
(black), with 11 coarse transverse +
more or less prolonged to form 3 parallel
grooves with a large cavity on each
side, even pointed behind it. Ova
scarious, pupa-shaped, truncated at apex
The slender appendages black, with
dark oblique band.

Dolichos lanceolatus, Boott
fls. opp., mandib. trinerved, reddest +
olive, set to pink, yellow, 7 mm. l.

Drilus G. A. Oliv.

G. A. Olivier, Ent. II, 23, 1790. — Lacord. Gen. Col. IV, 1857, p. 372.

Cochleoctonus Mielzinsky, Ann. Sc. Nat. I, 1824, p. 74.

<i>amabilis</i> Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 85.	Menorca
<i>bicolor</i> Schauf. l. c. p. 83.	Syrie
<i>concolor</i> Ahr. Neue Schr. Nat. Ges. Halle II, 2, 1812, p. 13, t. 1, f. 4d. — Kiesw. Nat. Ins. Deutschl. IV, 1861, p. 567. — Muls. Mollip. 1862, p. 485.	Europe
<i>ater</i> Aud. Ann. Sc. Nat. II, 1824, p. 459, t. 15, f. 23. — Motsch. Bull. Mosc. XII, 1839, p. 81, t. 5, f. h ♂♀.	
<i>pectinatus</i> Gyll. in Schönh. Syn. Ins. I, 3, App. 1817, p. 12.	
<i>creticus</i> Pic, L'Echange XXI, 1905, p. 170.	Crète
<i>distincticollis</i> Pic, L'Echange XXIII, 1907, p. 129.	Ile de Zante
<i>flavescens</i> G. A. Oliv. Ent. II, 23, 1790, p. 4, t. 1, f. 1a—e. — Rossi, Fn. Etr. I, 1790, p. 51. — F. Ent. Syst. II, 1792, p. 243. — J. du Val, Gen. Col. III, 1859—63, p. 163, t. 40, f. 196 ♂, 197 ♀. — Kiesw. Nat. Ins. Deutschl. IV, 1861, p. 566. — Muls. Mollip. 1862, p. 478, f. 19 ♂, 20 ♀, 21 larva.	Europe
<i>parisinus</i> Thunb. Nov. Act. Ups. V, 1792, p. 93.	
<i>serraticornis</i> Marsh. Ent. Brit. I, 1802, p. 374.	
<i>♀ vorax</i> Mielz. Ann. Soc. Nat. I, 1824, p. 75, t. 7, f. 6—8.	
var. <i>flabellatus</i> Kiesw. Berl. Ent. Zeit. III, 1859, p. 158.	
<i>frontalis</i> Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 84.	Asie mineure
<i>fulvicollis</i> Aud. Ann. Sc. Nat. II, 1824, p. 460, t. 15, f. 24. — Cast. Hist. Nat. Col. I, 1840, p. 270.	France mérid.
<i>venustus</i> Guér. Ic. règne an. 1829, p. 48, t. 15, f. 1a—c.	Dalmatie
<i>ruficollis</i> Guér. l. c. p. 48.	
<i>fulvicornis</i> Kiesw. Berl. Ent. Zeit. III, 1859, p. 159.	Grèce
<i>fulvitarsis</i> Baudi, Berl. Ent. Zeit. XV, 1871, p. 120.	Caucase
<i>funebris</i> Reitt. Best. Tab. XXIX, 1894, p. 6.	Crète
<i>fusculus</i> Boh. Ins. Caffr. I, 2, 1851, p. 450.	Natal
<i>kandyanus</i> Bourg. Ann. Soc. Ent. Fr. LXXII, 1903, p. 481.	Ceylan
<i>latithorax</i> Pic, L'Echange XVIII, 1902, p. 24.	Asie mineure
<i>longulus</i> Kiesw. Berl. Ent. Zeitschr. III, 1859, p. 159.	Crète
<i>concolor</i> var. Muls. Mollip. 1862, p. 286.	
<i>mauritanicus</i> Luc. C. rend. Ac. Sc. Paris 1842, p. 1187; Rev. Zool. 1842, p. 386; Expl. Alg. Ent. 1849, p. 176, t. 17, f. 7—8.	Algérie
<i>novoathonius</i> Sumakow, Wien. Ent. Zeit. XXII, 1903, p. 48.	Caucase
<i>obscuricornis</i> Pic, Proc. verb. Soc. Hist. nat. Autun 1899, p. 205.	Asie mineure
<i>pesticus</i> Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 83.	Syrie
<i>ramosus</i> Fairm. Natur. 1883, p. 205; Ann. Soc. Ent. Fr. 6 (III) 1883, p. 94.	Abyssinie
<i>rectus</i> Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 83.	Syrie
<i>Reitteri</i> Bourg. Bull. Soc. Ent. Fr. 1908, p. 241.	"
<i>Schwarzii</i> Reitt. Wien. Ent. Zeit. X, 1891, p. 246.	Dalmatie

Paradrilus Kiesw.

Kiesenwetter, Berl. Ent. Zeitschr. X, 1866, p. 244.

opacus Kiesw. Berl. Ent. Zeitschr. IX, 1865, p. 369; Espagne
X, 1866, p. 244, t. I, f. 3.

1

Drilaster Kiesw.

Kiesenwetter, Deutsch. Ent. Zeitschr. XXIII, 1879, p. 310.

axillaris Kiesw. l. c. p. 311. Japon
unicolor Lewis, Ann. Mag. Nat. Hist. XVI, p. 115. ,

2

Drilonius Kiesw.

Kiesenwetter, Berl. Ent. Zeitschr. XVIII, 1874, p. 282.

striatulus Kiesw. l. c. Japon

1

Cerocosmus Gemm.

Gemminger, Col. Hefte XI, 1873, p. 146.

Cosmocerus Sol. in Gay, Hist. Chile IV, 1849, p. 476. — Lacord.
Gen. Col. IV, 1857, p. 374 (nec Guér.).

cinereus Sol. l. c. t. II, f. 13. Chili

1

Hellotis is correct name for **Heliotis** Cast.

Castelnau, Silb. Rev. IV, 1836, p. 18.

Hopei Cast. l. c.; Hist. Nat. Col. I, 1840, p. 257. Nouvelle
Hollande

1

Selasia Cast.

Castelnau, Silb. Rev. IV, 1836, p. 19. — Lacord. Gen. Col. IV, 1857, p. 375.

Euptilia Westw.

Sicca, *Farguhausen* & *Poulton*, *Zool. Soc. 1921*.

asperulipennis Fairm. Ann. Soc. Ent. Belg. XXXVII, Choa
1893, p. 23.

basalis Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 307. Inde
decipiens Guér. Sp. et Ic. An. art. fasc. II, nr. 6, 1829, Inde orient.
p. 3, f. 12—17.

fulva Gorh. Ann. Mus. Genova XVIII, 1883, p. 596. Abyssinie
Horni Bourg. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 130. Ceylan

Isabellae Bourg. l. c. 1909, p. 434, t. 12, f. 6.

kilimana Kolbe, Deutsch-Ost-Afrika IV, Col. 1897, Afrique
p. 219. orient.

<i>laticeps</i> Pascoë, Ann. Mag. Nat. Hist. XX, 1887, p. 11.	Bombay
<i>Maindroni</i> Bourg. Ann. Soc. Ent. Fr. LXXII, 1903, p. 482.	Inde mérid.
<i>minuta</i> Kolbe, Mitth. Mus. Hamburg XIV, 1897, p. 91.	Afrique orient.
<i>pallida</i> Péringuay, Trans. S. Afric. Phil. Soc. IV, 1888, t. 2, f. 4.	Delagoa Bay
<i>pulchella</i> Gestro, Ann. Mus. Genova XIII, 1878, p. 319.	Abyssinie
<i>pulchra</i> Pascoë, Ann. Mag. Nat. Hist. XX, 1887, p. 11, t. 1, f. 8.	Delagoa Bay
<i>rhipiceroïdes</i> Cast. Silb. Rev. IV, 1836, p. 19; Hist. Col. I, 1840, p. 257. — Guér. Sp. et Ic. An. art. fasc. II, nr. 6, 1829, p. 2, f. 1—8.	Sénégal
<i>Robecchii</i> Gestro, Ann. Mus. Genova (2) XII, 1892, p. 759.	Somalis
<i>unicolor</i> Guér. Sp. et Ic. An. art. fasc. II, nr. 6, 1829, p. 3, f. 9—11.	Sierra Leone
<i>Widenmanni</i> Kolbe, Deutsch-Ost-Afrika IV, Col. 1897, p. 219.	Afrique orient.

17

Laemoglyptus Fairm.

Fairm. Ann. Soc. Ent. Fr. 6 (VI), 1886, p. 334.

<i>fissiventris</i> Fairm. l. c. p. 335.	Mou-Pin
1	

Stenocladius Fairm.

Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 112.

Hydaspes Bourg. Ann. Soc. Ent. Fr. (6) X, 1890, p. 171.

<i>Andrewesi</i> Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 307 ♂	Inde
<i>Bourgeoisi</i> Gorh. l. c. p. 308.	"
<i>Davidi</i> Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 113.	Chine centr.
<i>Fairmairei</i> Bourg. Ann. Soc. Ent. Fr. (6) X, 1890, p. 172.	Cochinchine
<i>vittatus</i> Gorh. Ann. Soc. Ent. Belg. XLVII, 1903, p. 331.	Inde

5

Eugeusis Westw.Westw. Trans. Ent. Soc. Lond. 1853, p. 238. — Lacord. Gen. Col. IV, 1857,
p. 376.

<i>nigripennis</i> Pascoë, Ann. Mag. Nat. Hist. XX, 1887, p. 10, t. 1, f. 7.	Burmah
<i>palpator</i> Westw. Trans. Ent. Soc. Lond. 1853, p. 238, t. 12, f. 5. — Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 309.	Ceylan, Inde Bengale

2

Anadrilus Kirsch.

Kirsch, Mitth. Mus. Dresden I, 1875, p. 37.

<i>indus</i> Kirsch l. c.	Malacca
1	

Lamprologus

Manuk, Par. Zool. Ser. 4, 1921, p. 779
 (Angola, Lake Tanganyika)
 Type locality
 Manuk, Par. Zool. Ser. 4, 1921, p. 779
 (Angola, Lake Tanganyika)

Haplogeusis. — Cydistus.

Pars 10

Harmatelia Walker
Haplogeusis Bourg.

Bourg. Ann. Soc. Ent. Fr. 1909, p. 434.

ceylanica Bourg. l. c. p. 435, t. 12, f. 7.

Ceylan

distincta Bourg. l. c. p. 436, t. 12, f. 8.

,,

2

Diplocladon Gorh.

Gorh. Notes Leyden Mus. V, 1883, p. 5.

Diplocladon Gorh. l. c. p. 249.— **Hasseliti** Gorh. Notes Leyd. Mus. V, 1883, p. 6; l. c. p. 250.Sumatra,
Java— **indicum** Gorh. Ann. Soc. Ent. Belg. XLVII, 1903, p. 330.

Inde

2

Dodecatoma Westw.

Westw. Guér. Sp. et Ic. An. art. fasc. VI, nr. 16, 1843. — Lacord. Gen. Col. IV, 1857, p. 377.

— **bicolor** Westw. l. c. f. 1—5.

Deccan

— **fuscicornis** Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 309.

Inde

2

Pachytarsus Motsch.

Motsch. Bull. Mosc. XXXIV, 1861, I, p. 133.

— **basalis** Motsch. l. c. p. 135.

Ceylan

— **lateralis** Motsch. l. c. p. 134, t. 9, f. 15.

,,

— **testaceus** Motsch. l. c. p. 135.

,,

3

Cyphonocerus Kiesw.

Kiesenwetter, Deutsch. Ent. Zeitschr. XXIII, 1879, p. 311.

— **ruficollis** Kiesw. l. c. p. 312.

Japon

1

Cydistus Bourg.

Bourg. Bull. Soc. Ent. Fr. 1885, p. 37; Ann. Soc. Ent. Fr. (6) V, 1885, p. 272.

— **Reitteri** Bourg. Bull. Soc. Ent. Fr. 1885, p. 38; Ann. Soc. Ent. Fr. (6) V, 1885, p. 273, t. 5, f. 5; Bull. Soc. Ent. Fr. 1908, p. 211.

Syrie

— **Zurcheri** Bourg. Bull. Soc. Ent. Fr. 1908, p. 211. — Adana Pic, Echange XXIV, 1908, p. 88.— **Reitteri** Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 133, fig. (nec Bourg.).

2

Hellotis is correct name for
Helvetis cast.

(**Phrixothrix** Ern. Oliv.)

Ern. Oliv. Bull. Soc. Ent. Fr. 1909, p. 344.

hirtus Ern. Oliv. l. c. p. 345.*pallens* Berg, An. Soc. cient. Argent. 1885, p. 232.*uruguayensis* Berg, Bull. Soc. Ent. Fr. 1886, p. 59.

Paraguay

Uruguay

,,

3

Telegeusis Horn.

Horn, Proc. Ac. Calif. (2) V, 1895, p. 242.

debilis Horn, l. c. p. 243.

Californie


1


—
79**Index Drilidarum.**

Pl. 10

Genera.*Anadrilus* Kirsch 7*Haplocladon* Gorh. 8*Cerocosmus* Gemm. 6*Haplogeusis* Bourg. 8*Cochleoctonus* Mielz. 5*Heliotis* Cast. 6.*Cosmocerus* Sol. 6*Hydaspes* Bourg. 7*Cydistus* Bourg. 5*Laemoglyptus* Fairm. 7*Cyphonocerus* Kiesw. 8*Malacogaster* Bassi 4*Diplocladon* Gorh. 8*Pachytarsus* Motsch. 8*Dodecatoma* Westw. 8*Paradrilus* Kiesw. 6*Drilaster* Kiesw. 6*Phrixothrix* Ern. Oliv. 9*Drilonius* Kiesw. 6*Selasia* Cast. 6*Drilus* G. A. Oliv. 5*Stenocladius* Fairm. 7*Eugeusis* Westw. 7*Telegeusis* Horn 9*Euptilia* Westw. 6**Species, Varietates.***adustus* Chevr. 4*ater* Aud. 5*akbesianus* Fairm. 4*axillaris* Kiesw. 6*amabilis* Schauf. 5*basalis* Gorh. (Sel.) 6*Andrewesi* Gorh. 7*basalis* Motsch. (Pach.) 8*asperulipennis* Fairm. 6

- | | |
|-----------------------------|-------------------------------|
| Bassii Luc. 4 | nigripennis Pasc. 7 |
| bicolor Schauf. (Dril.) 5 | nigripes Schauf. 4 |
| bicolor Westw. (Dod.) 8 | novoathonius Sum. 5 |
| Bourgeoisi Gorh. 7 | |
| ceylanica Bourg. 8 | obscuricornis Pic 5 |
| cinereus Sol. 6 | opacus Kiesw. 6 |
| concolor Ahr. 5 | |
| creticus Pic 5 | |
| Davidi Fairm. 7 | pallens Berg 9 |
| debilis Horn 9 | pallida Péring. 7 |
| decipiens Guér. 6 | palpator Westw. 7 |
| distincta Bourg. 8 | parisinus Thunb. 5 |
| distincticollis Pic 5 | Passerinii Bassi 4 |
| Fairmairei Bourg. 7 | pectinatus Gyll. 5 |
| fissiventris Fairm. 7 | posticus Schauf. 5 |
| <i>flabellatus</i> Kiesw. 5 | pulchella Gestro 7 |
| flavescens G. A. Oliv. 5 | pulchra Pasc. 7 |
| frontalis Schauf. 5 | |
| fulva Gorh. 6 | ramosus Fairm. 5 |
| fulvicollis Aud. 5 | rectus Schauf. 5 |
| fulvicornis Kiesw. 5 | Reitteri Bourg. (Cyd.) 8 |
| fulvitarsis Baudi 5 | Reitteri Bourg. (Dril.) 5 |
| funebris Reitt. 5 | Reitteri Reitt. (Cyd.) 8 |
| fuscicornis Gorh. 8 | rhipiceroïdes Cast. 7 |
| fusculus Boh. 5 | Robecchii Gestro 7 |
| Hasselti Gorh. 8 | ruficollis Kiesw. (Cyph.) 8 |
| hirtus Ern. Oliv. 9 | ruficollis Guér. (Dril.) 5 |
| Hopei Cast. 6 | rufipes Baudi 4 |
| Horni Bourg. 6 | |
| indicum Gorh. 8 | Schwarzii Reitt. 5 |
| indus Kirsch 7 | <i>serraticornis</i> Marsh. 5 |
| Isabellae Bourg. 6 | striatulus Kiesw. 6 |
| kandyanus Bourg. 5 | |
| kilimana Kolbe 6 | testaceus Motsch. 8 |
| lateralis Motsch. 8 | <i>thoracicus</i> Redt. 4 |
| laticeps Pasc. 7 | tilloïdes Woll. 4 |
| latithorax Pic 5 | Truquii Baudi 4 |
| longulus Kiesw. 5 | |
| Maindroni Bourg. 7 | unicolor Guér. (Sel.) 7 |
| mauritanicus Luc. 5 | unicolor Lewis (Dril.) 6 |
| minuta Kolbe 7 | uruguayensis Berg 9 |
| | <i>venustus</i> Guér. 5 |
| | vittatus Gorh. 7 |
| | <i>vorax</i> Mielz. 5 |
| | Widenmanni Kolbe 7 |
| | Zurcheri Bourg. 8 |





2184

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Coleopterorum Catalogus](#)

Jahr/Year: 1910

Band/Volume: [10](#)

Autor(en)/Author(s): Olivier Ernest

Artikel/Article: [Rhagophthalmidae, Drilidae 1-10](#)