







































Type species - Lutreille 1810: 430

- II, 1846, nr. 13. — Gerst. in Peters' Reise 1862, p. 305. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 42. — F. Hartm. Deutsche Ent. Zeitschr. 1906, p. 65. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 14, t. 2, f. 7; t. 3, f. 15.
- cruciatus* Geer (*Curculio*) Mém. Ins. V, 1775, p. 275, t. 16, f. 1.
- var. *caffer* Gyll. l. c. I, 1833, p. 394; V, 2, 1840, p. 607. Capland, Kaffraria, Sierra Leone
- var. *ferrugineus* Ol. Entom. V, 1807, 82, p. 45, t. 3, f. 26. — Gyll. l. c. I, 1833, p. 389; V, 2, 1840, p. 606. Capland Madagascar
- (var. *tessellatus* Gyll. l. c. I, 1833, p. 388; V, 2, 1840, p. 606. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 401.) Capland = *ornatus*, Dr.
- apterus* Thunbg. Nov. Act. Ups. VI, 1799, p. 17.
- ~~-atrox~~ Gerst. in Arch. Naturgesch. XXXVII, 1871, I, p. 72; Decken's Reise III, 2, 1873, t. 11, f. 10. Sansibar
- ~~-auguris~~ Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 50. Kaffraria
- ~~-auritus~~ Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 151, t. 4, f. 3. Capland, Namaqua
- ~~-axillaris~~ Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 715. Capland
- ~~-baecatus~~ Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 65. Kaffraria
- ~~-balearicus~~ Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 171, t. 4, f. 3, 17. Balearen
- ← ~~-barbarus~~ L. Syst. Nat. ed. X, 1758, p. 386; ed. XII, 1767, I, 2, p. 617 (parte prima descrp.). — F. Syst. Ent. 1775, p. 120; Spec. Ins. 1781, p. 194; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 381; Syst. Eleuth. II, 1801, p. 414. — Ol. Encycl. méth. Ins. V, 1790, p. 185; Entom. V, 1807, 82, p. 49, t. 2, f. 15a, b. — Herbst, Käfer VII, 1797, p. 80. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 661. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 183. — H. Lucas, Bull. Soc. Ent. Fr. 1884, p. 56. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 11. Spanien, Portugal, Südfrankreich, Algier, Marokko
- Biologie: Jonicus (Champion!), Entomol. Magaz. III, 1836, p. 465. — Perris, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 128.
- algirus* Latr. Gen. Crust. et Ins. II, 1807, p. 253. — Bedel, l. c. p. 183.
- curtululus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 366.
- fluctiger* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 651.
- interruptus* Rey, Échange 1894, p. 63.
- lateralis* Gyll. l. c. I, 1833, p. 407; V, 2, 1840, p. 651. — Reiche, l. c.
- latro* Gyll. l. c. I, 1833, p. 412; V, 2, 1840, p. 656.
- libertinus* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 650.
- paradoxus* Rey, l. c.
- var. *ramosus* Schauf. Nunq. Ot. III, 1882, p. 542. Balearen
- ~~-batrachus~~ Gestro, Ann. Mus. Genova XXXV, 1895, p. 405. Gallaland
- ~~-bicallosus~~ Gyll. l. c. V, 2, 1840, p. 613. Kaffraria

- biornutus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1874, p. 66. Caffraria  
*biglobatus* Sparrm. Act. Holm. 1785, p. 53, t. 3, f. 30. Capland  
 — Öf. Encycl. meth. Ins. V, 1790, p. 569. —  
 Gyll. l. c. I, 1833, p. 432; V, 2, 1840, p. 696.  
*spectrum* Thunbg. Nov. Act. Ups. VI, 1799, p. 35.  
 var. *interpunctatus* Gyll. l. c. V, 2, 1840, p. 697. Kaffraria  
 var. *lentus* Gyll. l. c. p. 696. Capland  
 var. *saxosus* Gyll. l. c. p. 697. „  
 var. *scrobirostris* Gyll. l. c. p. 697. Kaffraria  
 var. *ungulatus* Gyll. l. c. p. 967. Capland  
*boschimanus* Péring. Trans. S. Afric. Phil. Soc. IV, „  
 1888, p. 160.  
*Bottegi* Gestro, Ann. Mus. Genova XXXV, 1895, p. 406. Gallaland  
*brachyceropsides* Péring. Ann. Mag. Nat. Hist. II, 1888, Natal  
 p. 222.  
*brevicostatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, Kaffraria,  
 1871, p. 48. Sansibar  
 var. *cinnamomeus* Pasc. Trans. Ent. Soc. 1887,  
 p. 8, t. 1, f. 1; l. c. 1888, p. 25. — Marshall,  
 Deutsche Ent. Zeitschr. 1907, p. 481.  
*buculus* Schoenh. Gen. Curc. I, 1833, p. 427. Capland  
*juvencus* Thunbg. Nov. Act. Ups. VI, 1799, p. 22.  
*callosus* Schoenh. l. c. p. 427. — Fährs. in Schoenh., Spanien,  
 Gen. Curc. V, 2, 1840, p. 657. — Bedel, Ann. Portugal,  
 Soc. Ent. Fr. (5) IV, 1874, p. 187; Ann. Soc. Sicilien,  
 Ent. Fr. (6) VII, 1887, p. 200; Bull. Soc. Ent. Algier  
 Fr. 1906, p. 92.  
*algirus* H. Luc. Hist. Nat. anim. artic. Algér. II, 1849, p. 414.  
*Chevrolati* Fährs. l. c. p. 657. — Bedel, Nouv. et Faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 184, t. 4, f. 9; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 200; Bull. Soc. Ent. Fr. 1906, p. 92. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 10, f. 3a.  
*hypocritus* Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 190, t. 4, f. 5, 10. — Fauv. Rev. d'Ent. III, 1884, p. 81.  
*parens* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 366.  
*peninsularis* Chevr. Rev. Mag. Zool. 1866, p. 105, 26.  
*Raffrayi* Desbr. l. c. p. 365.  
*semituberculatus* H. Luc. l. c. p. 411, t. 35, f. 6.  
*variolosus* Thunbg. l. c. p. 30.  
*canalirostris* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, Kaffraria  
 p. 62.  
*cancellatus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 404; Capland  
 V, 2, 1840, p. 615. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 46.  
*caperans* A. Licht. Cat. Mus. Hambg. 1795, p. 55. — „  
 Herbst, Käfer VII, 1797, p. 88.  
*carbunculus* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, Central-  
 p. 287. Afrika  
*catenulatus* Fährs. l. c. p. 64. Kaffraria  
*caviceps* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, Capland  
 p. 149, t. 4, f. 2. Namaqua  
*cavifrons* Gyll. l. c. I, 1833, p. 435; V, 2, 1840, p. 717. Capland  
 var. *milleporellus* Bovie, Ann. Soc. Ent. Belg. „  
 LII, 1908, p. 43.

- milleporus* Gyll. (nec Wied.) l. c. I, 1833, p. 435; V, 2, 1840, p. 707, obs.; p. 717.
- cincticollis* Quedf. l. c. p. 285. Central-Afrika, Capland
- cinctipes* Gyll. l. c. I, 1833, p. 397.
- cinerarius* Wiedem. Zool. Mag. II, 1823, p. 115. — Gyll. l. c. I, 1833, p. 426. — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 664.
- var. *spilopterus* Wiedem. Zool. Mag. II, 1823, p. 117. — Schoenh. Gen. Curc. I, 1833, p. 440; V, 2, 1840, p. 720. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 16.
- cineurus* Ol. Ent. V, 1807, 82, p. 56, t. 3, f. 35a, b. — Schoenh. Gen. Curc. I, 1833, p. 424. — Bedel, Bull. Soc. Ent. Fr. 1872, p. 50; Nouv. et Faits 1872, p. 119; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 156. — Vitale, l. c. p. 11, f. 5a. Südrankreich, Italien, Sicilien, Dalmatien, Ungarn, Griechenland, Caucasus, Transcaucasien, Unter-Ägypten
- lutosus* Gyll. l. c. I, 1833, p. 417. — Vitale, l. c. p. 12. — Rey, Échange 1894, p. 63. Kaffraria
- pulverulentus* Ol. l. c. p. 56, t. 3, f. 29.
- quadrisulcatus* Fisch.-Waldh. Bull. Mosc. II, 1830, ed. Lequien I, p. 95. West-Usambara
- superciliosus* Gyll. l. c. I, 1833, p. 422. — Fald. Fn. Transc. II, 1837, p. 168, t. 5. Capland, Mosambik
- clitellatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 56.
- collaris* Fährs. l. c. p. 61.
- comparabilis* Kolbe, Arch. Naturgesch. LXIV, 1898, p. 243. Capland, Namaqua
- comtus* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 663.
- congestus* Gerst. Monatsb. Berl. Ak. 1855, p. 83; Peters' Reise 1862, p. 306, t. 18, f. 7. Kaffraria
- consimilis* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 133, t. 3, f. 2. Capland
- contortus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 57.
- cordiger* Sparrm. Act. Holm. 1785, I, p. 50, t. 3, f. 23. — Ol. Enc. méth. Ins. V, 1790, p. 568. — F. Suppl. Ent. Syst. 1798, p. 161; Syst. Eleuth. II, 1801, p. 413. — Gyll. l. c. I, 1833, p. 395; V, 2, 1840, p. 613. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 16, t. 2, f. 8. Capland
- papillosus* Thunbg. Nov. Act. Ups. VI, 1799, p. 20.
- scabrosus* Ol. Enc. meth. Ins. V, 1790, p. 184; Ent. V, 1807, 82, p. 48, t. 2, f. 11. — Herbst, Käfer VII, 197, p. 93.
- corniculatus* Gyll. l. c. I, 1833, p. 429; V, 2, 1840, p. 686. Kaffraria
- cornutus* L. (*Curculio*) Mus. Ludov. Ulr. 1764, p. 57. Capland, Kaffraria, Damara
- F. Syst. Ent. 1775, p. 153; Spec. Ins. I, 1781, p. 195; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 322; Syst. Eleuth. II, 1801, p. 415.
- Sparrm. Act. Holm. 1785, p. 51, t. 3, f. 24. — Herbst, Käfer VII, 1797, p. 90. — Thunbg. Nov. Act. Ups. VI, 1799, p. 20. — Gyll. l. c. I, 1833, p. 399; V, 2, 1840, p. 643. — Imh. & Labr. Gen. Curc. II, 1846, nr. 11. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 16, t. 2, f. 4; t. 3, f. 14.
- rixator* Pasc. Trans. Ent. Soc. 1887, p. 11, t. 1, f. 7. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.

*spinirostris* Ol. Enc. méth. Ins. V, 1790, p. 183; Ent. V, 1807, 82, p. 59, t. 2, f. 9. — Hbst. Käfer VII, 1797, p. 93.

*coronirostris* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 627. Capland

*costalis* Gyll. l. c. p. 616. " Sierra Leone ?

*costatus* Gyll. l. c. p. 687. Capland

*crenatus* Ol. Enc. méth. Ins. V, 1790, p. 186; Ent. V, 1807, 82, p. 66, t. 2, f. 17. — Herbst, Käfer VII, 1797, p. 96. — Gyll. l. c. V, 2, 1840, p. 707. Madagascar

*crispatorostris* Gyll. l. c. V, 2, 1840, p. 689. Capland = scutator?

*crispatus* F. Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 382; Syst. Eleuth. II, 1801, p. 414. — Thunbg. Nov. Act. Ups. VI, 1799, p. 29. — Herbst, l. c. p. 86. — Ol. Ent. V, 1807, 82, p. 54, t. 3, f. 27. — Schoenh. Gen. Curc. I, 1833, p. 410. — Bedel, Nouv. et Faits 1872, p. 118. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 180. Alger, Tunis

*clathratus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 362.

*pterygomalis* H. Luc. Hist. Nat. Algér. II, 1849, p. 411.

*rectecostatus* Desbr. l. c.

*crispicularis* Gyll. l. c. V, 2, 1840, p. 690. Capland

*cristatus* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 134, t. 2, f. 7. Kaffraria, = farawala Namaqua

*curruca* Gyll. l. c. p. 677. Capland

*cylindripes* Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 171, t. 4, f. 4. Marokko

*deceptor* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 163. Capland

*densegranosus* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 320, t. 3, f. 8. Ost-Afrika

*detritus* Thunbg. Nov. Act. Ups. VI, 1799, p. 21. — Gyll. l. c. I, 1833, p. 403. — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 612. Capland

var. *hottentottus* Gyll. l. c. I, 1833, p. 393. — Fährs. l. c. p. 612. "

var. *koroquanus* Fährs. l. c. p. 612. "

var. *maculosus* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 429. — Schoenh. l. c. I, 1833, p. 399; V, 2, 1840, p. 669. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481. "

*maculatus* F. Syst. Eleuth. II, 1801, p. 413. — Schoenh. l. c. I, 1833, p. 395. — Fährs. l. c. p. 611.

*difficilis* Péring. Denkschr. med.-natw. Gesellsch. Jena XIII, 1908, p. 421. Windhuk

*discolor* Gyll. l. c. V, 2, 1840, p. 647. Capland

*disjunctus* Pasc. Journ. Linn. Soc. Lond. XII, 1873, p. 10, t. 1, f. 4. Damara

*dispar* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 158. Namaqua

*dorsalis* Gyll. l. c. I, 1833, p. 425; V, 2, 1840, p. 677. Capland

*dorsomaculatus* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 193. Central-Afrika = maculatus

*dubius* Panz. Voets Beschr. IV, 1798, p. 42, t. 34, f. E. Patria?

*minor* Voet, Cat. II, 1806, p. 46, & Index p. 16, t. 34, f. E.

<del>—</del> <i>duplicatus</i> Gyll. l. c. V, 2, 1840, p. 638. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 51. var. <i>Boei</i> Gyll. l. c. p. 638.	Kaffraria
<del>—</del> ( <i>ebullinus</i> Péring.) Trans. S. Afr. Phil. Soc. IV, 1888, p. 157.	Capland = 2 <i>sp. n.</i>
<i>echinatus</i> Gyll. l. c. I, 1833, p. 402; V, 2, 1840, p. 645.	„
<del>—</del> <i>Eckloni</i> Gyll. l. c. V, 2, 1840, p. 694. <i>Stongiusculus</i> Gyll. l. c. p. 695. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481. <i>suturalis</i> Pasc. Trans. Ent. Soc. Lond. 1887, p. 9, t. 1, f. 2, 1888, p. 25.	Kaffraria
<del>—</del> <i>effertus</i> Péring. Trans. Ent. Soc. Lond. 1896, p. 188.	Zambesi
<i>emeritus</i> L. Mus. Ludov. Ulr. 1764, p. 56. — F. Syst. Ent. 1775, p. 152; Spec. Ins. I, 1781, p. 194; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 480; Syst. Eleuth. II, 1801, p. 535. — Ol. Encycl. meth. V, 1790, p. 546. — Thunbg. Nov. Act. Ups. VI, 1799, p. 59. — Schoenh. Gen. Curc. I, 1833, p. 403. — Gyll. l. c. V, 2, 1840, p. 617.	Capland
<del>—</del> <i>ephippiatus</i> Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 56.	Kaffraria
<del>—</del> <i>erinaceus</i> Ol. Ent. V, 1807, <sup>p. 53, t. 5, f. 25</sup> — Gyll. l. c. I, 1833, p. 400; V, 2, 1840, p. 644.	Capland
<i>erosus</i> Gerst. Monatsb. Berl. Akad. 1855, p. 83; Peters <sup>3</sup> Reise 1862, p. 306.	Mosambik
<i>errans</i> Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 66.	Kaffraria
<del>—</del> <i>eximius</i> Pasc. Trans. Ent. Soc. Lond. 1887, p. 9, t. 1, f. 3.	Capland
<i>facietatus</i> Gyll. l. c. V, 2, 1840, p. 618.	„
<del>—</del> <i>Fahraei</i> Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 718.	„
<del>—</del> <i>fartetus</i> Ill. in Schneider, Neues Ent. Magaz. V, 1794, p. 617. — Herbst, Käfer VII, 1797, p. 98. — Schoenh. l. c. I, 1833, p. 393; V, 2, 1840, p. 611.	„
<del>—</del> <i>fascicularis</i> Ol. Ent. V, 1807, 82, p. 64, t. 3, f. 31. — Schoenh. l. c. I, 1833, p. 438. — Gyll. l. c. V, 2, 1840, p. 645.	„
<i>fascicularis</i> Panz. (gen. dub.!) Voets Besch. IV, 1798, p. 42, t. 34, f. c.	„
<i>capensis</i> Voet, Cat. II, 1806, p. 45, Index p. 16, t. 34, f. C.	„
<i>fasciculosus</i> Germ. in Schoenh. Gen. Curc. I, 1833, p. 425. — Fährs. in Schoenh. l. c. V, 2, 1840, p. 634.	„
<i>ferox</i> Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 320.	Deutsch-Ostafrika
<i>ferrugatus</i> Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 286.	Central-Afrika
<del>—</del> <i>Fischeri</i> Kolbe, Arch. f. Naturgesch. LXIV, 1898, p. 244.	Ost-USambara
<i>flavonotatus</i> Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 147, t. 4, f. 8.	Capland
<i>formidulosus</i> Gyll. l. c. V, 2, 1840, p. 699.	„
<del>—</del> <i>foveifrons</i> Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 194, t. 4, f. 6, 15.	Syrien
<i>foveolatus</i> Péring. l. c. IV, 1888, p. 160.	Capland
<del>—</del> <i>fuliginosus</i> Gyll. l. c. V, 2, 1840, p. 712.	„
<del>—</del> <i>gemmatus</i> Ol. Enc. meth. Ins. V, 1790, p. 185; Entom. V, 82, p. 62, t. 2, f. 13. — Schoenh. l. c. I, 1833, p. 438.	Patria?

- ~~gemmeus~~ Gyll. l. c. V, 2, 1840, p. 704. Capland  
~~gemmafer~~<sup>us</sup> Germ. in Schoenh. Gen. Curc. I, 1833, p. 394. ”  
— Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 680.  
~~glabratus~~ Wiedem. in Germar, Magaz. IV, 1821, p. 157. ”  
— Gyll. l. c. I, 1833, p. 437; V, 2, 1840, p. 719.  
~~glanduliferus~~ Gyll. l. c. V, 2, 1840, p. 667. ”  
~~globiferus~~ Thunbg. Nov. Act. Ups. VI, 1799, p. 21. ”  
— Gyll. l. c. I, 1833, p. 403; V, 2, 1840, p. 621.  
var. *bullatus* Gyll. l. c. I, 1833, p. 396; V, 2, 1840, p. 621. ”  
~~globosus~~ Drury, Illustr. Nat. Hist. I, 1770, p. 69, t. 32, f. 4; II, 1773, Index. — F. Syst. Ent. 1775, p. 153; Spec. Ins. 1781, p. 195; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 381; Syst. Eleuth. II, 1801, p. 413. — Sparrm. Act. Holm. 1785, p. 54. — Ol. Enc. meth. Ins. V, 1790, p. 184; Ent. V, 1807, 82, p. 47, t. 2, f. 10a, b. — Herbst, Käfer VII, 1797, p. 85, t. 101, f. 7. — Thunbg. Nov. Act. Ups. VI, 1799, p. 18. — Gyll. l. c. I, 1833, p. 392. — Fährs. l. c. V, 2, 1840, p. 610. ”  
~~granicollis~~ Gyll. l. c. V, 2, 1840, p. 710. ”  
~~granifer~~ Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 43. Kaffraria  
~~granirostris~~ Fährs. l. c. p. 62. ”  
~~granosus~~ Gyll. l. c. I, 1833, p. 387. — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 607; Öfv. Vet. Ak. Förh. XXVIII, p. 43. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 401. — F. Hartm. Deutsche Ent. Zeitschr. 1906, p. 65. ” = *ornatus*, Dr  
*apterus* Herbst, Käfer VII, 1797, p. 75, t. 101, f. 1.  
(?) *ornatus* Drury, Illustr. Nat. Hist. II, 1773, p. 63, t. 34, f. 3.  
~~granulatus~~ Lacord. Gen. Col. VI, 1863, p. 284, nota 2. Senegal  
~~gravis~~ Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 46. Kaffraria  
~~griseus~~ F. Syst. Eleuth. II, 1801, p. 415. — Gyll. l. c. I, 1833, p. 433; V, 2, 1840, p. 714. Capland  
~~gryphus~~ Pasc. Trans. Ent. Soc. Lond. 1887, p. 16, t. 2, f. 7 (nec 6). — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481. Usambara = *atrox*  
~~guineensis~~ Péring. Stett. Ent. Zeit. XLVIII, 1887, p. 407. Guinea  
— Marshall, l. c.  
~~Gyllenhali~~ Gyll. l. c. V, 2, 1840, p. 614. Capland  
~~haedus~~ Gyll. l. c. I, 1833, p. 401; V, 2, 1840, p. 644. ”  
~~hilaris~~ Péring. Denksch. med.-natw. Gesellsch. Jena XIII, 1908, p. 420. Namaqua  
~~Hofmanni~~ Faust, Ann. Soc. Ent. Belg. XL, 1896, p. 72. Mbungu,  
— Bovie in Wytsm. Gen. Ins. IC, 1909, p. 19, Brit.  
t. 2, f. 10. Ostafrika  
~~honorabilis~~ Brancs. Jahresh. Naturw. Ver. Trencsen. Komit. XIX, 1897, p. 122, t. 4, f. 14. Zambesi = *granulatus*  
~~humeralis~~ Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 151. Namaqua  
~~hybridus~~ Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 58. Kaffraria  
~~hypocritus~~ Fährs. l. c. p. 59. ”  
~~hystrix~~ Schoenh. Gen. Curc. I, 1833, p. 399; V, 2, 1840, p. 644. — Marshall, Proc. Zool. Soc. Lond. 1906, p. 957. Capland



- cornutus* Ol. Enc. meth. Ins. V, 1790, p. 183; Ent. V, 1807, 82, p. 53, t. 2, f. 14. — Lacord. Gen. Col. VI, 1863, p. 286 nota 1.
- frontalis* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 619. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.
- ignavus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 44. Kaffraria
- impendens* Fährs. l. c. p. 47. „
- impius* Fährs. l. c. p. 46.
- impressicollis* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 130, t. 2, f. 1, 1a. Transvaal, Capland
- draco* Pasc. Trans. Ent. Soc. Lond. 1887, p. 15, t. 2, f. 4. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.
- impressifrons* Gyll. l. c. V, 2, 1840, p. 631. Kaffraria
- imprudens* Gyll. l. c. p. 670. Capland
- inaequalis* Thunbg. Nov. Act. Ups. VI, 1799, p. 27. „ *mm. Praeco.*
- Gyll. l. c. p. 648.
- Thunbergi* Gyll. l. c.
- incommodus* Péring. Trans. S. Afric. Phil. Soc. VI, 1892, p. 72. Owamboland
- indutus* Péring. Trans. Ent. Soc. Lond. 1896, p. 187. Capland
- infitalis* Péring. Denksch. med.-natw. Gesellsch. Jena XIII, 1908, p. 420. Hereroland
- ingratus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 50. Kaffraria
- inops* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 161. Capland
- inordinatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 54. Kaffraria
- intermedius* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 127. Transvaal
- interpositus* F. Hartm. Deutsche Ent. Zeitschr. 1906, p. 66. „
- interstitialis* Fährs. l. c. p. 59. Kaffraria
- intutus* Gyll. l. c. V, 2, 1840, p. 658. Capland
- inurbanus* Gyll. l. c. V, 2, 1840, p. 626. „
- junix* A. Leht. Cat. Mus. zool. Hamb. III, 1796, p. 55. Sicilien,  
— Herbst, Käfer VII, 1797, p. 88. — Brullé, Jonische  
Expéd. Morée III, 1832, p. 236. — Schoenh. Inseln,  
Gen. Curc. I, 1833, p. 440; V, 2, 1840, p. 657. Griechen-  
— Bedel, Nouv. et Faits 1872, p. 118; Ann. land,  
Soc. Ent. Fr. (5) IV, 1874, p. 195. — Kraatz, Türkei,  
Deutsche Ent. Zeitschr. XIX, 1875, p. 421. Chios,  
— Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 12, Kleinasien,  
f. 7a. — Rey, Échange 1894, p. 63. Syrien,  
*pisifer* Thunbg. Nov. Act. Ups. VI, 1799, p. 23. Mesopotamien,  
— Schoenh. l. c. I, 1833, p. 427; V, 2, 1840, p. 656. Süd-  
Rußland,  
Kaukasus,  
Unter-  
Ägypten,  
Tripolis
- var. *aegyptiacus* Ol. Ent. V, 1807, 82, p. 51, t. 3, f. 34. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 410. — Kraatz, Deutsche Ent. Zeitschr. 1875, p. 421. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 5, 12. — Rey, Échange 1894, p. 63. Ägypten,  
*argillaceus* Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 654. Kleinasien,  
Syrien,  
Griechen-  
land,  
Sicilien

- insularis* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 367.  
*nodulosus* Reiche, l. c. p. 658.  
*Olivieri* Desbr. l. c. p. 367.  
*ornatus* Reiche, l. c. p. 658.  
*siculus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 414.  
*tauricus* Desbr. l. c. p. 368. — Kraatz, l. c. p. 422.  
 var. *cribrarius* Ol. Ent. V, 1807, 82, p. 58, t. 3, f. 33. — Schoenh. Gen. Curc. I, 1833, p. 403.  
*fimbriatus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 365.  
 var. *orbipennis* Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 656.  
 var. *sinuatus* Ol. Ent. V, 1807, 82, p. 58, t. 3, f. 26. — Schoenh. Gen. Curc. I, 1833, p. 414. — Kiesw. Berl. Ent. Zeitschr. VIII, 1864, p. 264. — Kraatz, Deutsche Ent. Zeitschr. XIX, 1875, p. 233.  
*Besseri* Kryn. Bull. Mosc. V, 1832, p. 145; ed. Lequien, p. 181. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 413; V, 2, 1840, p. 656. — Fald. Faun. Transcauc. II, 1837, p. 165, t. 5. — Imh. & Labr. Gen. Curc. II, 1846, nr. 15.  
*difformis* Fald. Nouv. Mém. Mosc. VI, 1837, p. 16.  
*incertus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 367.  
*lutulentus* Gyll. l. c. I, 1833, p. 418; V, 2, 1840, p. 657. — Rey, Échange 1894, p. 63.  
*juvencus* Sparrm. Act. Holm. 1795, p. 51, t. 3, f. 26. — Schoenh. Gen. Curc. I, 1833, p. 424.  
*ixodicoides* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 162.  
~~—~~ *kabylianus* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 364. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 169.  
*velutinus* Desbr. l. c. p. 364. — Bedel, l. c. p. 169.  
~~—~~ *karooensis* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 153.  
~~—~~ *khoikhoianus* Péring. Ann. S. Afric. Mus. V, 1908, p. 315.  
~~—~~ *kumbanensis* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 192, 284. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 402. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 20, t. 2, f. 2.  
~~—~~ *labruska* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 672.  
*uva* Thunbg. Nov. Act. Ups. VI, 1799, p. 23. (nec Sparrmann 1785)  
~~—~~ *Lacordairei* Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 401.  
*laevifrons* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 58.  
~~—~~ *Lafertei* Péring. Compt. rend. Soc. Ent. Belg. XXXII, 1888, p. 78.  
*lateritius* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 685.  
*latifrons* Gyll. l. c. p. 642.  
*levidipus* Gyll. l. c. p. 700.  
~~—~~ *lividicollis* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 57.  
~~—~~ *lobaticollis* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 131, t. 2, f. 2.  
~~—~~ *longirostris* Gyll. l. c. V, 2, 1840, p. 692.  
*longulus* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 34.

Mesopotamien,  
Syrien,  
Tripolis  
Syrien

Dalmatien,  
Ungarn,  
Süd-  
rußland,

Türkei,  
Griechen-  
land,  
Chios,  
Kleinasien,  
Persien

Capland

„

Algier,  
Tunis

Capland

Namaqua  
Quango,  
Kumbana,  
(Central-  
Afrika)

Capland

Congo

Kaffraria  
Madagascar

Capland

„

Kaffraria

Damara

Capland  
Choa

- dentatus* ~~loquax~~ F. Hartm.) Deutsche Ent. Zeitschr, 1906, p. 66. Transvaal  
~~luridus~~ Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 44. Kaffraria  
*luteus* Wiedm. Zool. Mag. II, 1823, p. 114. — Schoenh. Capland  
 Gen. Curc. I, 1833, p. 440; V, 2, 1840, p. 720.  
*maculatus* Ol. Enc. meth. Ins. V, 1790, p. 183; Ent. Madagaskar  
 V, 1807, 82, p. 45, t. 2, f. 8. — Herbst, Käfer  
 VII, 1797, p. 92. — Schoenh. Gen. Curc. V, 2,  
 1840, p. 613.  
*madagascariensis* Schoenh. l. c. p. 613.  
*maculipes* Chevr. Compt. rend. Soc. Ent. Belg. XXVI, Abessinien  
 1882, p. 89. — Fairm. Ann. Soc. Ent. Belg.  
 XXXVII, 1893, p. 34.  
*margaritifera* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, Kaffraria,  
 p. 697. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, Capland  
 1871, p. 59.  
*biglobatus* var.  $\eta$  Gyll. l. c. (olim).  
~~milleporus~~ Wiedm. in Germ. Magaz. IV, 1821, p. 162. Kaffraria,  
 — Gyll. in Schoenh. Gen. Curc. V, 2, 1840, Capland  
 p. 706. — Bovie in Wytsm. Gen. Ins. IC, 1909,  
 p. 21, t. 2, f. 6.  
*gemmosus* Gyll. l. c. I, 1833, p. 436; V, 2, 1840,  
 p. 706, 707 obs.  
*modestus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 52. Kaffraria  
~~moerens~~ Pasc. Trans. Soc. Ent. Lond. 1887, p. 17, t. 2, Zambesi  
 f. 6 (nec 8!). — Marshall, Deutsche Ent. Zeit-  
 schr. 1907, p. 481.  
*divergens* Péring. Trans. Ent. Soc. Lond. 1896,  
 p. 187. — Marshall, l. c. p. 481.  
*moestus* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 156. Namaqua  
~~monachus~~ Fährs. l. c. XXVIII, 1871, p. 60. Kaffraria  
*morio* F. Syst. Eleuth. II, 1801, p. 416. — Schoenh. Gen. Capland  
 Curc. I, 1833, p. 438. — Gyll. in Schoenh. Gen.  
 Curc. V, 2, 1840, p. 711.  
*Mouffleti* Péring. Ann. S. Afric. Mus. V, 1908, p. 317. N.-Ovambo-  
 land,  
 Benguela  
~~muricatus~~ F. Ent. Syst. I, 2, 1792, p. 383; Syst. Eleuth. Oesterreich,  
 II, 1801, p. 415. — Ol. Ent. V, 1807, 82, p. 19, Ungarn,  
 t. 13, f. 21. — Gyll. l. c. I, 1833, p. 419; V, 2, Sicilien,  
 1840, p. 662. — Redt. Fn. Austr. ed. II, 1858, Türkei,  
 p. 696; ed. III, 1873, II, p. 240. — Bedel, Ann. Kleinasien  
 Soc. Ent. Fr. (5) IV, 1874, p. 192.  
*foveicollis* Gyll. l. c. I, p. 419. — Bedel, Nouv.  
 et Faits 1872, p. 119; Ann. Soc. Ent. Fr. (5)  
 IV, 1874, p. 191, t. 4, f. 11. — Vitale, Riv.  
 Ital. Sc. Nat. XXII, 1902, p. 12, f. 8a.  
*ventralis* Desbr. Mitt. Schweiz. Ent. Ges. 1871,  
 p. 366.  
 var. *pygmaeus* Vitale, l. c. p. 12. Sicilien  
*namanus* Péring. Ann. S. Afric. Mus. V, 1908, p. 316; Capland  
 Denkschr. med.-natw. Gesellsch. Jena XIII, 1908, Namaqua  
 p. 419. „  
~~namaqua~~ Péring. Trans. S. Afric. Phil. Soc. IV, 1888,  
 p. 148, t. 4, f. 6.  
~~natalensis~~ Fährs. l. c. XXVIII, 1871, p. 48. Kaffraria  
~~nebulosus~~ Ol. Ent. V, 1807, 82, p. 60, t. 3, f. 20. — Gyll. Capland = *tauriculus*  
 in Schoenh. Gen. Curc. I, 1833, p. 405; V, 2,  
 1840, p. 646.

- nodifrons** Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 52. Kaffraria
- nodulosus** Fährs. l. c. p. 49. „
- Normandi** Desbr. Frelon VII, 1899, p. 11. Tunis
- nudus** Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 135, t. 3, f. 3. Namaqua, Capland
- obesus** F. (*Curculio*) Syst. Ent. Append. 1775, p. 822; Spec. Ins. I, 1781, p. 195; Mant. Ins. I, 1787, p. 120. — Sparrm. Act. Holm. 1785, p. 54, t. 3, f. 32. — Herbst in Fuessly, Arch. 1786, p. 167 t. 45, f. 8. — L. Syst. Nat. ed. XIII (*Gmelin*) I, 4, 1788, p. 1788. — F. (*Brachycerus*) Ent. Syst. I, 2, 1792, p. 380; Syst. Eleuth. II, 1801, p. 413. — Herbst, Käfer VII, 1797, p. 78, t. 101, f. 2. — Thunbg. Nov. Act. Ups. VI, 1799, p. 18. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 391. — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 608. — Imh. & Labr. Gen. Curc. II, 1846, nr. 13.
- ofer** Wulfen, Descript. Capens. Insect. 1786, p. 15 t. 1, f. 11a, b.
- oedematosus** Sulz. Abgek. Gesch. Ins. 1776, p. 40 t. 4, f. 10.
- scalaris** Ol. Enc. méth. Ins. V, 1790, p. 183; Ent. V, 1807, 82, p. 46, t. 2, f. 18.
- var. **tuberculatus** Geer, Mém. Ins. VII, 1778, p. 658, t. 49, f. 8. — Gyll. l. c. I, 1833, p. 391 (var. β). „
- obesus** Ol. Enc. méth. Ins. V, 1790, p. 184; Ent. V, 1807, 82, p. 46, t. 1, f. 1a, b.
- var. **punctulatus** Ol. Ent. V, 1807, 82, p. 48, t. 3, f. 37. — Gyll. l. c. I, 1833, p. 391 (var. δ). „
- oblongus** Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 49. Kaffraria
- Fausti** Pasc. Trans. Ent. Soc. Lond. 1887, p. 12, t. 1, f. 8; Proc. Ent. Soc. Lond. 1888, p. 25. Natal
- praecursor** Pasc. Trans. Ent. Soc. Lond. 1887, p. 12, t. 1, f. 9; Proc. Ent. Soc. Lond. 1888, p. 25. Capland
- obtusus** Pasc. Trans. Ent. Soc. Lond. 1887, p. 14, t. 2, f. 3. Natal
- ocellatus** F. (*Curculio*) Syst. Ent. 1775, p. 154; Spec. Ins. I, 1781, p. 196; Mant. Ins. I, 1787, p. 121. — L. Syst. Nat. ed. XIII (*Gmelin*) I, 4, 1788, p. 1792. — F. (*Brachycerus*) Ent. Syst. I, 2, 1792, p. 380; Syst. Eleuth. II, 1801, p. 412. — Ol. Enc. méth. Ins. V, 1790, p. 183. — Herbst, Käfer VII, 1797, p. 89. — Thunbg. Nov. Act. Ups. VI, 1799, p. 19. — Schoenh. Gen. Curc. I, 1833, p. 390; V, 2, 1840, p. 608. — Alluaud in Grandidier, Hist. Nat. Madag. 1900, p. 406.
- madecassus** Péring. Compt. rend. Soc. Ent. Belg. XXXII, 1888, p. 77. — Fairm. Rev. d'Ent. XXII, 1903, p. 38. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.
- ochreosignatus** Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871 p. 43. Kaffraria
- oxonchus** Wiedem. Zool. Mag. II, 1823, p. 118. — Schoenh. Gen. Curc. I, 1833, p. 440; V, 2, 1840, p. 720. Capland
- papulosus** Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 705. „
- parcus** Kolbe, Arch. Naturgesch. LXIV, 1898, p. 243. Tanganyika-See
- peregrinus** Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 63. Kaffraria





- perplexus* Fährs. l. c. p. 51.
- Perrieri* Fairm. Rev. d'Ent. XXII, 1903, p. 38.
- pertusus* Thunbg. Nov. Act. Ups. VI, 1799, p. 36. —  
Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 713.  
— Imh. & Labr. Gen. Curc. II, 1846, nr. 12.  
— Bovie in Wytsm. Gen. Ins. IC, 1909, p. 22,  
t. 2, f. 5.  
var. *pseudocancellatus* Pape, nom. nov.  
*cancellatus* Gyll. l. c. V, 2, 1840, p. 713.
- petuleus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 429;  
V, 2, 1840, p. 686.
- phlyctaenoides* Pasc. Trans. Ent. Soc. Lond. 1887,  
p. 13, t. 1, f. 10.
- phrygianus* Gyll. l. c. V, 2, 1840, p. 698.
- phrynopterus* Fairm. Compt. rend. Soc. Ent. Belg.  
XXVI, 1882, p. 53. — Kolbe in Werther, Irangi-  
Expedition 1898, p. 309.
- picturatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871,  
p. 45.  
(*pictus* Germ.) in Schoenh. Gen. Curc. I, 1833, p. 426;  
V, 2, 1840, p. 668.
- piger* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 640.
- plicatus* Gyll. l. c. I, 1833, p. 415; V, 2, 1840, p. 659.  
— Bedel, Nouv. et Faits 1872, p. 119; Ann.  
Soc. Ent. Fr. (5) IV, 1874, p. 164, t. 4, f. 8, 13, 16.  
*europaeus* Gyll. l. c. I, 1833, p. 421.  
*insignis* Mill. Wien. Ent. Monatschr. V, 1861,  
p. 206. — Mars. Abeille IV, 1867, p. XV.  
*opacus* Woll. Cat. Col. Canar. 1864, p. 334.  
*scutipennis* Desbr. Mitt. Schweiz. Ent. Ges.  
1871, p. 363.  
*superciliosus* Gyll. (var.  $\beta$ ) l. c. V, 2, 1840,  
p. 662. — Imh. & Labr. Gen. Curc. II, 1846,  
nr. 16.
- tetanicus* H. Luc. Hist. Nat. Algér. II, 1849,  
p. 414.
- vespertilio* Desbr. l. c. p. 363.
- poymastulus* Kolbe, Arch. Naturgesch. LXIV, 1898,  
p. 242.
- polyophthalmus* Gyll. l. c. V, 2, 1840, p. 693. — Guér.  
Icon. Règne Anim. Ins. 1829/38, p. 140.  
*oculatus* Guér. l. c. p. 140, t. 37, f. 1. — Gyll.  
l. c. V, 2, 1840, p. 694.
- posticus* Gyll. l. c. V, 2, 1840, p. 643.
- Pradierii* Fairm. Ann. Soc. Ent. Fr. (3) IV, 1856, p. 536.  
— Bedel, Nouv. et Faits 1872, p. 119; Ann.  
Soc. Ent. Fr. (5) IV, 1874, p. 161.  
Biologie: Mars. Nouv. et Faits 1875, p. 96. —  
Laboulbène, Ann. Soc. Ent. Fr. (5) V, 1875,  
p. 96. — Baron, Bull. Soc. Ent. Fr. (5) 1875,  
p. 155, 162.  
*europaeus* Pradal, Hist. Col. Loire-Inf. 1859,  
p. 140. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874,  
p. 162.
- proletarius* Péring. Trans. S. Afric. Phil. Soc. IV, 1888,  
p. 158.
- pseudoscutellatus* Fährs. Öfv. Vet. Ak. Förh. XXVIII,  
1871, p. 63.
- Kaffraria  
Madagascar  
Capland
- „
- Kaffraria  
Orange-  
Fluß  
Guinea
- Capland  
Sansibar,  
Massai-  
steppe
- Kaffraria
- Capland = *venustus*, Wd.
- Kaffraria = *vestitus*, Gyll.  
Spanien,  
Balearen,  
Griechen-  
land,  
Kleinasien,  
Algier
- Sansibar
- Capland
- Kaffraria  
West-  
Frankreich,  
Spanien
- Namaqua
- Kaffraria

- puerilis* Kolbe, Arch. Naturgesch. LXIV, 1898, p. 240. Brit.  
Ost-Afrika
- pulvereus* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 629. Capland
- pumilus* Marshall, Deutsche Ent. Zeitschr. 1907, p. 481. "  
*nanus* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 161. "
- pustulosus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 390; V, 2, 1840, p. 608. " = *det. Thunb.*
- racemus* Gyll. l. c. V, 2, 1840, p. 673. "  
*uva* Gyll. l. c. I, 1833, p. 402; V, 2, 1840, p. 673. "
- Raffrayi* Chevr. Compt. rend. Soc. Ent. Belg. XXVI, 1882, p. 89. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 35. Abessinien
- reflexus* Gyll. l. c. V, 2, 1840, p. 620. Kaffraria = *coniculus* Gyll.
- Reinhardti* Gyll. l. c. V, 2, 1840, p. 675. Guinea
- reticulatus* Wiedem. Zool. Mag. II, 1823, p. 113. — Gyll. l. c. I, 1833, p. 424; V, 2, 1840, p. 683. Capland
- reticulosus* Gyll. l. c. I, 1833, p. 434; V, 2, 1840, p. 714. "
- riguus* Er. in Wagners Reise III, 1841, p. 185, t. 8. — Küster, Käf. Eur. II, 1845, fol. 38. — Bedel, Nouv. et Faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 149. — Rey, Echange 1894, p. 63. Algier
- rotundatus* Péring. Trans. S. Afric. Phil. Soc. III 1885 p. 136, t. 2, f. 6. Damara,  
Zambesi
- rubiginosus* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 624. Capland
- rudis* Gyll. l. c. V, 2, 1840, p. 625. "
- rugipes* Gyll. l. c. p. 629. "  
*rugosus* Thunbg. Nov. Act. Ups. VI, 1799, p. 27. — Schoenh. Gen. Curc. I, 1833, p. 427. — Gyll. l. c. V, 2, 1840, p. 649. "
- rugulosus* Gyll. l. c. p. 649. Kaffraria
- rusticanus* Gyll. l. c. p. 669. Capland
- sacer* Latr. in Cailliaud, Voyage à Meroé IV, 1827, p. 291. Sennaar  
— Bertolini, Nov. Comm. Ac. Bonon. X, 1849, p. 401. — Imh. & Labr. Gen. Curc. II, 1846, nr. 14. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 401.
- bufo* Boh. in Schoenh. Gen. Curc. VIII, 2, 1845, p. 375. — Gemm. & Har. Cat. Col. VIII, 1871, p. 2334.
- var. *pustulatus* Faust, l. c. p. 401. Congo
- saginat* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 709. Kaffraria
- salamensis* Kolbe, Arch. Naturgesch. LXIV, 1898, p. 243. Sansibar
- scabiosus* Gyll. l. c. V, 2, 1840, v. 674. Capland
- scalaris* F. (*Curculio*) Gen. Ins. Mant. 1777, p. 228; Spec. Ins. I, 1781, p. 195; Mant. Ins. I, 1787, p. 120. — L. Syst. Nat. ed. XIII (*Gmelin*) I, 4, 1788, p. 1789. — F. (*Brachycerus*) Ent. Syst. I, 2, 1792, p. 380; Syst. Eleuth. II, 1801, p. 412. — Herbst, Käfer VII, 1797, p. 87. — Thunbg. Nov. Act. Ups. VI, 1799, p. 19. — Schoenh. Gen. Curc. I, 1833, p. 392; V, 2, 1840, p. 610. "
- scelestus* Gyll. l. c. V, 2, 1840, p. 715. — Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 66. " Kaffraria
- Schalowi* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 285. Tanganyika
- scrobicollis* Gyll. l. c. V, 2, 1840, p. 622. Kaffraria



- serobiculatus* Gyll. l. c. I, 1833, p. 404; V, 2, 1840, p. 615. Capland  
*serobipennis* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 53. Kaffraria
- serupulosus* Gyll. l. c. V, 2, 1840, p. 701. Capland  
 var. *suspiciosus* Gyll. l. c. p. 701. ”
- sculpturatus* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 678. ”  
*electilis* Pasc. Trans. Ent. Soc. Lond. 1887, p. 14, t. 2, f. 2; Proc. Ent. Soc. Lond. 1888, p. 25. Algoa Bay
- scutellaris* H. Luc. Hist. Nat. Algér. II, 1849, p. 413, t. 35, f. 9. — Bedel, Nouv. et. Faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 159, t. 4, f. 14. Algier  
*cirrosus* H. Luc. l. c. p. 413, t. 35, f. 8 a, d.
- seutirostris* Germ. in Schoenh. Gen. Curc. I, 1833, p. 437. Patria?  
 — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 637.
- semiocellatus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 397; V, 2, 1840, p. 623. Senegal
- seriedentatus* Fairm. Rev. d'Ent. XXII, 1903, p. 39. Madagascar
- setiger* Gyll. l. c. V, 2, 1840, p. 633. Kaffraria
- setipennis* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 60. ”
- setosus* Wiedem. in Germ. Magaz. IV, 1821, p. 160. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 431; V, 2, 1840, p. 688. Capland
- severus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 47. Kaffraria
- signatus* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 159. Capland
- socors* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 51. Kaffraria
- Sparrmani* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 716. Capland
- spinicollis* Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 205, t. 4, f. 7, 12. Syrien
- spiniger* F. Syst. Eleuth. II, 1801, p. 413. — Schoenh. l. c. I, 1833, p. 439. — Gyll. l. c. V, 2, 1840, p. 691. Guinea
- spinipes* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 133, t. 3, f. 4. Namaqua, Capland
- spissus* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 708. Kaffraria
- squalidus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 64. ”
- squamosus* Péring. l. c. III, 1885, p. 128, t. 2, f. 4. Damara
- stellaris* Ol. Entom. V, 1807, 82, p. 63, t. 3, f. 36. — Gyll. l. c. V, 2, 1840, p. 635. Capland
- capito* Pasc. Trans. Ent. Soc. Lond. 1887, p. 10, t. 1, f. 5; Proc. Ent. Soc. Lond. 1888, p. 25. A good sp.
- sticticus* Voet in Panzer, Voets Beschr. hartsch. Ins. IV, 1798, p. 42, t. 34, f. D. ”  
*americanus* Voet, Catal. II, 1806, p. 45; Index p. 16, t. 34, f. D.
- scoposus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 400; V, 2, 1840, p. 644.
- serratus* Thunbg. Nov. Act. Ups. VI, 1799, p. 25.
- strumosus* Pasc. Trans. Ent. Soc. Lond. 1887, p. 16, t. 2, f. 8 (nec 7!). — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 24, t. 2, f. 3. ~~Senegal~~ E. Africa  
*Schoenherrri* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 149, t. 4, f. 5. — Marshall, l. c.

- ~~subfasciatus~~ Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 640. Capland  
 var. *bardus* Gyll. l. c.  
*sulcaticeps* Kolbe, Arch. Naturgesch. LXIV, 1898, p. 44. Sansibar  
*sulcicollis* F. Hartm. Deutsche Ent. Zeitschr. 1906, p. 67. Transvaal  
*suturalis* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 156, t. 4, f. 1. „  
*Papei* Zaitzev, Rev. Russe d'Ent. 1907, p. 137.  
~~tauricus~~ Sparrm. (*Curculio*) Act. Holm. 1785, p. 51, t. 3, f. 25. — Ol. Enc. méth. Ins. V, 1790, p. 569. Capland  
~~inaequalis~~ Ol. Encycl. méth. Ins. V, 1790, p. 185; Ent. V, 1807, 28, p. 61, t. 2, f. 12. — F. Ent. Syst. I, 2, 1792, p. 382; Syst. Eleuth. II, 1801, p. 414. — Herbst, Käfer VII, 1797, p. 89. — Schoenh. Gen. Curc. I, 1833, p. 428.  
*tenebrosus* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 630. Kaffraria  
*tergognatus* Gyll. l. c. p. 702. Capland  
~~texatus~~ Gyll. l. c. I, 1833, p. 433; V, 2, 1840, p. 711. „  
*torvus* Gyll. l. c. V, 2, 1840, p. 691. „  
*transversefoveatus* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 154. Namaqua  
~~transversus~~ Ol. Entom. V, 1807, 82, p. 57, t. 3, f. 23. Algier  
 Gyll. l. c. I, 1833, p. 415; V, 2, 1840, p. 615. — Bedel, Nouv. et Faits 1872, p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 148.  
*barbarus* Latr. Gen. Crust. Ins. II, 1807, p. 253.  
~~tremens~~ Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 686. Kaffraria  
 — Bovie in Wytsm. Gen. Ins. IC, 1909, t. 2, f. 1.  
~~tuberosus~~ Wiedem. in Germ. Magaz. IV, 1821, p. 160. Capland = *gemmatus*  
 — Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 666. „  
 var. *contextus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 423. — Fährs. l. c. V, 2, 1840, p. 665. „  
 var. *gemmatus* Thunbg. Nov. Act. Ups. VI, 1799, p. 22. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 419 (ex err.). — Fährs. l. c. V, 2, 1840, p. 665. „  
 var. *instabilis* Fährs. l. c. V, 2, 1840, p. 665. „  
~~margaritaceus~~ Germ. in Schoenh. Gen. Curc. I, 1833, p. 398. — Fährs. l. c. V, 2, 1840, p. 665. „  
 var. *subverrucosus* Fährs. l. c. V, 2, 1840, p. 666. „  
~~turbatus~~ Pasc. Trans. Ent. Soc. 1887, p. 15, t. 2, f. 5. Natal  
*turgidus* Gyll. l. c. V, 2, 1840, p. 609. Capland  
*turriferus* Gyll. l. c. p. 623. „  
~~tursio~~ Pasc. Journ. Linn. Soc. Lond. XII, 1873, p. 6, t. 1, f. 10. Damara  
 var. *insignis* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 127, t. 2, f. 3. „  
~~ulcerosus~~ Gyll. l. c. V, 2, 1840, p. 668. Capland = *graniferus*  
~~umbrinus~~ Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 55. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 25, t. 2, f. 11. Kaffraria  
~~undatus~~ F. Suppl. Ent. Syst. 1798, p. 162; Syst. Eleuth. II, 1801, p. 414. — Ill. Magaz. VI, 1807, p. 305. Algier,  
 — Ol. Entom. V, 1807, 82, p. 50, t. 2, f. 16a, b. Spanien,  
 — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 408; Balearen,  
 V, 2, 1840, p. 653. — Imh. & Labr. II, 1846, Süd-  
 nr. 16. — Jacq. du Val, Gen. Col. d'Eur. Curc. frankreich,  
 1854, t. 4, f. 20. — Bedel, Nouv. et Faits 1872, Italien,  
 p. 118; Ann. Soc. Ent. Fr. (5) IV, 1874, p. 173. Sardinien,

Illyrien,  
Istrien,  
Griechen-  
land

- Har. Col. Hefte XVI, 1879, p. 146 (patr. Afr. centr.). — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 10, f. 1a. — Rey, Échange 1894, p. 63.
- Biologie:** Jonicus (Pseudon. Champion), Entom. Magaz. III, 1836, p. 465. — Perris, Ann. Soc. Ent. Fr. (5) IV, 1874, p. 128. — Bedel, Ann. Soc. Ent. Fr. (5) IV, 1874, v. 177. — Laboulbène, Ann. Soc. Ent. Fr. (5) V, 1875, p. 95, 96.
- algirus* Ol. Encycl. méth. Ins. V, 1790, p. 185. — Herbst, Käfer VII, 1797, p. 91, t. 101, f. 3.
- barbarus* L. Syst. (*Curculio*) Nat. ed. XII, 1767, I, 2, p. 617 (parte sec. descr.). — F. Syst. Ent. 1775, p. 152; Spec. Ins. II, 1791, p. 194; Mant. Ins. I, 1787, p. 120; Ent. Syst. I, 2, 1792, p. 381. — De Villers, Car. Linn. Ent. I, 1789, p. 211. — Rossi, Fauna Etrusc. I, 1790, p. 122. — Petagna, Specim. Insect. Calabr. 1787, p. 13; Instit. Ent. 1792, t. 2, f. 3. — Thunbg. Nov. Act. Ups. VI, 1799, p. 24. — Dum. Cons. gén. Ins. 1823, t. 16, f. 4. — H. Luc. Hist. Nat. Algér. II, 1849, p. 412.
- capensis* Schoenh. Gen. Curc. I, 1833, p. 427; V, 2, 1840, p. 652.
- cornifrons* Desbr. Mitt. Schweiz. Ent. Ges. 1871, p. 363.
- corrosus* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 409; V, 2, 1840, p. 654.
- crispatus* Latr. Gen. Crust. Ins. II, 1807, p. 253.
- crispatus* Rey, Échange 1894, p. 63.
- europaeus* Thunbg. Nov. Act. Ups. VI, 1799, p. 25.
- hispidus* Desbr. l. c. p. 361.
- incultus* Gyll. l. c. I, 1833, p. 411; V, 2, 1840, p. 653.
- lacunatus* Latr. l. c. p. 252 nota.
- mauritanicus* Ol. Entom. V, 1807, p. 51, t. 3, f. 22. — Schoenh. Gen. Curc. I, 1833, p. 414; V, 2, 1840, p. 653. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 661 nota. — Vitale, Riv. Ital. Sc. Nat. XXII, 1902, p. 12.
- nubilus* Desbr. l. c. p. 361.
- ovatus* Brullé, Expéd. Morée III, 1832, p. 235, t. 42, f. 1.
- pterygomalis* Gyll. l. c. I, 1833, p. 406; V, 2, 1840, p. 652.
- quadratus* Voet, Cat. Col. II, 1806, p. 45, t. 33, f. B.
- sericeus* Desbr. l. c. p. 361.
- serratus* Ol. Entom. V, 1807, 82, p. 52, t. 3, f. 30.
- subvariolatus* Desbr. l. c. p. 360.
- var. *lyrae* Vitale, Riv. Coleott. Ital. III, 1905, p. 206.
- uva** Sparrm. Act. Holm. 1785, p. 53, t. 3, f. 29. — Ol. Encycl. méth. Ins. V, 1790, p. 596. — L. Syst. Nat. XIII, I, 4, 1788, p. 1794. — F. Ent. Syst. I, 2, 1792, p. 383; Syst. Eleuth. II, 1801, p. 416. — Herbst, Käfer VII, 1797, p. 86. — Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 673.
- uvula** Kolbe, Arch. f. Naturgesch. LXIV, 1898, p. 242.
- vacca** Thunbg. Nov. Act. Ups. VI, 1799, p. 17.
- asper* Ol. Entom. V, 1807, 82, p. 64, t. 3, f. 32. — Gyll. in Schoenh. Gen. Curc. I, 1833, p. 428. V, 2, 1840, p. 684.

Sicilien  
Capland

Ost-Afrika  
Capland

- vagabundus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 54. Kaffraria
- variegatus* Pape, Deutsche Ent. Zeitschr. 1907, p. 106. „  
*sticticus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 67.
- variipictus* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 284, t. 6, f. 7. Quango
- variolosus* Ol. Encycl. méth. Ins. V, 1790, p. 185; Entom. V, 1807, 82, p. 61, t. 1, f. 7. — Herbst, Käfer VII, 1797, p. 95, t. 101, f. 10. — Schoenh. Gen. Curc. I, 1833, p. 438; V, 2, 1840, p. 707. Capland
- varius* Péring. Trans. S. Afric. Phil. Soc. IV, 1888, p. 155. Südafrika = *truncatus*
- venustus* Wiedem. Zool. Magaz. II, 1823, p. 116. — Schoenh. Gen. Curc. I, 1833, p. 440; V, 2, 1840, p. 720. Capland
- verrucifer* Kirby, Trans. Linn. Soc. Lond. 1818, p. 430. „  
— Schoenh. l. c. I, 1833, p. 431; V, 2, 1840, p. 683.
- verrucipennis* Gyll. in Schoenh. Gen. Curc. I, 1833, p. 430; V, 2, 1840, p. 693. Südafrika
- verrucosiusculus* Pape, Deutsche Ent. Zeitschr. 1907, p. 106. Kaffraria  
*subverrucosus* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 53.
- verrucosus* Ol. Encycl. méth. Ins. V, 1790, p. 184, t. 224, f. 3; Entom. V, 1807, 82, p. 49, t. 1, f. 2. — Herbst, Käfer VII, 1797, p. 94, t. 101, f. 9. — Gyll. l. c. I, 1833, p. 396; V, 2, 1840, p. 620. Capland, Namaqua
- spectosus* Péring. Trans. S. Afric. Phil. Soc. III, 1885, p. 131, t. 3, f. 1. — Marshall, Deutsche Ent. Zeitschr. 1907, p. 481.
- taeniatus* Thunbg. Nov. Act. Ups. VI, 1799, p. 28. var. *nanus* Péring. l. c. p. 132. — Marshall, l. c.
- vestitus* Gyll. l. c. V, 2, 1840, p. 628. Kaffraria
- viduatus* Péring. Trans. S. Afric. Phil. Soc. VI, 1892, p. 73. Südwest-Afrika
- Wahlbergi* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 45. — Péring. l. c. VI, 1892, p. 74. Kaffraria
- Westermanni* Fährs. in Schoenh. Gen. Curc. V, 2, 1840, p. 607. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 27, t. 2, f. 12. Capland = *apterus*, L.
- Zeyheri* Gyll. in Schoenh. Gen. Curc. V, 2, 1840, p. 682. Kaffraria

298

### III. Subfam. Brotheinae.

Marshall, Trans. South Afric. Philos. Soc. XVIII, 1907, p. 89.

*Brotheini* Bovie in Wytsm. Gen. Ins. IC, 1909, p. 29.

#### Synthocus Schoenh.

Schoenh. Gen. Curc. VI, 2, 1842, p. 408. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 89. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 29.

*Daulaxius* Pasc. Trans. Ent. Soc. Lond. 1887, p. 333.

- acuticollis* Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 96, t. 6, f. 8. Namaqua  
*adustus* Pasc. Journ. Linn. Soc. Lond. X, 1870, p. 464. Betschuana-  
 — Marshall, Trans. S. Afr. Phil. Soc. XVIII, land,  
 1907, p. 102. Damara-  
*sordidus* Péring. Trans. S. Afr. Phil. Soc. III, land  
 1885, p. 140.  
*damarensis* Marshall, Trans. S. Afr. Phil. Soc. XVIII, Damaraland  
 1907, p. 96.  
*dorsalis* Fährs. Öfv. Vet. Ak. Förh. XXVIII, 1871, p. 198. Mashonaland,  
 — Marshall, Trans. S. Afr. Phil. Soc. XVIII, Matabele-  
 1907, p. 95. land  
*flavotuberosus* Marshall, Trans. S. Afr. Phil. Soc. XVIII, Damaraland  
 1907, p. 101, t. 6, f. 10.  
*frater* Marshall, l. c. p. 99, t. 6, f. 9. Namaqua  
*Hopei* Boh. in Schoenh. Gen. Curc. VI, 2, 1842, p. 412. Capland,  
 — Marshall, Trans. S. Afr. Phil. Soc. XVIII, Namaqua  
 1907, p. 92.  
*paradoxus* Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 137, t. 3, f. 5.  
*mashunus* Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, Mashonaland  
 p. 104. Matabele-  
 land  
*nigropictus* Pasc. Journ. Linn. Soc. Lond. X, 1870, p. 463, t. 19, f. 11. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 102. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 30, t. 1, f. 11, t. 3, f. 19. *sagittarius* Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 139.  
*ovampoensis* Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 98, t. 6, f. 7. Ovamboland  
*parvus* Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 164. Capland,  
 — Marshall, Trans. S. Afr. Phil. Soc. XVIII, Transvaal,  
 1907, p. 99. Ovambo-  
 land  
*plagosus* Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 138. — Marshall, l. c. XVIII, 1907, p. 103. Capland  
*quadripennis* Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 165. — Marshall, l. c. XVIII, 1907, p. 97. Namaqua  
*Reichei* Boh. in Schoenh. Gen. Curc. VI, 2, 1842, p. 411. — Marshall, l. c. XVIII, 1907, p. 100.  
*sinuatus* Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 94. Betschuana-  
 land,  
 Mashona-  
 land, Sudan  
*stolatus* Pasc. (*Daulaxius*) Trans. Ent. Soc. 1887, u. 333, t. 11, f. 11. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 105. Delagoa-Bay  
*truncatus* Boh. in Schoenh. Gen. Curc. VI, 2, 1842, p. 410. Capland,  
 — Marshall, Trans. S. Afr. Phil. Soc. XVIII, Senegal  
 1907, p. 105. 43  
*informis* Chevr. (*Rhytirrhinus*) in Guér. Icon. Règne Anim. 1844, p. 143, t. 37, f. 8.  
*Wardeni* Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 165, t. 3, f. 13. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 105. Namaqua  
 var. *bicuspis* Marshall, l. c. XVIII, 1907, p. 106. „

**Brotheus** Steph.

Steph. Ill. Brit. Ent. IV, 1831, p. 152. — Schoenh. Gen. Curc. VI, 2, 1842, p. 421. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 106.  
— Bovie in Wytsm. Gen. Ins. IC, 1909, p. 31.

*Ixodicus* Pasc. Journ. Linn. Soc. Lond. XI, 1872, p. 448.

- binodosus** Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 108, t. 6, f. 11. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 31, t. 1, f. 12. Capland
- carinatus** Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 110, t. 6, f. 14. „
- crenelatus** Marshall, l. c. XVIII, 1907, p. 112, t. 6, f. 12. „
- flexuosus** Marshall, l. c. p. 115, t. 6, f. 15. — Bovie, l. c. t. 1, f. 13. „
- laevigatus** Marshall, l. c. v. 109. „
- occlusus** Pasc. (*Ixodicus*) Journ. Linn. Soc. Lond. XI, 1872, p. 448, t. 13, f. 8. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 114. „
- planus** Thunbg. (*Brachycerus*) Nov. Act. Ups. VI, 1799, p. 35. — Schoenh. (*Byrsops*) Gen. Curc. II, 1834, p. 413. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 112. „
- praecisicollis** Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 109. Süd-Afrika
- praemorsus** Thunbg. (*Brachycerus*) Nov. Act. Ups. VI, 1899, p. 33. — Schoenh. Gen. Curc. I, 1833, p. 439. — Schoenh. (*Byrsops*) Gen. Curc. VI, 2, 1842, p. 408. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 115. Capland
- deprimatus* Boh. (*Byrsops*) Schoenh. Gen. Curc. VI, 2, 1842, p. 407.
- porcatus* Marsham (*Curculio*) Ent. Brit. 1802, p. 255. — Steph. (*Brotheus*) Ill. Brit. Ent. IV, 1831, p. 154. — Schoenh. Gen. Curc. VI, 2, 1842, p. 421; VIII, 2, 1845, p. 315.
- pumilus** Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 116, t. 6, f. 13. „
- pusio** Wiedem. (*Brachycerus*) Zool. Magaz. II, 1, 1823, p. 113. — Schoenh. (*Byrsops*) Gen. Curc. 1834, p. 413; VI, 2, 1842, p. 408. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 111. „
- sordidus** Pasc. (*Ixodicus*) Journ. Linn. Soc. Lond. XI, 1872, p. 448. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 113. „

12

**Euryxena** Pasc.

Pasc. Trans. Ent. Soc. Lond. 1887, p. 337. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 117. — Bovie in Wytsm. Gen. Ins. IC, 1909, p. 32.

- bruchoides** Pasc. Trans. Ent. Soc. Lond. 1887, p. 338, t. 11, f. 1. — Marshall, Trans. S. Afr. Phil. Soc. XVIII, 1907, p. 118. Capland

1

415

PK 16

## Index.

### Subfamiliae, Tribus, Genera, Subgenera.

- Brachycerinae Auriv. 9  
**Brachycerini** Pape 10  
*Brachycerinus* Bovie 11  
*Brachyceromorpha* Bovie 11  
*Brachycerus* Ol. 11  
*Brachycerus* i. sp. Bovie 11  
**Brotheinae** Marshall 28  
*Brotheus* Steph. 30
- Daulaxius* Pasc. 28  
*Dyerocera* Pasc. 10
- †*Episus* Schoenh. 3  
†*Euretus* Péring. 11  
†*Euryxena* Pasc. 30
- †*Gyllenhalia* Auriv. 9  
†*Ixodicus* Pasc. 30  
†*Lagenisus* Jek. 3
- Microcerinae** Auriv. 3  
†*Microcerus* Schoenh. 6
- Protomantini** Pape 9  
†*Protomantis* Schoenh. 9
- †*Synthocus* Schoenh. 28  
†*Theates* Fährs. 10

### Species, Varietates.

- abyssinicus Fairm. 6  
accola Kolbe 11  
acerbus Gyll. 11  
aculeatus Imh. 3  
acuticollis Marshall 29  
adustus Péring. (Brach.) 11  
adustus Pasc. (Synth.) 29  
aegrotus Péring. 11  
*aegyptiacus* Ol. 19  
*ajfer* Wulfen 22  
affaber Gyll. 11  
albarius Gyll. 11  
albicollis Pasc. 11  
albidentatus Gyll. 11  
albibiventer Gerst. 7  
albofasciatus Péring. 11  
albotectus Péring. 11  
*albulus* Lacord. 6  
algirus F. 11  
*algirus* Latr. 13  
*algirus* H. Luc. 14  
*algirus* Ol. 27  
amabilis Péring. 12  
amatongas Péring. 12  
ambulans Fährs. 12  
*americanus* Voet 25
- anaglypticus Gyll. 12  
angulicollis Auriv. 3  
angusticollis Fährs. (*Episus*) 4  
angusticollis Wiedem. (*Theates*) 10  
annulatus Gerst. 12  
annuliger Har. 7  
apicatus Gyll. 12  
apterus L. 12  
*apterus* Thunbg. 13  
*apterus* Hbst. 18  
*argillaceus* Reiche 19  
*asper* Ol. 27  
*attenuatus* Vitale 12  
atrox Gerst. 13  
auguris Fährs. 13  
auritus Péring. 13  
*Aurivillii* Péring. 11  
axillaris Gyll. 13
- baccatus Fährs. 13  
balearicus Bedel 13  
barbarus L. 13  
*barbarus* Latr. 26  
*barbarus* L. 27  
*bardus* Gyll. 26

- batrachus* Gestro 13  
*Besckei* Fährs. 7  
*Besseri* Kryn. 20  
*bicallosus* Gyll. 13  
*bicornutus* Fährs. 14  
*bicuspis* Marshall 29  
*biglobatus* Sparrm. 14  
*biglobatus* Gyll. 21  
*bimaculatus* Thunbg. 8  
*binodosus* Marshall 30  
*Boei* Gyll. 17  
*Bohemani* Auriv. 4  
*Borrei* Auriv. 7  
*boschimanus* Péring. 14  
*Bottegi* Gestro 14  
*brachyceropsides* Péring. 14  
*brevicollis* Jek. 4  
*brevicostatus* Fährs. 14  
*bruchoides* Pasc. 30  
*buculus* Schoenh. 14  
*bufo* Boh. 24  
*bullatus* Gyll. 18  
  
*caffer* Gyll. 13  
*callosus* Schoenh. 14  
*canalirostris* Fährs. 14  
*cancellatus* Gyll. 14  
*cancellatus* Gyll. 23  
*capensis* Voet 17  
*capensis* Schoenh. 27  
*caperans* A. Lcht. 14  
*capito* Pasc. 25  
*carbunculus* Quedf. 14  
*carinatus* Marshall 30  
*carinula* Rey 12  
*catenulatus* Fährs. 14  
*caviceps* Péring. 14  
*cavifrons* Gyll. 14  
*cavirostris* Fairm. 7  
*Chevrolati* Fährs. 14  
*cincticollis* Quedf. 15  
*cinctipes* Gyll. 15  
*cinerarius* Wiedem. 15  
*cinereus* Ol. 15  
*cinnamomeus* Pasc. 14  
*cirriferus* Gyll. 12  
*cirrosus* Gyll. 12  
*cirrosus* H. Luc. 25  
*clathratus* Desbr. 16  
*clitellatus* Fährs. 15.  
*coenosus* Jek. 4  
*cognatus* Fährs. 4  
*collaris* Fährs. 15  
*comparabilis* Kolbe 15  
*comtus* Fährs. 15  
*congestus* Gerst. 15  
*consimilis* Péring. 15  
*contextus* Gyll. 26  
*contortus* Fährs. 15  
  
*contractus* Fährs. 4  
*cordiger* Sparrm. 15  
*corniculatus* Gyll. 15  
*cornifrons* Desbr. 27  
*cornutus* L. 15  
*cornutus* Ol. 19  
*coronirostris* Gyll. 16  
*corrosus* Gyll. 27  
*costalis* Fährs. (Micr.) 7  
*costalis* Gyll. (Brach.) 16  
*costatus* Gyll. 16  
*crenatus* Ol. 16  
*crenelatus* Marshall 30  
*cretaceus* Gyll. 7  
*cribellatus* Fairm. 7  
*cribrarius* Ol. 20  
*crispatriostris* Gyll. 16  
*crispatus* F. 16  
*crispatus* Latr. 27  
*crispatus* Rey 27  
*crispicularis* Gyll. 16  
*cristatus* Péring. (Brach.) 16  
*cristatus* Gyll. (Episus) 5  
*cristatus* Péring. (Theates) 10  
*cruciatus* Geer 13  
*curruca* Gyll. 16  
*curtulus* Desbr. 13  
*cyathiformis* Gyll. 4  
*cylindripes* Bedel 16  
  
*damarensis* Marshall 29  
*deceptor* Péring. 16  
*densegranosus* Fairm. 16  
*dentatus* Boh. 5  
*depressus* Auriv. 7.  
*deprimatus* Boh. 30  
*detritus* Thunbg. 16  
*Devylteri* Auriv. 4  
*difficilis* Péring. 16  
*difformis* Fald. 20  
*discolor* Gyll. 16  
*disjunctus* Pasc. 16  
*dispar* Péring. 16  
*divergens* Péring. 21  
*Dohrni* Auriv. 4  
*dorsalis* Fährs. (Synth.) 29  
*dorsalis* Fährs. (Episus) 4  
*dorsalis* Gyll. (Brach.) 16  
*dorsofumatus* Fairm. 7  
*dorsomaculatus* Quedf. 16  
*draco* Pasc. 19  
*Dregei* Gyll. (Micr.) 7  
*Dregei* Gyll. (Protom.) 9  
*Dregei* Boh. (Episus) 4  
*Dregei* Lacord. (Micr.) 8  
*dubius* Panz. (Brach.) 16  
*dubius* Auriv. (Episus) 5  
*duplicatus* Gyll. 17



ebullinus Péring. 17  
 echinatus Boh. (Episus) 4  
 echinatus Gyll. (Brach.) 17  
 Eckloni Gyll. 17  
 effertus Péring. 17  
*electilis* Pasc. 25  
 elegans Auriv. 10  
 elongatus Auriv. 4  
 emeritus L. 17  
 ephippiatus Fährs. (Brach.) 17  
*ephippiatus* Sparrm. (Micr.) 8  
 erinaceus Ol. 17  
 erosus Gerst. 17  
 errans Fährs. 17  
*europaeus* Gyll. 23  
*europaeus* Pradal 23  
*europaeus* Thunbg. 27  
*exemptus* Rey 12  
 eximius Pasc. 17

facietatus Gyll. 17  
 Fahraei Auriv. (Episus) 4  
 Fahraei Jek. (Micr.) 7  
 Fahraei Fährs. (Brach.) 17  
 fallax Fährs. 7  
 faretus Ill. 17  
 fascicularis Ol. 17  
 fascicularis Panz. 17  
 fasciculosus Germ. 17  
*Fausti* Pasc. 22  
 ferox Fairm. 17  
 ferrugatus Quedf. 17  
*ferrugineus* Ol. 13  
 fictus Gyll. 5  
*fimbriatus* Desbr. 20  
 Fischeri Kolbe. 17  
 fissirostris Fairm. 7  
 flavonotatus Péring. 17  
 flavotuberosus Marshall 29  
 flexuosus Boh. (Episus) 5  
 flexuosus Marshall (Broth.) 30  
*fluctiger* Gyll. 13  
 formidulosus Gyll. 17  
 fossilis Auriv. 7  
*foveicollis* Gyll. 21  
 foveifrons Bedel 17  
 foveolatus Péring. 17  
 frater Marshall 29  
*frontalis* Fährs. 19  
 fuliginosus Gyll. 17

ganglionicus Boh. 5  
 gemmatus Ol. 17  
*gemmaus* Thunbg. 26  
 gemmeus Gyll. 18  
*gemmosus* Gyll. 21  
 gemmifer Germ. 18  
 gibbosus Auriv. 5  
 glabratus Wiedem. 18

glanduliferus Gyll. 18  
 globiferus Thunbg. 18  
 globosus Drury 18  
 granicollis Gyll. 18  
 graniferus Fährs. 18  
 granirostris Fährs. 18  
 granosus Gyll. 18  
 granulatus Lacord. 18  
 gravida Pasc. 10  
 gravidus Auriv. 5  
 gravis Fährs. 18  
 grisescens Gyll. 7  
 griseus F. 18  
 gryphus Pasc. 18  
 guineensis Péring. 18  
 Gyllenhali Gyll. 18

haedus Gyll. 18  
 hieroglyphicus Fährs. 5  
 hilaris Péring. 18  
*hispidus* Desbr. 27  
 Hofmanni Faust 18  
 honorabilis Brancs. 18  
 Hopei Boh. (Episus) 5  
 Hopei Boh. (Synth.) 29  
*hottentottus* Gyll. 16  
 humeralis Péring. 17  
 hybridus Fährs. 18  
 hypocritus Gyll. (Episus) 5  
 hypocritus Fährs. (Brach.) 18  
*hypocritus* Bedel (Brach.) 14  
 hystrix Schoenh. 18

idolum Gyll. 8  
 ignavus Fährs. 19  
 impendens Fährs. 19  
 impius Fährs. 19  
*impressicollis* Auriv. (Episus) 4  
 impressicollis Péring. (Brach.) 19  
 impressifrons Gyll. 19  
 imprudens Gyll. 19  
 inaequalis Gyll. (Micr.) 8  
 inaequalis Thunbg. (Brach.) 19  
*inaequalis* Ol. 26  
*incertus* Desbr. 20  
 incommodus Péring. 19  
*incultus* Gyll. 27  
 indutus Péring. 19  
 inermicollis Gyll. 5  
 infitialis Péring. 19  
*informis* Chevr. 29  
 ingratus Fährs. 19  
 inops Péring. 19  
 inordinatus Fährs. 19  
*insignis* Mill. 23  
*insignis* Péring. 26  
*instabilis* Fährs. 26  
*insularis* Desbr. 20  
 intermedius Péring. 19

- interpositus* Hartm. 19  
*interpunctatus* Gyll. 14  
*interruptus* Rey 13  
*interstitialis* Fährs. 19  
*interstiotipunctatus* Auriv. 8  
*intutus* Gyll. 19  
*inurbanus* Gyll. 19
- junix* A. Lcht. 19  
*juvencus* Sparrm. 20  
*juvencus* Thunbg. 14  
*ixodicoides* Péring. 20
- kabylianus* Desbr. 20  
*karooensis* Péring. 20  
*khoikhoianus* Péring. 20  
*Kirschi* Jek. 8  
*Kirschi* Auriv. 7  
*koroquanus* Fährs. 16  
*Krebsi* Auriv. 5  
*kumbanensis* Quedf. 20
- labruska* Gyll. 20  
*Lacordairei* Faust 20  
*lacunatus* Latr. 27  
*laevifrons* Fährs. 20  
*laevigatus* Marshall 30  
*Lafertei* Péring. 20  
*lateralis* Gyll. 13  
*lateritius* Gyll. 20  
*latifrons* Gyll. 20  
*latipennis* Fährs. 8  
*latro* Gyll. 13  
*lentus* Gyll. 14  
*levidipus* Gyll. 20  
*libertinus* Fährs. 13  
*lividicollis* Fährs. 20  
*lobaticollis* Péring. 20  
*longirostris* Gyll. 20  
*longiusculus* Gyll. 17  
*longulus* Fairm. 20  
*loquax* F. Hartm. 21  
*ludificator* Auriv. 10  
*luridus* Fährs. 21  
*luteus* Wiedem. 21  
*lutosus* Gyll. 15  
*lutulentus* Gyll. 20  
*lyrae* Vitale 27
- maculatus* Ol. 21  
*maculatus* F. 16  
*maculicollis* Péring. 12  
*maculipes* Chevr. 21  
*maculosus* Kirby 16  
*madagascariensis* Schoenh. 21  
*madecassus* Péring. 22  
*magus* Auriv. 10  
*margaritaceus* Germ. 26  
*margaritifera* Gyll. 21
- mashunus* Marshall 29  
*mauritanicus* Ol. 27  
*melancholicus* Gyll. 8  
*mendosus* Gyll. 5  
*milleporellus* Bovie 14  
*milleporus* Wiedem. 21  
*milleporus* Gyll. 15  
*minor* Voet 16  
*modestus* Fährs. 21  
*moerens* Pasc. 21  
*moestus* Péring. 21  
*monachus* Fährs. 21  
*morio* F. 21  
*Mouffleti* Péring. 21  
*muricatus* Boh. (Episus) 5  
*muricatus* F. 21  
*muricatus* Ol. 12
- namanus* Péring. 21  
*namaqua* Péring. 21  
*nanus* Péring. 24  
*nanus* Péring. 28  
*natalensis* Fährs. 21  
*nebulosus* Ol. 21  
*nigropictus* Pasc. 29  
*nigrovittatus* Auriv. 4  
*nodicollis* Auriv. 5  
*nodiferus* Gyll. 12  
*nodifrons* Fährs. 22  
*nodulosus* Fährs. 22  
*nodulosus* Reiche 20  
*Normandi* Desbr. 22  
*nubilus* Desbr. 27  
*nudus* Péring. 22
- Oberthüri* Auriv. 5  
*obesus* F. 22  
*obesus* Ol. 22  
*obliquus* Jek. 4  
*oblongus* Auriv. (Micr.) 8  
*oblongus* Fährs. (Brach.) 22  
*obtusus* Pasc. 22  
*occlusus* Pasc. 30  
*ocellatus* F. 22  
*ochreosignatus* Fährs. 22  
*oculatus* Guér. 23  
*oedematosus* Sulz. 22  
*Olivieri* Desbr. 20  
*opacus* Woll. 23  
*opalinus* Auriv. 5  
*orbipennis* Reiche 20  
*ornatus* Reiche 20  
*ornatus* Drury 18  
*ovampoensis* Marshall 29  
*ovatus* Brullé 27  
*oxonchus* Wiedem. 22
- Papei* Zaitzev 26  
*papillosus* Thunbg. 15

*papulosus* Gyll. 22  
*paradoxus* Rey (Brach.) 13  
*paradoxus* Péring. (Synth.) 29  
*parallelus* Auriv. 4  
*parcus* Kolbe 22  
*parens* Desbr. 14  
*parvus* Péring. 29  
*Pascoeii* Jek. 8  
*paucidentatus* Auriv. 4  
*peninsularis* Chevr. 14  
*peregrinus* Fährs. 22  
*Peringueyi* Auriv. (Episus) 5  
*Peringueyi* Auriv. (Prot.) 10  
*perodiosus* Gyll. 12  
*perplexus* Fährs. 23  
*Perrieri* Fairm. 23  
*pertusus* Thunbg. 23  
*petiolatus* Fährs. 10  
*petulcus* Gyll. 23  
*phlyctaenoides* Pasc. 23  
*phrygianus* Gyll. 23  
*phrynopterus* Fairm. 23  
*picturatus* Fährs. 23  
*pictus* Germ. 23  
*piger* Gyll. 23  
*pisifer* Thunbg. 19  
*plagosus* Péring. 29  
*planifrons* Auriv. 8  
*planirostris* Gyll. 12  
*planus* Thunbg. 30  
*plicatus* Gyll. 23  
*polymastulus* Kolbe 23  
*polyophthalmus* Gyll. 23  
*porcatus* Marsham 30  
*posticus* Gyll. 23  
*Pradierii* Fairm. 23  
*praecisicollis* Marshall 30  
*praecursor* Pasc. 22  
*praemorsus* Thunbg. 30  
*proletarius* Péring. 23  
*pseudocancellatus* Pape 23  
*pseudoscutellatus* Fährs. 23  
*pterygomalis* H. Luc. 16  
*pterygomalis* Gyll. 27  
*puerilis* Kolbe 24  
*pulvereus* Gyll. 24  
*pulverulentus* Ol. 15  
*pumilus* Marshall (Brach.) 24  
*pumilus* Marshall (Broth.) 30  
*punctatus* Auriv. 6  
*punctulatus* Ol. 22  
*pusio* Wiedem. 30  
*pustulatus* Faust 24  
*pustulosus* Gyll. 24  
*pygmaeus* Vitale 21  
  
*quadratus* Voet 27  
*quadripennis* Péring. 29

*quadrisulcatus* Fisch. 15  
*quadrulifer* Jek. 6  
  
*racemus* Gyll. 24  
*Raffrayi* Chevr. 24  
*Raffrayi* Desbr. 14  
*ramosus* Schauf. 13  
*rectecostatus* Desbr. 16  
*reflexus* Gyll. 24  
*Reichei* Roh. 29  
*Reiuhardti* Gyll. 24  
*reticulatus* Wiedem. 24  
*reticulosus* Gyll. 24  
*retusus* F. 8  
*riguus* Er. 24  
*rixator* Pasc. 15  
*robustus* Auriv. 6  
*Roelofsi* Auriv. 6  
*rostratus* F. 6  
*rostratus* Ol. 4  
*rotundatus* Auriv. (Micr.) 8  
*rotundatus* Péring. (Brach.) 24  
*rotundicollis* Auriv. 6  
*rubiginosus* Gyll. 24  
*rudis* Gyll. 24  
*rugipes* Gyll. 24  
*rugosus* Thunbg. 24  
*rugulosus* Gyll. 24  
*rusticanus* Gyll. 24

*sacer* Latr. 24  
*saginata* Gyll. 24  
*sagittarius* Péring. 29  
*salamensis* Kolbe 24  
*saxosus* Gyll. 14  
*scabiosus* Gyll. 24  
*scabrosus* Ol. 15  
*scalaris* F. 24  
*scalaris* Ol. 22  
*scelestus* Gyll. 24  
*Schalowi* Quedf. 24  
*Schoenherri* Péring. 25  
*scoposus* Gyll. 25  
*serobicollis* Gyll. 24  
*serobiculatus* Gyll. 25  
*serobipennis* Fährs. 25  
*scrobirostris* Gyll. 14  
*serupulosus* Gyll. 25  
*sculpturatus* Fährs. 25  
*scutellaris* H. Luc. 25  
*scutipennis* Desbr. 23  
*scutirostris* Germ. 25  
*semiaeneus* Desbr. 12  
*semiocellatus* Gyll. 25  
*semituberculatus* H. Luc. 14  
*sericeus* Desbr. 27  
*seriedentatus* Fairm. 25

- serratus* Thunbg. 25  
*serratus* Ol. 27  
*setiger* Gyll. 25  
*setipennis* Fährs. 25  
*setosus* Wiedem. 25  
*severus* Fährs. 25  
*siculus* Gyll. 20  
*signatus* Péring. 25  
*simulator* Dalm. 6  
*sinuatus* Ol. (Brach.) 20  
*sinuatus* Marshall (Synth.) 29  
*socors* Fährs. 25  
*sordidus* Pasc. (Broth.) 30  
*sordidus* Péring. (Synth.) 29  
*Sparrmani* Gyll. 25  
*sparsipes* Gyll. 12  
*speciosus* Péring. 28  
*spectator* Fährs. 10  
*spectrum* F. (Gyllenh.) 9  
*spectrum* Thunbg. (Brach.) 14  
*spilopterus* Wiedem. 15  
*spinicollis* Bedel 25  
*spiniger* Gerst. (Micr.) 8  
*spiniger* F. (Brach.) 25  
*spinipes* Péring. 25  
*spinirostris* Ol. 16  
*spinosus* Boh. 6  
*spissus* Auriv. (Micr.) 8  
*spissus* Gyll. (Brach.) 25  
*sputatilius* Gyll. 6  
*squalidus* Fährs. 25  
*squamosus* Péring. 25  
*stellaris* Ol. 25  
*stellaris* Gyll. 12  
*sticticus* Voet 25  
*sticticus* Fährs. 28  
*stolatus* Pasc. 29  
*stricticollis* Jek. 3  
*strumosus* Pasc. 25  
*subcaudatus* Gerst. 8  
*subfasciatus* Gyll. 6  
*subvariolatus* Desbr. 27  
*subverrucosus* Fährs. 26  
*subverrucosus* Fährs. 28  
*sulciceps* Kolbe 26  
*sulcicollis* Hartm. 26  
*sulcifrons* Auriv. (Micr.) 7  
*sulcifrons* Gyll. (Brach.) 12  
*superciliosus* Gyll. 23  
*superciliosus* Gyll. 15  
*suspiciosus* Gyll. 25  
*suturalis* Péring. 26  
*suturalis* Pasc. 17  
  
*taeniatus* Thunbg. 28  
*T-album* Jek. 6  
*tauricus* Sparrm. 26  
*tauricus* Desbr. 20  
  
*tenebrosus* Gyll. 26  
*tenuis* Fairm. 6  
*tergosignatus* Gyll. 26  
*tessellatus* Gyll. 13  
*tetanicus* H. Luc. 23  
*texatus* Gyll. 26  
*Thunbergi* Boh. (Episus) 6  
*Thunbergi* Gyll. (Brach.) 19  
*torvus* Gyll. 26  
*transversefoveatus* Péring. 26  
*transversus* Ol. 26  
*tremens* Fährs. 26  
*truncatus* Boh. (Episus) 6  
*truncatus* Boh. (Synth.) 29  
*tuberculatus* Geer 22  
*tuberifrons* Fairm. 9  
*tuberosus* Gerst. (Episus) 6  
*tuberosus* Wiedem. (Brach.) 26  
*turbatus* Pasc. 26  
*turgidus* Gyll. 26  
*turriferus* Gyll. 26  
*tursio* Pasc. 26  
*tutanus* Jek. 9  
  
*ulcerosus* Gyll. 26  
*umbrinus* Fährs. 26  
*undatus* F. 26  
*ungulatus* Gyll. 14  
*uva* Sparrm. 27  
*uva* Thunbg. 20  
*uva* Gyll. 24  
*uvula* Kolbe 27  
*vacca* Thunbg. 27  
*vagabundus* Fährs. 28  
*variegatus* Pape 28  
*variipictus* Quedf. 28  
*variolosus* Ol. 28  
*variolosus* Thunbg. 14  
*varius* Péring. 28  
*velutinus* Desbr. 20  
*ventralis* Desbr. 21  
*venustus* Wiedem. 28  
*vermiculatus* Fairm. 9  
*verrucifer* Kirby 28  
*verrucipennis* Gyll. 28  
*verrucosiusculus* Pape 28  
*verrucosus* Ol. 28  
*vespertilio* Desbr. 23  
*vestitus* Gyll. 28  
*viduatus* Péring. 28  
  
*Wahlbergi* Fährs. (Brach.) 28  
*Wahlbergi* Jek. (Episus) 4  
*Wardeni* Péring. 29  
*Westermanni* Auriv. (Episus) 6  
*Westermanni* Fährs. (Brach.) 28  
  
*Zeyheri* Gyll. 28

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Coleopterorum Catalogus](#)

Jahr/Year: 1910

Band/Volume: [16](#)

Autor(en)/Author(s): Pape Paul

Artikel/Article: [Fam. Brachyceridae 1-36](#)