

Fam. Histeridae.

Auct. H. Bickhardt.

Histeroides Paykull, Monographia Histeroidum 1811. — Erichson in Klug, Jahrb. Insectenkunde I, 1834, p. 83. — Leconte, Boston Journ. V, 1845, p. 34.

Histeridea Leach, Zool. Misc. III, 1817, p. 76.

Histérides Marseul, Ann. Soc. Ent. Fr. (3) I, 1853, p. 131; (3) V, 1857, p. 112. — Jacquelin du Val, Gen. Col. d'Eur. II, 1857—1859, p. 97.

Histériens Lacordaire, Gen. Col. II, 1854, p. 242.

Histeroidae Thomson, Skand. Col. IV, 1862, p. 219.

Histeridae Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 273. — Leconte and Horn, Classif. Col. North America 1883, p. 143. — Ganglbauer, Käf. v. Mitteleur. III, 1899, p. 346. — Sharp, Cambridge Nat. Hist. Ins. II, 1901, p. 230. — Reitter, Fauna Germanica II, 1909, p. 277.

Monographien: Paykull, Monographia Histeroidum 1811. — Leconte, A Monography of the North American Histeroides in Boston Journ. V, 1845, p. 34. — de Marseul, Essai monograph. sur la fam. Histérides in Ann. Soc. Ent. Fr. (3) I, 1853, p. 131—294, 447—553, t. 4—7, 14—16; (3) II, 1854, p. 161—311, 525—592, 671—707, t. 6—10; (3) III, 1855, p. 83—165, 327—506, 677—758, t. 8—10, 17—20; (3) IV, 1856, p. 97—144, 259—283, 549—628, t. 2, 3, 11, 14; (3) V, 1857, p. 109—167, 397—516, t. 10, 11; Suppléments l. c. (3) VIII, 1860, p. 581—610, 835—866, t. 11, 15; (4) I, 1861, p. 141—184, 509—566, t. 3, 4, 6, 13, 14, 15; (4) II, 1862, p. 5—48, 437—516, 669—720, t. 4, 7, 12, 16, 17.

Bestimmungstabelle: J. Schmidt, Tabellen zur Bestimmung der europäischen Histeriden in Berl. Ent. Zeitschr. XXIX, 1885, p. 279—330 (Best.-Tab. XIV).

Kataloge: Gemminger et Harold, Cat. Col. III, 1868, p. 753—799. — Lewis, Systematic Catalogue of Histeridae 1905.

Dimalus Mars.

Marseul, Ann. Soc. Ent. Belg. XIII, 1870, p. 55.

platamodes Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 57. Guyana
— Lew. Ann. Mag. Nat. Hist. (6) XI, 1893,
p. 417, t. 20, f. 1.

Petalosoma Lew.

Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 418.

hirtipes Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 179. Guyana

1

Phylloma Er.

Er. in Klug, Jahrb. Insekt. 1834, p. 96. — Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 418.

corticale F. Syst. El. I, 1801, p. 91. — Mars. Mon. 1853, Guyana
p. 193, t. 5, f. 1. — Lew. Ann. Mag. Nat. Hist.
(7) XII, 1903, p. 418.

1

Orphinium Lew.

Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 419.

angulare Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 4. Columbien
exutum Lew. l. c. (6) III, 1889, p. 277. Ecuador
labrosum Lew. l. c. (7) VIII, 1901, p. 369. Brasilien
mandibulare Mars. Mon. 1853, p. 195, t. 5, f. 3. Guyana
Maragnoni Mars. Ann. Soc. Ent. Belg. XII, 1870, p. 57. Brasilien
monodon Mars. l. c. p. 58. „
oblitum Mars. Mon. 1853, p. 194, t. 5, f. 2. Columbien
tuberculatum Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, Brasilien
p. 368.

8

Eutidium Lew.

Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 419.

bahiense Mars. Mon. 1860, p. 585, t. 11, f. 1. Brasilien
facetum Lew. Biol. Centr.-Amer. 1888, p. 183, t. 4, f. 17 Central-
u. 17a. Amerika
lepidum Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 138. Brasilien
pacale Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 419. „
peruanum Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 340. Peru

5

Hololepta Payk.

Payk. Mon. Histeroid. 1811, p. 101. — Er. in Klug, Jahrb. Ins. I, 1834, p. 87.
— Mars. Monogr. 1853, p. 135. — Jacq. du Val, Gen. Col. d'Eur. II, 1857—59,
p. 98. — Schmidt, Best.-Tab. in Berl. Ent. Zeitschr. XXIX, 1885, p. 281.
— Seidlitz, Fauna Balt. et Fauna Transsylv. 1891, p. 45. — Ganglbauer,
Käf. v. Mitteleur. III, 1899, p. 353. — Reitter, Fauna Germanica II, 1909,
p. 280.

Subgen. **Hololepta** s. str.

africanæ Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 158. Ost-Afrika
alligans Mars. Journ. Sc. Lisboa XXV, 1880, p. 39. Angola

- amurensis* Reitt. Deutsche Ent. Zeitschr. XXIII, 1879, p. 213. — Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 133. Ost-Sibirien, Japan
- andicola* Schm. Ent. Nachr. XIX, 1893, p. 5. Peru
- aradiformis* Er. in Klug, Jahrb. Ins. 1834, p. 93. — Mars. Mon. 1853, p. 181, t. 4, f. 23. Brasilien
- arcifera* Mars. Mon. 1853, p. 159, t. 4, f. 17. — Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 159. West-Afrika
- arcitenens* Mars. Mon. 1860, p. 598, t. 11, f. 9. — Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 159. Süd-Afrika
- arcuata* Lew. Ent. Monthly Mag. VI, 1895, p. 186. West-Afrika
- attenuata* Blanch. Voy. d'Orb. Col. 1837—1843, p. 68. Bolivien
- Mars. Mon. 1853, p. 182, t. 4, f. 24.
- australica* Mars. Mon. 1853, p. 146, t. 4, f. 4. Australien
- Baulnyi* Mars. Mon. 1857, p. 399, t. 10, f. 9. Indien
- Belti* Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 205. Mittel-Amerika
- Beyeri* Schaeffer, Ent. News XVIII, 1907, p. 302, 304. Californien
- bidentata* Mars. Mon. 1853, p. 156, t. 4, f. 14. Venezuela
- bogotana* Mars. l. c. p. 184, t. 4, f. 26. Columbien
- bractea* Er. in Klug, Jahrb. Ins. 1834, p. 91. — Mars. l. c. p. 157, t. 4, f. 15. Californien
- canalicollis* Lew. Biol. Centr.-Amer. Col. II, 1, 1888, p. 185, t. 4, f. 18. Mittel-Amerika
- canaliculata* Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 369. Brasilien
- caracasica* Mars. Mon. 1860, p. 601, t. 11, f. 11. Venezuela
- caudicalis* Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 368. Brasilien
- cayennensis* Mars. Mon. 1853, p. 180, t. 4, f. 22. Guyana
- colombiana* Mars. Mon. 1853, p. 154, t. 4, f. 12. Venezuela
- complanata* Palis. de Beauv. Ins. Afr. et Amer. 1807, p. 179, t. 6, f. 5. — Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 206. Nord-Amerika
- cubensis* Er. in Klug, Jahrb. Ins. 1834, p. 93. — Mars. Mon. 1853, p. 178, t. 4, f. 19. Cuba
- curta* Mars. Mon. 1853, p. 187, t. 4, f. 28. Venezuela
- depressa* Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 132. Japan
- dilatata* Schm. Ent. Nachr. XVIII, 1892, p. 17. West-Afrika
- dux* Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 138. Kamerun
- dyak* Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 266. Borneo
- elongata* Er. in Klug, Jahrb. Ins. 1834, p. 92. — Mars. Mon. 1853, p. 190, t. 4, f. 31. Indien, Java
- enodipyga* Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 139. Peru
- excisa* Mars. Mon. 1853, p. 149, t. 4, f. 6. Nord-Amerika
- Feae* Lew. Ann. Mus. Genova XII, 1891, p. 17; Ann. Mag. Nat. Hist. (7) XVI, 1905, t. 10, f. 1. Birma
- ferox* Mars. Ann. Mus. Genova XVI, 1879, p. 149. Sumatra
- fossularis* Say, Trans. Amer. Phil. Soc. I, 1825, p. 47. Nord-Amerika
- Mars. Mon. 1853, p. 147, t. 4, f. 5. Süd-Afrika
- glabra* Fährs. in Boh. Ins. Caffr. I, 1851, p. 556. — Mars. Mon. 1860, p. 596, t. 11, f. 8.
- Guidonis* Mars. Mon. 1860, p. 595, t. 11, f. 7. Mexico
- higouiae* Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 174. Japan
- parallela* Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 132.
- humilis* Payk. Mon. 1811, p. 109, t. 13, f. 3. — Mars. Mon. 1853, p. 179, t. 4, f. 20. Brasilien
- immarginata* Schm. Ent. Nachr. XV, 1889, p. 329. Borneo

- indica** Er. in Klug, Jahrb. Ins. 1834, p. 90. — Mars. Mon. 1853, p. 152, t. 4, f. 10.
aequa Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 204.
batchiana Mars. Mon. 1860, p. 588, t. 11, f. 2.
 — Lew. Ann. Mus. Genova (2) XII, 1891, p. 631.
- insignis** Schm. Ent. Nachr. XV, 1889, p. 70.
- Januarii** Mars. Mon. 1860, p. 602, t. 11, f. 12.
- laevigata** Guér. Voy. Bélanger, Zool. 1833, p. 482, t. 2, f. 4. — Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 5.
procera Er. in Klug, Jahrb. Ins. 1834, p. 91. — Mars. Mon. 1853, p. 189, t. 4, f. 30.
- lamina** Payk. Mon. 1811, p. 108, t. 9, f. 6. — Mars. l. c. p. 188, t. 4, f. 29.
- lissopyga** Mars. l. c. p. 144, t. 4, f. 2.
- lucida** Lec. Mon. 1845, p. 7. — Mars. l. c. p. 177, t. 4, f. 18.
- malariae** Lew. Deutsche Ent. Zeitschr. 1895, p. 261; Ann. Mag. Nat. Hist. (7) II, 1898, p. 158.
- malleata** Lew. Mon. Christmas Isl. 1900, p. 90.
- manillensis** Mars. Mon. 1853, p. 145, t. 4, f. 3.
- marginepunctata** Mars. l. c. p. 153, t. 4, f. 11.
- Mastersi** M'Leay, Trans. Ent. Soc. N. S. Wales II, 1871, p. 157. — Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 418; Ann. Mag. Nat. Hist. (7) IV, 1899, p. 5.
- menadia** Mars. Abeille I, 1864, p. 279.
- meridana** Mars. Mon. 1853, p. 184, t. 4, f. 25.
- morator** Mars. Mon. 1860, p. 603, t. 11, f. 12.
- neglecta** Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 140.
- nepalensis** Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 43.
- obscura** Mars. Mon. 1853, p. 150, t. 4, f. 8.
- obtusipes** Mars. Abeille I, 1864, p. 280. — Lew. Ann. Mag. Nat. Hist. (7) XV, 1905, p. 342.
- parallela** Sturm, Abh. Naturhist. Gesellsch. 1868, t. B, f. 2. — Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 174.
- paropsis** Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 157.
- Perraudieri** Mars. Mon. 1857, p. 397, t. 10, f. 1.
- pilipes** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 458.
- pinguis** (*Lioderma*) Schm. Ent. Nachr. XVIII, 1892, p. 17.
- placida** Lew. Biol. Centr.-Amer. 1888, p. 186.
- plagigera** (*Phylloma*) Lew. Biol. Centr.-Amer. 1888, p. 183, t. 4, f. 16; Ann. Mag. Nat. Hist. (7) XII, 1903, p. 418.
- plana** Fuessly, Verz. 1775, p. 5. — Ol. Ent. I, 8, 1789, p. 15, t. 3, f. 22, a, b. — Ill. Käf. Preuß. I, 1798, p. 65. — F. Syst. El. I, 1801, p. 90. — Payk. Mon. 1811, p. 107. — Mars. Mon. 1853, p. 143, t. 4, f. 1. — Jacq. du Val, Gen. Col. II, 1858, t. 29, f. 141. — Schm. Berl. Ent. Zeitschr.

Indien, Java,
Neu-
Guinea

West-Afrika
Brasilien
Indien, Java

Brasilien

Australien
(Indien,
Bengalen
nach
Marseul)

Nord-
Amerika
Togo

Christmas
Ins.
Philippinen
Columbien
Australien

Celebes
Yucatan
Guyana
Nord-
Amerika

Indien
Mexico
Sumatra

Venezuela

Ost-Afrika
Teneriffa
Borneo
West-Afrika
Mittel-
Amerika
Mittel-
Amerika

Europa

- XXIX, 1885, p. 284. — Ganglb. Käf. v. Mitteleur.
 III, 1899, p. 354. — Reitt. Fauna Germanica
 II, 1909, p. 280, t. 65, f. 13.
- Pontavicei** Mars. Mon. 1860, p. 594, t. 11, f. 6. Mexico
populnea Lec. Ann. Lyc. N. York V, 1851, p. 163. — Californien
 Mars. Mon. 1860, p. 592, t. 11, f. 5.
- prona** Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 204. Capland
pygolissa Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 59. Panama
quadriformis Mars. Mon. 1853, p. 186, t. 4, f. 27. Brasilien
scissoma Mars. Mon. 1860, p. 599, t. 11, f. 10. Capland
 var. *maura* Lew. Ann. Mag. Nat. Hist. (5) XVI, Abessinien
 1885, p. 205; l. c. (7) XIX, 1907, p. 312.
- semicincta** Mars. Mon. 1853, p. 159, t. 4, f. 16. — Lew. West-Afrika
 Ann. Mag. Nat. Hist. (7) II, 1898, p. 158.
- sidnensis** Mars. Mon. 1860, p. 587, t. 11, f. 1. Australien
similis Mars. Mon. 1853, p. 155, t. 4, f. 13. Columbien
sternalis Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 337. West-Afrika
sternincisa Mars. Notes Leyden Mus. VIII, 1886, p. 150. Central-
parvifossa Mars. l. c. VIII, 1886, p. 150. — Afrika
 Schm. Notes Leyden Mus. X, 1888, p. 121. —
 Mars. l. c. XI, 1889, p. 46.
- ✓ **striatidera** Mars. Mon. 1853, p. 151, t. 4, f. 9. Capland
strigilata Schm. Ent. Nachr. XV, 1889, p. 329. West-Afrika
subhumilis Mars. Mon. 1853, p. 179, t. 4, f. 21. Mexico
sublucida Mars. Mon. 1853, p. 149, t. 4, f. 7. Columbien
syntexis Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 267. St. Thomas-
 Ins.
- trulla** Lew. Ann. Mag. Nat. Hist. (7) XV, 1905, p. 302. Central-
 Afrika
- truxillana** Mars. Mon. 1860, p. 590, t. 11, f. 3. Peru
vulpes Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 58. — Mexico
 Lew. Biol. Centr.-Amer. 1888, p. 185, t. 4, f. 19.

Subgen. *Lioderma* Mars.

Mars. Mon. 1857, p. 469. — Schm. Ent. Nachr. XV, 1889, p. 72. — Bickh.
 Ent. Blätt. VI, 1910, p. 226.

Lionota Mars. Mon. 1853, p. 196.

- acutipectum** Lew. Ann. Mag. Nat. Hist. (7) XV, 1905, p. 302. Kamerun
- cacti** Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 162. Nord-
 — Mars. Mon. 1857, p. 400, t. 10, f. 5. Amerika
- caffrum** Er. in Klug, Jahrb. Ins. 1834, p. 94. — Mars. Capland
 Mon. 1853, p. 219; 1860, t. 11, f. 1.
- cerdo** Mars. Mon. 1853, p. 206, t. 5, f. 4. Guyana
- cimex** Mars. Ann. Soc. Ent. Belg. VIII, 1870, p. 60. Brasilien
- claudum** Mars. Mon. 1860, p. 609, t. 11, f. 2. Mexico
- confusum** Mars. Mon. 1853, p. 205, t. 5, f. 3. „
- devium** Mars. Mon. 1853, p. 211, t. 5, f. 9. Brasilien
quadridentatum Er. in Klug, Jahrb. Ins. 1834,
 p. 95.
- dorcoides** Lew. Biol. Centr.-Amer. 1888, p. 187, t. 4, f. 20. Central-
 Amerika
- funebre** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 60. Chile
chilensis (*Hololepta*) Reed, Cat. Col. Chili,
 An. Univ. 1876, p. 275. — Schm. Ent. Nachr.
 XIV, 1893, p. 6.

- interruptum** Mars. Mon. 1853, p. 214, t. 5, f. 11. Cuba
intersectum Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, Peru
 p. 139; l. c. (7) XVI, 1905, t. 10, f. 2.
latum Mars. Mon. 1853, p. 215, t. 5, t. 12. Brasilien
mexicanum Mars. Mon. 1853, p. 209, t. 5, f. 7. Mexico
minutum Er. in Klug, Jahrb. Ins. 1834, p. 96. — Mars. Brasilien
 Mon. 1853, p. 217, t. 5, f. 14.
nudum Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 206. Aschanti
patulum Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, Peru
 p. 181.
pervalidum (*Hololepta*) Blaisdell, Zoë III, 1892, p. 337. Californien
 — Fall, Cal. Acad. Sc. VIII, 1901, p. 93. —
 Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 139;
 l. c. XX, 1907, p. 96.
politum Mars. Mon. 1853, p. 208, t. 5, f. 6. Mexico
pumicatum Mars. l. c. 1857, p. 469.
punctulatum Mars. Mon. 1853, p. 216, t. 5, f. 13. Brasilien
Sahlbergi Lew. Ann. Mag. Nat. Hist. (5) XVI,
 1885, p. 205. — Schm. Berl. Ent. Zeitschr.
 XLI, 1896, p. 56.
quadridentatum F. Ent. Syst. I, 1801, p. 74. — Payk. Central-
 Mon. 1811, p. 109, t. 9, f. 4; Larve t. 1, f. 3. — Amerika
 Mars. Mon. 1853, p. 212, t. 5, f. 10; 1860,
 p. 608.
flagellata (*Hololepta*) Kirby, Trans. Linn. Soc.
 Lond. XII, 1818, p. 395. — Lew. Ann. Mag.
 Nat. Hist. (5) XV, 1885, p. 458.
platysma Er. in Klug, Jahrb. Ins. 1834, p. 95.
surinamense Hbst. Käf. IV, 1791, p. 51.
Reichei Mars. Mon. 1853, p. 210, t. 5, f. 8. Guyana
rimosum Mars. l. c. p. 218, t. 5, f. 15. Cuba
strigicollis Mars. l. c. p. 207, t. 5, f. 5. Mexico
subnitidum Lew. Biol. Centr.-Amer. 1888, p. 189. „
vicinum (*Hololepta*) Lec. Ann. Lyc. Nat. Hist. N. York Nord-
 V, 1851, p. 163. Amerika
yucatecum Mars. Mon. 1853, p. 203, t. 5, f. 1; 1860, Nord- und
 p. 606. Mittel-
grande Mars. l. c. 1853, p. 204, t. 5, f. 2 ♀. Amerika
princeps Lec. Proc. Acad. Philad. 1859, p. 310.
verniciis (*Hololepta*) Cas. Ann. N. York Ac. VII,
 1893, p. 534.

113

Oxysternus Er.

Er. in Klug, Jahrb. Insekt. 1834, p. 98.

- maximus** L. Syst. Nat. I, ed. XII, 1766, p. 566. — Mars. Guyana
 Mon. 1853, p. 223, t. 5, f. 1.
Druryi Guér. Gen. Ins. III, 1835, p. 7.
mazilloso Ol. Ent. I, 8, 1789, p. 5, t. 2, f. 8.
 — F. Syst. El. I, 1801, p. 91. — Payk. Mon. 1811, p. 111.
 Biologie: Peyerimhoff, Ann. Soc. Ent. Fr. LXXI,
 1902, p. 710.

Trypanaeus Eschz. 1823

Eschscholtz, Zool. Atl. 1829, p. 11.

Bostrichus F. Syst. El. II, 1801, p. 385.*Tryponaeus* Er. in Klug, Jahrb. Ins. 1834, p. 198.*Trypanaeus* Mars. Mon. 1853, p. 103.Subgen. **Trypanaeus** s. str. Lew.

Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 223 u. 273.

- ampullaceus** Lew. Biol. Centr.-Amer. 1888, p. 229, t. 6, f. 15. Panama
bimaculatus Er. in Klug, Jahrb. Ins. 1834, p. 201. — Brasilien
 Mars. Mon. 1856, p. 115, t. 2, f. 7.
amabilis ♂ Mars. Mon. 1856, p. 117, t. 2, f. 10.
 — Lacord. Gen. Col. Atl. 1854, t. 17, f. 4.
bipustulatus F. Syst. El. II, 1801, p. 385. — Lew. Ann. „
 Mag. Nat. Hist. (6) III, 1889, p. 287.
bispinus Mars. Mon. 1856, p. 122, t. 2, f. 14; l. c. 1860, „
 p. 837.
carinaerostris Mars. Mon. 1856, p. 123, t. 2, f. 15. Guyana
colombiae Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 45. Columbien
cornifrons Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 272. Brasilien
ensifer Mars. Mon. 1856, p. 113, t. 2, f. 5. Brasilien,
quadracollis ♀ Mars. l. c. 1856, p. 114, t. 2, f. 6. Guatemala,
spiniger ♂ Mars. l. c. 1856, p. 119, t. 2, f. 11. Venezuela
fasciatus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 401. Brasilien
flavipennis Mars. Mon. 1856, p. 117, t. 2, f. 9. Mexico
luteivestis Mars. Mon. 1860, p. 842, t. 2, f. 4. „
flavipennis Chevr. Rev. Zool. 1858, p. 200.
pallidipennis Mars. l. c. 1860, p. 841, t. 2, f. 3.
miles Mars. Mon. 1860, p. 844, t. 2, f. 5. Venezuela
montivagus Lew. Biol. Centr.-Amer. 1888, p. 228, t. 4, f. 14. Guatemala
nasicornis Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 62. Brasilien
noxius Mars. Mon. 1860, p. 838, t. 2, f. 1. Mexico
petropolitanus Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 56. Brasilien
pictus Mars. Mon. 1856, p. 116, t. 2, f. 8. Guyana
 ♀ *breviculus* Mars. l. c. 1857, p. 401, t. 11, f. 8.
plagiatus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 401. Brasilien
quadrutuberculatus Mars. Mon. 1856, p. 120, t. 2, f. 12. Venezuela
 ♀ *teres* Mars. l. c. 1856, p. 111, t. 2, f. 3.
rostratus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 400. Peru
singularis Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 183. Brasilien
sulcipygus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 62. „
terebrans Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 44. Bolivien
thoracicus F. Syst. El. II, 1801, p. 385. — Eschz. Zool. Brasilien
 Atl. I, 1829, p. 10, t. 4, f. 7. — Mars. Mon. 1856,
 p. 110, t. 2, f. 2. — Lew. Ann. Mag. Nat. Hist.
 (7) XIX, 1907, p. 313, f. 1.
 ♂ *prolixus* Mars. Mon. 1856, p. 109, t. 2, f. 1.
torpedo Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 469; Central-
 Biol. Centr.-Amer. 1888, p. 227, t. 6, f. 13; Amerika
 Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 313, f. 2.
trigonalis Mars. Mon. 1860, p. 845, t. 2, f. 6 ♂. Guyana
unituberculatus Mars. Mon. 1856, p. 124, t. 2, f. 16. Venezuela
volvulus Er. in Klug, Jahrb. Ins. 1834, p. 200. — Mars. Brasilien
 l. c. p. 112, t. 2, f. 4.
 ♂ *nasutus* Mars. l. c. p. 121, t. 2, f. 13.

Subgen. **Xylonaeus** Lew.

Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 274. — Bickh. Ent. Blätt. VI, 1910, p. 227.

- aculeatus** (*Trypanaeus*) Lew. Biol. Centr.-Amer. 1888, Panama
p. 230, ♂ t. 6, f. 20.
bifidus Lew. l. c. p. 229, t. 6, f. 16, 16a. „
columellaris Lew. l. c. p. 230, t. 6, f. 18. Guatemala
v **fallax** Mars. Mon. 1856, p. 125, t. 2, f. 17. Brasilien
filum Mars. Mon. 1860, p. 846, t. 2, f. 7, ♀. Columbien
immarginatus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, Brasilien
p. 274.
tuberculifrons Mars. Mon. 1856, p. 126, t. 2, f. 18. Venezuela
♀ **bicaudatus** Mars. l. c. 1856, p. 126, t. 2, f. 19.
— Lew. Biol. Centr.-Amer. 1888, p. 279, t. 6, f. 17 ♀.
vulcanus Lew. l. c. p. 230, t. 6, f. 19, 19a. Panama

Subgen. **Coptotrophis** Lew.

Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 519. — Bickh. Ent. Blätt. VI, 1910, p. 227.

Coptostethus Lew. l. c. p. 273.

- angustatus** Lew. Biol. Centr.-Amer. 1888, p. 231, t. 6, Guatemala
f. 23, 24.
bellator Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 272. Brasilien
bisulcifrons Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 61. „
Deyrollei Mars. Mon. 1856, p. 127, t. 2, f. 20. „
mendozae Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 46. Argentinien
obesus Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 56. Brasilien
ornatulus Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 46. „
parallelus Lew. Biol. Centr.-Amer. 1888, p. 231, t. 6, Guatemala
f. 21, ♂, f. 22, ♀.
proboscideus F. Syst. El. II, 1801, p. 385. — Mars. Mon. Brasilien
1856, p. 128, t. 2, f. 21.
♀ **carthagenus** (*Trypanaeus*) Mars. l. c. 1857,
p. 402, t. 11, f. 21.
punctinotus Mars. Mon. 1860, p. 840, t. 2, f. 2, ♀. Mexico
resectus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 63. Brasilien

Subgen. **Trypobius** Schm.

Schmidt, Ent. Nachr. XIX, 1893, p. 15. — Lew. Ann. Mag. Nat. Hist. (7) XX, 1897, p. 364. — Bickh. Ent. Blätt. VI, 1910, p. 227.

- aethiops** Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 195. Kamerun
cylindraceus Lew. l. c. p. 196. „
paradoxus Schm. Ent. Nachr. XIX, 1893, p. 16. Gabon
pinguis Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 195. Kamerun

Subgen. **Pygocoelis** Lew.

Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 194, p. 364. — Bickh. Ent. Blätt. VI, 1910, p. 227.

- africanus** (*Trypeticus*) Lew. Deutsche Ent. Zeitschr. Togo
1895, p. 265; Ann. Mag. Nat. Hist. (6) XX,
1897, p. 194.

- duplicatus** Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 194. Kamerun
strigosifrons Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, Madagascari
 p. 605.
usambicus (*Trypeticus*) Kolbe, Deutsch-Ost-Afrika IV, Ost-Afrika
 Coleopt. 1897, p. 104. — Lew. Ann. Mag. Nat.
 Hist. (7) IV, 1899, p. 27, f. 11.

Subgen. *Trypeticus* Mars.

- Mars. Abeille I, 1864, p. 281. — Schm. Ent. Nachr. XIX, 1893, p. 15.
 — Bickh. Ent. Blätt. VI, 1910, p. 227.
- Albertisi** Gestro, Ann. Mus. Genova VII, 1875, p. 994. Neu-Guinea
andaliensis Gestro, l. c. p. 994. „
bifoveolatus Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, Borneo
 p. 427.
bombacis (*Trypanaeus*) Lew. Ann. Mag. Nat. Hist. (5) Ceylon
 XV, 1885, p. 470 ♀; Ann. Mus. Genova (2) VI,
 1888, p. 644.
cinctipygus Mars. Abeille I, 1864, p. 284. Borneo
crassus Schm. Ent. Nachr. XVIII, 1892, p. 29. Perak
Dohertyi Lew. Ent. Monthly Mag. II, 1891, p. 186; Ann. Birma
 Mag. Nat. Hist. (6) IX, 1892, p. 351.
fagi Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 138; Japan
 l. c. (6) XIV, 1894, p. 184.
Ferrarii Gestro, Ann. Mus. Genova VII, 1875, p. 996. Java
 — Mars. l. c. XIV, 1879, p. 257.
frontalis Schm. Ann. Mus. Genova (2) XVII, 1897, p. 299. Sumatra
Gestroi Mars. Ann. Mus. Genova XIV, 1879, p. 255. Neu-Guinea
gilolous Mars. Abeille I, 1864, p. 282. „
Grouvellei Mars. Bull. Soc. Ent. Fr. 1883, p. 99. Sumatra
tabaciglescens Mars. Bull. Soc. Ent. Fr. 1883,
 p. 98. — Lew. Ann. Mag. Nat. Hist. (6) VIII,
 1891, p. 402; l. c. (7) X, 1902, p. 275.
incilis Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 363. „
indicus Lew. Ent. Monthly Mag. XXIX, 1893, p. 185. Indien
kalemantanus Mars. Abeille I, 1864, p. 283. Borneo
meridianus Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 27. Lombok
minutulus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 402. Sumatra
mustelinus Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 363. „
memorivagus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, Birma
 p. 351.
obeliscus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 402. Sumatra
planisternus Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, „
 p. 362.
praedaceus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 352. Perak
rhinocerus Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 426. Neu-Guinea
silvicola Schm. Ann. Mus. Genova (2) XVII, 1897, p. 298. Sumatra
terebellus Mars. Abeille I, 1864, p. 282. Neu-Guinea
veda (*Trypanaeus*) Lew. Ann. Mag. Nat. Hist. (5) XV, Ceylon
 1885, p. 470.
venator Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 138; Japan
 l. c. (6) XIV, 1894, p. 184.

Xiphonotus Mars.

Mars. Mon. 1856, p. 141.

- Chevolati** Mars. Mon. 1856, p. 143, t. 3, f. 1.

Capland

Teretriosoma Horn.

- Horn, Proc. Amer. Philos. Soc. XIII, 1873, p. 347. — Lewis, Ann. Mag. Nat. Hist. (5) XV, 1885, p. 456; l. c. (7) XII, 1903, p. 420.
- afrum** Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 427. Kamerun
americanum (*Teretrius*) Lec. Proc. Acad. Philad. 1859, Nord-
 p. 316. Amerika
dissonans Mars. Mon. 1862, p. 676. — Lew.
 Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 382.
- argentinum** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, Argentinien
 p. 339.
- biguttatum** Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 47. Queensland
cavifrons Lew. Biol. Centr.-Amer. 1888, p. 234, t. 7, Mexico
 f. 3, 3a, 3b.
- centenarium** Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 48. Argentinien
chalybaeum Horn, Proc. Amer. Philos. Soc. XIII, 1873, Nord-
 p. 347, t. 5, f. 9. Amerika
cingulum Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 397. Brasilien
conigerum Lew. Biol. Centr.-Amer. 1888, p. 233, t. 7, Guatemala
 f. 2, 2a. — Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 180.
- eristatum** Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 381. Indien
cyaneum Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 287. Brasilien
cylindricum (*Teretrius*) Woll. Cat. Col. Canar. 1864, p. 164. Canarische
 Inseln
- facetum** Lew. Ent. Monthly Mag. XVI, 1879, p. 61. — Kanada
 Horn, Trans. Amer. Ent. Soc. X, p. 286. —
 Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 287.
- Feae** (*Teretrius*) Lew. Ann. Mus. Genova (2) VI, 1888, Indien
 p. 644.
- festivum** Lew. Ent. Monthly Mag. XVI, 1879, p. 61. — Parana
 Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 275.
- gradile** Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, Süd-
 p. 110. Australien
- Grouvellei** Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, Brasilien
 p. 398; l. c. (7) X, 1902, p. 275.
- Horni** Lew. Ent. Monthly Mag. XXV, 1889, p. 397. — Nord-
 Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 428. Amerika
- immarginatum** Lew. Biol. Centr.-Amer. 1888, p. 233, Panama
 t. 7, f. 1.
- impressisternum** Lew. l. c. p. 233, t. 6, f. 25. Guatemala
intrusum (*Teretrius*) Mars. Ann. Soc. Ent. Belg. XIII, Indien
 1870, p. 120.
 Biologie: Lew. Ann. Mag. Nat. Hist. (8) VI,
 1910, p. 47.
- latirostre** Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 28. Nord-
 Amerika
- melburnium** (*Teretrius*) Mars. Ann. Soc. Ent. Belg. Australien
 XIII, 1870, p. 121.
- montanum** Horn, Trans. Amer. Ent. Soc. VIII, 1880, Nord-
 p. 143. Amerika
- nigrescens** Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, Mexico
 p. 398.
- orbum** Lew. Biol. Centr.-Amer. 1888, p. 232. Guatemala
paradoxum Lew. l. c. p. 234, t. 7, f. 4, 4a. Mexico
peruanum (*Teretrius*) Er. Archiv Naturgesch. XIII, Peru
 1847, I, p. 91. — Lew. Ann. Mag. Nat. Hist.
 (7) XII, 1903, p. 420.

- pilicorne* Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 399. Central-Amerika
plumicorne Lew. l. c. p. 399. Honduras
prasinum Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 275. Brasilien
rajah Lew. Ann. Mus. Genova (2) XII, 1891, p. 37. Birma
saginaturn Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 292. Central-Afrika
sexuale Schaeffer, Journ. N. York Ent. Soc. XII, 1905, p. 203. — Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 342. Nord-Amerika(?)
Somerseti (*Teretrius*) Mars. Ann. Mus. Genova XIV, 1879, p. 281. Australien
sorellense Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 111. Tasmanien
Stebbingi Lew. Ann. Mag. Nat. Hist. (6) VIII, 1901, p. 380. — Stebb. Departm. Notes (India) 1902, p. 20. Indien
striatum Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 48. Mexico
unicorne Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 379. Brasilien
virens (*Teretrius*) Mars. Mon. 1856, p. 136, t. 3, f. 8. Guatemala
viridicatum Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 396. Brasilien

41

Teretrius Er.

- Er. in Klug, Jahrb. Ins. 1834, p. 201. — Mars. Mon. 1856, p. 129. — Jacq. du Val, Gen. Col. II, 1858, p. 112. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885, p. 284. — Seidlitz, Fauna Balt. et Fauna Transsylv. 1891, p. 46. — Ganglbauer, Käf. v. Mitteleuropa III, 1899, p. 395. — Reitter, Fauna Germanica II, 1909, p. 294.
- aeaciae* Reitt. Deutsche Ent. Zeitschr. 1900, p. 83. Tunis
africus Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 139. Togo
Alfieri Pic, Échange XXVI, 1910, p. 9. Ägypten
australis Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 428. Australien
basalis Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 286. „
Braganzae Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 289. St. Thomas
corticallis Woll. Col. Hesperid. 1867, p. 81. CapVerdische Inseln
distinctus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 278. Capland
 Biologie: Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 605.
Doddi Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 109. Queensland
erythraeus Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 140. Erythrea
indus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 277. Indien
insinuans Mars. Mon. 1862, p. 675; 1861, t. 3, f. 5. Capland
Kraatz Mars. Mon. 1862, p. 669; 1861, t. 3, f. 1. Ägypten
latebricola Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 382. Nord-Amerika
levatus Horn, Proc. Calif. Acad. IV, 1894, p. 365. Californien
longulus Lew. Biol. Centr.-Amer. 1888, p. 232. Mexico
marginatus Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 49. Indien
Marshalli Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 276. Ost-Afrika
mozambicus Mars. Mon. 1856, p. 138, t. 3, f. 5. Madagascar
obliquulus Lec. Ent. Report 1857, p. 36. Californien
parasita Mars. Mon. 1862, p. 670; 1861, t. 3, f. 2. — Algier,
 Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 319. Spanien,

- Biologie: Bedwell, Ent. Monthly Mag. XLIII, 1907, p. 275.
- picipes** F. Ent. Syst. I, 1792, p. 77. — Er. Käf. Mark Brandb. I, 1839, p. 680. — Mars. Mon. 1856, p. 136, t. 3, f. 4. — Jacq. du Val, Gen. Col. II, 1858, t. 33, f. 162. — Thoms. Skand. Col. IV, 1862, p. 248. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 319. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 396. — Reitt. Fauna Germanica II, 1909, p. 295, t. 67, f. 15.
- pilimanus** Mars. Mon. 1856, p. 134, t. 3, f. 1. — Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 276.
- placitus** Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 143. — Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 480.
- pulex** Fairm. Pet. Nouv. II, 1877, p. 141.
brunneus Lew. Ent. Monthly Mag. XIV, 1879, p. 184.
- punctulatus** Fährs. in Boh. Ins. Caffr. I, 1851, p. 546. — Mars. Mon. 1862, p. 673; 1861, t. 3, f. 3.
aestivus Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 470.
- quadristriatus** Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 277.
- rectistrius** Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 181.
- Rothi** (*Paromalus*) Rosenh. Thiere Andalus. 1856, p. 91, nota. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 318. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 396.
Mulsanti Mars. Mon. 1862, p. 674; 1861, t. 3, f. 4.
quercus Mars. Abeille I, 1864, p. 362.
- rufulus** Mars. Mon. 1856, p. 139, t. 3, f. 6. — Lew. Biol. Centr.-Amer. 1888, p. 232.
- segnis** Mars. Mon. 1856, p. 135, t. 3, f. 2.
- Walkeri** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 353.
- Corsica
Europa
Capland
Nord-Amerika
Algier,
Ägypten,
Arabien
Capland,
Abessinien
Ost-Afrika
Madagascar
Griechenland
Guatemala
Capland
Tasmanien

32

Chalcurgus Kolbe.

Kolbe, Deutsch-Ost-Afrika IV, Col. 1897, p. 100.

- brevipennis** (*Pachyraerus*) Lew. Ann. Mag. Nat. Hist. XX, 1897, p. 185; l. c. IV, 1899, p. 11; l. c. XVI, 1905, t. 10, f. 8.
- cyaneus** Kolbe, Deutsch. Ost-Afrika IV, Col. 1897, p. 100.
- minor** Kolbe, l. c. p. 100.
- Kamerun
Ost-Afrika
"

3

Plaesius Er.

Er. in Klug, Jahrb. Ins. 1834, p. 101.

Subgen. **Plaesius** s. str.

- asperimargo** Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 343.
- bisinuatus** Schm. Ent. Nachr. XVIII, 1892, p. 18. — Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 142.
- Birma
Aru-Inseln

eossyphus Mars. Abeille I, 1864, p. 285. — Lew. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 242; l. c. XIV, 1904, p. 142.	Neu-Guinea
edentulus Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 182.	Neu-Britannien
ellipticus Mars. Mon. 1853, p. 227, t. 6, f. 3. — Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 141.	Java
javanus Er. in Klug, Jahrb. Ins. 1834, p. 102, t. 2, f. 1. — Mars. Mon. 1853, p. 226, t. 6, f. 2.	„
Mouhoti Lew. Ent. Monthly Mag. XVI, 1879, p. 76; Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 140.	Siam
planulus Lew. Ent. Monthly Mag. XVI, 1879, p. 76; Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 141.	Nicobaren
pudicus Mars. Abeille I, 1864, p. 285. — Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 142.	Malacca
ruptistrius Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 339.	Neu-Guinea
striatipectus Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 343.	Neu-Britannien

Subgen. **Hyposolenus** Lew.

Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 97.

bengalensis Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 338.	Bengalen
hamatus Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 342.	Tongking
laevigatus Mars. Mon. 1853, p. 228, t. 6, f. 1. — Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 141.	Java
laevis Lew. Ent. Monthly Mag. XVI, 1879, p. 76. — Lew. Ann. Mus. Genova (2) VI, 1888, p. 632. — Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 141.	Assam

15

Placodes Er.

Er. in Klug, Jahrb. Ins. 1834, p. 103.

Braunsi Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 142.	Süd-Afrika
caffer Er. in Klug, Jahrb. Ins. 1834, p. 105, t. 2, f. 2. — Mars. Mon. 1853, p. 233; l. c. 1860 (Suppl.), p. 848, t. 2, f. 1.	Capland
ebeninus Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 458; l. c. (7) II, 1898, p. 159.	Ost-Afrika
intermedius Schm. Ent. Nachr. XV, 1889, p. 330. — Lew. Deutsche Ent. Zeitschr. 1895, p. 266.	West-Afrika
opacus Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 224; l. c. VI, 1900, p. 266, t. 10, f. 1; l. c. XIV, 1904, p. 142.	„
senegalensis Payk. Mon. 1811, p. 13, t. 4, f. 5. — Mars. Mon. 1853, p. 232, t. 5, f. 1.	Central-Afrika

6

Sternaulax Mars.

Mars. Mon. 1862 (Suppl.), Catal. p. 705.

Aulacosternus Mars. Mon. 1853, p. 234.

caledoniae Fauv. Rev. d'Ent. X, 1891, p. 164.

Neu-
Caledonien
Neu-Seeland

zealandica (*Aulacosternus*) Mars. Mon. 1853, p. 236;
t. 6, f. 1.

grandis (*Hister*) Broun, Trans. New Zealand
Inst. IX, 1876, p. 372; Man. New Zealand
Coleopt. I, 1880, p. 163.

laevis Sharp, Ent. Monthly Mag. XIII, 1876,
p. 24. — Schm. Deutsche Ent. Zeitschr. 1885,
p. 240.

2

Macrosternus Mars.

Mars. Mon. 1853, p. 239; l. c. 1860, p. 850.

Lafertei Mars. Mon. 1853, p. 243, t. 6, f. 1. — Lew. Ann.
Mag. Nat. Hist. XII, 1903, p. 422.

Central-
Afrika

1

Apobletes Mars.

Mars. Mon. 1860, p. 852.

Subgen. Apobletes s. str.

affinis Schm. Ann. Mus. Genova (2) XIII, 1893, p. 233.

Neu-Guinea

almeidae Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 7.

Madagascar

amphibius Mars. Abeille I, 1864, p. 288.

Neu-Guinea

anceps Schm. Ent. Nachr. XVIII, 1892, p. 19.

Perak

angolensis Lew. Ent. Monthly Mag. XVI, 1879, p. 76.

Angola

appendiculatus Schm. Ann. Mus. Genova (2) XIII, 1893,
p. 233.

Neu-Guinea

aruensis Mars. Abeille I, 1864, p. 291.

„

cavifrons Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 269.

Assam

connectens Lew. Biol. Centr.-Amer. 1888, p. 190, t. 4,
f. 21.

Central-
Amerika

correctus Mars. Abeille I, 1864, p. 289.

Neu-Guinea

corticalis Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 383.

Perak

errans Mars. Mon. 1860, p. 865, t. 2, f. 11; l. c. 1860,
p. 854 (*Diaphorus*).

Tasmanien?

esurialis Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 459.

Neu-Guinea

excavatus Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906,
p. 182.

Indien

exhaustus Schm. Ent. Nachr. XIX, 1893, p. 9.

Madagascar

expansus Mars. Ann. Mus. Genova XIV, 1879, p. 258.

Neu-Guinea

feriatus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 224.

Timor

fictitius Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 206.

Gilolo,

difficile (*Platysoma*) Schm. Ent. Nachr. XV,
1889, p. 334.

Philippinen

platysomoides Lew. Ann. Mag. Nat. Hist. (6)
VIII, 1891, p. 382.

Semper Lew. l. c. p. 382.

Foersteri Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 225.

Sumatra

foliaceus Payk. Mon. 1811, p. 106, t. 9, f. 5.

Westl.

Duvivieri Lew. Ann. Mag. Nat. Hist. (6) VIII,
1891, p. 381.

Central-
Afrika

- Migneauxi* Mars. Mon. 1860, p. 855, t. 2, f. 2.
— Lew. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 241.
- fossistoma* Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 63.
- frater* Schm. Bull. Soc. Ent. Fr. 1895, p. CXXXII.
- incognitus* Schm. Ent. Nachr. XIX, 1893, p. 9.
- indocilis* Mars. Abeille I, 1864, p. 288.
- latiusculus* Schm. Ent. Nachr. XIX, 1893, p. 8.
- macer* Lew. Ann. Mus. Genova (2) XLII, 1906, p. 399.
- macilentus* Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 269.
- malaccensis* Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 64.
- marginicollis* Lew. Ann. Mus. Genova (2) VI, 1888, p. 633.
- Marseuli* (*Macrosternus*) Lew. Ent. Monthly Mag. XVI, 1879, p. 76.
- serratipes* Schm. Ent. Nachr. XIX, 1893, p. 7.
- minusculus* Schm. Ent. Nachr. XIX, 1893, p. 6.
- mitis* Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 183.
- Montrouzieri* Mars. Mon. 1860, p. 860, t. 2, f. 6.
- mortycola* Mars. Abeille I, 1864, p. 290.
- mundus* Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 6.
- mysolicus* Mars. l. c. p. 289.
- nigritulus* Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 342.
- nirvana* Lew. Ann. Mus. Genova (2) XII, 1891, p. 20.
- owas* Mars. Mon. 1853, p. 245, t. 6, f. 4.
- papuensis* Mars. Abeille I, 1864, p. 290.
- parallelus* Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 268.
- parensis* Mars. Mon. 1860, p. 863, t. 2, f. 8.
- pauperatus* Schm. Ent. Nachr. XIX, 1893, p. 7.
- planipygus* Schm. Bull. Soc. Ent. Fr. 1895, p. CXXXII.
- planisternus* (*Platysoma*) Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 460; (*Apobletes*) l. c. (5) XVI, 1885, p. 207.
- platessae* Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 270.
- poenalis* Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 97.
- prostratus* Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 223.
- pumicatus* Lew. Mem. Soc. Esp. Hist. Nat. I, 1907, p. 433. — Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 97; l. c. (8) IV, 1909, p. 292.
- rubrofemoratus* Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 225.
- runensis* Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 339.
- Schaumi* Mars. Mon. 1860, p. 857, t. 2, f. 4.
- servulus* Lew. Ann. Mag. Nat. Hist. (7) XX, 1897, p. 395.
- solutus* Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 6.
- striatellus* Mars. Mon. 1853, p. 246, t. 6, f. 5.
- taciturnus* Mars. Mon. 1853, p. 244, t. 6, f. 2.
- tener* Mars. Mon. 1860, p. 859, t. 15, f. 5.
- tristriatus* Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 420.
- Central-Afrika
Madagascar
"Ceylon
Madagascar
West-Afrika
Sumatra
Malacca
Birma
Angola
- Westl.
Central-Afrika,
Insel
St. Thoma
Madagascar
Neu-Caledonien
Molukken
Östl. Central-Afrika
Mysol
Madagascar
Birma
Madagascar
Neu-Guinea
Sumatra
Brasilien
Westl.
Central-Afrika
Madagascar
Molukken
- Ost-Afrika
Andamanen
Timor
West-Afrika
- Indien
- Run-Insel
Birma
Kamerun
Brasilien
Madagascar
"Java
Westl.
Central-

- foliaceus* Mars. (nec Payk.) Mon. 1853, p. 245, Afrika
t. 6, f. 3.
tuberculifrons Lew. Ann. Mag. Nat. Hist. (7) II, 1898, Östl. Central-
p. 159. Afrika

Subgen. **Hypobletus** Schm.

Schmidt, Berl. Ent. Zeitschr. XLI, 1896, p. 57.

- orbatus* Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 58. Brasilien
ridens Mars. Mon. 1860, p. 861, t. 2, f. 7. Columbien
semirufus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, Brasilien
p. 384.
subridens Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 65. Amazonen-
strom

63

Baconia Lew.

Lewis, Ann. Mag. Nat. Hist. (5) XV, 1885, p. 462. — Schmidt, Deutsche
Ent. Zeitschr. 1889, p. 158.

- choaspites* Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, Brasilien
p. 372.
festiva Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 389. „
Gounellei (*Phelister*) Mars. Bull. Soc. Ent. Fr. VII, „
1887, p. CXVIII. — Lew. Ann. Mag. Nat. Hist.
(7) VIII, 1901, p. 372.
jubaris Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 371. „
loricata Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 463. „
patula Lew. l. c. p. 463. „

6

Liopygus Lew.

Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 385.

- Andrewesi* Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, Indien
p. 398.
cavatus (*Apobletes*) Lew. Ann. Mag. Nat. Hist. (5) XV, Java
1885, p. 459; l. c. (6) VIII, 1891, p. 386.
chalcis Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 270. Mentawai
decemstriatus (*Platysoma*) Motsch. Bull. Mosc. XXXVI, Ceylon
1863, II, p. 454.
diopsipygus (*Apobletes*) Mars. Ann. Mus. Genova XIV, Java
1879, p. 259.
exiguus (*Platysoma*) Lew. Ann. Mag. Nat. Hist. (5) XVI, Ceylon
1885, p. 208; l. c. (6) VIII, 1891, p. 386.
famelicus Lew. Ann. Mus. Genova (2) XII, 1891, p. 21. Birma
Gestroï (*Apobletes*) Lew. Ann. Mus. Genova (2) VI, „
1888, p. 632.
minutus (*Platysoma*) Motsch. Bull. Mosc. XXXVI, 1863, Ceylon
II, p. 455.
foveipygus (*Apobletes*) Mars. Abeille I, 1864, Birma
p. 291.
punctatus Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, Lombok
p. 340.
serobiculatus (*Apobletes*) Schm. Ann. Mus. Genova (2) Sumatra
XVII, 1897, p. 259.

11

Platysoma Leach.

Leach, Zool. Misc. III, 1817, p. 77. — Er. in Klug, Jahrb. Ins. I, 1834, p. 106. — Mars. Mon. 1853, p. 248. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 99. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885, p. 281. — Seidlitz, Fauna Baltica et Fauna Transsylvanica 1891, p. 45. — Ganglbauer, Käf. v. Mitteleuropa III, 1899, p. 355. — Reitter, Fauna Germanica II, 1909, p. 280.

Abbotia Leach, Trans. Plymouth Instit. 1830, p. 156.

Subgen. Platylister Lew.

Lew. Ent. Monthly Mag. XXVIII, 1892, p. 103. — Schmidt, Ann. Mus. Genova (2) XVII (XXXVII), 1897, p. 287.

- abruptus** Er. in Klug, Jahrb. Ins. 1834, p. 109. — Mars. Java
Mon. 1853, p. 257, t. 7, f. 2; l. c. 1861, p. 142,
t. 3, f. 2.
- andamanensis** Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, Andamanen
p. 419.
- arcuatus** Lew. Ann. Mus. Genova (2) VI, 1888, p. 636. Tenasserim
- atratus** Er. in Klug, Jahrb. Ins. 1834, p. 110. — Mars. Indien
Mon. 1853, p. 259, t. 7, f. 3.
- Bonvouloiri** Mars. Mon. 1861, p. 147, t. 3, f. 7. Australien
- borneolus** Mars. l. c. p. 143, t. 3, f. 3. Borneo
- cambodjensis** Mars. Abeille I, 1864, p. 300. Indien
- canalicollis** Mars. l. c. p. 297. Celebes
- Cathayi** Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 271. China
- ceramicola** Mars. Abeille I, 1864, p. 298. Ceram
- Charrali** Mars. Mon. 1861, p. 146, t. 3, f. 6. Borneo
- comes** Mars. Ann. Mus. Genova XIV, 1879, p. 261. Australien
- densatus** Schm. Ann. Mus. Genova (2) XIV, 1894, p. 542. Engano
- diffusus** Schm. Ann. Mus. Genova (2) XVII, 1897, p. 289. Sumatra
- Doriae** Lew. Ann. Mus. Genova (2) VI, 1888, p. 634. Birma
- enodis** Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 272. Neu-Guinea
- fallaciosus** Mars. Ann. Mus. Genova XIV, 1879, p. 261.
feles Mars. Abeille I, 1864, p. 309. „
Celebes
- foveolatus** Lew. Ent. Monthly Mag. II, 1891, p. 186. Birma
- frontosus** Mars. Mon. 1861, p. 141, t. 3, f. 1. Borneo
- Gorhami** Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 278; Philippinen
l. c. (6) XI, 1893, p. 418.
- hatamensis** Mars. Ann. Mus. Genova XIV, 1879, p. 264. Neu-Guinea
- humilis** Er. in Klug, Jahrb. Ins. 1834, p. 109. — Mars. Java
Mon. 1853, p. 261, t. 7, f. 6.
- lignarius** Lew. Mon. Christmas Isl. 1900, p. 91. ChristmasIns.
- lucifugus** Mars. Mon. 1853, p. 259, t. 7, f. 4. Philippinen
- maculatus** Lew. Ann. Mus. Genova (6) VI, 1888, p. 633. Birma
- makassariensis** Mars. Abeille I, 1864, p. 299. Celebes
- malaicus** Schm. Ent. Nachr. XV, 1889, p. 331. Borneo
- mirabilis** Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 225 Assam
und p. 266, t. 10, f. 2.
- nemoralis** Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 418. Borneo
- niponensis** Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, Japan
p. 398.
- odiosus** Mars. Mon. 1861, p. 145, t. 3, f. 5. — Mars. Ann. Ceylon
Soc. Ent. Belg. XIII, 1870, p. 70.
- Marseuli* Cand. Mém. Liège XVI, 1861, p. 336,
t. 1, f. 5.
- dissimilis* Motsch. Bull. Mosc. XXXVI, 1863, II,
p. 451.

ovatus Er. in Klug, Jahrb. Ins. 1834, p. 108. — Mars.	Java
Mon. 1853, p. 257, t. 7, f. 1.	
pacificus Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 50.	Neu-
	Caledonien
patruus Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 50.	Neue
	Hebriden
placitus Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 184.	Neu-Guinea
<i>bandae</i> Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 293.	
platypygus Mars. Ann. Mus. Genova XIV, 1879, p. 260.	„
pluvialis Mars. Ann. Mus. Genova XIV, 1881, p. 151.	Sumatra
podagrus Mars. Mon. 1861, p. 144, t. 3, f. 4.	Borneo
ramoicola Mars. Ann. Mus. Genova XIV, 1879, p. 263.	Neu-Guinea
Robestorfi Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 460.	Andamanen
sexstriatus Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 207.	Java
<i>minoratum</i> Schm. Ann. Mus. Genova (2) XIV, 1894, p. 543.	
soronensis Mars. Ann. Mus. Genova XIV, 1879, p. 262.	Neu-Guinea
sororius Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 142.	Indien
strialis Mars. Abeille I, 1864, p. 301.	Celebes
sumatrensis Mars. Ann. Mus. Genova XIV, 1880, p. 152.	Sumatra
suturalis Lew. Ann. Mus. Genova (2) VI, 1888, p. 636.	Birma
Urvillei Le Guillon, Rev. Zool. 1844, p. 223. — Mars. Mon. 1853, p. 260, t. 7, f. 5.	Taiti
vanus Schm. Ann. Mus. Genova (2) XVII, 1897, p. 288.	Sumatra

Subgen. **Silinus** Lew.

Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 343.

extrarius Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 357;	Australien
l. c. (7) II, 1898, p. 161; l. c. (7) VI, 1900, p. 291, t. 10, f. 3.	
palmipes Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 278.	Sumatra
pinniger Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 160.	Java
robustus Schm. Ent. Nachr. XVIII, 1892, p. 22.	Australien

Subgen. **Platysoma** s. str.

abyssinicum Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 461.	Abessinien
aequum Lec. New spec. Col. I, 1863, p. 61.	Nord-
<i>frontale</i> Say, Journ. Acad. Phil. 1825, p. 43. — Leconte, Trans. Amer. Ent. Soc. 1869, p. 252. — Horn, Synops. 1873, p. 297.	Amerika
Alexandri Mars. Abeille I, 1864, p. 304.	Westl.
<i>africanum</i> Lew. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 215.	Central-
	Afrika
algiricum Luc. Expl. Alg. 1849, p. 231, t. 22, f. 10. — Mars. Mon. 1853, p. 267, t. 7, f. 12.	Algier,
<i>laevicolle</i> Küst. Käf. Eur. XX, 1850, p. 2. — Baudi, Berl. Ent. Zeitschr. VIII, 1864, p. 231 nota.	Sardinien
assamense Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 273.	Assam
aurelianum Horn, Proc. Amer. Philos. Soc. XIII, 1873, p. 279.	Nord-
	Amerika
aureoliferum Mars. Abeille I, 1864, p. 303.	Neu-Guinea

- Bakewelli** Mars. l. c. p. 309.
cognatum Sharp, Ent. Monthly Mag. XIII, 1876, p. 25. Australien
 Neu-Seeland
- baliolum** Lew. Ann. Mag. Nat. Hist. (6) II, 1889, p. 279. Zanzibar
- basale** Lec. Proc. Acad. Philad. 1861, p. 343 nota. Nord-
 Amerika
 Australien
- bifossopygum** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 69. Queensland
- biimpressum** Schm. Ent. Nachr. XVIII, 1892, p. 21. Birma
- birmanum** Mars. Mon. 1861, p. 151, t. 3, f. 11.
semistriatum Motsch. Bull. Mosc. XXXVI, 1863, II, p. 452. Ceylon
- subquadratum* Motsch. l. c. p. 450. Indien
- brahmani** Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 51. Malacca
- breve** Schm. Ent. Nachr. XV, 1889, p. 133. Borneo
- brevimargo** Schm. Ent. Nachr. XXI, 1895, p. 27. Capland
- brevistriatum** Lew. Ann. Mus. Genova (2) VI, 1888, p. 637.
- capense** Wiedem. in Germ. Mag. IV, 1821, p. 127. — Mars. Mon. 1853, p. 266, t. 7, f. 11.
- Henningi* Sturm, Catalog. Käfer 1826, p. 62, t. 2, f. 11. Nord-
 Amerika
- sculptum* Fährs. in Boh. Ins. Caffr. I, 1851, p. 554. — Mars. Mon. 1861, p. 150. — Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 144.
- punctulatum* Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 207; l. c. (6) III, 1889, p. 279; l. c. (7) XIV, 1904, p. 144.
- carolinum** Payk. Mon. 1811, p. 45, t. 10, f. 2. — Mars. Mon. 1853, p. 269, t. 7, f. 14.
- sordidum* Say, Trans. Amer. Phil. Soc. V, 1825, p. 44.
- cinnamomeum* White, Voy. Ereb. Terr. Ent. 1846, p. 8. — Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 207; l. c. (6) IX, 1892, p. 343. Westl. Cen-
 tral-Afrika
- castanipes** Mars. Mon. 1853, p. 274, t. 7, f. 18. Japan
- celatum** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 134. Australien
- clariense** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 72. "
- completum** Mars, l. c. p. 71. Europa
- compressum** Hbst. in Füessly, Arch. Insect. IV, 1783, p. 20. — Seidlitz, Fauna Balt. ed. II, 1891, p. 197. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 357. — Reitt. Fauna Germanica II, 1909, p. 280, t. 65, f. 14.
- depressum* F. Mant. I, 1787, p. 32. — Er. Käf. Mark Brdb. I, 1839, p. 651 ex parte. — Mars. Mon. 1853, p. 271, t. 7, f. 16. — Schiödte, Nat. Tidsskr. 1864, p. 152, t. 2, f. 2—5. — Thoms. Scand. Col. IV, 1864, p. 232. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 285.
- Paykullianum* Leach, Trans. Plymouth Instit. 1830, p. 156. — Waterh. Ent. Monthly Mag. V, 1868, p. 168. — Harold, Col. Hefte IV, 1868, p. 100.
- conditum** Mars. Abeille I, 1864, p. 307. Neu-Guinea
- Confucii** Mars. Mon. 1857, p. 404, t. 11, f. 9. — Schm. Notes Leyden Mus. XII, 1890, p. 10. China,
 Ceylon,
 Philippinen
- connexum** Fauv. Rev. d'Ent. X, 1891, p. 166. Neu-
 Caledonien

- contiguum** Mars. Abeille I, 1864, p. 303.
- convexiusculum** M'Leay, Trans. Ent. Soc. N. S. Wales II, 1871, p. 157.
- cribropygum** Mars. Abeille I, 1864, p. 302.
- dahdah** Mars. Mon. 1861, p. 148, t. 3, f. 8.
- debile** Mars. Abeille I, 1864, p. 308.
- decipiens** Schm. Ent. Nachr. XV, 1889, p. 133.
- delicatum** Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 279.
- deplanatum** Gyll. Ins. Suec. I, 1808, p. 85. — Thoms. Scand. Col. IV, 1864, p. 233. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 286. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 357. — Reitt. Fauna Germanica II, 1909, p. 281.
- depressum** var. δ Payk. Mon. 1811, p. 103, t. 8, f. 8.
- depressum** var. *deplanatum* Er. Käf. Mark Brdb. I, 1839, p. 652. — Mars. Mon. 1853, p. 272.
- depressum** Lec. Mon. 1845, p. 40, t. 1, f. 4. — Sharp, Cambridge Nat. Hist. Insects II, 1901, p. 230, f. 110.
- Lecontei** Mars. Mon. 1853, p. 273, t. 7, f. 17.
- tabellum** Casey, Ann. New York Acad. VII, 1893, p. 551.
- desinens** Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 207.
- ceylonicum** Motsch. Bull. Mosc. XXXVI, 1863, II, p. 452.
- Motschulskyi** Mars. Abeille I, 1864, p. 299.
- discrepans** Mars. Ann. Mus. Genova XIV, 1879, p. 269.
- disparile** Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 273.
- distinctum** Schm. Ent. Nachr. XVIII, 1892, p. 19.
- dorsale** Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 607.
- elingue** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 461; l. c. (6) VIII, 1891, p. 385.
- emptum** Mars. Abeille I, 1864, p. 304.
- frontale** Payk. Fn. Suec. I, 1798, p. 40. — Payk. Mon. 1811, p. 44, t. 9, f. 8. — Er. Käf. Mark Brandb. I, 1839, p. 651. — Mars. Mon. 1853, p. 268, t. 7, f. 13. — Thoms. Scand. Col. IV, 1862, p. 232. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 285. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 356. — Reitt. Fauna Germanica II, 1909, p. 280, t. 65, f. 15.
- cavifrons** Leoni, Riv. Col. Ital. V, 1907, p. 189.
- decemstriatum** Thoms. Skand. Col. IX, 1867, p. 397.
- delatum** Baudi, Berl. Ent. Zeitschr. VIII, 1864, p. 231.
- Leonii** Bickh. Ent. Blätt. VI, 1910, p. 225.
- marginatum** Thoms. Skand. Col. IX, 1867, p. 367.
- puncticolle** Heer, Fn. Helv. 1841, p. 457. — Redtb. Fn. Austr. ed. I, 1849, p. 782.
- rufum** Schilsky, Deutsche Ent. Zeitschr. 1908, p. 601. — Bickh. Ent. Blätt. V, 1909, p. 244.
- var. *betulinum* Hochh. Bull. Moscou XLV, 1872, p. 219.
- Georgi** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 74.
- germanum** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 98.
- Hageni** Mars. Notes Leyden Mus. VI, 1884, p. 161. — Schm. l. c. XII, 1890, p. 13.
- Australien
,,
Neu-Guinea
Australien
Neu-Guinea,
Australien
Ceylon
Brasilien
Europa
Nord-
Amerika
Ceylon
Australien
Lombok
Java
Indien
Ceylon
Neu-Guinea
Europa,
Algier,
Sibirien
Australien
Ost-Afrika
Sumatra

- hemistrium** Mars. Ann. Mus. Genova XIV, 1879, p. 265.
inapterum Motsch. Bull. Mosc. XXXVI, 1863, II, p. 453.
incurvatum Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 293.
insulicola Schm. Ent. Nachr. XV, 1889, p. 331; l. c. XXI, 1895, p. 27.
integrum Schm. Ent. Nachr. XV, 1889, p. 334.
jejunum Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 343.
jobiense Mars. Ann. Mus. Genova XIV, 1879, p. 264.
laeve Mars. Mon. 1853, p. 263, t. 7, f. 8.
laevadorsum Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 605.
laevipygum Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 70.
latisternum Mars. Mon. 1853, p. 262, t. 7, f. 7.
Lewisi Mars. Ann. Soc. Ent. Fr. III, 1873, p. 222.
loriae Schm. Ann. Mus. Genova XXXIII, 1893, p. 234.
lucillum Lew. Ent. Monthly Mag. II, 1891, p. 186.
luzonicum Er. in Klug, Jahrb. Ins. 1834, p. 111. — Mars. Mon. 1853, p. 265, t. 7, f. 10.
mirandum Mars. Abeille I, 1864, p. 305.
moluccanum Mars. l. c. p. 306.
Montrouzieri Perroud, Ann. Soc. Linn. Lyon 1864, p. 92.
Perroudi Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 67.
Murrayi Mars. Mon. 1857, p. 403, t. 11, f. 3. — Murray, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 354.
mutilatum Schm. Ann. Mus. Genova XXXIII, 1893, p. 235.
niloticum Reitt. Bull. Soc. Ent. Egypte I, 1908, p. 42.
novum Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 459.
Oberndorferi Schm. Ent. Nachr. XV, 1889, p. 332.
Paugami Le Guillou, Rev. Zool. 1844, p. 223. — Mars. Mon. 1853, p. 264, t. 7, f. 9.
persimile Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 419.
pictipenne Lew. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 241.
pini Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 133.
planiceps M'Leay, Trans. Ent. Soc. N. S. Wales II, 1871, p. 157.
pygidiale Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 607.
querulum Mars. Abeille I, 1864, p. 302.
restoratum Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 207.
quinquestriatum Motsch. Bull. Mosc. XXXVI, 1863, p. 454.
Dohrni Mars. Abeille I, 1864, p. 306. — Schm. Berl. Ent. Zeitschr. XXVIII, 1884, p. 158.
retrospectum Mars. Ann. Mus. Genova XIV, 1879, p. 268.
rimae Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 343.
rimarium Er. in Klug, Jahrb. Ins. 1834, p. 112. — Mars. Mon. 1861, p. 149, t. 3, f. 9.
risile Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 134.
rosselense Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 606.
rufopygum Lew. l. c. p. 606.
ruptistriatum Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 143.
Satzumae Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 8.
sculptum Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 226.

Aru
 Ceylon
 Borneo

 Fitschi Ins.

 Indien
 Perak
 Neu-Guinea
 Tasmanien
 Neu-Guinea

 Ceylon
 Tasmanien
 Japan, China
 Neu-Guinea
 Birma
 Philippinen

 Neu-Guinea

 Neu-
 Caledonien

 Guinea

 Neu-Guinea

 Ägypten
 Indien
 Java
 Neu-Guinea,
 Australien
 Buru-Ins.
 Sumatra
 Japan
 Australien

 Sumatra
 Batjan
 Ceylon,
 Birma

 Australien
 Indien
 „

 Japan
 Rossel Ins.

 Sumatra
 Java

 Japan
 Indien

- semilineatum** Schm. Ent. Nachr. XVIII, 1892, p. 22.
sesquistriatum Mars. Abeille I, 1864, p. 300.
sibiricum Reitt. Deutsche Ent. Zeitschr. 1879, p. 214.
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 326. — Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 340.
silvestre Schm. Ann. Mus. Genova XXXVII, 1897, p. 291.
Simeani Muls. u. God. Ann. Soc. Linn. Lyon XXI, 1875, p. 420.
sincерum Schm. Ent. Nachr. XVIII, 1892, p. 20. — Schm. Ann. Mus. Genova (2) XVII, 1897, p. 291.
solitarium Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 384.
solivagum Lew. Ann. Mus. Genova (2) XII, 1891, p. 21.
strangulatum Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 75.
striatiderum Mars. Mon. 1853, p. 270, t. 7, f. 15.
striatipectus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 67.
striatisternum Lew. Ent. Monthly Mag. XXVIII, 1892, p. 103.
subdepressum M'Leay, Trans. Ent. Soc. N. S. Wales, II, 1871, p. 157.
sulcisternum Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 266, f. 1.
sundae Schm. Ent. Nachr. XV, 1889, p. 332.
suturistrium Mars. Ann. Mus. Genova XIV, 1879, p. 267.
tenuimargo Schm. Bull. Soc. Ent. Fr. 1893, p. C.
terminatum Schm. Ent. Nachr. XXI, 1895, p. 26.
thugnaum Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 227.
timoriense Mars. Abeille I, 1864, p. 310.
torpens Mars. l. c. p. 307.
tribistriatum Mars. Ann. Mus. Genova XIV, 1879, p. 266.
uniforme Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 176.
vagans Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 133; l. c. (4) II, 1908, p. 141.
vicinale Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 277.
- Australien
 Neu-Guinea
 Sibirien
 Sumatra
 Klein-Asien
 Perak,
 Sumatra
 Borneo
 Birma
 Australien
 Philippinen
 Australien
 Borneo
 Australien
 „
 Sumatra,
 Borneo
 Neu-Guinea
 Seychellen
 Borneo
 Indien
 Timor
 Batjan
 Neu-Guinea
 Buru
 Japan
 Guinea

Subgen. *Cylistosoma* Lew.

- Lew. Ann. Mag. Nat. Hist. (7) XV, 1905, p. 302. — Reitt. Fauna Germanica II, 1909, p. 281.
- angustatum** Hoffm. Ent. Hefte I, 1803, p. 102. — Sturm, Ins. I, 1805, p. 242, t. 18, f. c, C. — Mars. Mon. 1853, p. 278, t. 7, f. 21. — Thoms. Skand. Col. IV, 1862, p. 234. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 286. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 357. — Reitt. Fauna Germanica II, 1909, p. 281, t. 65, f. 17.
Aubei Mars. Mon. 1861, p. 152, t. 3, f. 12.
bipunctatum Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 9.
chinense Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 176.
coarctatum Lec. Mon. 1845, p. 41, t. I, f. 6. — Mars. Mon. 1853, p. 282, t. 7, f. 25.
collumellare Lew. Biol. Centr.-Amer. 1888, p. 190, t. 4, f. 22—23.
- Europa
 Algier
 Australien
 China
 Nord-Amerika
 Zentral-Amerika

- constrictum** Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 385. Australien
- contritum** Mars. Ann. Mus. Genova XIV, 1879, p. 270. „
- cornix** Mars. Mon. 1861, p. 153, t. 3, f. 13. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 286. Südost-Europa, Kleinasien
- cylindroides** Mars. Mon. 1853, p. 280, t. 7, f. 23. Mexico
- directum** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 462. Brasilien
- Dufali** Mars. Abeille I, 1864, p. 310. Malacca, Borneo
- scitulum* Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 280.
- elongatum** Oliv. Ent. I, 8, 1789, p. 16, t. 2, f. 14. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 357. Süd-Europa
- Reitt. Fauna Germanica II, 1909, p. 281.
- filiforme* Er. in Klug. Jahrb. Ins. I, 1834, p. 114. — Mars. Mon. 1853, p. 278, t. 7, f. 22. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 286.
- dalmatinum* Küst. Käf. Europas XX, 1850, p. 5.
- epilissum** Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 344. Madagascar
- Fairmairei** Théry, Ann. Soc. Ent. Belg. XLIII, 1899, p. 211. „
- latimarginatum** Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 9. Australien
- lineare** Er. in Klug. Jahrb. Ins. I, 1834, p. 113. — Er. Käf. Mark Brandb. I, 1839, p. 653. — Mars. Mon. 1853, p. 276, t. 7, f. 20. — Thoms. Scand. Col. IV, 1862, p. 233. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 286. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 358. — Reitt. Fauna Germanica II, 1909, p. 281, t. 65, f. 18. Europa
- angustatum* Payk. Mon. 1811, p. 92, t. 10, f. 4.
- oblongum* Illig. Käf. Preuß. 1798, p. 63.
- lineicolle** Mars. Ann. Soc. Ent. Fr. (5) III, 1873, p. 223. Japan
- obliquum** Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 228. Madagascar
- oblongum** F. Ent. Syst. I, 1792, p. 75. — Er. Käf. Mark Brandb. I, 1839, p. 652. — Mars. Mon. 1853, p. 275, t. 7, f. 19. — Thoms. Scand. Col. IV, 1862, p. 233. — Perris, Ann. Soc. Ent. Fr. (4) IV, 1864, p. 85, t. 4, f. 161—170. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 286. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 357. — Reitt. Fauna Germanica II, 1909, p. 281, t. 65, f. 16. Europa
- georgianum* (*Abbotia*) Leach, Trans. Plymouth Instit. 1830, p. 157.
- parallellum** Say, Trans. Amer. Phil. Soc. I, 1825, p. 42. Nord-Amerika
- Mars. Mon. 1853, p. 281, t. 7, f. 24.
- Heydeni* Flach, Deutsche Ent. Zeitschr. XXX, 1886, p. 245; l. c. p. 448.
- pulvinatum** Schm. Bull. Soc. Ent. Fr. 1895, p. CXXXI. Madagascar
- punctigerum** Lec. Proc. Acad. Philad. 1861, p. 343. Californien
- quadricolle** Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 177. Madagascar
- Richteri** Schm. Ent. Nachr. XV, 1889, p. 335. — Schm. Bull. Soc. Ent. Fr. 1893, p. XCIX; l. c. 1895, p. CXXXI. Madagascar, Seychellen

Subgen. **Idister** Mars.

Mars. Ann. Mus. Genova XIV, 1879, p. 154.

- exortivus** Lew. Ann. Mus. Genova (2) VI, 1888, p. 636. Birma
Gestroi Lew. Ann. Mus. Genova (2) XII, 1891, p. 18. „
mendax Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 184. Mentawei
Modiglianii Schm. Ann. Mus. Genova (2) XIV, 1894, Engano
 p. 544.
morphon Mars. Ann. Mus. Genova XIV, 1879, p. 154. Sumatra
 195

Cylistix Mars.

Mars. Mon. 1857, p. 474.

Cylistus Mars. Mon. 1853, p. 287.

- asiatica** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 343. Perak
attenuata Lec. Mon. 1846, p. 42, t. 1, f. 9. Nord-
elongatum (*Platysoma*) Palis. Beauv. Ins. Afr. Amerika
 et Am. 1807, p. 178, t. 6, f. 2. — Horn, Proc.
 Amer. Phil. Soc. XIII, 1873, p. 298.
cylindrica Payk. Mon. 1811, p. 91, t. 10, f. 5. — Mars. „
 Mon. 1853, p. 289, t. 7, f. 1. — Lacord. Gen.
 Atl. t. 17, f. 2.
 ?*cylindrica* Palis. Beauv. Ins. Afr. et Am. 1807,
 p. 178, t. 6, f. 1.
gracilis Lec. Mon. 1846, p. 11, t. 1, f. 7. — Mars. Mon. „
 1857, p. 405, t. 11, f. 24. — Horn, Proc. Amer.
 Phil. Soc. XIII, 1873, p. 299.
orientalis Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 344. Siam
 5

Operclipygus Mars.

Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 75.

- sulcistrius** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 75. Brasilien
 1

Althanus Lew.

Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 420.

- teretrioides** Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, Mentawei
 p. 420.
 1

Megalocraerus Lew.

Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 231.

- rubricatus** Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 231. Brasilien
 1

Pachyeraerus Mars.

Mars. Mon. 1853, p. 447.

- Alluaudi** (*Macrosternus*) Mars. Bull. Soc. Ent. Fr. VIII, West-Afrika
 1888, p. IX.

- latus* Lew. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 215; Ann. Mag. Nat. Hist. (7) XII, 1903, p. 421.
amethystinus Mars. Mon. 1853, p. 455, t. 14, f. 4.
arabicus Lew. Ent. Monthly Mag. XVI, 1879, p. 77; Ann. Mag. Nat. Hist. (6) III, 1889, p. 282.
assinius (*Macrosternus*) Mars. Bull. Soc. Ent. Fr. VIII, 1888, p. IX. — Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 421.
atratus Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 154.
bellulus Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 208.
Bocandei Mars. Mon. 1853, p. 456, t. 14, f. 5. — Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 182.
Burmeisteri Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 76.
capito Thoms. Arch. Ent. II, 1858, p. 41.
cariniceps Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 183.
Chabrilacii Mars. Mon. 1861, p. 156.
chalybaeus Fährs. in Boh. Ins. Caffr. I, 1851, p. 553. — Mars. Mon. 1853, p. 453, t. 14, f. 2.
chlorites Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 274.
coeruleatus Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 11.
completus Gerst. Jahrb. Hamb. Anst. I, 1884, p. 44. — Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 179.
congonis Schm. Ent. Nachr. XV, 1889, p. 336.
cyanescens Er. in Klug, Jahrb. Ins. I, 1834, p. 155. — Mars. Mon. 1853, p. 458, t. 14, f. 7.
eyanipennis Fährs. in Boh. Ins. Caffr. I, 1851, p. 539. — Mars. Mon. 1861, p. 154, t. 4, f. 1.
eylindricus Lew. Ent. Monthly Mag. XVI, 1879, p. 77. — Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 148.
desidiosus Mars. Mon. 1853, p. 457, t. 14, f. 6.
diversicollis Schm. Ent. Nachr. XV, 1889, p. 336.
elegans Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 179.
ellipsodes Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 232.
euphorbiae Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 164.
facetus Mars. Mon. 1861, p. 155, t. 4, f. 2.
frater Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 181 et 359.
frontalis Lew. Ann. Mus. Genova XLII, 1906, p. 403.
histeroides Mars. Mon. 1853, p. 454, t. 14, f. 3.
hyalus Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 56.
jucundus Mars. Mon. 1853, p. 459, t. 14, f. 8.
laticipes Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 190.
meridianus Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 182.
mimicus Lew. l. c. p. 187.
modestus Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 281.
montanus Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 347.
morulus Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 358.
nanus Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 347.
nigricans Lew. Ann. Mus. Genova XLII, 1906, p. 402.
nigrocoeruleus Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 462; l. c. (7) XIV, 1904, p. 148.
oetostriatus Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 163.
praeliariis Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 370.
prasinus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 231.
- Guinea
Arabien
West-Afrika
Erythraea
Abessinien
West-Afrika
Brasilien
West-Afrika
Kamerun
Brasilien
Capland
St. Thomas
Congostaat
Ost-Afrika
Congostaat
Afrika
Capland
Abessinien
West-Afrika
Natal
Guinea
Natal
Abessinien,
Sansibar
West-Afrika
Franz. Congo
Bissagos Ins.
Ost-Afrika
Kamerun
Sensibar
Ost-Afrika
Sensibar
Togo
Congostaat
Abessinien
Kamerun
Mashonaland
Gazaland

- princeps** Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 162; l. c. (7) XVI, 1905, t. 10, f. 7. Natal,
Ost-Afrika
- pullus** (*Platysoma*) Gerst. Beitr. Ins. Sansibar 1866, p. 31. — Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 11; l. c. (7) XVI, 1905, p. 609. Sansibar
- puncticollis** Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 180. Zentral-Afrika
- Raffrayi** Lew. Ent. Monthly Mag. XVI, 1879, p. 77; Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 208. Abessinien
- Ritsemae** Mars. Notes Leyden Mus. VIII, 1886, p. 150. Liberia
violaceipennis Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 386; l. c. (6) IX, 1892, p. 345.
- spatiosus** Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 183. Kamerun
- striaticeps** Lew. l. c. p. 181. „
- sulcicollis** Lew. l. c. p. 186; l. c. (7) XVI, 1905, t. 10, f. 5, 6. „
- tenuistriatus** Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 184. „
- Verulami** Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 165. Natal
- viridis** Mars. Mon. 1853, p. 452, t. 5, f. 1. Capland

53

Stenotrophis Lew.

Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 233.

- cavifrons** (*Pachyeraerus*) Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 185; l. c. (7) XIV, 1904, p. 151, t. 6, f. 7. Kamerun

1

Mendelius Lew.

Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 141.

- lineipennis** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 141. Indien
- tenuipes** Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 345. Japan

2

Phelister Mars.

Mars. Mon. 1853, p. 462. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885, p. 296.

Subgen. **Eblisia** Lew.

Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 280. — Schmidt, Ann. Mus. Genova (2) XVII (XXXVII), 1897, p. 292.

- cavipyga** Lew. Ent. Monthly Mag. XXVIII, 1892, p. 102. Birma
- celebia** Mars. Mon. 1861, p. 165, t. 4, f. 9. — Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 281. Celebes
- convexa** Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 280. Borneo
- discordans** Mars. Ann. Mus. Genova XIV, 1879, p. 271. Sumatra
- incisipyga** Mars. Bull. Soc. Ent. Fr. III, 1883, p. LXVII. „
- Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 423. „
- infans** Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 230. „

lunatica Mars. Abeille I, 1864, p. 316. — Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 281.
monticola Lew. Ann. Mus. Genova (2) XII, 1891, p. 19.
Nairi Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 229.
obliqua Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 422.
ovulum Schm. Ann. Mus. Genova XXXVII, 1897, p. 292.
pagana Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 229.
pulsata Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 422.
speculipyga Mars. Ann. Mus. Genova XIV, 1879, p. 271.
Steinheili Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 68.

Malacca
 Birma
 Indien
 Neu-Guinea
 Sumatra
 Tongking
 Sumatra
 Aru
 Java

Subgen. *Phelister* s. str.

acoposternus Mars. Mon. 1853, p. 475, t. 14, f. 8.
aduncus Schm. Ent. Nachr. XIX, 1893, p. 89.
aeneomicans (*Hister*) Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 295.
affinis Lec. Proc. Acad. Philad. 1859, p. 311.
solator Mars. Mon. 1861, p. 164, t. 4, f. 8.
alticola Schm. Ent. Nachr. XIX, 1893, p. 90.
amphibius Mars. Berl. Ent. Zeitschr. XIII, 1869, p. 289.
amplistrius Schm. Ent. Nachr. XIX, 1893, p. 84.
angustus Schm. Ent. Nachr. XIX, 1893, p. 11.
Arzei Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 80.
Balzani Schm. Ann. Mus. Genova (2) VII, 1889, p. 112.
bidessois Mars. Bull. Soc. Ent. Fr. (6) IX, 1889, p. CXLVII.
bipulvinatus Mars. Mon. 1853, p. 484, t. 14, f. 16.
bovinus Mars. l. c. p. 474, t. 14, f. 7.
brevistrius Mars. l. c. p. 485, t. 14, f. 17.
canalis Lew. Biol. Centr.-Amer. 1888, p. 193.
canalis Mars. Bull. Soc. Ent. Fr. (6) IX, 1889, p. CXXXIX.
capensis Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 178.
Cardoni Lew. Ann. Soc. Ent. Belg. XXXV, 1891, p. 136.
carinatus Lew. Biol. Centr.-Amer. 1888, p. 194, t. 5, f. 4.
carinifrons Schm. Ent. Nachr. XIX, 1893, p. 87.
carinistrius Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 159.
Chapadae Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 227.
chilicola Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 80.
colombiae Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 158.
completus Schm. Ent. Nachr. XIX, 1893, p. 81.
confusaneus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 78.
conquisitus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 235.
contusus Mars. Abeille I, 1864, p. 317.
crenatus Lew. Biol. Centr.-Amer. 1888, p. 192, t. 5, f. 6.
cumanensis Mars. Mon. 1853, p. 470, t. 14, f. 3. — Lew. Biol. Centr.-Amer. 1888, p. 192, t. 4, f. 24—25.
daugar Mars. Mon. 1861, p. 167, t. 4, f. 10. — Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 60.
distractus Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 59.
divergens Schm. Deutsche Ent. Zeitschr. 1889, p. 156.
dives Mars. Mon. 1861, p. 157, t. 4, f. 1.
Dregci Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 81.
dubitabilis Mars. Bull. Soc. Ent. Fr. (6) IX, 1889, p. CXXVII.

Columbien
 Mexico
 Nord-Amerika
 Mexico
 Columbia
 Capland
 Brasilien
 „
 Pampas
 Argentinien
 Brasilien
 Columbien
 Venezuela
 Brasilien
 Mittel-Amerika
 Capland
 Indien
 Mittel-Amerika
 Brasilien
 „
 „
 Chile
 Columbien
 Mexico
 Brasilien
 Nord-Amerika
 Neu-Guinea
 Mittel-Amerika
 Venezuela
 Brasilien
 „
 Sansibar
 Brasilien
 Capland
 Brasilien

- egeus Mars. Mon. 1853, p. 480, t. 14, f. 21. Columbien
 egincola Mars. Bull. Soc. Ent. Fr. (6) IX, 1889, p. CXXVII. Brasilien
 erraticus Mars. Bull. Soc. Ent. Fr. (6) VII, 1887, Taratilla
 p. CXLVII.
 eximius Lew. Biol. Centr.-Amer. 1888, p. 191, t. 5, f. 3. Mittel-
 Amerika
 Fairmairei Mars. Mon. 1861, p. 172, t. 4, f. 15. Venezuela
 faretus Mars. Abeille I, 1864, p. 319. Brasilien
 ferrugineus (*Epiurus*) Kirsch, Berl. Ent. Zeitschr. XVII, Peru
 1873, p. 137.
 festivus (*Epiurus*) Lew. Ann. Mag. Nat. Hist. (7) II, Brasilien
 1898, p. 171; l. c. (7) V, 1900, p. 227, p. 266,
 t. 10, f. 6.
 foveicollis Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 236. „
 fractistrius Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 156. „
 friburgicus Mars. Abeille I, 1864, p. 318. „
 fulgidus Schm. Berl. Ent. Zeitschr. XXXIII, 1896, p. 324. Paraguay
 fulvulus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 77. Uruguay
 gentilis Horn, Trans. Amer. Ent. Soc. X, 1883, p. 285. Nord-
 — Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, Amerika
 p. 403.
 geometricus Cas. Ann. N. York Acad. VII, 1893, p. 550. „
 gibbulus Schm. Ent. Nachr. XV, 1889, p. 339. Columbien
 glaucus Mars. Notes Leyden Mus. VII, 1884, p. 162. Sumatra
 globiformis Mars. Mon. 1853, p. 483, t. 14, f. 15. Venezuela
 Godmani Lew. Biol. Centr.-Amer. 1888, p. 191, t. 5, f. 1. Mittel-
 Amerika
 gracilis Schm. Ent. Nachr. XV, 1889, p. 340. Venezuela
 haemorrhous Mars. Mon. 1853, p. 476, t. 14, f. 9. — „
 Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 296.
 hamistrius Schm. Ent. Nachr. XIX, 1893, p. 13. Mexico
 hospes Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 236. Nord-
 Amerika
 illustris Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 226. Brasilien
 impressifrons Sol. in Gay, Hist. Chile IV, 1849, p. 379. Chile
 — Mars. Mon. 1861, p. 159, t. 4, f. 3.
 chilense (*Platysoma*) Redt. Reise Novara II, 1867, p. 32.
 insolitus Schm. Ent. Nachr. XIX, 1893, p. 12. Mexico
 interpunctatus Kirsch. Berl. Ent. Zeitschr. X, 1866, Columbien
 p. 173. — Mars. Ann. Soc. Ent. Belg. XIII,
 1870, p. 81.
 interrogans Mars. Bull. Soc. Ent. Fr. 1889, p. 138. Brasilien
 kerga Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 77. „
 leporinus Mars. Abeille I, 1864, p. 318. Neu-Guinea
 maculipennis Mars. l. c. p. 317. Borneo
 micans Schm. Ent. Nachr. XV, 1889, p. 363. Brasilien
 miramon Mars. Mon. 1861, p. 163, t. 4, f. 7. Mexico
 muscicap Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 79. Argentinien
 nanus Schm. Ent. Nachr. XV, 1889, p. 338. Paraguay
 Nickerli Schm. Deutsche Ent. Zeitschr. XV, 1889, p. 155. Zambesi
 nigropunctatus Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, Australien
 p. 10.
 norab Mars. Mon. 1861, p. 169, t. 4, f. 12. Chile
 vibius Mars. Mon. 1861, p. 168, t. 4, f. 11.
 notandus Schm. Ent. Nachr. XIX, 1893, p. 82. Brasilien
 omissus Schm. l. c. p. 85. Paraguay
 panamensis Lec. Proc. Acad. Philad. 1859, p. 311. — Panama
 Lew. Biol. Centr.-Amer. 1888, p. 194, t. 5, f. 2.

- parallelisternus* Schm. Ent. Nachr. XIX, 1893, p. 86.
parvulus Er. in Klug, Jahrb. Ins. I, 1834, p. 156. —
 Mars. Mon. 1853, p. 486, t. 14, f. 18.
Pauli Mars. Abeille I, 1864, p. 316. — Schm. Berl. Ent.
 Zeitschr. XLI, 1896, p. 60.
plleicollis Schm. Ent. Nachr. XIX, 1893, p. 87.
praecox (Hister) Er. Arch. Naturgesch. XIII, 1847, I,
 p. 91. — Schm. Deutsche Ent. Zeitschr. XXIX,
 1885, p. 241. — Lew. Ann. Mag. Nat. Hist. (8)
 II, 1908, p. 155.
pulvis Mars. Mon. 1861, p. 173, t. 4, f. 16.
pumilus (Hister) Er. in Klug, Jahrb. Ins. I, 1834, p. 155.
 — Mars. Mon. 1853, p. 485.
pusio (Hister) Er. Arch. Naturgesch. XIII, 1847, I, p. 91.
 — Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 155.
pusio Mars. Mon. 1853, p. 472, t. 14, f. 5.
putillus (Hister) Gemm. et Harold, Cat. Col. III,
 1868, p. 772. — Schm. Deutsche Ent. Zeitschr.
 XXIX, 1885, p. 241.
pusioides Mars. Mon. 1861, p. 160, t. 4, f. 4.
pygidialis Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 157.
quadripunctulus Mars. Mon. 1853, p. 471, t. 14, f. 4.
rectisternus Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 155.
Riehli Mars. Mon. 1862, p. 697.
riouka Mars. Mon. 1861, p. 158, t. 4, f. 2.
Rouzeti Fairm. Ann. Soc. Ent. Fr. (2) VII, 1849, p. 421.
 — Mars. Mon. 1853, p. 488, t. 14, f. 20. — Jacq.
 du Val, Gen. Col. d'Eur. II, 1858, t. 30, f. 148.
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 296;
 Deutsche Ent. Zeitschr. 1893, p. 189.
rubens Mars. Mon. 1853, p. 477, t. 14, f. 10.
rubicundus Mars. Bull. Soc. Ent. Fr. (6) IX, 1889, p. 146.
rubricatus Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 158.
rufinotus Mars. Mon. 1861, p. 170, t. 4, f. 13.
ruptistrius Schm. Ent. Nachr. XIX, 1893, p. 85.
salobrus Mars. Bull. Soc. Ent. Fr. (6) VII, 1887,
 p. CXLVIII.
sanguinipennis Mars. Mon. 1853, p. 481, t. 14, f. 13.
saprinopterus Schm. Ent. Nachr. XXI, 1895, p. 27.
Saunieri Mars. Mon. 1861, p. 162, t. 4, f. 6.
sculpturatus Schm. Ent. Nachr. XIX, 1893, p. 12.
sejunctus Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 61.
Simoni Lew. Ann. Mag. Nat. Hist. (6) IV, 1889, p. 46, f. 1, 2.
simus Mars. Mon. 1861, p. 171, t. 4, f. 14.
stercoricola Bickh. Ent. Blätter V, 1909, p. 223.
subdepressus Schm. Ent. Nachr. XV, 1889, p. 337.
subplicatus Schm. Ent. Nachr. XIX, 1893, p. 88.
subrotundus Say, Trans. Amer. Phil. Soc. V, 1825, p. 39.
 — Mars. Mon. 1853, p. 487, t. 14, f. 19.
suturalis Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 60.
teapensis Mars. Mon. 1853, p. 482, t. 14, f. 14.
terminalis Schm. Deutsche Ent. Zeitschr. 1889, p. 155.
testudo Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 156.
Thiemei Schm. Ent. Nachr. XV, 1889, p. 338.
trigonisternus Mars. Bull. Soc. Ent. Fr. 1889, p. 139.
- Mexico
Columbien

Brasilien

Mexico
Peru

Mexico
Brasilien

Peru,
Brasilien

Columbien
Paraguay
Venezuela
Brasilien
Cuba
Brasilien
Mexico

Columbien
Mittel-
Amerika
Nord-
Amerika
Brasilien
Paraguay
Brasilien

Guyana
Congostaat
Nord-
Amerika
Mexico
Brasilien
Venezuela
Columbien
Uruguay
Columbien
Brasilien
Nord- (Hister)
Amerika
Brasilien
Mexico
Capland
Parana
Brasilien
Mittel-
Amerika

- truncatus** Schm. Deutsche Ent. Zeitschr. 1889, p. 157. Capland
uncistrius Lew. Biol. Centr.-Amer. 1888, p. 192, t. 5, f. 5. Mittel-
uncistrius Mars. Ann. Soc. Ent. Fr. (6) IX, 1889, Amerika
p. CXLVI.
varicolor Mars. Bull. Soc. Ent. Fr. (6) VII, 1887, Columbien
p. CXLVII.
venustus (*Platysoma*) Lec. Ann. Lyc. N. York V, 1851, Nord-
p. 163. — Mars. Mon. 1853, p. 468, t. 14, f. 1. Amerika
vernus Say, Trans. Amer. Phil. Soc. V, 1825, p. 40. —
Mars. Mon. 1853, p. 478, t. 14, f. 11. „
violaceus Mars. Mon. 1853, p. 469, t. 14, f. 2. Columbien
viridimicans Schm. Ent. Nachr. XIX, 1893, p. 83. Brasilien

137

Cypturus Er.

Er. in Klug, Jahrb. Ins. I, 1834, p. 125.

Crypturus Mars. Mon. 1853, p. 290.

- aenescens** Er. in Klug, Jahrb. Ins. I, 1834, p. 126, t. 2, Indien
f. 3. — Mars. Mon. 1853, p. 293, t. 7, f. 1. —
Lacord. Gen. Atl. 1854, t. 17, f. 8.
assamensis Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, Assam
p. 177.
bengalensis Lew. Ann. Mag. Nat. Hist. (7) VII, 1901, Indien
p. 242.
Thugi Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 178. „

4

Rhypochares Mars.

Mars. Mon. 1853, p. 494.

- asper** Schm. Ent. Nachr. XV, 1889, p. 361. Capland
fallax Schm. l. c. p. 341. „
saprinoides Er. in Klug, Jahrb. Ins. 1834, p. 146. — „
Mars. Mon. 1853, p. 497, t. 16, f. 1.

3

Omalodes Er.

Er. in Klug, Jahrb. Ins. 1834, p. 114. — Mars. Mon. 1853, p. 498.

Subgen. Omalodes s. str.

- amazonius** Mars. Mon. 1861, p. 181, t. 14, f. 6. Brasilien
striatipectus Lew. Ann. Mag. Nat. Hist. (7) V, Guyana
1900, p. 229.
angulatus F. Syst. El. I, 1801, p. 85. — Payk. Mon. „
1811, p. 42, t. 4, f. 4. — Mars. Mon. 1853, p. 508,
t. 15, f. 3.
anthracinus Mars. Mon. 1853, p. 533, t. 16, f. 26. Brasilien
areolatus Schm. Ent. Nachr. XV, 1889, p. 363. „
bifoveolatus Mars. Mon. 1853, p. 510, t. 15, f. 3. Guyana
brasilianus Mars. Mon. 1853, p. 513, t. 15, f. 7. Brasilien
brevisternus Schm. Ent. Nachr. XIX, 1893, p. 10. Bolivien

- Chapadae** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 143.
clavulus Lew. Biol. Centr.-Amer. 1888, p. 197, t. 5, f. 7.
- conicicollis** Mars. Mon. 1853, p. 519, t. 15, f. 12.
consanguineus Mars. l. c. p. 527, t. 15, f. 20.
depressisternus Mars. l. c. p. 537, t. 16, f. 30.
extorris Mars. l. c. p. 528, t. 15, f. 21.
exul Mars. l. c. p. 514, t. 15, f. 8.
faustus Er. in Klug, Jahrb. Ins. 1834, p. 124. — Mars. Mon. 1853, p. 515, t. 15, f. 9.
- felix** Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 228.
fortunatus Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 166.
foveipennis Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 237.
foveola Er. in Klug, Jahrb. Ins. 1834, p. 129. — Mars. Mon. 1853, p. 517, t. 15, f. 11.
- gagatinus** Er. Arch. Naturgesch. XIII, 1847, I, p. 90.
grossus Mars. Mon. 1853, p. 522, t. 15, f. 15.
texanus Mars. Mon. 1853, p. 523, t. 15, f. 16.
 — Cas. Ann. N. York Ac. VII, 1893, p. 536.
lubricans Cas. Ann. N. York Ac. VII, 1893, p. 535.
 — Schaeffer, Ent. News XVIII, 1907, p. 305.
- haitianus** Mars. Mon. 1853, p. 525, t. 15, f. 18.
humerosus Schm. Ent. Nachr. XV, 1889, p. 362.
Klugi Mars. Mon. 1861, p. 182, t. 14, f. 7.
laevigatus Er. in Klug, Jahrb. Jns. 1834, p. 121.
laceratus Mars. Mon. 1853, p. 507, t. 15, f. 2.
laevigatus Quensel in Schönl. Syn. Ins. I, 1806, p. 190.
 — Mars. Mon. 1861, p. 184.
angulatus Payk. Mon. 1811, p. 43.
- laevinotus** Mars. Mon. 1853, p. 533, t. 16, f. 25.
lapsans Mars. Mon. 1861, p. 179, t. 14, f. 4.
lucidus Er. in Klug, Jahrb. Ins. 1834, p. 120. — Mars. Mon. 1853, p. 509, t. 15, f. 5.
marquisicus Mars. Mon. 1853, p. 512, t. 15, f. 6.
- mendax** Mars. Mon. 1861, p. 177, t. 14, f. 2.
mestino Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 144.
monillifer Mars. Mon. 1853, p. 520, t. 15, f. 13.
novus Mars. l. c. p. 524, t. 15, f. 17.
obliquistrius Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 142.
oblongus Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 373.
omega Kirby, Trans. Linn. Soc. Lond. XII, 1817, p. 394.
 — Mars. Mon. 1853, p. 506, t. 15, f. 1.
borealis Lec. Mon. 1845, p. 14, t. 1, f. 10.
- perpolitus** Schm. Ent. Nachr. XIX, 1893, p. 11.
peruvianus Mars. Mon. 1861, p. 180, t. 14, f. 5.
planifrons Mars. Mon. 1853, p. 526, t. 15, f. 19.
praevius Mars. Mon. 1861, p. 176, t. 14, f. 1.
pulvinatus Er. in Klug, Jahrb. Ins. 1834, p. 123. — Mars. Mon. 1853, p. 521, t. 15, f. 14.
- punctistrius** Mars. Mon. 1853, p. 516, t. 15, f. 10.
ruficlavus Mars. Mon. 1853, p. 531, t. 16, f. 24.
serenus Er. in Klug, Jahrb. Ins. 1834, p. 123. — Mars. Mon. 1853, p. 537, t. 16, f. 29.
- seriatus** Schm. Ent. Nachr. XV, 1889, p. 364.
simplex Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 143.
sinuaticollis Mars. Mon. 1853, p. 535, t. 16, f. 28. — Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 230.

Brasilien
 Central-
 Amerika
 Venezuela

„
 Guyana
 „
 „
 „

Argentinien
 Brasilien
 „
 „

Peru
 Mittel- und
 Nord-
 Amerika

St. Domingo
 Mexico
 Cuba

Brasilien
 Leeward-Ins.

Guadeloupe
 Venezuela
 Brasilien

Marquesas-
 Ins.

Costa Rica
 Peru
 Mexico
 Columbien
 Bogota
 Brasilien
 „

Guatemala
 Peru
 Brasilien
 Venezuela
 Brasilien

„
 Cuba
 Brasilien

„
 Trinidad
 Brasilien

- sobrinus** Er. in Klug, Jahrb. Ins. 1834, p. 122. — Mars. Mexico
 Mon. 1853, p. 534, t. 16, f. 27.
rotundatus Lec. Proc. Acad. Philad. 1859, p. 311.
Soulouquei Mars. Mon. 1861, p. 184. St. Domingo
laevigatus Mars. Mon. 1853, p. 530, t. 16, f. 23.
vapulo Mars. Mon. 1861, p. 178, t. 14, f. 3. Mexico
vitreolucens Cas. Ann. N. York Acad. VII, 1893, p. 536. Nord-
 Amerika

Subgen. **Cornillus** Lew.

Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 99.

- binodulus** Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 52. Brasilien
bullatus Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 608. „
tuberculatus Lew. l. c. p. 608. Cayenne
tuberculipygus Schm. Ent. Nachr. XV, 1889, p. 361. Brasilien
tuberosus Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 12. „

Subgen. **Diplogrammicus** Lew.

Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 481.

- ebeninus** Er. in Klug, Jahrb. Ins. 1834, p. 118. — Schm. Uruguay
 Deutsche Ent. Zeitschr. 1889, p. 159.
intermedius Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, Chile
 p. 481.
Marseuli Schm. Deutsche Ent. Zeitschr. 1889, p. 159. Brasilien
ebenninus Mars. (nec Er. 1834) Mon. 1853, p. 529.
 t. 15, f. 22.

60

Ebonius Lew.

Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 209.

- aequatorius** Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 51. Ecuador
lineiger Mars. Ann. Soc. Ent. Belg. XLII, 1870, p. 82. Brasilien
politus Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 209; Para
 l. c. (7) XI, 1893, p. 417, t. 20, f. 2.

3

Sphyracus Mars.

Mars. Mon. 1853, p. 489.

- Anjubaulti** Mars. Abeille I, 1864, p. 319. Brasilien
gryphus Mars. Mon. 1861, p. 175, t. 2, f. 1. „
omalodellus Mars. Mon. 1853, p. 492, t. 14, f. 1. Venezuela
uncipes Mars. l. c. p. 493, t. 14, f. 2. Bolivia

4

Psiloscelis Mars.

Mars. Mon. 1853, p. 539.

- corrosa** Cas. Ann. N. York Acad. VII, 1893, p. 537. Nord-
 Amerika
Harrisi Lec. Mon. 1845, p. 14, t. 1, f. 11. — Mars. Mon. „
 1853, p. 542, t. 16, f. 1. Penn
planipes Lec. Proc. Acad. Philad. 1852, p. 39.

- perpunctata** Lec. Trans. Amer. Ent. Soc. VIII, 1880, Nord-
p. 190. Amerika
subopaca Lec. New spec. Col. I, 1863, p. 60. „
4

Nagelius Lew.

Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 294.

- carinicollis** Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 420. Borneo
Castelnaudi Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 83. Ceylon
limatus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 345; Assam
l. c. (8) IV, 1909, p. 295, fig.

3

Teinotarsus Mars.

Mars. Abeille I, 1864, p. 320.

- latipes** Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 145; Calabar
l. c. (7) XIX, 1907, p. 313, f. 3.
remipes Mars. Abeille I, 1864, p. 320. Guinea
2

Campylorhabdus Schm.

Schmidt, Ent. Nachr. XV, 1889, p. 366.

- mtsesa** Ancey, Nat. Sicil. II, 1882, p. 71. — Lew. Ann. Ost-Afrika
Mag. Nat. Hist. (7) IV, 1899, p. 12.
Poggei Harold, Mitteil. Münch. Ent. Ver. II, 1878, Diagn. Central-
p. 100; Coleopt. Hefte XVI, 1879, p. 28. — Afrika
Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 313.
singularis Schm. Ent. Nachr. XV, 1889, p. 366. — Lew. Sansibar
Ann. Mag. Nat. Hist. (7) IV, 1899, p. 12, f. 9

3

Hister L. 1758. 4te et 5te ed. de la Faune de France

- L. Syst. Nat. ed. 12, II, 1767, p. 566. — Marseul, Mon. 1854, p. 161. —
Jacq. du Val, Gen. Col. d'Eur. II, 1857—1859, p. 101. — Schmidt, Berl.
Ent. Zeitschr. XXIX, 1885, p. 282. — Seidlitz, Fauna Balt. et Transsylv.
1891, p. 45. — Ganglbauer, Käf. v. Mitteleuropa III, 1899, p. 358. —
Reitter, Fauna Germanica II, 1909, p. 281.

Biologie: Mattei, Nat. Sicil. XIX, 1906, p. 14.

Subgen. Eugrammicus Lew.

Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 99.

- didymostrius** Mars. Mon. 1853, p. 546, t. 16, f. 1. Westl. Cen-
tral-Afrika
Georgei Bickh. Ent. Blätter VI, 1910, p. 225. Calabar
fractistrius Lew. Ann. Mag. Nat. Hist. (7) XVIII,
1906, p. 185.

3*

- Lewisi** Bickh. Ent. Blätter VI, 1910, p. 225. West-Afrika
sinuosus Lew. Ann. Mus. Genova XLII, 1906,
 p. 399.
minor Lew. Ann. Mag. Nat. Hist. (8) IV, 1903, p. 235. Congo
proximus Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906,
 p. 186. West-Afrika
somaliensis Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 53. Erythraea,
 Somaliland

Subgen. *Contipus* Mars.

- Mars. Mon. 1853, p. 543. — Lewis, Ann. Mag. Nat. Hist. (7) XII, 1903, p. 423.
abhorrens Schm. Ent. Nachr. XV, 1889, p. 365. Brasilien
digitatus Mars. Mon. 1853, p. 547, t. 16, f. 2. — Lew. Westl. Cen-
 Ann. Mag. Nat. Hist. (7) XII, 1903, p. 423. tral-Afrika
flexuosus Schm. Ent. Nachr. XV, 1889, p. 365. — Lew. Matabeleland
 Ann. Mag. Nat. Hist. (7) XII, 1903, p. 423.
immarginatus Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906,
 p. 341. Somaliland
oblongus Lew. l. c. p. 340. Transvaal
platanus Mars. Ann. Soc. Ent. Belg. XIII, 1876, p. 84. Argentinien
subquadratus Mars. Mon. 1853, p. 548, t. 16, f. 3. Mittel-
 Amerika

Subgen. *Exorhabdus* Lew.

Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 53.

- aeneus** Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 186. Angola
afer Payk. Mon. Hist. 1811, p. 12, t. 13, f. 6. — Mars. Guinea
 Mon. 1854, p. 562.
africanus Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 282. Ost-Afrika
angoniensis Lew. Ann. Mag. Nat. Hist. (7) VI, 1900,
 p. 280. Angoni
crenulatus Lew. Deutsche Ent. Zeitschr. 1895, p. 263. Togo
Marshalli Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 188; Mashonaland
 l. c. (7) VI, 1900, p. 290, t. 10, f. 8.
nyassae Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 313. Nyassaland
similis Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 101. Zambesi
zambesius Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 280. „

Subgen. *Santalus* Lew.

Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 341.

- congruens** Mars. Abeille I, 1864, p. 321. Lombok
latitibus Mars. Mon. 1861, p. 527, t. 13, f. 18. — Lew. Birma
 Ann. Mus. Genova (2) XII, 1891, p. 23.
mandibularis Schm. Ent. Nachr. XV, 1889, p. 87. Celebes
orientalis Payk. Mon. 1811, p. 17, t. 13, f. 7. — Mars. Indien,
 Mon. 1854, p. 193, t. 6, f. 14. Ceylon
parallelus Redt. in Hügel, Kaschmir IV, 2, 1848, p. 514. Indien
elongatulus Mars. Mon. 1854, p. 194, t. 6, f. 15.
piraticus Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 420. Timor
rupestris Mars. Abeille I, 1864, p. 322. Celebes
tabellio Mars. l. c. p. 323. „

Subgen. **Macrolister** Lew.

Lewis, Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 145. — Reitter, Fauna Germanica II, 1909, p. 280.

Coptochilus Rey, Echange XIV, 1888, p. 4.

Colensoi Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 359.

debellatus Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 144.

emarginatus Lew. Ann. Mag. Nat. Hist. IV, 1907, p. 297.

fortis Schm. Ent. Nachr. XV, 1889, p. 86.

ignavus Fährs. in Boh. Ins. Caffr. I, 1851, p. 533. — Mars. Mon. 1861, p. 521, t. 6, f. 12.

intrepidus Lew. Ann. Mag. Nat. Hist. (7) XX, 1897, p. 187.

latipes Palis. Beauv. Ins. 1805, p. 179, t. 6, f. 6.

robustus Er. in Klug, Jahrb. Ins. 1834, p. 130.

— Mars. Mon. 1854, p. 172, t. 6, f. 3.

arcuatus Roth, Arch. Naturgesch. XVII, 1851, I, p. 122.

gravis Fährs. in Boh. Ins. Caffr. I, 1851, p. 532.

obscurus Reiche, Voy. Galin. Abyss. 1851, p. 300, t. 18, f. 6.

latobius Mars. Mon. 1854, p. 219, t. 7, f. 36.

major L. Syst. Nat. XII, 1, 1766, p. 566. — Mars. Mon. 1854, p. 173, t. 6, f. 4. — Jacq. du Val, Gen. Col. 1858, t. 29, f. 149. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 288. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 361. — Reitt. Fauna Germanica II, 1909, p. 281.

maurus Mars. Mon. 1854, p. 212, t. 7, f. 30.

maximus Ol. Ent. I, 8, 1789, p. 5, t. 95, f. 5.

gigas Payk. Mon. 1811, p. 9, t. 11, f. 1. — Mars. Mon. 1854, p. 170, t. 6, f. 1.

pillicollis Schm. Ent. Nachr. XV, 1889, p. 91.

robusticeps Mars. Notes Leyden Mus. VIII, 1886, p. 150.

robusticollis Lew. Ent. Monthly Mag. XXVIII, 1892, p. 104.

saginatatus Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 13.

striatisternus Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 345.

tardigradus Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 167.

validus Er. in Klug, Jahrb. Ins. 1834, p. 130. — Mars. Mon. 1854, p. 171, t. 6, f. 2.

ponderosus Fährs. in Boh. Ins. Caffr. I, 1851, p. 529.

Walkeri Reiche, Voy. Galin. Abyss. 1851, p. 298, t. 18, f. 5.

Natal
Ost-Afrika
Angola
Central-
Afrika
Capland

Natal
Abessinien,
Capland

Westl.
Central-
Afrika
Central-
Afrika

Capland
Central-
Afrika
Natal

Zambesi
Angola

Congo
Abessinien,
Capland

Subgen. **Pachylister** Lew.

Lewis, Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 145. — Reitter, Fauna Germanica II, 1909, p. 280.

Heterognathus Rey, Echange XIV, 1888, p. 4.

bengalensis Wied. in Germ. Mag. IV, 1821, p. 122. — Mars. Mon. 1854, p. 182, t. 6, f. 5.

grandis Germ. Ins. spec. nov. 1824, p. 86.

Indien

- caffer** Er. in Klug, Jahrb. Ins. 1834, p. 132. — Mars. Mon. 1854, p. 188, t. 6, f. 10. Capland
severus Fährs. in Boh. Ins. Caffr. I, 1851, p. 531.
- ceylanus** Mars. Mon. 1861, p. 509, t. 6, f. 1. Ceylon
- chinensis** Quens. in Schönh. Syn. Ins. I, 1806, p. 88, t. 2, f. 2. — Payk. Mon. 1811, p. 16, t. 2, f. 5. China,
 — Mars. Mon. 1854, p. 190, t. 6, f. 12. Indien
- distorsus** Ill. Mag. VI, 1807, p. 29 nota. —
 Mars. Mon. 1854, p. 195, t. 6, f. 16.
- incisus** Er. in Klug, Jahrb. Ins. 1834, p. 34. —
 Mars. Mon. 1861, p. 512, t. 6, f. 4.
- major** Hbst. Käf. IV, 1792, p. 48, t. 36, f. 10.
- congener** Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 242. Japan, Korea
- conilabris** Schm. Ent. Nachr. XV, 1889, p. 86. Capland
- inaequalis** Ol. Ent. I, 8, 1789, p. 7, t. 1, f. 3. — Mars. Europa,
 Mon. 1854, p. 184, t. 6, f. 7. — Schm. Berl. West-Asien
 Ent. Zeitschr. XXIX, 1885, p. 288. — Ganglb.
 Käf. v. Mitteleur. III, 1899, p. 361. — Reitt.
 Fauna Germanica II, 1909, p. 281, t. 66, f. 1.
- laevus** Rossi, Fauna Etrusca I, 1790, p. 28, t. 2, f. 1, 2.
- labiatus** Motsch. Bull. Mosc. XVIII, 1845, I, p. 55; Bull. Acad. Petr. I, 1860, p. 304.
- obliquatus** Motsch. Bull. Acad. Petr. I, 1860, p. 305. — Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 240.
- lutarius** Er. in Klug, Jahrb. Ins. 1834, p. 133. — Mars. Indien
 Mon. 1854, p. 183, t. 6, f. 6.
- nigrita** Er. l. c. p. 131. — Mars. Mon. 1854, p. 186, t. 6, f. 8. Afrika
caffer Fährs. in Boh. Ins. Caffr. I, 1851, p. 531.
- heros** Er. Archiv Naturgesch. IX, 1843, I, p. 226. — Mars. Mon. 1861, p. 510, t. 6, f. 2.
- pygidialis** Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 399. Yunnan
- reflexilabris** Mars. Mon. 1854, p. 187, t. 6, f. 9. Indien
- rocca** Mars. Mon. 1861, p. 511, t. 6, f. 3. Ost-Afrika
- scaevola** Er. in Klug, Jahrb. Ins. 1834, p. 134. — Mars. China,
 Mon. 1854, p. 189, t. 6, f. 11. Ceylon,
mundissimus Walker, Ann. Mag. Nat. Hist. Indien
- (3) III, 1859, p. 53. — Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 463.
- spinipes** Mars. Mon. 1854, p. 199, t. 6, f. 20. Central-Afrika

Subgen. *Spilodiscus* Lew.

Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 343.

- arcuatus** Say, Trans. Amer. Phil. Soc. V, 1825, p. 34. Nord-
 — Mars. Mon. 1854, p. 258, t. 7, f. 62. Amerika
- biplagiatus** Lec. Mon. 1845, p. 25, t. 3, f. 4. — Mars. „
 Mon. 1854, p. 552, t. 9, f. 119.
- instratus** Lec. Col. Kans. 1859, p. 7. „
- electus** Cas. Ann. N. York Acad. VII, 1893, p. 548. „
- Flohri** Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 168. Mexico
- Gloveri** Horn, Trans. Amer. Ent. Soc. 1870, p. 134, t. 1, f. 1. Nord-
 Amerika

- lucanus** Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 283. Californien
militarius Horn, Trans. Amer. Ent. Soc. 1870, p. 135, „
 t. 1, f. 4.
oregonis Cas. Ann. N. York Acad. VII, 1893, p. 549. Nord-
 Amerika
patagiatus Lew. Biol. Centr.-Amer. 1888, p. 202, t. 5, f. 13. Mexico
sarcinatus Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 169. Nord-
 Amerika
sculpticauda Cas. Ann. N. York Acad. VII, 1893, p. 540. „
sellatus Lec. Ent. Report 1857, p. 35. Californien
Sennevillei Mars. Mon. 1857, p. 422, t. 10, f. 119.
 — Horn, Synopsis 1873, p. 281.
semiruber Cas. Ann. N. York Acad. VII, 1893, p. 539. Nord-
 Amerika
simplicipes Fall, Calif. Acad. Sc. VIII, 1901, p. 235. Californien
tunicatus Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 170. Nord-
 Amerika
Ulkei Horn, Trans. Amer. Ent. Soc. 1870, p. 134. „
arizonae Horn, l. c. p. 135; Syn. 1873, p. 283.

Subgen. **Zabromorphus** Lew.

Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 398.

- apis** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 86. Capland
deflexus Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 343. Ost-Afrika
longicollis Mars. Mon. 1854, p. 257, t. 7, f. 61. Capland
mombasanus Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, Ost-Afrika
 p. 279.
ordinarius Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 100. Süd-Afrika
pachysomus Ancey, Naturaliste II, 1882, p. 55. — Lew. Central-
 Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 146. Afrika
pinguis Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 296. Congo
rugicollis Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 482. Benguela
viduus Fährs. in Boh. Ins. Caffr. I, 1851, p. 535. — Capland
 Mars. Mon. 1861, p. 519, t. 6, f. 10.
rimifrons Mars. Abeille I, 1864, p. 324.

Subgen. **Merohister** Reitt.

Reitter, Fauna Germanica II, 1909, p. 282.

- Ariasi** Mars. Abeille I, 1864, p. 342. — Lew. Ann. Mag. Spanien,
 Nat. Hist. XV, 1885, p. 468. — Schm. Berl. Kleinasien
 Ent. Zeitschr. XXIX, 1885, p. 289. — Reitt.
 Fauna Germ. II, 1909, p. 282.

Subgen. **Hister** s. str.

Eudiplistes Reitter, Fauna Germanica II, 1909, p. 286.

- abbreviatus** F. Syst. Ent. 1775, p. 53. — Mars. Mon. Nord-
 1854, p. 283, t. 8, f. 82. Amerika
subhemisphaericus Palis. Beauv. Ins. 1805,
 p. 180, t. 6, f. 7.
bifidus Say, Trans. Amer. Phil. Soc. V, 1825,
 p. 34. — Horn, Synopsis 1873, p. 288. — Mars.
 Mon. 1854, p. 284, t. 8, f. 83.

- crenicollis* Flach, Deutsche Ent. Zeitschr. XXX, 1886, p. 245. — Flach, l. c. p. 448.
- abyssinicus** Mars. Mon. 1854, p. 222, t. 7, f. 39.
- acuminatus** Schm. Ent. Nachr. XXI, 1895, p. 29.
- adjectus** Mars. Mon. 1861, p. 513, t. 6, f. 5.
- aequatorius** Mars. Mon. 1854, p. 227, t. 6, f. 43.
- agnatus** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 135.
- aino** Lew. l. c. p. 134; l. c. (7) XVI, 1905, t. 10, f. 3.
- ambigena** Lec. Proc. Acad. Philad. 1859, p. 313.
- amphystrius** Mars. Journ. Sc. Lisboa XXV, 1880, p. 41.
- aoudicus** Mars. Mon. 1861, p. 528, t. 13, f. 19.
- areatus** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 146.
- areolifer** Mars. Mon. 1861, p. 526, t. 13, f. 17.
- aschanti** Schm. Ent. Nachr. XV, 1889, p. 92.
- asoka** Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 55.
- assamensis** Mars. Mon. 1857, p. 409, t. 10, f. 11.
- Baconi** Mars. Mon. 1854, p. 198, t. 6, f. 19.
- bahiensis** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 148.
- Belli** Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 146.
- bellicus** Mars. Abeille I. 1864, p. 323.
- Bieckhardtii** Reitt. Wien. Ent. Zeit. XXIX, 1910, p. 38.
- bipunctatus** Payk. Mon. Hist. 1811, p. 27, t. 12, f. 4. — Mars. Mon. 1854, p. 555, t. 9, f. 121.
- bipustulatus** Schrank, Enum. Ins. 1781, p. 37. — Ol. Ent. I, 10, 1789, p. 9, t. 2, f. 19. — Bedel, Bull. Soc. Ent. Fr. 1906, p. 91.
- jimetarius* Hbst. Käf. IV, 1791, p. 27, t. 35, f. 3. — Mars. Mon. 1854, p. 528, t. 9, f. 102. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 292. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 366. — Reitt. Fauna Germanica II, 1909, p. 284, t. 66, f. 12.
- sinuatus* F. Ent. Syst. I, 1792, p. 75. — Er. Käf. Mark Brandb. 1839, p. 658.
- Illigeri* Duft. Fauna Austr. I, 1805, p. 213.
- Bismarcki** Lew. Deutsche Ent. Zeitschr. 1895, p. 264.
- bisquinquestriatus** Germ. Mag. Ent. Ia, 1813, p. 120.
- bissexstriatus** F. Syst. El. I, 1801, p. 84. — Er. Käf. Mark Brandb. I, 1839, p. 663. — Mars. Mon. 1854, p. 572, t. 9, f. 136. — Thoms. Skand. Col. IV, 1862, p. 226. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 295. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 366. — Reitt. Fauna Germanica II, 1909, p. 284, t. 66, f. 11.
- parvus* Gyll. Ins. Suec. I, 1808, p. 79.
- nigrita* Steph. Ill. Brit. III, 1830, p. 149.
- caliginosus* Steph. l. c. p. 152.
- castanipes* Steph. l. c. p. 152.
- Stephensi** Mars. Ann. Soc. Ent. Fr. (4) II, 1862, p. 711.
- boleti** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 135; l. c. (7) X, 1902, p. 238.
- bolivianus** Mars. Mon. 1854, p. 235, t. 7, f. 51.
- brahminius** Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 281.
- Bruchi** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 344.
- Abessinien
Congo
Natal
West-Afrika
Japan
„
Nord-Amerika
Angola
Indien
Ost-Afrika
Mexico
Aschanti
Indien
Assam
Indien
Brasilien
Indien
Timor
Turkestan
Algier
Europa,
Sibirien
Togo
Nord-Amerika
Europa
- Japan
Bolivien
Ceylon
Argentinien

- brunnipes** Er. in Klug, Jahrb. Ins. 1834, p. 144. — Mars. Mon. 1854, p. 277, t. 8, f. 77. — Lew. Biol. Centr.-Amer. 1888, p. 200. Mexico
- bullatus** Lew. l. c. p. 202, t. 5, f. 10. „
- cadaverinus** Hoffm. Ent. I, 1803, p. 34, t. 1, f. 2. — Er. Käf. Mark Brandb. I, 1839, p. 656. — Mars. Mon. 1854, p. 291, t. 8, f. 87. — Thoms. Scand. Col. IV, 1862, p. 224. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 291. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 363. — Reitt. Fauna Germ. II, 1909, p. 283, t. 66, f. 6. Europa, Sibirien, Japan
- brunneus** Ill. Käf. Preuß. 1798, p. 53.
- ?impressus** F. Ent. Syst. Suppl. 1798, p. 37; Syst. El. I, 1801, p. 85.
- transversalis** Duft. Fauna Austr. I, 1805, p. 214.
- Kirbyi** Steph. Ill. Brit. III, 1830, p. 151.
- Eschscholtzi** Mars. Mon. 1854, p. 282, t. 8, f. 81.
- calabarius** Mars. Mon. 1857, p. 415, t. 10, f. 46.
- calidus** Er. Doubl. Verz. Sencg. Ins. 1842, p. 6. — Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 209. Guinea West-Afrika
- californicus** Mars. Mon. 1854, p. 544, t. 9, f. 115. Californien
- canariensis** Woll. Cat. Col. Canar. 1864, p. 165. — Schm. Abeille XXVIII, 1895, p. 175. Canarische Inseln
- capicola** Mars. Mon. 1854, p. 220, t. 7, f. 37. Capland
- carbonarius** Ill. Käf. Preuß. I, 1798, p. 53. — Hoffm. Ent. Hefte I, 1803, p. 54, t. 1, f. 4. — Er. Käf. Mark Brandb. I, 1839, p. 660. — Mars. Mon. 1854, p. 534, t. 9, f. 107. — Thoms. Skand. Col. IV, 1862, p. 227. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 293. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 367. — Bickh. Ent. Blätt. V, 1909, p. 204. — Reitt. Fauna Germanica II, 1909, p. 285, t. 66, f. 18. Europa
- duodecimstriatus** F. Syst. El. I, 1801, p. 85.
- nigellatus** Germ. Ins. spec. nov. 1824, p. 88.
- ?quadridens** Rey, Echange 1888, p. 47. — Bickh. Ent. Blätter IV, 1908, p. 44.
- ?Silantjevi** Shirjajew, Rev. Russe d'Entom. III, 1903, p. 16. — Bickh. l. c. p. 43.
- var. **ignobilis** Mars. Mon. 1854, p. 532, t. 9, f. 106. — Bickh. Ent. Blätt. V, 1909, p. 204. — Schm. l. c. — Ganglb. l. c. — Reitt. l. c.
- breviusculus** Rey, Echange 1888, p. 47.
- punctangulus** Rey, l. c. p. 47.
- ?Clermonti** Bickh. Ent. Blätt. IV, 1908, p. 42.
- var. **stigmaticus** Mars. Mon. 1861, p. 540, t. 13, f. 30. — Muls. et Rey, Bull. Soc. Ent. Fr. (6) VII, 1887, p. LXXXVII. — Bickh. Ent. Blätt. V, 1909, p. 204. — Schm. l. c. — Ganglb. l. c. — Reitt. l. c.
- earnaticus** Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 210. Indien
- castaneus** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 465. Mittel-Amerika
- castus** Lew. l. c. p. 465. Arabien
- cavifrons** Mars. Mon. 1854, p. 267, t. 8, f. 69. Venezuela
- Christophi** Reitt. Deutsche Ent. Zeitschr. XXIII, 1879, p. 214. Sibirien

- ciliatus** Lew. Biol. Centr.-Amer. 1888, p. 199, t. 5, f. 8.
circularis Lew. Ann. Mag. Nat. Hist. (5) III, 1889, p. 283.
circulus Schm. Ent. Nachr. XV, 1889, p. 92.
civillis Lec. Mon. 1845, p. 25, t. 3, f. 5. — Mars. Mon. 1854, p. 570, t. 9, f. 134. Mexico
 West-Afrika
 Guinea
 Nord-Amerika
coenosus Er. in Klug, Jahrb. Ins. I, 1834, p. 140. — Nord- und
 Mars. Mon. 1854, p. 276, t. 8, f. 76. Mittel-Amerika
repletus Lec. Mon. 1845, p. 19, t. 2, f. 6. — Horn, Synopsis 1873, p. 258.
decisus Lec. Mon. 1845, p. 21, t. 2, f. 10.
 var. **panamensis** Mars. Mon. 1854, p. 234, t. 7, f. 50. — Lew. Biol. Centr.-Amer. 1888, p. 200.
 — Bickh. Ent. Blätter V, 1909, p. 245.
grandadensis Lec. Proc. Acad. Philad. 1829, p. 312.
cognatus Lec. Mon. 1845, p. 28, t. 3, f. 10. — Mars. Mon. 1857, p. 421, t. 10, f. 111. Nord-Amerika
colonicus Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 14. Ost-Afrika
concolor Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 135. Japan
conductus Mars. Mon. 1861, p. 524, t. 13, f. 15. Brasilien
confectus Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 423. Mittel-Amerika
congonis Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 230. Congo
contemptus Mars. Mon. 1854, p. 231, t. 7, f. 47. Capland
coprophilus Reiche, Galin. Voy. Abyss. 1851, p. 302, t. 18, f. 8. — Mars. Mon. 1854, p. 226, t. 7, f. 42. Abessinien,
 Capland
tumidus Fährs. in Boh. Ins. Caffr. I, 1851, p. 537.
coracinus Er. in Klug, Jahrb. Ins. 1834, p. 146. — Mars. Indien
 Mon. 1854, p. 307, t. 9, f. 100.
corax Mars. Mon. 1861, p. 537, t. 13, f. 27. „
coronatus Mars. Mon. 1861, p. 545, t. 13, f. 35. — Lew. Mexico
 Biol. Centr.-Amer. 1888, p. 202.
crenatipennis Bickh. Ent. Blätter VI, 1910, p. 182. Ost-Afrika
cribrurus Mars. Mon. 1854, p. 229, t. 7, f. 45. West-Afrika
criticus Mars. Mon. 1861, p. 551, t. 14, f. 41. Mexico
cruentus Er. in Klug, Jahrb. Ins. 1834, p. 137. — Mars. Capland
 Mon. 1861, p. 517, t. 6, f. 8.
curtatus Lec. Mon. 1845, p. 24, t. 3, f. 2. — Mars. Mon. Nord-Amerika
 1854, p. 272, t. 8, f. 73.
Haldemani Mars. l. c. 1861, p. 547, t. 14, f. 37.
 — Horn, Synopsis 1893, p. 291.
curvatus Er. in Klug, Jahrb. Ins. 1834, p. 139. — Mars. Brasilien
 Mon. 1854, p. 262, t. 8, f. 65.
tinctus Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 15.
Dauphini Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 346. Madagascar
decollatus Roth, Arch. Naturgesch. XVII, 1851, I, p. 123. Abessinien
 — Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 464.
defectus Lec. Proc. Acad. Philad. 1859, p. 312. Nord-Amerika
permixtus Zimm. Trans. Amer. Ent. Soc. 1869, p. 252.
Denysi Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 87. Bolivia
depurator Say, Trans. Amer. Phil. Soc. V, 1825, p. 33. Nord-Amerika
 — Mars. Mon. 1854, p. 274, t. 8, f. 74.
Paykulli Kirby, Fn. Bor.-Am. 1837, p. 123.
spretus Lec. Mon. 1845, p. 23, t. 3, f. 1. — Mars. Brasilien
 Mon. 1854, p. 271, t. 8, f. 72. Nord-Amerika
diadema Mars. 1854, p. 559, t. 9, f. 124.
dispar Lec. Mon. 1845, p. 27, t. 3, f. 8.
hospitus Lec. Proc. Acad. Phil. 1859, p. 312.

- distans** Fischer, Ent. Russ. II, 1824, p. 205, t. 25, f. 2. Sibirien
atramentarius Suffr. Stett. Ent. Zeit. XVI, 1855, p. 142.
- dauricus* Mars. Mon. 1861, p. 533, t. 13, f. 23.
- distinctus** Er. in Klug, Jahrb. Ins. 1834, p. 143. — Mars. Mittel-Europa
 Mon. 1854, p. 300, t. 8, f. 93. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 290. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 364. — Reitt. Fauna Germanica II, 1909, p. 283.
- distinguendus** Schm. Ent. Nachr. XXI, 1895, p. 29.
- diversifrons** Schm. l. c. p. 28.
- dubius** Mars. Mon. 1854, p. 279, t. 8, f. 79.
- duplicatus** Mars. l. c. p. 280, t. 8, f. 80.
- encaustus** Mars. l. c. p. 211, t. 7, f. 29.
- Ertli** Bickh. Ent. Blätter VI, 1910, p. 181.
- exaratus** Lec. Mon. 1845, p. 8, t. 3, f. 12.
- exlegis** Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 425.
- Faldermanni** Mars. Mon. 1861, p. 529, t. 13, f. 20.
- falsus** Solsky, Fedsch. Reise Turkest. II, 1876, p. 229.
 — Schm. Hor. Soc. Ent. Ross. XXIV, 1890, p. 8.
 — Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 344.
- felipae** Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 373.
- fessus** Mars. Mon. 1861, p. 515, t. 6, f. 6.
- foedatus** Lec. Mon. 1845, p. 20, t. 2, f. 8. — Mars. Mon. 1854, p. 292, t. 8, f. 88.
- fossor** Er. in Klug, Jahrb. Ins. I, 1834, p. 148. — Mars. Mon. 1854, p. 566, t. 9, f. 131.
- foveicollis** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 345.
- fractifrons** Cas. Ann. New York Acad. VII, 1893, p. 543.
- frontalis** Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 282.
- funestus** Er. in Klug, Jahrb. Ins. I, 1834, p. 151. — Mars. Mon. 1854, p. 571, t. 9, f. 135. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 295. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 365. — Reitt. Fauna Germanica II, 1909, p. 284, t. 66, f. 10.
- arenicola* Thoms. Skand. Col. IX, 1867, p. 394.
 — Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 239.
- fureiger** Mars. Berl. Ent. Zeitschr. XIII, 1869, p. 290.
 — Schm. Deutsche Ent. Zeitschr. 1889, p. 153.
- fureipes** Mars. Mon. 1854, p. 304, t. 9, f. 97.
- furtivus** Lec. Journ. Acad. Philad. 1859, p. 313.
- gagatinus** Reiche, Galin. Voy. Abyss. 1851, p. 301, t. 18, f. 7. — Mars. Mon. 1854, p. 202, t. 6, f. 23.
- Gehini** Mars. Mon. 1854, p. 306, t. 9, f. 99.
- impressus* Apetz, Col. Brehm 1854, p. 14. — Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 229.
- plebejus* Klug, Monatsber. Berl. Acad. 1855, p. 649; Peters' Reise 1862, p. 206, t. 12, f. 7.
- Berardi* Desbr. Mitteil. Schweiz. Ent. Gesellsch. III, 1871, p. 340. — Mars. Bull. Soc. Ent. Fr. (5) III, 1873, p. XIX.
- gibberosus** Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 232. Mexico

- glabratus** Roth, Arch. Naturgesch. XVII, 1851, I, p. 122.
— Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 464.
- gorilla** Schm. Ent. Nachr. XV, 1889, p. 88.
- graeus** Brullé, Expéd. Mor. 1829, p. 157, t. 36, f. 10.
— Mars. Mon. 1854, p. 529, t. 9, f. 103. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 292. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 366.
- grandicollis** Ill. Mag. VI, 1807, p. 39. — Mars. Mon. 1854, p. 209, t. 7, f. 27. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 289.
- guineensis** Payk. Mon. 1811, p. 26, t. 3, f. 2 (Monstrosität!).
- hamatilis** Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 374.
- Harrisi** Kirby, Fauna Bor.-Am. IV, 1837, p. 127. — Mars. Mon. 1854, p. 299, t. 8, f. 92.
- helluo** Truqui, Ann. Soc. Ent. Fr. (2) X, 1852, p. 61, t. 2, f. 4. — Mars. Mon. 1854, p. 214, t. 7, f. 32. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 289. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 362. — Reitt. Fauna Germanica II, 1909, p. 283, t. 66, f. 4.
- silesiacus** Roger, Verz. Käf. Oberschles. X, 1856, p. 53.
- modestus** Redt. Fauna Austr. 1858, p. 308.
- helluonoides** Mars. Ann. Mus. Genova (2) XVI, 1880, p. 617.
- herero** Bickh. Ent. Blätter VI, 1910, p. 183.
- hipponensis** Mars. Mon. 1854, p. 278, t. 8, f. 78.
- Holubi** Schm. Deutsche Ent. Zeitschr. 1889, p. 153. — Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 231, f. 2.
- honestus** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 148.
- hottentota** Er. in Klug, Jahrb. Ins. I, 1834, p. 136. — Mars. Mon. 1854, p. 223, t. 7, f. 40.
- subsulcatus** Mars. Mon. 1854, p. 221, t. 7, f. 38.
- hudsonicus** Cas. Ann. New York Acad. VII, 1893, p. 546.
- humpatanus** Mars. Notes Leyden Mus. VIII, 1886, p. 150.
- immunis** Er. in Klug, Jahrb. Ins. I, 1834, p. 143.
- impressifrons** Mars. Mon. 1854, p. 266, t. 8, f. 68.
- incertus** Mars. l. c. p. 269, t. 8, f. 70.
- incognitus** Mars. l. c. p. 289, t. 8, f. 85.
- indistinctus** Say, Trans. Amer. Phil. Soc. V, 1825, p. 35.
— Mars. l. c. p. 574, t. 10, f. 137.
- infirmitus** Schm. Ent. Nachr. XV, 1889, p. 93.
- integer** Bris. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 365. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 290.
- interruptus** Palis. Beauv. Ins. Afr. et Amer. 1805, p. 180, t. 6, f. 8. — Mars. Mon. 1854, p. 295, t. 8, f. 90.
- obtusatus** Harris, Trans. Nat. Hist. I, 1837, p. 76.
- japonicus** Mars. l. c. p. 201, t. 6, f. 22.
- javanicus** Payk. Mon. 1811, p. 30, t. 4, f. 2. — Mars. l. c. p. 557, t. 9, f. 123.
- Jekeli** Mars. Mon. 1857, p. 417, t. 10, f. 62.
- jamatus** (*Pactolinus* gen. ined.) Motsch. Bull. Mosc. XXXIX, 1866, I, p. 169.
- Abessinien
- Aschanti
- Süd-Europa,
Algier
- Süd-Europa,
Algier
- Guinea
- Borneo
- Nord-
Amerika
- Europa
- Abessinien
- Südwest-
Afrika
- Algier
- Matabeleland
- Süd-Afrika
- Capland,
Ost- und
West-
Afrika
- Nord-
Amerika
- Central-
Afrika
- Nord-
Amerika
- Guyana
- Nord-
Amerika
- Indien
- Nord-
Amerika
- Indien
- Spanien,
Algier
- Nord-
Amerika
- Japan
- Java, Hinter-
Indien
- China,
Japan

- Koenigi** Schm. Hor. Soc. Ent. Ross. XXII, 1888, p. 189. Ost-Sibirien (Amur)
- Koltzei** Schm. Ent. Nachr. XV, 1889, p. 369. „
- kurdistanus** Mars. Mon. 1857, p. 418, t. 10, f. 100. Kurdistan
- laevifossa** Schm. Hor. Soc. Ent. Ross. XXIV, 1890, p. 7. Turkestan
- laevimargo** Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 247. Costarica
- laevipes** Germ. Ins. spec. nov. 1824, p. 87. — Mars. Mon. Mexico
1854, p. 233, t. 7, f. 49.
- lamaecola** Mars. Mon. 1857, p. 411, t. 10, f. 17. Indien
- laqueatus** Lew. Ann. Mag. Nat. Hist. (7) XV, 1905, p. 303. Kamerun
- latimargo** Schm. Ent. Nachr. XIX, 1893, p. 14. Mexico
- latistrius** Lew. Ent. Monthly Mag. II, 1891, p. 106; Ann. „
Mag. Nat. Hist. (7) XVI, 1905, t. 10, f. 4.
- lentulus** Er. in Klug, Jahrb. Ins. I, 1834, p. 149. — Mars. Capland
Mon. 1854, p. 564, t. 9, f. 129.
- Leonhardi** Bickh. Ent. Blätter VI, 1910, p. 180. Sibirien
- Lethierryi** Mars. Mon. 1861, p. 530, t. 13, f. 21. Algier
- limbatus** Truqui, Ann. Soc. Ent. Fr. (2) X, 1852, p. 64, Syrien,
t. 2, f. 5. — Mars. Mon. 1854, p. 562, t. 9, f. 127. Griechen-
atticus Schm. Wien. Ent. Zeit. III, 1884, p. 10. land
- Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 294. Klein-Asien
- lineimargo** Reitt. Wien. Ent. Zeit. XVII, 1898, p. 118.
- Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 298.
- lineisternus** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 146. Ost-Afrika
- lissurus** Mars. Mon. 1854, p. 275, t. 8, f. 75. Brasilien
- litus** Mars. Mon. 1861, p. 541, t. 13, f. 31. Mexico
- loandae** Mars. Mon. 1854, p. 236, t. 7, f. 52. Guinea
- longus** Bickh. Ent. Blätter VI, 1910, p. 184. Kephalaria
- luciscus** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 463. Birma
- lugubris** Truqui, Ann. Soc. Ent. Fr. (2) X, 1852, p. 63, Süd-Europa
t. 2, f. 2. — Mars. Mon. 1854, p. 560, t. 9, f. 125.
— Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 294. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 365. — Reitt. Fauna Germanica II, 1909, p. 286 (Subgen. *Eudiploter*).
var. *jadrensis* J. Müll. Wien. Ent. Zeit. XVIII, 1899, p. 150.
- mandarinus** Mars. Mon. 1861, p. 535. China
- marginatus** Er. in Klug, Jahrb. Ins. I, 1834, p. 144. Europa
— Mars. Mon. 1854, p. 539, t. 9, f. 111. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 292. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 366. — Reitt. Fauna Germanica II, 1909, p. 285, t. 66, f. 14.
- Biologie: Bickh. Ent. Blätter III, 1907, p. 101.
- Heinemann, Ent. Blätter VI, 1910, p. 121.
- marginicollis** Lec. Mon. 1845, p. 28, t. 3, f. 11. — Mars. Nord-Amerika
Mon. 1854, p. 542, t. 9, f. 113. Japan
- marginipunctatus** Lew. Ann. Mag. Nat. Hist. (5) IV, 1879, p. 461; l. c. (8) IV, 1909, p. 297.
- maroccanus** Schm. Ent. Nachr. XIII, 1887, p. 353. — Marocco
Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 145.
- Marseuli** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 101. Central-Afrika
- martius** Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 210. Abessinien
- Mechowi** Schm. Berl. Ent. Zeitschr. XXVII, 1883, p. 147. Central-Afrika
Leseleuci Mars. Notes Leyden Mus. VIII, 1886, p. 151; l. c. XI, 1889, p. 46. — Schm. Notes Leyden Mus. X, 1888, p. 122.

- melanarius** Er. in Klug, Jahrb. Ins. I, 1834, p. 135. — Mars. Mon. 1854, p. 192, t. 6, f. 13. Indien
- memnonius** Er. l. c. p. 134. — Mars. l. c. p. 196, t. 6, f. 17. Nubien,
arabicus Mars. l. c. p. 263, t. 8, f. 66. Arabien
luctuosus Mars. l. c. p. 197, t. 6, f. 18.
- merdarius** Hoffm. Ent. Hefte I, 1803, p. 37, t. 1, f. 3. Europa,
— Payk. Mon. Hist. 1811, p. 22, t. 1, f. 1. — Er. Nord-
Käf. Mark Brandb. I, 1839, p. 657. — Mars. Amerika
Mon. 1854, p. 297, t. 8, f. 91. — Thoms. Skand.
Col. IV, 1862, p. 225. — Schm. Berl. Ent. Zeit-
schr. XXIX, 1885, p. 290. — Ganglb. Käf. v.
Mitteleur. III, 1899, p. 364. — Reitt. Fauna
Germanica II, 1909, p. 283, t. 66, f. 7.
memnonius Say, Trans. Amer. Phil. Soc. V, 1825,
p. 32.
var. *Gerhardi* Bickh. Ent. Blätter V, 1909, p. 205. Deutschland
var. *omissus* Bickh. l. c. p. 205. Frankreich
- meridanus** Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 233. Mittel-
Amerika
- metallicus** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 464. Indien
- micipsa** Mars. Mon. 1861, p. 536, t. 13, f. 26. Algier
- monitor** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 483. Ost-Afrika
- montanus** Mars. Mon. 1857, p. 413, t. 10, f. 33. Abessinien,
pharaonis Schm. Ent. Nachr. XV, 1889, p. 90. Ägypten
pyxidatus Lew. Ann. Mag. Nat. Hist. (6) III,
1889, p. 282.
- montenegrinus** J. Müll. Wien. Ent. Zeit. XIX, 1900, p. 137. — J. Müll. Münch. Kol. Zeitschr. III,
1908, p. 337. Montenegro,
Griechen-
land
- montivagus** Lew. Biol. Centr.-Amer. 1888, p. 203, t. 5, f. 12. Mittel-
Amerika
- Mormoni** Cas. Ann. N. York Acad. VII, 1893, p. 543. Nord-
Amerika
- multidens** Schm. Ent. Nachr. XV, 1889, p. 94. Birma
- mundulus** Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 238. Sumatra
- Nattereri** Schm. Ent. Nachr. XV, 1889, p. 94. Capland
- neglectus** Germ. Mag. Ent. I, 1813, p. 120. — Mars. Europa,
Mon. 1854, p. 530, t. 9, f. 104. — Thoms. Col. Algier,
Skand. IV, 1862, p. 228. — Schm. Berl. Ent. Indien
Zeitschr. XXIX, 1885, p. 292. — Ganglb. Käf.
v. Mitteleur. III, 1899, p. 367. — Reitt. Fauna
Germanica II, 1909, p. 285, t. 66, f. 16.
Leachi Steph. Ill. Brit. III, 1830, p. 150.
- quisquilius* Steph. Ill. Brit. III, 1830, p. 151.
- nigrinus** Fährs. in Boh. Ins. Caffr. I, 1851, p. 533. — Capland
Mars. Mon. 1854, p. 218, t. 7, f. 35.
- niloticus** Mars. l. c. p. 237, t. 7, f. 53. Abessinien
- nodatus** Lew. Biol. Centr.-Amer. 1888, p. 203, t. 5, f. 11. Panama
var. *obliteratus* Lew. l. c. p. 203. Guatemale
- nomas** Er. in Klug, Jahrb. Ins. I, 1834, p. 137. — Mars. Capland
Mon. 1854, p. 216, t. 7, f. 33; l. c. 1861, p. 520,
t. 6, f. 11.
- nubilus** Lec. Col. Kans. 1859, p. 7. Nord-
Amerika
- obesus** Fährs. in Boh. Ins. Caffr. I, 1851, p. 537. — Capland
Mars. Mon. 1854, p. 568, t. 9, f. 132.
- furcimanus* Mars. Berl. Ent. Zeitschr. XIII,
1869, p. 288. — Schm. Deutsche Ent. Zeitschr.
1889, p. 153.

- oblongulus** Schm. Ent. Nachr. XVIII, 1892, p. 24.
obtusisternus Schm. Ent. Nachr. XV, 1889, p. 89.
opacus Schm. l. c. p. 89.
ovatululus Mars. Mon. 1854, p. 228, t. 7, f. 44.
paganus Schm. Ent. Nachr. XV, 1889, p. 88.
paralleloides Mars. Mon. Cat. 1862, p. 710.
parallelus Ménétr. Cat. rais. 1857, p. 171.
peregrinus Schm. Ent. Nachr. XV, 1889, p. 92.
Pioti Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 88. —
 Lew. Biol. Centr.-Amer. 1888, p. 201, t. 5, f. 9.
planiceps Lew. Ann. Mus. Genova (2) VI, 1888, p. 639.
planiformis Lew. Ann. Mag. Nat. Hist. (6) XX, 1897,
 p. 359.
planifrons Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 149.
planimargo Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 247.
planulus Ménétr. Mém. Acad. Petr. VI, 1849, p. 54,
 t. 2, f. 8.
laco Mars. Mon. 1861, p. 539, t. 13, f. 29. — Schm.
 Berl. Ent. Zeitschr. XXIX, 1885, p. 295. —
 Schm. Hor. Soc. Ent. Ross. XXIV, 1890, p. 9.
 var. *Coquereli* Mars. Mon. 1861, p. 538, t. 13,
 f. 28. — Bickh. Ent. Blätter V, 1909, p. 205.
pluto Cas. Ann. N. York Acad. VII, 1893, p. 542.
politus Lew. Biol. Centr.-Amer. 1888, p. 202.
pollutus Lec. Col. Kansas 1859, p. 7.
pransus Lew. Ann. Mus. Genova (2) XII, 1891, p. 24.
pteronalus Mars. Mon. 1861, p. 543, t. 13, f. 33.
pullatus Er. in Klug, Jahrb. Ins. I, 1834, p. 138. —
 Mars. Mon. 1861, p. 523, t. 6, f. 14.
punctatus Sahlb. Diss. Ins. Fenn. I, 1834, p. 31.
punctifer Payk. Mon. 1811, p. 25, t. 4, f. 1. — Mars.
 Mon. 1854, p. 265, t. 8, f. 67.
punctipennis Schm. Ent. Nachr. XVIII, 1892, p. 24.
punctiventer Mars. Mon. 1854, p. 543, t. 9, f. 114.
punctulatus Wiedem. Zool. Mag. I, 3, 1817, p. 162. —
 Mars. l. c. p. 256, t. 7, f. 60; Ann. Soc. Ent.
 Fr. (5) III, 1873, p. 220.
purpurascens Hbst. Käf. IV, 1791, p. 42, t. 36, f. 6. —
 Er. Käf. Mark Brandb. I, 1839, p. 661. — Mars.
 Mon. 1854, p. 537, t. 9, f. 109. — Thoms. Skand.
 Col. IV, 1862, p. 227. — Schm. Berl. Ent. Zeit-
 schr. XXIX, 1885, p. 292. — Ganglb. Käf. v.
 Mitteleur. III, 1899, p. 368. — Reitt. Fauna
 Germanica II, 1909, p. 285, t. 66, f. 19.
brunneus Hbst. Käf. IV, 1791, p. 35, t. 35, f. 10.
castanipes Steph. Ill. Brit. IV, 1830, p. 38.
punctipennis Gerhardt, Deutsche Ent. Zeitschr.
 1900, p. 70.
 var. *niger* Schm. Berl. Ent. Zeitschr. XXIX,
 1885, p. 327 (Cat.).
pustulosus Géné, Mem. Accad. Torino 1839, p. 61, t. 1,
 f. 14. — Mars. Mon. 1854, p. 206, t. 6, f. 25. —
 var. *nigripennis* Bickh. Ent. Blätter VI, 1910,
 p. 180.

Turkestan
 Zansibar
 Indien
 Capland
 Somaliland
 Caucasus

West-Afrika
 Brasilien,
 Mittel-
 Amerika

Birma
 Grenada

Vancouver
 Ins.

Costarica
 Südost-
 Europa

Nord-
 Amerika
 Mexico
 Nord-
 Amerika

Birma
 Ceylon
 Indien

Finnland
 Brasilien

Sierra Leone
 Mexico
 Java,
 Indien.
 Japan
 Europa

Sardinien,
 Sicilien

- Biologie: Perris, Ann. Soc. Ent. Fr. (4) IV, 1864, p. 304.
- putrescens** Mars. Mon. 1862, p. 709. Mittel-
- putridus* Mars. Mon. 1854, p. 270, t. 8, f. 71. Amerika
- putridus** Er. in Klug, Jahrb. Ins. I, 1834, p. 140. „
- quadrinotatus** L. Syst. Nat. ed. X, I, 1758, p. 358. Europa
- Payk. Mon. Hist. 1811, p. 14, t. 12, f. 1. —
- Mars. Mon. 1854, p. 204, t. 6, f. 24. — Thoms.
- Skand. Col. IV, 1862, p. 222. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 288. — Ganglb.
- Käf. v. Mitteleur. III, 1899, p. 362. — Reitt.
- Fauna Germ. II, 1909, p. 282, t. 66, f. 2. —
- Bickh. Ent. Blätter VI, 1910, p. 177.
- Marshami* Steph. Ill. Brit. III, 1830, p. 144, t. 18, f. 5.
- a. *rufipennis* Bickh. Ent. Blätt. IV, 1910, p. 179.
- a. *reniformis* Ol. Ent. I, 8, 1789, p. 10, t. 1, f. 5. — Bickh. Ent. Blätter VI, 1910, p. 179, f. 2, 8, 9.
- lunatus* F. Syst. El. I, 1774, p. 86. — Rossi, Fn. Etr. I, 1790, p. 28.
- scapularis* Fisch. Entom. Ross. II, 1823, fig.
- crassimargo* des Gozis, Revue d'Ent. V, 1886, p. 161.
- a. *sinuatus* Thunb. Ins. Succ. V, 1784, p. 66. — Bickh. Ent. Blätt. VI, 1910, p. 179, f. 3.
- a. *searpustulatus* Bickh. Ent. Blätt. VI, 1910, p. 179, f. 7.
- scapularis* Mars. Mon. 1854, p. 206 (nec. Fisch.).
- a. *intermedius* Fuente, Boll. Soc. Esp. Madrid 1903, p. 342. — Bickh. Ent. Blätter VI, 1910, p. 179, f. 5.
- a. *humerosus* Bickh. l. c. p. 180, f. 4.
- a. *latepictus* Bickh. l. c. p. 180, f. 6.
- var. *semimarginatus* Bickh. l. c. p. 177.
- var. *gagates* Ill. Mag. VI, 1807, p. 31.
- aethiops* Heer, Fauna Helv. I, 1847, p. 543.
- var. *Pelopis* Mars. Mon. 1861, p. 155, t. 6, f. 7. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 289.
- var. *cephallenicus* K. Dan. Münch. Kol. Zeitschr. III, 1906, p. 175. — Bickh. Ent. Blätt. VI, 1910, p. 177. Cephalonia
- a. *contaminatus* K. Dan. l. c. p. 176. — Bickh. l. c. p. 177. „
- quadrinotatus** Scriba, Beitr. I, 1790, p. 47, t. 5, f. 5. Europa
- Er. Käf. Mark Brandb. I, 1839, p. 656. —
- Mars. Mon. 1854, p. 556, t. 9, f. 122. — Thoms.
- Skand. Col. 1862, p. 223. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 293. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 364. — Reitt. Fauna Germanica II, 1909, p. 283, t. 66, f. 8.
- quadrinotatus* Ol. Ent. I, 8, 1789, p. 9, t. 3, f. 18.
- var. *innotatus* Lokay, Act. Soc. Ent. Bohem. III, 1909, p. 9. Böhmen
- Raffrayi** Lew. Ann. Mag. Nat. Hist. (5) XIV, 1885, p. 210. Abessinien
- rectisternus** Mars. Mon. 1854, p. 213, t. 7, f. 31. West-Afrika
- recurvus** Mars. l. c. p. 232, t. 7, f. 48. — Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 386. Madagascar

- regularis** Lec. Proc. Ac. Phil. Soc. 1859, p. 312. — Lew. Ann. Mag. Nat. Hist. XV, 1885, p. 464.
- relictus** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 89.
corvinus Zimmerm. Trans. Amer. Ent. Soc. 1869, p. 252. — Horn, Syn. 1873, p. 294.
- remotus** Lec. Proc. Acad. Philad. 1859, p. 70.
- Ritsenmae** Mars. Notes Leyden Mus. IV, 1886, p. 125.
- rivalis** Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 188.
- rugistrius** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 346;
Ent. Monthly Mag. IV, 1893, p. 185.
- Sallei** Mars. Mon. 1854, p. 584, t. 10, f. 143.
- scabripPygus** Schm. Ent. Nachr. XV, 1889, p. 90.
- scissifrons** Mars. Mon. 1854, p. 240, t. 7, f. 55.
- scytha** Mars. Abeille I, 1864, p. 344.
- Sedakovi** Mars. Mon. 1861, p. 548, t. 14, f. 38.
Czikanni Csiki, Zichy Ergebn. II, 1901, p. 106, f. 2. — Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 425.
- sedulus** Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 168.
- semigranosis** Mars. Mon. 1854, p. 210, t. 7, f. 28.
- semiplanus** Mars. Mon. 1863, p. 239, t. 7, f. 54.
- semisculptus** Lec. New. spec. Col. I, 1863, p. 60.
- sepuIchralis** Er. in Klug, Jahrb. Ins. I, 1834, p. 149. — Mars. Mon. 1854, p. 565, t. 9, f. 130. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 294. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 365. — Reitt. Fauna Germanica II, 1909, p. 284.
Desbrochersi Sénac, Abeille V, 1868, p. 139. — Schm. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 236.
impunctatus J. Müll. Wien. Ent. Zeit. XIX, 1900, p. 138.
var. *moerens* Er. in Klug, Jahrb. Ins. I, 1834, p. 150. — Mars. Mon. 1854, p. 563, t. 9, f. 128. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 294. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 365. — J. Müll. Münch. Kol. Zeitschr. III, 1908, p. 336.
- servus** Er. l. c. p. 147. — Mars. l. c. p. 561, t. 9, f. 126. — Lec. Trans. Am. Ent. Soc. 1869, p. 252.
- sexstriatus** Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 163. — Mars. l. c. p. 290, t. 8, f. 86.
- shanghaius** Mars. Mon. 1864, p. 544, t. 13, f. 34.
- sibiricus** Mars. Mon. 1854, p. 305, t. 9, f. 98.
- Sikorae** Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 387.
- simplicisternus** Lew. Am. Mag. Nat. Hist. (5) IV, 1879, p. 461.
- simulans** Schm. Ent. Nachr. XV, 1889, p. 85.
- simulator** Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 54.
- sinuosus** Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 231.
- smyrnaeus** Mars. Mon. 1854, p. 308, t. 9, f. 101. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 295. — Reitt. Fauna Germanica II, 1909, p. 287.
Peyroni Mars. Mon. 1857, p. 420, t. 10, f. 101.

Afrika

Nord-
AmerikaCalifornien
Liberia
Congostaat
IndienVenezuela
Sansibar
Indien
Meso-
potamien
Sibirien,
ChinaOst-Afrika
Indien
West-Afrika
Nord-
Amerika
Ost-Europa

Süd-Europa

Cuba, Haiti,
Nord-
Amerika
CalifornienChina
Sibirien
Madagascar
JapanSansibar
Senegal
Nord-
Amerika
Kleinasien,
Griechen-
land

- platysomoides* Peyron, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 407, t. 9, f. 10.
castaneum (*Platysoma*) Ménétr. Cat. rais. 1832, p. 171.
- Sohieri** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 84. Birma
somali Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 464. Somaliland
sordidus Aubé, Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 322. Spanien,
— Mars. Mon. 1861, p. 549, t. 14, f. 39. — Schm. Algier
Berl. Ent. Zeitschr. XXIX, 1885, p. 294.
- spurius** Mars. Mon. 1861, p. 525, t. 13, f. 16. China
squalidus Er. in Klug, Jahrb. Ins. I, 1834, p. 148. „
Standingeri Schm. Ent. Nachr. XV, 1889, p. 95. Congo
stercorarius Hoffm. Ent. I, 1803, p. 57, t. I, f. 5. — Er. Europa
Käf. Mark Brandb. I, 1839, p. 662. — Mars.
Mon. 1854, p. 546, t. 9, f. 117. — Thoms. Skand.
Col. IV, 1862, p. 226. — Schm. Berl. Ent.
Zeitschr. XXIX, 1885, p. 291. — Ganglb. Käf.
v. Mitteleur. III, 1899, p. 366. — Reitt. Fauna
Germanica II, 1909, p. 284, t. 66, f. 13.
parallelogrammus Fald. Fn. Transc. I, 1857,
p. 228.
var. *Götzelmanni* Bickh. Ent. Blätter IV, 1908,
p. 41. — Reitt. Wien. Ent. Zeit. XXIX, 1910,
p. 37.
- striatipectus** Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 16. Brasilien
striola Sahlb. Ins. Fenn. I, 1834, p. 25. — Ganglb. Käf. Europa,
v. Mitteleur. III, 1899, p. 363. — Lew. Ann. Sibirien,
Mag. Nat. Hist. IV, 1899, p. 17. — Reitt. Fauna Japan
Germanica II, 1909, p. 283.
japanus Motsch. Etud. ent. 1860, p. 13.
succicola Thoms. Skand. Col. IV, 1862, p. 224;
Bull. Soc. Ent. Fr. (6) VI, 1886, p. X. — Kraatz,
Berl. Ent. Zeitschr. XV, 1871, p. 192. — Schm.
Berl. Ent. Zeitschr. XXIX, 1885, p. 291.
- striolatus** Mars. Mon. 1854, p. 200, t. 6, f. 21. West-Afrika
compressus Desbr. Mitteil. Schweiz. Ent. Ges. III,
1871, p. 341. — Mars. Bull. Soc. Ent. Fr. (5)
III, 1873, p. XIX.
- sturnus** Mars. Mon. 1861, p. 534, t. 13, f. 24. Brasilien
stygius Lec. Mon. 1845, p. 18, t. 2, f. 4. — Mars. Mon. Nord-
1854, p. 301, t. 9, f. 94. Amerika
- suleimargo** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 147. Süd-Afrika
suleipygus Lew. Ann. Mag. Nat. Hist. (6) III, 1889, Ost-Afrika
p. 282; l. c. (7) XII, 1903, p. 425.
- sutus** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 136. Japan
terricola Germ. Ins. spec. nov. 1824, p. 87. — Er. Käf. Mittel-
Mark Brandb. 1839, p. 658. — Mars. Mon. 1854, Europa
p. 294, t. 8, f. 89. — Schm. Berl. Ent. Zeitschr.
XXIX, 1885, p. 291. — Ganglb. Käf. v. Mitteleur.
III, 1899, p. 363. — Reitt. Fauna Germanica
II, 1909, p. 282, t. 66, f. 5.
var. *mancus* W. Kolbe, Jahresheft Ver. schles.
Insektenk. 1909, p. 22.
- teter** Truqui, Ann. Soc. Ent. Fr. (2) X, 1852, p. 62, t. 2, Schweiz,
f. 1. — Mars. Mon. 1854, p. 259, t. 8, f. 63. — Süd-
Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 290. Frankreich
— Ganglb. Käf. v. Mitteleur. III, 1899, p. 362.
thibetanus Mars. Mon. 1857, p. 412, t. 10, f. 29. Assam

- thoracicus** Payk. Mon. 1811, p. 20, t. 2, f. 5.
ampliocollis Er. in Wagner, Reise Algier III, 1841, p. 169. — Mars. Mon. 1854, p. 208, t. 7, f. 26.
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 289.
- tornatus** Lec. Trans. Amer. Ent. Soc. VIII, 1880, p. 190.
- torridus** Mars. Mon. 1854, p. 587, t. 10, f. 146.
- tricuspis** Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 242.
- trigonifrons** Mars. Mon. 1861, p. 518, t. 6, f. 9.
- tristriatus** Mars. Mon. 1854, p. 569, t. 9, f. 133.
- tropicalis** Mars. l. c. p. 217, t. 7, f. 34.
- tropicola** Schm. Ent. Nachr. XVIII, 1892, p. 23.
- tropicus** Payk. Mon. 1811, p. 19, t. 2, f. 4. — Mars. Mon. 1854, p. 225, t. 7, f. 41.
Marseuli Desbr. Mitt. Schweiz. Ent. Ges. III, 1871, p. 341. — Mars. Bull. Soc. Ent. Fr. (5) III, 1873, p. XIX.
- turanus** Solsky, Reise Fedsch. Turkestan II, 1876, p. 223.
 — Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 344.
- umbilicatus** Cas. Ann. N. York Acad. VII, 1893, p. 545.
- umbrosus** Cas. l. c. p. 547.
- uncinatus** Ill. Mag. VI, 1807, p. 32. — Er. Käf. Mark Brandb. I, 1839, p. 662. — Thoms. Skand. Col. IV, 1862, p. 223. — Bickh. Ent. Blätt. VI, 1910, p. 179 nota.
sinuatus Ill. Käf. Preuß. 1798, p. 57. — Mars. Mon. 1854, p. 553, t. 9, f. 120. — Jacq. du Val, Gen. Col. d'Eur. 1858, t. 30, f. 147. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 294. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 364. — Reitt. Fauna Germanica II, 1909, p. 284, t. 66, f. 9.
- humeralis* Fisch. Ent. Russ. I, 1823, p. 205.
- arcuatus* Kolen. Melet. Ent. V, 1857, p. 60.
- velox* Ménétr. Cat. rais. p. 170.
- uncostratus** Mars. Mon. 1854, p. 532, t. 9, f. 105. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 293.
- unicolor** L. Syst. Nat. ed. X, 1758, p. 358. — Er. Käf. Mark Brandb. I, 1839, p. 655. — Mars. Mon. 1854, p. 261, t. 8, f. 64. — Thoms. Skand. Col. IV, 1862, p. 223. — Schiödte, Nat. Tidskr. 1864, p. 152, t. 1, f. 1—26. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 290. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 362. — Reitt. Fauna Germanica II, 1909, p. 282, t. 66, f. 3.
- var. *obsoletus* Rey, Echange IV, 1888, p. 4. — Bickh. Ent. Blätter V, 1909, p. 205; l. c. VI, 1910, p. 179 nota.
- terricola* Redt. Fauna Austr. II, 1858, p. 308.
 Biologie: Jacobson, Käf. Rußl. u. West-Eur. 1905, p. 54, f. 99. — Böving, Kopenh. 1906, p. 185—186, t. 6, f. 60—65.
- unicus** Cas. Ann. N. York Acad. VII, 1893, p. 547.
- vadatus** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 145.
- ventralis** Mars. Mon. 1854, p. 535, t. 9, f. 108. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 293. —
- Spanien
 (Nord-Amerika ?)
- Nord-Amerika
 Indien
 Yucatan
 Ceylon
 Capland
 West-Afrika
 Guinea
 Nubien
- Turkestan
- Californien
 Nord-Amerika
- Europa,
 Mittelmeer-länder
- West-Europa
 Europa
- Nord-Amerika
 Ost-Afrika
 (Meru)
 Europa

- Ganglb. Käf. v. Mitteleur. III, 1899, p. 367. —
 — Reitt. Fauna Germanica II, 1909, p. 285,
 t. 66, f. 17.
vilis Fährs. in Boh. Ins. Caffr. I, 1851, p. 536. — Mars. Capland
 Mon. 1861, p. 522, t. 6, f. 13.
virginiae Cas. Ann. N. York Acad. VII, 1893, p. 541. Nord-
 Amerika
Walkeri Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 147. Australien
zulu Mars. Ann. Mus. Genova XVI, 1880, p. 618. Capland

Subgen. *Eucalohister* Reitt.

Reitt. Fauna Germanica II, 1909, p. 283.

- binotatus** Er. in Klug, Jahrb. Ins. I, 1834, p. 145. — Südwest-
 Mars. Mon. 1854, p. 303, t. 9, f. 96. — Jacq. du Val, Europa
 Gen. Col. d'Eur. 1858, t. 30, f. 146. — Schm.
 Berl. Ent. Zeitschr. XXIX, 1885, p. 290. —
 Ganglb. Käf. v. Mitteleur. III, 1899, p. 364. —
 Reitt. Fauna Germ. II, 1909, p. 283.
gratiosus Mannh. Bull. Mosc. XXV, 1852, IV, p. 296. Mongolei
 — Mars. Mon. 1854, p. 302, t. 9, f. 95.
Haroldi Mars. Abeille I, 1864, p. 344. Marocco
Solskyi Schm. Horae Soc. Ent. Ross. XXIV, 1890, p. 5; Turkestan
 Deutsche Ent. Zeitschr. 1894, p. 42.
touthmosis Mars. Mon. 1861, p. 531, t. 13, f. 22. Nord-
miniatus Karsch, Berl. Ent. Zeitschr. XXV, 1880, Afrika
 p. 45, t. 2, f. 6.
Lameerei Lew. Ann. Mag. Nat. Hist. (7) VII, 1901,
 p. 243. — Bickh. Ent. Blätt. V, 1909, p. 245.

Subgen. *Grammostethus* Lew.

Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 400.

- fractistrius** Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, Birma
 p. 342.
fragosus Lew. Ann. Mus. Genova (2) XII, 1891, p. 28. „
gentilis Lew. l. c. p. 25. „
impiger Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 609. Yunnan
indicus Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 209; Assam
 Ann. Mus. Genova (2) XII, 1891, p. 26.
navus Mars. Mon. 1854, p. 541, t. 9, f. 112. — Lew. Syrien
 Ent. Monthly Mag. XXXI, 1895, p. 188.
niponicus Lew. Ent. Monthly Mag. XXXI, 1895, p. 188. Japan,
navus Mars. Ann. Soc. Ent. Fr. (5) III, 1873, p. 224. Amurland
 — Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 282.
occidentalis Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, China
 p. 211.
ruficornis Grimm, Stett. Ent. Zeit. XIII, 1852, p. 222. Europa
 — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885,
 p. 292. — Ganglb. Käf. v. Mitteleuropa III, 1899,
 p. 367. — Reitt. Fauna Germanica II, 1909,
 p. 285.
myrmecophilus Muls. Opusc. Ent. II, 1853, p. 79.
nigellatus Mars. Mon. 1854, p. 538, t. 9, f. 110.
sinensis Lew. Ann. Mag. Nat. Hist. XVIII, 1906, p. 401. China
sinuaticollis Lew. Ann. Mus. Genova (2) XII, 1891, p. 27. Birma

- socius** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 345. Nord-Indien
sodalis Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 343; Yunnan
 l. c. p. 400, f. 4.
stenocephalus Lew. Ann. Mus. Genova (2) XII, 1891, p. 26. Birma
stercoriger Mars. Ann. Mus. Genova XVI, 1880, p. 156. Sumatra

Subgen. *Peranus* Lew.

Lew Ann Mag. Nat. Hist. (7) XVIII, 1906, p. 401.

Atholister Reitt. Fauna Germanica II, 1909, p. 286.

- bimaculatus** L. Syst. Nat. ed. X, 1758, I, p. 358. — Europa,
 Mars. Mon. 1854, p. 582, t. 10, f. 142. — Thoms. Asien,
 Scand. Col. IV, 1862, p. 230. — Schm. Berl. Ent. Nord-
 Zeitschr. XXIX, 1885, p. 296. — Ganglb. Käf. Amerika,
 v. Mitteleuropa III, 1899, p. 369. — Reitt. Argentinien
 Fauna Germanica II, 1909, p. 286. — Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 56.
apicatus Schrank, Fauna Boica I, 1789, p. 452.
erythropterus F. Ent. Syst. Suppl. 1798, p. 38.
obliquus Say, Trans. Amer. Phil. Soc. V, 1825, p. 37.
spissatus Rey, Echange 1888, p. 47.
 var. *morio* Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 296. — Ganglb. l. c. p. 369. — Reitt. l. c. p. 286.
Daldorffii Bedel, Bull. Soc. Ent. Fr. 1906, p. 91. Indien
bipustulatus F. Syst. El. I, 1798, p. 87. — Payk. Mon. 1811, p. 33, t. 13, f. 1. — Mars. Mon. 1854, p. 581, t. 10, f. 141.
depistor Mars. Ann. Soc. Ent. Fr. (5) III, 1873, p. 224. Japan
Maindroni Lew. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 243. Indien
scutellaris Er. in Klug, Jahrb. Ins. I, 1834, p. 152. — Europa,
 Mars. Mon. 1854, p. 579, t. 9, f. 139. — Schm. Nord- und
 Berl. Ent. Zeitschr. XXIX, 1885, p. 296. — West-
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 368. Afrika
 — Reitt. Fauna Germanica II, 1909, p. 286.
 var. *lentus* Mars. Mon. 1861, p. 580, t. 10, f. 140.
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 296.
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 368.
 — Reitt. Fauna Germanica II, 1909, p. 286.

Subgen. *Atholus* Thoms.

Thoms. Skand. Col. IV, 1862, p. 228.

- aequistrius** Mars. Mon. 1854, p. 589, t. 10, f. 148. Madagascar
americanus Payk. Mon. 1811, p. 31, t. 9, f. 1. — Mars. Nord-
 Mon. 1854, p. 575, t. 10, f. 138. Amerika
atricolor Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 346. Süd-Afrika
Baberii Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 375. Indien
bifrons Mars. Mon. 1854, p. 545, t. 9, f. 116. „
caramanus Mars. Mon. 1861, p. 550, t. 14, f. 40. Kleinasien
einctipygus Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 247. Siam
coalescens Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 298. Capland
cochinchinae Schm. Ent. Nachr. XV, 1889, p. 96. Cochinchina
coelestis Mars. Mon. 1857, p. 416, t. 10, f. 59. Indien, China,
femoralis Motsch. Bull. Mosc. XXXVI, 1863, II, Ceylon
 p. 449.

- concordans** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 87.
confinis Er. in Klug, Jahrb. Ins. 1834, p. 154. — Mars. Mon. 1854, p. 250, t. 7, f. 58.
conformis Er. l. c. p. 153. — Mars. l. c. p. 249, t. 7, f. 57.
corvinus Germ. Reise Dalm. 1817, p. 185. — Er. Käf. Mark Brandb. I, 1839, p. 664. — Mars. Mon. 1854, p. 588, t. 10, f. 147. — Thoms. Skand. Col. IV, 1862, p. 229. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 296. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 369. — Reitt. Fauna Germanica II, 1909, p. 286.
duodecimstriatus Duft. Fauna Austr. I, 1805, p. 216.
crenatifrons Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 17.
dentipes Lew. Ann. Mus. Genova (2) XII, 1891, p. 29.
duodecimstriatus Schrank, Enum. Ins. Austr. 1781, p. 39. — Er. Käf. Mark Brandb. I, 1839, p. 665. — Mars. Mon. 1854, p. 586, t. 10, f. 145. — Thoms. Skand. Col. IV, 1862, p. 230. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 295. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 369. — Lew. Ann. Mag. Nat. Hist. XVIII, 1906, p. 402, f. 6. — Reitt. Fauna Germanica II, 1909, p. 286.
bissexstriatus Duft. Faun. Austr. I, 1805, p. 215.
punccticollis Rey, Échange 1888, p. 47.
var. *quattuordecimstriatus* Gyll. Ins. Suec. I, 1808, p. 83. — Mars. Mon. 1854, p. 248, t. 7, f. 56. — Thoms. Skand. Col. IV, 1862, p. 231. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 295. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 369. — Lew. Ent. Monthly Mag. XLII, 1906, p. 255.
quinquestriatus Motsch. Etud. Ent. IX, 1860, p. 13. — Lew. Ent. Monthly Mag. XXXI, 1895, p. 1888. — Reitt. Fauna Germanica II, 1909, p. 286.
famulus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 346.
geminus Er. in Klug, Jahrb. Ins. 1834, p. 154. — Mars. Mon. 1854, p. 251, t. 7, f. 59.
genuae Lew. Ann. Mus. Genova (2) VI, 1888, p. 639.
Gestroï Schm. Ann. Mus. Genova (2) XVII, 1897, p. 293.
Goudoti Mars. Mon. 1854, p. 585, t. 10, f. 144.
ixion Lew. Ann. Mus. Genova (2) XII, 1891, p. 30.
malaysi Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 150.
myrmidon Mars. Mon. 1861, p. 542, t. 13, f. 32.
perplexus Lec. New spec. Col. I, 1863, p. 61.
philippinensis Mars. Mon. 1854, p. 547, t. 9, f. 118.
pinnulae Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 250.
pirithous Mars. Ann. Soc. Ent. Fr. (5) III, 1873, p. 224.
praetermissus Peyron, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 727. — Mars. Mon. 1857, p. 424, t. 10, f. 147. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 296. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 370. — Reitt. Fauna Germanica II, 1909, p. 286.
rubricatus Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 190.
sectator Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 375.
sedecimstriatus Say, Trans. Amer. Phil. Soc. V, 1825, p. 36. — Mars. Mon. 1854, p. 285, t. 8, f. 84.

Indien
Antillen

Capland
Europa,
Syrien

Sumatra
Burma
Europa,
Sibirien,
Japan

Sumatra
Capland

Birma
Sumatra
Madagascar
Birma
Indien
Celebes
Nord-

Amerika
Philippinen,
Birma

Borneo
Japan
Deutschland,
Ungarn,
Frankreich

Kamerun
Borneo
Nord-
Amerika

<i>sessilis</i> Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 18; l. c. (7) V, 1900, p. 249, f. 4.	Birma
<i>siculus</i> Tourn. Abeille V, 1868, p. 142. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 290.	Sicilien
<i>silvicola</i> Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 376.	Assam
<i>singalanus</i> Mars. Ann. Mus. Genova XVI, 1880, p. 157.	Sumatra
<i>striatipennis</i> Lew. Ann. Mus. Genova (2) XII, 1891, p. 31.	Birma
<i>tenuistriatus</i> Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 284.	Borneo
<i>terraemotus</i> Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 248.	Java
<i>tetricus</i> Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 239.	Sumatra
<i>torquatus</i> Mars. Mon. 1854, p. 587, t. 10, f. 146.	Indien
<i>truncatisternus</i> Lew. Biol. Centr.-Amer. 1888, p. 201.	Mexico
<i>vacillans</i> Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 250.	Indien
<i>vestitus</i> Lew. Ent. Monthly Mag. II, 1891, p. 187.	Birma

433

Notolister Lew.

Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 182.

<i>catenatus</i> Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 188, f. 3.	Madagascar
<i>Edwardsi</i> (<i>Sternaulax</i>) Mars. Mon. 1853, p. 237, t. 6, f. 2. — Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 182.	„
<i>ovatus</i> Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 189, f. 4.	„
<i>sulcicollis</i> Lew. Ent. Monthly Mag. XXXI, 1895, p. 187. — Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 266, t. 10, f. 7; l. c. (7) XVIII, 1906, p. 187, f. 2.	Nossi-Bé
<i>apicalis</i> (<i>Hister</i>) Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 470. — Lew. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 243.	
<i>unistrius</i> Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 187, f. 1.	Madagascar

5

Asolenus Lew.

Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 189.

<i>dux</i> (<i>Epierus</i>) Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 387; l. c. (6) XIV, 1894, p. 182.	Madagascar
<i>imitans</i> (<i>Epierus</i>) Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 388; l. c. (6) XIV, 1894, p. 182.	„
<i>nodicornis</i> Lew. Ann. Mag. Nat. Hist. (7) XVII, 1906, p. 344.	„
<i>quinquestriatus</i> Lew. Ent. Monthly Mag. XXXI, 1895, p. 187.	Nossi-Bé
<i>sanguinosus</i> Fairm. Naturaliste 1903, p. 9.	Madagascar

5

Microlister Lew.

Lew. Ann. Mus. Genova XLII, 1906, p. 400.

coronatus Lew. Ann. Mus. Genova XLII, 1906, p. 400. West-Afrika
Sheppardi Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 102. Ost-Afrika

2

Epiglyptus Lew.

Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 342.

costatus Mars. Mon. 1857, p. 407, t. 10, f. 1. Mexico
 Biologie: Lew. Ann. Mag. Nat. Hist. (7) XX,
 1907, p. 105.

1

Margarinotus Mars.

Mars. Mon. 1853, p. 549. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 286.

guttifer Horn, Proc. Ent. Soc. Philad. 1862, p. 187. Nord-
 — Horn, Trans. Amer. Ent. Soc. 1870, p. 142, Amerika
 t. 1, f. 5. — Mars. Mon. 1853, p. 549, t. 10, f. 1.
scaber F. Ent. Syst. I, 1792, p. 73. — Mars. Mon. 1853, Spanien,
 p. 552, t. 16, f. 1. — Jacq. du Val, Gen. Col. Algier
 d'Eur. 1858, t. 29, f. 144. — Schm. Berl. Ent.
 Zeitschr. XXIX, 1885, p. 286.

2

Epierus Er.

Er. in Klug, Jahrb. Ins. I, 1834, p. 158. — Mars. Mon. 1854, p. 671. —
 Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 103. — Schm. Berl. Ent. Zeitschr.
 XXIX, 1885, p. 282. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 370. —
 Reitt. Fauna Germ. II, 1901, p. 288.

abrogatus Broun, Man. N. Zealand Col. 1886, p. 892. Neu-Seeland
Alberti Mars. Mon. 1861, p. 556; 1862, t. 4, f. 2. Brasilien
alutaceus Mars. Mon. 1854, p. 694, t. 10, f. 15. Venezuela
amandus Schm. Ent. Nachr. XVIII, 1892, p. 25. Java
pluristriatus (Tribalus) Lew. Ent. Monthly
 Mag. VI, 1895, p. 186.
angularis Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 62. Brasilien
antillarum Mars. Mon. 1854, p. 700, t. 10, f. 21. Antillen
arciger Mars. l. c. p. 684, t. 10, f. 5. Venezuela
axillaris Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 91. Paramaribo
Beccarii Mars. Ann. Soc. Ent. Fr. (5) I, 1871, p. 81. Borneo
bisbistriatus Mars. Mon. 1854, p. 687, t. 10, f. 8. Brasilien
biseissus Mars. Ann. Mus. Genova XVI, 1880, p. 158. Neu-Guinea
brunnipennis Mars. Mon. 1854, p. 697, t. 10, f. 18. Columbien
caviscutus Mars. Mon. 1861, p. 558; 1862, t. 4, f. 4. Mexico
comptus Ill. Mag. VI, 1807, p. 36. — Er. in Klug, Jahrb.
 Ins. I, 1834, p. 162. — Mars. Mon. 1854, p. 699,
 t. 10, f. 20. — Jacq. du Val, Gen. Col. d'Eur. II,
 t. 30, f. 149. — Schmidt, Berl. Ent. Zeitschr.
 XXIX, 1885, p. 297. — Ganglb. Käf. v. Mitteleur.
 III, 1899, p. 371. — Reitt. Fauna Germ. II,
 1909, p. 288. Süd-Europa

- var. *russicus* Mars. Mon. 1854, p. 698, t. 10, f. 19.
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 297.
- coproides** Mars. Mon. 1854, p. 682, t. 10, f. 4. Nord-
 Amerika
 Neu-Mexico
 Neu-Seeland
 Cochinchina
- cornutus** Cas. Ann. N. York Acad. VII, 1893, p. 552.
- crenulatus** Broun, Man. N. Zealand Col. 1886, p. 292.
- Dalaunayi** Lew. Ent. Monthly Mag. I, 1890, p. 160. —
 Lew. Ann. Soc. Ent. Fr. 1893, p. 373.
- devius** Lec. Proc. Acad. Philad. 1859, p. 314.
- divisus** Mars. Mon. 1861, p. 562; 1862, t. 4, f. 8.
- dubius** Lew. Biol. Centr.-Amer. 1888, p. 208.
- ellipticus** Lec. Proc. Acad. Philad. 1859, p. 313. Mexico
 „
 Guatemala
 Nord-
 Amerika
 Amazonen-
 strom
 Brasilien
 Australien
 Minas Geraes
 Mexico
 Columbien
- epulo** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 98. Venezuela
 Columbien
 Amazonen-
 strom
 Venezuela
 Mexico
 Brasilien
 Guatemala
 Brasilien
 Europa
- fissus** Mars. Mon. 1861, p. 559; 1862, t. 4, f. 5.
- foederatus** Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 251.
- fornicatus** Mars. Bull. Soc. Ent. Fr. 1887, p. CXIX.
- frater** Mars. Mon. 1854, p. 690, t. 10, f. 11.
- frontalis** Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 173.
 — Lew. Biol. Centr.-Amer. 1888, p. 204, t. 5, f. 15.
- fulvicornis** F. Syst. El. I, 1891, p. 90. — Mars. Mon.
 1854, p. 706, t. 10, f. 26.
- hastatus** Mars. Mon. 1854, p. 685, t. 10, f. 6.
- humeristrius** Schm. Ent. Nachr. XV, 1889, p. 371.
- ineas** Mars. Mon. 1854, p. 681, t. 10, f. 2.
- incultus** Mars. Mon. 1854, p. 703, t. 10, f. 23.
- inscriptus** Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 62.
- intermedius** Mars. Mon. 1854, p. 691, t. 10, f. 12.
- invidus** Mars. Mon. 1861, p. 561; 1862, t. 4, f. 7.
- italicus** Payk. Mon. Hist. 1811, p. 47, t. 10, f. 7. —
 Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 297.
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 371.
 — Reitt. Fauna Germanica II, 1909, p. 288.
- retusus** Er. in Klug, Jahrb. Ins. I, 1834, p. 160.
 — Mars. Mon. 1854, p. 688, t. 10, f. 9.
- mundus** Hampe, Stett. Ent. Zeit. XI, 1850, p. 354.
- Kraatzi** Schm. Ent. Nachr. XV, 1889, p. 373.
- laevistrius** Mars. Mon. 1854, p. 686, t. 10, f. 7.
- longulus** Mars. l. c. p. 704, t. 10, f. 24.
- lucens** Mars. l. c. p. 689, t. 10, f. 10.
- lucidulus** Er. in Klug, Jahrb. Ins. I, 1834, p. 161. —
 Mars. Mon. 1854, p. 695, t. 10, f. 16.
- lucus** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 136.
- Mariae** Mars. Mon. 1861, p. 564; 1862, t. 6, f. 10.
- Marseuli** Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 136.
- monticola** Schm. Ent. Nachr. XVIII, 1892, p. 26.
- mundus** Er. in Klug, Jahrb. Ins. I, 1834, p. 160. —
 Mars. Mon. 1854, p. 680, t. 10, f. 1.
- nemoralis** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 347.
- nitescens** Mars. Mon. 1861, p. 557; 1862, t. 4, f. 3.
- notius** Mars. Mon. 1861, p. 560, t. 8, f. 6.
- novellus** Zimm. Trans. Amer. Ent. Soc. II, 1869, p. 253.
- patruelis** Lew. Biol. Centr.-Amer. 1888, p. 205, t. 5, f. 16. Assam
 Brasilien
 „
 Nord-
 Amerika
 Zentral-
 Amerika

- peruanus** Schm. Ent. Nachr. XV, 1889, p. 370. Peru
planiceps Broun, Man. N. Zealand Col. 1886, p. 893. Neu-Seeland
planulus Er. in Klug, Jahrb. Ins. I, 1834, p. 162. — Mars. Venezuela,
 Mon. 1854, p. 702, t. 10, f. 22. — Zimm. Trans. Californien,
 Amer. Ent. Soc. II, 1869, p. 253. Nord-Amerika
decipiens Lec. Ann. N. York Lyc. V, 1851, p. 164.
nasutus ♂ Horn, Synopsis 1873, p. 301.
pulicarius Er. l. c. p. 162. — Mars. Mon. 1854, p. 705, Nord-Amerika
 t. 10, f. 25.
minor Lec. Mon. 1845, p. 33, t. 4, f. 6.
punctulipennis (*Saprinus*) Broun, Man. N. Zealand Neu-Seeland
 Col. 1880, p. 165; 1886, p. 829.
purus Broun, Man. N. Zealand Col. 1880, p. 163.
regularis Palis. Beauv. Ins. Afr. et Amer. 1807, p. 180, Nord-
 t. 6 b, f. 8. Amerika,
nigrellus Say, Trans. Amer. Phil. Soc. V, 1825, Californien
 p. 38. — Mars. Mon. 1854, p. 692, t. 10, f. 13.
vicinus Lec. Ann. Lyc. N. York V, 1845, p. 164.
 — Mars. Mon. 1854, p. 693, t. 12, f. 14. —
 Wickham, Nat. Hist. Bull. 1896, p. 161.
rhinocerus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 92. Chile
rubellus Er. in Klug, Jahrb. Ins. I, 1834, p. 163. — Mars. Brasilien
 Mon. 1854, p. 707, t. 10, f. 27.
rufescens Reitt. Verh. Ver. Brünn XVIII, 1880, p. 172. Neu-Seeland
rufulus Lew. Biol. Centr.-Amer. 1888, p. 208, t. 5, f. 18. Mexico
 — Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 281.
rusticus Broun, Man. N. Zealand Col. 1886, p. 893. Neu-Seeland
scitus Lew. Biol. Centr.-Amer. 1888, p. 207, t. 5, f. 17. Guatemala
simplex Broun, Man. N. Zealand Col. 1886, p. 893. Neu-Seeland
smaragdinus Mars. Mon. 1862, p. 698. Cuba
sphaerula Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 90. Bolivia
subtropicus Cas. Ann. N. York Acad. VI, 1893, p. 552. Neu-Mexico
sylvanus Lew. Ent. Monthly Mag. XVI, 1879, p. 78. Neu-Seeland
sylvanus Broun, Man. N. Zealand Col. 1880, p. 164.
tersus Er. in Klug, Jahrb. Ins. I, 1834, p. 161. — Mars. Brasilien
 Mon. 1854, p. 682, t. 10, f. 3.
trux Mars. Mon. 1861, p. 555; 1862, t. 4, f. 1. Mexico
mehicanus Lec. Proc. Acad. Philad. 1859, p. 313.
 — Lew. Biol. Centr.-Amer. 1888, p. 206.
vagans Mars. Mon. 1862, p. 563, t. 8, f. 9.
Vandepolli Schm. Ent. Nachr. XV, 1889, p. 371. „
Waterhousei Mars. Mon. 1854, p. 696, t. 10, f. 17. Brasilien
Wickhami Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 172. Nord-St. Domingo
 Amerika

Homalister Reitt.

Reitt. Verh. zool.-bot. Ges. Wien XXX, 1880, p. 512.

- ornatus** Reitt. Verh. zool.-bot. Ges. Wien XXX, 1880, p. 513. Caucasus

Xestipyge Mars.

Mars. Mon. 1862, p. 6. — Lewis, Ann. Mag. Nat. Hist. (6) III, 1889, p. 284.

- conjunctum** (*Hister*) Say, Trans. Amer. Phil. Soc. V, Nord-
 1825, p. 38. — Mars. Mon. 1855, p. 89, t. 8, f. 2. Amerika

- Fryi** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 348. Birma
Garbigliettii (*Carcinops*) Mars. Ann. Soc. Ent. Fr. (4) Brasilien
 VII, 1867, p. 55. — Lew. Biol. Centr.-Amer.
 1888, p. 209, t. 5, f. 24.
geminatum (*Carcinops*) Lec. Proc. Acad. Philad. 1859, Nord-
 p. 314. Amerika
currax Mars. Ann. Soc. Ent. Belg. XIII, 1870,
 p. 93. — Lew. Ann. Mag. Nat. Hist. (6) III,
 1889, p. 284.
multistriatum (*Carcinops*) Lew. Biol. Centr.-Amer. Mexico
 1888, p. 209, t. 5, f. 19.
punctinotum (*Carcinops*) Lew. l. c. p. 209, t. 5, f. 25.
radulum (*Carcinops*) Mars. Mon. 1861, p. 6; 1862, t. 9, „
 f. 1. — Lew. Ann. Mag. Nat. Hist. (6) III, 1889, Californien
 p. 285.

7

Stictostix Mars.

Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 93.

- biseriata** Schm. Ent. Nachr. XVI, 1900, p. 39. Australien
californica (*Tribalus*) Horn, Trans. Amer. Ent. Soc. Californien
 1870, p. 138, t. 1, f. 11. — Lew. Ann. Mag. Nat.
 Hist. (6) III, 1889, p. 284.
frontalis (*Limnichus*) M'Leay, Trans. Ent. Soc. N. S. Australien
 Wales, II, 1871, p. 172. — Lew. Ann. Mag.
 Nat. Hist. (7) IV, 1899, p. 20.
Leae Lew. l. c. p. 19.
Mormoni Lew. Ann. Mag. Nat. Hist. (7) XX, 1897, p. 360. Nord-
 Amerika
parra (*Epierus*) Mars. Ann. Soc. Ent. Belg. XIII, 1870, Australien
 p. 92. — Lew. Ann. Mag. Nat. Hist. (7) VI, 1900,
 p. 283, f. 2.

6

Carcinops Mars.

- Mars. Mon. 1855, p. 83. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885,
 p. 283. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 373. — Reitter, Fauna
 Germanica II, 1909, p. 287.

Carcinus Mars. Mon. 1855, t. 8, f. 1—12.**Subgen. Kissister** Mars.

Mars. Mon. 1862, p. 7. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885, p. 298.

- Fuentei** Reitt. Wien. Ent. Zeit. XV, 1896, p. 261. Spanien
minima (*Carcinops*) Aubé, Ann. Soc. Ent. Fr. (2) VIII, Europa,
 1850, p. 322. — Mars. Mon. 1855, p. 90, t. 8, Algier
 f. 3. — Jacq. du Val, Gen. Col. 1858, t. 31, f. 155.
 — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885,
 p. 298. — Ganglb. Käf. v. Mitteleur. III, 1899,
 p. 374.
seminulum Steph. Cat. 1829, p. 102.
corpuscula Mars. Mon. 1862, p. 712, Cat.

Subgen. *Carcinops* s. str.

- arquata* Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 315. Indien
atrata Lew. Biol. Centr.-Amer. 1888, p. 212, t. 5, f. 22. Guatemala
bellula Mars. Mon. 1862, p. 16; 1861, t. 9, f. 19. Columbien
Blandfordi Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, Jamaica
p. 182.
cavisternum Lew. Biol. Centr.-Amer. 1888, p. 212, t. 5, Guatemala
f. 21.
collaris Mars. Mon. 1861, p. 13, t. 9, f. 13. Mexico
consors Lec. Ann. Lyc. N. York V, 1851, p. 164. — Californien
Mars. Mon. 1855, p. 88, t. 8, f. 1.
euprina Mars. Mon. 1862, p. 15; 1861, t. 9, f. 17. Columbia
delicatula Fährs. in Boh. Ins. Caffr. I, 1851, p. 550. Capland
— Mars. Mon. 1862, p. 17; 1861, t. 9, f. 21.
dominicana Mars. Mon. 1855, p. 97, t. 8, f. 10. St. Domingo
dulcis Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 389. Sumatra
eximia Lew. Biol. Centr.-Amer. 1888, p. 213, t. 5, f. 23. Guatemala
fumata Mars. Mon. 1862, p. 12; 1861, t. 9, f. 11. Brasilien
fumosa Lew. Biol. Centr.-Amer. 1888, p. 211, t. 5, f. 20. Guatemala
gilensis Lec. Ann. Lyc. N. York V, 1851, p. 164. — Californien
Horn, Synopsis 1873, p. 309.
karenensis Lew. Ann. Mus. Genova (2) XII, 1891, p. 31. Birma
lanista Mars. Mon. 1862, p. 11; 1861, t. 9, f. 10. Mexico
lauta Zimm. Trans. Amer. Ent. Soc. 1869, p. 253. Nord-
Amerika
madagascariensis Mars. Mon. 1855, p. 99, t. 8, f. 12. Madagascar
Mayeti Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 94. — Ägypten,
Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 299. Arabien
— Ganglb. Käf. v. Mitteleur. III, 1899, p. 374.
merula Mars. Mon. 1862, p. 10; 1861, t. 9, f. 8. Mexico
minimica Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 308. Nord-
Amerika
minuta Fährs. in Boh. Ins. Caffr. I, 1851, p. 551. Capland
palans Mars. Mon. 1862, p. 9; 1861, t. 9, f. 7.
misella Mars. Mon. 1855, p. 95, t. 8, f. 8. Guatemala
miserula Mars. Mon. 1862, p. 14; 1861, t. 9, f. 15. Columbia
opuntiae Lec. Ann. Lyc. N. York V, 1851, p. 164. Californien
ovatulula Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 285. Brasilien
papagoana Cas. Ann. N. York Acad. VII, 1893, p. 554. Nord-
Amerika
parvula Lec. Proc. Acad. Philad. 1859, p. 314. Cuba
peruviana Kirsch, Berl. Ent. Zeitschr. XVIII, 1873, p. 138. Peru
plebeja Mars. Mon. 1855, p. 98, t. 8, f. 11. Capland
prasina Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 18. Mexico
quattuordecinstriata Steph. Ill. Brit. V, 1832, p. 412. Süd- und
— Schm. Berl. Ent. Zeitschr. XXIX, 1885, West-
p. 299. — Ganglb. Käf. v. Mitteleur. III, 1899, Europa,
p. 374. — Reitt. Fauna Germanica II, 1909, Nord-
p. 287. Amerika
pumilio Er. in Klug, Jahrb. Ins. I, 1834, p. 169. (Hister) *as pumilus*
— Mars. Mon. 1855, p. 91, t. 8, f. 4.
nana Lec. Boston Journ. V, 1845, p. 61, t. 4, f. 4.
sinensis Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 299. China
striatisternum Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, Ceylon
p. 211.
suavis Schm. Ent. Nachr. XVIII, 1892, p. 27. Sumatra
tantilla Mars. Mon. 1855, p. 93, t. 8, f. 6. Venezuela
tejonica Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 309. Californien

- tenella** Er. in Klug, Jahrb. Ins. I, 1834, p. 170. — Mars. Columbien
 Mon. 1855, p. 94, t. 8, f. 7.
corticalis Lec. Ann. Lyc. N. York V, 1857, p. 163.
tenuistriata Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 172. Nord-
 Amerika
togoensis Lew. Deutsche Ent. Zeitschr. 1895, p. 265. Togo
tristicula Mars. Ann. Soc. Ent. Belg. XII, 1870, p. 94. Brasilien
troglodytes Payk. Mon. Hist. 1811, p. 46, t. 10, f. 1. — Süd-Amerika
 Mars. Mon. 1855, p. 92, t. 8, f. 5.
rubripes Boh. Res. Eugen. 1858, p. 37. — Mars.
 Mon. 1862, p. 8; 1861, t. 9, f. 6.
Vaulogeri Théry, Bull. Soc. Ent. Fr. 1901, p. 237. Tunis
viridicollis Mars. Mon. 1855, p. 96, t. 8, f. 9. Mexico

47

Eutripus Woll.

Woll. Trans. Ent. Soc. Lond. 1862, p. 157.

- putricola** Woll. Trans. Ent. Soc. Lond. 1862, p. 159, t. 7. Canarische
 f. 7a—c; Ann. Mag. Nat. Hist. (4) X, 1862, p. 292. Inseln

1

Paromalus Er.

- Er. in Klug, Jahrb. Ins. I, 1834, p. 167. — Jacq. du Val, Gen. Col. d'Eur.
 II, 1857—59, p. 107. — Marseul, Mon. 1855, p. 100. — Schmidt, Berl.
 Ent. Zeitschr. XXIX, 1885, p. 283. — Ganglbauer, Käf. v. Mitteleur. III,
 1899, p. 374. — Reitter, Fauna Germanica II, 1909, p. 287.

Subgen. Pachylomalus Schm.

Schm. Ann. Mus. Genova XXXVII, 1897, p. 295.

- Andrewesi** Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 147. Indien
leo Mars. Ann. Mus. Genova XIV, 1879, p. 272. Java
mus Mars. Abeille I, 1864, p. 331. Neu-Guinea
musculus Mars. Ann. Soc. Ent. Fr. (5) III, 1873, p. 225. Japan
victor Mars. Abeille I, 1864, p. 330. Borneo,
tuberosus Lew. Ent. Monthly Mag. XXII, 1896, Sumatra
 p. 270.

Subgen. Paromalus Lew.

Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 316.

- aeistrigus** Mars. Ann. Mus. Genova XIV, 1879, p. 276. Java
aequalis Say, Trans. Amer. Phil. Soc. V, 1825, p. 41. Nord-
 — Mars. Mon. 1855, p. 108, t. 8, f. 2. Amerika
Alluaudi Schm. Bull. Soc. Ent. Fr. 1893, p. CI. Seychellen
annellus Lew. Ann. Mus. Genova (2) VI, 1888, p. 641. Birma
biareulus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 96. Ceylon
brevipes Lew. Ann. Mus. Genova (2) XII, 1891, p. 33. Birma
ceylanicus Motsch. Bull. Mosc. XXXVI, 1863, II, p. 456. Ceylon
clavis Mars. Ann. Mus. Genova XIV, 1879, p. 274. Neu-Guinea
commeatus Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 466. Ceylon

- complanatus** Panz. Fn. Germ. 1792, 37, 7. — Ill. Käf. Preuß. 1798, p. 64. — Mars. Mon. 1855, p. 109, t. 8, f. 3. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 299. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 375. — Reitt. Fauna Germanica II, 1909, p. 287. — *Lewis 1907. Ann. Mag. Nat. 17, 10, p. 111*
nassatus Panz. Fn. Germ. 1792, 67, 8.
Theryanus Reitt. Deutsche Ent. Zeitschr. 1890, p. 168 (*Platysoma*). — Reitt. Wien. Ent. Zeit. XI, 1892, p. 187.
- derasus** Schm. Ann. Mus. Genova XXXVII, 1897, p. 298.
despectus Mars. Abeille I, 1864, p. 333.
digitatus Woll. Col. Hesperid. 1867, p. 88.
- evanescens** Mars. Ann. Mus. Genova XIV, 1879, p. 275.
exiguus Fährs. in Boh. Ins. Caffr. I, 1851, p. 552. — Mars. Mon. 1862, p. 28; 1861, t. 9, f. 10.
Feae Lew. Ann. Mus. Genova (2) VI, 1888, p. 642.
Forestieri Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 96.
- fujisanus** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 34.
goliath Lew. Ent. Monthly Mag. II, 1891, p. 187.
honoratus Mars. Ann. Mus. Genova XIV, 1879, p. 277.
indicus Lew. Ann. Mus. Genova (2) XII, 1891, p. 32.
javanus Redtb. Reise Novara, Zool. 1867, p. 33.
keicola Mars. Ann. Mus. Genova XIV, 1879, p. 277.
khongius Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 98.
lenticula Schm. Ann. Mus. Genova XXXIII, 1893, p. 236.
locellus Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 466.
longicornis Lew. Ann. Mus. Genova XLII, 1906, p. 401.
Ludovici Blackb. Trans. Roy. Soc. S. Austral. XV, 1892, p. 26; XXXII, 1903, p. 102.
mendicus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 33; (7) IV, 1899, p. 21.
miliaris Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 98.
Modiglianii Schm. Ann. Mus. Genova XXXVII, 1897, p. 296.
montivagus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 37.
musicus Mars. Abeille I, 1864, p. 333.
niponensis Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 21; (*complanatus* Panz.) l. c. IX, 1892, p. 33.
oblisus Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 466.
oceanitis Mars. Mon. 1855, p. 110, t. 8, f. 4.
- persimilis** Lew. Ann. Mus. Genova (2) VI, 1888, p. 641.
Roberti Mars. Ann. Mus. Genova XIV, 1879, p. 275.
saucius Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 103.
Schultheissi Schm. Ann. Mus. Genova XXXVII, 1897, p. 297.
sculptipygus Mars. Abeille I, 1864, p. 332.
submetallicus Lew. Ann. Mus. Genova (2) XII, 1891, p. 34.
tardipes Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 35.
teibodae Mars. Ann. Mus. Genova XIV, 1879, p. 278.
terrae-reginae Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 103.
umbilicatus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 97.
- Europa
Sumatra
Neu-Guinea
CapVerdische
Ins., West-
Afrika
Aru
Capland
Birma
Neu-
Caledonien
Japan
Birma
Australien
Birma
Java
Ins. Kei
Cambodja
Neu-Guinea
Borneo
Guinea
Australien
Japan, Java
Australien
Sumatra
Japan
Neu-Guinea
Japan
Andamanen
Philippinen,
Malacca
Birma
Neu-Guinea
Queensland
Sumatra
Molukken
Birma
Japan
Java
Queensland
Australien

vermiculatus Lew. Ann. Mus. Genova (2) XII, 1891, p. 18.
viaticus Lew. Ann. Mag. Nat. Hist. (6) XI, 1892, p. 33.
victoriae Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 97.
vittula Mars. Ann. Mus. Genova XIV, 1879, p. 276.

Birma
 Japan
 Australien
 Neu-Guinea

Subgen. **Isolomalus** Lew.

Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 316.

addendus Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 65.
bicinctus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 101.
bilineatus Mars. Mon. 1862, p. 27.

bistriatus Mars. Mon. 1855, p. 114, t. 8, f. 8.

bistriatus Er. in Klug, Jahrb. Ins. I, 1834, p. 171. —

Mars. Mon. 1862, p. 26; 1861, t. 15, f. 8.

causticus Mars. Mon. 1862, p. 20; 1861, t. 15, f. 2.

complexus Cas. Ann. N. York Acad. VII, 1893, p. 557.

concentricus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 100.

convexus Mars. Mon. 1855, p. 118, t. 8, f. 11.

cordipygus Mars. Mon. 1862, p. 19; 1861, t. 9, f. 1.

debilis Lec. Bull. U. S. Geol. Surv. V, 1879, p. 515. —

Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 300.

didymus Mars. Mon. 1855, p. 111, t. 8, f. 5.

difficilis Horn, Trans. Amer. Ent. Soc. V, 1874, p. 21.

divaricatus Lew. Biol. Centr.-Amer. 1888, p. 219, t. 6, f. 5.

elongatus Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 317.

fissus Lew. Biol. Centr.-Amer. 1888, p. 217.

hariolus Mars. Mon. 1862, p. 22; 1861, t. 9, f. 4.

hispaniolae Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 101.

infimus Mars. Mon. 1855, p. 112, t. 8, f. 6.

inflatus Lew. Biol. Centr.-Amer. 1888, p. 218, t. 6, f. 4.

inunctus Mars. Mon. 1862, p. 23; 1861, t. 9, f. 5.

irregularis Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 64.

jejunus Lew. Biol. Centr.-Amer. 1888, p. 217.

Luderti Mars. Mon. 1862, p. 25; 1861, t. 9, f. 7.

Schaufussi Mars. Abeille I, 1864, p. 347. — Lew.

Ent. Monthly Mag. XXXII, 1896, p. 270.

malus Mars. Mon. 1861, p. 24, t. 9, f. 6.

maneus Cas. Ann. N. York Acad. VII, 1893, p. 556.

notabilis Lew. Biol. Centr.-Amer. 1888, p. 215, t. 6, f. 1.

oculipygus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 99.

orbis Lew. Biol. Centr.-Amer. 1888, p. 216.

productus Mars. Mon. 1855, p. 115, t. 8, f. 7.

pupillus Lew. Biol. Centr.-Amer. 1888, p. 215.

rogalis Lew. l. c. p. 215, t. 6, f. 2.

rugigenius Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 99.

selectus Lew. Biol. Centr.-Amer. 1888, p. 215.

seminulum Er. in Klug, Jahrb. Ins. I, 1834, p. 171. —

Mars. Mon. 1855, p. 120, t. 8, f. 12.

Brasilien
 Ceylon
 Mexiko

Nord-
 Amerika
 Brasilien

Nord-
 Amerika
 Mittel-
 Amerika

Venezuela
 Mexiko

Nord-
 Amerika
 Venezuela

Californien
 Mittel-
 Amerika

Brasilien
 Mittel-
 Amerika

Mexiko
 Cuba
 Venezuela

Mittel-
 Amerika
 Brasilien

„
 Mittel-
 Amerika

Spanien,
 Mexiko

„
 Californien
 Mittel-
 Amerika

Uruguay
 Mittel-
 Amerika

Cuba
 Mexiko
 Mittel-
 Amerika

Amazonen-
 strom

Guatemala
 Nord-
 Amerika

- similis* Lew. Biol. Centr.-Amer. 1888, p. 216, t. 6, f. 3. Mittel-Amerika
sincerus Lew. l. c. p. 218. „
sobrinus Lew. l. c. p. 216. Guatemala
sulcatus Lew. l. c. p. 219, t. 6, f. 7, 7a. „
teres Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 609. Nord-Amerika
— Lew. Ann. Mag. Nat. Hist. IV, 1899, p. 299. Brasilien
trifolium Mars. Mon. 1862, p. 21; 1861, t. 15, f. 3. „
truncatus Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 317. Mittel-Amerika
verminosus Lew. Biol. Centr.-Amer. 1888, p. 214.

Subgen. *Microlomalus* Lew. *Sexu sep. — Typus not design.*

Lew. Ann. Mag. Nat. Hist. XIX, 1907, p. 318.

- filum* Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 256. Balkan-Halbinsel
— Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 299. Europa
flavicornis Hbst. Käf. IV, 1792, p. 40, t. 36, f. 2. — Er. Käf. Mark Brandb. I, 1839, p. 669. — Mars. Mon. 1855, p. 117, t. 8, f. 10. — Thoms. Skand. Col. IV, 1862, p. 246. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 299. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 376. — Reitt. Fauna Germanica II, 1909, p. 288.
picipes Payk. Faun. Suec. I, 1798, p. 52.
ominus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 36. Japan
parallelepipedus Hbst. Käf. III, 1792, p. 37, t. 35, f. 11. Europa
— Er. Käf. Mark Brandb. I, 1839, p. 669. — Mars. Mon. 1855, p. 116, t. 8, f. 9. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, t. 31, f. 154. — Thoms. Skand. Col. IV, 1862, p. 246. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 299. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 376. — Reitt. Fauna Germanica II, 1909, p. 288, t. 67, f. 2.
picipes Sturm, Ins. Deutschl. I, p. 243, t. 19, f. A, a. — Duft. Fauna Austr. I, 1805, p. 232. — Lew. Ann. Mag. Nat. Hist. IX, 1892, p. 36.
sculptiptectus Mars. Ann. Mus. Genova XIV, 1879, p. 279. Java
simplicistrius Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 237; Berl. Ent. Zeitschr. XXIX, 1885, p. 299. Türkei
vernalis Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 35. Japan
affinis Lec. Mon. 1845, p. 37, t. 4, f. 10. — Mars. Mon. 1855, p. 107, t. 8, f. 1. Nord-Amerika?
estriatus Lec. Proc. Acad. Philad. 1859, p. 314.
parallelus Lec. Proc. Acad. Philad. 1859, p. 314. Cuba
Pardali Mars. Abeille I, 1864, p. 331. Molukken
sagillatus Lew. Biol. Centr.-Amer. 1888, p. 219, t. 6, f. 6, 6a. Mexico

108

Dendrophilus Leach.

- Leach, Zool. Miscell. III, 1817, p. 76. — Er. in Klug, Jahrb. Ins. I, 1834, p. 166. — Mars. Mon. 1855, p. 146. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 109. — Thoms. Skand. Col. IV, 1862, p. 243. — Schmidt, Berl.

Ent. Zeitschr. XXIX, 1885, p. 282. — Ganglbauer, Käf. v. Mitteleur. III, 1899, p. 372. — Reitter, Fauna Germanica II, 1909, p. 289.

californicus Horn, Trans. Amer. Ent. Soc. XIX, 1892, p. 46. Californien
punctatus Hbst. Käf. IV, 1792, p. 41, t. 36, f. 5. — Er. Europa

Käf. Mark Brandb. I, 1839, p. 667. — Mars. Mon. 1855, p. 148, t. 9, f. 1. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 298. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 373. — Reitt. Fauna Germanica II, 1909, p. 289, t. 66, f. 23.

pygmaeus F. Syst. Ent. I, 1775, p. 53.

corticalis Payk. Fn. Suec. I, 1798, p. 50.

Cooperi Steph. Ill. Brit. Ent. III, 1830, p. 159.

var. **Championi** Lew. Wien. Ent. Zeit. V, 1886, p. 280. — Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 468. — Bickh. Ent. Blätter VI, 1910, p. 185. Klein-Asien

Biologie: Gerhard, Ent. Blätt. V, 1909, p. 130.

punctulatus Say, Proc. Acad. Philad. V, 1825, p. 45. — Mars. Mon. 1857, p. 435, t. 11, f. 1. Nord-Amerika

pygmaeus L. Syst. Nat. ed. X, 1758, p. 358. — Er. Käf. Mark Brandb. I, 1839, p. 668. — Mars. Mon. 1855, p. 150, t. 9, f. 2. — Jacq. du Val, Gen. Col. II, 1858, t. 32, f. 156. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 298. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 373. — Reitt. Fauna Germanica II, 1909, p. 289, t. 66, f. 24. Europa

Sheppardi Curt. Brit. Ent. III, 1826, t. 131.

formicetorum Aubé, Ann. Soc. Ent. Fr. 1833, p. 95, t. 5, f. 2.

Xavieri Mars. Ann. Soc. Ent. Fr. (5) III, 1873, p. 226. Japan

5

Dendrophilopsis Schm.

Schm. Horae Soc. Ent. Ross. XXIV, 1890, p. 11.

latipes (*Saprinus*) Bonelli, Mem. Soc. agrar. Torino IX, 1812. — Ghiliani, Berl. Ent. Zeitschr. III, 1859, p. 87. Süd-Rußland, Klein-Asien

sulcatus (*Dendrophilus*) Motsch. Bull. Mosc. XVIII, 1845, I, p. 55. — Schm. Hor. Soc. Ent. Ross. XXIV, 1890, p. 2.

pusio (*Hister*) Ménétr. Mém. Ac. St. Petersb. VI, 1849, p. 54, t. 2, f. 7.

1

Tribalus Er.

Er. in Klug, Jahrb. Ins. I, 1834, p. 164. — Mars. Mon. 1855, p. 151. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 104. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 371.

Triballus Gemm. et Harold, Cat. Col. III, 1868, p. 781. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 282.

acceptus Mars. Abeille I, 1864, p. 334.

agrestis Mars. Mon. 1855, p. 155, t. 9, f. 1.

annicola Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 252. Molukken West-Afrika Mashonaland

5

- ascaphus** Mars. Berl. Ent. Zeitschr. XIII, 1869, p. 290. Zentral-Afrika
- bicarinatus** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 152. Indien
- bomba** Mars. Ann. Soc. Ent. Fr. (5) I, 1871, p. 82. Borneo
- capensis** Payk. Mon. 1811, p. 80, t. 8, f. 3. — Mars. Mon. 1855, p. 156, t. 9, f. 2. Capland
- picipes** Fährs. in Boh. Ins. Caffr. I, 1851, p. 545.
- catenarius** Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 285. Philippinen
- cavernicola** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 150. Ost-Afrika
- colombius** Mars. Abeille I, 1864, p. 335. Ceylon
- corpulentus** Lew. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 216. Congostaat
- corylophoides** Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 395. Sumatra
- cyclonotus** Lew. Ann. Mus. Genova (2) XII, 1891, p. 35. Birma
- Doriae** Mars. Ann. Soc. Ent. Fr. (5) I, 1871, p. 81. — Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 22. Borneo
- fastigiatus** Mars. Ann. Mus. Genova XVI, 1881, p. 618. Abessinien
- Horni** Lew. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 244. Ceylon
- Koenigius** Mars. Abeille I, 1864, p. 334. Neu-Guinea
- laevidorsis** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 152. Philippinen
- Leae** Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 21. Australien
- leionotus** Mars. Ann. Mus. Genova XVI, 1881, p. 619. Delagoa-Bay
- minimus** Rossi, Fn. Etr. I, 1790, p. 30. — Er. in Klug, Jahrb. Ins. I, 1834, p. 165. — Mars. Mon. 1855, p. 158, t. 9, f. 4. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 297. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 372. Mittelmeerländer, China
- mixtus** Mars. Mon. 1857, p. 437, t. 11, f. 1. Capland
- montanus** Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 212. Ceylon
- Ogieri** Mars. Abeille I, 1864, p. 335. China
- onustus** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 350. Sansibar
- opimus** Lew. l. c. p. 350. Borneo
- orphanus** Lew. Ann. Mus. Genova (2) XII, 1891, p. 35. Birma
- pumilio** Schm. Ent. Nachr. XXI, 1895, p. 31. Borneo
- puncticeps** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 151. Indien
- rubriculus** Schm. Ent. Nachr. XVI, 1891, p. 40. Abessinien
- scaphidiformis** Ill. Mag. VI, 1807, p. 47. — Mars. Mon. 1855, p. 157, t. 9, f. 3. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, t. 30, f. 150. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 297. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 372. Mittelmeer-Gebiet
- mauritanicus** Luc. Expl. Alg. 1849, p. 230, t. 22, f. 7.
- castaneus** l. l. Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 212.
- semen** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 137; l. c. (8) II, 1908, p. 154. Japan
- suturalis** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 151. Sumatra
- tropicus** Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 212; l. c. (7) IV, 1899, p. 22. Singapore
- unistrius** Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 153. Annam

Triballodes Schm.

Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 442. — Berl. Ent. Zeitschr. XXIX, 1885, p. 297.

acritoides (*Tribalus*) Reitt. Deutsche Ent. Zeitschr. Morea
XXVIII, 1884, p. 75, t. 1, f. 5. — Schm. Berl.
Ent. Zeitschr. XXIX, 1885, p. 297.

1

Caerosternus Lec.

Lec. Proc. Acad. Philad. 1852, p. 39. — Lew. Ann. Mag. Nat. Hist. (5)
XVI, 1885, p. 213; Ent. Monthly Mag. XXIII, 1886, p. 63.

americanus Lec. Bost. Journ. V, 1845, p. 64, t. 4, f. 7. Nord-
— Mars. Mon. 1855, p. 159, t. 9, f. 5. Amerika

1

Tribalister Horn.

Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 299.

marginellus (*Phelister*) Lec. Proc. Acad. Philad. 1859, Nord-
p. 311. — Horn, Proc. Amer. Phil. Soc. XIII, Amerika
1873, p. 299, t. 5, f. 2.

1

Idolia Lew.

Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 214; l. c. (6) IX, 1892, p. 351.

antennata Lew. Biol. Centr.-Amer. 1888, p. 242, t. 7, f. 15. Mittel-
Amerika

gibba Lew. Ent. Monthly Mag. XXIII, 1886, p. 64. Honduras
laevigata Lew. Ann. Mag. Nat. Hist. (5) XVI,
1885, p. 214.

integra Lew. Ann. Mag. Nat. Hist. (6) IV, 1889, p. 47. Süd-Amerika
● **laevigata** Payk. Mon. 1811, p. 84, t. 2, f. 7. — Mars. Venezuela
Mon. 1855, p. 161, t. 9, f. 6.

laevissima Lec. Proc. Ac. Philad. VI, 1852, p. 40. Cuba
punctisternum Lew. Ann. Mag. Nat. Hist. (5) XVI, Brasilien
1885, p. 215.

scitula Lew. Biol. Centr.-Amer. 1888, p. 242, t. 7, f. 16. Mittel-
Amerika

7

Sphaericosoma Mars.

Mars. Col. Hefte IV, 1868, p. 104.

Sphaerosoma Mars. Mon. 1855, p. 162.

ovum Mars. Mon. 1855, p. 164, t. 9, f. 1. Madagascar

1

Spathochus Mars.

Mars. Abeille I, 1864, p. 342. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885, p. 297.

Coyei Mars. Abeille I, 1864, p. 341. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 297. — Pic, Bull. Soc. Ent. Fr. 1900, p. 171. Klein-Asien, Arabien
var. *nigrinus* Reitt. Wien. Ent. Zeit. XXV, 1906, p. 34. Palästina

1

Coryphaeus Mars.

Mars. Abeille I, 1864, p. 311.

pilosus Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 423. Tenimber
violaceus Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 347. Borneo
Wallacei Mars. Abeille I, 1864, p. 311. Neu-Guinea

3

Exosternus Lew.

Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 233.

aeratus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 231. Süd-Afrika
angolae Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 300. Angola
manicatus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 231. Ost-Afrika
rufulus Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 104; Süd-Afrika
l. c. (8) IV, 1909, p. 301.

4

Probolosternus Lew.

Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 275.

africanus Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 275. Guinea
brevistrius Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 104. West-Afrika
minor Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 277. „
pernundus Lew. Ann. Mag. Nat. Hist. (7) 1900, p. 276, „
t. 10, f. 4; l. c. (7) XIV, 1904, p. 149.
termitophilus Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 148. Orangefluß-Kolonie

5

Monoplius Mars.

Mars. Mon. 1855, p. 122.

Marseulia Péringuey, Trans. S. African Phil. Soc. IV, 1888, p. 87.
Saulister Péringuey, l. c. Correctur.

aemulator Péring. Ann. Soc. Ent. Fr. LXX, 1901, p. 185. Süd-Afrika
Braunsi Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 103. „
dissidens Péring. Ann. Soc. Ent. Fr. LXX, 1901, p. 186. „
gravis Péring. Ann. Soc. Ent. Fr. LXX, 1901, p. 186. „

- inflatus** Mars. Mon. 1855, p. 124, t. 8, f. 1. — Lew. Ann. Mag. Nat. Hist. (8) II, 1898, p. 173. Süd-Afrika
minus Péring. Ann. Soc. Ent. Fr. LXX, 1901, p. 186. „
pinguis Lew. Ent. Monthly Mag. XVI, 1879, p. 60. — „
 Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 418,
 t. 20 A, f. 3; l. c. (7) 1898, p. 173.
singularis Péring. Trans. South Afr. Phil. Soc.
 IV, 1888, p. 88. — Lew. Ent. Monthly Mag. I,
 1890, p. 106.
sigillatus Péring. Ann. Soc. Ent. Fr. LXX, 1901, p. 187. „
 8

Epitoxus Lew.

Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 278.

- breviuseculus** (*Saprinus*) Fährs. in Boh. Ins. Caffr. I, Capland
 1851, p. 544. — Mars. Mon. 1861, p. 161, t. 4, f. 5.
circulifrons Mars. Mon. 1853, p. 473, t. 14, f. 6. West-Afrika
corycaeus Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 278. „
felix Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 347. Ost-Afrika
haeres Lew. Ann. Mus. Genova XLII, 1906, p. 403. West-Afrika
hilarulus Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 361. Kamerun
nitidus (*Coelocraera*) Lew. Ann. Mag. Nat. Hist. (5) XV, Sansibar
 1885, p. 467; l. c. (6) III, 1889, p. 282.

7

Anaglymma Lew.

Lew. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 212.

- afra** Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 175, f. 1. Congostaat
Cardoni Lew. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 212. Indien
circularis (*Macrosternus*) Mars. Abeille I, 1864, p. 286. Borneo
 — Lew. Ann. Soc. Ent. Belg. XXXVIII, 1894,
 p. 213.
congonis Lew. Deutsche Ent. Zeitschr. 1895, p. 262. Congostaat
consobrina Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, Kamerun
 p. 180.
crenulata Lew. Ann. Soc. Ent. Belg. XXXVIII, 1894, Singapore
 p. 213.
impar (*Phelister*) Mars. Bull. Soc. Ent. Fr. (6) IX, 1889, Sansibar
 p. CXXVII. — Lew. Ann. Mag. Nat. Hist. (6)
 XX, 1897, p. 362.
punctipennis Lew. Ann. Mag. Nat. Hist. (7) II, 1898, Congostaat
 p. 162.
verula Lew. l. c. p. 161. Kamerun

9

Pelorurus Mars.

Mars. Mon. 1857, p. 494.

Pelorus Mars. Mon. 1855, p. 125.

- bruchoides** Mars. Mon. 1855, p. 128, t. 8, f. 1. — Lacord. West-Afrika
 Gen. Col. Atl. t. 17, f. 3.
carinatus Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 173. Capland

- costipennis** Lew. l. c. p. 174. Mashonaland
Cregoei Lew. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 244. „
Feae Lew. Ann. Mus. Genova XLII, 1906, p. 404. Guinea
formosus Schm. Ent. Nachr. XVI, 1890, p. 41. Abessinien
glaucopterus Mars. Mon. 1862, p. 30, t. 7, f. 1. Natal
ruptistrius Lew. Ann. Mag. Nat. Hist. (7) XVIII, 1906, Abessinien
p. 190.

8

Coproxenus Lew.

Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 190.

- Marshalli** Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, Natal
p. 191; l. c. (7) VI, 1900, p. 266, t. 10, f. 11.
opacipennis Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, Kamerun
p. 192.

2

Coelocraera Mars.

Mars. Mon. 1857, p. 426.

- costifera** Mars. Mon. 1857, p. 430, t. 25, f. a—b. Guinea

1

Notodoma Mars.

Mars. Mon. 1855, p. 133.

- bullatum** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 108. Malacca
fungorum Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 136. Japan
globatum Mars. Mon. 1855, p. 136, t. 9, f. 1. — Lew. Indien,
Ann. Mus. Genova (2) XII, 1891, p. 39; Ann. Birma
Mag. Nat. Hist. (7) X, 1902, p. 268.
Lewisi Reitt. Ent. Blätt. VI, 1910, p. 164. Syrien
nigrum Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 268. Sumatra
orientale Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 425. Birma
rufulum Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 349. Borneo
saturum Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 269; Tongking
l. c. (7) XVI, 1905, p. 347, t. 10, f. 9.
solstitiale Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 348. Malakka

9

Lissosternus Lew.

Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 347.

- gracillipes** Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, Brasilien
p. 348, t. 10, f. 10.

1

Scapomegas Mars.

Mars. Mon. 1855, p. 129.

- aurifer** Mars. Bull. Soc. Ent. Fr. (6) VII, 1887, p. 125. Brasilien
auritus Mars. Mon. 1855, p. 132, t. 9, f. 1. Guyana
gibbus Mars. Mon. 1855, p. 132, t. 9, f. 2. Brasilien

3

Phoxonotus Mars.

Mars. Mon. 1862, p. 35.

- Fryi** Lew. Ent. Monthly Mag. XVI, 1879, p. 61. — Lew. Brasilien
 Ann. Mag. Nat. Hist. (7) X, 1902, p. 270.
lectus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 269. Peru
suturalis Lew. Ann. Mag. Nat. Hist. (8) II, 1908, p. 160. Brasilien
tuberculatus Mars. Mon. 1862, p. 37, t. 7, f. 1. Guyana
venustus (*Saprinus*) Er. in Klug, Jahrb. Ins. I, 1834, Brasilien
 p. 189. — Lew. Wien. Ent. Zeit. V, 1886, p. 280.

5

Hetaeriodes Schm.

Schm. Deutsche Ent. Zeitschr. 1893, p. 188.

- fraudulentus** Schm. Deutsche Ent. Zeitschr. 1893, p. 188. Mexico
 1

Hetaeriomorphus Schm.

Schm. Deutsche Ent. Zeitschr. 1893, p. 186.

- perplexus** Schm. Deutsche Ent. Zeitschr. 1893, p. 186. Mexico
 1

Hetaeriosoma Schm.

Schm. Deutsche Ent. Zeitschr. 1893, p. 185.

- Sahlbergi** Schm. Deutsche Ent. Zeitschr. 1893, p. 185. Brasilien
 1

Tylois Mars.

Mars. Abeille I, 1864, p. 336.

- mirabilis** Schm. Deutsche Ent. Zeitschr. 1893, p. 172. Bolivien
mirificus Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 378. Pernambuco
trilunatus Mars. Abeille I, 1864, p. 336. Guyana
 3

Enicosoma Lew.

Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 149.

- vespertinum** Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, Brasilien
 p. 149, t. 6, f. 5, 5a.
 1

Homalopygus Boh.

Boh. Resa Eugen. 1858, p. 36.

- aequatus** Lew. Biol. Centr.-Amer. 1888, p. 236, t. 7, f. 8. Panama
amnicola Lew. Ann. Mag. Nat. Hist. (8) II, 1898, p. 177. Brasilien
cavifrons Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 421. „

- commensalis** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, Brasilien
p. 471.
geminatus Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, „
p. 379.
latipes Boh. Resa Eugen. 1858, p. 37, t. 1, f. 2. — Mars. Panama
Mon. 1862, p. 679; 1861, t. 4, f. 1. — Lew. Biol.
Centr.-Amer. 1888, p. 236.
latisternus Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, Brasilien
p. 349.
longipes Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 122. „
remex Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 285, Paraguay
t. 10, f. 10.

9

Scapicoelis Mars.

Mars. Mon. 1862, p. 38.

- tibialis** Mars. Mon. 1862, p. 40, t. 7, f. 1. Brasilien

1

Discoscelis Schm.

Schm. Berl. Ent. Zeitschr. XXXIII, 1889, p. 318.

- amazoniae** Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 176. Brasilien
arechavaletae (*Phylloscelis*) Mars. Ann. Soc. Ent. Belg. Uruguay,
XIII, 1870, p. 109. — Bickh. Ent. Blätt. V, Argentinien
1909, p. 240, f. 3, 4.
var. *argentinae* Lew. Ann. Mag. Nat. Hist. (7)
XIX, 1907, p. 318. — Bickh. Ent. Blätter V,
1909, p. 240; l. c. VI, 1910, p. 185.
Biologie: Bickh. Ent. Blätter VI, 1910, p. 225.
canaliculata Schm. Berl. Ent. Zeitschr. XXXIII, 1889, Paraguay
p. 319.

3

Notocoelis Lew.

Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 283.

- satur** Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 284, Paraguay
t. 10, f. 9.

1

Chelyocephalus Schm.

Schm. Deutsche Ent. Zeitschr. 1893, p. 182.

- varicolor** Schm. Deutsche Ent. Zeitschr. 1893, p. 183. Brasilien

1

Reninus Lew.

Lew. Ann. Mag. Nat. Hist. (6) IV, 1889, p. 285.

Renia Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 467.

- cavernosus** (*Homalopygus*) Schm. Deutsche Ent. Zeit- Paraguay
schr. 1893, p. 179.

- meticulosus* Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 467. Brasilien
puncticollis Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 105. Guyana
Salvini Lew. Biol. Centr.-Amer. 1888, p. 220, t. 8, f. 6, 7. Mexico
 Biologie: Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 105.
seminitens Schm. Deutsche Ent. Zeitschr. 1893, p. 174. Bolivien
turritus Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 271. Brasilien
 6

Trichoreninus Lew.

Lew. Ent. Monthly Mag. II, 1891, p. 106.

- Flohri* Lew. Ent. Monthly Mag. 1891, p. 107. Mexico
imbricatus Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 422. Brasilien
 2

Echinodes Zimm.

Zimm. Trans. Amer. Ent. Soc. II, 1869, p. 253.

- decipiens* Horn, Trans. Amer. Ent. Soc. X, 1883, p. 286. Nord-
 Amerika
setiger Lec. Proc. Acad. Philad. 1859, p. 316. — Mars.
 Mon. 1862, p. 41. — Zimm. Trans. Amer. Ent.
 Soc. II, 1869, p. 253. — Horn, Trans. Amer.
 Phil. Soc. XIII, 1873, t. 5, f. 4.
 2

Ulkeus Horn.

Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 143.

- intricatus* Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 143, t. 1, f. 9—11. — Brues, Americ. Natural.
 XXXVI, 1902, p. 368. Nord-
 Amerika
 1

Euclasea Lew.

Lew. Biol. Centr.-Amer. 1888, p. 220.

- Godmani* Lew. Biol. Centr.-Amer. 1888, p. 221, t. 6, f. 8, 9. Guatemala
obliqua Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 425. Mexico
pauperella Lew. l. c. p. 424. Brasilien
tuberculata Lew. l. c. p. 425.
 4

Synodites Schm.

Schm. Deutsche Ent. Zeitschr. 1893, p. 175.

- aciculatus* Schm. Deutsche Ent. Zeitschr. 1893, p. 179. Brasilien
detritus Schm. l. c. p. 180. Mexico
Drakei Schm. l. c. p. 179. Bolivien
gibbidorsum Schm. l. c. p. 180. Mexico
graniformis Schm. l. c. p. 181. „ ?
Schmidtii Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 423. Brasilien
Schuppi Schm. Deutsche Ent. Zeitschr. 1893, p. 177. „
 7

Termitoxenus Schm.

Schm. Berl. Ent. Zeitschr. XXXIII, 1889, p. 321.

- setaceus** Schm. Berl. Ent. Zeitschr. XXXIII, 1889, p. 321. Paraguay
strigicollis Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 175. Brasilien
 2

Chelonosternus Bickh.

Bickh. Ent. Blätter V, 1909, p. 241.

- Tremolerasi** Bickh. Ent. Blätt. V, 1909, p. 242, f. 5. Uruguay
 1

Hesperodromus Schm.

Schm. Berl. Ent. Zeitschr. XXXIII, 1889, p. 317.

- sodalis** Schm. Berl. Ent. Zeitschr. XXXIII, 1889, p. 318. Paraguay
 1

Paratropus Gerst.

Gerst. Beitr. Ins. Zanzibar 1866, p. 32.

Phylloscelis Marseul, Mon. 1862, p. 32.

- atilis** Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 377. Ost-Afrika
anthracinus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, Brasilien
 p. 393.
aptistrius Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 349. Portug.
 Guinea
boleti Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 377. Congo
castaneus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, Mexico
 p. 391.
chelonites Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, Abessinien
 p. 610.
congonis Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 301. Congo
daedalus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 392. Brasilien
effertus Lew. l. c. p. 392.
fungorum Lew. Ann. Mag. Nat. Hist. (6) XX, 1897, p. 192. Mashonaland
manicatus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, Mexico
 p. 390.
meridianus (*Spathochus*) Lew. Ent. Monthly Mag. XVI, Sansibar
 1879, p. 60.
nigrellus Schm. Ent. Nachr. XIX, 1893, p. 14. West-Afrika
orbicularis Oll. Trans. Ent. Soc. Lond. 1883, p. 174. — Borneo
 Waterh. Aid ident. Ins. II, 1883, t. 134, f. 6.
oides Mars. Mon. 1862, p. 34, t. 7, f. 1. West-Afrika
strigatus Schm. Ent. Nachr. XXI, 1895, p. 31. Congo
testudo Gerst. Beitr. Ins. Zanz. 1866, p. 87 (32). — Lew. Sansibar
 Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 610.

17

Sitalia Lew.

Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 285.

- Severini** (*Paratropus*) Lew. Ann. Soc. Ent. Belg. XXXVI, Indien
 1892, p. 142, f. 1—3; Ann. Mag. Nat. Hist.
 (7) VI, 1900, p. 285, f. 3.

1

Eretmotus Mars.

Mars. Mon. 1855, p. 141.

Dimerocerus Coquerel, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 788.*Eretmotes* Schm. (nec Mars.), Berl. Ent. Zeitschr. XXIX, 1885, p. 283.

Biologie: Lewis, Entomol. XXI, 1888, p. 289—294.

- Bedeli** Lew. Ann. Mag. Nat. Hist. (6) X, 1892, p. 235. Algier
obscurus Pic, Natural. 1894, p. 248. — Théry,
 Échange 1894, p. 144.
- caesariensis** Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 267. „
- carinatus** Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 394. „
- cirtensis** Lew. Ann. Mag. Nat. Hist. (6) X, 1892, p. 233, „
 t. 19, f. 3.
- corpulentus** Lew. l. c. p. 233, t. 19, f. 1. „
- foveisternus** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, „
 p. 106.
- ibericus** Bris. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 366. Spanien
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885,
 p. 300. — Lew. Entomologist XVI, 1888, p. 294.
- kabyliae** Lew. Ann. Mag. Nat. Hist. (6) X, 1892, p. 234, Algier
 t. 19, f. 5.
- Leprieuri** Mars. Mon. 1862, p. 47; 1861, t. 15, f. 4. „
 Lew. Ann. Mag. Nat. Hist. (6) X, 1892, p. 233,
 t. 19, f. 6.
- approximans* Fairm. C. r. Soc. Ent. Belg. XXVIII,
 1884, p. 60. — Lew. Ann. Mag. Nat. Hist. (6)
 IX, 1892, p. 350.
- Lucasi** Mars. Mon. 1855, p. 144, t. 20, f. 1. — Lew. Ann. „
 Mag. Nat. Hist. (6) X, 1892, p. 233, t. 19, f. 2.
- major** Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 265. „
- planifrons** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 106. „
- sinuaticollis** Lew. Ann. Mag. Nat. Hist. (7) X, 1902, p. 266. „
- sociator** Coq. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 760, „
 t. 16, f. 8. — Mars. Mon. 1862, p. 45; 1861, t. 15,
 f. 3. — Lew. Ann. Mag. Nat. Hist. (6) X, 1892,
 p. 234, t. 19, f. 4.
- tangerianus** Mars. Mon. 1861, p. 44, t. 15, f. 2. — Lew. Marocco,
 Ann. Mag. Nat. Hist. (6) X, 1892, p. 236, t. 19, f. 7. Süd-
 Spanien
- valens** Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 180. Algier

16

Satrapes Schm.

Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 441; Berl. Ent. Zeitschr. XXIX, 1885, p. 283. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 377. — Reitt. Fauna Germanica II, 1909, p. 289.

- Peyerimhoffi** Bed. Bull. Soc. Ent. Fr. 1899, p. 183. Frankreich
- Reitteri** Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 153. Trans-
 — Reitt. Wien. Ent. Zeit. IX, 1890, p. 13. kaukasien
- Sartorii** Redt. Fauna Austr. 1858, p. 311. — Schm. Berl. Deutschland,
 Ent. Zeitschr. XXIX, 1885, p. 300. — Ganglb. Ungarn
 Käf. v. Mitteleur. III, 1899, p. 377. — Reitt.
 Faun. Germanica II, 1909, p. 289.
- Rayei* Mars. Abeille I, 1864, p. 348.
- talyshensis** Reitt. Wien. Ent. Zeit. II, 1883, p. 143. Kaukasus

4

Hetaerius Er.

Er. in Klug, Jahrb. Ins. I, 1834, p. 156. — Marseul, Mon. 1855, p. 137.
 — Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 105. — Lewis, Ann. Mag. Nat. Hist. (6) II, 1888, p. 144. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 376
 — Reitt. Fauna Germanica II, 1909, p. 289.

- Blanchardi** Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 609. Nord-Amerika
- brunneipennis** Rand. Bost. Journ. II, 1839, p. 40. — Mars. Mon. 1857, p. 433, t. 11, f. 2. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 145. „
- californicus** Horn, Trans. Amer. Ent. Soc. 1870, p. 137. „
- Chobauti** Théry, Bull. Soc. Ent. Fr. 1897, p. 26. Algier
- ferrugineus** Ol. Ent. I, 8, 1789, p. 19, t. 1, f. 7. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 377. — Reitt. Fauna Germanica III, 1909, p. 290, t. 67, f. 3. Europa
- quadratus** Kug. in Schneid. Mag. I, 1792, p. 519. — Er. Käf. Mark Brandb. I, 1837, p. 666. — Mars. Mon. 1855, p. 140, t. 9, f. 1.
- sesquicornis** Preysl. in Mayer, Samml. phys. Aufs. II, 1792, p. 3. — Jacq. du Val, Gen. Col. d'Eur. II, t. 31, f. 151. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 300.
- Marseuli** Schauf. Rev. Mag. Zool. 1863, p. 120; Sitz. Ges. Isis 1863, p. 197. — Mars. Abeille I, 1864, p. 348.
- Biologie: Viehmeyer, Z. f. Ins.-Biol. I, 1905, p. 292—294. — Wasmann, Z. f. Ins.-Biol. I, 1905, p. 330—333.
- gratus** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 137; l. c. (6) II, 1888, p. 145. Japan
- Horni** Wickham, Psyche VI, 1892, p. 322. Nord-Amerika
- minimus** Fall, Psyche XIV, 1907, p. 68. Colorado
- morsus** Lec. Proc. Acad. Philad. 1859, p. 70. — Horn, Syn. 1873, p. 303, t. 5, f. 3. Californien
- optatus** Lew. Ann. Mag. Nat. Hist. XIII, 1884, p. 137; II, 1888, p. 145. Japan
- plicicollis** Fairm. Pet. Nouv. II, 1876, p. 49. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 145. Algier
- tristriatus** Horn, Trans. Amer. Ent. Soc. V, 1874, p. 21. Nord-Amerika
 — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 146. — Brues, Ent. News XIV, 1903, p. 147.

12

Melanotaerius Fall.

Fall, Psyche XIV, 1907, p. 69.

- infernalis** Fall, Psyche XIV, 1907, p. 69. — *Whalley*, Californien

1 *L. c. XCVII, p. 113 f. g. = Teraptes munitus Bickhard*
L. c. LXI, p. 112 f. g. f.

Sternocoelis Lew.

Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 144.

Biologie: Lewis, Entomol. XXI, 1888, p. 289.

- acutangulus** Lew. Ent. Monthly Mag. XXIV, 1887, p. 164; Ann. Mag. Nat. Hist. (6) II, 1888, p. 146; l. c. (6) XIV, 1894, p. 181, f. 2. Marocco, Süd-Spanien

- arachnoides** Fairm. Pet. Nouv. II, 1877, p. 98. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 150. Marocco, Süd-Spanien
- Bedeli** Lew. Ent. Monthly Mag. XXI, 1884, p. 83; Ann. Mag. Nat. Hist. (6) II, 1888, p. 147. Algier
- Bonnairei** Schm. Ent. Nachr. XIV, 1888, p. 236. „
- cancer** Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 147. „
- comosellus** Fairm. C. r. Soc. Ent. Belg. XXVII, 1883, p. 13. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 148. „
- extructisternum** Lew. l. c. p. 150. „
- fulvus** Lew. l. c. p. 150. „
- fuscus** Schm. Ent. Nachr. XIV, 1888, p. 238. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 152. Spanien
- grandis** Reitt. Wien. Ent. Zeit. II, 1883, p. 143. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 301. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 151. Morea
- hispanus** Rosenh. Thiere Andalus. 1856, p. 89. — Mars. Mon. 1862, p. 42. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 300. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 148. Spanien, Portugal
- incisus** Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 440; Berl. Ent. Zeitschr. XXIX, 1885, p. 301. Spanien
- laevidorsis** Fairm. Pet. Nouv. II, 1876, p. 37. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 151. Algier
- var. *major* Pic, Échange 1905, p. 129.
- Lewisi** Reitt. Wien. Ent. Zeit. II, 1883, p. 143. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 75, t. I, f. 4. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 301. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 150. Morea
- Marseuli** Bris. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 367. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 301. Spanien
- mauritanicus** Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 152. Marocco
- Merkli** Schm. Deutsche Ent. Zeitschr. 1885, p. 238; Berl. Ent. Zeitschr. XXIX, 1885, p. 301. Türkei
- ovalis** Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 252. Algier
- pectoralis** Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 152. „
- pluristriatus** Fairm. Pet. Nouv. 1877, p. 98. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 151. „
- politus** Schm. Ent. Nachr. XIV, 1888, p. 237. „
- puberulus** Motsch. Bull. Mosc. X, 1837, p. 123; Etud. Ent. VII, 1858, p. 188. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 301. Sicilien
- Palumboi* (*Eretmotus*) Ragusa, Nat. Sicil. I, 1881, p. 7. — Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 150. — Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 441.
- punctulatus** Luc. Bull. Soc. Ent. Fr. 1855, p. 3. — Mars. Mon. 1857, p. 432, t. II, f. 1. Algier
- caviat*
1857 p 438
robustus Pic, Échange XXVI, 1910, p. 33. Cypern
- Sedilloti** Lew. Ann. Mag. Nat. Hist. (6) III, 1889, p. 285. Algier
- setulosus** Reitt. Berl. Ent. Zeitschr. XVI, 1872, p. 179. „
- Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 149.

- Vaucheri** Lew. Ent. Monthly Mag. XXXII, 1896, p. 62. Marocco
viaticus Lew. Ent. Monthly Mag. XXVIII, 1892, p. 263. Algier
Walkeri Lew. Ann. Mag. Nat. Hist. (6) II, 1888, p. 149. „
 29

Peploglyptus Lec.

Lec. Trans. Amer. Ent. Soc. VIII, 1880, p. 189.

- Belfragei** Lec. Trans. Amer. Ent. Soc. VIII, 1880, p. 189. Texas
 — Horn, Trans. Amer. Ent. Soc. X, 1882, p. 117,
 t. 6, f. 1, 2.

1

Mecistostethus Mars.

Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 123.

- pilifer** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 123. Amazonen-
 strom

1

Cachexia Lew.

Lew. Biol. Centr.-Amer. 1888, p. 236.

- puberula** Lew. Biol. Centr.-Amer. 1888, p. 236, t. 7, f. 9. Nicaragua

1

Orectoscelis Lew.

Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 426.

- Duboulayi** (*Chlamydopsis*) Westw. Trans. Ent. Soc. Lond. Süd-
 1869, p. 318. — Westw. Thesaurus Oxon. 1874, Australien
 p. 68, t. 3, f. 7.
humeralis Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, Queensland
 p. 427; l. c. (7) XIV, 1904, p. 151, t. 6, f. 6.
sternalis (*Chlamydopsis*) Blackb. Trans. Roy. Soc. S. Süd-
 Austral. XIV, 1891, p. 93. Australien

3

Chlamydopsis Westw.

Westw. Trans. Ent. Soc. Lond. 1869, p. 317; Thesaurus Oxon. 1874, p. 68.

Byzenia King, Trans. Ent. Soc. N. S. Wales II, 1869, p. 74. —
 Lew. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 183.

- comata** Blackb. Trans. Roy. Soc. S. Austral. XXV, 1901, Süd-
 p. 129. Australien
formicicola (*Byzenia*) King, Trans. Ent. Soc. N. S. Wales Neu-Süd-
 II, 1869, p. 74. — Lew. Ann. Mag. Nat. Hist. Wales
 (6) XIV, 1894, p. 183; l. c. (8) VI, 1910, p. 57.
inaequalis Blackb. Trans. Roy. Soc. S. Austral. XIV, Süd-
 1891, p. 94. Australien

- inquilina** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 472. Süd-Australien
pygidialis Blackb. Proc. Roy. Soc. Victoria XII, 1900, p. 206. „
striatella Westw. Trans. Ent. Soc. Lond. 1869, p. 318; „
 Thesaurus Oxon. 1874, p. 68, t. 3, f. 8.

6

Terapus Mars.

Mars. Mon. 1862, p. 680.

- bicarinatus** Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 178. Amazonen-strom
Marseuli Westw. Thesaurus Oxon. 1874, p. 67, t. 3, f. 9. „
Mniszechi Mars. Mon. 1862, p. 682, t. 7, f. 1. — Lew. Mexico
 Biol. Centr.-Amer. 1888, p. 235, t. 7, f. 5.

3 *Synonym: Melanotaenia infernalis Fiedl [Sep 76]*

Murexus Lew.

Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 350.

- muricatus** Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 286, Paraguay
 t. 10, f. 12.

1

Teratosoma Lew.

Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 471.

- longipes** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 741. Brasilien
 — Wasm. Zool. Jahrb. Syst. XIV, 1900, p. 250—
 254, t. 14, f. 17.

1

Onthophilus Leach.

Leach, Zool. Miscell. III, 1817, p. 76. — Er. in Klug, Jahrb. I, 1834, p. 204.
 — Mars. Mon. 1856, p. 549. — Jacq. du Val, Gen. Col. d'Eur. II, 1858,
 p. 106. — Thoms. Scand. Col. IV, 1862, p. 256. — Schmidt, Berl. Ent.
 Zeitschr. XXIX, 1885, p. 284. — Ganglb. Käf. v. Mitteleur. III, 1899,
 p. 400. — Reitt. Fauna Germanica II, 1909, p. 294.

- affinis** Redt. Faun. Austr. 1849, p. 239. — Mars. Mon. Europa
 1856, p. 561, t. 11, f. 6. — Schmidt, Berl. Ent.
 Zeitschr. XXIX, 1885, p. 321. — Ganglb. Käf.
 v. Mitteleur. III, 1899, p. 401. — Reitt. Fauna
 Germanica II, 1909, p. 296.
costatus Kiesw. Berl. Ent. Zeitschr. II, 1858, p. 131.
costulatus Mars. Ann. Soc. Ent. Fr. (4) II, 1862,
 p. 687.
alternatus Say, Trans. Amer. Phil. Soc. V, 1825, p. 46. Nord-Amerika
 — Mars. Mon. 1856, p. 558, t. 11, f. 4.
nodatus Lec. Mon. 1845, p. 53. — Mars. Mon.
 1856, p. 556, t. 11, f. 3. — Horn, Proc. Acad.
 Philad. 1873, p. 303.

- pluricostatus* Lec. Mon. 1845, p. 51. — Horn, Proc. Acad. Philad. 1873, p. 303.
- Bickhardtii** Reitt. Ent. Blätter V, 1909, p. 180. Klein-Asien
- flavicornis** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 139. Japan
- Flohri** Lew. Biol. Centr.-Amer. 1888, p. 235. Mexico
- foveipennis** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 472. Amurland
- globulosus** Ol. Ent. I, 8, 1789, p. 16, t. 2, f. 15. — Des Gozis, Rev. d'Ent. 1886, p. 182. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 402. Südwest-Europa
- exaratus* Ill. Mag. VI, 1807, p. 48. — Mars. Mon. 1856, p. 555, t. 11, f. 2. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, t. 31, f. 152. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 321.
- interruptus* Reitt. Berl. Ent. Zeitschr. XVI, 1872, p. 168. — Kraatz, Berl. Ent. Zeitschr. XVI, 1872, p. 186.
- Julii** Lew. Ent. Monthly Mag. XXVIII, 1892, p. 124. Mexico
- Lecontei** Horn, Trans. Amer. Ent. Soc. 1870, p. 138, t. 1, f. 10. Californien
- niponensis** Lew. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 107. Japan
- ordinarius** Lew. Ent. Monthly Mag. XVI, 1879, p. 78. Sibirien
- ostreatus** Lew. l. c. p. 78; Ann. Mag. Nat. Hist. XIII, 1884, p. 139. China, Japan
- sculptilis** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 354. Birma
- silvae** Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 139. Japan
- Soltani** Cas. Ann. N. York Acad. VII, 1893, p. 557. Nord-Amerika
- striatus** Forst. Nov. spec. Insect. centuria I, 1771, p. 11. Europa
- Er. Käf. Mark Brandb. I, 1839, p. 681. — Mars. Mon. 1856, p. 560, t. 11, f. 5. — Thoms. Skand. Col. IV, 1862, p. 257. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 321. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 401. — Reitt. Fauna Germanica II, 1909, p. 296, t. 67, f. 19.
- sulcatus* Ol. Ent. I, 8, 1789, p. 17, t. 1, f. 6.
- sulcatus** F. Ent. Syst. I, 1792, p. 74. — Er. Käf. Mark Brandb. I, 1839, p. 680. — Mars. Mon. 1856, p. 554, t. 11, f. 1. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 402. — Reitt. Fauna Germanica II, 1909, p. 296, t. 67, f. 20. „
- striatus* Hbst. Käf. IV, 1791, p. 38, t. 36, f. 1.
- globulosus* Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 321.
- var. *cicatricosus* Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 76. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 321. Griechenland
- var. *caucasicus* Reitt. Deutsche Ent. Zeitschr. 1890, p. 389. Caucasus
- Biologie: Bedwell, Ent. Monthly Mag. XLIII, 1907, p. 62. — Heinemann, Ent. Blätter VI, 1910, p. 121.
- tuberculatus** Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 353. Birma

Glymma Mars.

Mars. Mon. 1856, p. 279.

Candezei Mars. Mon. 1856, p. 282, t. 22, f. 1. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, t. 31, f. 153. Belgien

1

Epiechinus Lew.

Lew. Ent. Monthly Mag. II, 1891, p. 319; Ann. Mag. Nat. Hist. (6) X, 1892, p. 232.

arboreus Lew. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 139. Japan
bipartitus Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 213; l. c. (6) VIII, 1891, p. 404. Sansibar
birmanus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 356; l. c. (6) X, 1892, p. 236, t. 19, f. 8. Birma
costipennis Fährs. in Boh. Ins. Caffr. I, 1851, p. 549. Capland
 — Mars. Mon. 1862, p. 686, t. 4, f. 1. — Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 404.
hispidus Payk. Mon. Hist. 1811, p. 98, t. 11, f. 2. — Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 290. Indien
hova Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 473. Madagascar
laceratus Schm. Ent. Nachr. XXI, 1895, p. 33. West-Afrika
Marseuli Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 290. Molukken
 — *hispidus* Mars. (nec Payk.) Abeille I, 1864, p. 340.
 — Lew. Ann. Mag. Nat. Hist. (6) X, 1892, p. 236, t. 19, f. 9.
novemeostatus Mars. Mon. 1856, p. 563, t. 11, f. 7. West-Afrika
punctisternum Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 403. Sansibar
resinus Schm. Ent. Nachr. XXI, 1895, p. 32. West-Afrika
taprobanæ Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 355; l. c. (6) X, 1892, p. 236, t. 19, f. 10. Ceylon
Tasmani Lew. Ann. Mag. Nat. Hist. (6) IV, 1899, p. 29. Australien
tuberculisternum Lew. Ann. Mag. Nat. Hist. (5) XVI, 1885, p. 213. Sansibar

14

Colonides Schm.

Schm. Berl. Ent. Zeitschr. XXXIII, 1889, p. 320.

Drakei Schm. Berl. Ent. Zeitschr. XXXIII, 1889, p. 320. Paraguay
parvulus Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 404. Mexico

2

Plegaderus Er.

Er. in Klug. Jahrb. Ins. I, 1834, p. 203. — Mars. Mon. 1856, p. 259. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 113. — Thoms. Skand. Col. IV, 1862, p. 249. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885, p. 284. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 397. — Reitt. Fauna Germanica II, 1909, p. 294.

adonis Mars. Abeille XVI, 1876, p. 39. Cypern
caesus Hbst. Käf. IV, 1792, p. 40, t. 36, f. 3. — Er. Käf. Europa
 Mark Brandb. I, 1839, p. 684. — Mars. Mon.

- 1856, p. 267, t. 11, f. 3. — Thoms. Skand. Col. IV, 1862, p. 251. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 320. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 398. — Reitt. Fauna Germanica II, 1909, p. 295, t. 67, f. 16.
- Comonforti** Mars. Mon. 1862, p. 683; 1861, t. 4, f. 1. Mexico
consors Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 350. Nord-
 Amerika
- cribratus** Cas. Ann. N. York Acad. VII, 1893, p. 577.
- discisus** Er. Käf. Mark Brandb. I, 1839, p. 683. — Mars. Europa
 Mon. 1856, p. 272, t. 11, f. 8. — Perris, Ann. Soc. Ent. Fr. (3) II, 1854, p. 92, t. 4, f. 172—178.
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 320.
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 399.
 — Reitt. Faun. Germanica II, 1909, p. 295, t. 67, f. 18.
- dissectus** Er. Käf. Mark Brandb. I, 1839, p. 694. —
 Mars. Mon. 1856, p. 268, t. 11, f. 4. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, t. 33, f. 163.
 — Thoms. Skand. Col. IV, 1862, p. 251. —
 Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 320.
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 399.
 — Reitt. Fauna Germanica II, 1909, p. 295, t. 67, f. 17.
- fortesculptus** Reitt. Wien. Ent. Zeit. XVI, 1897, p. 124.
- fraternus** Horn, Trans. Amer. Ent. Soc. 1870, p. 141.
- Marseuli** Reitt. Berl. Ent. Zeitschr. XXI, 1877, p. 371.
- molestus** Cas. Ann. N. York Acad. VII, 1893, p. 577.
- monachus** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 124.
- nitidus** Horn, Trans. Amer. Ent. Soc. 1870, p. 141. Türkei
 Californien
 Japan
 Californien
 Brasilien
 Nord-
 Amerika
 Mittelmeer-
 Gebiet
- Otti** Mars. Mon. 1856, p. 271, t. 11, f. 6. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 320. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 399.
- pusillus** Lec. Mon. 1845, p. 50, t. 6, f. 8. (mit *Pogon*) Nord-
 Amerika
Barbelini Mars. Mon. 1862, p. 684; 1861, t. 4, f. 2.
 — Horn, Syn. 1873, p. 348.
Erichsoni Lec. Hist. Col. N. Amer. 1863, p. 28.
 — Zimm. Trans. Amer. Ent. Soc. II, 1869, p. 254.
- rigidus** Cas. Ann. N. York Acad. VII, 1893, p. 576.
- rumaniae** Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 610. Rumänien
- sanatus** Truqui, Ann. Soc. Ent. Fr. (2) X, 1852, p. 64, t. 2, f. 3. — Mars. Mon. 1856, p. 272, t. 11, f. 7.
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 399.
- Barani** Mars. Mon. 1857, p. 449. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 320.
 var. *Gobanzi* J. Müller, Münch. Kol. Zeitschr. I, 1903, p. 120; l. c. III, 1908, p. 340.
- saucius** Er. in Klug, Jahrb. Ins. I, 1834, p. 204; Käf. Europa
 Mark Brandb. I, 1839, p. 682. — Mars. Mon. 1856, p. 264, t. 11, f. 1. — Thoms. Skand. Col. IV, 1862, p. 251. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 319. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 399. — Reitt. Fauna Germanica II, 1909, p. 295.
- vulneratus** Sturm (nec Panz.) Ins. I, 1805, p. 260.
- var. *meridionalis* J. Müller, Münch. Kol. Zeitschr. III, 1908, p. 339. Süd-Europa

Sayi Mars. Mon. 1856, p. 269, t. 11, f. 5.

Nord-
Amerika

transversus Say, Journ. Acad. Philad. V, 1825, p. 38.

— Mars. Mon. 1856, p. 277, t. 11, f. 9.

„

vulneratus Panz. Faun. Germ. 1792, 37, 6. — Er. Mark Brandb. I, 1837, p. 682. — Mars. Mon. 1856, p. 265, t. 11, f. 2. — Thoms. Skand. Col. IV, 1862, p. 250. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 319. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 400. — Reitt. Fauna Germanica II, 1909, p. 295.

Europa

22

Eubrachium Woll.

Woll. Trans. Ent. Soc. Lond. 1862, p. 159. — Schmidt, Abeille XXVIII, 1895, p. 178.

ovale Woll. Trans. Ent. Soc. Lond. 1862, p. 161, t. 7, f. 9.

politum Woll. l. c. p. 163.

punctatum Woll. l. c. p. 162 nota.

pusillum (*Plegaderus*) Rossi, Mant. Ins. I, 1792, p. 15.

— Mars. Mon. 1856, p. 278, t. 11, f. 10. — Schm.

Berl. Ent. Zeitschr. XXIX, 1885, p. 319. —

Schm. Abeille XXVIII, 1895, p. 179. — Ganglb.

Käf. v. Mitteleur. III, 1899, p. 400.

caesus (*Hister*) Payk. Faun. Suec. I, 1798, p. 53.

hispidulus (*Plegaderus*) Muls. et Rey, Opusc.

Ent. VII, 1856, p. 5.

Ins. Hierro
Ins. Lazarote
Teneriffa
Südwest-
Europa

4

Anapleus Horn.

Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 311.

marginatus (*Bacanius*) Lec. Proc. Acad. Philad. 1853, p. 292.

compactus Cas. Ann. N. York Acad. VII, 1893,

p. 558. — Fall, Cal. Acad. Sc. VIII, 1901, p. 95.

1

Nord-
Amerika,
Californien

Abraeus Leach.

Leach, Zool. Miscell. III, 1817, p. 76. — Lec. Proc. Acad. Philad. 1853, p. 288. — Mars. Mon. 1856, p. 577. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 114. — Thoms. Skand. Col. IV, 1862, p. 254. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885, p. 284. — Reitt. Wien. Ent. Zeit. V, 1886, p. 273. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 403. — Reitt. Fauna Germanica II, 1909, p. 294.

acicularis Fauv. Rev. d'Ent. X, 1891, p. 168.

Neu-
Caledonien

areolatus Reitt. in Radde, Faun. Casp. 1886, p. 213.

australis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1870, p. 159.

Caucasus
Australien

Bolteri Lec. Trans. Amer. Ent. Soc. VIII, 1880, p. 190.

bonzieus Mars. Ann. Soc. Ent. Fr. (5) III, 1873, p. 226.

Californien
Japan

6*

- brunneus** Broun, Man. N. Zealand Col. 1888, p. 666. Neu-Seeland
cohaeres Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 181. China
convexus Reitt. Wien. Ent. Zeit. III, 1884, p. 8. — Syrien
 Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 323.
curtulus Fährs. in Boh. Ins. Caffr. I, 1851, p. 548. — Capland
 Mars. Mon. 1862, p. 689, t. 4, f. 1.
cyclonotus Mars. Mon. 1856, p. 584, t. 14, f. 2. West-Afrika
echinaceus Schm. Ent. Nachr. XXI, 1895, p. 34. Sansibar
exilis Payk. Mon. 1811, p. 84, t. 2, f. 8. Indien
fakir Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, p. 349. „
globosus Hoffm. Ent. Hefte I, 1803, p. 110, t. 2, f. 1. Europa
 — Er. Käf. Mark Brandb. I, 1839, p. 686. —
 Mars. Mon. 1856, p. 588, t. 14, f. 6. — Thoms.
 Skand. Col. IV, 1862, p. 256. — Schm. Berl.
 Ent. Zeitschr. XXIX, 1885, p. 324. — Ganglb.
 Käf. v. Mitteleur. III, 1899, p. 405. — Reitt.
 Fauna Germanica II, 1909, p. 296, t. 67, f. 23.
globulus Creutz. Ent. Vers. 1799, p. 83, t. 1, f. 12. „
 — Er. Käf. Mark Brandb. I, 1839, p. 685. — Mars.
 Mon. 1856, p. 587, t. 14, f. 5. — Jacq. du Val,
 Gen. Col. d'Eur. II, 1858, t. 33, f. 164. — Lacord.
 Gen. Col. Atl. t. 17, f. 9. — Thoms. Skand. Col.
 IV, 1862, p. 255. — Schm. Berl. Ent. Zeitschr.
 XXIX, 1885, p. 322. — Ganglb. Käf. v. Mitteleur.
 III, 1899, p. 404. — Reitt. Fauna Germanica
 II, 1909, p. 296, t. 67, f. 22.
granosus Motsch. Bull. Mosc. II, 1863, p. 449. Ceylon
granulum Er. Käf. Mark Brandb. I, 1839, p. 686. — Europa
 Mars. Mon. 1856, p. 589, t. 14, f. 7. — Schm.
 Berl. Ent. Zeitschr. XXIX, 1885, p. 323. —
 Ganglb. Käf. v. Mitteleur. III, 1899, p. 404.
 — Reitt. Fauna Germanica II, 1909, p. 296.
punctatissimus Reitt. Verh. Naturf. Ver. Brünn
 XV, 1876, p. 15, t. 1, f. 6. — Schm. Deutsche
 Ent. Zeitschr. XXIX, 1885, p. 239.
indicus Lew. Ann. Mus. Genova (2) VII, 1888, p. 665. Indien
Mikado Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 356. Japan
misellus Fährs. in Boh. Ins. Caffr. I, 1851, p. 549. Capland
monilis Mars. Mon. 1862, p. 691, t. 4, f. 3.
orientalis Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 319. Indien
paria Mars. Mon. 1856, p. 585, t. 14, f. 3. „
parvulus Aubé, Ann. Soc. Ent. Fr. XI, 1842, p. 232. Mittel-
 — Mars. Mon. 1856, p. 590, t. 14, f. 8. — Schm. Europa
 Berl. Ent. Zeitschr. XXIX, 1885, p. 323. —
 Ganglb. Käf. v. Mitteleur. III, 1899, p. 404.
 — Reitt. Fauna Germanica II, 1909, p. 296.
parvulus Mars. Mon. 1862, p. 720 (Tabelle).
punctiger Fauv. Rev. d'Ent. X, 1891, p. 169. Neu-
 Caledonien
rugicollis Mars. Mon. 1856, p. 583, t. 14, f. 1. Capland
setiger Lew. Ann. Mus. Genova LXII, 1906, p. 405. Portug.
 Guinea
setulosus Fährs. in Boh. Ins. Caffr. I, 1851, p. 547. — Natal
 Mars. Mon. 1862, p. 690, t. 4, f. 2.
sphaericus Mars. Mon. 1856, p. 586, t. 14, f. 4. Venezuela
stigmaticus Schm. Ent. Nachr. XVIII, 1892, p. 29. Perak
viridulus Broun, Man. N. Zealand Col. 1880, p. 166. Neu-Seeland
Zoppae Penecke, Wien. Ent. Zeit. XX, 1901, p. 16. Siebenbürgen

Abraeomorphus Reitt.

Reitt. Wien. Ent. Zeit. V, 1886, p. 272.

- minutissimus** Reitt. Verh. Nat. Ver. Brünn XXII, 1884, p. 7. Caucasus
punctulus Reitt. Wien. Ent. Zeit. V, 1886, p. 272. „
 2

Abraeodes Reitt.

Reitt. Wien. Ent. Zeit. V, 1886, p. 272.

- Raddei** Reitt. Deutsche Ent. Zeitschr. V, 1877, p. 292. Caucasus
 1

Bacanius Lec.

Lec. Proc. Acad. Philad. VI, 1853, p. 291. — Mars. Mon. 1856, p. 567. —
 Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 109. — Reitt. Wien. Ent.
 Zeit. V, 1886, p. 273. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 402.
 — Reitt. Fauna Germanica II, 1909, p. 297.

- acuminatus** Cas. Ann. N. York Acad. VII, 1893, p. 561. Californien
ambiguus Schm. Bull. Soc. Ent. Fr. 1893, p. CI. Malakka
angulosus Schm. Ann. Mus. Genova (2) XVIII, 1897, Sumatra
 p. 300.
atomarius Sharp, Trans. Roy. Dublin Soc. III, 1885, Honolulu
 p. 128.
confusus Blackb. Trans. Roy. Dublin Soc. III, 1885, Oahu Ins.
 p. 129.
consobrinus Aubé, Ann. Soc. Ent. Fr. (2) VIII, 1850, Caucasus
 p. 323. — Mars. Mon. 1862, p. 688, t. 4, f. 2.
convergens Schm. Berl. Ent. Zeitschr. XLI, 1896, p. 65. Brasilien
debilitans Cas. Ann. N. York Acad. VII, 1893, p. 560. Nord-
 Amerika
Gestroi Schm. Ann. Mus. Genova XXXIII, 1893, p. 238. Neu-Guinea
globulinus Cas. Ann. N. York Acad. VII, 1893, p. 560. Californien
hamatus Lew. Biol. Centr.-Amer. 1888, p. 238, t. 7, f. 12. Guatemala
humicola Mars. Mon. 1856, p. 570, t. 14, f. 1. Venezuela
ignobilis Lew. Biol. Centr.-Amer. 1888, p. 238, t. 7, f. 2. Panama
inopinatus Schm. Bull. Soc. Ent. Fr. 1893, p. CII. Seychellen
lotus Mars. Ann. Mus. Genova XVI, 1880, p. 159. Java
mexicanus Lew. Biol. Centr.-Amer. 1888, p. 238. Mexico
misellus Lec. Proc. Acad. Philad. 1853, p. 292. — Mars. Nord-
 Mon. 1856, p. 573, t. 14, f. 3. Amerika
niponicus Lew. Ann. Mag. Nat. Hist. (5) IV, 1879, p. 461. Japan
permirus Mars. Ann. Mus. Genova XIV, 1879, p. 282; Java
 l. c. (2) XIII, 1893, p. 8.
punctiformis Lec. Proc. Acad. Philad. 1853, p. 288. — Nord-
 Mars. Mon. 1856, p. 574, t. 14, f. 4. Amerika
rhombophorus Aubé, Ann. Soc. Ent. Fr. XI, 1843, p. 75, Europa
 t. 1, f. 2. — Mars. Mon. 1856, p. 571, t. 14, f. 2.
 — Jacq. du Val, Gen. Col. d'Eur. II, 1858, t. 32,
 f. 157. — Schm. Berl. Ent. Zeitschr. XXIX, 1885,
 p. 322. — Reitt. Wien. Ent. Zeit. V, 1886, p. 273.
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 403.

- Reitt. Fauna Germanica II, 1909, p. 297, t. 67, f. 21.
granulum Redt. Fn. Austr. I, 1849, p. 241.
scalptus Lew. Biol. Centr.-Amer. 1888, p. 237, t. 7, f. 10. Guatemala
Soliman Mars. Mon. 1862, p. 687, t. 4, f. 1. — Schm. Türkei
 Berl. Ent. Zeitschr. XXIX, 1886, p. 332. —
 Reitt. Wien. Ent. Zeit. V, 1886, p. 273. —
 Ganglb. Käf. v. Mitteleur. III, 1899, p. 403.
tantillus Lec. Proc. Acad. Philad. 1853, p. 291. Nord-
 Amerika
termitophilus Wasm. Deutsche Ent. Zeitschr. 1903, p. 16. Spanien
 25

Acritus Lec.

- Lec. Proc. Acad. Philad. VI, 1853, p. 288. — Mars. Mon. 1856, p. 595. —
 Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 115. — Thoms. Skand. Col.
 IV, 1862, p. 252. — Lewis, Biol. Centr.-Amer. 1888, p. 238. — Schmidt,
 Berl. Ent. Zeitschr. XXIX, 1885, p. 284. — Ganglb. Käf. v. Mitteleur.
 III, 1899, p. 405. — Reitt. Fauna Germanica II, 1909, p. 294.

Subgen. Halacritus Schm.

- Schm. Bull. Soc. Ent. Fr. 1893, p. CIII. — Reitter, Fauna Germanica II,
 1909, p. 295.
algarum Schm. Bull. Soc. Ent. Fr. 1893, p. CIII. Indien,
 Ceylon,
 Seychellen
 Californien
maritimus Lec. Ann. Lyc. Nat. Hist. N. York V, 1853,
 p. 170.
punctum Aubé, Ann. Soc. Ent. Fr. XI, 1842, p. 232. — Europa
 Mars. Mon. 1856, p. 607, t. 14, f. 8. — Jacq.
 du Val, Gen. Col. d'Eur. II, 1858, t. 33, f. 165.
 — Lacord. Gen. Col. Atl. t. 17, f. 10. — Schm.
 Berl. Ent. Zeitschr. XXIX, 1885, p. 324. —
 Ganglb. Käf. v. Mitteleur. III, 1899, p. 406.
 — Reitt. Fauna Germanica II, 1909, p. 297,
 t. 67, f. 24.
minimus Aubé, Ann. Soc. Ent. Fr. (2) VIII,
 1850, p. 322.
litoralis Ferr. Verh. zool.-bot. Ges. Wien. XVI,
 1866, p. 367.

Subgen. Aeletes Horn.

- Horn, Syn. 1873, p. 356. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 284.
atomarius Aubé, Ann. Soc. Ent. Fr. XI, 1842, p. 231. Europa
 — Mars. Mon. 1856, p. 611, t. 14, f. 11. —
 Reitt. Deutsche Ent. Zeitschr. XXII, 1878,
 p. 51. — Schm. Berl. Ent. Zeitschr. XXIX,
 1885, p. 325. — Ganglb. Käf. v. Mitteleur. III,
 1899, p. 407. — Reitt. Fauna Germanica II,
 1909, p. 297.
basalis Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 170. Californien
brevisternus Mars. Mon. 1856, p. 609, t. 23, f. 9. Nord-
 Amerika

- clarulus** Reitt. Verh. Nat. Ver. Brünn XXII, 1884, p. 7. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 325. Caucasus
- concentricus** Sharp, Trans. Roy. Dublin Soc. III, 1885, p. 130. Honolulu
- facilis** Sharp, l. c. p. 130. „
- flavitarsis** Lew. Ent. Monthly Mag. XVI, 1879, p. 79. „
- longipes** Sharp, Trans. Roy. Dublin Soc. III, 1885, p. 129. „
- monticola** Blackb. Trans. Roy. Dublin Soc. III, 1885, p. 130. „
- politus** Lec. Proc. Acad. Philad. 1853, p. 290. — Mars. Mon. 1856, p. 160, t. 14, f. 10. Nord-Amerika
- simplex** Lec. Mon. 1845, p. 54, t. 6, f. 11. — Mars. Mon. 1856, p. 620, t. 14, f. 20. „
- acupictus** Mars. Mon. 1856, p. 618, t. 23, f. 17. — Horn, Syn. 1873, p. 357.

Subgen. *Aceritus* s. str.

- acaroides** Mars. Mon. 1856, p. 618, t. 23, f. 13. Nord-Amerika
- acinus** Mars. Mon. 1862, p. 692, t. 4, f. 1. Brasilien
- Alluaudi** Schm. Bull. Soc. Ent. Fr. 1895, p. CXXXVI. Madagascar
- analisis** Lec. Proc. Acad. Philad. 1853, p. 290. Cuba
- arizoniae** Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 353. Nord-Amerika
- atomus** Lec. Proc. Acad. Philad. 1853, p. 291. Nord-Amerika
- atomulus** Mars. Mon. 1862, p. 694, t. 4, f. 3. Cuba
- auctus** Mars. Ann. Mus. Genova XIV, 1879, p. 284. Java
- bipartitus** Lew. Biol. Centr.-Amer. 1888, p. 240. Guatemala
- caelator** Cas. Ann. N. York Acad. VII, 1893, p. 574. Nord-Amerika
- cingulidens** Mars. Ann. Mus. Genova XIV, 1879, p. 282. Neu-Guinea
- corpuseculus** Lew. Biol. Centr.-Amer. 1888, p. 241. Guatemala
- discus** Lec. Proc. Acad. Philad. 1853, p. 289. Nord-Amerika
- exiguus** Er. in Klug, Jahrb. Ins. I, 1834, p. 208. — Mars. Mon. 1856, p. 603, t. 23, f. 3. „
- aciculatus** Lec. Mon. 1845, p. 54, t. 6, f. 10. „
- Mars. Mon. 1856, p. 603, t. 14, f. 2. Guatemala
- obliquus** Lec. Mon. 1845, p. 54, t. 6, f. 12. Gomera Ins.
- cribripennis** Mars. Mon. 1856, p. 605, t. 23, f. 5. St. Domingo
- natchez** Mars. Mon. 1856, p. 604, t. 23, f. 4. Australien
- fimetarius** Lec. Proc. Boston Soc. Nat. Hist. I, 1844, p. 187; Mon. 1845, p. 54. — Mars. Mon. 1856, p. 615, t. 23, f. 14. Neu-Guinea
- floridae** Mars. Mon. 1862, p. 693, t. 4, f. 2. „
- fuliginus** Lew. Biol. Centr.-Amer. 1888, p. 240. Guatemala
- gemma** Woll. Col. Atlant. App. 1865, p. 29. Gomera Ins.
- Gulliver** Mars. Mon. 1855, p. 623, t. 23, f. 23. St. Domingo
- haedillus** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 125. Australien
- hemisphaeroides** Mars. Ann. Mus. Genova XIV, 1879, p. 284. Neu-Guinea
- hilum** Lew. Biol. Centr.-Amer. 1888, p. 239. Guatemala
- Hopffgarteni** Reitt. Deutsche Ent. Zeitschr. XXII, 1878, p. 49. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 324. — Ganglb. Käf. v. Mitteleur. III, Europa

- 1899, p. 407. — Reitt. Fauna Germanica II, 1909, p. 297.
- homoeopathicus** Woll. Cat. Col. Mad. 1857, p. 77. — Schm. Abeille XXVIII, 1893, p. 179. — Reitt. Fauna Germanica II, 1909, p. 297. Europa, Madeira
- rhenanus** Fuss, Berl. Ent. Zeitschr. XII, 1868, p. 356. — Reitt. Deutsche Ent. Zeitschr. XXII, 1878, p. 50. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 324. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 408.
- indignus** Schm. Ann. Mus. Genova XXXIII, 1893, p. 239. Neu-Guinea
- insipiens** Mars. Ann. Mus. Genova XIV, 1879, p. 285. Aru
- instabilis** Mars. Berl. Ent. Zeitschr. XIII, 1869, p. 292. Capland
- insularis** Sharp, Trans. Roy. Dublin Soc. III, 1885, p. 129. Honolulu
- italicus** Reitt. Wien. Ent. Zeit. XXIII, 1904, p. 155. Italien
- Komai** Lew. Ann. Mag. Nat. Hist. (5) IV, 1879, p. 461. Japan
- laeviusculus** Mars. Mon. 1856, p. 622, t. 23, f. 22. Venezuela
- Lightfooti** Lew. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 429. Capland
- liliputianus** Lew. Biol. Centr.-Amer. 1888, p. 241, t. 7, f. 14. Guatemala
- madagascariensis** Schm. Bull. Soc. Ent. Fr. 1895, p. CXXXIII. Madagascar
- minutus** Hbst. Nat. Syst. IV, 1791, p. 41, t. 36, f. 4. — Er. Käf. Mark Brandb. I, 1839, p. 687. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 324. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 406. — Reitt. Fauna Germanica II, 1909, p. 297. Europa
- fulvus** Mars. Mon. 1856, p. 607, t. 23, f. 7. — Reitt. Deutsche Ent. Zeitschr. XXII, 1878, p. 51.
- nigricornis** Thoms. (nec Hoffm.) Skand. Col. IV, 1862, p. 253. — Reitt. Wien. Ent. Zeit. I, 1882, p. 199.
- balearicus** Schauf. Nunquam otios. III, 1882, p. 529. — Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 239.
- var. **tataricus** Reitt. Verh. Nat. Ver. Brünn XVI, 1877, p. 154. — Reitt. Deutsche Ent. Zeitschr. XXII, 1878, p. 51. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 324.
- nigricornis** Hoffm. Ent. Hefte II, 1803, p. 127. — Mars. Mon. 1856, p. 612, t. 14, f. 12. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 325. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 407. — Reitt. Fauna Germanica II, 1909, p. 297. „
- var. **minutus** Payk. Mon. 1811, p. 87, t. 8, f. 1. — Mars. Mon. 1856, p. 614, t. 14, f. 13. — Reitt. Deutsche Ent. Zeitschr. 1878, p. 51.
- var. **seminulum** Küst. Käf. Europ. XV, 1848, p. 27.
- var. **semen** Mars. Mon. 1862, p. 720.
- var. **affinis** ♂ Gerh. Deutsche Ent. Zeitschr. 1900, p. 20; l. c. 1903, p. 290.
- var. **microscopicus** Reitt. Verh. Ver. Brünn XV, 1876, p. 16.
- var. **m.? sulcipennis** Fuss, Berl. Ent. Zeitschr. XII, 1868, p. 312.
- peculiaris** Lew. Biol. Centr.-Amer. 1888, p. 240. Guatemala
- Poeyi** Mars. Mon. 1862, p. 695, t. 4, f. 4. Cuba
- quadristriatus** Lew. Biol. Centr.-Amer. 1888, p. 240, t. 7, f. 13. Guatemala

- rugulosus** Mars. Mon. 1856, p. 617, t. 14, f. 16.
salinus Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 402. Venezuela
 Nord- Amerika
Sallei Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 355. „
shogunus Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 357. Japan
simpliciculus Mars. Mon. 1856, p. 616, t. 23, f. 15. Venezuela
strigosus Lec. Proc. Acad. Philad. 1853, p. 289. — Mars. Nord-
 Amerika
 Mon. 1856, p. 619, t. 23, f. 19.
conformis Lec. Proc. Acad. Philad. 1853, p. 289.
 — Horn, Syn. 1873, p. 355.
lateralis Mars. Mon. 1856, p. 621, t. 23, f. 21.
 — Horn, Syn. 1873, p. 355.
substriatus Mars. Mon. 1856, p. 602, t. 23, f. 1. Guatemala
subtilissimus Schm. Ann. Mus. Genova XXXIII, 1893, Neu-Guinea
 p. 240.
tasmaniae Lew. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 359. Tasmania
tenuis Mars. Mon. 1856, p. 606, t. 23, f. 6. Venezuela
torquillus Mars. Ann. Mus. Genova XIV, 1879, p. 283. Neu-Guinea
volitans Fall, Pap. Cal. Acad. VIII, 1902, p. 238. Süd-
 Californien
wokanensis Mars. Ann. Mus. Genova XIV, 1879, p. 283. Neu-Guinea
 65

Saprinodes Lew.

Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 395.

- falcifer** Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 396; Australien
 l. c. (7) IV, 1899, p. 24, f. 10.

1

Saprinus Er.

Er. in Klug, Jahrb. Ins. I, 1834, p. 172. — Mars. Mon. 1855, p. 327. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 111. — Thoms. Skand. Col. IV, 1862, p. 235. — Schmidt, Berl. Ent. Zeitschr. XXIX, 1885, p. 302. — Ganglb. Käf. v. Mitteleuropa III, 1899, p. 380. — Reitt. Fauna Germanica II, 1909, p. 291.

Biologie: Mattei, Nat. Sicil. XIX, 1906, p. 14.

Subgen. Euspilotus Lew.

Lew. Ann. Mag. Nat. Hist. XIX, 1907, p. 320.

Neosaprinus Bickh. Ent. Blätt. V, 1909, p. 243; l. c. VI, 1910, p. 186.

- bisignatus** Er. in Klug, Jahrb. Ins. I, 1834, p. 177. — Chile
 Sol. in Gay, Hist. Chile IV, 1849, p. 377, t. 8,
 f. 9. — Mars. Mon. 1855, p. 369, t. 16, f. 13.
Matthewsi Curtis, Trans. Linn. Soc. Lond. XIX,
 1845, p. 441. — Lew. Ann. Mag. Nat. Hist. (7)
 VI, 1900, p. 288.
Blanchardi Mars. Mon. 1855, p. 368, t. 16, f. 12. „
ornatus Blanch. Voy. d'Orbigny, Col. 1837—43, Argentinien
 p. 69.
columbicus Kirsch, Abh. Mus. Dresden 1888—89, p. 3. Mittel-
 Amerika

- crenatipes** Sol. in Gay, Hist. Chile IV, 1849, p. 378. Chile
— Mars. Mon. 1862, p. 438, t. 12, f. 1.
decoratus Er. in Klug, Jahrb. Ins. I, 1834, p. 176. — Peru
Mars. Mon. 1855, p. 370, t. 16, f. 14.
devius Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 303. Argentinien
dichrous Lew. Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 150. Süd-Amerika
flavopictus Lew. l. c. p. 150. Peru
gnathoncoides Bickh. Ent. Blätt. V, 1909, p. 243, f. 6. Uruguay
Biologie: Bickh. Ent. Blätt. VI, 1910, p. 225.
laesus Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 288; Equador
l. c. (8) IV, 1909, p. 303.
lepidus Er. Arch. Naturgesch. XIII, 1847, I, p. 91. Peru
limatus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 119. Uruguay
— Bickh. Ent. Blätt. VI, 1910, p. 185.
Richteri Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 303. Argentinien
zonalis Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 320. Patagonien

Subgen. *Saprinus* s. str.

- acilinea** Mars. Mon. 1862, p. 477, t. 16, f. 36. Nord-Amerika
acridens Schm. Ent. Nachr. XVI, 1890, p. 53. Sansibar
aegyptiacus Mars. Mon. 1855, p. 455, t. 18, f. 78. Ägypten
aeneicollis Mars. Mon. 1855, p. 424, t. 17, f. 56. Mexico
aeneolus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 111. China
aeneovirens Schm. Deutsche Ent. Zeitschr. 1890, p. 84. Somaliland
aeneus F. Syst. Ent. 1775, p. 53. — Er. Käf. Mark Brandb. Europa
I, 1839, p. 673. — Mars. Mon. 1855, p. 413,
t. 17, f. 48. — Thoms. Skand. Col. IV, 1862,
p. 238. — Schm. Berl. Ent. Zeitschr. XXIX,
1885, p. 308. — Lew. Ent. Monthly Mag. 1897,
p. 45. — Ganglb. Käf. v. Mitteleur. III, 1899,
p. 387. — Reitt. Fauna Germanica II, 1909,
p. 293, t. 67, f. 9.
var. *immundus* Gyll. Ins. Suec. IV, 1808, p. 266.
— Mars. Mon. 1855, p. 407, t. 17, f. 44. — Schm.
Berl. Ent. Zeitschr. XXIX, 1885, p. 308. —
Lew. Ent. Monthly Mag. 1897, p. 45. — J. Müll.
Wien. Ent. Zeit. XIX, 1900, p. 141. — Ganglb.
Käf. v. Mitteleur. III, 1899, p. 387. — Reitt.
Fauna Germanica II, 1909, p. 293.
aegialius Reitt. Deutsche Ent. Zeitschr. XXVIII,
1884, p. 76, t. 1, f. 7. — Schm. Berl. Ent. Zeitschr.
XXVIII, 1884, p. 159.
var. *fulminans* Koltze, Prell. Käf. Hamb. 1862,
p. 58.
aequalis Lew. Ann. Mag. Nat. Hist. XV, 1885, p. 468. Lords Ins.
aequipunctatus Horn, Trans. Amer. Ent. Soc. 1870, p. 140. Californien
— Horn, Syn. 1873, p. 333, t. 5, f. 8.
aerarius Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 57. Argentinien
aeratus Lew. (nec Er.) Ann. Mag. Nat. Hist. (8)
IV, 1909, p. 301.
aeratus Er. in Klug, Jahrb. Ins. I, 1834, p. 183. Buchara
algericus Payk. Mon. Hist. 1811, p. 60, t. 5, f. 4. — Süd-Europa,
Mars. Mon. 1855, p. 405, t. 17, f. 42. — Schm. Mittelmeer-Gebiet
Berl. Ent. Zeitschr. XXIX, 1885, p. 309. —
Ganglb. Käf. v. Mitteleur. III, 1899, p. 386.

- var. *Godeti* Brullé, Expéd. Mor. 1832, p. 158, t. 36, f. 11. — Mars. Mon. 1855, p. 734. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 309; Horae Soc. Ent. Ross. XXIV, 1890, p. 15.
bitterrensis Mars. Mon. 1862, p. 474, t. 16, f. 33.
- alienus** Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 167.
amethystinus Lew. Ann. Mag. Nat. Hist. (7) V, 1900, p. 253.
- amoenulus** Fährs. in Boh. Ins. Caffr. I, 1851, p. 544. — Mars. Mon. 1862, p. 441, t. 12, f. 4.
- arcipygus** Schm. Ent. Nachr. XVI, 1890, p. 44.
areolatus Fährs. in Boh. Ins. Caffr. I, 1851, p. 542. — Mars. Mon. 1855, p. 447, t. 18, f. 72.
- argentinus** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 114.
arrogans Mars. Mon. 1855, p. 487, t. 18, f. 105.
- artensis** Mars. Mon. 1860, p. 266; 1862, p. 445, t. 12, f. 7.
- assimilis** Payk. Mon. 1811, p. 63, t. 5, f. 7. — Mars. Mon. 1855, p. 431, t. 17, f. 60.
extraneus Knoch in Ill. Mag. VI, 1807, p. 36.
sardous Flach, Deutsche Ent. Zeitschr. XXX, 1886, p. 246 und 448.
- ater** M'Leay, Trans. Ent. Soc. N. S. Wales I, 1864, p. 118. — Blackb. Trans. R. Soc. S. Austr. XXXII, 1903, p. 104.
- aterrimus** Er. in Klug, Jahrb. Ent. I, 1834, p. 185. — Mars. Mon. 1855, p. 738. — Lew. Ann. Mag. Nat. Hist. (5) III, 1889, p. 286; l. c. (7) XII, 1903, p. 429; l. c. (7) XVI, 1905, t. 10, f. 12.
- atlantidis** Schm. Abeille XXVIII, 1895, p. 177.
subnitidus Woll. Cat. Col. Canar. 1864, p. 169.
proximus Woll. l. c. p. 170. — Schm. Abeille XXVIII, 1895, p. 176.
- atrocyaneus** Schm. Hor. Soc. Ent. Ross. XXII, 1888, p. 190.
- atronitidus** Blanch. Voy. d'Orbigny, Col. 1837—43, p. 72. — Mars. Mon. 1855, p. 483, t. 18, f. 102.
- auctus** Schm. Ent. Nachr. XVI, 1890, p. 45.
- audax** Cas. Ann. N. York Acad. VII, 1893, p. 565.
- auricollis** Mars. Mon. 1855, p. 390, t. 16, f. 31.
- australasiae** Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 107.
cyaneus Payk. Mon. Hist. 1811, p. 56, t. 5, f. 2.
cyaneus Er. in Klug, Jahrb. Ins. I, 1834, p. 178. — Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 107.
laetus Mars. Mon. 1855, p. 388, t. 16, f. 29; l. c. 1862, p. 441, t. 12, f. 6.
- australis** Boisd. Voy. Astrol. Col. 1835, p. 148. — Blackb. Trans. Roy. Soc. S. Austr. XXXII, 1903, p. 104.
- azureseens** Mars. Mon. 1855, p. 423, t. 17, f. 55.
- azureus** Sahlb. Peric. Ent. 1823, p. 4. — Mars. Mon. 1855, p. 426, t. 17, f. 57.
- basalis** Fairm. Bull. Soc. Ent. Fr. LXVII, 1898, p. 323.
Baudii Schm. Deutsche Ent. Zeitschr. XVI, 1890, p. 86.
- Californien
Australien
- Capland
- Brasilien
Natal
- Argentinien
Venezuela
Neu-
Caledonien
- Nord-
Amerika
- Australien
- Brasilien
- Canarische
Ins.
- Turkmenien
- Argentinien
- Amazonen-
strom
Nord-
Amerika
Philippinen
- Australien
- „
- Mittel-
Amerika
Brasilien
- Madagascar
Cypern

- beatulus** Lew. Ann. Mag. Nat. Hist. (7) II, 1898, p. 179. Capland
Behrensi Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 315. Californien
belioculus Mars. Mon. 1862, p. 473, t. 16, f. 32. Mexico
bieireculus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 119. Süd-Amerika
bicolor F. Syst. El. I, 1801, p. 86. — Mars. Mon. 1855, Capland
p. 439, t. 17, f. 66.
lautus Woll. (nec Er.) Ann. Mag. Nat. Hist. (4)
IV, 1869, p. 311.
biguttatus Stev. Mém. Mosc. I, 1806, p. 159. — Payk. Süd-Rußland,
Mon. 1811, p. 51 nota. — Fisch. Ent. Russ. II, Caucasus,
1824, p. 207, t. 25, f. 8. — Mars. Mon. 1855, Turc-
p. 366, t. 16, f. 11. menien
biplagiatus Ball. Bull. Mosc. XLIII, 1870, p. 330. Sibirien
Blanchei Mars. Mon. 1855, p. 461, t. 18, f. 83. Syrien,
Ägypten
blandus Er. in Klug, Jahrb. Ins. I, 1834, p. 188. — Columbien
Mars. Mon. 1855, p. 475, t. 18, f. 95.
Blissoni Mars. Mon. 1855, p. 454, t. 18, f. 77. Venezuela
Bohemani Mars. Mon. 1862, p. 466, t. 16, f. 26. Honduras
Bonnairei Fairm. C. r. Soc. Ent. Belg. XXVIII, 1884. Algier
p. LX.
boudista Mars. Mon. 1857, p. 446, t. 11, f. 132 bis. Indien
Brenskei Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, Griechenland
p. 75, t. 1, f. 6. — Schm. Berl. Ent. Zeitschr.
XXIX, 1885, p. 307.
brunnivestis Mars. Mon. 1855, p. 449, t. 18, f. 74. West-Afrika
Buqueti Mars. Mon. 1855, p. 696, t. 19, f. 136. „
Capland
caesopygus Mars. Mon. 1862, p. 463, t. 16, f. 23. — Süd-Amerika
— Schm. Ent. Nachr. XVI, 1890, p. 42. —
Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 320.
campechianus Mars. Mon. 1855, p. 477, t. 18, f. 94. Yukatan
canalisticus Mars. Mon. 1855, p. 472, t. 18, f. 91. Süd-Amerika
castanipes Curt. Trans. Linn. Soc. Lond. XIX, 1845, La Plata
p. 442. — Lew. Ann. Mag. Nat. Hist. (7) VI,
1900, p. 288.
fulvopterus Mars. Mon. 1855, p. 479, t. 18, f. 98.
Cavalieri Mars. Mon. 1855, p. 452, t. 18, f. 75. Cuba
certus Lew. Ann. Mus. Genova (2) VI, 1888, p. 643. Indien
chalcites Ill. Mag. VI, 1807, p. 40. — Mars. Mon. 1855, Mittelmeer-
p. 445, t. 18, f. 71. — Schm. Berl. Ent. Zeitschr. länder
XXIX, 1885, p. 305. — Ganglb. Käf. v. Mitteleur.
III, 1899, p. 384. — Reitt. Fauna Germanica
II, 1909, p. 292.
affinis Payk. Mon. Hist. 1811, p. 76, t. 7, f. 2.
rufipes Gyll. Ins. Suec. I, 1807, p. 90.
georgicus Mars. Mon. 1862, p. 471, t. 16, f. 30.
chilensis Mars. Mon. 1855, p. 500, t. 19, f. 117. Chile
ciliatus Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 168. Californien
coeruleatus Lew. Ann. Mag. Nat. Hist. (7) XVI, 1905, Madagascar
p. 611.
coerulescens Lec. Ann. Lyc. Nat. Hist. N. York V, San Diego
1851, p. 169.
concinus Motsch. Bull. Mosc. XX, 1849, III, p. 96. Caucasus,
— Mars. Mon. 1855, p. 400, t. 17, f. 39; 1862, Griechenland,
p. 453, t. 12, f. 14. — Schm. Berl. Ent. Zeitschr. Türkei,
XXIX, 1885, p. 306. Italien

- condolens** Mars. Abeille I, 1864, p. 338.
- conformis** Lec. Mon. 1845, p. 72, t. 5, f. 7. — Mars. Mon. 1855, p. 484, t. 18, f. 103.
- connectens** Payk. Mon. 1811, p. 35, t. 4, f. 6. — Mars. Mon. 1855, p. 432, t. 17, f. 61.
- furcatus** Curtis, Trans. Linn. Soc. London XIX, 1845, p. 442. — Lew. Ann. Mag. Nat. Hist. (7) VI, 1900, p. 288.
- Biologie: Bickh. Ent. Blätt. VI, 1910, p. 225.
- contractus** Cas. Ann. N. York Acad. VII, 1893, p. 570.
- convexiusculus** Mars. Mon. 1855, p. 494, t. 19, f. 111.
- Copei** Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 320, t. 5, f. 7.
- eribellatus** Mars. Mon. 1855, p. 442, t. 17, f. 69. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 307.
- eribrum** Cas. Ann. N. York Acad. VII, 1893, p. 568.
- cruciatus** F. Ent. Syst. I, 1792, p. 75. — Mars. Mon. 1855, p. 354, t. 16, f. 1. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 303. — Lew. Ann. Mag. Nat. Hist. (7) IX, 1899, t. 1, f. 1.
- flavipennis** Péringuey, Trans. S. Afric. Soc. III, 1885, p. 85. — Lew. Ann. Mag. Nat. Hist. (6) VIII, 1891, p. 395.
- eubaecola** Mars. Mon. 1855, p. 467, t. 18, f. 88.
- eupratus** Kol. Melet. Ent. V, 1846, p. 62.
- cupreus** Er. in Klug, Jahrb. Ins. I, 1834, p. 182. — Mars. Mon. 1855, p. 448, t. 18, f. 73.
- natalensis** Fährs. in Boh. Ins. Caffr. I, 1851, p. 543. — Mars. Mon. 1862, p. 472, t. 16, f. 31.
- cyanellus** Mars. Mon. 1855, p. 387, t. 16, f. 28. — Blackb. Trans. Roy. Soc. S. Austr. XXXII, 1903, p. 105, 107.
- cyaneocupreus** Mars. Abeille I, 1864, p. 337.
- cyaneus** F. Syst. Ent. I, 1775, p. 52. — Mars. Mon. 1855, p. 385, t. 16, f. 26.
- speciosus** Boisd. Voy. Astrol. Col. 1835, p. 148.
- laetus** Er. in Klug, Jahrb. Ins. I, 1834, p. 179. — Blackb. Trans. Roy. Soc. S. Austr. XXXII, 1903, p. 107.
- delta** Mars. Mon. 1862, p. 452, t. 12, f. 13.
- detersus** Ill. Mag. VI, 1807, p. 36. — Mars. Mon. 1855, p. 396, t. 16, f. 35. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 305. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 385. — Reitt. Fauna Germanica II, 1909, p. 292, t. 67, f. 7.
- ? **detritus** Rossi, Faun. Etr. I, 1790, p. 29.
- melas** Küst. Käf. Europ. XVII, 1846, p. 29.
- tripartitus** Motsch. Bull. Mosc. XX, 1849, III, p. 98.
- bipartitus** Mars. Mon. 1855, p. 752.
- Niseteoi** J. Müll. Wien. Ent. Zeit. XVIII, 1899, p. 152.
- Navasi** Fuente, Act. Soc. Espan. Hist. Nat. XXIX, 1900, p. 188. — Lew. Ann. Mag. Nat. Hist. XII, 1903, p. 429.
- var. **beduinus** Mars. Mon. 1862, p. 446, t. 12, f. 8.
- Celebes
Nord-Amerika
Brasilien
- Nord-Amerika
,,
,,
- Rußland
- Nord-Amerika
Spanien,
Nord-Afrika,
Capland
- Cuba
Caucasus
Capland
- Australien
- Neu-Guinea
Australien,
Neu-Guinea
- Ägypten
Mittelmeerländer,
Westl. Mittel-Europa

2. 1. 1900. Fol. 172. 1. 1900. Fol. 172. 1. 1900. Fol. 172.

- detractus* Cas. Ann. N. York Acad. VII, 1893, p. 569. Nord-Amerika
- diptychus* Mars. Mon. 1855, p. 418, t. 17, f. 52. Yukatan
- discoidalis* Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 167. — Mars. Mon. 1855, p. 375, t. 16, f. 18. Californien
- discors* Lec. Proc. Acad. Philad. 1859, p. 315. Mexico
- disnexus* Schm. Ent. Nachr. XVI, 1890, p. 43. Brasilien
- dolatus* Mars. Mon. 1862, p. 482, t. 17, f. 40. „
- duriculus* Reitt. Wien. Ent. Zeit. XXIII, 1904, p. 31. Turkestan
- Dussaulti* Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 110. Assam
- elegans* Payk. Mon. 1811, p. 57, t. 5, f. 1. — Mars. Mon. 1855, p. 383, t. 16, f. 25. Capland
- elegantulus* Mars. Mon. 1855, p. 698, t. 19, f. 138. Indien
- emys* Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 116. Brasilien
- equestris* Er. Arch. Naturgesch. IX, 1843, I, p. 226. — Mars. Mon. 1855, p. 358, t. 18, f. 4. — Woll. CapVerdische Inseln
- eremita* Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 115. Pampas
- Erichsoni* Mars. Mon. 1855, p. 363, t. 16, f. 8. Madagascar
- erosus* Woll. Cat. Col. Canar. 1864, p. 177. Canarische Ins.
- erythropleurus* Mars. Mon. 1855, p. 472, t. 18, f. 92. Süd-Amerika
- erythropterus* Payk. Mon. 1811, p. 73, t. 13, f. 4. — Mars. Mon. 1855, p. 434, t. 17, f. 62. Mittel-Amerika
- erythropus (Hister)* Blanch. Voy. d'Orbigny, Col. 1837—45, p. 71. Argentinien
- externus* Fisch. Ent. Russ. II, 1824, p. 207, t. 25, f. 9. — Mars. Mon. 1855, p. 365, t. 15, f. 10. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 303. Rußland, Caucasus
- fasciolatus* Gebl. Bull. Ac. Petrop. III, 1845, p. 100. — Gebl. Bull. Mosc. XXXIII, 1860, III, p. 8. — Mars. Mon. 1862, p. 440, t. 12, f. 3. Persien, Süd-Rußland
- flexuosofasciatus* Motsch. Bull. Mosc. XVIII, 1845, I, p. 55. — Lew. Wien. Ent. Zeit. V, 1886, p. 280.
- figuratus* Mars. Mon. 1862, p. 409, t. 17, f. 45. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 307. Spanien, Alger,
- osculans* Woll. Cat. Col. Canar. 1864, p. 168. Canarische Ins.
- fimbriatus* Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 169. — Mars. Mon. 1855, p. 495, t. 19, f. 112. Nord-Amerika
- orbiculatus* Mars. Mon. 1855, p. 497, t. 19, f. 114. — Horn, Syn. 1873, p. 337.
- flavielava* Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 115. Amazonenstrom
- floridae* Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 318. Nord-Amerika
- foveisternus* Schm. Wien. Ent. Zeit. III, 1884, p. 9; Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 308. Caucasus
- frontistrius* Mars. Mon. 1855, p. 450, t. 18, f. 74. Chile (Marseul), Ceylon (Lewis)
- fugax* Mars. Mon. 1857, p. 445, t. 11, f. 127. Indien
- fulgidicollis* Mars. Mon. 1855, p. 392, t. 16, f. 32. Madagascar
- fulgidus* Lec. Proc. Acad. Philad. 1859, p. 316. Cuba
- funereus* Schm. Deutsche Ent. Zeitschr. 1890, p. 82. Syrien
- furvus* Er. in Klug, Jahrb. Ins. I, 1834, p. 180. — Mars. Mon. 1855, p. 406, t. 17, f. 43. — Schm. Berl. Mittelmeerländer

- Ent. Zeitschr. XXIX, 1885, p. 305. — Ganglb.
Käf. v. Mitteleuropa III, 1899, p. 384.
var. *interstitialis* J. Müll. Wien. Ent. Zeit. VIII,
1899, p. 153.
- gabonensis* Mars. Mon. 1862, p. 468, t. 16, f. 27.
gayndahensis M'Leay, Trans. Ent. Soc. N. S. Wales II,
1870, p. 158. — Blackb. Trans. Roy. Soc. S.
Austr. XXXII, 1903, p. 104.
- geminatus* Woll. Col. Hesperid. 1867, p. 86. — Schm.
Abeille XXVIII, 1895, p. 179.
- Gemmingeri* Mars. Abeille I, 1864, p. 349.
- gilvicornis* Er. in Klug, Jahrb. Ins. I, 1834, p. 184. —
Mars. Mon. 1855, p. 456, t. 17, f. 79.
- granatensis* Mars. l. c. p. 481, t. 18, f. 100.
- gratus* Schm. Ent. Nachr. XXI, 1895, p. 32.
- guyanensis* Mars. Mon. 1855, p. 453, t. 18, f. 76.
- hamatus* Schm. Ent. Nachr. XVI, 1890, p. 42.
- harmonicus* Mars. Berl. Ent. Zeitschr. XIII, 1869, p. 291.
- Hauseri* Schm. Deutsche Ent. Zeitschr. 1894, p. 42.
- hilaris* Schm. Deutsche Ent. Zeitschr. 1890, p. 82.
- Hubenthali* Biekh. Ent. Blätter V, 1909, p. 220.
- hyla* Mars. Abeille I, 1864, p. 339.
- hypoerita* Mars. Mon. 1855, p. 473, t. 18, f. 93.
- ignotus* Mars. Mon. 1855, p. 496, t. 19, f. 113.
- imperfectus* Lec. Mon. 1845, p. 10, t. 5, f. 3.
- impressifrons* (*Hister*) Blanch. Voy. d'Orbigny, Col.
1837—43, p. 72.
- impressus* Lec. Mon. 1845, p. 44, t. 5, f. 10.
- impunctellus* Cas. Ann. N. York Acad. VII, 1893, p. 571.
- inausus* Mars. Mon. 1862, p. 461, t. 16, f. 21.
- infaustus* Lec. Proc. Acad. Philad. VI, 1852, p. 40.
piceus Lec. Mon. 1845, p. 43, t. 5, f. 8.
- innubus* Er. in Klug, Jahrb. Ins. 1834, p. 187. — Mars.
Mon. 1855, p. 464, t. 18, f. 86.
- insertus* Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 167.
- obductus* Lec. l. c. p. 168.
- vinctus* Lec. l. c. p. 168. — Horn, Syn. 1873, p. 332.
- insularis* Mars. Mon. 1855, p. 492, t. 19, f. 109.
- interruptus* Payk. Mon. 1811, p. 50, t. 12, f. 8. — Mars.
Mon. 1855, p. 362, t. 16, f. 7. — Schm. Hor.
Soc. Ent. Ross. XXIV, 1890, p. 12.
- interstitialis* Lec. Ann. Lyc. Nat. Hist. N. York V,
1851, p. 166. — Horn, Syn. 1873, p. 316, t. 5, f. 6.
- intricatus* Er. Arch. Naturgesch. IX, 1843, I, p. 226.
— Mars. Mon. 1862, p. 470, t. 16, f. 29.
- intritus* Cas. Ann. N. York Acad. VII, 1893, p. 570.
- inversus* Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 23;
l. c. (7) XVI, 1905, t. 10, f. 11.
- irinus* Mars. Mon. 1862, p. 443, t. 12, f. 5.
- japhonis* Schm. Deutsche Ent. Zeitschr. 1890, p. 83.
- lacordairei* Mars. Mon. 1855, p. 421, t. 17, f. 54.
- laramiensiis* Cas. Ann. N. York Acad. VII, 1893, p. 564.
- laridus* Lec. Ann. Lyc. Nat. Hist. N. York V 1851, p. 168.
- lateralis* Motsch. Bull. Mosc. III, 1849, p. 95. — Schm.
Berl. Ent. Zeitschr. XXIX, 1885, p. 306.
- Franz. Congo
Australien
- Cap Verdi-
sche Ins.
- Syrien
Ägypten
- Columbien
Capland
Guyana
Brasilien
Capland
Turkestan
Nord-Afrika
Kleinasien
Neu-Guinea
Argentinien
Mexico
Nord-
Amerika
Bolivien
- Nord-
Amerika
- „
Mexico
Nord-
Amerika
Brasilien
- Californien
- „
Indien
- Californien
- Angola
- Californien
Brasilien
- Australien
Syrien
Bolivien
Nord-
Amerika
San Diego
Caucasus,
Persien

- bilateralis* Motsch. Bull. Mosc. III, 1849, p. 95.
— Mars. Mon. 1862, p. 454, t. 11, f. 15.
- laterimargo** Reitt. Wien. Ent. Zeit. XXIII, 1904, p. 32. Buchara
- latimanus** Schm. Ent. Nachr. XVII, 1890, p. 50. Brasilien
- latipes** Broun, Man. N. Zealand Col. 1880, p. 666. Neu-Seeland
- lautus** Er. Käf. Mark Brandb. I, 1839, p. 675. — Mars. Mittel-Europa
Mon. 1855, p. 459, t. 18, f. 81. — Schm. Berl.
Ent. Zeitschr. XXIX, 1885, p. 309. — Ganglb.
Käf. v. Mitteleur. III, 1899, p. 386. — Reitt.
Fauna Germanica II, 1909, p. 292.
- lentus** Cas. Ann. N. York Acad. VII, 1893, p. 567. Californien
- libanicola** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 113. Syrien
- liticolus** Fall, Pap. Calif. Acad. VIII, 1902, p. 236. Süd-Californien
- lubricus** Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, Californien
p. 169. — Mars. Mon. 1855, p. 410, t. 17, f. 46.
- rotundifrons* Mars. Mon. 1862, p. 464, t. 12, f. 24.
- lugens** Er. in Klug, Jahrb. Ins. I, 1834, p. 181. — Mars. Mexico,
Mon. 1855, p. 395, t. 16, f. 34. Californien,
californicus Mannerh. Bull. Mosc. XVI, 1843, Vancouver
II, p. 259. Ins.
- consimilis* Walker, Natural. Vancouv. II, 1866, p. 319.
- maculatus** Rossi, Fauna Etr. I, 1790, p. 12. — Mars. Mittelmeer-
Mon. 1855, p. 355, t. 16, f. 2. — Jacq. du Val, länder,
Gen. Col. d'Eur. II, 1858, t. 32, f. 159. — Schm. Westasien
Berl. Ent. Zeitschr. XXIX, 1885, p. 303. —
Ganglb. Käf. v. Mitteleur. III, 1899, p. 383.
- personatus* Fisch. Ent. Russ. II, 1830, p. 206, t. 25, f. 5.
- obscuripennis* J. Müll. Wien. Ent. Zeit. XVIII, 1899, p. 152.
- a. *stigmula* Bickh. Ent. Blätt. VI, 1910, p. 185.
- manes** Mars. Abeille I, 1864, p. 172.
- Mastersi** M'Leay, Trans. Ent. Soc. N. S. Wales II, 1870, Ägypten
p. 158. — Blackb. Trans. Roy. Soc. S. Austral. Australien
XXXII, 1903, p. 104.
- mersinae** Mars. Mon. 1857, p. 441, t. 11, f. 83 bis. — Syrien
Peyr. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 409, t. 9, f. 11.
- milium** Mars. Mon. 1855, p. 476, t. 18, f. 96
- minutus** Lec. Mon. 1845, p. 43, t. 5, f. 9. — Mars. Mon. Venezuela
1855, p. 486, t. 18, f. 104. — Horn, Syn. 1873, Nord-Amerika
p. 337.
- modestior** Mars. Mon. 1845, p. 493, t. 19, f. 110. Brasilien
- modestus** Er. in Klug, Jahrb. Ins. I, 1834, p. 187. — Brasilien
Mars. Mon. 1855, p. 477, t. 18, f. 97.
- moyses** Mars. Mon. 1862, p. 479, t. 16, f. 37. Ägypten,
fortunatus Woll. Cat. Col. Canar. 1864, p. 172. Canarische
virescens Brullé, Webb et Berth. Ins. Canar. Inseln
1838, p. 59.
- multistriatus** Roth, Arch. Naturgesch. XVII, 1851, I, Abessinien
p. 123.
- myrmecophilus** Bickh. Ent. Blätt. VI, 1910, p. 223. Uruguay
- neglectus** Mars. Mon. 1855, p. 491, t. 19, f. 108. Nord-Amerika
- niger** Motsch. Bull. Mosc. XX, 1849, III, p. 95. — Mars. Rußland
Mon. 1862, p. 450, t. 12, f. 11. — Schm. Berl.
Ent. Zeitschr. XXIX, 1885, p. 306.

- suturalis* Mars. Mon. 1862, p. 451, t. 12, f. 12.
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885,
 p. 328, 444.
gangeticus Mars. Mon. 1855, p. 398, t. 17, f. 37.
nigrita (Hister) Blanch. Voy. d'Orbigny, Col. 1837—43,
 p. 70.
bonariensis Mars. Mon. 1855, p. 429, t. 17, f. 59.
 — Bickh. Ent. Blätt. VI, 1910, p. 186.
nitiduloides Fairm. Ann. Soc. Ent. Belg. XXVII, 1883,
 p. 3.
nitidus Wied. Zool. Mag. II, 1, 1817, p. 29. — Mars.
 Mon. 1855, p. 364, t. 16, f. 9.
nobilis Woll. Cat. Col. Canar. 1864, p. 167.
novellus Mars. Bull. Soc. Ent. Fr. 1875, p. CIV.
obscurus Lec. Ann. Lyc. Nat. Hist. N. York V, 1851,
 p. 166. — Horn, Syn. 1873, p. 318.
obsidianus Cas. Ann. N. York Acad. VII, 1893, p. 563.
opacellus Cas. l. c. p. 567.
opacus Horn, Proc. Acad. Calif. IV, 1894, p. 364.
optabilis Mars. Mon. 1855, p. 438, t. 17, f. 65.
oregonensis Lec. Mon. 1845, p. 45, t. 5, f. 12. — Mars.
 Mon. 1855, p. 397, t. 16, f. 36.
distinguendus Mars. Mon. 1855, p. 441, t. 17,
 f. 68. — Horn, Syn. 1873, p. 323.
spurcus Lec. Col. Kans. 1859, p. 7.
ornatus Er. in Klug, Jahrb. Ins. I, 1834, p. 176. — Mars.
 Mon. 1855, p. 360, t. 15, f. 6; l. c. 1862, p. 439,
 t. 12, f. 2. — Schm. Berl. Ent. Zeitschr. XXIX,
 1885, p. 303.
interruptus Fisch. Ent. Russ. II, 1824, p. 207,
 t. 25, f. 7.
osiris Mars. Mon. 1862, p. 440.
orobites Lew. Ann. Mus. Genova (2) VI, 1888, p. 645.
ovalis Mars. Mon. 1855, p. 382, t. 16, f. 24.
ovillum Solsky, Reise Fedsch. Turkest. II, 1876, p. 240.
paeminosus Lec. Ann. Lyc. Nat. Hist. N. York V, 1851,
 p. 166. — Horn, Syn. 1873, p. 319.
palaestinensis Schm. Deutsche Ent. Zeitschr. 1890, p. 86.
parenthesis Schm. Ent. Nachr. XVI, 1890, p. 45.
parumpunctatus Lec. Col. Kans. 1859, p. 7. — Horn,
 Syn. 1873, p. 329.
pastoralis Jacq. du Val, Ann. Soc. Ent. Fr. (2) X, 1852,
 p. 704. — Mars. Mon. 1855, p. 463, t. 18, f. 85.
patagonicus Blanch. Voy. d'Orbigny, Col. 1837—43,
 p. 70. — Mars. Mon. 1855, p. 420, t. 17, f. 53.
pavidus Er. in Klug, Jahrb. Ins. I, 1834, p. 187. — Mars.
 Mon. 1855, p. 482, t. 18, f. 101.
piceus Blanch. Voy. d'Orbigny, Col. 1837—43,
 p. 71.
pectoralis Lec. Ann. Lyc. Nat. Hist. N. York V, 1851,
 p. 166. — Horn, Syn. 1873, p. 317.
pecuinus Mars. Mon. 1855, p. 391, t. 20, f. 30 bis.
pennsylvanicus Payk. Mon. 1811, p. 62, t. 5, f. 6. —
 Mars. Mon. 1855, p. 435, t. 17, f. 63.

Uruguay, Ar-
gentinienNeu-
Britannien
CaplandCanarische
Inseln
Algier
CalifornienNord-
Amerika
Californien„
Ost-Indien
Nord-
Amerika

Süd-Rußland

Birma
Indien,
Ceylon,
ChinaSüd-Rußland
CalifornienSyrien
Brasilien
Nord-
Amerika
Frankreich

Patagonien

Brasilien

Californien

China
Nord-
Amerika

- perinterruptus** Mars. Mon. 1855, p. 359, t. 16, f. 5. West-Afrika
permixtus Lec. Proc. Amer. Phil. Soc. XVII, 1877, p. 401. Nord-Amerika
Perrisi Mars. Abeille VIII, 1871, p. 415. — Schm. Berl. Corsica
 Ent. Zeitschr. XXIX, 1885, p. 308.
persanus Mars. Abeille XVI, 1876, p. 39. Persien
Pharao Mars. Mon. 1855, p. 399, t. 17, f. 38. — Schm. Ägypten
 Berl. Ent. Zeitschr. XXIX, 1885, p. 304.
Pipitzi Mars. Bull. Soc. Ent. Fr. 1887, p. 125. Rio Grande
placidus Er. in Klug, Jahrb. Ins. I, 1834, p. 189. — Nord-Amerika
 Mars. Mon. 1857, p. 444, t. 11, f. 108 bis.
latubris Lec. Proc. Acad. Philad. 1859, p. 315.
 — Horn, Syn. 1873, p. 329.
planisternus Mars. Mon. 1862, p. 477, t. 16, f. 35. „
plenus Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 169. „
olidus Lec. Proc. Acad. Philad. 1859, p. 316.
pratensis Lec. Col. Kans. 1859, p. 8.
politus Brahm, Ins.-Kalend. I, 1790, p. 102. — Reitt. Europa,
 Fauna Germanica II, 1909, p. 293. Nord-Afrika
pulcherrimus Weber, Observ. Entom. 1801, p. 37.
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 387.
speculifer Latr. Gen. Ins. II, 1807, p. 48. —
 Mars. Mon. 1855, p. 411, t. 17, f. 47. — Jacq.
 du Val, Gen. Col. II, 1858, t. 32, f. 160. —
 Thoms. Skand. Col. IV, 1862, p. 237. — Schm.
 Berl. Ent. Zeitschr. XXIX, 1885, p. 308.
personatus Ill. Mag. VI, 1807, p. 39.
 var. *similis* J. Müll. Wien. Ent. Zeit. XIV, 1900,
 p. 141.
posthumus Mars. Mon. 1855, p. 460, t. 18, f. 82. — Nord-Amerika
 Horn, Syn. 1873, p. 319.
prasinus Er. in Klug, Jahrb. Ins. I, 1834, p. 182. — Mars. Syrien,
 Mon. 1855, p. 414, t. 16, f. 49. — Schm. Berl. Griechenland
 Ent. Zeitschr. XXIX, 1885, p. 307.
pretiosus Schm. Deutsche Ent. Zeitschr. 1890, p. 83. Abessinien
profusus Cas. Ann. N. York Acad. VII, 1893, p. 566. Nord-Amerika
propensus Cas. l. c. p. 572. Californien
pseudobicolor Mars. Mon. 1855, p. 436, t. 17, f. 64. Capland
pseudocyaneus White, Voy. Ereb. Terr. 1846, p. 8. — Neu-Seeland
 Mars. Mon. 1855, p. 416, t. 17, f. 50.
pseudognathoneus Reitt. Wien. Ent. Zeit. XXIII, 1904,
 p. 34. West-Caucasus
pseudolantus Reitt. l. c. p. 33. Trans-caucasien
pulchellus F. Ent. Suppl. 1798, p. 38. — Mars. Mon. Indien,
 1855, p. 374, t. 16, f. 17. Ceylon
punctatissimus Er. in Klug, Jahrb. Ins. I, 1834, p. 181. Ägypten
 — Mars. Mon. 1855, p. 394, t. 16, f. 33.
punctisternus Lew. Ann. Mag. Nat. Hist. (7) VI, 1900,
 p. 287. China
purpuricollis Schm. Ent. Nachr. XVI, 1890, p. 42. Angola
pygidialis Lew. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 428. Mittel-Amerika
quadriguttatus F. Ent. Suppl. 1798, p. 39. — Mars. Indien
 Mon. 1855, p. 357, t. 16, f. 3.
lateralis Ill. Mag. VI, 1807, p. 36 nota.
quaesitus Lew. Biol. Centr.-Amer. 1888, p. 225, t. 6, f. 11. Guatemala

- Quedenfeldti** Schm. Ent. Nachr. XIII, 1887, p. 355.
rasselas Mars. Mon. 1855, p. 379, t. 16, f. 21.
refector Reitt. Wien. Ent. Zeit. XXIII, 1904, p. 32.
revisus Mars. Abeille XVI, 1876, p. 39.
rhytipterus Mars. Mon. 1862, p. 469, t. 16, f. 28.
ruber Mars. Mon. 1855, p. 373, t. 16, f. 16.
rubiginosus Mars. Bull. Soc. Ent. Fr. 1875, p. CIV.
rubriculus Mars. Mon. 1855, p. 489, t. 19, f. 107.
rufulus Falderm. Nouv. Mém. Mosc. VI, 1833, p. 6.
persicus Mars. Mon. 1862, p. 484, t. 17, f. 42.
rugifer Payk. Act. Holm. 1809, p. 230, t. 8, f. 3. — Er. Käf. Mark Brandb. I, 1839, p. 672. — Thoms. Skand. Col. IV, 1862, p. 237. — Mars. Mon. 1862, p. 447, t. 12, f. 9. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 305. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 385. — Reitt. Fauna Germanica II, 1909, p. 292.
quadristriatus Payk. Faun. Suec. I, 1799, p. 45.
rugipennis Mars. Mon. 1855, p. 417, t. 17, f. 51. — Horn, Syn. 1873, p. 316.
russatus Mars. Mon. 1855, p. 466, t. 18, f. 87.
rutilus Er. in Klug, Jahrb. Ins. I, 1834, p. 190.
Schatzmayri J. Müll. Wien. Ent. Zeit. XXIX, 1910, p. 129.
Schmidt Richt. Ent. Nachr. XV, 1889, p. 124. — Lew. Ann. Mag. Nat. Hist. (8) IV, 1909, p. 302.
Schmidtianus Reitt. Hor. Soc. Ent. Ross. XXI, 1887, p. 218.
seissus Lec. Ann. Lye. Nat. Hist. N. York V, 1851, p. 168.
sulcatulus Schm. Ent. Nachr. XVI, 1890, p. 51. — Cas. Ann. N. York Acad. VII, 1893, p. 604.
serupularis Lec. Proc. Acad. Philad. 1859, p. 315.
sculpturifer Mars. Mon. 1855, p. 697, t. 19, f. 137.
Sedakovi Motsch. Schrenck's Reise 1860, p. 131, t. 8, f. 31.
spernax Mars. Mon. 1862, p. 462, t. 16, f. 22.
aspernatus Mars. l. c. p. 465, t. 16, f. 25.
semiopacus Schm. Deutsche Ent. Zeitschr. 1894, p. 41.
semipunctatus (F.) Ent. Syst. I, 1792, p. 73. — Mars. Mon. 1855, p. 377, t. 16, f. 20. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 304. — Ganglb. Käf. von Mitteleur. III, 1899, p. 383. — Reitt. Fauna Germanica II, 1909, p. 291, t. 67, f. 5.
cyaneus Rossi, Fauna Etrusc. I, 1790, p. 12. — Hbst. Nat. Syst. Käf. IV, 1791, p. 50, t. 36, f. 11.
coeruleus Hoffm. Ent. Hefte I, 1803, p. 73.
nitidulus Payk. Mon. 1811, p. 58.
semirosus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 113.
semistriatus Scriba, Journ. Lieb. Entom. I, 1790, p. 72; Beitr. Ins. Gesch. 1790, p. 48, t. 5, f. 6. — Hoffm. Ent. Hefte I, 1803, p. 77. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 384. — Reitt. Fauna Germanica II, 1909, p. 292, t. 67, f. 6.
semipunctatus Payk. Fauna Suec. I, 1798, p. 45.
acuminatus F. Suppl. Ent. Syst. 1798, p. 37.
nitidulus F. Syst. El. I, 1801, p. 85. — Er. Jahrb. I, 1834, p. 179; Er. Käf. Mark Brandb. I, 1839, p. 670. — Mars. Mon. 1855, p. 402, t. 17, f. 40.

Marocco
 Abessinien
 Turkestan
 Algier
 Natal
 Tunis
 „
 Parana-Fluß
 Persien

Nord-
 Europa

Californien?

Ägypten?

„
 Türkei,
 Ungarn
 Niger

Mittel-Asien

Californien

Nord-
 Amerika
 Indien
 Amurgebiet

Turkestan
 Süd-Europa,
 Algier

HISTER

Chile
 Europa,
 Nord-
 Asien,
 Indien

- Thoms. Skand. Col. IV, 1862, p. 236. —
Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 306.
turcomanicus Mén. Mem. Ac. Petersb. VI, 1849,
p. 55, t. 2, f. 9. — Motsch. Bull. Mosc. XX,
1849, III, p. 95.
incrassatus Mén. Cat. rais. 1832, p. 170. —
Falderm. Fauna Transc. I, 1835, p. 227.
Krynickyi (Hister) Krynickyi, Bull. Mosc. V, 1832,
p. 113. — Schm. Deutsche Ent. Zeitschr. XXIX,
1885, p. 444.
subattenuatus Motsch. Bull. Mosc. XX, 1849,
III, p. 95. — Mars. Mon. 1862, p. 456, t. 12, f. 17;
sparsipunctatus Motsch. l. c. p. 97. — Mars.
Mon. 1862, p. 457, t. 12, f. 18.
uralensis Motsch. l. c. p. 98.
planiusculus Motsch. l. c. p. 97; Schrenck's
Reise 1860, p. 130, t. 8, f. 30. — Mars. Mon.
1862, p. 455, t. 12, f. 16.
punctatostratus Mars. Mon. 1862, p. 459, t. 12,
f. 19. — Schm. Deutsche Ent. Zeitschr. XXIX,
1885, p. 444.
steppensis Mars. Mon. 1862, p. 460, t. 12, f. 20.
asphaltinus Hochh. Bull. Mosc. XLV, 1872, p. 226.
— Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 306.
? var. *Hochhuthi* Reitt. Cat. Col. Eur. II, 1906, p. 267. Rußland
rugipennis Hochh. Bull. Mosc. XLV, 1872, p. 225.
— Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 306.
var. *subnitescens* Bickh. Ent. Blätter V, 1909, p. 221. Mittel-Europa
Biologie: Mattei, Nat. Sic. XIX, 1906, p. 14—26.
servilis Cas. Ann. N. York Acad. VII, 1893, p. 573. Nord-Amerika
socius Cas. l. c. p. 566.
Solieri Mars. Mon. 1862, p. 487, t. 17, f. 44. Ägypten
solitarius Lew. Biol. Centr.-Amer. 1888, p. 222, t. 6, f. 10. Mexico
Solskyi Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 371. Algier
sparsutus Solsky, Reise Fedsch. Turkestan Col. II, 1876, Turkestan
p. 238. — Schm. Hor. Soc. Ent. Ross. XXIV,
1890, p. 15. — Ganglb. Käf. v. Mitteleur. III,
1899, p. 386. — Reitt. Fauna Germanica II,
1909, p. 292.
brunnensis Fleisch. Wien. Ent. Zeit. II, 1883,
p. 179. — Schm. Berl. Ent. Zeitschr. XXIX,
1885, p. 309.
specillum Mars. Mon. 1855, p. 700, t. 19, f. 139. Capland
speciosus Er. in Klug. Jahrb. Ins. I, 1834, p. 179. — Indien.
Mars. Mon. 1855, p. 381, t. 16, f. 23. — Blackb. China
Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 107. Japan,
Australien
Spinolae Sol. in Gay, Hist. Chile IV, 1851, p. 379. — Chile
Mars. Mon. 1862, p. 481, t. 16, f. 39.
splendens Payk. Mon. Hist. 1811, p. 53, t. 4, f. 7. — Capland
Mars. Mon. 1855, p. 380, t. 16, f. 22.
splendidulus Schm. Deutsche Ent. Zeitschr. 1890, p. 87.
sterquilinus Lec. Proc. Acad. Philad. 1859, p. 315.
strigil Mars. Mon. 1855, p. 444, t. 17, f. 70.
Strobili Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 112. West-Afrika
Cuba
Abessinien
Argentinien

- Stussineri** Reitt. Wien. Ent. Zeit. XXVIII, 1909, p. 99. — Biekh. Ent. Blätt. V, 1909, p. 222. Griechenland
subaeneus Schm. Ent. Nachr. XVI, 1890, p. 53. Japan
subaeratus Cas. Ann. N. York Acad. VII, 1893, p. 564. Nord-Amerika
subdiptychus Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 111. Mexico
subnitidus Mars. Mon. 1855, p. 404, t. 17, f. 41. — Schm. Mittelmeer-Gebiet
 Berl. Ent. Zeitschr. XXIX, 1885, p. 306. —
 Ganglb. Käf. v. Mitteleur. III, 1899, p. 384.
proximus Woll. Cat. Col. Canar. 1864, p. 169.
subustus Mars. Mon. 1855, p. 389, t. 16, f. 30. Indien
subvicinus Mars. Mon. 1855, p. 480, t. 18, f. 99. Mittel-Amerika
subvirescens Ménétr. Cat. rais. 1832, p. 171. — Falderm. Caucasus
 Fn. Transc. I, 1835, p. 314.
suspectus Schm. Deutsche Ent. Zeitschr. 1890, p. 85. Ägypten
syphax Reitt. Wien. Ent. Zeit. XXIII, 1904, p. 30. Algier
syriacus Mars. Mon. 1855, p. 469, t. 18, f. 90. Syrien
Tarnieri Mars. Mon. 1862, p. 480, t. 16, f. 38. Cuba
tasmanicus Mars. Mon. 1855, p. 386, t. 16, f. 27. Australien, Tasmanien
tauricus Mars. Mon. 1862, p. 476, t. 16, f. 34. — Schm. Rußland
 Berl. Ent. Zeitschr. XXIX, 1885, p. 304.
tenuistrius Mars. 1855, p. 458, t. 18, f. 80. Ägypten
teretrioides Schm. Deutsche Ent. Zeitschr. 1889, p. 154. Zambesi-Fl.
triangulifer Mars. Mon. 1855, p. 462, t. 18, f. 84. Yukatan
tunisius Mars. Abeille XV, 1875, p. 35; Bull. Soc. Ent. Tunis
 Fr. 1875, p. 108; Nouv. et Faits 1875, p. XXXV.
 — Fairm. Ann. Mus. Genova VII, 1875, p. 503.
tureicus Mars. Mon. 1857, p. 438, t. 11, f. 80. — Schm. Türkei
 Berl. Ent. Zeitschr. XXIX, 1885, p. 304.
turkestanicus Schm. Deutsche Ent. Zeitschr. XXX, 1886, p. 185. Turkestan
tyrius Mars. Mon. 1857, p. 439, t. 11, f. 83. Klein-Asien
Marseuli Peyron, Ann. Soc. Ent. Fr. (3) VI, 1858, t. 9, f. 12.
tyrrhenus Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 106. Australien
vafer Mars. Mon. 1855, p. 498, t. 19, f. 115. Mexico
versicolor Mars. l. c. p. 376, t. 16, f. 19. Capland
vescus Mars. l. c. 488, t. 18, f. 106. — Horn, Syn. 1873, p. 329. Texas
vestitus Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 168. — Horn, Syn. 1873, p. 339. Californien
viator Mars. Mon. 1855, p. 499, t. 19, f. 116. Cuba
violaceipennis Mars. Mon. 1855, p. 428, t. 17, f. 58. Venezuela
virescens Payk. Fn. Succ. I, 1811, p. 48. — Er. Käf. Europa
 Mark Brandb. I, 1839, p. 674. — Mars. Mon. 1855, p. 440, t. 17, f. 67. — Thoms. Skand. Col. IV, 1862, p. 237. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 309. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 385. — Reitt. Fauna Germanica II, 1909, p. 292, t. 67, f. 8.
geminus Duft. Fauna Austr. I, 1805, p. 224.
viridis Duft. l. c. p. 224.
violaceus Hochh. Bull. Mosc. XLV, 1872, p. 2. Biologie: Levoiturier, Abeille XVIII, 1879 (Nouv. et faits div. nr. 26), p. 103.

- viridanus** Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 22. Australien
viridicatus Schm. Deutsche Ent. Zeitschr. 1894, p. 42. Turkestan
 ? *cribellatus* Mars. — Schm. l. c.
viridicupreus Blanch. Voy. Pôle Sud, 1854, p. 57, t. 4. Australien
 f. 10. — Blackb. Trans. Roy. Soc. Austr. XXXII,
 1903, p. 103.
viridipennis Lew. Ann. Mag. Nat. Hist. (7) VII, 1901,
 p. 245. „
viridulus Mars. Mon. 1855, p. 468, t. 18, f. 89. Indien
vitiosus Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 169. Californien
wacoensis Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 331. Texas
Walkeri Bickh. Ent. Blätter VI, 1910, p. 186. Lords Ins.
rubripes Walker (nec Er.) Lew. Ann. Mag. Nat.
 Hist. XV, 1885, p. 468.
westralensis Blackb. Trans. Roy. Soc. S. Austral. XXXII,
 1903, p. 106. West-
 Australien

Subgen. *Hypocaccus* Thoms.

- Thoms. Skand. Col. IX, 1867, p. 400. — Schm. Berl. Ent. Zeitschr. XXIX,
 1855, p. 302. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 382. — Lew. Ann.
 Mag. Nat. Hist. (7) IV, 1899, p. 3, f. 6, 7. — Reitt. Fauna Germanica II,
 1909, p. 291.
- aemulus** Ill. Mag. VI, 1807, p. 42. — Mars. Mon. 1862,
 p. 488, t. 17, f. 45. — Schm. Berl. Ent. Zeitschr.
 XXIX, 1885, p. 310. Süd-Europa
mediocris Mars. Mon. 1855, p. 679, t. 19, f. 122.
quadrilineatus Watl, Reise Span. II, 1839, p. 63.
 — Schm. Deutsche Ent. Zeitschr. XXVIII, 1884,
 p. 237.
- aeneopunctatus** Horn, Trans. Amer. Ent. Soc. 1870,
 p. 333; Syn. 1873, p. 344. Californien
- ainu** Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 24. Japan
amoenus Er. in Klug, Jahrb. Ins. I, 1834, p. 190. — Mittelmeer-
 Mars. Mon. 1855, p. 681, t. 19, f. 124. — Schm. Gebiet,
 Berl. Ent. Zeitschr. XXIX, 1885, p. 311. — Südost-
 Ganglb. Käf. v. Mitteleur. III, 1899, p. 388. Europa,
sabuleti Rosenh. Beitr. Ins. Eur. 1847, p. 24. Oesterreich
 — Schm. Deutsche Ent. Zeitschr. XXVIII, 1884,
 p. 237.
micans Hochh. Bull. Mosc. XLV, 1872, p. 226.
- angulosus** Woll. Cat. Col. Canar. 1864, p. 175. Canarische
 Inseln
- apricarius** Er. in Klug, Jahrb. Ins. I, 1834, p. 194. — Mittelmeer-
 Mars. Mon. 1855, p. 725, t. 20, f. 158. — Schm. Länder,
 Berl. Ent. Zeitschr. XXIX, 1885, p. 316. — Afrika,
 Ganglb. Käf. v. Mitteleur. III, 1899, p. 391. Malayi-
metallicus Woll. Ins. Mader. 1854, p. 217. scher
mundus Woll. Cat. Col. Canar. 1864, p. 176. Archipel,
metallicus Brullé, Webb et Berth. Ins. Canar. Monte-
 p. 59. video
 var. *brasiliensis* Payk. Mon. 1811, p. 66, t. 6, Uruguay
 f. 2. — Mars. Mon. 1855, p. 726, t. 20, f. 159.
 — Bickh. Ent. Blätt. VI, 1910, p. 225.
 Biologie: Bickh. l. c. p. 225.
- asper** Lew. Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 383. Matabeleland
bigenneus Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, Californien
 p. 169. — Mars. Mon. 1855, p. 707, t. 19, f. 144.

- biskrensis** Mars. Abeille XVI, 1876, p. 39.
calatravensis Fuente, Act. Soc. Espan. XXVIII, 1899, p. 30. — Lew. Ann. Mag. Nat. Hist. XII, 1903, p. 429.
- bistrigifrons** Mars. Mon. 1855, p. 729, t. 20, f. 161.
- brahmius** Mars. Abeille I, 1864, p. 339.
- conjungens** Payk. Faun. Suec. I, 1798, p. 44. — Er. Käf. Mark Brandb. I, 1839, p. 677. — Mars. Mon. 1855, p. 694, t. 19, f. 135. — Thoms. Skand. Col. IV, 1862, p. 240. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 311. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 389. — Reitt. Fauna Germanica II, 1909, p. 293, t. 67, f. 10.
- decemstriatus* Rossi, Mant. I, 1792, p. 13.
- micans* Hochh. Bull. Mosc. XLV, 1872, p. 228.
- rotundatus* (*Xenonychus*) Fiori, Nat. Sicil. XVIII, 1905, p. 4. — Ragusa. I. c. XVIII, 1905, p. 69. — Fiori, I. c. XVIII, 1905, p. 96.
- consobrinus** Fall. Pap. Calif. Acad. VIII, 1902, p. 237.
- consputus** Mars. Mon. 1855, p. 708, t. 19, f. 145.
- curtus** Rosenh. Beitr. Ins. Eur. 1847, p. 24. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 389.
- puncticollis* Kiist. Käf. Eur. XVII, 1846, p. 30.
- cribellaticollis* Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 99. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 312.
- sicanus* Mars. Mon. 1862, p. 490, t. 17, f. 47.
- Küsteri* Mars. I. c. p. 715 (Catal.).
- dentipes** Mars. Mon. 1855, p. 728, t. 20, f. 160.
- disjunctus** Mars. I. c. p. 731, t. 20, f. 163.
- elongatulus** Rosenh. Thiere Andalus. 1856, p. 92. — Des Gozis, Rev. d'Ent. V, 1886, p. 174. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 388.
- aemulus* Mars. Mon. 1855, p. 687, t. 19, f. 129.
- Mocquerysi* Mars. Mon. 1862, p. 489. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 310.
- andalusius* Mars. Mon. 1862, p. 506.
- estriatus** Lec. Bost. Journ. V, 1845, tab. spec.; Ent. Report 1857, p. 362. — Mars. Mon. 1857, p. 166. — Horn, Trans. Amer. Ent. Soc. 1870, p. 139, t. 1, f. 12.
- Fausti** Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 314.
- binaevulus* Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 287.
- ferrugineus** Mars. Mon. 1855, p. 712, t. 20, f. 48. -
- Fitschi** Mars. Mon. 1862, p. 494, t. 17, f. 50.
- fraternus** Say, Trans. Amer. Phil. Soc. V, 1825, p. 40. — Mars. Mon. 1855, p. 701, t. 19, f. 140.
- gemmenus** Lew. Biol. Centr.-Amer. 1888, p. 225, t. 6, f. 12.
- Grandini** Mars. Ann. Soc. Ent. Belg. XIV, 1870, p. 117.
- interpunctatus** Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 313.
- lateristrius** Solsky, Reise Fedsch. Turkest. II, 1876, p. 24. — Schm. Hor. Soc. Ent. Ross. XXIV, 1890, p. 17.
- laxatus** Cas. Ann. N. York Acad. VII, 1893, p. 572.

Algier,
Spanien

Mexico
Celebes
Europa

Californien
Mexico
Süd-Europa,
Ungarn

Mexico
Madagascar
Südwest-
Europa,
Marocco

Nord-
Amerika

Caucasus

Nord-
Amerika

„
„

Mittel-
Amerika
West-Afrika
Sicilien,
Sansibar
Caucasus,
Persien,

Nord-
Amerika

- Lewisi** Schm. Ent. Nachr. XVI, 1890, p. 52.
lucidulus Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 170.
barbipes Mars. Mon. 1857, p. 448, t. 11, f. 150 bis.
maneus Say, Trans. Amer. Phil. Soc. V, 1825, p. 41.
 — Mars. Mon. 1855, p. 706, t. 19, f. 143.
meridianus Fauv. Rev. d'Ent. XI, 1893, p. 314.
metalleseus Er. in Klug, Jahrb. Ins. I, 1834, p. 192.
 — Mars. Mon. 1855, p. 686, t. 19, f. 128. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 310.
 — Ganglb. Käf. v. Mitteleur. III, 1899, p. 388.
arachidarum Mars. Abeille XVI, 1876, p. 39.
 — Fauv. Rev. d'Ent. V, 1886, p. 202.
metallicus Hbst. Käf. IV, 1792, p. 32, t. 35, f. 7. — Er. in Klug, Jahrb. Ins. I, 1834, p. 195. — Mars. Mon. 1855, p. 722, t. 20, f. 156. — Thoms. Skand. Col. IV, 1862, p. 239. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 316. — Des Gozis Rev. d'Ent. V, 1886, p. 177. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 392. — Reitt. Faun. Germ. II, 1909, p. 294, t. 67, f. 13.
 var. *pullus* Rosenh. Beitr. Insektenf. Eur. 1847, p. 25. — Schm. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 237.
herbeus Mars. Mon. 1855, p. 689, t. 19, f. 131.
 — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 312.
Netuschili Reitt. Wien. Ent. Zeit. XXIII, 1904, p. 33.
Paivae Woll. Col. Hesperid. 1867, p. 85.
patruelis Lec. Mon. 1845, p. 76, t. 6, f. 2. — Mars. Mon. 1855, p. 711, t. 20, f. 147.
Javeti Mars. Mon. 1855, p. 709, t. 20, f. 146. — Horn, Syn. 1873, p. 343.
Pelleti Mars. Mon. 1862, p. 493, t. 17, f. 49. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 316.
piscarius Blackb. Trans. Roy. Soc. S. Austr. XXXII, 1903, p. 108.
Portusmagni Coq. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 787, t. 16, f. 7. — Mars. Mon. 1862, p. 489, t. 17, f. 46. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 310.
praecox Er. in Klug, Jahrb. Ins. I, 1834, p. 193. — Mars. Mon. 1855, p. 685, t. 19, f. 127. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 311.
minyops Woll. Cat. Col. Canar. 1864, p. 174.
radiosus Mars. Mon. 1855, p. 724, t. 20, f. 157. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 314. — Des Gozis, Rev. d'Ent. V, 1886, p. 175. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 392 (Monstrosität?).
rasilis Mars. Mon. 1862, p. 495, t. 17, f. 51.
rubicilliae Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 25.
rubricatus Lew. l. c. p. 26.
rubripes Er. in Klug, Jahrb. Ins. I, 1834, p. 193. — Seidl. Fauna Balt. ed II, 1891, p. 204. — Seidl.

Japan
 Californien

 Nord-
 Amerika
 Frankreich
 Mittelmeer-
 länder

 Europa

 Mongolei
 Cap Verdi-
 sche Ins.
 Nord-
 Amerika

 Frankreich

 Süd-
 Australien
 Algier,
 Spanien

 Ägypten,
 Tunis,
 Sicilien,
 Canarische
 Inseln
 Frankreich

 Algier,
 Ägypten
 Natal
 Usambara
 Südl. Mittel-
 Europa.

- Fauna Transsylv. 1891, p. 219. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 390. — Reitt. Fauna Germanica II, 1909, p. 293.
- rufipes* Mars. Mon. 1855, p. 692, t. 19, f. 133. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 313.
- var. *granarius* Er. in Klug, Jahrb. Ins. I, 1834, p. 191. — Mars. Mon. 1855, p. 693, t. 19, f. 134. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 313.
- var. *arenarius* Mars. Mon. 1855, p. 691, t. 19, f. 132.
- var. *corsicus* Mars. Mon. 1855, p. 688, t. 19, f. 130. — Dev. Cat. crit. Col. Corse 1907, p. 180.
- rufipes** Payk. Faun. Suec. I, 1798, p. 50. — Thoms. Skand. Col. IV, 1862, p. 240. — Seidl. Faun. Balt. ed II, 1891, p. 204. — Seidl. Fauna Transsylv. 1891, p. 219. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 390. — Reitt. Fauna Germanica II, 1909, p. 293.
- antiquulus* Ill. Mag. VI, 1807, p. 43. — Mars. Mon. 1862, p. 491, t. 17, f. 48. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 313.
- longistrius* Mars. Mon. 1855, p. 684, t. 19, f. 126. — Schm. Deutsche Ent. Zeitschr. XXIX, 1885, p. 329, 443.
- rugiceps** Duft. Fauna Austr. I, 1805, p. 125. — Hochh. Bull. Mosc. XLV, 1872, II, p. 228. — Bedel, Bull. Soc. Ent. Fr. 1906, p. 91.
- quadristriatus* Hoffm. Ent. Hefte I, 1803, p. 85, t. 1, f. 9. — Er. Käf. Mark Brandb. 1839, p. 677. — Mars. Mon. 1855, p. 703, t. 19, f. 141. — Thoms. Skand. Col. IV, 1862, p. 238. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 316. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 391. — Reitt. Fauna Germanica II, 1909, p. 294, t. 67, f. 12.
- rugifrons** Payk. Fauna Suec. I, 1798, p. 47. — Er. Käf. Mark Brandb. I, 1839, p. 678. — Mars. Mon. 1855, p. 721, t. 20, f. 155. — Thoms. Skand. Col. IV, 1862, p. 239. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 317. — Des Gozis, Rev. d'Ent. V, 1886, p. 178. — Fauv. Rev. d'Ent. V, 1886, p. 177. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 392. — Reitt. Fauna Germanica II, 1909, p. 294, t. 67, f. 14.
- metallicus* Hoffm. Ent. Hefte I, 1803, p. 81. — Payk. Mon. 1811, p. 67, t. 6, f. 3. — Steph. Ill. Brit. Ent. III, 1830, p. 156.
- semistriatus* Steph. l. c. 1830, p. 156.
- smaragdulus* Steph. Cat. 1829, p. 102.
- violaceus* Steph. Ill. Brit. Ent. III, 1830, p. 157.
- var. *subtilis* Schm. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 238; l. c. XXIX, 1885, p. 317.
- seminitens** Lec. New spec. Col. I, 1863, p. 61.
- sinae** Mars. Mon. 1862, p. 496, t. 17, f. 52.
- specularis** Mars. Mon. 1855, p. 704, t. 19, f. 142. — Bach, Stett. Ent. Zeit. XVII, 1856, p. 245. —

Mittelmeer-
länder

Corsica

Mittel-
Europa,
CaucasusNord- und
Mittel-
Europa,
Caucasus,
Sibirien

Europa

Nord-
Amerika
China,
Ceylon,
Australien
Mittel-
Europa,

- Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 315. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 391. — Reitt. Fauna Germanica II, 1909, p. 294.
- speculum** Schm. Wien. Ent. Zeit. III, 1884, p. 9. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 315. Süd-Rußland
- sphaeroides** Lec. Mon. 1845, p. 48, t. 6, f. 5. — Mars. Mon. 1855, p. 719, t. 20, f. 154. Nord-Amerika
- bigener* Lec. Mon. 1845, p. 15, t. 6, f. 3.
- spretulus** Er. in Klug, Jahrb. Ins. I, 1834, p. 192. — Mars. Mon. 1862, p. 486, t. 17, f. 43. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 311. — Schm. Hor. Soc. Ent. Ross. XXIV, 1890, p. 19. Spanien, Balkan-Halbinsel, Transcaspien
- fulvipes* Mars. Mon. 1855, p. 680, t. 19, f. 123. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 311.
- strigicollis** Schm. Horae Soc. Ent. Ross. XXIV, 1890, p. 17. Persien
- tigris** Mars. Mon. 1862, p. 483, t. 17, f. 41. Mesopotamien
- varians** Schm. Ent. Nachr. XVI, 1890, p. 55. — Lew. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 58. Japan, China, Ceylon, Australien
- vernulus** Blackb. Trans. Roy. Soc. S. Austral. XXXII, 1903, p. 108. Australien

Subgen. *Pachylopus* Er.

- Er. in Klug, Jahrb. Ins. I, 1834, p. 196. — Zimm. Trans. Amer. Ent. Soc. II, 1869, p. 253. — Schm. Bull. Soc. Ent. Fr. 1896, p. 205. — Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 2, t. 2, f. 8.
- crassipes** Er. in Klug, Jahrb. Ins. I, 1834, p. 195. — Mars. Mon. 1855, p. 717, t. 20, f. 152. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 316. — Des Gozis, Rev. d'Ent. V, 1886, p. 177. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 393. Frankreich, Spanien, Italien
- dimidiatus** Ill. Mag. VI, 1807, p. 41. — Mars. Mon. 1855, p. 730, t. 20, f. 162. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, t. 33, f. 161. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 317. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 393. Süd-Europa
- semiaeneus* Brullé, Expéd. Morée III, 1, 1832, p. 159, t. 36, f. 12.
- lobatus* Woll. Cat. Col. Canar. 1864, p. 178.
- var. *Hummleri* J. Müll. Wien. Ent. Zeit. XVIII, 1899, p. 154.
- dispar** Er. in Klug, Jahrb. Ins. I, 1834, p. 197, t. 2, f. 4. — Mars. Mon. 1856, p. 100, t. 3, f. 1. Capland
- gaudens** Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 165. — Horn. Syn. 1873, p. 345. Californien
- grossipes** Mars. Mon. 1855, p. 718, t. 20, f. 153. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 315. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 393. Süd-Europa
- Henoni** Schm. Bull. Soc. Ent. Fr. 1896, p. 206. Algier
- lepidulus** Broun, Man. N. Zealand Col. 1880, p. 166. Neu-Seeland
- maritimus** Steph. Ill. Brit. Ent. III, 1830, p. 155. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 317. West-Europa
- Ganglb. Käf. v. Mitteleur. III, 1899, p. 393.

- sabulosus* Fairm. Ann. Soc. Ent. Fr. (2) X, 1852, p. 688. — Mars. Mon. 1855, p. 714, t. 20, f. 150. — Lew. Ann. Mag. Nat. Hist. IV, 1899, p. 2, t. 2, f. 8.
- palmatu**s Say, Journ. Acad. Philad. V, 1825, p. 42. — Lec. Mon. 1845, p. 76, t. 6, f. 1. — Horn, Syn. 1873, p. 344. Nord-Amerika
- dimidiatipennis* Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 170. — Mars. Mon. 1855, p. 713, t. 20, f. 149.
- desertorum* Mars. Mon. 1855, p. 715, t. 20, f. 151; 1857, p. 442, t. 11, f. 88.
- deserticola* Mars. Mon. 1857, p. 443.
- pedator** Sharp. Ent. Monthly Mag. XII, 1876, p. 25. Neu-Seeland
- ripae** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 469. Japan
- Schulzei** Schm. Ent. Nachr. XIII, 1887, p. 355. Marocco
- serrulatus** Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 165. — Horn, Syn. 1873, p. 345. Nord-Amerika
- suleifrons** Mannerh. Bull. Mosc. XVI, 1843, II, p. 259. Californien
- Mars. Mon. 1856, p. 101, t. 3, f. 2.
- Theryi** Biekh. Ent. Blätt. VI, 1910, p. 225. Algier
- Schmidti* Théry, Bull. Soc. Ent. Fr. 1897, p. 67. 384

Styphrus Motsch.

Motsch. Bull. Moscou XVIII, 1845, I, p. 54. — Jacobson, Bull. Soc. Ent. Fr. 1910, p. 263.

Xenonychus Woll. Cat. Col. Canar. 1864, p. 179. — Schm. Ent. Nachr. XIII, 1887, p. 354. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 394. — Reitt. Fauna Germanica II, 1909, p. 290.

- altus** Lew. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 468. Ägypten
- bidens** Peyerimh. Bull. Soc. Ent. Fr. 1900, p. 202. Algier
- Chobauti** Théry, Bull. Soc. Ent. Fr. 1900, p. 32. „
- corpulentus** Motsch. Bull. Moscou XVIII, 1845, I, p. 54. Süd-Rußland
- Jacobson, Bull. Soc. Ent. Fr. 1910, p. 263.
- Akinini* Schm. Horae Soc. Ent. Ross. XXIV, 1890, p. 19.
- mimulus* Reitt. Wien. Ent. Zeit. XXIII, 1904, p. 29.
- laevideosis** Reitt. Ent. Blätt. VI, 1910, p. 13. Transkaspien
- tridens** Jacq. du Val, Ann. Soc. Ent. Fr. (2) X, 1852, p. 703. — Mars. Mon. 1855, p. 501, t. 19, f. 118. Mittelmeer-
- Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 309. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 394. gebiet
- ciliaris* Muls. et Rey, Ann. Soc. Linn. Lyon I, 1853, p. 73.
- serripes* Mars. Mon. 1855, p. 677, t. 19, f. 121; 1862, p. 482.
- fossor* Woll. Cat. Col. Canar. 1864, p. 181; Col. Atland. 1865, p. 167. — Schm. Ent. Nachr. XIII, 1887, p. 354.

Chelyoxenus Hubb.

Hubbard, Insect Life VI, 1894, p. 309.

xerobatis Hubb. Insect Life VI, 1894, p. 309, f. 19. Florida

1

Gnathonecus Jacq. du Val.

Jacq. du Val, Gen. Col. d'Eur. II, 1858, p. 112. — Thoms. Skand. Col. IX, 1867, p. 391. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 283. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 378. — Reitt. Fauna Germanica II, 1909, p. 290.

- brevisternus** Lew. Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 321. Yunnan
- communis** Mars. Mon. 1862, p. 501, t. 17, f. 4. Nord-Amerika
- rotundatus** Horn (nec Kugel.). Syn. 1873, p. 314. Tasmanien
- incisus** Er. Arch. Naturgesch. VIII, 1842, I, p. 152.
- incisisternus** Mars. Mon. 1862, p. 497, t. 17, f. 1.
- nidicola** Joy, Ent. Record Journ. Var. XIX, 1907, p. 133. Europa
- procerulus** Er. in Klug, Jahrb. Ins. I, 1834, p. 175. Ägypten
- rhodiorum** Mars. Mon. 1862, p. 502, t. 17, f. 5. Rhodos Ins.
- ripicola** Mars. Ann. Soc. Ent. Belg. XIII, 1870, p. 118. Australien
- rotundatus** Kug. in Schneid. Mag. 1792, p. 304. — Er. Käf. Mark Brandb. I, 1839, p. 675. — Mars. Mon. 1855, p. 503, t. 19, f. 119. — Thoms. Skand. Col. IV, 1862, p. 242. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 317. — Fauv. Rev. d'Ent. XIV, 1895, p. 105. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 379. — Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 2, f. 4. — Reitt. Fauna Germanica II, 1909, p. 291. Nördliche Hemisphäre
- punctatus** Payk. Fn. Suec. I, 1798, p. 49.
- conjugatus** Ill. Mag. VI, 1807, p. 42.
- deletus** Lec. Boston Journ. V, 1845, p. 74, t. 5, f. 11.
- interceptus** Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 166, 216. — Horn, Syn. 1873, p. 314.
- nannetensis** Mars. Mon. 1862, p. 499, t. 17, f. 2. — Reitt. Ent. Nachr. XXII, 1896, p. 308. — Lew. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 2, f. 5.
- ignobilis** Woll. Cat. Col. Canar. 1864, p. 173. — Schm. Abeille XXVIII, 1895, p. 177.
- Wollastoni** Mars. Abeille I, 1864, p. 353.
- quadristriatus** (*Tribalus*) Woll. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 310. — Lew. Wien. Ent. Zeit. V, 1886, p. 280.
- var. **Schmidtii** Reitt. Wien. Ent. Zeit. XIII, 1894, p. 239 und 307. Rußland
- var. **punctator** Reitt. l. c. p. 307. Caucasus
- var. **urganensis** Reitt. l. c. p. 307. Mongolei
- var. **Potanini** Reitt. l. c. p. 308. China
- var. **suturalis** Ganglb. Käf. v. Mitteleur. III, 1899, p. 380. Oesterreich
- var. **suturifer** Reitt. Wien. Ent. Zeit. XIII, 1894, p. 308. Caucasus
- var. **punctulatus** Thoms. Skand. Col. IV, 1862, p. 242. Europa, Nord-Asien

- disjunctus* Solsky, Fedtsch. Reise Turkest. II, 1876, p. 242. — Reitt. Ent. Nachr. XXII, 1896, p. 307.
 var. *subsuturalis* Reitt. Ent. Nachr. XXII, 1896, p. 307. Dalmatien
 var. *pygidialis* Ganglb. Käf. v. Mitteleur. III, 1899, p. 380. Italien
 Biologie: Joy, Trans. Ent. Soc. Lond. 1906, p. 72—74. — Gerh. Ent. Blätt. V, 1909, p. 130.
Severini Lew. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 214. Indien

9

Myrmetes Mars.

Mars. Mon. 1862, p. 511. — Thoms. Skand. Col. IX, 1867, p. 402. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 283. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 378. — Reitt. Fauna Germanica II, 1909, p. 290.

- piceus** Payk. Mon. 1811, p. 81, t. 7, f. 7. — Er. Käf. Europa
 Mark Brandb. I, 1839, p. 676. — Mars. Mon. 1855, p. 505, t. 19, f. 120; 1862, p. 515, t. 17, f. 1. — Jacq. du Val, Gen. Col. d'Eur. II, 1858, t. 32, f. 158. — Thoms. Skand. Col. IV, 1862, p. 243. — Schm. Berl. Ent. Zeitschr. XXIX, 1885, p. 318. — Ganglb. Käf. v. Mitteleur. III, 1899, p. 378. — Reitt. Fauna Germanica II, 1909, p. 290, t. 67, f. 4.

1

 2420

Index.

Genera, Subgenera.

Abbotia Leach 19
Abraeodes Reitt. 85
Abraeomorphus Reitt. 85
Abraeus Leach 83
Acritus Lec. 86, 87
Aeletes Horn 86
Althanus Lew. 26
Anaglymma Lew. 69
Anapleus Horn 83
Apobletes Mars. 16
Asolenus Lew. 55
Atholister Reitt. 53
Atholus Thoms. 53
Aulacosternus Mars. 15

Bacanius Lec. 85
Baconia Lew. 18
Bostrichus F. 9
Byzenia King 78

Cachexia Lew. 78
Caerosternus Lec. 67
Campylorhabdus Schm. 35
Carcinops Mars. 59, 60
Carcinus Mars. 59
Chalcurgus Kolbe 14
Chelonosternus Bickh. 74
Chelyocephalus Schm. 72
Chelyoxenus Hubb. 108
Chlamydopsis Westw. 78
Coelocraera Mars. 70
Colonides Schm. 81
Contipus Mars. 36
Coproxenus Lew. 70
Coptochilus Rey 37
Coptostethus Lew. 10
Coptotrophis Lew. 10
Cornillus Lew. 34
Coryphaeus Mars. 68
Crypturus Mars. 32
Cylistix Mars. 26

Cylistosoma Lew. 24
Cylistus Mars. 26
Cypturus Er. 32

Dendrophilopsis Schm. 65
Dendrophilus Leach 64
Diaphorus Mars. 16
Dimalus Mars. 3
Dimerocerus Coquer. 75
Diplogrammicus Lew. 34
Discooscelis Schm. 72

Eblisia Lew. 28
Ebonius Lew. 34
Echinodes Zimm. 73
Enicosoma Lew. 71
Epiechinus Lew. 81
Epierus Er. 56
Epiglyptus Lew. 56
Epitoxus Lew. 69
Eretmotes Schm. 75
Eretmotus Mars. 75
Eubrachium Woll. 83
Eucalohister Reitt. 52
Eucleasea Lew. 73
Eudiplister Reitt. 39
Eugrammicus Lew. 35
Euspilotus Lew. 89
Eutidium Lew. 4
Eutripus Woll. 61
Exorhabdus Lew. 36
Exosternus Lew. 68

Glymma Mars. 81
Gnathoneus Jacq. du Val 108
Grammostethus Lew. 52

Halacritus Schm. 86
Hesperodromus Schm. 74
Hetaeriodes Schm. 71
Hetaeriomorphus Schm. 71

Hetaeriosoma Schm. 71
 Hetaerius Er. 76
Heterognathus Rey 37
 Hister L. 35, 39
 Hololepta Payk. 4
 Homalister Reitt. 58
 Homalopygus Boh. 71
 Hypobletus Schm. 18
 Hypocaccus Thoms. 102
 Hyposolenus Lew. 15

Idister Mars. 26
 Idolia Lew. 67
 Isolomalus Lew. 63

Kissister Mars. 59

Lioderma Mars. 7
Lionota Mars. 7
 Liopygus Lew. 18
 Lissosternus Lew. 70

Macrolister Lew. 37
 Macrosternus Mars. 16
 Margarinotus Mars. 56
Marseulia Péring. 68
 Mecistostethus Mars. 78
 Megaloceraerus Lew. 26
 Melanotaerius Fall 76
 Mendelius Lew. 28
 Merohister Reitt. 39
 Microhister Lew. 56
 Microlomalus Lew. 64
 Monoplius Mars. 68
 Murexus Lew. 79
 Myrmetes Mars. 109

Nagelius Lew. 35
Neosaprinus Bickh. 89
 Notocoelis Lew. 72
 Notodoma Mars. 70
 Notolister Lew. 55

Onalodes Er. 32
 Onthophilus Leach 79
 Operclipygus Mars. 26
 Orectoscelis Lew. 78
 Orphinium Lew. 4
 Oxysternus Er. 8

Pachyeraerus Mars. 26
 Pachylister Lew. 37
 Pachylomalus Schm. 61
 Pachylopus Er. 106
Pactolinus Motsch. 44
 Paratropus Gerst. 74
 Paromalus Er. 61
 Pelorurus Mars. 69

Pelorus Mars. 69
 Peptoglyptus Lec. 78
 Peranus Lew. 53
 Petalosoma Lew. 4
 Phelister Mars. 28, 29
 Phoxonotus Mars. 71
 Phylloma Er. 4
Phylloscelis Mars. 74
 Placodes Er. 15
 Plaesius Er. 14
 Platylister Lew. 19
 Platysoma Leach 19, 20
 Plegaderus Er. 81
 Probolosternus Lew. 68
 Psiloscelis Mars. 34
Pygocoelis Lew. 10

Renia Lew. 72
 Reninus Lew. 72
 Rhypochares Mars. 32

Santalus Lew. 36
 Saprinocae Lew. 89
 Saprinus Er. 89, 90
 Satrapes Schm. 75
Saulister Péring. 68
 Scapicoelis Mars. 72
 Scapomegas Mars. 70
 Silinus Lew. 20
 Sitalia Lew. 74
 Spathochus Mars. 68
 Sphaericosoma Mars. 67
Sphaerosoma Mars. 67
 Sphyracus Mars. 34
 Spilodiscus Lew. 38
 Stenotrophis Lew. 28
 Sternaulax Mars. 15
 Sternocoelis Lew. 76
 Stictostix Mars. 59
 Styphrus Motsch. 107
 Synodites Schm. 73

Teinotarsus Mars. 35
 Terapus Mars. 79
 Teratosoma Lew. 79
 Teretriosoma Horn 12
 Teretrius Er. 13
 Termitoxenus Schm. 74
 Tribalister Horn 67
 Triballodes Schm. 67
Triballus Gemm. et Har. 65
 Tribalus Er. 65
 Trichoreninus Lew. 73
 Trypanaeus Eschsch. 9
 Trypeticus Mars. 11
 Trypobius Schm. 10
Tryponaeus Er. 9
 Tylois Mars. 71

Ulkeus Horn 73

Xenonychus Woll. 107

Xestipyge Mars. 58

Xiphonotus Mars. 11

Xylonaeus Lew. 10

Zabromorphus Lew. 39

Species, Varietates.

- abbreviatus* F. 39
abhorrens Schm. 36
abrogatus Broun 56
abruptus Er. 19
abyssinicum Lew. 20
abyssinicus Mars. 40
acaciae Reitt. 13
acaroides Mars. 87
acceptus Mars. 65
acicularis Fauv. 83
aciculatus Schm. (Synod.) 73
aciculatus Lec. (Acrit.) 87
acilinea Mars. 90
acinus Mars. 87
acistrigus Mars. 61
acoposternus Mars. 29
acridens Schm. 90
acritoides Reitt. 67
aculeatus Lew. 10
acuminatus Cas. (Bacan.) 85
acuminatus Schm. (Hister) 40
acuminatus F. (Saprin.) 99
acupictus Mars. 87
acutangulus Lew. 76
acutipectum Lew. 7
addendus Schm. 63
adjectus Mars. 40
adonis Mars. 81
aduncus Schm. 29
aegialis Reitt. 90
aegyptiacus Mars. 90
aemulator Péring. 68
aemulus Ill. 102
aemulus Mars. 103
aeneicollis Mars. 90
aeneomicans Horn 29
aeneolus Mars. 90
aeneopunctatus Horn 102
aeneovirens Schm. 90
aenescens Er. 32
aeneus F. (Saprinus) 90
aeneus Lew. (Hister) 36
aqua Lew. 6
aequalis Say (Paromalus) 61
aequalis Walker (Saprinus) 90
aequatorius Lew. 34
aequatorius Mars. 40
aequatus Lew. 71
aequipunctatus Horn 90
aequistrius Mars. 53
aequum Lec. 20
aerarius Lew. 90
aeratus Er. (Saprin.) 90
aeratus Lew. (Exost.) 68
aeratus Lew. (Saprin.) 90
aestivus Lew. 14
aethiops Lew. (Tripob.) 10
aethiops Heer (Hister) 48
afer Payk. 36
affinis Lec. (Parom.) 64
affinis Lec. (Phelist.) 29
affinis Redt. (Onthoph.) 79
affinis Schm. (Apobl.) 16
affinis Gerh. (Acrit.) 88
affinis Payk. (Saprin.) 92
afra Lew. 69
africanæ Lew. 4
africanum Lew. 20
africanus Lew. (Hister) 36
africanus Lew. (Probolost.) 68
africanus Lew. (Pygoc.) 10
africus Lew. 13
afrum Lew. 12
agnatus Lew. 40
agrestis Mars. 65
aino Lew. 46
ainu Lew. 102
Akinini Schm. 107
Alberti Mars. 56
Albertisi Gestro 11
Alexandri Mars. 20
Alfieri Pic 13
algarum Schm. 86
algericus Payk. 90
algericum Luc. 20
alienus Lec. 91
alligans Mars. 4
Alluaudi Mars. (Pachycr.) 26
Alluaudi Schm. (Acrit.) 87
Alluaudi Schm. (Parom.) 61
almeidae Lew. 16
alternatus Say 79
alticola Schm. 29
altilis Lew. 74
altus Lew. 107
alutaceus Mars. 56
amabilis Mars. 9
amandus Schm. 56
amazoniae Lew. 72
amazonius Mars. 32
ambigena Lec. 40
ambiguus Schm. 85

- americanum Lec. (Teretr.) 12
 americanus Lec. (Caerost.) 67
 americanus Payk. (Hister) 53
 amethystinus Lew. (Saprin.) 91
 amethystinus Mars. (Pachycr.) 27
 amnicola Lew. (Homalop.) 71
 amnicola Lew. (Tribalus) 65
 amoenulus Fährs. 91
 amoenus Er. 102
 amphibius Mars. (Apobl.) 16
 amphibius Mars. (Phelist.) 29
 amphystrius Mars. 40
ampticollis Er. 51
 amplistrius Schm. 29
 ampullaceus Lew. 9
 amurensis Reitt. 5
 analis Lec. 87
 anceps Schm. 16
 andaiensis Gestro 11
andalusius Mars. 103
 andamanensis Lew. 19
 andicola Schm. 5
 Andrewesi Lew. (Liopygus) 18
 Andrewesi Lew. (Pachylom.) 61
 angolae Lew. 68
 angolensis Lew. 16
 angoniensis Lew. 36
 angulare Lew. 4
 angularis Schm. 56
 angulatus F. (Omalodes) 32
 angulatus Payk. (Omalodes) 33
 angulosus Schm. (Bacan.) 85
 angulosus Woll. (Hypocaccus) 102
 angustatum Hoffm. (Cylistosoma) 24
 angustatum Payk. (Cylistosoma) 25
 angustatus Lew. 10
 angustus Schm. 29
 Anjubaulti Mars. 34
 annellus Lew. 61
 antennata Lew. 67
 anthracinus Lew. (Paratr.) 74
 anthracinus Mars. (Omalodes) 32
 antillarum Mars. 56
antiquulus Ill. 105
 aoudicus Mars. 40
apicalis Fairm. 55
apicatus Schrank 53
 apis Mars. 39
 appendiculatus Schm. 16
approximans Fairm. 75
 apricarius Er. 102
 aptistrius Lew. 74
 arabicus Lew. (Pachycr.) 27
 arabicus Mars. (Hister) 46
 arachidarum Mars. 104
 arachnoides Fairm. 77
 aradiformis Er. 5
 arboreus Lew. 81
 arcatus Lew. 40
 arcifera Mars. 5
 arciger Mars. 56
 arcipygus Schm. 91
 arcitenens Mars. 5
 arcuata Lew. 5
 arcuatus Lew. (Platylister) 19
 arcuatus Say (Spilod.) 38
 arcuatus Kolen. (Hister) 51
 arcuatus Roth (Macrol.) 37
 archavaletae Mars. 72
 arenarius Mars. 105
 arenicola Thoms. 43
 areolatus Schm. (Omalodes) 32
 areolatus Fährs. (Saprin.) 91
 areolatus Reitt. (Abraeus) 83
 areolifer Mars. 40
 argentinae Lew. 72
 argentinum Lew. 12
 argentinus Mars. 91
 Ariasi Mars. 39
 arizonae Horn 39
 arizoniae Horn 87
 arquata Lew. 60
 arrogans Mars. 91
 artensis Mars. 91
 aruensis Mars. 16
 Arzei Mars. 29
 ascaphus Mars. 66
 aschanti Schm. 40
 asiatica Lew. 26
 asoka Lew. 40
 asper Lew. (Hypocaccus) 102
 asper Schm. (Rhypoch.) 32
 asperimargo Lew. 14
 aspernatus Mars. 99
asphaltinus Hochh. 100
 assamense Lew. 20
 assamensis Lew. (Cypturus) 32
 assamensis Mars. (Hister) 40
 assimilis Payk. 91
 assinius Mars. 27
 ater M'Leay 91
 aterrimus Er. 91
 atlantidis Schm. 91
 atomarius Aubé (Acritus) 86
 atomarius Sharp (Bacan.) 85
 atomulus Mars. 87
 atomus Lec. 87
 atramentarius Suffr. 43
 atrata Lew. 60
 atratus Er. (Platylister) 19
 atratus Lew. (Pachycr.) 27
 atricolor Lew. 53
 atrocyanus Schm. 91
 atronitidis Blanch. 91
 attenuata Blanch. (Hololepta) 5
 attenuata Lec. (Cylistix) 26
 atticus Schm. 45
 Aubei Mars. 24

- auctus Mars. (*Acritus*) 87
 auctus Schm. (*Saprin.*) 91
 audax Cas. 91
 aureoliferum Mars. 20
 aurelianum Horn 20
 auricollis Mars. 91
 aurifer Mars. 70
 auritus Mars. 70
 australasiae Blackb. 91
 australica Mars. 5
 australis Boisd. (*Saprin.*) 91
 australis Lew. (*Teretr.*) 13
 australis M'Leay (*Abraeus*) 83
 axillaris Mars. 56
 azureus Mars. 91
 azureus Sahlb. 91
- Baberii Lew. 53
 Baconi Mars. 40
 bahiense Mars. 4
 bahiensis Lew. 40
 Bakewelli Mars. 21
 balearicus Schauf. 88
 baliolum Lew. 21
 Balzani Schm. 29
 bandae Lew. 20
 Barani Mars. 82
 Barbelini Mars. 82
 barbipes Mars. 104
 basale Lec. 21
 basalis Fairm. (*Saprinus*) 91
 basalis Lec. (*Aeletes*) 86
 basalis Lew. (*Teretrius*) 13
 batchiana Mars. 6
 Baudii Schm. 91
 Baulnyi Mars. 5
 beatulus Lew. 92
 Beccarii Mars. 56
 Bedeli Lew. (*Eretmotus*) 75
 Bedeli Lew. (*Sternocoelis*) 77
 beduinus Mars. 93
 Behrensi Horn 92
 Belfragei Lec. 78
 belioculus Mars. 92
 bellator Lew. 10
 Belli Lew. 40
 bellicus Mars. 40
 bellula Mars. 60
 bellulus Lew. 27
 Belti Lew. 5
 bengalensis Lew. (*Cypturus*) 32
 bengalensis Lew. (*Hyposolenus*) 15
 bengalensis Wiedem. (*Pachylister*) 37
 Berardi Desbr. 43
 betulinum Hochh. 22
 Beyer Schaeff. 5
 biarculus Mars. 61
- bicarinatus Lew. (*Terapus*) 79
 bicarinatus Lew. (*Tribalus*) 66
 bicaudatus Mars. 10
 bicinctus Mars. 63
 bicirculus Mars. 92
 Bickhardti Reitt. (*Hister*) 40
 Bickhardti Reitt. (*Onthoph.*) 80
 bicolor F. 92
 bidens Peyerimhoff 107
 bidentata Mars. 5
 bidessois Mars. 29
 bifidus Lew. (*Xylonaeus*) 10
 bifidus Say (*Hister*) 39
 bifossopygum Mars. 21
 bifoveolatus Lew. (*Trypet.*) 11
 bifoveolatus Mars. (*Omal.*) 32
 bifrons Mars. 53
 bigemmeus Lec. 102
 bigener Lec. 106
 biguttatum Lew. 12
 biguttatus Steven 92
 biimpressum Schm. 21
 bilateralis Motsch. 96
 bilineatus Mars. 63
 bimaculatus Er. (*Trypan.*) 9
 bimaculatus L. (*Peranus*) 53
 binaevulus Reitt. 103
 binodulus Lew. 34
 binotatus Er. 52
 bipartitus Lew. (*Acritus*) 87
 bipartitus Lew. (*Epiechin.*) 81
 bipartitus Mars. (*Saprin.*) 93
 biplagiatus Ball. (*Saprin.*) 92
 biplagiatus Lec. (*Spilodiscus*) 38
 bipulvinatus Mars. 29
 bipunctatum Lew. 24
 bipunctatus Payk. 40
 bipustulatu F. (*Trypan.*) 9
 bipustulatus Schrank (*Hister*) 40
 bipustulatus F. (*Peranus*) 53
 birmanum Mars. 21
 birmanus Lew. 81
 bisbistriatus Mars. 56
 biseissus Mars. 56
 biseriata Schm. 59
 bisignatus Er. 89
 bisinuatus Schm. 14
 biskrensis Mars. 103
 Bismarcki Lew. 40
 bispinus Mars. 9
 bisquinqwestriatus Germ. 40
 bissexstriatus F. 40
 bissexstriatus Duft. 54
 bistriatus Er. (*Isolom.*) 63
 bistriatus Mars. (*Isolom.*) 63
 bistrigifrons Mars. 103
 bisulcifrons Mars. 10
 biterrensis Mars. 91
 Blanchardi Lec. (*Hetaer.*) 76

Blanchardi Mars. (Euspil.) 89
 Blanchei Mars. 92
 Blandfordi Lew. 69
 blandus Er. 92
 Blissoni Mars. 92
 Bocandei Mars. 27
 bogotana Mars. 5
 Bohemani Mars. 92
 boleti Lew. (Hister) 40
 boleti Lew. (Paratr.) 74
 Colivianus Mars. 40
 Bolteri Lec. 83
 bomba Mars. 66
 bombacis Lew. 11
bonariensis Mars. 97
 Bonnairi Fairm. (Saprinus) 92
 Bonnairi Schm. (Sternocoelis) 77
 Bonvouloiri Mars. 19
 bonzius Mars. 83
borealis Lec. 33
 borneolus Mars. 19
 boudista Mars. 92
 bovinus Mars. 29
 bractea Er. 5
 Braganzæ Lew. 13
 brahmani Lew. 21
 brahminius Lew. 40
 brahminus Mars. 103
 brasilianus Mars. 32
brasiliensis Payk. 102
 Braunsi Lew. (Monop.) 68
 Braunsi Lew. (Placod.) 15
 Brenskei Reitt. 92
 breve Schm. 21
breviculus Mars. 9
 brevimargo Schm. 21
 brevipennis Lew. 14
 brevipes Lew. 61
 brevisternus Lew. (Gnathoneus) 108
 brevisternus Mars. (Acetes) 86
 brevisternus Schm. (Omalod.) 32
 brevistriatum Lew. 21
 brevistrius Lew. (Probolost.) 68
 brevistrius Mars. (Phelister) 29
 breviusculus Fährs. 69
breviusculus Rey (Hister) 41
 Bruchi Lew. 40
 bruchoides Mars. 69
 brunneipennis Rand. 76
brunnensis Fleisch. 100
 brunneus Broun (Abraeus) 84
brunneus Herbst. (Hister) 47
brunneus Illig. (Hister) 41
brunneus Lew. (Teret.) 14
 brunnipennis Mars. 56
 brunnipes Er. 41
 brunnivestis Mars. 92
 bullatum Mars. 70
 bullatus Lew. (Cornillus) 34

bullatus Lew. (Hister) 41
 Buqueti Mars. 92
 Burmeisteri Mars. 27
 cacti Lec. 7
 cadaverinus Hoffm. 41
 caelator Cas. 87
 caesariensis Lew. 75
 caesopygus Mars. 92
 caesus Herbst (Plegaderus) 81
caesus Payk. (Eubrachiium) 83
 caffer Er. (Pachylister) 38
 caffer Er. (Placodes) 15
caffer Fährs. (Pachylister) 38
 caffrum Er. 7
 calabaricus Mars. 41
calatravensis Fuente 103
 caledoniae Fauv. 16
 calidus Er. 41
 californica Horn 59
 californicus Horn (Dendroph.) 65
 californicus Horn (Hetaer.) 76
 californicus Mars. (Hister) 41
californicus Mannerh. (Saprin.) 96
caliginosus Steph. 40
 cambodjensis Mars. 19
 campechianus Mars. 92
 canalicollis Lew. (Hololepta) 5
 canalicollis Mars. (Platylister) 19
 canaliculata Lew. (Hololepta) 5
 canaliculata Schm. (Discoscelis) 72
 canalis Lew. (Phelister) 29
canalis Mars. (Phelister) 29
 canalisticus Mars. 92
 canariensis Woll. 41
 cancer Lew. 77
 Candezei Mars. 81
 capense Wiedem. 21
 capensis Lew. (Phelister) 29
 capensis Payk. (Tribalus) 66
 capicola Mars. 41
 capito Thoms. 27
 caracasica Mars. 5
 caramanus Mars. 53
 carbonarius Ill. 41
 Cardoni Lew. (Anagl.) 69
 Cardoni Lew. (Phelister) 29
 carinaerostris Mars. 9
 carinatus Lew. (Eretm.) 75
 carinatus Lew. (Pelorusus) 69
 carinatus Lew. (Phelister) 29
 cariniceps Lew. 27
 carinicolis Lew. 35
 carinifrons Schm. 29
 carinistrius Lew. 29
 carnaticus Lew. 41
 carolinum Payk. 21
carthagenus Mars. 10

- castaneus* Lew. (Hister) 41
castaneus Lew. (Paratr.) 74
castaneus Ménétr. (Hister) 50
castaneus Lew. (Tribal.) 66
castanipes Curtis (Saprin.) 92
castanipes Mars. (Platysoma) 21
castanipes Steph. (Hister) 40
castanipes Steph. (Hister) 47
Castelnaudi Mars. 35
castus Lew. 41
Cathayi Lew. 19
catenarius Lew. 66
catenatus Lew. 55
caucasicus Reitt. 80
caudicallus Lew. 5
causticus Mars. 63
Cavalieri Mars. 92
cavatus Lew. 18
cavernicola Lew. 66
cavernosus Schm. 72
cavifrons Lew. (Apobl.) 16
cavifrons Mars. (Hister) 41
cavifrons Lew. (Homalop.) 71
cavifrons Lew. (Stenotr.) 28
cavifrons Lew. (Teretrios.) 12
cavifrons Leoni (Platys.) 22
cavipyga Lew. 28
caviscutus Mars. 56
cavisternum Lew. 60 ~~77~~
cayennensis Mars. 5
celatum Lew. 21
celebia Mars. 23
centenarium Lew. 12
cephallenicus K. Dan. 48
ceramicola Mars. 19
cerdo Mars. 7
certus Lew. 92
ceylanicus Motsch. 61
ceylanus Mars. 38
ceylonicum Motsch. 22
Chabrillaci Mars. 27
chaleis Lew. 18
chalcites Ill. 92
chalybaeum Horn 12
chalybaeus Fährs. 27
Championi Lew. 65
Chapadae Lew. (Omalodes) 33
Chapadae Lew. (Phelister) 29
Charrali Mars. 19
chelonites Lew. 74
Chevolati Mars. 11
chilense Redt. 30
chilensis Mars. (Saprinus) 92
chilensis Reed (Lioderma) 7
chilicola Mars. 29
chinense Lew. 24
chinensis Quens. 38
chlorites Lew. 27
choaspites Lew. 18
Chobauti Théry (Hetaerius) 76
Chobauti Théry (Styphrus) 107
Christophi Reitt. 41
cicatricosus Reitt. 80
ciliaris Muls. et Rey 107
ciliatus Lew. (Hister) 42
ciliatus Lec. (Saprinus) 92
cimex Mars. 7
cinctipygus Lew. (Atholus) 53
cinctipygus Mars. (Trypeticus) 11
cingulidens Mars. 87
cingulum Lew. 12
cinnamomeum White 21
circularis Lew. (Hister) 42
circularis Mars. (Anagl.) 69
circulifrons Mars. 69
circulus Schm. 42
cirtensis Lew. 75
civilis Lec. 42
clariense Mars. 21
clarulus Reitt. 87
claudum Mars. 7
clavis Mars. 61
clavulus Lew. 33
Clermonti Bickh. 41
coalescens Lew. 53
coarctatum Lec. 24
cochinchinae Schm. 53
coelestis Mars. 53
coenosus Er. 42
coeruleatus Lew. (Pachycr.) 27
coeruleatus Lew. (Saprin.) 92
coerulescens Lec. (Saprin.) 92
coerulescens Hoffm. (Saprin.) 99
cognatum Sharp 21
cognatus Lec. 42
cohaeres Lew. 84
Colensoi Lew. 37
collaris Mars. 60
collumellare Lew. 24
colombiae Lew. (Trypanaeus) 9
colombiae Lew. (Phelister) 29
colombiana Mars. 5
colombius Mars. 66
colonicus Lew. 42
columbicus Kirsch 89
columellaris Lew. 10
comata Blackb. 78
comes Mars. 19
commeatus Lew. 61
commensalis Lew. 72
communis Mars. 108
Comonforti Mars. 82
comosellus Fairm. 77
compactus Cas. 83
complanata Pal. Beauv. 5
complanatus Panz. 62
completum Mars. 21
completus Gerst. (Pachycr.) 27

- completus Schm. (Phelister) 29
 complexus Cas. 63
 compressum Hbst. 21
compressus Desbr. 50
 comptus Ill. 56
 concentricus Mars. (Isolomal.) 63
 concentricus Sharp (Aeletes) 87
 concinnus Motsch. 92
 concolor Lew. 42
 concordans Mars. 54
 conditum Mars. 21
 condolens Mars. 93
 conductus Mars. 42
 confector Lew. 42
 confinis Er. 54
 conformis Er. (Atholus) 54
 conformis Lec. (Saprin.) 93
conformis Lec. (Acrit.) 89
 Confucii Mars. 21
 confusaneus Mars. 29
 confusum Mars. 7
 confusus Blackb. 85
 congener Schm. 38
 congonis Lew. (Anagl.) 69
 congonis Lew. (Hister) 42
 congonis Lew. (Paratrop.) 74
 congonis Schm. (Pachycr.) 27
 congruens Mars. 36
 conicicollis Mars. 33
 conigerum Lew. 12
 conilabris Schm. 38
conjugatus Ill. 108
 conjunctum Say 58
 jungens Payk. 103
 connectens Lew. (Apobl.) 16
 connectens Payk. (Saprin.) 93
 connexum Fauv. 21
 conquisitus Lew. 29
 consanguineus Mars. 33
consimilis Walk. 96
 consobrina Lew. 69
 consobrinus Aubé (Bacan.) 85
 consobrinus Fall (Hypocaccus) 103
 consors Horn (Plegaderus) 82
 consors Lec. (Carcinops) 60
 consputus Mars. 103
 constrictum Lew. 25
 contaminatus K. Dan. 48
 contemptus Mars. 42
 contiguum Mars. 22
 contractus Cas. 93
 contritum Mars. 25
 contusus Mars. 29
 convergens Schm. 85
 convexa Lew. 28
 convexus Mars. (Isolom.) 63
 convexus Reitt. (Abraeus) 84
 convexiusculum M'Leay 22
 convexiusculus Mars. 93
Cooperi Steph. 65
 Copei Horn 93
 coproides Mars. 57
 coprophilus Reiche 42
Coquereli Mars. 47
 coracinus Er. 42
 corax Mars. 42
cordicalis Lec. 61
 cordipygus Mars. 63
 cornifrons Lew. 9
 cornix Mars. 25
 cornutus Cas. 57
 coronatus Lew. (Microl.) 56
 coronatus Mars. (Hister) 42
corpuscula Mars. 59
 corpulentus Lew. (Eretm.) 75
 corpulentus Lew. (Tribalus) 66
 corpulentus Motsch. (Styphrus) 107
 corpusculus Lew. 87
 correctus Mars. 16
 corrosa Cas. 34
corsicus Mars. 105
 corticale F. 4
 corticalis Lew. (Apobl.) 16
 corticalis Woll. (Teretr.) 13
corticalis Lec. (Carcinops) 61
corticalis Payk. (Dendroph.) 65
 corvinus Germ. 54
corvinus Zimmerm. 49
 corycaeus Lew. 69
 corylophoides Lew. 66
 cossyphus Mars. 15
 costatus Mars. (Epigl.) 56
 costatus Kiesw. (Onthoph.) 79
 costulatus Mars. (Onthoph.) 79
 costifera Mars. 70
 costipennis Fährs. (Epiech.) 81
 costipennis Lew. (Pelor.) 70
 Coyei Mars. 68
 crassipes Er. 106
 crassus Schm. 11
 Cregoei Lew. 70
 crenatifrons Lew. 53
 crenatipennis Bickh. 42
 crenatipes Sol. 90
 crenatus Lew. 29
crenicollis Flach 40
 crenulata Lew. 69
 crenulatus Broun (Epierus) 57
 crenulatus Lew. (Hister) 36
cribellaticollis Jacq. du Val 103
 cribellatus Mars. 93
cribellatus Mars. 102
 cribratus Cas. 82
cribripennis Mars. 87
 cribrropygum Mars. 22
 cribrum Cas. 93
 cribrurus Mars. 42
 cristatum Lew. 12

- criticus* Mars. 42
cruciatus F. 93
eruentus Er. 42
cubaecola Mars. 93
cubensis Er. 5
cumanensis Mars. 29
cupratus Kol. 93
cupreus Er. 93
cuprina Mars. 60
currax Mars. 59
curta Mars. 5
curtatus Lec. 42
curtulus Fährs. 84
curtus Rosh. 103
curvatus Er. 42
cyanellus Mars. 93
cyaneocupreus Mars. 93
cyanescens Er. 27
cyaneum Lew. 12
cyaneus F. (Saprin.) 93
cyaneus Kolbe (Chalcurg.) 14
cyaneus Er. (Saprin.) 91
cyaneus Payk. (Saprin.) 99
cyaneus Rossi (Saprin.) 91
cyanipennis Fährs. 27
cyclonotus Lew. (Tribalus) 66
cyclonotus Mars. (Abraeus) 84
cylindraceus Lew. 10
cylindrica Payk. 26
cylindricum Woll. 12
cylindricus Lew. 27
cylindroides Mars. 25
Czikanni Csiki 49
- daedalus* Lew. 74
dahdah Mars. 22
Dalaunayi Lew. 57
Daldorffi Bedel 53
dalmatinum Küst. 25
daugar Mars. 29
Dauphini Lew. 42
dauricus Mars. 43
debellatus Lew. 37
debile Mars. 22
debilis Lec. 63
debilitans Cas. 85
decemstriatum Thoms. (Platys.) 22
decemstriatus Motsch. (Liopyg.) 18
decemstriatus Rossi (Hypocacc.) 103
decipiens Horn (Echinodes) 73
decipiens Schm. (Platysoma) 22
decipiens Lec. (Epierus) 58
decisus Lec. 42
decollatus Roth. 42
decoratus Er. 90
defectus Lec. 42
deflexus Lew. 39
delatum Baudi 22
- deletus* Lec. 108
delicatulula Fährs. 60
delicatum Lew. 22
delta Mars. 93
densatus Schm. 19
dentipes Lew. (Hister) 54
dentipes Mars. (Hypocaccus) 103
Denysi Mars. 42
depistor Mars. 53
deplanatum Gyll. 22
depressa Lew. 5
depressisternus Mars. 33
depressum Lec. 22
depressum F. 21
depurator Say 42
derasus Schm. 62
Desbrochersi Senac 49
deserticola Mars. 107
desertorum Mars. 107
desidiosus Mars. 27
desinens Walk. 22
despectus Mars. 62
detersus Ill. 93
detractus Cas. 94
detritus Schun. (Synodites) 73
detritus Rossi (Saprinus) 93
devium Mars. 7
devius Lec. (Epierus) 57
devius Lew. (Euspilotes) 90
Deyrollei Mars. 10
diadema Mars. 42
dichrous Lew. 90
didymostrius Mars. 35
didymus Mars. 63
difficile Schm. 16
difficilis Horn 63
diffusus Schm. 19
digitatus Mars. (Contipus) 36
digitatus Woll. (Paromalus) 62
dilatata Schm. 5
dimidiatipennis Lec. 107
dimidiatus Ill. 106
diopsipygus Mars. 18
diptychus Mars. 94
directum Lew. 25
discisus Er. 82
discoidalis Lec. 94
discordans Mars. 28
discors Lec. 94
discrepans Mars. 22
discus Lec. 87
disjunctus Mars. (Hypocaccus) 103
disjunctus Solsky (Gnathoneus) 109
disnexus Schm. 94
dispar Er. (Pachylopus) 106
dispar Lec. (Hister) 42
disparile Lew. 22
dissectus Er. 82
dissidens Péring. 68

dissimilis Motsch. 19
dissonans Mars. 12
distans Fisch. 43
distinctum Schm. 22
distinctus Er. (Hister) 43
distinctus Lew. (Teretrius) 13
distinguendus Schm. (Hister) 43
distinguendus Mars. (Saprinus) 97
distorsus Ill. 38
distractus Schm. 29
divaricatus Lew. 63
divergens Schm. 29
diversicollis Schm. 27
diversifrons Schm. 43
dives Mars. 29
divisus Mars. 57
Doddi Blackb. 13
Dohertyi Lew. 11
Dohrni Mars. 23
dolatus Mars. 94
dominicana Mars. 60
dorcoides Lew. 7
Doriae Lew. (Platylister) 19
Doriae Mars. (Tribalus) 66
dorsale Lew. 22
Drakei Schm. (Synodites) 73
Drakei Schm. (Colonides) 81
Dregei Mars. 29
Druryi Guér. 8
dubitabilis Mars. 29
dubius Lew. (Epierus) 57
dubius Mars. (Hister) 43
Duboulayi Westw. 78
Dufali Mars. 25
dulcis Lew. 60
duodecimstriatus Schrank 53
duodecimstriatus Duft 53
duodecimstriatus F. 41
duplicatus Lew. (Pygocoelis) 11
duplicatus Mars. (Hister) 43
duriculus Reitt. 94
Dussaulti Mars. 94
Duvivieri Lew. 16
dux Lew. (Asolenus) 55
dux Lew. (Hololepta) 5
dyak Lew. 5

ebenus Er. (Diplogr.) 34
ebenus Lew. (Placodes) 15
ebenninus Mars. (Omalodes) 34
echinaceus Schm. 84
edentulus Lew. 15
Edwardsi Mars. 55
effertus Lew. 74
egenus Mars. 30
egincola Mars. 30
electus Cas. 38
elegans Lew. (Pachyer.) 27

elegans Payk. (Saprin.) 94
elegantulus Mars. 94
elingue Lew. 22
ellipsodes Lew. 27
ellipticus Lec. (Epierus) 57
ellipticus Mars. (Plaesius) 15
elongata Er. 5
elongatulus Rosh. (Hypocaccus) 103
elongatulus Mars. (Santalus) 36
elongatum Ol. (Cylistos.) 25
elongatum Pal. Beauv. (Cylistix) 26
elongatus Lew. 63
emarginatus Lew. 37
emptum Mars. 22
emys Mars. 94
encaustus Mars. 43
enodis Lew. 19
enodypyga Lew. 5
ensifer Mars. 9
epilissum Lew. 25
epulo Mars. 57
equestris Er. 94
eremita Mars. 94
Erichsoni Mars. (Saprin.) 94
Erichsoni Lec. (Plegad.) 82
erosus Woll. 94
errans Mars. 16
erraticus Mars. 30
Ertli Bickh. 43
erythraeus Lew. 13
erythropleurus Mars. 94
erythropterus Payk. (Saprin.) 94
erythropterus F. (Peran.) 53
erythropus Blanch. 94
Eschscholtzi Mars. 41
estriatus Lec. (Hypocaccus) 103
estriatus Lec. (Paromal.) 64
esurialis Lew. 16
euphorbiae Lew. 27
evanescens Mars. 62
exaratus Lec. (Hister) 43
exaratus Ill. (Onthoph.) 80
excavatus Lew. 16
excisa Mars. 5
exhaustus Schm. 16
exiguus Er. (Acritus) 87
exiguus Fährs. (Paromal.) 62
exiguus Lew. (Liopyg.) 18
exilis Payk. 84
eximia Lew. 60
eximius Lew. 30
exlegis Lew. 43
exortivus Lew. 26
expansus Mars. 16
externus Fisch. 94
extorris Mars. 33
extraneus Knoch 91
extrarius Lew. 20
extructisternum Lew. 77

exul Mars. 33
exutum Lew. 4

facetum Lew. (Eutid.) 4
facetum Lew. (Teretrios.) 12
facetus Mars. 27
facilis Sharp 87
fagi Lew. 11
Fairmairei Mars. (Phelister) 30
Fairmairei Théry (Cylistos.) 25
fakir Lew. 84
falceifer Lew. 89
Faldermanni Mars. 43
fallaciosus Mars. 19
fallax Mars. (Xylon.) 10
fallax Schm. (Rhypoch.) 32
falsus Solsky 43
famelicus Lew. 18
famulus Lew. 54
faretus Mars. 30
fasciatus Lew. 9
fasciolatus Gebl. 94
fastigiatus Mars. 66
Fausti Schm. 103
faustus Er. 33
Feae Lew. (Holol.) 5
Feae Lew. (Parom.) 62
Feae Lew. (Pelor.) 70
Feae Lew. (Teretrios.) 12
feles Mars. 19
felipae Lew. 43
felix Lew. (Epitox.) 69
felix Lew. (Omalod.) 33
femoratis Motsch. 53
feriatus Lew. 16
ferox Mars. 5
Ferrarii Gest. 11
ferrugineus Kirsch (Phelister) 30
ferrugineus Ol. (Hetaer.) 76
ferrugineus Mars. (Hypocaccus) 103
fessus Mars. 43
festiva Lew. 18
festivum Lew. 12
festivus Lew. 30
fictitius Lew. 16
figuratus Mars. 94
filiiforme Er. 25
filum Mars. (Xylon.) 10
filum Reitt. (Microl.) 64
fimbriatus Lec. 94
fimetarius Lec. (Acritus) 87
fimetarius Hbst. (Hister) 40
fissus Lew. (Isolomalus) 63
fissus Mars. (Epierus) 57
Fitschi Mars. 103
flagellata Kirby 8
flaviclava Mars. 94
flavicornis Hbst. (Microl.) 64

flavicornis Lew. (Onthoph.) 80
flavipennis Mars. (Trypan.) 9
flavipennis Chev. (Trypan.) 9
flavipennis Péring. (Saprin.) 93
flavitaris Lew. 87
flavopictus Lew. 90
flexuosofasciatus Motsch. 94
flexuosus Schm. 36
Flohri Lew. (Onthoph.) 80
Flohri Lew. (Spilod.) 38
Flohri Lew. (Trichorh.) 73
floridae Horn (Saprin.) 94
floridae Mars. (Aerit.) 87
floridae Horn (Saprin.) 94
foedatus Lec. 43
foederatus Lew. 57
Foersteri Lew. 16
foliaceus Payk. 16
foliaceus Mars. 18
Forestieri Mars. 62
formicetorum Aubé 65
formicicola King. 78
formosus Schm. 70
fornicatus Mars. 57
fortesculptus Reitt. 82
fortis Schm. 37
fortunatus Lew. (Omalod.) 33
fortunatus Woll. (Saprin.) 96
fossistoma Mars. 17
fossor Er. (Hister) 43
fossor Woll. (Styphrus) 107
fossularis Say 5
foveicollis Lew. (Hister) 43
foveicollis Lew. (Phelister) 30
foveipennis Lew. (Omalod.) 33
foveipennis Lew. (Onthoph.) 80
foveisternus Lew. (Eretn.) 75
foveisternus Schm. (Saprin.) 94
foveipygus Mars. 18
foveola Er. 33
foveolatus Lew. 19
fractifrons Cas. 43
fractistrius Lew. (Grammost.) 52
fractistrius Lew. (Phelister) 30
fractistrius Lew. (Eugramm.) 35
fragosus Lew. 52
frater Lew. (Pachycr.) 27
frater Mars. (Epierus) 57
frater Schm. (Apobletes) 17
fraternus Horn (Plegaderus) 82
fraternus Say (Hypocaccus) 103
fraudulentus Schm. 71
friburgicus Mars. 30
frontale Payk. 22
frontale Say 20
frontalis Kirsch (Epierus) 57
frontalis Lew. (Hister) 43
frontalis Lew. (Pachycr.) 27
frontalis M^cLeay (Stictostix) 59

frontalis Schm. (Trypet.) 11
frontistrius Mars. 94
frontosus Mars. 19
Fryi Lew. (Phoxonotus) 71
Fryi Lew. (Xestipyge) 59
Fuentei Reitt. 59
fugax Mars. 94
fujisanus Lew. 62
fulgidicollis Mars. 94
fulgidus Lec. (Saprin.) 94
fulgidus Schm. (Phelist.) 30
fuliginus Lew. 87
fulminans Koltze 90
fulvicornis F. 57
fulvipes Mars. 106
fulvopterus Mars. 92
fulvulus Mars. 30
fulvus Lew. (Sternoc.) 77
fulvus Mars. (Acritus) 88
fumata Mars. 60
fumosa Lew. 60
funebre Mars. 7
funereus Schm. 94
funestus Er. 43
fungorum Lew. (Notodoma) 70
fungorum Lew. (Paratropus) 74
furcatus Curtis 93
furciger Mars. 43
furcimanus Mars. 46
furcipes Mars. 43
furtivus Lec. 43
furvus Er. 94
fuscus Schm. 77

gabonensis Mars. 95
gagates Ill. 48
gagatinus Er. (Omatodes) 33
gagatinus Reiche (Hister) 43
gangeticus Mars. 97
Garbigliettii Mars. 59
gaudens Lec. 106
gayndahensis M'Levy 95
Gehini Mars. 43
geminatum Lec. 59
geminatus Lew. (Homalop.) 72
geminatus Woll. (Saprin.) 95
geminus Er. (Athol.) 54
geminus Duft. (Saprin.) 101
gemmenus Lew. 103
Gemmingeri Mars. 95
gemma Woll. 87
gentilis Horn (Phelister) 30
gentilis Lew. (Grammost.) 52
genuae Lew. 54
geometricus Cas. 30
Georgei Bickh. 35
georgianum Leach 25
Georgi Mars. 22

georgicus Mars. 92
Gerhardi Bickh. 46
germanus Lew. 22
Gestroi Lew. (Idister) 26
Gestroi Lew. (Liopygus) 18
Gestroi Mars. (Trypeticus) 11
Gestroi Schm. (Atholus) 54
Gestroi Schm. (Bacan.) 85
gibba Lew. 67
gibberosus Lew. 43
gibbidorsum Schm. 73
gibbulus Schm. 30
gibbus Mars. 70
gigas Payk. 37
gilensis Lec. 60
gilolous Mars. 11
gilvicornis Er. 95
glabra Fährs. 5
glabratus Roth 44
glaucopterus Mars. 70
glaucus Mars. 30
globatum Mars. 70
globiformis Mars. 30
globosus Hoffm. 84
globulinus Cas. 85
globulosus Ol. 80
globulosus Schm. 80
globulus Creutz. 84
Gloveri Horn 38
gnathoncoides Bickh. 90
Gobanzi J. Müll. 82
Godeti Brullé 91
Godmani Lew. (Euclasea) 73
Godmani Lew. (Phelister) 30
Götzelmanni Bickh. 50
goliath Lew. 62
Gorhami Lew. 19
gorilla Schm. 44
Goudoti Mars. 54
Gounellei Mars. 18
gracilipes Lew. 70
gracilis Lec. (Cylistix) 26
gracilis Schm. (Phelister) 30
gradile Blackb. 12
graecus Brullé 44
granadensis Lec. 42
granarius Er. 105
granatensis Mars. 95
grande Mars. 8
grandicollis Ill. 44
Grandini Mars. 103
grandis Reitt. (Sternoc.) 77
grandis Broun (Sternaul.) 16
grandis Germ. (Pachyl.) 37
graniformis Schm. 73
granosus Motsch. 84
granulum Er. 84
granulum Redt. 85
gratiosus Mannerh. 52

glabratus F (H)
 Ent Syst 1 p 7

gratus Lew. (Hetaer.) 76
 gratus Schm. (Saprin.) 95
 gravis Péring. (Monopl.) 68
gravis Fährs. (Macrol.) 37
 grossipes Mars. 106
 grossus Mars. 33
 Grouvellei Lew. (Teretrios.) 12
 Grouvellei Mars. (Trypet.) 11
 gryphus Mars. 34
 Guidonis Mars. 5
 guinensis Payk. 44
 Gulliver Mars. 87
 guttifer Horn 56
 guyanensis Mars. 95

haedillus Mars. 87
 haemorrhous Mars. 30
 haeres Mars. 69
 Hageni Mars. 22
 haitianus Mars. 33
Haldemani Mars. 42
 hamatilis Lew. 44
 hamatus Lew. (Bacan.) 85
 hamatus Lew. (Hyposol.) 15
 hamatus Schm. (Saprin.) 95
 hamistrius Schm. 30
 hariolus Mars. 63
 harmonicus Mars. 95
 Haroldi Mars. 52
 Harris Kirby (Hister) 44
 Harris Lec. (Psiloscelis) 34
 hastatus Mars. 57
 hatamensis Mars. 19
 Hauseri Schm. 95
 helluo Truqui 44
 helluonoides Mars. 44
 hemisphaeroides Mars. 87
 hemistrium Mars. 23
Henningi Sturm 21
 Henoni Schm. 106
herbeus Mars. 104
 herero Bickh. 44
heros Er. 38
Heydeni Flach 25
 hignonae Lew. 5
 hilaris Schm. 95
 hilarulus Lew. 69
 hilum Lew. 87
 hipponensis Mars. 44
 hirtipes Lew. 4
 hispaniolae Mars. 63
 hispanus Rosh. 77
hispidulus Muls. et Rey 83
 hispidus Payk. (Epiechinus) 81
hispidus Payk. (Epiechinus) 81
 histeroides Mars. 27
Hochhuthi Reitt. 100
 Holubi Schm. 44

homoeopathicus Woll. 88
 honestus Lew. 44
 honoratus Mars. 62
 Hopffgarteni Reitt. 87
 Horni Lew. (Teretriosoma) 12
 Horni Lew. (Trihalus) 66
 Horni Wickh. (Hetaerius) 76
 hospes Lew. 30
hospitus Lec. 42
 hottentota Er. 44
 hova Lew. 81
 Hubenthali Bickh. 95
 hudsonicus Cas. 44
 humeralis Lew. (Orectoscelis) 78
humeralis Fisch. (Hister) 51
 humeristrius Schm. 57
 humerosus Schm. (Omalodes) 32
humerosus Bickh. (Hister) 48
 humicola Mars. 85
 humilis Er. (Platylister) 19
 humilis Payk. (Hololepta) 5
Hummleri Lew. 106
 humpatanus Mars. 44
 hyalus Lew. 27
 hyla Mars. 95
 hypocrita Mars. 95

ibericus Bris. 75
 ignavus Fährs. 37
 ignobilis Lew. (Bacan.) 85
ignobilis Mars. (Hister) 41
ignobilis Woll. (Gnathone.) 108
 ignotus Mars. 95
Illigeri Duft. 40
 illustris Lew. 30
 imbricatus Lew. 73
 imitans Lew. 55
 immarginata Schm. 5
 immarginatum Lew. 12
 immarginatus Lew. (Contipus) 36
 immarginatus Lew. (Xylonaeus) 10
immundus Gyll. 90
 immunis Er. 44
 impar Mars. 69
 imperfectus Lec. 95
 impiger Lew. 52
 impressifrons Blanch. (Saprin.) 95
 impressifrons Mars. (Hister) 44
 impressifrons Sol. (Phelister) 30
 impressisternum Lew. 12
 impressus Lec. (Saprin.) 95
impressus Apetz (Hister) 43
impressus F. (Hister) 41
impunctatus J. Müll. 49
 impunctellus Cas. 95
 inaequalis Blackb. (Chlamyd.) 78
 inaequalis Ol. (Pachylister) 38
 inapterum Motsch. 23

inausus Mars. 95
 incas Mars. 57
 incertus Mars. 44
 incilis Lew. 11
 incisipyga Mars. 28
incisisternus Mars. 108
 incisus Er. (Gnathoncus) 108
 incisus Schm. (Sternocoelis) 77
incisus Er. (Pachylister) 38
 incognitus Mars. (Hister) 44
 incognitus Schm. (Apobletes) 17
incrassatus Ménétr. 100
 incultus Mars. 57
 incurvatum Lew. 23
 indica Er. 6
 indicus Lew. (Abraeus) 84
 indicus Lew. (Grammost.) 52
 indicus Lew. (Paromalus) 62
 indicus Lew. (Trypet.) 11
 indignus Schm. 88
 indistinctus Say 44
 indocilis Mars. 17
 indus Lew. 13
 infans Lew. 28
 infaustus Lec. 95
 infernalis Fall 76
 infimus Mars. 63
 infirmus Schm. 44
 inflatus Lew. (Isolomalus) 63
 inflatus Mars. (Monoplius) 69
innotatus Lokay 48
 innubus Er. 95
 inopinatus Schm. 85
 inquilina Lew. 79
 inscriptus Schm. 57
 insertus Lec. 95
 insignis Schm. 6
 insinuans Mars. 13
 insipiens Mars. 88
 insolitus Schm. 30
 instabilis Mars. 88
instratus Lec. 38
 insularis Mars. (Saprinus) 95
 insularis Sharp (Acritus) 88
 insulicola Schm. 23
 integer Bris. 44
 integra Lew. 67
 integrum Schm. 23
interceptus Lec. 108
 intermedius Lew. (Diplogramm.) 34
 intermedius Mars. (Epierus) 57
 intermedius Schm. (Placodes) 15
intermedius Fuente (Hister) 48
 interpunctatus Kirsch (Phelister) 30
 interpunctatus Schm. (Hypocacc.) 103
 interrogans Mars. 30
 interruptum Mars. 8
 interruptus Pal. Beauv. (Hister) 44
 interruptus Payk. (Saprin.) 95

interruptus Fisch. (Saprin.) 97
interruptus Reitt. (Onthoph.) 80
 intersectum Lew. 8
 interstitialis Lec. (Saprinus) 95
interstitialis J. Müll. (Saprinus) 95
 intrepidus Lew. 37
 intricatus Er. (Saprinus) 95
 intricatus Horn (Ulkeus) 73
 intritus Cas. 95
 intrusum Mars. 12
 inunctus Mars. 63
 inversus Lew. 95
 invidus Mars. 57
 irinus Mars. 95
 irregularis Schm. 63
 italicus Payk. (Epierus) 57
 italicus Reitt. (Acritus) 88
 ixiom Lew. 54

jadrensis J. Müll. 45
jamatus Motsch. 44
 Januarii Mars. 6
japanus Motsch. 50
 japhonis Schm. 95
 japonicus Mars. 44
 javanicus Payk. 44
 javanus Er. (Plaesus) 15
 javanus Redt. (Paromalus) 62
Javeti Mars. (Hypocaccus) 104
 jejunum Lew. 23
 jejunos Lew. 63
 Jekeli Mars. 44
 jobiense Mars. 23
 jubaris Lew. 18
 jucundus Mars. 27
 Julii Lew. 80

kabyliae Lew. 75
 kalemantanus Mars. 11
 karenensis Lew. 60
 keicola Mars. 62
 kerga Mars. 30
 khongius Mars. 62
Kirbyi Steph. 41
 Klugi Mars. 33
 Koenigi Schm. 45
 Koenigius Mars. 66
 Koltzei Schm. 45
 Komai Lew. 88
 Kraatzi Mars. (Teretrius) 13
 Kraatzi Schm. (Epierus) 57
Krynckii Kryn. 100
Küsteri Mars. 103
 Kurdistanus Mars. 45

labiatus Motsch. 38
 labrosum Lew. 4

- laceratus Mars. (Omalodes) 33
 laceratus Schm. (Epiechinus) 81
laco Mars. 47
Lacordairei Mars. 95
laesus Lew. 90
laetus Er. 93
lactus Mars. 91
laeve Mars. 23
laevicolle Küst. 20
laevidorsis Fairm. (Sternoc.) 77
laevidorsis Lew. (Tribalus) 66
laevidorsis Reitt. (Styphrus) 107
laevidorsum Lew. 23
laevifossa Schm. 45
laevigata Guér. (Hololepta) 6
laevigata Payk. (Idolia) 67
laevigata Lew. (Idolia) 67
laevigatus Mars. (Hyposolenus) 15
laevigatus Quens. (Omalodes) 33
laevigatus Er. (Omalodes) 33
laevigatus Mars. (Omalodes) 34
laevimargo Lew. 45
laevinotus Mars. 33
laevipes Germ. 45
laevipygum Mars. 23
laevis Lew. (Hyposol.) 15
laevis Sharp (Sternaul.) 16
laevissima Lec. 67
laevistrius Mars. 57
laeviusculus Mars. 88
laevus Rossi 38
Lafertei Mars. 16
lamaecola Mars. 45
Lameerei Lew. 52
lamina Payk. 6
lanista Mars. 60
lapsans Mars. 33
laqueatus Lew. 45
laramiensis Cas. 95
laridus Lec. 95
latebricola Lew. 13
latepictus Bickh. 48
lateralis Motsch. (Saprinus) 95
lateralis Ill. (Saprinus) 98
lateralis Mars. (Acritus) 89
laterimargo Reitt. 96
lateristrius Solsky 103
laticeps Lew. 27
latimanus Schm. 96
latimarginatum Lew. 25
latimargo Schm. 45
latipes Boh. (Homalop.) 72
latipes Bonelli (Dendroph.) 65
latipes Broun (Saprin.) 96
latipes Lew. (Teinotarsus) 35
latipes Pal. Beauv. (Macrolister) 37
latirostre Lew. 12
latisternum Mars. 23
latisternus Lew. 72
latistrius Lew. 45
latitibius Mars. 36
latiusculus Schm. 17
latobius Mars. 37
latubris Lec. 98
latum Mars. 8
latus Lew. 27
lauta Zimm. 60
lautus Er. 96
lautus Woll. 92
laxatus Cas. 103
Leachi Steph. 46
Leae Lew. (Stictostix) 59
Leae Lew. (Tribalus) 66
Lecontei Horn (Onthoph.) 80
Lecontei Mars. (Platysoma) 22
lectus Lew. 71
leionotus Mars. 66
lenticula Schm. 62
lentulus Er. 45
lentus Cas. (Saprinus) 96
lentus Mars. (Hister) 53
leo Mars. 61
Leonhardi Bickh. 45
Leonii Bickh. 22
lepidulus Broun 106
lepidum Lew. 4
lepidus Er. 90
leporinus Mars. 30
Leprieuri Mars. 75
Leseleuci Mars. 45
Lethierryi Mars. 45
levatus Horn 13
Lewisi Bickh. (Eugrammicus) 36
Lewisi Mars. (Platysoma) 23
Lewisi Reitt. (Sternocoelis) 77
Lewisi Reitt. (Notodoma) 70
Lewisi Schm. (Hypocaccus) 104
libanicola Mars. 96
Lightfooti Lew. 88
lignarius Lew. 19
liliputianus Lew. 88
limbatus Truqui 45
limatulus Lew. 35
limatus Mars. 90
lineare Er. 25
lineicolle Mars. 25
lineiger Mars. 34
lineimargo Reitt. 45
lineipennis Lew. 28
lineisternus Lew. 45
lioderus Fairm. 77
lissopyga Mars. 6
lissurus Mars. 45
liticolus Fall 96
litoralis Ferrari 86
litus Mars. 45
loandae Mars. 45
lobatus Woll. 106

locellus Lew. 62
 longicollis Mars. 39
 longicornis Lew. 62
 longipes Lew. (Teratosoma) 79
 longipes Mars. (Homalopygus) 72
 longipes Sharp (Aeletes) 87
longistrius Mars. 105
 longulus Lew. (Teretrius) 13
 longulus Mars. (Epierus) 57
 longus Bickh. 45
 loriae Schm. 23
 loricata Lew. 18
 lotus Mars. 85
lubricans Cas. 33
 lubricus Lec. 96
 lucanus Horn 39
 Lucasi Mars. 75
 lucens Mars. 57
 lucida Lec. 6
 lucidulus Er. (Epierus) 57
 lucidulus Lec. (Hypocaccus) 104
 lucidus Er. 33
 lucifugus Mars. 19
 lucillum Lew. 23
 luciscus Lew. 45
luctuosus Mars. 46
 lucus Lew. 57
 Luderti Mars. 63
 Ludovici Blackb. 62
 lugens Er. 96
 lugubris Truqui 45
 lunatica Mars. 29
lunatus F. 48
 lutarius Er. 38
 luteivestis Mars. 9
 luzonicum Er. 23

 macer Lew. 17
 macilentus Lew. 17
 maculatus Lew. (Platylister) 29
 maculatus Rossi (Saprinus) 96
 maculipennis Mars. 30
 madagascariensis Mars. (Carcin.) 60
 madagascariensis Schm. (Acritus) 88
 Maindroni Lew. 53
 major L. (Macrolister) 37
 major Lew. (Eretmotus) 75
 major Hbst. (Pachylister) 38
 major Pic (Sternocoelis) 77
 makassariensis Mars. 19
 malaccensis Mars. 17
 malaicus Schm. 19
 malariae Lew. 6
 malaysi Lew. 54
 malleata Lew. 6
 malus Mars. 63
 mancus Cas. (Isolomalus) 63
 mancus Say (Hypocaccus) 104

mancus Kolbe (Hister) 50
 mandarinus Mars. 45
 mandibulare Mars. 4
 mandibularis Schm. 36
 manes Mars. 96
 manicatus Lew. (Exosternus) 68
 manicatus Lew. (Paratropus) 74
 manillensis Mars. 6
 Maragnoni Mars. 4
marginatum Thoms. 22
 marginatus Er. (Hister) 45
 marginatus Lec. (Anapleus) 83
 marginatus Lew. (Teretr.) 13
 marginellus Lec. 67
 marginepunctata Mars. 6
 marginicollis Lec. (Hister) 45
 marginicollis Lew. (Apobletes) 17
 marginipunctatus Lew. 45
 Mariae Mars. 57
 maritimus Lec. (Halacritus) 86
 maritimus Steph. (Pachylopus) 106
 maroccanus Schm. 45
 marquisicus Mars. 33
 Marseuli Bris. (Sternocoelis) 77
 Marseuli Kirsch (Epierus) 57
 Marseuli Lew. (Apobletes) 17
 Marseuli Lew. (Epiechinus) 81
 Marseuli Lew. (Hister) 45
 Marseuli Reitt. (Plegaderus) 82
 Marseuli Schm. (Diplogramm.) 34
 Marseuli Westw. (Terapus) 79
Marseuli Cand. (Platylister) 19
Marseuli Desbr. (Hister) 51
Marseuli Peyron (Saprinus) 101
Marseuli Schauf. (Hetaerius) 76
 Marshalli Lew. (Coprox.) 70
 Marshalli Lew. (Hister) 36
 Marshalli Lew. (Teretr.) 13
Marshami Steph. 48
 martius Lew. 45
 Mastersi M'Leay (Hololepta) 6
 Mastersi M'Leay (Saprin.) 96
Matthewsi Curtis 89
maura Lew. 7
 mauritanicus Lew. (Sternocoelis) 77
 mauritanicus Luc. (Tribalus) 66
 maurus Mars. 37
maxillosus Ol. 8
 maximus L. (Oxyxsternus) 8
 maximus Ol. (Macrolister) 37
 Mayeti Mars. 60
 Mechowi Schm. 45
mediocris Mars. 102
mehicanus Lec. 58
 melanarius Er. 46
melas Küst. 93
 melburnium Mars. 12
 memnonius Er. 46
memnonius Say 46

- menadia* Mars. 6
mendax Lew. (Idister) 26
mendax Mars. (Omalodes) 33
mendicus Lew. 62
mendozae Lew. 10
merdarius Hoffm. 46
meridana Mars. 6
meridanus Lew. 46
meridianus Fauv. (Saprin.) 104
meridianus Lew. (Pachycr.) 27
meridianus Lew. (Paratr.) 74
meridianus Lew. (Trypet.) 11
meridionalis J. Müll. 82
Merkli Schm. 77
mersinae Mars. 96
merula Mars. 60
mestino Lew. 33
metallescens Er. 104
metallicus Hbst. (Hypocaccus) 104
metallicus Lew. (Hister) 46
metallicus Brullé 102
metallicus Hoffm. 105
metallicus Woll. 102
meticulosus Lew. 73
mexicanum Mars. 8
mexicanus Lew. 85
micans Schm. (Phelister) 30
micans Hochh. (Hypocaccus) 102
micans Hochh. (Hypocaccus) 103
micipsa Mars. 46
microscopicus Reitt. 88
Migneauxi Mars. 17
mikado Lew. 84
miles Mars. 9
miliaris Mars. 62
militarius Horn 39
milium Mars. 96
mimetica Horn 60
mimicus Lew. 27
mimulus Reitt. 107
mimus Péring. 69
miniatus Karsch 52
minima Aubé 59
minimus Fall (Hetaerius) 76
minimus Rossi (Tribalus) 66
minimus Aubé (Halacritus) 86
minor Kolbe (Chalcurgus) 14
minor Lew. (Eugrammicus) 36
minor Lew. (Probolosternus) 68
minor Lec. (Epierus) 58
minoratum Schm. 20
minuseulus Schm. 17
minuta Fährs. 60
minutissimus Reitt. 85
minutulus Lew. 11
minutum Er. 8
minutus Hbst. (Acritus) 88
minutus Lec. (Saprin.) 96
minutus Motsch. (Liopyg.) 18
minutus Payk. (Acritus) 88
mingops Woll. 104
mirabilis Lew. (Platylister) 19
mirabilis Schm. (Tylois) 71
miramon Mars. 30
mirandum Mars. 23
mirificus Lew. 71
misella Mars. 60
misellus Fährs. (Abraeus) 84
misellus Lec. (Bacan.) 85
miserula Mars. 60
mitis Lew. 17
mixtus Mars. 66
Mniszechi Mars. 79
Mocquerysi Mars. 103
modestior Mars. 96
modestus Er. (Saprin.) 96
modestus Lew. (Pachycr.) 27
modestus Redt. (Hister) 44
Modiglianii Schm. (Idister) 26
Modiglianii Schm. (Paromal.) 62
moerens Er. 49
molestus Cas. 82
moluccanum Mars. 23
mombassanus Lew. 39
monachus Mars. 82
monilifer Mars. 33
monilis Mars. 84
monitor Lew. 46
monodon Mars. 4
montanum Horn 12
montanus Lew. (Pachycr.) 27
montanus Lew. (Tribal.) 66
montanus Mars. (Hister) 46
montenegrinus J. Müll. 46
monticola Blackb. (Aeletes) 87
monticola Lew. (Eblisia) 29
monticola Schm. (Epierus) 57
montivagus Lew. (Hister) 46
montivagus Lew. (Paromal.) 62
montivagus Lew. (Trypan.) 9
Montrouzieri Mars. (Apobl.) 17
Montrouzieri Perroud (Platys.) 23
morator Mars. 6
morio Schm. 53
Mormoni Cas. (Hister) 46
Mormoni Lew. (Stictostix) 59
morphon Mars. 26
morsus Lec. 76
mortycola Mars. 17
morulus Lew. 27
Motschulskyi Mars. 22
Mouhoti Lew. 15
moyes Mars. 96
mozambicus Mars. 13
mtsesa Ancey 35
Mulsanti Mars. 14
multidens Schm. 46
multistriatum Lew. 59

multistriatus Roth 96
mundissimus Walk. 38
mundulus Lew. 46
mundus Er. (Epierus) 57
mundus Lew. (Apobl.) 17
mundus Hampe (Epierus) 57
mundus Woll. (Hypocaccus) 102
muricatus Lew. 79
Murrayi Mars. 23
mus Mars. 61
muscipa Mars. 30
musculus Mars. 61
musicus Mars. 62
mustelinus Lew. 11
mutilatum Schm. 23
myrmecophilus Bickh. (Saprin.) 96
myrmecophilus Muls. (Grammost.) 52
myrmidon Mars. 54
mysolicus Mars. 17

Nairi Lew. 29
nana Lec. 60
nannetensis Mars. 108
nanus Lew. (Pachycraerus) 27
nanus Schm. (Phelister) 30
nasicornis Mars. 9
nassatus Panz. 62
nasutus Horn (Epierus) 58
nasutus Mars. (Trypan.) 9
natalensis Fährs. 93
natchez Mars. 87
Nattereri Schm. 46
Navasi Fuente 93
navus Mars. 52
navus Mars. 52
neglecta Lew. 6
neglectus Germ. (Hister) 46
neglectus Mars. (Saprin.) 96
nemoralis Lew. (Epierus) 57
nemoralis Lew. (Platylister) 19
nemorivagus Lew. 11
nepalensis Lew. 6
Netuschili Reitt. 104
Nickerli Schm. 30
nidicola Joy 108
nigellatus Mars. 52
nigellatus Gerni. (Hister) 41
niger Motsch. 96
niger Schm. 47
nigrellus Schm. (Paratropus) 74
nigrellus Say (Epierus) 58
nigrescens Lew. 12
nigricans Lew. 27
nigricornis Hoffm. 88
nigricornis Thoms. 88
nigrinus Fährs. 46
nigrinus Reitt. 68
nigripennis Bickh. 47

nigrita Blanch. (Saprin.) 97
nigrita Er. (Pachylister) 38
nigrita Steph. (Hister) 40
nigritulus Lew. 17
nigrocoeruleus Lew. 27
nigropunctatus Lew. 30
nigrum Lew. 70
niloticum Reitt. 23
niloticus Mars. 46
niponensis Lew. (Onthoph.) 80
niponensis Lew. (Paromalus) 62
niponensis Lew. (Platylister) 19
niponicus Lew. (Bacan.) 85
niponicus Lew. (Grammost.) 52
nirvana Lew. 17
Niseteoi J. Müll. 93
nitescens Mars. 57
nitiduloides Fairm. 97
nitidulus F. 99
nitidulus Payk. 99
nitidus Horn (Plegad.) 82
nitidus Lew. (Epitox.) 69
nitidus Wiedem. (Saprin.) 97
nobilis Woll. 97
nodatus Lew. (Hister) 46
nodatus Lec. (Onthoph.) 79
nodicornis Lew. 55
nomas Er. 46
norab Mars. 30
notabilis Lew. 63
notandus Schm. 30
notius Mars. 57
novellus Mars. (Saprin.) 97
novellus Zimm. (Epierus) 57
novemcostatus Mars. 81
novum Lew. 23
novus Mars. 33
noxius Mars. 9
nubilis Lec. 46
nudum Lew. 8
nyassae Lew. 36

obductus Lec. 95
obeliscus Lew. 11
Oberndorferi Schm. 23
obesus Fährs. (Hister) 46
obesus Schm. (Coptotr.) 10
obliqua Lew. (Eblisia) 29
obliqua Lew. (Euclasea) 73
obliquatus Motsch. 38
obliquistrius Lew. 33
obliquulus Lec. 13
obliquum Lew. 25
obliquus Lec. (Acritus) 87
obliquus Say (Atholus) 53
oblisus Lew. 62
obliteratus Lew. 46
oblitum Mars. 4

- oblongulus Schm. 47
 oblongum F. 25
oblongum Ill. 25
 oblongus Lew. (Contipus) 36
 oblongus Lew. (Omalodes) 33
 obscura Mars. 6
obscuripennis J. Müll. 96
 obscurus Lec. (Saprin.) 97
obscurus Reiche (Macrolister) 97
obscurus Pic (Eretmotus) 75
 obsidianus Cas. 97
obsoletus Rey 51
obtusatus Harris 44
 obtusipes Mars. 6
 obtusisternus Schm. 47
 occidentalis Lew. 52
 oceanitis Mars. 62
 octostriatus Lew. 27
 oculipygus Mars. 63
 odiosus Mars. 19
 Ogieri Mars. 66
olidus Lec. 98
 omalodellus Mars. 34
 omega Kirby 33
 omineus Lew. 64
 omissus Schm. 30
omissus Bickh. 46
 onustus Lew. 66
 opacellus Cas. 97
 opacipennis Lew. 70
 opacus Horn (Saprinus) 97
 opacus Lew. (Placodes) 15
 opacus Schm. (Hister) 47
 opimus Lew. 66
 optabilis Mars. 97
 optatus Lew. 76
 opuntiae Lec. 60
 orbatus Schm. 18
 orbicularis Oll. 74
orbiculatus Mars. 94
 orbum Lew. 12
 orbus Lew. 63
 ordinarius Lew. (Onthoph.) 80
 ordinarius Lew. (Zabrom.) 39
 oregonensis Lec. 97
 oregonis Cas. 39
 orientale Lew. 70
 orientalis Lew. (Abraeus) 84
 orientalis Lew. (Cylistix) 26
 orientalis Payk. (Santalus) 36
 ornatus Lew. 10
 ornatus Er. (Saprin.) 97
 ornatus Reitt. (Homalister) 58
ornatus Blanch. (Euspilot.) 89
 orobites Lew. 97
 orphanus Lew. 66
osculans Woll. 94
osiris Mars. 97
 ostreatus Lew. 80
 Otti Mars. 82
 ovale Woll. 83
 ovalis Lew. (Sternoc.) 77
 ovalis Mars. (Saprin.) 97
 ovatula Lew. 60
 ovatulus Mars. 47
 ovatus Er. (Platylister) 20
 ovatus Lew. (Notolister) 55
 ovides Mars. 74
 ovillum Solsky 97
 ovulum Schm. 29
 ovum Mars. 67
 owas Mars. 17
 pacale Lew. 4
 pachysomus Ancey 39
 pacificus Lew. 20
 paeminosus Lec. 97
 pagana Lew. 29
 paganus Schm. 47
 Paivae Woll. 104
 palaestinensis Schm. 97
palans Mars. 60
pallidipennis Mars. 9
 palmatus Say 107
 palmipes Lew. 20
Palumboi Ragusa 77
 panamensis Lec. (Phelister) 30
panamensis Mars. (Hister) 42
 papagoana Cas. 60
 papuensis Mars. 17
 paradoxum Lew. 12
 paradoxus Schm. 10
 parallela Sturm (Hololepta) 6
parallela Lew. (Hololepta) 5
 parallelepipedus Hbst. 64
 parallelisternus Schm. 31
parallelogrammus Fald. 50
 paralleloides Mars. 47
 parallelum Say 25
 parallelus Lec. (Paromalus) 64
 parallelus Lew. (Apobletes) 17
 parallelus Lew. (Coptotr.) 10
 parallelus Redtb. (Santalus) 36
parallelus Ménétr. (Hister) 47
 parasita Mars. 13
 Pardali Mars. 64
 parensis Mars. 17
 parenthesis Schm. 97
 paria Mars. 84
 paropsis Lew. 6
 parra Mars. 59
 parumpunctatus Lec. 97
parvifossa Mars. 7
 parvula Lec. 60
parvulus Mars. 84
 parvulus Aubé (Abraeus) 84

parvulus Er. (Phelister) 31
parvulus Lew. (Colonides) 81
parvus Gyll. 40
pastoralis Jacq. du Val 97
patagiatus Lew. 39
patagonicus Blanch. 97
patruelis Lew. (Epierus) 57
patruelis Lec. (Hypocaccus) 104
patruus Lew. 20
patula Lew. 18
patulum Lew. 8
Paugami Le Guillou 23
Pauli Mars. 31
pauperatus Schm. 17
pauperella Lew. 73
pavidus Er. 97
Paykulli Kirby 42
Paykullianum Leach 21
pectoralis Lec. (Saprin.) 97
pectoralis Lew. (Sternoc.) 77
pecuinus Mars. 97
peculiaris Lew. 88
pedator Sharp 107
Pelleti Mars. 104
Pelopsis Mars. 48
pennsylvanicus Payk. 97
peregrinus Schm. 47
perinterruptus Mars. 98
permirus Mars. 85
permixtus Lec. (Saprin.) 98
permixtus Zimm. (Hister) 42
permundus Lew. 68
perplexus Lec. (Athol.) 54
perplexus Schm. (Hetaeriom.) 71
perpolitus Schm. 33
perpunctata Lec. 35
Perraudieri Mars. 6
Perrisi Mars. 98
Perroudi Mars. 23
persanus Mars. 98
persicus Mars. 99
persimile Lew. 23
persimilis Lew. 62
personatus Fisch. 96
personatus Ill. 98
peruanum Er. (Teretrios.) 12
peruanum Lew. (Eutidium) 4
peruanus Schm. 58
peruviana Kirsch 60
peruvianus Mars. 33
pervalidum Blaisd. 8
petropolitanus Schm. 9
Peyerimhoffi Bed. 75
Peyroni Mars. 49
Pharao Mars. 98
pharaonis Schm. 46
philippinensis Mars. 54
piceus Payk. (Myrmetes) 109
piceus Blanch. (Saprin.) 97

piceus Lec. (Saprin.) 95
picipes F. (Teretrios) 14
picipes Fährs. (Tribalus) 66
picipes Payk. (Microl.) 64
picipes Sturm (Microl.) 64
pietipenne Lew. 23
pictus Mars. 9
pilicollis Schm. 37
pilicorne Lew. 13
pilifer Mars. 78
pilimanus Mars. 14
pilipes Lew. 6
pilosus Lew. 68
pinguis Lew. (Monopl.) 69
pinguis Lew. (Trypob.) 10
pinguis Lew. (Zabrom.) 39
pinguis Schm. (Hololepta) 6
pini Lew. 23
pinniger Lew. 20
pinnulae Lew. 54
Piotti Mars. 47
Pipitzi Mars. 98
piraticus Lew. 36
pirithous Mars. 54
piscarius Blackb. 104
placida Lew. 6
placidus Er. (Saprin.) 98
placitus Horn (Teretr.) 14
placitus Lew. (Platylister) 20
plagiatus Lew. 9
plagigera Lew. 6
plana Fuessly 6
planiceps Broun (Epierus) 58
planiceps Lew. (Hister) 47
planiceps M'Leay (Platysoma) 23
planiformis Lew. 47
planifrons Lew. (Eretmotus) 75
planifrons Lew. (Hister) 47
planifrons Mars. (Omalodes) 33
planimargo Lew. 47
planipes Lec. 34
planipygus Schm. 17
planisternus Lew. (Apobl.) 17
planisternus Mars. (Saprin.) 98
planisternus Lew. (Trypet.) 11
planiusculus Motsch. 100
planulus Er. (Epierus) 58
planulus Lew. (Plaesus) 15
planulus Ménétr. (Hister) 47
piatamodes Mars. 3
platanus Mars. 36
platessae Lew. 17
platypygus Mars. 20
platysma Er. 8
platysomoides Lew. (Apobletes) 16
platysomoides Peyron (Hister) 50
plebeja Mars. 60
plebejus Klug 43
plenus Lec. 98

plicicollis Fairm. (Hetaerius) 76
plicicollis Schm. (Phelister) 31
plumicorne Lew. 13
pluricostatus Lec. 80
pluristriatus Fairm. (Sternoc.) 77
pluristriatus Lew. (Epiurus) 56
pluto Cas. 47
pluvialis Mars. 20
podagrus Mars. 20
poenalis Lew. 17
Poeji Mars. 88
Poggei Har. 35
politum Mars. (Lioderma) 8
politum Woll. (Eubrachium) 83
politus Brahm (Saprin.) 98
politus Lec. (Aeletes) 87
politus Lew. (Ebonius) 34
politus Lew. (Hister) 47
politus Schm. (Sternoc.) 77
pollutus Lec. 47
ponderosus Fährs. 37
Pontavicei Mars. 7
populnea Lec. 7
Portusmagni Coquer. 104
posthumus Mars. 98
Potanini Reitt. 108
praecox Er. (Hypoc.) 104
praecox Er. (Phelister) 31
praedaceus Lew. 11
praeliari Lew. 27
praetermissus Peyron 54
praeuius Mars. 33
pransus Lew. 47
prasina Lew. 60
prasinum Lew. 13
prasinus Er. (Saprin.) 98
prasinus Lew. (Pachyr.) 27
pratensis Lec. 98
pretiosus Schm. 98
princeps Lew. (Pachyr.) 28
princeps Lec. (Lioderma) 8
proboscideus F. 10
procera Er. 6
procerulus Er. 108
productus Mars. 63
profusus Cas. 98
prolixus Mars. 9
prona Lew. 7
propensus Cas. 98
prostratus Lew. 17
proximus Lew. (Eugramm.) 36
proximus Woll. (Saprin.) 91
proximus Woll. (Saprin.) 101
pseudobicolor Mars. 98
pseudocyaneus White 98
pseudognathonus Reitt. 98
pseudolautus Reitt. 98
pteromalus Mars. 47
puberula Lew. 78

puberulus Motsch. 77
pudicus Mars. 15
pulchellus F. 98
pulcherrimus Web. 98
pulex Fairm. 14
pulicarius Er. 58
pullatus Er. 47
pullus Gerst. (Pachyr.) 28
pullus Rosenh. (Hypocaccus) 104
pulsata Lew. 29
pulvinatum Schm. 25
pulvinatus Er. 33
pulvis Mars. 31
pumicatum Mars. 8
pumicatus Lew. 17
pumilio Schm. (Tribalus) 66
pumilio Er. (Carcinops) 60
pumilus Er. 31
punctangulus Rey 41
punctatissimus Er. (Saprin.) 88
punctatissimus Reitt. (Abraeus) 84
punctator Reitt. 108
punctatostratus Mars. 100
punctatum Woll. 83
punctatus Hbst. (Dendroph.) 65
punctatus Lew. (Liopygus) 18
punctatus Sahlb. (Hister) 47
punctatus Payk. (Gnathonus) 108
puncticeps Lew. 66
puncticolle Heer 22
puncticollis Lew. (Pachyr.) 28
puncticollis Lew. (Reninus) 73
puncticollis Küst. (Hypocaccus) 103
puncticollis Rey (Atholus) 54
punctifer Payk. 47
punctiformis Lec. 85
punctiger Fauv. 84
punctigerum Lec. 25
punctinotus Mars. 10
punctinotum Lew. 59
punctipennis Lew. (Anaglymma) 69
punctipennis Schm. (Hister) 47
punctipennis Gerh. (Hister) 47
punctisternum Lew. (Epiechinus) 81
punctisternum Lew. (Idolia) 67
punctisternus Lew. 98
punctistrius Mars. 33
punctiventer Mars. 47
punctulatum Lew. (Platysoma) 21
punctulatum Mars. (Lioderma) 8
punctulatus Fährs. (Teretrius) 14
punctulatus Luc. (Sternocoelis) 77
punctulatus Say (Dendroph.) 65
punctulatus Wiedem. (Hister) 47
punctulatus Thoms. (Gnathonus) 108
punctulipennis Broun 58
punctulus Reitt. 85
punctum Aubé 86
pupillus Lew. 63

rocca Mars. 38
 rogalis Lew. 63
 rosselense Lew. 23
 rostratus Lew. 9
 Rothi Rosh. 14
 rotundatus Kugel (Gnathoneus) 108
rotundatus Lec. (Omalodes) 34
rotundatus Fiori (Saprinus) 103
rotundatus Horn (Gnathonec.) 108
rotundifrons Mars. 96
 Rouzeti Fairm. 31
 rubellus Er. 58
 rubens Mars. 31
 ruber Mars. 99
 rubicilliae Lew. 104
 rubicundus Mars. 31
 rubiginosus Mars. 99
 rubricatus Lew. (Atholus) 54
 rubricatus Lew. (Hypocaccus) 104
 rubricatus Lew. (Megalocraerus) 26
 rubricatus Lew. (Phelister) 31
 rubriculus Mars. (Saprinus) 99
 rubriculus Schm. (Tribalus) 66
 rubripes Er. (Hypocaccus) 104
rubripes Boh. (Carcinops) 61
rubripes Walk. (Saprinus) 102
 rubrofemoratus Lew. 17
 rufescens Reitt. 58
 ruficlavus Mars. 33
 ruficornis Grimm. 52
 rufinotus Mars. 31
rufipennis Biekh. 48
 rufipes Payk. (Hypocaccus) 105
rufipes Gyll. (Saprinus) 92
rufipes Mars. (Hypocaccus) 105
 rufopygum Lew. 23
 rufulum Lew. 70
 rufulus Fald. (Saprin.) 99
 rufulus Lew. (Epierus) 58
 rufulus Lew. (Exosternus) 68
 rufulus Mars. (Teretr.) 14
rufum Schilsky 22
 rugiceps Duft. 105
 rugicollis Lew. (Zabrom.) 39
 rugicollis Mars. (Abraeus) 84
 rugifer Payk. 99
 rugifrons Payk. 105
 rugigenius Mars. 63
 rugipennis Mars. 99
rugipennis Hochh. 100
 rugistrius Lew. 49
 rugulosus Mars. 89
 rumaniae Lew. 82
 runensis Lew. 17
 rupestris Mars. 36
 ruptistriatum Lew. 23
 ruptistrius Lew. (Pelor.) 70
 ruptistrius Lew. (Plaesius) 15
 ruptistrius Schm. (Phelister) 31

russatus Mars. 99
russicus Mars. 57
 rusticus Broun 58
 rutilus Er. 99

sabuleti Rosh. 102
sabulosus Fairm. 107
 sagillatus Lew. 64
 saginatum Lew. 13
 saginatus Lew. 37
 Sahlbergi Schm. (Hetaerios.) 71
Sahlbergi Lew. (Lioderma) 8
 salinus Lec. 89
 Sallei Horn (Acritus) 89
 Sallei Mars. (Hister) 49
 salobrus Mars. 31
 Salvini Lew. 73
 sanatus Truqui 82
 sanguinipennis Mars. 31
 sanguinosus Fairm. 55
 saprinoides Er. 32
 saprinopterus Schm. 31
 sarcinatus Lew. 39
sardous Flach 91
 Sartorii Redtb. 75
 satur Lew. 72
 saturum Lew. 70
 Satzumae Lew. 23
 saucius Blackb. (Paromalus) 62
 saucius Er. (Plegaderus) 82
 Saunieri Mars. 31
 Sayi Mars. 83
 scaber F. 56 *HISTER*
 scabripygus Schm. 49
 scaevola Er. 38
 scalptus Lew. 86
 scaphidiformis Ill. 66
scapularis Fisch. 48
 Schatzmayri J. Müll. 99
Schaufussi Mars. 63
 Schaumi Mars. 17
 Schmidt Lew. (Synodites) 73
 Schmidt Richt. (Saprin.) 99
Schmidt Théry (Pachylopus) 107
Schmidt Reitt. (Gnathoneus) 108
 Schmidtianus Reitt. 99
 Schultheissi Schm. 62
 Schulzei Schm. 107
 Schuppi Schm. 73
 scissifrons Mars. 49
 scissoma Mars. 7
 scissus Lec. 99
 scitula Lew. 67
scitulum Lew. 25
 scitus Lew. 58
 scrobiculatus Schm. 18
 scrupularis Lec. 99

- sculpticauda Cas. 39
 sculptilis Lew. 80
 sculptipectus Mars. 64
 sculptipygus Mars. 62
 sculptum Lew. 23
sculptum Fährs. 21
 sculpturatus Schm. 31
 sculpturifer Mars. 99
 scutellaris Er. 53
 scytha Mars. 49
 sectator Lew. 54
 Sedakovi Mars. (Hister) 49
 Sedakovi Motsch. (Saprin.) 99
 sedecimstriatus Say 54
 Sedilloti Lew. 77
 sedulus Lew. 49
 segnis Mars. 14
 sejunctus Schm. 31
 selectus Lew. 63
 sellatus Lec. 39
 semen Lew. (Tribalus) 66
semen Mars. (Acritus) 88
semidaeneus Brullé 106
 semicincta Mars. 7
 semigranosus Mars. 49
 semilineatum Schm. 24
semimarginatus Bickh. 48
 seminitens Lec. (Hypocaccus) 105
 seminitens Schm. (Reninus) 73
 seminulum Er. (Isolomalus) 63
seminulum Küst. (Acritus) 88
seminulum Steph. (Kissister) 59
 semiopacus Schm. 99
 semiplanus Mars. 49
 semipunctatus F. 99
semipunctatus Payk. 99
 semiosus Mars. 99
 semiruber Cas. 39
 semirufus Lew. 18
 semisculptus Lec. 49
semistriatum Motsch. 21
 semistriatus Scriba (Saprinus) 99
semistriatus Steph. (Hypocacc.) 105
Semperi Lew. 16
 senegalensis Payk. (Placodes) 15
Sennevillei Mars. 39
 sepulchralis Er. 49
 serenus Er. 33
 seriatus Schm. 33
serratipes Schm. 17
serripes Mars. 107
 serrulatus Lec. 107
 servilis Cas. 100
 servulus Lew. 17
 servus Er. 49
sesquicornis Preysl. 76
 sesquistriatum Mars. 24
 sessilis Lew. 55
 setaceus Schm. 74
 setiger Lec. (Echinodes) 73
 setiger Lew. (Abraeus) 84
 setulosus Fährs. (Abraeus) 84
 setulosus Reitt. (Sternocoelis) 77
 Severini Lew. (Gnathoncus) 109
 Severini Lew. (Sitalia) 74
severus Fährs. 38
 sexstriatus Lec. (Hister) 49
 sexstriatus Lew. (Platylister) 20
 sexuelle Schaeff. 13
 shanghaiensis Mars. 49
 Sheppardi Lew. (Microlister) 56
Sheppardi Curtis (Dendrophilus) 65
 shogunus Lew. 89
 sibiricum Reitt. 24
 sibiricus Mars. 49
sicanus Mars. 103
 sicutus Fourn. 55
 sidnensis Mars. 7
 sigillatus Péring. 69
 Sikorae Lew. 49
Silantjevi Shirjajew 41
silesiacus Roger 44
 silvae Lew. 80
 silvestre Schm. 24
 silvicola Lew. (Atholus) 55
 silvicola Schm. (Trypeticus) 11
 Simeani Muls. & Godt. 24
 similis Lew. (Hister) 36
 similis Lew. (Isolomalus) 64
 similis Mars. (Hololepta) 7
similis J. Müll. (Saprin.) 98
 Simoni Lew. 31
 simplex Broun (Epierus) 58
 simplex Lec. (Aeletes) 87
 simplex Lew. (Omalothes) 33
 simpliciculus Mars. 89
 simplicipes Fall. 39
 simplicisternus Lew. 49
 simplicistrius Schm. 64
 simulans Schm. 49
 simulator Lew. 49
 simus Mars. 31
 sinae Mars. 105
 sincerum Schm. 24
 sincerus Lew. 64
 sinensis Lew. (Grammost.) 52
 sinensis Lew. (Carcinops) 60
 singalanus Mars. 55
 singularis Lew. (Trypan.) 9
singularis Péring. (Monoplius) 69
singularis Schm. (Campylorh.) 35
 sinuaticollis Lew. (Eretm.) 75
 sinuaticollis Lew. (Grammost.) 52
 sinuaticollis Mars. (Omali.) 33
 sinuatus Ill. 51
sinuatus F. 40
sinuatus Thunb. 48
 sinuosus Lew. (Hister) 49

sinuosus Lew. (Eugramm.) 36
smaragdinus Mars. 58
smaragdulus Steph. 105
smyrnaeus Mars. 49
sobrinus Er. (Omalodes) 34
sobrinus Lew. (Isolom.) 64
sociator Coq. 75
socius Cas. (Saprin.) 100
socius Lew. (Grammost.) 53
sodalis Lew. (Grammost.) 53
sodalis Schm. (Hesperodr.) 74
Sohieri Mars. 50
solator Mars. 29
Solieri Mars. 100
Solinan Mars. 86
solitarium Lew. 24
solitarius Lew. 100
solivagum Lew. 24
Solskyi Reiche (Saprin.) 100
Solskyi Schm. (Eucaloh.) 52
solstitiale Lew. 70
Soltani Cas. 80
solutus Lew. 17
Somerseti Mars. 13
somali Lew. 50
somaliensis Lew. 36
sordidum Say 21
sordidus Aubé 50
sorellense Blackb. 13
oronensis Mars. 20
sororius Lew. 20
Soulouquei Mars. 34
sparsipunctatus Motsch. 100
sparsutus Solsky 100
spatiosus Lew. 28
specillum Mars. 100
speciosus Er. 100
speciosus Boisd. 93
specularis Mars. 105
speculifer Latr. 98
speculipyga Mars. 29
speculum Schm. 106
spernax Mars. 99
sphaericus Mars. 84
sphaeroides Lec. 106
sphaerula Mars. 58
spiniger Mars. 9
spinipes Mars. 38
Spinolae Sol. 100
spissatus Rey 53
splendens Payk. 100
splendidulus Schm. 100
spretulus Er. 106
spretus Lec. 42
spurcus Lec. 97
spurius Mars. 50
squalidus Er. 50
Staudingeri Schm. 50
Stebbingi Lew. 13

Steinheili Mars. 29
stenocephalus Lew. 53
Stephensi Mars. 40
steppensis Mars. 100
stercorarius Hoffm. 50
stercoricola Bickh. 31
stercoriger Mars. 53
sternalis Blackb. (Orectosc.) 78
sternalis Lew. (Hololepta) 7
sterninceisa Mars. 7
sterquilinus Lec. 100
stigmaticus Schm. 84
stigmatosus Mars. 41
stigmula Bickh. 96
strangulatum Mars. 24
strialis Mars. 20
striatella Westw. 79
striatellus Mars. 17
striaticeps Lew. 28
striatidera Mars. 7
striatiderum Mars. 24
striatipectus Lew. (Hister) 50
striatipectus Lew. (Placsius) 15
striatipectus Mars. (Platysoma) 24
striatipectus Lew. (Omalodes) 32
striatipennis Lew. 55
striatisternum Lew. (Carcin.) 60
striatisternum Lew. (Platys.) 24
striatisternus Lew. 37
striatum Lew. 13
striatus Forster 80
striatus Hbst. 80
strigatus Schm. 74
strigicolle Mars. 8
strigicollis Schm. (Hypoc.) 106
strigicollis Lew. (Termit.) 74
strigil Mars. 100
strigilata Schm. 7
strigosifrons Lew. 11
strigosus Lec. 89
striola Sahlb. 50
striolatus Mars. 50
Strobili Mars. 100
sturnus Mars. 50
Stussineri Reitt. 101
stygius Lec. 50
suavis Schm. 60
subaeneus Schm. 101
subaeratus Cas. 101
subattenuatus Motsch. 100
subdepressum M'Leay 24
subdepressum Schm. 31
subdiptychus Mars. 101
subhemisphaericus Pal. Beauv. 39
subhumilis Mars. 7
sublucida Mars. 7
submetallicus Lew. 62
subnitescens Bickh. 100
subnitidum Lew. 8

Found in
 strigicollis
 and Ent. 6/1-12

subnitidus Mars. 101
subnitidus Woll. (Saprin.) 91
subplicatus Schm. 31
subopaca Lec. 35
subquadratum Motsch. 21
subquadratus Mars. 36
subridens Mars. 18
subrotundus Say 31
substriatus Mars. 89
subsulcatus Mars. 44
subsuturalis Reitt. 109
subtilis Schm. 105
subtilissimus Schm. 89
subtropicus Cas. 58
subustus Mars. 101
subvicinus Mars. 101
subvirescens Ménétr. 101
succicola Thoms. 50
sulcatulus Schm. 99
sulcatus F. (Onthoph.) 80
sulcatus Lew. (Isolomal.) 64
sulcatus Motsch. (Dendroph.) 65
sulcatus Ol. (Onthoph.) 80
sulcicollis Lew. (Notolister) 55
sulcicollis Lew. (Pachycr.) 28
sulcifrons Mannernh. 107
sulcimargo Lew. 50
sulcipennis Fuss. 88
sulcipygus Lew. (Hister) 50
sulcipygus Mars. (Trypanaeus) 9
sulcisternum Lew. 24
sulcistrius Mars. 26
sumatrensis Mars. 20
sundae Schm. 24
surinamense Hbst. 8
suspectus Schm. 101
suturalis Schm. (Phelister) 31
suturalis Lew. (Platylister) 20
suturalis Lew. (Tribalus) 66
suturalis Lew. (Phoxonotus) 71
suturalis Ganglb. (Gnathonc.) 108
suturalis Mars. (Saprin.) 97
suturifer Reitt. 108
suturistrum Mars. 24
sutus Lew. 50
sylvanus Lew. 58
sylvanus Broun 58
syntexis Lew. 7
syphax Reitt. 101
syriacus Mars. 101

tabaciglescens Mars. 11
tabellio Mars. 36
tabellum Cas. 22
taciturnus Mars. 17
talyschensis Reitt. 75
tangerianus Mars. 75
tantilla Mars. 60

tantillus Lec. 86
taprobanae Lew. 81
tardigradus Lew. 37
tardipes Lew. 62
Tarnieri Mars. 101
Tasmani Lew. 81
tasmaniae Lew. 89
tasmanicus Mars. 101
tataricus Reitt. 88
tauricus Mars. 101
teapensis Mars. 31
teibodae Mars. 62
tejonica Horn 60
tenella Er. 61
tener Mars. 17
tenuimargo Schm. 24
tenuipes Lew. 28
tenuis Mars. 89
tenuistriata Lew. 61
tenuistriatus Lew. (Atholus) 55
tenuistriatus Lew. (Pachycr.) 28
tenuistrius Mars. 101
terebellus Mars. 11
terebrans Lew. 9
teres Lec. (Isolom.) 64
teres Mars. (Trypan.) 9
teretrioides Lew. (Althan.) 26
teretrioides Schm. (Saprin.) 101
terminalis Schm. 31
terminatum Schm. 24
termitophilus Lew. (Probolost.) 68
termitophilus Wasm. (Bacan.) 86
terraemotus Lew. 55
terraereginae Blackb. 62
terricola Germ. 50
terricola Redtb. 51
tersus Er. 58
testudo Gerst. (Paratr.) 74
testudo Lew. (Phelister) 31
teter Truqui 50
tetricus Lew. 55
texanus Mars. 33
Theryanus Reitt. 62
Theryi Bickh. 107
thibetanus Mars. 50
Thiemei Schm. 31
thoracicus F. (Trypan.) 9
thoracicus Payk. (Hister) 51
Thugi Lew. 32
thugnaum Lew. 24
tibialis Mars. 72
tigris Mars. 106
timoriense Mars. 24
tinctus Lew. 42
togoensis Lew. 61
tornatus Lec. 51
torpedo Lew. 9
torpens Mars. 24
torquatus Mars. 55

torquillus Mars. 89
 torridus Mars. 51
 toothmosis Mars. 52
transversalis Duft. 41
 transversus Say 83
 Tremolerasi Biekh. 74
 triangulifer Mars. 101
 tribistriatum Mars. 24
 tricuspis Lew. 51
 tridens Jacq. du Val 107
 trifolium Mars. 64
 trigonalis Mars. 9
 trigonifrons Mars. 51
 trigonisternus Mars. 31
 trilunatus Mars. 71
tripartitus Motsch. 93
 tristicula Mars. 61
 tristriatus Horn (Hetaer.) 76
 tristriatus Lew. (Apobletes) 17
 tristriatus Mars. (Hister) 51
 troglodytes Payk. 61
 tropicalis Mars. 51
 tropicola Schm. 51
 tropicus Lew. (Tribalus) 66
 tropicus Payk. (Hister) 51
 trulla Lew. 7
 truncatisternus Lew. 55
 truncatus Lew. (Isolomal.) 64
 truncatus Schm. (Phelister) 32
 trux Mars. 58
 truxillana Mars. 7
 tuberculata Lew. 73
 tuberculatum Lew. 4
 tuberculatus Lew. (Cornill.) 34
 tuberculatus Lew. (Onthoph.) 80
 tuberculatus Mars (Phoxon.) 71
 tuberculifrons Lew. (Apobl.) 18
 tuberculifrons Mars. (Xylon.) 10
 tuberculipygus Schm. 34
 tuberculisternum Lew. 81
 tuberosus Lew. (Cornill.) 34
 tuberosus Lew. (Pachylom.) 61
tumidus Fährs. 42
 tunicatus Lew. 39
 tunisius Mars. 101
 turanus Solsky 51
 turcicus Mars. 101
turcomanicus Ménétr. 100
 turkestanicus Schm. 101
 turritus Lew. 73
 tyrius Mars. 101
 tyrrhenus Blackb. 101

 Ulkei Horn 39
 umbilicatus Cas. (Hister) 51
 umbilicatus Mars. (Paromalus) 62
 umbrosus Cas. 51
 uncinatus Ill. 51

uncipes Mars. 34
 uncistrius Lew. 32
uncistrius Mars. 32
 uncostratus Mars. 51
 unicolor L. 51
 unicorne Lew. 13
 unicus Cas. 51
 uniforme Lew. 24
 unistrius Lew. (Notolister) 55
 unistrius Lew. (Tribalus) 66
 unituberculatus Mars. 9
uralensis Motsch. 100
urganensis Reitt. 108
 Urvillei Le Gouill. 20
 usambicus Kolbe 11

 vacillans Lew. 55
 vadatus Lew. 51
 vafer Mars. 101
 vagans Lew. (Platysoma) 24
 vagans Mars. (Epierus) 58
 valens Lew. 75
 validus Er. 37
 Vandepolli Schm. 58
 vanus Schm. 20
 vapulo Mars. 34
 varians Schm. 106
 varicolor Mars. (Phelister) 32
 varicolor Schm. (Chelyoceph.) 72
 Vaucheri Lew. 78
 Vaulogeri Thérý 61
 veda Lew. 11
velox Mén. 51
 venator Lew. 11
 ventralis Mars. 51
 venustus Er. (Phoxon.) 71
 venustus Lec. (Phelister) 32
 vermiculatus Lew. 63
 verminosus Lew. 64
 vernalis Lew. 64
vernici's Cas. 8
 vernulus Blackb. 106
 vernus Say 32
 versicolor Mars. 101
 verula Lew. 69
 Verulami Lew. 28
 vesus Mars. 101
 vespertinum Lew. 71
 vestitus Lec. (Saprin.) 101
 vestitus Lew. (Atholus) 55
 viaticus Lew. (Paromal.) 63
 viaticus Lew. (Sternoc.) 78
 viator Mars. 101
vibius Mars. 30
 vicinale Lew. 24
vicinus Lec. 58
 vicinum Lec. 8
 victor Mars. 61

victoriae Mars. 63
viduus Fährs. 39
vilis Fährs. 52
vincius Lec. 95
violaceipennis Mars. (Saprin.) 101
violaceipennis Lew. (Pachycr.) 28
violaceus Lew. (Coryph.) 68
violaceus Mars. (Phelister) 32
violaceus Hochh. (Saprin.) 101
violaceus Steph. (Hypoc.) 105
virens Mars. 13
virescens Payk. 101
virescens Brullé 96
virginiae Cas. 52
viridanus Lew. 102
viridicatum Lew. 13
viridicatus Schm. 102
viridicollis Mars. 61
viridicupreus Blanch. 102
viridimicans Schm. 32
viridipennis Lew. 102
viridis Mars. (Pachycr.) 28
viridis Duft. (Saprin.) 101
viridulus Broun (Abraeus) 84
viridulus Mars. (Saprin.) 102
vitiosus Lec. 102
vitreolucens Cas. 34
vittula Mars. 63
volitans Fall 89

volvulus Er. 9
vulcanus Lew. 10
vulneratus Panz. 83
vulneratus Sturm 82
vulpes Mars. 7

wacoensis Horn 102
Walkeri Bickh. (Saprin.) 102
Walkeri Lew. (Hister) 52
Walkeri Lew. (Sternoc.) 78
Walkeri Lew. (Teretrius) 14
Walkeri Reiche (Macrolister) 37
Wallacei Mars. 68
Waterhousei Mars. 58
westralensis Blackb. 102
Wickhami Lew. 58
wokanensis Mars. 89
Wollastoni Mars. 108

Xavieri Mars. 65
xerobatis Hubb. 108

yucatecum Mars. 8

zambesius Lew. 36
zealandica Mars. 16
zonalis Lew. 90
Zoppae Penecke 84
zulu Mars. 52