

30 NOV 1908

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 2:

F. Borchmann

Nilionidae, Othniidae, Aegialitidae,
Petriidae, Lagriidae.



W. Junk

Berlin W. 15, Kurfuerstendamm 201.

1910.

N. lutzii von Jher. Rev. Mus Paulista 9. 1914. p 281 Brazil.

coelestis "

bowleri "

paralanatus "

varius "

gounellei "

margaritaceus Brélès. An. Soc. ent. Argent. 89. 1920. p 39. Peru.

villosus Mader, Ent. Anz. 12. 1933. p 67 "

Fam. Nilionidae.

Auct. F. Borchmann.

Champ. Biol. C. Am. Col. IV, 1, 1888, p. 470.

Kataloge: Gemm. u. Har. VII, 1870, p. 2057—2059. — Champ. Ann.

Soc. Ent. Belg. XLII, 1898, p. 61.

von Jhering. Res. Mus. Paulista 9. 1914. p. 287.

Nilio Latr.

Latr. Hist. nat. Crust. et Ins. III, 1802, p. 179; X, 1804, p. 333. —

Lacord. Gen. Col. V, 1859, p. 519. — Thoms. Mus. scient. 1860, p. 1 u.

45. — Champ. Biol. C. Am. Col. IV, 1, 1888, p. 470.

Nilion Latr. olim.

aeneus Thoms. Mus. scient. 1860, p. 45.

amazonicus Thoms. l. c. p. 9, t. 3, f. 2.

brunneus Thoms. l. c. p. 11, t. 3, f. 5.

chiriquensis Champ. Biol. C. Am. Col. IV, 1, 1888, p. 471, t. 21, f. 21.

coccinelloides Cast. Hist. Nat. II, 1840, p. 227. — Thoms. l. c. p. 10.

collaris Thoms. l. c. p. 11, t. 4, f. 2.

fascicularis Germ. Ins. Spec. nov. 1824, p. 162.

fulvopilosus Champ. Biol. C. Am. Col. IV, 1, 1888, p. 471.

Lafertei Thoms. Mus. scient. 1860, p. 11.

lanatus Germ. Ins. Spec. nov. 1824, p. 161. — Guér. Ic. Ins. 1843, t. 31, f. 8. — Thoms. l. c. p. 12.

Lebasi Thoms. l. c. p. 10, t. 3, f. 3.

maculatus Germ. Ins. Spec. nov. 1824, p. 162. — Thoms. l. c. p. 12.

marginellus Er. Arch. Naturgesch. XIII, 1847, I, p. 120.

pantherinus Thoms. Mus. scient. 1860, p. 12, t. 4, f. 3.

peruvianus Thoms. l. c. p. 8 u. 45.

pilosus Cast. Hist. Nat. II, 1840, p. 227. — Thoms. l. c. p. 9 u. 45.

rubrocastaneus Thoms. l. c. p. 11, t. 4, f. 1.

Sallei Thoms. l. c. p. 10, t. 3, f. 4. — Champ. Biol. C. Am. Col. IV, 1, 1888, p. 470.

suturalis Thoms. l. c. p. 10.

testaceus Thoms. l. c. p. 9, t. 3, f. 1.

Thomsoni Champ. Biol. C. Am. Col. IV, 1, 1888, p. 471, t. 21, f. 20.

villosus F. Mant. Ins. II, App., 1787, p. 379. — Latr. Gen. Crust. et Ins. II, 1807, p. 199, t. 10, f. 2. —

Blanch. in Cuv. Règn. Anim. Ins. 1817, t. 50, f. 10 a. — Thoms. Mus. scient. 1860, p. 9 u. 45, t. 1, f. 1 a—g.

Amazonas

Brasilien

Panama

Brasilien

Columbien

Brasilien

Panama

Columbien

Brasilien

Columbien

Brasilien

Peru

Brasilien

Peru

Columbien

Cayenne

Mexico

Bolivia

Parà

Mittel-

Amerika

Cayenne

Fam. Othniidae.

Auct. F. Borchmann.

Leconte, Classif. Col. N. Am. I, 1861, p. 102. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 465.

Kataloge: Gemm. u. Har., Cat. Col. III, 1870, p. 905. — Champion. Ann. Soc. Ent. Belg. XLII, 1898, p. 60—61. — Borchm. *Natursch. 1921. pp. 191, 215 (Mon.)*

Othnius Lec.

Leconte, Class. Col. N. Am. I, 1861, p. 102. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 466. — Borchm. *Mon. Ill. orig. descr. copied*

Elacatis Pascoe, Journ. of Ent. I, 1860, p. 52.

- *antennalis* Champ. Biol. Centr.-Am. Col. IV, 1, 1888, Mexico
p. 467, t. 2, f. 15 u. 15a.
- *delusa* Pasc. Journ. of Ent. I, 1860, p. 53, t. 2, f. 5. Borneo
- *fasciatus* Bland, Proc. Ent. Soc. Phil. 1864, p. 253. Virginia
- *guttulatus* Lec. Class. Col. N. Am. I, 1861, p. 103. Kalifornien
- *intricatus* Champ. Biol. Centr.-Am. Col. IV, 1, 1888, Guatemala
p. 468, t. 21, f. 17.
- *Kraatzi* Reitt. Deutsche Ent. Zeit. XXIII, 1879, p. 226. — Japan
Lewis, Ent. Monthly Mag. XXVII, 1891, p. 248.
— Ann. Mag. Nat. Hist. (6) XV, 1895, p. 276.
- *laticollis* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 347. Batjan
- *longicornis* Horn, Trans. Amer. Ent. Soc. III, 1871, p. 334. Kalifornien
- *lyncea* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 346. Ceylon
- *mexicanus* Horn, Trans. Amer. Ent. Soc. II, 1868, p. 133; Central-
l. c. V, 1875, p. 151. — Champ. Biol. Centr.-amerika
Am. Col. IV, 1, 1888, p. 469, t. 21, f. 18.
- *multiguttatus* Champ. l. c. p. 468, t. 21, f. 16. Guatemala
- *ocularis* Lewis, Ent. Monthly Mag. XXVII, 1891, p. 248; Japan
Ann. Mag. Nat. Hist. (6) XV, 1895, p. 276.
- *senecionis* Champ. Biol. Centr.-Am. Col. VI, 1, 1888, Mexico
p. 467, t. 21, f. 14.
- *sticticopterus* Champ. l. c. p. 469, t. 21, f. 19.
- *umbrosus* Lec. Class. Col. N. Am. I, 1861, p. 103. Nebraska

15

Ababa Casey.

Casey, Ann. N. York Ac. IX, 1897, p. 653.

• *erinita* Casey, l. c. p. 654. — Borchm. *Mon. p. 214*, Texas

$\frac{1}{16}$

Oleridae, Schaeffer. 1917.

Othnius *acutidentatus* Bonh. Mon. p. 199 fig.
fovicollis B.
aruensis Bonh.
ceylanicus B.
multiplicatus B.
cameronius B.
variegatus B.
lineatus B.
pulcher B.
inimicus Pic Bull Soc. Zool. T. 47. 1924. p. 70 Tonkin.

Sarawak.
 Kuna Batu
 Am.
 Ceylon.
 N. Camerons.
 "
 "
 "

Paralacatis Chapin. Phil. Ind. Sci. 1923 p. 86

bakeri Chapin do Basilan
pallidus Pic Mel. 45. 1926. p. 22. P. I.

sg. *Macrothinius* Pic Mel. 32 1920. p. 9.

O. notaticollis Pic f.c. Newburn.
" tonkinensis Pic " Tonkin.
" v. wumani Pic Mel. 44. 1925. p. 13 "
" atrithorax Pic " Formosa
" undulatus Pic " Bornea
" maculatus Pic " Ceylon.
" major Pic " Ivory Coast
" ruficornis Pic (*Macrothinius*) P. c. Brazil.

oculatus Pic Mel. 36. 1922. p. 17. Tonkin
senecollis Pic Mel. 44. 1925. p. 12 (mauro.) Columbia.

O. bakeri Chapin. Phil. Ind. Sci. 1923 p. 84. Penang.

undulata Chapin do p. 85. Luzon.
v. borneensis Chapin do N. Borneo

pantherina Ch. (*delusa* var.) do p. 86 Luzon.

Th. *brasiliensis* Bonh. Mon. Brazil.
corporealis B. Sumatra.
formosanus B. (1916.) do Formosa
similis B. do "
rugicollis B. do "

O. albus Bonh. Ent. Mitt. 10. 1921. p. 198. fig. Palawan.

telecophoromorphus Pic. Mel. 32 1920. p. 8.

P. moquerayi Pic f. c. Gaboon.

Strand. K. 1933. Fol. m. Zool & Hydrobiol. Riga. Vol 5 n. 1 p. 28.

Heinrich. 1910. J. Biol. & Med. & Hygiene. Hotel - Agricultural Museum. 76. 1910.

Fam. Aegialitidae.

Aegialitidae Strand, 1933.

Auct. F. Borchmann.

Wickham, Canad. Ent. XXXVI, 1904, p. 356.

Aegialites Mannerh.

? *Aegialites* Güdel 1848
(? valid.)

Mannerheim, Bull. Mosc. XXVI, 1853, II, p. 178.
Sumytskii Seidl. 1916 D.E.Z. p. 127 (1915)
Elosoma Motsch. Bull. Mosc. XVIII, 1845, I, p. 33.

- californicus* Motsch. Bull. Mosc. XVIII, 1845, I, p. 33. Kalifornien
- debilis* Mannerh. Bull. Mosc. XXVI, 1853, II, Sitkha
p. 180. — Kleen, Canad. Ent. XXXV, 1903,
p. 125.
- Fuchsi* Horn, Trans. Amer. Ent. Soc. XX, 1892, p. 143. Kalifornien
Biologie: Wickham, Canad. Ent. XXXVI, 1904,
p. 57. Pl. II.
- persicus* Motsch. Bull. Mosc. XVIII, 1845, I, p. 33. Persien
- Stejnegeri* Linell, Canad. Ent. XXX, 1898, p. 74. Robben-Insel

4

Fam. Petriidae.

Auct. F. Borchmann. D.E.Z. 1909. p. 712.

Semenow, Mel. biol. XIII, 1893, p. 359. — Bull. (n. s.) III, 1893, p. 607. —
Seidlitz, Naturg. Ins. Deutschl. V, 2, 1896, p. 25; V, 2, 1898, p. 307 u.
320. — Semenow, Ann. Mus. St. Pet. 1896, p. 25—30.

Petria Sem.

Semenow, Mel. biol. XIII, 1893, p. 363. — *Jacobson*, Käf. Russl. Pl. 80.

- antennata* Sem. l. c. p. 366. Transcaspien
- nitidicollis* Sem. Annuaire Mus. St. Pé. 1896, p. 25. "
- tachyptera* Sem. Mel. biol. XIII, 1893, p. 365. "

3

Fam. Lagriidae.

Auct. F. Borchmann.

Latreille, Fam. Nat. 1825, p. 381. — Latreille in Cuv. Anim. ed. 2, V, 1829, p. 51 (*Lagriariae*). — Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 495. — Westwood, Introd. mod. Class. Ins. I, 1839, p. 289. — Castelnau, Hist. Nat. II, 1840, p. 255 (*Lagriites*). — Redtenbacher, Gatt. deutsch. Käfer-Fauna 1845, p. 134 (*Lagriae*); Fauna Austr. 1849, p. 628; ibid. ed. II, 1858, p. 634; ed. III, 1874, II, p. 148. — Mulsant, Col. Fr. Latip. 1856, p. (8) 12 (*Lagriides*); Opusc. VI, 1855, p. 33. — Thomson, Scand. Col. I, 1859, p. 126 (*Lagriariae*). — Lacordaire, Gen. Col. V, 1859, p. 563 (*Lagriides*). — Leconte, Class. Col. N. Amer. 1862, p. 245; ed. II, 1883, p. 392. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 359 (*Lagriides*). — Seidlitz, Fauna Baltica 1875, p. XXXIX; ed. II, 1891, p. XLIX; Fauna Transs. 1891, p. XLIX; Nat. Ins. Deutschl. V, 2, 1898, p. 306. — Champion, Biol. Centr.-Amer. Col. IV, 2, 1889—93, p. 1—74. — Kolbe, Käf. Deutsch-Ostafr. IV, 1897, p. 251. — Everts, Coleoptera Neerlandica 1901, p. 275—277.

Biologie: Erichson, Arch. Naturgesch. VIII, 1842, I, p. 369; Uebersetzung: Candèze, Mém. Soc. Sc. Liège VIII, 1853, p. 524. — Schiödte, Naturhist. Tidskr. (3) XII, 1879—80, p. 520, t. 14. — Kolbe, Arch. Nat. 1901, Beiheft, p. 539. — Bourgeois, Bull. Colmar 1906, p. 404.

Morphologie: Kempers, Tijdschr. Ent. XLIV, 1901, p. 34, t. IV, f. 22 (Adersystem der Flügel). — Wandolleck, Verh. deutsch. zool. Ges. 1902, p. 193; Zool. Anz. XXVII, p. 77 (Styli); Zool. Jahrb. Anat. XXII, 1905, p. 540 (Abdomen).

Kataloge: Gemm. u. Har. VII, 1870, p. 2074—2080. — Champ. Ann. Soc. Ent. Belg. XLII, 1898, p. 46—66.

I. Trachelosteninae.

Lacordaire, Gen. Col. V, 1859, p. 567. — Seidlitz, Ins. Deutschl. V, 2, 1898, p. 319.

Trachelostenus Sol.

Solier, Hist. Chile, Zool. V, 1851, p. 255. — Seidlitz, l. c. p. 315. — Lacord., Gen. Col. V, 1859, p. 567.

fasciculifer Philippi, Stett. Ent. Zeit. XXI, 1866, p. 248. Chile
inaequalis Sol. Hist. Chile, Zool. V, 1851, p. 256, t. 21, „
f. 3a—e.

Flabellolagria Pic Mel. 50. 1927 p. 27.

luteovittata Pic ..

Congo.

Lagriola
gibbipennis Pic

Mel. I. 1911. p. 11.

Brazil

Adynata pubescens Pic Mel. 35. 1922. p. 29.

crampeli Pic l. c. 30

ocularis Pic l. c. -

crassicornis Pic l. c.

- exilis Borchs. Mon.

convexa

apicicornis

pachycera

cavicornis

cochliophora

ovata

foveicollis

Zanguebar.

Congo.

"

Gaboon.

Sp. Guin.

abyss.

Sp. Guin.

Gaboon.

Port. Guin.

Erythrea.

Port. Guin.

Uganda.

Isocera Borchm.

Borchm. Deutsche Ent. Zeitschr. 1909, p. 713.

Isotoma Blanch. Hist. Ins. 1845, p. 39. — Lacord. Gen. Col. V, 1859, p. 568 u. 572. — Seidlitz, Ins. Deutschl. V, 2, 1898, p. 315.*emarginaticollis* Blanch. Voy. d'Orb., Col. 1843, p. 199, Bolivia
t. 15, f. 1.

1

Lagriola Kirsch.

Kirsch. Berl. Ent. Zeit. XVII. 1873, p. 409.

Het. *laticeps* Pic Mél. 35. 1922. p. 28*testaceipes* Pic l.c.*curticornis* Pic l.c.*aticeornis* Pic l.c.*testaceicornis* Pic l.c.*ceylonica* Pic l.c.*atripennis* Pic l.c.*Boeki* Borch. Mon. p. 165*pygmaea* B*pic.* Mél. I. 1911. p. 11.*Andrewesi**atricolor* Pic Ech. 36. 1920. p. 15*calithorax* Pic Mél. 50. 1927. p. 27*robusta* Pic.Tonkin.
Phil. Ids.

Java

Saboan.

Ceylon.

"

Palawan.

Ceylon.

"

Madagascar.

S. India.

Sikkim

Tonkin.

"

pic. Mél. I. 1911. p. 11.

Ech. 1870 n. 331

Brasil

Südafrika

Flabellolagria Pic Mel. 50. 1921 p. 27.

leucostictata Pic

Conso

Lagriola

gibripennis Pic

Mel. I. 1911. p. 11.

Brazil

Wallardilagria Pic (see Heterogria)

Heterogria

523

maandroni Pic (Wallardilagria sbg. n.) Esch. 26. 1910. p. 74

pallidicincta Pic. P. C.

dividiata Borchm. Boll. Soc. Ent. Ital. 1911. p. 227

Sumatra

sinensis Pic Esch. 34. 1918. No. 388. p. 15

China

brunneostictata Pic P. C.

"

kinapii Pic P. C.

Java

senimetalica Pic Mel. 36. 1922. p. 16.

Hédan.

supra-sinensis Pic

Tonkin.

longicornis Pic

Mel. 35. 1922. p. 28.

S. India

lata Pic P. C.

annamita Pic P. C.

Annam.

(overleaf)

Pachylagria Borch. Col. Rundsch. I. 1912. p. 17. = Heterogria B. Mon. p. 163

ovata Borch. P. C.

Maubara.

S.

Isocera Borchm.

Borchm. Deutsche Ent. Zeitschr. 1909, p. 713.

Isotoma Blanch. Hist. Ins. 1845, p. 39. — Lacord. Gen. Col. V, 1859, p. 568 u. 572. — Seidlitz, Ins. Deutschl. V, 2, 1898, p. 315.*emarginaticollis* Blanch. Voy. d'Orb., Col. 1843, p. 199, Bolivia
t. 15, f. 1.

1

Lagriola Kirsch.

Kirsch, Berl. Ent. Zeit. XVII. 1873, p. 409.

denticulata Kirsch, l. c. p. 411.

Peru

operosa Kirsch, l. c. p. 411.

2

Rhosaces Champ.

Champion, Biol. Centr.-Amer. Col. IV, 2, 1889, p. 73.

clavipes Champ. l. c. p. 73, t. 3, f. 25.

Panama

1

II. Lagriinae.

Leconte, Class. Col. N. Am. 1862, p. 246; ed. II, 1883, p. 393. — Seidlitz, Fauna Balt. 1875, p. 100; ed. II, 1891, p. 137; Fauna Transs. 1891, p. 137; Naturg. Ins. Deutschl. V, 2, 1898, p. 316 und 318.

Borchmann Arc. Naturg. 81. 1915. (1916.) A. 6. p. 45. (Mon.)**Adynata** Fähr.

Fähr. Öfversigt Vet. Ak. Förh. 1870, p. 330. — Borch. Mon. p. 50.

brevicollis Fähr. l. c. p. 331.

Caffraria

eutrapeloides Péring. Trans. S. Afr. Phil. Soc. III, 1881—
1885, p. 117.

Caffraria

fuscocoerulescens Fairm. Ann. Soc. Ent. Belg. XXXVIII,
1894, p. 393.

Transvaal

ruficollis Borchm. Deutsche Ent. Zeitschr. 1909, p. 84;
Bull. Soc. Ent. Ital. LX, 1908 (1909), p. 215.

Kilimandjaro

tenuelineata Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894,
p. 393.Boma am
Kongo*tricolor* Fähr. Öfv. Vet. Ak. Förh. 1870, p. 331.Kilimandjaro
Südafrika

6

Heterogria Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 42.

oculata Fairm. l. c. p. 42.

Belgaum

punctatissima Fairm. l. c. p. 42.

"

quadraticollis Fairm. l. c. p. 42.

"

sternalis Fairm. l. c. p. 43.

"

4

Lagria F.

Ent. Syst. 1-2, 1775, p. 124; Syst. Eleuth. II, 1801, p. 69. — Ol., Entom. III, 1795, no. 49, p. 1. — Tigny, Hist. nat. Ins. VII, 1801, p. 139. — Paykull, Fauna Suec. II, 1799, p. 154. — Latr., Hist. Nat. III, 1801, p. 179; X, 1803, p. 350; Gen. Crust. et Ins. II, 1807, p. 197. — Gyll. Ins. Suec. II, 1810, p. 504. — Steph. III. Brit. Ent. V, 1832, p. 32. — Curt. Brit. Ent. XV, 1836, fasc. 598. — Cast. Hist. Nat. II, 1840, p. 256. — Blanch. Hist. Ins. II, 1845, p. 39. — Redtenb. Gatt. d. deutsch. Käf.-Fauna 1845, p. 134; Fauna Austr. 1849, p. 628; ed. II, 1858, p. 634; ed. III, 1874, II, p. 148. — Bach, Käferf. III, 1856, p. 275. — Muls. Col. Fr. Latipennes 1856, p. 12. — Lacord. Gen. Col. V, 1859, p. 563, 568, 569. — Jacq. du Val, Gen. Col. Eur. III, 1863, p. 360. — Thoms. Skand. Col. VI, 1864, p. 273. — Seidlitz, Faun. Balt. 1875, p. 100; ed. II, 1891, p. 137; Faun. Transsylv. 1891, p. 137; Naturg. Ins. Deutschl. V, 2, 1898, p. 323.

Subgen. *Apteronympha* Seidlitz, Naturg. Ins. Deutschl. V, 2, 1898, p. 336, 338.

Subgen. *Chrysolagria* Seidlitz, l. c.

Subgen. *Microlagria* Seidlitz, l. c.

Biologie: Seidlitz, Naturg. Ins. Deutschl. V, 2, 1898, p. 312 (Larve). — Marshall, Trans. Ent. Soc. Lond. 1902, p. 334, 342, 347.

adusta Klug, Abhandl. Kön. Akad. Wiss. Berlin 1832—33, p. 187 (Separ. p. 99). — Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 242. Madagascar

aenea Redtenb. Hügels Kaschmir IV, 2, 1848, p. 533, t. 25, f. 4. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 349. Nord-Indien

aeneiceps Borchm. Deutsche Ent. Zeitschr. 1909, p. 75.

Sansibar,
Usambara

aeneipennis Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 328.

aeneoviolacea Champ. Trans. Ent. Soc. London 1895, II, p. 227. Südafrika

aerea Reiche in Ferret et Galin., Voy. Abyss. 1848, p. 372, t. 23, f. 1. Westaustralien

affinis Boisd. Voy. Astrol. II, 1835, p. 286. Abessinien

albopilosa Schauf. Hor. Ross. XXI, 1887, p. 136. Australien

albovillosa MacL. Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 316. Java

amoena Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 329. Celebes

ampla Fairm. Natural. IX, 1887, p. 71, f. 4; Ann. Soc. Ent. Belg. XXXIX, 1895, p. 31. Queensland

amplicollis Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. Südafrika

laticollis Kolbe, Berl. Ent. Zeit. 1901, p. 540. Kossowa, Ostafrika

anisocera Wiedem. Zool. Mag. II, 1, 1823, p. 81. Java

annectens Péring. Ann. S. Afr. Mus. III, 1904, p. 295. Transvaal

antennalis Borchm. Sjöst. Kilim. Exp. 1909, p. 293. Kilimandjaro

antennata Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. Korea

distincticornis Heyd. Hor. Ross. XXI, 1887, p. 269. Loanda

apicata Har. Col. Heft. XVI, 1879, p. 133. Madagascar

asperipes Fairm. Rev. d'Ent. XX, 1901, p. 196. Frankreich

atripes Muls. et Guilleb. Ann. Soc. Linn. Lyon (2) II, 1855, p. 74; Opusc. VI, 1855, p. 42. — Baudi D. Ent. Zeitschr. 1877, p. 412.

Biologie: Muls. Ann. Soc. Linn. Lyon II, 1855, 2, p. 73; Opusc. VI, 1855, p. 41—42 (Larve).

see p. 10. Gen. B. 143.

Enolagria B.

Enolagria B.

Lopholagria B.

ogria Borchm. Bull. Soc. Ent. Ital. 1911. p. 210. (Key to spp.)

✓ <u>dohrni</u> Borchm.	P. c.	p. 212.	Philippines
✓ <u>flavicornis</u> Borchm.	P. c.	p. 214.	Burma.
✓ <u>decorata</u> Borchm.	P. c.	p. 215.	Java
✓ <u>Baccarii</u> Borchm.	P. c.	p. 217.	Celebes.
✓ <u>meloides</u> Borchm.	P. c.	p. 218.	Philippines
✓ <u>quadraticollis</u> Borchm.	P. c.	p. 220.	Sumatra.
✓ <u>crassa</u> Borchm.	P. c.	p. 221.	Burma.
<u>semitallica</u> Pic	MéL. 35. 1922. p. 30		Madagascar.
<u>didyana</u> Pic	P. c.		"
<u>particularis</u> Pic	P. c.	31	"
<u>singularicornis</u> Pic	P. c.		"
<u>mauligera</u> B. Mon.	p. 113		Borneo.
<u>umbripennis</u> B.	114.		"
<u>runneipennis</u> B.	115		Java.
<u>deserta</u> B.	116		Java
<u>asperana</u> B.	118.		Kamerun.
<u>celebensis</u> B.	119		Celebes.
<u>pulosa</u> B.	120		S. India
<u>oriunda</u> B. Nov. Guin.	15. 1924. p. 61		N. Guin.
<u>bryanti</u> B. Trebra	6. 1925. p. 349		Java, Sumatra.
<u>coch</u>			

s. sumatrana Borch

P. c.

Sumatra

ogria Borchm. Bull. Soc. Ent. Ital. 1911. p. 222.

<u>sulcipennis</u> Borch.	P. c.	p. 223.	Sumatra.
<u>sobrina</u> Borch.	P. c.	224.	"
<u>concolor</u> Borch	P. c.	225.	Mentawai
<u>fuscescens</u> Borch	P. c.	225.	Java.
<u>cyanipennis</u> Borch.	P. c.	226	Tenasserim.
			P. J.

Ceratoma Borch. Mon. p. 49. (omitted from body of paper.)

vera
collis Blatchley. Col. ~~Indiana~~ 1910. p. 1285. f. Indiana

pacca Pi. Ech. 26. 1910. p. 86
kievi Pi. P. c.

Endolagria 13.

II, p. 227.

lien

Costiferolagria Pi. Mel. 13. 1915. v.

atricolor Pi. Mel. 49. 1927. p. 14

(see Lag. semialutacea

Chapa

Lagria

✓	hirticollis	Borch. Bull. Soc. Ent. Ital. 1911. p. 201.	Borneo.
✓	fricta	Borch. l.c. p. c. 203	Burma.
	gracilicornis	Borch. l.c. 204.	Burma.
✓	anturalis	Borch. (australis var.) p. c. 205	New Guinea.
	scutellaris	Pic. Naturaliste 32. 1911. p. 259.	
	sobrina	Borch. Ergel. Zentr. Afr. Exp. 4. L. 1. 1911. p. 5. Germ. 8. apr.	
	variolor	Borch. l.c. p. 6.	"
	clavicornis	Borch. l.c. p. 7.	"
	insignicollis	Borch. l.c. p. 8.	"
	inflata	Borch. l.c. p. 9.	"
	formosensis	Borch. Suppl. Ent. Berl. I. 1911. p. 6	Formosa
✓	[	ruficollis Borch. l.c. p. 7	"]
		Kolbei Borch. Col. Rundsch. I. 1912. p. 1.	Africa
	basicornis	Borch. l.c. 2.	
	decolora	Borch. l.c. 3.	
	seminigra	Borch. l.c. 4	
	atrata	Borch. l.c. "	
	semialutacea	Pic (Cortiferolagria s.g.) Mel. 13. 1915. p. 5.	Indes.
✓	foveifrons	Borch. Rec. Ind. Mus. 11. 1915. p. 179.	India
✓	s. sumatrana	Borch. l.c. c.	Sumatra
✓	nigrita	Borch. l.c. 180.	India
	(pulcherrima Lea.)	T. R. S. S. A. 1917. p. 175.	
✓	desipiens	lea l.c. p. 176.	Queensl ^d
	oxythroptera	lea " p. 177.	"
	tenuicollis	lea " p.	"
	auberti	Pic Mel. 36. 1922. p. 13.	Madagascar
	albohiruta	Pic l.c. p. 14	"
	longeapicalis	Pic l.c.	"
	poilloni	Pic l.c.	"
	tanamaniana	Pic l.c.	"
	curticornis	Pic l.c. 15	"
	atricornis	Pic l.c.	"
	latw	Pic l.c.	"
	madecassa	Pic l.c.	"
	annulipes	Pic l.c.	"
	opacithora	Pic l.c.	"
	subacuminata	Pic Mel. 35. 1922. p. 31	"
	infolimbata	Pic l.c.	"
	subampla	Pic l.c.	"

Lagria

Tomentosa F. 1920.

<i>Laporia suburalis</i> Pic	Mél 35. 1922. p. 32.	Madagascar.
<i>subvittulata</i> Pic	q. c.	"
<i>testaceotincta</i> Pic	p. c.	"
<i>moqueruysii</i> Pic	p. c.	"
<i>tibetana</i> Blr. Ann Mag. N.H. (9) 1927. p. 249	Tibet.	
<i>fulgidipennis</i> Borchm. Mon.	p. 62.	Philippines
<i>gabonensis</i> B.		Gabon
<i>pulehra</i>	71	Siam, Java
<i>speciosa</i>	73	Cape
<i>nimula</i>	74	Alps
<i>abyssinica</i>	75	"
<i>pallidioris</i>	79	Madag.
<i>asmarensis</i>	80	Erythraea
<i>queenslandica</i>	84	N. Qu.
<i>aurofasciata</i>	85	"
<i>bainningensis</i>		Bainning Mts
<i>exigua</i>	86	Rhodesia
<i>Seidlitzii</i>	87	P. I.
<i>binhana</i> Pic. Bull Soc. Zool. Fr. 48. 1923 p. 270	Tonkin	
<i>sulcata</i>		"
<i>heurni</i> Borch. Nov. Guin. 15. 1924. p. 61		New Guin.
<i>infans</i> Borch. Ark. Zool. 17. No 26. 1925, p. 2		C. Afr.
<i>blairi</i> Borch. Isemb. 6. 1925. p. 348		Penang m.
<i>inflata</i>		Java.

- laureopilosa* Le Guillou, Rev. Zool. 1844, p. 225.
auricollis Borchm. Deutsche Ent. Zeitschr. 1909, p. 70.
australis Champ. Trans. Ent. Soc. Lond. 1895, p. 229.
azureipennis Macl. Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 157.
basalis Hope, Gray's Zool. Misc. 1831, p. 32. — Dohrn, Stett. Ent. Zeit. XLVII, 1886, p. 353.
dichroa Reitt. Deutsche Ent. Zeitschr. 1880, p. 257. — Borchm. D. E. Zeit. 1909, p. 714.
Bennigseni Borchm. Deutsche Ent. Zeitschr. 1909, p. 72.
bicolor Koll. u. Redtenb. Hügels Kaschmir IV, 2, 1848, p. 534.
bimarginata Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 40.
brevicollis Gyll. Schönh. Syn. Ins. I, 3, 1817, App. p. 10.
brevicornis Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 26.
brevipilis Desbr. Bull. Ac. Hipp. 1881, p. 95. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 338.
canescens Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 323.
capicola Péring. Ann. S. Afr. Mus. III, 1904, p. 293.
Cardoni Fairm. Ann. Belg. XXXVIII, 1894, p. 31.
carinulata Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXVII.
castanea Guér. Voy. Coquille. Ent. II, 1830, p. 104, t. 5, f. 6. — Boisd. Voy. Astrol. II, 1835, p. 288.
caucasica Motsch. Schrencks Reise 1860, p. 144.
chinensis Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 349.
cineracea Fairm. N. Leyd. Mus. IV, 1882, p. 258. — *Blau*
clavifera Cast. Hist. Nat. II, 1840, p. 256.
coerulescens Gyll. Schönh. Syn. Ins. I, 3, App. 1817, p. 9.
collaris Oliv. Ent. III, 1795, no. 49, p. 5, t. 1, f. 4a—b.
collina Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 547.
comosella Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 30.
concolor Blanch. Voy. Pole Sud IV, 1853, p. 184, t. 12, f. 10.
confusa Reiche in Ferr. et Galin., Voy. Abyss. 1848, p. 374. — Reitt. Deutsche Ent. Zeitschr. 1880, p. 253.
conspersa Reitt. Deutsche Ent. Zeitschr. 1880, p. 256.
convexa Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 544.
Coquereli Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 242.
coriacea Borchm. Bull. Mus. Paris 1908, p. 151.
corpulenta Borchm. Deutsche Ent. Zeitschr. 1909, p. 69.
corrugata Péring. Trans. S. Afr. Phil. Soc. VI, 1892, p. 61.
corticina Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 245.
costatula Borchm. Deutsche Ent. Zeitschr. 1909, p. 714.
subcostata Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 56.
crassicornis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 324.
Erenatostrata Fairm. Notes Leyd. Mus. IV, 1882, p. 262.
eribrata Fairm. l. c. p. 246.
eribratula Schauf. Hor. Ross. XXI, 1887, p. 136.
euprina Thoms. Arch. Ent. II, 1858, p. 106.
cyanea Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 304.
cyanicollis Borchm. Bull. Mus. Paris XIV, 1908 (1909), p. 151. — *Vog. Reth. 1922. PP.*
 Neu-Guinea } *Bothrichara* B.
 Uganda
 S. W. Australien
 Neu-Guinea
 Darjeeling
 Nepal
 Engl. Uganda
 Nord-Indien
 Madura } *g. Lagnella*
 Sierra Leone
 Chinchoxo
 Algier
 Tonkin
 Kapkolonie
 Bengalen
 Tschang-
 Yang
 Neu-Guinea
 Kaukasus
 China
 Sumatra
 Angola
 Indien
 Incert. sedis
 N. Kamerun
 Bengalen
 Singapur
 Abessinien
 Darjeeling
 Kilimandjaro * *Vog. Reth. 1922. p. 9.*
 Insel Mayotte
 Engl. Ostaf. * *Vog. Reth. 1922. p. 9.*
 Kamerun
 Zambesi
 Insel Mayotte
 Indien
 Tonkin
 Sumatra } *Heterogria* B. Mon.
 Madagascar
 Celebes
 Gabun * *Vog. Reth. 1922 p. 720*
 Gayndah
 Engl. Ostaf.

- Bothriichneumon* B. [
- denticornis* Fairm. Bull. Soc. Ent. Fr. 1903, p. 300. Borneo
 - dermatodes* Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 245. Sansibar
 - diffusa* Fairm. Notes Leyd. Mus. IV, 1882, p. 260. Sumatra
 - dimidiata* Blanch. Voy. Pole Sud IV, 1853, p. 186. — Insel Vavao
 - Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 234.
 - dissimilis* Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 142. Westafrika
 - distincta* Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 325. Südafrika
 - distincticornis* Reitt. Deutsche Ent. Zeitschr. XXIV, 1880, p. 256. Himalaya
 - Elizabethae* Péring. Ann. S. Afr. Mus. III, 1904, p. 293. Kapland
 - erythrocephala* Borchm. Deutsche Ent. Zeit. 1909, p. 79. Usambara
 - externa* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 323. Tonkin
 - Falkensteini* Kolbe, Berl. Ent. Zeit. XXVII, 1883, p. 26. Chinchoxo
 - flavipennis* Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 327. Südafrika
 - flavipes* Borchm. Bull. Soc. Ent. Ital. LX, 1908 (1909), p. 210. Kamerunberg
 - formicicola* Lea, Proc. Ent. Soc. N. S. Wales (2) IX, 1895, p. 607. Australien
 - foveicollis* Quedenf. Berl. Ent. Zeit. XXXII, 1888, p. 187. Zentralafrika
 - fuliginosa* Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 244. Madagascar
 - fulvopilosa* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 303. Ostafrika
 - fuscata* Motsch. Schrencks Reise 1860, p. 144. — Seidl. Daurien
 - Naturg. Ins. Deutschl. V, 2, 1898, p. 340.
 - fuscipennis* Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 326. Südafrika
 - geniculata* Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 339. Mongolei
 - Gestroi* Borchm. Bull. Soc. Ent. Ital. LX, 1908 (1909), p. 208. Fernando Po, Kamerunberg, Kongo.
- Physolagria* [
- gibbosa* Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 549. Ostafrika
 - gibbula* Fairm. Notes Leyd. Mus. IV, 1882, p. 261. Sumatra
 - gigas* Cast. Hist. Nat. II, 1840, p. 256. — Guér. Icon. Java, Sumatra
 - Ins. 1843, p. 128, t. 34, f. 1a—b. — Fairm. Not. Leyd. Mus. IV, 1882, p. 258. — *Blanch. Voy. Pole Sud IV, 1853, p. 186. — Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 325. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 338 und 353 (Apteronympha).*
 - glabrata* Oliv. Encycl. méth. VII, 1792, p. 446; Entom. III, 1792, No. 49, p. 5, t. 1, f. 3 (♀). — Muls. Col. Fr. Latip. 1856, p. 23 (♂ ♀). — Jacq. du Val, Gen. Col. Eur. III, 1863, t. 82, f. 410 (♂). — Baudi, Eterom. 1877, p. 69 (♂ ♀). — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 338 und 353 (Apteronympha). Südfrankreich
 - pubescens* Latr. Hist. nat. X, 1803, p. 351. — Muls. Lettr. à Julie II, 1830, p. 291.
 - tristis* Bon. Specim. Faun. subalp. (Mem. Soc. Agric. Torino IX, 1812) p. 172, t. 3, f. 17 (♀). Italien
 - rugosula* Rosenh. Thiere Andal. 1856, p. 223 (♂). Spanien
 - Melichari* Reitt. Deutsche Ent. Zeitschr. 1890, p. 173 (♂). Tirol
 - Biologie: Xambeau, Ann. Soc. Linn. Lyon 1902 (1903), p. 38 (Ei).
 - grandis* Gyllh. Schönh. Syn. Ins. I, 3, App. 1817, p. 9. — Blanch. Voy. Pole Sud IV, 1853, t. 12, f. 9. Australien
 - rufescens* Boisd. Voy. Astrol. II, 1835, p. 286. Tasmanien
 - Biologie: Er. Arch. Naturgesch. VIII, 1842, I, p. 370. — Froggatt, Proc. Linn. Soc. (2) VIII, 1893, p. 41 (Larve).
 - Graueri* Borchm. Deutsche Ent. Zeitschr. 1909, p. 78. Engl. Uganda
 - Grenieri* Brisout, Matér. Col. Fr. 1867, p. 181. — Kiesenw. Frankreich
 - Heyd. Reise Span. 1870, p. 145 (♂). — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 337.
- Emolagria* B.

s. g. Lagrella B. Mon. p. 90.

andrewae B. Mon. p. 91.

Nigeria

(g. l. nana B

"

bimarginata Lam.

g. l. nana

s. g. Desolagora B. Mon. p. 92. (incl. many old spp.)

ruca B. Mon. p. 93.

Ruwendu

guineensis - B

Kamerun

plumbosa

Natal

5.9. Lopholagria B. Mon. n. 97.
amara Ths.

5.9 Acritlagria B. n. 98 (many old sub.)
bogoriensis B. p. 99. Bogor.
Jago.

- guttata* Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 326. Südafrika
hemichlora Fairm. Not. Leyd. Mus. IV, 1882, p. 259. Sumatra
heros Fairm. Bull. Soc. Ent. Fr. 1903, p. 300. Borneo
Heylaerti Rits. Tijdschr. Ent. XVIII, 1874—1875, p. 121. Kongo
 ? = *violacea* Palis. Beauv. Ins. rec. en Afrique
 1805, t. 30b, f. 4.
hirsuta Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 543. Kilimandjaro
 var. *obscuripes* Kolbe l. c. p. 543. Ruwenzori
hirta L. Syst. Nat. ed. X, 1758, p. 377. — F. Syst. Ent. Europa
 1775, p. 125; Spec. Ins. I, 1781, p. 160; Mant.
 Ins. I, 1787, p. 93; Ent. syst. I, 2, 1792, p. 79;
 Syst. Eleuth. II, 1801, p. 70. — Rossi, Faun.
 Etr. I, 1790, p. 108 (♀); id. Ed. Hellwig I, 1795,
 p. 114 und 453 (♂ ♀). — Oliv. Enc. méth.
 VII, 1792, p. 446; Ent. III, 1795, No. 49,
 p. 4, t. 1, f. 1a—c; Nouv. Dict. d'Hist. nat.
 XII, 1803, p. 461. — Panzer, Ent. germ. 1795,
 p. 202 (♂); Fauna germ. 1809, 2, p. 107 (♂);
 Ind. ent. 1813, p. 142 (♂ ♀). — Payk. Fauna
 Suec. II, 1799, p. 154 (♂ ♀). — Walkenaer,
 Fauna Par. I, 1802, p. 159 (♂ ♀). — Tigny,
 Hist. Nat. Ins. VII, p. 142 (♂). — Latr. Hist.
 Nat. X, 1803, p. 351 (♂ ♀), t. 90, f. 3 (♀);
 Gen. Ins. II, 1807, p. 198 (♂ ♀); Nouv. Dict.
 Nat. ed. II, XVII, 1817, p. 209. — Gyllenh. Ins.
 Suec. II, 1810, p. 504 (♂ ♀). — Lyonnet, Mém.
 Mus. Paris XVIII, 1829, p. 420, t. 22, f. 31;
 Rech. s. l'Anat. et Met. 1832, p. 114, t. 10,
 f. 31. — Muls. Lettr. à Julie II, 1830, p. 296 (♀);
 Ann. Soc. Linn. Lyon (n. s.) II, 1855, p. 69
 (♂ ♀); Op. ent. VI, 1855, p. 37; Col. Fr. Latip.
 1856, p. 15. — Steph. III. Brit. Ent. V, 1832,
 p. 33. — Sahlb. Ins. fenn. I, 1834, p. 441 (♂ ♀). —
 Curtis, Brit. Ent. XV, 1836, fasc. 598, f. 13. —
 Cast. Hist. Nat. II, 1840, p. 256, t. 20, f. 2. —
 Dufour, Excurs. ent. Mont. d'Ossan 1843, p. 70. —
 Blanch. in Cuvier Règn. Anim. ed. Mass. 1841,
 p. 403, t. 53^{bis}, f. 1a—d. — Redtenb. Fauna
 Austr. 1849, p. 629 (♂ ♀); ed. II, 1858, p. 634;
 ed. III, 2, 1874, p. 148. — Küster, Käf. Eur.
 XXIII, 1850, f. 1. — Perris, Mét. div. Ins. Mém.
 Soc. R. Sc. Liège X, 1855, p. 258 (♂ ♀). —
 Bach, Käferf. III, 1856, p. 275. — Thoms. Skand.
 Col. VI, 1864, p. 274. — Seidl. Fauna Trans-
 sylv. 1891, p. 567; Naturg. Ins. Deutschl. V,
 2, 1898, p. 338 und 345. — Baudi, Eterom.
 1877, p. 68. — Kolbe, Zeitschr. f. Ent. Breslau
 XIX, 1904, p. 13.
Chrysomela hirta L. Syst. Nat. ed. X, 1758,
 p. 377; Ed. XI, 1760, p. 377; Ed. XII, I, P. II,
 1767, p. 602; Fauna suec. ed. II, 1761, p. 174. —
 Müller, Fauna Ins. Fridr. 1764, p. 9. — Müller,
 Linné's Natursyst. V, 1, 1774, p. 201. — Goeze,
 Ent. Beitr. I, 1777, p. 297. — Villers, Linn.
 Ent. I, 1789, p. 107.
Crioceris hirta Müll. Zool. Dan. Prodr. 1776,
 p. 85.
Cryptocephalus (Lagria) hirtus Gmel. Linn.
 Syst. Nat. I, P. IV, 1788, p. 1730.

- Auchenia hirta* Marsham, Ent. brit. 1802, p. 218.
Chrysomela pubescens L. Syst. Nat. 1767, p. 603. — Müll. Linné's Naturs. V, 1, 1774, p. 201. — Goeze, Ent. Beitr. I, 1777, p. 297. — Vill. Linn. Ent. I, 1789, p. 167.
Lagria pubescens F. Syst. Ent. 1775, p. 125; Spec. Ins. I, 1781, p. 160; Mant. Ins. I, 1788, p. 93; Ent. syst. I, 2, 1792, p. 79 (♀); Syst. El. II, 1801, p. 70 (♀). — Oliv. Encycl. méth. VII, 1792, p. 446. — Panz. Ent. germ. 1795, p. 201 (♀); Fauna germ. 1809, 1, p. 107 (♀). — Tigny, Hist. Nat. Ins. VII, 1801, p. 143 (♂). — Cast. Hist. Nat. II, 1840, p. 256.
Cryptocephalus pubescens Gmel. Linn. Syst. Nat. I, P. IV, 1788, p. 1730.
Cantharis no. 6 Geoffr. Hist. Abr. Ins. I, 1762, p. 344 (♂); ed. II, T. I, 1800, p. 344 (♂).
Cantharis spadicea Scop. Ent. carn. 1763, p. 43, t. 5, f. 137.
Cantharis flava Fourc. Ent. paris. 1785, p. 155.
Tenebrio villosus Deg. Mém. Hist. Ins. V, 1775, p. 44 (♂ ♀), t. 2, f. 23 (♀), 24 (♂). — Goeze, Deg. Abh. Gesch. Ins. V, 1781, p. 259, t. 2, f. 23 (♀), 24 (♂). — Retzius, Caroli Deg. Gen. et Spec. 1783, p. 135.
Lagria glabrata F. Syst. Ent. 1775, p. 125; Spec. Ins. I, 1781, p. 160; Mant. I, 1787, p. 94.
Lagria nudipennis Muls. Col. Fr. Latip. 1856, p. 20 (♀).
Lagria depilis Muls. l. c. p. 21 (♂ ♀).
Lagria seminuda Reitt. Deutsch. Ent. Zeit. 1889, p. 259.
? *lurida* Krynicki, Bull. Mosc. V, 1832, p. 137.
? *pontica* Motsch. Col. Sib. Schrenck 1860, p. 144; Ab. XVI, 1878, p. 109.
? *caucasica* Motsch. Col. Sib. Schrenck 1860, p. 144; Ab. XVI, 1878, p. 109.
var. *limbata* Desbr. Bull. d'Hipp. 1881, p. 94. Algier.
Biologie: Lyonnet, Rech. s. l'anat. 1832, p. 112, t. 10, f. 17—31. — Westw. Introd. 1839, 1, p. 290, f. 32 (25). — Candèze, Mém. Soc. Sc. Liège VIII, 1853, t. 7, f. 2. — Heeger, Sitzb. Ak. Wiss. Wien X, 1853, p. 161—163, t. 1. — Ferris, Mém. Soc. Sc. Liège X, 1855, p. 255, t. 5, f. 64—72. — Muls. Ann. Soc. Linn. Lyon (2) II, 1855, p. 65; Opusc. VI, p. 34—39; 1855, p. 65. — Lacord. Gen. Col. V, 1859, p. 565. — Thoms. Skand. Col. VI, 1864, p. 274. — Kittel, Corrbl. zool.-min. Ver. Regensb. XXXIV, 1880, p. 156—157. — Schioedte, Nat. Tidsskr. 1881, III, 12, p. 525—531, t. 14, f. 12—21. — Kolbe, Zeitschr. f. Ent. Breslau XIX, 1894, p. 13. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 326. — Jacobson, Käf. Russl. 1905, p. 57, f. 157. — Everts, Col. Neerl. Suppl. 1903, t. 6, f. 3.
hydripica Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 30.
imitatrix Péring. Ann. S. Afr. Mus. III, 1904, p. 290.
impressicollis Péring. l. c. p. 294.
impressifrons Schauf. Hor. Ross. XXI, 1887, p. 135. Madagascar
Rhodesia
Transvaal
Celebes

Chapsolagria Seidl.

Heynei B. Mon. b. 144.

laticornis

Rohdei

- clavicornis

gabonensis

suburata

semiflava

divisa

Kiviroensis

madivirensis

- forticornis

nodicornis

schoana

femoralis

globosa

munronata

- ugandica

similis

denticulata

purpurascens

arusehensis

gabonensis

cognata

tenuitarsis Borch. Ark. Zool. 17a. n. 26. 1925. p. 3 Congo.

ituriensis

Kamerun.

"

"

Natal

Gabun.

Uluu.

E. Afr.

Luganyika

Kiviro

E. E. A.

Kamerun.

"

Schoa.

Gabun.

Congo.

E. E. A.

Uganda

E. E. A.

Abyss.

E. E. A.

"

Gabun.

E. E. A.

"

Lagriopsis B. Mon. p. 138.

visularis B.

inaequalis B.

zonata B.

rufilipennis B.

Ceram.

"

Niue.

"

Enolagra B. Mon. p. 139

secungera B.

- serripes B.

hirs.

Celebes.

Victoria

Nothogra B. Mon. p. 142

nodipennis B.

Ceram.

- indicola* F. Bates, Cist. Ent. II, 1872, p. 483; Sec. Yark. Miss. Col. 1890, p. 77. Murree
- insignicornis* Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 243. Madagascar
- ionoptera* Er. Nov. Act. Ac. Car. Leop. XVI, Suppl. I, 1834, p. 250. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 191. Luzon
- janthinipennis* Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 344. Tschekiang
- Lameyi* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 325. Tonkin
- lanuginosa* Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 547. D. Ostafrika
- lata* F. Syst. El. II, 1801, p. 70. — Seidl. Nat. Ins. Deutschl. V, 2, 1898, p. 337. Spanien
- rugata* Desbroch. Bull. d'Hipp. 1881, p. 97. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 332. Algier
- Biologie: Perris, Mém. Soc. Liège X, 1855, p. 258, t. 5, f. 73—78. — Graëlls, Mem. Mappa zool. 1858, p. 104, t. 4, f. 2; Bull. Soc. Ent. Fr. 1876, p. 100. — Lacord. Gen. Col. V, 1859, p. 566. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 328.
- laticollis* Motsch. Schrencks Reise 1860, p. 143, t. 9, f. 20. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 340. Sibirien
- lemoides* Fairm. Not. Leyd. Mus. IV, 1882, p. 261. Sumatra
- Leprieuri*? Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 324. ?
(*Microlagria*).
- longicollis* Boisd. Voy. Astrol. II, 1835, p. 287. Neu-Guinea
- longipennis* Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 102. Abessinien
- longipilis* Fairm. Stett. Ent. Zeit. XXXVI, 1875, p. 191. Madagascar
- lugubris* F. Ent. Syst. I, 2, 1792, p. 80. *Berk. m. p. 96*. Guinea
- lurida* Krynicki, Bull. Mosc. V, 1832, p. 137; Pariser Ausg. p. 180. Orenburg
- macrocephala* Reitt. Deutsche Ent. Zeitschr. 1880, p. 254. Aschanti
- maculiventris* Fairm. Rev. d'Ent. XX, 1901, p. 197. Madagascar
- marginata* F. Syst. El. II, 1801, p. 69. Neu-Cambria
- mashuna* Péring. Ann. S. Afr. Mus. III, 1904, p. 289. Süd-Rhodesia
- metallina* Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 141. West-Afrika
- minuta* Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 545. Togo
- mollis* Gerst. Arch. Naturg. XXXVII, 1, 1871, p. 65; Deckens Reis. III, 1873, p. 200. Sansibar
- multipunctata* Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 31. Bengalen
- navicularis* Borchm. Deutsche Ent. Zeitschr. 1909, p. 74. Usambara
- nepalensis* Hope, Gray's Zool. Misc. 1831, p. 32. — Dohrn, Stett. Ent. Zeit. XLVII, 1886, p. 354. Nepal
- nigra* Borchm. Deutsche Ent. Zeitschr. 1909, p. 77. Usambara,
Uganda
- nigriceps* Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 244. Madagascar
- nigrielavis* Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 238. "
- nigricollis* Hope, Proc. Ent. Soc. 1842, p. 61; Trans. Ent. Soc. IV, 1845, p. 11. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 340. Chusan
- nitidiventris* Fairm. Stett. Ent. Zeit. XLV, 1884, p. 137. Madagascar
- nodulosa* Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 143. West-Afrika
- notabilis* Lewis, Mag. Nat. Hist. (6) XVII, 1895, p. 341. Japan
- obesa* Thoms. Arch. Ent. II, 1858, p. 104. Gabun
- odontocera* Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 348. Yünnan
- opaca* Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 546. Gabun

- Bothriochara* B. [
- ophthalmica* Fairm. C. rend. Soc. Ent. Belg. 1891, p. CCXVI. Tschanyang
pachycera Fairm. Ann. S. Ent. Fr. (6) VI, 1886, p. 347. China
*palliat*a Macl. Proc. Linn. Soc. N. S. Wales (2) I, 1886, Neu-Guinea
p. 157.
pallida Cast. Hist. Nat. II, 1840, p. 256. — Fairm. Ann. Madagascar
Soc. Ent. Fr. (4), IX, 1869, p. 243 (=? *adusta* Kl.).
partita Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. Usambara
ruficeps Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 542.
parvicollis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Tonkin
p. 324.
picea Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 543. Ost-Usambara
pilosivestis Kolbe, l. c. p. 548. S.O.-Kamerun
pinguicula Gestro, Ann. Mus. Genova (2) XV, 1895, p. 384. Ost-Afrika
plagiventris Borchm. Bull. Soc. Ent. Ital. LX, 1908 Fernando Po
(1909), p. 212.
plebeja Gerst. Arch. Naturg. XXXVII, 1, 1871, p. 65; Sansibar
Deckens Reis. III, 2, 1873, p. 201.
plicatula Borchm. Deutsche Ent. Zeitschr. 1909, p. 72. Engl. Uganda
plumbea Péring. Ann. S. Afr. Mus. III, 1904, p. 294. Natal
pontica Motsch. Schrencks Reise 1860, p. 144. — Seidl. Taurien
Naturg. Ins. Deutschl. V, 2, 1898, p. 332.
Poupillieri Reiche, Ann. Soc. Ent. Fr. (4) IV, 1864, Algier
p. 242. — Seidl. Naturg. Ins. Deutschl. V, 2,
1898, p. 339 (*Microlagria*).
praedita Péring. Ann. S. Afr. Mus. III, 1904, p. 288. Mozambik
prasinella Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 191. Manila
procera Péring. Ann. S. Afr. Mus. III, 1904, p. 287. Süd-Rhodesia
promontorii Péring. l. c. p. 291. Kapkolonie
propinqua Fahr. Öfv. Vet. Ak. Förh. 1870, p. 328. Süd-Afrika
pruinosa Chevr. Rev. Zool. 1841, p. 224. Ann. Fr. 1886, p. 190. Manila
pubens Fairm. Ann. Soc. Ent. Fr. LXVI, 1899, p. 140. West-Afrika
pulchella Guér. Voy. Coquille II, 1830, p. 104, t. 5, Neu-Guinea
f. 5. — Boisd. Voy. Astrol. II, 1835, p. 288. —
Blanch. Voy. Pole Sud IV, 1853, p. 185, t. 12, f. 11.
pulverulenta Gerst. Arch. f. Naturg. XXXVII, 1, 1871, Sansibar
p. 66; Deckens Reise 1873, p. 202.
purpureipennis Macl. Proc. Linn. Soc. N. S. Wales (2) Queensland
II, 1888, p. 317.
pustulosa Péring. Ann. S. Afr. Mus. III, 1904, p. 238. Mozambik
(Beira)
pygmaea Brancsik, Jahrb. Ver. Trencsin, XV, 1892, p. 238. Nossibé
quadrimaculata Hope, Gray's Zool. Misc. 1831, p. 32. Nepal
quadrivittata Fairm. Ann. Soc. Ent. Belg. XXXVIII, Mozambik
1894, p. 674.
revestita Gyllh. Schönn. Syn. Ins. I, 3, App. 1817, p. 10. Ost-Indien
rhodesiana Péring. Ann. S. Afr. Mus. III, 1904, p. 289. Süd-Rhodesia
rhytidonota Fairm. Bull. Soc. Ent. Fr. 1903, p. 301. Borneo
Rothschildi Borchm. Bull. Mus. Paris XIV, 1903, p. 152; Engl. Ost-
Deutsche Ent. Zeitschr. 1909, p. 73. — Voy. 1886, p. 192, Afrika
rubida Graëlls, Mem. Map. geol. 1853, p. 74, t. 4, f. 1. — Spanien
Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 338
(*Apteronympha*).
parvula Perris, Ann. Soc. Ent. Fr. (4) IV, 1864, Escorial
p. 291. — Heyden, Berl. Ent. Zeit. XIV, 1870, Beiheft.
elliptica Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, Zentral-
p. 242. Spanien
rubiginea Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 347. China

Allogria B. Mon. p. 100

g.t. spinosa B. p. 101

seguis Fhs

umbigwe

Ctenogria B. Mon. p. 101.

- g.t. verruculata B. 102

segregis B

madurensis B

S India

"

"

"

Gonophora B. Mon. p. 103.

- gravidia B. p. 104

Batjan

monstrata B. Nov. Guin. 15. 1924. p. 62 N. Guin.

Oroptera B. Mon. p. 104

physoptera B.

Borneo

Bothriochara B. Mon. p. 104.

aurifasciata B.

N. Guinea.

papuana B.

simplex B.

v. assiniensis

Hellera B.

modesta B.

+ old obt.

impressulata B. Nov. Guin. 15. 1924. p. 63

- ruficeps* Maccl. Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 316. Queensland
— ruficollis Hope, Gray's Zool. Misc. 1831, p. 32. Nepal
— rufina Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 32. Bengalen
— rufipennis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 337. Japan
— rufofusca Fairm. Not. Leyd. Mus. IV, 1882, p. 259. Sumatra
— rugosa F. Syst. El. II, 1801, p. 69. } *lagrocera Fairm.*
— scapulata Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 141. West-Afrika
— Schencklingi Borchm. Deutsche Ent. Zeitschr. 1909, p. 80. Transvaal
— segnis Fähr. Öfv. Vet. Akad. Förh. XXVII, 1870, p. 329. Süd-Afrika } *allogria B.*
— semicyanea Gerst. Arch. f. Naturg. XXXVII, 1, 1871, p. 65; Sansibar
Deckens Reise III, 2, 1873, p. 200.
— semivestita Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 142. West-Afrika
— senilis Fairm. Stett. Ent. Zeit. XXXVI, 1875, p. 191. Madagascar
— sexvittata Gestro. Ann. Mus. Genova (2) XV, 1895, p. 385. Ost-Afrika } *Voy. Roths. 1922. fig.*
— Simoni Reitt. Deutsche Ent. Zeitschr. 1880, p. 253. Aschanti
— simulatrix Kolbe, Berl. Ent. Zeit. XXVII, 1883, p. 26. Chinchoxo
— Sjöstedti Borchm. Sjöst. Kilim. Exp. 1909, p. 294. Kilimandjaro
— striatella Gyllh. Schönh. Syn. Ins. I, 3, App. 1817, p. 11. Sierra Leone }
— subcostata Reitt. Deutsche Ent. Zeitschr. 1880, p. 254. Aschanti
— subcostatula Fairm. Ann. Soc. Ent. Fr. XXXVII, 1893, p. 144. Oubanghi
(W.-Afrika)
— subtilipunctula Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 340. Amur
— sulcicollis All. Naturaliste XVI, 1894, p. 162. Ost-Indien
— tenella Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 141. West-Afrika
— tenuicollis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 450. Madagascar
— testacea Palis. Beauv. Ins. rec. Afr. et Amer. 1805, p. 141, f. 3. Oware,
W.-Afrika
— tigrina Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 325. Tonkin
— tineta Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, p. 449. Nord-Australien
— tomentosa F. Syst. Ent. II, 1775, p. 125; Syst. El. II, 1801, p. 70. — Boisd. Voy. Astrol. II, 1835, p. 287. " } *Ecnolagra B.*
— tristicula Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 346. China
— tristis F. Syst. El. II, 1801, p. 70. Tranquebar
— tumidipennis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 31. Madagascar
— undussumana Kolbe, Berl. Ent. Zeit. 1901, p. 545. Undussuma
— usambica Kolbe, l. c. p. 541. Usambara
— variabilis Redtenb. Hügel's Kaschmir IV, 2, 1848, p. 534, t. 25, f. 5. Nord-Indien
— ventralis Reitt. Deutsche Ent. Zeitschr. 1880, p. 255. Darjeeling
— vervex Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 338. Japan
— vestita Cast. Hist. Nat. II, 1840, p. 256. (? = *viridipennis* F.) Guinea
— villosa F. Spec. Ins. I, 1781, p. 160; Ent. Syst. I, 2, 1792, p. 79. — Oliv. Ent. III. 49, 1795, p. 4, t. 1, f. 2. — Muls. Ins. I, p. 93. — Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 329. — Dohrn, Stett. Zeit. XLII, 1886, p. 351. Cap
— obscura F. Ent. Syst. I, 2, 1792, p. 79; Syst. El. II, 1801, p. 70. — Klug, Ins. Madag. Abh. Kön. Ak. Wiss. Berl. 1832—1833, p. 187. — Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 241. — Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. Guinea
— violacea Palis. Beauv. Ins. rec. Afr. et Amér. Col. 1805, p. 141, t. 30 b, f. 4. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 11. Gabun
— viridiaenea Reiche in Ferret et Galin. Voy. Abyssin. 1848, p. 371, t. 23, f. 3. Abessinien

- viridipennis** F. Ent. Syst. Suppl. 1798, p. 118; Syst. El. II, 1801, p. 69. — Reiche in Ferret et Galin., Voy. Abyss. 1843, p. 374. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 339. (*Chrysolagria*).
 var. *mauritanica* Reiche in Ferret et Galin., Voy. Abyss. 1843, p. 374. — Lucas, Expl. Alg. 1849, p. 364, t. 32, f. 2. — Dohrn, Stett. Ent. Zeit. XLVII, 1886, p. 353. Algier
- vittatipennis** Péring. Ann. S. Afr. Mus. III, 1904, p. 292. Mozambik
- vittulata** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 31. Madagascar
- vulnerata** Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 327. Süd-Afrika
- zonaria** Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 143. West-Afrika

213

Lagriocera Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 41.

cavicornis Fairm. l. c. p. 41.

Belgaum

1

Physolagria Fairm.

Fairm. Contrib. à l'étude faune ent. S. Thomé, Coïmbra 1891, p. 5.

Molleri Fairm. l. c. p. 5. — Borch. Mon. p. 109.

San Thomé

1

Sphinctoderus Fairm.

Fairm. Bull. Soc. Ent. Fr. 1903, p. 301.

strangulatus Fairm. l. c. p. 301.

Borneo

1

Entypodera Gerst.

Gerst. Arch. f. Naturg. XXXVII, 1, 1871, p. 66; Deckens Reise III, 2, 1873, p. 202.

anthicoides Gerst. l. c. p. 66; l. c. p. 203, t. 10, f. 7.

Sansibar

grandis Pic, Echange XXIII, 1907, p. 148.

Kamerun

impressithorax Pic, Echange XVI, 1900, p. 34.

Ost-Afrika

nigrithorax Pic, Miscell. Ent. VII, 1899, p. 4.

Kamerun

praecox Kolbe, Käf. Deutsch-Ostafrikas 1898, p. 251.

Usambara

5

Eutrapela Blanch. *)

Blanch. Hist. Nat. Ins. II, 1845, p. 39. — Lacord. Gen. Col. V, 2, 1859, p. 570.

Biologie: Marsh. Ann. Mag. Nat. Hist. (7) X, 1902, p. 517, t. XVIII, f. 19.

amabilis Péring. Trans. S. Afr. Phil. Soc. III, 1886, p. 119.

Transvaal

assimilis Borchm. Deutsche Ent. Zeitschr. 1909, p. 85.

Natal

australica Bohem. (? *Nemostira*) Reise Eugen. 1858, p. 102.

Sidney

*) Hübner gründete 1806 eine Lepidopteren-Gattung desselben Namens, beschrieb sie aber nicht, sondern bildete nur eine Art (*acuta*) ab.

Calogria B. Mon. p. 109.

costata B.

n. sum

Lagriocera

see Borchm. 1911.)

sumatrensis Pic Ech. 26. 1910. p. 74

rouyeri Pic P. c.

nigrovittata Pic P. c. p. 75.

gracilis Borchm Bull. 101. Int. Mal. 1911. p. 206. Sumatra.

transversicollis Borch. P. c. 208. "

Fee. Borch. P. c. 209. Burma.

rufipes Pic Mcl. 35. 1922. p. 29.

Jawa.

rugosa F. (Lagria) B. Mon. p. 126.

Borneo.

andrewsi B. 127

Nelgiris

ruficollis B (Lagria).

Formosa.

Bothynogria B. Mon. p. 128.

calcarata B.

China.

Physciolagria Pic

- luteolata Pic

W. Nile

- viridipennis* F. Ent. Syst. Suppl. 1798, p. 118; Syst. El. II, 1801, p. 69. — Reiche in Ferret et Galin., Voy. Abyss. 1848, p. 374. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 339. (*Chrysolagria*)
 var. *mauritanica* Reiche in Ferret et Galin., Voy. Abyss. 1848, p. 374. — Lucas, Expl. Alg. 1849, p. 364, t. 32, f. 2. — Dohrn, Stett. Ent. Zeit. XLVII, 1886, p. 353.
vittatipennis Péring. Ann. S. Afr. Mus. III, 1904, p. 292. Mozambik
vittulata Fairm. Ann. Soc. Ent. Belg. XXXIX. 1895. p. 31. Madagascar

*Eutrapela**lucidicollis* B. Mon. p. 160.

Sp. Linn.

maxima

"

Tessmanni

"

nigripennis

Mozambique.

guineensis

Sp. Linn.

*phorus**ipes* Pic. Mém. I. 1911. p. 11.

Brasil.

impressithorax Pic, Echange XVI, 1900, p. 34.

Ost-Afrika

nigrithorax Pic, Miscell. Ent. VII, 1899, p. 4.

Kamerun

praecox Kolbe, Käf. Deutsch-Ostafrikas 1898, p. 251.

Usambara

5

Eutrapela Blanch.*)

Blanch. Hist. Nat. Ins. II, 1845, p. 39. — Lacord. Gen. Col. V, 2, 1859, p. 570.

Biologie: Marsh. Ann. Mag. Nat. Hist. (7) X, 1902, p. 517, t. XVIII, f. 19.

amabilis Péring. Trans. S. Afr. Phil. Soc. III, 1886, p. 119.

Transvaal

assimilis Borchm. Deutsche Ent. Zeitschr. 1909, p. 85.

Natal

australica Bohem. (? *Nemostira*) Reise Eugen. 1858, p. 102.

Sidney

*) Hübner gründete 1806 eine Lepidopteren-Gattung desselben Namens, beschrieb sie aber nicht, sondern bildete nur eine Art (*acuta*) ab.

Calogria B. Mon. p. 109.

costata B.

N. Sum.

~~Physogria~~ ^{to} Physogria B. Mon. p. 108

gelbosa Kolbe.

E. Afr.

Physolagria B.

108

~~Sp~~ Helogria B. Mon. p. 110

- fissiceps B.

Philippine

Bothynogria B. Mon. p. 128.

calcarata B.

China.

Physciolagria Pic

- luteolata Pic

W. Nile

Amistura B. Mon. p. 129.

- octocostata B.

- grossepunctata B.

India

Burma

Eutrapela

obscuripes Borch. Col. Rundsch. I. 1912. p. 18. Africa.
tricolor Borch. P.c. p. 19
nigrofasciata Borch. P.c.
geniculata Borch. L.c. 20.
costalis Borch. L.c.
obscura Pic. Mél. 11. 1914. p. 17 17. Brit. E. Afr.
brevipennis Pic. P.c. - 18. S. E. Afr.
tibialis Pic. Ech. 28. 1912. p. 46. Caffern
luteipennis Pic
rubithorax Cape
testaceipes p. 47
subimbrata Pic (maculicollis var.)

Bequaertella Pic. Rev. Zool. Afr. 3. p. 486. (Eutrapela)
coerulescens Pic. P.c. Congo.

Avistia B. Mon. n. 129.

octocostata B.

grosse-punctata B.

India

Burma

Entrapela

<i>obscuripes</i> Borch.	Col.-Rundsch. I, 1912. p. 18.	Africa.
<i>tricolor</i> Borch.	P. c.	p. 19
<i>nigrofasciata</i> Borch.	P. c.	
<i>geniculata</i> Borch.	L. c.	20.
<i>collaris</i> Borch.	L. c.	
<i>obscura</i> Pic.	Mél. 11. 1914. p. 17	17. Brit. E. Afr.
<i>brevipennis</i> Pic.	P. c.	18. S. E. Afr.
<i>tibialis</i> Pic.	Ech. 28. 1912. p. 46.	Cafferia
<i>luteipennis</i> Pic.		.
<i>subvittorax</i>		Cape
<i>testaceipes</i>	p. 47	.
<i>subinnata</i> Pic (maculicollis var.)		
<i>lateralis</i> Pic		Pic
<i>usambica</i> Borch. Mon. p. 170		Usambica
v. <i>sobrina</i>		
<i>marginata</i> (elongata var.)		Coke
<i>suturalis</i> (" ")		"
<i>dimidiata</i> B.		Natal

Entrapelodes

Burgeonii Borch.

scutellari Pic. Bull. S.E. Fr. 1931. p. 263

Erythraea

Eutrapela

numa Borch Mon. b. 174

Cape

Arthromacra (Chlorophila)

glabrisollis Blatchler Col. Indiana 1910. p. 1265. f. Indiana

rubropaca Pic. (Chlor.) Esch 26. 1910. p. 86.

donckieri Pic. (") P. c.

apicicornis Pic. (") Mél. 7. 1913. p. 13.

Indochina

robinsoni Leng. Jnl. N. York. Ent Soc. 22. 1914. p. 286. ff. Virginia

caerulea Pic. (Chlor.) Mél. 9. 1914. p. 15.

Indochina

cyanea Pic. (") Mél. 16. 1915. p. 15.

Fokien

ingeniculata Pic. (Chlor.) Mél. 26. 1917. p. 15.

China

bicoloripes Pic. (radiosima var) f. c. p. 16.

Japan

obscuripes Pic. (" ") f. c.

"

robustipes Lewis (Eutrapela)

sikkimensis B. Mon. p. 132

Sikkim

~~temoralis~~ B. 135

China

gracilis B. Mon. p. 133.

"

appalachiana Leng. Bull. Brooklyn Ent Soc. 12. 1917. p. 18.

USA

pilosella Leng

"

pallidipes Pic. Mél 49. p. 1927. p. 14.

Chapa

flavicornis Pic f. c.

curticornis Pic f. c.

- bicolor** Mäkl. Act. Soc. Fenn. X, 1875, p. 654 (Separ. p. 504). Cap
bivittata Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 333. Süd-Afrika
cingulata Péring. Trans. S. Afr. Phil. Soc. III, 1886, p. 119. Natal
concolor Péring. l. c. VI (2) 1892, p. 135. Cap
unicolor Péring. l. c. III, 1886, p. 121. Capland
cyanea Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 334. Süd-Afrika
elongata F. Ent. Syst. I, 2, 1792, p. 11; Syst. El. I, 1801, p. 470. Cap
longa Gmel. ed. Linné I, 4, 1788, p. 1724.
flavipennis Péring. Trans. S. Afr. Phil. Soc. III, 1881— Transvaal
 1885, p. 120.
gracilis Mäkl. Act. Soc. Fenn. X, 1875, p. 655. Cap
maelicollis Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 332. Süd-Afrika
metalleseens Péring. Trans. S. Afr. Phil. Soc. III, 1881— Natal
 1885, p. 120.
pallida Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 332. Süd-Afrika
plagiata Péring. Trans. S. Afr. Phil. Soc. III, 1881—1885, Natal
 p. 118.
proxima Péring. l. c. p. 121. Cap
quadri-lineata Billbg. Schönh. Syn. Ins. II, 1808, p. 278 nota.
robusticeps Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 276. Japan
rusticollis Fähr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 333. Süd-Afrika
trilineata Fähr. l. c. p. 333.
unicolor Mäkl. Act. Soc. Fenn. X, 1875, p. 653. Cap
unifasciata Degeer, Mém. VII, 1778, p. 664, t. 49, f. 18—19. "
porrecta F. Syst. El. II, 1801, p. 470. I.
variabilis Borchm. Sjöst. Kilim. Exp. 1909, p. 295. Kilimandjaro
verticalis Mäkl. Act. Soc. Fenn. X, 1875, p. 655. Süd-Afrika

24

✓ **Arthromacra** Kirby.

Kirby, Fauna Boreali-Americana IV, 1837, p. 238.

Subg. *Chlorophila* Semenow, Hor. XXV, 1891, p. 374. — Fairm. Ann.
 Soc. Ent. Belg. XXXVIII, 1894, p. 221; Not. Leyd. Mus. XIX, 1897,
 p. 230. — Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 322 und 328.

Synstus long. Bull. Brooklyn Ent. Soc. 12, 1917, p. 17.
aenea Say, Long's Exped. II, 1824, p. 287. — Horn, Trans. Nordamerika
 Am. Ent. Soc. XV, 1888, p. 28.

donacioides Kirby, Faun. Bor. Amer. IV, 1837, "
 p. 239.

basipennis Fairm. Not. Leyd. Mus. XIX, 1897, p. 229. Tibet
 (*Chlorophila*.)

campestris Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, "
 p. 221. (*Chlorophila*.)

Carolina Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 632. China
 (*Chlorophila*.)

Davidi Fairm. l. c. p. 399. (*Chlorophila*.) Moupin

decora Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 339. — Japan
 Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 278.

higoniae Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 278, "
 422, f. 3.

immarginata Fairm. Not. Leyd. Mus. XIX, 1897, p. 231. Tibet
 (*Chlorophila*.)

nitidicollis Fairm. l. c. p. 231. (*Chlorophila*.) "

obscuripennis Fairm. l. c. p. 230. (*Chlorophila*.) Darjeeling

Portschinskii Semen. Hor. XXV, 1891, p. 374. — Fairm. Tibet
 Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 221.
 (*Chlorophila*.)

] *arthromacra*

- pretiosa** Reiche, Ann. Soc. Ent. Fr. (4) II, 1862, p. 544. — Anatolien
 Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 322. —
 Sem. Rev. Russe V, 1905, p. 57.
Semenowi Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 632. China
 (*Chlorophila*).
sumptuosa Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 277. Japan
viridissima Lewis l. c. p. 277.

15

Emydodes Pasc.

Pascoe, Journ. of Ent. 1860, p. 56.

- collaris** Pascoe l. c. p. 57, t. 3, f. 3. Brasilien
nigriceps Pic, Echange XXIII, 1907, p. 183.

2

Porrolagria Kolbe.

Kolbe, Deutsche Ent. Zeitschr. XXVII, 1883, p. 26; Nov. Act. Kais. Leop.-Car. Ak. Naturf. L, No. 3, 1887, p. 306; Berl. Ent. Zeit. XLVI, 1901, p. 552; Käf. Deutsch-Ostafr. 1898, p. 252.

Lagrimina Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 675.

- allocera* B. [**alternata** Kolbe, Berl. Ent. Zeitschr. XLVI, p. 554. D.-Ostafrika
denticollis Borchm. Deutsche Ent. Zeitschr. 1909, p. 82. Engl. Uganda
derasa Kolbe, Berl. Ent. Zeitschr. XLVI, 1901, p. 553. Usambara
ferruginea Quedenf. Berl. Ent. Zeit. XXXII, 1888, p. 188. Centr.-Afrika
allocera B. [**gracilis** Borchm. Deutsche Ent. Zeitschr. 1909, p. 83. Kamerun,
 Togo
nuda Kolbe, Berl. Ent. Zeit. XXVII, 1883, p. 27. Chinchoxo
strigipennis Fairm. (*Lagrimina*) Ann. Soc. Ent. Sansibar
 Belg. XXXVIII, 1894, p. 675.
allocera B. [**subaenea** Borchm. Bull. Soc. Ent. Ital. LX, 1908 (1909), Fernando Po,
 p. 213. Kongo, S.O.
 Kamerun

7

Lagriostira Kolbe (Fairm.).

- Alagria* Borch. Mon. p. 183 = Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 550. — Fairm. Ann. Soc. Ent.
 Fr. (6) III, 1883, p. 103.

- fulva** Borchm. Deutsche Ent. Zeitschr. 1909, p. 82. Engl. Uganda
hispidula Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 552. Kamerun
infernalis Kolbe, l. c. p. 550. Unter. Kongo
parcepilosa Kolbe, l. c. p. 551. Nord-Kame-
 run
rufonitens Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 102. Abyssinien
subseriata Reitt. Deutsche Ent. Zeitschr. 1880, p. 255. — Aschanti
 Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 550,
 551, 552.

6

Donaciolagria Pic. Mém. 9. 1914. p. 14. nes

impressihennis Pic. l. c.

Tonkin.

longipennis Pic. Ech. 30. 1914. p. 75. Indo China

~~Cantharis~~ B

Hydodes

nigriceps Pic. Ech. 27. 1911. p. 158.

Strongylagria Pic. Mém. 13. 1915. p. 4.

metallica Pic. l. c. p. 5.

Thibet.

- / **pretiosa** Reiche, Ann. Soc. Ent. Fr. (4) II, 1862, p. 544. — Anatolien
 Seidl. Naturg. Ins. Deutschl. V, 2, 1898, p. 322. —
 Sem. Rev. Russe V, 1905, p. 57.
Semenowi Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 632. China
 (*Chlorophila*)
 / **sumptuosa** Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 277. Japan
 / **viridissima** Lewis l. c. p. 277. "

/ **alternata** Kolbe, Berl. Ent. Zeitschr. XLVI, p. 554. D.-Ostafrika

Allocera B. Mor. p. 175

fachycera B.

Sp. Linn

cognata B

"

langei

G 22.

crassicornis B.

179.

Sp. Linn.

caricornis B.

"

minuta

"

excisa

"

ditricida

"

iturienis B. Ark. Zool. 17a. n. 26. 1925. p. 5 Congo.

Nemostira

atroventralis Pic. Mél. 22. 1917: p. 11. Madagascar
tananarivana Pic. l.c. 12 "

Nemostira (Casonidea)

obscura Pic. Mél. 2. 1912. p. 9. Java
coeruleipennis Pic. l.c. Celebes
nitidissima Pic. l.c. "

munimata Borch (Nemost.) l.c.

55. Philippines

Borchmannia

reducta Pic Bull. Soc. Ent. Fr. 1924. p. 231.
v. lineata

Phil. Is.

fallidipes Pic l.c.
minrica Pic (n. sp.) l.c.
v. testaceipennis Pic l.c.
waterstradti Pic l.c.
lamayi Pic l.c.
annulipes Pic l.c.
Robdei Pic l.c.

" 31. Sumatra
" Java
" Banguey
p. 39. Jonkin
" Borneo
assinie

jeanvignei Pic Mél. 49, 1927, p. 15

Chape

Falsopremostira Pic. M. 22. 1917. p. 14
 annulipes Pic (nemostira).

Rougerus Pic M. Entom. Ent. I. 1911. p. 3

R. bimaculatus Pic. P. c. Sumatra.

breilineata Pic. Bull. Soc. Ent. Paris. 1913. p. 53. Borneo.
 (syn. Borneostira Pic. P. c.).

innotaticollis Pic (bimaculatus var.) M. V. 1913. p. 15. Borneo.

Borchmannia (sub. g.) Pic. Ech. 28. 1912. p. 35.

lineaticeps Pic. l. c. Java

v. atriceps Pic. (M. 5. 1913. p. 15).

violaceocincta Pic. l. c. Sumatra, Borneo.

v. dispersicollis Pic. l. c. Borneo.

desimilis, ~~l. c.~~ Borchm. l. c.

v. subtypicollis Pic. l. c. (note)

v. innotaticollis Pic. l. c.

lateapicalis Pic. M. V. 1913. p. 15.

v. pallidipennis Pic. l. c.

v. brevipennis Pic. l. c. p. 16.

{ javanus Pic. l. c.

{ v. Rougeri Pic. l. c.

{ longipilis Pic. l. c.

Java. } Pseuduroplat
 Sumatra. }

Nemostira

atrosubaralis Pic. Mél. 22. 1917. p. 11.

Madagascar

lanceolata Pic. l.c. 12

Nemostira (Casonidea)

obscura Pic. Mél. 2. 1912. p. 9. Java

coeruleipennis Pic. l.c. Celebes

nitidissima Pic. l.c. "

masama Pic. l.c. p. 10 "

✓ mollis Borchm (Cason.) Phil. Zool. Sci. D.S. 1913. p. 46. Philippines

perforata Borch. " l.c. 47 "

mimica Borch. " l.c. 48 "

tenera Borch. " l.c. 49 "

color Borch. " l.c. 50 "

serra Borch. " l.c. 51 "

diversipes Borch. " l.c. 52 "

v. distincta Borch. " l.c. 53 "

concoloripes Borch. " l.c. 54 Celebes

✓ marginata Borch (Nemost.) l.c. 55. Philippines

melanura Borch. " l.c. 56. "

✓ v. atripennis Borch. l.c. 57

luteonotata Pic. Phil. Zool. Sci. D.S. 1913. p. 53 Borneo

semicoerulea Pic. l.c. p. 13 Sumatra

tristigma Pic. l.c. p. 14 Lombok

dohertyi Pic. l.c. " Salitabae

superba Pic. l.c. " Sumatra

multimaculata Pic. l.c. " Java

goliath Pic. l.c. " Java

laticeps Pic. l.c. p. 23 Obi

semirivulacea Pic. l.c. " N. Guinea

subparabola Pic. l.c. " Sumatra

bogorensis Pic. l.c. " Bogor

✓ crampeli Pic. l.c. " Longo

vagenotata Pic. l.c. p. 30 Borneo

rubricollis Pic. l.c. " Sumatra

borchmanni Pic. l.c. " Java

sinensis Pic. l.c. " Yunnan

pallidipes Pic. l.c. " 31. Sumatra

mimica Pic. (n. masama) l.c. " Java

v. testaceipennis Pic. l.c. " Banguey

watertradii Pic. l.c. " "

lameyi Pic. l.c. p. 39. Jonkin

annulipes Pic. l.c. " Borneo

Rohdei Pic. l.c. " assinie

jeanvirenei Pic. Mél. 49. 1927. p. 15

Chape

Nemotira (Cassioidea)

borneensis	Pic. Mél. ex-ent. I. 1911. p. 5.	Borneo
mentawaiensis	Pic. p. c.	Mentawai
Kannegieteri	Pic. " p. 6.	Sumatra
sulcaticeps	Pic. " "	"
atricolor	Pic. " "	"
bipartita	Pic. p. 7.	Wallardi
iridimetallica	Pic. " "	Formosa.
sinuaticipes	Pic. " "	"
distincticornis	Pic. p. 8.	Congo.
batangana	Pic. " "	Cameroon.
Pouilloni	Pic. " "	Madagascar.
nigriceps	Pic. " "	Sumatra.
viridicollis	Borchm. Bull. Soc. Ent. Ital. 1911. p. 229.	New Guinea.
✓ azureipennis	Borch. p. c. p. 230.	Sumatra.
nitidirostris	Borch. p. c. 231.	Sumatra.
Gestroi	Borch. p. c. 232.	"
Modighianii	Borch. p. c. 234.	"
villosa	Borch. Stutt. Ent. Zeit. 1911. p. 233.	"
malaccana	Pic. (Mél. 2) 1912. p. 125)	"
Dohrni	Borch. p. c. x 235.	"
sbornia	Borch. p. c. 236.	"
neglecta	Borch. p. c. 236.	"
humeralis	Pic. Ech. 27. 1911. p. 182	China.
longiceps	Pic. p. c.	Madagascar
distinctipes	Pic. p. c.	Congo.
nigripes	Pic. p. c. p. 190.	Formosa.
- occipitalis	Borch. Suppl. Ent. Berl. I. 1911. p. 8 Formosa.	Formosa.
rufipennis	Borch. " n. 9	"
abnormipes	Borch. " p. 10	"
cognata	Borch. " 11.	"
quadrimaculata	Pic. Bull. Soc. Ent. Fr. 1912. p. 116	
rubrei	Pic. p. c.	
foveifrons	Pic. p. c. p. 119.	
semirufescens	Pic. Mél. 2. 1912. p. 8.	Madagascar.
cinchippennis	Pic. p. c.	"

Nemostira

<i>atrovittata</i> Pic. Mél. 22. 1917. p. 11.		Madagascar
<i>lunaticornis</i> Pic. l.c.	12	"
<i>abdominalis</i> Pic (<i>refa</i> var.) l.c.		Ango
<i>Moquoyi</i> Pic l.c.		Gabon.
<i>gabonensis</i> Pic l.c.		"
<i>benitensis</i> Pic. l.c.	13.	"
<i>seniobura</i> Pic. l.c.		Sumatra
<i>plicatipennis</i> Pic. l.c.		Borneo.
<i>Rogyeri</i> - Pic. l.c.		Sumatra
<i>insularis</i> Pic. l.c.	14.	Banguey
<i>lucidicollis</i> Pi Mél. 25. 1917. p. 21.		Gaboon.
<i>maculipennis</i> Blad. Jnl. F.M.S Mus. III. 1919. p. 78.		Sumatra.
<i>conckieri</i> Pic Bull. Fr. 1922. p. 67		Tonkin
<i>coloripes</i> Pic	do	"
<i>x. nigricolor</i>		"
<i>fortithorax</i> Pic Mél. 36. 1922. p. 17.		J"
<i>violaceipes</i> Pic	(also Mél. 50. 1927. p. 28)	
<i>v. discolor</i> Pic Mél. 36. 1922. p. 17.		Tonkin.
<i>trifoveolata</i> Pic " 39. 1923 p. 16.		"
<i>cutithorax</i> Pic		China.
<i>notata</i> Pic l.c.		Australia.
<i>nigrovittata</i> Pic l.c.		"
<i>diversipennis</i> Pic l.c.		"
<i>v. piceonotata</i>		
<i>v. impicea</i>		
<i>v. imbricata</i>		
<i>v. piceithorax</i>		
<i>baileoti</i> Pic l.c.		Tonkin.
<i>bella</i> Pic	"	Australia.
<i>infrechi</i> Pic Bull. Soc. Ent. Fr. 1924. p. 231.		Phil. Is.
<i>lugonica</i>		
<i>brunneopunctata</i>		
<i>longissima</i> Pic Ech. 36. 1920. p. 15		China.
<i>angulicollis</i> Pic		"
<i>particulans</i>		Africa
<i>apicalis</i>		"
<i>baeri</i> Pic		P. I.
<i>microceps</i> Pic Mél. 41. 1924. p. 21		Madag
<i>carrothi</i>		"
<i>limbata</i> Borch. Nov. Zoon. 15. 1924. p. 64		S. Austr.
<i>atrovittata</i> Pic Mél. 44. 1925. p. 3.		Tonkin.
<i>microneinna</i> Pic l.c.		P. I.
<i>cyanipennis</i> Pic Storn. Nord. Mus. 2 (14) 1924. p. 87.		Madag.
<i>reductelincta</i> Pic (<i>striatipennis</i> var.)		"
<i>jeanvoiniei</i> Pic Mél. 49. 1927. p. 15		Chape

Nemostira (Carnonidea) Ech. 28.

nigrofasciata	Pic. Bull. Soc. Zool. Paris 29. 1913. p. 63.	Kashmir.
discrepunctata	Pic. l. c. 79.	
andaiensis	Pic. l. c.	
vageguttata	Pic. Ech. 28. 1912. p. 75.	Brazil.
vagenotata	Pic. l. c. p. 76	"
apicipennis	Pic. l. c.	"
standingeri	Pic. (<u>anthricoides</u> var.) l. c.	Peru.
bilineolata	Pic. l. c.	Panama.
scutellaris	Pic. l. c.	Brazil.
v. inscutellaris	Pic. l. c.	"
mesuturalis	Pic. l. c.	"
tenggerensis	Pic. Mél. 3. 1912. p. 12.	Java.
testaceicolor	Pic. l. c.	Sumatra.
impuncticollis	Pic. l. c.	"
benitensis	Pic. l. c. p. 13.	Congo.
malaccana	Pic. (<u>villosa</u> var.) l. c.	Perak.
pallidior	Pic. (<u>atricolor</u> var.) l. c.	Sumatra.
striatipennis	Pic. l. c.	Madagascar.
brunneensis	Pic. l. c.	Borneo.
rufipes	Pic. Mél. 6. 1913. p. 10.	Madagascar.
pallidimembris	Pic. Mél. 7. 1913. p. 11.	Seria Leone
madecassa	Pic. l. c. p. 12.	Madagascar.
obscuritarsis	Pic. Ech. 29. 1913. p. 143.	Congo.
Favareli	Pic. l. c.	"
bromosensis	Pic. l. c.	Java.
brevithorax	Pic. (<u>Nubalostira</u> s.g.) l. c.	Natal.
thibetana	Pic. Bull. Soc. Zool. Paris 1914. p. 301.	Thibet
testaceithorax	Pic. l. c. 305	China.
ferriei	Pic. (<u>rugipennis</u> var.) l. c. 304.	
tonkinica	Pic. Mél. 9. 1914. p. 15.	Tonkin.
seminividis	Pic. Ech. 30. 1914. p. 31	"
subrecticollis	Pic. l. c. 44.	China.
major	Pic. l. c. 76.	Congo.
nigriceps	Pic. l. c.	Tonkin.
semipennis	Pic. Mél. 16. 1915. p. 16.	Dahomey
neoguineensis	Pic. l. c.	New Guinea.
hista	Borch. Rec. Ind. Mus. 11. 1915. p. 182	Assam.
ceylanica	Borch. l. c.	Ceylon.
annulipes	Pic. Mél. 17. 1916. p. 12.	Sumatra.
sublongata	Pic. l. c.	"
elongatior	Pic. Mél. 22. 1917. p. 11	Tonkin.
lawsonis	Pic. l. c.	Laos.
vitalisi	Pic. l. c.	Tonkin.
v. rufithorax	Pic. l. c.	"

Nemostira

irregularis Borch. Treubia 6. 1925. p. 350	Jawa
cyanipennis	Celebes
postica	"
vagacostata	Jawa
horni (Exostira s. g. n.)	Malaya.
sellata	Sumatra.
phungi Pic. Mel. 45. 1926. p. 22	Tonkin.
hoana Pic. Mel. 47. 1926. p. 25	"
limneronata	.
visenusta Pic. Ann. Soc. Ent. Lyon. 72. 1926. p. 75	"
bubana Pic. Esch. 42. 1926. p. 12	"

Nemostoma (Camonidea)

		Ech. 28.		
	nigrofasciata	Pic. Bull. Soc. Zool. Paris 29. 1913.	p. 63.	Kashmir.
	diversipunctata	Pic.	f. c.	79.
	andaiensis	Pic.	f. c.	
Stenota	vagegutata	Pic. Ech. 28. 1912.	p. 75.	Brazil.
	vagenotata	Pic.	f. c.	p. 76
	apicipennis	Pic.	f. c.	"
	Ständereri	Pic. (<u>anthicoides</u> var.)	f. c.	Peru.
	bilineolata	Pic.	f. c.	Panama.
	scutellaris	Pic.	f. c.	Brazil.
	v. inscutellaris	Pic.	f. c.	"
	presuturalis	Pic.	f. c.	
	tenggerensis	Pic. Mél. 3. 1912.	p. 12.	Java.
	testaceicolor	Pic.	f. c.	Sumatra.
	impuncticollis	Pic.	f. c.	"
	benitensis	Pic.	f. c. p. 13.	Congo.
	malaccana	Pic. (<u>illusa</u> var.)	f. c.	Perak.
	pallidior	Pic. (<u>atricolor</u> var.)	f. c.	Sumatra.
	striatipennis	Pic.	f. c.	Madagascar.
	borneiensis	Pic.	f. c.	Borneo.
	rufipes	Pic. Mél. 6. 1913.	p. 10.	Madagascar.
	pallidimembris	Pic. Mél. 7. 1913.	p. 11.	Sierra Leone

Disemomorpha Pic. Mél. 25. 1917. p. 16.

D. ciliata Pic. f. c. Brazil.

ferrieri Pic. (trigypus var.) f. c.

	tonkinensis	Pic. Mél. 9. 1914.	p. 15.	Tonkin.
	semiviridis	Pic. Ech. 30. 1914.	p. 31	"
	subrecticollis	Pic.	f. c.	China.
	major	Pic.	f. c.	76. Congo.
	nigricaps	Pic.	f. c.	Tonkin.
	semipicea	Pic. Mél. 16. 1915.	p. 16.	Dahomey
	neoguineensis	Pic.	f. c.	New Guinea.
	hirta	Borch. Rec. Ind. Mus. 11. 1915.	p. 182	Assam.
	ceylanica	Borch.	f. c.	Ceylon.
	annulipes	Pic. Mél. 17. 1916.	p. 12.	Sumatra.
	sublongata	Pic.	f. c.	"
	elongatior	Pic. Mél. 22. 1917.	p. 11	Tonkin.
	lawrensis	Pic.	f. c.	Laos.
	vitalisi	Pic.	f. c.	Tonkin.
	v. rufithorace	Pic.	f. c.	"

Nemostira

irregularis Borch. Treubia 6. 1925. p. 350	Java
cyanipennis	Celebes
postica	"
vagacostata	Sava
horni (Exostira s. g. n.)	Malaya.
sellata	Sumatra.
phungi Pic. Mel. 45. 1926. p. 22	Tonkin.
hoana Pic. Mel. 47. 1926. p. 25	"
timuconata	.
visenusta Pic. Ann. Soc. Ent. Lyon. 72. 1926. p. 75	"
buhana Pic. Ech. 42. 1926. p. 12	"

III. Statirinae.

Latreille, Hist. Ins. 1845, p. 39. — Leconte, Class. Col. N. Am. 1862, p. 246. — Seidlitz, Naturg. Ins. Deutschl. V, 2, 1898, p. 316.
Borchm. arch. Natg. 87. A. H. 1. p. 216-357. (1921.) (Mon.)

Lagriogonia Fairm.

Fairm. C. rend. Soc. Ent. Belg. XXXV, 1891, p. CCXVII.

humerosa Fairm. l. c.

Tschangyang

1

Hysterarthron Thoms.

Thoms. Syst. Ceramb. 1864, p. 224. — Lacord. Gen. Col. V, 1859, p. 582 (? *Nematoplus*); IX, 1859, p. 232. — Gemm. u. Har. Cat. Col. IX, p. 2987 (*Cerambycidae*). — Ritsema, Not. Leyd. Mus. XIV, 1892, p. 54.

collare Thoms. l. c. — Lacord. Atl. X, t. 95, 5. Ind. Archipel

1

Casnonidea Fairm. = *Synabiaetus* Mael. (1887)

Fairm. Not. Leyd. Mus. IV, 1882, p. 264.

apiceicornis Fairm. Not. Leyd. Mus. IX, 1887, p. 159.

Sumatra

atricapilla Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 365.

Celebes

atriceps Fairm. Not. Leyd. Mus. IV, 1882, p. 265.

Sumatra

brevicollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 43.

Belgaum

collaris Fairm. Ann. Soc. Ent. Fr. LXVIII, 1897, p. 145.

Ost-Afrika

denticollis Fairm. C. rend. Soc. Ent. Belg. 1891, p.

Tschangyang

CCXVIII.

dimidiata Fairm. Not. Leyd. Mus. IX, 1887, p. 192.

Aru-Inseln

holomelaena Fairm. Not. Leyd. Mus. IV, 1882, p. 264.

Sumatra

nigripennis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894,

Bengalen

p. 32.

semisuturata Fairm. Not. Leyd. Mus. XVIII, 1897, p. 122.

Neu-Guinea

terminata Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 365.

Tonkin

tibialis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 301.

Lang-song

uniformis Fairm. Ann. Soc. Fr. LXII, 1893, p. 35.

Indo-China

variipennis Fairm. Not. Leyd. Mus. IX, 1887, p. 158.

Sumatra

14

Nemostira Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 815; l. c. (6) VI, 1886, p. 75.

Macrolagria Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 422.

apiceicornis Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 387.

Madagascar

atrifrons Fairm. l. c. p. 115.

"

basierus Fairm. l. c. p. 388.

"

bicolor Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 213.

"

Coquereli Fairm. l. c. (4) VIII, 1868, p. 816; l. c. (6)

"

1886, p. 65.

crenatostrata Fairm. Not. Leyd. Mus. V, 1883, p. 39.

Saleyey

crenulipennis Fairm. l. c. XVIII, 1896—1897, p. 120.

Simla

cribricollis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 34.

Gabun

- < *dichrocera* Borchm. Bull. Soc. Ent. Ital. LX, 1908 (1909), p. 216. Kamerun,
elegans Fairm. Bull. Mus. Paris XII, 1906, p. 281. Fernando Po.
Fairmairei Borchm. Deutsche Ent. Zeitschr. 1909, p. 714. Madagascar
cribricollis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 144. Sierra Leone
²²⁰⁸ *fujisana* Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 422. Japan
fuscipennis Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 127. Madagascar
geniculata Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 387. "
gracilior Fairm. l. c. XXXIX, 1895, p. 33. "
gracillima Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 144. West-Afrika
hirsuta Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 422. Japan
interstitialis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 329. Cap
janthiipennis Fairm. l. c. XXXIX, 1895, p. 33. Madagascar
metallica Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 75. "
morosa Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 387. "
nucea Fairm. Not. Leyd. Mus. IX, 1887, p. 160; l. c. XVIII, 1896—1897, p. 120. Sumatra,
var. *funeraria* Fairm. Not. Leyd. Mus. XVIII, 1897, p. 237. Java
rostrifera Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 549. Palembang
rufa Borchm. Deutsche Ent. Zeitschr. 1909, p. 87. Madagascar
ruficollis Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 338. Kamerun
rufitarsis Fairm. l. c. XXXVIII, 1894, p. 238. Madagascar
rufobrunnea Mars. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 340. Gabun
rufovirens Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 328. Japan
rufulicollis Fairm. l. c. XLI, 1897, p. 114. Old Calabar
²²⁰⁹ *rugipennis* Lewis, Ann. Mag. Nat. Hist. (6) XVII, 1895, p. 341. Madagascar
rugulicollis Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 633. Japan
Servillei Cast. Hist. Nat. II, 1840, p. 257. — Fairm. Ann. Fr. (4) VIII, 1868, p. 816. China
stictica Fairm. Not. Leyd. Mus. XVIII, 1897, p. 121. Madagascar
striatopunctata Fairm. Soc. Ent. Belg. XLIX, 1905, p. 128. Java
tenella Borchm. Deutsche Ent. Zeitschr. 1909, p. 86. Madagascar
tenuicollis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 213. Sumatra
truncata Fairm. Not. Leyd. Mus. IV, 1882, p. 263. "
uncipennis Fairm. l. c. p. 262. "

Xenostethus Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 321.

Coracostira Fairm. Not. Leyd. Mus. XX, 1898, p. 220. — Borchm. Deutsche Ent. Zeitschr. 1909, p. 89.

- ²²¹⁰ *gloriosus* Borchm. Deutsche Ent. Zeitschr. 1909, p. 88. Usambara
²²¹¹ *Lacordairei* Bates, Trans. Ent. Soc. Lond. 1868, p. 321, t. 15, f. 5. Ins. Sherboro
²²¹² *armipes* Fairm. Not. Leyd. Mus. XX, 1898, p. 221. West-Afrika
penicillatus Fairm. l. c. p. 222. "

³ *caudatus* Pic Mél 35.1922. p. 27.
angustatus Pic l. c. p. 28.

S. Leone.
Gaboon.

Splichalia Reitt. D. Z. Z. 1913. p. 664.

tigrinella Reitt. p. c.

Tibet.

Coracostira

Mocquengyi Pic. Mém. 4. 1912. p. 10.

Gabon.

Hyp. anastomosis Borch. Mon. p. 325

Brazil

nodosa B.

Columbia.

Bar. aenea Borch. Mon. 1921, p. 336

longicornis Mhl. () var.

crassa B.

parapunctata.

carbonaria.

arthritica

aspirata.

rufipes

similis

humilis

Disma apicalis Borch. Mon. p. 334

Piedeli B.

dentatipes Pee ()

tristis Borch.

impunctata

laevifemur

anthracina

apicipennis

Brazil

laevipennis Fairm. l. c. p. 213.

Madagascar

Stains Fairm

Anisostira Borch. Ent. Mitteil. IV. 1915. p. 296.

- ✓ *varicolor* Borch. l. c. p. 298
- ✓ *lucidicollis* Borch. l. c.
- ✓ *similaris* Borch. l. c.
- ✓ *cognata* Borch. l. c.

China

"

"

Formosa

"

impressicollis Mäkl. l. c. p. 650 (500).

longicornis Mäkl. l. c. p. 550 (500).

"

"

Stains

nigricolor Pi.

Mél. I. 1911. p. 11. Madagascar.

Hyp. anastomosis Borch. Mon. n. 325 Brazil

lobophilomorphus Pi. Ech. 27. 1911. p. 183.

rubicollis Pi. l. c.

Madagascar.

Lophophyllus

pennataticollis Pi (rugicollis var) Mél. 7. 1913. p. 13. Madagascar.

impressicollis Pi. Ech. 29. 1913. p. 149 "

multicostatus Pi. Mél. 11. 1914. p. 18 "

nigromaculatus Pi l. c. "

~~specimens~~

~~rubites~~

Di

Derostira Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 388.

crenulipennis Fairm. l. c. p. 388.

Madagascar

1

Hypostatira Fairm.

Fairm. C. rend. Soc. Ent. Belg. XXXIII, 1889, p. XLIX.

variicolor. Fairm. l. c. p. L.

Minas Geraes

1

Pseudostira Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 213.

laevipennis Fairm. l. c. p. 213.

Madagascar

1

Barsenis Pascoe.

Pascoe, Ann. Mag. Nat. Hist. (5) XX, 1887, p. 17.

fulvipes Pasc. l. c. p. 18, t. 1, f. 6.Brasilien,
Ega

1

Lophophyllus Fairm.

Fairm. Natur. IX, 1887, p. 71; Ann. Soc. Ent. Belg. XL, 1896, p. 357.

costipennis Fairm. l. c. p. 71, f. 5; l. c. p. 358.

Madagascar

maculicollis Fairm. l. c. p. 358.**rugicollis** Fairm. Bull. Soc. Ent. Fr. 1890, p. CCH; Ann.

Soc. Ent. Belg. XL, 1896, p. 358.

3

Staius Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 359.

globulicollis Fairm. Rev. d'Ent. XX, 1901, p. 196.

Madagascar

miricornis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 359.

2

Disema Mäkl.

Mäkl. Act. Soc. Fenn. X, 1875, p. 646 (496).

ambigua Mäkl. l. c. p. 652 (502).

Brasilien

bimaiculata Mäkl. l. c. p. 647 (497).

"

collaris Mäkl. l. c. p. 648 (498).

"

crassicornis Mäkl. l. c. p. 647 (499).

"

impressicollis Mäkl. l. c. p. 650 (500).

"

longicornis Mäkl. l. c. p. 550 (500).

"

Stains

nigricolor Pic.

Mél. I. 1911. p. 11. Madagascar.

Hgh. anastomosis Borch. Mon. p. 325 Brazil

lobophylomorphus Pic. Ech. 27. 1911. p. 183.

rubicollis Pic. l. c.

Madagascar.

Lophophyllus

punctaticollis Pic (rugicollis var) Mél. 7. 1913. p. 13. Madagascar.

impressicollis Pic. Ech. 29. 1913. p. 149 "

multicostatus Pic. Mél. 11. 1914. p. 18 "

nigromaculatus Pic l. c. "

D.

Gerontaria

laticollis Pic. Mél. 7. 1913. p. 13.

Madagascar.

Derostira Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 388.

crenulipennis Fairm. l. c. p. 388.

Madagascar

1

Hypostatira Fairm.

Fairm. C. rend. Soc. Ent. Belg. XXXIII, 1889, p. XLIX.

varicolor. Fairm. l. c. p. L.

Minas Geraes

1

Pseudostira Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 213.

laevipennis Fairm. l. c. p. 213.

Madagascar

1

Barsenis Pascoe.

Pascoe, Ann. Mag. Nat. Hist. (5) XX, 1887, p. 17.

fulvipes Pasc. l. c. p. 18, t. 1, f. 6.Brasilien,
Ega

1

Lophophyllus Fairm.

Fairm. Natur. IX, 1887, p. 71; Ann. Soc. Ent. Belg. XL, 1896, p. 357.

costipennis Fairm. l. c. p. 71, f. 5; l. c. p. 358.

Madagascar

maelicollis Fairm. l. c. p. 358.

"

rugicollis Fairm. Bull. Soc. Ent. Fr. 1890, p. CCIII; Ann.

"

Soc. Ent. Belg. XL, 1896, p. 358.

3

Staius Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 359.

globulicollis Fairm. Rev. d'Ent. XX, 1901, p. 196.

Madagascar

miricornis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 359.

"

2

Disema Mäkl.

Mäkl. Act. Soc. Fenn. X, 1875, p. 646 (496).

ambigua Mäkl. l. c. p. 652 (502).

Brasilien

bimaculata Mäkl. l. c. p. 647 (497).

"

collaris Mäkl. l. c. p. 648 (498).

"

crassicornis Mäkl. l. c. p. 647 (499).

"

impressicollis Mäkl. l. c. p. 650 (500).

"

longicornis Mäkl. l. c. p. 550 (500).

"

2*

- *serraticornis* Mäkl. l. c. p. 651 (501). Brasilien
 — *thoracica* Mäkl. Brasil. Stat.-Art. p. 51 (155). — Champ. „
 Biol. Centr.-Am. Col. IV, 2, 1889, p. 62.

8

Sipolisia Fairm.

Fairm. C. rend. Soc. Ent. Belg. XXXIII, 1889, p. XLIX.

- *serricornis* Fairm. l. c. p. XLIX. Minas Geraes

1

Uroplatopsis Champ.

Champion, Biol. Centr.-Amer. Col. IV, 2, 1889, p. 53.

- *appendiculata* Champ. l. c. p. 59, t. 3, f. 15. Panama
 — *dilaticornis* Champ. l. c. p. 58. „
 — *excavata* Champ. l. c. p. 59, t. 3, f. 14. „
 — *imitator* Champ. l. c. p. 54, t. 3, f. 9, 9a. b. c. Nicaragua
 — *mimica* Champ. l. c. p. 57, t. 3, f. 12. Panama
 — *nodosa* Champ. l. c. p. 54, nota. Amazonas
 — *planicollis* Champ. l. c. p. 56. Panama
 — *reticulata* Champ. l. c. p. 56, t. 3, f. 11. „
 — *simulans* Champ. l. c. p. 58, t. 3, f. 13. „
 — *vermiculata* Champ. l. c. p. 55, t. 3, f. 10. Nicaragua

10

Statira Serv.

Serv. Encycl. méth. X, 1825, p. 479. — Cast. Hist. Nat. Ins. II, 1840, p. 256 (*Statyra*). — Latr. Fam. Nat. II, 1825, p. 381. — Blanch. Hist. Ins. II, 1845, p. 39. — Lacord. Gen. Col. V, 1859, p. 571. — Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 3.

Umfassende Arbeiten: Mäklin, Brasil. Arten: Act. Soc. Fenn. VII, 1862, p. 147; Mexic. Arten: Act. Soc. Fenn. 1863, p. 587. — Champion, Biol. Centr.-Am. Col. IV, 2, 1889, p. 3.

Tabellen: Horn, Trans. Amer. Ent. Soc. XV, 1888, p. 28. — Champ. Biol. Centr.-Am. Col. IV, 2, p. 4. — Schaeffer, Journ. N. York Ent. Soc. XIII, 1905, p. 179.

- *abdominalis* F. Syst. El. I, 1801, p. 290. — Mäkl. Bras. Süd-Amerika.
 Art. p. 160 (369).
 — *aegrota* Mäkl. Bras. Art. p. 149 (45). Brasilien
 — *aeneipennis* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, Guatemala
 p. 25, 18, 26.
 — *aeneotincta* Champ. l. c. p. 27, 28, 29, 31. Centr.-Amer.
 — *aerata* Champ. l. c. p. 26, t. 1, f. 25; p. 3, 452. „
 — *agraeformis* Champ. l. c. p. 12, t. 1, f. 7. Panama
 — *agroides* Serv. Encycl. méth. X, 1825, p. 480. — Cast. Brasilien
 Hist. Nat. Ins. II, 1840, p. 257. — Mäkl. Bras.
 Art. p. 148 (44).
 — *albofasciata* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, Central-
 p. 44, t. 2, f. 25; p. 45, 46, 48. Amerika.
 — *albolineata* Champ. l. c. p. 36, t. 2, f. 15; p. 37. „
 — *alternans* Champ. l. c. p. 30; p. 5, 31, 451. Mexico
 — *amoena* Mäkl. Bras. Art. p. 152 (48). Brasilien

id. *subarctic* Pic () Berl. Mon. p. 331.

goumellei Pic

elegans Berl. Mon.

Sahlbergi B.

munica B.

Brazil.

Statira. N. Amer. iph. Long. J. N. Y. Ent Soc. 31. 1923. p. 185.

Statiopsis Borch. O. E. Z. 1912. v. 389

aenea B. l. r. argentina

angustata Vi. Mal. 11. 1914. p. 17 Brazil

Astatera Borch. Nov. p. 322.

g.t. humeralis B.

!

Columbia

simulatrix B.

"

"

Statira.

Statira

Ech.

suburalis Pic. ~~Bull. Soc. Zool. Paris 2^e p. 1913~~ p. 75. Brazil.
gounellei Pic. f. c. "

Statira

Ch. 26. 1912. p. 77

Brazil

Statira

Statira

le moulti Pic. Mel. I. 1911. p. 9. Guyane.
impressa Pic. l. c. Colombia
peruviana Pic. f. c. Peru.
pallidipes Pic. Mel. V. 1913. p. 14. Fr. Guiana
annulipes Pic. f. c. Brazil
atipennis Pic. Mel. 11. 1914. p. 18. Fr. Guiana
ochreofasciata Champ. E. M. M. 1917. p. 193. Ecuador.
vitticollis Borch. Mon. p. 321 Peru
curticollis B. Brazil

Statira

f. c.

147

Pseudotagria Champ. E. M. M. 1917 p. 218.

mitabilis Ch. f. c. 219. Brazil.
diversa Ch. f. c. 220. Amazonas.
flavifrons Ch. f. c. "
flavomarginata Ch. f. c. 221. Brazil.
lycodes Ch. f. c. 222. "
atra Pic. Mel. 26. 1917. p. 15. Brazil.
foveithorax Pic. f. c. "
latipennis Pic. f. c. "

Statira.

vageguttata Pic. Esch. 28. 1912. p. 75.

Brazil

vagenotata Pic.

P.c.

"

apicipennis Pic

P.c.

"

era

monstrosipes Pic. Mél. I. 1911 p. 10.

Fr. Guiana

lateralis Pic P.c.

Brazil.

nigroapicalis Pic P.c.

"

lentatipes Pic Esch. 27. 1911. p. 182

Argentine.

v. obscuripes Pic P.c.

Brazil.

tricoloris Pic Esch. 28. 1912. p. 77

Brazil.

jeuathipes Pic Mél. 4. 1912. p. 8.

Brazil.

toubrioni Pic P.c.

Guayana.

estacipes Pic (inlateralis var.) P.c. p. 9.

Brazil

appendiculata Pic P.c.

"

sonnelli Pic P.c.

"

subopaca Pic P.c.

"

brasiliensis Pic P.c. b 10

"

tyucana Pic P.c.

"

rufescens Pic P.c.

Guayana.

macreptera Champ. Ent. No Mag. 1917. p. 143

Brazil.

canthostigma Champ. P.c.

144

"

liocaea Ch. P.c.

145

Amazon.

helicatilis Ch. P.c.

146

"

fraternita Ch. P.c.

147

"

macrostigma Ch. P.c.

"

sinuatus Ch. P.c.

148.

"

tortimans Ch. P.c.

151

"

subarmata Ch. P.c.

152.

Brazil

melanostigma Ch. P.c.

153

Amazon.

leomipes Ch. P.c.

154

Brazil.

ochreostigma Ch. P.c.

188

"

cisteloides Ch. P.c.

189.

"

subcoloris Ch. P.c.

190.

Amazon

albivitta Ch. P.c.

190

Brazil

atrofemorata Pic (appendiculata var) Mél. 25. 1917. p. 16.

Brazil.

amazonica Pic P.c.

"

luteofemorata Pic (serraticornis var.)

P.c.

"

spinigera Champ.

P.c.

(overl.)

acanthomera Champ.

P.c.

176.

Brazil.

177

Colombia

(Spinostatira s.g. Pic. Mél. 27. 1918. p. 22).

Disenna (cont.)

- | | | |
|-----------------------------|-----------------------|-------------|
| <i>luteipes</i> Pic. | Mél. 25. 1917. p. 17. | Brazil. |
| <i>latithorax</i> Pic. | p. o. | " |
| <i>seminivirescens</i> Pic. | p. c. | Fr. Guiana. |
| <i>cumanensis</i> Pic. | p. c. p. 18. | Venezuela |
| <i>championi</i> Pic. | p. c. p. 16. note. | Brazil. |
| <i>africana</i> Arch. | Mon. 1924. p. 336 | " |
| <i>reedeli</i> B. | | " |

Statira -

vageguttata Pic	Ech. 28. 1912. p. 75.	Brazil
vagenotata Pic	p. c.	"
apicipennis Pic	p. c.	"
Staudingeri Pic (<u>anthicoides</u> var.)	p. c.	Peru.
bilunulata Pic	p. c.	Panama.
scutellaris Pic	p. c.	Brazil.
v. inscutellaris Pic	p. c.	"
presuturalis Pic	p. c.	"
rubrothorax Pic	Mel. 4. 1912. p. 14.	Brazil.
arcusripes Pic	p. c.	"
tibialis Pic	p. c.	"
angustata Pic	p. c. p. 15.	Ecuador.
multinotata Pic	p. c.	Brazil.
viridinotata Pic	p. c.	Peru.
testaceolor Pic	p. c. p. 16.	Venezuela.
disordea Pic	p. c.	Brazil.
quadrimaculata Pic	p. c.	"
v. brevilineata Pic	p. c.	"
striperennis Pic	p. c. p. 17.	"
nigrolineata Pic	p. c.	Bolivia
nigroapicalis Pic	p. c.	Peru.
brunneiceps Pic	p. c.	Guatemala.
binaculata Pic	p. c.	Argentina.
4-notata Pic	p. c. p. 18.	Brazil.
sublateralis Pic	p. c.	Argentina.
lunulata Pic	p. c.	Brazil.
latipes Pic	p. c. p. 19.	"
notatipennis Pic	p. c.	"
braziliensis Pic	p. c.	"
goyasensis Pic	p. c. p. 20.	"
gornellei Pic	p. c.	"
v. insuturalis Pic	p. c.	"
atricollis Pic	p. c.	Bolivia.
bryanti Pic	Ech. 29. 1913 p. 100.	Trinidad
discoidalis Pic (fulvicollis var.)	Mel. 4. 1912. p. 13.	Guatemala.
flavovittata Pic	Mel. 11. 1914. p. 18.	Brazil
purpuraceipennis Pic	p. c. 19.	"
interruptecostata Pic	p. c.	Fr. Guiana
flavosignata Champ.	Trans. Ent. Soc. 1917. p. 175.	Ecuador.
spinigera Champ.	p. c. 176.	Brazil.
acanthomera Champ.	p. c. 177.	Colombia
(Spinostatira s.g. Pic. Mel. 27. 1918. p. 22.)		

Stictira

<i>Stictira</i> Champ. Trans Ent Soc. 1917. p. 178.			Ecuador.
<i>longiceps</i> Champ.	f.c.	170	Brazil
<i>sericea</i> Champ.	f.c.	171.	up. Amazon
<i>macronota</i> Champ.	f.c.	182.	Brazil
<i>nigrocoerulea</i> Champ.	f.c.	183	"
<i>batesi</i> Champ.	f.c.	183.	"
<i>caespitosa</i> Champ.	f.c.	184.	"
<i>senecioides</i> Champ.	f.c.	186.	"
<i>xyperitica</i> Champ.	f.c.	190.	"
<i>fortipes</i> Champ.	f.c.	191	"
<i>simplex</i> Champ.	f.c.	194.	"
<i>formosa</i> Champ.	f.c.	196.	Ecuador.
<i>indistincta</i> Champ.	f.c.	198.	Amazon
<i>caracana</i> Champ.	f.c.	198.	Ecuador
<i>obsoleta</i> Champ.	f.c.	200	Brazil
<i>strophota</i> Champ.	f.c.		"
<i>indistincta</i> Champ.	f.c.	201	Colombia
<i>indistincta</i> Champ.	f.c.	202	Amazon
<i>strophota</i> Champ.	f.c.		"
<i>chalcidota</i> Champ.	f.c.	205.	Colombia
<i>caracana</i> Champ.	f.c.		"
<i>cupressoides</i> Champ.	f.c.	207.	Peru.
<i>rigitipunctata</i> Champ.	f.c.		"
<i>sericea</i> Champ.	f.c.	208.	"
<i>strophota</i> Champ.	f.c.	209	Colombia
<i>divisa</i> Champ.	f.c.	210	Venezuela.
<i>sticta</i> Champ.	f.c.		Ecuador.
<i>perthensis</i> Champ.	f.c.	212.	Brazil.
<i>translucida</i> Champ.	f.c.	214	"
<i>subulata</i> Champ.	f.c.	215.	Amazon.
<i>calensis</i> Champ.	f.c.	216	Colombia
<i>coeruleotincta</i> Champ.	f.c.		"
<i>puncticollis</i> Champ.	f.c.	217.	Amazon.
<i>chloroptera</i> Champ.	f.c.	218	Peru.
<i>causaticulata</i> Champ.	f.c.		"
<i>caracana</i> Champ.	f.c.	219	Brazil.
<i>versicolor</i> Champ.	f.c.	220	"
<i>sericea</i> Champ.	f.c.	221	"
<i>arabrosa</i> Champ.	f.c.	222	"

Statria

chatanayi Pic Bull. S. E. Fr. 1918. p. 95

Brazil

spilleti

bocisani Pic (fulvicollis var.)

curvispin Pic Ent. 34. 1918. p. 16

rectipis Pic " 19

impressicollis Pic ^{Ent. 34} ~~Mal. 27~~ 1918. p. 2 (horstsch)

sulcaticollis

atroapicalis

inaequalis

viridibilineata

anticepenestrata

estebana

latefasciata

subobliquata

caparona,

lemonulii

pallidicoxis

pallidipes

pajoti

longipennis

concaripes

diversesculptata

missionensis

subpilis

ordinaria

spinipes Pic. Mal. 27. 1918. p. 22

marripes

submureonata

bifoveicollis

pilosa

superba

foveicollis (Foreostatura s. n.)

atricornis

singularicornis

liebecki Ling. | N. Y. Ent. Soc. 31. 1923. p. 187

Fla.

borchmanni Nevermann. Ent. Bl. 22. 1926. p. 118.

Costa Rica.

- ~~angustula~~ Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 15; p. 13, 16. Guatemala
~~annulata~~ Mäkl. Act. Soc. Fenn. X, (1874) 1875, p. 643 (493). Brasilien
~~anthicoides~~ Kirsch, Berl. Ent. Zeit. XVII, 1873, p. 412. Peru
~~antillarum~~ Champ. Trans. Ent. Soc. Lond. 1896, p. 36. Antillen = *asperata*
~~apicalis~~ Mäkl. Akt. Soc. Fenn. X, 1874 (1875), p. 640 (490). Brasilien
~~armata~~ Mäkl. l. c. p. 636 (486).
~~asperata~~ Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 49, t. 3, f. 4. Central- u. Süd-Amerika
~~basalis~~ Horn, Trans. Am. Ent. Soc. XV, 1888, p. 31. Vereinigte Staaten
~~bicolor~~ Champ. Biol. Centr.-Am. Col. IV, 2, p. 47, t. 3, f. 3; p. 6. Panama
~~brevicollis~~ Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 106 (351); Mexic. Art. 1863, p. 106 (351). — Champ. Columbia
 Biol. Centr.-Am. Col. IV, 2, 1889, p. 25.
~~brevipilis~~ Champ. l. c. p. 39; p. 38, 41. Mexico
~~caelata~~ Er. Arch. Naturgesch. XIII, 1847, I, p. 122. Peru
~~caeruleipennis~~ Champ. Biol. Centr.-Am. Col. IV, 2, 1889, Mexico
 p. 14, t. 1, f. 11, p. 21.
~~caraboides~~ Guér. Icon. Ins. III, 1843, p. 128, t. 34, f. 2a. — Brasilien } *Rhaibodera* B.
 Mäkl. Bras. Art. p. 158 (54).
~~castanea~~ Boh. Res. Eugen. 1858, p. 102. Ins. Puna
~~catenata~~ Mäkl. Bras. Art. p. 148 (44). Brasilien
~~chiriquina~~ Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 9, Panama
 t. 1, f. 4; p. 10.
~~ciliata~~ Champ. l. c. p. 42, t. 2, f. 21; l. c. p. 32, 43, 44, 451. Guatemala
~~collaris~~ Champ. l. c. p. 13, t. 1, f. 10. Mexico
~~columbica~~ Champ. l. c. p. 62, nota. Columbien
~~? cyanipennis~~ Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 116. "
~~conspicillata~~ Mäkl. Mexic. Art. p. 589 (101). — Champ. Mexico
 Biol. Centr.-Am. IV, 2, 1889, p. 32, t. 2, f. 6—7.
~~corrosa~~ Champ. l. c. p. 37; l. c. p. 38, 39. Mexico,
 Guatemala
~~costaricensis~~ Champ. l. c. p. 36. Costa Rica
~~crassicornis~~ Champ. l. c. p. 18, t. 1, f. 17; l. c. p. 19, 51. Mexico
~~cribrata~~ Champ. l. c. p. 42, t. 2, f. 20; l. c. p. 43, 44, Guatemala
 50, 451.
~~cribripennis~~ Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 110. Columbia
~~croceicollis~~ Mäkl. Mex. Art. p. 594 (100). — Horn, Trans. Mobile
 Amer. Ent. Soc. XV, 1888, p. 30.
~~cupreotincta~~ Champ. Biol. Centr.-Am. Col. IV, 2, 1889, Panama
 p. 23, t. 1, f. 22; l. c. p. 24.
~~cupripennis~~ Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 107 (352). Columbia
~~curticollis~~ Champ. Biol. Centr.-Am. Col. IV, 2, 1889, Mexico
 p. 24, t. 1, f. 24; l. c. p. 25.
~~cylindricollis~~ Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 116 (361). — Fairm. Ann. Soc. Ent. Fr. LXI, 1892, Columbia,
 p. 95. Venezuela
~~debilis~~ Mäkl. Bras. Art. p. 158 (54). Brasilien
~~defecta~~ Schaeffer, Mus. Brookl. Inst. I, 1905, p. 175. Arizona
~~denticulata~~ Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 7. Panama
~~elegans~~ Mäkl. Bras. Art. p. 156. Brasilien.
~~evanescens~~ Camp. Biol. Centr.-Am. Col. IV, 2, 1889, p. 34, Mexico
 t. 2, f. 12; l. c. p. 35, 36.
~~exigua~~ Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 115 (360). Columbien
~~fasciata~~ Mäkl. Act. Soc. Fenn. X, (1874) 1875, p. 644 (494). Brasilien
~~ferruginea~~ Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 111. Columbien

- festiva* Mäkl. Bras. Art. p. 156 (52).
figurata Mäkl. l. c. p. 158 (54).
flavicornis Mäkl. l. c. p. 155 (51).
Flohri Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 452.
foveicollis Champ. l. c. p. 18, t. 1, f. 16; l. c. p. 17.
fulvicollis F. Syst. El. I, 1801, p. 290. — Mäkl. Bras. Art. p. 160 (368).
fusca Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 110 (355).
fuscitarsis Mäkl. Act. Soc. Fenn. X, 1875, p. 638 (488).
fuscipennis F. Syst. El. I, 1801, p. 290. — Mäkl. Bras. Art. p. 160 (369).
gagatina Melsh. Proc. Ac. Phil. II, 1846, p. 311. — Horn, Trans. Am. Ent. Soc. XV, 1888, p. 31.
gemmifera Mäkl. Bras. Art. p. 147 (43).
geniculata Mäkl. l. c. p. 150.
glabrata Mäkl. Mex. Art. p. 587 (99). — Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 7, t. 1, f. 1; l. c. p. 3, 4, 8, 10, 16.
gracilis Mäkl. Act. Soc. Fenn. X, (1874) 1875, p. 646 (496).
gratiosa Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 108 (353).
guatemalensis Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 106; l. c. p. 4, 30, 49.
hilaris Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 106 (351). — Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 9.
hirsuta Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 50, t. 3, f. 6; l. c. p. 53.
horrida Champ. l. c. p. 38, t. 2, f. 16.
huachucae Schaeffer, Mus. Brookl. Inst. I, 1905, p. 176.
ignita Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 23, t. 1, f. 21; l. c. p. 19.
impressipennis Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 106 (351).
inconstans Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 16, t. 1, f. 14; l. c. p. 3, 17.
ingens Champ. l. c. p. 12, t. 1, f. 8.
interrupta Champ. l. c. p. 8, t. 1, f. 3.
irazuensis Champ. l. c. p. 22.
irregularis Champ. l. c. p. 45, t. 2, f. 26; l. c. p. 3, 4, 46, 47.
isthmiaca Champ. l. c. p. 19, t. 1, f. 18; l. c. p. 23.
laevicollis Champ. l. c. p. 46, t. 3, f. 1.
laevigata Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 111 (356).
lagrioides Mäkl. Bras. Art. p. 159 (55).
lateralis Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 112 (357).
laticollis Mäkl. Act. Soc. Fenn. X, (1874) 1875, p. 637 (487).
leptotracheloides Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 52, t. 3, f. 8; l. c. p. 31, 53.
limbata Champ. l. c. p. 14, t. 1, f. 12; l. c. p. 15, 22.
literata Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 115.
longicollis Mäkl. Bras. Art. p. 151 (47).
lugubris Mäkl. l. c. p. 157 (53).
Maeklini Kirsch, Berl. Ent. Zeit. X, 1866, p. 205.
marmorata Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 43, t. 2, f. 23.
medialis Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 113 (358).
melanocephala Mäkl. Mex. Art. p. 593 (105). — Champ. Biol. Centr.-Am. Col. IV, 1, 1889, p. 13, t. 1, f. 9; l. c. p. 14, 15.
meleagris Mäkl. Bras. Art. p. 149 (45).

Brasilien
 "
 Mexico
 Central-Amerika
 Süd-Amerika
 Columbien
 Brasilien
 Süd-Amerika
 Pennsylvanien
 Brasilien
 Mexico
 Brasilien
 Columbien
 Guatemala
 Columbien
 Central-Amerika
 Guatemala
 Arizona
 Mexico
 Columbien
 Central-Amerika
 "
 Costa Rica
 Guatemala
 Panama
 Mexico
 Columbien
 Brasilien
 Columbien
 Brasilien
 Mexico
 Central-Amerika
 Columbien
 Brasilien
 "
 Bogotá
 Mexico, Guatemala
 Columbien
 Mexico
 Brasilien

Meropina Bonl.
 [

Meropina B.



Skatira

<i>eurydesa</i> Champ.	Trans. Ent. Soc. 1917, p. 225.	Amazons.
<i>fulvotata</i> Champ.	f.c.	"
<i>viridistata</i> Champ.	f.c.	224 " "
<i>suffusa</i> Champ.	f.c.	226. Brazil.
<i>aeneomarginata</i> Champ.	f.c.	"
<i>trachydesa</i> Champ.	f.c.	227. "
<i>scutellus</i> Champ.	f.c.	228. Amazons.
<i>convexiuscula</i> Champ.	f.c.	Brazil
<i>insularis</i> Champ.	f.c.	Trinidad
<i>ochroleuca</i> Champ.	f.c.	231. Brazil.
<i>tennis</i> Champ.	f.c.	233. Amazons.
<i>stenodesa</i> Champ.	f.c.	" Brazil.
<i>egans</i> Champ.	f.c.	234. Amazons.
<i>testigera</i> Champ.	f.c.	235. Peru.
<i>cyanoptera</i> Champ.	f.c.	236. Brazil.
<i>caenarioides</i> Champ.	f.c.	237. "
<i>compunctata</i> Champ.	f.c.	238. Amazons.
<i>dromioides</i> Champ.	f.c.	" Brazil.
<i>stenoptera</i> Champ.	f.c.	239. Amazons.
<i>quadrisignata</i> Champ.	f.c.	"
<i>viridicincta</i> Champ.	f.c.	241. "
<i>connexa</i> Champ.	f.c.	242. "
<i>viridifusata</i> Champ.	f.c.	2 " "
<i>elegantula</i> Champ.	f.c.	243. "
<i>calophrenoides</i> Champ.	f.c.	244. Peru.
<i>segregata</i> Champ.	f.c.	Amazons.
<i>seminigra</i> Champ.	f.c.	245. "
<i>trisellata</i> Champ.	f.c.	Colombia.
<i>paraensis</i> Champ.	f.c.	246. Amazons.
<i>interducta</i> Champ.	f.c.	247. Ecuador
<i>elfeata</i> Champ.	f.c.	" Amazons.
<i>incisellus</i> Champ.	f.c.	249. "
<i>xanthodesa</i> Champ.	f.c.	250. Brazil.
<i>quadriplagiata</i> Champ.	f.c.	252. "
<i>bifurcata</i> Champ.	f.c.	253. "
<i>tenipes</i> Champ.	f.c.	254. "
<i>cruciata</i> Champ.	f.c.	255. Madagascar
<i>haitiensis</i> Champ.	f.c.	" Haiti
<i>gayannensis</i> Champ.	f.c.	258. Guyana.

Statira

semisulcata Ch.	Trans Ent Soc.	1917. p. 258.	Anayans.
criviceps Ch.	f.c.	257	Brazil.
melanoptera Ch.	f.c.	260.	"
fulvicornis Ch.	f.c.	261	Peru.
perforata Ch.	f.c.	262.	Mexico
pilosa Ch.	f.c.	263.	Brazil
sternulicornis Ch.	f.c.	264	"
longicollis Ch.	f.c.	265	"
atripes Pic	Mél.	26. 1917. p. 16.	"
trifoveolata Pic.	f.c.		"
testaceicolor Pic.	f.c.		"
semioptaca Pic.	f.c.		"
seriata Pic.	f.c.	17	"
duherti Pic.	f.c.		"
elytrocicollis Pic	f.c.		"
bernardana Pic.	f.c.		"
leucicollis Pic.	f.c.		"
subcylindrica Pic.	f.c.		"
discoidalis Pic.	f.c.	18	"
fulvicornis Pic	f.c.		"
caracaensis Pic.	f.c.		"
spinipes Pic. (<u>Spinostatira</u> s.g.)	Mél. 27	1918. p. 22.	"
inapicalis Pic. (<u>Gomellei</u> var.)	f.c.		"
rufitarsis Pic. (<u>acanthovera</u> var.)	f.c.	23.	Anayans.
latomipes Pic.	f.c.		Brazil.
v. semiobliterata Pic.	f.c.		"
submacronata Pic.	f.c.		"
trifoveicollis Pic.	f.c.		"
pilosa Pic.	f.c.		"
seriata Pic.	f.c.	24	Colombia
foveicollis Pic. (<u>Foveostatira</u> s.g.)	f.c.		Brazil.
atricornis Pic.	f.c.		"
circularithorax Pic.	f.c.		Bolivia.
tuberculatipennis Pic.	Ech.	33. 1917. no. 382. p. 16.	Brazil
semiviridis Pic.	f.c.		"
subtuberculata Pic.	f.c.		"
rufipennis Pic.	f.c.		"
v. diversicolor Pic.	f.c.		"
v. rufimembra Pic.	f.c.		"
semilineata Pic.	P.c.	no 883. p. 4.	Fr. Guiana
castaneithorax Pic. (<u>validicornis</u> var.)	f.c.		"

Stalira

bogotensis Pic.	Ech. 33. 1917. No. 383. p. 4	Bogota.
paranana Pic	t. c.	Argentine.
diversepunctata Pic	P. c.	Venezuela.
impressicollis Pic (<u>livestatoria</u>)	Ech. 34. 1918. No. 387. p. 2.	Bolivia
sulcaticollis Pic (")	P. c.	Brazil
atroapicaris Pic (")	P. c.	"
inæqualis Pic	P. c.	Venezuela
viridibilineata Pic	P. c.	Brazil.
antirefrenstrata Pic	P. c. p. 3.	"
estebana Pic	P. c.	Venezuela.
latefasciata Pic	P. c.	Brazil.
subobliquata Pic	P. c.	"
caparona Pic	P. c.	Trinidad
Le Moulti Pic	P. c.	G. Guiana
palliarcox's Pic.	P. c.	Venezuela
pallidipes Pic	P. c.	Peru.
pygoli Pic	P. c.	Brazil.
longipennis Pic	t. c. p. 4.	"
concarpes Pic	P. c.	"
diversesculpta Pic	t. c.	"
missionensis Pic	P. c.	Argentine
subpilis Pic	P. c.	Brazil.
ordinaria Pic	P. c.	"
cuvipes Pic	Ech. 34. 1918. No. 388. p. 16.	"
rectipes Pic	t. c. No. 389. p. 20	"
subcylindrica Pic	Mél. 25 1917. p. 20	"
minasensis Pic	P. c.	"
annulicornis Pic	P. c.	Bolivia
mendesensis Pic	P. c.	Brazil.
viridilineata Pic	P. c.	"
coerulea Pic	P. c. p. 21.	"
brachicollis Pic	P. c.	"
hirticornis	Borch. Mon. 1921. p. 237.	Brazil.
decupiens		
caligata		
pterygonialis		Bolivia
incognita		
hirta		
granigera		
schosellia		

Stalira

mucios Borch Mon. p. 241.

~~equestris~~
~~agrovata~~

impressa p. 245.

callangana

semicatenata.

guttata. 250.

scabrocollis

impressifrons

laeta

forticornis

dorso signata

nigrofasciata

signata

hirtipennis

eumera.

biseriata

atra
v. distincta
v. distinctipennis

dromioides

transversevittata

zonata

cingulata

scapularis.

pachyderma

fulva

amazonica

propinqua

coxalis

laccata.

reduces

fulgens

seriata

brachycephala

aliena

patricia

cyanella

bella

nitidicollis

worsborni

Surinam.

lineata

sejugata

longiventris

pachythorax

modesta.

sericeopunctata.

analis.

submetallica

poly punctata.

v. ferrugata
dimidiatav. centralis
Protenus

hallipes

longula

aurea

piscicollis

paucula.

inculta

sculpta

foveolata

canaliculata

mediosignata

analis

<i>metallica</i> Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 16, t. 1, f. 13.	Central-Amerika
<i>mexicana</i> Champ. l. c. p. 26, t. 2, f. 1; l. c. p. 5, 14, 27, 29.	Mexico
<i>micans</i> Mäkl. Bras. Art. p. 153 (48).	Brasilien
<i>microps</i> Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 44, t. 2, f. 24; p. 6.	Mexico, Guatemala
<i>minima</i> Champ. l. c. p. 47, t. 3, f. 2.	Central-Amerika
<i>multiformis</i> Champ. l. c. p. 19, t. 1, f. 19.	"
<i>multipunctata</i> Champ. l. c. p. 49, t. 3, f. 5; l. c. p. 14, 20, 27.	"Mexico"
<i>nigella</i> Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 109 (354).	Columbien
<i>nigra</i> Mäkl. Bras. Art. p. 153 (48 u. 370).	Brasilien
<i>nigripennis</i> Mäkl. Act. Soc. Fenn. X, 1874 (1875), p. 641 (491). — Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 40, t. 2, f. 17 u. 18; l. c. p. 3, 41, 53.	Mexico
var. <i>affinis</i> Mäkl. Act. Soc. Fenn. X, 1874 (1875), p. 642 (492).	"
var. <i>humeralis</i> l. c. p. 642 (492).	"
<i>nigroaenea</i> Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 40, t. 2, f. 19; l. c. p. 42.	"
<i>nigromaculata</i> Champ. l. c. p. 33, t. 2, f. 9 u. 10; l. c. p. 34, 35, 36.	Mexico, Guatemala
<i>nigrosparsa</i> Mäkl. Mex. Art. p. 590 (102). — Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 29, t. 2, f. 2; l. c. p. 4, 20, 27, 30, 49.	Mexico
<i>nodulosa</i> Champ. l. c. p. 31; l. c. p. 32, 451, 452.	Guatemala
<i>nubeculosa</i> Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 105 (350).	Columbien
<i>obscura</i> Mäkl. Act. Soc. Fenn. X, 1874 (1875), p. 645.	Brasilien
<i>opacicollis</i> Horn, Trans. Amer. Ent. Soc. XV, 1888, p. 30.	Arizona
<i>pallida</i> Mäkl. Bras. Art. p. 154 (50).	Brasilien
<i>penicillata</i> Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 30, t. 2, f. 3; p. 21.	Mexico
<i>picipennis</i> Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 109 (354).	Columbien
<i>picta</i> Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 36, t. 12, f. 14.	Central-Amerika
<i>pilifera</i> Champ. l. c. p. 451.	Mexico
<i>pilipes</i> Champ. l. c. p. 43, t. 2, f. 22; l. c. p. 452.	"
<i>pluripunctata</i> Horn, Trans. Amer. Ent. Soc. XV, 1888, p. 29. — Champ. Biol. Centr.-Am. Col. IV, 2, p. 52.	Arizona
<i>pueblensis</i> Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 5, t. 3, f. 7; p. 53.	Mexico
<i>pulehella</i> Mäkl. Mex. Art. p. 589 (101). — Champ. l. c. p. 32, t. 2, f. 8. — Schaeffer, Journ. N. York Ent. Soc. XIII, 1905, p. 180.	"
<i>punctatissima</i> Champ. l. c. p. 38.	"
<i>punctipennis</i> Champ. l. c. p. 28.	Guatemala
<i>quadrimaculata</i> Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 114 (359).	Columbien
<i>resplendens</i> Melsh. Proc. Ac. Phil. II, 1846, p. 311. — Horn, Trans. Am. Ent. Soc. XV, 1888, p. 30.	Penn-sylvanien
<i>robusta</i> Schaeff. Journ. N. York Ent. Soc. 1905, p. 180.	Texas
<i>rufa</i> Mäkl. Bras. Art. p. 154 (50).	Brasilien
<i>ruficollis</i> F. Syst. El. I, 1801, p. 289. — Mäkl. Bras. Art. p. 159 (368).	Central-Amerika
<i>rufifrons</i> Mäkl. l. c. p. 152 (48).	Brasilien
<i>rugicollis</i> Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 48; l. c. p. 30, 49.	Mexico
<i>rugipes</i> Champ. l. c. p. 52.	"
<i>scitula</i> Champ. l. c. p. 10; l. c. p. 12.	Centr.-Amer.

- sculpta* Kirsch, Berl. Ent. Zeit. XVII, 1873, p. 411. — Peru
 Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 62.
- setigera* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 41, 42. Mexico
- sexmaculata* Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 114 (359). Columbien
- Simoni* Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 95. Venezuela
- simulans* Schaeff. Journ. N. York Ent. Soc. XIII, 1905, p. 180. Texas
- sobrina* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 22. Mexico
- sordida* Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 113 (358.) Columbien
- spiculifera* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, Mexico
 p. 45, t. 1, f. 3.
- splendicans* Mäkl. Bras. Art. p. 151 (47). Brasilien
- Steinheili* Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 103 (353). — Columbien
 Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 13.
- suavis* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 15. Mexico
- subaenea* Mäkl. Act. Soc. Fenn. X, (1874) 1875, p. 369 (489). Brasilien
- subnitida* Lec. New Spec. Col. 1866, p. 141. — Horn, Californien,
 Trans. Amer. Ent. Soc. XV, 1888, p. 29. Cap S. Lucas
- sulcicrus* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 51, Mexico
 30, 50, 52, 53.
- sumtuosa* Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 105 (350). Columbien
- suturalis* Mäkl. Bras. Art. p. 157 (53). Brasilien
- terminalis* Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 107 (352). Columbien
- testacea* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 28, 29, 30. Mexico
- tolensis* Champ. l. c. p. 20, 21. Panama
- triangulifer* Champ. l. c. p. 24, t. 2, f. 11. Central-
 Amerika
- trifasciata* Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 116 (361). — Columbien
 Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 45.
- trilineata* Mäkl. l. c. p. 112 (357).
- tristis* Mäkl. Act. Soc. Fenn. X, (1874) 1875, p. 639 (489). — Mexico
 Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 53.
- tropicalis* Champ. l. c. p. 10, 11, 12. Central-
 Amerika
- tuberculata* Mäkl. Act. Soc. Fenn. X, (1874) 1875, p. 637 (487). Brasilien
- tuberculifera* Champ. Biol. Centr.-Am. Col. IV, 2, 1889. Guatemala
 p. 32, t. 2, f. 5.
- tuberosa* Champ. l. c. p. 31, 451, t. 2, f. 4. Mexico
- unidentata* Champ. l. c. p. 8, t. 1, f. 2. Central-
 Amerika
- validicornis* Mäkl. Öfv. XXI, 1879, p. 117 (362). Columbien
- variabilis* Champ. Biol. Centr.-Am. IV, 2, 1889, p. 11, Central-
 12, 23, t. 1, f. 5, 6. Amerika
- variicollis* Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 96. Venezuela
- veraerucis* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, Mexico
 p. 35, 36, t. 2, f. 13.
- veraepacis* Champ. l. c. p. 24, 18, 26, t. 1, f. 23. Guatemala
- villis* Mäkl. Mex. Art. p. 592 (104). — Champ. l. c. p. 21, Mexico
 15, 17, 22, 35, t. 1, f. 20.
- villosa* Champ. l. c. p. 39, 41, t. 1, f. 23. Guatemala
- virescens* Mäkl. Öfv. Finsk. Soc. XXI, 1879, p. 112 (357). Columbien
- viridicollis* Champ. Biol. Centr.-Am. Col. IV, 2, 1889, Panama
 p. 17, 72, t. 1, f. 15.
- viridipennis* Serv. Encycl. meth. X, 1825, p. 480. — Columbien
 Cast. Hist. Nat. II, 1840, p. 257. — Mäkl. Bras.
 Art. p. 149 (45).
- vittata* Champ. Trans. Ent. Soc. Lond. 1896, p. 37. Antillen

Meropis B.

Meropis B.

Disemorpha Pic. Mel. 25. 1917. p. 16.
21. 19

Nemostromorpha Pic. Ech. 33. 1917. No. 383. p. 2.

Microdisema Pic. Ech. 33. 1917. No. 383 p. 2.

Modiosdisema Pic. Ech. 33. 1917, No. 383. p. 2.

Rhairbodesa Borch. Mon. 219

g.t. pachycera B. p. 220

caraboides Guér.

Brazil

Xenotera B. Mon. 221.

g.t. giraffa B. p. 221.

Brazil

rubicollis

conicicollis

nitens

Hoplostera B. Mon. p. 225

g.t. femoralis B.

Brazil

impressa

suturalis

fuscolineata

bahiense Pic Mél. 25. 1917. p. 19.
(Raedi var.)
semiconesens Pic l.c.
magniceps Pic l.c.

Bahia
Brazil
"

Rh

g.f.

Colparthrum

<i>undulatum</i> Pic.	Ech. 29. 1913. p. 99	Brazil.
<i>bifoveiformis</i> Pic.	f.c. 100	"
<i>ruficeps</i> Pic.	P.c.	"
<i>f. subobliteratum</i> Pic.	f.c.	"
<i>bicinctum</i> Champ.	Ent. No. mag. 1917. p. 133.	Peru.
<i>reedi</i> Champ.	P.c.	134. Brazil.
<i>flavosellatum</i> Champ.	f.c.	135. " "
<i>naulerse</i> Champ.	P.c.	136. Amazonas.
<i>nigricauda</i> Champ.	f.c.	136. Colombia.
<i>fibesculicauda</i> Champ.	f.c.	137. "
<i>trifoveatum</i> Champ.	P.c.	138. "
<i>laevicauda</i> Champ.	f.c.	" Amazonas.
<i>bolivense</i> Champ.	P.c.	139. Bolivia.
<i>ellipticum</i> Champ.	P.c.	Ecuador.
<i>spinicauda</i> Champ.	f.c.	140. Peru.
<i>subtrigatum</i> Champ.	P.c.	141. Brazil.
<i>Vittrati</i> Pic.	Ech. 34 1918. No. 387. p. 2	Ecuador.
<i>bisulcatum</i> Pic.	P.c.	Venezuela
<i>v. piceum</i> Pic.	P.c.	"
<i>fenestratum</i> Pic.	Mel. 25. 1917. p. 18.	Brazil.
(<i>bifoveiformis</i> var.)		"
<i>latenigrum</i> Pic.	P.c.	"
(<i>ruficeps</i> var.)		"
<i>venezuelense</i> Pic.	P.c.	Venezuela
<i>tijucanum</i> Pic.	P.c. p. 19.	Brazil.
(<i>o ser.</i>)		"

Sphragidophorus

<i>basipes</i> Pic.	Mél. I. 1911 p. 11.	Brazil.
<i>subaenescens</i> Pic.	Mél. 25. 1917. p. 18. Ech. 33. 1917. No. 383. p. 3 (note)	"

Hoplosterag.f. *femorali**imbrata*

su

fus

Meniscophorus

<i>opacipennis</i> Ch.	Ent. No. mag. 1917 p. 191.	Amazonas.
<i>signifer</i> Ch.	P.c.	Venezuela.

Meropria B. Mon. p. 228

g.t. glabrata Mäkl. (Stalire)

churiquina Ch. voss.

Pleurostira B. Mon. p. 230

g.t. spileuralis

Bolivia

onchaleia

Brazil

alternata

Sahlbergi

maculata + quadrenotata Pe.

Sph. brevicollis Borch. Mon. p. 328. Sta Catha.

basalis Pic ()

sculptus Kirsch. (Statera)

C. luteicollis Borch. Mon. p. 364.

+ many sp. from Statera.

Helleri B (*Pseudocolpasterum*) B. Mon. v. 347

lucens

lividipes

dimidiatum Borch. Ent. Mitt. 5. 1916. p. 230.

Brazil.

v. *chausi*

umbellatum

Columbia

repens

pulex

:"

nigrum, *elegantulum*, *Kolbei*

Peru.

Gebienia B. Mon. 1921. p. 352

impressicollis B.

gt. *rimulosa*

v. *Pici*

fissicollis

Epicydes Champ.

Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 60, 1, 2, 52, 65.

- oculatus* Champ. l. c. p. 61, t. 3, f. 16, 16 a, b, c. Mexico, Guatemala
vicinus Champ. l. c. p. 61. Central-Amerika

2

Sphragidophorus Champ.

Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 61, 2.

- cyanipennis* Mäkl. Act. Soc. Fenn. VII, 1862, p. 591; Central-Amerika
 l. c. X, p. 64 (397) nota. — Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 62, 63, 64, t. 3, f. 17, 17 a, b, b.
singularis Champ. l. c. p. 64, 62, 63. Panama
violaceus Champ. l. c. p. 63, 62, 64, t. 3, f. 18. "

3

Meniscophorus Champ.

Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 64, 2.

- amazonicus* Champ. l. c. p. 65, nota. Amazonas
costatus Champ. l. c. p. 65, t. 3, f. 19, 19 a, b, c. Panama

2

Colparthrum Kirsch.Kirsch, Berl. Ent. Zeit. X, 1866, p. 204. — Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 66, 1, 2, 65, 67, 72. — *Borchm. Ent. Mus. 5. 1916. p. 230.*

- calcaratum* Champ. l. c. p. 71, 66, 67, 70, t. 3, f. 23. Central-Amerika
decoratum Mäkl. Mex. Art. p. 588. — Gemm. u. Har. Mexico
 VII, 1870, p. 2078. — Champ. l. c. p. 67, 66, 68, 69, 70, 71, t. 3, f. 20, 20 a, b, c. *v. major. Borch. 1916*
foveiceps Ohamp. l. c. p. 68, 66, 67. Panama
Gerstäckeri Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 205. — Bogotà
 Champ. l. c. p. 66, 68.
sulcicolle Champ. l. c. p. 69, 66, 67, 70, 72, t. 3, Central-Amerika
 f. 21, 21 a, b.
vitticolle Champ. l. c. p. 70, 66, 67, 71, 72, t. 3, f. 22. Nicaragua

6

Othryades Champ.

Champ. Biol. Centr.-Am. Col. IV, 2, 1889, p. 72, 1, 2.

- fragileornis* Champ. l. c. p. 72, t. 3, f. 24, 24 a, b, c. Panama

1

Incertae sedis*).**Ictistygna** Pasc.

Pascoe, Journ. Ent. II, 1866, p. 491.

- 7
 0
 11
 24
 4
- **adusta** Pasc. l. c. p. 492.
 - **vetula** Pasc. l. c. p. 492.

N.-S.-Wales

2

Diacalla Pasc.

Pascoe, Journal of Entom. II, 1863—1866, p. 46.

- **comata** Pasc. Journ. Ent. II, 1863, p. 46, t. 2, f. 6.

Queensland

1

Lixionica Blackb.

Blackb. Horn Exped. II, 1896, p. 281.

- **costatipennis** Blackb. l. c. p. 281.

Central-
Australien

1

Sora Walk.Walker, Ann. Nat. Hist. 1859, p. 259. — Gemm. u. Har. VII, 1870,
p. 2179 (*Oedemeridae*).

- **marginata** Walk. l. c. p. 260. — Gemm. u. Har. l. c. p. 2179. Ceylon

Ber. T. E. S. 1921. p. 279

551

*) Die hier aufgeführten Gattungen kenne ich nicht aus persönlicher Anschauung, und ihre unvollständigen Beschreibungen lassen keine sichere Einordnung zu. Wahrscheinlich gehören sie anderen Familien an.

Egestriomima Champ. Trans. Ent. Soc. 1916. p. 182.
~~albimanus~~ ^{Cart.} ~~Champ.~~ ^{l.} p. 183. fig.
 fulvipennis Champ. P. c. p. 183. Queensland.

Stistygna Pic (Eurgeniomorphus Pic. Ch. T. F. S. 1916. p. 184) (Pedulidae)
 macleayi Champ. Trans. Ent. Soc. 1916. p. 186. Queensland.
 fasciata Champ. P. c. N. S. W.
 biformis Champ. P. c. "
 laticollis Champ. P. c. "
 tenuis Champ. P. c. W. Australia
 testaceicornis Pic. Mel. 32. 1920. p. 15 aush.

Stistygna Champ. Trans. Ent. Soc. 1916. p. 190.
 filicornis Champ. P. c. Brazil.


Oracallina Champ. Trans. Ent. Soc. 1916. p. 192.
 multiforis Champ. P. c. W. Africa.

Stelponotus

goyasensis Pic. Mém. 12. 1915. p. 12

Brazil.

Rhabdodera B.	25
Xenostira	"
Hoplostira	"
Meropria	"
Pseudoeuparthrum	25 ²⁵ .
Gebienia	25.
Exostira (19.)	16
Flabellolagna Pic	5.
Eutraphelodes	
Ceratoma	6 ^a



<i>Costiferolagria</i> Pic	1915.	6.	<i>Styliponatus</i> Gay	
<i>Pachylagria</i> Borchm.	1912.	5	<i>Diacallina</i> Champ	1916.
<i>Wallardilagria</i> Pic	1910	5.	<i>Calopt. strabus</i>	
<i>Cerogria</i> Borch	1911.	6	<i>Megalocera</i>	
<i>Neogria</i> Borch.	1911	6.	<i>Sirohas</i>	
<i>Bequaertella</i> Pic.	1910	14.	<i>Anisostera</i> Borch.	1915. 18.
<i>Strongylagria</i> Pic.	1915.	16.	<i>Disemorphia</i> Pic.	19.
<i>Donacolagria</i> Pic	1914	16.	<i>Lagrella</i> B.	8
<i>Natalostira</i> Pic.	1913	17.	<i>Derolagria</i> B.	"
<i>Rouyerus</i> Pic	1911.	17.	<i>Lopholagria</i> B.	9
<i>Borneostira</i> Pic.	1913	17	<i>Aeritolagria</i> B.	
<i>Botchmannia</i> Pic	1912	17.	<i>Allogria</i> B.	12
<i>Falsoneurostira</i> Pic.	1917.	17	<i>Ckenogria</i> B.	
<i>Splichalia</i> Reitt.	1913	18.	<i>Gnomophora</i> B.	13
<i>Lobophilomorphus</i> Pic.	1911	19	<i>Oroptera</i>	
<i>Pseudolagria</i> Champ.	1917	29.	<i>Bothrichara</i>	
<i>Statiropsis</i> Borch.	1912.	29.	<i>Calogria</i> B.	14
<i>Spinostatira</i> Pic.	1918.	20.	<i>Physogria</i>	
<i>Foveostatira</i> Pic.	1918	22.	<i>Bothynogria</i>	
<i>Disemorphia</i> Pic.	1917.	24	<i>Puristira</i>	15
<i>Nemostromorpha</i> Pic.	1917.	24	<i>Lagropsis</i>	11
<i>Microdisema</i> Pic	1917.	24	<i>Ecnogria</i>	"
<i>Modicodisema</i> Pic.	1917.	24.	<i>Nothogria</i>	"
<i>Egestromima</i> Champ	1916	26.	<i>Alagria</i>	16
<i>Ichistygmina</i> Champ	1916.	26.	<i>Alloera</i>	16.
<i>Physiolagria</i> Pic	1930	14.		

Index Lagriidarum.

Pl. 2

Subfamiliae, Genera, Subgenera.

- Adynata Fähr. 5
- Apteronympha 6
- Arthromacra Kirb. 15
- Barsenis Pasc. 19
- Casnonidea Fairm. 17
- *Chlorophila* Sem. 15
- Colparthrum Champ. 25
- *Coracostira* Fairm. 18
- Chrysolagria Seidl. 6
- Derostira Fairm. 19
- Diacalla Pasc. 26
- Disema Mäkl. 19
- Emydodes Pasc. 16
- Entypodera Gerst. 14
- Epicydes Champ. 25
- Eutrapela Blanch. 14
- Heterogria Fairm. 5
- Hypostatira Fairm. 19
- Hysterarthron Thoms. 17
- Ictistygna Pasc. 26
- Isocera 5
- *Isotoma* Blanch. 5
- Lagria F. 6
- Lagriinae 5
- *Lagrimina* Fairm. 16
- Lagriocera Fairm. 14
- Lagriogonia Fairm. 17
- Lagriola Kirsch. 5
- Lagriostira Klb. 16
- Lixionica Blackb. 26
- Lophophyllus Fairm. 19
- *Macrolagria* Lew. 17
- Meniscophorus Champ. 25
- Microlagria Seidl. 6
- Nemostira Fairm. 17
- Othryades Champ. 25
- Porrolagria Klb. 16
- Physolagria Fairm. 14
- Pseudostira Fairm. 19
- Rhosaces Champ. 5
- Sipolisia Fairm. 20
- Sora Walk. 26
- Sphinctoderus Fairm. 14
- Sphragidophorus Champ. 25
- Staius Fairm. 19
- Statira Serv. 20
- Statirinae Latr. 17
- *Statyra* Cast. 20
- Trachelosteninae 4
- Trachelostenus Sol. 4
- Uroplatopsis Champ. 20
- Xenostethus Bates 18

Species, Varietates.

- abdominalis F. 20
- adusta Kl. (La.) 6
- adusta Pasc. (Ict.) 26
- aegrota Mäkl. 20
- aenea Redt. (La.) 6
- aenea Lew. (Ar.) 15
- aeneiceps Borchm. 6
- aeneipennis Fähr. (La.) 6
- aeneipennis Champ. (St.) 20
- aeneotincta Champ. 20
- aeneviolacea Champ. 6
- aerata Champ. 20
- aerea Reiche 6
- affinis Boisd. (La.) 6
- affinis* Mäkl. (St.) 23
- agraeiformis Champ. 20
- agroides Serv. 20
- albofasciata Champ. 20
- albohirta Wied. 6
- albolineata Champ. 20
- albopilosa Schauf. 6
- albovillosa Macl. 6
- alternans Champ. 20
- alternata Klb. 16
- amabilis Pér. 14
- amazonicus Champ. 25
- ambigua Mäkl. 19
- amoena Fähr. (La.) 6
- amoena Mäkl. (St.) 20
- ampla Fairm. 6
- amplicollis Borchm. 6
- angustula Champ. 21

- anisocera Wied. 6
 annectens Pér. 6
 annulata Mäkl. 21
 antennalis Borchm. 6
 antennata Borchm. 6
 anthicoides Gerst. (Ent.) 14
 anthicoides Kirsch (St.) 21
 antillarum Champ. 21
 apicalis Mäkl. 21
 apicata Har. 6
 apicicornis Fairm. (Cas.) 17
 apicicornis Fairm. (Nem.) 17
 appendiculata Champ. 20
 armata Mäkl. 21
armipes Fairm. 18
 asperata Champ. 21
 asperipes Fairm. 6
 assimilis Borchm. 14
 atricapilla Fairm. 17
 atriceps Fairm. 17
 atrifrons Fairm. 17
 atripes Muls. 6
 aureopilosa Guill. 7
 auricollis Borchm. 7
 australica Boh. 14
 australis Champ. 7
 azureipennis Macl. 7

 basalis Hope (La.) 7
 basalis Horn (St.) 21
 basicrus Fairm. 17
 basipennis Fairm. 15
 Bennigseni Borchm. 7
 bicolor Redt. (La.) 7
 bicolor Mäkl. (Eut.) 15
 bicolor Fairm. (Nem.) 17
 bicolor Champ. (St.) 21
 bimaculata Mäkl. 19
 bimarginata Fairm. 7
 bivittata Fähr. 15
 brevicollis Fähr. (Ad.) 5
 brevicollis Gyllh. (La.) 7
 brevicollis Fairm. (Casn.) 17
 brevicollis Mäkl. (St.) 21
 brevicornis Klb. 7
 brevipilis Desbr. (La.) 7
 brevipilis Champ. (St.) 21

 caelata Er. 21
 caeruleipennis Champ. 21
 calcaratum Champ. 25
 campestris Fairm. 15
 canescens Fairm. 7
 capicola Pér. 7
 caraboides Guér. 21
 Cardoni Fairm. 7
 carinulata Fairm. 7
 Carolina Fairm. 15
 castanea Boh. (St.) 21

 castanea Guér. (La.) 7
 catenata Mäkl. 21
 caucasica Motsch. 7, 10
 cavicornis Fairm. 14
 chinensis Fairm. 7
 chiriquina Champ. 21
 cineracea Fairm. 7
 ciliata Champ. 21
 cingulata Pér. 15
 clavifera Cast. 7
 clavipes Champ. 5
 coerulescens Gyllh. 7
 collare Thoms. 17
 collaris Mäkl. (Dis.) 19
 collaris Champ. (St.) 21
 collaris Ol. (La.) 7
 collaris Pasc. (Em.) 16
 collaris Fairm. (Cas.) 17
 collina Klb. 7
 colombica Champ. 21
 comata Pasc. 26
 comosella Fairm. 7
 concolor Blanch. (La.) 7
 concolor Pér. (Eut.) 15
 confusa Reiche 7
 conspersa Redt. 7
 conspicillata Mäkl. 21
 convexa Klbe. 7
 Coquereli Fairm. (La.) 7
 Coquereli Fairm. (Nem.) 17
 coriacea Borchm. 7
 corpulenta Borchm. 7
 corrosa Champ. 21
 corrugata Pér. 7
 corticina Fairm. 7
 costaricensis Champ. 21
 costatipennis Blackb. 26
 costatula Borchm. 7
 costatus Champ. 25
 costipennis Fairm. 19
 crassicornis Fairm. (La.) 7
 crassicornis Mäkl. (Dis.) 19
 crassicornis Mäkl. (St.) 21
 crenatostrata Fairm. (La.) 7
 crenatostrata Fairm. (Nem.) 17
 crenulipennis Fairm. (Nem.) 17
 crenulipennis Fairm. (Der.) 19
 cribrata Mäkl. (St.) 21
 cribrata Fairm. (La.) 7
 cribratula Schauf. 7
cribricollis Fairm. 18
 cribricollis Fairm. 17
 cribripennis Mäkl. 21
 croceicollis Mäkl. 21
 cupreotincta Champ. 21
 cuprina Thoms. 7
 cupripennis Mäkl. 21
 curticollis Champ. 21
 cyanea Macl. (La.) 7

cyanea Fähr. (Eut.) 15
 cyanicollis Borchm. 7
 cyanipennis Mäkl. (St.) 21
 cyanipennis Mäkl. (Sphr.) 25
 cylindricollis Mäkl. 21

Davidi Fairm. 15
 debilis Mäkl. 21
 decora Mars. 15
 decoratum Mäkl. 25
 defecta Schaeff. 21
 denticollis Borchm. (Porr.) 16
 denticollis Fairm. (Casn.) 17
 denticornis Fairm. 8
 denticulata Kirsch (Lagro) 5
 denticulata Champ. (St.) 21
 depilis Muls. 10
 derasa Klb. 16
 dermatodes Fairm. 8
 dichroa Reitt. 7
 dichrocera Borchm. 18
 diffusa Fairm. 8
 dilaticornis Champ. 20
 dimidiata Blanch. (La.) 8
 dimidiata Fairm. (Cas.) 17
 dissimilis Fairm. 8
 distincta Fähr. 8
 distincticornis Heyd. (La.) 6
 distincticornis Reitt. (La.) 8
 donacioides Kirb. 15

elegans Fairm. (Nem.) 18
 elegans Mäkl. (St.) 21
 Elizabethae Pér. 8
 elliptica Fairm. 12
 elongata F. 15
 emarginaticollis Blanch. 5
 erythrocephala Borchm. 8
 entrapeloides Pér. 5
 evanescens Champ. 21
 excavata Champ. 20
 exigua Mäkl. 21
 externa Fairm. 8

Fairmairei Borchm. 18
 Falkensteini Kolbe 8
 fasciata Mäkl. 21
 fasciculifer Phil. 4
 ferruginea Mäkl. (St.) 21
 ferruginea Quedf. (Por.) 16
 festiva Mäkl. 22
 figurata Mäkl. 22
 flava Fourc. 10
 flavicornis Mäkl. 22
 flavipennis Fähr. (La.) 8
 flavipennis Pér. (Eut.) 15
 flavipes Borchm. 8
 Flohri Champ. 22
 formicicola Lea 8

foveiceps Champ. 25
 foveicollis Quedf. (La.) 8
 foveicollis Champ. (St.) 22
 fragilicornis Champ. 25
 fujisana Lew. 18
 fuliginosa Fairm. 8
 fulva Borchm. 16
 fulvicollis F. 22
 fulvipes Pasc. 19
 fulvopilosa Fairm. 8
 funeraria Fairm. 18
 fusca Mäkl. 22
 fuscata Motsch. 8
 fuscipennis Fähr. (La.) 8
 fuscipennis Fairm. (Nem.) 18
 fuscipennis F. (St.) 22
 fuscitarsis Mäkl. 22
 fuscocoerulescens Fairm. 5

gagatina Melsh. 22
 gemmifera Mäkl. 22
 geniculata Seidl. (La.) 8
 geniculata Fairm. (Nem.) 18
 geniculata Mäkl. (St.) 22
 Gerstäckeri Kirsch. 25
 Gestroi Borchm. 8
 gibbosa Klb. 8
 gibbula Fairm. 8
 gigas Cast. 8
 glabrata Ol. (La.) 8
 glabrata F. (La.) 8, 10
 glabrata Mäkl. (St.) 22
 globulicollis Fairm. 19
 gloriosus Borchm. 18
 gracilior Fairm. 18
 gracilis Mäkl. (Eut.) 15
 gracilis Borchm. (Por.) 16
 gracilis Mäkl. (St.) 22
 gracilima Fairm. 18
 grandis Gyll. (La.) 8
 grandis Pic. (Ent.) 14
 gratiosa Mäkl. 22
 Graueri Borchm. 8
 Grenieri Bris. 8
 guatemalensis Champ. 22
 guttata Fähr. 9

hemichlora Fairm. 9
 heros Fairm. 9
 Heylaertsi Rits. 9
 higoniae Lew. 15
 hilaris Mäkl. 22
 hirsuta Klbe. (La.) 9
 hirsuta Lew. (Nem.) 18
 hirsuta Champ. (St.) 22
 hirta L. 9
 hispida Klb. 16
 holomelaena Fairm. 17
 horrida Champ. 22

huachucae Schaeff. 22
humeralis Mäkl. 23
humerosa Fairm. 17
hydropica Fairm. 10

janthinipennis Fairm. (La.) 11
janthinipennis Fairm. (Nem.) 18

ignita Champ. 22
imitator Champ. 20
imitatrix Pér. 10
immarginata Fairm. 15
impressicollis Pér. (La.) 10
impressicollis Mäkl. (Dis.) 19
impressifrons Schauf. 10
impressipennis Mäkl. 22
impressithorax Pic. 14
inaequalis Sol. 4
inconstans Champ. 22
indicola Bates 11
infernalis Klb. 16
ingens Champ. 22
insignicornis Fairm. 11
interrupta Champ. 22
interstitialis Fairm. 13
ionoptera Er. 11
irazuensis Champ. 22
irregularis Champ. 22
isthmiaca Champ. 22

Lacordairei Bates 18
laevicollis Champ. 22
laevigata Mäkl. 22
laevipennis Fairm. 19
lagrioides Mäkl. 22
Lameyi Fairm. 11
lanuginosa Klb. 11
lata F. 11
lateralis Mäkl. 22
laticollis Motsch. 11
laticollis Klb. (La.) 6
laticollis Mäkl. (St.) 22
lemoides Fairm. 11
Leprieuri 11
leptotracheloides Champ. 22
limbata Desbr. (La.) 10
limbata Champ. (St.) 10, 22
literata Mäkl. 22
longa Gmel. 15
longicollis Boisd. (La.) 11
longicollis Mäkl. (St.) 22
longicornis Mäkl. 19
longipennis Fairm. 11
longipilis Fairm. 11
lugubris F. (La.) 11
lugubris Mäkl. (St.) 22
lurida Kryn. 10, 11

macrocephala Reitt. 11
maculicollis Fähr. (Eut.) 15

maculicollis Fairm. (Loph.) 19
maculiventris Fairm. 11
Maeklini Kirsch 22
marginata F. (La.) 11
marginata Walk. (Sor.) 26
marmorata Champ. 22
mashuna Pér. 11
mauritanica Reiche 14
medialis Mäkl. 22
melanocephala Mäkl. 22
meleagris Mäkl. 22
Melichari Reitt. 8
metallescens Pér. 15
metallica Fairm. (Nem.) 18
metallica Champ. (St.) 23
metallina Fairm. 11
mexicana Champ. 23
micans Mäkl. 23
microps Champ. 23
mimica Champ. 20
minima Champ. 23
minuta Klb. 11
miricornis Fairm. 19
Molleri Fairm. 14
mollis Gerst. 11
morosa Fairm. 18
multiformis Champ. 23
multipunctata Fairm. (La.) 11
multipunctata Champ. (St.) 23

navicularis Borchm. 11
nepalensis Hope 11
nigella Mäkl. 23
nigra Borchm. (La.) 11
nigra Mäkl. (St.) 23
nigriceps Fairm. 11, 16
nigriclavus Fairm. 11
nigricollis Hope 11
nigripennis Fairm. (Cas.) 17
nigripennis Mäkl. (St.) 23
nigrithorax Pic. 14
nigroaenea Champ. 23
nigromaculata Champ. 23
nigrosparsa Mäkl. 23
nitidicollis Fairm. 15
nitidiventris Fairm. 11
nodosa Champ. 20
nodulosa Fairm. (La.) 11
nodulosa Champ. (St.) 23
notabilis Lew. 11
nubeculosa Mäkl. 23
nucea Fairm. 18
nuda Klb. 16
nudipennis Muls. 10

obesa Thoms. 11
obscura F. (La.) 13
obscura Mäkl. (St.) 23
obscuripennis Fairm. 15

Schizopsis Borchm. W. Z. Z. 1912. p. 389.

Laenea Borch. P. c.

angustata Pic. Mél. 11. 1914. p. 19

Argentina
Brazil.



obscuripes Klb. 9
oculata Fairm. 5
oculatus Champ. 25
odontocera Fairm. 11
opaca Klb. 11
opacicolis Horn 23
operosa Kirsch 5
ophthalmica Fairm. 12

pachycera Fairm. 12
palliata Macl. 12
pallida Cast. (La.) 12
pallida Fähr. (Eut.) 15
pallida Mäkl. (St.) 23
parcepilosa Klb. 16
partita Borchm. 12
parvicollis Fairm. 12
parvula Perr. 12
penicillata Champ. 23
penicillatus Fairm. 18
picea Klb. 12
picipennis Mäkl. 23
picta Champ. 23
pilifera Champ. 23
pilosivestis Klb. 12
pilipes Champ. 23
pinguicula Gestro 12
plagiata Pér. 15
plagiventris Borchm. 12
planicollis Champ. 20
plebeja Gerst. 12
plicatula Borchm. 12
plumbea Pér. 12
pluripunctata Horn 23
pontica Motsch. (La.) 10, 12
porrecta F. 15
Portschinskii Sem. 15
Poupillieri Reiche 12
praecox Klb. 14
praedita Pér. 12
prasinella Fairm. 12
pretiosa Reiche 16
procera Pér. 12
promontorii Pér. 12
propinqua Fähr. 12
proxima Pér. 15
pruinosa Chevr. 12
pubens Fairm. 12
pubescens Latr. (La.) 8
pubescens F. (La.) 10
pubescens Gmel. (La.) 10
pueblensis Champ. 23
pulchella Guér. (La.) 12
pulchella Mäkl. (St.) 23
pulverulenta Gerst. 12
punctatissima Fairm. (Het.) 5
punctatissima Champ. (St.) 23
punctipennis Champ. 23
purpureipennis Macl. 12

pustulosa Pér. 12
pygmaea Brancs. 12

quadrifolius Fairm. 5
quadrilineata Billb. 15
quadrifolius Hope (La.) 12
quadrifolius Mäkl. (St.) 23
quadrivittata Fairm. 12

resplendens Melsh. 23
reticulata Champ. 20
revestita Gyllh. 12
rhodesiana Pér. 12
rhytidonota Fairm. 12
robusta Schaeff. 23
robusticeps Lew. 15
rostrifera Fairm. 18
Rothschildi Borchm. 12
rubida Graëlls 12
rubiginea Fairm. 12
rufa Borchm. (Nem.) 18
rufa Mäkl. (St.) 23
rufescens Boisd. 8
ruficeps Klb. (La.) 12
ruficeps Macl. (La.) 13
ruficollis Borchm. (Ad.) 5
ruficollis Hope (La.) 13
ruficollis Fähr. (Eut.) 15
ruficollis Fairm. (Nem.) 18
ruficollis F. (St.) 23
rufifrons Mäkl. 23
rufina Fairm. 13
rufipennis Mars. 13
rufitarsis Fairm. 18
rufobrunnea Mars. 18
rufofusca Fairm. 13
rufonitens Fairm. 16
rufovirens Fairm. 18
ruficollis Fairm. 18
rugata Desbr. 11
rugicollis Champ. (St.) 23
rugicollis Fairm. (Lo.) 19
rugipennis Lew. 18
rugipes Champ. 23
rugosa F. 13
rugosula Rosh. 8
rugicollis Fairm. 18

scapulata Fairm. 13
Schenklingi Borchm. 13
scitula Champ. 23
sculpta Kirsch 24
segnis Fähr. 13
Semenowi Fairm. 16
semicyanea Gerst. 13
seminuda Reitt. 10
semisuturata Fairm. 17
semivestita Fairm. 13
senilis Fairm. 13

- serraticornis* Mäkl. 20
serricornis Fairm. 20
Servillei Cast. 18
setigera Champ. 24
sexmaculata Mäkl. 24
sexvittata Gestro 13
Simoni Reitt. 13
Simonis Fairm. 24
simulans Champ. (Ur.) 24
simulans Champ. (St.) 20
simulatrix Klb. 13
singularis Champ. 25
Sjöstedti Borchm. 13
sobrina Champ. 24
sordida Mäkl. 24
spadicea Scop. 10
spiculifera Champ. 24
splendicans Mäkl. 24
Steinheili Mäkl. 24
sternalis Fairm. 5
stictica Fairm. 18
strangulatus Fairm. 14
striatella Gyllh. 13
strigipennis Fairm. 16
striatopunctata Fairm. 18
suavis Champ. 24
subaenea Borchm. (Por.) 16
subaenea Mäkl. (St.) 24
subcostata Reitt. 13
subcostata Fairm. (La.) 7
subcostatula Fairm. 13
subnitida Lec. 24
subseriata Reitt. 16
subtilipunctula Seidl. 13
sulcicolle Champ. 25
sulcicollis All. 13
sulcicus Champ. 24
sumtuosa Lew (Ar.) 16
sumtuosa Mäkl. (St.) 24
suturalis Mäkl. 24

tenella Fairm. (La.) 13
tenella Borchm. (Nem.) 18
tenuelineata Fairm. 5
tenuicollis Fairm. (La.) 13
tenuicollis Fairm. (Nem.) 18
terminalis Mäkl. 24
terminata Fairm. 17
testacea Pal. (La.) 13
testacea Champ. (St.) 24
thoracica Mäkl. 20
tibialis Fairm. 17
tigrina Fairm. 13
tincta Blackb. 13
tolensis Champ. 24
tomentosa F. 13
triangulifer Champ. 24
tricolor Fähr. 5

trifasciata Mäkl. 24
trilineata Fähr. (Eut.) 15
trilineata Mäkl. (St.) 24
tristricula Fairm. 13
tristis Bon. (La.) 8
tristis F. (La.) 13
tristis Mäkl. (St.) 24
tropicalis Champ. 24
truncata Fairm. 18
tuberculata Mäkl. 24
tuberculifera Champ. 24
tuberosa Champ. 24
tumidipennis Fairm. 13

uncipennis Fairm. 18
undussumana Klb. 13
unicolor Mäkl. 15
unicolor Pér. (Eut.) 15
unidentata Champ. 24
unifasciata Deg. 15
uniformis Fairm. 17
usambica Klb. 13

validicornis Mäkl. 24
variabilis Redt. (La.) 13
variabilis Borchm. (Eut.) 15
variabilis Champ. (St.) 24
varicolor Fairm. 19
variicollis Fairm. 24
variipennis Fairm. 17
ventralis Reitt. 13
veraeacris Champ. 24
veraeacris Champ. 24
vermiculata Champ. 20
verticalis Mäkl. 15
vervex Mars. 13
vestita Cast. 13
vetula Pasc. 26
vicinus Champ. 25
vilis Mäkl. 24
villosa Champ. (St.) 24
villosa F. 13
villosa Deg. (La.) 10
violacea Pal. 9, 13
violaceus Champ. 25
virescens Mäkl. 24
viridiaenea Reiche 13
viridicollis Champ. 24
viridipennis F. (La.) 14
viridipennis Serv. (St.) 24
viridissima Lew. 16
vittata Champ. 24
vittatipennis Pér. 14
vitticolle Champ. 25
vittulata Fairm. 14
vulnerata Fähr. 14

zonaria Fairm. 14