

Fam. Scarabaeidae.

Subfam. Euchirinae.

Auctore F. Ohaus.

- Euchiridae* Burmeister in Germar, Zeitschr. Ent. II, 1840, p. 353; Handb. Ent. III, 1842, p. 695. — Erichson, Arch. Naturgesch. VI, 1840, II, p. 244; Naturgesch. Ins. Deutschl. III, 1848, p. 653. — v. d. Poll, Tijdschr. Ent. XXXIII, 1890, p. CXVI.
Euchirides Lacordaire, Gen. Col. III, 1856, p. 314. — Deyrolle, Ann. Soc. Ent. France (5) IV, 1874, p. 443.
Euchirinae Pouillaude Insecta III, 1913, p. 463.

Euchirus Burm.

- Burm. in Germar, Zeitschr. Ent. II, 1840, p. 372; Gen. Ins. I, 1841, p. 31; Handb. Ent. III, 1842, p. 698. — Westw. Cabin. orient. Entom. 1848, p. 27. — Lacord. Gen. Col. III, 1856, p. 315. — Deyr. Ann. Soc. Ent. France (5) IV, 1874, p. 445. — v. d. Poll, Tijdschr. Ent. XXXIII, 1890, p. CXVI. — Pouill. Insecta III, 1913, p. 464.
Eucheirus Kirby, Introduct. Entom. ed. 5, IV, 1828, Index coleopt. (nom. nud.).
Macrochirus Perty, Observ. Col. Ind. orient. 1831, p. XV (nom. nud.).
Porropus Lap. Hist. Nat. Col. II, 1840, p. 113 (pars).

- Dupontianus** Burm. in Germar, Zeitschr. Ent. III, 1841, p. 227; Gen. Ins. I, 1841, p. et t. 31. f. 1; Handb. Ent. III, 1842, p. 701. — Westw. Cabin. orient. Entom. 1848, t. 13. f. 1—2. — Deyr. Ann. Soc. Ent. France (5) IV, 1874, p. 446. — Lucas, Bull. Soc. Ent. France (6) II, 1882, p. 110. — v. d. Poll, Tijdschr. Ent. XXXIII, 1890, p. CXVI. — Pouill. Insecta III, 1913, p. 466. Philippinen
♀ *quadrilineatus* Waterh. Ann. Mag. Nat. Hist. VII, 1841, p. 539.
longimanus L. Syst. Nat. ed. 10, I, 2, 1758, p. 549 (*Scarabaeus*); Mus. Ludov. Utric. 1764, p. 18. — F. Syst. Ent. 1775, p. 17; Spec. Ins. I, 1781, p. 18; Mant. Ins. I, 1789, p. 9; Ent. Syst. I, 1, 1792, p. 30; Syst. Eleuth. I, 1801, p. 24. — Goeze, Entom. Amboina,
Ceram

- Beytr. 1. 1777, p. 25. — Voet. Cat. Col. ed. Panzer I, 1785, p. 64, t. 11, f. 97. — Herbst, Natursyst. Käf. II, 1789, p. 245, t. 17, f. 1. — Ol. Ent. I, 1789, nr. 3, p. 48, t. 4, f. 27 ♂: p. 182, t. 27, f. 27b ♀; ed. Illiger I, 3, 1800, p. 137; ed. Sturm f. 1802, p. 37 u. 114, t. 26, f. 1 ♂, t. 27, f. 1 ♀. — Schönh. Syn. Ins. I, 1. 1806, p. 25. — Griffith, Anim. Kingd. XIV, 1832, p. 470, t. 33. — Hope, Col. Man. 1, 1837, p. 24 (*Eucheirus*). — Klug, Verh. Akad. Berlin 1839, p. 67. — Burm. in Germar, Zeitschr. Ent. II, 1840, p. 377; Gen. Ins. I, 1841, t. 31, f. 2 ♀; Handb. Ent. III, 1842, p. 700. — Pouill. Insecta III, 1913, p. 465, f. 1-2.
- subsp. *celebicus* Ohs. Ent. Rundschau XXX, 1913, p. 142. Celebes

2

Cheirotonus Hope.

- Hope, Ann. Mag. Nat. Hist. VI, 1841, p. 300; Trans. Linn. Soc. Lond. XVIII, 1841, p. 594. — Burm. Handb. Ent. III, 1842, p. 702. — Lacord. Gen. Col. III, 1856, p. 316. — Deyr. Ann. Soc. Ent. France (5) IV, 1874, p. 445. — v. d. Poll. Tijdschr. Ent. XXXIII, 1890, p. CXIX. — Pouill. Insecta III, 1913, p. 467.

Biologie: Hutton, Trans. Ent. Soc. Lond. V, 1848, p. 86. — Pouill. Insecta III, 1913, p. 468, f. 3.

- | | |
|--|--------------|
| Battareli Pouill. l. c. p. 470. | Tonkin |
| Corompti Pouill. l. c. p. 478, f. 11-13. | Annam |
| Davidi Deyr. Bull. Soc. Ent. France (5) IV, 1874, p. 109; | China: |
| Ann. Soc. Ent. France (5) IV, 1874, p. 448. | Kiangsi |
| t. 9, f. 1 ♂, 2 ♀. | |
| Gestroi Pouill. Insecta III, 1913, p. 471. | S. W. China: |
| | Chiengsen |
| Henrici Pouill. l. c. p. 472. | Trawaddy, |
| | Tsékou |
| MacLeayi Hope, Ann. Mag. Nat. Hist. VI, 1841, p. 300; | Sikkim, |
| Trans. Linn. Soc. Lond. XVIII, 1841, p. 594. | Assam |
| t. 40, f. 3a-c ♀. — Parry, Ann. Mag. Nat. Hist. | |
| XVIII, 1846, p. 315, t. 3 ♂. — Westw. Cabin. | |
| orient. Entom. 1848, t. 1, f. 1-2. — Gray, Trans. | |
| Ent. Soc. Lond. V, 1848, p. 51. — Deyr. Ann. | |
| Soc. Ent. France (5) IV, 1874, p. 446. — v. d. | |
| Poll. Tijdschr. Ent. XXXIII, 1890, p. CXX. — | |
| Pouill. Insecta III, 1913, p. 468, f. 3. | |
| MacLeayanus Burm. Gen. Ins. 1841, nr. 31; | |
| Handb. Ent. III, 1842, p. 702. | |
| subsp. <i>formosanus</i> Ohs. Ent. Rundschau XXX, | Formosa: |
| 1913, p. 142. | Polisha |
| Parryi Gray, Trans. Ent. Soc. Lond. V, 1848, p. 59. — | N. Indien. |
| Hutton, l. c. p. 86. — Schaum, Arch. Naturgesch. | Sikkim |
| XV, 1849, II, p. 156. — Deyr. Ann. Soc. Ent. | |
| France (5) IV, 1874, p. 447. — v. d. Poll. Tijdschr. | |
| Ent. XXXIII, 1890, p. CXX. — Pouill. Insecta | |
| III, 1913, p. 473. | |

7

Propomacrus Newm.

Newman, Ent. Mag. IV, 1837, p. 256. — Hope, Col. Man. I, 1837, p. 24. — Burm. in Germar. Zeitschr. Ent. II, 1840, p. 353; Handb. Ent. III, 1842, p. 702. — Lacord. Gen. Col. III, 1856, p. 317. — Jacq. du Val, Gen. Col. d'Eur. III, 1859, p. 63. — Deyr. Ann. Soc. Ent. France (5) IV, 1874, p. 445. — v. d. Poll, Tijdschr. Ent. XXXIII, 1890, p. CNIX. — Reitt. Verh. Nat. Ver. Brünn XXXVII, 1898, p. 21. — Pouill. Insecta III, 1913, p. 475.

Porropus Lap. Hist. Nat. Ins. Col. II, 1840, p. 113 (pars).

Macropropus Agass. Index univ. Nomenclat. Zool. 1846, p. 309. Biologie: C. Heyden, Stett. Ent. Zeit. XII, 1851, p. 240. — Heller, Ent. Nachr. XV, 1889, p. 90.

hinuconatus Pall. Icon. Ins. 1781, p. 13, t. A, f. 13 (*Scarabaenus*). — Schönh. Syn. Ins. I, 1, 1806, p. 29. — Hope, Col. Man. I, 1837, p. 24. — Klug, Verh. Akad. Berlin 1839, p. 67. — Er. Arch. Naturgesch. VI, 1840, II, p. 244. — Lap. Hist. Nat. Ins. Col. II, 1840, p. 113. — Burm. Handb. Ent. III, 1842, p. 763. — C. Heyden, Stett. Ent. Zeit. V, 1844, p. 14; X, XII, 1851, p. 240. — Lacord. Gen. Col. III, 1856, p. 317. — Jacq. du Val, Gen. Col. d'Eur. III, 1859, p. 63, t. 17, f. 85 5. — Deyr. Ann. Soc. Ent. France (5) IV, 1874, p. 447. — Heller, Ent. Nachr. XV, 1889, p. 96. — v. d. Poll, Tijdschr. Ent. XXXIII, 1890, p. CNX. — Reitter, Verh. Nat. Ver. Brünn XXXVII, 1898, p. 22. — Pouill. Insecta III, 1913, p. 22.

Arbaces Newm. Ent. Mag. IV, 1837, p. 256, t. 14, f. 1.

Jansoni Jord. Novit. Zool. V, 1898, p. 419. — Pouill. Insecta III, 1913, p. 474 (*Cheirotonus*).

Parryi H. Bates, Entomologist XXIII, 1890, p. 244.

Türkei:
Konstanti-
nopol.
Brussa.
Akbes.
Ladakie,
Tschenken-
koi

China:
Tse-kiang,
Kiu-chang
W. China:
Chia-ting-
tu

Index Euchirinarum.

Genera.

Cheirotonus Hope 4

Eucheirus Kirby 3

Euchirus Burm. 3

Macrochirus Perty 3
Macropropus Agass. 5

Porropus Latr. 3, 5

Propomaerus Newm. 5

Species, Subspecies.

Arbaces Newm. 5

Battareli Pouill. 4

bimucronatus Pall. 5

celebicus Ohs. 4

Corompti Pouill. 4

Davidi Deyr. 4

Dupontianus Burm. 3

formosanus Ohs. 4

Gestroi Pouill. 4

Henrici Pouill. 4

Jansonii Jord. 5

longimanus L. 3

MacLeayi Hope 4

MacLeayianus Burm. 4

Parryi H. Bates (Propomacr.) 5

Parryi Gray (Cheirot.) 4

quadrilineatus Waterh. 3

Fam. Scarabaeidae.

Subfam. Phaenomerinae.

Auctore **F. Ohaus.**

Phaenomeridae Ohaus, Deutsche Ent. Zeitschr. 1913, Beiheft, p. 225.

Phaenomeris Hope.

Hope, Trans. Zool. Soc. Lond. I, 1835, p. 97. — Lap. Hist. Nat. Ins. Col. II, 1840, p. 121. — Burm. Handb. Ent. IV, 1, 1844, p. 333. — E. Blanch. Hist. Ins. I, 1845, p. 218; Cat. Coll. Ent. Col. 1850, p. 203. — Lacord. Gen. Col. III, 1856, p. 339. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 619. — Ohs. Deutsche Ent. Zeitschr. 1913, Beiheft, p. 225.

Eupygga Mamerh. Bull. Soc. Moscou XI, 1838, p. 33.

- Besckei** Mamerh. Bull. Soc. Moscou XI, 1838, p. 35. —
Burm. Handb. Ent. IV, 1, 1844, p. 335. — Lacord.
Gen. Col. Atl. 1856, t. 33, f. 4. — Boh. Ins. Caffr. II,
1857, p. 58. — Ohs. Stett. Ent. Zeit. LIX, 1898,
p. 3. — Arrow, Ann. Mag. Nat. Hist. (7) IV,
1899, p. 120. — Péring. Trans. S. Afric. Philos.
Soc. XII, 1902, p. 620. — Ohs. Deutsche Ent.
Zeitschr. 1905, p. 95.
- subspec. *cyanea* E. Blanch. Cat. Coll. Ent. Col.
1850, p. 203. — Boh. Ins. Caffr. II, 1857, p. 58. —
Ohs. Stett. Ent. Zeit. LIX, 1898, p. 3; Deutsche
Ent. Zeitschr. 1905, p. 96.
- subspec. *cyanicollis* Ohs. Deutsche Ent. Zeitschr.
1905, p. 96.
- subspec. *nigrocyanea* Ohs. Stett. Ent. Zeit. LIX,
1898, p. 4.
- subspec. *opalina* Ohs. l. c. p. 4.
- subspec. *rufescens* Ohs. Deutsche Ent. Zeitschr.
1905, p. 96.
- subspec. *rufipennis* Brancsik. Jahresh. Nat.
Ges. Trenseu XIX, 1897, p. 117. — Arrow,
Ann. Mag. Nat. Hist. (7) IX, 1902, p. 91. —
Péring. Trans. S. Afric. Philos. Soc. XII, 1902,
p. 621; l. c. XIII, 1908, p. 662. — Ohs. Deutsche
Ent. Zeitschr. 1905, p. 95.
- rufipennis* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 4.
- decorata** Reiche in Thoms. Mus. scient. 1869, p. 24, t. 9,
f. 2. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 4.
- Mosambik:
Ins. Sta.
Johanna,
Ostafrika
von Port
Natal bis
Kilima-
ndjaro
Port Natal,
Rhodesia,
Nyassa
Tanganjika
Rhodesia,
Mashona
Usambara
Tanganjika
Sambesi,
Portug. O.
Afrika,
Mashona
Sudan:
Obcek

<i>ditissima</i> Péring. Trans. S. Afric. Philos. Soc. XIII, 1908, p. 662.	Natal
<i>magnifica</i> F. Hope, Trans. Zool. Soc. Lond. I, 1835, p. 98, t. 13, f. 6. — Lap. Hist. Nat. Ins. Col. II, 1840, p. 121. — Burm. Handb. Ent. IV, 1, 1844, p. 335. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 621.	Sudan
<i>splendida</i> Ohs. Deutsche Ent. Zeitschr. 1901, p. 125.	Brit. O. Afrika: Nandi
5	

Oxychirus G. Quedenf.

G. Quedenfeldt, Berl. Ent. Zeitschr. XXXII, 1888, p. 174. — Brenske, Soc. Ent. XII, 1898, p. 185. — Ohs. Deutsche Ent. Zeitschr. 1913, Beiheft p. 225.	
<i>calcaratus</i> Ohs. l. c. p. 229.	Centralatrika
<i>camerunus</i> Ohs. l. c. p. 231.	Kamerun, Gabun
<i>congoanus</i> Brenske, Soc. Ent. XII, 1898, p. 186. — Ohs. Deutsche Ent. Zeitschr. 1913, Beiheft p. 230.	Franz. Kongo: Kuilu
<i>recticollis</i> Ohs. l. c. p. 228.	Franz. Kongo: Bonito
<i>semisericus</i> G. Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 175. — Ohs. Deutsche Ent. Zeitschr. 1913, Beiheft p. 227.	Belg. Kongo: Baluba- Land. Sankuru: Franz. Kongo: Gabun
5	
10	

Index Phaenomerinarum.

Genera.

<i>Eupyga</i> Mannerh. 7	
<i>Oxychirus</i> Quedenf. 8	Phaenomeris Hope 7

Species, Subspecies.

Besckei Mannerh. 7	<i>nigrocyanea</i> Ohs. 7
<i>calcaratus</i> Ohs. 8	
<i>camerunus</i> Ohs. 8	<i>opalina</i> Ohs. 7
<i>congoanus</i> Brenske 8	
<i>cyanea</i> Blanch. 7	<i>recticollis</i> Ohs. 8
<i>cyanicollis</i> Ohs. 7	<i>rufescens</i> Ohs. 7
	<i>rufipennis</i> Brancsik 7
<i>decorata</i> Reich. 7	<i>rufipennis</i> Ohs. 7
<i>ditissima</i> Péring. 8	
<i>magnifica</i> Hope 8	<i>semisericus</i> Quedenf. 8
	<i>splendida</i> Ohs. 8

Fam. Scarabaeidae.

Subfam. Rutelinae.

Auctore F. Ohaus.

Rutela Latroille, Hist. Nat. Crust. Ins. III, 1802, p. 151.

Rutelidae W. S. Mac Leay, Horae Ent. I. Append. 1819, p. 154.

Phyllophaga metallica Burmeister, Handb. Ent. IV, 1, 1844, p. 203.

Rutelinae Blanchard, Cat. Coll. Ent. Col. 1850, p. 173.

Rutélides Lacordaire, Gen. Col. III, 1856, p. 318.

Katalog: Gemminger et Harold, Cat. Col. IV, 1869, p. 1192.

I. Rutelinae homalochilidae.

1. Tribus: Rutelini.

Rutélites Laporte, Hist. Nat. Ins. Col. II, 1840, p. 117.

Rutelidae Burmeister, Handb. Ent. IV, 1, 1844, p. 318.

Rutélites Blanchard, Hist. Ins. I, 1845, p. 218.

Rutelitae Blanchard, Cat. Coll. Ent. Col. 1850, p. 203.

Rutélides vraies Lacordaire, Gen. Col. III, 1856, p. 340.

1. Subtribus Areodina.

Mesystoechus Ch. Waterh.

Ch. Waterh. Trans. Ent. Soc. Lond. 1878, p. 227.

ciliatus Ch. Waterh. l. c. p. 228.

Australien:
Moreton-
Bay

1

Cotalpa Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 423. — Lacord. Gen. Col. III, 1856, p. 366. — G. Horn, Trans. Amer. Ent. Soc. I, 1867, p. 168; l. c. III, 1871, p. 338. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 289. — Wickh. Journ. N. York Ent. Soc. XIII, 1905, p. 1. — Ohs. Deutsche Ent. Zeitschr. 1915, p. 256.

Subgen. *Cotalpa* Burm. s. strict.

- consobrina* G. Horn, Trans. Amer. Ent. Soc. III, 1871, p. 337, t. 3, f. 30. — Wickh. Journ. N. York Ent. Soc. XIII, 1905, p. 1 und 2. Arizona
- flavida* G. Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 53. — Wickh. Journ. N. York Ent. Soc. XIII, 1905, p. 2 und 3. Utah,
Arizona
- lanigera* L. Mus. Ludovic. Utric. Regim. 1764, p. 22 (*Scarabaeus*): Syst. Nat. ed. 12, I, 2, 1767, p. 555. — Drury, Ill. Nat. Hist. I, 1770, p. 75, t. 34, f. 6. — F. Syst. Ent. 1775, p. 33 (*Melolontha*); Spec. Ins. I, 1781, p. 37; Mant. Ins. I, 1787, p. 20; Ent. syst. I, 2, 1792, p. 159; Syst. Eleuth. II, 1801, p. 165. — Vegt, Cat. syst. Col. ed. Panzer I, 1785, p. 42, t. 7, f. 59 (*Scarabaeus*). — Ol. Ent. I, 5, 1789, nr. 17, p. 21, t. 4, f. 39a, b; ed. Illig. II, 1892, nr. 17, p. 41; ed. Sturm II, 1803, nr. 17, p. 13, t. 58, f. 89. — Herbst, Natur-syst. Käf. III, 1790, p. 152, t. 26, f. 8. — Brullé, Hist. Ins. Col. III, 1837, p. 377, t. 22, f. 3. — Lap. Hist. Nat. Col. II, 1840, p. 128 (*Areoda*). — Burm. Handb. Ent. IV, 1, 1844, p. 424 (*Cotalpa*). — G. Horn, Trans. Amer. Ent. Soc. I, 1867, p. 168; l. c. III, 1871, p. 337. Südl.
Kanada,
Vereinigte
Staaten
v. Nord-
amerika
- Biologie: Lockwood, Amer. Nat. II, 1869, p. 186, f. 1—2; l. c. III, 1870, p. 49. — W. Saund. Canad. Ent. XI, 1879, p. 21. — Joutel, Journ. N. York Ent. Soc. VI, 1893, p. 252. — Wickh. Journ. N. York Ent. Soc. XIII, 1905, p. 2.
- suberibrata* Wickh. Journ. N. York Ent. Soc. XIII, 1905, p. 2 und 3. Kansas

Subgen. *Byrsopolis* Burm.

- Burm. Handb. Ent. IV, 1, 1844, p. 425. — Lacord. Gen. Col. III, 1856, p. 364. — Ohs. Deutsche Ent. Zeitschr. 1915, p. 256.
- castanea* Burm. Handb. Ent. IV, 1, 1844, p. 425. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 251. Brasilien:
N. Frei-
burg,
Petropolis
- crassa* Blanch. Cat. Coll. Ent. Col. 1850, p. 219. Goyaz
- eribricollis* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 312. S. Paulo:
Ypiranga
- laticollis* Burm. Handb. Ent. IV, 2, 1855, p. 523. Minas
geraes
- quadraticeps* Blanch. Cat. Coll. Ent. Col. 1850, p. 219. Minas
geraes,
S. Paulo

Subgen. *Paracotalpa* Ohs.

- Ohs. Deutsche Ent. Zeitschr. 1915, p. 256.
- granicollis* Haldem. Stansbury Explor. Append. 1852, p. 374, t. 9, f. 11. — G. Horn, Trans. Amer. Ent. Soc. I, 1867, p. 168; l. c. III, 1871, p. 338. — Wickh. Journ. N. York Ent. Soc. XIII, 1905, p. 2 und 4. Utah,
N. Colo-
rado,
Nevada,
Washing-
ton

- puncticollis** J. Loc. New spec. Col. I, 1863—66 (1863), p. 78. — G. Horn, Trans. Amer. Ent. Soc. I, 1867, p. 168; l. c. III, 1871, p. 338. — Wickh. Journ. N. York Ent. Soc. XIII, 1905, p. 2 und 4.
- ursina** G. Horn, Trans. Amer. Ent. Soc. I, 1867, p. 168; l. c. III, 1871, p. 338. — Wickh. Journ. N. York Ent. Soc. XIII, 1905, p. 2 und 4.
- Biologie: Wickh. l. c.

Subgen. **Parabyrsopolis** Ohs.

Ohs. Deutsche Ent. Zeitschr. 1915, p. 256.

- arizena** Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 313 (*Byrsopolis*) Arizona
- aureseens** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 289, t. 16, f. 21 (*Cotalpa*). Mexico, Guatemala
- Batesi** Ohs. Deutsche Ent. Zeitschr. 1915, p. 257. Mexico, ? Arizona
lanigera H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 291, t. 17, f. 2 (*Byrsopolis*). — Skinner, Ent. News XVI, 1905, p. 292. — Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 312.
- chihuahuae** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 291 (*Byrsopolis*). Mexico
- fuscoacnea** Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 314 (*Byrsopolis*). „
- nigroacnea** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 289, t. 16, f. 22 (*Cotalpa*). Guatemala

18

Areoda M'Leay.

W. S. M'Leay, Horae Ent. I, 1819, p. 158. — Latr. in Cuvier, Règne Anim. IV, 1829, p. 561. — Lacord. Ann. Scienc. Nat. XX, 1830, p. 270. — Lap. Hist. Nat. Col. II, 1840, p. 127. — Burm. Handb. Ent. IV, 1, 1844, p. 426. — Blanch. Hist. Ins. I, 1845, p. 216. — Lacord. Gen. Col. III, 1856, p. 365.

- Banksi** Lap. Hist. Nat. Col. II, 1840, p. 128. — Burm. Handb. Ent. IV, 1, 1844, p. 427. S. Paulo, Rio de Janeiro

Biologie: Ohs. Deutsche Ent. Zeitschr. 1908, p. 252.

- espiritasantensis** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 322. Espirito Santo

- Leachi** M'Leay, Horae Ent. I, 1819, p. 159. — Lap. Hist. Nat. Col. II, 1840, p. 128. — Burm. Handb. Ent. IV, 1, 1844, p. 427. S. Paulo, Rio de Janeiro

Biologie: Ohs. Deutsche Ent. Zeitschr. 1908, p. 251.

3

Hoplognathus M'Leay.

W. S. M'Leay, Horae Ent. I, 1819, p. 159. — Latr. in Cuvier, Règne Anim. IV, 1829, p. 553. — Lap. Hist. Nat. Col. II, 1840, p. 124. — Burm. Handb. Ent. IV, 1, 1844, p. 428. — Lacord. Gen. Col. III, 1856, p. 365.

- bahianus** Ohs. Deutsche Ent. Zeitschr. 1912, p. 650. Brasilien:
Bahia
- Helmenreicheni** Ohs. l. c. 1914, p. 301. Minas geraes,
Helmenreichi Ohs. Stett. Ent. Zeit. LXVI, 1905, ? Buenos
p. 322. Aires
- var. *maculicollis* Ohs. Deutsche Ent. Zeitschr. Minas geraes
1914, p. 302.
- Kirbyi** M^cLeay. Horae Ent. I. 1819, p. 159. — Guér. Icon. Parana,
Règne Anim. Ins. 1834, t. 24, f. 10. — Lap. Hist. S. Paulo,
Nat. Col. II, 1840, p. 124. — Burm. Handb. Rio de
Ent. IV, 1844, p. 428. Janeiro

3

Parachrysinia H. Bates.

H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 289.

- Truquii** J. Thoms. Arch. Ent. I. 1857, p. 148, t. 10, f. 4 Mexico
(*Chrysinia*). — H. Bates, Biol. Centr.-Amer.
Col. II, 2, 1888, p. 289, t. 16, f. 23—24.

1

Xenoproctis Kolbe.

H. Kolbe, Ent. Nachr. XXII, 1896, p. 88.

- congoana** Ohs. Deutsche Ent. Zeitschr. 1900, p. 262; Fiz. Kongo,
l. c. 1903, p. 227; Ann. Soc. Ent. Belg. LII, 1908, Kamerun
p. 203.
- Ohausi** Kolbe. Ent. Nachr. XXII, 1896, p. 88. — Ohs. Kamerun
Stett. Ent. Zeit. LIX, 1898, p. 28; Ann. Soc. Ent.
Belg. LII, 1908, p. 203.
- usambarica** Ohs. l. c. p. 203. Usambara

3

2. Subtribus **Heterosternina**.

Monographie: Ohaus, Stett. Ent. Zeit. LXII, 1901, p. 349, tab.

Homoiosternus Ohs.

Ohs. Stett. Ent. Zeit. LXII, 1901, p. 352.

- Beckeri** Ohs. l. c. p. 353, tab. f. 10—11. Mexico:
Canelas

1

Heterosternus Dupont.

Dupont in Guér. Mag. Zool. II, 1832, cl. 9, t. 10. — Lap. Hist. Nat. Col. II,
1840, p. 119. — Burm. Handb. Ent. IV, 1, 1844, p. 411. — Blanch. Hist.
Ins. I, 1845, p. 218. — Lacord. Gen. Col. III, 1856, p. 360. — H. Bates,
Biol. Centr.-Amer. Col. II, 2, 1888, p. 287. — Ohs. Stett. Ent. Zeit. LXII,
1901, p. 355, tab.

- buprestoides** Dupont in Guér. Mag. Zool. II, 1832, cl. 9, Mexico:
t. 10. — Lap. Hist. Nat. Col. II, 1840, p. 120, Orizaba

- t. 13, f. 3. — *Burm. Handb. Ent.* IV, 1, 1844, p. 412. — *Ohs. Stett. Ent. Zeit.* LXII, 1901, p. 358, tab. f. 1—2 ♂, 3 ♀.
- Lüdeckei** R. Becker, *Deutsche Ent. Zeitschr.* 1907, p. 415, t. 3, f. 1—2. Mexico:
Tepic
- Oberthüri** *Ohs. Stett. Ent. Zeit.* LXII, 1901, p. 361, tab. f. 8. Panama
- Rodriguezi** *Cand. Col. Hefte V*, 1869, p. 43. — *H. Bates. Biol. Centr.-Amer. Col. II*, 2, 1888, p. 288, t. 16, f. 18. — *Ohs. Stett. Ent. Zeit.* LXII, 1901, p. 359, tab. f. 4—6 ♂, 7 ♀. Guatemala

4

Parisolea H. Bates.

- H. Bates, Biol. Centr.-Amer. Col. II*, 2, 1888, p. 288. — *Ohs. Stett. Ent. Zeit.* LXII, 1901, p. 364.
- pallida** *Cand. Col. Hefte V*, 1869, p. 15 (*Chlorota*). — *Ohs. Stett. Ent. Zeit.* LIX, 1898, p. 58. Mexico:
Jalapa
- alba** *H. Bates, Biol. Centr.-Amer. Col. II*, 2, 1888, p. 288; l. c. 1889, p. 412.
- fulva** *H. Bates, l. c. p.* 288, t. 17, f. 1.

1

Macropoides Guér.

- Guér. Rev. Zool.* VII, 1844, p. 262. — *Lacord. Gen. Col.* III, 1856, p. 360. — *H. Bates, Biol. Centr.-Amer. Col. II*, 2, 1888, p. 286. — *Ohs. Stett. Ent. Zeit.* LXII, 1901, p. 364.
- Macropnus* *G. Horn, Proc. Acad. Philad.* 1866, p. 397.
- crassipes** *G. Horn, Proc. Acad. Philad.* 1866, p. 397; Honduras
Trans. Amer. Ent. Soc. I, 1867, t. 3, f. 7. —
H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 287. — *Ohs. Stett. Ent. Zeit.* LXII, 1901, p. 365.
- Muiszechi** *Sallé, Mag. Zool.* (3) I, 1873, p. 14, t. 10, f. 1. — *H. Bates, Biol. Centr.-Amer. Col. II*, 2, 1888, p. 287. Mexico:
Toxpan
- Nietoi** *Guér. Rev. Zool.* 1844, p. 259. — *Lacord. Gen. Col. Atlas.* 1856, t. 34, f. 2. — *H. Bates, Biol. Centr.-Amer. Col. II*, 2, 1888, p. 287, t. 16, f. 20. Mexico:
Cordoba,
Nicaragua:
Chontales

3

3. Subtribus **Acrobolbiina.****Acrobolbia** Ohs.

- Ohs. Stett. Ent. Zeit.* LXXIII, 1912, p. 316.
- macrophylla** *Ohs. l. c. p.* 317, f. 25. Peru:
Pozuzu

1

4. Subtribus **Didrepanophorina.****Didrepanophorus** Wood-Mason.

Wood-Mason. Ann. Mag. Nat. Hist. (5) II, 1878, p. 422.

bifalcifer Wood-Mason, l. c. p. 422, fig.

Assam

1

5. Subtribus **Pelidnotina.****Parhoplognathus** Ohs.

Ohs. Deutsche Ent. Zeitschr. 1915, p. 257.

Imbatipennis Ohs. Stett. Ent. Zeit. LXXVI, 1905, p. 323
(*Hoplognathus*).Rio de
Janeiro,
Minas
geraes
Südbrasilien**maculatus** Gory in Silberm. Rev. Ent. I, 1833, nr. 13,
t. 13 (*Areoda*). — Burm. Handb. Ent. IV, 1,
1844, p. 429.*bimaculata* Lap. Hist. Nat. Col. II, 1840, p. 122
(*Pelidnota*). — F. Bates. Trans. Ent. Soc. Lond.
1904, p. 260.**mexicanus** Ohs. Stett. Ent. Zeit. LXXVI, 1905, p. 324
(*Byrsopolis*).Mexico:
San Blas**parvulus** Ohs. Stett. Ent. Zeit. LXXVI, 1905, p. 323
(*Hoplognathus*).

Brasilien

4

Peltonotus Burm.Burm. Handb. Ent. V, 1847, p. 75. — Lacord. Gen. Col. III, 1856, p. 402. —
Arrow, Ann. Mag. Nat. Hist. (8) V, 1910, p. 153.**malayensis** Arrow, l. c. p. 155.Borneo,
Sumatra**morio** Burm. Handb. Ent. V, 1847, p. 75. — Arrow, Ann.
Mag. Nat. Hist. (8) V, 1910, p. 154.

Ostindien

nasutus Arrow, l. c. p. 155.Siam,
Birma,
Nepal**pruinosis** Arrow, l. c. p. 156.

Assam

vittatus Arrow, l. c. p. 157.

Nord-Borneo

5

Eremophygus Ohs.

Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 21.

lasiocalinus Ohs. Deutsche Ent. Zeitschr. 1915, p. 76.

Bolivien

Philippii Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 22.

Nord-Chile

2

Oogenius Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 97. — Lacord. Gen. Col. III, 1856, p. 367.

- chilensis* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 326. Chile:
Santiago,
Concep-
cion,
Valdivia
- virens* Sol. in Gay, Hist. Chile V, 1851, p. 98, t. 16, f. 13. — Chile:
Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 325. Coquimbo

2

Xenopelidnota F. Bates.

F. Bates, Trans. Ent. Soc. Lond. 1904, p. 275.

- anomala* Burm. Handb. Ent. IV, 1, 1844, p. 422 (*Plusiotis*). Columbien,
— Gemm. & Har. Cat. Col. IV, 1869, p. 1222 Venezuela
(*Pelidnota*). — F. Bates, Trans. Ent. Soc. Lond.
1904, p. 276 (*Xenopelidnota*).
fuscoaenea Blanch. Cat. Coll. Ent. Col. 1850,
p. 211.

1

Hoplopelidnota F. Bates.

F. Bates, Trans. Ent. Soc. Lond. 1904, p. 274.

- Candezei* F. Bates, l. c. p. 274 ♂. — Ohs. Stett. Ent. Zeit. Cayenne
LXXIII, 1912, p. 309 ♀.

1

Mesomerodon Ohs.

Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 319.

- spinipeune* Ohs. l. c. p. 319. Amazonas,
Ecuador,
Peru,
Bolivia

1

Plusiotis Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 417. — Lacord. Gen. Col. III, 1856,
p. 357. — Boucard, Proc. Zool. Soc. Lond. 1875, p. 117; l. c. 1878, p. 293. —
H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 276. — Nonfried, Wien.
Ent. Zeit. X, 1891, p. 300; l. c. XI, 1892, p. 127.

Biologie: Boucard, Proc. Zool. Soc. Lond. 1875, p. 124. — H. Bates,
Biol. Centr.-Amer. Col. II, 2, 1888, p. 279. — Biedermann, Ent.
News XVIII, 1907, p. 7; l. c. XXII, 1911, p. 326. — Ohs. Deutsche
Ent. Zeitschr. 1908, p. 403.

laurentis-Gruppe.

- brevis* Rothsch. et Jord. Novit. Zool. I, 1894, p. 507. Mexico:
Durango
- confusa* Ohs. Deutsche Ent. Zeitschr. 1913, p. 487. Costarica

- crassinargo* Rothsch. et Jord. Novit. Zool. I, 1894, p. 506. Mexico: Jalisco
- expansa* Ohs. Deutsche Ent. Zeitschr. 1913, p. 489. Mexico: Oaxaca
- intermedia* Ohs. l. c. p. 488. Mexico: Juquila
- laniventris* Sturm, Cat. Käfer-Sammlg. 1843, p. 339, t. 3, f. 5 ♂. — Burm. Handb. Ent. IV, 1, 1844, p. 420. — Bouc. Proc. Zool. Soc. Lond. 1875, p. 124. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 283; l. c. 1889, p. 409. — Nonfr. Wien. Ent. Zeit. X, 1891, p. 304. Mexico: Jalapa
- Mniszechi* Bouc. Proc. Zool. Soc. Lond. 1875, p. 124; l. c. 1878, t. 16, f. 4. — Nonfr. Wien. Ent. Zeit. X, 1891, p. 304. Mexico
- prasina* Bouc. Proc. Zool. Soc. Lond. 1878, p. 295, t. 16, f. 5. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 282. — Nonfr. Wien. Ent. Zeit. XI, 1892, p. 130. Mexico: Yolos
- Woodi* C. Horn, Trans. Amer. Ent. Soc. XI, 1883, p. 31; l. c. XII, 1885, p. 124. — Skinner, Ent. News XXII, 1911, p. 356. Texas

victorina-Gruppe.

- anropunctata* Ohs. Deutsche Ent. Zeitschr. 1913, p. 491. Mexico: Tapachula
- Beyeri* Skinn. Ent. News XVI, 1905, p. 289. — Biedermann, Ent. News XVIII, 1907, p. 7. — Coolidge, Ent. News XXII, 1911, p. 226. — Skinn. Ent. News XXII, 1911, p. 356. Arizona: Huachuca; Mexico: Sonora
- Boucardi* Sallé, Ann. Soc. Ent. France (5) VIII, 1878, Bull. p. 21. — Bouc. Proc. Zool. Soc. Lond. 1878, p. 296, t. 16, f. 3. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 277. — Ohs. Deutsche Ent. Zeitschr. 1913, p. 490. Costarica
- victorina* F. Hope. Proc. Zool. Soc. Lond. IV, 1840, p. 11. — Burm. Handb. Ent. IV, 1, 1844, p. 418. — Bouc. Proc. Zool. Soc. Lond. 1875, p. 124. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 277, t. 16, f. 18. — Nonfr. Wien. Ent. Zeit. X, 1891, p. 305. Mexico: Villa alta

costata-Gruppe.

- auripes* Gray in Griffith, Anim. Kingdom, Ins. I, 1832, p. 517. — Hope, Proc. Ent. Soc. Lond. IV, 1840, p. 11. — Lap. Hist. Nat. Col. II, 1840, p. 119. — Burm. Handb. Ent. IV, 1, 1844, p. 419. — Bouc. Proc. Zool. Soc. Lond. 1875, p. 122. — Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 499. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 280. — Nonfr. Wien. Ent. Zeit. X, 1891, p. 303. Mexico
- chloreis* H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 282, t. 16, f. 16. — Nonfr. Wien. Ent. Zeit. XI, 1892, p. 127. Mexico: Misantla
- eostata* Blanch. Cat. Coll. Ent. Col. 1850, p. 210. — Lucas, Ann. Soc. Ent. France (4) V, 1865, p. 205. — Mexico: Orizaba

- Bouc. Proc. Zool. Soc. Lond. 1875, p. 123. —
Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 497. —
H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888,
p. 281, t. 16, f. 14. — Nonfr. Wien. Ent. Zeit. X,
1891, p. 304.
- diversa* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 306. Mexico:
Amatán
- Flohri* Ohs. l. c. LXVI, 1905, p. 321. Mexico:
Ventanas
- Lecointei* G. Horn, Trans. Amer. Ent. Soc. X, 1882, p. 120.
— H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888,
p. 283, t. 16, f. 19. — Nonfr. Wien. Ent. Zeit. X,
1891, p. 305. — Coolidge, Ent. News XXII, 1911,
p. 326. Arizona,
Neu-
Mexico
Mexico:
Chihuahua,
Durango
- Orizabae* H. Bates, Biol. Centr.-Amer. Col. II, 2, 1889,
p. 410, t. 24, f. 24. — Nonfr. Wien. Ent. Zeit. XI,
1892, p. 129. Mexico:
Suapam
- psittacina* Sturm, Cat. Käfer-Samml. 1843, p. 340,
t. 3, f. 6. — Burm. Handb. Ent. IV, 1, 1844,
p. 419. — Bouc. Proc. Zool. Soc. Lond. 1875,
p. 123. — H. Bates, Biol. Centr.-Amer. Col. II, 2,
1888, p. 281. — Nonfr. Wien. Ent. Zeit. X, 1891,
p. 303. Mexico
- var. *laeta* Sturm, Cat. Käfer-Samml. 1843, p. 341.
— Bouc. Proc. Zool. Soc. Lond. 1878, p. 294. Brasilien
(false)
- Amalia* Burm. Handb. Ent. IV, 1, 1844, p. 422. —
— H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888,
p. 281. Valparaiso
(false)
- Sallaei* Bouc. Proc. Zool. Soc. Lond. 1875, p. 123, f. 3. —
— H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888,
p. 280. — Nonfr. Wien. Ent. Zeit. X, 1891,
p. 304. Mexico:
Orizaba
- Türkheimi* Ohs. Deutsche Ent. Zeitschr. 1913, p. 491. Mexico:
Soconusco

Adelaida-Gruppe.

- Adelaida* F. Hope, Proc. Ent. Soc. Lond. IV, 1840, p. 11;
Trans. Ent. Soc. Lond. IV, 1840, p. 8. — Burm.
Handb. Ent. IV, 1, 1844, p. 421. — Bouc. Proc.
Zool. Soc. Lond. 1875, p. 121. — Dohrn, Stett. Ent.
Zeit. XLIV, 1883, p. 497. — H. Bates, Biol.
Centr.-Amer. Col. II, 2, 1888, p. 283, t. 16, f. 17;
l. c. 1889, p. 409. — Nonfr. Wien. Ent. Zeit. X,
1891, p. 302. Mexico:
Oaxaca
- var. *ornatissima* Sturm, Cat. Käfer-Samml. 1843,
p. 341, t. 3, f. 7. Guatemala
- alticola* H. Bates, Biol. Centr.-Amer. Col. II, 2, 1889,
p. 409, t. 24, f. 22. — Nonfr. Wien. Ent. Zeit. XI,
1892, p. 129. Mexico:
Sierra
Nevada de
Colima
- Badeni* Bouc. Proc. Zool. Soc. Lond. 1878, p. 294, t. 16,
f. 2. — H. Bates, Biol. Centr.-Amer. Col. II, 2,
1888, p. 280. — Nonfr. Wien. Ent. Zeit. XI,
1892, p. 128. Mexico:
Orizaba
- gloriosa* J. Lec. Proc. Acad. Philad. 1854, p. 221. — Bouc.
Proc. Zool. Soc. Lond. 1875, p. 121. — G. Horn,
Arizona:
Huachuca;

- Trans. Amer. Ent. Soc. X, 1882, p. 120. — Mexico:
Nonfr. Wien. Ent. Zeit. X, 1891, p. 303. — Sonora
Skinner, Ent. News XXII, 1911, p. 356.
- Lacordairei** Bouc. Proc. Zool. Soc. Lond. 1875, p. 122, Mexico:
t. 23, f. 4. — H. Bates, Biol. Centr.-Amer. Col. II, Juquila
2, 1888, p. 280. — Nonfr. Wien. Ent. Zeit. X,
1891, p. 303.
- Rodriguezi** Bouc. Proc. Zool. Soc. Lond. 1878, p. 295, Mexico:
t. 16, f. 1. — Dohrn, Stett. Ent. Zeit. XLIV, Omilteme;
1883, p. 500. — H. Bates, Biol. Centr.-Amer. Col. Guatemala
II, 2, 1888, p. 283, t. 24, f. 21; l. c. 1889, p. 409. —
Nonfr. Wien. Ent. Zeit. XI, 1892, p. 128.

chrysopedila-Gruppe.

- aurora** Bouc. Proc. Zool. Soc. Lond. 1875, p. 119, t. 23, Panama:
f. 7. — H. Bates, Biol. Centr.-Amer. Col. II, 2, Veragua
1888, p. 277. — Nonfr. Wien. Ent. Zeit. X, 1891,
p. 302.
- chrysopedila** H. Bates, Biol. Centr.-Amer. Col. II, 2, Panama:
1888, p. 277, t. 16, f. 12. — Nonfr. Wien. Ent. Zeit. Chiriqui;
XI, 1892, p. 130. — Ohs. Stett. Ent. Zeit. Nicaragua:
LXXIII, 1912, p. 307. Chortales
- luteomarginata** Ohs. Deutsche Ent. Zeitschr. 1913, Nicaragua
p. 492.
- marginata** Ch. Waterh. Ent. Monthly Mag. VIII, 1871, Panama:
p. 5. — Bouc. Proc. Zool. Soc. Lond. 1875, p. 120. Chiriqui
— H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888,
p. 278, t. 16, f. 11. — Nonfr. Wien. Ent. Zeit. X,
1891, p. 302.

resplendens-Gruppe.

- argenteola** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, Columbia:
p. 277. — Nonfr. Wien. Ent. Zeit. XI, 1892, Pasto;
p. 128. — Ohs. Berl. Ent. Zeitschr. XLVIII, Ecuador:
1903, p. 234; Deutsche Ent. Zeitschr. 1908, Pucay;
p. 403. Peru:
Lima
- aurigans** Rothsch. et Jord. Novit. zool. I, 1894, p. 504. Costarica:
San José
- Keithi* Linnell, Proc. U. St. Nat. Mus. XVIII,
nr. 1040, 1895, p. 77.
- Batesi** Bouc. Proc. Zool. Soc. Lond. 1875, p. 119, t. 23, Costarica:
f. 6; l. c. 1878, p. 293. — H. Bates, Biol. Centr.- Irazu
Amer. Col. II, 2, 1888, p. 279. — Nonfr. Wien.
Ent. Zeit. X, 1891, p. 301.
- chaleothea** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, Costarica:
p. 284, t. 16, f. 8. — Nonfr. Wien. Ent. Zeit. XI, Carthago
1892, p. 127.
- chrysargyrea** Sallé, Ann. Soc. Ent. France (5) IV, 1874, Costarica:
Bull. p. 362 (*Pelidnota*). — Bouc. Proc. Zool. Sierra de
Soc. Lond. 1875, p. 120 (*Plusiotis*); l. c. 1878, Candelaria;
p. 294. — Dohrn, Stett. Ent. Zeit. XLIV, 1883, Panama:
p. 498. — H. Bates, Biol. Centr.-Amer. Col. II, 2, Chiriqui
1888, p. 279, t. 16, f. 9. — Nonfr. Wien. Ent. Zeit.
X, 1891, p. 302.

- elypealis* Rothsch. et Jord. Novit. zool. I, 1894, p. 505. Costarica
cupreomarginata F. Bates, Trans. Ent. Soc. Lond. 1904, p. 272. Costarica:
 Carillo
limbata Rothsch. et Jord. Novit. zool. I, 1894, p. 505. Central-
 Amerika
melier Rothsch. et Jord. l. c. p. 506. Costarica
optima H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 279, t. 16, f. 10. — Nonfr. Wien. Ent. Zeit. XI, 1892, p. 127. „
resplendens Bouc. Proc. Zool. Soc. Lond. 1875, p. 119, t. 23, f. 5. — Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 497. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 278. — Nonfr. Wien. Ent. Zeit. X, 1891, p. 301. Costarica:
 San José;
 Panama;
 Chiriqui
Wolfi Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 308. Ecuador

45

Chrysinia Kirby.

- Kirby, Zool. Journ. III, 1827, p. 520. — Lap. Hist. Nat. Col. II, 1840, p. 119. — Burm. Handb. Ent. IV, 1, 1844, p. 415. — Lacord. Gen. Col. III, 1856, p. 359. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 285.
 Biologie: Chev. Rev. Mag. Zool. 1859, nr. 11. — Skinner, Ent. News XVIII, 1907, p. 32.
- ameena* Sturm, Cat. Käfersamml. 1843, p. 337, t. 3, f. 2 (Pelidnota). — Burm. Handb. Ent. IV, 1, 1844, p. 417. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 286. Mexico:
 Jalapa
aeruginosa Sturm, Cat. Käfersamml. 1843, p. 337, t. 3, f. 1, ♀ (Pelidnota).
Hogei Boucard, The Humming Bird V, 4, 1895, p. 4 (Plusiotis). — Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 308.
- Beckerl** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1889, p. 411. Mexico:
 Canelas
erubescens H. Bates, l. c. p. 411, t. 24, f. 23. Mexico:
 Durango
 Honduras:
 San Pedro
- Karschi** Nonfr. Wien. Ent. Zeit. X, 1891, p. 306. — Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 307. Mexico:
 San Luis de
 Potosi
- macropus** Francillon, Description of a new and rare insect from Potosi. London 1795, m. fig. (Scarabaeus). — Shaw, Vivar. natur. 1790—1813, t. 384. — Gyll. in Schönh. Syn. Ins. III, 1817, p. 111 nr. 40 (Trichius). — Gray in Griff. Anim. Kingd. XIV, 1832, p. 515, t. 4, f. 1. — Blanch. Atlas Diction. univ. Hist. nat. Ins. Col. 1843, t. 5a, f. 2. — Burm. Handb. Ent. IV, 1, 1844, p. 416. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 285.
 ♀ *peruviana* Kirby, Zool. Journ. III, 1827, p. 520, t. 14, f. 3 (Chrysinia). — Lap. Hist. Nat. Col. II, 1840, p. 190.
mexicana Gray in Griff. Anim. Kingd. XIV, 1832, p. 316, t. 46, f. 1 (Chrysinia).
 var. *Adolphi* Chev. Rev. Zool. 1859, p. 481. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 285. Oaxaca,
 Jalapa

var. *Mniszechi* H. Bates, l. c. p. 285.

modesta Sturm, Cat. Käfersamml. 1843, p. 338, t. 3, f. 3. —
H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888,
p. 285. — Ohs. Stett. Ent. Zeit. LXXIII, 1912,
p. 308.

Tepansa-
cualco
Mexico,
Guatemala

6

Chrysophora Serv.

Serv. Encycl. méth. X, 1825, p. 806. — Latr. in Cuvier, Règne anim. IV, 1829,
p. 552. — Lap. Hist. Nat. Col. II, 1840, p. 119. — Burm. Handb. Ent. IV, 1,
1844, p. 413. — Blanch. Hist. Ins. I, 1845, p. 218. — Lacord. Gen. Col. III,
1856, p. 358. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 252.

Biologie: Latr. Voy. Humboldt, Obs. zool. Ins. I, 1811, p. 131. —
Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 234.

chrysochlora Latr. Voy. Humboldt, Obs. zool. Ins. I,
1811, p. 131, t. 15, f. 1—2 (*Rutela*). — Serv.
Encycl. méth. X, 1825, p. 807. — Griff. Anim.
Kingd. XIV, 1832, t. 4, f. 2—3. — Guér. Icon.
Règne anim. Ins. 1834, t. 24, f. 1. — Lap. Hist.
Nat. Col. II, 1840, p. 119. — Blanch. in Cuvier,
Règne. anim. Ins. 1841, t. 41, f. 4. — Burm.
Handb. IV, 1, 1844, p. 414.

Ecuador:
Loja; Peru:
Pobas

1

Ectinoplectron Ohs.

Ohs. Deutsche Ent. Zeitschr. 1915, p. 257.

oryctoides Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 314
(*Homonyx*).

Mexico:
Canelas

1

Pelidnotopsis Ohs.

Ohs, Deutsche Ent. Zeitschr. 1915, p. 257.

plusiotina Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 304
(*Pelidnota*).

Mexico:
Zacuapam

1

Pseudogeniates Ohs.

Ohs. Deutsche Ent. Zeitschr. 1910, p. 179; l. c. 1914, p. 302; l. c. 1915,
p. 258.

intermedius Ohs. l. c. 1914, p. 303.

Argentinien:
Cordoba,
Santiago
d. E.

Richterianus Ohs. l. c. 1910, p. 180; l. c. 1914, p. 302.

Argentinien:
Buenos
Aires,
Sta. Fé

2

Parhomonyx Ohs.

Ohs. Deutsche Ent. Zeitschr. 1915, p. 257.

fuscoaeneus Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 313. Argentinien:
Cordoba,
Santiago
d. E.

1

Homonyx Guér.

Guér. Rev. Zool. II, 1839, p. 299. — Burm. Handb. Ent. IV, 1, 1844, p. 391.
— Sol. in Gay, Hist. Chile V, 1851, p. 94. — Lacord. Gen. Col. III, 1856,
p. 361.

bahianus Ohs. Deutsche Ent. Zeitschr. 1913, p. 495. Brasilien:
Bahia

chalconus Blanch. Cat. Coll. Ent. Col. 1850, p. 214. — Argentinien:
Corrientes
Steinheil, Atti Soc. scienz. nat. Ital. XIV, 5,
1873, p. 559. — Ohs. Deutsche Ent. Zeitschr.
1913, p. 493.

var. *fuscocupreus* Ohs. l. c. p. 494. Catamarca,
Tucuman

subspec. *santiagensis* Ohs. l. c. p. 494. Santiago
d. E.

subspec. *uruguayanus* Ohs. l. c. p. 494. Uruguay

cupreus Guér. Rev. Zool. II, 1839, p. 300. — Burm. Patagonien:
Port
Famine
Handb. Ent. IV, 1, 1844, p. 391. — Sol. in Gay,
Hist. Chile V, 1851, p. 95, t. 16, f. 11.

elongatus Blanch. Cat. Coll. Ent. Col. 1850, p. 214. — Bolivia:
Valle
Grande
Lucas, Voy. Castelnau 1857, p. 129, t. 8, f. 4.

subspec. *peruanus* Ohs. Deutsche Ent. Zeitschr.
1913, p. 496. Peru

Feyeri Ohs. l. c. p. 496. Ecuador:
Guala-
quiza

5

Catoclastus Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 95. — Lacord. Gen. Col. III, 1856, p. 363.

Chevrolati Sol. l. c. p. 96, t. 16, f. 12. ? Chile
Peru:
Pacasi-
mayo

1

Mecopelidnota F. Bates.

F. Bates, Trans. Ent. Soc. Lond. 1904, p. 270. — Arrow, l. c. p. 271.

Arrowi F. Bates, l. c. p. 270. — Arrow, l. c. p. 271. — Ohs. Ecuador:
Guayaquil
Deutsche Ent. Zeitschr. 1908, p. 402.

cylindrica Ch. Waterh. Trans. Ent. Soc. Lond. 1876, Guatemala
p. 24 (*Pelidnota*). — H. Bates, Biol. Centr.-
Amer. Col. II, 2, 1889, p. 409. — Arrow, Trans.
Ent. Soc. Lond. 1904, p. 271.

- obscura Taschenb. Zeitschr. ges. Naturw. XXXV, 1870, Columbien
p. 185 (*Pelidnota*).
Wittl Ohs. Deutsche Ent. Zeitschr. 1913, p. 497. Ecuador:
Loja

4

Pelidnota M'Leay.

- W. S. M'Leay, Horae Ent. I, 1819, p. 157. — Latr. in Cuvier, Règne anim. IV, 1829, p. 553. — Lap. Hist. Nat. Col. II, 1840, p. 121. — Burm. Handb. Ent. IV, 1, 1844, p. 392. — Blanch. Hist. Ins. I, 1845, p. 218. — Lacord. Gen. Col. III, 1856, p. 355. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 249.

Biologie: Lacord. Ann. scienc. nat. XX, 1830, p. 270. — Harris, A Report on the insects of Massachusetts, injurious to vegetation, Silliman Amer. Journ. Science. XXXXII, 1842. — Burm. Handb. Ent. IV, 2, 1855, p. 523. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 175—191; Deutsche Ent. Zeitschr. 1908, p. 248—251.

I. Subgenus sens. strict. **Pelidnota** M'Leay.

Ohs. Deutsche Ent. Zeitschr. 1915, p. 259.

1. *punctata*-Gruppe.

- aeruglusa* L. Syst. Nat. ed. 10, I, 2, 1758, p. 350 Brasilien:
(*Scarabaeus*). — Ohs. Stett. Ent. Zeit. LXI, Küstengebirge von
1900, p. 185; Deutsche Ent. Zeitschr. 1908, p. 250. Espirito
— F. Bates, Trans. Ent. Soc. Lond. 1904, p. 258. Santo bis
Rio Grande
do Sul
- americana* Herbst. Natursyst. Käfer III, 1790, p. 66, t. 23, f. 3 (*Melolontha*).
- glauca* Ol. Ent. I, 1789, nr. 5, p. 21, t. 5, f. 47 (*Melolontha*); — od. Illiger II, 1802, p. 41; ed. Sturm 1803, p. 12, t. 58, f. 7. — Lap. Hist. Nat. Col. II, 1840, p. 122 (*Pelidnota*). — Burm. Handb. Ent. IV, 1, 1844, p. 401.
- prasina* Germar. Ins. spec. nov. 1824, p. 117 (*Rutela*).
- subspec. *semiaurata* Burm. Handb. Ent. IV. I, Sta. Catharina, Rio Grande do Sul
1844, p. 402.
- subspec. *citripennis* Ohs. Stett. Ent. Zeit. LXI, Rio Grande do Sul
1900, p. 185.
- allfacea* Germar, Ins. spec. nov. 1824, p. 117 (*Rutela*). — Brasilien:
Ohs. Deutsche Ent. Zeitschr. 1908, p. 250. Küstengebiet
- anella* F. Bates, Trans. Ent. Soc. Lond. 1904, p. 267. Goyaz
- aurescens* H. Bates, Biol. Contr.-Amer. Col. II, 2, 1888, Guatemala:
p. 274, t. 16, f. 5. — Ohs. Deutsche Ent. Zeitschr. 1913, p. 498. Tumbador
- chalcothorax* Porty, Delect. anim. artic. 1834, p. 48, Brasilien:
t. 10, f. 7. — Lap. Hist. Nat. Col. II, 1840, p. 122. Küstengebirge
— Burm. Handb. Ent. IV, 1, 1844, p. 404. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 184; Deutsche Ent. Zeitschr. 1908, p. 251. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 258.

- chiriquina F. Bates, Trans. Ent. Soc. Lond. 1904, p. 265. Panama:
Chiriqui
- chlorana Er. Arch. f. Naturg. XIII, 1847, I, p. 99. Peru,
Bolivia,
Ecuador
- herbacea* Blanch. Cat. Coll. Ent. Col. 1850, p. 212.
- costaricensis H. Bates, Biol. Centr.-Amer. Col. II, 2,
1888, p. 274, t. 16, f. 1. Costarica:
Irazu
subspec. *guatemalensis* H. Bates, l. c. p. 274. Honduras,
Guatemala
- fragida F. Bates, Trans. Ent. Soc. Lond. 1904, p. 269. Amazonas
- fulva Blanch. Cat. Coll. Ent. Col. 1850, p. 211. Bolivia:
Valle
Grando
Paraguay
- paraguayensis* F. Bates, Trans. Ent. Soc. Lond.
1904, p. 266. Argentinien:
Cordoba
- subspec. *Championi* F. Bates, l. c. p. 267. Venezuela,
Columbia,
Trinidad
- laevissima Burm. Handb. Ent. IV, 2, 1855, p. 522. — Cayenne
F. Bates, Trans. Ent. Soc. Lond. 1904, p. 258.
- subspec. *cayennensis* F. Bates, l. c. p. 269. — Ohs.
Deutsche Ent. Zeitschr. 1913, p. 499.
- subspec. *chiriquicola* Ohs. l. c. p. 499.
- Lucae J. Lec. New spec. Col. I, 1863—66 (1863), p. 78.
- lugubris J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 54.
- luridipes Blanch. Cat. Coll. Ent. Col. 1850, p. 212. —
Lucas, Voy. Castelnau, Ent. VII, 1857, t. 8, f. 2.
— F. Bates, Trans. Ent. Soc. Lond. 1904, p. 258.
- notata Blanch. Cat. Coll. Ent. Col. 1850, p. 212. — H.
Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 273,
t. 15, f. 23. — F. Bates, Trans. Ent. Soc. Lond.
1904, p. 257. — Ohs. Deutsche Ent. Zeitschr.
1908, p. 402. Central-
amerika,
Westseite
von Colum-
bien und
Ecuador
- pallidipennis F. Bates, Trans. Ent. Soc. Lond. 1904,
p. 268. Brasilien:
Kamp-
gebiet
Columbien,
Venezuela
- prasina Burm. Handb. Ent. IV, 1, 1844, p. 402.
- prolixa Sharp, Journ. Linn. Soc. London XIII, 1877,
p. 132. — H. Bates, Biol. Centr.-Amer. Col. II,
2, 1888, p. 273, t. 15, f. 24. — F. Bates, Trans.
Ent. Soc. Lond. 1904, p. 257. Nicaragua,
Panama,
NW.
Ecuador
- punctata L. Syst. Nat. ed. 10, I, 2, 1758, p. 350 (*Scara-
baeus*); Mus. Ludov. Ulric. Regin. 1764, p. 23. —
Drury, Ill. nat. Hist. I, 1770, p. 75, t. 34, f. 5. —
F. Syst. Ent. 1775, p. 33 (*Melolontha*). —
Ol. Ent. I, 1789, nr. 5, p. 22, t. 1, f. 6; ed. Illig. II,
1802, p. 42; ed. Sturm. II, 1803, p. 13, t. 59, f. 1. —
Herbst, Natursyst. Käfer III, 1790, p. 69, t. 23,
f. 6. — Latr. Hist. Nat. Crust. Ins. III, 1802,
p. 151 (*Ruiela*). — M'Leay, Horae Ent. I, Append.
1819, p. 154 (*Pelidnota*). — Kirby, Fauna Bor-
Amer. 1837, p. 127. — Lap. Hist. Nat. Col. II, 1840,
p. 122. — Burm. Handb. Ent. IV, 1, 1844, p. 399. Süd-Kanada,
Vereinigte
Staaten
von Nord-
amerika,
? Mexico

- Biologie: Harris, Ins. Mass. 1842, p. 23. — Riley, Amer. Ent. Bot. II, p. 295, f. 185; I. Report Ins. Ontario 1871, p. 106. — W. Saunders, Canad. Ent. VI, 1874, p. 141.
 subspec. *lutea*, Ol. Ent. I, 1789, nr. 5, p. 23, t. 1, f. 2; ed. Illig. II, 1802, p. 43; ed. Sturm II, 1803, p. 14, t. 59, f. 3. — Schäffer, Bull. Brooklyn Mus. Inst. Scienc. I, 7, 1905, p. 159. — Ohs. Deutsche Ent. Zeitschr. 1913, p. 499.
 subspec. *centroamericana* Ohs. l. c. p. 499.
- punctulata** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 276, t. 16, f. 7; l. c. 1889, p. 408. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 257. Guatemala, Honduras, Mexico, Guatemala, Honduras, Nicaragua
- sordida** Germar, Ins. spec. nov. 1824, p. 118 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 404 (*Pelidnota*). — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 258. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 250. Brasilien: Kampgebiet, Paraguay, Argentinien
- strigosa** Lap. Hist. Nat. Col. II, 1840, p. 122. — Burm. Handb. Ent. IV, 1, 1844, p. 553. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 276, t. 16, f. 6. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 257. Centralamerika von Mexico bis Panama
- unicolor** Drury, Ill. nat. Hist. III, 1778, p. 61, t. 44, f. 2 (*Scarabaeus*). — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 257 (*Pelidnota*). — Ohs. Deutsche Ent. Zeitschr. 1908, p. 251. Brasilien: Küstengebirge
- Druryana* Herbst, Natursyst. Käfer III, 1790, p. 163, t. 67, f. 3 (*Melolontha*).
testacea Lap. Hist. Nat. Col. II, 1840, p. 122 (*Pelidnota*). — Burm. Handb. Ent. IV, I, 1844, p. 403.
 var. *infusca* Ohs. Deutsche Ent. Zeitschr. 1913, p. 500. Espirito Santo
- subspec. *bonariensis* Burm. Handb. Ent. IV, 2, 1855, p. 522. — Ohs. Deutsche Ent. Zeitschr. 1913, p. 500. Argentinien, Uruguay
- virescens** Burm. Handb. Ent. IV, 1, 1844, p. 403. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 274, t. 16, f. 2; l. c. 1889, p. 408. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 257. Mexico
- var. *planipennis* H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 274. „
- var. *jalapensis* H. Bates, l. c. p. 275. Jalapa
- var. *chalcopus* H. Bates, l. c. p. 275. Guatemala, Honduras

2. *lucida*-Gruppe.

- fuscoviridis** Ohs. Deutsche Ent. Zeitschr. 1913, p. 500. Venezuela
- lucida** Burm. Handb. Ent. IV, 1, 1844, p. 401. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 257. Columbien, Venezuela, Trinidad
- polita** Latr. Voy. Humboldt, Obs. zool. Ins. I, 1811, p. 134, t. 15, f. 3 (*Rutela*). — Germar, Mag. Ent. I, 2, 1815, p. 103. — Burm. Handb. Ent. IV, 1, 1844, p. 552. ? Peru: Cuenca; ? Brasil, Panama, Columbien, Venezuela

cupritarsis H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 275. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 257.

3. *Burmeisteri*-Gruppe.

- Burmeisteri** Burm. Handb. Ent. IV, 1, 1844, p. 409: Gen. Ins. 1846, t. 28.
- Lacerae* Sharp, Bull. Soc. Ent. Belg. XXIX, 1885, p. 23 (*Aglycoptera*).
- var. *tricolor* Nonfr. Ent. Nachr. XX, 1894, p. 123. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 260. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 317.
- cyanitarsis** Gory, Ann. Soc. Ent. France II, 1833, p. 67, t. 5, f. 1 (*Rutela*). — Lap. Hist. Nat. Col. II, 1840, p. 120. — Burm. Handb. Ent. IV, 1, 1844, p. 407 (*Pelidnota*). — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 259.
- Langsdorffi** Mannerh. N. Mém. Soc. Nat. Moscou I, 1829, p. 48, t. 2, f. 2 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 554.
- Ludovici** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 317.
- sumptuosa** Vigers, Zool. Journ. I, 1825, p. 542, t. 20, f. 9 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 406 (*Pelidnota*). — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 259.
- plicata* Gory, in Blanch. Voy. d'Orbigny, Ins. II, 1842, p. 192, t. 2, f. 7 (*Rutela*).
- smaragdina* Perty, Delect. anim. artic. 1834, p. 50, t. 10, f. 16 (*Rutela*).
- Bahia:
Condeuba
(nec Guatemala)
- ? Mato
grosso:
Xingu
- Bahia:
Condeuba
- Brasilien:
Barra de Seguitiba
- Espirito Santo
- Brasilien:
Kampgebiet:
? Venezuela

II. Subgenus *Ganonota* Ohs.

Ohaus, Deutsche Ent. Zeitschr. 1915, p. 259.

4. *pulchella*-Gruppe.

- acutipennis** F. Bates, Trans. Ent. Soc. Lond. 1904, p. 263.
- Belti** Sharp, Journ. Lim. Soc. Lond. XIII, 1877, p. 132. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 273, t. 15, f. 22. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 255.
- eupripes** Perty, Delect. an. artic. 1832, p. 48, t. 10, f. 8. — Lap. Hist. Nat. Col. II, 1840, p. 122. — Burm. Handb. Ent. IV, 1, 1844, p. 395. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 255. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 178; Deutsche Ent. Zeitschr. 1908, p. 249.
- auripes* Perty erron. in tab.
- discicollis** Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 303.
- ubia** F. Bates, Trans. Ent. Soc. Lond. 1904, p. 262.
- Venezuela:
Merida
- Nicaragua,
Panama,
Columbien
- Brasilien:
Küsten-
gebirge
- Para
Columbien:
Cauca

- glaberrima** Blanch. Cat. Coll. Ent. Col. 1850, p. 213. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 255.
- pubes** Ohs. Deutsche Ent. Zeitschr. 1913, p. 502.
- pulchella** Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 405, t. 21, f. 10 (*Rutela*); Isis 1824, I, p. 118, t. 1, f. 10. — McLay, Horae Ent. I, Append. 1819, p. 154 (*Pelidnota*). — Burm. Handb. IV, 1, 1844, p. 394. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 256. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 175; Deutsche Ent. Zeitschr. 1908, p. 249.
var. *blanda* Burm. Handb. Ent. IV, 1, 1844, p. 394. — Ohs. Deutsche Ent. Zeitschr. 1913, p. 501.
var. *fulvopunctata* Ohs. l. c. p. 501.
var. *reducta* Ohs. l. c. p. 501.
var. *scapularis* Burm. Handb. Ent. IV, 1, 1844, p. 394. — Ohs. Deutsche Ent. Zeitschr. 1913, p. 501.
var. *sellata* Ohs. l. c. p. 501.
var. *xanthogramma* Perty, Delect. an. artic. 1832, p. 49, t. 10, f. 9. — Burm. Handb. Ent. IV, 1, 1844, p. 394. — Ohs. Deutsche Ent. Zeitschr. 1913, p. 501.
- purpurea** Burm. Handb. Ent. IV, 1, 1844, p. 394. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 255.
- Sancti Domini** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 317.
- similis** Ohs. Deutsche Ent. Zeitschr. 1908, p. 400.
- Söderströmi** Ohs. l. c. 402.
- striatopunctata** Kirsch, Berl. Ent. Zeitschr. XXIX, 1885, p. 222 (*Odontognathus*).
- testaceovirens** Blanch. Cat. Coll. Ent. Col. 1850, p. 213.
vittipennis F. Bates, Trans. Ent. Soc. Lond. 1904, p. 264. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 316.
- xanthospila** Gormar, Ins. spec. nov. 1824, p. 119. — Burm. Handb. Ent. IV, 1, 1844, p. 393. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 255. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 178; Deutsche Ent. Zeitschr. 1908, p. 249.
ornata Perty, Delect. anim. artic. 1832, p. 49, t. 10, f. 12 (*Rutela*).
var. *rubiginosa* Lap. Hist. Nat. Col. II, 1840, p. 120.

5. *ebenina*-Gruppe.

- ebenina** Blanch. Voy. d'Orbigny VI, 1842, p. 191, t. 11, f. 4 (*Anomala*).
- Gounellei** Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 307.

Brasilien:
Küsten-
gebirge
NW Ecuador:
Paramba
Brasilien:
Küsten-
gebirge

Rio de
Janeiro
Corcovado
Neu Freiburg
Rio de
Janeiro bis
Rio Grande
do Sul
Neu Freiburg
Minas
geraes bis
Sta. Catha-
rina

Rio de
Janeiro
Ins. Santo
Domingo
Ost-
Ecuador:
Sabanilla
West-
Ecuador:
Sto. Domin-
go
Bolivien:
Yungas de
La Paz.
Bolivien,
Peru, Goyaz

Brasilien:
Küsten-
gebirge von
Minas
geraes bis
S. Paulo

Bolivien:
Sta. Cruz
Brasilien:
Bahia

6. *nitescens*-Gruppe.

- nitescens* Vigors, Zool. Journ. I, 1825, p. 417, t. 15, f. 7. —
Burm. Handb. Ent. IV, 1, 1844, p. 398. —
F. Bates, Trans. Ent. Soc. Lond. 1904, p. 256.
strigata Mannerh. N. Mém. Soc. Nat. Moscou I,
1829, p. 50 (*Rutela*).
- Brasilien:
Kamp-
gebiet von
Minas
geraes
bis Parana

7. *quadripunctata*-Gruppe.

- quadripunctata* F. Bates, Trans. Ent. Soc. Lond. 1904,
p. 260. — Ohs. Deutsche Ent. Zeitschr. 1913,
p. 503.
- Cayenne

8. *cuprea*-Gruppe.

- cuprea* Germar, Ins. spec. nov. 1824, p. 120 (*Rutela*). —
Perty, Delect. anim. artic. 1832, p. 49, t. 10,
f. 10 (*Pelidnota*). — Burm. Handb. Ent. IV, 1,
1844, p. 389 (*Strigidia*). — F. Bates, Trans.
Ent. Soc. Lond. 1904, p. 252 (*Odontognathus*). —
Ohs. Deutsche Ent. Zeitschr. 1913, p. 504.
unicolor Lap. Hist. Nat. Col. II, 1840, p. 137
(*Odontognathus*).
var. *coerulea* Ohs. Deutsche Ent. Zeitschr. 1913,
p. 504.
var. *fulvipennis* Germar, Ins. spec. nov. 1824,
p. 120.
var. *nigrocoerulea* Ohs. Deutsche Ent. Zeitschr.
1913, p. 504.
var. *rufioviolacea* Ohs. l. c. p. 504.
- Brasilien:
Küsten-
gebirge,
Goyaz;
Paraguay
- Sta. Catha-
rina
- Goyaz,
Paraguay
Goyaz

9. *rubripennis*-Gruppe.

- Riedeli* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 312
(*Odontognathus*).
rubripennis Burm. Handb. Ent. IV, 1, 1844, p. 390
(*Strigidia*).
rufipennis Waterh. Trans. Ent. Soc. Lond. 1876,
p. 23.
- S. Paulo
- Rio de
Janeiro
Pernambuco

10. *tibialis*-Gruppe.

- gracilis* Gory, Ann. Soc. Ent. France III, 1834, p. 111,
t. 1, f. 1 (*Rutela*). — Burm. Handb. Ent. IV, 1,
1844, p. 395 (*Pelidnota*). — F. Bates, Trans. Ent.
Soc. Lond. 1904, p. 256. — Ohs. Deutsche Ent.
Zeitschr. 1908, p. 249.
- Brasilien:
Küsten-
gebirge von
Espírito
Santo,
Minas
geraes und
Rio de
Janeiro
- tibialis* Burm. Handb. Ent. IV, 1, 1844, p. 396. — F. Bates,
Trans. Ent. Soc. Lond. 1904, p. 256.
- Rio de
Janeiro:
Macahé

11. *liturella*-Gruppe.

- bivittata* Swederus, Kongl. Svensk. Vet. Akad. N. Handl. VIII, 1787, p. 189 (*Scarabaeus*). — Schönh. Syn. Jns. I, 3, 1817, p. 155 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 550 (*Pelidnota*). — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 257. — Ohs. Deutsche Ent. Zeitschr. 1913, p. 504.
- crassipes* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 319. Brasilien, Paraguay, Bolivien
- fusciventris* Ohs. l. c. p. 318. Ost-Peru: Chanchamayo
- liturella* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 407 (*Rutela*); Iris I, 1824, p. 118. — M'Leay, Horae Ent. I, Append. 1819, p. 154 (*Pelidnota*). — Burm. Handb. Ent. IV, 1, 1844, p. 397. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 256. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 177; Deutsche Ent. Zeitschr. 1908, p. 249.
- var. *flavovittata* Perty, Delect. anim. artic. 1832, p. 49, t. 10, f. 11.
- vitticollis* Burm. Handb. Ent. IV, 1, 1844, p. 396. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 249; l. c. 1913, p. 504. Brasilien: Küstengebirge, Paraguay
- Rio de Janeiro, Petropolis

III. Subgenus *Chalcoplethis* Burm.

- Burm. Handb. Ent. IV, 1, 1844, p. 410. — Lacord. Gen. Col. III, 1856, p. 357. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 253. — Ohs. Deutsche Ent. Zeitschr. 1915, p. 258.
- Epichalcoplethis* F. Bates, Trans. Ent. Soc. Lond. 1904, p. 253 u. 272 (Arrow).

12. *rugulosa*-Gruppe.

- instabilis* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 302. Brasilien
- rubriventris* Blanch. Cat. Coll. Ent. Col. 1850, p. 213. Columbien: Medellin
- rugulosa* Burm. Handb. Ent. IV, 1, 1844, p. 398. — Lucas, Voy. Castelnau, Ent. VII, 1857, t. 8, f. 3. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 179; Deutsche Ent. Zeitschr. 1908, p. 250. — F. Bates, Trans. Ent. Soc. London 1904, p. 254. Brasilien: Küstengebirge von Rio de Janeiro und S. Paulo
- subandina* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 316. Amazonas: Rio Purus, Peru, Ecuador

13. *granulata*-Gruppe.

- egana* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 300. Amazonas: Ega
- granulata* Gory, Ann. Soc. Ent. France III, 1834, p. 112, t. 1b, f. 2 (*Rutela*). — Burm. Handb. Ent. IV, 1, Guayana

1844, p. 399 (*Pelidnota*). — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 254. — Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 296.

Oseulatii Guér. Verh. zool.-bot. Ges. Wien IV, 1855, p. 585. — Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 300.

pennata Ohs. l. c. p. 299.

Ecuador:
Rio Napo

Amazonas:
Obidos

14. *cyanipes*-Gruppe.

bahiana Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 315.

chamaeleon Voet, Cat. syst. Col. I, 1769, t. 21, f. 139 (*Scarabaeus*). — Fuossly, Mag. Ent. I, 1778, p. 42. — Voet, ed. Panzer I, 1785, p. 93, t. 21, f. 139. — Herbst, Natursyst. Käfer II, 1789, p. 248, t. 17, f. 2. — Burm. Handb. Ent. IV, 1, 1844, p. 408.

var. **ignita** Ol. Ent. I, 1789, nr. 6, p. 69, t. 10, f. 96 (*Cetonia*); ed. Illig. II, 1802, p. 190: ed. Sturm II, 1803, p. 92, t. 88, f. 5. — Burm. Handb. Ent. IV, 1, 1844, p. 407. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 259.

equestris Lap. Hist. Nat. Col. II, 1840, p. 122.

cyanipes Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 406; Isis 1824, p. 118 (*Rutela*). — Vigors, Zool. Journ. I, 1825, p. 541, t. 20, f. 8. — Lap. Hist. Nat. Col. II, 1840, p. 122 (*Pelidnota*). — Burm. Handb. Ent. IV, 1, 1844, p. 405. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 258. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 251.

Hoefigi Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 318.

Kirschi F. Bates, Trans. Ent. Soc. Lond. 1904, p. 261.

var. **tenuistriata** F. Bates, l. c. p. 262.

viridicuprea Ohs. Deutsche Ent. Zeitschr. 1908, p. 401.

Brasilien:

Bahia

Guayana,
Trinidad,
Venezuela,
Colum-
bien,
Amazonas

Cayenne:

Maroni,

Amazonas:
Manaos

Brasilien:

Küsten-
gebirge von
Bahia
bis Rio
Grande do
Sul

Peru:

Lima

Columbien,
Venezuela

Ecuador:

Canelos

15. *Kirbyi*-Gruppe.

aciculata F. Bates, Trans. Ent. Soc. Lond. 1904, p. 261 (*Epichalcoplethis*).

Kirbyi Gray in Griff. Anim. Kingd. XIV, 1832, p. 516, t. 46, f. 2 (*Chrysophora*). — Burm. Handb. Ent. IV, 1, 1844, p. 410 (*Chalcoplethis*).

Richterli Ohs. Deutsche Ent. Zeitschr. 1910, p. 186.

Saneti Jacobi Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 318.

seriatopunctata Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 304.

velutipes Arrow, Trans. Ent. Soc. Lond. 1900, p. 179 (*Epichalcoplethis*).

Guayna

Brasilien:

Küsten-
gebirge von
Bahia bis
Parana

Brasilien:

Corumba

Argentinien:
Santiago
del Estero,
Cordoba

Brasilien

Ins. St.

Vincent,
Trinidad,
Venezuela

Species incertae.

- emerita* Ol. Ent. I, 1789, nr. 6, p. 71, t. 11, f. 98 (*Cetonia*).
marginata Lap. Hist. Nat. Col. II, 1840, p. 122. =
Chlorota haemorrhoidalis Ol.?
metallica Lap. l. c. = *Hoplopedidnota* Candezei F. Bates ♀?
sumptuosa Lap. l. c.
terminata Lap. l. c. = *Chlorota terminata* Serv.?
versicolor Billberg, Mém. Acad. St. Petersb. VII, 1820,
p. 384, t. 12, f. 3 (*Rutela*) = *Rhinaspis aenea* ♀?
87

Südamerika
Cayenne„
Brasilien
Cayenne
Brasilien**Heteropelidnota** Ohs.

Ohaus, Stett. Ent. Zeit. LXXIII, 1912, p. 309.

- cribrata* Ohs. Deutsche Ent. Zeitschr. 1913, p. 506.
Kuhnti Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 310.
rostrata Burm. Handb. Ent. IV, 1, 1844, p. 406. —
F. Bates, Trans. Ent. Soc. Lond. 1904, p. 253. —
Ohs. Deutsche Ent. Zeitschr. 1908, p. 249.
Syn. *viridana* Blanch. Cat. Coll. Ent. Col. 1850,
p. 213.
3

Cayenne,
Para,
Paraguay
Brasilien:
Küsten-
gebirge von
Rio de
Janeiro**Homothermon** Ohs.

Ohaus, Stett. Ent. Zeit. LIX, 1898, p. 59.

- bugre* Ohs. l. c. p. 60.
praemorsus Burm. Handb. Ent. IV, 2, 1855, p. 521
(*Strigidia*).
paulista Ohs. Stett. Ent. Zeit. LIX, 1898, p. 61.
serrano Ohs. l. c. p. 60.
3

Brasilien:
Hochland
von Sta.
Catharina
und Rio
Grande do
Sul;
Missiones
S. Paulo
Sta. Catha-
rina6. Subtribus **Lasiocalina**.**Lasiocala** Blanch.

- Blanch. Cat. Coll. Ent. Col. 1850, p. 220. — Lacord. Gen. Col. III, 1856,
p. 362. — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 253. — Revision: Ohs.
Ann. Soc. Ent. Belg. LIV, 1910, p. 221.
Arrowi Ohs. l. c. p. 221; Deutsche Ent. Zeitschr. 1910,
p. 711.
fulvohirta Blanch. Cat. Coll. Ent. Col. 1850, p. 220. —
Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 222.

Bolivia:
La Paz
Columbien:
Chiriqui

lucens Ohs. l. c. p. 224.

Ohausi F. Bates, Trans. Ent. Soc. Lond. 1904, p. 273.

opaeicollis Ohs. Deutsche Ent. Zeitschr. 1908, p. 403; Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 224.

pygidialis Ohs, l. c. p. 223.

viridiaenea Ohs. l. c. p. 225.

7

Ecuador:
Quito
Columbien:
Sta. Marta
Ecuador:
Loja
Columbien:
Bogota
Ecuador:
Pichincha

Pseudochlorota Ohs.

Ohaus, Stett. Ent. Zeit. LXVI, 1905, p. 305.

chiriquina Ohs. l. c. p. 306.

ecuatoriana Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 226.

peruana Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 307.

3

Panama:
Chiriqui
Ecuador:
Macas
Peru:
Chancha-
mayo

7. Subtribus **Parastasiina**.

Peperonota Westw.

Westw. Trans. Ent. Soc. Lond. IV, 1847, p. 296. — Lacord. Gen. Col. III, 1856, p. 349.

Harringtoni Westw. Trans. Ent. Soc. Lond. IV, 1847, p. 298, t. 22; Cabin. Orient. Ent. 1848, t. 17, f. 5. — Ohs. Deutsche Ent. Zeitschr. 1900, p. 261.

subsp. *bicornis* Ohs. l. c. 1912, p. 506.

1

Sikkim:
Darjeeling,
Pedong,
Bhutan;
Assam:
Shillong,
? Java
Assam:
Khasis

Dicaulocephalus Gestro.

Gestro, Ann. Mus. Genova (2) V, 1888, p. 623.

Faee Gestro, l. c. p. 626, fig.

Fruhstorferi Felsche, Insektenbörse XVIII, 1901, p. 314, Deutsche Ent. Zeitschr. 1901, p. 359, fig.

2

Birma:
Mooleyit
Berg
Tonkin:
Mauson
Berge

Ceroplophana Gestro.

Gestro, Ann. Mus. Genova (2) XIII, 1893, p. 299.

Modiglianii Gestro, l. c. p. 301, f. 1—2.

subspec. *borneensis* Ohs. Deutsche Ent. Zeitschr. 1911, p. 335.

1

Sumatra:
Si-Rambé
Borneo:
Penrissen-
Berg

Parastasia Westw.

Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 204; Trans. Ent. Soc. Lond. 1845, p. 91, t. 6, f. 1—3. — Burm. Handb. Ent. IV, 1, 1844, p. 372. — Blanch. Hist. Ins. I, 1845, p. 219. — Lacord. Gen. Col. III, 1856, p. 350. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 5.

Barymorpha Guér. Voy. Delessert II, 1843, p. 41.
Caelidia Burm. Handb. Ent. IV, 1, 1844, p. 331 und 371.
Echmatophorus Ch. Waterh. Ann. Mag. Nat. Hist. XVI, 1895, p. 158. — Arrow, Trans. Ent. Soc. Lond. 1899, p. 489.
Polymoechus J. Lec. Proc. Acad. Philad. VIII, 1856, p. 23. — G. Horn, Trans. Amer. Ent. Soc. X, 1882, p. 121.
Urleta Westw. Trans. Ent. Soc. Lond. 1875, p. 238. — Arrow, Trans. Ent. Soc. Lond. 1899, p. 486.
 Monograph. Revisionen: Arrow, Trans. Ent. Soc. Lond. 1899, p. 479. — Ohaus, Deutsche Ent. Zeitschr. 1900, p. 225.
 Biologie: Schioedte, Naturhist. Tidskr. IX, 1874, p. 293, t. 10, f. 1—11. — Ohs. Deutsche Ent. Zeitschr. 1901, p. 251.

1. confluens-Gruppe.

- bigibbosa** Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 238. Siam
- brevipes** J. Lec. Proc. Acad. Philad. VIII, 1856, p. 23 (*Polymoechus*). — G. Horn, Trans. Amer. Ent. Soc. X, 1882, p. 121, t. 6, f. 5—12 (*Parastasia*). — Ohs. Revis. p. 258. Pennsylvania, N. York, Missouri, Alleghanies
- confluens** Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 303; Trans. Ent. Soc. Lond. 1845, p. 95. — Burm. Handb. Ent. IV, 1, 1844, p. 374. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 12; Revis p. 240. — Arrow, Revis. p. 498. Andamanen über Malakka, Philippinen bis Neu-Guinea
- degenerata* Snellen van Vollenh. Tijdschr. Ent. VII, 1864, p. 147. — Rits. Not. Leyden Mus. VII, 1885, p. 16.
- pileus* Snellen v. Vollenh. Tijdschr. Ent. VII, 1864, p. 147, t. 9, f. 3. — Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 121.
- rugosicollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 217.
- Ferrieri** Nonfr. Berl. Ent. Zeitschr. XL, 1875, p. 289. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 15; Revis. p. 243. — Arrow, Revis. p. 496. Süd-Japan: Kago-shima
- Kraatzii** Ohs. Revis. p. 242. Sumatra: Tebing-tinggi, Nias
- Montrouzieri** Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 9. — Ohs. Revis. p. 237; Deutsche Ent. Zeitschr. 1913, p. 507. Neu Guinea, Duke of York, Aru
- var. *apicalis* Ohs. Deutsche Ent. Zeitschr. 1913, p. 507. Neu Guinea: Sattelberg
- var. *infuscata* Ohs. l. c. p. 507. St. Aignan
- var. *ruficollis* Ohs. l. c. p. 507. St. Aignan
- var. *simplicipes* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 14. Salomonen, Luisiaden

- subsp. *australis* Ohs. Deutsche Ent. Zeitschr. 1901, p. 128; l. c. 1913, p. 507.
quadrimaculata Ohs. l. c. 1900, p. 241.
sulcicollis Ohs. l. c. 1911, p. 331.
- Queensland:
 Cairns
 Sumatra,
 Java
 Borneo:
 Matang

2. *dolens*-Gruppe.

- dolens* Fairm. Journ. Mus. Godefroy XIV, 1879, p. 93. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 29.
 ♀ *viliensis* Nonfr. Deutsche Ent. Zeitschr. 1891, p. 267.
- Viti-Ins.

3. *binaculata*-Gruppe.

- binaculata* Guér. Voy. Delessert II, 1843, p. 41, t. 11, f. 2 (*Barymorpha*). — Burm. Handb. Ent. IV, 1, 1844, p. 376 (*Parastasia*). — Westw. Trans. Ent. Soc. Lond. 1845, p. 99. — Montrouzier, Ann. Soc. Agric. Lyon VII, 1857, p. 23 (*Cyclocephala*). — Snell. v. Vollenh. Tijdschr. Ent. VII, 1864, p. 150 (*Parastasia*). — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 21; Revis. p. 232.
maculata Montrouzier, Ann. Soc. Ent. France (3) VIII, 1860, p. 272. — Reiche, l. c., p. 272.
 subsp. *nicobarica* Ohs. Revis. p. 232.
- Von Malakka
 bis zu den
 Salomonen
- Nikobaren,
 Andamanen
 Cēlebes
- discophora* Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 121. — Ohs. Revis. p. 233.
guttulata Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 9. — Ohs. Revis. p. 233.
- Ins. Duke of
 York, Neu-
 Guinea:
 Sattelberg;
 Neu-
 Pommern
- inconstans* Fairm. Journ. Mus. Godeffroy XIV, 1879, p. 93. — Ohs. Revis. p. 234.
marmorata Gestro, Ann. Mus. Genova VIII, 1876, p. 514; l. c. X, 1877, p. 643. — Ohs. Revis. p. 235.
nigriceps Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 303; Trans. Ent. Soc. Lond. 1845, p. 94. — Burm. Handb. Ent. IV, 1, 1844, p. 374. — Ohs. Revis. p. 233.
- Tonga:
 Niuafu
 Neu-Guinea:
 Ramoi
 Philippinen
- nigroscutellata* Ohs. Deutsche Ent. Zeitschr. 1901, p. 125; l. c. 1905, p. 96.
- Nord-Luzon:
 Kap
 Engano;
 Mindoro
- Percheroni* Montrouz. Ann. Soc. Ent. France (3) VIII, 1860, p. 271 (*Cyclocephala*). — Reiche, l. c. p. 272. — Arrow, Revis. p. 491, t. 17, f. 9 ♂, 10 ♀. — Ohs. Revis. p. 235.
- Neu-
 Caledonien,
 Neu
 Hebriden

4. *nigromaculata*-Gruppe.

- assimilis* Ohs. Deutsche Ent. Zeitschr. 1901, p. 126.
nigromaculata Blanch. Cat. Coll. Ent. Col. 1850, p. 216 (*Caelidia*). — Hombroun et Jacquinet, Voy.
- Salomonen:
 Alu
 Neu-Guinea:
 Triton Bai,
- 3

- Pôle Sud, Ins. Col. 1842, t. 7, f. 1. — Ohs. Revis. p. 236. Ramoi, Sekat
- Carolinae* Gestro, Ann. Mus. Genova VIII, 1876, p. 515; Revis. p. 236.
- ♀ *Weberi* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 23; Revis. p. 236.
- novoguineensis* Ohs. l. c. p. 22; Revis. p. 237. Neu-Guinea: Sattelberg Pulo Penang
- obscura* Guér. Voy. Delessert II, 1843, p. 69, t. 11, f. 1. — Burm. Handb. Ent. IV, 1, 1844, p. 375. — Westw. Trans. Ent. Soc. Lond. 1845, p. 97.
5. *discolor*-Gruppe.
- alternata* Arrow, Revis. p. 489. — Ohs. Revis. p. 246. Ostindien: Allahabad, Bhutan, Khasis
- discolor* Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 303; Trans. Ent. Soc. Lond. 1845, p. 94. — Burm. Handb. Ent. IV, 1, 1844, p. 374. — Arrow, Revis. p. 488. — Ohs. Revis. p. 244. Philippinen: Luzon
- melanocephala* Burm. Handb. Ent. IV, 1, 1844, p. 377. — Ohs. Revis. p. 238. Java: Tjikorai
- melanocephaloïdes* Ohs. Revis. p. 238. Sumatra: Si-Rambé
- mirabilis* Arrow, Revis. p. 491. — Ohs. Revis. p. 229; Deutsche Ent. Zeitschr. 1903, p. 223; l. c. 1911, p. 328. Malakka
- Oberthüri* Ohs. Revis. p. 245. Tonkin: Bao-Lac
- rufolimbata* Blanch. Cat. Coll. Ent. Col. 1850, p. 217. — Hombroet et Jacquinet, Voy. Pôle Sud, Ins. Col. 1842, t. 7, f. 2. — Ohs. Revis. p. 239. Salomonen: St. Georg
- scutellaris* Er. Trans. Ent. Soc. Lond. IV, 1845, p. 98. — Arrow, Revis. p. 488. — Ohs. Revis. p. 244. Ins. Riouw, Malakka
- unicolor* Arrow, Revis. p. 488, t. 17, f. 11. — Ohs. Revis. p. 244. Nord-Borneo
6. *canaliculata*-Gruppe.
- andamanica* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 13; Revis. p. 247. — Arrow, Revis. p. 483, t. 17, f. 5 ♂, 6 ♀. Andamanen
- anthracina* Ohs. Deutsche Ent. Zeitschr. 1912, p. 56. Tonkin: Than Moi
- basalis* Cand. Col. Hofte V, 1869, p. 44. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 19; Revis. p. 248. — Arrow, Revis. p. 481. Ceylon
- blecolor* Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 303; Trans. Ent. Soc. Lond. 1845, p. 96. — Burm. Handb. Ent. IV, 1, 1844, p. 376. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 8; Revis. p. 247. — Arrow, Revis. p. 484. Java, Sumatra: Deli
- binotata* Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 303; Trans. Ent. Soc. Lond. 1845, p. 95. — Burm. Handb. Ent. IV, 1, 1844, p. 374. — Arrow, Revis. p. 484. — Ohs. Revis. p. 249. Java

- ♂ *Horsfieldi* Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 303.
- birmana* Arrow, Revis. p. 481, t. 17, f. 3 ♂, 4 ♀. — Ohs. Revis. p. 250. Hinterindien, Süd-China: Nienghanli Philippinen Formosa
- canaliculata* Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 204 und 303; Trans. Ent. Soc. Lond. 1845, p. 93, t. 6, f. 2. — Burm. Handb. Ent. IV, 1, 1844, p. 373. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 18; Revis. p. 249. — Arrow, Revis. p. 480.
- ♂ *bipunctata* Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 204.
- ♂ *rubrotessellata* Blanch. Cat. Coll. Ent. Col. 1850, p. 217.
- cingala* Arrow, Revis. p. 482. Ceylon: Colombo Seychellen: Mahé; Mauritius Süd-Indien Sumatra, Java, Nias
- Cocquereli* Fairm. Ann. Soc. Ent. France (4) VIII, 1868, p. 789. — Ohs. Revis. p. 247.
- Duponti* Arrow, Revis. p. 484. — Ohs. Revis. p. 248.
- ephippium* Snellen van Vollenhoven, Tijdschr. Ent. VII, 1864, p. 148, t. 9, f. 4. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 17; Revis. p. 251. — Arrow, Revis. p. 485.
- ♂ *niasiana* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 16. var. *castanea* Ohs. Revis. p. 521. Borneo: Sarawak Borneo: Kinabalu Borneo: Mahakkam Borneo: Kinabalu Malakka, Sumatra Borneo: Kinabalu Vorderindien: Sylhet, Sikkim, Assam
- ignorata* Ohs. Deutsche Ent. Zeitschr. 1911, p. 330.
- Moseri* Ohs. Deutsche Ent. Zeitschr. 1903, p. 222.
- piligeræ* Ohs. Deutsche Ent. Zeitschr. 1911, p. 326.
- polita* Ohs. l. c. p. 323.
- rufonigra* Ohs. l. c. p. 325.
- rufopicta* Westw. Proc. Ent. Soc. Lond. 1841, p. 53; Trans. Ent. Soc. Lond. 1845, p. 93, t. 6, f. 3. — Burm. Handb. Ent. IV, 1, 1844, p. 376. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 16; Revis. p. 250. — Arrow, Revis. p. 480.
- sulcata* Ohs. Deutsche Ent. Zeitschr. 1911, p. 324. Buru: Wakollo
- sulcipennis* Gestro, Ann. Mus. Genova XXVI, 1888, p. 113. — Ohs. Revis. p. 251.
- sumbawana* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 18; Revis. p. 250. — Arrow, Revis. p. 482. Birma: Teinzó Sumbawa, Kalao
- timoriensis* Arrow, Revis. p. 483, t. 17, f. 7 ♂, 8 ♀. — Ohs. Revis. p. 250. Timor, Tenimber

7. *anomala*-Gruppe.

- anomala* Arrow, Revis. p. 495. — Ohs. Revis. p. 252. NW. Borneo: Penang, Perak

8. *Westwoodi*-Gruppe.

- Burmeisteri** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 10; Revis. p. 254. — Arrow, Revis. p. 495. Java, Sumatra, Borneo, Philippinen, Malakka
- ♂ **Nonfriedi** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 10. Java:
- Duchoni** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 9. Passaruan, Sumbawa
- quinquemaculata* Arrow, Revis. p. 494. Malakka, Sumatra, Java, Borneo
- femorata** Burm. Handb. Ent. IV, 1, 1844, p. 375. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 8; Revis. p. 255. — Arrow, Revis. p. 494. Java:
- var. *flavobrunnea* Ohs. Revis. p. 256. Pongalengan
- Gestroi** Ohs. Revis. p. 254. Borneo:
- indica** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 9; Revis. p. 256. Sarawak, Calcutta, Bhutan, Luzon
- Fruhstorferi* Ohs. Deutsche Ent. Zeitschr. 1902, p. 57; l. c. 1905, p. 97. Tonkin:
- marginata** Boisd. Voy. Astrolabe, Col. II, 1835, p. 187, t. 6, f. 17 (*Caetidia*). — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 8; Revis. p. 252. — Arrow, Revis. p. 499. Mauson, Neu-Guinea: Dorei, Andai, Mafor, Sorong, Ramoi, Sattelberg
- Zoraidae* Gestro, Ann. Mus. Genova VIII, 1876, p. 514. — Rits. Not. Leyd. Mus. VII, 1885, p. 16. Aru, Kei
- var. *Rordensis* Gestro, Ann. Mus. Genova VIII, 1876, p. 514.
- var. ♀ *nigra* Gestro, l. c.
- Moultoni** Ohs. Deutsche Ent. Zeitschr. 1911, p. 332. Borneo:
- nigripennis** Sharp, Not. Leyd. Mus. III, 1881, p. 241. — Arrow, Revis. p. 494. — Ohs. Revis. p. 255. Matang
- punctulata** Ohs. Revis. p. 252. Sumatra, Borneo
- ruficollis** Arrow, Revis. p. 494. Sumatra, Java, Singapur
- Westwoodi** Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 303; Trans. Ent. Soc. Lond. 1845, p. 96, t. 6, f. 1. — Burm. Handb. Ent. IV, 1, 1844, p. 374. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 10. — Arrow, Revis. p. 493. Sumatra, Java, Borneo, Luzon, Perak, Siam
- sordida** Sharp, Not. Leyd. Mus. III, 1881, p. 241.

9. *vittata*-Gruppe.

- buruensis** Ohs. Deutsche Ent. Zeitschr. 1903, p. 224. Buru
- circumferens** Arrow, Revis. p. 485. Penang

- diversipennis* Ohs. Deutsche Ent. Zeitschr. 1911, p. 328.
- Helleri* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 25; Revis. p. 257; Deutsche Ent. Zeitschr. 1903, p. 225.
- kinibalensis* Ohs. l. c. 1901, p. 128; l. c. 1903, p. 223; l. c. 1911, p. 330.
- laratina* Ohs. l. c. 1903, p. 225.
- Paseoii* Waterh. Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 158 (*Echmatophorus*). — Arrow, Revis. p. 499, t. 17, f. 1 ♂, 2 ♀ (*Parastasia*).
- vittata* Snellen van Vollenhoven, Tijdschr. Ent. VII, 1864, p. 149. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 24; Revis. p. 257.
- ♀ *atra* Sn. v. Vollenh. Tijdschr. Ent. VII, 1864, p. 149.
- ♀ *ceramensis* Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 289.
- Borneo:
Kinabalu,
Brunei
Nou-Guinea:
Sattelberg
Borneo:
Kinabalu
Ins. Larat
Penang
- Amboins.
Ceram,
Batjan,
Buru,
Salawati

10. *heterocera*-Gruppe.

- dimidiata* Er. Trans. Ent. Soc. Lond. IV, 1845, p. 98. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 27; Revis. p. 258. — Arrow, Revis. p. 486.
- ♂ *ometoides* Westw. Trans. Ent. Soc. Lond. 1875, p. 238, t. 8, f. 4 (*Urleta*).
- heterocera* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 27; Revis. p. 258. — Arrow, Revis. p. 486.
- nitidula* Er. Trans. Ent. Soc. Lond. IV, 1845, p. 98. — Arrow, Revis. p. 487.
- Riouw bei
Sumatra
- Nikobaren,
Anda-
manen
Bintam b.
Sumatra

74

8. Subtribus *Oryctomorphina*.

Oryctomorphus Guér.

- Guér. Voy. Coquille, Col. 1830, p. 79. — Lap. Hist. Nat. Col. II, 1840, p. 115. — Burm. Handb. Ent. V, 1847, p. 29. — Sol. in Gay, Hist. Chile V, 1851, p. 80. — Lacord. Gen. Col. III, 1856, p. 425. — Germain, An. Univ. Santiago CIX, 1901, p. 81.
- bimaculatus* Guér. Voy. Coquille, Col. 1830, p. 80, t. 3, f. 3. — Lap. Hist. Nat. Col. II, 1840, p. 115. — Burm. Handb. Ent. V, 1847, p. 30. — Sol. in Gay, Hist. Chile V, 1851, p. 81. — Germain, An. Univ. Santiago CIX, 1901, p. 96, tab. f. a—m.
- Chile:
Valparaiso
bis Val-
divia,
Argen-
tinion:
Neuquén
- variegatus* Guér. Mag. Zool. VIII, cl. 9, 1838, p. 52. — Burm. Handb. Ent. V, 1847, p. 30.
- pictus* Waterh. in Newm. Entomologist 1842, p. 281. — Curtis, Trans. Linn. Soc. Lond. XIX, 1845, p. 447, t. 41, f. 1.

- laevipennis* Germain, An. Univ. Santiago 1855, p. 397; l. c. CIX, 1901, p. 109. Chile:
Rio
Maipu,
Araucanien
- parumstiriratus* Fairm. Rev. Zool. 1856, p. 483.
Fairmairei Redt. Reise Novara, Col. II, 1868,
p. 76, t. 3, f. 6.
- maculicollis* Guér. Mag. Zool. VIII, cl. 9, 1838, p. 53. —
Burm. Handb. Ent. V, 1847, p. 31. — Sol. in
Gay, Hist. Chile V, 1851, p. 83, t. 16, f. 5. —
Germain, An. Univ. Santiago CIX, 1901, p. 99,
tab. f. n—o. West-Peru,
Chile bis
Osorno
- ♀ *morio* Burm. Handb. Ent. V, 1847, p. 31.
- 3

9. Subtribus **Desmonychina**.**Desmonyx** Arrow.

- Arrow, Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 355.
- humeralis* Arrow, l. c. p. 356. Birma
- 1

10. Subtribus **Rutelina**.**Metapachylus** H. Bates.

- H. Bates, Biol. Centr.-Amer. Col. II, 2, 1889, p. 412.
- sulcatus* H. Bates, l. c. p. 412, t. 24, f. 19 ♂, 20 ♀. Guatemala:
Tumbador
- 1

Rutelisea H. Bates.

- H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 270.
- durangoana* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 312. Mexico:
Canolas
- Flohri* H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888,
p. 270, t. 15, f. 18 ♂, 19 ♀; l. c. 1889, p. 408. Mexico:
Capital,
Duraznal,
Omitomo
- 2

Cyphelytra Ch. Waterh.

- Ch. Waterh. Cist. Ent. I, 1875, p. 367. — Westw. Trans. Ent. Soc. Lond. 1875,
p. 236.
- ochracea* Ch. Waterh. Cist. Ent. I, 1875, p. 367. — Westw. Ostindien:
Trans. Ent. Soc. Lond. 1875, p. 237, t. 8, f. 3. Allahabad,
Darjeeling
- 1

Lutera Westw.

Westw. Trans. Ent. Soc. Lond. 1875, p. 236.

- luteola* Westw. l. c. p. 236, t. 8, f. 2. — Dohrn, Stett. Ent. Zeit. XLVII, 1886, p. 190. — Ohs. Deutsche Ent. Zeitschr. 1900, p. 260. Himalaya,
Siam,
Nikobaren,
Sumatra,
Java,
Borneo,
Adonara
- nigromaculata* Ohs. Deutsche Ent. Zeitschr. 1900, p. 261; l. c. 1905, p. 97. Tonkin:
Lakhon;
Philippinen: Ca-
marines.
- striata* Heller, Abh. Mus. Zool. Dresden VI, nr. 10, 1897, p. 22. Celebes:
Minahassa

3

Rutelarcha Ch. Waterh.

Ch. Waterh. Ent. Monthly Mag. XI, 1874, p. 52. — Westw. Trans. Ent. Soc. Lond. 1875, p. 235.

- quadrifasciata* Ch. Waterh. Ent. Monthly Mag. XI, 1874, p. 52. — Westw. Trans. Ent. Soc. Lond. 1875, p. 235, t. 8, f. 1. — Ohs. Deutsche Ent. Zeitschr. 1900, p. 260. Malakka,
Borneo:
Kinabalu,
Matang;
Sumatra:
Medan

1

Rutela Latr.

Latr. Hist. Nat. Crust. Ins. III, 1802, p. 151; l. c. X, 1804, p. 201; Gen. Crust. et Ins. II, 1807, p. 105. — M'Leay, Horae Ent. I, Append. 1819, p. 154. — Lap. Hist. Nat. Col. II, 1840, p. 120. — Burm. Handb. Ent. IV, 1, 1844, p. 381. — Blanch. Hist. Ins. 1845, p. 218. — Lacord. Gen. Col. III, 1856, p. 352. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 271.

Biologie: Lacord. Ann. scienc. nat. Paris XX, 1830, p. 271. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 202; l. c. 1909, p. 67; Deutsche Ent. Zeitschr. 1908, p. 248 und 399. — Floutiaux, Bull. Jardin colon. nr. XIX, 1904, p. 2.

1. *coerulea*-Gruppe.

- coerulea* Perty, Delect. anim. artic. 1832, p. 50, t. 10, f. 14 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 371 (*Chalcentis*). — F. Bates, Trans. Ent. Soc. Lond. 1904, p. 250 (*Microrutela*). — Ohs. Deutsche Ent. Zeitschr. 1913, p. 508 (*Rutela*). S. Paulo:
Irisanga,
Rio de
Janeiro:
Corcovado
- var. *atra* Ohs. Deutsche Ent. Zeitschr. 1913, p. 508. S. Paulo
- var. *atrohumeralis* Ohs. l. c. p. 508. Goyaz:
Jatahy
- var. *atrorufipes* Ohs. l. c. p. 508. S. Paulo
- var. *coeruleohumeralis* Ohs. l. c. p. 508. Goyaz:
Jatahy

- var. *coeruleorufipes* Ohs. l. c. p. 508. S. Paulo
 var. *coeruleovirens* Ohs. l. c. p. 508. S. Paulo
 var. *cruenta* Ohs. l. c. p. 508. S. Paulo
 var. *cupreooxydata* Ohs. l. c. p. 508. S. Paulo
 var. *ephippiata* Ohs. l. c. p. 508. Sta. Catharina:
 Joinville,
 Theropolis
 var. *flavovittata* Ohs. l. c. p. 508. S. Paulo
 var. *lauta* Perty, Delect. anim. artic. 1832, p. 50, t. 10, f. 15.
 var. *phalerata* Ohs. Deutsche Ent. Zeitschr. 1913, p. 508. Joinville,
 Theropolis
 var. *rubripennis* Ohs. l. c. p. 508. Goyaz:
 Jatahy
 S. Paulo
 var. *sphaerica* Burm. Handb. Ent. IV, 1, 1844, p. 371.
 var. *stapiata* Ohs. Deutsche Ent. Zeitschr. 1913, p. 508. Paraguay
 var. *sumptuosa* Ohs. l. c. p. 508. Mato grosso
 var. *viridicuprea* Ohs. l. c. p. 508. Rio de Janeiro
viridifaurata H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 272. Costarica,
 Columbien,
 Venezuela,
 Guayana,
 Amazonas,
 Peru,
 Ecuador.
- ## 2. *lineola*-Gruppe.
- dimorpha** Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 233; Deutsche Ent. Zeitschr. 1908, p. 400. West-Ecuador:
 Balzambamba,
 Chimbo,
 Pucay
Doreyi Ol. Ent. I, 1789, nr. 5, p. 33, t. 4, f. 41 (*Melolontha*); ed. Illig. II, 1802, p. 55; ed. Sturm. II, 1803, p. 21, t. 61, f. 8. — Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 201. — Schönh. Syn. Ins. I, 3, 1817, p. 258 (*Rutela*). — Lap. Hist. Nat. Col. 1840, p. 121.
gloriosa F. Ent. Syst. I, 2, 1792, p. 153 (*Cetonia*); Syst. Eleuth. II, 1801, p. 158. — Burm. Handb. Ent. IV, 1, 1844, p. 382 (*Rutela*).
formosa Burm. Handb. Ent. IV, 1, 1844, p. 383. Cuba
heraldica Perty, Delect. anim. artic. 1832, p. 50, t. 10, f. 13. — Burm. Handb. Ent. IV, 1, 1844, p. 388. Brasilien:
 Piauhy,
 Rio Jurua;
 Peru,
 Ost-Ecuador
histrion Sahlb. Peric. Ent. V, 1823, t. 1, f. 5. — Lap. Hist. Nat. Col. II, 1840, p. 121. — Burm. Handb. Ent. IV, 1, 1844, p. 385. — Ohs. Berl. Ent. Zeitschr. XLVI, 1903, p. 232; Stett. Ent. Brasilien:
 Küstengebiet und Amazonas,

- Zeit. LXVI, 1905, p. 312; Deutsche Ent. Zeitschr. 1908, p. 400.
 subsp. *bimaculata* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 312.
 subsp. *cayennensis* Ohs. l. c. p. 312.
 subsp. *subandina* Ohs. l. c. p. 312.
- lineola** L. Syst. Nat. ed. 12, I, 2, 1767, p. 552 (*Scarabaeus*); ed. 13 (Gmelin), I, 4, 1788, p. 1576. — Scopoli, Ann. Hist. Nat. V, 1772, p. 82. — De Geer, Mém. Ins. IV, 1774, p. 320, t. 19, f. 5. — Gronov, Zoophyl. Gronov. I, 2, 1774, p. 135. — F. Syst. Ent. I, 1775, p. 46 (*Cetonia*); Spec. Ins. I, 1781, p. 55, Mant. Ins. I, 1787, p. 29; Ent. Syst. I, 2, 1792, p. 137; Syst. Eleuth. I, 1801, p. 145. — Ol. Ent. I, 1789, nr. 6, p. 77, t. 5, f. 28; ed. Illig. II, 1802, p. 197; ed. Sturm II, 1803, p. 98, t. 90, f. 4. — Herbst, Natursyst. Käf. III, 1790, p. 156, t. 26, f. 10 (*Melolontha*). — Latr. Hist. Nat. Crust. et Ins. X, 1804 p. 201 (*Rutela*). — M'Leay, Horae Ent. I, Append. 1819, p. 154. — Lap. Hist. Nat. Col. II, 1840, p. 121. — Blanch. in Cuvier, Règne anim. Ins. 1841, t. 41, f. 5. — Burm. Handb. Ent. IV, 1, 1844, p. 384. — Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 382; Stett. Ent. Zeit. LXVI, 1905, p. 311; Deutsche Ent. Zeitschr. 1908, p. 248.
 var. *hesperus* Drury, Ill. Nat. Hist. III, 1782, p. 61, nr. 3, t. 44, f. 3.
ephippium L. Syst. Nat. ed. 13 (Gmelin), I, 4, 1788, p. 1576 (*Scarabaeus*). — Voet, Cat. syst. Col. ed. Panzer I, 1785, p. 55, t. 9, f. 81. — F. Mant. Ins. I, 1787, p. 29 (*Cetonia*). — Ol. Ent. I, 1789, nr. 6, p. 78, t. 11, f. 106; ed. Illig. II, 1802, p. 197; ed. Sturm II, 1803, p. 98, t. 91, f. 6. — Herbst, Natursyst. Käf. III, 1790, p. 158, t. 26, f. 11 (*Melolontha*). — Burm. Handb. Ent. IV, 1, 1844, p. 385 (*Rutela*).
 var. *surinama* L. Syst. Nat. ed. 12, I, 2, 1767, p. 552; ed. 13 (Gmelin), I, 4, 1788, p. 1572. — Gronov, Zoophyl. Gronov. I, 2, 1774, p. 135. — Ol. Ent. I, 1789, nr. 6, p. 78, t. 11, f. 104; ed. Illig. II, 1802, p. 199; ed. Sturm II, 1803, p. 99, t. 90, f. 5. — Burm. Handb. Ent. IV, 1, 1844, p. 384.
unungula Herbst, Natursyst. Käf. III, 1790, p. 160, t. 26, f. 13.
pygidialis Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 310.
sanguinolenta Ch. Waterh. Entom. Monthly Mag. XI, 1874, p. 53. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 271.
 var. *rufipennis* Ch. Waterh. Ent. Monthly Mag. XI, 1874, p. 54.
specularis H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 271, t. 15, f. 20.
tricolora Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 310.
- Guayana,
 Ecuador
 Amazonas:
 Tarapote
 Cayenne
 Östl. Bolivia
 und Peru
 Guayana,
 Trinidad,
 Amazonas,
 Ostabhang
 der Anden
 von Colum-
 bien bis
 Bolivien,
 Paraguay,
 Argentinien,
 Brasilien:
 Kamp-
 gebiet und
 Küsten-
 gebirge
- Brasilien
- Guayana
- Panama
 Columbien
- Mexico:
 Playa
 Vicente
 Venezuela,
 Colum-
 bien, Peru,
 Amazonas

- versicolor** Latr. Voy. Humboldt, Obs. Zool. Ins. II, 1833, p. 62, t. 34, f. 3. — Burm. Handb. Ent. IV, 1, 1844, p. 551. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 399. Venezuela,
Columbien,
Ecuador
- tricolor* Guér. Voy. Favorite, Mag. Zool. cl. 9, 1839, p. 55. — Burm. Handb. Ent. IV, 1, 1844, p. 387.
- vetula** Ohs. Deutsche Ent. Zeitschr. 1913, p. 509. Ecuador:
Coca

3. *striata*-Gruppe.

- glabrata** F. Spec. Ins. I, 1781, p. 34 (*Cetonia*); Mant. Ins. I, 1787, p. 20; Ent. Syst. I, 2, 1789, p. 133; Syst. Eleuth. II, 1801, p. 143. — L. Syst. Nat. ed. 13 (Gmelin), I, 4, 1788, p. 1570 (*Scarabaeus*). — Ol. Ent. I, 1789, nr. 6, p. 70, t. 9, f. 80 (*Cetonia*); ed. Illig. II, 1802, p. 191; ed. Sturm II, 1803, p. 93, t. 88, f. 2. — Schönh. Syn. Ins. I, 3, 1817, p. 152 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 382. Antillen
- jamaicensis* Thunb. Mém. Acad. Petrop. VIII, 1822, p. 313, t. 10, f. 6. Jamaica
- laeta** Weber, Obs. Ent. 1801, p. 68 (*Cetonia*). — Burm. Handb. Ent. IV, 1, 1844, p. 384 (*Rutela*). Amazonas,
Guayana,
Venezuela
- Weberi* Schönh. Syn. Ins. I, 3, 1817, p. 143.
- striata** Ol. Ent. I, 1789, nr. 6, p. 79, t. 11, f. 102 (*Cetonia*); ed. Illig. II, 1802, p. 199; ed. Sturm II, 1803, p. 99, t. 90, f. 6. — F. Ent. Syst. I, 2, 1792, p. 137; Syst. Eleuth. II, 1801, p. 146. — Schönh. Syn. Ins. I, 3, 1817, p. 153 (*Rutela*). — Lap. Hist. Nat. Col. II, 1840, p. 120. — Burm. Handb. Ent. IV, 1, 1844, p. 386. Guadelupe
- var. *guadulpensis* Lap. Hist. Nat. Col. II, 1840, p. 120. Guadelupe
- var. *marginicollis* Lap. l. c. p. 120. „
- 17

Cnemida Kirby.

- Kirby, Zool. Journ. III, 1827, p. 146. — Lap. Hist. Nat. Col. II, 1840, p. 123. Burm. Handb. Ent. IV, 1, 1844, p. 378. — Lacord. Gen. Col. III, 1856, p. 351. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 272. Biologie: Ohs. Stett. Ent. Zeit. LXX, 1909, p. 126.
- aterrima** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 272, t. 15, f. 21. Mexico,
Guatemala,
Nicaragua
- ephippiata** Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 295. Amazonas
- intermedia** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 272. Nicaragua,
Panama,
NW-
Ecuador
- lacerata** Germ. Ins. spec. nov. I, 1824, p. 119 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 380 (*Cnemida*). — Ohs. Deutsche Ent. Zeitschr. 1908, p. 248. Brasilien:
Küsten-
gebirge von
Bahia bis
Sta. Catha-
rina

- Cursiti* Kirby, Zool. Journ. III, 1827, p. 148, t. 5, f. 3 ♀.
retusa Lap. Hist. Nat. Col. II, 1840, p. 123.
Sparshalli Kirby, Zool. Journ. III, 1827, p. 148, t. 5, f. 2 ♂.
- Leprieuri** Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899, p. 367. Amazonas, Surinam
- retusa* F. Syst. Eleuth. II, 1801, p. 133 (*Trichius*). — Schönh. Syn. Ins. I, 3, 1817, p. 155. — Burm. Handb. Ent. IV, 1, 1844, p. 379 (*Cnemida*). — Ohs. Deutsche Ent. Zeitschr. 1908, p. 399. Guayana, Venezuela, Ecuador, Peru, Bolivien, Brasilien
- cayennensis* Lap. Hist. Nat. Col. II, 1840, p. 123.
Francilloni Kirby, Zool. Journ. III, 1827, p. 147, t. 5, f. 1.
picta Guér. Icon. règne anim. Ins. 1827, t. 5, f. 2 ♂ (*Ometis*).

6

11. Subtribus **Fruhstorferiina.****Fruhstorferia** Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 3.

- anthracina* Ohs. Deutsche Ent. Zeitschr. 1903, p. 225. Tonkin: Mauson
- birmanica* Arrow, Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 354. Birma: Rubinminen
- javana* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 6, fig. W. Java: Kawio-Berg
- sexmaculata* Kraatz, Deutsche Ent. Zeitschr. 1900, p. 367. — Ohs. I. c. 1901, p. 129. Tonkin: Mauson
- var. *Dohertyi* Ohs. I. c. 1905, p. 98. Birma
- yunnana* Ohs. I. c. 1911, p. 334; I. c. 1913, p. 509. Yunnan: Tonkin: Laokai

5

12. Subtribus **Antichirina.****Chlorota** Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 359; I. c. V, 1847, p. 570; I. c. IV, 2, 1855, p. 518. — Blanch. Hist. Ins. I, 1845, p. 218. — Lacord. Gen. Col. III, 1856, p. 347. — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 551. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 268. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 44; I. c. LXVI, 1905, p. 304.

Biologie: Ohs. Deutsche Ent. Zeitschr. 1908, p. 248 und 399.

1. *terminata*-Gruppe.

- aulica* Burm. Handb. Ent. IV, 1, 1844, p. 364. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 248. Brasilien: Küstengebirge

- ♀ *virens* Blanch. Cat. Coll. Ent. Col. 1850, p. 208. — Lucas, Voy. Castelnau, Ent. 1857, p. 126, t. 8, f. 1.
- enprea* Burm. Handb. Ent. IV, 1. 1844, p. 365. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 57. Brasilien: Küstengebirge
- diaspis* Dohrn, Stett. Ent. Zeit. XLII, 1881, p. 447.
- Dohrni* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 54 (*Diabasis*); Berl. Ent. Zeitschr. XLVIII, 1903, p. 232. O. Ecuador: Baños
- var. *auricollis* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 54.
- var. *violacea* Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 232.
- funesta* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 227. W. Ecuador: Llanos Guayana
- haemorrhoidalis* Ol. Ent. I. 1789, nr. 5, p. 79, t. 10, f. 120 (*Melolontha*); ed. Illig. II, 1802, p. 104; ed. Sturm. II, 1803, p. 49, t. 68, f. 9. — Burm. Handb. Ent. IV, 1, 1844, p. 364; l. c. IV, 2, 1855, p. 512.
- ? *marginata* Lap. Hist. Nat. Col. II, 1840, p. 112 (*Pelidnota*).
- subsp. *solimoensis* Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 307. S. Paulo d'Olivença
- Lesnei* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 294. Cayenne: St. Laurent
- surinama* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 58. Surinam
- terminata* Serv. Encycl. méth. X, 1825, p. 317 (*Rutela*). — Lap. Hist. Nat. Col. II, 1840, p. 122 (*Pelidnota*). — Burm. Handb. Ent. IV, 1, 1844, p. 364 (*Chlorota*); l. c. IV, 2, 1855, p. 519. — H. Bates, Biol. Centr.-Am. Col. II, 2, 1888, p. 269, t. 15, f. 14. — Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 231; Stett. Ent. Zeit. LXVI, 1905, p. 308; l. c. LXXIII, 1912, p. 287. Cayenne
- subspec. *boliviana* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 290. Bolivien: Sta. Cruz
- subspec. *chiriquina* Ohs. l. c. p. 289. Panama: Chiriqui
- subspec. *columbica* Ohs. l. c. p. 290. Columbien
- subspec. *espiritasantensis* Ohs. l. c. p. 292. Espirito Santo
- subspec. *guatemalensis* Ohs. l. c. p. 288. Guatemala: Coban
- subspec. *jivarana* Ohs. Deutsche Ent. Zeitschr. 1913, p. 510. Ecuador: Sarayacu
- subspec. *panamensis* Ohs. Stett. Ent. Zeit. LXXIII, p. 290. Panama
- subspec. *paulistana* Ohs. l. c. p. 291. S. Paulo, Bahia
- subspec. *surinamensis* Ohs. nom. nov. Surinam
- surinama* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 292.
- vitrina* Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 551. Ecuador: Chiguinda

2. *chalconota*-Gruppe.

- chalconota* Burm. Handb. Ent. IV, 1. 1844, p. 363. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 248. Brasilien: Küstengebirge
- metallica* Burm. Handb. Ent. IV, 1. 1844, p. 363. Guayana

3. *limbaticollis*-Gruppe.

- bidentata* Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 552. Columbien:
Tolima
- caucana* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 308. Columbien:
Cauca
- limbaticollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 208. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 269, t. 15, f. 16. Mexico bis
Honduras
- subspec. *cincticollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 208. Mexico
- subspec. *flavicollis* H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 269, t. 15, f. 15. Panama:
Bugaba
- subspec. *meridionalis* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 294. Columbien.
Venezuela
- nasuta* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 309. Bolivia:
Chaco
- rugans* Ohs. l. c. LXXIII, 1912, p. 285. Columbien:
Pache
- tristis* Arrow, Trans. Ent. Soc. Lond. 1900, p. 178. Ins. St.
Vincent

4. *Mathildae*-Gruppe.

- Mathildae* Ohs. Deutsche Ent. Zeitschr. 1908, p. 397. Ecuador:
Casanga
- 18

Diabasis Burm.

- Burm. Handb. Ent. IV, 1. 1844, p. 366.
- coeruleescens* Burm. l. c. p. 367. Columbien
- 1

Thyriochlorota Ohs.

- Ohaus, Deutsche Ent. Zeitschr. 1915, p. 260.
- Biologie: Ohs. l. c. 1908, p. 396.

1. *Jordani*-Gruppe.

- auriceps* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 300 Neu-
(*Dorystethus*). Granada
- castanipennis* Ohs. l. c. p. 299 (*Dorystethus*). Ecuador
- subspec. *unicolor* Ohs. l. c. LXXIII, 1912, p. 275. Ecuador:
Sta. Inez
- flavofemorata* Kirsch, Berl. Ent. Zeitschr. XXIX, 1885, p. 221 (*Chlorota*). Ecuador:
Penipe
- Jordani* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 300 Ecuador:
(*Dorystethus*); l. c. LXX, 1909, p. 105; Deutsche Ent. Zeitschr. 1908, p. 396. Ost-
cordillere
von Loja
- pllosula* Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 544 Ecuador:
(*Antichira*). Chiguinda
- puberula* Ch. Waterh. l. c. p. 544 (*Antichira*). Neu-
Granada

- rotundata** Blanch. Cat. Coll. Ent. Col. 1850, p. 208 Neu-
(*Chlorota*). Granada
villosa Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 304 Peru:;
(*Dorystethus*). Huanca-
bamba

2. *aerea*-Gruppe.

- aerea** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 551 Ecuador
(*Chlorota*).
chibchana Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 283 Columbien:
(*Chlorota*). Manizales
specularis Ohs. l. c. p. 284 (*Chlorota*). Columbien:
Rio Dagua

11

Thyridium Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 367; l. c. IV, 2, 1855, p. 519. — Lacord. Gen. Col. III, 1856, p. 347. — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 545. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 268. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 44.

Biologie: Ohs. Deutsche Ent. Zeitschr. 1908, p. 248 u. 396.

1. *flavipenne*-Gruppe.

- bogotense** Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 368 Columbien:
(*Chlorota*). Bogota
Buchwaldi Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 278. Ecuador:
Oriente
cyanipes Ch. Waterh. Trans. Ent. Soc. Lond. 1881, Columbien
p. 548.
cyanitarse Blanch. Cat. Coll. Ent. Col. 1850, p. 207. Neu-
Granada,
Columbien:
Rio Dagua
deplanatum Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 281. Columbien
diversipes Ohs. l. c. p. 282. Bolivien:
Muña
Feyeri Ohs. l. c. p. 279. Ecuador:
Pastassa
flavipenne Burm. Handb. Ent. IV, 1, 1844, p. 368. — Brasilien:
Lucas, Voy. Castelnuau, Ent. 1857, p. 125, t. 7, Rio de
f. 8. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 248. Janeiro
hirtum Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 367. Columbien
bis Bolivien
impunctatum H. Bates, in Whymper, Trav. And. Equator Ecuador:
App. 1891, p. 29. — Ohs. Deutsche Ent. Zeitschr. Nanegal;
1908, p. 396. Sto.
Domingo
lineatum Murray, Edinb. N. Philos. Journ. V, 1857, Ecuador
p. 225 (*Chlorota*). — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 550 (*Thyridium*).
nlgriventre Ohs. Deutsche Ent. Zeitschr. 1908, p. 396. Ecuador:
Sabanilla,
Sta. Inez

- oblongum** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 302.
saphirinum Nonfr. Verh. zool.-bot. Ges. Wien XXXIX, 1889, p. 534 (*Antichira*).
seminectum H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 268, t. 15, f. 13.
violaceipes Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 302.

- Peru:
 Chancha-
 mayo
 Columbien:
 Quilchas
 Panama:
 Chiriqui
 Venezuela

2. *cupriventre*-Gruppe.

- anomala** Burm. Handb. Ent. IV, 2, 1855, p. 520.
cupriventre Blanch. Cat. Coll. Ent. Col. 1850, p. 207. —
 Burm. Handb. Ent. IV, 2, 1855, p. 520.
punctatissimum Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 549.
Sommeri Ch. Waterh. l. c. p. 545.

- Brasilien:
 Neu
 Freiburg
 Venezuela:
 Caracas
 Venezuela
 Brasilien

3. *punctiventre*-Gruppe.

- caucanum** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 303.
marginicolle Ohs. l. c. p. 303.
punctiventre Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 550. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 396.

- Columbien:
 Cauca
 Columbien:
 Cauca;
 Ecuador:
 Riobamba
 Ecuador:
 Oriente

23

Crathoplus Blanch.

- Blanch. Cat. Coll. Ent. Col. 1850, p. 209. — Lacord. Gen. Col. III, 1856, p. 363. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 45.
squamiferus Blanch. Cat. Coll. Ent. Col. 1850, p. 209. — Lacord. Gen. Col. III, 1856, p. 363, t. 34, f. 3. — Lucas, Voy. Castelnu, Ent. 1857, p. 126, t. 7, f. 7. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 45.

- Brasilien:
 Minas
 geraes,
 Espirito
 Santo,
 S. Paulo

furfurosum Burm. Handb. Ent. IV, 2, 1855, p. 519 (*Thyridium*).

1

Parathyridium Ohs.

- Ohaus, Deutsche Ent. Zeitschr. 1915, p. 260.
microcephaloides Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 301 (*Dorystethus*).
sulcatum Ohs. l. c. p. 302 (*Dorystethus*).

- Columbien:
 Cauca
 Columbien:
 Cauca
 Columbien:
 Cauca

var. *erubescens* Ohs. Deutsche Ent. Zeitschr. 1914, p. 511.

2

Hypaspidius Arrow.

Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899, p. 365.

- Belti** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 270, t. 15, f. 17 (? *Chlorota*). — Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899, p. 365. Nicaragua:
Chontales;
Panama:
Chiriqui
- costatus** Burm. Handb. Ent. IV, 1, 1844, p. 362 (*Chlorota*).
- crassus** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 54 (*Antichira*): Berl. Ent. Zeitschr. XLVIII, 1903, p. 231. Peru
Panama,
? Brasilien,
Columbien:
Frontino;
Ecuador:
Baños
Ecuador:
Macas
- subspec. *fuscolineatus* Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 306.

3

Acraspedon Arrow.

Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899, p. 364.

- sulcipennis** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 543 (*Antichira*). — Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899, p. 364. Ecuador:
Chiguinda,
Macas;
Bolivien:
Songo

1

Platyrutela H. Bates.

H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 262.

- cribrata** H. Bates, l. c. p. 262, t. 15, f. 1. — Ohs. Stett. Ent. Zeit. LXXVI, 1905, p. 304. Costarica
- var. *rufescens* Ohs. Deutsche Ent. Zeitschr. 1913, p. 211. „

1

Chalcentis Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 369. — Lacord. Gen. Col. III, 1856, p. 353.

- vietnana** Burm. Handb. Ent. IV, 1, 1844, p. 370. Brasilien:
S. Paulo,
Espirito
Santo

1

Calomacraspis H. Bates.

H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 264.

- concinna** Blanch. Cat. Coll. Ent. Col. 1850, p. 204 (*Antichira*). — Burm. Handb. Ent. IV, 2, 1855, p. 517 (*Macraspis*). — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 265, t. 15, f. 6. Mexico

- Haroldi** Cand. Col. Hefto V, 1869, p. 43 (*Antichira*). — Guatemala
H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, bis NW
p. 265, t. 15, f. 7. Ecuador
- nigripennis** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, Amazonas:
p. 264. Ega
- splendens** Burm. Handb. Ent. IV, 1, 1844, p. 345 Mexico
(*Macraspis*). — H. Bates, Biol. Centr.-Amer.
Col. II, 2, 1888, p. 264, t. 15, f. 4—5.
- 4
- Ptenomela** H. Bates.
- H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 267. — Arrow, Ann. Mag
Nat. Hist. (7) IV, 1899, p. 363.
- Biologie: Ohs. Deutsche Ent. Zeitschr. 1908, p. 396.
- Blanchardi** Kirsch, Berl. Ent. Zeitschr. XIV, 1870, Columbien:
p. 266 (*Thyridium*). — Arrow, Ann. Mag. Nat. Cauca
Hist. (7) IV, 1899, p. 363. — Ohs. Deutsche
Ent. Zeitschr. 1908, p. 396.
- var. *violacea* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 59. Columbien:
Cauca
- columbica** Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 305. Columbien:
Bogota
- euchloroides** Murray, Edinb. N. Philos. Journ. V, 1857, Ecuador:
p. 227 (*Chlorota*). — Arrow, Ann. Mag. Nat. Hist. Quito
(7) IV, 1899, p. 363.
- glauca** Blanch. Cat. Coll. Ent. Col. 1850, p. 207. — Arrow, Neu-
Ann. Mag. Nat. Hist. (7) IV, 1899, p. 363. Granada
- gratiosa** Sharp, Journ. Linn. Soc. Lond. XIII, 1877, Nicaragua,
p. 183. Panama
- Helieri** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 295 (*Anti- Ecuador:
chira*). Riobamba
- lineatipennis** Ohs. Ann. Soc. Ent. Belg. LII, 1908, Columbien:
p. 306. Esmeralda
- psittacina** Burm. Handb. Ent. IV, 1, 1844, p. 366 Cayenne:
(*Chlorota*); l. c. IV, 2, 1855, p. 518 (*Macraspis*). Maroni
— Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899,
p. 363.
- punctata** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, Venezuela
p. 546 (*Thyridium*). — Arrow, Ann. Mag. Nat.
Hist. (7) IV, 1899, p. 363.
- scutellata** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, ? Brasilien
p. 547 (*Thyridium*). — Arrow, Ann. Mag. Nat.
Hist. (7) IV, 1899, p. 363.
- sodalis** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, Ecuador
(*Thyridium*). — Arrow, Ann. Mag. Nat. Hist.
(7) IV, 1899, p. 363.

11

Paramacraspis Ohs.

Ohs. Deutsche Ent. Zeitschr. 1915, p. 260.

- hemichlora** Lap. Hist. Nat. Col. II, 1840, p. 118 (*Macraspis*). — Brasilien:
Burm. Handb. Ent. IV, 1, 1844, p. 356. — Küsten-
Ohs. Deutsche Ent. Zeitschr. 1908, p. 247. gebirge
- var. *nigripennis* Ohs. Stett. Ent. Zeit. LXVI, Espirito
1905, p. 293. Santo

1

Pseudomacraspis Ohs.

Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 229.

Biologie: Ohs. Deutsche Ent. Zeitschr. 1908, p. 396.

- affinis** Lap. Hist. Nat. Col. II, 1840, p. 118 (*Macraspis*).
— Ohs. Stett. Ent. Zeit. LIX, 1898, p. 58;
l. c. LXVI, 1905, p. 293; Berl. Ent. Zeitschr.
XLVIII, 1903, p. 231; Deutsche Ent. Zeitschr.
1908, p. 396.
prasina Burm. Handb. Ent. IV, 1, 1844, p. 357
(*Macraspis*).
- beryllina** Er. Arch. Naturgesch. XIII, 1847, 1, p. 98
(*Macraspis*).
- cayennensis** Ohs. Berl. Ent. Zeitschr. XLVIII, 1903,
p. 229; Stett. Ent. Zeit. LXXIII, 1912, p. 273.
var. *carbonaria* Ohs. l. c. p. 274.
- cupripennis** Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 303.
- imitatrix** Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 229;
Stett. Ent. Zeit. LXXIII, 1912, p. 274.
var. *variicollis* Ohs. l. c. p. 274.
- modesta** Ch. Waterh. Trans. Ent. Soc. Lond. 1881,
p. 535 (*Antichira*).

6

Aequatoria Arrow.

Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899, p. 364.

- associata** Ch. Waterh. Trans. Ent. Soc. Lond. 1881,
p. 553 (*Chlorota*). — Arrow, Ann. Mag. Nat.
Hist. (7) IV, 1899, p. 364.
- pretiosa** Brème, Ann. Soc. Ent. France (2) II, 1844,
p. 303, t. 8, f. 3 (*Macraspis*). — Burm. Handb.
Ent. IV, 2, 1855, p. 518. — Arrow, Ann. Mag.
Nat. Hist. (7) IV, 1899, p. 364. — Ohs. Deutsche
Ent. Zeitschr. 1908, p. 396.
- violacea** Ohs. l. c. p. 398 (*Chlorota*).

3

Vayana Ohs.

Ohs. Deutsche Ent. Zeitschr. 1915, p. 260.

- bicolor** Ol. Ent. I, 1789, nr. 6, p. 70, t. 11, f. 109 (*Cetonia*);
ed. Illig. II, 1802, p. 191; ed. Sturm II, 1803,
p. 93, t. 88, f. 1. — Schönh. Syn. Ins. I, 3, 1817,
p. 148 (*Rutela*). — Burm. Handb. Ent. IV, 1,
1844, p. 358 (*Macraspis*).

1

Antichira Eschz.

Eschz. Mém. Acad. St. Petersb. VI, 1818, p. 475 (*Anticheira*). — Lap. Hist. Nat. Col. II, 1840, p. 117 (*Macraspis partim*). — Burm. Handb. Ent. IV, 1, 1844, p. 343 (*Macraspis partim*). — Lacord. Gen. Col. III, 1856, p. 345. — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 535. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 265. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 46. — Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899, p. 366.

Dorysthetus Blanch. Hist. Ins. I, 1845, p. 218; Cat. Coll. Ent. Col. 1850, p. 207. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 293. Biologie; Ohs. Deutsche Ent. Zeitschr. 1908, p. 247.

1. *virens*-Gruppe.

- virens** Drury, Ill. Nat. Hist. II, 1773, p. 54, t. 30, f. 3 (*Scarabaeus*). — Goeze, Ent. Beitr. I, 1777, p. 113. — Herbst, Natursyst. Käf. III, 1790, p. 162, t. 27, f. 2 (*Melolontha*).
smaragdula F. Syst. Ent. 1775, p. 45 (*Cetonia*); Spec. Ins. I, 1781, p. 53; Mant. Ins. I, 1787, p. 28; Ent. Syst. I, 2, 1792, p. 134. — Ol. Ent. I, 1789, nr. 6, p. 73, t. 10, f. 90; ed. Illig. II, 1802, p. 193; ed. Sturm II, 1803, p. 95, t. 89, f. 2.
smaragdina L. Syst. Nat. ed. 13 (Gmelin), I, 4, 1783—93, p. 1579.
 subsp. *subandina* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 275.
- Cayenne,
 Surinam,
 Obidos
- Amazonas:
 S. Antonio
 d'Issa;
 Ecuador:
 Pastassa

2. *capucina*-Gruppe.

- campisilvaticea** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 294.
- capucina** F. Mant. Ins. I, 1787, p. 28 (*Cetonia*); Ent. Syst. I, 2, 1792, p. 132; Syst. Eleuth. II, 1801, p. 141. — Herbst, Natursyst. Käf. III, 1790, p. 183 (*Melolontha*). — Schönh. Syn. Ins. I, 3, 1817, p. 157 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 341 (*Macraspis*). — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 56 (*Antichira*).
gigas Lap. Hist. Nat. Col. II, 1840, p. 117 (*Macraspis*).
rubiginosa Burm. Handb. Ent. IV, 1, 1844, p. 366 (*Macraspis*).
 var. *convexa* Ol. Entom. I, 1789, nr. 6, p. 72, t. 6, f. 48 (*Cetonia*); ed. Illig. II, 1802, p. 193; ed. Sturm II, 1803, p. 95, t. 89, f. 1. — Schönh. Syn. Ins. I, 3, 1817, p. 156 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 361 (*Chlorota*). — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 56.
bicolor Herbst, Natursyst. Käf. III, 1790, p. 147, t. 26, f. 4 (*Melolontha*). — Voet, Cat. syst. Col. ed. Panzer I, 1785, p. 45, t. 8, f. 66.
- Guayana,
 Trinidad,
 Amazonas,
 Mato
 grosso
 Cayenne

- Francisca* F. Ent. Syst. Suppl. 1798, p. 129 (*Celonia*); Syst. Eleuth. II, 1801, p. 141. —
Schönh. Syn. Ins. I, 3, 1817, p. 152 (*Rutela*).
Francisci L. Syst. Nat. ed. 13 (Gmelin), I, 4,
1789—93, p. 1580 (*Scarabaeus*). — Schönh.
Syn. Ins. I, 3, 1817, p. 157 (*Rutela*).
imperator Lap. Hist. Nat. Col. II, 1840, p. 117
(*Macraspis*).
hirtipes Burm. Handb. Ent. IV, 1, 1844, p. 366 (*Chlorota*).
Brasilien:
Minas
geraes.
Goyaz,
Mato
grosso
3. *inaurata*-Gruppe.
- Adamsi** Ch. Waterh. Ann. Mag. Nat. Hist. (5) XVII,
1886, p. 498.
subsp. *goyana* Ohs. Stett. Ent. Zeit. LXVI, 1905,
1905, p. 295.
andicola Ohs. l. c. p. 298 (*Dorystethus*).
Columbien,
Ecuador
Goyaz:
Jataly
Andengebiet
von
Bolivien
bis
Columbien
- brullei** Lap. Hist. Nat. Col. II, 1840, p. 118 (*Macraspis*).
— Ohs. Stett. Ent. Zeit. LIX, 1898, p. 53;
Deutsche Ent. Zeitschr. 1908, p. 247.
columbica Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 299
(*Dorystethus*).
corrusca Serv. Encycl. méth. X, 1825, p. 317 (*Rutela*). —
Burm. Handb. Ent. IV, 1, 1844, p. 550. — Ohs.
Stett. Ent. Zeit. LXXIII, 1912, p. 275.
generosa Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 541.
inaurata Burm. Handb. Ent. IV, 1, 1844, p. 360 (*Chlorota*).
— Ohs. Deutsche Ent. Zeitschr. 1908, p. 247.
Nevinsoni W. Fowler, Ent. Monthly Mag. (2) XVII,
1906, p. 98.
Cayenne
Cayenne
Rio de
Janeiro
Peru:
Yuri-
magnas
Neu-
Granada
- polita** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 540.
taeniata Perty, Delect. anim. artic. 1830, p. 52, t. 11, f. 7. —
Burm. Handb. Ent. IV, 1, 1844, p. 356. —
Kirsch. Berl. Ent. Zeitschr. XVII, 1873, p. 342. —
Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 296.
subspec. *amazonica* Ohs. l. c. p. 296.
subspec. *cayennensis* Ohs. l. c. p. 297.
subspec. *peruana* Ohs. l. c. p. 297.
subspec. *surinameensis* Ohs. l. c. p. 296.
Amazonas:
Ega
Cayenne
Peru:
Chan-
chamayo
Surinam

4. *chlorophana*-Gruppe.

- calcarata** Spin. in Silberm. Rev. ent. III, 1835, p. 130,
t. 33 (*Rutela*). — Burm. Handb. Ent. IV, 1,
1844, p. 346 (*Macraspis*). — Ohs. Deutsche Ent.
Zeitschr. 1908, p. 247.
Brasilien:
Küsten-
gebirge:
Paraguay

- smaragdula* Lap. Hist. Nat. Col. II, 1840, p. 118
(*Macraspis*).
- chlorophana** Burm. Handb. Ent. IV, 1, 1844, p. 358
(*Macraspis*). — Ohs. Stett. Ent. Zeit. LXVI,
1905, p. 297 (*Dorystethus*). Rio de Janeiro
- coerulescens** Blanch. Cat. Coll. Ent. Col. 1850, p. 205. Cayenne
- cuprina** Lap. Hist. Nat. Col. II, 1840, p. 117 (*Macraspis*).
morosa Burm. Handb. Ent. IV, 1, 1844, p. 365
(*Chlorota*). Cayenne
- esperitosantensis** Ohs. Stett. Ent. Zeit. LXVI, 1905,
p. 298 (*Dorystethus*). Espirito Santo
- fulgida** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 542. —
Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 231. Amazonas,
Peru.
Ecuador
- Hoehnei** Ohs. Deutsche Ent. Zeitschr. 1914, p. 304. Ost Peru:
Pozuzu
- isthmica** Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899,
p. 366. Nicaragua,
Panama
- chlorophana* H. Bates, Biol. Centr.-Amer.
Col. II, 2, 1888, p. 267.
- jodiella** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888,
p. 267, t. 15, f. 11. Panama:
Chiriqui
- var. *nigra* Ohs. Berl. Ent. Zeitschr. XLVIII,
1903, p. 231. Panama,
Columbiën,
Ecuador
- maxima** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 299
(*Dorystethus*). Columbiën,
Ecuador
- planipennis** Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 365.
Columbiën:
Bogota
- subsp. *boliviana* Ohs. Ann. Soc. Ent. Belg. LII,
1908, p. 304 (*Dorystethus*). Bolivia:
Rio Madre
de Dios
- signatipennis** Ohs. l. c. p. 303. Peru,
Ecuador
- specularis** Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 276
(*Dorystethus*). Rio de Janeiro
- subaenea** Burm. Handb. Ent. IV, 1, 1844, p. 347
(*Macraspis*). — Ohs. Deutsche Ent. Zeitschr.
1908, p. 247. Rio de Janeiro
- subsp. *fluminensis* Ohs. Stett. Ent. Zeit. LXVI,
1905, p. 294. Rio de Janeiro
- substriata** Ch. Waterh. Trans. Ent. Soc. Lond. 1881,
p. 541. — Ohs. Stett. Ent. Zeit. LXVI, 1905,
p. 299. Amazonas:
Para
- subsp. *lineatopennis* Ohs. Stett. Ent. Zeit.
LXXIII, 1912, p. 278. Surinam
- subsp. *speculicollis* Ohs. l. c. p. 278. Ober-
Amazonas

29

Telaugis Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 336; l. c. IV, 2, 1855, p. 516. — Lacord.
Gen. Col. III, 1856, p. 342. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 43,

aenescens Burm. Handb. Ent. IV, 1, 1844, p. 337. — Cayenne,
Lacord. Gen. Col. III, 1856, p. 343, t. 33, f. 5. Obidos

Paratelaugis Ohs.

Ohs. Deutsche Ent. Zeitschr. 1915, p. 260.

- robusta** Kirsch. Berl. Ent. Zeitschr. XIV. 1870, p. 364 Panama,
(*Antichira*). Colum-
bien,
Ecuador
- 1

Macraspis M'Leay.

W. M'Leay, Horae Ent. I, 1819, p. 156. — Latr. in Cuv. Règne Anim. IV, 1829, p. 553. — Lap. Hist. Nat. Col. II, 1840, p. 117. — Burm. Handb. Ent. IV, 1, 1844, p. 343; l. c. IV, 2, 1855, p. 517. — Blanch. Hist. Ins. I, 1845, p. 218. — Lacord. Gen. Col. III, 1856, p. 345 (*Antichira partim*). — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 46. — Arrow, Ann. Mag. Nat. Hist. (7) IV, 1899, p. 367.

Biologie: Lacord. Ann. scienc. nat. Paris XX, 1830, p. 270. — Ohs. Stett. Ent. Zeit. LX, 1899, p. 204; l. c. LXI, 1900, p. 164; LXX, 1909, p. 127 u. 128; Deutsche Ent. Zeitschr. 1908, p. 245 u. 393.

1. *chrysis*-Gruppe.

- assimilis** Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 302. Peru:
Pozuzu
- bicineta** Burm. Handb. Ent. IV, 1, 1844, p. 351. Peru,
Bolivien,
Goyaz
- var. *dimidiata* Ohs. Deutsche Ent. Zeitschr. 1913,
p. 511. Peru:
Pozuzu
- var. *flavipeunis* Ohs. Stett. Ent. Zeit. LXVI,
1905, p. 293. Chancha-
mayo
- catomelaena** C. Dohrn, Stett. Ent. Zeit. XLVI, 1885, p. 79 Panama,
(*Antichira*). — H. Bates, Biol. Centr.-Amer. Col. Colum-
bien,
NW-
Ecuador
- chloraspis** Lap. Hist. Nat. Col. II, 1840, p. 118. — Cayenne,
Burm. Handb. Ent. IV, 1, 1844, p. 359. — Ohs. Amazonas,
Deutsche Ent. Zeitschr. 1908, p. 394. Peru.
Ecuador
- chrysis** L. Mus. Ludov. Utr. 1764, p. 21 (*Scarabaeus*): Guayana,
Syst. Nat. ed. 12, I, 3, 1767, p. 551. — De Geer, Strom-
Mém. Ins. IV, 1774, p. 319, t. 19, f. 4. — F. Syst. gebiet des
Ent. 1775, p. 44 (*Cetonia*): Spec. Ins. I, 1781, Amazonas
p. 52; Mant. Ins. I, 1787, p. 28; Ent. Syst. I, 2,
1792, p. 131; Syst. Eleuth. II, 1801, p. 140. —
Gronov, Zoophyl. Gronov. I, 3, 1781, p. 428,
t. 15, f. 8 (*Scarabaeus*). — Voet, Cat. syst. Col.
ed. Panzer I. 1785, p. 44, t. 8, f. 63—64. —
Ol. Ent. I, 1789, nr. 6, p. 76, t. 4, f. 19 (*Cetonia*);
ed. Illig. II, 1802, p. 196; ed. Sturm II, 1803,
p. 97, t. 90, f. 2. — Herbst, Natursyst. Käf. III,
1790, p. 149, t. 26, f. 6 (*Melolontha*). — Latr.
Hist. Nat. Crust. et Ins. X, 1804, p. 202 (*Rutela*);
Gen. Crust. et Ins. II, 1807, p. 106. — Illig.
Mag. Ins. IV, 1805, p. 71 (*Cetonia*). — Schönh.

- Syn. Ins. I, 3, 1817, p. 155 (*Rutela*). — W. M'Leay, Horae Ent. I, 1819, p. 154 (*Macraspis*). — Lap. Hist. Nat. Col. II, 1840, p. 118. — Burm. Handb. Ent. IV, 1, 1844, p. 347. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 395.
- concoloripes** Blanch. Cat. Coll. Ent. Col. 1850, p. 205 (*Antichira*). — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 536. Bolivien, Peru
- Desmaresti** Waterh. l. c. p. 540 (*Antichira*). — Ohs. Deutsche Ent. Zeitschr. 1908, p. 395. Ecuador: Oriente
- lateralis** Ol. Entom. I, 1789, nr. 6, p. 80, t. 3, f. 13 (*Cetonia*); ed. Illig. II, 1802, p. 200; ed. Sturm II, 1803, p. 101, t. 91, f. 2. — Schönh. Syn. Ins. I, 3, 1817, p. 156 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 350. Cayenne, Amazonas
- virens** F. Syst. Eleuth. II, 1801, p. 141 (*Cetonia*).
var. *cincticollis* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 52.
var. *immaculata* Ohs. l. c. p. 52. Para, Ega
- maculata** Burm. Handb. Ent. IV, 1, 1844, p. 351. — Lucas, Voy. Castelnau, Ent. 1857, p. 124, t. 7, f. 6. Para, Ega
Strom-
gebiet des
Amazonas
und Brasil
Kamp-
gebiet
- stirpita** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 139. Ost-Peru:
Pozuzu
- trifida** Burm. Handb. Ent. IV, 1, 1844, p. 350.
var. *taetrica* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 140. Columbien:
Bogota
- viridifcuprea** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 51. Venezuela,
Colum-
bien
- xanthostieta** Burm. Handb. Ent. IV, 1, 1844, p. 359. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 395. Cayenne,
Amazonas,
Ecuador
- var. *unicincta* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 52. Peru:
Oriente

2. lucida-Gruppe.

- chaleea** Burm. Handb. Ent. IV, 1, 1844, p. 394. Guayana,
Trinidad
Surinam
- var. *violacea* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 51.
- festiva** Burm. Handb. Ent. IV, 1, 1844, p. 359. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 245. Brasilien:
Kamp-
gebiet
- lucida** Ol. Entom. I, 1789, nr. 6, p. 75, t. 7, f. 64 (*Cetonia*); ed. Illig. II, 1802, p. 195; ed. Sturm II, 1803, p. 96, t. 89, f. 5. — F. Ent. Syst. I, 2, 1792, p. 131; Syst. Eleuth. II, 1801, p. 141. — Schönh. Syn. Ins. I, 3, 1817, p. 156 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 349. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 265. ? Guadelupe,
Colum-
bien,
Venezuela,
Central-
amerika
von
Panama
bis Mexico

- viridis* Thumb. Mém. Acad. St. Petersb. VIII, 1822, p. 309.
- maculicollis* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 289. Peru:
Rio Oxabamba
- melanaria* Blanch. Cat. Coll. Ent. Col. 1850, p. 206 (*Antichira*). — Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 228 (*Macraspis*); Deutsche Ent. Zeitschr. 1908, p. 394. Neu-Granada, Columbien, Ecuador, Venezuela, Guayana
- aeterrima* Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 538. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 266. Panama bis Mexico
- mixta* Blanch. Cat. Coll. Ent. Col. 1850, p. 206 (*Antichira*). — Ohs. Deutsche Ent. Zeitschr. 1908, p. 245 (*Macraspis*). Brasilien: Küstengebirge, Bahía
- laeta* Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 536. var. *coerulea* Ohs. Deutsche Ent. Zeitschr. 1913, p. 511.
- oblonga* Burm. Handb. Ent. IV, 1, 1844, p. 359. Cayenne
- Olivieri* Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 537 (*Antichira*). Guayana, Amazonas
- splendida* Ol. Ent. I, 1789, nr. 6, p. 75, t. 4, f. 21 (*Cetonia*): ed. Illig. II, 1802, p. 195; ed. Sturm II, 1803, p. 97, t. 90, f. 1. — Herbst, Natursyst. Käf. III, 1790, p. 151, t. 26, f. 7 (*Melolontha*). — Lap. Hist. Nat. Col. II, 1840, p. 117.
- pantochloris* Blanch. Cat. Coll. Ent. Col. 1850, p. 205 (*Antichira*). — Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 343. — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 537. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 393. Ostabhäng der Cordilleren von Bolivien bis Columbien, Amazonas.
- peruviana* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 52. Peru:
Chanchamayo
- plagicollis* Ohs. l. c. p. 51. Venezuela, Columbien, Ecuador, Guayana
- splendida* F. Syst. Ent. 1775, p. 47 (*Cetonia*): Spec. Ins. I, 1781, p. 56; Mant. Ins. I, 1787, p. 30; Ent. Syst. I, 2, 1792, p. 141; Syst. Eleuth. II, 1801, p. 141. — Voet, Cat. syst. Col. ed. Panzer I, 1785, p. 49, t. 8, f. 62. — Schönh. Syn. Ins. I, 3, 1817, p. 156 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 348.
- coruscans* L. Syst. Nat. ed. 13 (Gmelin), I, 4, 1793, p. 1575 (*Scarabaeus*).
- testaceipennis* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 52. Peru
- tetradactyla* L. Mantiss. Plant. VI, Addit. 1771, p. 530 (*Scarabaeus*); Syst. Nat. ed. 13 (Gmelin), I, 4, 1793, p. 1573. — Sloane, Hist. Jamaica II, 1725, p. 205, t. 237, f. 2. — Drury, Ill. Nat. Hist. I, 1770, p. 73, f. 7 (absque denominatione). — F. Syst. Jamaica

- Ent. 1775, p. 49 (*Cetonia*); Spec. Ins. I, 1781, p. 58; Mant. Ins. I, 1787, p. 30; Ent. Syst. I, 2, 1792, p. 144; Syst. Eleuth. II, 1801, p. 151. — Ol. Entom. I, 1789, nr. 6, p. 74, t. 2, f. 8 und t. 7, f. 53; ed. Illig. II, 1802, p. 194; ed. Sturm II, 1803, p. 96, t. 89, f. 4—6. — Herbst, Natursyst. Käf. III, 1790, p. 161, t. 27, f. 1 (*Melolontha*). — Schönh. Syn. Ins. I, 3, 1817, p. 157 (*Rutela*). — Lap. Hist. Nat. Col. II, 1840, p. 118 (*Macraspis*). — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 538 (*Antichira*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 290 (*Macraspis*).
- tristis** Lap. Hist. Nat. Col. II, 1840, p. 117. — Burm. Handb. Ent. IV, 1, 1844, p. 349. — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 538. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 290. Guadelupe
3. *clavata*-Gruppe.
- andicola** Burm. Handb. Ent. IV, 1, 1844, p. 352. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 395. Peru,
Ecuador
- anticola** Er. Arch. Naturgesch. XIII, 1847, I, p. 98.
- var. **sobrina** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 535 (*Antichira*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 293.
- cineta** Drury, Ill. Nat. Hist. III, 1782, p. 61, t. 44, f. 4 (*Scarabaeus*). — Herbst, Natursyst. Käf. III, 1790, p. 249, t. 31, f. 5 (*Cetonia*). — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 53; Deutsche Ent. Zeitschr. 1908, p. 246. Brasilien:
Küsten-
gebirge
- fucata** F. Ent. Syst. I, 2, 1792, p. 145 (*Cetonia*); Syst. Eleuth. II, 1801, p. 151. — Schönh. Syn. Ins. I, 3, 1817, p. 158 (*Rutela*). — Lap. Hist. Nat. Col. II, 1840, p. 117 (*Macraspis*). — Burm. Handb. Ent. IV, 1, 1844, p. 353.
- quadrivittata** Ol. Entom. I, 1789, nr. 6, p. 73, t. 7, f. 65 (*Cetonia*); ed. Illig. II, 1802, p. 194; ed. Sturm II, 1803, p. 95, t. 89, f. 3. — M'Leay, Horae Ent. I, App. 1819, p. 156 (*Macraspis*).
- var. **adusta** Ohs. Deutsche Ent. Zeitschr. 1913, p. 511. Espirito
Santo,
Südbrasilien
- var. **bivittata** M'Leay, Horae Ent. I, App. 1819, p. 157. — Burm. Handb. Ent. IV, 1, 1844, p. 353.
- var. **pallida** Ohs. Deutsche Ent. Zeitschr. 1913, p. 511. Rio Grande
do Sul
- clavata** Ol. Entom. I, 1789, nr. 6, p. 72, t. 8, f. 68 (*Cetonia*); ed. Illig. II, 1802, p. 192; ed. Sturm II, 1803, p. 94, t. 88, f. 5. — F. Ent. Syst. I, 2, 1792, p. 45; Syst. Eleuth. II, 1801, p. 151. — Schönh. Syn. Ins. I, 3, 1817, p. 156 (*Rutela*). — Vigors, Zool. Journ. I, 1825, p. 416, t. 15, f. 6. — Lap. Hist. Nat. Col. II, 1840, p. 117 (*Macraspis*). — Blanch. in Cuvier, Règne anim. Ins. 1841, t. 41, f. 6. — Burm. Handb. Ent. IV, 1, 1844, p. 355. — Ohs. Stett. Ent. Zeit. LXI, 1900, p. 193; Deutsche Ent. Zeitschr. 1908, p. 246. Brasilien:
Küsten-
gebirge

- ? *cupraea* Thunb. Mém. Acad. St. Petersb. VIII, 1822, p. 310 (*Antichira*).
- cupripes** Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 364 (*Antichira*).
var. *scotina* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 140.
- diehroa** Mannerh. Mém. Soc. Moscou VII, 1829, p. 50, t. 2, f. 4. — Lap. Hist. Nat. Col. II, 1840, p. 118. — Burm. Handb. Ent. IV, 1, 1844, p. 354. — Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 539. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 291; Deutsche Ent. Zeitschr. 1908, p. 246.
var. *cribrata* Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 539 (*Antichira*).
- tetradactyla* Burm. Handb. Ent. IV, 1, 1844, p. 354.
- gagatina** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 539 (*Antichira*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 292 (*Macraspis*).
- hirtiventris** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 266, t. 15, f. 10 (*Antichira*).
- laevicollis** Ch. Waterh. Trans. Ent. Soc. Lond. 1881, p. 537 (*Antichira*).
- morio** Burm. Handb. Ent. IV, 1, 1844, p. 355. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 292; Deutsche Ent. Zeitschr. 1908, p. 246.
brasiliensis Arrow, Proc. Zool. Soc. Lond. 1903, II, p. 256.
- nitidissima** Burm. Handb. Ent. IV, 1, 1844, p. 257.
- pubiventris** Blanch. Cat. Coll. Ent. Col. 1850, p. 207 (*Antichira*). — Burm. Handb. Ent. IV, 2, 1855, p. 518 (*Macraspis*).
- rufonitida** Burm. Handb. Ent. IV, 1, 1844, p. 357. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 266, t. 15, f. 9 (*Antichira*).
- thoracica** Mannerh. Mém. Soc. Moscou VII, 1829, p. 51.
- variabilis** Burm. Handb. Ent. IV, 1, 1844, p. 352.
var. *bugrina* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 141.
var. *testaceoflavipes* Ohs. l. c. p. 141.
- Columbien,
Ecuador
Columbien
- Kampgebiet
von
Mittel-
und Süd-
brasilien
- Montevideo,
Buenos-
Aires
- Küsten-
gebirge
von Süd-
brasilien
- Panama:
Chiriqui
- Minas
geraes,
Itatiaya
- Brasilien:
Kamp-
gebiet
Paraguay
- Brasilien
Venezuela:
Caracas
- Mexico,
Guatemala
- Minas geraes
Rio de
Janeiro
Sta. Catha-
rina
Rio de
Janeiro

42

Chasmodia M'Leay.

- W. M'Leay, Horae Ent. I, App. 1819, p. 155. — Latr. in Cuv. Règne Anim. IV, 1829, p. 553. — Lap. Hist. Nat. Col. II, 1840, p. 118. — Burm. Handb. Ent. IV, 1, 1844, p. 337; l. c. IV, 2, 1855, p. 516. — Lacord. Gen. Col. III, 1856, p. 343. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 262. — Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 142.
- Biologie: Ohs. Stett. Ent. Zeit. LXI, 1900, p. 200; l. c. LXX, 1909, p. 70 und 128; Deutsche Ent. Zeitschr. 1908, p. 244 und 392.
- aequatorialis** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 50 (*Lagochile*).
- West
Ecuador:
Balzar

- amazona** Thunb. Mém. Acad. St. Petersb. VIII, 1822, p. 310 (*Antichira*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 286 (*Lagochile*); Deutsche Ent. Zeitschr. 1908, p. 393.
- andicola** Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 226 (*Lagochile*); Deutsche Ent. Zeitschr. 1908, p. 393.
- anophrys** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 147.
- badia** Perty. Delect. anim. artic. 1830, p. 52, t. 11, f. 6 (*Macraspis*). — Burm. Handb. Ent. IV, 1, 1844, p. 341 (*Chasmodia*). — Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 150.
 subsp. *heliophila* Ohs. l. c. p. 151.
 subsp. *paralia* Ohs. l. c. p. 152.
 var. *planalticola* Ohs. l. c. p. 152
 var. *chlorotica* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 51.
- bipunctata** M'Leay, Horae Ent. I, App. 1819, p. 155. — Lap. Hist. Nat. Col. II, 1840, p. 118. — Burm. Handb. Ent. IV, 1, 1844, p. 340. — Er. Arch. Naturgesch. XIII, 1847, I, p. 98. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 245; Stett. Ent. Zeit. LXXV, 1914, p. 148.
- analis** Fisch. Mém. Acad. Moscou VI, 1823, p. 261, t. 22, f. 6 (*Macraspis*).
- brunnea** Serv. Encycl. méth. X, 1825, p. 316 (*Lagochile*).
 subsp. *fuscipennis* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 149.
 subsp. *icterica* Ohs. l. c. p. 149.
 subsp. *lutea* Ohs. l. c. p. 150.
 subsp. *scutellaris* Ohs. l. c. p. 150.
 subsp. *unipunctata* Ohs. l. c. p. 149.
- boliviana** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 287 (*Lagochile*).
- brunnea** Perty, Delect. anim. artic. 1830, p. 52, t. 11, f. 8 (*Macraspis*). — Lap. Hist. Nat. Col. II, 1840, p. 119. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 49.
glandicolor Burm. Handb. Ent. IV, 2, 1855, p. 517.
- cachectica** Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 227 (*Lagochile*); Deutsche Ent. Zeitschr. 1908, p. 393.
 subsp. *fusciventris* Ohs. Stett. Ent. Zeit. LXXIII, 1912, p. 273.
- ciliata** Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 301 (*Lagochile*).
- circumdada** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 263, t. 15, f. 2 (*Lagochile*).
- collaris** Blanch. Cat. Coll. Ent. Col. 1850, p. 204 (*Lagochile*). — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 263.
- dilatata** Burm. Handb. Ent. IV, 1, 1844, p. 339. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 50; l. c. LXXV, 1914, p. 143.
- Stromgebiet
des
Amazonas
- Ost-Ecuador:
Sta. Inez,
Sabanilla
- Ost Ecuador:
Macas,
Sabanilla
- Brasilien:
Küsten-
gebirge:
Paraguay
- Paraguay
Südbrasilien
Südbrasilien
Bahia
- Brasilien:
Küsten-
gebirge:
? Peru
- Pernambucot
- Espirito San
Brasilien
Brasilien
Bahia
Bolivien
- Minas geraes,
Bahia
- Ost Ecuador:
Baiza,
St. Inez,
Sabanilla
- Ost-Peru:
Huanca-
bamba
- Ost-Bolivien:
Mapiiri
- Panama:
Chiriqui
- Mexico bis
Panama
- Brasilien:
Küsten-
gebirge

- subsp. *castanicolor* Ohs. l. c. p. 144. Küstenwald von Sta. Catharina bis Santos
- subsp. *luticolor* Ohs. l. c. p. 144. Hochland von Rio Grande do Sul bis Parana
- subsp. *tabacicolor* Ohs. l. c. p. 145. Espirito Santo
- subsp. *unicolor* Ohs. l. c. p. 145. Barbacena
- divisa** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 154. Costarica
- elinguis** Ohs. l. c. p. 152. Columbien, Ecuador
- emarginata** Gyll. in Schönh. Syn. Ins. I, 3, Append. 1817, p. 67 (*Rutela*). — Lap. Hist. Nat. Col. II, 1840, p. 118 (*Chasmodia*). — Burm. Handb. Ent. IV, 1, 1844, p. 343. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 244 (*Lagochile*). Brasilien: Küstengebirge, Paraguay, Argentinien
- viridis* M'Leay, Horae Ent. I, Append. 1819, p. 155.
- subsp. *nitida* Burm. Handb. Ent. IV, 1, 1844, p. 342. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 245. Bahia
- var. *cuprifulgens* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 51. Nord-Argentinien
- var. *viridinigra* Ohs. l. c. LXXV, 1914, p. 147. Rio de Janeiro
- lateralis** Burm. Handb. Ent. IV, 1, 1844, p. 341. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 244. Rio de Janeiro
- obscurata** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 287 (*Lagochile*). Venezuela
- peruana** Ohs. l. c. LIX, 1898, p. 50. Ost-Peru, Bolivien
- Steinbachi** Ohs. Ann. Soc. Ent. Belg. LII, 1903, p. 302 (*Lagochile*). Bolivien: Sta. Cruz
- tridentata** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 146. S. Paulo
- venezolana** Ohs. l. c. LIX, 1898, p. 50 (*Lagochile*). Venezuela
- vitticollis** Ohs. l. c. LXXV, 1914, p. 153. Guatemala
- Wiengreeni** Ohs. l. c. LXVI, 1905, p. 288 (*Lagochile*); Deutsche Ent. Zeitschr. 1908, p. 244. Rio de Janeiro

24

Lagochile Hoffm.

- Hoffmannsegg in Wiedem. Zool. Mag. I, 1817, p. 14. — Lap. Hist. Nat. Col. II, 1840, p. 118 (*Chasmodia partim*). — Burm. Handb. Ent. IV, 1, 1844, p. 337 (*Chasmodia partim*). — Lacord. Gen. Col. III, 1856, p. 343 (partim). — Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 141.
- Ometis* Latr. in Cuvier, Règne anim. ed. 2, IV, 1829, p. 554. — Lap. Hist. Nat. Col. II, 1840, p. 123. — Lacord. Gen. Col. III, 1856, p. 344. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 289.
- Biologie: Ohs. Stett. Ent. Zeit. LXI, 1900, p. 200; l. c. LXX, 1909, p. 70 und 128; Deutsche Ent. Zeitschr. 1908, p. 244 und 392.
- biplagiata** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 143. Columbien: Cauca
- brunnipes** Ol. Entom. I, 1789, nr. 6, p. 77, t. 6, f. 50 (*Cetonia*): ed. Illig. II, 1802, p. 197; ed. Sturm II, 1803, Cayenne, Surinam

- p. 98, t. 90, f. 3. — Schönh. Syn. Ins. I, 3, 1817, p. 157 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 342 (*Chasmodia*). — Lacord. Gen. Col. III, 1856, p. 344 nota (*Ometis*). — Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 218.
- marginicollis* Lap. Hist. Nat. Col. II, 1840, p. 118 (*Chasmodia*).
- chiriquina** H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 263, t. 15, f. 3. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 392.
- cetonioides** Serv. Encycl. méth. X, 1825, p. 316 (*Rutela*). — Lap. Hist. Nat. Col. II, 1840, p. 123, t. 13, f. 5 (*Ometis*). — Burm. Handb. Ent. IV, 1, 1844, p. 549. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 289.
- columbica** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 142.
- maeraspidioides** Ohs. l. c. LXVI, 1905, p. 289 (*Ometis*).
- panamensis** Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 221.
- solimoensis** Ohs. l. c. p. 220.
- sparsa** Ohs. l. c. p. 222.
- brunnipes* H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 264.
- subsp. *littoralis* Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 225.
- subsp. *subandina* l. c. p. 224; Deutsche Ent. Zeitschr. 1908, p. 393.
- trigona** Herbst, Natursyst. Käf. III, 1790, p. 159, t. 26, f. 12 (*Melolontha*). — F. Syst. Eleuth. II, 1801, p. 148 (*Cetonia*). — Schönh. Syn. Ins. I, 3, 1817, p. 152 (*Rutela*). — Lap. Hist. Nat. Col. II, 1840, p. 119 (*Chasmodia*). — Burm. Handb. Ent. IV, 1, 1844, p. 339. — Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 301; Deutsche Ent. Zeitschr. 1908, p. 393.
- var. *atrovirens* Nonfr. Ent. Nachr. XX, 1894, p. 124.
- trochanterica** Burm. Handb. Ent. IV, 2, 1855, p. 517 (*Chasmodia*).
- Panama:
Chiriqui;
West
Ecuador
Surinam
- Columbien:
S. Martin
- Amazonas:
Para
- Panama:
Chiriqui
- Ost-Ecuador:
Sarayacu,
Napo
- Central-
amerika,
Colum-
bien,
Ecuador
- Brasilien:
Küsten-
gebiet
- Ost-Bolivien:
Mapiri
- Guayana,
Strom-
gebiet des
Amazonas
- Venezuela,
Trinidad
- Venezuela:
Puerto
Cabello

2. Tribus Anomalini.

- Melolonthites* Laporte, Hist. Nat. Col. II, 1840, p. 128 (pars).
- Anisopliidae* Burmeister, Handb. Ent. IV, 1, 1844, p. 81 u. 208.
- Melolonthites* E. Blanchard, Hist. Ins. I, 1845, p. 214 (pars).
- Anomalitae* E. Blanchard, Cat. Coll. Ent. Col. 1850, p. 173.

- Anomalides* Lacordaire, Gen. Col. III. 1856, p. 320 u. 322.
Anomalini Péringuey, Trans. S. Afric. Philos. Soc. XII. 1902,
 p. 564 u. 585.
Rutelina Reitter, Verh. Nat. Ver. Brünn XLI. 1903, p. 37.

1. Subtribus **Anomalina.**

Anomala Sam.

Samouelle, Ent. usef. Compend. 1819, p. 191. — Steph. Ill. Brit. Ent. III, 1830, p. 225; Man. Brit. Col. 1839, p. 169. — Burm. Handb. Ent. IV, 1, 1844, p. 214 u. 230; l. c. IV. 2. 1855, p. 495. — Er. Naturg. Ins. Deutschl. III. 1847, p. 616. — Redt. Fauna Austr. ed. 1, 1849, p. 267; ed. 2. 1858, p. 458; ed. 3. 1874, p. 494. — E. Blanch. Cat. Coll. Ent. Col. 1850, p. 180. — Bach, Käferfauna I. 1851, p. 329. — Lacord, Gen. Col. III, 1856, p. 328. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 330. — Jacq. du Val, Gen. Col. d'Eur. III. 1859, p. 67 u. 86. — C. Thoms. Skand. Col. V, 1863, p. 17. — Muls. Col. France, Lamell. ed. 2. 1871, p. 615. — Frick, Naturg. Deutschl. Käf. 1872, p. 162. — Seidl, Fauna Balt. ed. 1. 1875, p. 18; ed. 2, 1891, p. 150; Fauna Transsylv. 1891, p. 32. — Stierl. Käferfauna Schweiz 1, 1900, p. 649. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 586. — Everts, Col. Neerl. II. 1903, p. 60. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 38. 41 u. 55; Fauna Germ. Käf. II. 1909, p. 335. — Bed. Fauna Col. Bass. Seine IV, 1911, p. 134. — Kuhn, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 385 u. 409.

Euchlora Hope, Proc. Zool. Soc. VII. 1839, p. 65; Ann. Mag. Nat. Hist. IV, 1840, p. 242. — Lap. Hist. Nat. Col. II. 1840, p. 135. — Muls. Col. France, Lamell. ed. 1. 1842, p. 475. — Blanch. Hist. Ins. I, 1845, p. 217.

Revisionen: Europ. Arten: Ganglb. Wien. Ent. Zeit. I. 1882, p. 174. Palaearkt.: Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 55. Süd-Afrikan.: Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 586. Nord-Amerikan.: G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 157. — Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 1. Centr.-Amerikan.: H. Bts. Biol. Centr.-Amer. Col. II. 2, 1888, p. 217.

Subgen. **Aprosterna** Hope.

Hope, Trans. Ent. Soc. London I. 1835, p. 117. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 54. — Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 39.

Rhinoplia Burm. Handb. Ent. IV. 1, 1844, p. 232.
Heteroplia Burm. l. c. p. 233 (pars).

Orientalische Region.

aeromialis Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 40, f. 1. Borneo:
 Kina Balu
antiqua Gyll. in Schönh. Syn. Ins. I, 3. 1817, p. 196; Von Süd-
 l. c. Append. p. 111 (*Melolontha*). — Burm. China bis
 Handb. Ent. IV, 1, 1844, p. 282 (*Anomala*). — Queensland
 Blanch. Cat. Coll. Ent. Col. 1850, p. 195. —
 Arr. Trans. Ent. Soc. London 1899, p. 271. —
 Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 55.

- aerea* Perty, Col. Ind. or. 1831, p. 34. — Hope, Proc. Zool. Soc. London VII. 1839, p. 73; Ann. Mag. Nat. Hist. IV. 1840, p. 351 (*Euchlora*).
- australasiac* Blackb. Proc. Linn. Soc. N.S. Wales (2) VII, 1892, p. 113.
- lugubris* Wiedem. Zool. Mag. II, 1, 1823, p. 93 (*Melolontha*).
- nigricans* Kirby, Trans. Linn. Soc. London XIV, 1825, p. 569 (*Mimela*). — Hope, Trans. Ent. Soc. London I, 1835, p. 117 (*Aprosterna*).
- Biologie: Leefmans. Medd. Labor. Plantenz. Buitenzorg nr. 13, 1915, p. 50 (Kulturschädling).
- aspera** Ohs. Stett. Ent. Zeit. LXXV. 1914, p. 195 Kambodja
(*Heteroptia*).
- Bedcii** Ohs. l. c. p. 198 (*Heteroptia*). Tonkin
- bengalensis** Blanch. Cat. Coll. Ent. Col. 1850, p. 182 Bengalen
(*Rhinoptia*).
- bilobata** Arr. Ann. Mag. Nat. Hist. (8) XII. 1912, Bengalen.
p. 329. Birma
- Blaisei** Ohs. Stett. Ent. Zeit. LXXV. 1914, p. 196 Anam,
(*Heteroptia*). Toukin
- brachypus** H. Bts. Entomologist XXIV. 1891, Suppl., p. 17. N.-W.-Indien
- breviceps** Sharp, Not. Leyd. Mus. III. 1881, p. 235. — Sumatra
Ohs. Stett. Ent. Zeit. LXXVII. 1916, p. 42. f. 4.
- breviuscula** Cand. Col. Hefte V. 1869, p. 41.
- centralis** Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, N.-Indien
p. 335.
- chaleophysa** Ohs. Stett. Ent. Zeit. LXXVII, 1916, N.-Borneo:
p. 41, f. 2. Kina Balu
- communis** Burm. Handb. Ent. IV. 1. 1844, p. 236 Nilgiri
(*Heteroptia*). — Arr. Ann. Mag. Nat. Hist. (8)
VIII, 1911, p. 488.
- dorsalis** F. Syst. Ent. 1775, p. 35 (*Melol.*); Spec. Ins. I, Trankebar
1781, p. 38; Mant. Ins. I. 1787, p. 21; Ent.
Syst. I. 2. 1792, p. 162; Syst. Eleuth. II, 1801,
p. 168. — L. Syst. Nat. ed. 13 (Gmelin) I, 4,
1788, p. 1569 (*Scarab.*). — Herbst, Natursyst.
Käf. III, 1790, p. 64, t. 22, f. 12. — Schönh.
Syn. Ins. I, 3. 1817, p. 197. — Burm. Handb.
Ent. IV, 1, 1844, p. 232 (*Rhinopt.*).
- pallida* Ol. Ent. I. 1789, nr. 5, p. 25, t. 9
f. 103a (*Melolontha*); ed. Ill. II, 1802, p. 46;
ed. Sturm II. 1803, p. 15, t. 59, f. 8.
- erosa** Arr. Ann. Mag. Nat. Hist. (8) XII. 1912, p. 334. Birma
- fissilabris** Arr. l. c. p. 331.
- fraterna** Burm. Handb. Ent. IV. 1, 1844, p. 232 Vorder-Indien
(*Rhinopt.*).
- pallida* var. Ol. Ent. I. 1789, nr. 5, p. 25, t. 9,
f. 103b (*Melol.*); ed. Ill. II, 1802, p. 46; ed.
Sturm II, 1803, p. 15, t. 59, f. 9.
- gravida** Arr. Ann. Mag. Nat. Hist. (8) VIII. 1911, p. 360. Ceylon
- hebescens** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 121. Java
var. *conflata* Ohs. l. c. p. 121.
- illusa** Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 363. Ceylon
- imitatrix** Nonfr. Ent. Nachr. XX, 1894, p. 13. Centr.-Indien
- inconcinna** H. Bts. Proc. Zool. Soc. London 1866, p. 343. Formosa
- infans** Ohs. Philippin. Journ. Scienc. V. 1910, nr. 4, Luzon
p. 236.

- infantilis** Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 361. Ceylon
- iridiventris** Fairm. Ann. Soc. Ent. France (5) VIII, 1876, p. 102. Centr.-China
- latipes** Arr. Ann. Mag. Nat. Hist. (8) XII, 1912, p. 332. Birma
- niassiana** Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 41, f. 3 Nias
- pallida** F. Syst. Ent. 1775, p. 35 (*Melol.*): Spec. Ins. I, 1781, p. 39; Mant. Ins. I, 1787, p. 21; Ent. Syst. I, 2, 1792, p. 163; Syst. Eleuth. II, 1801, p. 163 (var. minor). — Schönh. Syn. Ins. I, 3, 1817, p. 199. — Arr. Trans. Ent. Soc. London 1899, p. 271 (*Anomala*). — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 120, f. 6. Java, Banda, Celebes, Amboina
- ypsilon* Wiedem. Zool. Mag. II, 1, 1823, p. 90 (*Melol.*). — Burm. Handb. Ent. IV, 1, 1844, p. 235 (*Anomala*).
- polita** Blanch. Cat. Coll. Ent. Col. 1850, p. 182 (*Rhinoplia*). Nord-Indien
- posterior** Har. Col. Hefte V, 1869, p. 123. China
- plebeja* Burm. Handb. Ent. IV, 2, 1855, p. 502.
- pygidialis** Fairm. Ann. Soc. Ent. France (6) VIII, 1888, p. 341. Tokin
- ruficapilla** Burm. Handb. Ent. IV, 2, 1855, p. 499. Assam
- Sanchezi** Ohs. Philippin. Journ. Scienc. VII, 1912, nr. 4, p. 255. Luzon
- semiusta** Arr. Ann. Mag. Nat. Hist. (8) XII, 1912, p. 333. Birma
- siamensis** Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 361 (*Heteroplia*). Siam
- superflua** Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 362. Ceylon
- varians** Öf. Ent. I, 1789, nr. 5, p. 78, t. 10, r. 123 a, b (*Melolontha*); ed. III, II, 1802, p. 104; ed. Sturm II, 1803, p. 48, t. 68, f. 6 u. 7. Trankebar
- elata* F. Ent. Syst. I, 2, 1792, p. 161; Syst. Eleuth. II, 1801, p. 167. — Schönh. Syn. Ins. I, 3, 1817, p. 197. — Burm. Handb. Ent. IV, 1, 1844, p. 233 (*Heteroplia*). — Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 487.

37

Äthiopische Region.

- ancilla** Gerst. Arch. Naturg. XXXI, 1, 1866, p. 45; Decken's Reise Ost-Afr. III, 2, 1873, p. 111. Deutsch-Ostafrika
- colluta** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 597. Mosambik
- disparilis** Arr. Trans. Ent. Soc. London 1899, p. 256. Lagos
- dorsata** Fähr. Ins. Caffr. II, 1857, p. 63. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 603, t. 41, f. 46. — Arr. Ann. Mag. Nat. Hist. (7) IX, 1902, p. 90. Kaffrarien, Rhodesien
- var. *marginicollis* Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 119.
- var. *vittipennis* Fähr. Ins. Caffr. II, 1857, p. 64. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 603.

- egregia** Gahan, Ann. Mag. Nat. Hist. (6) XVIII, 1896, p. 451. — Arr. Trans. Ent. Soc. London 1899, p. 256. Aden,
Somali
- ferruginea** Mars. Abeille IV, 1867, p. XXXVI. Sahara
- Graueri** Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 393 Brit.
(*Heteroplia*). Uganda
- immatura** Boh. Öfers. Vet.-Akad. Förh. 1860, p. 116. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 594, t. 41, f. 32. Ngami
- insipida** Lansb. Not. Leyd. Mus. VIII, 1886, p. 99. Humpata
- interna** Har. Mitt. Münch. Ent. Ver. II, 1878, p. 102: Lunda
Col. Hefte XVI, 1879, p. 50.
- Keniae** Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 393. Brit. Ost-
- mutans** Blanch. Cat. Coll. Ent. Col. 1850, p. 181 (*Rhino-* Afrika
plia). — Arr. Trans. Ent. Soc. London 1899, Senegal
p. 263.
- Richteri** Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 391 Deutsch
(*Heteroplia*). Ost-Afrika:
Nyassa
- vitticollis** Lansb. Not. Leyd. Mus. VIII, 1886, p. 102. Kongo
- Wellmani** Ohs. Deutsche Ent. Zeitschr. 1907, p. 427; Angola
Ann. Soc. Ent. Belg. LV, 1911, p. 392 (*Hetero-*
plia). — Kolbe, Wiss. Erg. I. Deutsch. Zentr.-
Afr.-Exped. V, 1914, p. 361.

15

Neotropische Region.

- antica** Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 406. Kolumbien
- bruchiana** Ohs. Deutsche Ent. Zeitschr. 1911, p. 558. Argentinien
- flavilla** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Mexico,
p. 227, t. 12, f. 18. — Ohs. Stett. Ent. Zeit. Neu-
LVIII, 1897, p. 392; l. c. LXIII, 1902, p. 17. — Mexico
Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 69.
- gemella** Say, Boston Journ. Nat. Hist. I, 2; 1835, p. 181. Mexico
— Burm. Handb. Ent. IV, 1, 1844, p. 253. —
H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888,
p. 226, t. 12, f. 15.
- hondurae** Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, Honduras
p. 231 (*Epctinaspis*). — Ohs. Stett. Ent. Zeit.
LXXXVI, 1915, p. 103.
- juquilensis** Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 392. Mexico
- megalops** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, "
p. 227, t. 12, f. 19. — Ohs. Stett. Ent. Zeit.
LVIII, 1897, p. 393.

7

59

Anomala Sam. sens. strict.

Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 39.

- Ambломala* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 58
(pars).
- Aprosterna* Burm. Handb. Ent. IV, 1, 1844, p. 281. —
Blanch. Cat. Coll. Ent. Col. 1850, p. 195.
- Chrysoplethisa* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903,
p. 56.
- Dichomala* Rtrr. l. c. p. 63.

- Diplomala* Rtrtr. l. c. p. 68.
Emphalena Rtrtr. l. c. p. 67.
Euchlora Hope, Proc. Zool. Soc. London VII, 1839, p. 65 (pars); Ann. Mag. Nat. Hist. IV, 1840, p. 342. — Lap. Hist. Nat. Col. II, 1840, p. 135 (pars). — Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 475. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 64.
Euchronomala Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 65.
Euporomala Rtrtr. l. c. p. 62.
Hoplopus Lap. Hist. Nat. Col. II, 1840, p. 129. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 81.
Hybalonomala Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 81.
Idiocnema Fald. Mém. Acad. St. Petersb. 1835, 2, p. 377. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 65.
Idiocnemina Rtrtr. l. c. p. 67.
Orphnomala Rtrtr. l. c. p. 57.
Paragematis Rtrtr. l. c. p. 69.
Psammoscaphæus Motsch. Etud. Ent. II, 1853, p. 30. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 59.
Rhombonyx Hope, Col. Man. I, 1837, p. 106 (pars). — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 55.

Palaearktische Region.

- affinis** Ganglb. Wien. Ent. Zeit. I, 1882, p. 245. — Klein Asien:
 Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 75. Smyrna
- atriplis** F. Mant. Ins. I, 1787, p. 19 (*Melolontha*); Ent. Syst. I, 2, 1792, p. 159; Syst. Eleuth. II, 1801, p. 165. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1568 (*Scarabæus*). — Ol. Ent. I, 1789, nr. 5, p. 28, t. 8, f. 99; ed. III. II, 1802, p. 48; ed. Sturm II, 1803, p. 17, t. 60, f. 4. — Herbst, Natursyst. Käf. III, 1790, p. 81. — Ill. Mag. Ins. IV, 1805, p. 78. — Schönh. Syn. Ins. I, 3, 1817, p. 190. — Guér. Mag. Zool. Cl. IX, 1832, t. 20. — Lap. Hist. Nat. Col. II, 1840, p. 130, t. 14, f. 2. — Burm. Handb. Ent. IV, 1, 1844, p. 237. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 81. — Bleuse, Bull. Soc. Ent. France 1912, p. 375. Algier, Marokko
- ausonla** Er. Naturg. Ins. Deutschl. III, 1847, p. 620. — Sicilien,
 Burm. Handb. Ent. IV, 2, 1855, p. 501. Westl.
 Ganglb. Wien. Ent. Zeit. I, 1882, p. 175 u. 245, t. 2. — Seidl. Fauna Transsylv. 1891, p. 160. — Mittel-
 Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 75. meergebiet,
 — Bed. Faune Col. Bass. Seine IV, 1911, p. 136. — Caillol, Cat. Col. Provence II, 1914, Dalmation
 p. 432. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 312.
- cogina** Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 76.
- var. **cobaltina** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 313. Spanien
- var. **fuscipennis** Ohs. l. c. p. 313. Dalmation
- var. **neapolitana** Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 75. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 311. Neapel

- var. *pampinea* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 312. Sicilien, Westl. Mittelmeergebiet,
- var. *pygidialis* Ohs. l. c. p. 312. Catania
- var. *sicula* Ganglb. Wien. Ent. Zeit. I, 1882, p. 175 u. 501, t. 2. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 75. Sicilien
- var. *spoliata* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 312. Bordeaux
- Bleusei Chob. Bull. Soc. Ent. France 1896, p. 388 (Hoplopus); l. c. 1912, p. 375. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 82 (*Hybalonoma*). Algier
- chamaeleon Fairm. Rev. d'Ent. VI, 1887, p. 317. — Heyd. Hor. Soc. Ent. Ross. XXIII, 1889, p. 662. Nord-China, Korea, Amur
- dubia* Ball. Bull. Moscou XLIII, 1870, p. 345. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 317.
- rufocuprea* H. Bts. (nec Motsch.) Proc. Zool. Soc. London 1888, nr. XXVI, p. 373.
- corpulenta Motsch. Etud. Ent. II, 1853, p. 28 u. 47. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 317. Nord-China, Mongolci, Korea, ? Japan
- Gottschei* Kolbe, Arch. Naturg. LII, 1886, p. 190, t. 11, f. 28. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 71.
- pallidiventris* Gaut. Mitt. Schweiz. Ent. Ges. III, 1872, p. 522.
- planerae* Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, C. R. (4) XVIII, p. CCV.
- costifera Rtrtr. Wien. Ent. Zeit. XIV, 1895, p. 209; Verh. Nat. Ver. Brünn XLI, 1903, p. 66 (Idiocnema). Korea, Wladiwoostock
- cuprea Hope, Proc. Zool. Soc. London VII, 1839, p. 72 (*Euchlora*); Ann. Mag. Nat. Hist. IV, 1840, p. 350. — Burm. Handb. Ent. IV, 1, 1844, p. 278. — Blanch. Cat. Coll. Ent. Col. 1850, p. 195. — Motsch. Etud. Ent. IX, 1860, p. 15; Bull. Moscou XXXIX, 1866, p. 171. — Waterh. Trans. Ent. Soc. London 1875, p. 111. — Har. Abh. Nat. Ver. Bremen IV, 1875, p. 292. — Heyd. Deutsche Ent. Zeitschr. XXIII, 1879, p. 342. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 109. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 64. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396. Japan
- dalmiana Har. Deutsche Ent. Zeitschr. XXI, 1877, p. 354. — Heyd. l. c. XXIII, 1879, p. 345. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 108. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 324. „
- geniculata* Lewis (nec Motsch.) Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 400. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 72.
- devota Rossi, Fauna Etrusca I, 1790, p. 19 (*Melolontha*). — Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 480 (*Euchlora*); ed. 2, 1871, p. 623. — Burm. Handb. Ent. IV, 1, 1844, p. 527 (*Anomala*). — Er. Naturg. Ins. Deutschl. III, 1847, Italien, Westl. Mittelmeergebiet

- p. 620. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 174 u. 244, t. 2. — Seidl. Fauna Transsylv. 1891, p. 160. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 63 (*Dichomala*). — Bed. Faun. Col. Bass. Seine IV, 1911, p. 136. — Caillol, Cat. Col. Provence II, 1914, p. 430.
- villosa* Blanch. Cat. Coll. Ent. Col. 1850, p. 184.
- var. *apicalis* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 480; ed. 2, 1870, p. 622. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 244. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 63.
- var. *pallidior* Pic, Echange XXI, 1905, p. 105. Tanger
- var. *versicolor* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 480; ed. 2, 1870, p. 622. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 244. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 63.
- Biologie: Schaum, Stett. Ent. Zeit. XI, 1850, p. 180.
- difficilis* Waterh. Trans. Ent. Soc. London 1875, p. 111. Japan
— Har. Deutsche Ent. Zeitschr. XXI, 1877, p. 355. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 53. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 635; Stett. Ent. Zeit. LXXVI, 1915, p. 321. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396.
- var. *cupreata* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 321.
- dubia* Scop. Ent. Carn. 1763, p. 3, t. 1, f. 4 (*Scarabaeus*). Kärnten,
Westl.
Hälfte der
paläarkt.
Region bis
Finnland im
Norden,
Ural und
Kaukasus
im Osten,
Mittelmeer
im Süden
— Füessly, Verz. Schweiz. Ins. 1775, p. 2. — Sulz. Abgek. Gesch. Ins. 1776, p. 18 u. 55, t. 1, f. 11. — Goeze, Ent. Beytr. I, 1777, p. 64. — Laich. Käf. Tyrol I, 1781, p. 37 (*Melolontha*). — Schrk. Fauna Boica 1798, p. 404. — Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 476 (*Euchlora*); ed. 2, 1871, p. 616. — D. Torre, Jahresb. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 114 (*Anomala*). — Bed. Faune Col. Bass. Seine, IV, 1911, p. 136. — Caillol, Cat. Col. Provence II, 1914, p. 430. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 303.
- aenea* Beff. (nec Deg.) Riv. Col. Ital. VIII, 1910, p. 112.
- coerulea* Ol. Ent. I, 1789, nr. 5, p. 36, t. 9, f. 107; ed. III. II, 1802, p. 59; ed. Sturm II, 1803, p. 23, t. 62, f. 2.
- coerulescens* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 184.
- cyanea* D. Torre, Jahresb. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 114.
- Biologie: Frisch, Beschr. allerl. Ins. IV, 1722, p. 29, t. 14, f. 1—2. — Duft. Fauna Austr. I, 1805, p. 193. — Muls. Ann. Soc. Linn. Lyon 1866, p. 267; Opusc. Ent. XIV, 1870, p. 69. — Makowsky, Verh. Nat. Ver. Brünn XIII, 1875, S.-B. p. 45. — Targioni-Tozzetti, Ann. Agric. 1881, p. 48. — Henschel, Zentralbl. ges. Forstw. XIV, 1888, p. 21 u. 26. — Beff. Riv. Col. Ital. VIII, 1910, p. 110. —

- Sajó, Leb. Käf. 1910, p. 29, f. 7. — Bed. Faune Col. Bass. Seine, IV, 1911, p. 137. — Altum, Waldbeschädgn. d. Tiere, p. 98.
- Larve: Schiödte, Naturh. Tidsskr. IX, 1874, p. 304, t. 12, f. 1—7; t. 19, f. 5. — Perris, Larv. Col. 1877, f. 133—134. — Golovianko, Lesu. zum. XXXIX, 1909, p. 1343, fig.
- var. *abhasica* Motsch. Etud. Ent. II, 1853, p. 29. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 306. Kaukasus
- var. *aenea* Dög. Mém. Ins. IV, 1774, p. 277, t. 10, f. 16 (*Scarabaeus*). — Voet, ed. Panz. Col. I, 1785, p. 42, t. 7, f. 58. — Panz. Fauna Ins. Germ. 1793, fasc. 97, nr. 10. — Schönh. Syn. Ins. I, 3, 1817, p. 194 (*Melolontha*). — Muls. Hist. Nat. Col. France, Lamell. ed. I, 1842, p. 476; ed. 2, 1871, p. 616. — Blanch. Cat. Coll. Ent. Col. 1850, p. 185. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 175 u. 248. — Seidl. Fauna Balt. ed. 2, 1891, p. 150; Fauna Transsylv. 1891, p. 159. — Stierl. Käferfauna Schweiz I, 1900, p. 649. — Everts, Col. Neerland. II, 1903, p. 60. — Rtrtr. Verh. Nat. Ver. Brünn XXI, 1903, p. 74; Fauna Germ. Käf. II, 1909, p. 336, t. 74, f. 14. — Bed. Faune Col. Bass. Seine IV, 1911, p. 136. — Petri, Siebenbürg. Käferfauna 1912, p. 359. — Kuhnt, III. Best.-Tab. Käf. Deutschl. 1913, p. 409. — Caillol, Cat. Col. Provence II, 1914, p. 430. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 309.
- dubia* Hbst. Natursyst. Käf. III, 1790, p. 128, t. 25, f. 9.
- julii* F. Ent. Syst. I, 2, 1792, p. 167; Syst. Eleuth. II, 1801, p. 171. — Frisch, Beschreibgn. allerl. Ins. IV, 1722, p. 29, t. 14, f. 1—4. — Panz. Deutschl. Ins.-Fauna 1795, p. 223. — Payk. Fauna Succ. Col. II, 1799, p. 210. — Duft. Fauna Austr. I, 1805, p. 193 (m. 23 Var.). — Gyll. Ins. Succ. I, 1808, p. 62; in Schönh. Syn. Ins. I, 3, 1817, p. 193. — Zett. Faun. Ins. Lapon. 1828, p. 170. — Sahlb. Ins. Fenn. I, 1834, p. 20. — Heer, Fauna Helvet. Col. I, 1, 1837, p. 73. — Lap. Hist. Nat. Col. II, 1840, p. 135. — Muls. Hist. Nat. Col. France, Lamell. ed. I, 1842, p. 475. — Bach, Käferfauna I, 1851, p. 329.
- virescens* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 184.
- var. *cincticollis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 308. München
- var. *coeruleocephala* Ol. Ent. I, 1789, nr. 5, p. 36, t. 6, f. 59; ed. III. II, 1802, p. 59; ed. Sturm II, 1803, p. 23, t. 62, f. 3. — F. Ent. Syst. I, 2, 1792, p. 164. — Burm. Handb. Ent. IV, 1, 1844, p. 257. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 307. Lombarden
- cyanicollis* Villa, Col. Europ. dupl. 1835, p. 34.

- cyanocephala* F. Syst. Eleuth. II, 1801, p. 169.
- var. *collaris* D. Torre. Jahresber. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 114. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 310.
- var. *comma* D. Torre, Jahresber. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 114. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 310.
- var. *Frischi* F. Syst. Ent. 1775, p. 37; Spec. Ins. I, 1781, p. 41; Mant. Ins. I, 1787, p. 21; Ent. Syst. I, 2, 1792, p. 167; Syst. Eleuth. II, 1801, p. 172. — Goeze, Ent. Beytr. I, 1777, p. 85. — Vocht, Cat. syst. Col. ed. Panz. I, 1785, p. 36, t. 7, f. 55. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1561. — Ol. Ent. I, 1789, nr. 5, p. 35, t. 4, f. 29, a—d; ed. III, II, 1802, p. 57; ed. Sturm II, 1803, p. 22. — Hrbst. Natursyst. Käf. III, 1790, p. 126, t. 25, f. 8. — Borkhsn. Rhein. Mag. 1793, p. 709. — Panz. Deutschl. Ins.-Fauna 1795, p. 223; Fauna Ins. Germ. 1813, p. 155. — Schrk. Fauna Boica 1798, p. 404. — Marsh. Ent. Brit. I, 1802, p. 40. — Gyll. Fauna Suec. I, 1808, p. 62; in Schönh. Syn. Ins. I, 3, 1817, p. 194. — Steph. Ill. Brit. Ent. Mandib. III, 1830, p. 225. — Rosenschold, Prodr. Faunae Col. Lund. 1835, p. 17. — Ratz. Forstins. I, 1837, p. 80, t. 3, f. 10. — Heer, Fauna Helvet. Col. I, 1837, p. 73. — Steph. Man. Brit. Col. 1839, p. 169. — Lap. Hist. Nat. Col. II, 1840, p. 136. — Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 477; ed. 2, 1871, p. 616. — Burm. Handb. Ent. IV, 1, 1844, p. 255; I. c. IV, 2, 1855, p. 501. — Er. Naturg. Ins. Deutschl. III, 1847, p. 625. — Bach, Käferfauna I, 1851, p. 329. — Redt. Fauna Austr. ed. 2, 1858, p. 458; ed. 3, 1874, p. 494. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 331. — Gredl. Käf. Tirol 1863, p. 201. — C. G. Thomson, Skand. Col. V, 1863, p. 17. — Fricken, Naturg. Käf. Deutschl. 1872, p. 174. — Seidl. Fauna Balt. 1875, p. 96. — Siebke, Enum. Ins. Norveg. Col. 1875, p. 191. — Stierl. Käferfauna Schweiz I, 1900, p. 650. — Bed. Faun. Col. Bass. Seine IV, 1911, p. 136. — Caillol, Cat. Col. Provence II, 1914, p. 431. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 310.
- ? *luculenta* Motsch. Etud. Ent. II, 1853, p. 29.
- oblonga* Jacq. du Val, Gen. Col. d'Eur. III, 1859, p. 67, t. 18, f. 89.
- ? *sublucida* Motsch. Etud. Ent. V, 1856, p. 81.
- var. *fulvipennis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 308.
- var. *humeralis* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 184. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 310.
- var. *incerta* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 476. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 307.

Österreich,
Ungarn

Linz

Europa
nördlich
der Alpen,
England

Sugana-Tal

Deutschland,
Finnland,
Ober-
Italien
Ober-
Italien,
Süd-

- marginicollis* Beff. Riv. Col. Ital. VIII, 1910, p. 112. Frankreich
- var. *janthina* Leske, Leipzig. Mag. J, 1781, p. 3. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1561. — Muls. Hist. Nat. Col. France, Lamell. ed. I, 1842, p. 476. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 307. Deutschland, Frank-reich
- var. *lutescens* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 185. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 309. Süd-Tirol, Ober-Italien
- var. *maculata* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 185. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 310. Deutschland
- var. *marginalis* D. Torre, Jahresber. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 113. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 310. Europa nördl. d. Alpen
- var. *marginata* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 184. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 310. Europa nördl. d. Alpen
- var. *micans* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 478. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 309. Italien, Bayern
- var. *nigripennis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 307. Süd-Schweiz
- var. *oblonga* F. Gen. Ins. Mant. 1776, p. 209; Spec. Ins. I, 1781, p. 37; Mant. Ins. I, 1787, p. 20; Ent. Syst. I, 2, 1792, p. 159; Syst. Eleuth. II, 1801, p. 165. — Ol. Ent. I, 1789, nr. 5, p. 19, t. 4, f. 34; ed. III. II, 1802, p. 40; ed. Sturm II, 1803, p. 11, t. 58, f. 4. — Rossi. Fauna Etrusca 1790, p. 19. — Pnz. Deutschl. Ins.-Fauna 1795, p. 222. — Ill. Mag. Ins. IV, 1805, p. 78. — Schönh. Syn. Ins. I, 3, 1817, p. 195. — Heer, Fauna Helvet. Col. I, 1, 1837, p. 73. — Burm. Handb. Ent. IV, 1, 1844, p. 256; l. c. IV, 2, 1855, p. 501. — Er. Naturg. Ins. Deutschl. III, 1847, p. 623. — Blanch. Cat. Coll. Ent. Col. 1850, p. 184. — Gredl. Käf. Tirol, 1863, p. 201. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 331. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 176 u. 248, t. 2. — Seidl. Fauna Transsylv. 1891, p. 159. — Stierl. Käferfauna Schweiz I, 1900, p. 650. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 74; Fauna Germ. Käf. II, 1909, p. 336. — Petri, Siebenbürg. Käferfauna 1912, p. 359. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 410. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 306. Tirol, Steier-mark, Ungarn, Italien
- nigrescens* Beff. Riv. Col. Ital. VIII, 1910, p. 112.
- nigrita* F. Ent. Syst. I, 2, 1792, p. 167; Syst. Eleuth. II, 1801, p. 165.
- pedemontana* Tourn. Mitt. Schweiz. Ent. Ges. I, 1865, p. 267.
- var. *ovata* Burm. Handb. Ent. IV, 1, 1844, p. 257. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 308. Süd-Tirol, Ober-Italien

- var. *pygidialis* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 184. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 310. Brandenburg
- var. *rubrocuprea* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 478. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 309. Italien, Süd-Schweiz,
- aurulenta* D. Torre Jahresb. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 113. Süd-Frankreich,
- cupreonitens* Bëff. Riv. Col. Ital. VIII, 1910, p. 112. Spanien
- var. *semilutea* Bëff. Riv. Col. Ital. VIII, 1910, p. 113. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 309. Turin
- var. *sublaevigata* Motsch. Etud. Ent. II, 1853, p. 29. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 308. Kaukasus
- var. *tricolor* D. Torre, Jahresber. Ver. Naturk. Oesterr. o. d. Enns, X, 1879, p. 113. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 307. Ober-Italien, Schweiz, München, Kaukasus
- fallax* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 185. — Bëff. Riv. Col. Ital. VIII, 1910, p. 113.
- var. *varians* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 476. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 306. Süd-Frankreich, Spanien,
- bicolor* D. Torre, Jahresber. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 113. Süd-Tirol, München
- bicolor* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 185.
- var. *viridicuprea* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 478. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 309. Süd-Frankreich
- var. *viridicyanea* Bëff. Riv. Col. Ital. VIII, 1910, p. 112. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 308. Ober-Italien, Steiermark
- var. *viridis* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 185. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 308. Tirol, Italien, Süd-Frankreich, Spanien, Vogesen
- errans* F. Syst. Ent. 1775, p. 37 (*Melolontha*); Spec. Ins. I, 1781, p. 41; Mant. Ins. I, 1787, p. 22; Ent. Syst. I, 2, 1789, p. 169; Syst. Eleuth. II, 1801, p. 173. — Goeze, Ent. Beytr. I, 1777, p. 104 (*Scarabaeus*). — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1560. — Ol. Ent. I, 1789, Nr. 5, p. 45, t. 8, f. 92; ed. III. II, 1802, p. 67; ed. Sturm II, 1803, p. 28, t. 63, f. 6. — Hrbst. Natursyst. Käf. III, 1790, p. 131. — Ill. Mag. Ins. II, 1803, p. 220. — Schönh. Syn. Ins. I, 3, 1817, p. 191. — Ménétr. Cat. rais. Caucase 1832, p. 186. — Steph. III. Brit. Ent. III, 1830, p. 224; Man. Brit. Col. 1839, p. 169 (*Phyllopertha*). — Burm. Handb. Ent. IV, 1, 1844, p. 259 u. 526. — Er. Naturg. Ins. Deutschl. III, 1847, p. 617. Ungarn, Süd-Rußland, ? England

- circumcincla* Rtrr. Deutsche Ent. Zeitschr. 1896, p. 34.
- praticola* F. Spec. Ins. I, 1781, p. 42; Mant. Ins. I, 1787, p. 23; Ent. Syst. I, 2, 1792, p. 172; Syst. Eleuth. II, 1801, p. 176. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1559. — Ol. Ent. I, 1789, nr. 5, p. 60, t. 7, f. 74 a—b; ed. III. II, 1802, p. 84; ed. Sturm II, 1803, p. 38, t. 65, f. 9—10. — Hrbst. Natursyst. Käf. III, 1790, p. 115. — Schönh. Syn. Ins. I, 3, 1817, p. 203. — Burm. Handb. Ent. IV, 1, 1844, p. 246; I. e. IV, 2, 1855, p. 497 (*Rhombonyx*). — Blanch. Cat. Coll. Ent. Col. 1850, p. 184. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 174 u. 242, t. 2. — Seidl. Fauna Transsylv. 1891, p. 160. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 61 (*Psammoscaphus*).
- var. *brunnea* Ménétr. Cat. rais. Caucase 1832, p. 186.
- var. *desertorum* Motsch. Etud. Ent. II, 1853, p. 31. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 62.
- var. *Pluschkewskyi* Rtrr. Wien. Ent. Zeit. XIII, 1894, p. 239.
- subspec. *diluta* Motsch. Etud. Ent. II, 1853, p. 30. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 314. Kirgisen-Steppe
- exoleta* Fald. Mém. Acad. St. Pétersb. 1835, II, p. 381, t. 3, f. 5. — Burm. Handb. Ent. IV, 1, 1844, p. 529. — Motsch. Etud. Ent. II, 1853, p. 29. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 68 (*Emphalena*). Nord-China
- fulvicornis* Burm. Handb. Ent. IV, 2, 1855, p. 502. Mesopotamien
- geniculata* Motsch. Bull. Moscou XXXIX, 1866, p. 171 (*Rhinoplia*). Japan
- Gudzenkoi* Jacobson, Ann. Mus. St. Pétersb. VIII, 1903, p. XIII. Südl. Mandschurei
- idioenema* Burm. Handb. Ent. IV, 2, 1855, p. 497. Nord-China
- sulcipcennis* Fald. Mém. Acad. St. Pétersb. 1835, II, p. 378, t. 1, f. 2 (*Idioenema*). — Burm. Handb. Ent. IV, 1, 1844, p. 285 u. 429 u. 548. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 65.
- ignicolor* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 73.
- imperialis* Arr. Trans. Ent. Soc. London 1899, p. 264.
- junii* Duft. Fauna Austr. I, 1805, p. 199 (*Melolontha*). — Schönh. Syn. Ins. I, 3, 1817, p. 196. — Heer, Fauna Helvet. Col. I, 1837, p. 73. — Lap. Hist. Nat. Col. II, 1840, p. 136 (*Euchlora*). — Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 482 (*Anomala*); ed. 2, 1871, p. 624 (*Palora*). — Burm. Handb. Ent. IV, 1, 1844, p. 245 (*Rhombonyx*). — Fr. Naturg. Ins. Deutschl. III. 1847, p. 618. — Blanch. Cat. Coll. Ent. Col. 1850, p. 183. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 330. — Redt. Fauna Austr. ed. 3, 1874, p. 495. — Ganglb. Wien. Ent. Zeit. I, 1882, Korea Nord-China Illyrien, Süd-Tirol, Schweiz, Süd-Frankreich, Vogesen

- p. 174 n. 241, t. 2. — Seidl. Fauna Transsylv. 1891, p. 160. — Stierl. Käferfauna Schweiz I, 1900, p. 649. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 59 (*Ambloimala*): Fauna Germ. Käf. II, 1909, p. 336. — Beff. Riv. Col. Ital. VIII, 1910, p. 103. — Deville, Cat. Col. Corse, Beilage zu Rev. d'Ent. XXVIII, 1910, p. 488. — Bed. Faune Col. Bass. Seine IV, 1911, p. 135. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1912, p. 409. — Caillol, Cat. Col. Provence II, 1914, p. 430. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 314.
- var. cupricollis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 314. Bordeaux
- var. cuprithorax* Beff. Riv. Col. Ital. VIII, 1910, p. 103. Turin
- var. Doublieri* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 483. Süd-Frankreich,
- rugosula* Fairm. Ann. Soc. Ent. France (3) VII, 1859, p. 276. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 241. — Beff. Riv. Col. Ital. VIII, 1910, p. 104. Mittel- u. Süd-Italien
- var. etrusca* Ganglb. Wien. Ent. Zeit. I, 1882, p. 241. — Beff. Riv. Col. Ital. VIII, 1910, p. 104. Süd-Italien
- var. maculicollis* O. Schneider, Iris 1902, p. 49 Corsika
- var. scutellaris* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 483. Italien, Tirol, Süd-Frankreich
- var. signaticollis* Beff. Riv. Col. Ital. VIII, 1910, p. 103. Italien
- var. thoracica* Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 483. Italien, Süd-Frankreich
- Lenzi** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 323. Japan
- lucens** Ball. Mém. Moscou XLIV, 1871, I, p. 155. — Har. Deutsche Ent. Zeitschr. XXI, 1877, p. 353. — Heyd. l. c. XXIII, 1879, p. 344. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 108. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 321. „
- lucidula* Motsch. Bull. Moscou XXXIX, 1866, p. 171 (*Rhombonyx*).
- rufocuprea* Waterh. Trans. Ent. Soc. London 1875, p. 109. — Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 401. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 72.
- luculenta** Er. Naturg. Ins. Deutschl. III, 1847, p. 620. — Burm. Handb. Ent. IV, 2, 1855, p. 501. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 316. Ost-Sibirien,
- daurica* Mannerh. Bull. Moscou XXII, 1849, p. 236. — Motsch. Schrenck's Reisen Amurl. II, 2, 1860, p. 135. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 233. — Heyd. l. c. XXV, 1881, p. 112; l. c. XXX, 1886, p. 271; Korea, Nord-China

- Hor. Soc. Ent. Ross. XXIII, 1889, p. 662. —
Rttr. Verh. Nat. Ver. Brünn XLI, 1903, p. 74.
mongolica Motsch. Etud. Ent. II, 1853, p. 28;
l. c. V. 1856, p. 81.
?ruficornis Motsch. Etud. Ent. II, 1853, p. 30.
var. *cuprea* Ohs. Stett. Ent. Zeit. LXXVI, N.-China:
1915, p. 317. Fuschan
var. *rufofemorata* Rttr. Verh. Nat. Ver. Amur
Brünn XLI, 1903, p. 74.
var. *smaragdina* Ohs. Stett. Ent. Zeit. Korea
LXXVI, 1915, p. 317.
- mongolica* Fald. Mém. Acad. St. Pétersb. 1835, II, Amur,
p. 379. — Burm. Handb. Ent. IV, 1. 1844, Mongolei,
p. 284 u. 528. — Motsch. Etud. Ent. II, 1853, Samar-
p. 135; Schrenck's Reisen Amur I, II, 2, 1860, kand
p. 135. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 233. — Heyd. l. c. XXV, 1881, p. 112. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 318.
- anomala* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 234 (*Mimela*). — Heyd. l. c. XXV, 1881, p. 112; l. c. 1895, p. 22 (*Euchlora*).
— Rttr. Verh. Nat. Ver. Brünn XLI, 1903, p. 64.
subaurata Ball. Bull. Moscou XLIII, 4, 1870, p. 345. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 319.
var. *exigua* Ohs. Stett. Ent. Zeit. LXXVI, China:
1915, p. 319. Kiautschou
var. *palaecypria* Ohs. l. c. p. 319. „
var. *pyrocypria* Ohs. l. c. p. 319. „
- Motschoulskyi** Har. Deutsche Ent. Zeitschr. XXI, 1877, Japan
p. 351. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 109. — Rttr. Verh. Nat. Ver. Brünn XLI, 1903, p. 73. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 403. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 321.
var. *aptena* Ohs. Stett. Ent. Zeit. LXXVI, Japan
1915, p. 321.
var. *rufoviolacea* Ohs. l. c. p. 321. „
var. *viridicuprea* Ohs. l. c. p. 321. „
- octlescostata* Burm. Handb. Ent. IV, 1. 1844, p. 243 Japan
(*Phyllopertha*). — Arr. Trans. Ent. Soc. London 1899, p. 273; Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 317.
- octocostata* Motsch. Etud. Ent. IX, 1860, p. 14; Bull. Moscou XXXIX, 1866, p. 170. — Waterh. Trans. Ent. Soc. London 1875, p. 108. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 108. — Rttr. Ent. Nachr. XIV, 1888, p. 291; Verh. Nat. Ver. Brünn XLI, 1903, p. 57 (*Chrysoplethisa*).
- oleaginea* Ménétr. Bull. Acad. St. Petersb. I, 1836, p. 181. Irkutsk
osmanlis Blanch. Cat. Coll. Ent. Col. 1850, p. 185. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 175 u. Klein Asien,
246, t. 2. — Rttr. Verh. Nat. Ver. Brünn XLI, Syrien
1903, p. 78. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 313.

- var. *fulvoviolacea* Ohs. l. c. p. 313.
 var. *haemorrhoidalis* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 78.
 var. *violacea* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 313.
- oxiana** Sem. Hor. Soc. Ent. Ross. XXV, 1891, p. 321. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 62. Buchara, Transkaspien
- palaestina** Pic, Echange XXI, 1905, p. 129. Jerusalem
- pleurimargo** Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 72. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396. Japan, Korea, Nord-China
- quadripunctata** Ol. Ent. I, 1789, nr. 5, p. 82, t. 10, f. 117 (*Melolontha*); ed. Ill. II, 1802, p. 107; ed. Sturm II, 1803, p. 51, t. 69, f. 7. — Schönh. Syn. Ins. I, 3, 1817, p. 191; l. c. Append. p. 106 ♀. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 79 (*Anomala*). Süd-Spanien
- errans** Ill. in Ol. Ent. II, 1802, p. 67 (pars); Mag. Ins. II, 1803, p. 220. — Burm. Handb. Ent. IV, 1, 1844, p. 259. ♀ *profuga* Er. Naturg. Ins. Deutschl. III, 1847, p. 617.
- ♂ *vagans* Er. l. c. p. 620. — Burm. Handb. Ent. IV, 2, 1855, p. 497. — Borre, Ann. Soc. Ent. Belg. XXV, 1881, C. R. p. CXXXVI. — Oliveira, Rev. Soc. Instruc. Porto III, 1884, p. 562; Cat. Ins. Portug. Col. 1895, p. 176.
- subsp. *lusitanica* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 313. Monchique
- subsp. *tingitana* Blanch. Cat. Coll. Ent. Col. 1850, p. 185. Tanger
- rufocuprea** Motsch. Etud. Ent. IX, 1860, p. 14; Bull. Moscou XXXIX, 1866, p. 171. — Waterh. Trans. Ent. Soc. London 1875, p. 109. — Har. Verh. Nat. Ver. Bremen V, 1876, p. 125; Deutsche Ent. Zeitschr. XXI, 1877, p. 350. — Heyd. l. c. XXIII, 1879, p. 343. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 109. — Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 401. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 72 u. 73. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 403. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 320. Japan
- var. *castanipennis* Ohs. l. c. p. 320. „
- var. *violacea* Ohs. l. c. p. 320. „
- var. *viridiaenea* Ohs. l. c. p. 320. „
- var. *viridicuprea* Ohs. l. c. p. 320. „
- rugatipennis** Graells, Rev. Zool. (2) I, 1849, p. 620; Ann. Soc. Ent. France (2) IX, 1851, p. 13, t. 1, f. 3. — Blanch. Cat. Coll. Ent. Col. 1850, p. 184 (*Rhombonyx*). — Ganglb. Wien. Ent. Zeit. I, 1882, p. 174 u. 242, t. 2. — Oliveira, Rev. Soc. Instruc. Porto III, 1884, p. 562; Cat. Ins. Portug. Col. 1895, p. 176. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 59 (*Ambtomala*). Zentral-Spanien, Portugal
- Schönfeldti Ohs. Stett. Ent. Zeit. LXXV, 1915, p. 322. Japan

- Sieversii** Heyd. Hor. Soc. Ent. Ross. XXI, 1887, p. 226. — II. Bts. Proc. Zool. Soc. London XXVI, 1888, p. 374. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 63 (*Euporomala*). Korea,
Japan,
Nord-China
Kiu-kiang
- octocostata* Fairm. (nec Burm.) Ann. Soc. Ent. Belg. XXXV, 1891, C. R. (4) XVIII, p. CCIV.
- var. *atrocoerulea* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 63. Korea
- var. *subpurpurea* Rtrtr. l. c. p. 63. „
- solida** Er. Naturg. Ins. Deutschl. III, 1847, p. 622. — Burm. Handb. Ent. IV, 2, 1855, p. 501. — Redt. Fauna Austr. ed. 2, 1858, p. 458; ed. 3, 1874, p. 495. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 330. — Ganglb. Wien Ent. Zeit. I, 1882, p. 175 u. 246, t. 2. — Hell. Ent. Nachr. IX, 1883, p. 185. — Seidl. Fauna Transsylv. 1891, p. 159. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 76. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 311. Österreich,
Rumelien,
Türkei
- var. *cosina* Ohs. l. c. p. 311. Macedonien
- var. *flexuosa* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 76. Samsun
- var. *testaceipennis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 311. Rumelien
- splendida** Ménétr. Cat. rais. Caucase 1832, p. 185. — Blanch. Cat. Coll. Ent. Col. 1850, p. 185. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 175 u. 247, t. 2. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 78. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 315. Lenkoran
- ? *variabilis* Motsch. Etud. Ent. II, 1853, p. 30.
- var. *bisbimaculata* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 316. Enseli
- var. *collaris* Motsch. Etud. Ent. II, 1853, p. 29. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 315. „
- var. *turcomanica* Har. Col. Hefte V, 1869, p. 123. „
- var. *flavocastanea* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 316. „
- var. *fuscocuprea* Ohs. l. c. p. 316. „
- var. *scutellaris* Ohs. l. c. p. 316. „
- var. *solidopsis* Ohs. l. c. p. 316. „
- var. *viridisplendens* Ménétr. Cat. rais. Caucase 1832, p. 185. Lenkoran
- straminea** Sem. Hor. Soc. Ent. Ross. XXV, 1891, p. 320. China
- sublucida** Ball. Bull. Moscou XLIII, 1870, p. 345. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 79. Kodshent
- var. *nigrovirens* Rtrtr. Deutsche Ent. Zeitschr. 1894, p. 46; Verh. Nat. Ver. Brünn XLI, 1903, p. 79. Turkestan
- thoracica** Zoubk. Bull. Moscou VI, 1833, p. 323. — Motsch. Bull. Acad. St. Pétersb. 1860, p. 520. Sibirien
- triangularis** Schönf. Ent. Nachr. XVI, 1890, p. 171. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396. Japan

- viridana* Kolbe, Arch. Naturg. LII, 1886, p. 192. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 64. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 319.
- japonica* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 401.
- vittis* F. Syst. Ent. 1775, p. 37 (*Melolontha*); Spec. Ins. I, 1781, p. 41; Mant. Ins. I, 1787, p. 21; Ent. Syst. I, 2, 1792, p. 167; Syst. Eleuth. II, 1801, p. 172. — Petagna, Spec. Ins. Calabr. 1787, p. 5. — L. Syst. Nat. ed. 13 (Gmelin), I, 4, 1790, p. 1560 (*Scarabaeus*). — Ol. Ent. I, 1789, nr. 5, p. 34, t. 2, f. 12, a-c (*Melolontha*); ed. III. II, 1802, p. 56; ed. Sturm II, 1803, p. 22, t. 61, f. 9-11. — Hrbst. Natursyst. Käf. III. 1790, p. 129, t. 21, f. 10. — Rossi, Fauna Etrusca I, 1790, p. 23. — Panz. Deutschl. Ins.-Fauna 1795, p. 223; Fauna Ins. Germ. 1813, p. 155. — Marsh. Ent. Brit. I, 1802, p. 41. — Duft. Fauna Austr. I, 1805, p. 193. — Schönh. Syn. Ins. I, 3, 1817, p. 193. — Steph. III. Brit. Ent. Mandib. III, 1830, p. 226; Man. Brit. Col. 1839, p. 169. — Heer, Fauna Col. Helvet. I, 1837, p. 73. — Lap. Hist. Nat. Col. II, 1840, p. 135 (*Euchlora*). — Muls. Hist. Nat. Col. France, Lamell. ed. 1, 1842, p. 477; ed. 2, 1871, p. 620. — Burm. Handb. Ent. IV, 1, 1844, p. 256 (*Anomala*); l. c. IV, 2, 1855, p. 501. — Er. Naturg. Ins. Deutschl. III, 1847, p. 620. — Blanch. Cat. Coll. Ent. Col. 1850, p. 184. — Redt. Fauna Austr. ed. 2, 1858, p. 458; ed. 3, 1874, p. 495. — Gutfl.-Bosc, Käf. Deutschl. 1859, p. 330. — Gredl. Käf. Tirol, 1863, p. 200. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 175 u. 246, t. 2. — Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 185. — Seidl. Fauna Transsylv. 1891, p. 159. — Stierl. Käferfauna Schweiz I, 1900, p. 649. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 77; Fauna Germ. Käf. II, 1909, p. 336. — Beff. Riv. Col. Ital. VIII, 1901, p. 105. — Petri, Siebenbürg. Käferfauna 1912, p. 359. — Kuhnt, III. Best.-Tab. Käf. Deutschl. 1913, p. 409.
- holosericea* Ill. Mag. Ins. IV, 1805, p. 80. Biologie: Er. Naturg. Ins. Deutschl. III, 1847, p. 621. — Gredl. Käf. Tirol. 1863, p. 200. — Dei, Bull. Ent. Ital. II, 1870, p. 288. — Mayet, Muls. Opusc. Ent. XVI, 1870, p. 69; Ann. Soc. Linn. Lyon XVI, 1870, p. 297. — Sajó, Rov. Lap. I, 1884, p. 166; Käferwelt 1910, p. 29. — Jatta, Bull. Soc. Nat. Napol. I, 1887, p. 112. — Maréchal, C. R. Assoc. France, 1896, p. 490. — Beff. Riv. Col. Ital. VIII, 1910, p. 105. — Kokujev, Rev. Russ. d'Ent. X, 1910, p. 4.
- var. *azurescens* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 77. Griechenland
- var. *eu preonitens* Bau, Berl. Ent. Zeitschr. XXVII, 1883, p. 286. Ungarn

Korea,
JapanMittel und
Süd-
Europa,
England

Griechenland

Ungarn

- var. *dichroa* Rtrr. Verh. Nat. Ver. Brünn
XLI, 1903, p. 77. Griechenland
var. *fuscipennis* Ohs. Stett. Ent. Zeit.
LXXVI, 1915, p. 311. Albanien,
Dalmatien
var. *lutea* Schils. Deutsche Ent. Zeitschr.
XXXII, 1888, p. 185. Tirol,
Italien
var. *variabilis* Schils. l. c. p. 185. Tirol,
Schweiz,
Nord-
Italien
var. *signata* Schils. l. c. p. 185. Mittel- und
Südost-
Europa
var. *viridicollis* Schils. l. c. p. 185. Kirgisen-
steppe,
Kuldscha,
Buchara
- vittata* Gebl. Bull. Acad. St. Petersb. VIII, 1841, p. 372;
Bull. Moscou XXXII, 1859, p. 468. — Heyd.
Deutsche Ent. Zeitschr. 1881, p. 112. — Rtrr.
Verh. Nat. Ver. Brünn XLI, 1903, p. 60
(*Psammoscapheus*).
- picticollis* Ball. Bull. Moscou LIII, 1878,
p. 289.
- var. *bilineata* Rtrr. Verh. Nat. Ver. Brünn
XII, 1903, p. 60. Aulie-ata
var. *circumdata* Heyd. Deutsche Ent. Zeit-
schr. XXIX, 1885, p. 274. Kuldscha
var. *trichonura* Rtrr. Verh. Nat. Ver. Brünn
XLI, 1903, p. 60. Aulie-ata
subspec. *calliura* Rtrr. l. c. p. 61. Aulie-ata
var. *marginella* Rtrr. l. c. p. 61. „
subspec. *Metonidia* Rtrr. l. c. p. 61. Alexander
Geb.
var. *pallidipes* Rtrr. l. c. p. 61. Aulie-ata

46

Orientalische Region.

- acutangula* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 201. Tonkin
adhaerescens Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 62. Sumatra
aericollis Burm. Handb. Ent. IV, 2, 1855, p. 499. Java
albaya Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 231. Luzon
Whiteheadi Ohs. Philippin. Journ. Scienc. V,
1910, nr. 4, p. 243.
whiteheadiana Ohs. Stett. Ent. Zeit.
LXXVI, 1915, p. 108.
- Ahlwarthi Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 53. Borneo
amychodes Ohs. l. c. LXXV, 1914, p. 210. Tonkin
anacantha Ohs. l. c. LXXVI, 1915, p. 122, f. 9. Sumatra,
Java
anchoralis Lansb. Ann. Soc. Ent. Belg. XXII, 1879, Java
C. R. p. CLI. — Lœfm. Med. Labor. Pflanzen-
zielt. Buitenzorg nr. 13, 1915, p. 48, t. 1, f. 6.
- Andradei* Hell. Ent. Nachr. XIX, 1893, p. 323. — Ohs. Luzon
Philippin. Journ. Scienc. V, 1910, nr. 4, p. 248.
- angulipennis* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 217. Borneo
flatipes Arr. Ann. Mag. Nat. Hist. (8) VI,
1910, p. 65. — Ohs. Stett. Ent. Zeit. LXXVI,
1915, p. 109.
- angusta* Arr. Ann. Mag. Nat. Hist. (8) IX, 1912, p. 79. Sikkin
anopunctata Burm. Handb. Ent. IV, 2, 1855, p. 500. Süd-China

- anthracina* Arr. Ann. Mag. Nat. Hist. (8) IX, 1912, p. 76. Sikkim
aulacoides Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 327; Formosa
 Archiv f. Naturg. 1916, A. 4, p. 5.
aulax Wiedem. Zool. Mag. II, 1823, p. 93 (*Melolontha*). — Süd-China
 Burm. Handb. Ent. IV, 1, 1844, p. 255 (*Ano-*
mala); l. c. IV, 2, 1855, p. 500. — Rtr. Verh.
 Nat. Ver. Brünn XLI, 1903, p. 66 (*Idiocnema*).
marginalis Newm. Ent. Mag. V, 1838, p. 385.
aureola Hope, Proc. Zool. Soc. London VII, 1839, p. 73 Birma
 (*Euchlora*); Ann. Mag. Nat. Hist. IV, 1840,
 p. 350. — Burm. Handb. Ent. IV, 1, 1844,
 p. 284 u. 536.
auriculata Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 72. Borneo
auripennis Arr. Ann. Mag. Nat. Hist. (8) XII, 1912, p. 336. Birma
aurora Arr. Ann. Mag. Nat. Hist. (8) XII, 1912, p. 337. „
Baeri Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, Luzon,
 p. 252. Negros
Bakeri Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 185. Luzon
bandarra Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 59. Banda
bandicola Ohs. l. c. p. 81. „
barbata Burm. Handb. Ent. IV, 2, 1855, p. 505 (*Euch-* Himalaya
lora).
biformis Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 71. Borneo
bilunata Fairm. Ann. Soc. Ent. France (6) VIII, 1888, Tonkin
 p. 341.
bimarginata Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 123, Sumatra
 f. 10.
bioculata Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, Yünnan
 p. 112.
bivirgulata Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Tonkin
 p. 310.
brevidens Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 200. Kambodja
bruchomorpha Arr. Ann. Mag. Nat. Hist. (8) XII, 1912, Birma
 p. 328.
Bryani Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 104. Borneo
 subsp. *glaucepennis* Ohs. l. c. LXXVII, Sumatra
 1916, p. 83.
caduca Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 107. Negros
camarinensis Ohs. Philippin. Journ. Scienc. V, 1910, Luzon
 nr. 4, p. 246.
Cantori Hope, Proc. Zool. Soc. London VII, 1839, p. 73; Assam
 Ann. Mag. Nat. Hist. IV, 1840, p. 350 (*Euch-*
lora). — Burm. Handb. Ent. IV, 1, 1844,
 p. 284 u. 536.
carcina Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 79. Java
carneola Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 484. Nilgiri
Castelnaui Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 215. Siam,
 Malakka,
 Sumatra
catenatopunctata Ohs. Philippin. Journ. Scienc. V, 1910, Luzon
 nr. 4, p. 244.
catochlora Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 139. Sumatra
chalceseens Sharp, Not. Leyden Mus. III, 1881, p. 238. „
chalybaea Burm. Handb. Ent. IV, 1, 1844, p. 282. — Luzon
 Hell. Ent. Nachr. XIX, 1893, p. 321. — Ohs.
 Philippin. Journ. Scienc. V, 1910, nr. 4, p. 250.
polita Blanch. Cat. Coll. Ent. Col. 1850, p. 196.
relucens Har. Cat. Col. IV, 1869, p. 1205.

- cinabarina* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 113 ♀. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 293 (*Ischnopopillia*). — Arr. Trans. Ent. Soc. London 1899, p. 261. Yünnan
- exarata* Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 330 (*Popillia*). — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 293 (*Ischnopopillia*). — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 50. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39 (*Anomala*). —
- cirroides* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 83. Nias
- cobala* Ohs. l. c. p. 358. N.-Luzon
- conformis* Walk. Ann. Mag. Nat. Hist. (3) III, 1859, p. 56. — Arr. l. c. (8) VIII, 1911, p. 355. Ceylon
- constricta* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 128. Borneo
- controversa* Hope, Trans. Ent. Soc. London IV, 1845, p. 14. Canton
- corrugata* Bts. Proc. Zool. Soc. London 1866, p. 343. Formosa
- corruscaus* Chev. Rev. Zool. IV, 1841, p. 222. — Burm. Handb. Ent. IV, 1, 1844, p. 282. — Hell. Ent. Nachr. XIX, 1893, p. 321. — Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 250. Luzon
- var. *cuprea* Ohs. l. c. p. 250.
- costulata* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 111. Yünnan
- eruralis* Fairm. l. c. p. 110. „
- eupraseus* Wiedem. Zool. Mag. II, 1823, I, p. 89 (*Melolontha*). — Burm. Handb. Ent. IV, 1, 1844, p. 533 (*Anomala*); l. c. IV, 2, 1855, p. 503. Java
- var. *aurichalcea* Burm. Handb. Ent. IV, 1, 1844, p. 260. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 109. Sumatra
- eypriochalcea* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 61. Sumatra
- dapitana* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 339. Mindanao
- decorata* Kirsch, Mitt. Mus. Dresden I, 1875, p. 30. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 110. Malakka bis
- var. *infuscata* Ohs. l. c. p. 111. Borneo
- Delavayi* Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 327. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 66 (*Idiocnema*). Nias
- deliana* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 71. Yünnan
- densestrigosa* Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 20. Sumatra
- despumata* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 243. Süd-China
- devia* Brancs. Soc. Hist. Nat. Trencsen 1910, p. 182, t. 1, f. 5. Luzon
- dimidiata* Hope in Gray, Zool. Misc. 1831, p. 23 (*Euchlora*); Proc. Zool. Soc. London 1839, p. 71; Ann. Mag. Nat. Hist. IV, 1840, p. 349. — Burm. Handb. Ent. IV, 1, 1844, p. 284 u. 536. Nepal
- discalis* Walk. Ann. Mag. Nat. Hist. (3) III, 1859, p. 56. — Arr. l. c. (8) VIII, 1911, p. 355. Ceylon
- discors* Karsch, Berl. Ent. Zeitschr. XXVII, 1882, p. 387 (*Rhinoplia*). — Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 355. „
- diversicolor* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 46. Borneo

- dorsopieta** Arr. Ann. Mag. Nat. Hist. (8) XII, 1912, p. 335. Birma
- Duvauceli** Blanch. Cat. Coll. Ent. Col. 1850, p. 193. Bengalen
- ebenina** Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 328. Süd-China
- var. *colorata* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 58.
- var. *rufopartita* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 27; Ann. Soc. Ent. Belg. XXXV, 1891, C. R. (4) XV, p. XI.
- var. *rufozonula* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 112. — Arr. Trans. Ent. Soc. London 1899, p. 262. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 57 (*Orphnomala*).
- ecbolima** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 106. Luzon
- eladera** Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 257. Mindanao
- erythroptera** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 295 (*Ischnopopillia*). — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39. Sikkim
- euchroma** Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, C. R. (4) XVIII, p. CCIV. Süd-China
- exanthematica** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 186. Luzon
- exarata** Burm. Handb. Ent. IV, 1, 1844, p. 260. ? Philippinen
- Fairmairei** Arr. Trans. Ent. Soc. London 1899, p. 262. Tonkin
- var. *cinnabarina* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 308.
- felicia** Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 69. Borneo
- femoralis** Ol. Ent. I, 1789, nr. 5, p. 35, t. 9, f. 110 (*Melolontha*); ed. III, II, 1802, p. 59; ed. Sturm II, 1803, p. 22, t. 62, f. 1. — Schönh. Syn. Ins. I, 3, 1817, p. 187; Append. p. 104. — Hope, Mag. Nat. Hist. (2) III, 1839, p. 22 (? *Adoretus*). — Burm. Handb. Ent. IV, 1, 1844, p. 234 u. 239 u. 531 (*Anomala*). Ostindien
- fibula** Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 79. Java
- fimbriata** Newm. Mag. Nat. Hist. (2) II, 1838, p. 337 (Popillia); Trans. Ent. Soc. London III, 1841, p. 47; Entomologist I, nr. 21, 1842, p. 330. — Burm. Handb. Ent. IV, 1, 1844, p. 296. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 277. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39. Ostindien
- flaviventris** Arr. Ann. Mag. Nat. Hist. (8) IX, 1912, p. 74. Sikkim,
- var. *flavofasciata* Arr. l. c. p. 72. Bengalen
- var. *flavonotata* Arr. l. c. p. 73. Sikkim,
- var. *flavopicta* Arr. l. c. p. 75. Tonkin
- var. *flavoscutellata* Ohs. Philippin. Journ. Scienc. V, 1910, p. 237. Sikkim
- var. *forcipalis* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 217. Luzon
- fulgens** Blanch. Cat. Coll. Ent. Col. 1850, p. 195 (*Aplosterna*). Borneo
- fulvocaeata** Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 66. „
- fulvofusca** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 140. „
- fulvohirta** Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 231. Madura
- var. *peninsularis* Arr. l. c. (8) VIII, 1911, p. 483.
- furecula** Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 68. Borneo

- fuscognata* Ohs. Deutsche Ent. Zeitschr. 1905, p. 86. Tonkin
fuscata Sharp, Not. Leyden Mus. III, 1881, p. 236. Sumatra
globulosa Sharp, Ann. Mag. Nat. Hist. (7) XII, 1903, Ootacamund,
 p. 471. — Arr. l. c. (8) VIII, 1911, p. 488. Nilgiri
graminea Ohs. Deutsche Ent. Zeitschr. 1905, p. 86. Tonkin
hamigera Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 127, Sumatra
 f. 12.
heteroglypha Ohs. Philippin. Journ. Scienc. V, 1910, Luzon
 nr. 4, p. 248.
heterostigma Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 119. Borneo
hirsutula Nonfr. Ent. Nachr. XVIII, 1892, p. 87. S.-China
holoptera Fairm. Ann. Soc. Ent. France (6) IX, 1899, „
 p. 26.
holomelaena H. Bts. Entomologist XXIV, 1891, Suppl. N. W. Indien
 p. 17.
Hopei Kirsch, Mitt. Mus. Dresden I, 1875, p. 25. Malakka
humeralis Burm. Handb. Ent. IV, 1, 1844, p. 262. — Philippinen
 Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 242.
Eydouxi Blanch. Cat. Coll. Ent. Col. 1850, p. 192.
pallidipennis Blanch. l. c. p. 192. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 108.
 var. *infuscata* Ohs. Stett. Ent. Zeit. LXXVI, Luzon
 1915, p. 107.
hymenalis Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 73. Sumatra
ignicolis Blanch. Cat. Coll. Ent. Col. 1850, p. 191. — Pondichery,
 Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, Nilgiri
 p. 488.
inepta Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 69. Java
inguinalis Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 134. Nias,
 Sumatra,
 Java
 Tonkin
irideorufa Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 290.
iridicollis Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 203. „
javana Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 103. Java
Jonasi Ohs. l. c. p. 326; Archiv f. Naturg. 1916. Formosa
 A. 4, p. 4.
 var. *obscurior* Ohs. l. c. p. 4.
kinabalensis Ohs. Ann. Soc. Ent. Belg. LIV. 1910, p. 216; N. Borneo
 Stett. Ent. Zeit. LXXVII, 1916. p. 54.
kudatina Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 71. „
laetabilis Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 105. Luzon
laevissima Burm. Handb. Ent. IV, 2, 1855, p. 506 Assam
 (*Aprosterna*).
laeisuleata Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, S. China
 p. 19.
lasikina Ohs. Not. Leyden Mus. XXXVI, 1914, p. 83. Simalur
lasiocaula Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 212. Tonkin
lateralis Hope in Gray, Zool. Misc. 1831, p. 24. Nepal
Leotaudi Blanch. Cat. Coll. Ent. Col. 1850, p. 191. — Luzon
 Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 242.
 var. *fuscoviridis* Ohs. l. c. p. 242. „
libidinosa Ohs. Archiv f. Naturg. 1916, A. 4, p. 5. Formosa.
limata Cand. Col. Hefte V, 1869, p. 42. Borneo
limatipennis Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 67. Sumatra
limbifera Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 330. Formosa

- lineatopennis* Blanch. Cat. Coll. Ent. Col. 1850, p. 191. Himalaya
lipodes Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 74. Java
luridicollis Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 482. Madura
- macrophthalma* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 238. Luzon
- macrophylla* Wiedem. Zool. Mag. II, 1, 1823, p. 91 (Melolontha). — Burm. Handb. Ent. IV, 1, 1844, p. 532; l. c. IV, 2, 1855, p. 499. Bengalen
- madurae* Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 478. Madura
- marginipennis* Arr. Ann. Mag. Nat. Hist. (8) IX, 1912, p. 78. Assam, Sikkim
 Thibet
- micans* Fairm. Not. Leyden Mus. XIX, 1897, p. 214. Thibet
- misandria* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 358. S.-Luzon
- monachula* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 76. Sumatra
- mus* Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 485. Nilgiri
- nigripes* Nonfr. Ent. Nachr. XVIII, 1892, p. 86. S.-China
- noctivaga* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 246. Philippinen:
 Batanes
- nubeculosa* Ohs. Deutsche Ent. Zeitschr. 1905, p. 84. Tonkin
- obsoleta* Blanch. Cat. Coll. Ent. Col. 1850, p. 194. — Leefmans, Med. Laborat. Plantenziect. Buitenzorg 1915, p. 47, t. 1, f. 7. — Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 75. Vorder-Indien
 bis
 Sumba
- Olivieri* Sharp, Ann. Mag. Nat. Hist. (7) XII, 1903, p. 471. — Arr. l. c. (8) VIII, 1911, p. 488. Ootacamund,
 Nilgiri
- opalina* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 111. Yünnan
- orichaleescens* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 78. Nias
- var. *semicuprea* Ohs. l. c. p. 78. „
- ovalis* Burm. Handb. Ent. IV, 1, 1844, p. 260. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 117. Java
- var. *disticta* Ohs. l. c. p. 117. „
- ovatula* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 240. Philippinen
- pagana* Burm. Handb. Ent. IV, 1, 1844, p. 254. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 119. Java
- palawana* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 241. Palawan
- palleola* Gyll. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 107 (Melolontha). — Burm. Handb. Ent. IV, 1, 1844, p. 532 (Anomala); l. c. IV, 2, 1855, p. 497. — Ohs. Archiv f. Naturg. 1916, A. 4, p. 5. Ostindien
- var. *testacea* Hope in Gray, Zool. Misc. 1831, p. 24.
- pallidicollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 181 (Rhinophlia). Nord-Indien
- parotidea* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 219; Stett. Ent. Zeit. LXXVI, 1915, p. 109. Borneo
- var. *posticalis* Arr. Ann. Mag. Nat. Hist. (8) VII, 1910, p. 70.
- pellucida* Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 359. S.-Indien,
 Ceylon
- phalaena* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 103. Siam
- phlyctenopyga* Ohs. l. c. p. 126, f. 13. Borneo
- planata* Cand. Col. Hefte V, 1869, p. 42. — Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 248. Philippinen

- platypyga* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 309. Tonkin
- plectrophora* Ohs. Stett. Ent. Zeit. LXXXVII, 1916, p. 64. Sumatra
- poecilochalea* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 328. Formosa
- polyanor* Ohs. Archiv f. Naturg. 1916, A. 4, p. 4. Formosa
- polychroma* Ohs. Deutsche Ent. Zeitschr. 1905, p. 85. Tonkin
- ponticula* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 125, f. 11. Borneo
- porovatula* Ohs. l. c. p. 142. Sumatra
- praecoxalis* Ohs. Stett. Ent. Zeit. LXXXV, 1914, p. 204. Tonkin
- praematura* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 251. Luzon,
Negros
- prasincollis* H. Bts. Entomologist XXIV, 1891, Suppl. p. 18. N. W.-Indien
- prisca* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 141. N.-Borneo
- proctolasia* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 239. Luzon
- prolixa* Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 66. N.-Borneo
- propinqua* Arr. Ann. Mag. Nat. Hist. (8) IX, 1912, p. 77. Assam,
Sikkim
- protea* Arr. l. c. p. 80. Sikkim,
Assam
- puella* Arr. Ann. Mag. Nat. Hist. (8) XII, 1912, p. 338. Birma
- punctigera* Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 20. S.-China
- punctulicollis* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 311. Tonkin
- pusilla* Arr. Ann. Mag. Nat. Hist. (8) IX, 1912, p. 82. Sikkim,
Nepal,
Assam
- pyroscelis* Hope, Trans. Ent. Soc. London III, 1841, p. 66 (*Mimela*). — Burm. Handb. Ent. IV, 1, 1844, p. 292 u. 543. — Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 248 (*Anomala*).
- quadrigemina* Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 68. N.-Borneo
- Raui* Ohs. Stett. Ent. Zeit. LXXXV, 1914, p. 206. Tonkin
- rotundiceps* Sharp, Not. Leyden Mus. III, 1881, p. 234. Sumatra
- rufipes* Burm. Handb. Ent. IV, 2, 1855, p. 506. S.-China
- rufiventris* Redt. in Hügel, Kaschmir, Käf. IV, 2, 1842, p. 526. — Burm. Handb. Ent. IV, 2, 1855, p. 505. Kaschmir,
Himalaya
- rugipennis* Blanch. Cat. Coll. Ent. Col. 1850, p. 182. N.-Indien
- rugosa* Arr. Trans. Ent. Soc. London 1899, p. 263. „
- rugosopunctata* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 26. S.-China
- russiventris* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 290. Tonkin
- sabana* Ohs. Stett. Ent. Zeit. LXXXVII, 1916, p. 65. N.-Borneo
- saetipes* Ohs. l. c. p. 63. Sumatra,
Java,
Borneo
- sagax* Ohs. Archiv f. Naturg. 1916, A. 4, p. 6. Formosa
- saopyga* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 117. Java
- saravakensis* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 216; Stett. Ent. Zeit. LXXXVII, 1916, p. 54. W.-Borneo
- Sauteri* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 329; Archiv f. Naturg. 1916, A. 4, p. 7. Formosa

- schultzeana* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 247. Luzon
scintillans Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 309. Tonkin
seulpticollis Fairm. Not. Leyden Mus. XIX, 1897, p. 215. S.-China
semiaenea Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 484. Nilgiri
semicastanea Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 21. — Ohs. Deutsche Ent. Zeitschr. 1916, p. 345. S.-China
castaneipennis Fairm. l. c. XXXV, 1891, C. R. (4) XVIII, p. CCIV (*Aprosterna*).
semismaragdina Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 27. „
semivirens Gyll. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 112 (*Melolontha*). — Burm. Handb. Ent. IV, 1, 1844, p. 283 u. 540 (*Anomala*). Ostindien
semperiana Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 241. Luzon
severa Burm. Handb. Ent. IV, 2, 1855, p. 504. Thibet
sexoculata Fairm. Not. Leyden Mus. XIX, 1897, p. 213. „
signaticollis Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 334. Manipur
silama Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 70. Borneo
sinica Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 231. S.-China
— Ohs. Archiv f. Naturg. 1916, A. 4, p. 7.
mimeloïdes Rtrr. Verh. Nat. Ver. Brünn XXI, 1903, p. 71.
smiopyga Ohs. Archiv f. Naturg. 1916, A. 4, p. 8. Formosa
sordidula Sharp, Not. Leyden Mus. III, 1881, p. 233. Perak,
Sumatra
N.-Borneo
S.-China
soror Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 67.
spiloptera Burm. Handb. Ent. IV, 2, 1855, p. 500.
psiloptera Rtrr. Verh. Nat. Ver. Brünn XXI, 1903, p. 66.
spilopteroides Ohs. Stett. Ent. Zeit. LXXXV, 1914, p. 209. Tonkin
stictopyga Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 118. Java
stigmipennis Ohs. Stett. Ent. Zeit. LXXXVII, 1916, p. 49. Sumatra
streptopyga Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 329; Formosa
Archiv f. Naturg. 1916, A. 4, p. 7.
var. *fuscoviolacea* Ohs. l. c. p. 7. „
var. *viridirufa* Ohs. l. c. p. 7. „
striolata Blanch. Cat. Coll. Ent. Col. 1850, p. 195 (*Aprosterna*). Ostindien
Sucki Ohs. Stett. Ent. Zeit. LXXXVII, 1916, p. 77. S.-O.-Borneo
sulcata Hope, Proc. Zool. Soc. London VII, 1839, p. 72; Neapel
Ann. Mag. Nat. Hist. IV, 1840, p. 349. — Burm. Handb. Ent. IV, 1, 1844, p. 284 u. 536.
suleatula Burm. Handb. Ent. IV, 1, 1844, p. 261. — Ohs. Philippinen
Philippin. Journ. Scienc. V, 1910, nr. 4, p. 242.
testacea Blanch. Cat. Coll. Ent. Col. 1850, p. 183 (*Heteroptia*). Pondichery
tricolorea Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 137. Java
trivirgata Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 20. S.-China
tryptlea Ohs. Stett. Ent. Zeit. LXXXVII, 1916, p. 57. Sumatra
ulcerata Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 136. Borneo
umboniformis Ohs. Stett. Ent. Zeit. LXXXVII, 1916, p. 80. „

- varicolor** Gyll. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 114 (*Melolontha*). — Burm. Handb. Ent. IV, 1, 1844, p. 250 (*Anomala*). — Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 487. Ostindien
- variegata** Hope in Gray, Zool. Misc. 1831, p. 24. Nepal
- vellicata** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 128. Sumatra
- ventriosa** Ohs. Deutsche Ent. Zeitschr. 1911, p. 321. W.-Borneo
- Vethi** Ohs. Not. Leyden Mus. XXXVI, 1912, p. 84. Simalur
- vietipennis** Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 245. Luzon
- viridicostata** Nonfr. Ent. Nachr. XVIII, 1892, p. 86. S.-China
- viridisericea** Ohs. Deutsche Ent. Zeitschr. 1905, p. 85. Tonkin
- Vitalisi** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 207. „
- Walkeri** Arr. Trans. Ent. Soc. London 1899, p. 271; Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 355. Ceylon
- humeralis* Walk. Ann. Mag. Nat. Hist. (3) III, 1859, p. 56.
- Waterstraati** Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 48. N.-Borneo
- Weberi** Ohs. l. c. p. 70. Java
- Whiteheadi** Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 71. N.-Borneo
- Windrathi** Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 361. — Ohs. Not. Leyden Mus. XXXVI, 1914, p. 85, f. 2; Stett. Ent. Zeit. LXXVI, 1915, p. 121, f. 8. Borneo, ? Siam
- xanthopyga** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 138. Java, Sumatra
- xestopyga** l. c. p. 340. Philippinen
- yummana** Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 328. — Rtrtr. Verh. Nat. Ver. Brünn XXI, 1903, p. 70. — Ohs. Deutsche Ent. Zeitschr. 1916, p. 346. Yünnan
- var. *fulvipennis* Ohs. l. c.
- var. *violaceipennis* Ohs. l. c.
- var. *viridis* Ohs. l. c.
- 235
- Australische Region.
- aeneiventris** Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 6. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 108. Von Duke of York bis Amboina
- var. *fuscipennis* Ohs. l. c. p. 108.
- aeneolineta** Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 7. Neu-Britannien
- aerea** Blanch. Cat. Coll. Ent. Col. 1850, p. 192. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 107. ? Neu-Guinea
- aeruginosa** Boisd. Voy. Astrolabe, Col. 1835, p. 190, t. 9, f. 2. — Burm. Handb. Ent. IV, 1, 1844, p. 539. Waigiu
- Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 60.
- assimilis** Boisd. Voy. Astrolabe, Col. 1835, p. 191. — Burm. Handb. Ent. IV, 1, 1844, p. 539. „
- bonguana** Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 64. Deutsch Neu-Guinea
- Bousqueti** Legouill. Rev. Zool. Soc. Cuv. VII, 1844, p. 223. Celebes
- brachycaula** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 131. Nord-Celebes
- subspec. *sangirana* Ohs. l. c. p. 132. Sangir
- subspec. *talautana* Ohs. l. c. p. 133. Talaut
- calymmophora** Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 44. Moa b. Timor

- chlorotica* Guér. Voy. Coquille, Zool. II, 2, 1830, p. 87 (Euchlora). — Burm. Handb. Ent. IV, 1, 1844, p. 534. — Blanch. Cat. Coll. Ent. Col. 1850, p. 192 (*Anomala*).
- erypsinoa* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 75.
- djampeana* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 133.
- dorsosignata* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 45.
- Elberti* Ohs. Deutsche Ent. Zeitschr. 1911, p. 319.
- exarata* Burm. Handb. Ent. IV, 1, 1844, p. 260. — Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 243; l. c. VII, 1912, nr. 4, p. 256; Stett. Ent. Zeit. LXXXVI, 1915, p. 109.
- fuscoviridis* Blanch. Cat. Coll. Ent. Col. 1850, p. 192; in Hombron u. Jacquinet, Voy. Pôle Sud, Col. 1853, p. 115, t. 8, f. 4.
- hebridarum* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 84.
- heterocostata* Hell. Abh. Mus. Dresden, 1898, nr. 3, p. 25, tab. f. 18.
- imperfecta* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 142.
- keiana* Ohs. l. c. p. 110.
var. *cuprifulgens* Ohs. l. c. p. 110.
- Kühni* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 52.
- lucidula* Guér. Voy. Coquille, Zool. II, 2, 1830, p. 88 (Euchlora). — Boisd. Faune Océanie II, 1832, p. 187. — Burm. Handb. Ent. IV, 1, 1844, p. 534. — Blanch. Cat. Coll. Ent. Col. 1850, p. 192. — Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 108.
- luctuosa* Lansb. Ann. Soc. Ent. Belg. XXII, 1879, C. R. p. CLI.
- maculicollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 191; in Hombr. u. Jacquin. Voy. Pôle Sud, Col. 1853, t. 8, f. 2.
- ministrans* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 42.
- miokoana* Ohs. l. c. p. 56.
- novoguineensis* Ohs. l. c. p. 55.
- oedematosa* Ohs. l. c. p. 47.
- pleuritica* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 131.
- pygidialis* Kirsch, Mitt. Mus. Dresden II, 1877, p. 135.
- raphiocaula* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 129.
- resecta* Ohs. Stett. Ent. Zeit. LXXXVII, 1916, p. 58.
- ronana* Ohs. l. c. p. 54.
- rotundicollis* Hell. Abh. Mus. Dresden 1898, nr. 3, p. 26.
- saleyeriana* Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 134.
- stigmaticea* Ohs. Stett. Ent. Zeit. LXXXVII, 1916, p. 57.
- sublustris* Ohs. l. c. p. 50.
- subterfusa* Ohs. l. c. p. 51.
- ternatana* Lansb. Ann. Soc. Ent. Belg. XXII, 1879, C. R. p. CLI.

Amboina,
CelebesMoa, Dama
Djampea
Neu-Guinea
Lombok
Celebes,
Amboina,
Buru

Neu-Guinea

Neue
Hebriden
S. CelebesN. Celebes
Kei,,
Banggai
BuruCeram,
Amboina
CeramD. Neu-
Guinea
Neu-
LauenburgD. Neu-
Guinea
Sumbawa
N.-Celebes,
TalautNeu-Guinea
Celebes
Ceram
Holl. Neu-
Guinea:
RoosCelebes
Saleyer
Ceram
Süd-Neu-
Guinea
Celebes,
Amboina
Ternate,
Batjan,
Djilolo

- thoracophora* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 82. Nord-Celebes
tlmida Ohs. l. c. p. 43. Timor
tolieusis Ohs. l. c. p. 60. Nord-Celebes
uncinata l. c. p. 50. Fergusson

43

Aethiopische Region.

- adustula* Gerst. Jahrb. wissenschaft. Anst. Hamburg I, Massai
 1884, p. 47.
basalis Guér. Voy. Abyssin. Lefebure VI, 1847, p. 313 Abessinien
 (*Anisoplia*). — Blanch. Cat. Coll. Ent. Col. bis
 1850, p. 191 (*Anomala*). — Burm. Handb. Caffraria
 Ent. IV, 2, 1855, p. 502. — Ohs. Stett. Ent.
 Zeit. LVIII, 1897, p. 356; Ann. Soc. Ent. Belg.
 LVIII, 1913, p. 227. — Kraatz, Deutsche Ent.
 Zeitschr. 1897, p. 333. — Arr. Ann. Mag. Nat.
 Hist. (7) IV, 1899, p. 120; l. c. (7) IX, 1902,
 p. 90. — Péring. Trans. S. Afric. Philos. Soc.
 XII, 1902, p. 610.
Oberthüri Kraatz, Deutsche Ent. Zeitschr.
 1892, p. 184, t. 4, f. 1 (*Popillia*). — Kolbe,
 Stett. Ent. Zeit. LV, 1894, p. 217 (*Peripopillia*).
 var. *coeruleipennis* Kraatz, Deutsche
 Ent. Zeitschr. 1897, p. 333.
 var. *cupricollis* Ohs. Ann. Soc. Ent. Belg.
 LVII, 1913, p. 227.
 var. *nitidicollis* Klug, Monatsber. Berlin.
 Akad. 1855, p. 659 (*Phyllopertha*).
bipunctata Blanch. Cat. Coll. Ent. Col. 1850, p. 180. Senegal
bisignata Burm. Handb. Ent. IV, 2, 1855,
 p. 503.
Bohemani Fähr. Ins. Caffrar. II, 1857, p. 65. — Péring. Caffraria,
 Trans. S. Afric. Philos. Soc. XII, 1902, p. 592, Oranje
 t. 41, f. 28.
boromensis Brancs. Soc. Hist. Nat. Trencsen 1910, Sambesi:
 p. 180, t. 1, f. 3. Boroma
Bottae Blanch. Cat. Coll. Ent. Col. 1850, p. 181. — Ohs. Sennaar
 Deutsche Ent. Zeitschr. 1916, p. 345. Ägypt.
lobipes Rtrr. Verh. Nat. Ver. Brünnn XLI, Sudan
 1903, p. 69 (*Diplomala*).
brevior Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Schoa
 p. 18.
brunnea Klug, Monatsber. Berlin. Akad. 1855, p. 659; Moçam-
 Peters' Reise 1862, p. 259. — Péring. Trans. bique
 S. Afric. Philos. Soc. XII, 1902, p. 606. — Ohs.
 Deutsche Ent. Zeitschr. 1916, p. 345.
discedens Brancs. Soc. Hist. Nat. Trencsen
 XIX, 1897, p. 116. — Péring. Trans. S.-Afric.
 Philos. Soc. XIII, 1907, p. 659.
caffra Burm. Handb. Ent. IV, 1, 1844, p. 266. — Péring. Caffraria
 Trans. S. Afric. Philos. Soc. XII, 1902, p. 602,
 t. 41, f. 42.
cardinalis Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 338. Kamerun,
 Franz. u.
 Belg.
 Kongo
castanea Fähr. Ins. Caffr. II, 1857, p. 61. — Péring. Caffraria,
 Trans. S. Afric. Philos. Soc. XII, 1902, p. 602, Transvaal
 t. 41, f. 44.

- cerea* Arr. Ann. Mag. Nat. Hist. (7) XVIII, 1906, p. 131. Angola
chaleophora Ohs. Öfv. Vet.-Akad. Förh. Stockholm Kamerun
 nr. 10, 1902, p. 344.
 var. *flavicans* Ohs. Deutsche Ent. Zeitschr. Franz.
 1907, p. 427. Kongo
 var. *minor* Ohs. l. c. p. 427. Franz.-
 Kongo
- Chauleri* Linell, Proc. Un. Stat. Mus. XVIII, 1895, Brit. Ost-
 p. 692. Afrika
cingulata Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 389. D. Ost-
 Afrika
 var. *speculicollis* Ohs. l. c. p. 389. „
clypeata Arr. Trans. Ent. Soc. London 1899, p. 257. — Süd-Afrika
 Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 596.
- condophora* Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 207. Belg. Kongo
congoensis Lansb. Not. Leyden Mus. VIII, 1886, p. 100. Kongo
contenta Kolbe, Mitt. Mus. Hamburg XIV, 1897, p. 86. Deutsch-Ost-
 Afrika
damara Péring. Trans. S. Afric. Philos. Soc. XII, 1902, Damaraland
 p. 593, t. 41, f. 29.
delagoa Péring. l. c. p. 605, t. 41, f. 47. Moçambique
denuda Arr. Trans. Ent. Soc. London 1899, p. 258. — Old Calabar,
 Ohs. Öfv. Vet.-Akad. Förh. Stockholm nr. 10, Kamerun
 1902, p. 344.
- discordabilis* C. Dohrn, Stett. Ent. Zeit. XXXVII, 1876, Monrovia
 p. 79.
Distanti Arr. Trans. Ent. Soc. London 1899, p. 258; Transvaal
 Ann. Mag. Nat. Hist. (7) IV, 1899, p. 118. —
 Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 608.
- distinguenda* Blanch. Cat. Coll. Ent. Col. 1850, p. 182. — Senegal,
 Har. Col. Hefte XVI, 1879, p. 50. Loanda
dita Péring. Trans. S. Afric. Philos. Soc. XII, 1902, S. Rhodesien
 p. 601, t. 41, f. 41.
emortualis Blanch. Cat. Coll. Ent. Col. 1850, p. 183. Kongo
 Ertli Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 390. Deutsch-Ost-
 Afrika
exigua Péring. Trans. S. Afric. Philos. Soc. XIII, 1907, Süd-Afrika
 p. 657.
exitialis Péring. Trans. S. Afric. Philos. Soc. XII, 1902, Süd-
 p. 594, t. 41, f. 31. Rhodesien
exoleta Péring. l. c. p. 593, t. 41, f. 30. Moçambique,
 Oranje
 Senegal
- flaveola* Burm. Handb. Ent. IV, 1, 1844, p. 327 (*Hele-
 roplia*).
- flavoviridis* Ohs. Deutsche Ent. Zeitschr. 1907, p. 426. Franz.Kongo
Forbesi H. Bts. Proc. Zool. Soc. London 1884, p. 404, f. 1. Nigeria
funebri Arr. Ann. Mag. Nat. Hist. (7) XVIII, 1906, Angola
 p. 132.
- fusciceps* Fähr. Ins. Caffr. II, 1857, p. 62. — Natal
 Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 604,
 t. 41, f. 45.
- Güßfeldti* Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 20. Port. Kongo
besychastria Ohs. Ent. Rundschau XXIX, 1912, p. 115. Abessinien
holochalcea Ohs. Archiv f. Naturg. 1916, A. 3, p. 1. Kamerun
immarginata Ohs. Öfv. Vet.-Akad. Förh. Stockholm Kamerun
 nr. 10, 1902, p. 345.

- intrusa** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 598, t. 41, f. 38. S. Rhodesien
- Kersteni** Gerst. Arch. Naturg. XXXIII, 1, 1866, p. 46; Decken's Reise Ost-Afrika III, 2, 1873, p. 110. — Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 122. — Kolbe in Stuhlmann Ost-Afrika IV, Col. 1897, p. 171; Sitzungsber. Ges. Naturf. Freunde Berlin 1913, p. 207. — Arr. Trans. Ent. Soc. London 1899, p. 256. Brit. u. Deutsch-Ost-Afrika
- Kristenseni** Obs. Ent. Rundschau XXIX, 1912, p. 116. Harrar
- laevigata** Blanch. Cat. Coll. Ent. Col. 1850, p. 180. Senegal
- laticuscula** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 657. Damaraland
- Linelli** Obs. Deutsche Ent. Zeitchr. 1916, p. 345. Brit. Ost-Afrika
crassa Linell, Proc. Un. Stat. Nat. Mus. XVIII, 1895, p. 691.
- Lucasi** Guér. Voy. Abyssin. Lefebure VI, 1847, p. 312, t. 6, f. 6. Abessinien
- lucida** Klug, Monatsber. Berlin. Akad. 1855, p. 659; Peters' Reise 1862, p. 259. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 607. Moçambique
- Lujae** Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 390. Belg. Kongo
- lutea** Klug, Monatsber. Berlin. Akad. 1855, p. 659; Peters' Reise 1862, p. 258. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 607. Moçambique
- melanogastra** Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 208. Belg. Kongo
- mutata** Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 401. Süd-Afrika
solida Arr. Trans. Ent. Soc. London 1899, p. 257.
- nigrosulcata** Cand. Col. Hefte V, 1869, p. 41. Old Calabar
- nigrovestita** Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 119. Transvaal
- obscuripes** Fairm. Rev. d'Ent. XI, 1892, p. 97. — Gestro, Ann. Mus. Civ. Genova XXXII, 1892, p. 757. — Ohs. Deutsche Ent. Zeitchr. 1916, p. 345. Abessinien,
femorata Rtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 70. Schoa, Obok
- obscuraoenea** Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 123. Deutsch-Ost-Afrika
- opacicollis** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 607. S. Rhodesien
- ovampo** Péring. l. c. p. 601. Ovampo-Land
- pallidula** Latr. Voy. Caillaud IV, 1827, p. 284 (*Melolontha*). — Blanch. Cat. Coll. Ent. Col. 1850, p. 181 (*Anomala*). — Ohs. Deutsche Ent. Zeitchr. 1916, p. 345. Sennaar
tristigma Rtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 69 (*Diplomala*).
- pardalina** Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 197. Franz. Kongo
- parca** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 605. Süd-Rhodesien
- pertinax** Péring. Trans. S. Afric. Philos. Soc. XIII, 1907, p. 656, t. 48, f. 21—23. Transvaal
- phtysica** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 600, t. 41, f. 40. Bechuana-Land

- pinguis** Péring. Trans. Ent. Soc. London 1896, p. 161; Trans. S. Afric. Philos. Soc. XII, 1902, p. 596, t. 41, f. 36. — Arr. Ann. Mag. Nat. Hist. (7) IX, 1902, p. 90. Süd-Rhodesien
- plagiata** Burm. Handb. Ent. IV, 2, 1855, p. 496 (*Heplopus*). — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 607. Caffraria
- plebeja** Ol. Ent. I, 1789, nr. 5, p. 25, t. 8, f. 97 (*Melolontha*); ed. III. II, 1802, p. 46; ed. Sturm II, 1803, p. 15, t. 59, f. 7. — Schönh. Syn. Ins. I, 3, 1817, p. 197. — Burm. Handb. Ent. IV, 1, 1844, p. 234 (*Anomala*). — Kolbe, Sitzungsber. Ges. Naturf. Freunde Berlin 1913, p. 207; Wiss. Erg. I. Deutsch. Zentr.-Afr.-Exped. V, 1914, p. 362. — Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 153; Deutsche Ent. Zeitschr. 1916, p. 345. Senegal, Von Kap Verde bis Sansibar (Steppen-gebiet)
- femorialis* Lap. Hist. Nat. Col. II, 1840, p. 136 (*Euchlora*).
- melanopa* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 70 (*Paragematis*).
- scutellaris* Klug, Erman's Reise II, 1835, p. 35. — Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 122.
- subspec. *infuscata* Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 153. Ukerewe
- subspec. *mixta* F. Ent. Syst. I, 2, 1792, p. 165; Syst. Eleuth. II, 1801, p. 171. — Schönh. Syn. Ins. I, 3, 1817, p. 190. — Burm. Handb. Ent. IV, 1, 1844, p. 234. — Gerst. Arch. Naturg. XXX, 1, 1866, p. 45. — Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 153. West-Afrika: Küstenwald
- subspec. *nigra* Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 198. Ituri, Abessinien
- atrata* Ohs. l. c. LVIII, 1914, p. 154.
- probativa** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 599, t. 41, f. 37. Natal, Transvaal
- repensa** Péring. l. c. p. 595, t. 41, f. 34. Transvaal
- resplendens** Fahr. Ins. Caffr. II, 1857, p. 60. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 603, t. 41, f. 43. Caffraria, Natal
- Rothschildi** Ohs. Ent. Rundschau XXIX, 1912, p. 117. Brit. Ost-Afrika
- rubricollis** Lansb. Not. Leyden Mus. VIII, 1886, p. 102. West-Afrika
- rufa** Kolbe in Stuhlmann, Ost-Afrika IV, Col. 1897, p. 172. Usambara
- rugulosipennis** Ohs. Deutsche Ent. Zeitschr. 1907, p. 425. Franz.Kongo
- russatieps** Fairm. Ann. Soc. Ent. France (6) VIII, 1888, p. 179. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 608. Ovambo
- sebakwana** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 606. Süd-Rhodesien
- semicingulata** Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 154. Belg. Kongo
- senegalensis** Blanch. Cat. Coll. Ent. Col. 1850, p. 181. Senegal
- separata** Brancs. Soc. Hist. Nat. Trencsen XIX, 1897, p. 115. — Péring. Trans. S. Afric. Philos. Soc. XIII, 1907, p. 658. Sambesi

- similis* Lansb. Ann. Soc. Ent. Belg. XXVI, 1882, C. R. (3) XV, p. XXIV. Somali
- Speiseri* Brancs. Soc. Hist. Nat. Trencsen 1910, p. 181, t. 1, f. 4. Sambesi
- stigmaticollis* Fairm. Ann. Soc. Ent. France LX, 1891, p. 231. Senegal
- suturalis* Lansb. Not. Leyden Mus. VIII, 1886, p. 103. West-Afrika
- tendinosa* Gerst. Arch. Naturg. XXXIII, 1, 1867, p. 47; Deckens' Reise Ost-Afrika III, 2, 1873, p. 110. — Kolbe in Stuhlmann, Ost-Afrika IV, Col. 1897, p. 171. Deutsch-Ost-Afrika
- subspec. *echo* Kolbe, Wiss. Erg. Schwed. Zool. Exped. Kilimandjaro VII, Col. nr. 18, 1910, p. 351. Meru
- tibialis* Lansb. Not. Leyden Mus. VIII, 1886, p. 101. Kongo
- tolerata* Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 599, t. 41, f. 39. — Arr. Ann. Mag. Nat. Hist. (7) IX, 1902, p. 90. Süd-Rhodesien
- trabeata* Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, C. R. (4) 20, p. CCLXXXVI. Somali, Massai
- transvaalensis* Arr. Trans. Ent. Soc. London 1899, p. 258; Ann. Mag. Nat. Hist. (7) IV, 1899, p. 118. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 597, t. 41, f. 35. Transvaal
- ukerewia* Kolbe, Sitzungsber. Ges. Naturf. Freunde Berlin, 1913, p. 207; Wiss. Ergeb. I. Deutsch. Zentr.-Afrik.-Exped. V, 1914, p. 362. Ukerewe
- unicolor* Ol. Ent. I, 1789, nr. 5, p. 26, t. 9, f. 108 (*Melolontha*); ed. III. II, 1802, p. 47; ed. Sturm II, 1803, p. 16, t. 60, f. 1. — Blanch. Cat. Coll. Ent. Col. 1850, p. 182. Senegal
- vallida* Burm. Handb. Ent. IV, 1, 1844, p. 235.
- usambica* Kolbe in Stuhlmann, Ost-Afrika IV, Col. 1897, p. 172. Usambara
- subspec. *meruana* Kolbe, Wiss. Ergbn. Schwed. Zool. Exped. Kilimandjaro VII, Col. 1910, p. 352. Meru
- ustulata* Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 118. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 598, t. 41, f. 37. Transvaal
- ustulatipes* Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 122. — Arr. Ann. Mag. Nat. Hist. (7) IX, 1902, p. 89. Deutsch-Ost-Afrika
- vetula* Wiedem. in Germar, Mag. Ent. IV, 1821, p. 133 (*Melolontha*). — Blanch. Cat. Coll. Ent. Col. 1850, p. 183 (*Anomala*). — Burm. Handb. Ent. IV, 2, 1855, p. 496 (*Hoplopus*). — Fähr. Ins. Caffrar. II, 1857, p. 60. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 591, t. 41, f. 27. Kapland
- femoralis* Gyll. in Schönh. Syn. Ins. I, 3 1817, Append. p. 104.
- nitens* Burm. Handb. Ent. IV, 1, 1844, p. 238.
- Winkleri* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 394. Deutsch-Ost-Afrika
- zambesicola* Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 595, t. 41, f. 33. Süd-Rhodesien

Neotropische Region.

- aequatorialis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 416; Deutsche Ent. Zeitschr. 1908, p. 390. Ecuador: Riobamba
 subsp. *huanapensis* Ohs. Ann. Soc. Ent. W. Peru: Huanape
 Belg. LII, 1908, p. 300. Chiriqui
- amphicoma* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 232, t. 12, f. 24.
- antis* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 28. Peru: Cusco
- arara* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 408; l. c. LXIII, 1902, p. 24. Chiriqui
- arrawaka* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 44. Surinam
- atomogramma* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 231, t. 12, f. 23. — Ohs. Stett. Ent. Mexico, Guatemala
 Zeit. LVIII, 1897, p. 396; l. c. LXIII, 1902, p. 20.
- atropurpurea* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 414. Cayenne
- attenuata* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 248, t. 13, f. 25. Mexico
- balzapambae* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 408; W. Ecuador
 l. c. LXIII, 1902, p. 24; Berl. Ent. Zeitschr. XLVIII, 1903, p. 216; Deutsche Ent. Zeitschr. 1908, p. 388.
- barbicollis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 220. Guatemala
- Batesi* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 19 u. 22. Mexico
- Beckeri* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 400. „
- bimaculata* Blanch. Cat. Coll. Ent. Col. 1850, p. 188. — W. Ecuador
 Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 412; l. c. bis
 LXIII, 1902, p. 29; Deutsche Ent. Zeitschr. Panama
 1908, p. 389.
- pupillata* H. Bts. (nec Burm.) Biol. Centr.-Amer. Col. II, 2, 1888, p. 239.
- Biolleyi* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 30. Costa Rica
- boliviana* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 403. Bolivien
- brunnipennis* Gyll. in Schönh. Syn. Ins. I, 3, 1817, Surinam,
 Append. p. 108 (*Melolontha*). — Ohs. Stett. ? Luisiana
 Ent. Zeit. LXIII, 1902, p. 47.
- buchwaldiana* Ohs. Deutsche Ent. Zeitschr. 1908, p. 390. W. Ecuador
- calceata* Chev. Ann. Soc. Ent. France (4) V, 1865, p. 28. Cuba
- calligrapha* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 220, t. 12, f. 6. — Ohs. Stett. Ent. Zeit. Panama,
 LVIII, 1897, p. 390. Mexico
- capito* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 400. „
- carinifrons* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 249, t. 13, f. 24. — Schaeff. Journ. N. York Mexico,
 Ent. Soc. XIV, 1906, p. 4; l. c. XV, 1907, p. 71. Arizona
- castaneiceps* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 248, t. 13, f. 23. — Ohs. Stett. Ent. Zeit. Mexico
 LVIII, 1897, p. 400.
- catoxantha* Burm. Handb. Ent. IV, 2, 1855, p. 498. — Brasilien
 Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 49.
- brunnipennis* Burm. (nec Gyll.) Handb. Ent. IV, 1, 1844, p. 250.
- caucana* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 416. Columbien
- chalcosoma* Blanch. Cat. Coll. Ent. Col. 1850, p. 189. — Bolivien
 Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 32.
- Championi* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 222, t. 12, f. 10. Guatemala
- Chevrolati* H. Bts. l. c. t. 12, f. 16. Mexico

- chiriquina** H. Bts. l. c. p. 218.
- chloroptera** Burm. Handb. Ent. IV, 1, 1844, p. 262.
- chloropyga** Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 397.
- chromicolor** Burm. Handb. Ent. IV, 2, 1855, p. 505.
- chrysmelina** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 234, t. 13, f. 4.
- cicatricosa** Perty, Delect. anim. artic. 1832, p. 47, t. 10, f. 2 (*Euchlora*). — Hope, Ann. Mag. Nat. Hist. IV, 1840, p. 351. — Burm. Handb. Ent. IV, 1, 1844, p. 275 u. 390 u. 538. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 410; l. c. LXIII, 1902, p. 27.
- cineta** Say, Boston Journ. Nat. Hist. I, 2, 1835, p. 181. — Burm. Handb. Ent. IV, 1, 1844, p. 254. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 236. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 24; Deutsche Ent. Zeitschr. 1908, p. 388.
- Latrcillei* Blanch. Cat. Coll. Ent. Col. 1850, p. 188.
- var. *polychalca* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 236. — Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 2; l. c. XV, 1907, p. 70.
- var. *viridicollis* Burm. Handb. Ent. IV, 1, 1844, p. 259. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 236.
- enethopyga** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 238.
- coerulea** Ohs. Deutsche Ent. Zeitschr. 1908, p. 388.
- columbica** Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 19 u. 21.
- compressicollis** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 219, t. 12, f. 5. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 390.
- Conradti** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1889, p. 405.
- eribriceps** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 221, t. 12, f. 7.
- erinicollis** Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 14.
- eupricollis** Chev. Col. Mexique I, 4, 1834, nr. 75. — Burm. Handb. Ent. IV, 1, 1844, p. 263. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 238. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 29.
- var. *coagulata* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 238, t. 13, f. 8.
- decolor** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 227. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 17.
- denticollis** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 228, t. 12, f. 17. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 393.
- discoidalis** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 217, t. 12, f. 2.
- Donovani** Steph. Ill. Brit. Ent. Mandib. III, 1830, p. 226. — Westw. Introduct. classif. Ins. 1839, tab. f. 2. — Ganglb. Wien. Ent. Zeit. I, 1882, p. 243. — Arr. Ent. Monthly Mag. (2) X, 1899, p. 269.
- Chiriqui
Columbien
Costa Rica
Bahia, Para
Chiriqui
- Amazonas:
S. Paulo
d'Oli-
vença
- Mexico
bis
Paraguay
- Mexico,
Neu
Mexico
- Columbien
- Guatemala
- W. Ecuador
W. Colum-
bien
- Guatemala,
Mexico
- Guatemala
- Mexico
- „
- Mexico bis
Honduras
- Nicaragua
- Mexico
- Guatemala
- Mexico bis
Panama
- England,
Mexico

- irrorata* Blanch. Cat. Coll. Ent. Col. 1850, p. 187. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 230, t. 12, f. 22. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 19 u. 21.
- doryphorina* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 234, t. 13, f. 3. Guatemala
- Eckhardti* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 413; l. c. LXIII, 1902, p. 30. Ost-Peru
- eucoma* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 232. Guatemala bis Costa Rica
- eulessa* H. Bts. l. c. p. 219, t. 12, f. 4. Chiriqui
- flavizona* H. Bts. l. c. p. 223, t. 12, f. 12. Guatemala
- flavofemorata* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 417. West-Columbien
- Flohri* Ohs. l. c. p. 399. Mexico
- foraminosa* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 229, t. 12, f. 21. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 19. Mexico bis Panama
- Forreri* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 237, t. 13, f. 7. Mexico
- Forsströmi* Billb. Mém. Acad. St. Pétersb. VII, 1820, p. 387, t. 12, f. 8. Antillen, Brasilien
- foveiceps* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 404. Bahia
- fulgidicollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 187. Mexico
- fulvocostata* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 45. Venezuela
- guatemalena* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 218, t. 12, f. 3. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 390. Mexico bis Costa Rica
- hispidipennis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 393. Mexico
- hispidula* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 228, t. 12, f. 20. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 393. Guatemala, Mexico
- histrionella* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 222, t. 12, f. 9. Mexico bis Nicaragua
- Hoegei* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 390. Mexico
- Hoepfneri* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 224, t. 12, f. 13. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 391. „
- hylobia* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 403. Ost-Peru
- inconstans* Burm. Handb. Ent. IV, 1, 1844, p. 252 u. 562. — Blanch. Cat. Coll. Ent. Col. 1850, p. 187. — G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 161. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 225, t. 12, f. 14. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 406; Deutsche Ent. Zeitschr. 1908, p. 243. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 69. Zentral- und Süd-Amerika
- ? *lurida* F. Syst. Ent. 1775, p. 35 (*Melolontha*).
- insularis* Lap. Hist. Nat. Col. II, 1840, p. 136. Sto. Domingo
- Jansoni* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 391. Costa Rica
- laestecollis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 233, t. 13, f. 2. Guatemala
- latitarsis* Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 232 (*Phyllopertha*). Honduras
- ligulipes* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 393. Guatemala
- limbata* Lap. Hist. Nat. Col. II, 1840, p. 136. Cayenne
- limbaticollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 188. Neu-Granada

- Luciae* Blanch. l. c. p. 187. Ins. Sta.
Lucia
- megalia* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 239, t. 13, f. 9. Honduras,
hondurac Nonfr. Ent. Nachr. XX, 1894, p. 120. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 396. Nicaragua
- mesocnemis* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 20 u. 23. Mexico
- microcephala* Burm. Handb. Ent. IV, 1, 1844, p. 264. — Arr. Trans. Ent. Soc. London 1899, p. 273. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 414; l. c. LXIII, 1902, p. 22. Columbien,
Venezuela
- millepora* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 231; l. c. 1889, p. 405. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 396; l. c. LXIII, 1902, p. 20. Mexico,
Guatemala
- mutabilis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 407. Columbien
- nigroaenea* Ohs. l. c. p. 415. W. Colum-
bien
Panama
- ochrogastra* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 223, t. 12, f. 11.
- ochroptera* H. Bts. l. c. p. 232. Honduras,
Nicaragua
- oreas* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 405. Columbien
- panamensis* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 26. Panama
- pernambucana* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 13; Deutsche Ent. Zeitschr. 1908, p. 243. Pernambuco
- plagiata* Nonfr. Ent. Nachr. XX, 1894, p. 121. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 396; l. c. LXIII, 1902, p. 27. Honduras
- polygona* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 229. Costa Rica
- popayana* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 405; Berl. Ent. Zeitschr. XLVIII, 1903, p. 216; Deutsche Ent. Zeitschr. 1908, p. 387. W. Colum-
bien
- subsp. *monochroa* Ohs. l. c. p. 387. W. Ecuador
- praecellens* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 240, t. 13, f. 10. Nicaragua
- punctatipennis* Blanch. Cat. Coll. Ent. Col. 1850, p. 187. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 221. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 390. Mexico,
Guate-
mala
- pupillata* Burm. Handb. Ent. IV, 1, 1844, p. 263. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 26. Guatemala,
Mexico
- Smithi* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1889, p. 406.
- quiché* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 395. Guatemala
- repressa* Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 299. Mexico
- refusicollis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 220. Panama
- rhizotrogoides* Blanch. Cat. Coll. Ent. Col. 1850, p. 186. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 247, t. 13, f. 22. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 44. Mexico
- rhodope* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 235, t. 13, f. 6. „
- ruatana* H. Bts. l. c. p. 226. Honduras
- salticola* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 409; l. c. LXIII, 1902, p. 25. Venezuela

- sejuncta* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 224. Guatemala,
Costa Rica
- semicineta* H. Bts. l. c. p. 237. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 25. Mexico
- semitonsa* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 233, t. 12, f. 25. Panama
- simillima* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 407. Venezuela
- sticticoptera* Blanch. Cat. Coll. Ent. Col. 1850, p. 187. Mexico
— H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 230. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 20.
- strigicollis* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 18. Columbien
- strigidioïdes* Blanch. Cat. Coll. Ent. Col. 1850, p. 188. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 418. Para
- subaenea* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 296 (*Strigoderma*). — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 14 u. 50. Mexico
var. *Jordani* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 296.
- sulcans* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 235, t. 13, f. 5. Nicaragua
- sulcipennis* Lap. Hist. Nat. Col. II, 1840, p. 136. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 418. — Arr. Trans. Ent. Soc. London 1899, p. 273. Cayenne,
Amazonas
- surinama* Burm. Handb. Ent. IV, 1, 1844, p. 538; l. c. IV, 2, 1855, p. 503. — Voet, ed. Panz. Col. I, 1785, p. 40, t. 7, f. 56 u. 57 (*Fenisex americanus*). — Schönh. Syn. Ins. I, 3, 1817, p. 196. — Blanch. Cat. Coll. Ent. Col. 1850, p. 189.
- sylphis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 233, t. 13, f. 1. Mexico
- tessellatipennis* Blanch. Cat. Coll. Ent. Col. 1850, p. 186. „
— H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 249.
- testaceipennis* Blanch. Cat. Coll. Ent. Col. 1856, p. 186. — Arr. Trans. Ent. Soc. London 1899, p. 273. — Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 216; Deutsche Ent. Zeitschr. 1908, p. 388. Bolivien bis
Panama
- costaricae* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 235. Costa Rica
- novogranadensis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 396. Neu-Granada
- tolensis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 223. Panama
- tolucana* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 15. Mexico
- trapezifera* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 229. Costa Rica
- undulata* Melsh. Proc. Acad. Philad. II, 1844, p. 140. — G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 160. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 217 u. 405. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 401; l. c. LXIII, 1902, p. 9; Berl. Ent. Zeitschr. XLVIII, 1903, p. 216; Deutsche Ent. Zeitschr. 1908, p. 242 u. 387. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 70. Vereinigte
Staaten
v. Nord-
Amerika,
Zentral-
Amerika
- varians* Burm. Handb. Ent. IV, 1, 1844, p. 248.

- Biologie: Riley, Rep. Ent. 1884, p. 412.
 var. *dubia* Blatchl. Bull. Indian. Dep. Geol. Nr. 1, 1910, p. 984.
 subsp. *aeneipennis* Blanch. Cat. Coll. Ent. Col. 1850, p. 186. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 242.
 subsp. *cellaris* Burm. Handb. Ent. IV, 1, 1844, p. 247. — Ohs. Stett. Ent. Zeit. LVIII 1897, p. 402.
 subsp. *espiritasantensis* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 11.
 subsp. *peruviana* Guér. Voy. Coquille, Zool. II, 2, 1830, p. 88 (*Anisoptia*). — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 12.
notata Er. Arch. Naturg. XIII, 1847, p. 99.
 subsp. *varians* F. Syst. Eleuth. II, 1801, p. 173 (*Melolontha*). — Schönh. Syn. Ins, I, 3, 1817, p. 192; l. c. Append. p. 109. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 401; l. c. LXIII, 1902, p. 12.
 subsp. *variegata* Latr. Voy. Humboldt, Obs. Zool. Ins. II, 1833, p. 47, t. 33, f. 4. — Burm. Handb. Ent. IV, 1, 1844, p. 248; l. c. IV, 2, 1855, p. 498. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 402; l. c. LXIII, 1902, p. 12.
brasilienensis Arr. Trans. Ent. Soc. London 1899, p. 272.
valida Burm. Handb. Ent. IV, 1, 1844, p. 264. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 239. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 29; Deutsche Ent. Zeitschr. 1908, p. 389.
 subsp. *lineatopunctata* Ohs. l. c. p. 389.
variolata H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 237.
veracrucis H. Bts. l. c. p. 224.
respertilio Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 16.
violacea Burm. Handb. Ent. IV, 1, 1844, p. 265. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 417; l. c. LXIII, 1902, p. 24; Deutsche Ent. Zeitschr. 1908, p. 243.
 var. *violaceipennis* Blanch. Cat. Coll. Ent. Col. 1850, p. 189.
 var. *viridis* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 25.
vulcanicola Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 394.
zapotensis H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 221, t. 12, f. 8.

Indiana

Brasilien:
Rio de
Janciro
ColumbienEspirito
Santo
Cordilleren
v. Ecuador u. Peru

Guayana

Amazonas

Mexico bis
ColumbienW. Ecuador
Guatemala

Mexico

Brasilien:
Küsten-
gebirgePanama
Guatemala

Neoboreale Region.

- antennata** Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 1; l. c. XV, 1907, p. 69. Neu Mexico
binotata Gyll. Schönh. Syn. Ins. I, 3, 1817, Append. p. 106 (*Melolontha*). — Burm. Handb. Ent. IV, 1, 1844, p. 262 (*Anomala*). — G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 158. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Vereinigte Staaten v. Nordamerika, Nord-

- p. 229. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 19. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 70.
- maculata* Lap. Hist. Nat. Col. II, 1840, p. 136 (*Euchlora*).
- unifasciata* Say, Journ. Acad. Philad. V, 1825, p. 199.
- var. *marginella* J. Lec. Proc. Acad. Philad. VII, 1854, p. 81 u. 217.
- cavifrons** J. Lec. Trans. Amer. Ent. Soc. II, 1, 1867, p. 52. — G. Horn, l. c. XI, 1884, p. 162. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 70. Neu-Mexico, Texas
- centralis** J. Lec. New spec. Col. I, 1863, p. 78. — G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 159. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 226. — Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 2; l. c. XV, 1907, p. 69. Californien, Arizona, Nord-Mexico
- clypealis** Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 68, p. 70. Arizona
- flavipennis** Burm. Handb. Ent. IV, 1, 1844, p. 249. — Blanch. Cat. Coll. Ent. Col. 1850, p. 187. — G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 158. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 70. Ver. Staaten: Süd-Staaten
- dichroa* Melsh. Proc. Acad. Philad. II, 1846, p. 140.
- subsp. *luteipennis* J. Lec. Proc. Acad. Philad. VII, 1854, p. 80. — Casey, Contrib. Col. N. Amer. II, 1884, p. 180. — Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 3.
- innuba** F. Mant. Ins. I, 1787, p. 22 (*Melolontha*); Ent. Syst. I, 2, 1792, p. 169; Syst. Eleuth. II, 1801, p. 173. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1560 (*Scarabaeus*). — Ol. Ent. I, 1789, nr. 5, p. 46, t. 8, f. 93; ed. III. II, 1802, p. 68; ed. Sturm II, 1803, p. 29, t. 63, f. 7. — Herbst, Natursyst. Käf. III, 1790, p. 132. — Ill. Mag. Ins. IV, 1805, p. 80. — Schönh. Syn. Ins. I, 3, 1817, p. 192. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 12 (*Anomala*). — Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 2; l. c. XV, 1907, p. 70. Vereinigte Staaten: Mittel- u. Süd-Staaten
- minuta* G. Horn (nec Burm.), Trans. Amer. Ent. Soc. XI, 1884, p. 159.
- ludoviciana** Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 3; l. c. VII, 1907, p. 70. Louisiana
- minuta** Burm. Handb. Ent. IV, 1, 1844, p. 249; l. c. IV, 2, 1855, p. 504. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 47. — Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 4; l. c. XV, 1907, p. 71. Georgien, Florida
- parvula** Burm. Handb. Ent. IV, 1, 1844, p. 247. — G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 157. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 69. Arizona, Golf-Staaten
- peninsularis** Schaeff. Journ. N. York Ent. Soc. XIV, 1906, p. 3; l. c. XV, 1907, p. 70. Süd-Californien: Sta. Rosa

- pubescens** Blatchl. Bull. Indian. Dept. Geol. nr. 1, Indiana
1910, p. 984.
- semilivida** J. Lec. Proc. Amer. Philos. Soc. XVII, 1878, Florida,
p. 403. — G. Horn, Trans. Amer. Ent. Soc. Georgien
XI, 1884, p. 161. — Schaeff. Journ. N. York
Ent. Soc. XV, 1907, p. 71.
- tibialis** Schaeff. Journ. N. York Ent. Soc. XIV, 1906, Texas
p. 5; l. c. XV, 1907, p. 69.
A. brunnipennis Gyll., *carinifrons*
H. Bts., *polychalca* H. Bts., *inconstans*
Burm., *undulata* Melsh. siehe
Neotropische Region!

14

556Subgen. **Euchlora** W. S. Mac Leay.

Mac Leay, Hor. Ent. I, 1819, p. 147. — F. Hope, Proc. Zool. Soc. London VII, 1839, p. 65; Ann. Mag. Nat. Hist. IV, 1840, p. 342. — Lap. Hist. Nat. Col. II, 1840, p. 135 (pars). — Burm. Handb. Ent. IV, 1, 1844, p. 274; l. c. IV, 2, 1855, p. 504. — Blanch. Cat. Coll. Ent. Col. 1850, p. 193. — Lacord. Gen. Col. III, 1856, p. 328. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 64. — Ohs. Deutsche Ent. Zeitschr. 1916, p. 39 und 345.

Euchronomala Rtrtr. Verh. Nat. Ver. Brünn XLI 1903, p. 65.

Euporomala Rtrtr. l. c. p. 64.

Paläarktische Region.

- albopilosa** Hope, Proc. Zool. Soc. London VII, 1839, Japan
p. 70; Ann. Mag. Nat. Hist. IV, 1840, p. 347. —
Burm. Handb. Ent. IV, 1, 1844, p. 278. —
Blanch. Cat. Coll. Ent. Col. 1850, p. 195. —
Waterh. Trans. Ent. Soc. London 1875, p. 112.
— Heyd. Deutsche Ent. Zeitschr. XXIII,
1879, p. 343. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 109. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 65 (*Euchronomala*). — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 402.
- var. *gracilis* Schönf. Ent. Nachr. XVI, 1890, Liu-Kiu-Ins.
p. 170. — Lewis, Ann. Mag. Nat. Hist. (6)
XVI, 1895, p. 402. — Arr. Ann. Mag. Nat.
Hist. (8) XII, 1913, p. 402.
- var. *immarginata* Rtrtr. Verh. Nat. Ver. Japan
Brünn XLI, 1903, p. 65.
- chloroderma** Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, Oshima
p. 403.
- multistriata** Motsch. Etud. Ent. X, 1861, p. 7 (*Heteroplia*). Japan
— Waterh. Trans. Ent. Soc. London
1875, p. 112 (*Euchlora*). — Har. Abh. Nat.
Ver. Bremen IV, 1875, p. 292. — Schönf.
Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 109.
— Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903,
p. 70. — Arr. Ann. Mag. Nat. Hist. (8) XII,
1913, p. 396.

- puncticollis* Har. Deutsche Ent. Zeitschr. XXI, 1877, p. 352. — Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 402. — Schönf. Jahrb. Nassau. Ver. Naturk. LXX, 1897, p. 106.
- xanthopleura* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 402. Lu-tschu: Okinawa

4

Orientalische Region.

- anoguttata* Burm. Handb. Ent. IV, 1, 1844, p. 280. — Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 260; Stett. Ent. Zeit. LXXXVI, 1915, p. 341. Luzon bis Salomonen
- dichropus* Blanch. Cat. Coll. Ent. Col. 1850, p. 194. Celebes
- atrocyanea* Burm. Handb. Ent. IV, 1, 1844, p. 277. Luzon
- bicolor* F. Ent. Syst. 1775, p. 34 (*Melolontha*); Spec. Ins. I, 1781, p. 38; Mant. Ins. I, 1787, p. 20; Ent. Syst. I, 2, 1792, p. 161; Syst. Eleuth. II, 1801, p. 166. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1788, p. 1569 (*Scarabaeus*). — Ol. Ent. I, 1789, nr. 5, p. 30, t. 7, f. 86 u. t. 9, f. 86b; ed. III. II, 1802, p. 52; ed. Sturm II, 1803, p. 19, t. 61, f. 2 u. 3. — Schönh. Syn. Ins. I, 3, 1817, p. 197. — Hope, Col. Man. 1837, p. 40 (*Euchlora*); Proc. Zool. Soc. London VII, 1839, p. 70; Ann. Mag. Nat. Hist. IV, 1840, p. 347. — Lap. Hist. Nat. Col. II, 1840, p. 135. — Burm. Handb. Ent. IV, 1, 1844, p. 279. Java
- femorialis* Hope, Proc. Zool. Soc. London VII, 1839, p. 71; Ann. Mag. Nat. Hist. IV, 1840, p. 348. Java
- castaneoventris* H. Bts. Proc. Zool. Soc. London 1866, p. 344. — Ohs. Archiv f. Naturg. 1916, A. 4, p. 7. Formosa
- ceramopyga* Ohs. Philippin. Journ. Scienc. VII, 1912, nr. 4, p. 261, t. 1, f. 2. Negros
- chalcites* Sharp, Not. Leyden Mus. III, 1881, p. 237. Sumatra
- chalcoptera* Burm. Handb. Ent. IV, 1, 1844, p. 281. Philippinen
- chlorochelys* Arr. Ann. Mag. Nat. Hist. (8) X, 1912, p. 340. Birma
- chloronota* Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 358. Ceylon
- chloropyga* Burm. Handb. Ent. IV, 1, 1844, p. 281. Luzon
- citrina* Lansb. Not. Leyden Mus. V, 1883, p. 20. Nias
- colobocaula* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 91. Sumatra
- concha* Ohs. l. c. 1916, p. 98. W. Borneo
- concinna* Burm. Handb. Ent. IV, 1, 1844, p. 279. — Schauf. Hor. Soc. Ent. Ross. XXI, 1887, p. 121. Sumatra
- coxalis* H. Bts. Entomologist XXIV, 1891, Suppl. p. 77. S.-W.-China
- crassa* Lansb. Ann. Soc. Ent. Belg. XXII, 1879, C. R. p. CLII. Java
- cribrata* Blanch. Cat. Coll. Ent. Col. 1850, p. 194. Ost-Indien
- cupripes* Hope, Proc. Zool. Soc. London VII, 1839, p. 68; Ann. Mag. Nat. Hist. IV, 1840, p. 346. — Burm. Handb. Ent. IV, 1, 1844, p. 276. — Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 331. Süd-China, Formosa
- var. *coerulescens* Ohs. l. c. p. 331; Archiv f. Naturg. 1916, A. 4, p. 8. Formosa

- dasyptga* Burm. Handb. Ent. IV, 1, 1844, p. 280. — Ohs. Philippin. Journ. Scienc. VII, 1912, nr. 4, p. 256. Luzon
- De Haani* Hope, Proc. Zool. Soc. London VII, 1839, p. 71; Ann. Mag. Nat. Hist. IV, 1840, p. 349. — Burm. Handb. Ent. IV, 1, 1844, p. 284 u. u. 536. Assam
- denticus* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 220. N. Borneo
var. *ruficollis* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 92. „
- diglossa* Ohs. l. c. p. 89. Sumatra,
Perak
Vorder-Indien
Philippinen
Ins. Engano
Nias
Formosa
- Dussumieri* Blanch. Cat. Coll. Ent. Col. 1850, p. 194. — Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 355. Palawan
N.-W.-Borneo
Sumatra
- encausta* Cand. Col. Hefte V, 1869, p. 42. Nord-Indien
- enganensis* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 110. Philippinen
- excolens* Ohs. l. c. p. 110. Ins. Engano
Nias
- expansa* H. Bts. Proc. Zool. Soc. London 1866, p. 343. Formosa
— Ohs. Archiv f. Naturg. 1916, A. 4, p. 8.
- expedita* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 190. Palawan
- fissula* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 94. N.-W.-Borneo
- flagellata* Sharp, Not. Leyden Mus. III, 1881, p. 238. — Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 104. Sumatra
- grandis* Hope, Proc. Zool. Soc. London VII, 1839, p. 69; Ann. Mag. Nat. Hist. IV, 1840, p. 346. — Burm. Handb. Ent. IV, 1, 1844, p. 284 u. 535. Nord-Indien
- heterotricha* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 94. Sumatra
- Heydeni* Friv. Term. Füz. XV, 1892, p. 125. Süd-China
- inconsueta* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 250. Philippinen
- inopinata* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 188. Luzon
- Jacobsoni* Ohs. Not. Leyden Mus. XXXVI, 1914, p. 87. Simalur
- Knapperti* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 96. Sumatra
- laniventris* Arr. Ann. Mag. Nat. Hist. (8) XII, 1912, p. 339. Birma
- latefemorata* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 220. N. Borneo
- leprodes* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 97. Java
- maculifemorata* Ohs. Philippin. Journ. Scienc. VII, 1912, nr. 4, p. 258. Luzon
- malabariensis* Blanch. Cat. Coll. Ent. Col. 1850, p. 195. Malabar
- Martini* Hope, Proc. Zool. Soc. London VII, 1839, p. 70; Ann. Mag. Nat. Hist. IV, 1840, p. 347. — Burm. Handb. Ent. IV, 1, 1844, p. 284 u. 530. ? China
- matricula* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 108. W. Borneo
- Micholitzi* Ohs. Ent. Rundschau XXX, 1913, p. 69. Mindanao
- millestriga* H. Bts. Entomologist XXIV, 1891, Suppl. p. 78. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 71. S.-W.-China
- monochroa* H. Bts. Entomologist XXIV, 1891, Suppl. p. 18. N.-W.-Indien
- Morissaei* Blanch. Cat. Coll. Ent. Col. 1850, p. 193. — C. Dohrn, Stett. Ent. Zeit. XLVI, 1885, p. 139. Java
- negrescens* Ohs. Not. Leyden Mus. XXXVI, 1914, p. 88; Stett. Ent. Zeit. LXXVII, 1916, p. 103. Simular
- var. *castanicolor* Ohs. l. c. p. 103. W.-Sumatra
- var. *foliacea* Ohs. l. c. p. 103. „
- nitidissima* Blanch. Cat. Coll. Ent. Col. 1850, p. 194. — Ohs. Philippin. Journ. Scienc. VII, 1912, nr. 4, p. 260. Philippinen
- nona* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 95. Sumatra

- obesa* Cand. Col. Hefte V, 1869, p. 41. Luzon
oxylabis Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 90. Sumatra
perplexa Hope, Proc. Zool. Soc. London VII, 1839, p. 70; Nepal
 Ann. Mag. Nat. Hist. IV, 1840, p. 348. —
 Burm. Handb. Ent. IV, 1, 1844, p. 280. —
 Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 359.
phagedaenica Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 92. Sumatra,
 Perak
phyllochroma Ohs. l. c. p. 105. Java,
 Sumatra
pittacina Ohs. l. c. p. 104. Java,
 Sumatra
ptenomeloides Ohs. l. c. p. 106. Sumatra,
 Perak
pulehripes Lansb. Ann. Soc. Ent. Belg. XXII, 1879, Sumatra,
 C. R. p. CLI. Banka,
 Biliton,
 Borneo
purpureiventris Lansb. Not. Leyden Mus. V, 1883, p. 19. Nias
quadripartita Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 107. Sumatra
Ritsemac Ohs. l. c. p. 99. Nias,
 Sumatra
sapada Ohs. l. c. p. 87. Borneo
saya Ohs. l. c. p. 86. Java
Scheepmakeri Lansb. Ann. Soc. Ent. Belg. XXII, 1879, „
 C. R. p. CLII.
semicuprea Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 105. Borneo
seminigra Lansb. Not. Leyden Mus. V, 1883, p. 25. Nias
semipurpurea Burm. Handb. Ent. IV, 2, 1855, p. 505. — Sumatra
 Schauf. Hor. Soc. Ent. Ross. XXI, 1887,
 p. 121.
setierus Ohs. Philippin. Journ. Scienc. VII, 1912, nr. 4, Palawan
 p. 259, t. 1, f. 1.
simalurensis Ohs. Not. Leyden Mus. XXXVI, 1914, p. 87. Simalur
smaragdina Eschz. Entomogr. 1822, p. 18. — Hope, Philippinen
 Proc. Zool. Soc. VII, 1839, p. 69; Ann. Mag.
 Nat. Hist. IV, 1840, p. 347. — Burm. Handb.
 Ent. IV, 1, 1844, p. 276. — Ohs. Philippin.
 Journ. Scienc. VII, 1912, nr. 4, p. 263, t. 1, f. 4.
smaragdula Lap. Hist. Nat. Col. II, 1840,
 p. 135.
tetanotricha Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 88. Sumatra
tetracrana Ohs. l. c. p. 91. „
trachypyga H. Bts. Proc. Zool. Soc. London 1866, p. 344. Formosa
 — Ohs. Archiv f. Naturg. 1916, A. 4, p. 7.
trichopyga Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 340. Philippinen
trigonopyga Ohs. Philippin. Journ. Scienc. VII, 1912, „
 p. 263, t. 1, f. 5.
truncata H. Bts. Entomologist XXIII, 1890, p. 244. S.-W.-China
viridis F. Syst. Ent. 1775, p. 34 (*Melolontha*); Spec. Java
 Ins. I, 1781, p. 38; Mant. Ins. I, 1787, p. 20;
 Ent. Syst. I, 2, 1792, p. 160; Syst. Eleuth. II,
 1801, p. 166. — Goeze, Ent. Beytr. I, 1777,
 p. 101 (*Scarabaeus*). — L. Syst. Nat. ed. 13
 (Gmelin) I, 4, 1790, p. 1570. — Ol. Ent. I,
 1789, nr. 5, p. 29, t. 3, f. 21 (*Melolontha*).
 nr. 6, t. 3, f. 18 (*Cetonia*); ed. III. II, 1802,
 p. 51; ed. Sturm II, 1803, p. 18, t. 60, f. 9 u. 10.
 — Hrbst. Natursyst. Käf. III, 1790, p. 149.

- t. 26, f. 5. — *Donov. Epit. Nat. Hist. Ins. China*, 1798, t. 2, f. 2. — *Ill. Mag. Ins.-kunde IV*, 1805, p. 78. — *Schönh. Syn. Ins.* I, 3, 1817, p. 196. — *Eschz. Naturw. Abh. Dorpat I*, 1823, p. 179. — *Brullé, Hist. Ins. VI, Col. III*, 1837, p. 391, t. 23, f. 5. — *Hope, Col. Man. I*, 1837, p. 40 (*Euchlora*); *Proc. Zool. Soc. London VII*, 1839, p. 68; *Ann. Mag. Nat. Hist. IV*, 1840, p. 345. — *Burm. Handb. Ent. IV, I*, 1844, p. 275. — *Blanch. Cat. Coll. Ent. Col. 1850*, p. 193. — *Ohs. Stett. Ent. Zeit. LXXVI*, 1915, p. 116; *l. c. LXXVII*, 1916, p. 100, f. 48. — *Leefmans, Med. Laborat. Plantenziekt. Buitenzorg, Nr. 13*, 1915, p. 43, t. 1, f. 3.
- var. *Jurinci* M'Leay, *Hor. Ent. I*, 1819, p. 148. — *Hope, Proc. Zool. Soc. London VII*, 1839, p. 68; *Ann. Mag. Nat. Hist. IV*, 1840, p. 346. — *Ohs. Stett. Ent. Zeit. LXXVII*, 1916, p. 100.
- var. *nigra* Nonfr. *Berl. Ent. Zeitschr. XXXVI*, 1891, p. 234. — *Ohs. Not. Leyden Mus. XXXVI*, 1914, p. 89, f. 6; *Stett. Ent. Zeit. LXXVI*, 1915, p. 117. — *Leefm. Med. Laborat. Plantenziekt. Buitenzorg Nr. 13*, 1915, p. 43, t. 1, f. 4.
- var. *rufobrunnea* Ohs. *Stett. Ent. Zeit. LXXVI*, 1915, p. 117
- var. *subcoerulea* Hope, *Proc. Zool. Soc. London VII*, 1839, p. 72; *Ann. Mag. Nat. Hist. IV*, 1840, p. 349. — *Burm. Handb. Ent. IV, I*, 1844, p. 278. — *Ohs. Stett. Ent. Zeit. LXXVI*, 1915, p. 117.
- Weyersi** Ohs. *Stett. Ent. Zeit. LXXVII*, 1916, p. 84. Sumatra
xanthoptera Blanch. *Cat. Coll. Ent. Col. 1850*, p. 195. Ostindien
 81

Australische Region.

- anodonta** Ohs. *Stett. Ent. Zeit. LXXVII*, 1916, p. 109. Sumbawa
florina Ohs. *l. c.* p. 101. Flores
fulvescens Cand. *Col. Hefte V*, 1869, p. 42. Celebes
hymenoptera Ohs. *Stett. Ent. Zeit. LXXVII*, 1916, p. 102. Sumbawa
minahassae Ohs. *l. c.* p. 85. Celebes
Siboldi Hope, *Proc. Zool. Soc. London VII*, 1839, p. 69; *Ann. Mag. Nat. Hist. IV*, 1840, p. 347. Banda
prasina *Burm. Handb. Ent. IV, I*, 1844, p. 277. — *Schauf. Hor. Soc. Ent. Ross. XXI*, 1887, p. 121. — *Ohs. Philippin. Journ. Scienc. VII*, 1912, nr. 4, p. 262, t. 1, f. 3. ? Philippinen
 6

Aethiopische Region.

- olivacea** Gyll. in *Schönh. Syn. Ins. I*, 3, 1817, Append. p. 111 (*Melolontha*). — *Burm. Handb. Ent. IV, I*, 1844, p. 537. Sierra Leone
tinctiventris Quedenf. *Berl. Ent. Zeitschr. XXVIII*, 1884, p. 320. Quango

Subgen. *Spilota* Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 266. — Blanch. Cat. Coll. Ent. Col. 1850, p. 189. — Lacord. Gen. Col. III, 1856, p. 328. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 51. — Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 39.

Hadropopillia Krtz. Deutsche Ent. Zeitschr. 1892, p. 289.

Poecilosticta Krtz. l. c. p. 290.

Pachystethus Blanch. Cat. Coll. Ent. Col. 1850, p. 201.

Spileuchlora Ohs. Deutsche Ent. Zeitschr. 1903, p. 209.

Paläarktische Region.

plagiicollis Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 329; Rev. d'Ent. VI, 1887, p. 319. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 51.

Ostsibirien,
China:
Peking bis
Yünnan

var. *impicta* H. Bts. Proc. Zool. Soc. London 1888, p. 374; Entomologist XXIV, 1891, Suppl. p. 78.

Korea

1

Orientalische Region.

aegra Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 111, f. 58.

Java,
Sumatra

agnella Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 481.

Madura
Nilgiri

armata Arr. l. c. p. 474.

boettcheri Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 189.

Palawan

Burmeisteri Lansb. Ann. Soc. Ent. Belg. XXII, 1879, C. R. p. 152.

Java

Fruhstorferi Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 235. — Rits. Not. Leyden Mus. XVIII, 1896, p. 130.

catoptrica Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 113; f. 60.

Sumatra

chloromela Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 357.

Ceylon

Curtisi Waterh. Trans. Ent. Soc. London 1881, p. 487.

Sumatra

degenerata Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 476.

Madura

Drescheri Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 113.

Java

epicholia Ohs. Not. Leyden Mus. XXXVI, 1914, p. 85; Stett. Ent. Zeit. LXXVII, 1916, p. 112, f. 59.

Simalur

excellens Nonfr. Ent. Nachr. XX, 1894, p. 14.

Borneo,

cyanipennis Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 218; Stett. Ent. Zeit. LXXVI, 1915, p. 109.

Java,
Nias,
Perak

gemmula Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 480.

Süd-Indien

glandulicollis Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 213.

Tonkin

Hausehildti Ohs. Deutsche Ent. Zeitschr. 1903, p. 212 (*Spilcuchlora*).

Nord-Borneo

innocens Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 475.

Süd-Indien

insignis Lansb. Ann. Soc. Ent. Belg. XXIII, 1880, C. R. p. CXX.

Sumatra

- irrorella** Lap. Hist. Nat. Col. II, 1840, p. 136 (*Euchlora*). — Hope, Proc. Zool. Soc. London VII, 1839, p. 74; Ann. Mag. Nat. Hist. IV, 1840, p. 351. — Burm. Handb. Ent. IV, 1, 1844, p. 272 (*Spilota*). — Lansb. Ann. Soc. Ent. Belg. XXII, 1879, C. R. p. CLII. Java
- Keili** Rits. Not. Leyden Mus. XV, 1893, p. 171. Sumatra
- lubrica** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 114. Sumatra
- maculata** Guér. Voy. Bélanger, Zool. 1834, p. 486, t. 2, f. 3 a—g (*Popillia*). — Burm. Handb. Ent. IV, 1, 1844, p. 274 u. 535. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 111. Java, Perak
- morio** Ohs. Deutsche Ent. Zeitschr. 1913, p. 382. W. Borneo
- Moultoni** Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 218. Borneo
- nupta** Ohs. Deutsche Ent. Zeitschr. 1905, p. 87. Tonkin
- oculicollis** Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 479. Madura
- picturata** Cand. Col. Hefte V, 1869, p. 42. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 112. Philippinen, W. Borneo
- princeps** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 29, t. 4, f. 3 (*Poecilosticta*). — Arr. Trans. Ent. Soc. London 1899, p. 272. Ceylon
- variegata** Walk. Ann. Mag. Nat. Hist. (3) III, 1859, p. 56. — Arr. l. c. (8) VIII, 1911, p. 355.
- pyropus** Nonfr. Wien. Ent. Zeit. IX, 1890, p. 76 (*Mimela*). — Ohs. Deutsche Ent. Zeitschr. 1903, p. 214 Siam
(*Spileuchlora*).
- regina** Newm. Mag. Nat. Hist. (2) II, 1838, p. 336 Nilgiri
(*Popillia*); Trans. Ent. Soc. London III, 1841, p. 35; Entomologist I, 1842, nr. 20, p. 315. — Burm. Handb. Ent. IV, 1, 1844, p. 294. — Arr. Trans. Ent. Soc. London 1899, p. 272 (*Spilota*); Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 488.
- splendida** Guér. Rev. Zool. 1840, p. 39; Voy. Delessert, Zool. II, 1843, p. 42, t. 12, f. 1. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 289
(*Hadropopillia*).
- Rosetti** Nonfr. Wien. Ent. Zeit. IX, 1890, p. 76 (*Mimela*). — Ohs. Deutsche Ent. Zeitschr. 1903, p. 213 Siam
(*Spileuchlora*).
- rugilatera** Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 477. Nilgiri
- spinifera** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 112. Sumatra
- stolidopyga** Ohs. l. c. p. 111. N.-Borneo
- strigata** Lap. Hist. Nat. Col. II, 1840, p. 137 (*Euchlora*). — Hope, Proc. Zool. Soc. London VII, 1839, p. 74; Ann. Mag. Nat. Hist. IV, 1840, p. 351. — Burm. Handb. Ent. IV, 1, 1844, p. 274. — Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 474. Coromandel
- sumptuosa** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 115. Sumatra
- tigrina** Nonfr. Stett. Ent. Zeit. LXVII, 1906, p. 221. „
- trivittata** Perty, Observ. Col. Ind. orient. 1831, p. 34 Java
(*Euchlora*). — Hope, Proc. Zool. Soc. London VII, 1839, p. 74; Ann. Mag. Nat. Hist. IV, 1840, p. 351. — Burm. Handb. Ent. IV, 1, 1844, p. 271.
- costopunctata** Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 425. Cayenne

- ? *ignorata* Brancs. Soc. Hist. Nat. Trencsen 1910, p. 183, t. 1, f. 6. Java
- varia* Newm. Mag. Nat. Hist. (2) III, 1839, p. 365 Assam
(*Popillia*). — Burm. Handb. Ent. IV, 1, 1844,
p. 309 u. 545. — Arr. Trans. Ent. Soc. London
1899, p. 273 (*Anomala*).
- popiliopsis* Cand. Col. Hefte V, 1869, p. 43.
- vernica* Fairm. Not. Leyden Mus. XVIII, 1896, p. 88. Sikkim
- Wallandi* Cand. Col. Hefte V, 1869, p. 43. — Ohs. Stett. Sumatra,
Ent. Zeit. LXXXVI, 1915, p. 112. Java
- Waterstraati* Ohs. Deutsche Ent. Zeitschr. 1903, p. 212 Borneo
(*Spileuchlora*).

41

Australische Region.

- Ohausi* Hell. Abh. Mus. Dresden 1898, nr. 3, p. 24, Celebes
var. *immaculata* Hell. l. c. p. 25. „
- Riedeli* Lansb. Ann. Soc. Ent. Belg. XXIII, 1880, C. R. „
p. CXX.
2

Aethiopische Region.

- Callewaerti* Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, Belg.
p. 156. Kongo
- Rothkirchi* Ohs. l. c. p. 155. Kamerun
2

Neotropische Region.

- benicola* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 421. Rio Beni
- bogotensis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 427; Columbien
l. c. LXIII, 1902, p. 43.
- calonota* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Panama
p. 242, t. 13, f. 15.
- cayapó* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 32. Goyaz
- chlorotoides* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Costa Rica
p. 243.
- chontalensis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Nicaragua
p. 241. — Ohs. Stett. Ent. Zeit. LXIII, 1902,
p. 39.
- chrysanthe* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Costa Rica,
p. 243, t. 13, f. 17. — Ohs. Stett. Ent. Zeit. Panama,
LVIII, 1897, p. 398; l. c. LXIII, 1902, p. 42. Columbien
- collaris* Burm. Handb. Ent. IV, 1, 1844, p. 268; l. c. IV, Columbien
2, 1855, p. 503. — Ohs. Stett. Ent. Zeit. LVIII,
1898, p. 428; l. c. LXIII, 1902, p. 42, f. 4.
- granulipyga* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Guatemala
p. 241, t. 13, f. 12. — Ohs. Stett. Ent. Zeit. bis
LXIII, 1902, p. 38; Deutsche Ent. Zeitschr. Panama
1908, p. 391.
- Jordani* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 42. Guayana
- Kolbei* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 398. Costa Rica
- ladina* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 56. Columbien
- lepida* Burm. Handb. Ent. IV, 1, 1884, p. 273. — H. Bts. Guatemala
Biol. Centr.-Amer. Col. II, 2, 1888, p. 244.
- Lewyi* Blanch. Cat. Ent. Col. 1850, p. 190. — Ohs. Ost-Ecuador
Stett. Ent. Zeit. LXIII, 1902, p. 35.

- marginata* F. Ent. Syst. I, 2, 1792, p. 164 (*Melolontha*); Syst. Eleuth. II, 1801, p. 169. — Schönh. Syn. Ins. I, 3, 1817, p. 190. — Burm. Handb. Ent. IV, 1, 1844, p. 266 (*Anomala*)— G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 163. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 419; l. c. LXIII, 1902, p. 34. — Arr. Trans. Ent. Soc. London 1899, p. 273. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 71.
annulata Germ. Ins. spec. nov. I, 1824, p. 121 (*Melolontha*.)
- marginicollis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 241. Mexico
 var. *valdecostata* H. Bts. l. c. p. 242, t. 13, f. 13. Panama
- medellina* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 428. Columbien
- micans* Burm. Handb. Ent. IV, 1, 1844, p. 269. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 245, t. 13, f. 20. Mexico
- mimeloides* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 41. Costa Rica
- minima* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 429. Columbien
- moja* Ohs. l. c. p. 420. Rio Beni
- naponensis* Ohs. l. c. p. 425. Rio Napo
- nitescens* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 242, t. 13, f. 14. Mexico
- nitidula* Blanch. Cat. Coll. Ent. Col. 1850, p. 190. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 246. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 399; l. c. LXIII, 1902, p. 44, f. 6. Guatemala bis
 var. *escuintlensis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1889, p. 406. Costa Rica
 var. *testaccipennis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 399.
 var. *thoracica* Ohs. l. c. p. 399.
- nutans* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 246, t. 13, f. 21. — Arr. Trans. Ent. Soc. London 1899, p. 261. Mexico
 var. *pictipennis* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 282 (*Epectinaspis*). — Ohs. Stett. Ent. Zeit. LXXXVI, 1915, p. 102.
- phosphora* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 244, t. 13, f. 18. Panama
- pilosipennis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 438 (*Epectinaspis*); l. c. LXXVI, 1915, p. 102. Mexico
- porcata* Blanch. Cat. Coll. Ent. Col. 1850, p. 188. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 418. Bolivien
- pulchra* Blanch. Cat. Coll. Ent. Col. 1850, p. 190. Neu-Granada
- puncticollis* Kirsch, Berl. Ent. Zeitschr. XXIX, 1885, p. 220. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 424; l. c. LXIII, 1902, p. 42, f. 5; Deutsche Ent. Zeitschr. 1908, p. 391. Ost-Ecuador
- pyritosa* Er. Arch. Naturg. XIII, 1847, p. 99. Peru
- pyropyga* Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 237. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 426; l. c. LXIII, 1902, p. 40, f. 3. Rio Cauca
- Rosenbergi* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 37. Rio Dagua
- rufomicans* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 423. Columbien
- specularis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 243, t. 13, f. 16. Costa Rica

- surata* Burm. Handb. Ent. IV, 1, 1844, p. 267. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 418. Peru
- tricostulata* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 420; l. c. LXIII, 1902, p. 35. Amazonas
- Vanpatteni* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 241. — Arr. Trans. Ent. Soc. London 1899, p. 273. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 33. Costa Rica
- vidua* Newm. Mag. Nat. Hist. (2) II, 1838, p. 337 (*Popillia*); Trans. Ent. Soc. London III, 1841, p. 48; Entomologist I, nr. 21, 1842, p. 331. — Blanch. Cat. Coll. Ent. Col. 1850, p. 201 (*Pachystethus*). — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 247, t. 14, f. 1 u. 2. — Arr. Trans. Ent. Soc. London 1899, p. 260. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 44. Mexico
- chelifera* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 282 (*Epectinaspis*). — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 102.
- innuba* Burm. Handb. Ent. IV, 1, 1844, p. 270; l. c. IV, 2, 1855, p. 504.
- var. *semirufa* Newm. Mag. Nat. Hist. (2) II, 1838, p. 338; Trans. Ent. Soc. London III, 1841, p. 49; Entomologist I, nr. 21, 1842, p. 331. — Burm. Handb. Ent. IV, 1, 1844, p. 270. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 247, t. 14, f. 1.
- var. *sticticollis* Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Trans. Ent. Soc. London III, 1841, p. 48; Entomologist I, nr. 21, 1842, p. 331. — Burm. Handb. Ent. IV, 1, 1844, p. 271. — Blanch. Cat. Coll. Ent. Col. 1850, p. 201. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 247, t. 14, f. 2.
- subsp. *crassesculpta* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1889, p. 406. Guatemala
- Biologie: Sallé in Silberm. Rev. Ent. I, 1833, p. 241 (*Popilia dispar*).
- villosella* Blanch. Cat. Coll. Ent. Col. 1850, p. 179. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 246, t. 13, f. 19. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 399; l. c. LXIII, 1902, p. 43, f. 7. Mexico
- hirsuta* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 291. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 49.
- virescens* Burm. Handb. Ent. IV, 1, 1844, p. 268. — *demerarae* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 423; l. c. LXIII, 1902, p. 40. Guayana
- xantholea* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 245. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 399. Mexico bis
Panama
- gracilis* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 296 (*Strigoderma*). — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 49.
- xiphostetha* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 244. Costa Rica

Neoboreale Region.

- lucicola** F. Ent. Syst. Suppl. 1798, p. 132 (*Melolontha*); Syst. Eleuth. II, 1801, p. 174. — Schönh. Syn. Ins. I, 3, 1817, p. 192. — Burm. Handb. Ent. IV, 1, 1844, p. 269 (*Anomala*). — G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 162. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 71. Vereinigte Staaten v. Nord-Amerika: Nord- u. Mittel-Staaten
- var. *atrata* F. Ent. Syst. Suppl. 1798, p. 132; Syst. Eleuth. II, 1801, p. 174. — Schönh. Syn. Ins. I, 3, 1817, p. 192. — Burm. Handb. Ent. IV, 1, 1844, p. 270.
- alterata* Arr. Ann. Mag. Nat. Hist. (8) XII, 1915.
- nigritula* Lap. Hist. Nat. Col. II, 1840, p. 137 (*Euchlora*).
- phylloperthoides* Nonfr. Ent. Nachr. XX, 1894, p. 122. — Ohs. Deutsche Ent. Zeitschr. 1916, p. 345.
- pinicola* Melsh. Proc. Acad. Philad. II, 1846, p. 141.
- var. *moerens* F. Ent. Syst. Suppl. 1798, p. 132; Syst. Eleuth. II, 1801, p. 174. — Schönh. Syn. Ins. I, 3, 1817, p. 192. — Burm. Handb. Ent. IV, 1, 1844, p. 269.
- var. *quadrinaculata* Drap. Ann. Scienc. Phys. Bruxelles VII, 1820, p. 276, t. 109, f. 2.
- cinctella* Burm. Handb. Ent. IV, 1, 1844, p. 269.
- oblivia** G. Horn, Trans. Amer. Ent. Soc. XI, 1884, p. 163. — Arr. Trans. Ent. Soc. London 1899, p. 261. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 71. Pensylvanien bis Georgien
- Sp. marginata* F. siehe Neotropische Region!

2
799

Callistethus Blanch.

- Blanch. Cat. Coll. Ent. Col. 1850, p. 198. — Ohs. Deutsche Ent. Zeitschr. 1903 p. 214.
- auroniteus** Hope, Trans. Ent. Soc. London I, 1835, p. 114 (*Mimela*). — Burm. Handb. Ent. IV, 2, 1855, p. 504 (*Spilota*). — Ohs. Deutsche Ent. Zeitschr. 1903, p. 216. Himalaya v. Ladak bis Szechuan
- pterygophorus** Ohs. Deutsche Ent. Zeitschr. 1903, p. 217. Sikkim, Bhutan Kaschmir
- Stoliczkae** Sharp, Journ. Asiat. Soc. Bengal XLVII, 2, 1878, p. 173; Scient. Res. II. Yarkand Miss. Col. 1890, p. 50. — Ohs. Deutsche Ent. Zeitschr. 1903, p. 218.
- seminitidus* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 25.
- tumidicauda** Arr. Ann. Mag. Nat. Hist. (8) IX, 1912, p. 83. Sikkim
- 4

Adoretosoma Blanch.

- Blanch. Cat. Coll. Ent. Col. 1850, p. 234. — Arr. Trans. Ent. Soc. London 1899, p. 265. — Ohs. Deutsche Ent. Zeitschr. 1905, p. 81.
- Euchrysinnda* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 80. — Ohs. Deutsche Ent. Zeitschr. 1916, p. 345.
- atritarse* Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, C. R. (4) XV, p. VI (*Phyllopertha*). — Ohs. Deutsche Ent. Zeitschr. 1905, p. 82. Süd-China
- chinense* Redt. Reise Novara, Zool. II, 1868, p. 70, t. 2, f. 3 (*Phyllopertha*). — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 80 (*Euchrysinnda*). Hongkong
- chromaticum* Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 327 (*Phyllopertha*). — Arr. Trans. Ent. Soc. London 1899, p. 265. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 81. — Ohs. Deutsche Ent. Zeitschr. 1905, p. 82. Yünnan, Tonkin
- crassipes* Ohs. Deutsche Ent. Zeitschr. 1905, p. 84. Tonkin
- elegans* Blanch. Cat. Coll. Ent. Col. 1850, p. 234. Ost-Indien
- fulviventre* Blanch. l. c. p. 235. Nord-Indien
- humérale* Ohs. Deutsche Ent. Zeitschr. 1905, p. 82. Tonkin
- incostatum* Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, C. R. (4) XV, p. XI. Süd-China
- lineatum* Ohs. Deutsche Ent. Zeitschr. 1905, p. 83. “ Tonkin
- metallicum* Arr. Trans. Ent. Soc. London 1899, p. 266. Nord-China
- nigripenne* Ohs. Deutsche Ent. Zeitschr. 1905, p. 83. Tonkin
- tenuclimbatum* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 24 (*Phyllopertha*). — Arr. Trans. Ent. Soc. London 1899, p. 265. — Ohs. Deutsche Ent. Zeitschr. 1905, p. 82. China
- virgulatum* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 27 (*Phyllopertha*). — Arr. Trans. Ent. Soc. London 1899, p. 265. „

13

Spinanomala Ohs.

Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 213.

- bispinosa* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 215; Stett. Ent. Zeit. LXXVI, 1915, p. 109. Nord-Borneo
- matanga* Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 67 (*Anomala*).
- obscurata* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 65 (*Idiocnema*). — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 320. Mongolei
- var. *fuscipennis* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 65.
- pallidospila* Arr. Ann. Mag. Nat. Hist. (8) X, 1912, p. 327. Birma
- psilopyga* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 215. West-Borneo
- unispinosa* Ohs. Ann. Soc. Ent. Belg. LIV, 1910, p. 214; Stett. Ent. Zeit. LXXVI, 1915, p. 109. Nord-Borneo
- pulicaris* Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 68 (*Anomala*).

5

Singhala Blanch.

Blanch. Cat. Coll. Ent. Col. 1850, p. 198. — Lacord. Gen. Col. III, 1856, p. 334. — Burm. Handb. Ent. IV, 2, 1855, p. 513. — Hell. Deutsche Ent. Zeitschr. 1891, p. 290.

Phylloperthina Motsch. Bull. Moscou XXXVI, 1863, 1, p. 468. — Ohs. Deutsche Ent. Zeitschr. 1916, p. 345.

Helleri Ohs. Deutsche Ent. Zeitschr. 1905, p. 90. Malabar

hindu Hell. Deutsche Ent. Zeitschr. 1891, p. 291. Ceylon

polymorpha Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, Nilgiri
p. 486.

tenella Blanch. Cat. Coll. Ent. Col. 1850, p. 198. — Burm. Ceylon
Handb. Ent. IV, 2, 1855, p. 513. — Hell.
Deutsche Ent. Zeitschr. 1891, p. 291, t. 3, f. 18
u. 21 u. 22.

scutellata Motsch. Bull. Moscou XXXVI,
1863, nr. 1, p. 469, t. 9, f. 25. — Ohs. Deutsche
Ent. Zeitschr. 1916, p. 345.

vidua Hell. Deutsche Ent. Zeitschr. 1891, p. 294. — Ohs. ,,
l. c. 1905, p. 90.

5

Pseudosinghala Hell.

Hell. Deutsche Ent. Zeitschr. 1891, p. 289 u. 294.

Singhala Rtrr. (nec Blanch.) Verh. Nat. Ver. Brünn XLI,
1903, p. 41 u. 79.

birmana Hell. Deutsche Ent. Zeitschr. 1891, p. 297. Birma

callosa Fairm. Ann. Soc. Ent. France (6) VIII, 1888, Tonkin
p. 343. — Hell. Deutsche Ent. Zeitschr. 1891,
p. 295.

conjuga Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 400. Nilgiri

Dalmanni Gyll. Schönh. Syn. Ins. 1, 3, 1817, Append. China
p. 109 (*Melolontha*). — Burm. Handb. Ent.

IV, 1, 1844, p. 533 (*Phyllopertha*); l. c. IV, 2,
1855, p. 513 (*Singhala*). — Hell. Deutsche
Ent. Zeitschr. 1891, p. 294, t. 3, f. 19 (*Pseudo-*
singhala). — Rtrr. Verh. Nat. Ver. Brünn
XLI, 1903, p. 80 (*Singhala*).

Schaiblei Nonfr. Ent. Nachr. XVIII, 1892,
p. 89. — Fairm. Ann. Soc. Ent. Belg. XXXVII,
1893, p. 292. — Ohs. Deutsche Ent. Zeitschr.
1916, p. 345.

theicola Waga, Ann. Soc. Ent. France XI,
1842, p. 273, t. 11, f. 9 u. 10 (*Anisoplia*).

regalis Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 399. Penang

rugosifrons Hell. Deutsche Ent. Zeitschr. 1891, p. 297. Birma

transversa Burm. Handb. Ent. IV, 2, 1855, p. 513 Süd-China,
(*Phyllopertha*). — Hell. Deutsche Ent. Zeit-
schr. 1891, p. 295, t. 3, f. 20. Tonkin

basipennis Fairm. Ann. Soc. Ent. France
(6) IX, 1889, p. 28; Ann. Soc. Ent. Belg.
XXXVII, 1893, p. 291. — Ohs. Stett. Ent.
Zeit. LVIII, 1897, p. 341.

Vor-Amanni Hell. Deutsche Ent. Zeitschr. 1891, p. 295. Sumatra

— Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 342.

8

Phyllopertha Steph.

Steph. III. Brit. Ent. Mandib. III, 1830, p. 223; Man. Brit. Col. 1839, p. 169. — Er. Naturg. Ins. Deutschl. III, 1847, p. 627. — Redt. Fauna Austr. ed. 1, 1849, p. 263; ed. 2, 1858, p. 457; ed. 3, 1874, p. 493. — Blanch. Cat. Coll. Ent. Col. 1850, p. 177. — Bach, Käferfauna I, 1851, p. 329. — Burm. Handb. Ent. IV, 2, 1855, p. 512. — Lacord. Gen. Col. III, 1856, p. 327. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 330. — Jacq. du Val, Gen. Col. d'Eur. III, 1859, p. 66. — C. G. Thoms. Skand. Col. V, 1863, p. 16. — Muls. Col. France. Lamell. ed. 2, 1871, p. 626. — Fricken, Naturg. Käf. Deutschl. 1872, p. 162. — Seidl. Fauna Balt. ed. 1, 1875, p. 18; ed. 2, 1891, p. 151; Fauna Transsylv. 1891, p. 32. — Rtrr. Deutsche Ent. Zeitschr. 1885, p. 393; Ent. Nachr. XIV, 1888, p. 289; Verh. Nat. Ver. Brünn XLI, 1903, p. 82; Fauna Germ. Käf. II, 1909, p. 337. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 216. — Stierl. Käferfauna Schweiz I, 1900, p. 650. — Evertz, Col. Neerland. II, 1903, p. 59. — Bed. Faune Col. Bass. Seine IV, 1911, p. 134. — Kuhnt, III. Best.-Tab. Käf. Deutschl. 1913, p. 385 u. 410.

Revisionen: Rtrr. Deutsche Ent. Zeitschr. 1885, p. 393; Ent. Nachr. XIV, 1888, p. 289; Verh. Nat. Ver. Brünn XLI, 1903, p. 39 u. 82.

Subgen. Phyllopertha sens. strict.

- | | |
|---|---|
| <i>carinicollis</i> Ohs. Deutsche Ent. Zeitschr. 1905, p. 81. | Tonkin |
| <i>erlbricollis</i> Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 105. | Yünnan |
| <i>diversa</i> Waterh. Trans. Ent. Soc. London 1875, p. 106, t. 3, f. 5. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 108. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 84. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396 (<i>Anomala</i>). — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 325. | Japan |
| var. ♀ <i>maculicollis</i> Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 84. | „ |
| subsp. <i>koreana</i> Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 325. | Korea |
| <i>horticola</i> L. Syst. Nat. ed. 10, I, 2, 1758, p. 351 (<i>Scarabaeus</i>); Fauna Suec. 1746. nr. 391; Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1559. — F. Syst. Ent. 1775, p. 37 (<i>Melolontha</i>); Spec. Ins. I, 1781, p. 42; Mant. Ins. I, 1787, p. 22; Ent. Syst. I, 2, 1792, p. 171; Syst. Eleuth. II, 1801, p. 175. — O. F. Müller, Zool. Dan. Prodrum. 1776, p. 54. — Goeze, Ent. Beytr. I, 1777, p. 35 (<i>Scarabaeus</i>). — J. B. Fischer, Vers. Naturg. Livl. 1778, p. 129. — Leske, Naturg. I, 1779, p. 466. — Laich. Verz. Tyrol. Ins. I, 1781, p. 40 (<i>Melolontha</i>). — Schrk. Enum. Ins. Austr. 1781, p. 12; Fauna Boica 1798, p. 409. — Hrbst. in Füessly, Arch. Ins.-Gesch. IV, 1783, p. 14, t. 19 b., f. 23; Natursyst. Käf. III, 1790, p. 111, t. 25, f. 1. — Fourc. Ent. Paris I, 1785, p. 27. — Petagna, Spec. Ins. Calabr. 1787, p. 5, t. 1, f. 5. — Ol. Ent. I, 1789, nr. 5, p. 62, t. 2, f. 17; ed. III, II, 1802, p. 87; ed. Sturm II, 1803, p. 39. — Razoumowsky, Hist. | Ganz Europa
einschl.
England,
Kaukasus,
Sibirien,
Mongolei |

- Nat. I, 1787, p. 135. — De Villers, Ent. I, 1789, p. 27. — Brahm, Ins.-Kalend. I, 1790, p. 120. — Rossi, Fauna Etrusca I, 1790, p. 20. — L. Scriba, Journ. Liebh. Ent. I, 1790, p. 61. — D. H. Schueider, N. Mag. Liebh. Ent. III, 1792, p. 284. — Borkhausen, Rhein. Mag. 1793, p. 712. — Panz. Deutschl. Ins.-Fauna 1795, p. 223; Fauna Ins. Germ. 1813, p. 155. — Cederhjelm, Fauna Ingr. Prodrum. 1798, nr. 239. — Payk. Fauna Succ. Col. II, 1799, p. 211. — Marsh. Ent. Brit. I, 1802, p. 44. — Latr. Hist. Nat. Crust. Ins. X, 1804, p. 194; Gen. Crust. Ins. II, 1807, p. 112. — Duft. Fauna Austr. I, 1805, p. 199. — Fallén, Obs. Ent. II, 1807, p. 28. — Gyll. Fauna Ins. Succ. I, 1808, p. 63. — Schönh. Syn. Ins. I, 3, 1817, p. 200. — Fisch. Ent. Russ. II, 1823, p. 217, t. 31, f. 8 (*Anisoptia*). — Steph. III. Brit. Ent. Mandib. III, 1830, p. 224 (*Phyllopertha*); Man. Brit. Col. 1839, p. 169. — C. R. Sahlb. Ins. Fenn. I, 1834, p. 21 (*Melolontha*). — Ratz. Forstins. I, 1837, p. 81, t. 3, f. 9. — Heer, Fauna Helvet. Col. I, 1, 1837, p. 74 (*Anisoptia*). — Lap. Hist. Nat. Col. II, 1840, p. 150. — Shuckard, Brit. Col. delin. 1840, p. 36, t. 45, f. 1. — Muls. Col. France, Lamell. ed. 1, 1842, p. 498; ed. 2, 1871, p. 627. — Burm. Handb. Ent. IV, 1, 1844, p. 239 (*Anomala*); l. c. IV, 2, 1855, p. 514 (*Phyllopertha*). — Er. Naturg. Ins. Deutschl. III, 1847, p. 630. — Gebl. Bull. Moseou XX, 2, 1847, p. 463. — Redt. Fauna Austr. ed. 1, 1849, p. 268; ed. 2, 1858, p. 457; ed. 3, 1874, p. 494. — Blanch. Cat. Coll. Ent. Col. 1850, p. 177. — Bach, Käferfauna I, 1851, p. 330. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 330. — Gredl. Käf. Tirol 1863, p. 200. — C. G. Thoms. Skand. Col. V, 1863, p. 16. — Siebke, Enum. Ins. Norveg. Col. 1875, p. 190. — Seidl. Fauna Balt. ed. 1, 1875, p. 95; ed. 2, 1891, p. 150; Fauna Transsylv. 1891, p. 161. — D. Torre, Jahresber. Ver. Naturk. Österr. o. d. Enns X, 1879, p. 113. — Rtrr. Deutsche Ent. Zeitschr. 1885, p. 395; Ent. Nachr. XIV, 1888, p. 293; Verh. Nat. Ver. Brünn XI, 1903, p. 83; Fauna Germ. Käf. II, 1909, p. 337, t. 74, f. 15. — Stierl. Käferfauna Schweiz I, 1900, p. 651. — Everts, Col. Neerland. II, 1903, p. 60. — Bed. Faune Col. Bass. Seine IV, 1911, p. 137. — Kubnt, III. Best.-Tab. Käf. Deutschl. 1913, p. 410, f. 173-174. — Caillol, Cat. Col. Provence II, 1914, p. 432.
- cyanoccephala* Muls. Col. France, Lamell. ed. 1, 1842, p. 499.
- var. *adiaphora* Poda, Ins. Mus. Graec. 1761, p. 20 (*Scarabaeus*). — Scop. Ent. Carn. 1763, p. 5. — Schaeff. Icon. Ins. Ratisb. t. 53, 1766, f. 4. — Muls. Col. France, Lamell. ed. 1, 1842, p. 500 (*Anisoptia*)).

- metallica* D. Torre, Jahresber. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 113.
- viridicollis* De Geer, Mém. Ins. IV, 1774, p. 278, t. 10, f. 18.
- var. *discordans* Meissn. Ent. Blätt. III, 1907, p. 129.
- var. *macularis* Muls. Col. Franc. Lamell. ed. 1, 1842, p. 500. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 410.
- maculata* D. Torre, Jahresber. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 113.
- var. *Perrisi* Muls. Col. Franc. Lamell. ed. 1, 1842, p. 500. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 83. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 410.
- var. *rufipes* D. Torre, Jahresber. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 113. — Rtrtr. Fauna Germ. Käf. II, 1909, p. 337. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 410.
- var. *rufiventris* Westh. Verh. Naturh. Ver. Preuß. Rheinl. Westfal. XXXVIII, 1881, p. 154. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 410.
- var. *ustulatipennis* Villa, Col. Europ. dupl. 1835, p. 34. — Muls. Col. France, Lamell. ed. 1, 1842, p. 499. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 83; Fauna Germ. Käf. II, 1909, p. 337. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 410.
- nigra* D. Torre, Jahresber. Ver. Naturk. Oesterr. o. d. Enns X, 1879, p. 113.
- var. *Zea* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 83. Thibet
- Biologie: Hrbst. Natursyst. Käf. III, 1790, p. 112. — F. Syst. Eleuth. II, 1801, p. 175. — Bechstein u. Scharfenberg, Vollst. Naturgesch. schäd. Forstinsekt. I, 1804, p. 65. — Schmidberger, Beiträge I, 1827, p. 271. — Bouché, Naturgesch. schäd. Gart.-Ins. 1833, p. 20. — Kollar, Naturgesch. schäd. Ins. 1837, p. 261. — Ratz. Forst-Ins. I, 1837, p. 81. — Muls. Col. France, Lamell. ed. 1, 1842, p. 501. — Burm. Handb. Ent. IV, I, 1844, p. 240. — Er. Naturg. Ins. Deutschl. III, 1847, p. 631. — Curtis, Farm.-Ins. 1860, p. 220, f. 32—35. — Künstler, Verh. zool.-bot. Ges. Wien XXI, 1871, Beiheft p. 76. — Schiöde, Naturhist. Tidskr. IX, 1874, p. 307, t. 12, f. 8—14; t. 19, f. 6—7. — Oglevsky, Trd. lesn. opyt. del. St. Petersburg, XVI, 1903, p. 1—84, m. 3 Taf. (Russ.; Schaden an Kiefern).
- humeralis* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 106. Yünnan
- intermixta* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396. Japan
- horticola* Waterh. (nec L.) Trans. Ent. Soc. London 1875, p. 106. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 108.

- irregularis* Lew. (nec Waterh.) Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 400.
- irregularis* Waterh. Trans. Ent. Soc. London 1875, p. 107, t. 3, f. 4. — Schönf. Jahrb. Nassau. Ver. Naturk. XI, 1887, p. 108. — Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 400. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 84. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396 (*Anomala*).
- latevittata* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 24. S. China
- latitarsis* Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 232. Honduras
- major* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 23. S. China
- puncticollis* Rtrr. Ent. Nachr. XIV, 1888, p. 293 u. 294; Verh. Nat. Ver. Brünn XLI, 1903, p. 83. Amur
- puncticollis* Heyd. Hor. Soc. Ent. Ross. XXIII, 1889, p. 668.
- sericomicans* Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 233. Honduras
- sublimbata* Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 618. Se-tschuan
- suturata* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 106. Yünnan
- tolucana* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 216, t. 12, f. 1. Mexico

15

Subgen. *Trichopertha* Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 85.

- hirtella* Brullé, Expéd. Morée, Zool. III, 1832, p. 178, t. 39, f. 4 (*Anisoptia*). — Kiesenw. Berl. Ent. Zeitschr. II, 1858, p. 239; l. c. III, 1859, p. 190. — Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 395; Ent. Nachr. XIV, 1888, p. 291; Verh. Nat. Ver. Brünn XLI, 1903, p. 85. Griechenland, Türkei
- rumeliaca* Friv. A'Magyar Tudós. 1835, p. 190, t. 5, f. 12. — Walth. Isis VI, 1838, p. 457.

1

Subgen. *Blitopertha* Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 85.

- arenaria* Brullé, Expéd. Morée, Zool. III, 1832, p. 177, t. 39, f. 1 (*Anisoptia*). — Lap. Hist. Nat. Col. II, 1840, p. 151. — Blanch. Cat. Coll. Ent. Col. 1850, p. 178 (*Phyllopertha*). — Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 394; Ent. Nachr. XIV, 1888, p. 292; Verh. Nat. Ver. Brünn XLI, 1903, p. 86. Griechenland
- campestris* Burm. (nec Latr.) Handb. Ent. IV, 1, 1844, p. 243; l. c. IV, 2, 1855, p. 514. — Er. Naturg. Ins. Deutschl. III, 1847, p. 629.
- var. *Krüperi* Brenske, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 77.
- var. *senticola* Rtrr. Ent. Nachr. XIV, 1888, p. 292; Verh. Nat. Ver. Brünn XLI, 1903, p. 86.
- arenicola* Muls. Opusc. Ent. XIV, 1870, p. 29. — Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 395; Ent. Nachr. XIV, 1888, p. 291; Verh. Nat. Ver. Brünn XLI, 1903, p. 87. Kriin, Kaukasus

- var. *pilosella* Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 396.
- campestris* Latr. Hist. Nat. Crust. Ins. X, 1804, p. 195 (Melolontha). — Germ. Ins. spec. nov. I, 1824, p. 129. — Heer, Fauna Helvet. Col. I, 1, 1837, p. 74 (*Anisoplia*). — Lap. Hist. Nat. Col. II, 1840, p. 150. — Muls. Col. France, Lamell. ed. I, 1842, p. 495 (*Phyllopertha*); ed. 2, 1871, p. 630. — Burm. Handb. Ent. IV, 1, 1844, p. 243; l. c. IV, 2, 1855, p. 514. — Blanch. Cat. Coll. Ent. Col. 1850, p. 179. — Jacq. du Val, Gen. Col. d'Eur. III, 1859, t. 18, f. 87. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 330. — Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 394; Ent. Nachr. XIV, 1888, p. 291; Verh. Nat. Ver. Brünn XLI, 1903, p. 88. — Seidl. Fauna Transsylv. 1891, p. 160. — Caillol, Cat. Col. Provence II, 1914, p. 433.
- var. *abbreviata* Muls. Col. France, Lamell. ed. I, 1842, p. 496.
- var. *circumcincta* Muls. l. c. p. 497.
- var. *cruciata* Muls. l. c. p. 496.
- var. *maculata* Muls. l. c. p. 496.
- var. *occidentalis* Muls. l. c. p. 497.
- var. *pauperata* Muls. l. c. p. 496.
- var. *sabulosa* Muls. l. c. p. 497.
- var. *succincta* Lap. Hist. Nat. Col. II, 1840, p. 151.
- conspureata* Har. Deutsche Ent. Zeitschr. XXII, 1878, p. 71. — Heyd. l. c. XXIII, 1879, p. 342. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 108. — Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 400. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 87. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396 (*Anomala*).
- arenaria* Waterh. (nec Brull.) Trans. Ent. Soc. London 1875, p. 108.
- Ganglbaueri* Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 394 u. 396; Ent. Nachr. XIV, 1888, p. 291; Wien. Ent. Zeit. VI, 1887, p. 29; Verh. Nat. Ver. Brünn XLI, 1903, p. 86.
- lineata* F. Ent. Syst. Suppl. 1798, p. 133 (*Melolontha*); Syst. Eleuth. II, 1801, p. 176. — Schönh. Syn. Ins. I, 3, 1817, p. 206. — Burm. Handb. Ent. IV, 1, 1844, p. 217 (*Anisoplia*). — Bed. Ann. Soc. Ent. France (6) V, 1885, p. 86 (*Phyllopertha*). — Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 394; Ent. Nachr. XIV, 1888, p. 292; Verh. Nat. Ver. Brünn XLI, 1903, p. 86. — J. Sahlbrg. Öfv. Finsk. Vetensk. — Ak. Förh. LV, 1913, p. 125.
- algirica* Reiche, Ann. Soc. Ent. France (4) IV, 1864, p. 241. — Bed. l. c. (6) V, 1885, p. 86. — Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 394; Ent. Nachr. XIV, 1888, p. 292; Verh. Nat. Ver. Brünn XLI, 1903, p. 86.
- lincolata* Fisch. Ent. Russ. II, 1823, p. 216, t. 31, f. 5, a—b (*Anisoplia*). — Brullé. Expéd. Morée. Zool. III, 1832, p. 177, t. 39, f. 5. —

Mittelmeer-
gebiet

Japan

Klein-Asien

Mittelmeer-
gebiet

Nord-Afrika

Süd-
Rußland

- Ménétr. Cat. rais. Caucase. 1832. p. 186; Mém. Acad. St. Petersb. (6) V, 1838, p. 1. — Burm. Handb. Ent. IV, 1, 1844, p. 242 (*Phyllopertha*). — Bedl. Ann. Soc. Ent. France (6) V, 1885, p. 86.
- Oberthüri* Fairm. Ann. Soc. Ent. France (4) X, 1870, p. 379. — Bedl. l. c. (6) V, 1885, p. 86.
- var. *flavipennis* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 86. Klein-Asien
- var. *lineigera* Rtrtr. l. c. p. 86. Algier
- var. *nigripennis* Rtrtr. Ent. Nachr. XIV, 1888, p. 292; Verh. Nat. Ver. Brünn XLI, 1903, p. 86. Kaukasus
- nazarena* Mars. Nouv. et Faits, Abeille (2) XVIII, 1878, p. 71. — Rtrtr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 393 u. 395; Ent. Nachr. XIV, 1888, p. 290; Verh. Nat. Ver. Brünn XLI, 1903, p. 88. Syrien, Palästina
- variabilis* Ball. Bull. Moscou XLIII, 1870, p. 344. — Rtrtr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 395; Ent. Nachr. XIV, 1888, p. 292; Verh. Nat. Ver. Brünn XLI, 1903, p. 87. Turkestan
- var. *rufina* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 87. Taschkent

8

Subgen. *Exomala* Rtrtr.

Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 88.

- orientalis* Waterh. Trans. Ent. Soc. London 1875, p. 198. Japan
- Har. Verh. Nat. Ver. Bremen V, 1876, p. 126
- Heyd. Deutsche Ent. Zeitschr. XXIII, 1879, p. 345. — Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 109 (*Anomala*). — Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 401. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 89 (*Exomala*). — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396 (*Anomala*).
- xanthogastra* Har. Mitt. Münch. Ent. Ver. V, 1881, p. 90 (*Phyllopertha*). — Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 401.
- Biologie: Muir, Proc. Hawai. Ent. Soc. II. (5. IX. 1912), p. 219 (verschleppt a. Larve n. Hawai a. d. Wurzeln d. Zuckerrohr). — Rep. Divis. Entom. Terr. Hawai, Honolulu 1913, p. 120.
- var. *flavipennis* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 89.
- pallidipennis* Rtrtr. l. c. p. 89. Ost-Sibirien,
- var. *nigrata* Rtrtr. l. c. p. 89. Korea

2

Subgen. *Megapertha* Rtrtr.

Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 89.

- massageta* Kirsch, Ent. Monatsbl. II. 1881, p. 164. — Rtrtr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 393; Ent. Nachr. XIV, 1888, p. 290; Verh. Nat. Ver. Brünn XLI, 1903, p. 90. Turkmenien

- var. *obscurata* Sem. Hor. Soc. Ent. Ross. XXV, 1890, p. 325.
 subsp. *sarta* Sem. Hor. Soc. Ent. Ross. XXIV, 1889, p. 199; l. c. XXV, 1890, p. 325; Rev. Russe d'Ent. III, 1903, p. 391. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 90. Samarkand
 var. *bicolor* Sem. Hor. Soc. Ent. Ross. XXIV, 1889, p. 199.
 var. *bistriga* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 90. Transkaspien

1

Subgen. *Apleopertha* Sem.

Sem. Rev. Russe d'Ent. III, 1903, p. 390.

- Reitteri** Sem. Hor. Soc. Ent. Ross. XXV, 1890, p. 324. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 90. Turkestan

1

Subgen. *Cyriopertha* Rtrtr.

Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 91.

- glabra** Gebl. Bull. Acad. St. Petersb. VIII, 1841, p. 372 (Anisoplia); Bull. Moscou XXXII, 1859, p. 332. — Rtrtr. Ent. Nachr. XIV, 1888, p. 290 (Phyllopertha); Verh. Nat. Ver. Brünn XLI, 1903, p. 91. — Sem. Hor. Soc. Ent. Ross. XXV, 1890, p. 325. Kirgisensteppe, Turkestan, Sibirien
asiatica Ball. Bull. Moscou XLIII, 1870, p. 344.
 var. *fulvibasis* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 91.
 var. *monochroa* Sem. Hor. Soc. Ent. Ross. XXV, 1890, p. 325. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 91.
 var. *multicolor* Rtrtr. Wien. Ent. Zeit. IX, 1890, p. 264; Verh. Nat. Ver. Brünn XLI, 1903, p. 91. — Sem. Hor. Soc. Ent. Ross. XXV, 1890, p. 325.

1

Subgen. *Pleopertha* Rtrtr.

Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 92.

- arcuata** Gebl. Mém. Soc. Moscou VIII, 1832, p. 51 (Anisoplia). — Sem. Hor. Soc. Ent. Ross. XXV, 1890, p. 325. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 92. Daurien, Ost-Sibirien
arcuata Blanch. Cat. Coll. Ent. Col. 1850, p. 179.
lunata Fald. Mém. Acad. St. Pétersb. 1835, II, p. 47 (Anomala). — Burm. Handb. Ent. IV, 1, 1844, p. 284 u. 523; l. c. IV, 2, 1855, p. 501.
 var. *flavicollis* Heyd. Hor. Soc. Ent. Ross. XXIII, 1889, p. 661. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 92.
 var. *laeta* Rtrtr. l. c. p. 92.

1

Subgen. *Proagoppertha* Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 50.

- aeneollavida* Rtrr. Wien. Ent. Zeit. XXXII, 1913, p. 212. Samarkand
laevidula Fald. Mém. Acad. St. Petersb. 1835, II, p. 380 Nord-China
 (*Anomala*). — Burm. Handb. Ent. IV, I, 1844,
 p. 284 u. 530. — Jacobson, Ann. Mus. St. Pe-
 tersb. VIII, 1903, p. XIII.
 ? *acutisterna* Fairm. Ann. Soc. Ent. France
 (5) VIII, 1878, p. 106: l. c. (6) VI, 1886, p. 329;
 Rev. d'Ent. VI, 1887, p. 318 (*Spilota*). —
 Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 51.
pubicollis Waterh. Trans. Ent. Soc. London 1875, p. 111 Japan
 (*Anomala*). — Schönf. Jahrb. Nassau. Ver.
 Naturk. XL, 1887, p. 109. — Lewis, Ann. Mag.
 Nat. Hist. (6) XVI, 1895, p. 402; Trans. Ent.
 Soc. London 1899, p. 273. — Rtrr. Verh. Nat.
 Ver. Brünn XLI, 1903, p. 51. — Arr. Ann.
 Mag. Nat. Hist. (8) XII, 1913, p. 396 (*Anomala*).
Starki Rtrr. Wien. Ent. Zeit. XXXII, 1913, p. 212. Mandschurei
 $\frac{4}{34}$

Notophanus Hell.

Hell. Abh. Mus. Dresden 1896, nr. 3, p. 9.

- Brenskei* Hell. Abh. Mus. Dresden 1896, nr. 3, p. 10. Süd-Celebes
 tab. f. 20, a—c.
macrophyllus Hell. l. c. p. 10, tab. f. 19. Benthain
 2

Trigonocnemis Kraatz.

- Kraatz, Wien. Ent. Zeit. XIII, 1894, p. 171 (*Rhizotrogus*). — Rtrr.
 Verh. Nat. Ver. Brünn XLI, 1903, p. 42.
Ammogenia Sem. Hor. Soc. Ent. Ross. XXIX, 1895, p. 341.
Hauseri Kraatz, Wien. Ent. Zeit. XIII, 1894, p. 172. — Turkestan
 Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 42.
lanuginosa Sem. Hor. Soc. Ent. Ross.
 XXIX, 1895, p. 343.
Varentzowi Sem. Hor. Soc. Ent. Ross. XXIX, 1895, Transkaapi
 p. 345. — Rtrr. Verh. Nat. Ver. Brünn XLI,
 1903, p. 42.
 2

Nongoma Péring.

Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 603.

- calcarata* Arr. Trans. Ent. Soc. London 1899, p. 259
 (*Anomala*). — Péring. Trans. S. Afric. Philos. Kapland,
 Soc. XII, 1902, p. 609. Natal
 1

Stomanomala Kolbe.

Kolbe, Mitt. Mus. Hamburg XIV, 1897, p. 85.

- epistomalis* Kolbe, Mitt. Mus. Hamburg XIV, 1897, Sansibar
 p. 86, tab. f. 3.
 1

Micranomala Arr.

Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 268.

- birmanica Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, Tenasserim
p. 270.
cingalensis Arr. l. c. p. 270. Ceylon
indica Arr. l. c. p. 269. Süd-Indien

3

Epectinaspis Blanch.

Blanch. Cat. Coll. Ent. Col. 1850, p. 180. — Burm. Handb. Ent. IV, 2, 1855, p. 515. — Lacord. Gen. Col. III, 1856, p. 326. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 250. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 279.

Revision: Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 279.

- ambigena H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Brit.
p. 252. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, Honduras
1893, p. 281.
chaleonota H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Guatemala
p. 407. — Nonfr. Berl. Ent. Zeitschr. XXXVIII,
1893, p. 280.
subsp. *venezuelensis* Ohs. Stett. Ent. Venezuela
Zeit. LVIII, 1897, p. 439.
chelifera H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Panama
p. 251, t. 14, f. 6.
guatemalensis Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 438. Guatemala
mexicana Burm. Handb. Ent. IV, 1, 1844, p. 241 Mexico
(*Phyllopertha*); l. c. IV, 2, 1855, p. 515
(*Strigoderma*). — Blanch. Cat. Coll. Ent. Col.
1850, p. 180 (*Epectinaspis*). — H. Bts. Biol.
Centr.-Amer. Col. II, 2, 1888, p. 250, t. 14, f. 3.
— Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893,
p. 280.
moreletiana Blanch. Cat. Coll. Ent. Col. 1850, p. 179 Mexico,
(*Phyllopertha*). — Lacord. Gen. Col. III, Guatemala
1856, p. 326 nota (*Epectinaspis*). — H. Bts.
Biol. Centr.-Amer. Col. II, 2, 1888, p. 251,
t. 14, f. 7. — Nonfr. Berl. Ent. Zeitschr.
XXXVIII, 1893, p. 282. — Ohs. Stett. Ent.
Zeit. LVIII, 1897, p. 440; l. c. LXXVI, 1915,
p. 102.
var. *abdominalis* Ohs. Stett. Ent. Zeit. Guatemala
LXXVI, 1915, p. 102.
var. *basalis* Ohs. l. c. p. 102. „
var. *pallescens* Ohs. l. c. p. 102. „
var. *trifasciata* Ohs. l. c. p. 102. „
var. *tristis* Nonfr. Berl. Ent. Zeitschr. „
XXXVIII, 1893, p. 282.
opacicollis H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Mexico
p. 251, t. 14, f. 5. — Nonfr. Berl. Ent. Zeitschr.
XXXVIII, 1893, p. 281.
Boucardi Nonfr. l. c. p. 280.
unicolor Nonfr. l. c. p. 280. — Ohs. Stett.
Ent. Zeit. LXIII, 1902, p. 49.
pictipennis H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888,
p. 250, t. 14, f. 4.

8

Strigoderma Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 310; l. c. IV, 2, 1855, p. 514. —
Blanch. Cat. Coll. Ent. Col. 1850, p. 201. — Lacord. Gen. Col. III, 1856,
p. 333. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 252. — Nonfr.
Berl. Ent. Zeitschr. XXXVIII, 1893, p. 283. — Ohs. Stett. Ent. Zeit.
LVIII, 1897, p. 429.

Revision: Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 283.

Biologie: Ohs. Deutsche Ent. Zeitschr. 1908, p. 392.

- aenea* Blanch. Cat. Coll. Ent. Col. 1850, p. 202. Bolivia
- angulicollis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 99. Costa Rica
- arboricola* F. Ent. Syst. I, 2, 1792, p. 171 (*Melolontha*); Vereinigte
Syst. Eleuth. II, 1801, p. 174. — Ill. Mag. Staaten
Ins. IV, 1805, p. 80. — Schönh. Syn. Ins. I, v. Nord-
3. 1817, p. 192. — Burm. Handb. Ent. IV, 1, Amerika
1844, p. 315 (*Strigoderma*).
var. *testaceipennis* Nonfr. Berl. Ent. Indian.
Zeitschr. XXXVIII, 1893, p. 295. Reserv.
- auriventris* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Nicaragua
p. 260, t. 14, f. 22. — Nonfr. Berl. Ent. Zeitschr.
XXXVIII, 1893, p. 291.
- Biolleyi* Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 300. Costa Rica
- Castor* Newm. Mag. Nat. Hist. (2) II. 1838, p. 338; Mexico bis
Trans. Ent. Soc. London III, 1841, p. 49 Nicaragua
(*Popillia*); Entomologist I, nr. 21, 1842,
p. 331. — Burm. Handb. Ent. IV, 1, 1844,
p. 242 (*Phyllopertha*). — H. Bts. Biol. Centr.-
Amer. Col. II, 2, 1888, p. 256, t. 14, f. 13
(*Strigoderma*). — Nonfr. Berl. Ent. Zeitschr.
XXXVIII, 1893, p. 287. — Ohs. Stett. Ent.
Zeit. LVIII, 1897, p. 430.
- Pollux* Newm. Mag. Nat. Hist. (2) II, 1838,
p. 338; Trans. Ent. Soc. London III, 1841,
p. 50; Entomologist I, Nr. 21, 1842, p. 331.
- var. *splendens* Nonfr. Berl. Ent. Zeitschr. Mexico
XXXVIII, 1893, p. 287.
- catamaya* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 100. Süd-Ecuador
- chalybeicollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 202. Bolivien
- columbica* Burm. Handb. Ent. IV, 1, 1844, p. 313. — Columbien
Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893,
p. 284. — Ohs. Stett. Ent. Zeit. LVIII, 1897,
p. 433.
- ♀ *cupreiceps* Blanch. Cat. Coll. Ent. Col.
1850, p. 203. — Ohs. Stett. Ent. Zeit. LVIII,
1897, p. 434; l. c. LXIII, 1902, p. 50. — Arr.
Trans. Ent. Soc. London 1899, p. 274.
- ♂ *pallidipennis* Nonfr. Berl. Ent. Zeit-
schr. XXXVIII, 1893, p. 285. — Ohs. Stett.
Ent. Zeit. LXIII, 1902, p. 49.
- contracta* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Mexico,
p. 255, t. 14, f. 11. — Nonfr. Berl. Ent. Zeit- Guate-
schr. XXXVIII, 1893, p. 293. — Ohs. Stett. mala
Ent. Zeit. LVIII, 1897, p. 430.
- costulata* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, ? Mexico,
p. 286. — Ohs. Stett. Ent. Zeit. LXIII, 1902, Columbien
p. 50.

- costulipennis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 260, t. 14, f. 21. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 285. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 433. Mexico
- dentipennis* Fairm. Not. Leyden Mus. XVIII, 1896, p. 88 (*Phyllopertha*). — Ohs. Deutsche Ent. Zeitschr. 1916, p. 345. Thibet, Setschuan
- exigua* Schwarz, Proc. Amer. Philos. Soc. XVII, 1878, p. 362. Florida
- festiva* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 257. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 284. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 431. Mexico
- floricola* Ohs. Deutsche Ent. Zeitschr. 1908, p. 391. W. Ecuador
- floridana* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 285; l. c. LXXVI, 1915, p. 99. — Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 71. Florida
- Haenschi* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 53; Berl. Ent. Zeitschr. XLVIII, 1903, p. 217. O. Ecuador
- heraldica* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 292. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 434. Columbien
- intermedia* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 253, t. 14, f. 8. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 296. Mexico bis Honduras
- lampira* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 259, t. 14, f. 19 u. 20. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 288. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 433. Mexico
- latitibia* Schaeff. Journ. N. York Ent. Soc. XV, 1907, p. 71. Vereinigte Staaten von N. Amerika
- longicollis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 255, t. 14, f. 10. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 287. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 430. Mexico
- marginata* Ol. Ent. I, 1789, nr. 5, p. 70, t. 3, f. 23a u. b (*Melolontha*); ed. III. II, 1802, p. 96; ed. Sturm II, 1803, p. 42, t. 66, f. 7—8. — Blanch. Cat. Coll. Ent. Col. 1850, p. 202. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 253. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 283. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 430; Deutsche Ent. Zeitschr. 1908, p. 243. Guadeloupe, Mexico bis Panama, Südamerika bis Argentinien
- cincta* F. Ent. Syst. I, 2, 1793, p. 175 (*Melolontha*); Syst. Eleuth. II, 1801, p. 179. — Schönh. Syn. Ins. I, 3, 1817, p. 208. — Burm. Handb. Ent. IV, 1, 1844, p. 311 (*Strigoderma*.)
- elegans* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 286. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 98.
- glabrata* F. Syst. Eleuth. II, 1801, p. 178 (*Melolontha*). — Schönh. Syn. Ins. I, 3, 1817, p. 210. — Burm. Handb. Ent. IV, 1, 1844, p. 312 (*Strigoderma*). — Har. Col. Hefte VII, 1871, p. 116.
- limbata* Drap. Ann. Soc. Bruxelles II, 1819, p. 199, t. 25, f. 3 (*Melolontha*).

- parvula* Germ. Ins. spec. nov. I, 1824, p. 131
(*Trichius*).
- ridens* F. Syst. Eleuth. II, 1801, p. 178 (*Melolontha*). — Schönh. Syn. Ins. I, 3, 1817, p. 210.
— Burm. Handb. Ent. IV, 1, 1844, p. 312
(*Strigoderma*).
- var. *pygmaea* F. Ent. Syst. Suppl. 1798, Carolina
p. 133 (*Melolontha*); Syst. Eleuth. II, 1801,
p. 179. — Schönh. Syn. Ins. I, 3, 1817, p. 192.
— Burm. Handb. Ent. IV, 1, 1844, p. 312
(*Strigoderma*); l. c. IV, 2, 1855, p. 515. —
Blanch. Cat. Coll. Ent. Col. 1850, p. 202. —
H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888,
p. 253. — Nonfr. Berl. Ent. Zeitschr. XXXVIII,
1893, p. 284.
- minima* Drap. Ann. Soc. Bruxelles I, 1819,
p. 291, t. II, f. 2 (*Melolontha*).
- mexicana* Blanch. Cat. Coll. Ent. Col. 1850, p. 202. — Mexico
H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888,
p. 253. — Nonfr. Berl. Ent. Zeitschr. XXXVIII,
1893, p. 289.
- nodulosa* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 52. Chiriqui
- orbicularis* Burm. Handb. Ent. IV, 2, 1855, p. 515. — Mexico,
H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Guatemala
p. 257, t. 14, f. 14. — Nonfr. Berl. Ent. Zeit-
schr. XXXVIII, 1893, p. 284.
- var. *nigripennis* H. Bts. Biol. Centr.-
Amer. Col. II, 2, 1888, p. 257, t. 14, f. 15. —
Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893,
p. 287. — Ohs. Stett. Ent. Zeit. LVIII, 1897,
p. 431. — Arr. Trans. Ent. Soc. London 1899,
p. 274.
- peruviana* Blanch. Cat. Coll. Ent. Col. 1850, p. 202. — Peru,
Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 433. Bolivien
- physopleura* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Mexico
p. 256, t. 14, f. 12. — Nonfr. Berl. Ent. Zeitschr.
XXXVIII, 1893, p. 286. — Ohs. Stett. Ent.
Zeit. LVIII, 1897, p. 430.
- plumalis* Casey, Contrib. Descr. Col. N. Amer. II, 1884, Arizona
p. 181.
- presidii* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1889, Mexico
p. 407. — Nonfr. Berl. Ent. Zeitschr. XXXVIII,
1893, p. 289.
- protea* Burm. Handb. Ent. IV, 1, 1844, p. 312. — H.
Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 254. „
— Nonfr. Berl. Ent. Zeitschr. XXXVIII,
1893, p. 293. — Ohs. Stett. Ent. Zeit. LVIII,
1897, p. 430.
- nigrita* Blanch. Cat. Coll. Ent. Col. 1850, p. 202.
- Rothschildi* Nonfr. Berl. Ent. Zeitschr. XXXVIII, „
1893, p. 291. — Ohs. Stett. Ent. Zeit. LVIII,
1897, p. 431.
- ratelina* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Nicaragua,
p. 258, t. 14, f. 16. — Nonfr. Berl. Ent. Zeitschr. Panama
XXXVIII, 1893, p. 293. — Ohs. Stett. Ent.
Zeit. LVIII, 1897, p. 431.
- ♀ *micans* Nonfr. Berl. Ent. Zeitschr.
XXXVIII, 1893, p. 292.

- ♂ *ornata* Nonfr. l. c. p. 233. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 49.
- var. *testacea* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 294. Nicaragua
- Sallaei H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 255, t. 14, f. 9; l. c. 1889, p. 407. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 290. Mexico
- pilicollis* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 290. — Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 50; l. c. LXXVI, 1915, p. 98.
- sulcipennis* Burm. Handb. Ent. IV, 1, 1844, p. 316. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 259. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 294. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 432; l. c. LXIII, 1902, p. 52; Berl. Ent. Zeitschr. XLVIII, 1903, p. 217; Deutsche Ent. Zeitschr. 1908, p. 392. Mexico bis Bolivien
- var. *aequatorialis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 437; l. c. LXXVI, 1915, p. 98. O. Ecuador
- var. *fastuosa* Burm. Handb. Ent. IV, 1, 1844, p. 316. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 294. Mexico
- var. *fulgicollis* Brème, Ann. Soc. Ent. France (2) II, 1844, p. 304, t. 8, f. 6. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 437. — Arr. Trans. Ent. Soc. London 1899, p. 274. Columbien
- var. *imitatrix* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 295. Mexico
- var. *impressicollis* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 295. „
- var. *insignis* Brème, Ann. Soc. Ent. France (2) II, 1844, p. 305, t. 8, f. 5. Columbien
- var. *metallica* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 294. Guatemala
- var. *nigripes* Burm. Handb. Ent. IV, 1, 1844, p. 316. Mexico
- var. *sumtuosa* Burm. Handb. Ent. IV, 1, 1844, p. 317. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 436. Peru
- trochilus* Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 294.
- var. *Thiemei* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 437. Columbien
- teapensis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 258, t. 14, f. 17; l. c. 1889, p. 407. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 285. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 431. Mexico
- tomentosa* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 258, t. 14, f. 18. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 288. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 432. „
- trichaspis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 101. Tonkin
- tucumana* Ohs. Stett. Ent. Zeit. LXIII, 1902, p. 51. Tucuman
- vestita* Burm. Handb. Ent. IV, 1, 1844, p. 314. — Blanch. Cat. Coll. Ent. Col. 1850, p. 293. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Mexico bis Panama

p. 254. — Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 290. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 430.

villosula Blanch. Cat. Coll. Ent. Col. 1850, p. 203. Süd-Amerika
viridicollis Schaeff. Journ. N. York Ent. Soc. XV, 1907, Ver. Staaten
 p. 72.

43

Mimela Kirby.

Kirby, Trans. Linn. Soc. London XIV, 1825, p. 101. — Hope, Trans. Ent. Soc. London I, 1835, p. 108. — Burm. Handb. Ent. IV, 1, 1844, p. 285; l. c. IV, 2, 1855, p. 596. — Blanch. Cat. Coll. Ent. Col. 1850, p. 196. — Lacord. Gen. Col. III, 1856, p. 333. — Rtrtr. Verh. Nat. Ver. Brünn XXI, 1903, p. 51. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 634; Stett. Ent. Zeit. LXXVI, 1915, p. 88.

Paracrucis Newm. Mag. Nat. Hist. (2) III, 1839, p. 366.

Subgen. Paramimela Ohs.

Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 88.

Rhombonyx Hope, Col. Man. I, 1837, p. 106 (pars).

Amblomala Rtrtr. Verh. Nat. Ver. Brünn XXI, 1903, p. 58 (pars).

- aurata* F. Syst. Eleuth. II, 1801, p. 172 (*Melolontha*). — Schweiz,
 Duft. Fauna Austr. I, 1805, p. 192. — Schönh. Tirol,
 Syn. Ins. I, 3, 1817, p. 193. — Hope, Col. Steier-
 Man. 1837, p. 41 (*Anomala*). — Lap. Hist. mark,
 Nat. Col. II, 1840, p. 136 (*Euchlora*). — Illyrien
 — Burm. Handb. Ent. IV, 1, 1844, p. 244 bis
 (*Rhombonyx*). — Er. Naturg. Ins. Deutschl. Griechen-
 III, 1847, p. 617 (*Anomala*). — Blanch. Cat. land
 Coll. Ent. Col. 1850, p. 183 (*Rhombonyx*). —
 Gutfl.-Bose, Käf. Deutschl. 1859, p. 330
 (*Anomala*). — Jacq. du Val, Gen. Col. d'Eur.
 III, 1859, p. 67, t. 18, f. 88. — Redt. Fauna
 Austr. ed. 3, 1874, p. 494. — Ganglb. Wien.
 Ent. Zeit. I, 1882, p. 241. — Seidl. Fauna
 Transsylv. 1891, p. 160. — Stierl. Käferfauna
 Schweiz I, 1900, p. 659. — Rtrtr. Verh. Nat.
 Ver. Brünn XXI, 1903, p. 58 (*Amblomala*);
 Fauna Germ. Käf. II, 1909, p. 336, t. 74,
 f. 13. — Petri, Siebenbürg. Käferfauna 1912,
 p. 359. — Kuhnt, III. Best.-Tab. Käf. Deutschl.
 1913, p. 409.
- ♂ *auricollis* Lap. Hist. Nat. Col. II, 1840,
 p. 136.
- var. *coerulea* Ohs. Stett. Ent. Zeit. LXXVI, Olymp
 1915, p. 90.
- var. *cuprea* Er. Naturg. Ins. Deutschl. III, Tirol
 1847, p. 617. — Ohs. Stett. Ent. Zeit. LXXVI,
 1915, p. 90.
- circumcincta* Hope, Ann. Mag. Nat. Hist. IX, 1842, Guinea:
 p. 494 (*Euchlora*). — Burm. Handb. Ent. IV, Küsten-
 I, 1844, p. 537. — Ohs. Öfvers. Kgl. Vetensk. wald
 Akad. Förh. Stockholm 1902, nr. 10, p. 349;
 Deutsche Ent. Zeitschr. 1908, p. 635; Stett.
 Ent. Zeit. LXXVI, 1915, p. 88.

- var. *derugata* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 89. Kamerun
- costata* Hope, Proc. Zool. Soc. London VII, 1839, p. 73 (Euchlora); Ann. Mag. Nat. Hist. IV, 1840, p. 350. — Burm. Handb. Ent. IV, 1, 1844, p. 530 (Anomala). — Waterh. Trans. Ent. Soc. London 1875, p. 109. — Har. Verh. Nat. Ver. Bremen V, 1876, p. 126; Deutsche Ent. Zeitschr. XXI, 1877, p. 356. — Heyd. Deutsche Ent. Zeitschr. XXIII, 1879, p. 344. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 56 (Rhombonyx). — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 90. Japan, N. O. China
- var. *flavipennis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 90. Japan
- var. *incuprata* Ohs. l. c. p. 91. „
- decolorata* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 89. Kongo
- flavilabris* Waterh. Trans. Ent. Soc. London 1875, p. 110 (Anomala). — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396 (Mimela). Japan
- difficilis* Har. (nec Waterh.) Deutsche Ent. Zeitschr. XXI, 1877, p. 355. — Heyd. l. c. XXIII, 1879, p. 345. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 53.
- var. *cuprifulgens* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 91. „
- var. *sculpticollis* Ohs. l. c. p. 91. „
- gabonensis* Ohs. Deutsche Ent. Zeitschr. 1908, p. 643. Gabun
- holosericea* F. Mant. Ins. I, 1787, p. 21 (Melolontha); Ent. Syst. I, 2, 1792, p. 167; Syst. Eleuth. II, 1801, p. 171. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 179, p. 1561 (Scarabaeus). — Hbst. Natur-syst. Käf. III, 1790, p. 130 (Melolontha). — Ill. Mag. Ins. IV, 1805, p. 80. — Schönh. Syn. Ins. I, 3, 1817, p. 194. — Gebl. Mém. Moscou V, 1817, p. 327; Ledebour's Reise II, 1830, p. 109; Mém. Moscou XX, 2, 1847, p. 462. — Hope, Col. Man. I, 1837, p. 106 (Rhombonyx). — Lap. Hist. Nat. Col. II, 1840, p. 135 (Euchlora). — Burm. Handb. Ent. IV, 1, 1844, p. 244 (Rhombonyx). — Blanch. Cat. Coll. Ent. Col. 1850, p. 183. — Motsch. Bull. Acad. St. Petersb. XVII, 1859, p. 232; Schrenck's Reisen II, 2, 1860, p. 135. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 233. — Heyd. Deutsche Ent. Zeitschr. XXV, 1881, p. 112; l. c. XXX, 1886, p. 269; l. c. 1895, p. 83. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 56. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 635 (Mimela). — Oguna, Journ. Coll. Agric. Tohoku Imp. Univ. IV, 1, 1911, p. 119. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396 (Anomala). Sibirien, vom Ural (Ufa) bis Wladiwostok, Sachalin, Quelpart, Japan
- Biologie: Gebler. Mém. Moscou XX, 2, 1847, p. 462.
- var. *carbonaria* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 92. W. Ural: Ufa
- var. *holocypria* Ohs. l. c. p. 92. Wladiwostok

- pekinensis* Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 291 (*Anomala*). — Fairm. Rev. d'Ent. VI, 1887, p. 318. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 56 (*Rhombonyx*). — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 92.
 var. *cupripennis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 92.
 var. *semiviridis* Ohs. l. c. p. 92.
 var. *violata* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 56.
- rufoprasina* Ohs. Kgl. Vetensk. Akad. Förh. Stockholm nr. 10, 1902, p. 347. Kamerun
- testaceipes* Motsch. Etud. Ent. IX, 1860, p. 14 (*Anomala*). — Waterh. Trans. Ent. Soc. London 1875, p. 110. — Har. Deutsche Ent. Zeitschr. XXI, 1877, p. 356. — Heyd. l. c. XXIII, 1879, p. 344. — H. Bts. Proc. Zool. Soc. London XXVI, 1888, p. 374. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 56 (*Rhombonyx*). — Ohs. Deutsche Ent. Zeitschr. 1908, p. 635 (*Mimela*); Stett. Ent. Zeit. LXXVI, 1915, p. 91. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396 (*Anomala*).
 var. *anocypria* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 92. Japan
 var. *cypriptera* Ohs. l. c. p. 92. „
 var. *ochrochalcea* Ohs. l. c. p. 91. „
 var. *ochroptera* Ohs. l. c. p. 91. Mandschurei
- risticula* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 89. Kongo
 11
- Subgen. *Mimela* Kirby sens. strict.
- abdominalis* Ohs. Deutsche Ent. Zeitschr. 1902, p. 51. Tonkin
amabilis Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 242. Birma, Siam
 Atkinsoni Arr. l. c. p. 244. Pegu,
 Tenasserim
- bicolor* Hope, Trans. Ent. Soc. London I, 1835, p. 116. — Nepal
 Burm. Handb. Ent. IV, 1, 1844, p. 542.
similis Hope, Trans. Ent. Soc. London I, 1835, p. 116. — Burm. Handb. Ent. IV, 1, 1844, p. 542. — Arr. Trans. Ent. Soc. London 1899, p. 273.
- Blumei* Hope, Trans. Ent. Soc. London I, 1835, p. 112. — Java, Luzon
 Burm. Handb. Ent. IV, 1, 1844, p. 289. —
 Ohs. Deutsche Ent. Zeitschr. 1908, p. 642.
- celebica* Ohs. Tijdschr. Ent. LVI, 1913, p. 36. Celebes
- chinensis* Kirby, Trans. Linn. Soc. London XIV, 1823, p. 107, t. 3, f. 4. — Hope, Trans. Ent. Soc. London I, 1835, p. 111, t. 10, f. 7. — Lap. Hist. Nat. Col. II, 1840, p. 135 (*Euchlora*). — Burm. Handb. Ent. IV, 2, 1855, p. 506 (*Mimela*). — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 54. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 94, f. 1. China
- splendens* Burm. Handb. Ent. IV, 1, 1844, p. 288.

- stilbophora* Wiedem. Zool. Mag. II, 1823, p. 92 (*Melolontha*).
- Confucius** Hope, Trans. Ent. Soc. London I, 1835, p. 112. China
— Burm. Handb. Ent. IV, 1, 1844, p. 287.
- cupricollis** Ohs. Deutsche Ent. Zeitschr. 1908, p. 641. Java
- cyanipes** Newm. Mag. Nat. Hist. (2) III, 1839, p. 366 Assam
(*Paracrusis*). — Hope, Trans. Linn. Soc. London XVIII, 1841, p. 597, t. 40, f. 5. — Burm. Handb. Ent. IV, 1, 1844, p. 289.
- debilis** Sharp, Not. Leyden Mus. III, 1881, p. 239. — Sumatra,
Ohs. Deutsche Ent. Zeitschr. 1908, p. 639. Java,
Borneo,
Malakka
- despumata** Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 95. Tonkin
- discoidea** Burm. Handb. Ent. IV, 1, 1844, p. 286. — Ohs. Java
Deutsche Ent. Zeitschr. 1908, p. 637.
subsp. *sumatrana* Ohs. l. c. p. 637. Sumatra,
Malakka
- Drescheri** Ohs. Tijdschr. Ent. LVI, 1913, p. 34. Java
- dulcissima** H. Bts. Entom. XXIV, 1891, Suppl. p. 78. Set-tshuan
- euchloroides** Ohs. Deutsche Ent. Zeitschr. 1908, p. 640. Sumatra
- exeisipes** Rtttr. Verh. Nat. Ver. Brünn XLI, 1903, p. 54. Centr.-China
— Ohs. Archiv f. Naturg. 1916, A. 4, p. 3.
- Felsehei** Ohs. Deutsche Ent. Zeitschr. 1911, p. 322. Formosa
var. *viridana* Ohs. Tijdschr. Ent. LVI, Java
1913, p. 35. „
- Fruhstorferi** Ohs. Deutsche Ent. Zeitschr. 1902, p. 50. Tonkin
- fulgidivittata** Blanch. Cat. Coll. Ent. Col. 1850, p. 197. — Silhet
Arr. Trans. Ent. Soc. London 1899, p. 273.
- fusania** H. Bts. Proc. Zool. Soc. London 1888, p. 375. — Korea,
Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 95, f. 2. W. China
viriditincta Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, G. R. nr. 18, p. CCV.
var. *plicicollis* Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 247. — Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 95.
- glabra** Hope, Trans. Ent. Soc. London III, 1841, p. 67. — Assam
Burm. Handb. Ent. IV, 1, 1844, p. 543. —
Downsi Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 62; Trans. Ent. Soc. London III, 1845, p. 7.
— Burm. Handb. Ent. IV, 1, 1844, p. 543. —
Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 248.
- globosa** Ohs. Deutsche Ent. Zeitschr. 1905, p. 88. „
- Grubaueri** Ohs. Deutsche Ent. Zeitschr. 1901, p. 272. Sumatra
- heterochropus** Blanch. Cat. Coll. Ent. Col. 1850, p. 196. Nepal
— Burm. Handb. Ent. IV, 2, 1855, p. 507.
Hopei Burm. Handb. Ent. IV, 2, 1855, p. 507.
- splendens** Hope, Trans. Ent. Soc. London I, 1835, p. 114. — Arr. l. c. 1899, p. 273.
- ignicauda** H. Bts. Proc. Zool. Soc. London 1866, p. 345. Formosa
- insularis** Ohs. Deutsche Ent. Zeitschr. 1908, p. 639. Borneo,
Java,
Perak
- javana** Ohs. Deutsche Ent. Zeitschr. 1905, p. 89. Java
- longicornis** Burm. Handb. Ent. IV, 1, 1844, p. 286. — „
Ohs. Tijdschr. Ent. LVI, 1913, p. 33.
- macassara** Hell. Abh. Mus. Dresden 1896, nr. 3, p. 11, Celebes
f. 21.

- maculicollis* Ohs. Deutsche Ent. Zeitschr. 1908, p. 636. Borneo,
Luzon
- margarita* Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 65. Borneo
- mundissima* Walk. Ann. Mag. Nat. Hist. (3) IV, 1859, p. 220. — Arr. l. c. (8) VIII, 1911, p. 356. Ceylon
- nana* Lansb. Ann. Soc. Ent. Belg. XXII, 1879, C. R. p. CLII. Java
- nigrosellata* Ohs. Tijdschr. Ent. LVI, 1913, p. 31. Java,
Siam,
Birma
- Ohausi* Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 243. Assam,
Tonkin,
Yünnan
- opalina* Ohs. Deutsche Ent. Zeitschr. 1902, p. 50. Tonkin
- palawana* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 252. Palawan
- pallidicauda* Arr. Ann. Mag. Nat. Hist. (8) VI, 1910, p. 64. Sumatra
- pectoralis* Blanch. Cat. Coll. Ent. Col. 1850, p. 197. N. Indien
- politicollis* Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 158. Belg. Kongo
- pygialis* Fairm. Ann. Soc. Ent. France LXI, 1891, p. 239. Franz.Kongo
— Ohs. Kgl. Vetensk. Akad. Förh. 1902. nr. 10, p. 349; Ann. Soc. Ent. Belg. LVIII, 1914, p. 157.
- pygmaea* Ohs. Deutsche Ent. Zeitschr. 1908, p. 638. Sumatra
- pyriformis* Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 246. Assam
- repsimoides* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 96. Amoy
- runsorica* Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 80; Wiss. Erg. I. Deutsch. Zentr.-Afr.-Exped. V, 3, 1914, p. 363. Zentr.-
Afrika
- seminigra* Ohs. Deutsche Ent. Zeitschr. 1908, p. 640. Tonkin,
Fokien
- sericea* Ohs. Deutsche Ent. Zeitschr. 1905, p. 88. Sikkim,
Kaschmir
- sericopyga* Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 158. Usambara
- signaticollis* Ohs. Deutsche Ent. Zeitschr. 1902, p. 53. Saigun,
Annam
- sparsepilosa* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 93. Kamerun
- specularis* Ohs. Deutsche Ent. Zeitschr. 1902, p. 49; Stett. Ent. Zeit. LXXVI, 1915, p. 94, f. 2. Tonkin
- splendens* Gyll. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 110 (*Melolontha*). — Hope, Proc. Zool. Soc. London VII, 1839, p. 75; Ann. Mag. Nat. Hist. IV, 1840, p. 351 (*Euchlora*). — Burm. Handb. Ent. IV, 2, 1855, p. 506. — H. Bts. Proc. Zool. Soc. London 1888, p. 375; Entomologist XXIV, 1891, Suppl. p. 77. — Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 248. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 644; Archiv f. Naturg. 1916, A. 4, p. 3. China,
Japan,
Formosa
- concolor* Blanch. Cat. Coll. Ent. Col. 1850, p. 196. Silhet
- Davidis* Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 330. Yünnan
- Gaschkewitchi* Motsch. Etud. Ent. VI, 1857, p. 32. — Har. Verh. Nat. Ver. Bremen V, 1876, p. 127. — Arr. Trans. Ent. Soc. London 1899, p. 273. Japan

- Lathamii* Hope, Trans. Ent. Soc. London I, 1835, p. 113. — Burm. Handb. Ent. IV, 1, 1844, p. 287. China
- lucidula* Hope, Trans. Ent. Soc. London I, 1835, p. 113. — Burm. Handb. Ent. IV, 1, 1844, p. 287. — Har. Deutsche Ent. Zeitschr. XXII, 1878, p. 72. — Heyd. l. c. XXIII, 1879, p. 345. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 53. Japan
- simplex* H. Bts. Proc. Zool. Soc. London 1866, p. 345. Formosa
- var. *corrusca* Heyd. Hor. Soc. Ent. Ross. XXI, 1887, p. 253. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 53. Japan
- var. *cyanicollis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 96. Korea
- subsericea Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 245. Assam,
Birma
- sulcatula* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 92. China
- testaceoviridis* Blanch. Cat. Coll. Ent. Col. 1850, p. 197. China,
— Ohs. Archiv f. Naturg. 1916, A. 4, p. 3. Formosa
- surigera* Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 291. — Fairm. Rev. d'Ent. VI, 1887, p. 318. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 54.
- subsp. *chryseis* H. Bts. Proc. Zool. Soc. London 1866, p. 345. Formosa
- trichiopyga* Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 157. Kamerun
- Vethi* Ohs. Tijdschr. Ent. LVI, 1913, p. 30. Java
- vicaria* Ohs. l. c. p. 32. "
- Vitalisi* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 215, f. 13. Tonkin
- vittaticollis* Burm. Handb. Ent. IV, 2, 1855, p. 506. Nepal
- xanthorrhina* Hope, Col. Man. I, 1837, p. 120. — Burm. Handb. Ent. IV, 1, 1844, p. 541. Madras
- xanthorrhoea* Ohs. Deutsche Ent. Zeitschr. 1902, p. 52. Toukin

63

Subgen. **Eriomela** Rtrtr.

Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 52.

- biplagiata* Ohs. Deutsche Ent. Zeitschr. 1908, p. 642. Sikkim
- chryso-prasa* Hope, Trans. Ent. Soc. London I, 1835, p. 116. — Burm. Handb. Ent. IV, 1, 1844, p. 542. Thibet,
Malakka,
Nias,
Sumatra,
Borneo
- coxalis* Ohs. Deutsche Ent. Zeitschr. 1902, p. 54. Annam
- decipiens* Hope, Trans. Ent. Soc. London III, 1841, p. 66. — Burm. Handb. Ent. IV, 1, 1844, p. 542; l. c. IV, 2, 1855, p. 598. Assam
- discalis* Ohs. Stett. Ent. Zeit. LXXVI, 1915, p. 97. Assam:
Silhet
- flavomarginata* Ohs. l. c. p. 97. Sikkim
- Horsfieldi* Hope, Trans. Ent. Soc. London I, 1835, p. 114. — Burm. Handb. Ent. IV, 1, 1844, p. 290. — Arr. Trans. Ent. Soc. London 1899, p. 273. Nepal

- vittata* Redt. in Hügel, Kaschmir IV, 2, 1843, p. 525, t. 25, f. 1. — Burm. Handb. Ent. IV, 2, 1855, p. 507.
- inscripta* Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 236 (*Anomala*). Siam
- crocea* Ohs. Deutsche Ent. Zeitschr. 1902, p. 55.
- laevigata* Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 241. Sikkim
- Leei* Swed. Nova Acta Holm. VIII, 1787, p. 188 (*Scara-baeus*). — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1571. — Ol. Ent. I, 1789, nr. 5, p. 30, t. 8, f. 87 (*Melolontha*); ed. III. II, 1802, p. 52; ed. Sturm II, 1803, p. 19, t. 61, f. 1. — Hope, Trans. Ent. Soc. London I, 1835, p. 115 (*Mimela*). — Lap. Hist. Nat. Col. II, 1840, p. 137 (*Euchlora*). — Burm. Handb. Ent. IV, 1, 1844, p. 290 (*Mimela*). — Arr. Trans. Ent. Soc. London 1899, p. 273.
- fastuosa* F. Ent. Syst. I, 2, 1792, p. 168 (*Melolontha*); Syst. Eleuth. II, 1801, p. 173. — Hope, Col. Man. I, 1837, p. 76.
- var. *saphirina* Parry, Trans. Ent. Soc. London IV, 1845, p. 85.
- MacLeayana* Vigors. Zool. Journ. I, 4, 1825, p. 540, t. 20, f. 7 (*Euchlora*). — Hope, Proc. Zool. Soc. London VII, 1839, p. 69; Ann. Mag. Nat. Hist. IV, 1840, p. 346. — Burm. Handb. Ent. IV, 1, 1844, p. 291 (*Mimela*). — Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 356. Vorder-Indien, Ceylon
- marginalis* Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 242. Sikkim, Bhutan, Se-tschuan
- oblonga* Arr. l. c. p. 247.
- Passerinii* Hope, Proc. Linn. Soc. London I, 1842, p. 128; Ann. Mag. Nat. Hist. IX, 1842, p. 247; Trans. Linn. Soc. London XIX, 1845, p. 108. — Burm. Handb. Ent. IV, 1, 1844, p. 543. — Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 248. Himalaya, S. W. China
- limbata* Burm. Handb. Ent. IV, 2, 1855, p. 508.
- pomacea* H. Bts. Entomologist XXIII, 1890, p. 245. — Rtrtr. Verh. Nat. Ver. Brünn XXI, 1903, p. 52.
- princeps* Hope, Trans. Ent. Soc. London III, 1841, p. 65. Siam
— Burm. Handb. Ent. IV, 1, 1844, p. 542.
- pachygastra* Burm. Handb. Ent. IV, 2, 1855, p. 507.
- Schneideri* Ohs. Deutsche Ent. Zeitschr. 1905, p. 89. Sikkim
- soror* Arr. Ann. Mag. Nat. Hist. (8) I, 1908, p. 245. N. Indien

2. Subtribus **Popilliina**.

Popillia Serv.

Serv. Encycl. méth. X, 1825, p. 367. — Latr. in Cuvier, Règne Anim. 2. ed. IV, 1829, p. 563. — Lap. Hist. Nat. Col. II, 1840, p. 137. — Newm. Trans. Ent. Soc. London III, 1841, p. 33. — Burm. Handb. Ent. IV, 1, 1844, p. 292; l. c. IV, 2, 1855, p. 508. — E. Blanch. Hist. Ins. I, 1845, p. 216. — Lacord. Gen. Col. III, 1856, p. 334. — Hell. Deutsche Ent.

Zeitschr. 1891, p. 289. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 177. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 207; Ann. Soc. Ent. Belg. XLVII, 1903, p. 66. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 45.

Revisionen: Newm. Mag. Nat. Hist. (2) II, 1838, p. 335; Trans. Ent. Soc. London III, 1841, p. 33. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 177.

Paläarktische Region.

- atrocoerulea** H. Bts. Proc. Zool. Soc. London 1888, p. 376. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 245. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 46. Korea, Nord-China
 var. *atra* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 245.
 var. *bicolor* Kraatz, l. c. p. 245,
 var. *biplagiata* Kraatz, l. c. p. 245.
 var. *circumducta* Kraatz, l. c. p. 245.
 var. *Loczyi* Friv. Term. Füz. XII, 4, 1889, p. 201. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 245.
Adamas Heyd. (nec Newm.) Hor. Soc. Ent. Ross. LII, 1886, p. 190.
 var. *Schönfeldti* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 245.
 var. *sellata* Kraatz, l. c. p. 245.
 var. *strigiventris* Kraatz, l. c. p. 245.
 var. *viridicollis* Kraatz, l. c. p. 245.
- Bogdanowi** Ball. Ball. Moscou XLIII, 1870, p. 345. — Amur
 H. Bts. Proc. Zool. Soc. London 1888, p. 376.
 Kraatz, Deutsche Ent. Zeitschr. 1892, p. 254.
- indigonacea** Motsch. Etud. Ent. II, 1853, p. 47. — Amur,
 Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Korea,
 p. 233; l. c. 1892, p. 240. — H. Bts. Proc. Nord-
 Zool. Soc. London 1888, p. 376. — Rtrtr. Verh. China
 Nat. Ver. Brünn XLI, 1903, p. 46.
- insularis** Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, Japan:
 p. 403. Ochima
circumcincta Kraatz, Deutsche Ent. Zeit-
 schr. 1897, p. 327. — Ohs. Stett. Ent. Zeit.
 LVIII, 1897, p. 378.
- japonica** Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Japan,
 Trans. Ent. Soc. London III, 1841, p. 43; Nord-
 Entomologist I, nr. 21, 1842, p. 329. — Burm. China
 Handb. Ent. IV, 1, 1844, p. 301. — Motsch.
 Etud. Ent. IX, 1860, p. 14; Bull. Moscou
 XXXIX, 1866, p. 170. — Waterh. Trans. Ent.
 Soc. London 1875, p. 112. — Har. Verh. Nat.
 Ver. Bremen V, 1876, p. 301. — Heyd. Deutsche
 Ent. Zeitschr. XXIII, 1879, p. 345. — Schönf.
 Jahrb. Nassau. Ver. Naturk. XL, 1887, p. 109.
 — Kraatz, Deutsche Ent. Zeitschr. 1892,
 p. 257. — Lewis, Ann. Mag. Nat. Hist. (6) XVI,
 1895, p. 403. — Rtrtr. Verh. Nat. Ver. Brünn
 XLI, 1903, p. 48. — Arr. Ann. Mag. Nat. Hist.
 (8) XII, 1913, p. 396.
 var. *plicatipennis* Burm. Handb. Ent. IV,
 1, 1844, p. 300.

- Lewisi Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 40 u. 54. Japan:
Liukiu,
Okinawa
Nord-China
- quadriguttata* F. Mant. Ins. II, 1787. Append. p. 377 (*Trichius*). — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1799, p. 1586 (*Scarabaeus*). — Schönh. Syn. Ins. I, 3, 1817, p. 155 (*Rutelus*). — Burm. Handb. Ent. IV, 1, 1844, p. 310 u. 544 (*Popillia*); l. c. IV, 2, 1855, p. 509. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 253. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39.
- biguttata* F. Ent. Syst. IV, 1794, Append. p. 449 (*Trichius*).
- castanoptera* Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 63; Trans. Ent. Soc. London IV, 1845, p. 8. — Burm. Handb. Ent. IV, 1, 1844, p. 310 u. 544. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 248. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39.
- straminipennis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 258. — Rtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 49. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39.
- var. *ruficollis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 254.
- 7

Orientalische Region.

- acuta* Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Trans. Ent. Soc. London III, 1841, p. 46; Entomologist I, nr. 21, 1842, p. 330. — Burm. Handb. Ent. IV, 1, 1844, p. 295. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 271. Bombay
- Adamas* Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Trans. Ent. Soc. London III, 1841, p. 40; Entomologist I, nr. 21, 1842, p. 329. — Burm. Handb. Ent. IV, 1, 1844, p. 298. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 262. Bengalen
- var. *viridinitens* Kraatz, l. c. p. 302.
- anabilis* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 53. Assam
- andamanica* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 279. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 40. Andamanen,
Nikobaren
- angulicollis* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 311. Tonkin
- anomaloïdes* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 260. Yünnan
- biguttata* Wiedem. in Germar, Mag. Ent. IV, 1821, p. 136 (*Melolontha*). — Newm. Trans. Ent. Soc. London III, 1841, p. 44; Entomologist I, nr. 21, 1842, p. 330. — Lap. Hist. Nat. Col. II, 1840, p. 138. — Burm. Handb. Ent. IV, 1, 1844, p. 302. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 280. Java
- bipunctata* Blanch. in Cuvier, Règne Anim. 1841, Atlas, t. 43, f. 6.
- birmanica* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 40 u. 43. Birma,
Assam

- Blanchardi** Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 348. Himalaya
Böttcheri Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 356. N. Luzon
cetrata Newm. Entomologist I, 1841, p. 223. — Burm. Luzon
 Handb. Ent. IV, 1, 1844, p. 310 u. 546. —
 Kraatz, Deutsche Ent. Zeitschr. 1892, p. 284.
 — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 343;
 Philippin. Journ. Scienc. V, 1910, nr. 4, p. 255.
chinensis Friv. Term. Füz. XII, 4, 1889, p. 201. —
 Kraatz, Deutsche Ent. Zeitschr. 1892, p. 248. Süd-China
 — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903,
 p. 47. — Arr. Ann. Mag. Nat. Hist. (8) XII,
 1913, p. 39.
ehlorion Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Madras
 Trans. Ent. Soc. London III, 1841, p. 39;
 Entomologist I, nr. 20, 1842, p. 316. — Burm.
 Handb. Ent. IV, 1, 1844, p. 298. — Kraatz,
 Deutsche Ent. Zeitschr. 1892, p. 242. —
 Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 46.
 — Ohs. Archiv f. Naturg. 1916, A. 4, p. 2.
Perotteti Kraatz, Deutsche Ent. Zeitschr.
 1892, p. 244. — Arr. Ann. Mag. Nat. Hist. (8)
 XIII, 1913, p. 39. Formosa
clara Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 49. Nilghiri
clypealis Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 347. Kaschmir
coerulea Boh. Eugen. Resa, Col. 1858, p. 55. — Kraatz, Süd-China
 Deutsche Ent. Zeitschr. 1892, p. 243. — Rtrtr.
 Verh. Nat. Ver. Brünn XLI, 1903, p. 46.
chlorion Rtrtr. (nec Newm.) Verh. Nat. Ver.
 Brünn XLI, 1903, p. 46.
complanata Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Madras
 Trans. Ent. Soc. London III, 1841, p. 40;
 Entomologist I, nr. 21, 1842, p. 329. — Burm.
 Handb. Ent. IV, 1, 1844, p. 298. — Kraatz,
 Deutsche Ent. Zeitschr. 1892, p. 263 (pars). —
 Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 345;
 Ent. Nachr. XXV, 1899, p. 220 (pars). —
 Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 354;
 l. c. (8) XII, 1913, p. 46.
conopyga Ohs. Deutsche Ent. Zeitschr. 1905, p. 92. Luzon
cupricollis Hope in Gray, Zool. Misc. 1831, p. 23. — Nepal
 Newm. Trans. Ent. Soc. London III, 1841,
 p. 42; Entomologist I, nr. 21, 1842, p. 329. —
 Burm. Handb. Ent. IV, 1, 1844, p. 301; l. c.
 IV, 2, 1855, p. 509. — Kraatz, Deutsche Ent.
 Zeitschr. 1892, p. 264.
 var. *caschmirensis* Redt. in Hügel, Kaschmir
 IV, 2, 1842, p. 528. — Kraatz, Deutsche
 Ent. Zeitschr. 1892, p. 264. Kaschmir
 var. *hilaris* Burm. Handb. Ent. IV, 2, 1855, Himalaya
 p. 510. — Kraatz, Deutsche Ent. Zeitschr.
 1892, p. 264.
 var. *formosa* Hope in Gray, Zool. Misc. 1831, Nepal
 p. 23. — Newm. Trans. Ent. Soc. London III,
 1841, p. 42. — Burm. Handb. Ent. IV, 1,
 1844, p. 301. — Kraatz, Deutsche Ent. Zeitschr.
 1892, p. 264.
 var. *smaragdula* Hope in Gray, Zool. „
 Misc. 1831, p. 23. — Newm. Trans. Ent. Soc.
 London III, 1841, p. 42. — Burm. Handb.

- Ent. IV, 1, 1844, p. 301. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 264.
- var. *suturata* Hope in Gray, Zool. Misc. 1831, p. 23. — Newm. Trans. Ent. Soc. London III, 1841, p. 42. — Burm. Handb. Ent. IV, 1, 1844, p. 301. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 264. Nepal
- cyanea* Hope in Gray, Zool. Misc. 1831, p. 23. — Newm. Trans. Ent. Soc. London III, 1841, p. 39; Entomologist I, nr. 20, 1842, p. 316. — Redt. in Hügel, Kaschmir IV, 2, 1842, p. 527. — Burm. Handb. Ent. IV, 1, 1844, p. 297. — Sharp, Scient. Res. II. Yarkand Miss. Col. 1890, p. 51. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 241. — Ohs. Archiv f. Naturg. 1916, A. 4, p. 1. „
- concolor* Lap. Hist. Nat. Col. II, 1840, p. 138.
- var. *beryllina* Hope in Gray, Zool. Misc. 1831, p. 23. — Newm. Trans. Ent. Soc. London III, 1841, p. 40. — Burm. Handb. Ent. IV, 1, 1844, p. 297. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 241. „
- var. *somnulosa* Newm. Trans. Ent. Soc. London III, 1841, p. 40. Thibet
- var. *splendidicollis* Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 331. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 242. — Rtrr. Verh. Nat. Ver. Brünn XLII, 1903, p. 46. Yünnan, Thibet
- depressa* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 287. Philippinen
- depressinseula* Kraatz, l. c. p. 286. Luzon
- dichroa* Blanch. Cat. Coll. Ent. Col. 1850, p. 209. — Burm. Handb. Ent. IV, 2, 1855, p. 509. Ostindien
- difficilis* Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Trans. Ent. Soc. London III, 1841, p. 45; Entomologist I, nr. 21, 1842, p. 330. — Burm. Handb. Ent. IV, 1, 1844, p. 303. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 279. „
- dilatipennis* Fairm. Ann. Soc. Ent. France (6) VIII, 1888, p. 342; Ann. Soc. Ent. Belg. XXXVII, 1893, p. 311. Tonkin
- discalis* Walk. Ann. Mag. Nat. Hist. (3) III, 1859, p. 55. Ceylon
- Arr. l. c. (8) XII, 1913, p. 46.
- albilateralis* Motsch. Bull. Moscou XXXVI, 1863, I, p. 470.
- Nietneri* Redt. Reise Novara, Zool. II, 1868, p. 72.
- discipennis* Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 332; l. c. (6) IX, 1889, p. 23. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 243. Yünnan
- var. *unicolor* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 23.
- ebena* Burm. Handb. Ent. IV, 2, 1855, p. 511. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 268. Malabar
- lugubris* Kraatz, Deutsche Ent. Zeitschr. 1897, p. 328.
- eximia* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 49. Nilghiri
- fallaciosa* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 29. — Kraatz, Deutsche Ent. Zeitschr. 1892, Süd-China

- p. 256. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 49.
- var. *semicuprea* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 256.
- Feae* Kraatz, l. c. p. 269. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 291. Birma, Tonkin
- felix* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 40 u. 41. Assam
- flavofasciata* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 271. Birma
- flavosellata* Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 331. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 247. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 47. Yünnan
- formosana* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 40 u. 45. — Ohs. Archiv f. Naturg. 1916, A. 4, p. 2. Formosa
- gemma* Newm. Mag. Nat. Hist. (2) III, 1839, p. 366. — Hope, Trans. Linn. Soc. London XVIII, 1840, p. 596. — Burm. Handb. Ent. IV, 1, 1844, p. 309 u. 545. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39. Assam
- nitidicollis* Gory in Guérin, Icon. Règne Anim. 1844, p. 100, t. 25, f. 2.
- metallicollis* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 113. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 253.
- histeroidea* Gyll. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 66 (*Rutela*). — Burm. Handb. Ent. IV, 1, 1844, p. 297 (*Popillia*). — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 241. — Ohs. Archiv f. Naturg. 1916, A. 4, p. 2. Ostindien, Formosa
- impressipyga* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 381. Sikkim
- inconstans* Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 28. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 248. Süd-China
- var. *chrysitis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 244. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39.
- laevicollis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 275. Sikkim
- laevis* Burm. Handb. Ent. IV, 2, 1855, p. 511. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 267. Thibet
- laevistriata* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 40 u. 42. Assam
- lucida* Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Trans. Ent. Soc. London III, 1841, p. 41; Entomologist I, nr. 21, 1842, p. 329. — Burm. Handb. Ent. IV, 1, 1844, p. 299. Ostindien
- Maclellandi* Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 62; Trans. Ent. Soc. London IV, 1845, p. 8. — Burm. Handb. Ent. IV, 1, 1844, p. 310 u. 544. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 268. China: Chusan
- macrony* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 355. N. Luzon
- marginicollis* Hope in Gray, Zool. Misc. 1831, p. 23. — Newm. Trans. Ent. Soc. London III, 1841, p. 44; Entomologist I, nr. 21, 1842, p. 330. — Burm. Handb. Ent. IV, 1, 1844, p. 300. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 266; l. c. 1897, p. 327. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 39 u. 40. Nepal

- var. *atrata* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 266.
- var. *lineata* Kraatz, l. c. p. 266.
- var. *purpuricollis* Kraatz, l. c. p. 266.
- var. *viridipes* Kraatz, l. c. p. 266.
- Megregori** Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 254. Luzon
- miniatipennis** Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 23. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 242. Süd-China
- minuta** Hope in Gray, Zool. Misc. 1831, p. 23. — Newm. Trans. Ent. Soc. London III, 1841, p. 41; Entomologist I, nr. 21, 1842, p. 329. — Burm. Handb. Ent. IV, 1, 1844, p. 299. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 277. Ostindien
- mongolica** Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 40 u. 43. — Ohs. Archiv f. Naturg. 1916, A. 4, p. 2. Süd-China, Formosa
- mutans** Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Trans. Ent. Soc. London III, 1841, p. 39. — Burm. Handb. Ent. IV, 1, 1844, p. 297. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 240. — Rtrtr. Verh. Nat. Ver. Brünn XXI, 1903, p. 46. Ostindien
- relucens** Blanch. Cat. Coll. Ent. Col. 1850, p. 199. Luzon
- nasuta** Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Trans. Ent. Soc. London III, 1841, p. 46; Entomologist I, nr. 21, 1842, p. 330. — Burm. Handb. Ent. IV, 1, 1844, p. 295. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 271. Ostindien
- nitida** Hope in Gray, Zool. Misc. 1831, p. 23. — Newm. Trans. Ent. Soc. London III, 1841, p. 45; Entomologist I, nr. 21, 1842, p. 330. — Burm. Handb. Ent. IV, 1, 1844, p. 295. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 274. Nepal
- Nottrotti** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 273. Bengalen
- oculata** Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, p. 255. Luzon
- opacicollis** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 272. Bombay
- parvula** Burm. Handb. Ent. IV, 1, 1844, p. 299. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 280; l. c. 1897, p. 330. Java
- var. *borneensis* Kraatz, Deutsche Ent. Zeitschr. 1897, p. 330. Kina Balu
- var. *foveolata* Sharp, Not. Leyden Mus. III, 1881, p. 240. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 280. Sumatra
- var. *kinabalensis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 348. Kina Balu
- phyloperthoides** Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 114. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 261. Yünnan
- pilicollis** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 278; l. c. 1897, p. 329. Sikkim
- pilius** Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 216. Tonkin
- pilosa** Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 51. W. Himalaya
- plagiocollis** Kraatz, Deutsche Ent. Zeitschr. 1897, p. 329. Thibet
- propinqua** Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 47. Travancore

- pulehra* Arr. l. c. p. 40. Birma
gemma Kraatz (nec Newm.), Deutsche Ent. Zeitschr. 1892, p. 268.
- pulehripes* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 48. Nilghiri
complanata viridipennis Kraatz, Deutsche Ent. Zeitschr. 1892, p. 263.
complanata testaceipes Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 345.
- pulla* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 357. S. Luzon
puncticollis Kraatz, Deutsche Ent. Zeitschr. 1897, p. 329. Sikkim
pustulata Fairm. Ann. Soc. Ent. Belg. XXXI, 1887. Süd-China
p. 114; Ann. Soc. Ent. France (6) IX, 1889, p. 23. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 250. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 47.
var. *brunnipennis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 250.
var. *cupricollis* Kraatz, l. c. p. 250.
var. *impustulata* Kraatz, l. c. p. 250.
- rugithorax* Ohs. Stett. Ent. Zeit. LXXVII, 1916, p. 354. N. Luzon
sandyx Newm. Mag. Nat. Hist. (2) II, 1838, p. 392. Sumatra
Sauteri Ohs. Archiv f. Naturg. 1916, A. 4, p. 2. Formosa
sculpta Newm. Entomologist 1841, p. 222. — Burm. Luzon
Handb. Ent. IV, 1, 1844, p. 310 u. 546. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 286. — Arr. Trans. Ent. Soc. London 1899, p. 274.
aemula Newm. Entomologist 1841, p. 222. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 285.
picticollis Kraatz, Deutsche Ent. Zeitschr. 1892, p. 284.
var. *caeca* Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 192.
var. *microps* Ohs. l. c. p. 192.
- schizonycha* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 50. Bangalore
- scutellaris* Blanch. Cat. Coll. Ent. Col. 1850, p. 199. — Nord-Indien
Burm. Handb. Ent. IV, 2, 1855, p. 508. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 277.
- semiaenea* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 251. Süd-China
— Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 48.
var. *aenea* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 302.
var. *cupricollis* Kraatz, l. c. p. 302.
- siulana* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 52. Punjab,
Nepal
Süd-China
- Simoni* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 252. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 48.
- subquadrata* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 259. „
- sulcata* Redt. in Hügel, Kasehmir IV, 2, 1842, p. 527. — Kasehmir
Kraatz, Deutsche Ent. Zeitschr. 1892, p. 276.
var. *cupripennis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 276.
var. *testaceipennis* Kraatz, l. c. p. 276.
- sumatrensis* Kraatz, l. c. p. 282. Sumatra
- taiwana* Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 40 u. 44. Formosa
- testaceipennis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 270. Birma

- truncata* Redt. in Hügel, Kaschmir IV, 2, 1842, p. 527. — Kaschmir
Kraatz, Deutsche Ent. Zeitschr. 1892, p. 264.
- variabilis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 283. Luzon
- virescens* Hope in Gray, Zool. Misc. 1831, p. 23. — Nepal
Newm. Trans. Ent. Soc. London III, 1841,
p. 44; Entomologist I, nr. 21, 1842, p. 330. —
Burm. Handb. Ent. IV, 1, 1844, p. 302. —
Kraatz, Deutsche Ent. Zeitschr. 1892, p. 274.
- var. *concolor* Kraatz, Deutsche Ent. Zeitschr.
1897, p. 328.
- viridula* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 255. — Thibet.
Rptr. Verh. Nat. Ver. Brünn XXI, 1903, p. 48. Yünnan

86

Australische Region.

- minahassae* Hell. Abh. Mus. Dresden 1896, nr. 3, p. 11 Nord-Celebes
t. 1, f. 3.
- signatipennis* Burm. Handb. Ent. IV, 2, 1855, p. 510. — Celebes
Kraatz, Deutsche Ent. Zeitschr. 1892, p. 282.
- timoriensis* Ohs. Deutsche Ent. Zeitschr. 1905, p. 93. Timor

3

Aethiopische Region.

- Revision: Kolbe, Stett. Ent. Zeit. LV, 1894, p. 207; Ann.
Soc. Ent. Belg. XLVII, 1903, p. 66.

Subgen. *Calopopillia* Kolbe.

- Kolbe, Stett. Ent. Zeit. LV, 1894, p. 209 u. 217.

- Candezei* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 185. Fernando Po
— Kolbe, Stett. Ent. Zeit. LV, 1894, p. 219. —
Ohs. l. c. LVIII, 1897, p. 357.
- dorsigera* Newm. Mag. Nat. Hist. (2) II, 1838, p. 336; Guinea:
Trans. Ent. Soc. London III, 1841, p. 36; Küstenwald,
Entomologist I, nr. 20, 1842, p. 315. — Burm. Kongo bis
Handb. Ent. IV, 1, 1844, p. 306. — Kraatz, Victoria
Deutsche Ent. Zeitschr. 1892, p. 288. — Kolbe, Nyanza
Stett. Ent. Zeit. LV, 1894, p. 220. — Ohs. l. c.
LVIII, 1897, p. 397; Ann. Soc. Ent. Belg. LV,
1911, p. 388.
- flavotacniata* Nonfr. Ent. Nachr. XVIII, Angola
1892, p. 118. — Kraatz, Deutsche Ent. Zeitschr.
1892, p. 288; l. c. 1897, p. 333. — Ohs. Stett.
Ent. Zeit. LVIII, 1897, p. 379.
- var. *rubrotincta* Kolbe, Stett. Ent. Zeit. Togo
LV, 1894, p. 220.
- Felschei* Ohs. Deutsche Ent. Zeitschr. 1901, p. 260. Kongo

3

Subgen. *Eupopillia* Kolbe.

- Kolbe, Stett. Ent. Zeit. LV, 1894, p. 209 u. 217.

- acutisens* Kolbe, l. c. p. 223. — Ohs. l. c. LVIII, 1897, Kongo:
p. 357. Mukenge

- albertina* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 236; in Stuhlmann, Ost-Afrika IV, 1897, p. 173; Wiss. Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 357. Albert Nyanza
- Bennigseni* Kraatz, Deutsche Ent. Zeitschr. 1899, p. 211. Deutsch-Ost-Afrika
- Browni* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 236; in Stuhlmann, Ost-Afrika IV, 1897, p. 173. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 361; Ann. Soc. Ent. Belg. LV, 1911, p. 375. Brit. Zentr.-Afrika. Deutsch-Ost-Afrika
- var. *atrocyanea* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 227.
- var. *aureocuprea* Kolbe, l. c. p. 227.
- var. *viridicyanea* Kolbe, l. c. p. 227.
- subsp. *uheha* Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 77. Uheha
- callipyga* Dohrn, Stett. Ent. Zeit. XL, 1879, p. 79. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 185. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 221. — Ohs. l. c. LVIII, 1897, p. 357; Ann. Soc. Ent. Belg. LV, 1911, p. 387; Ergebn. II. Deutsch. Zentr.-Afrik.-Exped. Zool. I, 1914, p. 71. Monrovia. Westafrika von Liberia bis Angola
- var. *castanea* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 185. Nigeria, Kamerun
- var. *rubripes* Kolbe, Stett. Ent. Zeit. LV, 1894 p. 222. Togo
- distigma* Kraatz, Deutsche Ent. Zeitschr. 1899, p. 211. Useguha
- eduardina* Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 77; Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 360. Albert-Edward-See
- Fülleborni* Kolbe, Ann. Soc. Ent. Belg. XLVII, 1903, p. 70. Nyassa
- Goetziana* Kolbe, l. c. p. 74. Uluguru
- graminea* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 234; in Stuhlmann, Ost-Afrika IV, 1897, p. 173; Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 357. Victoria Nyanza
- Graueri* Ohs. Ann. Hofmus. Wien XXVIII, 1914, p. 119. Tanganyika
- hilaris* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 225. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 227; in Stuhlmann, Ost-Afrika IV, 1897, p. 173. — Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 375. Deutsch-Ost-Afrika
- var. *aureocuprea* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 223.
- var. *biplagiata* Kolbe, l. c. p. 229.
- var. *cyanescens* Kolbe, l. c. p. 223.
- interpunctata* Er. Arch. Naturg. VIII, 1842, II, p. 229. — Burm. Handb. Ent. IV, 1, 1844, p. 305 u. 548. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 233. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 240. — Ohs. Deutsche Ent. Zeitschr. 1901, p. 263. Sierra Leone
- kiwuana* Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 78; Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 360. Kiwu, Tanganyika
- Kolbei* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 362. Kamerun
- var. *cuprea* Ohs. l. c. p. 362.
- Kraatzi* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 359; Ann. Soc. Ent. Belg. LV, 1911, p. 370. Brit. Zentr.-Afrika; Zomba

- limoniatis** Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 77. Deutsch-Ost-Afrika
- Mairessei** Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 357. Belg. Kongo
- Meinhardtii** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 224; in Stuhlmann, Ost-Afrika IV, 1897, p. 173. — Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 371 u. 373. Usambara
- var. *impunctulata* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 373.
- var. *violacea* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 359.
- mhondana** Kolbe, Ann. Soc. Ent. Belg. XLVII, 1903, p. 73. D.O. Afrika: Mhonda
- montium** Kolbe, l. c. p. 72. D. O. Afrika: Unyika
Belg. Kongo
- Mülleri** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 232.
- ovata** Kolbe, l. c. p. 229; in Stuhlmann, Ost-Afrika IV, 1897, p. 173; Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 357. D. O. Afrika: Victoria
Nyanza,
Tangan-
yika,
Moero
- var. *erythrobapta* Kolbe, Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 357.
- var. *minor* Kolbe, l. c. p. 357.
- subsp. *madibirensis* Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 160. D. O. Afrika: Madibira
- princeps** Har. Mitt. Münch. Ent. Ver. II, 1878, p. 102; Col. Hefte XVI, 1879, p. 51. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 186. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 222; in Stuhlmann, Ost-Afrika IV, 1897, p. 172; Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 359. Angola,
Kongo
- var. *cyanelytia* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 186. D. O. Afrika: Useguha
- rubromaculata** Ohs. Öfv. Kgl. Vetensk. Akad. Förh. 1902, nr. 10, p. 350; Ergebn. II. Deutsch. Zentr.-Afrik.-Exped. Zool. I, 1914, p. 72. Kamerun
- sankuruensis** Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 361. Belg. Kongo: Sankuru
- serena** Har. Mitt. Münchn. Ent. Ver. II, 1878, p. 102; Col. Hefte XVI, 1879, p. 52. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 225. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 235. Belg. Kongo: Lunda
- spoliata** Kolbe, Ann. Soc. Ent. Belg. XLVII, 1903, p. 72; Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 359. D. O. Afrika: Bukoba
- var. *flavovirens* Kolbe, l. c. p. 360.
- ungueta** Kolbe, Ann. Soc. Ent. Belg. XLVII, 1903, p. 70. D. O. Afrika: Usambara
Kamerun,
Belg.
Kongo
- viridiaenea** Ohs. Deutsche Ent. Zeitschr. 1901, p. 260. Angola
- var. *cupreoaenea* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 370.
- Welwichi** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 187. „
— Kolbe, Stett. Ent. Zeit. LV, 1894, p. 223.

Subgen. **Godschama** Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 49.

- hexaspila* Ancy, Nat. Sicil. II, 1883, p. 96. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 189. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 231; in Stuhlmann, Ost-Afrika IV, 1897, p. 173. — Ohs. Deutsche Ent. Zeitschr. 1901, p. 261. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 49. Abessinien

1

Subgen. **Popillia** Serv. sens. strict.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 209 u. 217.

- aeneipennis* Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 198; l. c. LV, 1911, p. 375. Usambara
 subsp. *kilimandjarensis* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 377.
- amitina* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 364. Benguela
- anthracina* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 239. Togo
atra Kraatz (nec Quedenf.), Deutsche Ent. Zeitschr. 1892, p. 188.
- atra* Quedenf. Berl. Ent. Zeitschr. XXIX, 1884, p. 321. Kongo:
 — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 238. — Quango
 Ohs. Deutsche Ent. Zeitschr. 1901, p. 262.
- baliana* Kolbe, Ann. Soc. Ent. Belg. XLVII, 1903, p. 76. Kamerun
- benitensis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 382. Frz. Kongo:
 Bénito
- bipunctata* F. Mant. Ins. I, 1787, p. 25 (*Trichius*); Ent. Ostafrika v.
 Syst. I, 2, 1792, p. 120; Syst. Eleuth. II, 1801, Abessinien
 p. 132. — Ol. Ent. I, 1789, nr. 5, p. 37, t. 6, bis
 f. 69 (*Melolontha*); ed. III. II, 1802, p. 60; Kapland,
 ed. Sturm II, 1803, p. 23, t. 62, f. 4. — Hrbst. westl. b.
 Natursyst. Käf. III, 1790, p. 193 (*Trichius*). — Katanga
 Schönh. Syn. Ins. I, 3, 1817, p. 154 (*Rutela*). —
 Lap. Hist. Nat. Col. II, 1840, p. 138 (*Popillia*).
 — Newm. Trans. Ent. Soc. London III, 1841,
 p. 38, t. 3, f. 1; Entomologist I, nr. 20, 1842,
 p. 316. — Burm. Handb. Ent. IV, 1, 1844,
 p. 306. — Boh. Ins. Caffr. II, 1857, p. 58. —
 Kraatz, Deutsche Ent. Zeitschr. 1892, p. 190. —
 Kolbe, Stett. Ent. Zeit. LV, 1894, p. 231; in
 Stuhlmann, Ost-Afrika IV, 1897, p. 173; Er-
 gebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III,
 1914, p. 358. — Arr. Ann. Mag. Nat. Hist. (7)
 IV, 1899, p. 120. — Péring. Trans. S. Afric.
 Philos. Soc. XII, 1902, p. 613.
- punctulata* L. Syst. Nat. ed 13 (Gmelin) I, 4, 1790, p. 1584 (*Scarabaeus*).
- var. *apicalis* Kraatz, Deutsche Ent. Zeit- D. O. Afrika:
 schr. 1892, p. 190. Mhonda
- var. *limbata* Boh. Ins. Caffrar. II, 1857, Caffraria,
 p. 59. — Kraatz, Deutsche Ent. Zeitschr. 1892, Natal
 p. 190. — Kolbe, Stett. Ent. Zeit. LV, 1894,
 p. 231.
- subsp. *abyssinica* Ohs. Ann. Soc. Ent. Harrar
 Belg. LV, 1911, p. 378.

- bisignata* Kraatz, Deutsche Ent. Zeitschr. 1899, p. 212.
cameruna Kolbe, Ann. Soc. Ent. Belg. XLVII, 1903, p. 75. Usambara
 Kamerun
chalecoennis Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 380; Ergebn. II. Deutsch. Zentr.-Afrik.-Exped. Zool. I, 1914, p. 71. „
chirindana Péring. Trans. S. Afric. Philos. Soc. XIII, 1907, p. 660. Gaza-Land
chlorotica Kolbe, Stett. Ent. Zeit. LV, 1894, p. 233; in Stuhlmann, Ost-Afrika IV, 1897, p. 173; Belg. Kongo,
 Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, 1914, p. 357. Victoria
 Nyanza
circumcineta Kraatz, Deutsche Ent. Zeitschr. 1892, p. 225. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 237; in Stuhlmann, Ost-Afrika IV, 1897, p. 173. D. O. Afrika:
 Momboia
congoana Kolbe, Stett. Ent. Zeit. LV, 1894, p. 245. — Belg. Kongo:
 Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 380. Baluba
Cornelii Ohs. Ent. Rundschau XXIX, 1912, p. 130. D. O. Afrika:
 Namupa
costipennis Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 199. D. O. Afrika:
 Umbugwe
crassiuscula Kolbe, Stett. Ent. Zeit. LV, 1894, p. 250. — Belg. Kongo:
 Ohs. I. c. LVIII, 1897, p. 370. Baluba
crenatipennis Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 176. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 227. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 246. Belg. Kongo:
 Lunda
euprasceus Ohs. Deutsche Ent. Zeitschr. 1901, p. 262. Frz. Kongo:
 Kuiu
cupripes Kraatz, Deutsche Ent. Zeitschr. 1892, p. 229. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 246. — Senegal,
 Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 380. Old
 Calabar
cyanoptera Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 495. Cap Palmas
 — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 227.
 — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 248.
deplanata Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 370; Kamerun
 Ergebn. II. Deutsch. Zentr.-Afrik.-Exped. Zool. I, 1914, p. 72.
 var. *testaceipes* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 370.
 var. *thoracica* Ohs. I. c. p. 370.
dissecta Ohs. I. c. p. 366. Monrovia
Donekieri Ohs. Deutsche Ent. Zeitschr. 1901, p. 264; Frz. Kongo:
 Ann. Soc. Ent. Belg. LV, 1911, p. 388. Bénito
dorsofasciata Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 124. — Kolbe in Stuhlmann, Ost-Afrika IV, 1897, p. 174. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 368; Ann. Soc. Ent. Belg. LV, 1911, p. 384, f. 17. Sansibar
atra Kraatz, Deutsche Ent. Zeitschr. 1892, p. 226.
Ertli Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 385, f. 19; D. O. Afrika:
 I. c. LVII, 1913, p. 211. Kwiro
erythropus Kraatz, Deutsche Ent. Zeitschr. 1892, p. 191. Sierra Leone
 — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 230.
eupyga Arr. Ann. Mag. Nat. Hist. (7) IX, 1902, p. 90. — Mashona-
 Péring. Trans. S. Afric. Philos. Soc. XII, 1902, Land
 p. 896.

- fascicularis* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 381. Belg. Kongo:
Katanga
Senegal bis
Gabun
- femoralis* Klug, Erman's Reise 1835, p. 36. — Burm. Handb. Ent. IV, 1, 1844, p. 305. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 231. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 242.
- var. *lucidicollis* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 365.
- var. *olea* Newm. Mag. Nat. Hist. (2) II, 1838, p. 337; Trans. Ent. Soc. London III, 1841, p. 38; Entomologist I, nr. 20, 1842, p. 316. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 231. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 242.
- immatura* J. Thoms. Arch. Ent. II, 1858, p. 63.
- var. *viridissima* Blanch. Cat. Coll. Ent. Col. 1850, p. 200. — Burm. Handb. Ent. IV, 2, 1855, p. 512. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 231. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 242.
- flavitarsis* Kraatz, Deutsche Ent. Zeitschr. 1899, p. 213. Ruanda
Gabun
- flavotrabeata* J. Thoms. Arch. Ent. II, 1858, p. 63. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 192. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 244. — Ohs. l. c. LVIII, 1897, p. 265. — Arr. Trans. Ent. Soc. London 1899, p. 267.
- var. *lacertosa* Cand. Col. Hefte V. 1869, p. 44. Calabar
- hypselotropis* Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 162. Belg. Kongo:
Mobwasa
- intermedia* Ohs. Deutsche Ent. Zeitschr. 1901, p. 266. Frz. Kongo:
Bénito
- Kolleri* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 381. Belg. Kongo:
Dima
- laetans* Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 614. S. Rhodesien
- laevicollis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 229. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 246. — Ohs. Ergebn. II. Deutsch. Zentr.-Afrik.-Exped. Zool. I, 1914, p. 72. Gabun
- melanochlora* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 247; Ann. Soc. Ent. Belg. XLVII, 1903, p. 78. Kamerun
- Le Moulti* Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 112; Ergebn. II. Deutsch. Zentr.-Afrik.-Exped. Zool. I, 1914, p. 71. Belg. Kongo:
Ubanghi,
Frz.
Kongo:
Nola
- libethris* Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 76. D. O. Afrika:
Moschi
- ligulata* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 371 u. 373. D. O. Afrika:
Ukami
- luteipennis* Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 495. — Burm. Handb. Ent. IV, 1, 1844, p. 309 u. 547. — Ohs. Deutsche Ent. Zeitschr. 1901, p. 263. Kap Palmas
- maeularia* Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 75. D. O. Afrika:
Uöhe
- var. *reducta* Kolbe, l. c. p. 76.

- Manni Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 210, f. 6.
 matertera Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 160,
 f. 5.
- Maynéi Ohs. l. c. p. 161, f. 9.
- membranifera Kolbe, Ann. Soc. Ent. Belg. LIV, 1910,
 p. 79; Ergebn. I. Deutsch. Zentr.-Afrik.-Exp.
 Zool. III, 1914, p. 358.
 var. *aureocupripes* Kolbe, l. c. p. 359.
 var. *subguttata* Kolbe, l. c. p. 359.
- molirensis Ohs. Stett. Ent. Zeit. LVIII, 1897. p. 374.
- mutabilis Ohs. l. c. p. 373; Deutsche Ent. Zeitschr. 1901,
 p. 267.
- nubeculosa Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 361;
 Ann. Soc. Ent. Belg. LV, 1911, p. 377, f. 9.
- nyassica Kolbe, Stett. Ent. Zeit. LV, 1894, p. 249. —
 Ohs. l. c. LVIII, 1897. p. 369 u. 370.
- obliterata Gyll. in Schönh. Syn. Ins. I, 3, 1817. Append.
 p. 65 (*Rutela*). — Burm. Handb. Ent. IV, 1,
 1844, p. 304. — Kraatz, Deutsche Ent. Zeit-
 schr. 1892, p. 232. — Kolbe, Stett. Ent. Zeit.
 LV, 1894, p. 242.
- lucidipennis* Cand. Col. Hefte V, 1869, p. 45.
- Ohansi Kolbe in Stuhlmann, Ost-Afrika IV, 1897,
 p. 173. — Ohs. Stett. Ent. Zeit. LVIII, 1897,
 p. 269; Ann. Soc. Ent. Belg. LV, 1911, p. 385,
 f. 18.
- dorsofasciata* Kraatz (nec Fairm.), Deutsche
 Ent. Zeitschr. 1892, p. 226. — Kolbe, Stett.
 Ent. Zeit. LV, 1894, p. 249.
 var. *rufipes* Ohs. Stett. Ent. Zeit. LVIII,
 1897, p. 370.
- psilopyga Ohs. l. c. p. 375.
- Riecherti Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 386.
- Rothschildti Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 367.
- ruandana Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 78;
 Ergebn. II. Deutsch. Zentr.-Afrik.-Exped. Zool.
 III, 1914, p. 358. — Ohs. Ann. Hofmus. Wien
 XXVIII, 1914, p. 120.
 var. *erubescens* Ohs. l. c. p. 120.
- rufipes F. Mant. Ins. I, 1787, p. 27 (*Cetonia*, lege pro
 4-*punctata*); Ent. Syst. I, 2, 1792, p. 129;
 Syst. Eleuth. II, 1801, p. 139. — L. Syst. Nat.
 ed. 13 (Gmelin) I, 4, 1790, p. 1572 (*Scarabaeus*). —
 Ol. Ent. I, 1789, nr. 6, p. 80, t. 10,
 f. 3; ed. III, II, 1802, p. 200; ed. Sturm II, 1803,
 p. 100, t. 91, f. 1. — Hrbst. Natursyst. Käf. III,
 1790, p. 263. — Schönh. Syn. Ins. I, 3, 1817,
 p. 154; l. c. Append. p. 65 (*Rutela*). — Newm.
 Trans. Ent. Soc. London III, 1841, p. 37
 (*Popillia*); Entomologist I, nr. 20, 1842,
 p. 316. — Burm. Handb. Ent. IV, 1, 1844,
 p. 303. — Kraatz, Deutsche Ent. Zeitschr.
- Kamerun
 Frz. Kongo:
 Kulu
 Belg. Kongo:
 Yapere
 S. W.
 Ruanda
- Belg. Kongo:
 Moliro
 Benguela
- D. O. Afrika
- Brit. Zentr.-
 Afrika:
 Blantyre,
 Milanji
 Sierra Leone
- D. O. Afrika:
 Dar es
 Salam
- Benguela
 Nyassa
 Brit. Zentr.-
 Afrika:
 Zomba
 S. W.
 Ruanda
- Sierra
 Leone

- 1892, p. 187. — Kolbe, Stett. Ent. Zeit. LV,
1894, p. 225. — Arr. Trans. Ent. Soc. London
1899, p. 266.
- var. *Aeneas* Newm. Mag. Nat. Hist. (2) II,
1838, p. 336; Trans. Ent. Soc. London III,
1841, p. 37; Entomologist I, nr. 20. 1842,
p. 316. — Kraatz, Deutsche Ent. Zeitschr.
1892, p. 187. — Kolbe, Stett. Ent. Zeit. LV,
1894, p. 225.
- var. *brunnea* Newm. Mag. Nat. Hist. (2) II,
1838, p. 336; Entomologist I, nr. 20, 1842,
p. 315.
- var. *subcyanea* Kraatz, Deutsche Ent. Zeit-
schr. 1892, p. 187.
- rursorica* Arr. Trans. Zool. Soc. London XIX, 1909, Ruwenzori
p. 190. — Kolbe, Ergebn. I. Deutsch. Zentr.-
Afrik.-Exped. Zool. III, 1914, p. 358.
- Schultzei* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 378. Kamerun:
Babungo
- sequax* Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 372. Kamerun:
Lolodorf
Lagos, Belg.
Kongo
- smaragdina* Kraatz, Deutsche Ent. Zeitschr. 1892,
p. 228. — Kolbe, Stett. Ent. Zeit. LV, 1894,
p. 244. — Ohs. Ann. Soc. Ent. Belg. LV, 1911,
p. 379; Ergebn. II. Deutsch. Zentr.-Afrik.-
Exped. Zool. I, 1914, p. 71.
- var. *nigrocyanea* Kraatz, Deutsche Ent. Gabun
Zeitschr. 1892, p. 228.
- soror* Kraatz, l. c. p. 230. — Kolbe, Stett. Ent. Zeit. Assinien
LV, 1894, p. 242.
- var. *marginata* Ohs. Deutsche Ent. Zeitschr.
1901, p. 263; Ann. Soc. Ent. Belg. LV, 1911,
p. 379.
- sulcipennis* Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 495. Cap Palmas
— Burm. Handb. Ent. IV, 2, 1855, p. 512. —
Kraatz, Deutsche Ent. Zeitschr. 1892, p. 192. —
Kolbe, Stett. Ent. Zeit. LV, 1894, p. 243. —
Ohs. l. c. LVIII, 1897, p. 365.
- symmetrica* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 383. D. O. Afrika:
Ukani
Usambara
- var. *nigritula* Ohs. l. c. p. 383. Nyassa
- tandallae* Kolbe, Ann. Soc. Ent. Belg. XLVII, 1903, p. 77. D. O. Afrika
- tristicula* Kraatz, Deutsche Ent. Zeitschr. 1899, p. 214. Brit.
Uganda
- ugandana* Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 159, f. 3. D. O. Afrika:
Njangao
- versicolorea* Ohs. Ann. Soc. Ent. Belg. LV, 1911, p. 383. Belg. Kougo:
Baluba
- violaceipennis* Quedenf. Berl. Ent. Zeitschr. XXXII,
1888, p. 177. — Kraatz, Deutsche Ent. Zeit-
schr. 1892, p. 227. — Kolbe, Stett. Ent. Zeit.
LV, 1894, p. 248.
- viridicyanea* Ohs. Deutsche Ent. Zeitschr. 1901, p. 265. Frz. Kongo:
Kuilu

Subgen. **Metapopillia** Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 209 u. 218.

- aenea* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 251. Togo
beniana Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 75; Belg. Kongo:
 Erg. I. Deutsch. Zentr.-Afrik.-Exped. Zool. III, Beni
 1914, p. 356.
- bimpressa* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 250. Togo
bitacta Kraatz, Deutsche Ent. Zeitschr. 1892, p. 233. — Westafrika v.
 Kolbe, Stett. Ent. Zeit. LV, 1894, p. 252. — Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 200; Liberia bis
 l. c. LV, 1911, p. 388; Ergebn. II. Deutsch. Kongo
 Zentr.-Afrik.-Exped. Zool. I, 1914, p. 72.
 var. *bimaculosa* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 253.
 var. *bipustulata* Kolbe, l. c. p. 253.
 var. *fuscipennis* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 234.
 var. *intacta* Kraatz, l. c. p. 234.
 var. *latecostata* Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 200.
 var. *nigra* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 253.
 var. *viridipes* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 234.
- distinguenda* Fairm. Ann. Soc. Ent. France (6) VII, D. O. Afrika
 1887, p. 124. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 236. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 254; in Stuhlmann, Ost-Afrika IV, 1897, p. 174.
 var. *strigilata* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 235.
- liturata* Quedenf. Berl. Ent. Zeitschr. XXVIII, 1884, Belg. Kongo:
 p. 322. — Kolbe, Stett. Ent. Zeit. LV, 1894, Baluba
 p. 255.
 var. *fulvipennis* Kolbe, l. c. p. 255.
 var. *limbata* Kolbe, l. c. p. 256.
 var. *unicolor* Kolbe, l. c. p. 255.
- njameusis* Kolbe, l. c. p. 256. Belg. Kongo:
 Semnio
 Old Calabar
- octogona* Cand. Col. Hefte V, 1869, p. 45. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 237. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 258.
 var. *viridula* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 237.
- opaca* Kraatz, l. c. p. 238. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 258. Guinea
- propinqua* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 256. Togo
signifera Kraatz, Deutsche Ent. Zeitschr. 1892, p. 237. — Old Calabar
 Kolbe, Stett. Ent. Zeit. LV, 1894, p. 257.

Subgen. **Pseudopopillia** Kolbe

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 209 u. 219.

- Colmanti* Ohs. Deutsche Ent. Zeitschr. 1901, p. 268. Belg. Kongo:
 Mbomu

Moffartsi Ohs. l. c. p. 267.

Nigeria:
Wariphylloperthina Kolbe, Stett. Ent. Zeit. LV, 1894, p. 258.
3

Togo

Subgen. **Xenopopillia** Kolbe.

Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 80.

duatrix Kolbe, Ann. Soc. Ent. Belg. LIV, 1910, p. 80;
Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool.
III, 1914, p. 361.

Ruwenzori

 $\frac{1}{216}$ **Macropopillia** Ohs.

Ohs. Deutsche Ent. Zeitschr. 1905, p. 94.

Arrowi Ohs. Deutsche Ent. Zeitschr. 1905, p. 94.
1

Madras

Callistopopillia Ohs.

Ohs. Deutsche Ent. Zeitschr. 1903, p. 219.

Davidis Fairm. Ann. Soc. Ent. France (5) VIII, 1876,
p. 101 (*Callistethus*). — Ohs. Deutsche Ent.
Zeitschr. 1903, p. 221.

S. W. China

compressidens Fairm. Ann. Soc. Ent. Belg.
XXXI, 1887, p. 112.Iris Cand. Col. Hefte V, 1869, p. 43 (*Callistethus*). —
Ohs. Deutsche Ent. Zeitschr. 1903, p. 221.

Nepal

2

Ischnopopillia Kraatz.Kraatz, Deutsche Ent. Zeitschr. 1892, p. 292. — Arr. Ann. Mag. Nat.
Hist. (8) XII, 1913, p. 39.

difficilis Fairm. Rev. d'Ent. VII, 1888, p. 119.

Peking

Moorei Kraatz, Deutsche Ent. Zeitschr. 1892, p. 294.

Himalaya

♀ *Andrewsi* Kraatz, Deutsche Ent. Zeit-
schr. 1897, p. 332. — Ohs. Stett. Ent. Zeit.
LVIII, 1897, p. 379. — Arr. Ann. Mag. Nat.
Hist. (8) XII, 1913, p. 39.purpuricollis Kraatz, Deutsche Ent. Zeitschr. 1897,
p. 331.

S. W. China

rugicollis Newm. Mag. Nat. Hist. (2) II, 1838, p. 337
(*Popillia*); Trans. Ent. Soc. London III, 1841,
p. 47; Entomologist nr. 21, 1842, p. 330. —
Burm. Handb. Ent. IV, 1, 1844, p. 296; l. c.
IV, 2, 1853, p. 509. — Kraatz, Deutsche Ent.
Zeitschr. 1892, p. 294. — Ohs. Stett. Ent. Zeit.
LVIII, 1897, p. 350.

Himalaya

4

Spilopopillia Kraatz.

Kraatz, Deutsche Ent. Zeitschr. 1892, p. 181.

- sexguttata* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, Yünnan
p. 115 (*Popillia*). — Kraatz, Deutsche Ent.
Zeitschr. 1892, p. 180, t. 4, f. 2. — Ohs. Ann.
Soc. Ent. Belg. LII, 1908, p. 201.
- sexmaculata* Kraatz, Deutsche Ent. Zeitschr. 1892, Süd-China
p. 261 (*Popillia*). — Arr. Ann. Mag. Nat.
Hist. (S) XII, 1913, p. 39.
- cantonensis* Ohs. Ann. Soc. Ent. Belg. LII,
1908, p. 201.
- toakinensis* Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 202. Tonkin
3

Malaia Hell.Hell. Deutsche Ent. Zeitschr. 1891, p. 289 u. 298. — Kraatz, l. c. 1892,
p. 298.

- gnomonica* Schauf. Hor. Soc. Ent. Ross. XIX, 1885, Celebes
p. 190 (*Anisochelus*). — Hell. Deutsche Ent.
Zeitschr. 1891, p. 299, t. 3, f. 12 (*Malaia*). —
Kraatz, l. c. 1892, p. 298. — Ohs. Stett. Ent.
Zeit. LVIII, 1897, p. 342.
- nigrita* Boisd. Voy. Astrolabe, Col. 1835, p. 191, t. 6, Vanicoro
f. 16. — Burm. Handb. Ent. IV, 1, 1844, p. 546.
— Hell. Deutsche Ent. Zeitschr. 1891, p. 299,
t. 3, f. 11. — Kraatz, l. c. 1892, p. 298.
- ornata* Schauf. Hor. Soc. Ent. Ross. XIX, 1885, p. 191 Celebes
(*Anisochelus*). — Hell. Deutsche Ent. Zeitschr.
1891, p. 299 u. 302, t. 3, f. 15 (*Malaia*).
- Ritsemae Hell. Deutsche Ent. Zeitschr. 1891, p. 299 u. „
301. — Ohs. Stett. Ent. Zeit. LVIII, 1897,
p. 342.
- var. *Beccarii* Ohs. l. c. p. 343.
- simulatrix* Hell. Deutsche Ent. Zeitschr. 1891, p. 299 u. Bangkai
303, t. 3, f. 16.
- thoracica* Ohs. Philippin. Journ. Scienc. V, 1910, nr. 4, Luzon
p. 253.
- trajecta* Hell. Deutsche Ent. Zeitschr. 1891, p. 299 u. 302. Salayer
Vandepolli Hell. l. c. p. 299 u. 303, t. 3, f. 13. Celebes
- vestita* Cand. Col. Hefte V, 1869, p. 44 (*Popillia*). — „
Hell. Deutsche Ent. Zeitschr. 1891, p. 299 u.
301, t. 3, f. 14 (*Malaia*). — Kraatz, l. c. 1892,
p. 298.

9

Pseudomalaja Kraatz.

- Kraatz, Deutsche Ent. Zeitschr. 1892, p. 296. — Ohs. Philippin. Journ.
Scienc. VII, 1912, nr. 4, p. 266.
- flavopilosa* Ohs. Deutsche Ent. Zeitschr. 1905, p. 91; Negros
Philippin. Journ. Scienc. VII, 1912, nr. 4,
p. 266.
- pilifera* Burm. Handb. Ent. IV, 1, 1844, p. 309 (*Popillia*). Luzon
— Hell. Deutsche Ent. Zeitschr. 1891, p. 304. —
Kraatz, l. c. 1892, p. 178 u. 296 (*Pseudo-*
malaia). — Ohs. Stett. Ent. Zeit. LVIII, 1897,
p. 343; Philippin. Journ. Scienc. VII, 1912,
nr. 4, p. 266.

- Semperi** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 187 u. Luzon
297. — Ohs. Stett. Ent. Zeit. LVIII, 1897,
p. 343; Philippin. Journ. Scienc. VII, 1912,
nr. 4, p. 266.
- pallidipennis* Kraatz, Deutsche Ent. Zeit-
schr. 1892, p. 179.
- var. *marginipennis* Kraatz, Deutsche Ent. „
Zeitschr. 1892, p. 179. — Ohs. Stett. Ent. Zeit.
LXXV, 1914, p. 192.
- var. *nigripennis* Ohs. Stett. Ent. Zeit. „
LXXV, 1914, p. 192.
- tagala** Hell, Deutsche Ent. Zeitschr. 1891, p. 305, t. 3, „
f. 17 (*Popillia*). — Kraatz, l. c. 1892, p. 298
(*Pseudomalaja*). — Ohs. Stett. Ent. Zeit.
LVIII, 1897, p. 343; Philippin. Journ. Scienc.
VII, 1912, nr. 4, p. 266.
- Whiteheadi** Ohs. Philippin. Journ. Scienc. VII, 1912, „
nr. 4, p. 267.
- 5
- ### Nannopopillia Kolbe.
- Kolbe, Stett. Ent. Zeit. LV, 1894, p. 259. — Ohs. l. c. LVIII, 1897,
p. 352; Deutsche Ent. Zeitschr. 1901, p. 271.
- Tabora* Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 618.
- damarae** Ohs. Deutsche Ent. Zeitschr. 1901, p. 257. — Damara-
Péring. Trans. S. Afric. Philos. Soc. XIII, Land
1907, p. 669.
- ludificans** Ancy, Nat. Sicil. II, 1883, p. 96 (*Popillia*). — Sambesi,
Kraatz, Deutsche Ent. Zeitschr. 1892, p. 300 Tabora
(*Gnatholabis*). — Kolbe, Stett. Ent. Zeit. LV,
1894, p. 260 (*Nannopopillia*); in Stuhlmann,
Ost-Afrika IV, 1897, p. 175 (*Gnatholabis*);
Ergebn. I. Deutsch. Zentr.-Afrik.-Exped. Zool.
III, 1914, p. 356 (*Nannopopillia*). — Ohs.
Stett. Ent. Zeit. LVIII, 1897, p. 354. — Péring.
Trans. S. Afric. Philos. Soc. XII, 1902, p. 618.
- major** Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 210. — Transvaal
Péring. Trans. S. Afric. Philos. Soc. XII, 1902,
p. 614.
- minuscula** Har. Stett. Ent. Zeit. XL, 1879, p. 333 Sansibar
(*Popillia*). — Kraatz, Deutsche Ent. Zeitschr.
1892, p. 301. — Kolbe, Stett. Ent. Zeit. LV,
1894, p. 260 (*Nannopopillia*); in Stuhlmann,
Ost-Afrika IV, 1897, p. 175. — Ohs. Stett.
Ent. Zeit. LVIII, 1897, p. 355.
- Niekerli** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 301 D. O. Afrika
(*Gnatholabis*); l. c. 1897, p. 128. — Kolbe,
Stett. Ent. Zeit. LV, 1894, p. 260. — Ohs.
l. c. LVIII, 1897, p. 354 (*Nannopopillia*).
- viridula** Kraatz, Deutsche Ent. Zeitschr. 1899, p. 128. — Urundi,
Kolbe, Ergebn. I. Deutsch. Zentr.-Afrik.- Tangan-
Exped. Zool. III, 1914, p. 356. yika
- 6

Trichopopillia Ohs.

Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 353; Deutsche Ent. Zeitschr. 1901, p. 271.

- dorsalis** Kraatz, Deutsche Ent. Zeitschr. 1892, p. 299 (*Gnatholabis*). — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 260. — Ohs. l. c. LVIII, 1897, p. 354 (*Trichopopillia*); Deutsche Ent. Zeitschr. 1901, p. 257. Sudan von Njam-Njam bis Niger
- var. *nilotica* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 299. Ober-Ägypten
- var. *picipennis* Ohs. l. c. 1901, p. 257. Ob. Uelle

1

Gnatholabis Er.

Er. Naturg. Ins. Deutschl. III, 1847, p. 615. — Hell. Deutsche Ent. Zeitschr. 1891, p. 289. — Kraatz, l. c. 1892, p. 298. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 260; in Stuhlmann, Ostafrika IV, 1897, p. 175. — Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 351; Deutsche Ent. Zeitschr. 1901, p. 271. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 616.

- hirsuta** Ohs. Deutsche Ent. Zeitschr. 1901, p. 358. — Péring. Trans. S. Afric. Philos. Soc. XIII, 1907, p. 661. Rhodesien
- suturalis** Lap. Hist. Nat. Col. II, 1840, p. 150 (*Anisoplia*). — Guér. Icon. Règne Anim. Artic. 1844, p. 100, t. 25, f. 3. — Burm. Handb. Ent. IV, 1, 1844, p. 308 (*Popillia*). — Er. Naturg. Ins. Deutschl. III, 1847, p. 615 (*Gnatholabis*). — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 298. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 260. — Ohs. l. c. LVIII, 1897, p. 353. Senegal bis Nigerian
- ugandana** Oas. Ann. Soc. Ent. Belg. LVII, 1913, p. 209, f. 5. Brit. Uganda
- viridipennis** Ohs. Stett. Ent. Zeit. LVIII, 1897, p. 353. Nigeria: Accra

4

Anodontopopillia Ohs.

Ohs. Deutsche Ent. Zeitschr. 1901, p. 269.

Pharaonus Péring. (nec Blanch.) Trans. S. Afric. Philos. Soc. XIII, 1907, p. 661.

- Obsti** Ohs. Archiv f. Naturg. 1916, A. 3, p. 1. D.-O.-Afrika: Ufiomi
- subvittata** Burm. Handb. Ent. IV, 1, 1844, p. 307 (*Popillia*); l. c. IV, 2, 1855, p. 512 (*Pharaonus*). — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 302. — Ohs. Deutsche Ent. Zeitschr. 1901, p. 270. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 616. Kapland
- brevis** Blanch. Cat. Coll. Ent. Col. 1850, p. 178 (*Phyllopertha*). — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 617.

2

Tribopertha Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 43.

- aegyptiaca* Blanch. Cat. Coll. Ent. Col. 1850, p. 179 (Phyllopertha). — C. Dohrn. Stett. Ent. Zeit. XLII, 1881, p. 449. — Rtrr. Deutsche Ent. Zeitschr. 1885, p. 395; Ent. Nachr. XIV, 1888, p. 291; Verh. Nat. Ver. Brünn XLI, 1903, p. 43. Ägypten bis Algier
- Quedenfeldti Rtrr. Deutsche Ent. Zeitschr. 1890, p. 170 (Phyllopertha); Verh. Nat. Ver. Brünn XLI, 1903, p. 44. Tripolis, Tunis

2

Pharaonus Blanch.

Blanch. Cat. Coll. Ent. Col. 1850, p. 201. — Burm. Handb. Ent. IV, 2, 1855, p. 512. — Lacord. Gen. Col. III, 1856, p. 336. — Kraatz. Deutsche Ent. Zeitschr. 1892, p. 302. — Ohs. l. c. 1901, p. 271. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 615. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 44.

- caucasicus* Rtrr. Ent. Nachr. XIV, 1888, p. 290 u. 294 (Phyllopertha); Wien. Ent. Zeit. XII, 1893, p. 73; Verh. Nat. Ver. Brünn XLI, 1903, p. 44 (Pharaonus). — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 302. Caucasus
- fasciculatus* Burm. Handb. Ent. IV, 1, 1844, p. 307 (Popillia); l. c. IV, 2, 1855, p. 512 (Pharaonus). — Blanch. Cat. Coll. Ent. Col. 1850, p. 201. — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 302. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 44. Ägypten
- var. *niger* Blanch. Cat. Coll. Ent. Col. 1850, p. 201.
- Lederi Rtrr. Ent. Nachr. XIV, 1888, p. 290 u. 293 (Phyllopertha); Wien. Ent. Zeit. XII, 1893, p. 73; Verh. Nat. Ver. Brünn XLI, 1903, p. 44 (Pharaonus). Buchara, Transkaspi
- ammოდendри* Sem. Hor. Soc. Ent. Ross. XXIV, 1889, p. 201 (Phyllopertha).
- Semenowi Rtrr. Deutsche Ent. Zeitschr. 1887, p. 510 (Phyllopertha); Ent. Nachr. XIV, 1888, p. 289; Wien. Ent. Zeit. XII, 1893, p. 73; Verh. Nat. Ver. Brünn XLI, 1903, p. 45 (Pharaonus). Turkmenien
- varicoloris* Burm. Handb. Ent. IV, 1, 1844, p. 308 (Popillia); l. c. IV, 2, 1855, p. 512 (Pharaonus). — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 302. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 45. Mesopotamien
- mesopotamicus* Blanch. Cat. Coll. Ent. Col. 1850, p. 178 (Phyllopertha). — Fairm. Ann. Soc. Ent. France (6) I, 1881, p. 86.

5

Diceranoplia Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 42.

- deserticola* Luc. Ann. Soc. Ent. France (3) VII, 1859, Bull. p. LIII (Phyllopertha). — Rtrr. Deutsche Ent. Zeitschr. XXIX, 1885, p. 393; Ent. Nachr. XIV, 1888, p. 291; Verh. Nat. Ver. Brünn XLI, 1903, p. 43 (Diceranoplia). Ägypten bis Algier

Lucasi Fairm. Ann. Soc. Ent. France (4) X,
1870, p. 378 (*Phyllopertha*.)

1

3. Subtribus **Anisopliina.**

Callirhinus Blanch.

Blanch. Cat. Coll. Ent. Col. 1850, p. 176. — Burm. Handb. Ent. IV, 2,
1855, p. 494. — Lacord. Gen. Col. III, 1856, p. 337. — H. Bts. Biol.
Centr. Amer. Col. II, 2, 1888, p. 260.

metalleseus Blanch. Cat. Coll. Ent. Col. 1850, p. 177. — Mexico
Burm. Handb. Ent. IV, 2, 1855, p. 494. —
H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888,
p. 261, t. 14, f. 23 u. 24.
var. *virescens* Burm. Handb. Ent. IV, 2,
1855, p. 494.

1

Tropiorhynchus Blanch.

Blanch. Cat. Coll. Ent. Col. 1850, p. 176. — Burm. Handb. Ent. IV, 2,
1855, p. 494. — Lacord. Gen. Col. III, 1856, p. 325 nota.

Dinorhina Lacord. Gen. Col. III, 1856, p. 325.

orientis Newm. Ent. Mag. V, 1838, p. 384 (*Anisoplia*). — Nepal
Burm. Handb. Ent. IV, 1, 1844, p. 226. —
Blanch. Cat. Coll. Ent. Col. 1850, p. 176
(*Tropiorhynchus*).

podagricus Burm. Handb. Ent. IV, 1, 1844, p. 226 Kaschmir
(*Anisoplia*). — Blanch. Cat. Coll. Ent. Col.
1850, p. 176.

2

Rhinyptia Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 227. — Lacord. Gen. Col. III, 1856,
p. 324. — Kraatz, Deutsche Ent. Zeitschr. 1895, p. 104.

Orientalische Region.

dorsalis Burm. Handb. Ent. IV, 2, 1855, p. 494. — N. W. Indien
Sharp, Scient. Res. II. Yarkand Miss. Col.
1890, p. 50. — Kraatz, Deutsche Ent. Zeitschr.
1895, p. 106.

indica Burm. Handb. Ent. IV, 1, 1844, p. 228. Madras

meridionalis Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, Ceylon
p. 356.

nigrifrons Kraatz, Deutsche Ent. Zeitschr. 1905, p. 105. Nord-Indien

parabolica Ohs. Stett. Ent. Zeit. LXXV, 1914, p. 193. Kambodja

raficollis Kraatz, Deutsche Ent. Zeitschr. 1895, p. 106. Bengalen

suturalis Kraatz, l. c. p. 104. Kaschmir

testacea Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 230. Assam,
Sikkim

8

Aethiopische Region.

- acrorrhina* Ohs. Archiv f. Naturg. 1916, A. 3, p. 6. Brit. Sudan
carinulata Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 206. Belg. Kongo
fastigata Ohs. l. c. p. 205. West-Afrika
infuscata Burm. Handb. Ent. IV, 1, 1844, p. 229. Senegal
plana Walk. List Col. Egypt, Arab. 1871, p. 12. — Fairm. Hor
 Rev. d'Ent. XI, 1892, p. 97. Tamanib
reflexa Burm. Handb. Ent. IV, 1, 1844, p. 229. Senegal
rostrata Burm. Handb. Ent. IV, 1, 1844, p. 229. Sennaar,
Dollei Fairm. Ann. Soc. Ent. France (6) V, Obok
 1885, p. 444; Rev. d'Ent. XI, 1892, p. 97. —
 Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 225.
schizonycha Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, Senegal
 p. 152.
subeostata Fairm. Ann. Soc. Ent. France (6) VII, 1887, Somali
 p. 123.

$$\frac{9}{17}$$
Anisoplia Serv.

Serv. Encycl. méth. X, 1825, p. 374. — Latr. in Cuvier, Règne Anim. 2. ed. IV, 1829, p. 563. — Steph. III. Brit. Ent. Mand. III, 1830, p. 227; Man. Brit. Col. 1839, p. 169. — Lap. Hist. Nat. Col. II, 1840, p. 150. — Muls. Col. France, Lamell. 1 ed. 1842, p. 484; 2. ed. 1871, p. 633. — Burm. Handb. Ent. IV, 1, 1844, p. 215; l. c. IV, 2. 1855, p. 488. — Blanch. Hist. Ins. I, 1845, p. 216; Cat. Coll. Ent. Col. 1850, p. 173. — Er. Naturg. Ins. Deutschl. III, 1847, p. 632. — Redt. Fauna Austr. ed. 1, 1849, p. 268; ed. 2, 1858, p. 456; ed. 3, 1874, p. 492. — Bach, Käferfauna I, 1851, p. 330. — Lacord. Gen. Col. III, 1856, p. 325. — Jacq. du Val, Gen. Col. d'Eur. III, 1859, p. 65. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 323. — Frick. Naturg. Käf. Deutschl. 1872, p. 162. — Seidl. Fauna Balt. ed. 1, 1875, p. 18; ed. 2, 1891, p. 151; Fauna Transsylv. 1891, p. 32. — Kraatz, Deutsche Ent. Zeitschr. 1883, p. 17. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 99; Verh. Nat. Ver. Brünn XLI, 1903, p. 92; Fauna Germ. Käf. II, 1909, p. 337. — Stierl. Käferfauna Schweiz I, 1900, p. 651. — Everts, Col. Neerland. II, 1903, p. 58. — Bed. Faune Col. Bass. Seine IV, 1911, p. 134 u. 138. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 385 u. 410.

Revisionen: Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 17. — Reitter, l. c. 1889, p. 99; Verh. Nat. Ver. Brünn XLI, 1903, p. 92. — Ungar. Arten: Kuthy, Rov. Lap. I, 1884, p. 205—209 tab.

I. *segetum*-Gruppe.

- inculta* Er. Naturg. Ins. Deutschl. III, 1847, p. 334. — Syrien,
 Burm. Handb. Ent. IV, 2, 1855, p. 490. — Mesopo-
 Kraatz, Deutsche Ent. Zeitschr. XXVII, tamien
 1883, p. 22. — Rtrtr. l. c. 1889, p. 101; Verh.
 Nat. Ver. Brünn XLI, 1903, p. 94.
gossypiala Fairm. Ann. Soc. Ent. France (6)
 I, 1881, p. 86.
 var. *ferruginipes* Pic, Verh. zool.-bot. Ges. Jaffa
 Wien LI, 1901, p. 9. — Rtrtr. Verh. Nat. Ver.
 Brünn XLI, 1903, p. 94.

- leucaspis** Lap. Hist. Nat. Col. II, 1840, p. 151. — Ménétr. Cat. rais. Caucase 1832, p. 186. — Burm. Handb. Ent. IV, 1, 1844, p. 220; l. c. IV, 2, 1855, p. 489. — Er. Naturg. Ins. Deutschl. III, 1847, p. 633. — Fairm. Ann. Soc. Ent. France (6) I, 1881, p. 86. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 101; Verh. Nat. Ver. Brünn XLI, 1903, p. 93. — J. Sahlb. Öfv. Finska Vet.-Soc. Förh. LV, 1913, p. 125.
- pallidipennis** Gyll. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 40 (*Trichius*). — Burm. Handb. Ent. IV, 1, 1844, p. 221 (*Anisoplia*); l. c. IV, 2, 1855, p. 491. — Fairm. Ann. Soc. Ent. France (4) X, 1870, p. 379. — Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 18. — Rtrtr. l. c. 1889, p. 102; Verh. Nat. Ver. Brünn XLI, 1903, p. 95.
- ? *hypocrita* Burm. Handb. Ent. IV, 1, 1844, p. 218; l. c. IV, 2, 1855, p. 490.
- ? *pallicola* Desbroch. Frelon VI, 1898, p. 75.
- villosostriata* Desbroch. l. c. p. 75.
- pumila** Mars. Nouv. et Faits (Abeille (2) 16 u. 17), 1878, p. 68. — Bed. Bull. Soc. Ent. France XIX, 1911, p. 380; Faune Col. Bass. Seine IV, 1911, p. 138.
- sabulicola* Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 101; Verh. Nat. Ver. Brünn XLI, 1903, p. 94. — Er. in litt.
- reitteriana** Sem. Rev. Russe d'Ent. III, 1903, p. 99.
- scytha* Rtrtr. (nec Motsch.) Deutsche Ent. Zeitschr. 1899, p. 103; Verh. Nat. Ver. Brünn XLI, 1903, p. 96.
- segetum** Hrbst. in Füessly, Arch. Ins.-Gesch. IV, 1783, p. 15, t. 19 b, f. 24 ♀ (*Melolontha*). — Muls. Col. France, Lamell. ed. 2, 1871, p. 634 (*Anisoplia*). — Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 22. — Rtrtr. l. c. 1889, p. 101; Verh. Nat. Ver. Brünn XLI, 1903, p. 94; Fauna Germ. Käf. II, 1909, p. 337, t. 74, f. 16 u. 17. — Seidl. Fauna Balt. ed. 2, 1891, p. 151; Fauna Transsylv. 1891, p. 161. — Stierl. Käferfauna Schweiz I, 1900, p. 651. — Everts, Col. Neerl. II, 1903, p. 59. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 410. — J. Sahlb. Öfv. Finsk. Vet.-Soc. Förh. LV, 1913, p. 125.
- campestris* Hrbst. in Füessly, Arch. Ins.-Gesch. IV, 1783, p. 15, t. 19 b, f. 25 ♂.
- fruticola* F. Mant. Ins. I, 1787, p. 23 (*Melolontha*); Ent. Syst. I, 2, 1792, p. 172; Syst. Eleuth. II, 1801, p. 176. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1558 (*Scarabaeus*). — Ol. Ent. I, 1789, nr. 5, p. 63, t. 2, f. 13 a—b (*Melolontha*); ed. III, II, 1802, p. 87; ed. Sturm II, 1803, p. 39. — Hrbst. Natursyst. Käf. III, 1790, p. 103, t. 24, f. 12 u. 13. — Panz. Deutschl. Ins.-Fauna 1795, p. 224; Fauna Ins. Germ. 1813, p. 155. — Ill. Mag. Ins. II, 1803, p. 225. — Latr. Hist. Nat. Crust.
- Süd-
Rußland,
Griechen-
land.
Klein-
Asien,
Syrien,
Kaukasus,
Persien
Nord-Afrika
- Sardinien
- Algier
"
Ägypten
- Transkau-
kasien,
Araxes
- Mittleres und
südl.
Europa.
Klein-
Asien,
Kaukasus

- Ins. X, 1804, p. 195. — Duft. Fauna Austr. I, 1805, p. 200. — Schönh. Syn. Ins. I, 3, 1817, p. 204. — Ménétr. Cat. rais. Caucase 1832, p. 186 (*Anisoplia*). — Heer, Käf. Schweiz I, 1837, p. 73. — Ratz. Forst.-Ins. I, 1837, p. 82, t. 3, f. 7 ♀. — Lap. Hist. Nat. Col. II, 1840, p. 151. — Burm. Handb. Ent. IV, 1. 1844, p. 219; l. c. IV, 2, 1855, p. 489. — Er. Naturg. Ins. Deutschl. III, 1847, p. 633. — Redt. Fauna Austr. ed. 1, 1849, p. 269; ed. 2, 1858, p. 456; ed. 3, 1874, p. 492. — Bach, Käferfauna I, 1851, p. 330. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 323. — Seidl. Fauna Balt. ed. 1, 1875, p. 95. — Kuthy. Rov. Lap. I, 1884, p. 207.
- rasa* Zoubk. Bull. Moscou VI, 1833, p. 324.
- velutina* Er. Naturg. Ins. Deutschl. III, 1847, p. 634.
- var. *ruficollis* Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 24. — Rtrr. l. c. 1889, p. 101; Verh. Nat. Ver. Brünn XLI, 1903, p. 95. Kurdistan
- var. *rufipes* Burm. Handb. Ent. IV, 2, 1855, p. 489. — Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 24. — Rtrr. l. c. 1889, p. 101; Verh. Nat. Ver. Brünn XLI, 1903, p. 95. Rußland, West-Sibirien
- var. *straminea* Brullé, Expéd. Morée, Zool. III, 1832, p. 178, t. 39, f. 3. — Burm. Handb. Ent. IV, 1, 1844, p. 227; l. c. IV, 2, 1855, p. 489. — Er. Naturg. Ins. Deutschl. III, 1847, p. 634. — Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 23. — Rtrr. l. c. 1889, p. 101; Verh. Nat. Ver. Brünn XLI, 1903, p. 94. Griechenland
- var. *Zoubkoffi* Kryn. Bull. Moscou V, 1832, p. 127. — Burm. Handb. Ent. IV, 2, 1855, p. 489. — Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 24. — Rtrr. l. c. 1889, p. 101; Verh. Nat. Ver. Brünn XLI, 1903, p. 94. Sibirien
- Biologie: Bouché, Naturg. Gart.-Ins. 1833, p. 21. — Ratz. Forst.-Ins. I, 1837, p. 82. — Er. Naturg. Ins. Deutschl. III, 1847, p. 635. — Golovianko. Trd. lesn. opyt. del. Ross. St. Petersburg, 1909, p. 1—56; Lesn. zurn. XXXIX, 1909, p. 1342.
- syriaca* Burm. Handb. Ent. IV, 1, 1844, p. 220; l. c. IV, 2, 1855, p. 489. — Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 23. — Rtrr. l. c. 1889, p. 102; Verh. Nat. Ver. Brünn XLI, 1903, p. 102. — J. Sahlb. Öfv. Finsk. Vet.-Soc. Förh. LV, 1913, p. 125. Klein-Asien, Mesopotamien, Syrien, Ägypten

7

2. *villosa*-Gruppe.

- aguata* Rtrr. Deutsche Ent. Zeitschr. 1889, p. 107; Verh. Nat. Ver. Brünn XLI, 1903, p. 101. Transkaukasien, Armenien, Nord-Persien

- aprica** Er. Naturg. Ins. Deutschl. III, 1847, p. 636. — Rtr. Deutsche Ent. Zeitschr. 1889, p. 106; Verh. Nat. Ver. Brünn XLI, 1903, p. 100. Klein-Asien, Syrien, Rußland, Balkan
- balcanica** Rtrr. Deutsche Ent. Zeitschr. 1889, p. 106. Saloniki
- var. **banatica** Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 100. Süd-Ungarn
- var. **Brenskei** Rtrr. Deutsche Ent. Zeitschr. 1889, p. 106; Verh. Nat. Ver. Brünn XLI, 1903, p. 100. Rußland: Mor-schansk
- baetica** Er. Naturg. Ins. Deutschl. III, 1847, p. 636. — Burm. Handb. Ent. IV, 2, 1855, p. 490. — Blanch. Cat. Coll. Ent. Col. 1850, p. 174. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 103; Verh. Nat. Ver. Brünn XLI, 1903, p. 97. Andalusien, Portugal
- bromicola** Germ. Reise Dalmat. 1817, p. 216, t. 8, f. 1—4 (*Melolontha*). — Burm. Handb. Ent. IV, 1, 1844, p. 218; l. c. IV, 2, 1855, p. 491 (*Anisoplia*). — Er. Naturg. Ins. Deutschl. III, 1847, p. 640. — Blanch. Cat. Coll. Ent. Col. 1850, p. 174. — Redt. Fauna Austr. ed. 2, 1858, p. 457; ed. 3, 1874, p. 492. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 329. — Kuthy, Rov. Lap. I, 1884, p. 207. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 106; Verh. Nat. Ver. Brünn XLI, 1903, p. 100. — Seidl. Fauna Balt. ed. 2, 1891, p. 151; Fauna Transsylv. 1891, p. 161. — Stierl. Käferfauna Schweiz I, 1900, p. 651. — Petri. Siebenbürg. Käferfauna 1912, p. 359. Ungarn, Dalmatien, Illyrien, Rußland
- var. **maculata** Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 186.
- var. **nigra** Schils. l. c. p. 186.
- var. **scutellata** Schils. l. c. p. 186.
- var. **variabilis** Schils. l. c. p. 186.
- campicola** Ménétr. Cat. rais. Caucase 1832, p. 187. — Fald. N. Mém. Moscou IV, 1835, p. 269, t. 8, f. 2. — Burm. Handb. Ent. IV, 1, 1844, p. 222 (nec *campestris* Esch.); l. c. IV, 2, 1855, p. 491. — Er. Naturg. Ins. Deutschl. III, 1847, p. 637. — Blanch. Cat. Coll. Ent. Col. 1850, p. 175. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 103; Verh. Nat. Ver. Brünn XLI, 1903, p. 97. Kaukasus, Süd-Rußland, Nord-Persien, West-Sibirien, Altai
- clypealis** Rtrr. Deutsche Ent. Zeitschr. 1889, p. 103; Verh. Nat. Ver. Brünn XLI, 1903, p. 96. S. Rußland, Kaukasus, Armenien
- depressa** Er. Naturg. Ins. Deutschl. III, 1847, p. 635. — Burm. Handb. Ent. IV, 2, 1855, p. 490. — Oliveira, Rev. Soc. Instruc. Porto III, 1884, p. 562; Cat. Ins. Portug. Col. 1895, p. 175. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 108; Verh. Nat. Ver. Brünn XLI, 1903, p. 100. Portugal, Asturien, Algier
- var. **nigra** Oliveira, Rev. Soc. Instruc. Porto III, 1884, p. 562. Coimbra
- Erichsoni** Rtrr. Deutsche Ent. Zeitschr. 1889, p. 104; Verh. Nat. Ver. Brünn XLI, 1903, p. 98. Kroatien, Dalmatien, Istrien

- Faldermanni Rtrtr. Cat. Col. Eur. 1883, p. 100; Deutsche Ent. Zeitschr. 1889, p. 105; Verh. Nat. Ver. Brünn XLI, 1903, p. 101. Süd-Rußland, Kaukasus, Armenien
- armeniaca* Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 19.
- villosa* Fald. N. Mém. Moscou IV, 1835, p. 270.
- horicola F. Mant. Ins. I, 1787, p. 22 (*Melolontha*); Ent. Syst. I, 2, 1791, p. 171; Syst. Eleuth. II, 1801, p. 175. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1559 (*Scarabaeus*). — Hrbst. Natursyst. Käf. III, 1790, p. 114 (*Melolontha*). — Ill. Mag. Ins. II, 1803, p. 225; l. c. IV, 1805, p. 81. — Schönh. Syn. Ins. I, 3, 1817, p. 202. — Lap. Hist. Nat. Col. II, 1840, p. 151 (*Anisoplia*). — Burm. Handb. Ent. IV, 1, 1844, p. 225; l. c. IV, 2, 1855, p. 491. — Er. Naturg. Ins. Deutschl. III, 1847, p. 636. — Blanch. Cat. Coll. Ent. Col. 1850, p. 174. — Fairm. Ann. Soc. Ent. France (4) X, 1870, p. 379. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 103; Verh. Nat. Ver. Brünn XLI, 1903, p. 97. — Oliveira, Rev. Soc. Instruc. Porto III, 1884, p. 562; Cat. Ins. Portug. Col. 1895, p. 176. Portugal
- var. *nigripennis* Oliveira, l. c. Turkestan
- Hauseri Rtrtr. Deutsche Ent. Zeitschr. 1898, p. 120; Verh. Nat. Ver. Brünn XLI, 1903, p. 97.
- Koenigi Rtrtr. Deutsche Ent. Zeitschr. 1895, p. 309; Verh. Nat. Ver. Brünn XLI, 1903, p. 97. Transkaspien
- lanuginosa Er. Naturg. Ins. Deutschl. III, 1847, p. 637. — Burm. Handb. Ent. IV, 2, 1855, p. 491. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 108; Verh. Nat. Ver. Brünn XLI, 1903, p. 102. Smyrna, Naxos, Saloniki
- limbata Kraatz in Radde, Fauna Casp. 1886, p. 225. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 107; Verh. Nat. Ver. Brünn XLI, 1903, p. 101. Kaukasus
- marginata Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 20. — Rag. Nat. Sicil. III, 1884, p. 317. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 106; Verh. Nat. Ver. Brünn XLI, 1903, p. 99. Sicilien
- monticola Er. Naturg. Ins. Deutschl. III, 1847, p. 638. — Burm. Handb. Ent. IV, 2, 1855, p. 490. — Redt. Fauna Austr. ed. 3, 1874, p. 493. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 329. — Krause, Ent. Nachr. X, 1884, p. 290. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 105; Verh. Nat. Ver. Brünn XLI, 1903, p. 99; Fauna Germ. Käf. II, 1909, p. 337. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 411. Dalmatien
- var. *minor* J. Müll. Verh. zool.-bot. Ges. Wien LII, 1902, p. 463.
- neapolitana Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 105; Verh. Nat. Ver. Brünn XLI, 1903, p. 99. Neapel
- parva Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 21. — Rtrtr. l. c. 1889, p. 107; Verh. Nat. Ver. Brünn XLI, 1903, p. 101. Sarepta, Brussa
- pubipennis Blanch. Cat. Coll. Ent. Col. 1850, p. 174. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 107; Verh. Nat. Ver. Brünn XLI, 1903, p. 102. Morea

- pallidipennis* Er. (nec Gyll.) Naturg. Ins. Deutschl. III, 1847, p. 636.
- valida* Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 18.
- remota** Rtrr. Deutsche Ent. Zeitschr. 1889, p. 103; Verh. Nat. Ver. Brünn XLI, 1903, p. 98. — Bed. Faune Col. Bass. Seine IV, 1911, p. 140. — Caillol, Cat. Col. Provence II, 1914, p. 433.
- arvicola* Ol. (nec F.) Ent. I, 1789, nr. 5, p. 64, t. 7, f. 84 (*Melolontha*); ed. III, II, 1802, p. 89; ed. Sturm II, 1803, p. 39, t. 65, f. 11.
- var. *Weberi* Rtrr. Deutsche Ent. Zeitschr. 1898, p. 342; Verh. Nat. Ver. Brünn XLI, 1903, p. 98.
- signata** Fald. N. Mém. Moscou IV, 1835, p. 268, t. 8, f. 1. — Burm. Handb. Ent. IV, 1, 1844, p. 217; l. c. IV, 2, 1855, p. 490. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 105; Verh. Nat. Ver. Brünn XLI, 1903, p. 99.
- simplicifrons** Rtrr. Deutsche Ent. Zeitschr. 1889, p. 104; Verh. Nat. Ver. Brünn XLI, 1903, p. 98.
- villosa** Goeze, Ent. Beytr. I, 1777, p. 74 (*Searabaeus*). — Geoffr. in Fourcr. Ent. Paris. 1785, p. 9. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 104 (*Anisoplia*). — Seidl. Fauna Balt. ed. 2, 1891, p. 151; Fauna Transsylv. 1891, p. 161. — Bed. Abeille XXVIII, 1894, p. 152; Faune Col. Bass. Seine IV, 1911, p. 139. — Everts, Col. Neerl. II, 1903, p. 59. — Caillol, Cat. Col. Provence II, 1914, p. 434.
- agricola* Hrbst. (nec Poda) in Füessly, Arch. Ins.-Gesch. IV, 1783, p. 16; Natursyst. Käf. III, 1790, p. 101, t. 24, f. 10–11 (*Melolontha*). — L. Scriba, Journ. Liebh. Ent. 1790, p. 61. — Brahm, Rhein. Mag. 1793, p. 114. — Panz. Deutschl. Ins.-Fauna 1795, p. 223; Fauna Ins. Germ. 1813, p. 156. — Ol. Ent. ed. III, II, 1802, p. 86, nota; Mag. Ins. II, 1803, p. 225; l. c. IV, 1805, p. 81. — Schönh. Syn. Ins. I, 3, 1817, p. 204. — Ratz. Forst-Ins. I, 1837, p. 82, t. 3, f. 8 ♀. — Lap. Hist. Nat. Col. II, 1840, p. 151. — Muls. Col. France, Lamell. ed. 1, 1842, p. 488; ed. 2, 1871, p. 642. — Burm. Handb. Ent. IV, 1, 1844, p. 216; l. c. IV, 2, 1855, p. 490. — Er. Naturg. Ins. Deutschl. III, 1847, p. 635. — Blanch. Cat. Coll. Ent. Col. 1850, p. 153. — Bach, Käferfauna I, 1851, p. 330. — Redt. Fauna Austr. ed. 2, 1858, p. 456; ed. 3, 1874, p. 492. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 329. — Frick. Naturg. Käf. Deutschl. 1872, p. 174. — Seidl. Fauna Balt. ed. 1, 1875, p. 95. — Kuthy, Rov. Lap. I, 1884, p. 207. — Stierl. Käferfauna Schweiz. I, 1900, p. 651. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 98; Fauna Germ. Käf. II, 1909, p. 337. — Petri, Siebenbürg. Käferfauna 1912, p. 359. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 411.
- Süd-Frankreich
- Banyuls
- Kaukasus, Armenien, Asien
- Italien
- Mittel-Deutschland, Klein-Frankreich, Nord-Portugal

- Donovani* Marsh. Ent. Brit. I, 1802, p. 44.
fruticicola Walcken. Faune Paris. I, 1802, p. 186.
villica Muls. Ann. Soc. Agric. Lyon (4) III, 1870, p. 386.
 var. ♀ *curvipunctata* Muls. Col. France, Lamell. ed. I, 1842, p. 490.
 var. ♀ *defectiva* Muls. l. c. p. 490.
 var. ♀ *obscura* Muls. l. c. p. 489.
 var. ♀ *punctum* Muls. l. c. p. 490.
 var. ♀ *quadrata* Muls. l. c. p. 490.
 var. ♀ *subarcuata* Muls. l. c. p. 490.
 var. ♀ *sycophanta* Muls. l. c. p. 490.
 var. ♂ *unicolor* Muls. l. c. p. 490.
 Biologie: Xambou, Mœurs et Métamorph. Echange VIII, 1892, p. 76.

23

3. *austriaca*-Gruppe.

- aetolica* Apfeln. Glasn. zem. muz. XXI, 1909, p. 502. Aetolien
agricola Poda, Ins. Mus. Graec. 1761, p. 21 (*Scarabaeus*). Graz,
 — L. Syst. Nat. ed. 12, 1767, I, 2, p. 553; ed. 13 Südost-
 (Gmelin) I, 4, 1790, p. 1559. — F. Syst. Ent. Europa,
 1775, p. 37 (*Melolontha*); Spec. Ins. I, 1781, Armenien,
 p. 43; Mant. Ins. I, 1787, p. 23; Ent. Syst. I, West-
 1, 1792, p. 173; Syst. Eleuth. II, 1801, p. 176. — Sibirien,
 Goeze, Ent. Beytr. 1777, p. 35. — Laich. England
 Käf. Tyrol 1781, p. 39. — Ol. Ent. I, 1789,
 nr. 5, p. 61, t. 9, f. 104; ed. III. II, 1802, p. 85. —
 Schrnk. Fauna Boica 1798, p. 409. — Duft. Fauna Austr. I, 1805, p. 201. — Fisch. Ent. Russ. II, 1823, p. 216, t. 31, f. 4 (*Anisoplia*). —
 Brullé, Expéd. Morée, Zool. III, 1832, p. 180. —
 Ménétr. Cat. rais. Caucase 1832, p. 185. — Bed. Faune Col. Bass. Seine IV, 1911, p. 140.
crucifera Hrbst. Natursyst. Käf. III, 1790, p. 100, t. 24, f. 9 (*Melolontha*). — Goeze, Ent. Beytr. I, 1777, p. 96. — Schrnk. Fauna Boica 1798, p. 409. — Schönh. Syn. Ins. I, 3, 1817, p. 205. — Burm. Handb. Ent. IV, 1, 1844, p. 222 (*Anisoplia*); l. c. IV, 2, 1855, p. 492. — Er. Naturg. Ins. Deutschl. III, 1847, p. 645. — Gebl. Bull. Moscou XX, 2, 1847, p. 462. — Redt. Fauna Austr. ed. 2, 1858, p. 457; ed. 3, 1874, p. 493. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 329. — Jacq. du Val, Gen. Col. d'Eur. III, 1859, p. 65, t. 18, f. 86.
cyathigera Scop. Ent. Carn. 1763, p. 4 (*Scarabaeus*). — Blanch. Cat. Coll. Ent. Col. 1859, p. 175. — Kuthy, Rov. Lap. I, 1884, p. 208. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 109; Verh. Nat. Ver. Brünn XLI, 1903, p. 105; Fauna Germ. Käf. II, 1909, p. 338, t. 74, f. 18. — Petri, Käferfauna Siebenbürg. 1912, p. 359. — Kuhnt, III. Best.-Tab. Käf. Deutschl. 1913, p. 410.
 var. *conjuncta* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 186.

- var. *deleta* Schils. l. c. p. 186.
 Biologie: Motsch. Etud. Ent. VII, 1858, p. 164.
- arvicola** F. Spec. Ins. I, 1781, p. 42 (*Melolontha*); Mant. Ins. I, 1787, p. 23; Ent. Syst. I, 2, 1792, p. 172; Syst. Eleuth. II, 1801, p. 176. — L. Syst. Nat. ed 13 (Gmelin) I, 4, 1790, p. 1559 (*Scarabaeus*). — Hrbst. Natursyst. Käf. III, 1790, p. 115 (*Melolontha*). — Schönh. Syn. Ins. I, 3, 1817, p. 203.
- austriaca** Hrbst. in Füessly Arch. Ins.-Gesch. IV, 1783, p. 16, t. 119 b, f. 26 (*Melolontha*); Natursyst. Käf. III, 1790, p. 98, t. 24, f. 8. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1561 (*Scarabaeus*). — Panz. Fauna Ins. Germ. 1813, p. 155 (*Melolontha*). — Schönh. Syn. Ins. I, 3, 1817, p. 202. — Ménétr. Cat. rais. Caucase 1832, p. 186 (*Anisoplia*). — Heer, Käferfauna Schweiz I, 1837, p. 73. — Steph. Man. Brit. Col. 1839, p. 169. — Lap. Hist. Nat. Col. II, 1840, p. 151. — Burm. Handb. Ent. IV, 1, 1844, p. 223; l. c. IV, 2, 1855, p. 492. — Er. Naturg. Ins. Deutschl. III, 1847, p. 641. — Redt. Fauna Austr. ed. 1, 1849, p. 268; ed. 2, 1858, p. 457; ed. 3, 1874, p. 493. — Blanch. Cat. Coll. Ent. Col. 1850, p. 174. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 329. — Kuthy, Rov. Lap. I, 1884, p. 208. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 108; Verh. Nat. Ver. Brünn XLI, 1903, p. 103; Fauna Germ. Käf. II, 1909, p. 338. — Seidl. Fauna Balt. ed. 2, 1891, p. 151; Fauna Transsylv. 1891, p. 161. — Stierl. Käferfauna Schweiz I, 1900, p. 652. — Petri, Siebenbürg. Käferfauna 1912, p. 359. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 411.
- agricola* var. Schrnk. Enum. Ins. Austr. I, 1781, p. 11.
- floricola* Panz. (nec F.) Deutschl. Ins.-Fauna 1795, p. 224. — Latr. Hist. Nat. Crust. Ins. X, 1802, p. 195. — Duft. Fauna Austr. I, 1805, p. 202.
- fruticola* Ol. Ent. I, 1789, nr. 5, p. 63, t. 2, f. 13a; ed. III, II, 1802, p. 87.
- var. *kurdistana* Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 108; Verh. Nat. Ver. Brünn XLI, 1903, p. 103.
- var. *major* Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 108; Verh. Nat. Ver. Brünn XLI, 1903, p. 103.
- Biologie: Metschnikoff, Getreidekäfer. Odessa 1879, 32 S. u. 1 Taf. (russ.). — J. W. Douglas, Ent. Monthly Mag. XVII, 1880, p. 139 u. 140. — Köppen, Hor. Soc. Ent. Ross. XV, 1880, p. XI. — Krasiscik, Kisinev Trd. Obs. jest. I, 1908, p. 358—395 (russ., deutsch. Auszug p. 382—385. Experm. Unters. z. Erörtrg. d. Frag. üb. d. Vermög. d. *Microphthalma longifacies* Rond., Larv. d. *Anis. austr.* anzustechen) — Golovianko, Lesn. zurn. St. Petersburg. XXXIX, 1909, p. 1342, m. Taf.
- Süd-
Rußland
- Österreich,
Böhmen,
Kaukasus,
Klein-
Asien,
Syrien
- Österreich
- Armenien
- Kaukasus

- bulgarica** Apfelb. Glasn. zem. muz. XXI, 1909, p. 503. Bulgarien, Rumänien
- desertiola** Fisch. Ent. Russ. II, 1823, p. 216, t. 31, f. 7. — Ménétr. Cat. rais. Caucase 1832, p. 186. — Burm. Handb. Ent. IV, 1, 1844, p. 224; l. c. IV, 2, 1855, p. 494. — Er. Naturg. Ins. Deutschl. III, 1847, p. 650. — Blanch. Cat. Coll. Ent. Col. 1850, p. 176. — Gredl. Käf. Tirol, 1863, p. 199. — Redt. Fauna Austr. ed. 3, 1874, p. 493. — Kuthy, Rov. Lap. I, 1884, p. 208. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 111; Verh. Nat. Ver. Brünn XLI, 1903, p. 107.
- dispar** Er. Naturg. Ins. Deutschl. III, 1847, p. 642. — Kuthy, Rov. Lap. I, 1884, p. 208. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 110; Verh. Nat. Ver. Brünn XLI, 1903, p. 105. — Seidl. Fauna Balt. ed. 2, 1891, p. 151. — Petri, Siebenbürg. Käferfauna 1912, p. 359. — J. Sahlb. Öfv. Finska Vet.-Soc. Förh. LV, 1913, p. 126. Ungarn, Thessalien, Kleinasien, Lesbos
- var. *morio* Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 20. Smyrna
- farraria** Er. Naturg. Ins. Deutschl. III, 1847, p. 641. — Burm. Handb. Ent. IV, 2, 1855, p. 492. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 109; Verh. Nat. Ver. Brünn XLI, 1903, p. 104. Tiflis, Kaukasus, Armenien, Nord-Persien
- succincta* Blanch. Cat. Coll. Ent. Col. 1850, p. 175.
- var. *Antoninae* Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 109; Verh. Nat. Ver. Brünn XLI, 1903, p. 104. Araxes
- flavipennis** Brullé, Expéd. Morée, Zool. III, 1832, p. 179, t. 39, f. 2. — Burm. Handb. Ent. IV, 2, 1855, p. 493. — Kuthy, Rov. Lap. I, 1884, p. 208. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 110; Verh. Nat. Ver. Brünn XLI, 1903, p. 106. — Seidl. Fauna Transsylv. 1891, p. 161. — Petri, Siebenbürg. Käferfauna 1912, p. 359. Griechenland, Dalmatien, Ober-Italien, Ungarn, Österreich
- adjecta* Er. Naturg. Ins. Deutschl. III, 1847, p. 647. — Redt. Fauna Austr. ed. 2, 1858, p. 457; ed. 3, 1874, p. 493. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 329. Klein-Asien
- Bouei* Blanch. Cat. Coll. Ent. Col. 1850, p. 176.
- hebes** Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 104. — J. Sahlb. Öfv. Finska Vet.-Soc. Förh. LV, 1913, p. 126. Serbien, Attika, Saloniki, Lesbos
- imitatrix** Apfelb. Glasn. zem. muz. XXI, 1909, p. 502. Türkei
- lata** Er. Naturg. Ins. Deutschl. III, 1847, p. 648. — Burm. Handb. Ent. IV, 2, 1855, p. 493. — Redt. Fauna Austr. ed. 2, 1858, p. 457; ed. 3, 1874, p. 498. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 329. — Kuthy, Rov. Lap. I, 1884, p. 208. — Rtrtr. Deutsche Ent. Zeitschr. 1889, p. 109; Verh. Nat. Ver. Brünn XLI, 1903, p. 106; Fauna Germ. Käf. II, 1909, p. 338. — Seidl. Fauna Transsylv. 1891, p. 161. — Petri, Siebenbürg. Käferfauna 1912, p. 359. Österreich, Ungarn, Balkan, Süd-Rußland

- var. *atra* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 186. Deutschland
- var. *Marietti* Osculati, Col. Pers. 1844, p. 72. Persien
- var. *signata* Schils. Deutsche Ent. Zeitschr. XXXII, 1888, p. 186. Österreich
- subsp. *lamiensis* Apfelb. Glasn. Zem. Mus. Bosn. Herceg. XXI, 1909, p. 503. Griechenland
- subsp. *macedonica* Apfelb. l. c. p. 503. Üsküb
- nasalis* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 105. Griechenland
- tempestiva* Er. Naturg. Ins. Deutschl. III, 1847, p. 643. Triest, Süd-Frankreich, Italien, Sicilien, Illyrien, Ungarn
- Blanch. Cat. Coll. Ent. Col. 1850, p. 175. — Burm. Handb. Ent. IV, 2, 1855, p. 492. — Gutfl.-Bose, Käf. Deutschl. 1859, p. 329. — Muls. Col. France, Lamell. ed. 2, 1871, p. 635. — Redt. Fauna Austr. ed. 3, 1874, p. 493. — Kuthy, Rov. Lap. I, 1884, p. 208. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 108; Verh. Nat. Ver. Brünn XLI, 1903, p. 104; Fauna Germ. Käf. II, 1909, p. 338. — Seidl. Fauna Balt. ed. 2, 1891, p. 151. — Stierl. Käferfauna Schweiz I, 1900, p. 652. — Bed. Faune Col. Bass. Seine IV, 1911, p. 139. — Petri, Siebenbürg. Käferfauna 1912, p. 359. — Caillol, Cat. Col. Provence II, 1914, p. 434.
- agricola* Steph. (nec F.) Ill. Brit. Ent. Mandib. III, 1830, p. 227, t. 19, f. 1; Man. Brit. Col. 1839, p. 169.
- austriaca* Muls. (nec Hrbst.) Col. France, Lamell. ed. 1, 1842, p. 485.
- graminivora* Deville, Cat. Col. Corse in Rev. d'Ent. XXVIII, 1910, p. 488. Corsika
- sicula* Rtrr. Deutsche Ent. Zeitschr. 1889, p. 109.
- var. *ambigua* Muls. Col. France, Lamell. ed. 1, 1842, p. 487.
- var. *connexa* Muls. l. c. p. 486.
- var. *deleta* Muls. l. c. p. 486.
- var. *evanida* Muls. l. c. p. 487.
- var. *exscutellata* Muls. l. c. p. 487.
- var. *fasciata* Muls. l. c. p. 487.
- var. *hungarica* Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 104.
- var. *immarginata* Muls. Col. France, Lamell. ed. 1, 1842, p. 486.
- var. *interrupta* Muls. l. c. p. 486.
- var. *maura* Muls. l. c. p. 486.
- var. *meridiana* Rey, Echange VI, 1890, p. 171.
- var. *quadrinaculata* Muls. Col. France, Lamell. ed. 1, 1842, p. 486.
- var. *scutellaris* Muls. l. c. p. 486.
- var. *unipunctata* Muls. l. c. p. 486.
- tenebralis* Burm. Handb. Ent. IV, 1, 1844, p. 225; l. c. IV, 2, 1855, p. 494. — Rtrr. Deutsche Ent. Zeitschr. 1889, p. 110; Verh. Nat. Ver. Brünn XLI, 1903, p. 107. Klein-Asien, Syrien
- thessalica* Rtrr. Deutsche Ent. Zeitschr. 1889, p. 111; Verh. Nat. Ver. Brünn XLI, 1903, p. 107. Thessalien

- tritici** Kiesw. Berl. Ent. Zeitschr. II, 1858, p. 238. — Griechen-
Rttr. Deutsche Ent. Zeitschr. 1889, p. 108; land,
Verh. Nat. Ver. Brünn XLI, 1903, p. 103. — Lesbos
J. Sahlb. Öfv. Finska Vet.-Soc. Förh. LV,
1913, p. 125.
- Zwicki** Fisch. Ent. Russ. II, 1823, p. 216, t. 31, f. 6. — Süd-
Burm. Handb. Ent. IV, 1, 1844, p. 222; l. c. IV, Rußland
2, 1855, p. 494. — Er. Naturg. Ins. Deutschl.
III, 1847, p. 642. — Rttr. Deutsche Ent. Zeit-
schr. 1889, p. 110; Verh. Nat. Ver. Brünn XLI,
1903, p. 107.
- ? *scythia* Motsch. Bull. Moscou XX, 3, 1849,
p. 115. — Sem. Rev. Russe d'Ent. III, 1903,
p. 99.

18
—
48

4. Subtribus **Isopliina**.

Isoplia Burm.

- Burm. Handb. Ent. IV, 2, 1855, p. 487. — Péring. Trans. S. Afric. Philos.
Soc. XII, 1902, p. 622.
- lasiosoma** Burm. Handb. Ent. IV, 2, 1855, p. 488. — Caffraria,
Péring. Trans. S. Afric. Philos. Soc. XII, Natal
1902, p. 623.

1

5. Subtribus **Dilophochilina**.

Dilophochila H. Bts.

- H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 261.
- bolacoides** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, Mexico
p. 261, t. 14, f. 25.

1

II. Rutelinae orthochilidae.

1. Tribus **Spodochlamyini**.

Revision: Ohaus, Stett. Ent. Zeit. LXVI, 1905, p. 260.

Chalcochlamys Ohs.

- Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 262.
- Dohrni** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 61 (*Spodo-*
chlamys); l. c. LXVI, 1905, p. 263. Neu Grana-
da: Sta.
Rosa

1

Spodochlamys Burm.

Burm. Handb. Ent. IV, 2, 1855, p. 528. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 61; l. c. LXVI, 1905, p. 263.

- caesarea** Burm. Handb. Ent. IV, 2, 1855, p. 529. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 61, t. 1, f. 4, a, b; l. c. LXVI, 1905, p. 265. Brasilien: Bahia. Para, S. Paulo d'Olivencia, Cayenne
- cupreola** H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 294, t. 17, f. 10. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 264. Panama, Nicaragua
- curvibrachialis** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 270. Feyerl Ohs. Ann. Soc. Ent. Belg. LII, 1908, p. 307. Cubien W. Ecuador: Llanos
- flavofemorata** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 265. Venezuela: Puerto Cabello
- gigas** Murray, Edinburgh N. Philos. Journ. (2) V, 1857, p. 228, t. 10, f. 5 (*Leucothyreus*). — Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 234; Stett. Ent. Zeit. LXVI, 1905, p. 264; Deutsche Ent. Zeitschr. 1908, p. 404. West-Ecuador
- purpureosericeus* Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 239.
- Iheringi** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 266. Mato grosso
- mirabilis** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 287. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 271; Deutsche Ent. Zeitschr. 1908, p. 404. Ost-Ecuador: Chiguinda, Loja
- popayana** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 268. West-Columbien: Popayan, Rio Dagua
- Poultoni** Shipp, Ent. Monthly Mag. (2) VI, 1895, p. 117. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 269. Columbien
- Weberi** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 62; l. c. LXVI, 1905, p. 267. Columbien: Cauca

11

Anatista Brême.

- Brême, Ann. Soc. Ent. France (2) II, 1844, p. 305. — Lacord. Gen. Col. III, 1856, p. 321. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 272. Lacord. Gen.
- Lafertei** Brême, Ann. Soc. Ent. France (2) II, 1844, p. 306, t. 9, f. 1. — Lacord. Gen. Col. III, 1856, p. 322. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 274. Columbien: Quindiu
- macrophylla** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 273; Deutsche Ent. Zeitschr. 1908, p. 404. Ecuador: Quito

2

2. Tribus Anoplognathini.

- Anoplognathidae* S. M'Leay, Horae Ent. I. 1819, Append. p. 142. — Burm. Handb. Ent. IV, 1, 1844, p. 430.
- Anoplognathites* Latr. in Cuvier, Règne Anim. IV, 1829, p. 556. — Lap. Hist. Nat. Col. II, 1840, p. 125. — Blanch. Hist. Ins. I, 1845, p. 217.

Anoplognathitae Blanch. Cat. Coll. Ent. Col. 1850, p. 221.
Anoplognathides Lacord. Gen. Col. III, 1856, p. 367.

Revision: Ohaus, Stett. Ent. Zeit. LXV, 1904, p. 57–175;
 l. c. p. 254–341; l. c. XLVI, 1905, p. 120–167; l. c. LXXI, 1910,
 p. 3–26.

1. Subtribus Anoplognathina.

Repsimus M'Leay.

M'Leay, Horae Ent. I, 1819, Append. p. 144. — Lap. Hist. Nat. Col. II, 1840, p. 126. — Burm. Handb. Ent. IV, 1, 1844, p. 448. — Blanch. Cat. Coll. Ent. Col. 1850, p. 223. — Lacord. Gen. Col. III, 1856, p. 370. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 66 u. 69.

- aeneus* F. Syst. Ent. 1775, p. 34 (*Melolontha*); Spec. Ins. I, 1785; p. 38; Mant. Ins. I, 1787, p. 20; Ent. Syst. I, 2, 1792, p. 160; Syst. Eleuth. II, 1801, p. 166. — Goeze, Ent. Beytr. I, 1777, p. 101. — Hrbst. Natursyst. Käf. III, 1790, p. 154. — Schönh. Syn. Ins. I, 3, 1817, p. 152 (*Rutela*). — S. M'Leay, Cat. Ins. Austr. Kings Surv. II, 1827, p. 440 (*Repsimus*). — Boisd. Voy. Astrolabe, Col. II, 1835, p. 182. — Burm. Handb. Ent. IV, 1, 1844, p. 449; l. c. IV, 2, 1855 p. 524. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 69.
- aeratus* L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1570 (*Scarabaeus*).
- manicatus* Swartz in Schönh. Syn. Ins. I, 3, 1817, p. 152; l. c. Append. p. 64 (*Rutela*). — Boisd. Voy. Astrolabe, Col. II, 1835, p. 182. — Lap. Hist. Nat. Col. II, 1840, p. 126. — Burm. Handb. Ent. IV, 1, 1844, p. 449. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 70.
- bracteatus* Drap. Ann. Soc. Sc. Bruxelles I, 1819, p. 135, t. 7, f. 6.
- Browni* S. M'Leay. Horae Ent. I, 1819, Append. p. 144. — Boisd. Voy. Astrolabe, Col. II, 1835, p. 183. — Burm. Handb. Ent. IV, 1, 1844, p. 450.
- dyliscoides* S. M'Leay, Horae Ent. I, 1819, Append. p. 144. — Fisch. Mém. Moscou VI, 1823, p. 264, t. 22, f. 8.
- purpureipes* W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1871, p. 197. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 38; Deutsche Ent. Zeitschr. 1901, p. 131.

Neu-
Holland.
N. S.
Wales

Neu-
Holland,
N. S. Wales

Queensland,
N. S. Wales

3

Calloodes White.

White, Ann. Mag. Nat. Hist. XV, 1845, p. 38. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 359. — Waterh. Trans. Ent. Soc. London 1874, p. 539. — Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 147. — Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 396. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 67 u. 71.

Atkinsoni Waterh. Ent. Monthly Mag. V, 1868, p. 9
 (*Anoplognatha*.) — Ohs. Stett. Ent.
 Zeit. LXV, 1904, p. 73.

Queensland

- Frenchi** Ohs. Ent. Rundschau XXIX, 1912, p. 112. Queensland
Grayanus White, Ann. Mag. Nat. Hist. XV, 1845, p. 38. —
 — Burm. Handb. Ent. IV, 2, 1855, p. 524. —
 Ohs. Stett. Ent. Zeit. LXV, 1904, p. 72. „
Rayneri W. M'Leay, Proc. Ent. Soc. N. S. Wales I, „
 1864, Nr. 1, p. XIX. — Ohs. Stett. Ent. Zeit.
 LXV, 1904, p. 73.

4

Anoplognathus Leach.

Leach, Zool. Misc. II, 1815, p. 43. — Kirby, Trans. Linn. Soc. London XII, 1818, p. 401. — S. M'Leay, Horae Ent. I, 1819, Append. p. 143. — Latr. in Cuv. Règne Anim. IV, 1829, p. 556. — Boisd. Voy. Astrolabe, Col. II, 1835, p. 168. — Lap. Hist. Nat. Col. II, 1840, p. 125. — Burm. Handb. Ent. IV, 1, 1844, p. 437. — Blanch. Hist. Ins. I, 1845, p. 217; Cat. Coll. Ent. Col. 1850, p. 221. — Lacord. Gen. Col. III, 1856, p. 369. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 353. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 67 u. 74.

Paranonca Lap. Hist. Nat. Col. II, 1840, p. 143.

Biologie: Froggatt, Agric. Gaz. N. S. Wales XII, 1901, p. 473 (nr. 465).

- abnormis** W. M'Leay, Trans. Ent. Soc. N. S. Wales II, Queensland
 1873, p. 359. — Ohs. Stett. Ent. Zeit. LXV,
 1904, p. 67 u. 108.

quadrilineatus Waterh. Trans. Ent. Soc.
 London 1874, p. 538.

- acuminatus** Ohs. Stett. Ent. Zeit. LXV, 1904, p. 105.

- aeneus** Waterh. Ent. Monthly Mag. V, 1868, p. 8. —
 Ohs. Stett. Ent. Zeit. LXV, 1904, p. 93. „
 Nord-
 Queens-
 land

- aureus** Waterh. Ann. Mag. Nat. Hist. (4) III, 1889,
 p. 360. — Ohs. Stett. Ent. Zeit. LXV, 1904,
 p. 92. Queensland

Frenchi Blackburn, Proc. Linn. Soc. N. S.
 Wales (2) V, 1890, p. 148.

- Boisduvali** Boisd. Voy. Astrolabe, Col. II, 1835, p. 171. —
 Burm. Handb. Ent. IV, 1, 1844, p. 554. —
 Blanch. Cat. Coll. Ent. Col. 1850, p. 222. —
 W. M'Leay, Trans. Ent. Soc. N. S. Wales II,
 1873, p. 555. — Ohs. Stett. Ent. Zeit. LXV,
 1904, p. 97. „

ineatus W. M'Leay, Proc. Ent. Soc. N. S.
 Wales I, 1864—65, p. XIX.

pulchripes Burm. Handb. Ent. IV, 1, 1844,
 p. 444.

- brunnipennis** Gyll. in Schönh. Syn. Ins. I, 3, 1817,
 Append. p. 62 (*Rutela*). — Boisd. Voy. Astro-
 labe, Col. II, 1835, p. 175 (*Anoplognathus*). —
 Lap. Hist. Nat. Col. II, 1840, p. 126 ♀. —
 Burm. Handb. Ent. IV, 1, 1844, p. 446. —
 Blanch. Cat. Coll. Ent. Col. 1850, p. 222. —
 W. M'Leay, Trans. Ent. Soc. N. S. Wales II,
 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV,
 1904, p. 115. N. S. Wales

♂ *castaneipennis* Lap. Hist. Nat. Col. II.
 1840, p. 126.

- chloropygus** Drapiez, Ann. Scienc. phys. Bruxelles II, 1819, p. 44, t. 16, f. 4 (*Rutela*). — Blanch. Cat. Coll. Ent. Col. 1850, p. 222 (*Anoplognathus*). — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 94.
- nitidulus*** Boisd. Voy. Astrolabe, Col. II, 1835, p. 176. — Lap. Hist. Nat. Col. II, 1840, p. 126. — Burm. Handb. Ent. IV, 1, 1844, p. 444.
- concinus** Blackburn, Trans. Roy. Soc. S. Austral. XXVI, 1900, p. 40. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 91.
- concolor** Burm. Handb. Ent. IV, 2, 1855, p. 524. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 99.
- Daemeli** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 34; l. c. LXV, 1904, p. 117.
- var. *micantipennis* Ohs. l. c. p. 35 u. 118.
- dispar** W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 357. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 89.
- Duponti** Boisd. Voy. Astrolabe, Col. II, 1835, p. 174. — Burm. Handb. Ent. IV, 1, 1844, p. 555. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 5, 1873, p. 354. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 86.
- explanatus** Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 397. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 113.
- flavipennis** Boisd. Voy. Astrolabe, Col. II, 1835, p. 176. — Burm. Handb. Ent. IV, 1, 1844, p. 447. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 116.
- hirsutus** Burm. Handb. Ent. IV, 1, 1844, p. 447. — Blanch. Cat. Coll. Ent. Col. 1850, p. 222. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 112.
- var. *quadriceps* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 113.
- insularis** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 33; l. c. LXV, 1904, p. 107.
- luridus** Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 396. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 89.
- Macleayi** Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 495. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 101.
- montanus** W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 356. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 84.

N. S. Wales,
Victoria,
Queens-
land

Nord-
Queens-
land
Queensland

„

N. S. Wales

Neu-Holland

N. S. Wales,
Victoria,
Süd-
Australien
N. S. Wales

Queensland,
N. S.
Wales,
Victoria

Neu-Guinea:
Mt.
Alexander,
Sattelberg
N. S. Wales

Süd-
Australien

N. S. Wales
Victoria,
Süd-
Australien

- nebulosus** W. M'Leay, Trans. Ent. Soc. N. S. Wales I, 1864—65, Proc. p. XIX; l. c. II, 1873, p. 355. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 34; l. c. LXV, 1904, p. 104. Queensland, Süd-Australien
- brevicollis* Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 493.
- Odewahni** W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 358. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 102. Süd-Australien
- Olivieri** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 60 (*Rutela*). — Boisd. Voy. Astrolabe, Col. II, 1835, p. 172 (*Anoplognathus*). — Burm. Handb. Ent. IV, 1, 1844, p. 441. — Blanch. Cat. Coll. Ent. Col. 1850, p. 222. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 354. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 85. Queensland, N. S. Wales, Victoria
- impressus* Boisd. Voy. Astrolabe, Col. II, 1835, p. 173. — Lap. Hist. Nat. Col. II, 1840, p. 126.
- pallidicollis** Blanch. Cat. Coll. Ent. Col. 1850, p. 222. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 100. Queensland bis Victoria
- parvulus** Waterh. Ent. Monthly Mag. X, 1873, p. 75. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 37; l. c. LXV, 1904, p. 118. Queensland
- Mastersi* W. M'Leay, Trans. Linn. Soc. N. S. Wales II, 1873, p. 360.
- var. *cuprifulgens* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 119.
- pectoralis** Burm. Handb. Ent. IV, 1, 1844, p. 443. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 88. Neu-Holland
- porosus** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 63 (*Rutela*). — Boisd. Voy. Astrolabe, Col. II, 1835, p. 180 (*Anoplognathus*). — Burm. Handb. Ent. IV, 1, 1844, p. 445. — Blanch. Cat. Coll. Ent. Col. 1850, p. 222. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 95. Queensland, N. S. Wales, Victoria
- inustus* Kirby, Trans. Linn. Soc. London XII, 1818, p. 405. — S. M'Leay, Cat. Ins. Austral. Kings Surv. II, 1827, p. 440. — Boisd. Voy. Astrolabe, Col. II, 1835, p. 179.
- prasinus** Lap. Hist. Nat. Col. II, 1840, p. 143 (*Paranonca*). — Burm. Handb. Ent. IV, 1, 1844, p. 201 u. 525. — Lansb. Ann. Soc. Ent. Belg. XVI, 1873, C. R. p. LXXXVI (*Anoplognathus*). — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 31; l. c. LXV, 1904, p. 98. N. S. Wales
- punctulatus** Olliff, Rec. Austral. Mus. I, 1890—91, p. 72, t. 10, f. 8. — Ohs. Stett. Ent. Zeit. LIX, 1898, p. 33; l. c. LXV, 1904, p. 106. Nord-Queensland
- quadrinaculatus** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 34; l. c. LXV, 1904, p. 116. Queensland

- reticulatus* Boisd. Voy. Astrolabe, Col. II, 1835, p. 169. — N. S. Wales
 Burm. Handb. Ent. IV, 1, 1844, p. 439. —
 Blanch. Cat. Coll. Ent. Col. 1850, p. 221. —
 Ohs. Stett. Ent. Zeit. LIX, 1898, p. 32; l. c.
 LXV, 1904, p. 80.
- ♂ *impressifrons* Boisd. Voy. Astrolabe,
 Col. II, 1835, p. 170.
- rhinastus* Blanch. Cat. Coll. Ent. Col. 1850, p. 221. — Queensland,
 W. M'Leay, Trans. Ent. Soc. N. S. Wales II, N. S.
 1873, p. 354. — Ohs. Stett. Ent. Zeit. LIX, Wales,
 1898, p. 32; l. c. LXV, 1904, p. 79. Tas-
 ? *longipennis* W. M'Leay, Trans. Ent. manien
 Soc. N. S. Wales II, 1873, p. 356.
- Rothschildti* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 35; Queensland
 l. c. LXV, 1904, p. 109.
- rubiginosus* W. M'Leay, Trans. Ent. Soc. N. S. Wales II, N. S. Wales
 1873, p. 358. — Ohs. Stett. Ent. Zeit. LXV,
 1904, p. 103.
- rugosus* Kirby, Trans. Linn. Soc. London XII, 1818, Queensland,
 p. 405. — Boisd. Voy. Astrolabe, Col. II, N. S.
 1835, p. 177. — Burm. Handb. Ent. IV, 1, Wales,
 1844, p. 442. — Blanch. Cat. Coll. Ent. Col. Victoria
 1850, p. 223. — W. M'Leay, Trans. Ent. Soc.
 N. S. Wales II, 1873, p. 355. — Ohs. Stett.
 Ent. Zeit. LXV, 1904, p. 87.
- viridicollis* Boid. Voy. Astrolabe, Col. II,
 1835, p. 177. — Burm. Handb. Ent. IV, 1,
 1844, p. 442.
- smaragdinus* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 90. Queensland
prasinus W. M'Leay, Trans. Ent. Soc.
 N. S. Wales II, 1873, p. 359.
- suturalis* Boisd. Voy. Astrolabe, Col. II, 1835, p. 178, N. S. Wales.
 t. 9, f. 8. — Burm. Handb. Ent. IV, 1, 1844, Victoria,
 p. 448. — Blanch. Cat. Coll. Ent. Col. 1850, Tasmania
 p. 223. — W. M'Leay, Trans. Ent. Soc. N. S.
 Wales II, 1873, p. 355. — Ohs. Stett. Ent.
 Zeit. LXV, 1904, p. 111.
- velutinus* Boisd. Voy. Astrolabe, Col. II, 1835, p. 181. Queensland
 Burm. Handb. Ent. IV, 1, 1844, p. 445. — bis
 W. M'Leay, Trans. Ent. Soc. N. S. Wales II, Victoria
 1873, p. 355. — Ohs. Stett. Ent. Zeit. LXV,
 1904, p. 109.
- viridiaeneus* Donov. Gen. Illustr. Entom. I, 1805, p. — t. 1
 (*Melolontha*). — Leach, Zool. Misc. II, 1815, "
 p. 44, t. 75, f. 1 (*Anoplognathus*). — S. M'Leay,
 Horae Ent. I, 1819, Append. p. 144; Cat. Ins.
 Austral. Kings Surv. II, 1827, p. 440. — Serv.
 Encycl. méth. X, 1825, p. 364. — Burm.
 Handb. Ent. IV, 1, 1844, p. 438. — Blanch.
 Cat. Coll. Ent. Col. 1850, p. 221. — W. M'Leay,
 Trans. Ent. Soc. N. S. Wales II, 1873, p. 354.
 — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 78.
- caesareus* Billb. in Schönh. Syn. Ins. I, 3,
 1817, Append. p. 58 (*Rutela*). — Boisd. Voy.
 Astrolabe, Col. II, 1835, p. 174 (*Anoplognathus*).
- Latreillei* Gyll. in Schönh. Syn. Ins. I, 3,
 1817, Append. p. 59 (*Rutela*). — Boisd. Voy.

Astrolabe, Col. II, 1835, p. 168. — Brullé, Hist. Nat. Ins. III, 1837, p. 375. — Lap. Hist. Nat. Col. II, 1840, p. 126.

- viridicollis** W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 357. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 82. Queensland bis Victoria
- viriditarsis** Leach, Zool. Misc. II, 1815, p. 44, t. 75, f. 2. — Serv. Encycl. méth. X, 1825, p. 364. — S. M'Leay, Cat. Ins. Austral. Kings Surv. II, 1827, p. 440. „
- analis** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 61 (*Rutela*). — Boisd. Voy. Astrolabe, Col. II, 1835, p. 169 (*Anoplognathus*). — Lap. Hist. Nat. Col. II, 1840, p. 126. — Burm. Handb. Ent. IV, 1, 1844, p. 440. — Blanch. Cat. Coll. Ent. Col. 1850, p. 221. — W. M'Leay, Trans. Ent. Soc. N. S. Wales II, 1873, p. 354. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 83.

40

Anoplostethus Brullé.

Brullé, Hist. Nat. Ins. Col. III, 1837, p. 376. — Blanch. Cat. Coll. Ent. Col. 1850, p. 224. — Lacord. Gen. Col. III, 1856, p. 372. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 67 u. 119.

Anoplosternus Guér. Mag. Zool. VIII, 1838, Voy. Favorite, Ins. p. 59. — Burm. Handb. Ent. IV, 1, 1844, p. 463; l. c. IV, 2, 1855, p. 527.

? *Panschizus* Blackb. Trans. Roy. Soc. S. Austral. X, 1888, p. 51.

- laetus** Rothsch. n. Jord. Novit. Zool. I, 1894, p. 507, t. 13, f. 13. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 122. Nord-Queensland
- opalinus** Brullé, Hist. Nat. Ins. Col. III, 1837, p. 376. — Guér. Mag. Zool. VIII, 1838, Voy. Favorite, Ins. p. 60. — Burm. Handb. Ent. IV, 1, 1844, p. 464; l. c. V, 1847, p. 571. — Blanch. Cat. Coll. Ent. Col. 1850, p. 224. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 121. West-Australien
- ? *pallidus* Blackb. Trans. Roy. Soc. S. Austral. X, 1888, p. 51.
- roseus** Blanch. Cat. Coll. Ent. Col. 1850, p. 224; Voy. Pôle Sud, Zool. IV, 1855, p. 112. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 122. Nord-Australien: Raffles Bay
- opalinus* Hombr. et Jacq. (nec Brullé), Voy. Pôle Sud, Zool. Col. Atl. t. 8, f. 1, 1842.

3

Epichrysus White.

White in Gray, Journ. discov. Austral. Append. II, 1841, p. 460. — Burm. Handb. Ent. IV, 1, 1844, p. 465; l. c. IV, 2, 1855, p. 527. — Blanch. Cat. Coll. Ent. Col. 1850, p. 225. — Lacord. Gen. Col. III, 1856, p. 373. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 67 u. 124.

- lamprimoides** White in Gray, Journ. discov. Austral. Append. II, 1841, p. 460. — Guér. Rev. Zool. V, 1842, p. 123 (*Brachysternus*). — Burm. Handb. Ent. IV, 1, 1844, p. 465; l. c. IV, 2, 1855, p. 527. — Lacord. Gen. Col. III, 1856, Atlas t. 35, f. 2. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 124. West-Australien

1

Paraschizognathus Ohs.

Ohs. Stett. Ent. Zeit. LXV, 1904, p. 67 u. 125.

- nigripennis** Blanch. Cat. Coll. Ent. Col. 1850, p. 224 N. S. Wales
(*Schizognathus*). — Burm. Handb. Ent. IV, 2,
1855, p. 527. — Ohs. Stett. Ent. Zeit. LXV,
1904, p. 127.
- olivaceus** Ohs. Stett. Ent. Zeit. LXV, 1904, p. 132. Australien
- prasinicollis** Ohs. Stett. Ent. Zeit. LXV, 1904, p. 128. „
- prasinus** Boisd. Voy. Astrolabe, Col. II, 1835, p. 184 Queensland,
(*Schizognathus*). — Guér. Mag. Zool. VIII, 1838, N.S.Wales
Voy. Favorite, Ins. Col. p. 62. — Burm. Handb. Victoria
Ent. IV, 1, 1844, p. 463; l. c. V, 1847, p. 571;
l. c. IV, 2, 1855, p. 527. — Blanch. Cat. Coll.
Ent. Col. 1850, p. 225. — Ohs. Stett. Ent.
Zeit. LXV, 1904, p. 130.
- var. *nigricans* Ohs. l. c. p. 131.

4

2. Subtribus **Schizognathina**.**Trioplognathus** Ohs.

Ohs. Stett. Ent. Zeit. LXV, 1904, p. 68 u. 133.

- griseopilosus** Ohs. Deutsche Ent. Zeitschr. 1901, p. 130 N. S. Wales
(*Anoplognathus*); Stett. Ent. Zeit. LXV, 1904,
p. 134.

1

Schizognathus Burm.

Burm. Handb. Ent. IV, 1, 1844, p. 462; l. c. IV, 2, 1855, p. 527. — Blanch.
Cat. Coll. Ent. Col. 1850, p. 224. — Lacord. Gen. Col. III, 1856, p. 373. —
Ohs. Stett. Ent. Zeit. LIX, 1904, p. 68 u. 135.

- Burmeisteri** Ohs. Stett. Ent. Zeit. LXV, 1904, p. 138. Queensland,
N.S.Wales
- compressicornis** Ohs. Stett. Ent. Zeit. LIX, 1898, p. 38; N. S. Wales
l. c. LXV, 1904, p. 141.
- lucidus** Ohs. Stett. Ent. Zeit. LXV, 1904, p. 142. Queensland
- Macleayi** Fisch. Bull. Moscou VI, 1823, p. 263, t. 23, f. 8. N. S. Wales
— Boisd. Voy. Astrolabe, Col. II, 1835, p. 184.
— Burm. Handb. Ent. IV, 1, 1844, p. 462. —
Ohs. Stett. Ent. Zeit. LXV, 1904, p. 138.
- mesosternalis** Ohs. Ent. Rundschau XXIX, 1912, p. 113. Nord-
Queensland
- viridiaeneus** Ohs. Stett. Ent. Zeit. LXV, 1904, p. 140. Queensland

6

Pseudoschizognathus Ohs.

Ohs. Stett. Ent. Zeit. LXV, 1904, p. 68 u. 145; Deutsche Ent. Zeitschr.
1913, p. 333.

- Lajoyi** Ohs. Deutsche Ent. Zeitschr. 1913, p. 334 u. 336. Victoria
- occidentalis** Ohs. l. c. p. 334. West-
Australien
- Schönfeldti** Ohs. Stett. Ent. Zeit. LXV, 1904, p. 147; Queensland
Deutsche Ent. Zeitschr. 1913, p. 334.
- variicollis** Ohs. Stett. Ent. Zeit. LXV, 1904, p. 146;
Deutsche Ent. Zeitschr. 1913, p. 333.

4

Homotropus Waterh.

Waterh. Trans. Ent. Soc. London 1878, p. 226. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 68 u. 148.

luridipennis Waterh. Trans. Ent. Soc. London 1878, Australien
p. 227. — Ohs. Stett. Ent. Zeit. LXV, 1904,
p. 150.

testaceipennis Ohs. Deutsche Ent. Zeitschr. 1901, p. 133; „
Stett. Ent. Zeit. LXV, 1904, p. 150.

2

Amblochilus Blanch.

Blanch. Cat. Coll. Ent. Col. 1850, p. 225. — Burm. Handb. Ent. IV, 2,
1855, p. 528. — Lacord. Gen. Col. III, 1856, p. 378. — Ohs. Stett. Ent.
Zeit. LXV, 1904, p. 68 u. 151.

bicolor Blanch. Cat. Coll. Ent. Col. 1850, p. 225. — Burm. Queensland
Handb. Ent. IV, 2, 1855, p. 528. — Ohs. Stett.
Ent. Zeit. LIX, 1898, p. 39; l. c. LXV, 1904,
p. 152.

1

Saulostomus Waterh.

Waterh. Trans. Ent. Soc. London 1878, p. 225. — Ohs. Stett. Ent. Zeit.
LXV, 1904, p. 68 u. 153.

? *Aneurystypus* Blackb. Trans. Roy. Soc. S. Austral.
XXXIII, 1909, p. 81.

Felschei Ohs. Stett. Ent. Zeit. LXV, 1904, p. 156. Neu-Holland
villosus Waterh. Trans. Ent. Soc. London 1878, p. 225. — Queensland,
Ohs. Stett. Ent. Zeit. LIX, 1898, p. 39; l. c. Victoria,
LXV, 1904, p. 154. Tasmania

? *pauvillus* Blackb. Trans. Roy. Soc. S.
Austral. XXXIII, 1909, p. 81.

Weiskei Ohs. Stett. Ent. Zeit. LXV 1904 p. 157. Nord-
Queensld.

3

Mimadoretus Arr.

Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 398. — Ohs. Stett. Ent. Zeit.
LXV, 1904, p. 68 .. 158.

flavomaculatus W. M'Leay, Proc. Linn. Soc. N. S. Wales Queensland
II, 1887, p. 217 (*Popillia*). — Arr. Ann. Mag.
Nat. Hist. (7) VII, 1901, p. 398. — Ohs. Stett.
Ent. Zeit. LXV, 1904, p. 160.

1

Amblyterus S. M'Leay.

S. M'Leay, Horae Ent. I, 1819, Append. p. 142. — Latr. in Cuvier, Règne
Anim. IV, 1829, p. 556. — Boisd. Voy. Astrolabe, Col. II, 1835, p. 185. —
Lap. Hist. Nat. Col. II, 1840, p. 128. — Burm. Handb. Ent. IV, 1, 1844,
p. 457; l. c. IV, 2, 1855, p. 525. — Blanch. Hist. Ins. I, 1845, p. 217. —
Lacord. Gen. Col. III, 1856, p. 377. — Ohs. Stett. Ent. Zeit. LXV, 1904,
p. 68 u. 162.

cicatricosus Gyll. in Schönh. Syn. Ins. I, 3, 1817, Append. N. S. Wales
p. 113 (*Melolontha*). — Burm. Handb. Ent. IV, Victoria
1, 1844, p. 458 (*Amblyterus*); l. c. V, 1847,
p. 571; l. c. IV, 2, 1855, p. 526. — Blanch. Cat.
Coll. Ent. Col. 1850, p. 224. — Ohs. Stett. Ent.
Zeit. LXV, 1904, p. 164.

- geminatus* S. M'Leay, Horac Ent. I, 1819, Append. p. 142. — Guér. Ic. Règne Anim. Ins. 1834, t. 24, f. 7. — Boisd. Voy. Astrolabe, Col. II, 1835, p. 185. — Lap. Hist. Nat. Col. II, 1840, p. 128.
- clypealis* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 165. Queensland
2

3. Subtribus **Phalangogoniina.**

Phalangogonia Burm.

- Burm. Handb. Ent. IV, 1, 1844, p. 451. — Lacord. Gen. Col. III, 1856, p. 370. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 291. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 261.
- debilidens* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 271. Costa Rica
- Lacordairei* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 292, t. 17, f. 3. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 265. Mexico
- obesa* Lacord. (nec Burm.) Gen. Col. III, 1856, p. 371, Atlas, t. 35, f. 1.
- obesa* Burm. Handb. Ent. IV, 1, 1844, p. 452. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 291. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 266. „
- parilis* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 293, t. 17, f. 4. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 270. Guatemala
- ♀ *Championi* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 293, t. 17, f. 5.
- sperata* Sharp, Journ. Linn. Soc. London XIII, 1877, p. 134. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 292. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 268. Nicaragua, Panama
- stipes* Sharp, Journ. Linn. Soc. London XIII, 1877, p. 134.

5

4. Subtribus **Platycœliina.**

Platycœlia Burm.

- Burm. Handb. Ent. IV, 1, 1844, p. 452; l. c. IV, 2, 1855, p. 524. — Blanch. Hist. Ins. I, 1845, p. 217; Cat. Coll. Ent. Col. 1850, p. 227. — Lacord. Gen. Col. III, 1856, p. 371. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 293. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 278.

1. *flavostriata*-Gruppe.

- abdominalis* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 299. Ost-Peru, Ost-Bolivien
- boliviensis* Blanch. Cat. Coll. Ent. Col. 1850, p. 227. — Burm. Handb. Ent. IV, 2, 1855, p. 525. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 300. Ost-Bolivien, Ost-Peru
- burmeisteriana* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 53. Ost-Bolivien
- Burmeisteri* Ohs. l. c. LXV, 1904, p. 312.

- Burmeisteri** Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 369.
flavostriata Burm. (ncc. Latr.) Handb. Ent. IV, 1, 1844, p. 453; l. c. IV, 2, 1855, p. 525.
Tschudii Ohs. Stett. Ent. Zeit. LXV, 1904, p. 309.
- chrysofina** Ohs. l. c. p. 320.
confluens Ohs. l. c. p. 318.
flavoscutellata Ohs. l. c. p. 315.
flavostriata Latr. Voy. Humboldt, Obs. Zool. Ins. II, 1833, p. 58, t. 34, f. 1 (*Melolontha*). — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 302.
 var. *herbacea* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 303; Deutsche Ent. Zeitschr. 1908, p. 404.
forcipalis Ohs. l. c. p. 293; Deutsche Ent. Zeitschr. 1908, p. 404.
Gaujoni Ohs. Stett. Ent. Zeit. LXV, 1904, p. 323.
 Biologie: Ohs. Deutsche Ent. Zeitschr. 1908, p. 405; Stett. Ent. Zeit. LXX, 1909, p. 89 u. 97.
hirta Ohs. Stett. Ent. Zeit. LXV, 1904, p. 317.
humeralis H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 293, t. 17, f. 8. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 306.
mesosternalis Ohs. Stett. Ent. Zeit. LXV, 1904, p. 300.
- nigricauda** H. Bts. in Whymper, Trav. Great Andes, Suppl. Append. 1891, p. 30. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 327.
nigrosternalis Ohs. Stett. Ent. Zeit. LXV, 1904, p. 305; Deutsche Ent. Zeitschr. 1908, p. 404.
 var. *laevigata* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 306.
 var. *pygidialis* Ohs. l. c. 306.
occidentalis Ohs. l. c. p. 296.
- parva** Kirsch, Berl. Ent. Zeitschr. XXIX, 1885, p. 222. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 325.
pomacea Er. Arch. Naturg. XIII, 1847, p. 100. — Burm. Handb. Ent. IV, 2, 1855, p. 525. — Kirsch, Berl. Ent. Zeitsch. XVII, 1873, p. 343. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 297.
 subsp. *brasiliensis* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 298.
prasina Er. Arch. Naturg. XIII, 1847, p. 100. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 322.
 var. *laevis* Burm. Handb. Ent. IV, 2, 1855, p. 525.
pulchrior Ohs. Stett. Ent. Zeit. LXV, 1904, p. 321.
puncticollis Ohs. l. c. p. 307.
 var. *bilineata* Ohs. l. c. p. 309.
 var. *unicolor* Ohs. l. c. p. 309.
quadrilineata Burm. Handb. Ent. IV, 1, 1844, p. 454; l. c. IV, 2, 1855, p. 525. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 329; Deutsche Zeitschr. 1908, p. 405.

Peru, Bolivien

Bolivien

,,

,,

Cordilleren v. Venezuela bis Ecuad.

Columbien, Ecuador

Ecuador

,,

Bolivien
Mexico, PanamaCosta Rica,
Panama,
West-Columbien

Ecuador

Cordill. v. Venezuela bis Ecuador
ColumbienEcuador
West-ColumbienEcuador, Columbien
Ost-Peru,
Ost-BolivienMatogrosso,
Goyaz
West-PeruBolivien
Cordill. v. Venezuela bis Ecuador

,,

,,
West-Columbien

- rufosignata* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 331; Deutsche Ent. Zeitschr. 1908, p. 405. Cordilleren v. Columbien bis Boliv.
- unguicularis* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 314. Venezuela bis Peru
- valida* Burm. Handb. Ent. IV, 1, 1844, p. 453; l. c. IV, 2, 1855, p. 525. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 295. Columbien
- variolosa* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 304. „
- Wallisi* Ohs. l. c. p. 311. Columbien, Ecuador
2. *marginata*-Gruppe.
- alternans* Er. Arch. Naturg. XIII, 1847, p. 100. — Burm. Handb. Ent. IV, 2, 1855, p. 525. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 290. Ost-Peru
- inflata* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 286. Bolivien
- subsp. *tucumana* Ohs. l. c. p. 288. Argentinien
- limbata* Ohs. l. c. p. 288. „
- marginata* Burm. Handb. Ent. IV, 1, 1844, p. 454; l. c. IV, 2, 1855, p. 525. — Blanch. Cat. Coll. Ent. Col. 1850, p. 227. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 282. Cordilleren v. Venezuela bis Bolivien
- laevis* Burm. Handb. Ent. IV, 2, 1855, p. 525.
- olivacca* Blanch. Cat. Coll. Ent. Col. 1850, p. 227.
- nervosa* Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 369. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 285. Columbien
- scutellata* Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 585. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 284. Columbien bis Bolivien
- simplicior* Ohs. Deutsche Ent. Zeitschr. 1909, p. 44. Argentinien
- Steinheili* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 291. Columbien

35

Callichloris Burm.

- Burm. Handb. Ent. IV, 1, 1844, p. 455; l. c. IV, 2, 1855, p. 526. — Lacord. Gen. Col. III, 1856, p. 377. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 332.
- Bässleri* Ohs. Stett. Ent. Zeit. LXV, 1904, p. 336. Peru
- Helleri* Ohs. l. c. p. 334. Columbien, Peru
- Kirschi* Ohs. l. c. p. 335. Peru
- signaticollis* Burm. Handb. Ent. IV, 1, 1844, p. 456. — Ohs. Stett. Ent. Zeit. LXV, 1904, p. 333. Columbien

4

Leucopelaea H. Bts.

- H. Bts. in Whymper, Trav. Great Andes, Suppl. Append. 1891, p. 30. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 120.
- albescens* H. Bts. in Whymper, Trav. Great Andes, Suppl. Append. 1891, p. 30, fig. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 121. Ecuador
- Baronis* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 123. Ecuador
- lutescens* Blanch. Cat. Coll. Ent. Col. 1850, p. 227 (*Platycoelia*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 122; Deutsche Ent. Zeitschr. 1908, p. 405. Peru, Ecuador

3

5. Subtribus **Brachysternina.****Aulacopalpus** Guér.

Guér. Mag. Zool. VIII, 1838, Voy. Favorite, Ins. p. 57. — Burm. Handb. Ent. IV, 1, 1844, p. 458 (pars). — Blanch. Cat. Coll. Ent. Col. 1850, p. 225 (pars). — Solier in Gay, Hist. Chile, Zool. Col. V, 1851, p. 90 (pars). — Ohs. Stett. Ent. Zeit. LXV, 1905, p. 127; l. c. LXXI, 1910, p. 7.

Amblyterodes Germain, An. Univ. Chile CXV, 1904, p. 470.

Meliecurus Germain, l. c. p. 470.

Pseudadelphus Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 369. — Germain, An. Univ. Chile CXV, 1904, p. 470.

Tribostethes Blanch. Cat. Coll. Ent. Col. 1850, p. 226 (pars). — Solier in Gay, Hist. Chile, Col. V, 1851, p. 88 (pars).

- ciliatus* Solier in Gay, Hist. Chile, Col. V, 1851, p. 89, t. 16, f. 8 (*Tribostethes*). — Philippi, Stett. Ent. Zeit. XXV, 1864, p. 321. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 369 (*Pseudadelphus*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 130; l. c. LXXI, 1910, p. 8. Chile: Santiago, Concepcion, Araucania
- clypealis* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 137; l. c. LXXI, 1910, p. 8 u. 12. Chile
- fulvovirens* Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 9 u. 12. ..
- pilicollis* Fairm. Ann. Soc. Ent. France (6) IV, 1884, p. 491 (*Tribostethes*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 134; l. c. LXXI, 1910, p. 8. Ost-Patagonien, Neuquen
- punctatus* Fairm. et Germain, Rev. Zool. (2) XII, 1860, p. 268 (*Tribostethes*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 133; l. c. LXXI, 1910, p. 8. Chile, Neuquen
- pygidialis* Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 139; l. c. LXXI, 1910, p. 9 u. 12. Chile
- variabilis* Philippi, An. Univ. Chile 1861, p. 742 (*Amblyterus*). — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 136; l. c. LXXI, 1910, p. 8. Chile, Valdivia, Osorno
- viridis* Guér. Mag. Zool. VIII, 1838, Voy. Favorite, Ins. p. 58. — Burm. Handb. Ent. IV, 1, 1844, p. 459. — Blanch. Cat. Coll. Ent. Col. 1850, p. 226. — Solier in Gay, Hist. Chile, Col. V, 1851, p. 92. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 367. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 129; l. c. LXXI, 1910, p. 8. ?Peru: Lima; Chile: San Fernando
- palpalis* Germain, An. Univ. Chile CXV, 1904, p. 470 (*Amblyterodes*). — Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 11.
- virens* Philippi, Stett. Ent. Zeit. XXV, 1864, p. 320 (?*Tribostethus*). — Ohs. l. c. LXXI, 1910, p. 11.

Subgenus **Tribostethes** Curtis.

Curtis, Trans. Linn. Soc. London XIX, 1845, p. 448. — Blanch. Cat. Coll. Ent. Col. 1850, p. 226 (pars). — Solier in Gay, Hist. Chile. Col. V, 1851, p. 88 (pars). — Burm. Handb. Ent. IV, 2, 1855, p. 526. — Lacord. Gen. Col. III, 1856, p. 376. — Germain, An. Univ. Chile CXV, 1904, p. 470. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 140; l. c. LXXI, 1910, p. 9.

Bembegeneius Solier in Gay, Hist. Chile, Col. V, 1851, p. 84.

- castaneus** Lap. Hist. Nat. Col. II, 1840, p. 127 (*Brachysternus*). — Curtis, Trans. Linn. Soc. London XIX, 1845, p. 448, t. 41, f. 2. — Blanch. Cat. Coll. Ent. Col. 1850, p. 226. — Solier in Gay, Hist. Chile, Col. V, 1851, p. 89. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 140; l. c. LXXI, 1910, p. 9.
 ♀ *cupreus* Philippi, Stett. Ent. Zeit. XXV, 1864, p. 321. — Ohs. l. c. LXXI, 1910, p. 14.
fulvescens Solier in Gay, Hist. Chile, Col. V, 1851, p. 85, t. 16, f. 6 (*Bembegeneius*).
Germaini Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 9 u. 14. Chile: Curico 10

Brachysternus Guér.

- Guér. Voy. Coquille, Zool. II, 2, 1830, p. 81. — Lap. Hist. Nat. Col. II, 1840, p. 127. — Burm. Handb. Ent. IV, 1, 1844, p. 459; l. c. IV, 2, 1855, p. 526. — Blanch. Hist. Ins. I, 1845, p. 218; Cat. Coll. Ent. Col. 1850, p. 226. — Solier in Gay, Hist. Chile, Col. V, 1851, p. 86. — Lacord. Gen. Col. III, 1856, p. 374. — Germain, An. Univ. Chile CXV, 1904, p. 449 u. 470. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 145; l. c. LXXI, 1910, p. 9.
- angustus** Philippi, Stett. Ent. Zeit. XXV, 1864, p. 322 Chile: Chil-
 (?*Aulacopalpus*). — Arr. Ann. Mag. Nat. Hist. lan, Neu-
 (7) IV, 1899, p. 368. — Germain, An. Univ. quen
 Chile CXV, 1904, p. 471 u. 477. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 160; l. c. LXXI, 1910, p. 10 u. 19.
- chloris** Philippi, Stett. Ent. Zeit. XXV, 1864, p. 319. — Chile: San
 Germain, An. Univ. Chile CXV, 1904, p. 472 u. Fernando
 504. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 149; l. c. LXXI, 1910, p. 11 u. 16.
- dilatatus** Germain, An. Univ. Chile CXV, 1904, p. 472 u. Chile: San-
 502. — Ohs. Stett. Ent. Zeit. LXXI, 1910, tiago
 p. 11 u. 19.
viridipes Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 157.
- fulvescens** Germain, An. Univ. Chile CXV, 1904, p. 471 Chile: Con-
 u. 473. — Ohs. Stett. Ent. Zeit. LXXI, 1910, cepcion
 p. 9 u. 17.
- herbaceus** Germain, An. Univ. Chile CXV, 1904, p. 472 Chile
 u. 499. — Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 11 u. 16.
- marginatus** Germain, An. Univ. Chile CXV, 1904, p. 472 „
 u. 485. — Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 10.
- olivaceus** Philippi, Stett. Ent. Zeit. XXV, 1864, p. 318. — Chile: San-
 Germain, An. Univ. Chile CXV, 1904, p. 472 u. tiago
 493. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 147; l. c. LXXI, 1910, p. 10 u. 16.
- prasinus** Guér. Voy. Coquille, Zool. II, 2, 1830, p. 81, t. 3, Chile: Con-
 f. 4. — Germain, An. Univ. Chile CXV, 1904, cepcion
 p. 472 u. 501. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 154; l. c. LXXI, 1910, p. 11 u. 17.
viridis Lap. Hist. Nat. Col. II, 1840, p. 127. — Burm. Handb. Ent. IV, 1, 1844, p. 460. — Blanch. Cat. Coll. Ent. Col. 1850, p. 226.
 var. *fulvipes* Guér. Mag. Zool. VIII, 1838, Voy. Favorite, Ins. p. 61.

- pubescens** Germain, An. Univ. Chile CXV, 1904, p. 472 u. 495. — Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 10 u. 17. Chile: Concepcion
hirtus Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 158.
- Riverae** Germain, An. Univ. Chile CXV, 1904, p. 472 u. 497. — Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 10. Chile: Chillan
- sinuatifrons** Germain, An. Univ. Chile CXV, 1904, p. 471 u. 495. — Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 10 u. 19. Chile: Cachapoal
- spectabilis** Er. Arch. Naturg. XIII, 1847, p. 100. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 149; l. c. LXXI, 1910, p. 19. ? Peru; Chile: Valparaiso bis Valdivia
- ♀ *major* Philippi, Stett. Ent. Zeit. XXV, 1864, p. 317.
- ♂ *obscurus* Philippi, l. c. p. 317.
- ♂♀ *Philippii* Germain, An. Univ. Chile CXV, 1904, p. 471 u. 481.
- vicinus** Guér. Rev. Zool. 1839, p. 300. Patagonien: Port Famine
- viridis** Solier in Gay, Hist. Chile, Col. V, 1851, p. 87, t. 16, f. 7. — Blanch. Cat. Coll. Ent. Col. 1850, p. 226. — Germain, An. Univ. Chile CXV, 1904, p. 472 u. 487. — Ohs. Stett. Ent. Zeit. LXXI, 1910, p. 10 u. 18. Chile: Santiago, Coquimbo
- araucanicus** Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 156. Araucanien

14

Hylamorpha Arr.

Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 368. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 162.

- Aulacopalpus* Burm. (nec. Guér.) Handb. Ent. IV, 1, 1844, p. 458 (pars). — Blanch. Cat. Coll. Ent. Col. 1850, p. 225. — Solier in Gay, Hist. Chile, Col. V, 1851, p. 90. — Lacord. Gen. Col. III, 1851, p. 375.
- Sulcipalpus* Har. Cat. Col. IV, 1869, p. 1232; Col. Heft V, 1869, p. 123. — Germain, An. Univ. Chile CXV, 1904, p. 470.
- cylindrica** Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 368. Chile
 — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 164.
- elegans** Burm. Handb. Ent. IV, 1, 1844, p. 459 (*Aulacopalpus*). — Solier in Gay, Hist. Chile, Col. V, 1851, p. 91, t. 16, f. 9. — Blanch. Cat. Coll. Ent. Col. 1850, p. 225. — Ohs. Stett. Ent. Zeit. LXVI, 1905, p. 163. Chile: Valparaiso bis Valdivia
- perelegans* Curtis, Trans. Linn. Soc. London XIX, 1845, p. 449 (*Callichloris*).
- ♀ *rufimana* Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 368; l. c. (7) VII, 1901, p. 400.
- subviolaceus* Nonfr. Ent. Nachr. XX, 1894, p. 125.
- Biologie: M. Rivera, Apunt. Biol. Col. 1903, p. 31.

3. Tribus **Adoretini.**

Revision: Ohaus, Deutsche Ent. Zeitschr. 1912, p. 141—643;
l. c. 1914, p. 471—514.

1. Subtribus **Adoroletina.****Adoroletus** Brenske.

Brenske, Soc. Ent. VIII, 1, 1893, p. 1. — Ohs. Deutsche Ent. Zeitschr.
1912, p. 151.

lanatus F. Syst. Eleuth. II, 1801, p. 169 (*Melolontha*). — Isle de France
Schönh. Syn. Ins. 1, 3, 1817, p. 189. — Lap.
Hist. Nat. Col. II, 1840, p. 142 (*Adoretus*). —
Burm. Handb. Ent. IV, 1, 1844, p. 476.

1

2. Subtribus **Adorodocina.****Adorodocia** Brenske.

Brenske, Soc. Ent. VIII, 1, 1893, p. 1. — Arr. Ann. Mag. Nat. Hist. (7)
VIII, 1901, p. 35; l. c. 193. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 151.

Pseudadorodocia Arr. Ann. Mag. Nat.
Hist. (7) VIII, 1901, p. 36.

albasetosa Waterh. Cist. Ent. II, 1878, p. 288 (*Adoretus*). — Madagascar:
— Brenske, Soc. Ent. VIII, 1, 1893, p. 3. Antanana-
albohispidus Fairm. Naturaliste V, 1883, rivo
p. 364. — Arr. Ann. Mag. Nat. Hist. (7) VIII,
1901, p. 394.

hystrix Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 104 Madagascar:
(*Adoretus*). Diego Sna-
rez

leo Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 364 Ceylon:
(*Adoretus*). Ohiya

strigata Waterh. Cist. Ent. II, 1878, p. 287 (*Adoretus*). — Madagascar:
— Brenske, Soc. Ent. VIII, 1, 1893, p. 3. — Arr. Antanana-
Ann. Mag. Nat. Hist. (7) VIII, 1901, p. 36. rivo

♂ *aenigma* Arr. Ann. Mag. Nat. Hist. (7) VIII,
1901, p. 37 u. 193 (*Pseudadorodocia*).

grossepunctatus Fairm. Ann. Soc. Ent.
Belg. XLIII, 1899, p. 526 (*Adoretus*).

latissima Brenske (nec Blanch.), Soc. Ent.
VIII, 1, 1893, p. 1.

vittata Waterh. Cist. Ent. II, 1878, p. 287 (*Adoretus*). Madagascar:
Betsileo

vittaticollis Fairm. Naturaliste V, 1883, p. 364 (*Adoretus*). Madagascar:
— Arr. Ann. Mag. Nat. Hist. (7) VIII, 1901, Antanana-
p. 35 u. 195. rivo, Bet-
sileo

marima Brenske, Soc. Ent. VIII, 1, 1893, p. 1.
— Arr. Ann. Mag. Nat. Hist. (7) VIII, 1901,
p. 195.

6

3. Subtribus **Adoretina.****Adoretus** Lap.

Laporte, Hist. Nat. Col. II, 1840, p. 142. — Burm. Handb. Ent. IV, 1, 1844, p. 467; 1. c. IV, 2, 1855, p. 529. — Blanch. Hist. Ins. I, 1845, p. 216; Cat. Coll. Ent. Col. 1850, p. 230. — Lacord. Gen. Col. III, 1856, p. 380. — Jacq. du Val, Gen. Col. d'Eur. III, 1859, p. 68. — Brenske, Soc. Ent. VIII, 1, 1893, p. 1. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 29. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 513.

Gemadoretus Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 30,

Subgenus **Adoretus** sens. strict.

Madagassische Subregion.

- | | |
|---|-----------------------------|
| <i>aculeatus</i> Ohs. Deutsche Ent. Zeitschr. 1912, p. 642, f. 36. | Diego Suarez |
| <i>aeneopiceus</i> Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 378. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 634, f. 32. | „ |
| <i>aeneus</i> Brenske, Soc. Ent. VIII, 2, 1893, p. 10. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 631. | Antongil |
| <i>asperopunctatus</i> Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 527. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 520, f. 24. | Betsiboka |
| <i>costalis</i> Blanch. Cat. Coll. Ent. Col. 1850, p. 231. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 627. | Madagascar |
| <i>cribricollis</i> Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 227. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 636. | Suberbieville |
| <i>discoidalis</i> Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 105. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 637. | West-Madagascar |
| <i>elongatus</i> Blanch. Cat. Coll. Ent. Col. 1850, p. 231. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 628. | Madagascar |
| <i>femoratus</i> Lap. Hist. Nat. Col. II, 1840, p. 142. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 639. | Isle de France |
| <i>flavilabris</i> Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 377. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 519. | Ste. Marie |
| <i>fulvus</i> Brenske, Soc. Ent. VIII, 1, 1893, p. 4. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 625. | Madagascar |
| <i>giganteus</i> Burm. Handb. Ent. IV, 1, 1844, p. 474. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 626, f. 27. | „ |
| <i>goniopygus</i> Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 525. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 635, f. 33. | Moewatana-na: Suberbieville |
| <i>Goudoti</i> Ohs. Deutsche Ent. Zeitschr. 1912, p. 628, f. 28. | Foraka-Berg |
| <i>indutus</i> Burm. Handb. Ent. IV, 1, 1844, p. 469. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 627. | Madagascar |
| <i>convexipennis</i> Blanch. Cat. Coll. Ent. Col. 1850, p. 231. | |
| <i>latissimus</i> Blanch. Cat. Coll. Ent. Col. 1850, p. 230. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 523, f. 26. | Diego Suarez; |
| <i>eunctoides</i> Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 454. | Antsianaka |
| <i>lutosipennis</i> Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 121. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 631, f. 30. | Betsileo |

- macrops** Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 525. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 521. Antongil
- maculicollis** Fairm. Mém. Soc. Zool. France XII, 1899, p. 17. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 521, f. 25. Mevatanana, Andriba, Ikoba, Betsiboka
- ♀ *ampliatatus* Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 120.
- major* Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 232.
- ♂ *plagiicollis* Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 527.
- mauritanus** Ohs. Deutsche Ent. Zeitschr. 1912, p. 640, f. 35. Isle de France
- niger** Brenske, Soc. Ent. VIII, 2, 1893, p. 9. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 629. Madagascar
- nosibeicus** Ohs. Deutsche Ent. Zeitschr. 1912, p. 638. Nossi-bé
- piciventris** Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 524. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 518, f. 21. Betsiboka
- quadripunctatus** Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 526. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 519, f. 23. „
- rufulus** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 379. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 519, f. 22. Ankaboka, Suberbieville
- subaenescens** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 377. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 630, f. 29. Ste. Marie
- sulcirostris** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 104. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 637. Diego Suarez
- tibialis** Blanch. Cat. Coll. Ent. Col. 1850, p. 230. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 624. Madagascar
- villosus** Blanch. Cat. Coll. Ent. Col. 1850, p. 230. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 624. „

Aethiopische Region.

- aegrotus** Burm. Handb. Ent. IV, 1, 1844, p. 470. — Rtrr. Ent. Nachr. XV, 1889, p. 268. Nubien, Arabien
- Millingeni* Pic, Echange XXI, 1905, p. 153. — Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 53.
- aeruginosus** Lap. Hist. Nat. Col. II, 1840, p. 142. — Burm. Handb. Ent. IV, 1, 1844, p. 557. Senegal
- albomitratu**s Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 219, f. 14. Kongo, Schari
- bechuanus** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 580, t. 41, f. 21. Bechuana-Land
- Bottegoi** Brenske, Ann. Mus. Genova (2) XV, 1895, p. 225. Galla-Land
- cachecticus** Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 215, f. 10. Dahome
- claustrifer** Ohs. l. c. p. 217, f. 11 u. 12. Franz. Kongo
- clypeatus** Burm. Handb. Ent. IV, 1, 1844, p. 471. Kordofan
- var. *signatus* Rtrr. Ent. Nachr. XV, 1889, p. 268; Verh. Nat. Ver. Brünn XLI, 1903, p. 30 (*Gemadoretus*).
- convexicollis** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 19. Schoa
- costipennis** Lansb. Not. Leyden Mus. VIII, 1886, p. 104. Kongo

- cribrosus** Har. Col. Hefte V, 1869, p. 124. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 579, t. 41, f. 19.
cribratus Blanch. Cat. Coll. Ent. Col. 1850, p. 234. Kapland, Natal
- debilis** Péring. Trans. S. Afric. Philos. Soc. XIII, 1908, p. 655. Zambesi
- Decorsei** Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 218, f. 13. Franz. Kongo
- denticulatus** Brancs. Soc. Hist. Nat. Trencsen 1910, p. 183, t. 1, f. 7. Zambesi
- disparilis** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 580, t. 43, f. 31. Süd-Rhodesien
- emarginatus** Ohs. Res. Swedish Zool. Exped. Egypt, Col. nr. 10a, 1905, p. 6, f. 1. Omdurman
- exasperans** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 577, t. 41, f. 16. Kapland
- exitialis** Péring. Trans. S. Afric. Philos. Soc. XIII, 1908, p. 655. Rhodesien
- Fairmairei** Brenske, Ann. Mus. Genova (2) XV, 1895, p. 225. Galla-Land
 ♀ *spinosus* Brenske, l. c. p. 225.
- fascicularis** Nonfr. Ent. Nachr. XVIII, 1892, p. 117. Abessinien
- flaveolus** Fäh. Ins. Caffr. II, 1857, p. 75. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 579, t. 41, f. 24. Limpopo, Süd-Rhodesien
- flavovittatus** Arr. Trans. Zool. Soc. London XIX, 2, 1909, p. 190, t. 7, f. 7. Brit. Ost-Afrika
tigrinus Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 232.
- fraudator** Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 577, t. 41, f. 17. Natal
- fraudulentus** Péring. l. c. p. 575, t. 41, f. 13. Süd-Rhodesien
- fuseovittatus** Arr. Trans. Zool. Soc. London XIX, 2, 1909, p. 191. Brit. Ostafrika
- fuseulus** Fäh. Ins. Caffr. II, 1857, p. 76. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 573, t. 41, f. 8. Bechuana-Land
- Geyri** Ohs. Archiv f. Naturg. 1916, A. 3, p. 4. S.O. Algerien
- granulifrons** Fairm. Ann. Soc. Ent. France (6) II, 1882, p. 68. Sudan
- grisescens** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 19. Schoa
- ictericus** Burm. Handb. Ent. IV, 1, 1844, p. 469. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 121. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 572. Kapland, Transvaal
nigriceps Fäh. Ins. Caffr. II, 1857, p. 74.
- impurus** Fäh. Ins. Caffr. II, 1857, p. 71. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 121. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 576, t. 41, f. 15. Natal, Transvaal
- inconditus** Péring. l. c. p. 575. Kapland
- inglorius** Péring. l. c. p. 581, t. 41, f. 23. Natal, Kapland
- latiuseculus** Péring. l. c. p. 577. Transvaal
- lineatus** Brenske, Ann. Mus. Genova (2) XV, 1895, p. 226. Galla-Land

- madibirensis* Ohs. Archiv f. Naturg. 1916. A. 3. p. 4, f. 4. D. O. Afrika:
Madibira
- mashunus* Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 573, t. 41, f. 10. Süd-Rhodesien
- meticulosus* Kolbe, Wiss. Ergebn. Schwed. Zool. Exped. Kilimandjaro, Col. 1910, p. 352. Kilimandjaro
- murinus* Burm. Handb. Ent. IV, 1, 1844, p. 468. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 583. Kapland
- nasutus* Fähr. Ins. Caffr. II, 1857, p. 72. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 121. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 582. „
- ♂ *picinus* Fähr. Ins. Caffr. II, 1857, p. 73.
- nigritarsis* Quedenf. Berl. Ent. Zeitschr. XXVIII, 1884, p. 322. Malange
- obscurus* F. Spec. Ins. I, 1781, p. 40 (*Melolontha*); Mant. Ins. I, 1787, p. 21; Ent. Syst. I, 2, 1792, p. 166; Syst. Eleuth. II, 1801, p. 171. — L. Syst. Nat. ed. 13 (Gmelin) I, 4, 1790, p. 1526 (*Scarabaeus*). — Ol. Ent. I, 1789, nr. 5, p. 42, t. 6, f. 64 (*Melolontha*); ed. Illig. II, 1802, p. 65; ed. Sturm II, 1803, p. 27, t. 63, f. 2. — Hrbst. Natursyst. Käf. III, 1790, p. 96. — Schönh. Syn. Ins. I, 3, 1817, p. 200. — Burm. Handb. Ent. IV, 1, 1844, p. 472. Guinea
- ovampoensis* Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 573. Ovampo-Land
- pallidus* Lap. Hist. Nat. Col. II, 1840, p. 142. — Burm. Handb. Ent. IV, 1, 1844, p. 471; l. c. IV, 2, 1855, p. 530. — Blanch. Cat. Coll. Ent. Col. 1850, p. 231. Nubien
- parallelus* Linell, Proc. Un. Stat. Nat. Mus. XVIII, 1895, p. 692. Brit. Ost-Afrika
- tananus* Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 232.
- parviceps* Fairm. Rev. d'E. XI, 1892, p. 98. Obok
- patruelis* Kolbe, Wiss. Ergebn. Schwed. Zool. Exped. Kilimandjaro, Col. 1910, p. 354. Kilimandjaro
- pubipennis* Lap. Hist. Col. II, 1840, p. 142. — Burm. Handb. Ent. IV, 1, 1844, p. 557. Senegal
- pumilio* Burm. Handb. Ent. IV, 1, 1844, p. 471. Senegambien
- rugulosus* Burm. Handb. Ent. IV, 1, 1844, p. 473. „
- sebakuensis* Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 578, t. 43, f. 29; l. c. p. 895. Brit. Central-Afrika
- uniformis* Arr. Ann. Mag. Nat. Hist. (7) IX, 1902, p. 91.
- senegallius* Dufour, Ann. Scienc. phys. Bruxelles VIII, 1821, p. 358, t. 150, f. 2 (*Melolontha*). — Blanch. Cat. Coll. Ent. Col. 1850, p. 231. Senegal
- lanuginosus* Lap. Hist. Nat. Col. II, 1840, p. 142.
- seneseens* Walk. List Col. Lord Egypt 1871, p. 12. Tajura
- serigranatus* Fairm. Ann. Soc. Ent. Belg. XXVI, 1882, C. R. p. XLVII. Sansibar
- suturellus* Brancs. Soc. Hist. Nat. Trencsen 1910, p. 184, t. 1, f. 8. Sambesi

tessulatus Burm. Handb. Ent. IV, 2, 1855, p. 529. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 121. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 580, t. 41, f. 20.	Kapland, Transvaal, Oranje
maculatus Fähr. Ins. Caffr. II, 1857, p. 68.	
truncatus Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 232.	Süd-Rho- desien
simplex Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 579, t. 43, f. 30.	
umbilicatus Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 216, f. 11.	Nigeria, Franz. Kongo
uniformis Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 126.	Usagara
villosicollis Blanch. Cat. Coll. Ent. Col. 1850, p. 231. — Burm. Handb. Ent. IV, 2, 1855, p. 529.	Arabien

Orientalische Region.

Andrewesi Ohs. Deutsche Ent. Zeitschr. 1914, p. 485, f. 18.	Kanara
bengalensis Brenske, Ann. Soc. Ent. Belg. XXXVII, 1893, p. 142.	Barway, Te- tara
bicolor Brenske, Ind. Mus. Not. V, 1900, nr. 2, p. 38, t. 4, f. 3—4. — Ohs. Deutsche Ent. Zeitschr. 1914, p. 478.	Mysore, Ma- dras
bimarginatus Ohs. Deutsche Ent. Zeitschr. 1914, p. 480, f. 12.	Berhampur
braehypus Burm. Handb. Ent. IV, 2, 1855, p. 530.	Vorder-In- dien
brahmanus Ohs. Deutsche Ent. Zeitschr. 1914, p. 470, f. 10.	Ost-Indien
caliginosus Burm. Handb. Ent. IV, 1, 1844, p. 471. — Ohs. Deutsche Ent. Zeitschr. 1914, p. 478.	Madras, Ber- hampur
bicolor Brenske, Ann. Soc. Ent. Belg. XXXVII, 1893, p. 142.	
calvus Ohs. Deutsche Ent. Zeitschr. 1914, p. 477.	Malakka
celogaster Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 592.	Ceylon
convexus Burm. Handb. Ent. IV, 2, 1855, p. 531.	Hongkong, Tonkin
corpulentus Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 593.	Ceylon
deceanus Ohs. Deutsche Ent. Zeitschr. 1914, p. 489, f. 23.	Nagpur
distinguendus Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 598.	Birma
Drescheri Ohs. Deutsche Ent. Zeitschr. 1914, p. 473, f. 4.	Java
Duvaeeli Blanch. Cat. Coll. Ent. Col. 1850, p. 232. — Ohs. Deutsche Ent. Zeitschr. 1914, p. 487.	Bengalen, Kaschmir
concolor Blanch. Cat. Coll. Ent. Col. 1850, p. 232.	
epipleuralis Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 601.	Birma
erythrocephalus F. Spec. Ins. I, 1781, p. 40 (<i>Melolontha</i>); Mant. Ins. I, 1787, p. 21; Ent. Syst. I, 2, 1792, p. 165; Syst. Eleuth. II, 1801, p. 170. — L. Syst. Nat. ed. 13 (Gmelin) I, 1790, 4, p. 1562 (<i>Scarabaeus</i>). — Ol. Ent. I, 1789, nr. 5, p. 41, t. 7, f. 80 (<i>Melolontha</i>); ed. III, II, 1802, p. 63; ed. Sturm II, 1803, p. 26, t. 62, f. 12. — Schönh. Syn. Ins. I, 3, 1817, p. 190. — Burm. Handb. Ent. IV, 1, 1844, p. 531 (<i>Anomala</i>).	Koromandel

- excisus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 486, f. 19. Khandala, Nagpur
- feminalis* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 590. Ceylon
- flavohumeralis* Ohs. Deutsche Ent. Zeitschr. 1914, p. 473, f. 5. Malakka
- Fruhstorferi* Ohs. Deutsche Ent. Zeitschr. 1905, p. 98. Tonkin
- hypudaeus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 476, f. 8. Java
- incurvatus* Ohs. l. c. p. 487, f. 20. Kalkutta
- infuscatus* Ohs. l. c. p. 483, f. 15. Ceylon
- javanus* Kraatz, Wien. Ent. Zeit. XIV, 1895, p. 250. Sumbawa
- ladakanus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 484, f. 17. Kaschmir
- Lajoyi* Ohs. l. c. p. 491, f. 25. Saigun
- limbatus* Blanch. Cat. Coll. Ent. Col. 1850, p. 233. — Ohs. Bombay, Bengalen, Sikkim, Birma
- Deutsche Ent. Zeitschr. 1914, p. 491.
- castaneus* Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 363.
- flavovittatus* Nonfr. l. c. p. 362.
- plagiatus* Burm. Handb. Ent. IV, 2, 1855, p. 531. — Sharp. Scient. Res. Second Yarkand Miss. Col. 1890, p. 51.
- lithobius* Ohs. Deutsche Ent. Zeitschr. 1914, p. 485, f. 16. Kaschmir
- luridus* Blanch. Cat. Coll. Ent. Col. 1850, p. 234. — Philippinen, Malakka
- Ohs. Philipp. Journ. Scienc. VII, 1912, nr. 4, p. 267; Deutsche Ent. Zeitschr. 1914, p. 471, f. 1.
- philippinicus* Pic, Naturaliste XXVII, 1905, p. 131.
- minutus* Brs. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 143. Bengalen
- nitidus* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 599. Birma
- nudostratus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 482, f. 14. Rangun
- ovalis* Blanch. Cat. Coll. Ent. Col. 1850, p. 233. — Sharp, Pondichéry
- Ann. Mag. Nat. Hist. (7) XI, 1903, p. 472. — Ohs. Deutsche Ent. Zeitschr. 1914, p. 484.
- pallens* Blanch. Cat. Coll. Ent. Col. 1850, p. 233. Nord-Indien
- nudiusculus* Sharp, Scient. Results Second Yarkand Miss. Col. 1890, p. 51.
- peregrinus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 477, f. 9. Ost-Indien
- pleuralis* Ohs. l. c. p. 481, f. 13. „
- progrediens* Ohs. l. c. p. 489, f. 22. Nord-Indien
- Renardi* Brenske, Ann. Soc. Ent. Belg. XXXVII, 1893, p. 140. Bengalen
- saigonensis* Ohs. Deutsche Ent. Zeitschr. 1914, p. 479, f. 11. Saigun
- serratipes* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 595. Birma, Assam
- simplex* Sharp, Scient. Results Second Yarkand Miss. Col. 1890, p. 52. — Ohs. Deutsche Ent. Zeitschr. 1914, p. 488, f. 21. Kaschmir
- Stoliezkae* Ohs. l. c. p. 490, f. 24. Ladak
- Sucki* Ohs. l. c. p. 476. Borneo
- sundaicus* Ohs. l. c. p. 472, f. 3. Java
- suturalis* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 592. Ceylon
- tener* Arr. l. c. p. 600. Tenasserim
- versutus* Har. Col. Hefte V, 1869, p. 124. St. Helena
- bangalorensis* Brenske, Ind. Mus. Not. V, 1900, p. 38, t. 4, f. 1—2. Mysore
- insularis* Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 105. Réunion, Seychellen,

- vestitus* Boh. Kgl. Svenska Freg. Eugen. Resa, Col. 1858, p. 119. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 149; Ent. Blätter VIII, 1912, p. 220, f. 1. — Friederichs, Ent. Blätter X, 1914, p. 41, f. 1—6.
- vitiensis* Nonfr. Deutsche Ent. Zeitschr. 1891, p. 268. Fidschi-Ins.
- Biologie: Friederichs, Ent. Blätter X, 1914, p. 41, f. 1—6.

Australische Region.

- celebius* Ohs. Deutsche Ent. Zeitschr. 1914, p. 471, f. 2. Celebes
- cyrtopygus* Ohs. l. c. p. 474, f. 6. Timor
- Ohausi* Hell. Nova Guinea, Zool. Exped. Zool. IX, 1914, p. 638, f. 2. Neu-Guinea
- sumbanus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 475, f. 7. Sumba

Paläarktische Region.

- discolor* Fald. N. Mém. Moscou IV, 1835, p. 267, t. 7, f. 11 (Trigonostoma). — Burm. Handb. Ent. IV, 1, 1844, p. 556 (Adoretus). — Rtrtr. Ent. Nachr. XV, 1889, p. 268; Verh. Nat. Ver. Brünn XLI, 1903, p. 31. Kaukasus
- Drurei* Pic, Bull. Soc. Ent. France 1905, p. 199. Mesopotamien
- epistomalis* Chobaut, Bull. Soc. Ent. France 1899, p. 38. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 33. — Pic, Bull. Soc. Ent. France 1905, p. 199. Oase Toungourt
- fuscitarsis* Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 32. — Pic, Bull. Soc. Ent. France 1905, p. 199. Algier
- Gandolpei* Guér. Ann. Soc. Ent. France (3) VII, 1859, Bull. p. CLXXXV. — Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 33. — Pic, Bull. Soc. Ent. France 1905, p. 199. „
- graniceps* Rtrtr. Ent. Nachr. XV, 1889, p. 268; Verh. Nat. Ver. Brünn XLI, 1903, p. 33. Assuan
- nigrifrons* Stev. Mém. Moscou II, 1809, p. 41 (Melolontha). — Gyll. in Schönh. Syn. Ins. I, 3, 1817, p. 199; l. c. Append. p. 115. — Fisch. Ent. Ross. II, 1823, p. 215, t. 31, f. 1. — Lap. Hist. Nat. Col. II, 1840, p. 142. — Burm. Handb. Ent. IV, 1, 1844, p. 470. — Jacq. du Val, Gen. Col. d'Eur. III, 1859, p. 69, t. 18, f. 90. — Rtrtr. Ent. Nachr. XV, 1889, p. 269; Verh. Nat. Ver. Brünn XLI, 1903, p. 32. — Sem. Wien. Ent. Zeit. IX, 1890, p. 7. Kaukasus, Süd-Rußland, Turkmenien
- var. *pallidulus* Motsch. Bull. Acad. St. Petersb. 1860, II, p. 522. — Rtrtr. Ent. Nachr. XV, 1889, p. 269; Verh. Nat. Ver. Brünn XLI, 1903, p. 32. — Sem. Horae Soc. Ent. Ross. XXIV, 1889—90, p. 202 nota. Turkmenien
- persicus* Rtrtr. Ent. Nachr. XV, 1889, p. 268; Verh. Nat. Ver. Brünn XLI, 1903, p. 32. Persien
- pruinusos* Ball. Bull. Moscou XLIII, 1870, p. 345. — Rtrtr. Ent. Nachr. XV, 1889, p. 269; Verh. Nat. Ver. Brünn XLI, 1903, p. 31. Codshent, Buchara
- pullus* Baudi, Berl. Ent. Zeitschr. XIV, 1870, p. 76. Cypern

- quadridentis** Mars. Abeille (2) XVIII, 1878, p. 71. — Rtrtr. Ägypten
Verh. Nat. Ver. Brünn XLI, 1903, p. 30.
rufifrons Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 32. Kaschgar
setifer Rtrtr. Ent. Nachr. XV, 1889, p. 269. China
Sterbae Rtrtr. Wien. Ent. Zeit. XXVIII, 1909, p. 83. Adana

Subgenus **Lepadoretus** Rtrtr.

- Rtrtr. Verh. Nat. Ver. Brünn XLI, 1903, p. 30. — Ohs. Deutsche Ent.
Zeitschr. 1912, p. 635.

Madagassische Subregion.

- Perrieri** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 378. — Suberbieville
Ohs. Deutsche Ent. Zeitschr. 1912, p. 636, f. 34.

Äthiopische Region.

- abyssiuius** Ohs. Ent. Rundschau XXIX, 1912, p. 116. Abessinien
dissidens Péring. Trans. S. Afric. Philos. Soc. XII, 1902, Natal
p. 578, t. 41, f. 18.
diversicolor Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, Deutsch-Ost-
p. 166, f. 8. Afrika
fallaciosus Péring. Trans. S. Afric. Philos. Soc. XII, 1902, Betschuana-
p. 569. Land
guttulatus Kraatz. Deutsche Ent. Zeitschr. 1899, p. 109. Deutsch-Ost-
Afrika
hoplioides Boh. Ins. Caffr. II, 1857, p. 148 (*Erieslhis*). — Natal, Süd-
Péring. Trans. S. Afric. Philos. Soc. XII, 1902, Rhodesien,
p. 571 u. 896. Mashona-
albolepidus Arr. Ann. Mag. Nat. Hist. (7) Land
IX, 1902, p. 92.
illitus Péring. Trans. S. Afric. Philos. Soc. XII, 1902, Natal
p. 570.
lepus Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 232. Mashona-
uniformis Arr. l. c. (7) IX, 1902, p. 91. Land
luteipes Lap. Hist. Nat. Col. II, 1840, p. 142. — Blanch. Senegal
Cat. Coll. Ent. Col. 1850, p. 233.
ovatus Arr. Ann. Mag. Nat. Hist. (7) IX, 1902, p. 92. Mashona,
zambesianus Péring. Trans. S. Afric. Philos. Süd-Rho-
Soc. XII, 1902, p. 576 u. 895, t. 41, f. 14. desien
picticollis Fähr. Ins. Caffr. II, 1857, p. 74. — Péring. Natal, Trans-
Trans. S. Afric. Philos. Soc. XII, 1902, p. 581, vaal
t. 41, f. 22.
pulverulentus Lap. Hist. Nat. Col. II, 1840, p. 142. Senegal
scutellaris Blanch. Cat. Coll. Ent. Col. 1850, p. 233. Gabun
simulans Péring. Trans. S. Afric. Philos. Soc. XII, 1902, Süd-Rho-
p. 581, t. 43, f. 32. desien
sudanicus Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 221, Nigeria
f. 16.
variegatus Boh. Ins. Caffr. II, 1857, p. 147. Kapland,
decoratus Arr. Ann. Mag. Nat. Hist. (7) IV, Pretoria,
1899, p. 121; l. c. (7) IX, 1902, p. 92. 'Süd-Rho-
melanoleucus Péring. Trans. Ent. Soc. Lon- desien
don 1896, p. 161; Trans. S. Afric. Philos. Soc. XII, 1902, p. 574, t. 41, f. 11.
Vethi Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 165. Belg. Kongo

Orientalische Region.

- bicaudatus* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 587. Ceylon
- bombinator* Burm. Handb. Ent. IV, 2, 1855, p. 532. Assam,
Birma
Bengalen
- boops* Wied. in Germar, Mag. Ent. IV, 1821, p. 135
(*Melolontha*). — Burm. Handb. Ent. IV, 1,
1844, p. 474.
- chaseoproetus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 509.
- compressus* Web. Observ. Ent. 1801, p. 72 (*Melolontha*).
— Ill. Mag. Ins. II, 1802, p. 248. — Schönh.
Syn. Ins. I, 3, 1817, p. 211. — Wied. Zool. Mag.
II, 1, 1823, p. 95 (*Anoplognatha*). — Burm.
Handb. Ent. IV, 2, 1855, p. 532. — Ohs.
Deutsche Ent. Zeitschr. 1912, p. 150; Philippin.
Journ. Science VII, 1912, nr. 4, p. 269; Ent.
Blätter VIII, 1912, p. 218; Not. Leyden Mus.
XXXVI, 1914, p. 82.
- umbrosus* Burm. (nec F.) Handb. Ent. IV,
1, 1844, p. 475. — Rtrtr. Ent. Nachr. XV, 1889,
p. 267; Verh. Nat. Ver. Brünn XXI, 1903, p. 30.
- ? *squamosus* Gaut. Petit. Nouv. Ent. II, 1870,
nr. 26, p. 104; Mitt. Schweiz. Ent. Ges. III,
1872, p. 523.
- Biologie: Ohs. Ent. Blätter VIII, 1912, p. 218
(Kulturschädling).
- coronatus* Burm. Handb. Ent. IV, 2, 1855, p. 533. Malakka
- ermineus* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 588. Ceylon
- fuscoseriatus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 508. Rangun,
Perak
- griseosetosus* Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891,
p. 364. Siam
- latifrons* Blanch. Cat. Coll. Ent. Col. 1850, p. 232. Nord-Indien
- maniculus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 511, f. 43. Ost-Indien
- mavis* Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 363. Ceylon
- Moultoni* Ohs. Deutsche Ent. Zeitschr. 1914, p. 511. Borneo
- Nietneri* Ohs. l. c. p. 507. Ceylon
- pisceator* Ohs. l. c. p. 508. Sumatra
- ranunculus* Burm. Handb. Ent. IV, 1, 1844, p. 474. Philippinen
- siniacus* Burm. Handb. Ent. IV, 2, 1855, p. 532. — Ohs.
Entom. Blätter VIII, 1912, p. 227, f. 4. 1; China, For-
Archiv f. Naturg. 1916, A. 4, p. 1. mosa, Hin-
ter-Indien,
Java bis
Timor,
Hawaii
- Biologie: Ohs. l. c. (Kulturschädling). —
Schwarz, Mitt. Kais. Biol. Anst. f. Land- u.
Forstwiss. Berlin 1912, p. 110 (nec *umbrosus* F.).
— Terry, Proc. Hawaii. Ent. Soc. II, 3, 1910,
p. 50; l. c. II, 5, 1913, p. 194 (nec *umbrosus* F.).
- vitticauda* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 595. Tenasserim
- Wallacei* Ohs. Deutsche Ent. Zeitschr. 1914, p. 510. Singapur

Paläarktische Region.

- tenuimaculatus* Waterh. Trans. Ent. Soc. London 1875,
p. 112. — Här. Verh. Ver. Bremen V, 1876,
p. 127; Deutsche Ent. Zeitschr. XXI, 1877,
p. 356. — Heyd. l. c. XXIII, 1879, p. 346. —
Schönf. Jahrb. Nassau. Ver. Naturk. XL, 1887,
p. 109. — Rtrtr. Ent. Nachr. XV, 1889, p. 267; Japan,
China, Ha-
wail

Verh. Nat. Ver. Brünn XLI, 1903, p. 30. — Lewis, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 403. — Sharp, Fauna Hawai. Col. III, 1908, p. 402. — Ohs. Ent. Blätter VIII, 1912, p. 223, f. 2. — Arr. Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396.

Biologie: Riley & Howard, Insect Life VI, 1893—94 (1893), p. 43 (*umbrosus*). — Van Dine, Hawai. Agric. Exper. Stat. Bull. nr. 10, 1905, p. — Fullaway, l. c. Bull. nr. 18, 1909, p. 11. — Ohs. Ent. Blätter VIII, 1912, p. 224. — Terry, Proc. Hawai. Ent. Soc. II, 4, 1912, p. 178; l. c. II, 5, 1913, p. 194.

Subgenus *Chaetadoretus* Ohs.

Ohs. Deutsche Ent. Zeitschr. 1914, p. 471 u. 492.

Madagassische Subregion.

- | | |
|---|-------------------|
| <i>aenescens</i> Blanch. Cat. Coll. Ent. Col. 1850, p. 230. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 632. | Antanana-
rivo |
| <i>ampliatus</i> Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 226. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 625. | Diego Suarez |
| <i>rugosohirtus</i> Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 227. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 633, f. 31. | „ |
| <i>Sikorae</i> Nonfr. Ent. Nachr. XVIII, 1892, p. 110 (<i>Sykorae</i>). — Ohs. Deutsche Ent. Zeitschr. 1912, p. 633. | Antanana-
rivo |
| <i>vagepunctatus</i> Blanch. Cat. Coll. Ent. Col. 1850, p. 230. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 631. | Madagascar |
| <i>xanthomerus</i> Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 232. | „ |
| <i>setifer</i> Brenske, Soc. Ent. VIII, 1893, p. 9. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 629. | |

Äthiopische Region.

- | | |
|---|-------------------------|
| <i>adustus</i> Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 220, f. 15. | Franz. Kongo |
| <i>amitinus</i> Kolbe, Wiss. Erg. Schwed. Zool. Exped. Kili-
mandjaro, Col. 1910, p. 353. | Deutsch-Ost-
Afrika |
| <i>beiranus</i> Péring. Trans. S. Afric. Philos. Soc. XIII, 1908, p. 656, t. 48, f. 37—39. | Beira |
| <i>capicola</i> Burm. Handb. Ent. IV, 1, 1844, p. 472. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 568. | Kapland,
Natal |
| <i>testaceus</i> Fähr. Ins. Caffr. II, 1857, p. 70. | „ |
| <i>xanthochrous</i> Har. Cat. Col. IV, 1869, p. 1235. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 121. | |
| <i>cephalotes</i> Gerst. Arch. Naturg. XXXIII, 1866, p. 47; Decken's Reise Ost-Afrika III, 2, 1873, p. 108. | Ost-Afrika:
Jipe-See |
| <i>consularis</i> Kolbe, Mitteil. Mus. Hamburg XIV, 1897, p. 87, t. 2. | Quilimane |
| <i>cupreus</i> Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 121. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 583. | Natal |

- curtulus** Péring. Trans. S. Afric. Philos. Soc. XII. 1902, p. 582, t. 41, f. 25.
- incongruens** Péring. l. c. p. 569.
- jipensis** Gerst. Arch. Naturg. XXXIII, 1866, p. 48; Decken's Reise Ost-Afrika III, 2, 1873, p. 109.
- Kahlei** Nonfr. Ent. Nachr. XVIII, 1892, p. 110.
- laticeps** Fähr. Ins. Caffr. II, 1857, p. 69. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 575, t. 41, f. 12.
- Pagenstecheri** Gerst. Jahrb. Hamburg. Anst. I. 1884, p. 48.
- plumbicollis** Arr. Ann. Mag. Nat. Hist. (4) IX, 1902, p. 93.
salisburyensis Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 571 u. 895.
- punctipennis** Fähr. Ins. Caffr. II, 1857, p. 67. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 120; l. c. (7) VII, 1901, p. 394. — Péring. Trans. S. Afric. Philos. Soc. XII, 1902, p. 570.
- Rothkirehii** Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 164, f. 7.
- saetipennis** Ohs. Erg. II. Deutsch. Zentr.-Afrika-Exped. Zool. I, 1914, p. 72, fig.
- senatorius** Har. Monatsber. Akad. Berlin 1880, p. 263.
- umbrosus** F. Ent. Syst. I, 2, 1792, p. 169 (*Melolontha*); Syst. Eleuth. II, 1801, p. 173. — Schönh. Syn. Ins. I, 3, 1817, p. 182.
- cinerarius* Burm. Handb. Ent. IV, 1, 1844, p. 476; l. c. IV, 2, 1855, p. 532.
- hirtellus* Lap. Hist. Nat. Col. II, 1840, p. 142. — Blanch. Cat. Coll. Ent. Col. 1850, p. 231. — Arr. Ann. Mag. Nat. Hist. (7) IV, 1899, p. 120; Proc. Zool. Soc. London XIX, 2, 1909, p. 190.
- vestitus** Reiche in Ferret et Galinier, Voy. Abyssin. Entom. 1851, p. 349, t. 21, f. 3. — Blanch. Cat. Coll. Ent. Col. 1850, p. 232.

- Süd-Afrika
- Süd-Rhodesien
- Jipe-See
- Sambesi Kapland. Limpopo
- Massai
- Mashona, Süd-Rhodesien
- Natal bis Rhodesien
- Kamerun
- Kamerun bis Uganda
- Mombassa
- West-Afrika v. Cap Palmas bis Victoria Nyansa
- Abessinien

Orientalische Region.

- aloeopygus** Ohs. Deutsche Ent. Zeitschr. 1914, p. 500, f. 34.
- areatus** Ohs. l. c. p. 506, f. 41.
- birmanus** Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 596.
var. *flavescens* Arr. l. c. p. 597.
- borneensis** Kraatz. Wien. Ent. Zeit. XIV, 1895, p. 251.
- Cardoni** Brenske, Ann. Soc. Ent. Belg. XXXVII. 1893, p. 141.
- cirroseriatus** Ohs. Deutsche Ent. Zeitschr. 1914, p. 499, f. 33.
- costopilosus** Ohs. l. c. p. 506, f. 42.
- cribratus** White, Ann. Mag. Nat. Hist. XIV, 1844, p. 424. — Burm. Handb. Ent. IV, 2, 1855, p. 531. — Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 53.
parallelus Kraatz, Wien. Ent. Zeit. XIV, 1895, p. 252.
- formosanus** Ohs. Deutsche Ent. Zeitschr. 1914, p. 593, f. 38; Archiv f. Naturg. 1916, A. 4, p. 1.
- fureifer** Ohs. l. c. p. 502, f. 36.
- gymnotopus** Ohs. l. c. p. 498, f. 32.

- Hinter-Indien
- Bengalen
- Birma
- Minhla
- Kina Balu
- Bengalen
- Kambodja
- Kalkutta
- Hongkong b. Singapur, Siam
- Formosa
- Assam
- Bengalen

- hirsutus* Ohs. l. c. p. 503, f. 37; Archiv f. Naturg. 1916, A. 4, p. 1. Süd-China, Formosa, Java
- infans* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 590. Ceylon
- inornatus* Heyd. Horae Soc. Ent. Ross. XXIII, 1889, p. 669. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 33. Süd-China
- lasiopygus* Burm. Handb. Ent. IV, 2, 1855, p. 530. Kalkutta
- lasius* Ohs. Deutsche Ent. Zeitschr. 1914, p. 501, f. 35. Sikkim
- latirostris* Ohs. l. c. p. 496, f. 30. Bombay
- lemniscus* Arr. Ann. Mag. Nat. Hist. (8) XVI, 1915, p. 232. Birma
- parallelus* Arr. l. c. (8) XIII, 1914, p. 598.
- mus* Arr. l. c. p. 591. Ceylon
- nephriticus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 495, f. 29. Madras
- palawanus* Ohs. l. c. p. 494, f. 28. Palawan
- polyacanthus* Ohs. l. c. p. 504, f. 39. Ost-Indien
- rugosus* Arr. Ann. Mag. Nat. Hist. (8) XIII, 1914, p. 589. Ceylon
- sciurinus* Burm. Handb. Ent. IV, 2, 1855, p. 532. Java
- murinus* Burm. Handb. Ent. IV, 1, 1844, p. 476.
- tessellatus* Motsch. Bull. Acad. St. Petersb. 1861, II, p. 421.
- Semper* Ohs. Philipp. Journ. Science VII, 1912, nr. 4, p. 268. Luzon
- silonicus* Ohs. Deutsche Ent. Zeitschr. 1914, p. 493, f. 27. Ceylon
- singhalensis* Ohs. Stett. Ent. Zeit. LXI, 1900, p. 362. „
- testaceus* Hope in Gray, Zool. Misc. 1831, p. 23. Nepal
- assimilis* Hope, l. c. p. 23.
- trichostigma* Ohs. Deutsche Ent. Zeitschr. 1914, p. 505, f. 40. Borneo
- ungulatus* Ohs. l. c. p. 497, f. 31. Siam
- villicollis* Ohs. l. c. p. 497. Kambodja

Australische Region.

- timoriensis* Ohs. Deutsche Ent. Zeitschr. 1914, p. 492, f. 26. Timor

Paläarktische Region.

- puberulus* Motsch. Etud. Ent. II, 1853, p. 46. Peking
253

Prionadoretus Ohs.

- Ohs. Deutsche Ent. Zeitschr. 1914, p. 512.
- cochinchinensis* Ohs. Deutsche Ent. Zeitschr. 1914, p. 513, f. 49. Cochinchina
- serridens* Ohs. l. c. p. 513, f. 48. Ost-Indien
- tonkinensis* Ohs. l. c. p. 514, f. 50. Tonkin, Malakka

3

Rhynchadoretus Ohs.

- Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 223.
- Leyl* Ohs. l. c. p. 222, f. 17. Niger
1

Psiladoretus Ohs.

Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 224.

calvus Ohs. l. c. p. 224, f. 18.

Deutsch-Ost-Afrika

Obsti Ohs. Archiv f. Naturg. 1916. A. 3. p. 4. f. 3.
2

Irangi

4. Subtribus **Pseudadoretina**.

Pseudadoretus Sem.

Sem. Horae Soc. Ent. Ross. XXIV, 1889, p. 202; Wien. Ent. Zeit. IX, 1890, p. 2; Rev. Russe d'Ent. XII, 1912, p. 500. — Rtrr. Ent. Nachr. XV, 1889, p. 270; Verh. Nat. Ver. Brünn XLI, 1903, p. 33.

dilutellus Sem. Horae Soc. Ent. Ross. XXIV, 1889, p. 203; Wien. Ent. Zeit. IX, 1890, p. 6. — Rtrr. Ent. Nachr. XV, 1889, p. 270; Verh. Nat. Ver. Brünn XLI, 1903, p. 37.

Turkmenien,
Buchara

frontatus Burm. Handb. Ent. IV, 2. 1855, p. 530. — Ohs. Deutsche Ent. Zeitschr. 1914, p. 514.

Assam

phthisicus Dohrn, Stett. Ent. Zeit. XLIII, 1882, p. 108. — Sem. Horae Soc. Ent. Ross. XXIV, 1889, p. 202; Wien. Ent. Zeit. IX, 1890, p. 5. — Rtrr. Ent. Nachr. XV, 1889, p. 269; Verh. Nat. Ver. Brünn XLI, 1903, p. 36.

Ferghana,
Buchara,
Transkaspien

dilutellus Rtrr. (nec Sem.) Ent. Nachr. XV, 1889, p. 269.

perdilutus Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 37.

Samarkand

Subgenus **Stichadoretus** Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 34.

arabicus Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 34.

Arabien

Subgenus **Peradoretus** Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 35.

Koechlini Mars. Abeille IV, 1867, p. 80. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 35.

Algier

evanesceus Mars. Abeille XVII, 1879, p. 72.

Subgenus **Pristadoretus** Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 36. — Sem. Revue Russe d'Ent. XII, 1912, p. 500.

fallax Sem. Wien. Ent. Zeit. IX, 1890, p. 4; Revue Russe d'Ent. XII, 1912, p. 500. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 36.

Transkaspien

Eremadoretus Sem.

Sem. Revue Russe d'Ent. XII, 1912, p. 500.

- validus** Sem. Horae Soc. Ent. Ross. XXIV, 1889, p. 203; Wien. Ent. Zeit. IX, 1890, p. 6; Revue Russe d'Ent. XII, 1912, p. 500. — Rtt. Ent. Nachr. XV, 1889, p. 270; Verh. Nat. Ver. Brünn XLI, 1903, p. 37. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 147. Transkaspien

1

5. Subtribus **Pachyrhinadoretina**.**Pachyrhinadoretus** Ohs.

Ohs. Deutsche Ent. Zeitschr. 1912, p. 509.

- costatus** Ohs. Deutsche Ent. Zeitschr. 1912, p. 511, f. 20c. Brit. Indien
deecanus Ohs. l. c. p. 512, f. 20f. Bangalore
subspec. *monticola* Ohs. l. c. p. 512, f. 20af. Assam, Sikim
rugipennis Ohs. l. c. p. 511, f. 20b. Barway

3

6. Subtribus **Scaphorhinadoretina**.**Scaphorhinadoretus** Ohs.

Ohs. Deutsche Ent. Zeitschr. 1912, p. 426.

- bimaculatus** Ohs. Deutsche Ent. Zeitschr. 1912, p. 509, f. 19. Madras

1

7. Subtribus **Trigonostomina**.**Cestradoretus** Ohs.

Ohs. Deutsche Ent. Zeitschr. 1912, p. 416.

- aeomys** Ohs. Deutsche Ent. Zeitschr. 1912, p. 641, f. 37. Deutsch-Ostafrika
tarsatus Klug, Monatsber. Akad. Berlin 1855, p. 659 (Adoretus); Peters' Reise Mossamb. Zool. 1863, p. 260. — Ohs. Archiv f. Naturg. 1916, A. 3, p. 6. Mozambique
temirostris Ohs. Deutsche Ent. Zeitschr. 1912, p. 417, f. 16. Madagascar

3

Rhamphadoretus Ohs.

Ohs. Deutsche Ent. Zeitschr. 1912, p. 418.

- daressalaminus** Ohs. Archiv f. Naturg. 1916, A. 3, p. 3, f. 2. Dar es Salam
Ehrenbergi Ohs. Deutsche Ent. Zeitschr. 1912, p. 425. Arabien
Erlangeri Ohs. l. c. p. 421, f. 17b. Galla-Land

- gallanus* Brenske, Ann. Mus. Genova (2) XV, 1895 p. 224. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 423, f. 17c. Galla-Land, Brit. und Deutsch-Ostafrika
- mustus* Kolbe, Wiss. Ergebn. Kgl. Schwed. Zool. Exped. Kilimandjaro, Col. 1910, p. 353.
- minutulus* Brenske, Ann. Mus. Genova (2) XV, 1895, p. 225. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 422, f. 17. Galla-Land, Somali
- simplex* Ohs. Deutsche Ent. Zeitschr. 1912, p. 420, f. 17a. Harrar
- sorex* Ohs. l. c. p. 424, f. 18. Ceylon

7

Trigonocheilus Brs.

- Brenske, Ent. Nachr. XXII, 1896, p. 33. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 416.
- coriaceus* Brenske, Ent. Nachr. XXII, 1896, p. 34, f. 1—2. — Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 394, f. a. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 416, f. 15. Ost-Afrika: Luitpold-Geb.
- Oedipus* Fairm. Naturaliste XXV, 1903, p. 9 (*Adoretus*). — Ohs. Deutsche Ent. Zeitschr. 1912, p. 416. Madagascar
- polltus* Arr. Ann. Mag. Nat. Hist. (7) VII, 1901, p. 394, f. b. Angola

3

Strumadoretus Ohs.

Ohs. Deutsche Ent. Zeitschr. 1912, p. 413.

- Smithi* Ohs. Deutsche Ent. Zeitschr. 1912, p. 414, f. 13. Somali
- suspectus* Ohs. l. c. p. 415, f. 14. „

2

Trigonostomum Burm.

- Burm. Handb. Ent. IV, 1, 1844, p. 466. — Lacord. Gen. Col. III, 1856 p. 379. — Brenske, Soc. Ent. VIII, 1893, p. 1. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 281.
- djampeanum* Ohs. Deutsche Ent. Zeitschr. 1912, p. 411, f. 12. Ins. Djampea
- melolonthoides* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 454 (*Adoretus*); l. c. XLIII, 1899, p. 524. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 412. Madagascar
- mucoreum* Burm. Handb. Ent. IV, 1, 1844, p. 467. — Lacord. Gen. Col. III, 1856, p. 379. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 282, f. 10. „
- palidopictus* Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 379 (*Adoretus*); l. c. XLII, 1898, p. 475.
- scutatum* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 453 (*Adoretus*). — Ohs. Deutsche Ent. Zeitschr. 1912, p. 411, f. 10a. „
- ursus* Arr. Ann. Mag. Nat. Hist. (8) VIII, 1911, p. 365 (*Adoretus*). — Ohs. Deutsche Ent. Zeitschr. 1912, p. 411, f. 11. Ceylon
- ?hispidulum* J. Thomson, Arch. Ent. II, 1858, p. 64. Gabun
- ?sericans* J. Thomson, l. c. p. 64.

7

Heterophthalmus Blanch.

Blanch. Cat. Coll. Ent. Col. 1850, p. 234. — Lacord. Gen. Col. III, 1856, p. 381. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 280.

ocularis Blanch. Cat. Coll. Ent. Col. 1850, p. 234. — Ohs. Pondichery Deutsche Ent. Zeitschr. 1912, p. 280.

1

Epadoretus Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 35. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 280. — Sem. Revue Russe d'Ent. XII, 1912, p. 500.

Reitteri Sem. Wien. Ent. Zeit. IX, 1890, p. 3; Revue Russe d'Ent. XII, 1912, p. 501. — Rtrr. Verh. Nat. Ver. Brünn XLI, 1903, p. 36. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 280.

Transkaspien

1

8. Subtribus **Prodoretina**.**Prodoretus** Brenske.

Brenske, Soc. Ent. VIII, 1893, p. 1. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 269.

- bivittatus* Snell. Réch. Faune Madag. III, 1, 1869, p. 8, t. 1, f. 4 (*Rhinoptia*).
vittatus Brenske, Soc. Ent. VIII, 1893, p. 10. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 270, f. 7.
bombayanus Ohs. Deutsche Ent. Zeitschr. 1912, p. 273, f. 8.
elipealis Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 214, f. 9.
Ertli Ohs. Ann. Soc. Ent. Belg. LVIII, 1914, p. 163, f. 6.
guineensis Ohs. Deutsche Ent. Zeitschr. 1912, p. 276, f. 8.
labialis Ohs. Ann. Soc. Ent. Belg. LVII, 1913, p. 213, f. 8.
malabariensis Ohs. Deutsche Ent. Zeitschr. 1912, p. 274, f. 8a, f.
ophthalmicus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 455. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 271.
Pentheri Ohs. Archiv f. Naturg. 1916, A. 3, p. 2, f. 1.
rhodesianus Ohs. Deutsche Ent. Zeitschr. 1912, p. 272.
taediosus Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 106. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 271.
unguicularis Ohs. Deutsche Ent. Zeitschr. 1912, p. 277, f. 8c, f.
Winkleri Ohs. l. c. p. 272, f. 7a.
- Nossi-Bé, Madagascar: Loucoubé
Bombay
Franz. Kongo
Brit. Sudan
Accra
Deutsch-Ostafrika
Malabar
Madagascar
Süd-Afrika
Rhodesia
Madagascar
Guinea
Deutsch-Ostafrika

Subgenus **Orrodoretus** Ohs.

Ohs. Deutsche Ent. Zeitschr. 1912, p. 277.

Magdalisae Ohs. Deutsche Ent. Zeitschr. 1912, p. 279, f. 9 f.

Transvaal

torolabris Ohs. l. c. p. 278, f. 9.

Togo

15

Phaeadoretus Rtrr.

Rtrr. Verh. Nat. Ver. Brünn XXI, 1903, p. 31. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 268.

- comptus* Mén. Mem. Acad. St. Petersb. VI, 1849, p. 62, t. 2, f. 13 (*Adoretus*). — Blanch. Cat. Coll. Ent. Col. 1850, p. 232. — Burm. Handb. Ent. IV, 2, 1855, p. 530. — Rtrr. Ent. Nachr. XV, 1889, p. 267; Verh. Nat. Ver. Brünn XXI, 1903, p. 31. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 269. Transkaspien, Turkestan, Syrien
- syriacus* Blanch. Cat. Coll. Ent. Col. 1850, p. 232 (*Adoretus*). — Pic, Bull. Soc. Ent. France 1905, p. 199.

1

Pseudomesystoechus Ohs.

Ohs. Deutsche Ent. Zeitschr. 1912, p. 155.

- deserticola* Ohs. Deutsche Ent. Zeitschr. 1912, p. 156 u. Somali
267, f. 6, f.
- monticola* Ohs. l. c. p. 268, f. 6. Kilimandjaro

2

Cyrtolophus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 17. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 152.

- grandicornis* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 17. — Ohs. Deutsche Ent. Zeitschr. 1912, p. 153, f. 4. Madagascar
- limbicollis* Ohs. Deutsche Ent. Zeitschr. 1912, p. 154, f. 5. "
- viduus* Ohs. l. c. p. 153. "

3

4. Tribus **Geniatini**.

Bolax Fisch.

Fisch. Bull. Moscou I, 1829, p. 45. — Westw. in Guérin, Mag. Zool. III, 1833, Cl. IX. — Lap. Hist. Nat. Col. II, 1840, p. 140. — Burm. Handb. Ent. IV, 1, 1844, p. 485. — Blanch. Hist. Ins. I, 1845, p. 217. — Lacord. Gen. Col. III, 1856, p. 382.

- Loxopyga* Westw. in Guérin, Mag. Zool. III, 1833, Cl. IX.
- albopilosus* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 4. Ucayali
- andicola* Burm. Handb. Ent. IV, 1, 1844, p. 490. — Ohs. Peru: Cuzco
Stett. Ent. Zeit. LXXVIII, 1917, p. 5.
- anticola* Er. Arch. Naturg. XIII, 1847, p. 100.
- angulatus* Blanch. Cat. Coll. Ent. Col. 1850, p. 235. Brasilien
- boliviensis* Ohs. Stett. Ent. Zeit. LIX, 1898, p. 63. Bolivien:
Songo
- castaneicollis* Burm. Handb. Ent. IV, 1, 1844, p. 489. Bogota
- Catharinae* Blanch. Cat. Coll. Ent. Col. 1850, p. 236. Sta. Catharina

- disgamius* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 5. Chancha-mayo
Nicaragua
- flaveolus* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 295, t. 17, f. 7.
- flavolineatus* Mannh. N. Mém. Moscou I, 1829, p. 60, t. 2, f. 6. — Lap. Hist. Nat. Col. II, 1840, p. 139 (*Leucothyreus*). — Burm. Handb. Ent. IV, 1, 1844, p. 487 (*Bolax*); l. c. IV, 2, 1855, p. 534. — Lucas, Voy. Castelnau, Entom. 1857, p. 131. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 258.
- bicolor* Westw. in Guérin, Mag. Zool. III, 1833, Cl. IX, t. 72, f. 1—13 (*Loropyga*).
- foveolatus* Blanch. Cat. Coll. Ent. Col. 1850, p. 236.
- Gaudichaudi* Blanch. l. c. p. 236.
- glabripennis* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 7.
- goyanus* Ohs. l. c. p. 8.
- hirtulus* Burm. Handb. Ent. IV, 1, 1844, p. 491.
- incogitatus* C. Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 427.
- magnus* H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 295, t. 17, f. 6.
- matogrossensis* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 3.
- mutabilis* Burm. Handb. Ent. IV, 1, 1844, p. 489; l. c. IV, 2, 1855, p. 534. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 258.
- nitens* Blanch. Cat. Coll. Ent. Col. 1850, p. 236.
- nigriceps* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 6. Chancha-mayo
Ost-Ecuador
- Oberthüri* Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 235; Deutsche Ent. Zeitschr. 1908, p. 405.
- palliatu*s Burm. Handb. Ent. IV, 1, 1844, p. 491. — Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 3.
- var. *fuscipennis* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 4.
- var. *infuscatus* Ohs. l. c. p. 4.
- phaleratus* Burm. Handb. Ent. IV, 1, 1844, p. 488. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 256.
- pilosipennis* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 5. Merida
- pullus* Latr. Voy. Humboldt, Obs. Zool. Ins. II, 1833, p. 13, t. 31, f. 3 (*Melolontha*). — Burm. Handb. Ent. IV, 1, 1844, p. 491 u. 557. Maracaibo
- rutilus* Er. Arch. f. Naturg. XIII, 1847, p. 100. Baranquilla
Rio de Janeiro
Ost-Peru, Bolivien
Ecuador: Quito
- saucius* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 9. Chancha-mayo
Minas geraes
Rio de Janeiro
- salticola* Ohs. Deutsche Ent. Zeitschr. 1908, p. 262.
- Zoubkoffi* Ohs. (nec Fisch.) l. c. p. 256. Cayenne
- squamuliferus* Blanch. Cat. Coll. Ent. Col. 1850, p. 236. Bahia, Espirito Sto.
- sulceicollis* Germ. Ins. spec. nov. I, 1824, p. 124 (*Melolontha*). — Burm. Handb. Ent. IV, 1, 1844, p. 489 (*Bolax*).
- tacoaraphaga* Ohs. Deutsche Ent. Zeitschr. 1908, p. 257; Stett. Ent. Zeit. LXXVIII, 1917, p. 7. Küstenwald
von Rio de Janeiro,
Minas geraes, Espirito Sto.

- tibialis* Blanch. Cat. Coll. Ent. Col. 1850, p. 235. — Lucas, Voy. Castelnau, Ent. 1857, p. 131, t. 8, f. 7. Rio de Janeiro, S. Paulo
- variolosus* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 4. Panama
- vittipennis* Lap. Hist. Nat. Col. II, 1840, p. 139 (*Aulacodus*). — Blanch. Cat. Coll. Ent. Col. 1850, p. 236 (*Bolax*). Cayenne, Amazonas
- leucogaster* Burm. Handb. Ent. IV, 1. 1844, p. 492; l. c. IV, 2, 1855, p. 534.
- Zoubkoffi Fisch. Bull. Moscou I, 1829, p. 47, t. 1, f. 1—3. S. Paulo
- Westw. in Guérin, Mag. Zool. III. 1833. Cl. IX, t. 71. — Lap. Hist. Nat. Col. II, 1840, p. 140, t. 14, f. 6. — Burm. Handb. Ent. IV, 1, 1844, p. 487. — Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 8.
- ♂ *Westwoodi* Lap. Hist. Nat. Col. II, 1840, p. 140.

34

Leucothyreus S. M'Leay.

S. M'Leay, Horae Ent. I, 1819, Append. p. 145. — Latr. in Cuvier, Règne anim. IV, 1829, p. 557. — Westw. in Guérin, Mag. Zool. III, 1833, Cl. IX. — Lap. Hist. Nat. Col. II, 1840, p. 138. — Burm. Handb. Ent. IV, 1, 1844, p. 493. — Blanch. Hist. Ins. I, 1845, p. 217; Cat. Coll. Ent. Col. 1850, p. 237. — Lacord. Gen. Col. III, 1856, p. 384.

Aulacodus Eschz. Entomogr. I, 1822, p. 22.
Bolaxoides Lap. Hist. Nat. Col. II, 1840, p. 140.

- acanthurus* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 20. Espirito Santo
- acuminatus* Ohs. l. c. p. 24. S. Paulo
- aeneiceps* Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 370. Bogota
- albopilosus* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 10. S. Paulo
- anachoreta* Er. in Schomburgk. Guayana 1843, p. 563. Guayana
- Baeri* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 25. Tumbes
- calcaratus* Ohs. l. c. p. 24. Rio Grande do Sul
- campestris* Burm. Handb. Ent. IV, 2, 1855, p. 534. — Minas geraes
- Ohs. Deutsche Ent. Zeitschr. 1908, p. 259.
- cavifrons* Burm. Handb. Ent. IV, 1. 1844, p. 503. Brasilien
- chalcus* Blanch. Cat. Coll. Ent. Col. 1850, p. 238. Minas geraes, S. Paulo
- chiriguanus* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 18. Bolivien
- costatus* Burm. Handb. Ent. IV, 1, 1844, p. 498. Brasilien
- cribratipennis* Blanch. Cat. Coll. Ent. Col. 1850, p. 238. Mato Grosso
- cuyabanus* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 27. Cuyaba
- cyanescens* Blanch. Cat. Coll. Ent. Col. 1850, p. 238. Bolivien
- Davisi* Ohs. Deutsche Ent. Zeitschr. 1908, p. 407. W. Ecuador
- decolor* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 14. Columbien
- dispar* Burm. Handb. Ent. IV, 1, 1844, p. 498. Venezuela
- dorsalis* Blanch. Cat. Coll. Ent. Col. 1850, p. 239. Argentinien
- elongatus* Blanch. l. c. p. 239. Bolivien
- Eschscholtzi* Lap. Hist. Nat. Col. II. 1840, p. 140 (*Bolaxoides*). — Burm. Handb. Ent. IV, 1, 1844, p. 558. Brasilien
- femoralis* Blanch. Cat. Coll. Ent. Col. 1850, p. 237. — Paraguay
- Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 11. Goyaz
- subsp. *goyanus* Ohs. l. c. p. 11.

- femoratus* Burm. Handb. Ent. IV, 1, 1844, p. 497. — H. Bts. Biol. Centr.-Amer. Col. II, 2, 1888, p. 295, t. 17, f. 9. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 406. Venezuela bis Mexico
- Fischeri* Lap. Hist. Nat. Col. II, 1840, p. 140 (*Bolaxoïdes*). — Burm. Handb. Ent. IV, 1, 1844, p. 558. Brasilien
- flavipes* Eschz. Entomogr. I, 1822, p. 22, t. 1, f. 2 (*Aulacodus*). — Westw. in Guérin, Mag. Zool. III, 1833, Cl. IX. — Lap. Hist. Nat. Col. II, 1840, p. 139. — Burm. Handb. Ent. IV, 1, 1844, p. 499. Brasilien:
Küstengebirge von Espirito Santo bis RioGrande d. S., Uruguay, Paraguay
- nitidicollis* Guér. Icon. règne anim. 1829 —44, t. 24, f. 1. RiodeJaneiro Bolivien S. Paulo Guadelupe Argentinien „
- fluminensis* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 12. Venezuela, Columbien
- fuscescens* Blanch. Cat. Coll. Ent. Col. 1850, p. 239.
- fuscicollis* Blanch. Cat. Coll. Ent. Col. 1850, p. 237.
- guadulpiensis* Burm. Handb. Ent. IV, 1, 1844, p. 501.
- hirtus* Ohs. Deutsche Ent. Zeitschr. 1910, p. 178.
- homonychius* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 12.
- humilis* Blanch. Cat. Coll. Ent. Col. 1850, p. 239.
- igneus* Ol. Ent. I, 1789, nr. 5, p. 81, t. 10, f. 113 (*Melolontha*); ed. III. II, 1802, p. 106; ed. Sturm II, 1803, p. 50, t. 69, f. 5. — Schönh. Syn. Ins. I, 3, 1817, p. 211. — Burm. Handb. Ent. IV, 1, 1844, p. 496. — Blanch. Cat. Coll. Ent. Col. 1850, p. 237 (*Leucothyreus*).
- umbrinus* Burm. Handb. Ent. IV, 1, 1844, p. 496; l. c. IV, 2, 1855, p. 584.
- insularis* Boh. Kgl. Svenska Freg. Eugen. Resa, Zool. Ins. 1858, p. 56. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 406; Stett. Ent. Zeit. LXXVIII, 1917, p. 25. Ecuador:
Ins. Puna
- iridescens* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 16. Rio de Janeiro
- iridipennis* Ohs. l. c. p. 16. Espirito Santo Ost-Ecuador
- jivarus* Ohs. l. c. p. 17 Brasilien:
Küstengebirge
- Kirbyanus* S. M'Leay, Horae Ent. I, 1819, Append. p. 146, t. 3, f. 31. — Westw. in Guér. Mag. Zool. III, 1833, Cl. IX, t. 70. — Lap. Hist. Nat. Col. II, 1840, p. 139. — Burm. Handb. Ent. IV, 1, 1844, p. 501; l. c. IV, 2, 1855, p. 535. — Blanch. Cat. Coll. Ent. Col. 1850, p. 239. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 259.
- aeruginosus* C. Sahlbg. Peric. Entomogr. IV, 1823, f. 4; Thon's Arch. II, 1827, p. 14, t. 2, f. 4.
- luticeps* Mannherh. Mém. Moscou VII, 1829, p. 61. — Burm. Handb. Ent. IV, 1, 1844, p. 559. Minas geraës
- laticollis* Burm. Handb. Ent. IV, 1, 1844, p. 504. Columbien
- lineicollis* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 11. Brasilien
- lividus* Burm. Handb. Ent. IV, 1, 1844, p. 496. — Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 27. Venezuela, Guayana
- capitatus* Blanch. Cat. Coll. Ent. Col. 1850, p. 239.
- pallens* Er. in Schomburgk, Guayana, 1848, p. 563.

- marginatocollis** Blanch. in Voy. d'Orbigny Amér. mérid. VI, 1843, Ins. p. 192, t. 11, f. 9.
- metallescens** Burm. Handb. Ent. IV, 1, 1844, p. 497.
- metallicus** Blanch. Cat. Coll. Ent. Col. 1850, p. 239. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 259.
- microcephalus** Burm. Handb. Ent. IV, 1, 1844, p. 503.
- minutus** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 26.
var. *deltifer* Ohs. l. c. p. 27.
- modestus** Blanch. Cat. Coll. Ent. Col. 1850, p. 238.
- mutatus** Har. Col. Hefte V, 1869, p. 124.
laticollis Blanch. Cat. Coll. Ent. Col. 1850, p. 237.
- nitidulus** O. Ent. I, 1789, nr. 5, p. 46, t. 9, f. 102 (*Melolontha*); ed. III, II, 1802, p. 69; ed. Sturm II, 1803, p. 29, t. 63, f. 8. — Ill. Mag. Ins. IV, 1805, p. 81. — Schönh. Syn. Ins. I, 3, 1817, p. 184. — Burm. Handb. Ent. IV, 1, 1844, p. 497 u. 559.
- niveicollis** Lap. Hist. Nat. Col. II, 1840, p. 139. — Burm. Handb. Ent. IV, 1, 1844, p. 502. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 259.
- noctivagus** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 15.
- opacus** Perty, Deléct. Anim. artic. 1832, p. 47, t. 10, f. 3 (*Geniates*). — Lap. Hist. Nat. Col. II, 1840, p. 139 (*Leucothyreus*). — Burm. Handb. Ent. IV, 1, 1844, p. 495; l. c. IV, 2, 1855, p. 534. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 259; Stett. Ent. Zeit. LXXVIII, 1917, p. 14.
- pallidipes** Blanch. Cat. Coll. Ent. Col. 1850, p. 237.
- paulista** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 13.
- petropolitanus** Ohs. Deutsche Ent. Zeitschr. 1908, p. 260.
- pilosellus** Blanch. Cat. Coll. Ent. Col. 1850, p. 238. — Lucas, Voy. Castelnau, Ent. 1857, p. 131, t. 8, f. 8.
- politus** Burm. Handb. Ent. IV, 1, 1844, p. 500.
- pruinosis** Perty, Delect. Anim. artic. 1832, p. 47, t. 10, f. 4 (*Geniates*).
- pudicus** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 17.
- punctulatus** Blanch. Cat. Coll. Ent. Col. 1850, p. 240. — Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 14.
- rufipes** Blanch. Cat. Coll. Ent. Col. 1850, p. 238.
- rugipennis** Blanch. l. c. p. 238.
- semipruinosus** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 19.
pruinosis Burm. (nec Perty) Handb. Ent. IV, 1, 1844, p. 500.
- semitonsus** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 21.
- splendidus** Burm. Handb. Ent. IV, 1, 1844, p. 495.
- Stempelmanni** Ohs. Deutsche Ent. Zeitschr. 1908, p. 446.
- subcupreus** Blanch. Cat. Coll. Ent. Col. 1850, p. 239.
- suturalis** Lap. Hist. Nat. Col. II, 1840, p. 139. — Burm. Handb. Ent. IV, 1, 1844, p. 496. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 259; Stett. Ent. Zeit. LXXVIII, 1917, p. 14.
limbatus Blanch. Cat. Coll. Ent. Col. 1850, p. 237.
- trichurus** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 21.
- Bolivien
- Cayenne
- Minas geraës,
Rio de Janeiro
- Minas geraës
- Venezuela
- Valencia
- Süd-Amerika
- Bolivien, Argentinien
- Cayenne
- Rio de Janeiro
- „
- Brasilien:
Küstengebirge
- Venezuela
- S. Paulo
- Rio de Janeiro
- Matogrosso
- Brasilien
- Minas geraës
- Ost-Ecuador
- Rio de Janeiro
- Brasilien
- Uruguay, Argentinien
- S. Paulo
- Bolivien
- Columbien
- Argentinien
- Bahia
- Brasilien:
Küstengebirge
- Espirito Santo

trochantericus Ohs. l. c. p. 23.

Rio de Janeiro

trochanterinus Ohs. l. c. p. 23.

S. Paulo

variipes Blanch. Cat. Coll. Ent. Col. 1850, p. 238.

Goyaz

vayanus Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 9.

Cayenne

viucentiae Arr. Trans. Ent. Soc. London 1900, p. 179.

Ins. St. Vincent

viridiaeneus Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 19.

Paraguay

Wittl Ohs. Deutsche Ent. Zeitschr. 1908, p. 406.

Süd-Ecuador

Zikani Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 22.

Rio de Janeiro

78

Evanos Lap.

Laporte, Hist. Nat. Col. II, 1840, p. 140. — Burm. Handb. Ent. IV, 1, 1844, p. 504. — Lacord. Gen. Col. III, 1856, p. 385.

villatus Lap. Hist. Nat. Col. II, 1840, p. 140. — Burm. Handb. Ent. IV, 1, 1844, p. 505.

Brasilien

1

Microchilus Blanch.

E. Blanchard, Cat. Coll. Ent. Col. 1850, p. 240. — Lacord. Gen. Col. III, 1856, p. 385.

lineatus Blanch. Cat. Coll. Ent. Col. 1850, p. 240. — Ohs. Deutsche Ent. Zeitschr. 1908, p. 261.

S. Paulo

1

Eunanus Ohs.

Ohaus, Deutsche Ent. Zeitschr. 1909, p. 442.

marinus Ohs. l. c. p. 442.

Argentinien

1

Heterogeniates Ohs.

Ohaus, Deutsche Ent. Zeitschr. 1909, p. 444.

bonariensis Ohs. l. c. p. 444.

Argentinien

1

Rhizogeniates Ohs.

Ohaus, Deutsche Ent. Zeitschr. 1909, p. 445.

antennatus Curtis, Trans. Linn. Soc. London XIX, 1845, p. 451, t. 4, f. 3 (*Leucothyreus*). — Burm. Handb. Ent. IV, 2, 1855, p. 535 (*Geniates*). — Ohs. Deutsche Ent. Zeitschr. 1909, p. 446.

Uruguay,
Rosario

testaceus Steinh. Atti Scienc. Nat. Ital. XII, 1, 1869, p. 238; l. c. XV, 5, 1873, p. 559 (*Tribostelhes*). — Ohs. Stett. Ent. Zeit. LXVI, 1903, p. 144.

carbonarius Ohs. Deutsche Ent. Zeitschr. 1909, p. 446.
Cavalantli Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 52.

Argentinien
Rio de Janeiro

crenaticollis Ohs. l. c. p. 52.

Minas geraes

4

Lobogeniates Ohs.

Ohaus, Stett. Ent. Zeit. LXXVIII, 1917, p. 28, f. 1.

- abdominalis* Ohs. Stett. Ent. Zeit. LXXVIII, 1917 p. 33. Ost-Ecuador
bicolor Ohs. l. c. p. 37. Ost-Peru
brevior Ohs. l. c. p. 28. Rio Grande
do Sul
Sta. Catharina
Brasilien
- Catharinae* Ohs. l. c. p. 30. Brasilien
- collaris* Burm. Handb. Ent. IV, 1, 1844, p. 510 (*Geniates*).
— Camerano, Atti Acc. Torino XIV, 1878,
p. 237 u. 261. — Ohs. Stett. Ent. Zeit. LXXVIII,
1917, p. 28, 30.
fulvus Blanch. Cat. Coll. Ent. Col. 1850, p. 240
(*Leucothyreus*).
elegans Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 32. Brasilien
espiritasantensis Ohs. l. c. p. 29. Espirito
Santo
Paraguay
Cayenne
Ost-Ecuador
Rio de Janeiro
Ost-Ecuador
Brasilien
- flavipes* Ohs. l. c. p. 37. Paraguay
flavolineatus Ohs. l. c. p. 30. Cayenne
frontatus Ohs. l. c. p. 34. Ost-Ecuador
fuscopunctatus Ohs. l. c. p. 31. Rio de Janeiro
Ost-Ecuador
Brasilien
- hirtus* Ohs. l. c. p. 36. Ost-Ecuador
immaculatus Cam. Atti Acc. Torino XIV, 1878, p. 236
u. 260 (*Geniates*). Brasilien
- laticosta* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 33. Ost-Ecuador
marronus Ohs. l. c. p. 35. Cayenne
nigricans Ohs. l. c. p. 38. Bahia
nigripennis Ohs. l. c. p. 36. Paraguay
palleolus Ohs. l. c. p. 32. Rio Purus
punctipennis Ohs. l. c. p. 35. Cayenne
signatus Burm. Handb. Ent. IV, 1, 1844, p. 509 (*Geniates*).
— Camerano, Atti Acc. Torino XIV, 1878,
p. 237 u. 263. — Ohs. Stett. Ent. Zeit. LXXVIII,
1917, p. 28. Brasilien
- signicollis* Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 34. Cayenne
tucumanensis Cam. Boll. Mus. Torino IX, 1894, nr. 179,
p. 3. Tucuman

22

Geniates Kirby.Kirby, Trans. Linn. Soc. London XII, 1818, p. 401. — Lap. Hist. Nat.
Col. II, 1840, p. 141. — Burm. Handb. Ent. IV, 1, 1844, p. 506. — Lacord.
Gen. Col. III, 1856, p. 386. — Cam. Atti Acc. Torino XIV, 1878, p. 229.

- affinis* Cam. Atti Acc. Torino XIV, 1878, p. 237 u. 261. Brasilien
apicalis Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 45. Peru
balzapambae Ohs. l. c. p. 46. W. Ecuador
barbatus Kirby, Trans. Linn. Soc. London XII, 1818, Brasilien
p. 403, t. 21, f. 8. — Guér. Jcon. règne anim.
Ins. 1829—44. t. 24 b, f. 3. — Lap. Hist.
Nat. Col. II, 1840, p. 141. — Burm. Handb.
Ent. IV, 1, 1844, p. 514; l. c. IV, 2, 1855,
p. 535. — Cam. Atti Acc. Torino XIV, 1878,
p. 236 u. 258. Küsten-
gebirge
- bituberculatus* Cam. Atti Acc. Torino XIV, 1878, p. 235 Brasilien
u. 238.

- Borellii** Cam. Boll. Mus. Torino IX. 1894, nr. 179, p. 1. — Ohs. Deutsche Ent. Zeitschr. 1911, p. 560, f. 6. Tucuman
- castaneus** Burm. Handb. Ent. IV, 1, 1844, p. 511; l. c. IV, 2, 1855, p. 535. — Cam. Atti Acc. Torino XIV, 1878, p. 236 u. 251. Rio de Janeiro
- catoxanthus** Burm. Handb. Ent. IV, 1, 1844, p. 510; l. c. IV, 2, 1855, p. 535. — Lacord. Gen. Col. III, 1856, Atlas, t. 35, f. 3. — Cam. Atti Acc. Torino XIV, 1878, p. 237 u. 272. „
- clavipalpus** Burm. Handb. Ent. IV, 1, 1844, p. 512. — Cam. Atti Acc. Torino XIV, 1878, p. 236 u. 250. Brasilien
- convexus** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 47. „
- cornutus** Burm. Handb. Ent. IV, 1, 1844, p. 513; l. c. IV, 2, 1855, p. 535. — Cam. Atti Acc. Torino XIV, 1878, p. 236 u. 244. Rio de Janeiro
- cribricollis** Lucas, Voy. Castelnau, Entom. 1857, p. 134. — Cam. Atti Acc. Torino XIV, 1878, p. 237 u. 269. Brasilien
- cylindricus** Burm. Handb. Ent. IV, 1, 1844, p. 514. — Cam. Atti Acc. Torino XIV, 1878, p. 235 u. 243. Rio Grande do Sul
- dispar** Burm. Handb. Ent. IV, 1, 1844, p. 511; l. c. IV, 2, 1855, p. 535. — Cam. Atti Acc. Torino XIV, 1878, p. 237 u. 270. Rio de Janeiro
- distans** Burm. Handb. Ent. IV, 1, 1844, p. 508. — Cam. Atti Acc. Torino XIV, 1878, p. 235 u. 241. Brasilien
- fuscescens** Cam. Atti Acc. Torino XIV, 1878, p. 237 u. 264. „
- fuscicollis** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 59. „
- grandis** Ohs. l. c. p. 51. Rio de Janeiro
- impressicollis** Ohs. Deutsche Ent. Zeitschr. 1911, p. 559. Argentinien, Paraguay
- impressifrons** Lucas, Voy. Castelnau, Entom. 1857, p. 135. — Cam. Atti Acc. Torino XIV, 1878, p. 236 u. 257. Minas geraës
- incertus** Cam. Atti Acc. Torino XIV, 1878, p. 237 u. 267. Brasilien
- laevis** Cam. l. c. p. 237 u. 273. „
- marginicollis** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 48. Süd-Brasilien
- multicornis** Cam. Atti Acc. Torino XIV, 1878, p. 236 u. 246. Brasilien
- niger** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 49. Cayenne
- palliatus** Ohs. l. c. p. 46. N. W. Ecuador
- pallidus** Burm. Handb. Ent. IV, 1, 1844, p. 512; l. c. IV, 2, 1855, p. 535. — Cam. Atti Acc. Torino XIV, 1878, p. 236 u. 255. Rio de Janeiro
- punctipennis** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 47. Brasilien
- rufescens** Lucas, Voy. Castelnau, Entom. 1857, p. 136. Goyaz
- rugicollis** Lucas, l. c. p. 135. Brasilien
- rugosus** Cam. Atti Acc. Torino XIV, 1878, p. 236 u. 253. „
- sericeus** Burm. Handb. Ent. IV, 2, 1855, p. 535. Rio de Janeiro
- Spinolae** Burm. Handb. Ent. IV, 1, 1844, p. 508. — Cam. Atti Acc. Torino XIV, 1878, p. 235 u. 240. — H. Bates, Biol. Centr.-Amer. Col. II, 2, 1888, p. 296. Panama, Columbia
- spurius** Curtis, Trans. Linn. Soc. London XIX, 1842, p. 540 (*Leucothyreus*). — Burm. Handb. Ent. IV, 2, 1855, p. 535. Brasilien
- subsericeus** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 48. Minas geraës

- Truquii** Cam. Atti Acc. Torino XIV, 1878, p. 236 u. 245. Brasilien
verticalis Burm. Handb. Ent. IV, 1, 1844, p. 512. — Cam. „
 Atti Acc. Torino XIV, 1878, p. 236 u. 245.
 37

Trizogeniates Ohs.

Ohaus, Stett. Ent. Zeit. LXXVIII, 1917, p. 38.

- andicola** Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 42. Ost-Peru
apicalis Ohs. l. c. p. 45. „
bicolor Ohs. l. c. p. 43. S. Brasilien
calcaratus Ohs. l. c. p. 40. Ecuador
costatus Ohs. l. c. p. 43. Brasilien
goyanus Ohs. l. c. p. 39. Goyaz
montanus Ohs. l. c. p. 44. Brasilien:
 Küsten-
 gebirge
 „
planipennis Ohs. l. c. p. 44. „
Schmidti Ohs. Berl. Ent. Zeitschr. XLVIII, 1903, p. 236. Ost-Ecuador
temporalis Ohs. Stett. Ent. Zeit. LXXVIII, 1917, p. 41. „
tibialis Ohs. l. c. p. 40. „
trivittatus Ohs. l. c. p. 41. Ost-Peru
vittatus Lucas, Voy. Castelneau, Entom. 1857, p. 134 Matogrosso
 (*Geniates*). — Cam. Atti Acc. Torino XIV, 1878,
 p. 237 u. 266.

13

2563

Nachträge.

- S. 39: **Lutera Boettcheri** Ohs. Stett. Ent. Zeit. LXXVII, Luzon
 1916, p. 353.
Rutelarcha Bakeri Ohs. Stett. Ent. Zeit. LXXVI, Luzon
 1915, p. 343.

Berichtigungen.

- S. 42, Z. 5 v. o.: **tricolor** Guér. Mag. Zool. VIII, 1838. Voy. Favorite,
 Ins. p. 55.
 S. 63, Z. 30 lies **communis** statt **cummunis**.
 S. 105 unter **xanthoptera** lies 80 statt 81.
 S. 127 unter **viridicollis** lies 43 statt 51.
 S. 138 Z. 8 v. u. lies **macronyx** statt **macrony**.

Index Rutelinarum.

Tribus, Subtribus.

- Acrobolbiina 13
Adoretina 183
Adoretini 182
Adorodociina 182
Adoroleptina 182
Anisopliina 155
Anomalina 62
Anomalini 61
Anoplognathina 168
Anoplognathini 167
Antichirina 43
Areodina 9
- Brachysternina 179
- Desmonychina 38
Didrepanophorina 14
Dilophochilina 166
- Fruhstorferiina 43
- Geniatiini 199
- Heterosternina 12
- Isopliina 166
- Lasiocalina 30
- Oryctomorphina 37
- Pachyrhinadoretina 196
Parastasiina 31
Pelidnotina 14
Phalangogoniina 176
Platycoeliina 176
Popilliina 133
Prodoretina 198
Pseudadoretina 195
- Rutelina 38
Rutelini 9
- Scaphorhinadoretina 196
Schizognathina 174
Spodochlamiini 166
- Trigonostomina 196

Genera, Subgenera.

- Acraspedon Arr. 48
Acrobolbia Ohs. 13
Adoretosoma Blanch. 112
Adoretus Lap. 183
Adorodocia Brs. 182
Adoroleptus Brs. 182
Aequatoria Arr. 50
Amblochilus Blanch. 175
Amblonala Rtrr. 65, 127
Amblyterodes Germain 179
Amblyterus M'Leay 175
Ammogenia Sem. 121
Anatista Brême 167
Aneurystypus Blackb. 175
Anisoplia Serv. 156
Anodontopopillia Ohs. 153
Anomala Sam. 62
Anomala Sam. 65
- Anoplognathus Leach 169
Anoplosternus Guér. 173
Anoplostethus Brullé 173
Antichira Eschz. 51
Apleopertha Sem. 120
Aprosterna Hope 62, 65
Areoda M'Leay 11
Aulacodus Eschz. 201
Aulacopalpus Burm. 181
Aulacopalpus Guér. 179
- Barymorpha Guér. 32
Bembegeneius Sol. 179
Blitopertha Rtrr. 117
Bolax Fisch. 199
Bolaxoides Lap. 201
Brachysternus Guér. 189
Byrsopolis Burm. 10

- Caclidia* Gestro 32
Callichloris Burm. 178
Callirhinus Blanch. 155
Callistethus Blanch. 111
Callistopopillia Ohs. 150
Calloodes White 168
Calomacraspis H. Bts. 48
Calopopillia Kolbe 141
Catoclastus Sol. 21
Cerophlophana Gestro 31
Cestradoletus Ohs. 196
Chacladoletus Ohs. 192
Chalcensis Burm. 48
Chalcochlamys Ohs. 166
Chalcoptlethis Burm. 28
Chasmodia M'Leay 58
Chlorota Burm. 45
Chrycina Kirby 19
Chrysophora Serv. 20
Chrysoplethisa Rtrr. 65
Cnemida Kirby 42
Cotalpa Burm. 9
Cotalpa Burm. 10
Crathoplus Blanch. 47
Cyphelytra Ch. Waterh. 38
Cyriopertha Rtrr. 120
Cyrtolophus Fairm. 199

Desmomyx Arr. 38
Diabasis Burm. 45
Dicaulocephalus Gestro 31
Dichomala Rtrr. 65
Dieranoplia Rtrr. 154
Didrepanophorus Wood-Mason 14
Dilophochila H. Bates 166
Dinorhina Lacord. 155
Diplomata Rtrr. 66
Dorystethus Blanch. 51

Echmatophorus C. Waterh. 32
Ectinoplectron Ohs. 20
Emphalena Rtrr. 66
Epadoletus Rtrr. 198
Epectinaspis Blanch. 122
Epichalcoptlethis F. Bates 28
Epichrysus White 173
Eremadoretus Sem. 196
Eremophygus Ohs. 14
Eriomela Rtrr. 132
Euchlora Hope 62, 101
Euchromala Rtrr. 66
Euchronomala Rtrr. 66, 101
Euchrysinde Rtrr. 112
Eunanus Ohs. 204
Eupopillia Kolbe 141
Euporomala Rtrr. 66, 101
Evanos Lap. 204
Exomala Rtrr. 119

Fruhstorferia Kolbe 45

Ganonola Ohs. 25
Gemadoretus Rtrr. 183
Geniates Kirby 205
Gnatholabis Er. 153
Godschama Rtrr. 144

Hadropopillia Kraatz 106
Heterogeniates Ohs. 204
Heteropelidnota Ohs. 30
Heteroplia Burm. 62
Heterophthalmus Blanch. 198
Heterosternus Dup. 12
Homoiosternus Ohs. 12
Homonyx Guér. 21
Homothermon Ohs. 30
Homotropus Waterh. 175
Hoplognathus M'Leay 11
Hoplopelidnota F. Bates 15
Hoplopus Lap. 66
Hybalonomala Rtrr. 66
Hylamorpha Arr. 181
Hypaspidius Arr. 48

Idiocnema Fald. 66
Idiocnemina Rtrr. 66
Ischnopopillia Krtz. 150
Isoplia Burm. 166

Lagochile Hoffm. 60
Lasiocala Blanch. 30
Lepadoretus Rtrr. 190
Leucopelaea H. Bates 178
Leucothyreus M'Leay 201
Lobogeniates Ohs. 205
Loxopyga Westw. 199
Lutera Westw. 39

Macraspis M'Leay 54
Macropmus G. Horn 13
Macropoïdes Guér. 13
Macropopillia Ohs. 150
Malaia Hell. 151
Mecopelidnota F. Bates 21
Megapertha Rtrr. 119
Melicurus Germain 179
Mesomerodon Ohs. 15
Mesystoechus Waterh. 9
Metapachylus H. Bates 38
Metapopillia Kolbe 149
Micranomala Arr. 122
Microchilus Blanch. 204
Mimadoretus Arr. 175
Mimela Kirby 127
Mimela Kirby 129

Nannopopillia Kolbe 152
Nongoma Péring. 121
Notophanus Hell. 121

- Onetis* Latr. 60
Oogenius Sol. 15
Orphnomala Rtrr. 66
Orrodoretus Ohs. 198
Oryctomorphus Guér. 37

Pachyrhinadoretus Ohs. 196
Pachystethus Blanch. 106
Panschizus Blackb. 173
Parabyrsopolis Ohs. 11
Parachrysinia H. Bates 12
Paracotalpa Ohs. 10
Paracrusis Newm. 127
Paragematis Rtrr. 66
Paramacraspis Ohs. 49
Paramimela Ohs. 127
Paranonca Lap. 169
Paraschizognathus Ohs. 174
Parastasia Westw. 32
Paratelaugis Ohs. 54
Parathyridium Ohs. 47
Parhoplognathus Ohs. 14
Parhomonyx Ohs. 21
Parisolea H. Bates 13
Pelidnota M'Leay 22
Pelidnotopsis Ohs. 20
Peltonotus Burm. 14
Peperonota Westw. 31
Peradoretus Rtrr. 195
Phaeadoretus Rtrr. 199
Phalangogonia Burm. 176
Pharaonus Blanch. 154
Pharaonus Pér. 153
Phyllopertha Stev. 114
Phylloperthina Motsch. 113
Platycoelia Burm. 176
Platyretela H. Bates 48
Pleopertha Rtrr. 120
Plusiotis Burm. 15
Poecilosticta Kraatz 106
Polymoechus J. Leconte 32
Popillia Serv. 133
Popillia Serv. 144
Prionadoretus Ohs. 194
Pristadoretus Rtrr. 195
Proagopertha Rtrr. 121
Prodoretus Brenske 198
Psammoscapheus Motsch. 66
Pseudadelphus Arr. 179
Pseudadoretus Sem. 195
Pseudodorodocia Arr. 182
Pseudochlorota Ohs. 31
Pseudogeniates Ohs. 20
Pseudomacraspis Ohs. 50
Pseudomalala Kraatz 151
Pseudomesystoechus Ohs. 199
Pseudopopillia Kolbe 149

Pseudoschizognathus Ohs. 174
Pseudosinghala Hell. 113
Psiladoretus Ohs. 195
Ptenomela H. Bates 49

Repsimus M'Leay 168
Rhamphadoretus Ohs. 196
Rhinoplia Burm. 62
Rhinyptia Burm. 155
Rhizogeniates Ohs. 204
Rhynchadoretus Ohs. 194
Rhombonyx Hope 66, 127
Rutela Latr. 39
Rutelarcha C. Waterh. 39
Rutelisca H. Bates 38

Saulostomus C. Waterh. 175
Scaphorhinadoretus Ohs. 196
Schizognathus Burm. 174
Singhala Blanch. 113
Singhala Rtrr. 113
Spileuchlora Ohs. 106
Spilopopillia Kraatz 151
Spilota Burm. 106
Spinanomala Ohs. 112
Spodochlamys Burm. 167
Stichadoretus Rtrr. 195
Stomanomala Kolbe 121
Strigoderma Burm. 123
Strumadoretus Ohs. 197
Sulcicalypus Har. 181

Tabora Péring. 152
Telaugis Burm. 53
Thyridium Burm. 46
Thyriochlorota Ohs. 45
Tribopertha Rtrr. 154
Tribostethes Blanch. 179
Tribostethes Curtis 179
Trichopertha Rtrr. 117
Trichopopillia Ohs. 153
Trigonoenemis Kraatz 121
Trigonoehilus Brenske 197
Trigonostomum Burm. 197
Trioplognathus Ohs. 174
Trizogeniates Ohs. 207
Tropiorhynchus Blanch. 155

Urleta Westw. 32

Vayana Ohs. 50

Xenopelidnota F. Bates 15
Xenopopillia Kolbe 150
Xenoproctis Kolbe 12

Species, Subspecies.

- abbreviata* Muls. 188
abdominalis Ohs. (*Epectinaspis*) 122
abdominalis Ohs. (*Lobogen.*) 205
abdominalis Ohs. (*Mimela*) 129
abdominalis Ohs. (*Platycoelia*) 176
abhasica Motsch. 69
abnormis M'Leay 169
abyssinica Ohs. 144
abyssinicus Ohs. 190
acanthurus Ohs. 201
aciculata F. Bates 29
acomys Ohs. 196
acromialis Ohs. 62
acrorhina Ohs. 156
aculeatus Ohs. 183
acuminatus Ohs. (*Anoplogn.*) 169
acuminatus Ohs. (*Leucothyr.*) 201
acuta Newm. 135
acutangula Ohs. 79
acutipennis F. Bates 25
acutisterna Fairm. 121
Adamas Heyd. 134
Adamas Newm. 135
Adamsi C. Waterh. 52
Adelaida F. Hope 17
adhaerescens Ohs. 79
adiaphora Poda 115
adjecta Er. 164
Adolphi Chevr. 19
adusta Ohs. 57
adustula Gerst. 89
adustus Ohs. 192
aegra Ohs. 106
aegrotus Burm. 184
aegyptiaca Blanch. 154
aemula Newm. 140
aenea Beff. (*Anomala*) 68
aenea Deg. (*Anomala*) 69
aenea Kolbe (*Popillia*) 149
aenea Kraatz (*Popillia*) 140
aenea Blanch. (*Strigod.*) 123
Aeneas Newm. 148
aeneipennis Blanch. (*Anom.*) 99
aeneipennis Ohs. (*Pop.*) 144
aeneiventris Fairm. 87
aeneoflavida Rtr. 121
aeneopiceus Fairm. 183
aeneotincta Fairm. 87
aenescens Blanch. (*Adoretus*) 192
aenescens Burm. (*Telaugis*) 53
aenescens Kolbe (*Popillia*) 141
aeneus Brenske (*Adoretus*) 183
aeneus F. (*Repsimus*) 168
aeneus C. Waterh. (*Anoplogn.*) 169
aenigma Arr. 182
aeniceps Kirsch 201
aequatorialis Ohs. (*Anomala*) 94
aequatorialis Ohs. (*Chasmodia*) 58
aequatorialis Ohs. (*Strigod.*) 126
aeratus L. 168
aerea Blanch. (*Anomala*) 87
aerea Perty (*Anomala*) 63
aerea C. Waterh. (*Thyriochl.*) 46
aericollis Burm. 79
aeruginosa Boisd. (*Anom.*) 87
aeruginosa L. (*Pelid.*) 22
aeruginosa Sturm (*Chrys.*) 19
aeruginosus Lap. (*Ador.*) 184
aeruginosus Sahlbg. (*Leucoth.*) 202
aetolica Apfelb. 162
affinis Cam. (*Geniat.*) 205
affinis Ganglb. (*Anom.*) 66
affinis Lap. (*Pseud.*) 50
agnata Rtr. 158
agnella Arr. 106
agricola F. 161
agricola Poda 162
agricola Schrnk. 163
agricola Steph. 165
Ahlwarthi Ohs. 79
albaya Arr. 79
albertina Kolbe 142
albescens H. Bates 178
albilatera Motsch. 137
albohispidus Fairm. 182
albolepidus Arr. 190
albomitratus Ohs. 184
albopilosa F. Hope 101
albopilosus Ohs. (*Bolax*) 199
albopilosus Ohs. (*Leucothyr.*) 201
albosetosa C. Waterh. 182
algerica Reiche 182
alliacea Germ. 22
alocopygus Ohs. 193
alterata Arr. 111
alternans Er. 178
alternata Arr. 34
alticola H. Bates 17
amabilis Arr. (*Mimela*) 129
amabilis Arr. (*Popillia*) 135
Amalia Burm. 17
amazona Thunb. 59
amazonica Ohs. 52
ambigens H. Bates 122
ambigua Muls. 165
americana Herbst 22
amitina Ohs. 144
amitinus Kolbe 192
ammodendri Sem. 154
amoena Sturm 19
amphicoma H. Bates 94
ampliatu Fairm. (*Adoretus*) 192
ampliatu Fairm. (*Adoretus*) 184
amychodes Ohs. 79

- anacantha* Ohs. 79
anachoreta Er. 201
analis Dalm. (Anopl.) 173
analis Fisch. (Chasm.) 59
anchoralis Lansb. 79
ancilla F. Bates (Pelid.) 22
ancilla Gerst. (Anom.) 64
andamanica Kraatz (Pop.) 135
andamanica Ohs. (Parast.) 34
andicola Burm. (Bolax) 199
andicola Burm. (Macraspis) 57
andicola Ohs. (Antichira) 52
andicola Ohs. (Chasmodia) 59
andicola Ohs. (Trizogeniates) 207
Andradei Hell. 79
Andrewesi Kraatz (Ischnop.) 150
Andrewesi Ohs. (Ador.) 187
angulatus Blanch. 199
angulicollis Fairm. (Pop.) 135
angulicollis Ohs. (Strig.) 123
angulipennis Ohs. 79
angusta Arr. 79
angustus Philippi 180
annulata Germ. 109
anocypria Ohs. 129
anodonta Ohs. 105
anoguttata Burm. 102
anomala Arr. (Parast.) 35
anomala Burm. (Thyridium) 47
anomala Burm. (Xenopelidnota) 15
anomala Kraatz (Anom.) 75
anomaloidea Kraatz 135
anophrys Ohs. 59
anopunctata Burm. 79
antennata Schäff. 99
antennatus Curtis 204
anthracina Arr. (Anom.) 80
anthracina Kolbe (Pop.) 144
anthracina Ohs. (Fruhstorf.) 43
anthracina Ohs. (Parast.) 34
antica Ohs. 65
anticola Er. (Bolax) 199
anticola Er. (Macraspis) 57
antiqua Gyll. 62
antis Ohs. 94
Antoniae Rtrr. 164
apicalis Kraatz (Pop.) 144
apicalis Muls. (Anom.) 68
apicalis Ohs. (Geniates) 205
apicalis Ohs. (Parastasia) 32
apicalis Ohs. (Trizogeniates) 207
aprica Er. 159
apta Ohs. 75
arabicus Rtrr. 195
arara Ohs. 94
araucanicus Ohs. 181
arboricola F. 123
arcuata Blanch. 120
arcuata Gebl. 120
areatus Ohs. 193
arenaria Brull. 117
arenaria C. Waterh. 118
arenicola Muls. 117
argenteola H. Bates 18
arizonae Ohs. 11
armata Arr. 106
armeniaca Kraatz 160
arrawaka Ohs. 94
Arrowi F. Bates (Mecop.) 21
Arrowi Ohs. (Lasiocala) 30
Arrowi Ohs. (Macropopillia) 150
arvicola F. 163
arvicola Ol. 161
asiatica Ball. 120
aspera Ohs. 63
asperopunctatus Fairm. 183
assimilis Boisd. (Anom.) 87
assimilis F. Hope (Ador.) 194
assimilis Ohs. (Macr.) 54
assimilis Ohs. (Parast.) 33
associata C. Waterh. 50
aterrima H. Bates (Cnem.) 42
aterrima C. Waterh. (Macr.) 56
Atkinsoni Arr. (Mim.) 129
Atkinsoni C. Waterh. (Call.) 168
atomogramma H. Bates 94
atra Kraatz (Popillia) 134
atra Kraatz (Popillia) 144
atra Kraatz (Popillia) 145
atra Ohs. (Rutela) 39
atra Quedenf. (Pop.) 144
atra Schils. (Anis.) 165
atra Snell. (Parast.) 37
atrata F. (Anom.) 111
atrata Kraatz (Pop.) 139
atriplicis F. 66
atritarse Fairm. 112
atrocoerulea H. Bates (Pop.) 134
atrocoerulea Rtrr. (Anom.) 77
atrocyanea Burm. (Anom.) 102
atrocyanea Kolbe (Pop.) 142
atrohumeralis Ohs. 39
atropurpurea Ohs. 94
atrorufipes Ohs. 39
atrovirens Nonfr. 61
attenuata H. Bates 94
aulacoides Ohs. 80
aulax Wied. 80
aulica Burm. 43
aurata F. 127
aurocuprea Kolbe (Popillia
Browni) 142
aurocuprea Kolbe (Pop. hilaris) 142
aurocupripes Kolbe 147
aureola F. Hope 80
aurescens H. Bates (Pelid.) 22
aurescens H. Bates (Parabyrs.) 11
aureus C. Waterh. 169

- auriceps* Obs. 43
aurichalca Burm. 81
auricollis Lap. (Anom.) 127
auricollis Ohs. (Chlor.) 44
auriculata Ohs. 80
aurigans Rothsch. 18
auripennis Arr. 80
auripes Gray (Plus.) 16
auripes Perty (Pelid.) 25
auriventris H. Bates 123
aurotitens F. Hope 111
auropunctata Ohs. 16
aurora Arr. (Anom.) 80
aurora Bouc. (Plus.) 18
aurulenta Dalla Torre 72
ausonia Er. 66
australasiae Boisd. 63
australis Ohs. 33
austriaca Herbst 163
austriaca Muls. 165
azurescens Rtrr. 78
- Badeni Bouc. 17
badia Perty 59
Baeri Ohs. (Anomala) 80
Baeri Ohs. (Leucothyreus) 201
Baessleri Ohs. 178
baetica Er. 159
bahiana Ohs. 29
bahianus Ohs. (Homon.) 21
bahianus Ohs. (Hoplogn.) 12
Bakeri Ohs. (Anom.) 80
Bakeri Ohs. (Rutelarcha) 207
balcanica Rtrr. 159
baliana Klb. 144
balzapambae Ohs. (Anom.) 94
balzapambae Ohs. (Geniat.) 205
banalica Rtrr. 159
bandarra Ohs. 80
bandicola Ohs. 80
bangalorensis Brs. 188
Banksi Lap. 11
barbata Burm. 80
barbatus Kirby 205
barbicollis H. Bates 94
Baronis Ohs. 178
basalis Cand. (Parast.) 34
basalis Guér. (Anom.) 89
basalis Ohs. (Epect.) 122
basipemis Fairm. 113
Batesi Bouc. (Plus.) 18
Batesi Ohs. (Anom.) 94
Batesi Ohs. (Parabyrs.) 11
Beccarii Ohs. 151
bechuanus Pér. 184
Beckeri H. Bates (Chrys.) 19
Beckeri Ohs. (Anom.) 94
Beckeri Ohs. (Homoiost.) 12
Bedeli Ohs. 63
- beiranus* Pér. 192
Belti H. Bates (Hypasp.) 48
Belti Sharp (Pelid.) 25
bengalensis Blanch. (Anom.) 63
bengalensis Brs. (Ador.) 187
beniana Klb. 149
benicola Ohs. 108
benitensis Ohs. 144
Bennigseni Krtz. 142
beryllina Er. (Pseudom.) 50
beryllina Hope (Pop.) 137
Beyeri Skinn. 16
bicaudatus Arr. 191
bicincta Burm. 54
bicolor Blanch. (Amblech.) 175
bicolor Brenske (Ador.) 187
bicolor Brs. (Ador.) 187
bicolor Dalla Torre (Anom.) 72
bicolor F. (Anom.) 102
bicolor Herbst (Antich.) 51
bicolor Hope (Mim.) 129
bicolor Kraatz (Pop.) 134
bicolor Ohs. (Lobogen.) 205
bicolor Ohs. (Trizogen.) 207
bicolor Ol. (Vayana) 50
bicolor Schils. (Anom.) 72
bicolor Sem. (Phyll.) 120
bicolor Westw. (Bolax) 200
bicolor Westw. (Parast.) 34
bicornis Ohs. 31
bidentata Waterh. 45
bifalcifer Wood-Mason 45
biformis Arr. 80
bigibbosa Nonfr. 32
biguttata F. 135
biguttata Wied. 135
biimpressa Klb. 149
bilineata Ohs. (Plat.) 177
bilineata Rtrr. (Anom.) 79
bilobata Arr. 63
bilunata Fairm. 80
bimaculata Blanch. (Anom.) 94
bimaculata Guér. (Parast.) 33
bimaculata Ohs. (Rut.) 41
bimaculatus Guér. (Oryct.) 37
bimaculatus Ohs. (Scaph.) 196
bimaculosa Klb. 149
bimarginata Ohs. 80
bimarginatus Ohs. 87
binotata Gyll. (Anom.) 99
binotata Westw. (Parast.) 34
bioculata Fairm. 80
Biolleyi Ohs. (Anom.) 94
Biolleyi Ohs. (Strigod.) 123
biplagiata Klb. (Pop.) 142
biplagiata Kraatz (Pop.) 134
biplagiata Ohs. (Lagoch.) 60
biplagiata Ohs. (Mim.) 132
bipunctata Blanch. (Anom.) 89

- bipunctata* Blanch. (Popillia) 135
bipunctata F. (Pop.) 144
bipunctata M'Leay (Chasm.) 59
bipunctata Westw. (Parast.) 35
bipustulata Kolbe 149
birmana Arr. (Parast.) 35
birmana Hell. (Pseud.) 113
birmanica Arr. (Fruhstorf.) 43
birmanica Arr. (Mieranom.) 122
birmanica Arr. (Popillia) 135
birmanus Arr. 193
bisbimaculata Ohs. 77
bisignata Burm. (Anom.) 89
bisignata Kraatz (Pop.) 145
bispinosa Ohs. 112
bistriga Rtrtr. 120
bitacta Kraatz 149
bituberculatus Cam. 205
bivirgulata Fairm. 80
bivittata M'Leay (Macrasp.) 57
bivittata Swed. (Pelid.) 28
bivittatus Snell. 198
Blaisei Ohs. 63
Blanchardi Kirsch (Pten.) 49
Blanchardi Ohs. (Pop.) 136
blanda Burm. 26
Bleusei Chob. 67
Blumei Hope 129
Boettcheri Ohs. (Anomala) 106
Boettcheri Ohs. (Lutera) 207
Boettcheri Ohs. (Popillia) 136
Bogdanowi Ball. 134
bogotense Kirsch 46
bogotensis Ohs. 108
Boisduvali Boisd. 169
bolacoides H. Bates 166
boliviana Ohs. (Anom.) 94
boliviana Ohs. (Antich.) 53
boliviana Ohs. (Chasmod.) 59
boliviana Ohs. (Chlor.) 44
boliviensis Blanch. (Plat.) 176
boliviensis Ohs. (Bolax) 199
bombayanus Ohs. 198
hombinator Burm. 191
bonariensis Burm. (Pelid.) 24
bonariensis Ohs. (Heterog.) 204
bonguana Ohs. 87
boops Wied. 191
Borellii Cam. 206
borneensis Kraatz (Ador.) 93
borneensis Kraatz (Pop.) 139
borneensis Ohs. (Ceropl.) 31
boromensis Brancs. 89
Bohemani Fahr 89
Bottae Blanch. 89
Bottegoi Brs. 184
Boucardi Nonfr. (Epect.) 122
Boucardi Sallé (Plus.) 16
Bouei Blanch. 164
Bousqueti Leg. 87
brachycaula Ohs. 87
brachypus Burm. (Ador.) 187
brachypus H. Bates (Anom.) 63
bracteatus Drap. 168
brahmanus Ohs. 187
brasiliensis Arr. (Anom.) 99
brasiliensis Arr. (Macrasp.) 58
brasiliensis Ohs. (Platyc.) 177
Brenskei Hell. (Notoph.) 121
Brenskei Rtrtr. (Anisopl.) 159
breviceps Sharp 63
brevicollis Blackb. 171
brevidens Ohs. 80
brevior Fairm. (Anom.) 89
brevior Ohs. (Lobog.) 205
brevipes Lec. 32
brevis Blanch. (Anodont.) 153
brevis Rothsch. (Plus.) 15
breviuscula Cand. 63
bromicola Germ. 159
Browni Klb. (Pop.) 142
Browni M'Leay (Reps.) 168
bruchiana Ohs. 65
bruchomorpha Arr. 80
Brullei Lap. 52
brunnea Klug (Anom.) 89
brunnea Mén. (Anom.) 73
brunnea Newm. (Pop.) 148
brunnea Perty (Chasm.) 59
brunnea Serv. (Chasm.) 59
brunnipennis Burm. (Anom.) 94
brunnipennis Gyll. (Anom.) 94
brunnipennis Gyll. (Anoplogn.) 169
brunnipennis Kraatz (Pop.) 140
brunnipes H. Bates 61
brunnipes Ol. 60
Bryani Ohs. 80
Buchwaldi Ohs. 46
buchwaldiana Ohs. 94
bugre Ohs. 30
bugrina Ohs. 58
bulgarica Apf. 164
buprestoides Dup. 12
Burmeisteri Arr. (Platyc.) 177
Burmeisteri Burm. (Pelid.) 25
Burmeisteri Lansb. (Anom.) 106
Burmeisteri Ohs. (Parast.) 36
Burmeisteri Ohs. (Platyc.) 176
Burmeisteri Ohs. (Schizogn.) 174
burmeisteriana Ohs. 176
buruensis Ohs. 36

cachectica Ohs. 59
cachecticus Ohs. 184
caduca Ohs. 80
caeca Ohs. 140
caesarea Burm. 167
caesareus Billb. 172

- caifra* Burm. 89
calcarata Arr. (Nong.) 121
calcarata Spin. (Antich.) 52
calcaratus Ohs. (Leucoth.) 201
calcaratus Ohs. (Trizogen.) 207
calceata Chevr. 94
caliginosus Burm. 187
calymmophora Ohs. 87
Callewerti Ohs. 108
calligrapha H. Bates 94
callipyga Dohrn 142
calliura Rtrr. 79
callosa Fairm. 113
calonota H. Bates 108
calvus Ohs. (Ador.) 187
calvus Ohs. (Psilador.) 195
camarinensis Ohs. 80
cameruna Klb. 145
campestris Burm. (Leucoth.) 201
campestris Burm. (Phyllop.) 117
campestris Herbst (Anis.) 157
campestris Latr. (Phyll.) 118
campicola Mén. 159
campisilvatica Ohs. 51
canaliculata Westw. 35
Candezei F. Bates (Hoplopel.) 15
Candezei Kraatz (Pop.) 141
cantonensis Ohs. 151
Cantori Hope 80
capicola Burm. 192
capitatus Blanch. 202
capito Ohs. 94
capucina F. 51
carbonaria Ohs. (Mim.) 128
carbonaria Ohs. (Pseudom.) 50
carbonarius Ohs. 204
carcina Ohs. 80
cardinalis Ohs. 89
Cardoni Brenske 193
carinicollis Ohs. 114
carinifrons H. Bates 94
carinulata Ohs. 156
carneola Arr. 80
Carolinae Gestro 34
caschmirensis Redtenb. 136
castanea Burm. (Cot.) 10
castanea Fähr. (Anom.) 89
castanea Kraatz (Pop.) 142
castanea Ohs. (Parast.) 35
castaneicollis Burm. 199
castaneipennis Fairm. (Anom.) 86
castanepennis Lap. (Anopl.) 169
castaneoventris H. Bates 102
castaneus Burm. (Geniat.) 206
castaneus Lap. (Aulacop.) 180
castaneus Nonfr. (Ador.) 188
castaniceps H. Bates 94
castanicolor Ohs. (Anom.) 103
castanicolor Ohs. (Chasmod.) 60
castanipennis Ohs. (Anom.) 76
castanipennis Ohs. (Thyriochl.) 45
castanoptera Hope 135
Castelnaui Ohs. 80
Castor Newm. 123
catamaya Ohs. 123
catenatopunctata Ohs. 80
Catharinae Blanch. (Bolax) 199
Catharinae Ohs. (Lobog.) 205
catochlora Ohs. 80
catomelaena Dohrn 54
catoptrica Ohs. 106
catoxantha Burm. 94
catoxanthus Burm. 206
caucasicus Rtrr. 154
caucana Ohs. (Anomala) 94
caucana Ohs. (Chlorota) 45
caucanum Ohs. 47
Cavalcantii Ohs. 204
cavifrons Burm. 204
cavifrons Lec. 100
cayapó Ohs. 108
cayennensis F. Bates (Pelid.) 23
cayennensis Lap. (Cnem.) 43
cayennensis Ohs. (Antich.) 52
cayennensis Ohs. (Pseudomaer.) 50
cayennensis Ohs. (Rut.) 41
celebica Ohs. 129
celebiens Ohs. 189
cellaris Burm. 99
celogaster Arr. 187
centralis Lec. 100
centralis Nonfr. 63
centroamericana Ohs. 24
cephalotes Geist. 192
ceramensis Nonfr. 37
ceramopyga Ohs. 102
cerea Arr. 90
cetonioides Serv. 61
cetrata Newm. 136
chalea Burm. 55
chalcescens Sharp 80
chaleus Blanch. (Homonyx) 21
chaleus Blanch. (Leucoth.) 201
chalcites Sharp 102
chalcoenemis Ohs. 145
chalconota Burm. (Chlor.) 44
chalconota H. Bates (Epect.) 122
chalcophora Ohs. 90
chalcophysa Ohs. 63
chalcoptera Burm. 102
chalcopus H. Bates 24
chalcosoma Blanch. 94
chalcothea H. Bates 18
chalcothorax Perty 22
chalybaea Burm. 80
chalybaeicollis Blanch. 123
chamaeleon Fairm. (Anom.) 67
chamaeleon Voet (Pelid.) 29

- Championi* F. Bates (Pelid.) 23
Championi H. Bates (Anom.) 94
Championi H. Bates (Phalang.) 176
Chanleri Linell 90
chascoproctus Ohs. 191
chelifera H. Bates (Epect.) 122
chelifera Nonfr. (Anom.) 110
Chevrolati H. Bates (Anom.) 94
Chevrolati Sol. (Catocl.) 21
chibchana Ohs. 46
chihuahuae H. Bates 11
chilensis Ohs. 15
chinensis Friv. (Pop.) 136
chinensis Kirby (Mim.) 129
chinense Redt. 112
chiriguanus Ohs. 201
chirindana Pér. 145
chiriquina F. Bates (Pelid.) 23
chiriquina H. Bates (Anom.) 95
chiriquina H. Bates (Lagoch.) 61
chiriquina Ohs. (Chlor.) 44
chiriquina Ohs. (Pseudochl.) 31
chiriquicola Ohs. 23
chlorana Er. 23
chloraspis Lap. 54
chlorcis H. Bates 16
chlorion Newm. 136
chlorion Rtrr. 136
chloris Philippi 180
chlorochelys Arr. 102
chloroderma Arr. 101
chloromela Arr. 106
chloronota Arr. 102
chlorophana Burm. 53
chlorophana H. Bates 53
chloroptera Burm. 95
chloropyga Burm. 102
chloropyga Ohs. 95
chloropygus Drap. 170
chlorotica Guér. (Anom.) 88
chlorotica Kolbe (Pop.) 145
chlorotica Ohs. (Chasm.) 59
chlorotoides H. Bates 108
chontalensis H. Bates 108
chromaticum Fairm. 112
chromicolor Burm. 95
chrysanthe H. Bates 108
chrysgargyrea Sallé 18
chryseis H. Bates 132
chrysis L. 54
chrysitis Kraatz 138
chrysochlora Latr. 20
chrysomelina H. Bates 95
chrysopedila H. Bates 18
chrysoprasa Hope 132
chrysotina Ohs. 177
cicatricosa Perty 95
cicatricosus Gyll. 175
ciliata Ohs. 59
ciliatus Sol. (Aulac.) 179
ciliatus (Mesyst.) Waterh. 9
cincta Drury (Macr.) 57
cincta F. (Strig.) 124
cincta Say (Anom.) 95
cinctella Burm. 111
cincticollis Blanch. (Chlor.) 45
cincticollis Ohs. (Anom.) 69
cincticollis Ohs. (Macr.) 55
cinerarius Burm. 193
cingala Arr. 35
cingalensis Arr. 122
cingulata Ohs. 90
cinnabarina Fairm. 81
cinnabarina Fairm. 82
circumcincta Hope (Mim.) 127
circumcincta Kraatz (Pop.) 134
circumcincta Kraatz (Pop.) 145
circumcincta Muls. (Phyll.) 118
circumcincta Rtrr. (Anom.) 73
circumdata H. Bates (Chasm.) 59
circumdata Heyd. (Anom.) 79
circumducta Kraatz 134
circumferens Arr. 36
cirroides Ohs. 81
cirroseriatus Ohs. 193
citrina Lansb. 102
citripennis Ohs. 22
clara Arr. 136
claustrifer Ohs. 184
clavata Ol. 57
clavipalpus Burm. 206
clipealis Ohs. 198
clypealis Ohs. (Amblyt.) 176
clypealis Ohs. (Aulac.) 179
clypealis Ohs. (Pop.) 136
clypealis Rtrr. 159
clypealis Rothsch. (Plus.) 19
clypealis Schäfl. (Anom.) 100
clypeata Arr. 90
clypeatus Burm. 184
cnethopyga H. Bates 95
cochinchinensis Ohs. 194
coagulata H. Bates 95
cobala Ohs. 81
cobaltina Ohs. 66
coerulea Boh. (Pop.) 136
coerulea Ol. (Anom.) 68
coerulea Ohs. (Anom.) 95
coerulea Ohs. (Macr.) 56
coerulea Ohs. (Mim.) 127
coerulea Ohs. (Pelid.) 27
coerulea Perty (Rut.) 39
coeruleipennis Kraatz 89
coeruleocephala Ol. 69
coeruleo humeralis Ohs. 39
coeruleorufipes Ohs. 40
coeruleovirens Ohs. 40
coerulescens Blanch. (Antich.) 53

- coerulescens* Burm. (Diab.) 45
coerulescens Ohs. (Anom.) 102
coerulescens Schils. (Anom.) 68
cogina Rtrr. 66
collaris Blanch. (Chasm.) 59
collaris Burm. (Anom.) 108
collaris Burm. (Lobogen.) 205
collaris Dalla Torre (Anom.) 70
collaris Motsch. (Anom.) 77
colluta Pér. 64
Colmanti Ohs. 149
colobocaula Ohs. 102
colorata Rtrr. 82
columbica Burm. (Strig.) 123
columbica Ohs. (Anom.) 95
columbica Ohs. (Antich.) 52
columbica Ohs. (Chlor.) 44
columbica Ohs. (Lagoch.) 61
columbica Ohs. (Ptenom.) 49
comma Dalla Torre 70
communis Burm. 63, 207
complanata Newm. 136
complanata viridipennis Kraatz 140
complanata testaceipes Ohs. 140
compressicollis H. Bates 95
compressicornis Ohs. 174
compressidens Fairm. 174
compressus Web. 191
comptus Mén. 199
concha Ohs. 102
concinna Blanch. (Calom.) 48
concinna Burm. (Anom.) 102
concinus Blackb. 170
concolor Blanch. (Ador.) 187
concolor Blanch. (Mim.) 131
concolor Burm. (Anopl.) 170
concolor Kraatz (Pop.) 141
concolor Lap. (Pop.) 137
concoloripes Blanch. 55
condophora Ohs. 90
conflata Ohs. 63
confluens Ohs. (Platyc.) 177
confluens Westw. (Parast.) 32
conformis Walk. 81
Confucius Hope 130
confusa Ohs. 15
congoana Kolbe (Pop.) 145
congoana Ohs. (Xen.) 12
congoensis Lansb. 90
conjuga Arr. 113
conjuncta Schils. 162
connexa Muls. 165
conopyga Ohs. 136
Conradi H. Bates 95
consobrina G. Horn 10
conspurcata Har. 118
constricta Ohs. 81
consularis Kolbe 192
contenta Kolbe 90
contracta H. Bates 123
controversa Hope 81
convexa Ol. 51₂
convexicollis Fairm. 184
convexipennis Blanch. 183
convexus Burm. (Ador.) 187
convexus Ohs. (Gen.) 204
Coquereli Fairm. 35
coriaceus Brenske 197
Cornelii Ohs. 145
cornutus Burm. 206
coronatus Burm. 191
corpulenta Motsch. 67
corpulentus Arr. 187
corrugata H. Bates 81
corrusca Heyd. (Mim.) 132
corrusca Serv. (Antich.) 52
corruscans Chevr. (Anom.) 81
corruscans L. (Maer.) 56
costalis Blanch. 183
costaricae H. Bates 98
castaricensis H. Bates 23
costata Blanch. (Plus.) 16
costata Hope (Mim.) 128
costatus Burm. (Hypasp.) 4
costatus Burm. (Leucoth.) 201
costatus Ohs. (Pachyrhin.) 196
costatus Ohs. (Trizogen.) 207
costifera Rtrr. 67
costipennis Lansb. (Ador.) 184
costipennis Ohs. (Pop.) 145
costopilosus Ohs. 193
costopunctata Ohs. 107
costulata Fairm. (Anom.) 81
costulata Nonfr. (Strig.) 123
costulipennis H. Bates 124
coxalis H. Bates (Anom.) 102
coxalis Ohs. (Mim.) 132
crassa Blanch. (Cot.) 10
crassa Lansb. (Anom.) 102
crassa Linell (Anom.) 96
crassesculpta H. Bates 119
crassimargo Rothsch. 16
crassipes G. Horn (Maer.) 13
crassipes Ohs. (Adoretos.) 112
crassipes Ohs. (Pelid.) 28
crassiuscula Klb. 145
crassus Ohs. 48
crenaticollis Ohs. 204
crenatipennis Quedenf. 145
cribrata Blanch. (Anom.) 102
cribrata H. Bates (Plat.) 48
cribrata Ohs. (Het.) 30
cribrata Waterh. (Maer.) 58
cribratipennis Blanch. 201
cribratus Blanch. 185
cribratus White 193
cribriceps H. Bates 95
cribricollis Fairm. (Ador.) 183

- cribricollis* Fairm. (Phyll.) 114
cribricollis Luc. (Gen.) 206
cribricollis Ohs. (Cot.) 10
cribrosus Har. 185
crinicollis Ohs. 95
crocea Ohs. 133
cruciata Muls. 118
crucifera Herbst 162
cruenta Ohs. 40
cruralis Fairm. 81
crypsinoa Ohs. 88
cupraea Thunbg. 58
cuprascens Ohs. (Pop.) 145
cuprascens Wied. (Anom.) 81
cuprea Burm. (Chlor.) 44
cuprea Er. (Mim.) 127
cuprea Germ. (Pelid.) 27
cuprea Hope (Anom.) 67
cuprea Ohs. (Anom.) 81
cuprea Ohs. (Anom.) 75
cuprifa Ohs. (Pop.) 142
cupreata Ohs. 68
cupreiceps Blanch. 123
cupreocaena Ohs. 143
cupreola H. Bates 167
cupreomarginata F. Bates 19
cupreonitens Bau 78
cupreonitens Beffa 72
cupreooxydata Ohs. 40
cupreus Arr. (Ador.) 192
cupreus Guér. (Hom.) 21
cupreus Philippi (Aul.) 180
cupricollis Chevr. (Anom.) 95
cupricollis Hope (Pop.) 136
cupricollis Kraatz (Pop.) 140
cupricollis Kraatz (Pop.) 140
cupricollis Ohs. (Anom.) 74
cupricollis Ohs. (Anom.) 89
cupricollis Ohs. (Mim.) 130
cuprifulgens Ohs. (Anom.) 88
cuprifulgens Ohs. (Anopl.) 171
cuprifulgens Ohs. (Chasm.) 60
cuprifulgens Ohs. (Mim.) 128
cuprina Lap. 53
cupripennis Kraatz (Pop.) 140
cupripennis Ohs. (Mim.) 129
cupripennis Ohs. (Pseudomacr.) 50
cupripes Hope (Anom.) 102
cupripes Kirsch (Macr.) 58
cupripes Kraatz (Pop.) 145
cupripes Perty (Pel.) 25
cupridarsis H. Bates 25
cuprithorax Beffa 74
cupriventre Blanch. 47
Curtisi Kirby (Cnem.) 43
Curtisi Waterh. (Anom.) 106
curtulus Pér. 193
curvibrachialis Ohs. 167
curvipunctata Muls 162
cuyabanus Ohs. 201
cyanea Dalla Torre (Anom.) 68
cyanea Hope (Pop.) 137
cyanelytria Kraatz 143
cyanescens Blanch. (Leucoth.) 201
cyanescens Kolbe (Pop.) 142
cyanicollis Ohs. (Mim.) 132
cyanicollis Villa (Anom.) 69
cyanipennis Ohs. 106
cyanipes (Pelid.) Kirby 29
cyanipes Newm. (Mim.) 130
cyanipes Waterh. (Thyr.) 46
cyanitarse Blanch. 46
cyanitarsis Gory 25
cyanocephala F. (Anom.) 70
cyanocephala Muls. (Phyll.) 115
cyanoptera Hope 145
cyathigera Scop. 162
cylindrica Arr. (Hyl.) 181
cylindrica Waterh. (Mecop.) 21
cylindricus Burm. 206
cyprichalcea Ohs. 81
cyprioptera Ohs. 129
cyrtopygus Ohs. 189
Daemeli Ohs. 170
daimiana Har. 67
Dalmanni Gyll. 113
damara Pér. 90
damarae Ohs. 152
dapitana Ohs. 81
daressalaminus Ohs. 196
dasypyga Ohs. 103
daurica Mannerh. 74
Davidis Fairm. (Callistopop.) 150
Davidis Fairm. (Mim.) 131
Davisi Ohs. 201
debilidens Ohs. 176
debilis Pér. (Ador.) 185
debilis Sharp (Mim.) 130
deccanus Ohs. (Ador.) 187
deccanus Ohs. (Pachyrh.) 196
decipiens Hope 132
decolor H. Bates (Anom.) 195
decolor Ohs. (Leuc.) 201
decolorata Ohs. 128
decorata Kirsch 81
decoratus Arr. 190
Decorsei Ohs. 185
defectiva Muls. 162
degenerata Arr. (Anom.) 106
degenerata Snell. (Parast.) 32
De Haani Hope 103
delagoa Pér. 90
Delavayi Fairm. 81
deleta Muls. 165
deleta Schils. 163
deliana Ohs. 81
deltifera Ohs. 203

- demerarae* Ohs. 110
densestrigosa Fairm. 81
denticollis H. Bates 95
denticrus Ohs. 103
denticulatus Brancs. 185
dentipennis Fairm. 124
denuda Arr. 90
deplanata Ohs. 145
deplanatum Ohs. 46
depressa Er. (Anis.) 159
depressa Kraatz (Pop.) 137
depressiuscula Kraatz 137
derugata Ohs. 127
deserticola Fisch. (Anis.) 164
deserticola Luc. (Dier.) 154
deserticola Ohs. (Pseud.) 199
desertorum Motsch. 73
Desmaresti Waterh. 55
despumata Ohs. (Anom.) 81
despumata Ohs. (Mim.) 130
devia Brancs. 81
devota Rossi 67
diaspis Dohrn 44
dichroa Blanch. (Pop.) 137
dichroa Mannerh. (Maer.) 58
dichroa Melsh. (Anom.) 100
dichroa Rtrr. (Anom.) 79
dichropus Blanch. 102
difficilis Fairm. (Ischn.) 150
difficilis Har. (Mim.) 128
difficilis Newm. (Pop.) 137
difficilis Waterh. (Anom.) 68
diglossa Ohs. 103
dilatata Burm. 59
dilatatus Germ. 180
diluta Motsch. 73
dilutellus Rtrr. 195
dilutellus Sem. 195
dilutipennis Fairm. 137
dimidiata Er. (Parast.) 37
dimidiata Hope (Anom.) 81
dimidiata Ohs. (Maer.) 54
dimorpha Ohs. 40
discalis Ohs. (Mim.) 132
discalis Walk. (Anom.) 81
discalis Walk. (Pop.) 137
discedens Brancs. 89
discicollis Ohs. 25
discipennis Fairm. 137
discissa Ohs. 145
discoidalis Fairm. (Ador.) 183
discoidalis H. Bates (Anom.) 95
discoidea Burm. 130
discolor Fald. (Ador.) 189
discolor Westw. (Parast.) 34
discophora Schauf. 33
discordabilis Dohrn 90
discordans Meissner 116
discors Karsch 81
disgamius Ohs. 200
dispar Burm. (Geniates) 206
dispar Burm. (Leucoth.) 201
dispar Er. (Anis.) 164
dispar M'Leay (Anopl.) 170
disparilis Arr. (Anom.) 64
disparilis Pér. (Ador.) 185
dissideus Pér. 190
distans Burm. 206
Distanti Arr. 90
disticta Ohs. 84
distigma Kraatz 142
distinguenda Blanch. (Anom.) 90
distinguenda Fairm. (Pop.) 149
distinguendus Arr. 187
dita Pér. 90
diversa Ohs. 17
diversa Waterh. 114
diversicolor Ohs. (Anom.) 81
diversicolor Ohs. (Ador.) 190
diversipennis Ohs. 37
diversipes Ohs. 46
divisa Ohs. 60
djampeana Ohs. 88
djampeanum Ohs. 197
Dohertyi Ohs. 43
Dohrni Ohs. (Chaleocl.) 166
Dohrni Ohs. (Chlor.) 44
dolens Fairm. 33
Dollei Fairm. 156
Donckieri Ohs. 145
Donovani Marsh. (Anis.) 162
Donovani Steph. (Anom.) 95
Dorcyi Ol. 40
dorsalis Blanch. (Leucoth.) 201
dorsalis Burm. (Rhin.) 155
dorsalis F. (Anom.) 63
dorsalis Kraatz (Trich.) 153
dorsata Fähr. 64
dorsigera Newm. 141
dorsofasciata Fairm. 145
dorsofasciata Kraatz 147
dorsopicta Arr. 82
dorsosignata Ohs. 88
doryphorina H. Bates 96
Doubleieri Muls. 74
Downsi Hope 130
Drescheri Ohs. (Ador.) 187
Drescheri Ohs. (Anom.) 106
Drescheri Ohs. (Mim.) 130
Drurei Pic 189
Druryana Herbst 24
dubia Ball. (Anom.) 67
dubia Blatchley (Anom.) 99
dubia F. Bates (Pelid.) 25
dubia Herbst (Anom.) 69
dubia Scop. (Anom.) 68
ducatrrix Kolbe 150
Duchoni Ohs. 36

- dulcissima H. Bates 130
 Duponti Arr. (Parast.) 35
 Duponti Boisd. (Anopl.) 170
 durangoana Ohs. 38
 Dassumieri Blanch. 103
 Duvauceli Blanch. (Anom.) 82
 Duvauceli Blanch. (Ador.) 187
dytiscoides McLeay 168

 ebena Burm. 137
 ebenina Blanch. (Pelid.) 26
 ebenina Fairm. (Anom.) 82
 ecbolima Ohs. 82
 echo Kolbe 93
 Eckhardt Ohs. 96
 ecuatoriana Ohs. 31
 eduardina Kolbe 142
 egana Ohs. 28
 egregia Gahan 65
 Ehrenbergi Ohs. 196
 eladera Ohs. 82
 elata F. 64
 Elberti Ohs. 88
 elegans Blanch. (Adoretos.) 112
 elegans Burm. (Hylam.) 181
 elegans Nonfr. (Strig.) 124
 elegans Ohs. (Lobog.) 205
 elinguis Ohs. 60
 elongatus Blanch. (Homon.) 21
 elongatus Blanch. (Leucoth.) 201
 elongatus Fairm. (Ador.) 183
 emarginata Gyll. 60
 emarginatus Ohs. 185
 emerita Ol. 30
 emortualis Blanch. 90
 encausta Cand. 103
 enganensis Ohs. 103
 eosina Ohs. 77
 ephippiata Ohs. (Cnem.) 42
 ephippiata Ohs. (Rut.) 40
 ephippium L. (Rut.) 41
 ephippium Snell. (Parast.) 35
 epicholica Ohs. 106
 epipleuralis Arr. 187
 epistomalis Chobaut (Ador.) 189
 epistomalis Kolbe (Stoman.) 121
 equestris Lap. 21
 Erichsoni Rtrr. 159
 Erlangeri Ohs. 196
 ermineus Arr. 191
 erosa Arr. 63
 errans F. 72
 errans Ill. 76
 Ertli Ohs. (Anom.) 90
 Ertli Ohs. (Pop.) 145
 Ertli Ohs. (Prodor.) 198
 erubescens H. Bates (Chrys.) 19
 erubescens Ohs. (Parathyr.) 47
 erubescens Ohs. (Pop.) 147

erythrobapta Kolbe 143
 erythrocephalus F. 187
 erythroptera Kraatz 82
 erythropus Kraatz 145
 Eschscholtzi Lap. 201
escuintlensis H. Bates 109
espiritasantensis Ohs. (Anom.) 99
espiritasantensis Ohs. (Antich.) 53
espiritasantensis Ohs. (Areoda) 11
espiritasantensis Ohs. (Chlor.) 44
espiritasantensis Ohs. (Lobogen.)
 205
etrusca Ganglb. 74
 euechloroides Murr. (Pten.) 49
 euechloroides Ohs. (Mim.) 130
 euechroma Fairm. 82
 eucoma H. Bates 96
 eulissa H. Bates 96
eunectoides Fairm. 183
 eupyga Arr. 145
evanescens Mars. 195
evanida Muls. 165
 exanthenatica Ohs. 82
 exarata Burm. 82, 88
 exarata Fairm. 81
 exasperans Pér. 185
 excellens Nonfr. 106
 excisipes Rtrr. 130
 excisus Ohs. 188
 excolens Ohs. 103
 exigua Ohs. (Anom.) 75
 exigua Pér. (Anom.) 90
 exigua Schwarz (Strig.) 124
 eximia Arr. 137
 exitialis Pér. (Ador.) 185
 exitialis Pér. (Anom.) 90
 exoleta Fald. 73
 exoleta Pér. 90
 expansa H. Bates (Anom.) 103
 expansa Ohs. (Plus.) 16
 expedita Ohs. 103
 explanatus Arr. 170
exscutellata Muls. 165
Eydouri Banch. 83

 Fairmairei Arr. (Anom.) 82
 Fairmairei Brs. (Ador.) 185
Fairmairei Redt. (Oryct.) 38
 Faldermanni Rtrr. 160
 fallaciosa Fairm. 137
 fallaciosus Pér. 190
fallax Schils. (Anom.) 72
 fallax Sem. (Pseud.) 195
 farraria Er. 164
fasciata Muls. 165
 fascicularis Nonfr. (Ador.) 185
 fascicularis Ohs. (Pop.) 146
 fasciculatus Burm. 154
 fastigata Ohs. 156

fastuosa Burm. 126
fastuosa F. 133
 Feae Gestro 31
 Feae Kraatz 138
felicia Arr. 82
felix Arr. 138
Felschei Ohs. (Mimela) 130
Felschei Ohs. (Pop.) 141
Felschei Ohs. (Saulost.) 175
feminalis Arr. 188
femoralis Blanch. (Leucoth.) 201
femoralis Gyll. (Anom.) 93
femoralis Hope (Anom.) 102
femoralis Klug (Pop.) 146
femoralis Lap. (Anom.) 92
femoralis Ol. (Anom.) 82
femorata Burm. (Parast.) 36
femorata Rtrr. (Anom.) 91
femoratus Burm. (Leucoth.) 202
femoratus Lap. (Ador.) 183
 Ferrieri Nonfr. 32
ferruginea Mars. 65
ferruginipes Mars. 165
festiva Burm. (Maer.) 55
festiva H. Bates (Strig.) 124
 Feyeri Ohs. (Homon.) 21
 Feyeri Ohs. (Spodochl.) 167
 Feyeri Ohs. (Thyr.) 46
fibula Ohs. 82
fimbriata Newm. 82
 Fischeri Lap. 202
fissilabris Arr. 63
fissula Ohs. 103
flagellata Sharp 103
flatipes Arr. 79
flaveola Burm. 90
flaveolus H. Bates (Bolax) 200
flaveolus Fähr. (Ador.) 185
flavescens Arr. 193
flavicans Ohs. 90
flavicollis H. Bates (Chlor.) 45
flavicollis Heyd. (Phyll.) 120
flavida G. Horn 10
flavilabris Fairm. (Ador.) 183
flavilabris Waterh. (Mim.) 128
flavilla H. Bates 65
flavipenne Burm. 46
flavipennis Boisd. (Anopl.) 170
flavipennis Brull. (Anis.) 164
flavipennis Burm. (Anom.) 100
flavipennis Ohs. (Maer.) 54
flavipennis Ohs. (Mim.) 128
flavipennis Rtrr. (Phyll.) 119
flavipes Eschz. (Leucoth.) 202
flavipes Ohs. (Lobog.) 205
flavitaris Kraatz 146
flaviventris Arr. 82
flavizona H. Bates 96
flavobrunnea Ohs. 36

flavocastanea Ohs. 77
flavofasciata (Anom.) Arr. 82
flavofasciata Kraatz (Pop.) 138
flavofemorata Kirsch (Thyr.) 45
flavofemorata Ohs. (Anom.) 96
flavofemorata Ohs. (Spodochl.) 167
flavohumeratis Ohs. 188
flavolineatus Mannerh. (Bol.) 200
flavolineatus Ohs. (Gen.) 205
flavomarginata Ohs. 132
flavonotata Arr. 82
flavopicta Arr. 82
flavopilosa Ohs. 151
flavoscutellata Ohs. 82
flavosellata Fairm. 138
flavotaeniata Nonfr. 141
flavotrabeata Thoms. 146
flavovirens Kolbe 143
flavovittata Ohs. (Rut.) 40
flavovittata Perty (Pelid.) 28
flavovittatus Arr. 185
flavovittatus Nonfr. 188
flexuosa Rtrr. 77
 Flohri H. Bates (Rut.) 38
 Flohri Ohs. (Anom.) 96
 Flohri Ohs. (Plus.) 17
floricola F. (Anis.) 160
floricola Ohs. (Strig.) 124
floricola Panz. (Anis.) 163
floridana Ohs. 124
florina Ohs. 105
fluminensis Ohs. (Antich.) 53
fluminensis Ohs. (Leucoth.) 202
foliacea Ohs. 103
foraminosa H. Bates 96
formosa Burm. (Rut.) 40
formosa Hope (Pop.) 136
formosana Arr. 138
formosanus Ohs. 193
forcipalis Ohs. (Anom.) 82
forcipalis Ohs. (Platyc.) 177
 Forreri H. Bates 96
 Forsströmi Billb. 96
foveiceps Ohs. 96
foveolata Sharp 139
foveolatus Blanch. 200
fracida F. Bates 23
Francillonii Kirby 43
Franzisca F. 52
Franzisci L. 52
fraterna Burm. 63
fraudator Pér. 185
fraudulentus Pér. 185
Frenchi Blackb. 169
Frenchi Ohs. 169
Frischi F. 70
frontatus Burm. (Pseudad.) 195
frontatus Ohs. (Lobog.) 205
Fruhstorferi Felsche (Dicaul.) 31

- Fruhstorferi* Nonfr. (Anom.) 106
Fruhstorferi Ohs. (Ador.) 188
Fruhstorferi Ohs. (Mim.) 130
Fruhstorferi Ohs. (Parast.) 36
frulicola F. 157
fruticola Ol. 163
fruticola Walk. 162
fucala F. 57
Fülleborni Kolbe 142
fulgens Blanch. 82
fulgicollis Brême 126
fulgida Waterh. 53
fulgidicollis Blanch. 96
fulgidi vittata Blanch. 130
fulva Blanch. 23
fulvescens Cand. (Anom.) 103
fulvescens Germ. (Brachyst.) 180
fulvescens Sol. (Brachyst.) 180
fulvibasis Rttr. 120
fulvicornis Burm. 73
fulvipennis Kolbe (Pop.) 149
fulvipennis Ohs. (Anom.) 70
fulvipennis Ohs. (Anom.) 87
fulvipennis Ohs. (Pelid.) 27
fulvipes Guér. 180
fulviventre Blanch. 112
fulvocalceata Ohs. 82
fulvocostata Ohs. 96
fulvofusea Ohs. 82
fulvohirta Arr. (Anom.) 82
fulvohirta Blanch. (Lasioc.) 30
fulvopunctata Ohs. 26
fulvoviolacea Ohs. 76
fulvovirens Ohs. 179
fulvus Blanch. (Lobog.) 205
fulvus Brenske (Ador.) 183
funesta Ohs. 44
furcifer Ohs. 193
furcula Ohs. 82
furculosum Burm. 47
fusania H. Bates 130
fuscescens Blanch. (Leucoth.) 202
fuscescens Cam. (Gen.) 206
fuscicollis Blanch. (Leucoth.) 202
fuscicollis Ohs. (Gen.) 206
fuscipennis Kraatz (Pop.) 149
fuscipennis Ohs. (Anom.) 66, 79, 87
fuscipennis Ohs. (Bolax) 200
fuscipennis Ohs. (Chasm.) 59
fuscipennis Rttr. (Anom.) 112
fuscitarsis Rttr. 189
fusciventris Ohs. (Chasm.) 59
fusciventris Ohs. (Pelid.) 28
fuscoaenea Blanch. (Xenopelid.) 15
fuscoaenea Ohs. (Cot.) 11
fuscoaeneus Ohs. 21
fuscocuprea Ohs. 77
fuscocupreus Ohs. 21
fusco-lineatus Ohs. 48
fuscopunctatus Ohs. 205
fuscoseriatus Ohs. 191
fuscospinata Ohs. 83
fuscoviolacea Ohs. 86
fuscoviridis Blanch. (Anom.) 88
fuscoviridis Ohs. (Pelid.) 24
fuscovittatus Arr. 185
fuscula Sharp 83
fusculus Fahr. 185
gabonensis Ohs. 123
gagatina Waterh. 58
gallanus Brenske 197
Gandolphei Guér. 189
Ganglbaueri Rttr. 118
Gaschkewitchi Motsch. 131
Gaudichaudi Blanch. 200
Gaujoni Ohs. 177
gemella Say 65
geminatus M'Leay 176
gemma Kraatz 140
gemma Newm. 138
gemmula Arr. 106
generosa Waterh. 52
geniculata Lewis 67
geniculata Motsch. 73
Gestroi Ohs. 36
Geyri Ohs. 185
giganteus Burm. 183
gigas Lap. (Antich.) 51
gigas Murr. (Spod.) 167
glaberrima Blanch. 26
glabra Gebl. (Phyll.) 120
glabra Hope (Mim.) 130
glabrata F. (Rut.) 42
glabrata F. (Strig.) 124
glabripennis Ohs. 200
glandicolor Burm. 59
glandulicollis Ohs. 106
glauca Blanch. (Pten.) 49
glauca Ol. (Pelid.) 22
glaucipennis Ohs. 80
globosa Ol. 130
globulosa Sharp 83
gloriosa Lec. 17
guomonica Schauf. 151
Goetzeana Kolbe 142
goniopygus Fairm. 183
gossypinata Fairm. 156
Gottschei Kolbe 67
Goudoti Ohs. 183
Gounellei Ohs. 26
goyanus Ohs. (Bolax) 200
goyanus Ohs. (Leucoth.) 201
goyanus Ohs. (Trizogen.) 207
gracilis Gory (Pelid.) 27
gracilis Nonfr. (Anom.) 110
gracilis Schöuf. (Anom.) 101

graminea Kolbe (Pop.) 142
graminea Ohs. (Anom.) 83
graminiora Deville 165
grandicornis Fairm. 199
grandis Hope (Anom.) 103
grandis Ohs. (Gen.) 206
graniceps Rtrr. 189
granicolis Hald. 10
granulata Gory 28
granulifrons Fairm. 185
granulipyga H. Bates 108
gratiosa Sharp 49
Graueri Ohs. (Anom.) 65
Graueri Ohs. (Pop.) 142
gravida Arr. 63
Grayanus White 169
griseopilosus Ohs. 174
griseosetosus Nonfr. 191
griseocens Fairm. 185
grossepunctatus Fairm. 182
Grubaueri Ohs. 130
guadulpensis Lap. 42
guadulpiensis Burm. 202
guatemalena H. Bates 96
guatemalensis H. Bates (Pelid.) 23
guatemalensis Ohs. (Chlor.) 44
guatemalensis Ohs. (Epect.) 122
Gudzenkoi Jac. 73
Güssfeldti Kolbe 90
guineensis Ohs. 198
guttulata Fairm. 33
guttulatus Kraatz 190
gymnotopus Ohs. 193

haemorrhoidalis Ol. (Chlor.) 44
haemorrhoidalis Rtrr. (Anom.) 76
Haenschii Ohs. 124
hamigera Ohs. 83
Haroldi Cand. 49
Harringtoni Westw. 31
Hauschildti Ohs. 106
Hauseri Kraatz (Trig.) 121
Hauseri Rtrr. (Anis.) 160
hebes Rtrr. 164
hebescens Ohs. 63
hebridarum Ohs. 88
heliophila Ohs. 59
Helleri Ohs. (Callichl.) 178
Helleri Ohs. (Parast.) 37
Helleri Ohs. (Ptenom.) 49
Helleri Ohs. (Singh.) 113
Helmenricchi Ohs. 12
Helmreicheni Ohs. 12
hemichlora Lap. 49
heraldica Nonfr. (Strig.) 124
heraldica Perty (Rut.) 40
herbacea Blanch. (Pelid.) 23
herbacea Ohs. (Platyc.) 177
herbaceus Germain 180

hesperus Drury 41
hesychastria Ohs. 90
heterocera Ohs. 37
heterochropus Blanch. 130
heterocostata Hell. 88
heteroglypha Ohs. 83
heterostigma Ohs. 83
heterotricha Ohs. 103
hexaspila Ancy 144
Heydeni Friv. 103
hilaris Burm. 136
hilaris Kraatz 142
hindu Hell. 113
hirsuta Nonfr. (Anom.) 110
hirsuta Ohs. (Gnath.) 153
hirsutula Nonfr. 83
hirsutus Burm. (Anopl.) 170
hirsutus Ohs. (Ador.) 194
hirta Ohs. 177
hirtella Brull. 117
hirtellus Lap. 193
hirtipes Burm. 52
hirtiventris H. Bates 58
hirtulus Burm. 200
hirtum Kirsch 46
hirtus Ohs. (Brachyst.) 181
hirtus Ohs. (Leucoth.) 202
hirtus Ohs. (Lobogen.) 205
hispidipennis Ohs. 96
hispidula H. Bates 96
hispidulum Thoms. 197
hysteroidea Gyll. 138
histrionella H. Bates 96
Hoefigi Ohs. 29
Hoegi Ohs. 96
Hoehnei Ohs. 53
Hoepfneri H. Bates 96
Hogei Bouc. 19
holcoptera Fairm. 83
holochalcea Ohs. 90
holocypria Ohs. 128
holomelaena H. Bates 83
holosericea F. (Mim.) 128
holosericea Ill. (Anom.) 78
homonychius Ohs. 202
honduræ Nonfr. 65
honduræ Nonfr. 97
Hopei Burm. (Mim.) 130
Hopei Kirsch (Anom.) 83
hoplioides Boh. 190
Horsfieldi Westw. 35
horticola L. 114
horticola Waterh. 116
huanapensis Ohs. 94
humeralis Ohs. 112
humeralis Arr. (Desm.) 38
humeralis Burm. (Anom.) 83
humeralis Fairm. 116

- humeralis* H. Bates (Platyc.) 177
humeralis Schils. (Anom.) 70
humeralis Walk. (Anom.) 87
humilis Blanch. 202
hungarica Rtrtr. 165
hylobia Ohs. 96
hymenalis Ohs. 83
hymenoptera Ohs. 105
hypocrita Burm. 157
hypselotropis Ohs. 146
hypudaeus Ohs. 188
hystrix Fairm. 182

icterica Ohs. 59
ictericus Burm. 185
idionema Burm. 73
igneus Ol. 202
ignicauda H. Bates 130
ignicollis Blanch. 83
ignicolor Rtrtr. 73
ignita Ol. 29
ignorata Brancs. (Anom.) 108
ignorata Ohs. (Parast.) 35
Iheringi Ohs. 167
illitus Pér. 190
illusa Arr. 63
imitatrix Apfelb. (Anis.) 164
imitatrix Nonfr. (Aprost.) 63
imitatrix Nonfr. (Strig.) 126
imitatrix Ohs. (Pseud.) 50
immaculata Ohs. 55
immaculatus Cam. 205
immarginata Muls. (Anis.) 165
immarginata Ohs. (Anom.) 90
immarginata Rtrtr. (Anom.) 101
immatura Boh. (Anom.) 65
immatura Thoms. (Pop.) 146
imperator Lap. 52
imperfecta Ohs. 88
imperialis Arr. 73
impicta H. Bates 106
impressicollis Nonfr. (Strig.) 126
impressicollis Ohs. (Gen.) 206
impressifrons Boisd. (Anopl.) 172
impressifrons Luc. (Gen.) 206
impressipyga Ohs. 138
impressus Boisd. 171
impunctulata Ohs. 143
impunctatum H. Bates 46
impurus Fähr. 185
impustulata Kraatz 140
inaurata Burm. 52
incerta Muls. 70
incertus Cam. 206
incogitatus Dohrn 200
inconcinna H. Bates 63
inconditus Pér. 185
incongruens Pér. 193
inconstans Burm. (Anom.) 96

inconstans Fairm. (Parast.) 33
inconstans Fairm. (Pop.) 138
inconsueta Ohs. 103
incostatum Fairm. 112
inculta Er. 156
incuprata Er. 128
incurvatus Ohs. 188
indica Arr. (Micr.) 122
indica Burm. (Rhin.) 155
indica Ohs. (Parast.) 36
indigonacea Motsch. 134
indutus Burm. 183
inepta Ohs. 83
infans Arr. (Ador.) 194
infans Ohs. (Anom.) 63
infantilis Arr. 64
inflata Ohs. 178
infusata Burm. (Rhin.) 156
infusata Ohs. (Anom.) 81
infusata Ohs. (Anom.) 83
infusata Ohs. (Anom.) 92
infusata Ohs. (Parast.) 32
infusata Ohs. (Pelid.) 24
infuscatus Ohs. (Ador.) 188
infuscatus Ohs. (Bolax) 200
inglorius Pér. 185
inguinalis Ohs. 83
innocens Arr. 106
innuba Burm. 110
innuba F. 100
inopinata Ohs. 103
inornatus Heyd. 194
inscripta Nonfr. 133
insignis Brême (Strig.) 126
insignis Lansb. (Anom.) 106
insipida Lansb. 65
instabilis Ohs. 28
insularis Boh. (Leucoth.) 202
insularis Fairm. (Ador.) 188
insularis Lap. (Anom.) 96
insularis Lewis (Pop.) 134
insularis Ohs. (Anoplogn.) 170
insularis Ohs. (Mim.) 130
intacta Kraatz 149
intermedia H. Bates (Cnem.) 42
intermedia H. Bates (Strigod.) 124
intermedia Ohs. (Plus.) 16
intermedia Ohs. (Pop.) 146
intermedius Ohs. 20
intermixta Arr. 116
interna Har. 65
interpunctata Er. 142
interrupta Muls. 165
intrusa Pér. 91
inustus Kirby 171
irideorufa Fairm. 83
iridescens Ohs. 202
iridicollis Ohs. 83
iridipennis Ohs. 202

- iridiventris* Fairm. 64
Iris Cand. 150
irregularis Lewis 117
irregularis Waterh. 117
irrorata Blanch. 96
irrolella Lap. 107
isthmica Arr. 53

Jacobsoni Ohs. 103
jalapensis H. Bates 24
jamaicensis Thunb. 42
Jansoni Ohs. 96
janthina Leske 71
japonica Arr. (Anom.) 78
japonica Newm. (Pop.) 134
javana Kolbe (Fruhst.) 43
javana Ohs. (Anom.) 83
javana Ohs. (Mim.) 130
javanus Kraatz 188
jipensis Gerst. 193
jicarana Ohs. 44
jivarus Ohs. 202
jodiella H. Bates 53
Jonasi Ohs. 83
Jordani Nonfr. (Anom.) 98
Jordani Ohs. (Anom.) 108
Jordani Ohs. (Thyriochl.) 45
julii F. 69
junii Duft. 73
juquilensis Ohs. 65.
Jurinei M'Leay 105

Kahlei Nonfr. 193
Karschi Nonfr. 19
keiana Ohs. 88
Keili Rits. 107
Keithi Linnell 18
Keniae Ohs. 65
Kersteni Gerst. 91
kikimantjarensis Ohs. 144
kinabalensis Ohs. (Anom.) 83
kinabalensis Ohs. (Pop.) 139
kinibalensis Ohs. 37
Kirbyanus M'Leay 202
Kirbyi Gray 29
Kirschi F. Bates (Pelid.) 29
Kirschi Ohs. (Call.) 178
kiwana Kolbe 142
Knapperti Ohs. 103
Köchlini Mars. 195
Koenigi Rtr. 160
Kolbei Ohs. (Anom.) 108
Kolbei Ohs. (Pop.) 142
Kolleri Ohs. 146
Korcana Ohs. 114
Kraatzi Ohs. (Parast.) 32
Kraatzi Ohs. (Pop.) 142
Kristenseni Ohs. 91
Krüperi Brenske 117

kudatina Ohs. 83
Kühni Ohs. 88
Kuhnti Ohs. 30
kurdistana Rtr. 163

labialis Ohs. 198
lacerata Germ. 42
Lacerae Sharp 25
laecrosa Cand. 146
Lacordairei Bouc. (Plus.) 18
Lacordairei H. Bates (Phal.) 176
ladakanus Ohs. 188
ladina Ohs. 108
laeicollis H. Bates 96
laeta Rtr. (Phyll.) 120
laeta Sturm (Plus.) 17
laeta Waterh. (Macr.) 56
laeta Web. (Rut.) 42
laetabilis Ohs. 83
lactans Pér. 146
laetus Rothsch. 173
laevicollis Kraatz (Pop.) 138
laevicollis Kraatz (Pop.) 146
laevicollis Waterh. (Macr.) 58
laevigata Arr. (Mim.) 133
laevigata Blanch. (Anom.) 90
laevigata Ohs. (Platyc.) 177
laevipennis Germ. 38
laevis Burm. (Platyc.) 177
laevis Burm. (Platyc.) 178
laevis Burm. (Pop.) 138
laevis Cam. (Gen.) 206
laevissima Burm. (Anom.) 83
laevissima Burm. (Pelid.) 23
laevistriata Arr. 138
laevisuleata Fairm. 83
Lafertei Brème 167
Lajoyi Ohs. (Ador.) 188
Lajoyi Ohs. (Pseudoschiz.) 174
lanicensis Apfelb. 165
lampira H. Bates 124
lamprimoides White 173
lanatus F. 182
Langsdorffi Mannerh. 25
lanigera L. 10
laniventris Arr. (Anom.) 103
laniventris Sturm (Plus.) 16
lanuginosa Er. (Anis.) 160
lanuginosa Sem. (Trig.) 121
lanuginosus Lap. 186
laratina Ohs. 37
lasikina Ohs. 83
lasiocalinus Ohs. 14
lasiocaula Ohs. 83
lasiopygus Burm. 194
lasiosoma Burm. 166
lasius Ohs. 194
lata Er. 164
latecostata Ohs. 149

- latifemorata* Ohs. 103
lateralis Burm. (Chasm.) 60
lateralis Hope (Anom.) 83
lateralis Ol. (Maer.) 55
latevittata Fairm. 117
Lathamii Hope 132
laticeps Fähr. (Ador.) 193
laticeps Mannerh. (Leucoth.) 202
laticollis Blanch. (Leucoth.) 203
laticollis Burm. (Byrs.) 10
laticollis Burm. (Leucoth.) 202
laticosta Ohs. 205
latifrons Blanch. 191
latipes Arr. 64
latirostris Ohs. 194
latissima Brenske 182
latissimus Blanch. 183
latitarsis Nonfr. (Anom.) 96
latitarsis Nonfr. (Phyll.) 117
latitibia Schaeff. 124
latiuscula Pér. (Anom.) 91
latiusculus Pér. (Ador.) 185
Latreillei Blanch. (Anom.) 95
Latreillei Gyll. (Anopl.) 172
lauta Perty 40
Leachi M'Leay 11
Lecontei Horn 17
Lederi Rtrr. 134
Leei Swed. 133
leunniscus Arr. 194
Le Mouti Ohs. 146
Lenzi Ohs. 74
leo Arr. 182
Leotaudi Blanch. 83
lepida Burm. 108
Leprieuri Arr. 43
leprodes Ohs. 103
lepus Arr. 190
Lesnei Ohs. 44
leucaspis Lap. 157
leucogaster Burm. 201
Lewisi Arr. 135
Lewyi Blanch. 108
Leyi Ohs. 194
libethris Kolbe 146
libidinosa Ohs. 83
ligulata Ohs. 146
ligulipes Ohs. 96
limata Cand. 83
limatipennis Ohs. 83
limbata Boh. (Pop.) 144
limbata Burm. (Mim.) 133
limbata Drap. (Strig.) 124
limbata (Pop.) Kolbe 149
limbata Kraatz (Anis.) 160
limbata Lap. (Anom.) 96
limbata Ohs. (Platyc.) 178
limbata Rothsch. (Plus.) 19
limbaticollis Blanch. (Anom.) 96
limbaticollis Blanch. (Chlor.) 45
limbatipennis Ohs. 14
limbatus Blanch. (Ador.) 188
limbatus Blanch. (Leucoth.) 203
limbicollis Ohs. 199
limbifera Ohs. 83
limoniatis Kolbe 143
lineatipennis Ohs. 49
lineatopennis Blanch. (Anom.) 84
lineatopennis Ohs. (Antich.) 53
lineatopunctata Ohs. 99
lineata F. (Phyll.) 118
lineata Kraatz (Pop.) 139
lineatum Murr. (Thyr.) 46
lineatum Ohs. (Ador.) 112
lineatus Blanch. (Micr.) 204
lineatus Brenske (Ador.) 185
lineatus M'Leay (Anopl.) 169
lineicollis Ohs. 202
lineigera Rtrr. 119
Linelli Ohs. 91
lineola L. 41
lincolata Fisch. 118
lipodes Ohs. 84
lithobius Ohs. 188
littoralis Ohs. 61
liturata Quedenf. 149
liturella Kirby 28
lividus Burm. 202
lobipes Rtrr. 89
Loczyi Kraatz 134
longicollis H. Bates 124
longicornis Burm. 130
longipennis M'Leay 172
lubrica Ohs. 107
Lucae Lec. 23
Lucasi Fairm. (Dicr.) 155
Lucasi Guér. (Anom.) 91
lucens Ball. (Anom.) 74
lucens Ohs. (Las.) 31
Luciae Blanch. 97
lucicola F. 111
lucida Burm. (Pelid.) 24
lucida Newm. (Pop.) 138
lucida Ol. (Maer.) 55
lucidicollis Ohs. 146
lucidipennis Cand. 147
lucidula Fald. (Phyll.) 121
lucidula Guér. (Anom.) 88
lucidula Hope (Mim.) 132
lucidula Motsch. (Anom.) 74
lucidus Ohs. 174
luctuosa Lansb. 88
luculenta Er. 74
luculenta Motsch. 70
ludificans Ancy 152
Ludovici Ohs. 25
Ludoviciana Schäff. 100
Luedecke Becker 13

- lugubris* Lec. (Pelid.) 23
lugubris Kraatz (Pop.) 137
lugubris Wied. (Anom.) 63
lunata Fald. 120
lurida F. 96
luridicollis Arr. 84
luridipennis Waterh. 173
luridipes Blanch. 23
luridus Arr. (Anopl.) 170
luridus Blanch. (Ador.) 188
lusitanica Ohs. 76
lutea Klug (Anom.) 91
lutea Ohs. (Chasm.) 59
lutea Ol. (Pelid.) 24
lutea Schils. (Anom.) 79
luteipennis Hope (Pop.) 146
luteipennis Lec. (Anom.) 110
luteipes Lap. 190
luteola Westw. 39
luteomarginata Ohs. 18
lutescens Blanch. (Leuc.) 178
lutescens Schils. (Anom.) 71
ulicolor Ohs. 60
lutosipennis Fairm. 183
- macassara* Hell. 130
macedonica Apfelf. 165
MacLeayana Vigors 133
MacLeayi Blackb. (Anopl.) 170
MacLeayi Fisch. (Schiz.) 174
Maclellandi Hope 138
macraspidioides Ohs. 61
macronyx Ohs. 138
macrophthalma Ohs. 84
macrophylla Ohs. (Acrob.) 13
macrophylla Ohs. (Anat.) 167
macrophylla Wied. (Anom.) 84
macrophyllus Hell. 121
macrops Fairm. 184
macropus Franc. 19
macularia Kolbe 146
macularis Muls. 116
maculata Burm. (Macr.) 55
maculata Dalla Torre (Phyll.) 116
maculata Guér. (Anom.) 107
maculata Lap. (Anom.) 100
maculata Montrouz. (Parast.) 33
maculata Muls. (Phyll.) 118
maculata Schils. (Anom.) 71
maculatus Fahr. (Ador.) 187
maculatus Gory (Parhopl.) 14
maculicollis Blanch. (Anom.) 88
maculicollis Fairm. (Ador.) 184
maculicollis Guér. (Oryct.) 28
maculicollis Ohs. (Hoplogn.) 12
maculicollis Ohs. (Macr.) 56
maculicollis Ohs. (Mim.) 131
maculicollis Rtrr. (Phyll.) 114
maculicollis Schneider (Anom.) 74
- maculifemorata* Ohs. 103
madibirensis Ohs. (Ador.) 186
madibirensis Ohs. (Pop.) 143
madurae Arr. 84
magdalisae Ohs. 198
magnus H. Bates 200
Mairessei Ohs. 143
major Arr. (Ador.) 184
major Arr. (Nannopop.) 152
major Fairm. (Phyll.) 117
major Philippi (Brach.) 186
major Rtrr. (Anis.) 163
malabariensis Blanch. (Anom.) 103
malabariensis Ohs. (Prod.) 198
malayensis Arr. 14
maucatus Swartz 168
maniculus Ohs. 191
Manni Ohs. 147
margarita Arr. 131
marginicolle Ohs. 47
marginicollis Arr. (Anom.) 64
marginicollis Beffa (Anom.) 71
marginicollis H. Bates (Anom.) 109
marginicollis Hope (Pop.) 138
marginicollis Lap. (Lagoch.) 61
marginicollis Lap. (Rut.) 42
marginicollis Ohs. (Gen.) 206
marginipennis Arr. (Anom.) 84
marginipennis Kraatz (Pseud.) 152
marginella Lec. 100
marginella Rtrr. 79
marginalis Arr. (Mim.) 133
marginalis Dalla Torre (Anom.) 71
marginalis Newm. (Anom.) 80
marginata Boisd. (Parast.) 36
marginata Burm. (Platyc.) 178
marginata Dalla Torre (Anom.) 71
marginata F. (Anom.) 109
marginata Kraatz (Anis.) 160
marginata Lap. (Pelid.) 30
marginata Ohs. (Pop.) 148
marginata Ol. (Strig.) 124
marginata Waterh. (Plus.) 18
marginaticollis Blanch. 203
marginatus Germain 180
Marietti Osculati 165
marmorata Gestro 33
maronius Ohs. 205
Martini Hope 103
mashunus Pér. 186
massageta Kirsch 119
Mastersi M'Leay 171
matanga Arr. 112
matertera Ohs. 147
Mathildae Ohs. 45
matogrossensis Ohs. 200
matricula Ohs. 103
maura Muls. 165
mauritanus Ohs. 184

- mavis* Arr. 191
maxima Brénke (Ador.) 182
maxima Ohs. (Antich.) 53
Maynéi Ohs. 147
Mcgregori Ohs. 139
medellina Ohs. 109
megalía H. Bates 97
megalops H. Bates 65
Meinhardtí Kolbe 143
melanaria Blanch. 56
melanocephala Burm. 34
melanocephaloides Ohs. 34
melanochlora Kolbe 146
melanogastra Ohs. 91
melanoleucus Pér. 190
melanopa Rtrr. 92
melior Rothsch. 19
melolonthoides Fairm. 197
membranifera Kolbe 147
meridiana Rey 165
meridionalis Arr. (Rhin.) 155
meridionalis Ohs. (Chlor.) 45
meruana Kolbe 93
mesoenemis Ohs. 97
mesopotamicus Blanch. 154
mesosternalis Ohs. (Platyc.) 177
mesosternalis Ohs. (Schizogn.) 174
metallescens Blanch. (Call.) 155
metallescens Burm. (Leucoth.) 203
metallica Burm. (Chlor.) 44
metallica Dalla Torre (Phyll.) 116
metallica Lap. (Pelid.) 30
metallica Nonfr. (Strig.) 126
metallicollis Fairm. 138
metallicum Arr. 112
metallicus Blanch. 203
meticulosus Kolbe 186
Meloidia Rtrr. 79
mexicana Blanch. (Strig.) 125
mexicana Burm. (Epect.) 122
mexicana Gray (Chrys.) 19
mexicanus Ohs. 14
mhondana Kolbe 143
micans Burm. (Anom.) 109
micans Fairm. (Anom.) 84
micans Muls. (Anom.) 71
micans Nonfr. (Strig.) 125
micantipennis Ohs. 170
Micholitzí Ohs. 103
microcephala Burm. 97
microcephaloides Ohs. 47
microcephalus Burm. 203
microps Ohs. 140
millepora H. Bates 97
millestriga H. Bates 103
Millingeni Pic 184
mimeloides Ohs. 109
mimeloides Rtrr. 86
minahassae Hell. (Pop.) 141
minahassae Ohs. (Anom.) 104
miniatipennis Fairm. 139
minima Drap. (Strig.) 125
minima Ohs. (Anom.) 109
ministrans Ohs. 88
minor Kolbe (Pop.) 143
minor J. Müller (Anis.) 160
minor Ohs. (Anom.) 90
minuscula Har. 152
minuta Burm. (Anom.) 100
minuta Hope (Pop.) 139
minuta G. Horn (Anom.) 100
minutulus Brenske 197
minutus Brenske (Ador.) 188
minutus Ohs. (Leucoth.) 203
miokoana Ohs. 88
mirabilis Arr. (Parast.) 34
mirabilis Waterh. (Spod.) 167
misandria Ohs. 84
mixta Blanch. 56
mixta F. 92
Mniszechi Bouc. (Plus.) 16
Mniszechi Sallé (Macr.) 13
modesta Sturm (Chrys.) 20
modesta Waterh. (Pseud.) 50
modestus Blanch. 203
Modiglianii Gestro 31
moerens F. 111
Moffartsi Ohs. 150
moja Ohs. 109
molirensis Ohs. 147
monachula Ohs. 84
mongolica Arr. (Pop.) 139
mongolica Fald. (Anom.) 75
mongolica Motsch. (Anom.) 75
monochroa H. Bates (Anom.) 103
monochroa Ohs. (Anom.) 97
monochroa Sem. (Phyll.) 120
montanus W. M'Leay (Anopl.) 170
montanus Ohs. (Triz.) 207
monticola Er. (Anis.) 160
monticola Ohs. (Pachyrh.) 196
monticola Ohs. (Pseudomes.) 199
montium Kolbe 143
Montrouzieri Fairm. 32
Moorei Kraatz 150
moreletiana Blanch. 122
morio Burm. (Macr.) 58
morio Burm. (Oryct.) 38
morio Burm. (Pelt.) 14
morio Kraatz (Anis.) 164
morio Ohs. (Anom.) 107
Morissaci Blanch. 103
morosa Burm. 53
Moseri Ohs. 35
Motschoulskyi Har. 75
Moultoni Ohs. (Ador.) 191
Moultoni Ohs. (Anom.) 107
Moultoni Ohs. (Parast.) 36

- mucoresum* Burm. 197
Mülleri Kolbe 143
multicolor Rtrr. 120
multicornis Cam. 206
multistriata Motsch. 101
mundissima Walk. 131
murinus Burm. (Ador.) 186
murinus Burm. (Ador.) 194
murinus Ohs. (Eun.) 204
mus Arr. (Ador.) 194
mus Arr. (Anom.) 84
mustus Kolbe 197
mutabilis Burm. (Bolax) 200
mutabilis Ohs. (Anom.) 97
mutabilis Ohs. (Pop.) 147
mutans Blanch. (Anom.) 65
mutans Newm. (Pop.) 139
mutata Arr. 91
mutatus Har. 203

nana Lansb. 131
naponensis Ohs. 109
nasalis Rtrr. 165
nasuta Newm. (Pop.) 135
nasuta Ohs. (Chlor.) 45
nasutus Arr. (Pelt.) 14
nasutus Fähr. (Ador.) 186
nazarena Mars. 119
neapolitana Rtrr. (Anis.) 160
neapolitana Rtrr. (Anom.) 66
nebulosus M'Leay 171
nephriticus Ohs. 194
nervosa Kirsch 178
Nevinsoni Fowl. 52
niasiana Ohs. (Aprost.) 64
niasiana Ohs. (Parast.) 35
Nickerli Kraatz 152
nicobarica Ohs. 33
Nietneri Ohs. (Ador.) 191
Nietneri Redt. (Pop.) 137
Nietoi Guér. 13
niger Blanch. (Phar.) 154
niger Brenske (Ador.) 184
niger Ohs. (Gen.) 206
nigra Dalla Torre (Phyll.) 116
nigra Gestro (Parast.) 36
nigra Kolbe (Pop.) 149
nigra Nonfr. (Anom.) 105
nigra Ohs. (Anom.) 92
nigra Ohs. (Antich.) 53
nigra Ol. (Anis.) 159
nigra Schils. (Anis.) 159
nigrata Rtrr. 119
nigrescens Beffa 71
nigrescens Ohs. 103
nigricans Kirby (Anom.) 63
nigricans Ohs. (Lobog.) 205
nigricans Ohs. (Parasch.) 174
nigricauda H. Bates 177

nigriceps Fähr. (Ador.) 185
nigriceps Ohs. (Bolax) 200
nigriceps Westw. (Parast.) 33
nigrifrons Kraatz (Rhin.) 155
nigrifrons Stev. (Ador.) 189
nigripenne Ohs. 112
nigripennis Blanch. (Parasch.) 174
nigripennis H. Bates (Calomacr.) 49
nigripennis H. Bates (Strig.) 125
nigripennis Ohs. (Anom.) 71
nigripennis Ohs. (Lobog.) 205
nigripennis Ohs. (Paramacr.) 49
nigripennis Ohs. (Pseudomal.) 152
nigripennis Ol. (Anis.) 160
nigripennis Rtrr. (Phyll.) 119
nigripennis Sharp (Parast.) 30
nigripes Burm. (Strig.) 126
nigripes Nonfr. (Anom.) 84
nigrita Blanch. (Strig.) 125
nigrita Boisd. (Mal.) 151
nigrita F. (Anom.) 71
nigritarsis Quedenf. 186
nigritula Lap. (Anom.) 111
nigritula Ohs. (Pop.) 148
nigriventre Ohs. 46
nigroaenea H. Bates (Cot.) 11
nigroaenea Ohs. (Anom.) 97
nigrocoerulca Ohs. 27
nigrocyanca Kraatz 148
nigromaculata Blanch. (Parast.) 33
nigromaculata Ohs. (Lut.) 39
nigroscutellata Ohs. 33
nigrosellata Ohs. 131
nigrosternalis Ohs. 177
nigrosulcata Cand. 91
nigrovestita Arr. 91
nigrovirens Rtrr. 77
nitolica Kraatz 153
nitens Blanch. (Bolax) 200
nitens Burm. (Anom.) 93
nitescens H. Bates (Anom.) 109
nitescens Vigors (Pelid.) 27
nitida Burm. (Chasm.) 60
nitida Hope (Pop.) 139
nitidissima Blanch. (Anom.) 103
nitidissima Burm. (Macr.) 58
nitidicollis Gory (Pop.) 138
nitidicollis Guér. (Leucoth.) 202
nitidicollis Klug (Anom.) 89
nitidula Blanch. (Anom.) 109
nitidula Er. (Parast.) 37
nitidulus Boisd. (Anopl.) 170
nitidulus Ol. (Leucoth.) 203
nitidus Arr. (Ador.) 188
niveicollis Lap. 203
njamensis Kolbe 149
noctivaga Ohs. 84
noctivagus Ohs. 203
nodulosa Ohs. 125

- nona Ohs. 103
Nonfriedi Ohs. 36
 nossibeicus Ohs. 184
 notata Blanch. (Pelid.) 23
notata Er. (Anom.) 99
 Nottrotti Kraatz 139
novogranadensis Ohs. 98
novoguineensis Ohs. (Anom.) 88
novoguineensis Ohs. (Parast.) 34
 nubeculosa Ohs. (Anom.) 84
 nubeculosa Ohs. (Pop.) 147
nudiusculus Sharp 188
 nudostriatus Ohs. 188
 nupta Ohs. 107
 nutans H. Bates 109
 nyassica Kolbe 147

Oberthüri Fairm. (Phyll.) 119
Oberthüri Kraatz (Anom.) 89
 Oberthüri Ohs. (Bolax) 200
 Oberthüri Ohs. (Heterost.) 13
 Oberthüri Ohs. (Parast.) 34
 obesa Burm. (Phal.) 176
 obesa Cand. (Anom.) 104
obesa Lacord. (Phal.) 176
 oblitterata Gyll. 176
 oblivia Horn 111
 oblonga Arr. (Mim.) 133
 oblonga Burm. (Macr.) 56
oblonga F. (Anom.) 71
oblonga Jacq. du Val (Anom.) 70
 oblongum Ohs. 47
 obscura Guér. (Parast.) 34
obscura Muls. (Anis.) 62
 obscura Tasch. (Mec.) 22
 obscurata Ohs. (Chasm.) 60
 obscurata Rtr. (Spin.) 112
obscurata Sem. (Phyll.) 120
obscurior Ohs. 83
 obscuripes Fairm. 91
 obsкуроaenea Fairm. 91
 obscurus F. (Ador.) 186
obscurus Phil. (Brach.) 181
 obsoleta Blanch. 84
 Obsti Ohs. (Anodont.) 153
 Obsti Ohs. (Psilad.) 195
occidentalis Muls. (Phyll.) 118
 occidentalis Ohs. (Platyc.) 177
 occidentalis Ohs. (Pseudoschiz.) 174
 ochracea Waterh. 38
ochrochalcea Ohs. 129
 ochrogastra H. Bates 97
 ochroptera H. Bates (Anom.) 97
ochroptera Ohs. (Mim.) 129
 octiescostata Burm. 75
octocostata Fairm. 77
octocostata Motsch. 75
 octogona Cand. 149
 ocellularis Blanch. 198

 oculata Ohs. 139
 oculicollis Arr. 107
 Odewahni M'Leay 171
 oedematosa Ohs. 88
 Oedipus Fairm. 197
 Ohausi Arr. (Mim.) 131
 Ohausi F. Bates (Las.) 31
 Ohausi Hell. (Ador.) 189
 Ohausi Hell. (Anom.) 108
 Ohausi Kolbe (Pop.) 147
 Ohausi Kolbe (Xenopr.) 12
olea Newm. 146
 oleaginea Mén. 75
olivacea Blanch. (Platyc.) 178
 olivacea Gyll. (Anom.) 105
 olivaceus Ohs. (Parasch.) 174
 olivaceus Phil. (Brach.) 180
 Olivieri Dalm. (Anopl.) 171
 Olivieri Sharp (Anom.) 84
 Olivieri Waterh. (Macr.) 56
omeloides Westw. 37
 opaca Kraatz 149
 opacicollis H. Bates (Epect.) 122
 opacicollis Kraatz (Pop.) 139
 opacicollis Ohs. (Las.) 31
 opacicollis Pér. (Anom.) 91
 opacus Perty 203
 opalina Fairm. (Anom.) 84
 opalina Ohs. (Mim.) 131
 opalinus Brullé 173
opalinus Hombr. 173
 ophthalmicus Fairm. 198
 optima H. Bates 19
 orbicularis Burm. 125
 oreas Ohs. 97
 orichalcescens Ohs. 84
 orientalis Waterh. 119
 orientis Newm. 155
 Orizabae H. Bates 17
ornata Nonfr. (Strig.) 126
ornata Perty (Pelid.) 26
 ornata Schauf. (Mal.) 151
ornatissima Sturm 17
 oryctoides Ohs. 20
 Osculatii Guér. 29
 osmanlis Blanch. 75
 ovalis Blanch. (Ador.) 188
 ovalis Burm. (Anom.) 84
 ovampoensis Pér. 91
 ovampoensis Pér. 186
ovata Burm. (Anom.) 71
 ovata Kolbe (Pop.) 143
 ovatula Ohs. 84
 ovatus Arr. 190
 oxiana Sem. 76
 oxylabis Ohs. 104

 pachygastra Burm. 133
 pagana Burm. 84

- Fagenstecheri* Gerst. 193
palaeocypria Ohs. 75
palaeatina Pic 76
palawana Ohs. (Anom.) 84
palawana Ohs. (Mim.) 131
palawanus Ohs. 194
pallens Blanch. (Ador.) 188
pallens Er. (Leucoth.) 202
palleola Desbr. (Anis.) 157
palleola Gyll. (Anom.) 84
palleolus Ohs. 205
pallescens Ohs. 122
palliatus Burm. (Bolax) 200
palliatus Ohs. (Gen.) 206
pallida Burm. (Anom.) 93
pallida Cand. (Paris.) 13
pallida F. (Anom.) 64
pallida Ohs. (Macr.) 57
pallida Ol. (Anom.) 63
pallidicauda Arr. 131
pallidicollis Blanch. (Anom.) 84
pallidicollis Blanch. (Anopl.) 171
pallidior Pic 68
pallidipes Blanch. 203
pallidipes Rtrtr. 79
pallidipennis Blanch. 83
pallidipennis Er. (Anis.) 161
pallidipennis F. Bates (Pelid.) 23
pallidipennis Gyll. (Anis.) 157
pallidipennis Kraatz (Pseud.) 152
pallidipennis Nonfr. (Strig.) 123
pallidipennis Rtrtr. (Phyll.) 119
pallidiventris Gautier 67
pallidopictus Fairm. 197
pallidospila Arr. 112
pallidula Latr. 91
pallidulus Motsch. 189
pallidus Blackb. (Anopl.) 173
pallidus Burm. (Gen.) 206
pallidus Lap. (Ador.) 186
palpalis Germain 179
pampinea Ohs. 67
panamensis Ohs. (Anom.) 97
panamensis Ohs. (Chlor.) 44
panamensis Ohs. (Lagoch.) 61
pantochloris Blanch. 56
parabolica Ohs. 155
paraguayensis F. Bates 23
paralia Ohs. 59
parallelus Arr. 194
parallelus Kraatz 193
parallelus Linell 186
parca Pér. 91
pardalina Ohs. 91
parilis H. Bates 176
parotidea Ohs. 84
parumstriatus Fairm. 38
parva Kirsch (Platy.) 177
parva Kraatz (Anis.) 160
parviceps Fairm. 186
parvula Burm. (Anom.) 100
parvula Burm. (Pop.) 139
parvula Germ. (Strig.) 125
parvulus Ohs. (Parhop.) 14
parvulus Waterh. (Anopl.) 171
Pascoei Waterh. 37
Passerini Hope 133
patruelis Kolbe 186
paulista Ohs. (Homoth.) 30
paulista Ohs. (Leucoth.) 203
paulistana Ohs. 44
pauperata Muls. 118
pectoralis Blanch. (Mim.) 131
pectoralis Burm. (Anopl.) 171
pedemontana Tourn. 71
pekinensis Heyd. 129
pellucida Arr. 84
peninsularis Arr. 82
peninsularis Schöff. 100
pennata Ohs. 29
Pentheri Ohs. 198
Percheroni Montrouz. 33
perdilutus Rtrtr. 195
peregrinus Ohs. 188
perelegans Curt. 181
pernambucana Ohs. 97
Perotteti Kraatz 136
perplexa Hope 104
Perrieri Fairm. 190
Perrisi Muls. 116
persicus Rtrtr. 189
pertinax Pér. 91
peruana Ohs. (Antich.) 52
peruana Ohs. (Chasm.) 64
peruana Ohs. (Pseudochl.) 31
peruanus Ohs. 21
peruviana Guer. (Anom.) 99
peruviana Kirby (Chrys.) 19
peruviana Ohs. (Macr.) 56
peruviensis Blanch. 125
petropolitanus Ohs. 203
phagedaenica Ohs. 104
phalaena Ohs. 84
phalerata Ohs. 40
phaleratus Burm. 200
Philippii Germain (Brach.) 181
Philippii Ohs. (Erem.) 14
philippinicus Pic 188
phlyctenopyga Ohs. 84
phosphora H. Bates 109
phthisicus Dohrn 195
phthisica Pér. 91
phyllochroma Ohs. 104
phylloperthina Kolbe 150
phylloperthoides Fairm. (Pop.) 139
phylloperthoides Nonfr. (Anom.) 111
physopleura H. Bates 125
picinus Fahr. 186

- picipennis* Obs. 153
piciventris Fairm. 184
picta Guér. 43
picticollis Ball. (Anom.) 79
picticollis Fähr. (Ador.) 190
picticollis Kraatz (Pop.) 140
pictipennis H. Bates (Epect.) 122
pictipennis Nonfr. (Anom.) 109
picturata Cand. 107
pictus Waterh. 37
pileus Snell. 32
pilicollis Fairm. (Aulac.) 179
pilicollis Kraatz (Pop.) 139
pilicollis Nonfr. (Strig.) 126
pilierus Ohs. 139
pilifera Burm. 141
piliger Ohs. 35
pilosa Arr. 139
pilosella Rtrtr. 118
pilosellus Blanch. 203
pilosipennis Ohs. (Anom.) 109
pilosipennis Ohs. (Bolax) 200
pilosula Waterh. 45
pimalis Casey 125
pinguis Pér. 92
pinicola Melsh. 111
piscator Ohs. 191
plagiata Burm. 92
plagiata Nonfr. 97
plagiatus Burm. 188
plagicollis Kraatz 139
plagicollis Fairm. (Ador.) 184
plagicollis Fairm. (Anom.) 106
plagicollis Ohs. (Macr.) 56
plana Walk. 156
planalticola Ohs. 59
planata Cand. 84
planerae Fairm. 67
planipennis H. Bates (Pelid.) 24
planipennis Kirsch (Antich.) 53
planipennis Ohs. (Gen.) 207
platypyga Fairm. 85
plebeja Burm. 64
plebeja Ol. 92
plectrophora Ohs. 85
pleuralis Ohs. 188
pleurimargo Rtrtr. 76
pleuritica Ohs. 88
plicata Gory 25
plicatipennis Burm. 134
plivicollis Arr. 130
plumbicollis Arr. 193
Pluschkeuskyi Rtrtr. 73
plusiotina Ohs. 20
podagricus Burm. 155
poecilochalcea Ohs. 85
polita Blanch. (Anom.) 64
polita Blanch. (Anom.) 80
polita Latr. (Pelid.) 24
polita Ohs. (Parast.) 35
polita Waterh. (Antich.) 52
politicollis Ohs. 131
politus Arr. (Trig.) 197
politus Burm. (Leucoth.) 203
Pollux Newm. 123
polyacanthus Ohs. 194
polyanor Ohs. 85
polychalca H. Bates 95
polychroma Ohs. 85
polymorpha Arr. 113
polygona H. Bates 97
pomacea Er. (Platyc.) 177
pomacea H. Bates (Mim.) 133
ponticula Ohs. 85
popayana Ohs. (Anom.) 97
popayana Ohs. (Spodochl.) 167
popiliopsis Cand. 108
porcata Blanch. 109
porosus Dalm. 171
porovatula Ohs. 85
posterior Har. 64
posticalis Arr. 84
Poultoni Shipp 167
praecellens H. Bates 97
praecoxalis Ohs. 85
praematura Ohs. 85
praemorsus Burm. 30
prasina Bouc. (Plus.) 16
prasina Burm. (Anom.) 105
prasina Burm. (Pelid.) 23
prasina Burm. (Pseudomacr.) 50
prasina Er. (Platyc.) 177
prasina Germ. (Pelid.) 22
prasinicollis H. Bates 85
prasinus Boisd. (Parasch.) 174
prasinus Guér. (Brach.) 180
prasinus Lap. (Anopl.) 171
prasinus M'Leay (Anopl.) 172
praticola F. 73
presidii H. Bates 125
pretiosa Brême 50
princeps Har. (Pop.) 143
princeps Hope (Mim.) 133
princeps Kraatz (Anom.) 107
prisca Ohs. 85
probativa Pér. 92
proctolasia Ohs. 85
profuga Er. 76
progrediens Ohs. 188
prolixa Arr. (Anom.) 85
prolixa Sharp. (Pelid.) 23
propinqua Arr. (Anom.) 85
propinqua Arr. (Pop.) 139
propinqua Kolbe (Pop.) 149
protea Arr. (Anom.) 85
protea Burm. (Strig.) 125
pruinus Arr. (Pelt.) 14
pruinus Ball. (Ador.) 189

pruinosa Burm. (Leucoth.) 203
pruinosa Perty (Leucoth.) 203
psilopyga Ohs. (Pop.) 147
psilopyga Ohs. (Spinanom.) 112
psiloptera Rtrr. 86
psittacina Burm. (Pten.) 49
psittacina Ohs. (Anom.) 104
psittacina Sturm (Plas.) 17
ptenomeloides Ohs. 104
pterygophorus Ohs. 111
pubes Ohs. 26
pubescens Blatch. (Anom.) 101
pubescens Germain (Brach.) 181
puberula Waterh. 45
puberulus Motsch. 194
pubicollis Waterh. 121
pubipennis Blanch. (Anis.) 160
pubipennis Lap. (Ador.) 186
pubiventris Blanch. 58
pudicus Ohs. 203
puella Arr. 85
pulehella Kirby 26
pulchra Arr. (Pop.) 140
pulehra Blanch. (Anom.) 109
pulehrior Ohs. 177
pulehripes Arr. (Pop.) 140
pulehripes Burm. (Anopl.) 169
pulehripes Lansb. (Anom.) 104
pulicaris Arr. 112
pulla Ohs. 140
pullus Baudi (Ador.) 189
pullus Latr. (Bolax) 200
pulverulentus Lap. 190
pumila Mars. 157
pumilio Burm. 186
punctata L. (Pelid.) 23
punctata Waterh. (Pten.) 49
punctatipennis Blanch. 97
punctatissimum Waterh. 47
punctatus Fairm. 179
puncticollis Har. (Anom.) 102
puncticollis Heyd. (Phyll.) 117
puncticollis Lec. (Cot.) 11
puncticollis Kirsch (Anom.) 109
puncticollis Kraatz (Pop.) 140
puncticollis Ohs. (Platyc.) 177
puncticollis Rtrr. (Phyll.) 117
punctigera Fairm. 85
punctipennis Fähr. (Ador.) 193
punctipennis Ohs. (Gen.) 206
punctipennis Ohs. (Lobog.) 205
punctiventre Waterh. 47
pustulata Fairm. 140
punctulata H. Bates (Pelid.) 24
punctulata L. (Pop.) 144
punctulata Ohs. (Parast.) 36
punctulatus Blanch. (Leucoth.) 203
punctulatus Oliff (Anopl.) 171
punctulicollis Fairm. 85

punctum Muls. 162
pupillata Burm. 97
pupillata H. Bates 94
purpurea Burm. 26
purpureipes M'Leay 168
purpureiventris Lansb. 104
purpureosericeus Nonfr. 167
purpuricollis Kraatz (Ischnop.) 150
purpuricollis Kraatz Pop.) 139
pusilla Arr. 85
pygialis Fairm. 131
pygidialis Fairm. (Anom.) 64
pygidialis Kirsch (Anom.) 88
pygidialis Ohs. (Auom.) 67
pygidialis Ohs. (Aulac.) 179
pygidialis Ohs. (Lasloc.) 31
pygidialis Ohs. (Platyc.) 177
pygidialis Ohs. (Rut.) 41
pygidialis Schils. (Anom.) 72
pygmaea F. 125 (Strig.)
pygmaea Ohs. (Mim.) 131
pyriformis Arr. 131
pyritosa Er. 109
pyrocypria Ohs. 75
pyropus Nonfr. 107
pyropyga Nonfr. 109
pyroscelis Hope 85

quadrata Muls. 162
quadriceps Blanch. (Cot.) 10
quadriceps Ohs. (Anopl.) 170
quadridens Mars. 190
quadrigemina Arr. 85
quadriguttata F. 135
quadrilineata Burm. 177
quadrilineatus Waterh. 169
quadrinaculata Drap. (Anom.) 111
quadrinaculata Muls. (Anis.) 165
quadrinaculata Ohs. (Parast.) 33
quadrinaculata Waterh. (Rut.) 39
quadrinaculatus Ohs. 171
quadripartita Ohs. 104
quadripunctata Ol. 76
quadripunctatus Fairm. 184
quadrivittata Ol. 57
Quedenfeldti Rtrr. 154
quiché Ohs. 97
quinquemaculata Arr. 36

ranunculus Burm. 191
raphiocaula Ohs. 88
rasa Zoubk. 158
Rani Ohs. 85
Rayneri M'Leay 169
reducta Kolbe (Pop.) 146
reducta Ohs. (Pelid.) 26
reflexa Burm. 156
regalis Arr. 113
regina Newm. 107

- Reitteri Sem. (Epador.) 198
 Reitteriana Sem. (Phyll.) 120
 reitteriana Sem. 157
reducens Blanch. (Pop.) 139
relucens Har. (Anom.) 80
 remota Rtrr. 161
 Renardi Brenske 188
 repensa Pér. 92
 repressa Ohs. 97
 repsimoides Ohs. 131
 resecta Ohs. 88
 resplendens Bouc. (Plus.) 19
 resplendens Fähr. (Anom.) 92
 reticulatus Boisd. 172
 retusa Lap. 43
 retusicollis H. Bates 97
 rhinastus Blanch. 172
 rhizotrogoides Blanch. 97
 rhodesianus Ohs. 198
 rhodope H. Bates 97
 Richteri Ohs. (Aprost.) 65
 Richteri Ohs. (Pelid.) 29
 Richteri Ohs. (Pop.) 147
 richterianus Ohs. 20
 Riedeli Lansb. (Anom.) 108
 Riedeli Ohs. (Pelid.) 27
ridens F. 125
 Ritsemæ Hell. (Mal.) 151
 Ritsemæ Ohs. (Anom.) 104
 Riveræ Germain 181
 robusta Kirsch 54
 Rodriguezi Bouc. (Plus.) 18
 Rodriguezi Cand. (Het.) 13
 ronana Ohs. 88
Rordensis Gestro 36
 Rosenbergi Ohs. 109
 Rosetti Nonfr. 107
 roseus Blanch. 173
 rostrata Burm. (Heteropel.) 30
 rostrata Burm. (Rhin.) 156
 Rothkirchi Ohs. (Ador.) 193
 Rothkirchi Ohs. (Anom.) 108
 Rothschildti Nonfr. (Strig.) 125
 Rothschildti Ohs. (Anom.) 192
 Rothschildti Ohs. (Anopl.) 172
 Rothschildti Ohs. (Pop.) 147
 rotundata Blanch. 46
 rotundiceps Sharp 85
 rotundicollis Hell. 88
 ruandana Kolbe 147
 ruatana H. Bates 97
rubiginosa Burm. (Antich.) 51
rubiginosa Lap. (Pelid.) 26
 rubiginosus M'Leay 172
 rubricollis Lansb. 92
 rubripennis Burm. (Pelid.) 27
rubripennis Ohs. (Rut.) 40
rubripes Kolbe 142
 rubriventris Blanch. 28
rubrocuprea Muls. 72
 rubromaculata Ohs. 143
rubrotessellata Blanch. 35
rubrotincta Kolbe 141
 rufa Kolbe 92
rufescens Luc. (Gen.) 206
rufescens Ohs. (Platyrrut.) 48
 ruficapilla Burm. 64
 ruficollis Arr. (Parast.) 36
 ruficollis Kraatz (Anis.) 158
 ruficollis Kraatz (Pop.) 135
 ruficollis Kraatz (Rhin.) 155
ruficornis Motsch. 75
 rufifrons Rtrr. 190
rufimana Arr. 181
 rufina Rtrr. 119
rufipennis Waterh. (Rut.) 41
rufipennis Waterh. (Pelid.) 27
 rufipes Blanch. (Leucoth.) 203
 rufipes Burm. (Anis.) 158
 rufipes Burm. (Anom.) 85
 rufipes Dalla Torre (Phyll.) 116
 rufipes F. (Pop.) 147
 rufipes Ohs. (Pop.) 147
 rufiventris Redt. (Anom.) 85
 rufiventris Westh. (Phyll.) 116
rufobrunnea Ohs. 105
rufocuprea H. Bates 67
 rufocuprea Motsch. 76
rufocuprea Waterh. 74
rufocemorata Rtrr. 75
 rufolimbata Blanch. 34
 rufomicans Ohs. 109
 rufonigra Ohs. 35
 rufonitida Burm. 58
rufopartita Fairm. 82
 rufopicta Westw. 35
 rufoprasina Ohs. 129
 rufosignata Ohs. 178
rufoviolacea Ohs. (Anom.) 75
rufoviolacea Ohs. (Pelid.) 27
rufozonula Fairm. 82
 rufulus Fairm. 184
 rugans Ohs. 45
 rugatipennis Graëlls 76
 rugicollis Lucas (Gen.) 206
 rugicollis Newm. (Ischn.) 150
 rugilatera Arr. 107
 rugipennis Blanch. (Anom.) 85
 rugipennis Blanch. (Leucoth.) 203
 rugipennis Ohs. (Pach.) 196
 rugithorax Ohs. 140
 rugosa Arr. 85
rugosicollis Bl. 32
 rugosifrons Hell. 113
 rugosohirtus Fairm. 192
 rugosopunctata Fairm. 85
rugosula Fairm. 74
 rugosus Arr. (Ador.) 194

rugosus Cam. (Gen.) 206
rugosus Kirby (Anopl.) 172
rugulosa Burm. 28
rugulosipennis Ohs. 92
rugulosus Burm. 186
runeliaca Friv. 117
rursorica Arr. (Pop.) 148
rursorica Kolbe (Mim.) 131
russaticeps Fairm. 92
russiventris Fairm. 85
rutelina H. Bates 125
rutilus Er. 200

sabana Ohs. 85
sabulicola Rtrr. 157
sabulosa Muls. 118
saetipennis Ohs. 193
saetipes Ohs. 85
sagax Ohs. 85
sajgonensis Ohs. 188
saleveriana Ohs. 88
salisburyensis Pér. 193
Sallaei Bouc. (Plus.) 17
Sallaei H. Bates (Strig.) 126
salticola Ohs. (Anom.) 97
salticola Ohs. (Bolax) 200
Sanchezi Ohs. 64
Sancti Domini Ohs. 26
Sancti Jacobi Ohs. 29
sandyx Newm. 140
sangirana Ohs. 87
sanguinolenta Waterh. 41
sankuruensis Ohs. 143
santiagensis Ohs. 21
saopyga Ohs. 85
sapada Ohs. 104
saphirina Parr. 133
saphirinum Nonfr. 47
sarawakensis Ohs. 85
sarta Sem. 120
saucius Ohs. 200
Sauteri Ohs. (Anom.) 85
Sauteri Ohs. (Pop.) 140
saya Ohs. 104
scalpta Newm. 140
scapularis Burm. 26
Schaiblei Nonfr. 113
Scheepmakeri Lansb. 104
schizonycha Arr. (Pop.) 140
schizonycha Ohs. (Rhin.) 156
Schmidti Ohs. 207
Schneideri Ohs. 133
Schönfeldti Kraatz (Pop.) 134
Schönfeldti Ohs. (Anom.) 76
Schönfeldti Ohs. (Pseudoschiz.) 174
schultzeana Ohs. 86
Schultzei Ohs. 148
scintillans Fairm. 86
sciurus Burm. 194

scotina Ohs. 58
sculpticollis Fairm. (Anom.) 86
sculpticollis Ohs. (Mim.) 128
scutatum Fairm. 197
scutellaris Blanch. (Ador.) 190
scutellaris Blanch. (Pop.) 140
scutellaris Er. (Parast.) 34
scutellaris Klug (Anom.) 92
scutellaris Muls. (Anis.) 165
scutellaris Muls. (Anom.) 74
scutellaris Ohs. (Anom.) 74
scutellaris Ohs. (Chasim.) 59
scutellata Guérin (Platyc.) 178
scutellata Motsch. (Singh.) 113
scutellata Schils. (Anis.) 159
scutellata Waterh. (Pten.) 49
scytha Motsch. 166
scytha Rtrr. 157
sebakuana Pér. 92
sebakuensis Pér. 186
segetum Hrbst. 157
sejuncta H. Bates 98
sellata Kraatz (Pop.) 134
sellata Ohs. (Pelid.) 26
Semenowi Rtrr. 154
semiaenea Arr. (Anom.) 86
semiaenea Kraatz (Pop.) 140
semiaurata Burm. 22
semicastanea Fairm. 86
semicineta H. Bates 98
semicineta H. Bates 47
semicingulata Ohs. 92
semicuprea Kraatz (Pop.) 138
semicuprea Ohs. (Anom.) 84
semicuprea Ohs. (Anom.) 104
semilivida Horn 101
semilutea Beffa 72
seminigra Lansb. (Anom.) 104
seminigra Ohs. (Mim.) 131
seminitidus Fairm. 111
semipruinosus Ohs. 203
semipurpurea Burm. 104
semirufa Newm. 110
semismaragdina Fairm. 86
semitonsa H. Bates 98
semitonsus Ohs. 203
semiusta Arr. 64
semivirens Gyll. 86
semiviridis Ohs. 129
Semperi Kraatz (Pseud.) 152
Semperi Ohs. (Ador.) 194
semperiana Ohs. 86
senatorius Har. 193
senegalensis Blanch. 92
senegallius Duf. 186
senescens Walk. 186
senticola Rtrr. 117
separata Brancs. 92
sequax Ohs. 148

- serena* Har. 142
seriatopunctata Ohs. 29
sericans Thoms. 197
sericea Ohs. 131
sericeomicans Nonfr. 117
sericeus Burm. 206
sericopyga Ohs. 131
seriegranatus Fairm. 186
serrano Ohs. 30
serratipes Arr. 188
serridens Ohs. 194
setigerus Ohs. 104
setifer Brenske 192
setifer Rtrr. 190
severa Burm. 86
sexguttata Fairm. 151
sexmaculata Kraatz (Fruhst.) 43
sexmaculata Kraatz (Spilopop.) 151
sexoculata Fairm. 86
siamensis Nonfr. 64
sicula Ganglb. (Anom.) 67
sicula Rtrr. (Anis.) 165
Sieboldi Hope 105
Sieversi Heyd. 77
signata Fald. (Anis.) 161
signata Schils. (Anis.) 165
signata Schils. (Anom.) 79
signaticollis Beffa (Anom.) 74
signaticollis Burm. (Platyc.) 178
signaticollis Fairm. (Anom.) 86
signaticollis Ohs. (Mim.) 131
signatipennis Burm. (Pop.) 141
signatipennis Ohs. (Antich.) 53
signatus Burm. (Lobog.) 205
signatus Rtrr. (Ador.) 184
signicollis Ohs. 205
signifera Kraatz 149
Sikorae Nonfr. 192
silama Arr. 86
silonicus Ohs. 194
simalurensis Ohs. 104
similis Hope (Mim.) 129
similis Lansb. (Anom.) 93
similis Ohs. (Pelid.) 26
simillima Ohs. 98
similana Arr. 140
Simoni Kraatz 140
simplex H. Bates (Mim.) 132
simplex Ohs. (Khamph.) 197
simplex Pér. (Ador.) 187
simplex Sharp (Ador.) 188
simplicifrons Rtrr. 161
simplicior Ohs. 178
simplicipes Ohs. 32
simulans Pér. 190
simulatrix Hell. 151
singhalensis Ohs. 194
sinica Arr. 86
siniensis Burm. 191
siniopyga Ohs. 86
sinuatifrons Germ. 181
smaragdina Eschz. (Anom.) 104
smaragdina Kraatz (Pop.) 148
smaragdina L. (Antich.) 51
smaragdina Ohs. (Anom.) 75
smaragdina Perty (Pelid.) 25
smaragdinus Ohs. 172
smaragdula F. (Antich.) 51
smaragdula Hope (Pop.) 136
smaragdula Lap. (Anom.) 104
smaragdula Lap. (Antich.) 53
Smithi H. Bates (Anom.) 97
Smithi Ohs. (Strum.) 197
sobrina Waterh. 57
sodalis Waterh. 49
Söderströmi Ohs. 26
solida Arr. 91
solida Er. 77
solidopsis Ohs. 77
solimoensis Ohs. (Chlor.) 44
solimoensis Ohs. (Lagoch.) 61
Sommeri Waterh. 47
somnulosa Newm. 137
sordida Germ. (Pelid.) 24
sordida Sharp (Parast.) 36
sordidula Sharp 86
sorex Ohs. 197
soror Arr. (Anom.) 86
soror Arr. (Mim.) 133
soror Kraatz (Pop.) 148
sparsa Ohs. 61
sparsopilosa Ohs. 131
Sparshalli Kirby 43
spectabilis Er. 181
specularis H. Bates (Anom.) 109
specularis H. Bates (Rut.) 41
specularis Ohs. (Antich.) 53
specularis Ohs. (Mim.) 131
specularis Ohs. (Thyriochl.) 46
speculicollis Ohs. (Anom.) 90
speculicollis Ohs. (Antich.) 53
Speiseri Brancs. 93
sperata Sharp 176
sphaerica Burm. 40
spiloptera Burm. 86
spilopteroides Ohs. 86
spinifera Ohs. 107
spinipenne Ohs. 15
Spinolae Burm. 206
spinosus Brenske 185
splendens Burm. (Calomacr.) 49
splendens Burm. (Mim.) 129
splendens Gyll. (Mim.) 131
splendens Hope (Mim.) 130
splendens Nonfr. (Strig.) 123
splendida F. (Macr.) 56
splendida Guér. (Anom.) 107
splendida Mén. (Anom.) 77

- splendida* Ol. (Macr.) 56
splendidicollis Fairm. 137
splendidus Burm. 203
spoliata Kolbe (Pop.) 143
spoliata Ohs. (Anom.) 67
spurius Curt. 206
squamiferus Blanch. 47
squamosus Gaut. 191
squamuliferus Blanch. 200
stapiata Ohs. 40
Starki Rtrtr. 121
Steinbachi Ohs. 60
Steinheili Ohs. 178
Stempelmanni Ohs. 203
Sterbae Rtrtr. 190
sticticollis Newm. 110
sticticoptera Blanch. 98
stictopyga Ohs. 86
stigmatica Ohs. 88
stigmaticollis Fairm. 93
stigmipennis Ohs. 86
stilbophora Wied. 130
stipes Sharp 176
stirpita Ohs. 55
Stoliczkae Ohs. (Ador.) 188
Stoliczkae Sharp (Call.) 111
stolidopyga Ohs. 107
straminea Brull. (Anis.) 158
straminea Sem. (Anom.) 77
straminipennis Kraatz 135
streptopyga Ohs. 86
striata Hell. (Lut.) 39
striata Ol. (Rut.) 42
striatopunctata Kirsch 26
strigata Lap. (Anom.) 107
strigata Mannerh. (Pelid.) 27
strigata Waterh. (Ador.) 182
strigicollis Ohs. 98
strigilata Kraatz 149
strigiventris Kraatz 134
strigosa Lap. 24
striolata Blanch. 86
subaenea Burm. (Antich.) 53
subaenea Nonfr. (Anom.) 98
subaenescens Fairm. 184
subandina Ohs. (Antich.) 51
subandina Ohs. (Lagoch.) 61
subandina Ohs. (Pelid.) 28
subandina Ohs. (Rut.) 41
subarcuata Muls. 162
subaurata Ball. 75
subcoerulea Hope 105
subcostata Fairm. 156
subcibrata Wickh. 10
subcupreus Blanch. 203
subcyanea Newm. 148
subguttata Kolbe 147
sublaevigata Motsch. 82
sublimbata Fairm. 117
sublucida Ball. 77
sublucida Motsch. 70
sublustris Ohs. 88
subpurpurea Rtrtr. 77
subquadrata Kraatz 140
subsericea Arr. 132
subsericeus Ohs. 206
substriata Waterh. 53
subterfusca Ohs. 88
subvittata Burm. 153
subviolaceus Nonfr. 181
succincta Lap. 118
Sucki Ohs. (Ador.) 188
Sucki Ohs. (Anom.) 86
sudanicus Ohs. 190
sulcans H. Bates 98
sulcata Hope (Anom.) 86
sulcata Ohs. (Parast.) 35
sulcata Redt. (Pop.) 140
sulcatula Burm. (Anom.) 86
sulcatula Ohs. (Mim.) 132
sulcatum Ohs. 47
sulcatus H. Bates 38
sulcicollis Germ. (Bolax) 200
sulcicollis Ohs. (Parats.) 33
sulcipenne Waterh. 48
sulcipennis Burm. (Strig.) 126
sulcipennis Fald. (Anom.) 73
sulcipennis Gestro (Parast.) 35
sulcipennis Hope (Pop.) 148
sulcipennis Lap. (Anom.) 98
sulcistrotris Fairm. 184
sumbanus Ohs. 189
sumbawana Ohs. 35
sumatrana Ohs. 130
sumatrensis Kraatz 140
sumptuosa Lap. (Pelid.) 30
sumptuosa Ohs. (Rut.) 40
sumptuosa Ohs. (Anom.) 107
sumptuosa Vigors (Pelid.) 25
sumtuosa Burm. 126
sundaicus Ohs. 188
superflua Arr. 64
surata Burm. 110
surigera Heyd. 132
surinama Burm. (Anom.) 98
surinama L. (Rut.) 41
surinama Ohs. (Chlor.) 44
surinamensis Ohs. (Chlor.) 44
surinamensis Ohs. (Antich.) 52
suspectus Ohs. 197
suturalis Arr. (Ador.) 188
suturalis Boisd. (Anopl.) 172
suturalis Kraatz (Rhin.) 155
suturalis Lansb. (Anom.) 93
suturalis Lap. (Gnath.) 153
suturalis Lap. (Leucoth.) 203
suturellus Branes. 186
suturata Fairm. (Phyll.) 117

- suturata* Hope (Pop.) 137
sycophanta Muls. 162
sylphis H. Bates 98
symmetrica Ohs. 148
syriaca Burm. 158
syriacus Blanch. 199
- tabacicolor* Ohs. 60
tacoaraphaga Ohs. 200
taediosus Fairm. 198
taeniata Perty 32
tagala Hell. 152
taiwana Arr. 140
talautana Ohs. 87
tananus Arr. 186
tandallae Kolbe 148
tarsatus Klug 196
teapensis H. Bates 126
tempestiva Er. 165
temporalis Ohs. 207
tendinosa Gerst. 93
tenebralis Burm. 165
tenella Blanch. 113
tener Arr. 188
tenuelimbatum Fairm. 112
tenuimaculatus Waterh. 191
tenuirostris Ohs. 196
tenuistriata F. Bates 29
terminata (Lap.) Pelid. 30
terminata Serv. (Chlor.) 44
ternatana Lansb. 88
tesselatipennis Blanch. 98
tessellatus Motsch. 194
tessulatus Burm. 187
testacea Blanch. (Anom.) 86
testacea Hope (Anom.) 84
testacea Lap. (Pelid.) 24
testacea Nonfr. (Rhu.) 155
testacea Nonfr. (Strig.) 126
testaceipennis Blanch. (Anom.) 98
testaceipennis Kraatz (Pop.) 140
testaceipennis Nonfr. (Strig.) 123
testaceipennis Ohs. (Anom.) 77
testaceipennis Ohs. (Anom.) 109
testaceipennis Ohs. (Homotr.) 175
testaceipennis Ohs. (Maer.) 56
testaceipes Motsch. (Mim.) 129
testaceipes Ohs. (Pop.) 145
testaceoflavipes Ohs. 58
testaceovirens Blanch. 26
testaceoviridis Blanch. 132
testaceus Fähr. (Ador.) 192
testaceus Hope (Ador.) 194
testaceus Steinh. (Rhiz.) 304
tetanotricha Ohs. 104
tetracrana Ohs. 104
tetralactyla Burm. 58
tetradactyla L. 56
theicola Waga 113
- thessalica* Rtrr. 165
Thiemei Ohs. 126
thoracica Mann. (Maer.) 53
thoracica Muls. (Anom.) 74
thoracica Ohs. (Anom.) 109
thoracica Ohs. (Mal.) 151
thoracica Ohs. (Pop.) 145
thoracica Zoubk. (Anom.) 77
thoracophora Ohs. 89
tibialis Blanch. (Ador.) 184
tibialis Blanch. (Bolax) 201
tibialis Burm. (Pelid.) 27
tibialis Lansb. (Anom.) 93
tibialis Ohs. (Triz.) 207
tibialis Schaeff. (Anom.) 101
tigrina Nonfr. 107
tigrinus Arr. 185
timida Ohs. 89
timoriensis Arr. (Parast.) 35
timoriensis Ohs. (Ador.) 194
timoriensis Ohs. (Pop.) 141
tinctiventris Quedenf. 105
tingitana Blanch. 76
tolensis H. Bates 98
tolerata Pér. 93
toliensis Ohs. 89
tolucana H. Bates (Phyll.) 117
tolucana Ohs. (Anom.) 98
tomentosa H. Bates 126
tonkinensis Ohs. (Prionador.) 194
tonkinensis Ohs. (Spilopop.) 151
torolabris Ohs. 198
trabeata Fairm. 93
trachypyga H. Bates 104
trajecta Hell. 151
transvaalensis Arr. 93
transversa Burm. 113
trapezifera H. Bates 98
triangularis Schönf. 77
trichaspis Ohs. 126
trichiopyga Ohs. 132
trichonura Rtrr. 79
trichopyga Ohs. 104
trichostigma Ohs. 194
trichurus Ohs. 203
tricolor Dalla Torre (Anom.) 72
tricolor Guér. (Rut.) 42
tricolor Nonfr. (Pelid.) 25
tricolorea Ohs. (Anom.) 86
tricolorea Ohs. (Rut.) 41
tricostulata Ohs. 110
tridentata Ohs. 60
trifasciata Ohs. 122
trifida Burm. 55
trigona Herbst 61
trigonopyga Ohs. 104
tristicula Kraatz (Pop.) 148
tristicula Ohs. (Mim.) 129
tristigma Rtrr. 91

- tristis Arr. (Chlor.) 45
 tristis Lap. (Macr.) 57
tristis Nonfr. (Epect.) 122
 tritici Kiesw. 166
 trivirgata Fairm. 86
 trivittata Perty 107
 trivittatus Ohs. 207
 trochanterica Burm. 61
 trochantericus Ohs. 204
 trochanterinus Ohs. 204
trochilus Nonfr. 126
 truncata H. Bates (Anom.) 104
 truncata Redt. (Pop.) 141
 truncatus Arr. 187
 Truquii Cam. (Gen.) 207
 Truquii Thoms. (Par.) 12
 tryptica Ohs. 86
Tschudii Ohs. 177
tucumana Ohs. (Platyc.) 178
tucumana Ohs. (Strig.) 126
tucumanensis Cam. 205
 Türkheimi Ohs. 17
 tumidicauda Arr. 111
turcomanica Har. 77

 ugandana Ohs. (Gnath.) 153
 ugandana Ohs. (Pop.) 148
uheha Kolbe 142
 ukerewia Kolbe 93
 ulcerata Ohs. 86
 umbilicatus Ohs. 187
 umboniformis Ohs. 86
umbrinus Burm. 202
umbrosus Burm. 191
 umbrosus F. 193
 uncinata Ohs. 89
 undulata Melsh. 98
 unguela Kolbe 143
 unguicularis Ohs. (Platyc.) 178
 unguicularis Ohs. (Prod.) 198
 ungulatus Ohs. 194
 unicolor Arr. (Parast.) 34
 unicolor Drury (Pelid.) 24
unicolor Fairm. (Pop.) 137
unicolor Kolbe (Pop.) 149
unicolor Lap. (Pelid.) 27
unicolor Muls. (Anis.) 162
unicolor Nonfr. (Epect.) 122
unicolor Ohs. (Macr.) 60
unicolor Ohs. (Platyc.) 177
unicolor Ohs. (Thyriochl.) 45
 unicolor Ol. (Anom.) 93
unifasciata Say 100
uniformis Arr. 186, 190
 uniformis Fairm. 187
unipunctata Muls. (Anis.) 163
unipunctata Ohs. (Chasm.) 59
 unispinosa Ohs. 112
unungula Herbst 41

 ursina Horn 11
 ursus Arr. 197
uruguayanus Ohs. 21
 usambarica Ohs. 12
 usambica Kolbe 93
 ustulata Arr. 93
ustulatipennis Villa 116
 ustulatipes Fairm. 93

vagens Er. 76
 vagepunctatus Blanch. 192
valdecostata H. Bates 109
 valida Burm. (Anom.) 99
 valida Burm. (Platyc.) 178
valida Kraatz (Auis.) 161
 validus Sem. 196
 Vandepolli Hell. 151
 Vanpatteni H. Bates 110
 Varentzowi Sem. 121
 varia Newm. 108
 variabilis Ball. (Phyll.) 119
 variabilis Burm. (Macr.) 58
 variabilis Kraatz (Pop.) 141
variabilis Motsch. (Anom.) 77
 variabilis Phil. (Aul.) 179
variabilis Schils. (Anis.) 159
variabilis Schils. (Anom.) 79
varians Burm. 98
varians F. 99
varians Muls. 72
 varians Ol. 64
 varicolor Gyll. 87
 varicoloreus Burm. 154
 variegata Hope 87
variegata Latr. 99
variegata Walk. 107
 variegatus Boh. (Ador.) 170
variegatus Guér. (Oryct.) 37
variicollis Ohs. (Pseudomacr.) 50
variicollis Ohs. (Pseudoschiz.) 174
 variipes Blanch. 204
 variolata H. Bates 99
 variolosa Ohs. 178
 variolosus Ohs. 201
 vayanus Ohs. 204
 vellicata Ohs. 87
velutina Er. 158
 velutinus Boisd. 172
 velutipes Arr. 29
 venezolana Ohs. 60
venezuelensis Ohs. 122
 ventriosa Ohs. 87
 veracrucis H. Bates 99
 vernicata Fairm. 108
 versicolor Billb. (Pelid.) 30
 versicolor Latr. (Rut.) 42
versicolor Muls. (Anom.) 68
 versicolorea Ohs. 148
 versutus Har. 188

- verticalis* Burm. 207
vespertilio Ohs. 99
vestitus Boh. 189
vestita Burm. (Strig.) 126
vestita Cand. (Mal.) 151
vestitus Reiche 193
Vethi Ohs. (Ador.) 190
Vethi Ohs. (Anom.) 87
Vethi Ohs. (Mim.) 132
vetula Ohs. (Rut.) 42
vetula Wied. (Anom.) 93
vicaria Ohs. 132
vicinus Guér. 181
victima Burm. 48
victorina Hope 16
vidua Hell. (Singh.) 113
vidua Newm. (Anom.) 110
viduus Ohs. 199
vietipennis Ohs. 87
villatus Lap. 204
villica Muls. 162
villicollis Ohs. 194
villosa Blanch. (Anom.) 68
villosa Fald. (Anis.) 160
villosa Goetze (Anis.) 161
villosa Ohs. (Thyr.) 46
villosella Blanch. 110
villosicollis Blanch. 187
villosostriata Desbr. 157
villosula Blanch. 127
villosus Blanch. (Ador.) 184
villosus Waterh. (Saul.) 175
vicentiae Arr. 204
violacea Burm. (Anom.) 99
violacea Ohs. (Aequat.) 50
violacea Ohs. (Anom.) 76
violacea Ohs. (Chlor.) 44
violacea Ohs. (Macr.) 55
violacea Ohs. (Pop.) 143
violacea Ohs. (Pten.) 49
violaceipennis Blanch. (Anom.) 99
violaceipennis Ohs. (Anom.) 87
violaceipennis Quedenf. (Pop.) 148
violaceipes Ohs. 47
violata Rtrr. 129
virens Blanch. (Chlor.) 44
virens Drury (Antich.) 51
virens F. (Macr.) 55
virens Phil. (Aul.) 179
virens Sol. (Oog.) 15
virescens Burm. (Anom.) 110
virescens Burm. (Callirh.) 155
virescens Burm. (Pelid.) 24
virescens Hope (Pop.) 141
virescens Schils. (Anom.) 69
virgulatum Fairm. 112
viridana Blanch. (Het.) 30
viridana Kolbe (Anom.) 78
viridana Ohs. (Mim.) 130
viridiaenea Ohs. (Anom.) 76
viridiaenea Ohs. (Las.) 31
viridiaenea Ohs. (Pop.) 143
viridiaeneus Donov. (Anopl.) 172
viridiaeneus Ohs. (Leucoth.) 204
viridiaeneus Ohs. (Schizogn.) 174
viridiaurata H. Bates 40
viridicollis Boisd. (Anopl.) 172
viridicollis Burm. (Anom.) 95
viridicollis De Geer (Phyll.) 116
viridicollis Kraatz (Pop.) 134
viridicollis M'Leay (Anopl.) 173
viridicollis Schäff. (Strig.) 127
viridicollis Schils. (Anom.) 79
viridicostata Nonfr. 87
viridicuprea Muls. (Anom.) 72
viridicuprea Ohs. (Anom.) 75, 76
viridicuprea Ohs. (Macr.) 55
viridicuprea Ohs. (Pelid.) 29
viridicuprea Ohs. (Rut.) 40
viridicyanea Beffa 72
viridicyanea Kolbe 142
viridicyanea Ohs. 148
viridinigra Ohs. 60
viridinitens Kraatz 135
viridipennis Ohs. 153
viridipes Kraatz (Pop.) 138, 149
viridipes Ohs. (Brach.) 180
viridirufa Ohs. 86
viridis F. (Anom.) 104
viridis Guér. (Aul.) 179
viridis Lap. (Brach.) 180
viridis M'Leay (Chasm.) 60
viridis Ohs. (Anom.) 87, 99
viridis Schils. (Anom.) 72
viridis Sol. (Brach.) 181
viridis Thunb. (Macr.) 56
viridisericca Ohs. 87
viridisplendens Mén. 77
viridissima Blanch. 146
viriditarsis Leach 173
viriditineta Fairm. 130
viridula Kraatz (Nannopop.) 152
viridula Kraatz (Pop.) 141, 149
Vitalisi Ohs. (Anom.) 87
Vitalisi Ohs. (Mim.) 132
vitiensis Nonfr. (Ador.) 189
vitiensis Nonfr. (Parast.) 33
vitrina Waterh. 44
vittata Gebl. (Anom.) 79
vittata Redt. (Mim.) 133
vittata Snell. (Parast.) 37
vittata Waterh. (Ador.) 182
vittaticollis Burm. (Mim.) 132
vittaticollis Fairm. (Ador.) 182
vittatus Arr. (Pelt.) 14
vittatus Brenske (Prod.) 198
vittatus Luc. (Triz.) 207
vitticauda Arr. 191

- vitticollis* Burm. (Pelid.) 28
vitticollis Lansb. (Anom.) 65
vitticollis Ohs. (Chasm.) 60
vittipennis F. Bates (Pelid.) 26
vittipennis Fähr. (Anom.) 64
vittipennis Lap. (Bolax) 201
vitis F. 78
 Vorstmanni Hell. 113
vulcanicola Ohs. 99

Walkeri Arr. 87
Wallacei Ohs. 191
Wallandi Cand. 108
Wallisi Ohs. 178
Waterstraati Ohs. 87, 108
Weberi Ohs. (Anom.) 87
Weberi Ohs. (Parast.) 34
Weberi Ohs. (Spodochl.) 167
Weberi Rtrr. (Anis.) 161
Weiskei Ohs. 175
Wellmani Ohs. 65
Welwichi Kraatz 143
Westwoodi Lap. (Bolax) 201
Westwoodi Westw. (Parast.) 36
Weyersi Ohs. 105
Whiteheadi Arr. (Anom.) 87
Whiteheadi Ohs. (Anom.) 79
Whiteheadi Ohs. (Pseudomal.) 152
whiteheadiana Ohs. 79
Wiengreeni Ohs. 60
Windrathi Nonfr. 87
Winkleri Ohs. (Anom.) 93
Winkleri Ohs. (Prod.) 198

Witti Ohs. (Leucoth.) 204
Witti Ohs. (Mecopol.) 22
Wolffi Ohs. 19
Woodi Horn 16

xanthochrous Har. 192
xanthogastra Har. 119
xanthogramma Perty 26
xantholea H. Bates 110
xanthomerus Arr. 192
xanthopleura Arr. 102
xanthoptera Blanch. 105
xanthopyga Ohs. 87
xanthorhina Hope 132
xanthorhoea Ohs. 132
xanthospila Germ. 26
xanthostieta Burm. 55
xestopyga Ohs. 87
xiphostetha H. Bates 110

ypsilon Wied. 64
yunnana Fairm. (Anom.) 87
yunnana Ohs. (Fruhst.) 43

zambesianus Pér. 190
zambesicola Pér. 93
zapotensis H. Bates 99
Zea Rtrr. 116
Zikani Ohs. 204
Zoraidae Gestro 36
Zoubkoffi Fisch. (Bolax) 201
Zoubkoffi Kryn. (Anis.) 158
Zoubkoffi Ohs. (Bolax) 200
Zwicki Fisch. 166