

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 8:

G. van Roon

Lucanidae.

Einzel-Preis: Mark 6.50
Subscriptions-Preis: Mark 4.35

W. Junk

Berlin W. 15, Kurfuerstendamm 201.

27. I. 1910.



W. JUNK, Berlin W. 15.

Coleopterorum Catalogus.

- Pars 1: **R. Gestro**, Rhysodidae. 1910. 11 p.
(Mark 1) Mk. 0.65
- 2: **F. Borchmann**, Nilionidae, Othniidae, Aegialitidae,
Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) Mk. 2.—
- 3: **F. Borchmann**, Alleculidae. 1910. 80 p.
(Mark 7.50) Mk. 5.—
- 4: **M. Hagedorn**, Ipidae. 1910. 134 p.
(Mark 12.75) Mk. 8.50
- 5: **R. Gestro**, Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) Mk. 2.—
- 6: **H. Wagner**, Curculionidae: Apioninae. 1910. 81 p.
(Mark 7.50) Mk. 5.—
- 7: **H. von Schönfeldt**, Brenthidae. 1910. 57 p.
(Mark 5.25) Mk. 3.50

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 8:

G. van Roon

Lucanidae.



W. Junk

Berlin W. 15, Kurfuerstendamm 201.

1910.

Druck von A. Hopfer in Burg b. M.

Fam. Lucanidae.

Auct. G. van Roon.

Mac Leay, *Horae Entomologicae* I, 1819, p. 95—112. — Westwood, *Ann. Sc. Nat.* (2) I, 1834, p. 112—124. — Westwood, *Isis* VII, 1836, p. 501—502. — Westwood, *Entom. Magaz.* V, 1838, p. 259—268, f. — Hope (Westwood) A catalogue of the Lucanoid Coleoptera in the collection of the Rev. F. W. Hope, together with descriptions of new species, therein contained. London 1845. Descriptions p. 9—31. — Westwood, *Trans. Ent. Soc. London* IV, 1847, p. 271—277, f. — Westwood, *Trans. Ent. Soc. London* (2) III, 1855, p. 197—221. — Jaquelin du Val, *Essai Monographique sur les Lucanes d'Europe. Genera des Coléoptères d'Europe*, 1859, fasc. 74—75, p. 7—14. — Kraatz, *Über die europäischen Hirschkäfer.* *Berl. Ent. Zeitschrift* IV, 1860, p. 68—75 und p. 265—275, t. 7, f. 1—30. — Thomson, *Catalogue des Lucanides de la Collection de M. James Thomson, suivi d'un appendix, renfermant la description des coupes génériques et spécifiques nouvelles.* *Ann. Soc. Ent. France* (4) II, 1862, Appendix p. 405—436. — Parry, A catalogue of Lucanoid Coleoptera, with illustrations and descriptions of various new and interesting species. *Trans. Ent. Soc. London* (3) II, 1864, Descriptions p. 6—66, t. 1—12. — Parry, A revised Catalogue of Lucanoid Coleoptera, with remarks on the nomenclature and descriptions of new species. *Trans. Ent. Soc. London* 1870, Descriptions p. 53—103, t. 1—3. — Mulsant, *Ann. Soc. Agric. Lyon* (4) III, 1870, p. 481—522, t. 3. — Kraatz, *Entom. Monatsbl.* I, 1876, p. 71—74. — Gestro, *Enumerazione dei Lucanidi raccolti nell' Arcipelago Malese e nella Papuasias dai Signori G. Doria, O. Beccari, e L. M. d'Albertis.* *Ann. Mus. Civ. Genova* XVI, 1881, p. 303—347, f. — Albers, *Deutsche Ent. Zeitschrift* 1883, p. 221—230. — Lewis, *On the Lucanidae of Japan.* *Trans. Ent. Soc. London* 1883, p. 333—342. — Fuchs, *Synopsis of the Lucanidae of the U. S. of America.* *Bull. Brooklyn Ent. Soc.* (V) 1883, p. 49—52 und p. 57—60. — Sharp, *Compt. Rend. Soc. Ent. Belg.* XXVII, 1884, p. 78—80 (Neu-Seeland). — Leuthner, *A Monograph of the Odontolabini.* *Trans. Zool. Soc. London* XI, 1885, p. 385—491, t. 84—97. — Ganglbauer, *Übersicht der europ.-mediterranen Dorcus-Arten.* *Societ. Entom.* I, 1886, p. 81—82. — Ritsema, *Notes Leyden Museum* XIV, 1892, p. 3—6. — Planet, *Essai Monographique des Genres Lucane et Pseudolucane.* Paris, 1898. — Boileau, *Descriptions de Lucanides nouveaux.* Paris 1899. — Péringuey, *Descriptive Catalogue of the Coleoptera of South-Africa. Lucanidae.* *Trans. South Afr. Phil. Soc.* XII, 1901, p. 1—12. — Boileau, *Note sur quelques Lucanides du Musée de Bruxelles, et sur quelques Lucanides nouveaux ou peu connus.* *Mém. Soc. Ent. Belg.* IX, 1902, p. 33—62, t. 1—2. — Griffini, *Studi sui Lucanidi*, I. Torino, 1905. — Boileau, *Descriptions de Lucanides nouveaux.* Paris, 1906. — Griffini, *Lucanidi, raccolti da*

L. Fea nell'Africa occidentale. Ann. Mus. Civ. Genova XLII, 1906, p. 135—148. — Griffini, Studi sui Lucanidi, II. Milano 1906, III—IV. Milano 1907.

Kataloge: Hope (Westwood), A Catal. of the Luc. Col. in the coll. of the Rev. F. W. Hope. London 1845. — Thomson, Cat. des Luc. de la Coll. de M. James Thomson, Ann. Soc. Ent. Fr. (4) II, 1862, p. 389—404. — Parry, Cat. Luc. Col. Trans. Ent. Soc. Lond. (3) II, 1864, p. 1—113. — Gemminger und Harold, Cat. Col. III, 1868, p. 941—968. — Parry, Revised Cat. Luc. Col. Trans. Ent. Soc. Lond. 1870, p. 53—118. — Parry, Catal. Col. Lucan, ed. III. London 1875. — Nonfried, Verz. der Luc. beschr. v. 1875 bis Ende 1889. Deutsche Ent. Zeitschrift 1891, p. 277—281. — Felsche, Verz. der Lucaniden, welche bis jetzt beschrieben sind. Leipzig 1898. — Boileau, Note s. l. Catal. des Lucan. d. M. C. Felsche. Ann. Soc. Ent. Fr. LXVII, 1898, p. 401—437. — Van Roon, Naamlijst der Lucaniden, welke tot heden beschreven zijn. Tijdschr. v. Ent. XLVIII, 1905, p. 83—180. — Van Roon, Eenige Aanvullingen en Verbeteringen op mijne „Naaml. der Lucaniden“. Tijdschr. v. Ent. I, 1907, p. 58—70.

I. Chiasognathinae.

J. Thomson, Ann. Soc. Ent. Fr. (4) II, 1862, p. 391 ¶ (*Chiasognathitae*).

Pholidotus M'Leay.

M'Leay, Horae Ent. I, 1819, p. 97.

Chalcimon Dalm. Ephemerides Entom. 1824, p. 1.

Casignetus M'Leay, Horae Ent. I, 1819, p. 98 ♀.

Humboldti Gyll. in Schönh. Syn. Ins. (I) III. App. 1817, Brasilien
p. 197. — Guér. Jc. Règne Anim. Ins. 1843,
p. 109, t. 27, f. 6. — Burm. Handb. V, 1847, p. 419.
geotrupoides M'Leay, Horae Ent. I, 1819, p. 98 ♀.
lepidosus M'Leay, l. c., p. 97 ♂.

Lindei Boil. Bull. Soc. Ent. Fr. 1899, p. 296. "

Spixi Perty, Delect. Anim. Art. 1830, p. 54, t. 11, f. 13. — "
Burm. Handb. V, 1847, p. 420. — Lacord. Gen.
Col. III, 1856, p. 12.

Dejeani Buquet, Ann. Soc. Ent. Fr. X, 1841,
Bull. p. 21.

3

Chiasognathus Steph.

Steph. Trans. Phil. Soc. Cambr. IV, 1831, p. 5, t. 1, 2.

Tetraophthalmus Lesson, Illustr. de Zool. 1831, t. 24.

Gaujoni R. Obth. Bull. Soc. Ent. Fr. 1885, p. CXVIII. Ecuador

Granti Steph. Trans. Phil. Soc. Cambr. IV, 1831, p. 5, Chili
t. 1, 2. — Sturm, Cat. 1843, p. 343, t. 4, f. 1, 2. —

1832, p. 209.

- Burm. Handb. V, 1847, p. 339. — Gay, Hist. Chile, Zool. Atlas 1851, t. 13, f. 1 ♂, 2 ♀.
chiloensis Lesson, Illustr. de Zool. 1831, t. 24.
affinis Philippi, Ann. Univ. Chile III, 1859, p. 658 (teste Reed).
- **Higginsii** Parry, Ent. Monthl. Mag. XII, 1876, p. 174. Bolivia
- **impubis** Parry, Trans. Ent. Soc. Lond. 1870, p. 68, t. 1, f. 5. Chili
 — Germain, Ann. Univ. Chile 1894, p. 9.
- **Jousselini** Reiche, Rev. Zool. 1850, p. 249; Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 288. — Parry, Trans. Ent. Soc. Lond. 1864, p. 6. ”
- Mniszechi* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 406 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 6, t. 10, f. 3; l. c. 1870, p. 68.
- **Latreillei** Sol. in Gay, Hist. Chile V, 1851, p. 42 ♀. — ”
 Parry, Trans. Ent. Soc. Lond. 1864, p. 6; l. c. 1870, t. 1, f. 6 ♂.
- imberbis* Philippi, Ann. Univ. Chile III, 1859, p. 657 (teste Parry).
Reichei Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 407. — Parry, Trans. Ent. Soc. Lond. 1870, p. 69, t. 1, f. 6 ♂. — Germain, Ann. Univ. Chile 1901, p. 452, f. 2.
- **peruvianus** Waterh. Trans. Ent. Soc. Lond. 1869, p. 18. Peru
 t. 3, f. 2—3.
Wallisi Taschenb. Zeitschr. f. ges. Naturw. 1870, p. 178. — Parry, Trans. Ent. Soc. Lond. 1874, p. 369.

7

Sphenognathus Buquet.

Buquet, Revue Zool. 1838, p. 104.

- armatus** Parry, Trans. Ent. Soc. Lond. 1872, p. 73, t. 1, f. 3. Columbia
- bellicosus** Boil. Naturaliste 1904, p. 284. Santa Martha
- **canaliculatus** Parry, Trans. Ent. Soc. Lond. 1874, p. 368, t. 4, f. 2 ♂. Venezuela
- **Feisthameli** Guér. Rev. Zool. 1838, p. 287; Mag. Zool. 1840, t. 39. — Burm. Handb. V, 1847, p. 340. Bolivia
- circumflexus* Parry, Trans. Ent. Soc. Lond. 1874, p. 367, t. 4, f. 3 ♂.
- **Garleppi** Boil. Bull. Soc. Ent. Fr. 1899, p. 196. Bolivia
- **Lindeni** Murray, Edinb. New Phil. Journ. V, 1857, p. 221, t. 10, f. 1, 1 a, 1 b ♂; 2, 2 a, 2 b ♀. Quito
- manifestus** Jacowl. Rev. Russ. Ent. I, 1901, p. 176. Venezuela
- **Murrayi** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 409. ”
- **nobilis** Parry, Trans. Ent. Soc. Lond. 1874, p. 366, t. 4, f. 1 ♂. Zang, Deutsche Ent. Zeitschr. 1905, p. 211 ♀. ”
- praestans** Jacowl. Rev. Russ. Ent. I, 1901, p. 77. ”
- **prionoides** Buquet, Rev. Zool. 1838, p. 104; Mag. Zool. 1839, t. 1. — Burm. Handb. V, 1847, p. 341. Neu-Granada
- albofuscus* Blanch. Voy. d'Orb. 1837, p. 193, t. 12, f. 7. — Parry, Trans. Ent. Soc. Lond. 1870, p. 69.
- pubescens** Waterh. Ent. Monthl. Mag. X, 1873, p. 110. — Venezuela
 Parry, Trans. Ent. Soc. Lond. 1874, t. 5, f. 3 ♂.

p. 369.

signatus Parry, Trans. Ent. Soc. Lond. 1874, p. 366, Venezuela
t. 5, f. 2 ♂.

spinifer Boil. Naturaliste 1904, p. 284. Columbia

Taschenbergi Parry, Trans. Ent. Soc. Lond. 1874, Venezuela
p. 368, t. 5, f. 1 ♂.

15

Dendroblax White.

White, Voyage of Ereb. and Terr. 1846, Ent. p. 9.

— *Earlei* White, l. c. p. 9, t. 2, f. 9—10. — Lacord. Atlas Neu-Seeland
1856, t. 25, f. 2.

1

Rhyssonotus M'Leay.

M'Leay, Horae Ent. I, 1819, p. 98.

— *jugularis* Westw. Trans. Ent. Soc. Lond. 1863, p. 429, Australien
t. 14, f. 1.

laticeps M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, „
p. 201.

— *nebulosus* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 411, „
t. 21, f. 4. — Sturm, Cat. 1843, p. 345, t. 3,
f. 9 ♀. — Parry, Trans. Ent. Soc. Lond. 1870,
p. 70.

? *foveolatus* Thumb. Mém. Ac. Petr. I, 1806,
p. 199. See note p. 166

— *parallelus* Deyr. Ann. Soc. Ent. Fr. (6) I, 1881, p. 238, „
t. 5, f. 3.

4

Homolamprima M'Leay.

M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, p. 199.

crenulata M'Leay, l. c. p. 200. Clarence River

1

Cacostomus Newm.

Newman, Mag. Nat. Hist. (2) IV, 1840, p. 364.

Lepidotes Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 124.

— *squamosus* Newm. Mag. Nat. Hist. (2) IV, 1840, p. 364 ♀. Australien
— Westw. Trans. Ent. Soc. Lond. 1855, p. 211,
t. 11, f. 6 ♂, 7 ♀.

rotundicollis Westw. Ann. Mag. Nat. Hist. VIII,
1841, p. 124.

1

Lamprima Latr.

Latr. Gen. Crust. et Ins. II, 1807, p. 152. — M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, p. 129—140 (Revis.).

- **aenea** F. Ent. Syst. I, 1801, p. 2. — M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, p. 130.
subrugosa Hope (Westw.) Cat. Luc. 1845, p. 28.
 — M'Leay, l. c. p. 135.
- **aurata** Latr. Nouv. Dict. Hist. Nat. XVII, 1802, p. 279. Darling River
 M'Leay, l. c. p. 131.
aenea Don. Ins. Nov. Holl. 1805, t. 1. — Guér. Ic. Règne Anim. 1843, p. 109, t. 27, f. 5.
 ♀ *cuprea* Latr. Nouv. Dict. Hist. Nat. XVII, 1802, p. 279.
fulgida Boisd. Voy. Astrolabe Col. 1832, p. 231. — Burm. Handb. V, 1847, p. 413.
Schreibersi Hope (Westw.) Cat. Luc. 1845, p. 30.
- insularis** M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, Lord Howe
 p. 137. Ins.
 Australien
- Kreffti** M'Leay, l. c. II, 1871, p. 173; l. c. VI, 1883, p. 173; l. c. X, 1885, p. 134.
- Latreillei** M'Leay, Horae Ent. I, 1819, p. 101. — Er. Victoria,
 Wieg. Arch. VIII, 1842, I, p. 108. — Burm. Queens-
 Handb. V, 1847, p. 411. — M'Leay, Trans. Linn. land
 Soc. N. S. Wales X, 1885, p. 132.
- ? *aenea* Boisd. Voy. Astrolabe, Col. 1832, p. 228. — M'Leay, l. c. p. 132.
- ? *ampliocollis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 416.
- ? *coerulea* Don. Ins. Nov. Holl. 1805, t. 1.
- pygmaea* M'Leay, Horae Ent. I, 1819, p. 101 (teste Parry).
- sericea* M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 132.
- tasmaniae* Hope (Westw.) Cat. Luc. 1845, p. 27. — M'Leay, l. c. p. 135.
- **Micardi** Reiche, Rev. Zool. 1841, p. 51. — M'Leay, l. c. W.-Australien
 p. 132.
- nigricollis* Hope (Westw.) Cat. Luc. 1845, p. 28 (teste Parry, Trans. Ent. Soc. Lond. 1870, p. 53).
- purpurascens* Hope (Westw.) Cat. Luc. 1845, p. 28.
- sumptuosa* Hope (Westw.) l. c. p. 28. — M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 135 (teste Parry, Trans. Ent. Soc. Lond. 1870, p. 52).
- minima** M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, Australien
 p. 138.
- nigripennis** M'Leay, l. c. p. 137.
- rutilans** Er. Wieg. Arch. VIII, 1842, I, p. 170. — M'Leay, Victoria,
 l. c. p. 134. Tasmania
- splendens** Er. l. c. p. 108 ♀. — M'Leay, l. c. p. 133. Australien
- varians** (Germ.) Burm. Handb. V, 1847, p. 415. — W.-Australien
 M'Leay, l. c. p. 133.
- cultridens* Burm. Handb. V, 1847, p. 146. — M'Leay, l. c. p. 133.

violacea M'Leay, l. c. p. 138.

Botany Bay
Tasmania

viridis Er. Wieg. Arch. VIII, 1842, I, p. 109. — M'Leay,
l. c. p. 131.

13

Neolamprima Gestro.

Gestro, Ann. Mus. Civ. Genova, VII, 1875, p. 999.

Adolphinae Gestro, l. c. p. 999, fig. ♂. — l. c. XVI,
1881, p. 305

Neu-Guinea,
Ins. Arfak
Queensland

mandibularis M'Leay, ^{PROC.} Trans. Linn. Soc. N. S. Wales X,
1885, p. 139

2

Phalacrognathus M'Leay.

M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 473.

Muelleri M'Leay, l. c. p. 135 ♀, p. 474 ♂. — Dattari,
Remarks on the Austral. Beetle *Phalacrognathus*
Muelleri, 1886, f. ♂ ♀. — Skuse, Proc. Linn. Soc.
N. S. Wales (2) VII, 1892, p. 20.

N.-Australien

Westwoodi Shipp, Trans. Ent. Soc. Lond. 1893,
p. 223 (form. max.).

1

Streptocerus Fairm.

Fairm., Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 53.

eustictus Philippi, Stett. Ent. Zeit. XXV, 1864, p. 316. —
Parry, Trans. Ent. Soc. Lond. 1870, p. 55.

Colchagua

speciosus Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 55,
t. 1, f. 2 a—b ♂. — Westw. Trans. Ent. Soc.
Lond. (2) III, 1856, p. 204, t. 11, f. 1 a—d ♀.
Dejeani Sol. in Gay, Hist. Chile V, 1851, p. 44,
t. 13, f. 3 ♂.

Chili

2

Colophon Gray.

Gray in Griff. Anim. Kingd. 1832, I, p. 533. — Parry, Trans. Ent.
Soc. Lond. 1864, p. 7. — Péringuey, Trans. South. Afr. Phil. Soc. XII,
1901, p. 2.

Thunbergi Westw., Trans. Ent. Soc. Lond. 1855, p. 198,
t. 10, f. 2 ♂.

Südafrika

Westwoodi Gray in Griff. Anim. Kingd. 1832, I, p. 534,
t. 46, f. 5 ♂. — Westw., Ann. Sc. Nat. (2) I,
1834, p. 113, t. 7, f. 5 a—e; Trans. Ent. Soc.
Lond. 1855, p. 197, t. 10, f. 1. — Péringuey,
Descr. Cat. S. Afr. Col. Trans. S. Afr. Phil. Soc.
XII, 1901, p. 10, t. XXXI, f. 1.

"

2

II. Lucaninae.

MacLeay, Horae Ent. I, 1819, p. 111 (*Lucanidae*).

Pseudolucanus Hope.

Hope (Westw.), Cat. Luc. 1845, p. 30. — Parry, Trans. Ent. Soc. Lond. 1870, p. 72. — Planet, Naturaliste XVII, 1895, p. 126; Essai Monographique, Paris 1899, p. 7—30.

- **atratus** Hope in Gray, Zool. Miscell. I, 1831, p. 22. — Assam
 Hope (Westw.) Cat. Luc. 1845, p. 10. — Burm.
 Handb. V, 1847, p. 528. — Reiche, Ann. Soc. Ent.
 Fr. (3) I, 1853, p. 71. — Planet, Naturaliste 1895,
 p. 144; 1896, p. 278, f. 1—2 ♂, 3 ♀; Essai Mon.
 1898, p. 9, t. 1, f. 1—2 ♂, 3 ♀.
- **barbarossa** F. Syst. El. II, 1801, p. 251. — Ill. Mag. II,
 1803, p. 233. — Burm. Handb. V, 1847, p. 349. —
 Planet, Naturaliste 1895, p. 180, f. ♂ ♀; Essai
 Mon. 1898, p. 26, t. 4, f. 1, 3, 4 ♂, 2, 5, ♀.
- **capreolus** L. Mus. Lud. Ulr. 1764, p. 32. — Ol. Ent. I,
 1, 1789, p. 15, t. 2, f. 4 ♂, t. 3, f. 4 ♀. — Planet,
 Naturaliste, 1895, p. 154, f. ♂ ♀; Essai Mon.
 1898, p. 23, t. 3, f. 1, 2, 3, ♂, 4, 5, ♀.
- dama* F. Syst. El. II, 1801, p. 249 ♂. — Burm.
 Handb. V, 1847, p. 355. — Saund. Canad. Ent.
 XIII, 1881, p. 118, f. 8. — Fuchs, Bull. Brookl.
 Ent. Soc. V, 1882, p. 50, f. 2, t. f. 2 ♂. — Packard,
 Psyche V, 1889, p. 226.
- ✓ *muticus* Thunb. Mém. Mosc. I, 1806, p. 205. —
 Planet, Essai Mon. 1898, p. 24, t. 2, f. 3 ♂.
 ♀ *trigonus* Thunb. Mém. Mosc. I, 1806, p. 200,
 t. 12, f. 4.
- Davidis** Deyr. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 93,
 t. 4, f. 1—2 ♂ ♀. — Planet, Naturaliste 1895,
 p. 145, f. 1 ♂, 2 ♀; Essai Mon. 1898, p. 16, f. 5 ♂,
 6 ♀, t. 2, f. 1 ♂, 2 ♀.
- **Groulti** Planet, Naturaliste 1897, p. 227, f.; Essai Mon.
 1898, p. 100, fig. ♂.
- **Lesnei** Planet, Naturaliste 1905, p. 212, f. 1—2.
- **Mazama** Lec. Proc. Acad. Philad. 1861, p. 345 ♂. —
 Parry, Trans. Ent. Soc. Lond. 1864, p. 51;
 Trans. Ent. Soc. Lond. 1870, p. 72, t. 1, f. 1 ♂.
 — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 50,
 f. 3, t. f. 3 ♂. — Planet, Naturaliste 1895, p. 145,
 f. 3 ♂; 1896, p. 279, f. 6 ♀; Essai Mon. 1898,
 p. 19, f. 7 ♂, t. 2, f. 4 ♂, 3 ♀.
- Mniszechi** Planet, Naturaliste 1900, p. 96; Essai Mon.
 1898, p. 100, f. 52.
- Oberthüri** Planet, Naturaliste 1896, p. 279; Essai Mon.
 1898, p. 13, t. 1, f. 4 ♂, 5 ♀; Naturaliste 1901,
 p. 250.
- **placidus** Say. Journ. Ac. Phil. V, 1865, p. 202. — Fuchs,
 Bull. Brookl. Ent. Soc. V, 1882, p. 51, f. 4, t.
 f. 4, ♂. — Planet, Essai Mon. II, 1898, p. 102,
 f. 53—54.
- 3/4

lentus Cast. Hist. Nat. II, 1837, p. 171. — Burm. Handb. V, 1847, p. 356. — Horn, Trans. Am. Ent. Soc. V, 1875, p. 137.

rupicapra Dej. Cat. III, 1837, p. 193.

10

Lucanus Scop.

Scop. Entom. Carniol. 1763, p. 1. — Planet, Essai Mon. Paris 1898.

- Boileavi** Planet, Naturaliste 1897, p. 205, f.; Essai Mon. II, 1898, p. 26, f. 11 ♂, 12 ♀. Siao-Lou
- Cantori** Hope, Proc. Ent. Soc. Lond. 1842, p. 83. — Hope (Westw.) Cat. Luc. 1845, p. 5. — Hope, Ann. Mag. Nat. Hist. XII, 1850, p. 363. — Burm. Handb. V, 1847, p. 355. — Planet, Essai Mon. II, 1898, p. 57, f. 29 ♂, 30 ♀. Assam
- cervus** L. Syst. Nat. I, 1735, p. 559. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 68 und 265. — Planet, Essai Mon. I, 1898, p. 31, f. 1 ♂, 8 ♀. W.- u. M. Europa
- americanus* Hope (Westw.), Cat. Luc. 1845, p. 10 (form. max.).
- armiger* Herbst, Käfer III, 1790, p. 301, t. 34, f. 1. — Planet, Essai Mon. 1898, p. 42, f. 9 (monstr.).
- capra* Ol. Entom. I, 1, 1789, p. 11, t. 1, f. e. (form. med.).
- capreolus* Sulz. Abgek. Gesch. Ins. I, 1776, p. 19, t. 2, f. 1. — F. Ent. Syst. II, 1793, p. 237 (form. min.).
- dorcas* Panz. Fauna Germ. N. 58, 1798, p. 11 (form. min.).
- hircus* Herbst, Käfer III, 1790, p. 299, t. 33, f. 4—6.
- inermis* Marsham (♀), Ent. Brit. I, 1802, p. 47. — Planet, Essai Mon. 1898, p. 35.
- lusitanicus* Hope (Westw.), Cat. Luc. 1845, p. 9.
- maxillaris* Motsch. Bull. Mosc. XVIII, 1845, I, p. 60. — Planet, Essai Mon. 1898, p. 64.
- microcephalus* Muls. Col. Fr. Lamell. 1842, p. 586.
- tauricus* Motsch. Bull. Mosc. XVIII, 1845, I, p. 60. — Planet, Essai Mon. 1898, p. 65.
- var. *akbesianus* Planet, Naturaliste 1896, p. 256, f. 8 ♂; Essai Mon. 1898, p. 62, t. 14, f. 2. Syrien
- var. *judaicus* Planet, Essai Mon. II, 1898, p. 125, f. Tauria, Ain-Tab
- var. *laticornis* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 312. — Planet, Naturaliste 1896, p. 237, f. 6—7; Essai Mon. 1898, p. 60, f. 1 und 4. Syrien, Ararat
- var. *pentaphyllus* Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 71; Rev. Zool. 1856, p. 81. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, t. 7, f. 13. — Planet, Essai Mon. 1898, p. 52, f. 14 ♀, t. 13, f. 1—3 ♂. S.-Frankreich
- Fabiani* Muls. Ann. Soc. Linn. Lyon II, 1855, p. 250. — Kraatz, Berl. Ent. Zeitschr. 1860, t. 7, f. 15. — Planet, Essai Mon. 1898, p. 55, f. 12 (forma min.).

Puccinellus
see Boileau, Ann. Soc. Ent. Fr., 67, 1898, p. 406

v. Pontbrianti Muls. Ann. Soc. Pyon, (4) iii, 1870, p. 481, t. 3.

- var. *Pontbrianti* Muls. Ann. Soc. Agr. et Ind. Lyon II, 1855, p. 119, t. 2; Col. France Lamell. 1842, p. 538. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, t. 7, f. 16—17. — Planet, Essai Mon. 1898, p. 58, f. 15, t. 14, f. 3 ♂.
- barbarossa* var. med. Burm. Handb. V, 1847, p. 349.
- var. *Poujadei* Planet, Naturaliste 1897, p. 267, f; Essai Mon. 1898, p. 104, f. 37—38 ♂. Syrien
- var. *syriacus* Planet, Bull. Soc. Ent. Fr. 1897, p. 64, f; Essai Mon. 1898, p. 48 und 51. Kleinasien,
Syrien
- var. *turcicus* Sturm, Cat. 1843, p. 347, t. 5, f. 1. — Richter, Soc. Ent. I, 1887, p. 181. — Planet, Essai Mon. 1898, p. 46, f. 10—11, t. 9, f. 1—2. O.-Europa
- barbarossa* var. max. Burm. Handb. V, 1847, p. 349.
- **Delavayi** Fairm., Bull. Soc. Ent. Fr. 1887, p. 37; Ann. Soc. Ent. Belg. XXX, 1887, p. 98. — Planet, Essai Mon. II, 1898, p. 68, f. 33—34 ♂, 35 ♀. Yunnan
- Dybowskyi** Parry, Trans. Ent. Soc. Lond. 1873, p. 335. — Jacowl. Hor. Soc. Ent. Ross. XXX, 1896, p. 171. — Planet, Essai Mon. II, 1898, p. 30, f. 13 ♂, 14 ♀. Amur
- **elaphus** F. Syst. Ent. 1775, p. 2. — Ol. Ent. I, 1, 1789, p. 12, t. 3, f. 7. — Burm. Handb. V, 1847, p. 354. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 1, f. 1. — Albers, Deutsche Ent. Zeitschr. 1890, p. 88. — Planet, Essai Mon. II, 1898, p. 92, f. 49 ♂, 50—51 ♀. — Wickham, Canad. Ent. XXXV, 1903, p. 205. N.-Amerika
- cervus* var. Geer, Mém. Ins. IV, 1774, p. 33.
- **Fairmairei** Planet, Naturaliste 1897, p. 265, f; Essai Mon. II, 1898, p. 80, f. 43 ♂, 44 ♀. Thibet
- Ferriei** Planet, Naturaliste 1898, p. 251, f. 1 ♂; Essai Mon. II, 1898, p. 44, f. 22—23 ♂, 24 ♀. Liu-Kiu-
Inseln
- **formosanus** Planet, Naturaliste 1899, p. 36 und 47; Essai Mon. II, 1890, p. 42, f. 21 ♀. Formosa
- **Fortunei** Saund. Trans. Ent. Soc. Lond. 1854, p. 46, t. 3, f. 1—2. — Planet, Essai Mon. II, 1898, p. 85, f. 45 ♂, 46 ♀. China
- gracilis** Albers, Deutsche Ent. Zeitschr. 1889, p. 319. — Planet, Essai Mon. II, 1898, p. 130. Sikkim
- Hopei** Parry, Proc. Ent. Soc. Lond. 1862, p. 108 ♂; Trans. Ent. Soc. Lond. 1864, p. 9, t. 4, f. 2. — Planet, Essai Mon. II, 1898, p. 34, f. 15 und 18 ♂, 16—17 ♀. Japan
- var. *maculifemoratus* Motsch. Etud. Ent. 1861, p. 9. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333. — Heyden, Deutsche Ent. Zeitschr. 1884, p. 276. — Planet, Essai Mon. II, 1898, p. 39, f. 19 ♂, 20 ♀. Jokohama
- elegans* Planet, Naturaliste 1898, p. 19 und 253, f. 2 ♂, 3 ♀; Essai Mon. II, 1898, p. 35.
- sericans* Voll. Tijdschr. v. Ent. IV, 1861, p. 103; Tijdschr. v. Ent. 1865, p. 147. — Parry, Trans. Ent. Soc. Lond. 1864, p. 10; Trans. Ent. Soc. Lond. 1870, p. 56. — Planet, Essai Mon. II, 1898, p. 39.

- laminifer** Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 33; Aid Ident. Ins. II, 1890, t. 186, f. 4—5. — Planet, Essai Mon. II, 1898, p. 53, f. 27 ♂, 28 ♀. Assam
- lunifer** Hope in Royle. Illustr. Nat. Hist. Himal. Ins. 1833, p. 55, t. 9, f. 4. — Redtenb. Hügel. Kashmir IV, 1850, p. 531, t. 24, f. 4. — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 71. — Planet, Naturaliste 1898, p. 107 f.; Essai Mon. II, 1898, p. 12, f. 5 ♂, 6 ♀. Himalaya
- lama* Burm. Handb. V, 1847, p. 353.
- rugifrons* ♀ Hope (Westw.), Cat. Luc. 1845, p. 4. — Parry, Trans. Ent. Soc. Lond. 1864, p. 72.
- Mearesi** Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Trans. Ent. Soc. Lond. IV, 1845, p. 273; Ann. Mag. Nat. Hist. XII, 1850, p. 364 ♂. — Westw. Cab. Or. Ent. 1848, p. 21, t. 10, f. 1. — Planet, Essai Mon. II, 1898, p. 17, f. 7 ♂, 8 ♀. Sylhet
- lunifer* var. Burm. Handb. V, 1847, p. 527.
- nigripes* ♀ Hope (Westw.), Cat. Luc. 1845, p. 10.
- Oberthüri** Planet, Naturaliste 1897, p. 179; Essai Mon. II, 1898, p. 73, f. 36—38 ♂, 39—41 ♀. Thibet, Siao-Lu-Lu-Chan
- orientalis** Kraatz, Berl. Ent. Zeitschr. 1860, p. 269, t. 7, f. 18—21, 27, 28. — Planet, Naturaliste 1897, p. 83; Essai Mon. 1898, p. 70, f. 16—19, t. 15, f. 2—3. O.-Europa, Kleinasien
- intermedius* Motsch. Bull. Mosc. 1870, p. 41, t. 2, f. 13. — Planet, Essai Mon. 1898, p. 87.
- piger* Motsch. Bull. Mosc. 1870, p. 37—39, t. 2, f. 10. — Planet, Essai Mon. 1898, p. 74.
- tetraodon* Jacquelin du Val, Gen. Col. III, 1865, p. 11.
- ?*subvelutinus* Motsch. Bull. Mosc. 1870, p. 46, t. 2, f. 17. — Planet, Essai Mon. 1898, p. 85.
- ?*syriacus* Motsch. l. c. p. 40. — Planet, Essai Mon. 1898, p. 85.
- ?*tenebrosus* Motsch. l. c. p. 40. — Planet, Essai Mon. 1898, p. 86.
- var. *caspica* Semenow, Rev. Russ. Ent. I, 1901, p. 105. Georgien
- var. *curtulus* Motsch. Bull. Mosc. XVIII, 1845, I, p. 60, No. 170; 1870, p. 40—41, t. 2, f. 12. — Planet, Essai Mon. 1898, p. 78, f. 23. Kaukasus, Kleinasien
- barbarossa* var. minor. Burm. Handb. V, 1847, p. 349.
- var. *ibericus* Motsch. Bull. Mosc. XVIII, 1845, I, p. 60, No. 167; 1870, p. 39—40. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 269. — Planet, Essai Mon. 1898, p. 75, f. 21. Georgien
- barbarossa* var. med. Burm. Handb. V, 1847, p. 349.
- var. *macrophyllus* Reiche (in litt.) Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 271—272, t. 7, f. 29. — Motsch. Bull. Mosc. 1870, p. 50. — Planet, Essai Mon. 1898, p. 88. — Möllenk. Insektenbörse XXIII, 1906, p. 32. Caramanien
- Parryi** Boil. Bull. Soc. Ent. Fr. 1899, p. 111. — Planet, Essai Mon. II, 1898, p. 78, f. 42 ♂. M.-China, Kua-Thun

- **Planeti** Planet, Naturaliste 1899, p. 72; Essai Mon. II, 1898, p. 49, f. 25 ♂, 26 ♀. Tonkin
- **singularis** Planet, Essai Mon. II, 1899, p. 22, f. 9 ♀; Naturaliste 1903, p. 12, f. 1 ♂, 2 ♀. Ostindien
- **Swinhoei** Parry, Trans. Ent. Soc. Lond. 1874, p. 370, t. 4, f. 4. — Planet, Essai Mon. II, 1898, p. 88, f. 47 ♂, 48 ♀. Formosa
- **tetraodon** Thunb. Mém. Mosc. I, 1806, p. 88. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 68 und 265, t. 7, f. 22—26. — Planet, Essai Mon. 1898, p. 89, f. 30—31, t. 16, f. 1 ♂, 2 ♀; Essai Mon. II, 1898, p. 126—127. Italien,
Corsica,
Sizilien,
Griechenl.,
Albanien
- barbarossa* Costa. Fauna Nap. 1832—1854, p. 17.
- barbarossa* var. *min.* Burm. Handb. V, 1847, p. 349.
- bidens* (♂ form. *min.*) Thunb. Mém. Mosc. I, 1806, p. 198. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 266.
- impressus* (♀ form. *min.*) Thunb. Mém. Mosc. I 1806, p. 197. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 266.
- serraticornis* Fairm. Ann. Soc. Ent. France (3) VII, 1859, p. 275.
- var. *siciliana* Planet, Essai Mon. p. 98, f. 33—34. Sizilien
- thibetanus** Planet, Naturaliste 1898, p. 277; Essai Mon. II, 1898, p. 24, f. 10. Thibet
- vicinus** Hope (Westw.) Cat. Luc. 1845, p. 10. — Burm. Handb. V, 1847, p. 527. — Planet, Essai Mon. II, 1898, p. 63, f. 31 ♂, 32 ♀. Punah
- **villosus** Hope in Gray, Zool. Miscell. I, 1831, p. 22. — Hope (Westw.) Cat. Luc. 1845, p. 9 ♂. — Parry, Trans. Ent. Soc. Lond. 1863, p. 446, 453. — Planet, Essai Mon. II, 1898, p. 7, f. 3 ♂, 4 ♀. Nepaul
- lama* Burm. Handb. V, 1847, p. 353.
- *Smithi* Parry, Proc. Ent. Soc. Lond. 1862, p. 108 ♂; Trans. Ent. Soc. Lond. 1864, p. 10, t. 10, f. 2.
- **Westermanni** Hope (Westw.), Cat. Luc. 1845, p. 10. — Planet, Essai Mon. II, 1898, p. 3, f. 1 ♂, 2 ♀. Assam

26

Rhaetus Parry.

Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 10.

- (**Parryi** Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 49, t. 2, f. 2. Patria unbekannt)
- **Westwoodi** Parry, Proc. Ent. Soc. Lond. 1862, p. 108 ♂; Trans. Ent. Soc. Lond. 1864, p. 11, t. 9, f. 2. — Westw., Trans. Ent. Soc. Lond. 1871, p. 355. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 47, t. 2, f. 1 ♀. Assam,
Himalaya

2

Pseudorhaetus Planet.

Planet, Naturaliste 1899, p. 174.

- **Oberthüri** Planet, Naturaliste 1899, p. 174, f. ♂ ♀. Tonkin
- **sinicus** Boil. Bull. Soc. Ent. Fr. 1899, p. 111. China

2

Rhaetulus Westw.

Westw., Trans. Ent. Soc. Lond. 1871, p. 353.

erenatus Westw. l. c. p. 353, t. 8, f. 4♂.

Formosa

1

Hexarthrius Hope.Hope, Trans. Linn. Soc. XIX, 1843, II, p. 104. (*sim desch.*)

- aduncus** Jordan und Rothsch. Novit. Zool. I, 1894, p. 484, t. 13, f. 1. Assam
- Bowringi** Parry, Proc. Ent. Soc. Lond. 1862, p. 108; Trans. Ent. Soc. Lond. 1864, p. 12, t. 9, f. 5 und 7♂. Ostindien
- Buqueti** Hope, Proc. Ent. Soc. Lond. 1843, p. 95; Trans. Ent. Soc. Lond. IV, 1846, p. 182, t. 13, f. 4♂. — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 75. — Griffini, Studi sui Lucanidi, Zool. Anzeiger XXX, 1906, p. 899—905. Java
- rhinoceros* var. Burm. Handb. V, 1847, p. 366.
- Davisoni** Waterh., Ann. Mag. Nat. Hist. (6) I, 1888, p. 260. Ostindien
- Castetsi* Boil. Ann. Soc. Ent. Fr. LXVI, 1897, p. 581, f. ♂ ♀ (teste Boileau).
- ?*Cotesi* Nonfried, Berl. Ent. Zeitschr. XXXVI, 1892, p. 365 (teste Waterhouse).
- Deyrollei** Parry, Trans. Ent. Soc. Lond. 1864, p. 11, t. 4, f. 1♂. Siam, Sumatra
- var. *paradoxus* Möllenk. Soc. Ent. 1897, p. 146; Insektenbörse XXIV, 1905, p. 7. Sumatra
- elongatus** Jordan und Rothsch. Novit. Zool. I, 1894, p. 484. Borneo
- Forsteri** Hope, Trans. Linn. Soc. Lond. 1841, p. 587, t. 40, f. 1. — Burm. Handb. V, 1847, p. 367. Assam
- serricollis* (♀) Hope, Trans. Linn. Soc. Lond. 1841, p. 591. — Parry, Trans. Ent. Soc. Lond. 1863, p. 446.
- mandibularis** Deyr. Ann. Soc. Ent. Fr. (6) I, 1881, p. 237, t. 5, f. 2. Borneo, Sumatra
- Mniszechi** Thoms. Arch. Ent. I, 1857, p. 396. — Lacord. Genera Col. Atlas, 1854, t. 24, f. 5♂. Sylhet
- Parryi** Hope, Trans. Linn. Soc. Lond. XIX, 1843, p. 104, t. 10, f. 2. — Burm. Handb. V, 1847, p. 367. „
- rhinoceros** Ol. Ent. I, 1, 1789, p. 21, t. 5, f. 21. — Burm. Handb. V, 1847, p. 366. Java
- falciger* Hope (Westw.), Cat. Luc. 1845, p. 11 (form. med.).
- longipennis* (♀) Hope (Westw.), Cat. Luc. 1845, p. 10.
- vitulus* (♀) Hope, Proc. Ent. Soc. Lond. 1843, p. 95; Trans. Ent. Soc. Lond. IV, 1866, p. 183.
- var. *Chaudoiri* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 312, t. 4, f. 1♂. — Voll. Tijdschr. v. Ent. VIII, 1865, p. 148. — Planet, Naturaliste 1899, p. 47—48. Sumatra
- Rollei** Möllenk. Insektenbörse XXI, 1904, p. 402. Kina Balu
- Deyrollei* var. *rufipes* Boil. Naturaliste 1904, p. 227.

12

Mesotopus Hope.

Hope (Westw.) Catal. Lucan. 1845, p. 4. — Burmeister, Handbuch V, 1847, p. 362. — Zang, Deutsche Ent. Zeitschr. 1906, p. 93.

regius Möllenk. Deutsche Ent. Zeitschr. 1896, p. 360, f. b. Guinea
tarandus Sweder. Vet. Ak. nya Handl. VIII, 1787, p. 186, „
 t. 8, f. 1 ♂. — Burm., Handb. V, 1847, p. 363. —
 Parry, Proc. Ent. Soc. Lond. 1862, p. 107;
 Trans. Ent. Soc. Lond. 1864, p. 7, t. 5, f. 4 ♀.
 — Möllenk., Deutsche Ent. Zeitschr. 1896, p. 360,
 f. a. — Griffini, Ann. Mus. Civ. Genova 1906,
 p. 136.

2

Allotopus Albers.

Albers, Deutsche Ent. Zeitschr. 1894, p. 162.

Möllenkampi Fruhst. Ent. Nachr. XX, 1894, p. 299. — Sumatra
 Kraatz, Deutsche Ent. Zeitschr. 1895, p. 287,
 f. ♂ (Monstr.).
Moseri Möllenk. Entom. Zeitschr. Guben XX, 1906, nr. 29. Malacca
Rosenbergi Voll. Trans. Ent. Soc. Lond. 1872, p. 81, W. Java
 t. 2, f. 1. — Fruhst., Ent. Nachr. 1894, p. 298
 (Fundort, Flugzeit). — Rits. Notes Leyd. Mus.
 1898, p. 162, t. 1, f. 3—4 (pupa).

3

III. Odontolabinae.

Parry, Trans. Ent. Soc. Lond. 1870, p. 74 (*Odontolabidae*).

Monogr.: Leuthner, Trans. Zool. Soc. XI, 1885, p. 385.

Neolucanus Thoms.

Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 415. — Leuthner, Monographie
 p. 420.

Anoplocnemus Burm. (pars), Handb. V, 1847, p. 357. — Parry,
 Trans. Ent. Soc. Lond. (3) II, 1864, p. 12.

Odontolabis Hope (pars), Cat. Luc. 1845, p. 5.

- **brevis** Boil. Bull. Soc. Ent. Fr. 1899, p. 197. Birmah
birmaensis Möllenk. Notes Leyd. Mus. XXII,
 1900, p. 46 (teste: Zang, Deutsche Ent. Zeitschr.
 1905, p. 212).
 — **castanopterus** Hope in Gray, Zool. Miscell. 1831, p. 22. N.-Ostindien
 — Hope (Westw.), Cat. Luc. 1845, p. 18. —
 Westw. Cab. Or. 1848, p. 22, 54, t. 10, f. 5 ♂,
 t. 26, f. 6 ♀. — Leuthner, Monogr. 1885, p. 423,
 t. 84, f. 13 ♂, 14 ♀.
bicolor Burm. (*Anoplocnemus*), Handb. V, 1847,
 p. 360 (teste Leuthner).
 var. *elongatulus* Möllenk. Intern. Ent. Zeitschr. Yunnan
 Guben I, 1907, p. 94.

- celebensis* Möllenk. Notes Leyd. Mus. XXII, 1900, p. 46; Deutsche Ent. Zeitschr. 1903, p. 349. O.-Celebes
- Championi* Parry, Trans. Ent. Soc. Lond. 1864, p. 20. China
— Leuthner, Monogr. 1885, p. 428, t. 85, f. 8♂, 6♀.
- cingulatus* Parry, Trans. Ent. Soc. Lond. 1864, p. 20, t. 4, f. 3♀. — Leuthner, Monogr. 1885, p. 422, t. 85, f. 10♀. Sumatra, Malacca
- lama* Ol. Ent. I, 1, 1789, p. 14, t. 3, f. 8. — Leuthner, Monogr. 1885, p. 430, t. 85, f. 14, 15♂, 11, 12♀. Sylhet
angulatus Hope (Westw.) Cat. Luc. 1845, p. 17.
— Parry, Trans. Ent. Soc. Lond. 1870, p. 74.
baladeva Hope, Trans. Linn. Soc. XIX, 1843, p. 105. — Parry, Trans. Ent. Soc. Lond. 1870, p. 74.
- Lansbergei* Leuthner, Monogr. 1885, p. 421, t. 84, f. 4♀. O.-Sumatra
— Möllenk. Soc. Entom. 1897, p. 145♂; Insektenbörse XXII, 1905, p. 7.
- laticollis* Thunb. Mém. Soc. Nat. Mosc. I, 1806, p. 163. Java
— Albers, Deutsche Ent. Zeitschr. 1884, p. 303.
— Leuthner, Monogr. 1885, p. 420, t. 84, f. 1, 2♂, 3♀.
— *glabratus* Hope (Westw.) Cat. Luc. 1845, p. 18.
- latus* Boil. Naturaliste XXIV, 1902, p. 204. Birmah
- Leuthneri* Boil. Bull. Soc. Ent. Fr. 1899, p. 175. Tonkin
- marginatus* Waterh. Ent. Monthl. Mag. IX, 1873, p. 53. Sikkim
— Leuthner, Monogr. 1885, p. 426, t. 85, f. 1♂, 3♀. — Boil. Bull. Soc. Ent. Fr. 1899, p. 178.
- muntjac* Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 314, f. — Leuthner, Monogr. 1885, p. 422. Borneo
- nitidus* Saund. Trans. Ent. Soc. Lond. 1854, t. 4, f. 1♂. China p. 47.
— Leuthner, Monogr. 1885, p. 427.
- Oberthuri* Leuthner, Monogr. 1885, p. 429, f. "
- opacus* Boil. Bull. Soc. Ent. Fr. 1899, p. 176. Tonkin
- pallescens* Leuthner, Monogr. 1885, p. 426, t. 85, f. 2♂. China
- Parryi* Leuthner, Monogr. 1885, p. 424, t. 85, f. 4♂. China, Laos, Tonkin
- Saundersi* Parry, Trans. Ent. Soc. Lond. 1864, p. 20, t. 9, f. 3. — Leuthner, Monogr. 1885, p. 431, t. 85, f. 9, 13, 16. Nord.-Indien
- sinicus* Saund. Trans. Ent. Soc. Lond. 1854, p. 48, t. 4, f. 2♂, 3♀. — Leuthner, Monogr. 1885, p. 428, t. 85, f. 7♂, 5♀. China
- Swinhoei* Bates, Proc. Zool. Soc. 1866, p. 346, f. 2♂. Formosa
— Leuthner, Monogr. 1885, p. 424, t. 84, f. 15a, b♂, 16♀.
- Waterhousei* Boil. (*marginatus* Waterh. ♂) Bull. Soc. Ent. Fr. 1899, p. 178. Sikkim

Odontolabis Hope.

Hope (Westw.), Cat. Luc. 1845, p. 5, 13. — Leuthner, Monographie 1885, p. 432.

Chalcodes Westw. (pars), Ann. Sc. Nat. (2) I, 1834, p. 116.
Anoplocnemus Burm. (pars), Handb. V, 1847, p. 357.

- aeratus** Hope, Trans. Zool. Soc. I, 1835, p. 99, t. 14, f. 2.
 — Westw. Ann. Sc. Nat. (2) I, 1834, p. 118
 (*Chalcodes*). — Cast. Hist. Nat. Ins. II, 1837,
 p. 172. — Hope (Westw.) Cat. Luc. 1845, p. 16.
 — Westw. Cab. Or. Ent. 1848, p. 22, t. 10, f. 6.
 — Burm. Handb. V, 1847, p. 361. — Parry,
 Trans. Ent. Soc. Lond. (3) II, 1864, t. 7, f. 9;
 Trans. Ent. Soc. Lond. 1870, p. 74. — Leuthner,
 Monogr. 1885, p. 473, t. 97, f. 4, 5♂, 6♀.
 — Zang, Deutsche Ent. Zeitschr. 1905, p. 214.
- alces** F. Syst. Ent. 1775, p. 1. — Ol. Ent. I, 1, 1789, p. 8,
 t. 2, f. 3a, b. — Leuthner, Monogr. 1885, p. 443,
 t. 89, f. 1—7♂, 8♀.
Cumingi Hope (Westw.) Cat. Luc. 1845, p. 17
 (forma amphiod.).
dux Westw. Ann. Mag. Nat. Hist. VIII, 1846,
 p. 124; Cab. Or. Ent. 1848, p. 17, t. 8, f. 1
 (forma telod.).
- antilope** v. Rothenburg, Deutsche Ent. Zeitschr. 1901,
 p. 26.
- bellicosus** Cast. Hist. Nat. II, 1837, p. 171, t. 16, f. 1.
 — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394.
 — Parry, Trans. Ent. Soc. Lond. (3) II, 1864,
 p. 76.
alces Burm. Handb. V, 1847, p. 359.
serrifer Hope (Westw.) Cat. Luc. 1845, p. 17
 (forma priod.).
ursus (♀) Cast. Hist. Nat. II, 1837, p. 171, t. 16, f. 2.
Vishnu Hope (Westw.) Cat. Luc. 1845, p. 17
 (forma amphiod.).
- Brookeanus** Voll. Tijdschr. Ent. IV, 1861, p. 107, t. 6,
 f. 1. — Parry, Trans. Ent. Soc. Lond. (3) II,
 1864, p. 15, t. 6, f. 5. — Leuthner, Monogr.
 1885, p. 469, t. 95, f. 13—15♂, 16—18♀. —
 Griffini, Atti della Soc. Ital. Sc. Natur. XLVI,
 1907, p. 104—127.
- Burmeisteri** Hope, Trans. Ent. Soc. Lond. III, 1839,
 p. 279, t. 13, f. 3. — Hope (Westw.) Cat. Luc.
 1845, p. 5. — Hope, Ann. Mag. Nat. Hist. VIII,
 1846, p. 302. — Waterh. Ann. Mag. Nat. Hist.
 (5) VII, 1881, p. 457. — Leuthner, Monogr.
 1885, p. 455, t. 92, f. 5—8♂, 9♀.
- camelus** Ol. Entom. I, 1, 1789, p. 22, t. 5, f. 19. —
 Leuthner, Monogr. 1885, p. 446, t. 96, f. 7,
 8♂, 9♀.
alces forma min. Burm. Handb. V, 1847, p. 359.
carinatus Parry, Trans. Ent. Soc. Lond. (3) II,
 1864, p. 76, t. 2.
carinatus Reiche, Ann. Soc. Ent. Fr. (3) I, 1853,
 p. 73.
carinatus Thoms. Ann. Soc. Ent. Fr. (4) II,
 1862, p. 394.
Gouberti Waterh. Ent. Monthl. Mag. XII, 1876,
 p. 172.
- carinatus** L. Syst. Nat. I, 2, 1735, p. 560; Mus. Lud.
 Ulr. 1764, p. 34. — Thunb, Mém. Soc. Mosc.
 I, 1806, p. 193, t. 12, f. 2. — Leuthner, Monogr.
 1885, p. 474, t. 97, f. 7—9♂, 10♀, 11—13♂,

Borneo,
Sumatra,
Singapore

Luzon,
?Celebes

Borneo

Java,
?Celebes

Borneo,
Sumatra

Trovancore

Philippinen

Ceylon

14♀. — Sharp, Proc. Ent. Soc. Lond. 1884, p. 18 (Cocons).

bengalensis Tennent, Ceylon I, 1859, p. 276.

?*cingalensis* Parry, Trans. Ent. Soc. Lond. 1864, p. 16, t. 10, f. 8.

?*intermedius* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 314.

?*nigritus* Deyr. l. c. p. 314.

— *Castelnaudi* Parry, Trans. Ent. Soc. Lond. 1864, p. 14, t. 1, f. 2; l. c. 1870, p. 74, t. 3, f. 4—6. — Leuthner, Monogr. 1885, p. 466, t. 95, f. 1—4♂, 5♀.

Sumatra,
Borneo

— *celebensis* Leuthner, Monogr. 1885, p. 442, t. 88, f. 6—8♂. — Albers, Deutsche Ent. Zeitschr. XXX, 1886, p. 243♀. — v. d. Poll, Notes Leyd. Mus. IX, 1887, p. 280♂ (forma telod).

Celebes

Somnati — *ciliatus* Albers, Deutsche Ent. Zeitschr. 1894, p. 167.

Ostindien

cupreiventris Möllenk. Notes Leyd. Mus. XXII, 1900, p. 45. — Deutsche Ent. Zeitschr. 1903, p. 348.

W.-Borneo

— *cuvera* Hope, Trans. Linn. Soc. XIX, 1843, p. 105, t. 10, f. 3. — Westw. Cab. Or. Ent. 1848, t. 26, f. 5. — Leuthner, Monogr. 1885, p. 452, t. 91, f. 7—9♂, 10♀.

Assam

bicolor Burm. Handb. V, 1847, p. 360 (pars).

Delesserti Hope (Westw.) Cat. Luc. 1845, p. 16.

Prinseppi Hope (Westw.) Cat. Luc. 1845, p. 16 (forma mesod.).

var. *alticola* Möllenk. Insektenbörse XIX, 1902, p. 353; Deutsche Ent. Zeitschr. 1903, p. 351.

Assam

var. *mandibularis* Möllenk. Int. Ent. Zeitschr. Guben III, 1909, p. 3.

Brahmaputra

— *Dalmani* Hope (Westw.) Cat. Luc. 1845, p. 17. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76. — Leuthner, Monogr. 1885, p. 439. — v. d. Poll, Notes Leyd. Mus. IX, 1887, p. 279 (forma priod.).

Borneo,
Sumatra,
Tenasserim

— *Delesserti* Guér. Delessert. Souv. Voyage Inde. II, 1839, p. 48, t. 12, f. 3. — Leuthner, Monogr. 1885, p. 454, t. 92, f. 1—3♂, 4♀.

Ostindien

cuvera Parry, Trans. Ent. Soc. Lond. (3) I, 1863, p. 447.

— *Duivenbodei* Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 25, t. 1, f. 1. — Parry, Trans. Ent. Soc. Lond. 1870, p. 56. — Oberthur, Ann. Mus. Civ. Genova XIV, 1879, p. 566♀. — Leuthner, Monogr. 1885, p. 449, t. 90, f. 5—8♂, 9♀. — Schauf. Horae. Ent. Ross. XXI, 1887, p. 117.

Ins. Shanghir

elegans Möllenk. Insektenbörse XIX, 1902, p. 363; Deutsche Ent. Zeitschr. 1903, p. 347. — Zang, Deutsche Ent. Zeitschr. 1905, p. 212. — Möllenk. Insektenbörse XXIII, 1906, p. 31.

Birmah

eremicola Möllenk. Insektenbörse XXII, 1905, p. 7.

Kina-Balu

— *fallaciosus* Boil. Bull. Soc. Ent. Fr. 1901, p. 284.

Tonkin

✓ *Fruhstorferi* Meyer-Darcis, Mitt. Schweiz. Ent. Ges. X, 1902, p. 410, t. 1.

— *femorialis* Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 446.

Perak

fratellus Leuthner, Monogr. 1885, p. 472, t. 96, f. 5♂, 6♀.

Luzon

XVIII, 1901

Insektenbörse XVIII,
1901, p. 245;

- **gazella** F. Mant. Ins. I, 1787, p. 1; Ent. Syst. I, 1792, p. 238; Syst. El. II, 1801, p. 250. — Ol. Entom. I, 1, 1789, p. 13, t. 4, f. 13a, b. — Herbst, Käfer III, 1790, p. 313. — Thunb. Mém. Soc. Ent. Mosc. I, 1806, p. 162. — Schönh. Syn. Ins. I, 3, 1806, p. 324. — Leuthner, Monogr. 1885, p. 463, t. 96, f. 10 ♂, 11 ♀, t. 91, f. 6 ♀. — Möllenk. Insektenbörse XXI, 1904, p. 347 (forma telod.).
bicolor Ol. Entom. I, 1, 1789, p. 22, t. 5, f. 20.
bicolor Burm. Handb. V, 1847, p. 360 (pars).
bicolor Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 395. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 77.
- Gestroi** Boil. Naturaliste XXIV, 1902, p. 204. Birmah
- **gracilis** Kaup in Harold, Coleopt. Hefte IV, 1868, p. 77. Nias
 — Leuthner, Monogr. 1885, p. 438, t. 87, f. 1, 2 ♂, 3 ♀.
bellicosus var. Parry, Trans. Ent. Soc. Lond. 1870, p. 57.
- **imperialis** Möllenk. Insektenbörse XXI, 1904, p. 348 ♂. Kina-Balu
 — Boil. Naturaliste XXVII, 1905, p. 147 ♀.
- **inaequalis** Kaup in Harold, Coleopt. Hefte IV, 1868, p. 77. — Leuthner, Monogr. 1885, p. 465, t. 96, f. 12 ♂. — Albers, Deutsche Ent. Zeitschr. XXX, 1886, p. 28 ♀. Nias, Sumatra
bicolor var. Parry, Trans. Ent. Soc. Lond. 1870, p. 57.
- instabilis** Möllenk. Insektenbörse XXI, 1904, p. 347. Sumatra
- intermedius** v. d. Poll, Notes Leyd. Mus. XI, 1889, p. 225. Palawan
- **Lacordairei** Voll. Tijdschr. Ent. IV, 1861, p. 104, t. 5, f. 1. — Leuthner, Monogr. 1885, p. 461, t. 94, f. 1—5 ♂, 6—7 ♀. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 38, t. 1, f. 6—8. O.-Sumatra Borneo
 var. *signatipennis* Möllenk. Ent. Zeitschr. Guben XX, 1906, p. 170. N.-Sumatra
- **latipennis** Hope (Westw.) Cat. Luc. 1845, p. 17. — Leuthner, Monogr. 1885, p. 471, t. 96, f. 1 und 3 ♂, 2 und 4 ♀. Malacca, Borneo, Sumatra, Nias
Dejeani Reiche, Rev. Mag. Zool. (2) IV, 1852, p. 23, t. 1, f. 4.
Dejeani Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76.
Dejeani var. *nigra* Voll. Tijdschr. Ent. IV, 1861, p. 108.
- **Leuthneri** Boil. Naturaliste XIX, 1897, p. 247, f. — Möllenk. Insektenbörse XXI, 1904, p. 341 ♂ (forma telod.). — v. Rothenburg, Deutsche Ent. Zeitschr. 1900, p. 92 ♀. Borneo
- **Loweii** Parry, Trans. Ent. Soc. Lond. 1873, p. 336, t. 5, f. 1. — Leuthner, Monogr. 1885, p. 470, t. 95, f. 9. — v. d. Poll, Notes Leyd. Mus. XII, 1890, p. 159 ♂ (forma priod.). — Albers, Deutsche Ent. Zeitschr. 1894, p. 165. — Zang, Deutsche Ent. Zeitschr. 1905, p. 214 (forma mesod.). — Griffini, Atti della Soc. Ital. Sc. Nat. XLV, 1906, p. 111—139. „
- rufonotatus* v. Rothenb. (♀), Deutsche Ent. Zeitschr. 1900, p. 402.

168/

Cuv. var. (Kui)

- var. *nubigena* Möllenk. Insektenbörse XXII, 1905, p. 1. Kina-Balu
- **Ludekingi** Voll. Tijdschr. v. Ent. IV, 1861, p. 105, t. 5, f. 2. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 13, t. 2, f. 1. — Leuthner, Monogr. 1885, p. 460, t. 93, f. 10, 11♂, 12♀, t. 94, f. 8♂. — Möllenk. Ent. Zeitschr. Guben XX, 1906, p. 170. — v. Roon, Tijdschr. Ent. XLIX, 1906, p. 271—278, t. 13, f. 2—5. Sumatra
- var. *monticola* Möllenk. Ent. Zeitschr. Guben XX, 1906, p. 170. „
- var. *robustus* v. Roon, Tijdschr. Ent. XLIX, 1906, p. 276, t. 13, f. 1. Palembang
- **Möllenkampi** Fruhst. Berl. Ent. Zeitschr. XLIII, 1898, p. 167. Sumatra
- **Mouhoti** Parry, Trans. Ent. Soc. Lond. 1864, p. 14, t. 1, f. 1. — Leuthner, Monogr. 1885, p. 453, t. 91, f. 5♂. — Zang, Deutsche Ent. Zeitschr. 1905, p. 213♀. Cambodja
- Parryi** Boil. Naturaliste XXVII, 1905, p. 47, f. ♂. — Möllenk. Int. Ent. Zeitschr. Guben III, 1909, p. 3. Formosa
- **platynotus** Hope (Westw.) Cat. Luc. 1845, p. 18. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 77. — Leuthner, Monogr. 1885, p. 435, t. 88, f. 9—11♂, 12♀. China
- emarginatus* Saund. Trans. Ent. Soc. Lond. 1854, p. 49, t. 3, f. 4.
- Evansi* Westw. Trans. Ent. Soc. Lond. 1855, p. 201, t. 10, f. 5.
- **relucens** Möllenk. Notes Leyd. Mus. XXII, 1900, p. 45; Deutsche Ent. Zeitschr. 1903, p. 348. Sumatra
- Ritsemae** Boil. Bull. Soc. Ent. Fr. 1899, p. 42. Malacca
- Sarasinorum** Heller, Abh. Mus. Dresd. VII, 1898, nr. 3, p. 21, t. 3, f. 11♂ (forma telod.). Celebes
- **sinensis** Westw. Cab. Or. Ent. 1848, p. 54, t. 26, f. 2—3♂, 4♀. — Leuthner, Monogr. 1885, p. 450, t. 91, f. 1—3♂, 4♀. China
- gazella* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 395 (pars).
- gazella* Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 75.
- **Siva** Hope (Westw.) Cat. Luc. 1845, p. 5, 16. — Leuthner, Monogr. 1885, p. 436, t. 86, f. 1—6♂, 7♀. Sylhet
- bellicosus* Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 72.
- bellicosus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394.
- carinatus* Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76.
- **Sommeri** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 16, t. 6, f. 4. — Leuthner, Monogr. 1885, p. 467, t. 95, f. 6—8♂, 10—12♀. — v. d. Poll, Notes Leyd. Mus. XII, 1890, p. 160♂ (forma telod.). — Zang, Deutsche Ent. Zeitschr. 1905, p. 213. Sumatra, Borneo, Banka
- Loweii** Gestro, Ann. Mus. Civ. Genova XVI, 1880, p. 313.

- spectabilis* Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 39, t. 1, f. 7—9; Naturaliste XXIV, 1902, p. 204. Sumatra
- *Stevensi* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 414. Celebes
— Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76, t. 5, f. 2♂, 5♀; l. c. 1872, p. 84, t. 1, f. 6♂ (monstr.). — Leuthner, Monogr. 1885, p. 447, t. 90, f. 1—3♂, 4♀.
- *striatus* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 313, t. 4, f. 3♂. — Westw. Trans. Ent. Soc. Lond. 1874, p. 360, t. 3, f. 4. — Leuthner, Monogr. 1885, p. 477, t. 97, f. 2♂, 3♀. Malacca, Borneo
- tarandus* Möllenk. Insektenbörse XIX, 1902, p. 283; Deutsche Ent. Zeitschr. 1903, p. 342. Philippinen
- *Vollenhoveni* Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 13, t. 8, f. 1. — Leuthner, Monogr. 1885, p. 459, t. 93, f. 1—3♂, 4♀. Borneo
- Waterstradti* v. Rothenburg, Deutsche Ent. Zeitschr. 1900, p. 84. „
- var. *kinabaluensis* Möllenk. Insektenbörse XXI, 1904, p. 341. „
- *Wollastoni* Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 14, t. 3, f. 1♂ (forma telod.), t. 2, f. 2♂ (forma amphoid.), f. 3♀. — Leuthner, Monogr. 1885, p. 457, t. 93, f. 5—7, 9♂, 8♀. Malakka, Sumatra

50

Heterochthes Westw.

Westw. Trans. Ent. Soc. Lond. (3) II, 1864, p. 17. — Leuthner, Monographie 1885, p. 479.

- andamanensis* Westw. Trans. Ent. Soc. Lond. 1874, p. 359, t. 3, f. 2♂. — Leuthner, Monogr. 1885, p. 480, t. 84, f. 9—11♂, 12♀. Andamanen
- brachypterus* Westw. Trans. Ent. Soc. Lond. (3) II, 1864, p. 18, t. 10, f. 6—7♂, t. 11, f. 1—3♂, ♀. — Leuthner, Monogr. 1885, p. 479, t. 84, f. 5—7♂, 8♀. Cambodja

2

IV. Cladognathinae.

Parry, Trans. Ent. Soc. Lond. 1870, p. 75 (*Cladognathidae*).

Cladognathus Burm.

Burm. Handb. Entom. V, 1847, p. 364.

Macrogathus Hope (Westw.) Cat. Luc. 1845, p. 5 (pars).

- Confucius* Hope, Proc. Ent. Soc. Lond. 1842, p. 60; Ann. Nat. Hist. XI, 1843, p. 62. — Hope (Westw.) Cat. Luc. 1845, p. 18; Trans. Ent. Soc. Lond. IV, 1847, p. 5. China

- giraffa** F. Ent. Syst. App. 1794, p. 452. — Ol. Ent. I, 1, 1789, p. 21, t. 5, f. 16. — Burm. Handb. V, 1847, p. 368. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 306. Nepal,
Assam,
Java
- brahminus* Hope, Trans. Linn. Soc. XIX, 1843, p. 106.
- Downesi* (♀) Hope (Westw.) Cat. Luc. 1845, p. 19.

2

Psalidoremus Motsch. *Et. Ent. XI, 1862, p. 55.*

Motsch. Et. Ent. 1861, p. 13 (Nom. nov. *Psalidognathus*). — Parry, Trans. Ent. Soc. Lond. 1870, p. 76.

- dissimilis** Boil. Bull. Soc. Ent. Fr. 1898, p. 95, f. Liu-Kiu-Ins.
- inclinatus** Motsch. Et. Ent. VI, 1857, p. 29, f. 11; l. c. 1861, p. 13; l. c. 1862, p. 55. — Harold, Abh. Naturw. Ver. Bremen IV, 1875, p. 288. Japan
- mandibularis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 417.
- var. *inflexus* Harold, Abh. Naturw. Ver. Bremen IV, 1875, p. 288; Coleopt. Hefte XIII, 1875, p. 114. Japan
- Motschulskyi** Waterh. Trans. Ent. Soc. Lond. 1869, p. 16. „

3

Aulacostethus Waterh.

Waterh. Trans. Ent. Soc. Lond. 1869, p. 13.

- Archeri** Waterh. l. c. 1869, p. 14, t. 3, f. 1. — Parry, N. Indien
Trans. Ent. Soc. Lond. 1870, p. 82. 3

1

Metopodontus Hope.

Hope (Westw.) Cat. Luc. 1845, p. 30. — Parry, Trans. Ent. Soc. Lond. 1870, p. 76.

Hoplitocranum Jacowl. Horae Soc. Ent. Ross. XXX, 1896, p. 172.

- attenuatus** Parry, Trans. Ent. Soc. Lond. 1864, p. 26, Malacca
t. 4, f. 2.
- biplagiatus** Westw. Trans. Ent. Soc. Lond. 1885, p. 200, Nepal 5/
t. 10, f. 4.
- var. *nigripes* Boil. Naturaliste XXVII, 1905, p. 17. Tonkin,
Siam,
Cochin-
China
- bison** F. Ent. Syst. II, 1793, p. 238. — Ol. Ent. I, 1, Amboina,
1789, p. 13, t. 3, f. 6. — Burm. Handb. V, 1847, Ceram
p. 373.
- fulvolimbatus* Blanch. Voy. Pole Sud 1837, p. 138, t. 9, f. 11—12.

- tesserarius* Herbst, Käfer III, 1790, p. 298, t. 33, f. 3.
 var. *tumidicollis* Möllenk. Insektenbörse XXIII, 1906, p. 32.
- **Blanchardi** Parry, Trans. Ent. Soc. Lond. 1873, p. 337, t. 5, f. 2♂.
 var. *thibetanus* Planet, Ann. Soc. Ent. Fr. 1899, p. 385.
- calcaratus** Jacowl. Horae Soc. Ent. Ross. XXX, 1896, p. 172.
- **Candezei** Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 34, t. 1, f. 1; Naturaliste XXIV, 1902, p. 203.
- castaneus** Hope (Westw.) Cat. Luc. 1845, p. 12♂.
- **cinctus** Montr. Ann. Soc. Agr. Lyon. VII, 1857, p. 27.
 — Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 381.
bison var. Parry, Trans. Ent. Soc. Lond. 1864, p. 22.
- **cinnamomeus** Guér. Icon. Règn. An. 1843, p. 108, t. 27, f. 3. — Burm. Handb. V, 1847, p. 372.
fulvipes Hope (Westw.) Cat. Luc. 1845, p. 13.
pallidipennis Hope, Trans. Linn. Soc. XVIII, 1842, p. 590.
Rafflesi (♀) Hope, Proc. Ent. Soc. Lond. 1844, p. 106. — Westw. Trans. Ent. Soc. Lond. IV, 1847, p. 274, t. 20.
- **Downesi** Hope, Trans. Zool. Soc. Lond. I, 1835, p. 99, t. 13, f. 7. — Hope (Westw.) Cat. Luc. 1845, p. 11. — Burm. Handb. V, 1847, p. 374. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 139.
- **Dubernardi** Planet, Bull. Soc. Ent. Fr. 1899, p. 35, f.
- **elaphus** Möllenk. Insektenbörse XIX, 1902, p. 283; Deutsche Ent. Zeitschr. 1903, p. 343.
- Elizabethae** Waterh. Ann. Mag. Nat. Hist. (7) XV, 1905, p. 375.
- Felschei** Möllenk. Insektenbörse XXI, 1904, p. 372.
- **foveatus** Hope, Trans. Linn. Soc. XVIII, 1842, p. 590.
 — Hope (Westw.) Cat. Luc. 1845, p. 12.
astacoides Hope, Trans. Linn. Soc. XVIII, 1842, p. 590.
fraternus Hope (Westw.) Cat. Luc. 1845, p. 12.
omissus Hope, Trans. Linn. Soc. XVIII, 1842, p. 591. — Hope (Westw.) Cat. Luc. 1845, p. 12.
- impressus** Waterh. Trans. Ent. Soc. Lond. 1869, p. 17.
 — Parry, Trans. Ent. Soc. Lond. 1870, t. 3, f. 1♂.
- **inquinatus** Westw. Cab. Or. Ent. 1848, t. 8, f. 4.
- Jacowleffi** Boil. Bull. Soc. Ent. Fr. 1901, p. 282.
- **Jenkinsi** Westw. Cab. Or. Ent. 1848, p. 21, t. 10, f. 3.
- Kannegieteri** v. d. Poll, Notes Leyd. Mus. XVII, 1895, p. 63.
Volkmanni Nonfried, Berl. Ent. Zeitschr. XL, 1895, p. 279 (teste: Rits. Notes Leyd. Mus. XVIII, 1896, p. 130).
- **limbatus** Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 381.

N.-Guinea

Mongolia

Thibet

Birmah

Malabar

Ostindien

Woodlark,
N.-Guinea,
Key-Inseln

Java,

Sumatra

Guinea

China,

Thibet

Sumatra

D.-O.-Afrika

W.-Afrika

Ostindien

Ostindien

,,

Annam

Assam

Sumatra

Queensland

- **Mac-Clellandi** Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Ann. Mag. Nat. Hist. XII, 1845, p. 364; Trans. Ent. Soc. Lond. ~~III, 1846~~, p. 74. Assam
 — **quadrinodosus** Parry, Proc. Ent. Soc. Lond. 1862, p. 109; Trans. Ent. Soc. Lond. 1864, p. 22, t. 8, f. 4 ♂ (teste: Parry, Trans. Ent. Soc. Lond. 1870, p. 75).
magnificus Möllenk. Insektenbörse XXIII, 1906, p. 31. Australien
mirabilis Boil. Naturaliste XXVI, 1904, p. 278. Usambara
 — **Mohnikei** Parry, Trans. Ent. Soc. Lond. 1873, p. 338, t. 5, f. 3 ♂. Java, Sumatra
 — **occipitalis** Hope (Westw.) Cat. Luc. 1845, p. 13. — Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 35. Java, Sumatra,
asteriscus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 417. — Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 35. Nias, Borneo, Celebes, Philippinen
 — **Planeti** Boil. Naturaliste XIX, 1897, p. 287, fig. ♂. Franz.-Kongo
Roepstorffi Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 35. Andamanen
 — **Savagei** Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 494. Guinea
 — Hope (Westw.) Cat. Luc. 1845, p. 12. — Parry, Trans. Ent. Soc. Lond. 1870, p. 81, t. 2, f. 4, 7 ♂.
ungulatus Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 494 (forma min.). — Hope (Westw.) Cat. Luc. 1845, p. 12. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 138.
 — **sericeus** Westw. Proc. Ent. Soc. Lond. 1844, p. 106; Trans. Ent. Soc. Lond. IV, 1847, p. 274, t. 20, f. 3. Java, Borneo, Sumatra, Malacca
juvencus Thoms. (♀) Ann. Soc. Ent. Fr. (4) II, 1862, p. 396.
pulverosus Parry, Proc. Ent. Soc. Lond. 1862, p. 110; Trans. Ent. Soc. Lond. 1864, t. 6, f. 1.
 — **speciosus** Boil. Naturaliste 1904, p. 278. Neilgherries
 — **suturalis** Ol. Ent. I, 1, 1789, p. 16, t. 4, f. 12. — Parry, Trans. Ent. Soc. Lond. 1864, p. 25. — Planet, Bull. Ent. Soc. Fr. 1899, p. 225, f. Siam
 — **swanzyanus** Parry, Trans. Ent. Soc. Lond. 1870, p. 81, t. 2, f. 2. Ashanti
 — **torresensis** Deyr. Trans. Ent. Soc. Lond. 1870, p. 80, t. 1, f. 3 ♀, 4 ♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 306. Queensland, Torresstr.
 var. **flavoguttatus** Möllenk. Insektenbörse XXIII, 1906, p. 31. Queensland
 — **Umhangi** Fairm. Bull. Soc. Ent. Fr. 1891, p. CXCII. — Planet, Bull. Soc. Ent. Fr. 1894, p. CXIX, f.; l. c. 1899, p. 388. D.-O.-Afrika, Zanzibar
Hacquardi Oberth. Bull. Soc. Ent. Fr. 1880, p. 119. — Zang, Deutsche Ent. Zeitschr. 1906, p. 94. — Felsche, Deutsche Ent. Zeitschr. 1906, p. 352.
 — **Wentzel-Heckmannae** Kolbe, S. B. Ges. Naturf. Berlin 1901, p. 71. Annam

Prosopocoelus Hope.

Hope (Westw.) Cat. Luc. 1845, p. 30. — Parry, Trans. Ent. Soc. Lond. 1870, p. 76.

- **antilope** Sweder. Vet. Ak. Nya Handl. 1787, VIII, p. 186, t. 8, f. 3♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 34; l. c. 1870, p. 85. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 143. Guinea, Sierra-Leona
- picipennis* Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 494. — Hope (Westw.) Cat. Luc. 1845, p. 14.
- quadridens* Hope (Westw.) Cat. Luc. 1845, p. 14. — Parry, Trans. Ent. Soc. Lond. 1870, p. 81. — Dohrn, Stett. Ent. Zeitschr. XXXVI, 1875, p. 292.
- senegalensis* Hope (Westw.) Cat. Luc. 1845, p. 14.
- speculifer* Hope (Westw.) Cat. Luc. 1845, p. 14.
- approximatus** Parry, Trans. Ent. Soc. Lond. 1864, p. 33; l. c. 1870, p. 82, t. 3, f. 2, 7. Cochin-China, Laos
- assimilis** Parry, Trans. Ent. Soc. Lond. 1864, p. 25. Ins. Waigiu
- productus* (♀) Parry, Proc. Ent. Soc. Lond. 1862, p. 109.
- aulicus** Möllenk. Insektenbörse XXII, 1905, p. 7. N.-Borneo
- **Boreli** Boil. Naturaliste XXVI, 1904, p. 277. Assam 284
- **Bruyni** Oberth. Ann. Mus. Civ. Genova XIV, 1879, p. 567, t. 1, f. 4, 5♂, 6♀. Sanghir
- **Buddha** Hope, Trans. Linn. Soc. XIX, 1843, p. 107, t. 7, f. 3♂. — Parry, Trans. Ent. Soc. Lond. 1863, p. 448. — Albers, Ann. Soc. Ent. Belge XXXVII, 1893, p. 69. Sylhet 5
- thibeticus* Westw. Trans. Ent. Soc. Lond. 1855, p. 199, t. 10, f. 3♂ (forma min.).
- **bulbosus** Hope, Trans. Linn. Soc. XIX, 1843, p. 589, t. 40, f. 2. — Parry, Proc. Ent. Soc. Lond. 1864, p. 8. Ostindien XVIII. 841
- *crenicollis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 418♂ (teste: Parry, Trans. Ent. Soc. Lond. 1870, p. 82). 5/
- punctiger* (♀) Hope, Trans. Linn. Soc. XIX, 1843, p. 592. — Hope (Westw.) Cat. Luc. 1845, p. 24. XVIII, 1841
- **camarunus** Kolbe, Ent. Nachr. XXIII, 1897, p. 12. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 146 (*antilope* var.?). Kamerun
- **cavifrons** Hope (Westw.) Cat. Luc. 1845, p. 13. — Parry, Trans. Ent. Soc. Lond. 1864, p. 32. Luzon
- dorsalis* Burm. Handb. V, 1847, p. 370.
- tenuipes* (♀) Hope (Westw.) Cat. Luc. 1845, p. 18.
- **cilipes** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 416♂. Ostindien
- congoanus** Duviv. C. R. Soc. Ent. Belg. 1891, p. CCCXVII; l. c. 1892, p. 274. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 33, t. 1, f. 5. W.-Afrika, Ibemba 9/ (417)
- **crenulidens** Fairm. Ann. Soc. Ent. Belg. 1895, p. 173. Lang-Song
- curvidens** Nonfried, Berl. Ent. Zeitschr. 1905, p. 11. Madagascar
- **curvipes** Hope (Westw.) Cat. Luc. 1845, p. 25♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 35♂. Punah
- decipiens** Parry, Trans. Ent. Soc. Lond. 1864, p. 31, t. 4, f. 4♀. — Deyr. Ann. Soc. Ent. Fr. (4) IV, Malabar.

- 1864, p. 315. — Voll. Tijdschr. Ent. VIII, 1865, p. 148.
- denticulatus** Boil. Bull. Soc. Ent. Fr. 1901, p. 284. Tonkin
- dentifer** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 29, t. 1, f. 5. Ostindien
- dorsalis** Er. Nov. Act. Leop. Car. XVI, 1828, Suppl. p. 241, t. 37, f. 6♀. — Burm. Handb. V, 1847, p. 370. — Parry, Trans. Ent. Soc. Lond. 1864, p. 31 ♂. — Semper, Nat. Cond. of Existence 1881, p. 366, f. 96. Manilla
- ebeninus** Albers, Deutsche Ent. Zeitschr. 1891, p. 367. — v. d. Poll, Notes Leyd. Mus. XVII, 1905, p. 125, nota. Mindanao
- elegantulus** Albers, Deutsche Ent. Zeitschr. 1891, p. 76. Java
- eximius** Parry, Trans. Ent. Soc. Lond. 1864, p. 33. W.-Afrika
- faber** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 419. — Parry, Trans. Ent. Soc. Lond. 1864, t. 12, f. 2. Guinea
- Feai** Boil. Naturaliste XXIV, 1902, p. 204. Birmah
- femoratus** Boil. l. c. 1905, p. 147. Kina-Balu
- flavidus** Parry, Proc. Ent. Soc. Lond. 1862, p. 110; Trans. Ent. Soc. Lond. 1864, p. 27, t. 8, f. 2 ♂. Ostindien
- forceps** Voll. Tijdschr. v. Ent. IV, 1861, p. 109, t. 6, f. 2 ♂. — Boil. Ann. Soc. Ent. Belge XLV, 1901, p. 8 ♂, t. f. 1 ♀, f. 2. — Möllenk. Insektenbörse XIX, 1902, p. 21. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 56 ♀. — Möllenk. Deutsche Ent. Zeitschr. 1903, p. 341. Sumatra, Borneo
- forficatus** Albers, Deutsche Ent. Zeitschr. 1889, p. 232. Sumatra
- forficula** Thoms. Rev. Zool. 1856, p. 527; Arch. Ent. I, 1857, p. 488, t. 14, f. 7 ♂, 8 ♀. Ostindien
- Fruhstorferi** Kolbe, Ent. Nachr. XXIII, 1897, p. 10. Celebes, Lombok
- Hanningtoni** Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 34. O.-Afrika
- javanensis** v. d. Poll, Notes Leyd. Mus. XVII, 1895, p. 125. Lawang
- Zang, Deutsche Ent. Zeitschr. 1905, p. 214 (forma min.).
- Lafertei** Reiche, Rev. Zool. 1852, p. 24, t. 1, f. 3. — Parry, Proc. Ent. Soc. Lond. 1862, p. 109; Trans. Ent. Soc. Lond. 1864, p. 23, t. 8, f. 5. N.-Hebriden
- lifuanus** Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 281. — Reiche, Rev. Zool. 1852, p. 24, nota 2. — Fauvel. Bull. Soc. Normand. 1867, p. 181.
- laminifer** Boil. Naturaliste 1905, p. 286. Medan
- lateralis** Hope (Westw.) Cat. Luc. 1845, p. 13. — Deyr. Ann. Soc. Ent. Belg. 1865, t. 1, f. 3. Philippinen
- marginatus** Burm. Handb. V, 1847, p. 369.
- laticeps** Möllenk. Insektenbörse XXI, 1904, p. 402. Himalaya
- Lorquini** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 26, t. 1, f. 2. Celebes
- mandibularis** Möllenk. Insektenbörse XIX, 1902, p. 283; Deutsche Ent. Zeitschr. 1903, p. 345. Tonkin
- modestus** Parry, Trans. Ent. Soc. Lond. 1864, p. 29, t. 12, f. 1 ♂. W.-Afrika
- mordax** Boil. Naturaliste 1904, p. 285. Birmah
- myrmecolion** Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 118. Makassar

- *mysticus* Parry, Trans. Ent. Soc. Lond. 1870, p. 82. Malacca,
Sumatra
- *natalensis* Parry, Trans. Ent. Soc. Lond. (2) III, 1864,
p. 36; l. c. 1870, p. 82, t. 2, f. 6, 9. — Péringuey,
Trans. South Afr. Phil. Soc. XII, 1901, p. 5. Natal,
Transvaal,
Rhodesia,
D.-O.-Afrika
- *Neervoorti* Fruhst. Ent. Nachr. XXIV, 1898, p. 36. Sumbawa
- *ovatus* Boil. Bull. Soc. Ent. Fr. 1901, p. 283. Annam
- *Oweni* Hope (Westw.) Cat. Luc. 1845, p. 14. Assam
- *subangulatus* (♀) Hope (Westw.) Lat. Luc.
1845, p. 21.
- *passaloides* (Dorcus) Hope (Westw.) Cat. Luc. 1845,
p. 24♀. — Parry, Trans. Ent. Soc. Lond. 1864,
p. 44, t. 10, f. 4♂. — (an huj. genus?) Java,
Sumatra,
Borneo
- *Pasteuri* Rits. Notes Leyd. Mus. XIV, 1892, p. 31; l. c.
XV, 1893, t. 2, f. 1♂. Java
- *patricius* Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 118. Macassar
- *perplexus* Parry, Proc. Ent. Soc. Lond. 1862, p. 111;
Trans. Ent. Soc. Lond. 1864, p. 26♂; l. c. 1870,
p. 82. Ostindien
- *politus* Parry, Proc. Ent. Soc. Lond. 1862, p. 110; Trans.
Ent. Soc. Lond. 1864, p. 21, t. 10, f. 5. „
- *punctatissimus* Fairm. Ann. Soc. Ent. Belg. XXXVII,
1893, p. 529. Komoren
- *Sayersi* Hope (Westw.) Cat. Luc. 1845, p. 14. — Griffini,
Ann. Mus. Civ. Genova XLII, 1906, p. 143. Sierra-Leona
- *senegalensis* Klug, Erman. Reise, Atlas, 1835, p. 38. —
Parry, Trans. Ent. Soc. Lond. 1864, p. 34. Senegal
- *antilope* Burm. Handb. V, 1847, p. 371.
- *Martini* Hope (Westw.) Cat. Luc. 1845, p. 14.
- *serricornis* Latr. Règn. Anim. III, 1825, t. 17, f. 3. —
Burm. Handb. V, 1847, p. 392. — Reiche, Ann.
Soc. Ent. Fr. (3) I, 1853, p. 81. Madagascar
- var. *brunneus* Nonfried, Ent. Nachr. XVIII,
1892, p. 119. „
- *specularis* Boil. Naturaliste XXVI, 1904, p. 284. M'pala
- *Spencei* Hope, Trans. Linn. Soc. 1841, p. 589. — Hope
(Westw.) Cat. Luc. 1845, p. 19. — Parry, Trans.
Ent. Soc. Lond. 1864, p. 37; l. c. 1870, p. 81. Assam
- *squamilateris* Parry, Proc. Ent. Soc. Lond. 1862, p. 111;
Trans. Ent. Soc. Lond. 1864, p. 26♂. Sumatra,
Borneo,
Malacca
- *tarsalis* Rits. Notes Leyd. Mus. XIV, 1892, p. 191; l. c.
XV, 1893, t. 2, f. 2♂. Java
- *tragulus* Voll. Tijdschr. Ent. IV, 1861, p. 113, t. 7,
f. 4, 5♂. — Parry, Trans. Ent. Soc. Lond. 1864,
p. 24, t. 7, f. 6. Ternate
- *vittatus* Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 28.
t. 1, f. 4. — Parry, Trans. Ent. Soc. Lond. 1870,
p. 59. Philippinen
- *Wallacei* Parry, Proc. Ent. Soc. Lond. 1862, p. 109;
Trans. Ent. Soc. Lond. 1864, p. 23, t. 7, f. 2♂;
l. c. 1870, p. 81♀. Halmaheira
- *Wimberleyi* Parry, Trans. Ent. Soc. Lond. 1875, p. 161. Andamanen
- *zebra* Ol. Ent. I, 1, 1789, p. 24, t. 5, f. 17. — Burm.
Handb. V, 1847, p. 375. — Voll. Tijdschr.
Ent. IV, 1861, p. 108, t. 4, f. 5♂. — Parry,
Trans. Ent. Soc. Lond. 1864, p. 25, t. 4, f. 5♀. Java,
Sumatra,
Birmah

Homoderus Parry.

Parry, Proc. Ent. Soc. Lond. 1862, p. 107; Trans. Ent. Soc. Lond. 1864, p. 38; l. c. 1870, p. 86.

- bellicosus** Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 36, t. 2, f. 4; Naturaliste XXIV, 1902, p. 204. Kongo, Kassai
- bicolor** Möllenk. Soc. Entom. 1897, p. 145; Insektenbörse XXII, 1905, p. 7. Guinea
- gladiator** Jacowl. Horae. Ent. Ross. XXIX, 1895, p. 525. Kamerun
Preussi Kolbe, Ent. Nachr. XXII, 1896, p. 7, 301.
- **Johnstoni** Waterh. in Johnston, Uganda protectorate, 1902, I, p. 460. Uganda
- **Mellyi** Parry, Proc. Ent. Soc. Lond. 1862, p. 107. — Guinea
Westw. Trans. Ent. Soc. Lond. 1863, p. 437, t. 16, f. 7 ♂, 8 ♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 38, t. 11, f. 6 ♂. — Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 316, t. 4, f. 2a ♂. — Parry, Trans. Ent. Soc. Lond. 1870, p. 86. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 54, t. 2, f. 7 ♂, 5, 8, 9 ♀.
- var. *polyodontus* Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 52, t. 2, f. 6. Belg.-Kongo
- **variegatus** Boil. Naturaliste 1904, p. 277. Kongo, Kamerun

6

Cyclommatus Parry.

Parry, Trans. Ent. Soc. London. 1863, p. 9. — Ritsema, Notes Leyd. Mus. XIV, 1902, p. 3.

Cyclophthalmus Hope (Westw.) Cat. Luc. 1845, p. 5.

Megaloprepes Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 420.

- **Albersi** Kraatz, Deutsche Ent. Zeitschr. 1894, p. 268. Birmah
- **canaliculatus** Rits. Notes Leyd. Mus. XIII, 1891, p. 235; l. c. XV, 1893, t. 2, f. 3 ♂. Nias, Borneo, Sumatra
- **consanguineus** Boil. Bull. Soc. Ent. Fr. 1898, p. 268. Kina-Balu
- cupreonitens** Boil. Ann. Soc. Ent. Belg. XLV, 1901, p. 12, t. 1, f. 3. Java
- **De Haani** Westw. Ann. Nat. Hist. 1841, p. 124. — Burm. Handb. V, 1847, p. 375. — Westw. Cab. Or. Ent. 1848, p. 21, t. 10, f. 2. Borneo
affinis Parry, Trans. Ent. Soc. Lond. 1864, p. 40 ♂ (teste: Ritsema). Sumatra
- elaphus** Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 309, f. ♂. — Rits. Ann. Mus. Civ. Genova. XIX, 1899, p. 622. Sumatra
- eximius** Möllenk. Intern. Ent. Zeitschr. Guben III, 1909, p. 3. Deutsch-N.-Guinea
- faunicolor** Hope, Proc. Ent. Soc. Lond. 1844, p. 106 ♂. Java
— Westw. Trans. Ent. Soc. Lond. IV, 1847, p. 273, t. 20, f. 1.
- **Frey-Gessneri** Rits. Notes Leyd. Mus. XIV, 1892, p. 1. Java
- giganteus** Möllenk. Insektenbörse XIX, 1902, p. 20; Deutsche Ent. Zeitschr. 1903, p. 337. Celebes

- giraffa** Möllenk. Insektenbörse XXI, 1904, p. 372. Kina-Balu
- imperator** Boil. Naturaliste 1905, p. 285, f. ♂. N.-Guinea,
Ugara
- incognitus** Möllenk. Insektenbörse XXIII, 1906, p. 31. Perak
- insignis** Parry, Proc. Ent. Soc. Lond. 1862, p. 111; Borneo
Trans. Ent. Soc. Lond. 1864, p. 41 ♂. — Rits.
Notes Leyd. Mus. XVI, 1894, p. 110.
- Kaupi** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 30, t. 2, N.-Guinea-
f. 2. — Gestro, Ann. Mus. Civ. Genova XVI, 1881,
p. 310, f. ♂.
- lunifer** Boil. Naturaliste 1905, p. 71, f. ♂; l. c. 1905, Sumatra
p. 286 ♀.
- Maitlandi** Parry, Trans. Ent. Soc. Lond. 1864, p. 40, Nias
t. 12, f. 4 ♂; l. c. 1870, p. 86.
- Margaritae** Gestro, Ann. Mus. Civ. Genova IX, 1877, Neu-Guinea)
p. 324, fig. ♂.
- metallifer** Boisd. Voy. Astrolabe, Col. 1832, p. 236, t. 6, Celebes
f. 20. — Parry, Trans. Ent. Soc. Lond. 1864,
p. 39. — Deyr. Ann. Soc. Ent. Belg. IX, 1865,
p. 30, t. 2, f. 1. — Gestro, Ann. Mus. Civ. Genova,
XVI, 1881, p. 310.
- aeneomicans* Parry, Proc. Ent. Soc. Lond. 1862,
p. 111; l. c. 1864, p. 39 (forma min.).
- var. *Ritsemae* Jacowl. Horae Soc. Ent. Ross. XXX, Celebes
1896, p. 173.
- Mniszechi** Thoms. Rev. Zool. 1856, p. 526; Ann. Soc. Ent. Shanghai
Fr. (4) II, 1862, p. 397.
- Modiglianii** Rits. Ann. Mus. Civ. Genova XXXIX, 1899, Si-Rambé
p. 620.
- montanellus** Möllenk. Insektenbörse XXI, 1904, p. 372. Kina-Balu
- mysticus** Möllenk. Insektenbörse XIX, 1902, p. 21; Neu-Guinea
Deutsche Ent. Zeitschr. 1903, p. 339.
- Pasteuri** Rits. Notes Leyd. Mus. XIII, 1891, p. 233, t. 10, Sumatra
f. 1 ♂.
- pulchellus** Möllenk. Notes Leyd. Mus. XXII, 1901, p. 44; Neu-Guinea
Deutsche Ent. Zeitschrift 1903, p. 340.
- speciosus** Boil. Bull. Soc. Ent. Fr. 1898, p. 268. Bougainville
- squamosus** Rits. Notes Leyd. Mus. XIV, 1892, p. 45; Borneo
l. c. XVI, 1894, p. 110.
- strigiceps** Westw. Cab. Or. Ent. 1848, p. 18, t. 8, f. 5 ♂. Ostindien,
multidentatus Westw. l. c. p. 17, t. 8, f. 3. Himalaya
- sumptuosus** Möllenk. Insektenbörse 1902, p. 20; Deutsche Kaiser-Wilh.-
Ent. Zeitschr. 1903, p. 338. Land
- tarandus** Thunb. Mém. Mosc. I, 1806, p. 190, t. 12, f. 1. — Borneo
Burm. Handb. V, 1847, p. 374. — Thoms. Ann.
Soc. Ent. Fr. (4) II, 1862, p. 421. — Gestro, Ann.
Mus. Civ. Genova XVI, 1881, p. 309. — Rits.
Notes Leyden Mus. 1902, p. 6, nota. — Zang,
Deutsche Ent. Zeitschr. 1906, p. 94.
- metallifer* Hope (Westw.) Cat. Luc. 1845, p. 5.
- rangifer* Schönh. Syn. Ins. I, 3, 1806, p. 322. —
Westw. Cab. Or. Ent. 1848, p. 21, t. 10, f. 2. —
Rits. Notes Leyd. Mus. XIV, 1892, p. 6, nota. —
Zang, Deutsche Ent. Zeitschr. 1906, p. 94.
- trifurcatus** Möllenk. Insektenbörse XIX, 1902, p. 21; N. Pommern
Deutsche Ent. Zeitschr. 1903, p. 339.
- Zuberi** Waterh. Ent. Monthl. Mag. XII, 1876, p. 173. Mindoro

Auxicerus Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 387.

Calodaemon Boileau, Naturaliste XIX, 1897, p. 248; l. c. 1898, p. 119.

- aethiops** Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 38. Bolivia
- multicolor** (*Calodaemon*) Boil. Naturaliste 1897, p. 248, f. ♂, ♀; l. c. 1898, p. 119, f. Bolivia
- platyceps** Waterh. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 387; Aid. Identif. Insects II, 1890, p. 181, f. 1. Peru, Chancha-mayo

3

Prismognathus Motsch.

Motsch. Schrenks Reise, 1860, p. 138.

Cyclorasis Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 397.

- angularis** Waterh. Ent. Monthl. Mag. XI, 1874, p. 6. — Japan
Lewis, Trans. Ent. Soc. Lond. 1883, p. 337, t. 14, f. 1 ♂.
- Branczi** Nonfried, Berl. Ent. Zeitschr. L, 1905, p. 11. China
- Davidis** Deyr. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 94. Mitt.-China
- lucidus** Boil. Naturaliste XXVI, 1904, p. 278. Sikkim
- platycephalus** Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Assam
Ann. Mag. Nat. Hist. XII, 1845, p. 364.—Westw. Cab. Or. Ent. 1848, p. 17, t. 8, f. 2. — Hope, Trans. Ent. Soc. Lond. IV, 1847, p. 73.
- subaeneus** Motsch. Schrenks Reise, 1860, p. 138, t. 9, f. 12. Dauria
dauricus Motsch. l. c. 1860, p. 137, t. 9, f. 11 ♀. — v. Heyden, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 276.
Jekeli Parry, Trans. Ent. Soc. Lond. 1864, p. 41, t. 9, f. 4 ♂; l. c. 1870, p. 87.
- subnitens** Parry, Proc. Ent. Soc. Lond. 1862, p. 112; Ostindien
Trans. Ent. Soc. Lond. 1864, p. 42, t. 7, f. 1 ♂.

7

Cantharolethrus Thoms.

Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 411. — Parry, Trans. Ent. Soc. Lond. 1872, p. 75.

- Azambrei** Boil. Naturaliste XIX, 1897, p. 275, f. ♂, ♀. Ecuador
- Buckleyi** Parry, Trans. Ent. Soc. Lond. 1872, p. 77, t. 1, f. 1 ♂, f. 2 ♀. Ecuador
- inflexus** Boil. Bull. Soc. Ent. Fr. 1899, p. 297. Costa-Rica
- Luxeri** Buquet, Bull. Soc. Ent. Fr. 1843, p. 51. — Parry, Trans. Ent. Soc. Lond. 1864, p. 6, t. 9, f. 6 ♂. — Waterh. Cist. Ent. II, 1875, p. 365. — Parry, Cist. Ent. 1875, p. 51. — Bates, Biol. Centr. Americ. Col. II, 2, 1886, t. 1, f. 1 ♂, 2 ♀. Columbia
- Georgius* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 412.
- Reichei* (♀) Hope, Proc. Ent. Soc. Lond. 1843, p. 95; Trans. Ent. Soc. Lond. IV, 1847, p. 182,

t. 13, f. 3 ♀. — Burm. Handb. V, 1847, p. 420, nota. — Chénu, Encycl. d'Hist. Nat. 1855, t. 10, f. 4.

Steinheili Parry, Cist. Ent. II, 1875, p. 51, ♂, ♀.

Columbia,
Cordilleras

5

Leptinopterus Hope.

Hope, Ent. Magaz. V, 1838, p. 316.

Psolidostomus Burm. Handb. V, 1847, p. 377.

- affinis** Parry, Trans. Ent. Soc. Lond. 1872, p. 80, t. 1, f. 5 ♂. Parana
- consimilis** Möllenk. Notes Leyd. Mus. XXII, 1900, p. 47; Deutsche Ent. Zeitschr. 1903, p. 350. Brasilien
- elegans** Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 632. Brasilien
- erythrocnemus** Burm. Handb. V, 1847, p. 378 ♂. — Boil. Bull. Soc. Ent. Fr. 1899, p. 300. Brasilien
- femoratus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 397.
- tibialis* Klug, Nov. Act. Leop. Car. 1825, XII, p. 431.
- ~~— femoratus~~ F. Ent. Syst. II, 1775, p. 237. — Ol. Ent. I, 1, 1789, p. 17, t. 4, f. 10. — Burm. Handb. V, 1847, p. 378. Brasilien 1792
- ~~— fraternus~~ Westw. Trans. Ent. Soc. Lond. 1874, p. 359, t. 3, f. 3 ♂. Brasilien
- Fryi** Parry, Proc. Ent. Soc. Lond. 1862, p. 112; Trans. Ent. Soc. Lond. 1864, p. 43, t. 7, f. 4 ♂. Contagallo
- gracilis** Boil. Bull. Soc. Ent. Fr. 1899, p. 196. S. Catharina
- ~~— ibex~~ Billb. Mém. Ac. Petersb. VII, 1820, p. 382, t. 12, f. 1. — Sturm. Cat. 1826, p. 67, t. 2, f. 18 a—c. — Burm. Handb. V, 1847, p. 379. Brasilien
- sarcorhamphus* Cast. Hist. Nat. II, 1837, p. 172.
- ~~— melanarius~~ Hope (Westw.) Cat. Luc. 1845, p. 15. Brasilien
- funereus* Hope (Westw.) Cat. Luc. 1845, p. 15 (forma min.).
- morio* Burm. Handb. V, 1847, p. 379.
- paranensis** Parry, Trans. Ent. Soc. Lond. 1872, p. 80, t. 1, f. 4. Parana
- ~~— polyodontus~~ Hope (Westw.) Cat. Luc. 1845, p. 15. — Burm. Handb. V, 1847, p. 381. Brasilien
- ~~— tibialis~~ Eschsch. Entomogr. I, 1822, p. 5, t. 1, f. 1. S. Catharina
- ~~— v-nigrum~~ Hope (Westw.) Cat. Luc. 1845, p. 15. Brasilien
- triangularis* Burm. Handb. V, 1847, p. 380.

14

Macrocrates Burm.

Burm. Handb. V, 1847, p. 381.

- bucephalus** Hope (Westw.) Cat. Luc. 1845, p. 15. — Burm. Handb. V, 1847, p. 382. — Dohrn. Stett. Ent. Zeitschr. XXIII, 1862, p. 155, ♀. Brasilia 9

1

Metadorcus Parry.

Parry, Trans. Ent. Soc. Lond. 1870, p. 88.

rotundatus Parry (*Leptinopterus*) Proc. Ent. Soc. Lond. 1862, p. 112; l. c. 1864, p. 43, t. 7, f. 8 ♂; l. c. 1870, p. 88. — Boil. Bull. Soc. Ent. Fr. 1899, p. 298, ♀. Brasilia, Rio Grande do Sul

1

V. Dorcinae.Parry, Trans. Ent. Soc. Lond. 1864, p. 86 (*Dorcidae*).**Hemisodorcus** Thoms.

Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 421.

Macrogathus Hope (Westw.) Cat. Luc. 1845, p. 5 (pars). — Albers, Deutsche Ent. Zeitschr. 1894, p. 167.

• *Digonophorus* Waterh. Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 157. (pars.)

- **axis** Boil. Naturaliste XXVI, 1904, p. 284, f. ♂. Sumatra
- **Donckieri** Boil. Bull. Soc. Ent. Fr. 1898, p. 227, f. 6. Himalaya
- **elegans** Parry, Proc. Ent. Soc. Lond. 1862, p. 110; Trans. Ent. Soc. Lond. 1864, p. 27, t. 8, f. 3 ♂; l. c. 1870, p. 92. Ostindien
- Digonophorus Atkinsoni* Waterh. Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 157 (teste: Boileau, Bull. Soc. Ent. Fr. 1899, p. 178).
- **fulvonotatus** Parry, Proc. Ent. Soc. Lond. 1862, p. 111; Trans. Ent. Soc. Lond. 1864, p. 28, t. 6, f. 3, ♂; Trans. Ent. Soc. Lond. 1870, p. 91. Ostindien
- bisignatus* Parry, Proc. Ent. Soc. Lond. 1862, p. 111; Trans. Ent. Soc. Lond. 1864, p. 28, t. 7, f. 3 ♂, 5 ♀; l. c. 1870, p. 91.
- **gracilis** Saund. Trans. Ent. Soc. Lond. 1854, p. 47, t. 3, f. 3. China
- **Mac Leayi** Hope (Westw.) Cat. Luc. 1845, p. 19. Assam
- **nepalensis** Hope in Gray, Zool. Miscell. I, 1831, p. 22, — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 81. Nepal Assam
- Chevrolati* Chénu, Mag. Zool. 1845, p. 44 ♂. — Redtb. Hügel's Kashmir IV, 1848, p. 532.
- Parryi* Hope, Proc. Ent. Soc. Lond. 1843, p. 94; Trans. Ent. Soc. Lond. IV, 1847, p. 193. — Hope (Westw.) Cat. Luc. 1845, p. 20 (forma min.)
- Rafflesi* Hope, Trans Linn. Soc. Lond. XVIII, 1842, p. 588 (forma max.).
- similis* Hope in Gray, Zool. Miscell. I, 1831, p. 22.
- **picipennis** Westw. Trans. Ent. Soc. Lond. 1855, p. 202, t. 10, f. 6 ♂. China
- **Semenowi** Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 36. Setschuen
- **sinensis** Boil. Bull. Soc. Ent. Fr. 1899, p. 176. Yunnan

Ditomoderus Parry.

Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 45.

- *mirabilis* Parry, Trans. Ent. Soc. Lond. 1864, p. 45. — Borneo
Westw. Trans. Ent. Soc. Lond. 1864, p. 46, t. 12, Sumatra
f. 6 a—e. — Boil. Ann. Soc. Ent. Belg. XLV,
1901, p. 17, t. 1, f. 5 ♀.

1

Eurytrachelus Thoms.

Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 421.

Platyprosopus Hope (Westw.) Cat. Luc. 1845, p. 31. — Thoms.
Ann. Soc. Ent. Fr. (4) II, 1862, p. 421.*Macrodorcus* Motsch. Etud. Ent. 1861, p. 15 (pars).*Serrogathus* Motsch. Etud. Ent. 1861, p. 12 (pars). — Lewis,
Entomologist XXVI, 1893, p. 150.

- *aleides* Voll. Tijdschr. Ent. VIII, 1865, p. 150, t. 10, Sumatra
f. 2 ♂, 3 ♂. — Albers, Deutsche Ent. Zeitschr.
1883, p. 222; l. c. 1886, p. 83; l. c. 1889, p. 233.
- *arfakianus* Lansb. C. R. Soc. Ent. Belg. XXIII, 1880, Neu-Guinea
p. 118.
coranus Gestro, Ann. Mus. Civ. Genova XVI, 1881,
p. 321, f. ♂. (forma min. teste: Rits. Notes Leyd.
Mus. III, 1881, p. 82.)
- *bucephalus* Perty, Observ. Col. Ind. 1831, p. 36, t. 1, Java
f. 5. — Burm. Handb. V, 1847, p. 384.
briareus Hope (Westw.) Cat. Luc. 1845, p. 20.
bubalus Perty, Observ. Col. Ind. 1831, p. 35. —
Parry, Trans. Ent. Soc. Lond. 1864, p. 48; l. c.
1870, p. 61.
punctifrons (♀) Sturm, Cat. 1843, p. 136.
rugifrons (♀) Hope (Westw.) Cat. Luc. 1845, p. 24.
subcostatus (♀) Sturm, Cat. 1826, p. 165.
- capricornis* Möllenk. Intern. Ent. Zeitschr. Guben III, Shetlands-
1909, p. 3. Inseln
- *Castelnaudi* Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 31, Bengalen
t. 2, f. 3.
- cervulus* Boil. Bull. Soc. Ent. Fr. 1901, p. 284. Tonkin
- consentaneus* Albers, Deutsche Ent. Zeitschr. XXX, Peking
1886, p. 28.
- *costatus* Boil. Naturaliste XX, 1898, p. 45, f. ♂, ♀. Liu-Kiu-Ins.
- *eribriceps* Chev. Rev. Zool. 1841, p. 224. Philippinen
moloschus Hope (Westw.) Cat. Luc. 1845, p. 21.
oryx Burm. Handb. V, 1847, p. 389.
- *egregius* Möllenk. Soc. Ent. XII, 1897, p. 146; Insekten- Neu-Guinea
börse XXII, 1905, p. 7.
var. *honestus* Möllenk. Notes Leyd. Mus. 1900, Astrolabe-
p. 47; Deutsche Ent. Zeitschr. 1903, p. 350. Bay
- *elegans* Boil. Bull. Soc. Ent. Fr. 1899, p. 177. Liu-Kiu-Ins.
- *eurycephalus* Burm. Handb. V, 1847, p. 387. — Voll. Java
Tijdschr. Ent. VIII, 1865, p. 151, t. 10, f. 4 ♂.
— Albers, Deutsche Ent. Zeitschr. 1886, p. 83;
l. c. 1889, p. 233.
bubalus var. Reiche, Ann. Soc. Ent. Fr. (3) I,
1853, p. 79.

- Candezei* Parry, Trans. Ent. Soc. Lond. 1870.
p. 90, t. 1, f. 2; l. c. 1874, p. 371.
- Lansbergei* Gestro, Ann. Mus. Civ. Gen. XVI,
1881, p. 320, f. ♂ (forma med. teste: Rits. Notes
Leyd. Mus. III, 1881, p. 82).
- Vollenhoveni* Albers, Deutsche Ent. Zeitschr.
1886, p. 83; l. c. 1889, p. 234 (teste: Rits. l. c.).
- **Ghilianii** Gestro, Ann. Mus. Civ. Genova XVI, 1881,
p. 315, f. ♂. — Albers, Deutsche Ent. Zeitschr.
1884, p. 174, 304. — v. d. Poll, Tijdschr. Ent.
XXXVI, 1893, p. 24, t. 1, f. 4—5. Key-Inseln
- **gypaetus** Cast. Hist. Nat. II, 1837, p. 172. Java
- Chevrolati* Hope, Proc. Ent. Soc. Lond. 1842,
p. 84; Trans. Ent. Soc. Lond. IV, 1847, p. 76. —
Hope (Westw.) Cat. Luc. 1845, p. 20. — Parry,
Trans. Ent. Soc. Lond. 1864, p. 47 (forma max.
teste: Parry).
- dubius* Hope (Westw.) Cat. Luc. 1845, p. 21 (forma
min. teste: Parry).
- incertus* Hope (Westw.) Cat. Luc. 1845, p. 22
(forma min. ♂).
- indeterminatus* Hope (Westw.) Cat. Luc. 1845,
p. 22 (forma min. ♂).
- saiga* Auct. Albers, Deutsche Ent. Zeitschr. 1883,
p. 224.
- vultur* Cast. Hist. Nat. II, 1837, p. 172.
- var. *capito* Burm. Handb. V, 1847, p. 387. — Java
Albers, Deutsche Ent. Zeitschr. 1884, p. 173.
- **Hansteini** Albers, Deutsche Ent. Zeitschr. 1889, p. 235. — Sumatra
Rits. Notes Leyd. Mus. XV, 1893, t. 2, f. 4 ♂.
- **hirticornis** Jacowl. Storae Soc. Ent. Ross. XXX, 1896, China
p. 457.
- **intermedius** Gestro, Ann. Mus. Civ. Genova XVI, 1881, N.-Guinea
p. 317, f. ♂. — Albers, Deutsche Ent. Zeitschr.
1883, p. 229. — Waterh. Trans. Ent. Soc. Lond.
1883, p. 448, t. 21, f. 2 (var. ?). — Albers,
Deutsche Ent. Zeitschr. 1884, p. 174. — Sharp,
Willey's Results. IV, 1900, p. 382, t. 35, f. 3a—d.
- mandibularis** Möllenk. Intern. Ent. Zeitschr. Guben I, N.-Borneo
1907, no. 14, p. 94.
- minax** Möllenk. Insektenbörse XXII, 1905, p. 2. W.-Sumatra
- **montivagus** Lewis (*Macrodorcus*) Trans. Ent. Soc. Lond. Japan
1883, p. 337, t. 14, f. 2 ♂.
- niasicus** Nonfried, Berl. Ent. Zeitschr. XL, 1895, p. 280. Nias
- pectinicornis** Möllenk. Intern. Ent. Zeitschr. Guben III, D.-N.-Guinea
1909, p. 3.
- **pilosipes** Waterh. Trans. Ent. Soc. Lond. 1883, p. 447, Salomon-
t. 21, f. 1, 2 ♂. Inseln
- **platymelus** Saund. Trans. Ent. Soc. Lond. 1854, p. 50, China
t. 3, f. 7.
- castanicolor* Motsch. Etud. Ent. 1861, p. 12 ♂
(teste: Lewis).
- lateralis* Saund. Trans. Ent. Soc. Lond. 1854,
p. 46.
- marginalis* (♀) Saund. Trans. Ent. Soc. Lond.
1854, p. 53, t. 4, f. 6.
- obscurus* (♀) Saund. l. c. 1854, p. 52, t. 4, f. 7.
- pilifer* Voll. Tijdschr. Ent. IV, 1861, p. 112,
t. 6, f. 4. — Schönf. Ent. Nachr. 1884, p. 45.

168/

- praecellens* Möllenk. Insektenbörse XIX, 1902, p. 283. — Deutsche Ent. Zeitschr. 1903, p. 344. Himalaya
- *Prosti* Boil. Ann. Soc. Ent. Belg. XLV, 1901, p. 15, t. 1, f. 4. — Möllenk. Insektenbörse XXI, 1904, p. 375♀. W.-Borneo
- *purpurascens* Voll. Tijdschr. Ent. IV, 1861, p. 111, t. 7, f. 1, 2♂, 6♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 88. Sumatra,
Nias,
Borneo,
Malacca
- var. *capito* Albers, Deutsche Ent. Zeitschr. 1884, p. 173, 304. Nias,
Sumatra
- *rama* Boil. Naturaliste XIX, 1897, p. 181, f. ♂. Sumatra
- *rectus* Motsch. (*Macrodercus*) Etud. Ent. 1857, p. 29♂; l. c. 1861, p. 16♀. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333. — Schönf. Ent. Nachr. X, 1884, p. 45. Japan,
China,
Korea
- diabolicus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 243. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333. — Schönf. Ent. Nachr. X, 1884, p. 45.
- niponensis* Voll. Tijdschr. Ent. IV, 1861, p. 113, t. 7, f. 3. — Waterh. Ent. Monthl. Mag. VI, 1870, p. 207. — Motsch. Bull. Soc. Imp. Mosc. XLIII, 1870, p. 27, nota. — Schönf. Ent. Nachr. X, 1884, p. 45.
- rugipennis* Motsch. Etud. Ent. 1861, p. 16♀. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333. — Schönf. Ent. Nachr. X, 1884, p. 45.
- *Reichei* Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Ann. Mag. Nat. Hist. XII, 1845, p. 364; Trans. Ent. Soc. Lond. IV, 1847, p. 75. — Möllenk. Insektenbörse 1904, p. 402. Sylhet
- Blanchardi* Hope, Proc. Ent. Soc. Lond. 1842, p. 84; Ann. Mag. Nat. Hist. XII, 1845, p. 364. — Hope (Westw.) Cat. Luc. 1845, p. 21♀. — Trans. Ent. Soc. Lond. IV, 1847, p. 75 (forma min. teste: Parry).
- cognatus* Hope, Proc. Ent. Soc. Lond. 1842, p. 84; Ann. Mag. Nat. Hist. XII, 1845, p. 364; Trans. Ent. Soc. Lond. IV, 1847, p. 75♂ (forma min. teste: Parry).
- falco* Cast. Hist. Nat. II, 1837, p. 172♂.
- punctilabris* Hope, Proc. Ent. Soc. Lond. 1842, p. 84; Ann. Mag. Nat. Hist. XII, 1845, p. 364. — Hope (Westw.) Cat. Luc. 1845, p. 21 (forma min. teste: Parry).
- *submolaris* Hope (Westw.) Cat. Luc. 1845, p. 23♂.
- *rubrofemoratus* Voll. Tijdschr. Ent. VIII, 1865, p. 152, t. 2, f. 1, 2. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 337. — Albers, Ann. Soc. Ent. Belg. XXXVII, 1893, p. 72. — Jacowl. Horae Soc. Ent. Ross. XXX, 1896, p. 173♀. Japan,
Korea
- *saiga* Ol. Ent. I, 1, 1789, p. 23, t. 5, f. 18. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 398. Molukken
- concolor* Blanch. Voy. Pôle Sud. IV, 1837, p. 139, t. 9, f. 10♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 319, f. ♂. — Albers, Deutsche Ent. Zeitschr. 1893, p. 224; l. c. 1890, p. 88.

- elaphus* Herbst (*Lucanus*) Käfer II, 1787, t. 33, f. 6. — v. d. Poll, Notes Leyd. Mus. XII, 1890, p. 28.
- var. *ceramensis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 424. Ceram
- (*striatipennis* Motsch. (*Macrodorcus*) Etud. Ent. 1861, p. 17. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333, 338.) Japan,
China,
Korea
- ~~—~~ *binervis* Motsch. Etud. Ent. 1860, p. 16; l. c. 1861, p. 18 ♂. — Schauf. Nunq. Otiosus III, 1879, p. 477 (teste: Lewis).
- cribellatus* Motsch. Etud. Ent. 1861, p. 17 ♂ (teste: Lewis).
- opacus* Waterh. Ent. Monthl. Mag. VI, 1870, p. 208. — Parry, Trans. Ent. Soc. Lond. 1870, p. 91 (teste: Lewis).
- Van-Volxemi* Lewis, Ann. Mag. Nat. Hist. (5) II, 1879, p. 462; Trans. Ent. Soc. Lond. 1883, p. 333.
- ~~—~~ *ternatensis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 423 ♂. — Gestro. Ann. Mus. Civ. Genova XVI, 1881, p. 317, f. ♂. Molukken
- Thomsoni* Parry, Trans. Ent. Soc. Lond. 1864, p. 47 ♂. — Voll. Tijdschr. Ent. VIII, 1865, p. 152. — Parry, Trans. Ent. Soc. Lond. 1870, p. 90. — Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 5.
- ~~—~~ *Titanus* Boisd. Voy. Astrol. 1832, Col. p. 237, t. 6, f. 19. Philippinen,
Celebes,
Borneo,
Sumatra,
Nias,
Ostindien
— Burm. Handb. V, 1847, p. 384. — Albers, Ann. Soc. Ent. Belg. XXXVII, 1893, p. 72.
- var. *Typhon* Boil. Naturaliste XXVII, 1905, f. 17, f. ♂. Luzon,
Celebes
- ~~—~~ *Tityus* Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Trans. Ent. Soc. Lond. IV, 1847, p. 74. — Parry, Trans. Ent. Soc. Lond. 1864, p. 46; l. c. 1870, p. 62, t. 3, f. 3, 8. Sylhet
- exaratus* (♀) Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 426. — Parry, Trans. Ent. Soc. Lond. 1864, p. 48 (teste: Parry).
- falco* Hope (Westw.) Cat. Luc. 1845, p. 6.
- lineatopunctatus* Hope in Gray, Zool. Miscell. I, 1831, p. 22. — Hope (Westw.) Cat. Luc. 1845, p. 23 (teste: Parry).
- punctatostriatus* (♀) Redtb. in Hügel, Kaschmir IV, 2, 1848, p. 532.
- semirugosus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 422 (forma min.). — Parry, Trans. Ent. Soc. Lond. 1864, p. 46 (teste: Parry).
- urocephalus* Albers, Deutsche Ent. Zeitschr. XXVII, 1883, p. 225. Celebes
- ~~—~~ *Westermanni* Hope, Trans. Linn. Soc. Lond. XIX, 1843, p. 106 ♂. Sylhet
- ~~—~~ *Wickhami* Waterh. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 283. Queensland

Dorcus M'Leay.

Mac Leay, Horae Ent. I, 1819, p. 111. — Thomson. Ann. Soc. Ent. Fr. (4) II, 1862, p. 398.

- **antaeus** Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Ann. Mag. Nat. Hist. XII, 1845, p. 364. — Hope (Westw.) Cat. Luc. 1845, p. 20. — Hope, Trans. Ent. Soc. Lond. IV, 1847, p. 74. Assam
scaritoides (♀) Hope (Westw.) Cat. Luc. 1845, p. 24. — Parry, Trans. Ent. Soc. Lond. 1864, p. 90; l. c. 1870, p. 111.
- **brachycerus** Boil. (*Eurytrachelus?*) Bull. Soc. Ent. Fr. 1904, p. 27. Kaschmir
- **brevis** Say, Journ. Ac. Sc. Phil. V, 1865, p. 202. — Albers, Deutsche Ent. Zeitschr. 1883, p. 221. — Fuchs, Bull. Brookl. Ent. Soc. 1882, p. 52. — Horn, Ent. News. 1892, p. 73, t. 3. N.-Amerika
- **caucasicus** Ganglb. Soc. Ent. I, 1886, p. 81. Caucasus
- **De Haani** Hope, Trans. Linn. Soc. XIX, 1843, p. 106. Assam
 — Hope (Westw.) Cat. Luc. 1845, p. 22. 5/
curvidens Hope, Trans. Linn. Soc. XVIII, 1842, p. 589. — Hope (Westw.) Cat. Luc. 1845, p. 22 (forma min.).
Klugi Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 424. — Parry, Trans. Ent. Soc. Lond. 1864, p. 50 (forma med.).
- **derelictus** Parry, Proc. Ent. Soc. Lond. 1862, p. 112; Trans. Ent. Soc. Lond. 1864, p. 50♀; l. c. 1870, p. 92, t. 2, f. 3. Himalaya
- **rudis** Westw. Trans. Ent. Soc. Lond. 1864, p. 35, t. 9, f. 4a—g; (Trans. Ent. Soc. Lond. 1872, p. 357, t. 8, f. 2 (teste: Boileau).) 27
- **glabripennis** Westw. Trans. Ent. Soc. Lond. 1871, p. 359, t. 8, f. 6. Ostindien
- **Hopei** Saund. Trans. Ent. Soc. Lond. 1854, p. 50, t. 3, f. 8. China
binodulosus Waterh. Ent. Monthl. Mag. XI, 1874, p. 6 (teste: Lewis).
striatopunctatus Saund. Trans. Ent. Soc. Lond. 1854, p. 51, t. 4, f. 5♂ (form. min. teste: Parry).
striatus (♀) Saund. Trans. Ent. Soc. Lond. 1854, p. 53, t. 4, f. 4 (teste: Parry).
- **hyperion** Boil. Bull. Soc. Ent. Fr. 1899, p. 177. Birmah
- **laevadorsis** Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 15. Yunnan
- **Meeki** Boil. Naturaliste XXVIII, 1906, p. 92, f. N.-Guinea
- **musimon** Géné, Mém. Ac. Torin. 1836, p. 192, t. 1, f. 23♀; Corsica,
 l. c. 1839, p. 67, t. 1, f. 19♂. — Burm. Handb. Sardinien,
 V, 1847, p. 394. N.-Afrika
- **semisulcatus** Muls. Ann. Soc. Linn. Lyon II, 1855, p. 52. — Desbr. Mitth. Schweiz. Ent. Ges. IV, 1873, p. 196 (forma min.).
- **nitidus** Kirsch, Mitth. Mus. Dresd. II, 1877, p. 138. N.-Guinea
- **parallelopipedus** L. Syst. Nat. I, 1735, p. 561. — M'Leay, Europa
 Hor. Ent. I, 1819, p. 111. — Ratzeb. Forst. Ins. I, 1839, p. 86, t. 3, f. 19. — Muls. Lamell. France 1842, p. 581, t. 1, f. 18. — Burm. Handb. V, 1847, p. 393. — Er. Naturgesch. Ins. Deutschl. III, 1848, p. 940. — Stierl. Berl. Ent. Zeitschr.

- VIII, 1864, p. 147. — Planet, Naturaliste XII, 1890, p. 156 (larva, pupa).
bipunctatus (♀) Schrank, Fauna Boica I, 1798, p. 376.
bituberculatus (♀) M'Leay, Hor. Ent. I, 1819, p. 112.
capra (♀) Panz. Fauna Germ. 1805, 58, p. 12.
dama (♀) Müll. Zool. Prodr. 1776, p. 52.
infractus (♀) Bergstr. Nomencl. II, 1778, t. 8, f. 2.
tuberculatus M'Leay, Hor. Ent. I, 1819, p. 112.
 var. *Leuthneri* Ganglb. Soc. Ent. I, 1886, p. 140. Syrien
 var. *Reichei* Ganglb. Soc. Ent. I, 1886, p. 81. Syrien
bengalensis Hope (Westw.) Cat. Luc. 1845, p. 22 (forma min).
 var. *Truquii* Muls. Ann. Soc. Linn. Lyon. II, 1855, p. 14. — Baudi, Berl. Ent. Zeitschr. XIV, 1870, p. 64 ♂. Apenninen
parallelus Say, Journ. Ac. Phil. III, 1823, p. 248. — N.-Amerika
 Burm. Handb. V, 1847, p. 395. — Schaupp, Bull. Brookl. Soc. IV, 1881, p. 35 (pupa); l. c. V, 1882, t. 1, f. 7a, b, 6b (pupa). — Fuchs. Bull. Brookl. Soc. V, 1882, f. 5, 5a (pupa), t. 52, f. 5 ♂.
costatus (♀) Lec. Proc. Ac. Phil. 1866, p. 380.
 — Parry, Trans. Ent. Soc. Lond. 1870, p. 61.
 — Horn, Ent. News 1892, p. 73, t. 3.
oblongus Charp. Hor. Ent. 1825, p. 214.
Voeti Schönh. Syn. Ins. I, 1806, p. 326.
Parryi Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 425 ♂. Celebes,
 Java,
 Sumatra
Peyroni Reiche, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 407, t. 12, f. 9. Syrien
ratiocinativus Westw. Trans. Ent. Soc. Lond. 1871, p. 356, t. 8, f. 2. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 59, t. 1, f. 2, 3. Himalaya
Rosti Zang, Deutsche Ent. Zeitschr. 1906, p. 184. Kaschmir
rugosus Boil. Bull. Soc. Ent. Fr. 1904, p. 39. Madura
Sewertzowi Semenow, Horae Soc. Ent. Ross. XXV, 1891, p. 309. Turkestan
suturalis Westw. Trans. Ent. Soc. Lond. 1871, p. 358, t. 8, f. 5. — Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 289. Himalaya
opacipennis Zang, Deutsche Ent. Zeitschr. 1906, p. 184.
tenuecostatus Fairm. Rev. d'Ent. VII, 1888, p. 116. Peking
thoracicus Möllenk. Insektenbörse XIX, 1902, p. 283; Deutsche Ent. Zeitschr. 1903, p. 346. Borneo
Vavrai Nonfried, Berl. Ent. Zeitschr. L, 1905, p. 12. Kurdistan
vicinus Saund. Trans. Ent. Soc. Lond. 1854, p. 51, t. 4, f. 9 ♂. China

Falcicornis Planet.

Planet, Naturaliste XVI, 1894, p. 44.

- Groulti* Planet, l. c. 1894, p. 44, f. Assam
barbarus Jord. und Rothschild (*Dorcus*), Novit. Zool. I, 1894, p. 485, t. 13, f. 2; l. c. 1894, p. 692.

Gnaphaloryx Burm.

Burm. Handb. Ent. V, 1847, p. 396.

- capreolus* Boil. Bull. Soc. Ent. Fr. 1903, p. 109. W.-Borneo
 — *cinereus* Boil. l. c. 1902, p. 321. Sikkim
 — *curtus* Kirsch, Mitth. Mus. Dresd. II, 1877, p. 138. — N.-Guinea,
 Albers, Deutsche Ent. Zeitschr. 1885, p. 233. Aru-Ins.
 — *cylindricus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, Ostindien
 p. 427 ♂.
 — *Davidis* Fairm. Revue d'Ent. VI, 1887, p. 314. Peking
dilaticollis Parry, Trans. Ent. Soc. Lond. 1864, p. 51 ♂. Ostindien
 — *miles* Voll. Tijdschr. Ent. VIII, 1865, p. 155, t. 2, f. 5. Halmaheira,
 (Celebes, Gebeh) N.-Guinea
- var. *laticornis* Boil. Bull. Soc. Ent. Fr. 1903, p. 110. N.-Guinea
- *opacus* Burm. Handb. V, 1847, p. 397. — Albers, Deutsche Ent. Zeitschr. 1889, p. 236. Java
- *perforatus* Rits. Notes Leyd. Mus. VII, 1885, p. 39, t. 3, f. 1a—b. Sumatra
- rugosus* Albers, Deutsche Ent. Zeitschr. 1885, p. 236. Celebes
 — *sculptipennis* Parry, Trans. Ent. Soc. Lond. 1864, p. 52 ♂. N.-Guinea
 — Westw. Trans. Ent. Soc. Lond. 1874, p. 362, t. 3, f. 6a ♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 324, f. ♂. — Albers, Deutsche Ent. Zeitschr. 1885, p. 232.
aper Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 324, f. (teste: Ritsema, Notes Leyd. Mus. III, 1881, p. 32).
- *squalidus* Hope (Westw.) Cat. Luc. 1845, p. 19. Java,
setosus Sturm, Cat. 1826, p. 165. Borneo,
tomentosus Burm. Handb. V, 1847, p. 397. Sumatra
- *taurus* F. Syst. Ent. II, 1793, p. 250. — Parry, Trans. Sumatra, Nias, Borneo, Waigiu, Halmaheira, Ternate, Morotai, Dorei, N.-Guinea
 Ent. Soc. Lond. II, 1864, p. 90. — Voll. Tijdschr. Ent. VIII, 1865, p. 154, t. 2, f. 3, 4. — Albers, Deutsche Ent. Zeitschr. 1889, p. 236.
- tricuspis* Rits. Notes Leyd. Mus. IV, 1882, p. 163; Midden Sumatra, Suppl. 1892, p. 4; Notes Leyd. Mus. XV, 1893, t. 2, f. 5. Sumatra
- velutinus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 426. Ostindien

15

Eulepidius Westw.

Westw. Trans. Ent. Soc. Lond. 1874, p. 357.

- *cephalotes* Leuthner (*Odontolabis*) Trans. Zool. Soc. XI, 1885, p. 478 (an huj. genus?). Borneo
- luridus* Westw. Trans. Ent. Soc. Lond. 1874, p. 357, t. 3, f. 1. „

2

Metallactulus Rits.

Ritsema, Notes Leyden Museum VII, 1885, p. 54.

Metallactus Albers, Deutsche Ent. Zeitschr. 1884, p. 301.**parvulus** (*Dorcus*) Hope (Westw.) Cat. Luc. 1845, p. 25. Philippinen
1**Aegotypus** Parry.

Parry, Trans. Ent. Soc. Lond. 1874, p. 371.

armatus Boil. Bull. Soc. Ent. Fr. 1897, p. 288, f. Borneo
lobicollis Jacowl. Horae Soc. Ent. Ross. XXXI,
1897, p. 240 (teste: Boileau).**trilobatus** Parry, Proc. Ent. Soc. Lond. 1862, p. 113; Borneo,
Trans. Ent. Soc. Lond. (3) II, 1864, p. 59, t. 7, Sumatra
f. 7♂; l. c. 1874, p. 371.

2

Aegus M'Leay.

Mac Leay, Horae Ent. I, 1819, p. 112.

acuminatus F. Syst. El. II, 1801, p. 251. — Burm. Java
Handb. V, 1847, p. 399. — Reiche, Ann. Soc.
Ent. Fr. 1853, p. 82. — Parry, Trans. Ent. Soc.
Lond. 1864, p. 52. — Albers, Deutsche Ent.
Zeitschr. 1883, p. 226.*cicatricosus* (♀) Wied. Zool. Mag. 1823, II, 1,
p. 108. — Parry, Trans. Ent. Soc. Lond. 1864,
p. 52.*cornutus* Thunb. Mém. Mosc. I, 1806, p. 202,
t. 12, f. 3.*depressus* Ill. Wiedem. Arch. I, 1, 1800, p. 105.*falciger* Westw. Ann. Sc. Nat. (2) I, 1834, p. 118.*lunatus* Weber, Obs. Ent. I, 1801, p. 83♀. —
Burm. Handb. V, 1847, p. 400. — Parry, Trans.
Ent. Soc. Lond. 1864, p. 53. — Albers, Deutsche
Ent. Zeitschr. 1883, p. 227.*luteus* Westw. Trans. Ent. Soc. Lond. 1855, p. 218,
t. 12, f. 4. — Parry, Trans. Ent. Soc. Lond.
1864, p. 51.*obscurus* M'Leay, Hor. Ent. I, 1819, p. 113.*punctatus* F. Syst. El. II, 1801, p. 253.*striatellus* Perty, Obs. Col. Ind. 1831, p. 35.var. *mandibularis* Möllenk. Entom. Zeitschr. Java
Guben XX, 1906, p. 170.**adelphus** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 428. Borneo
— Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 35,
t. 2, f. 9.**amictus** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 35, Malacca,
t. 2, f. 7. Sumatra,
Borneo**Beauchenei** Boil. Bull. Soc. Ent. Fr. 1902, p. 288. Tonkin**bellus** Möllenk. Insektenbörse XIX, 1902, p. 353; Deutsche N.-Guinea
Ent. Zeitschr. 1903, p. 352.

- **bidens** Möllenk. Insektenbörse XIX, 1902, p. 353; Deutsche Ent. Zeitschr. 1903, p. 354. Tonkin
- bigibbosus** Rits. Notes Leyd. Mus. XIX, 1897, p. 185. O.-Sumatra
- **blandus** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 57 ♂. N.-Guinea, Salawatty
- **capitatus** Westw. Trans. Ent. Soc. Lond. IV, 1847, p. 275, t. 20, f. 5. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 92. — Rits. Notes Leyd. Mus. XI, 1889, p. 229 (♂ forma min.). Malabar, Borneo, Sumatra
- aequalis** Westw. Proc. Ent. Soc. Lond. 1844, p. 102; Trans. Ent. Soc. Lond. IV, 1847, p. 276 t. 20, f. 6 (forma min.).
- distinctus** Westw. Proc. Ent. Soc. Lond. 1844, p. 102; Trans. Ent. Soc. Lond. IV, 1847, p. 276, t. 20, f. 8 (forma med.).
- malabaricus** Westw. Proc. Ent. Soc. Lond. 1844, p. 102; Trans. Ent. Soc. Lond. IV, 1847, p. 276, t. 20, f. 7 ♀.
- platycephalus** Westw. Proc. Ent. Soc. Lond. 1844, p. 101; Trans. Ent. Soc. Lond. IV, 1847, p. 275.
- sinister** (♀) Hope (Westw.) Cat. Luc. 1845, p. 23.
- **chelifer** M'Leay, Horae Ent. I, 1819, p. 113. — Westw. Trans. Ent. Soc. Lond. 1855, p. 215. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 54. Malacca, Sumatra, Borneo, Cambodja
- **cornutus** Boil. Bull. Soc. Ent. Fr. 1899, p. 319. Süd-China
- **Curtisi** Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 36. Sumatra
- **dilaticollis** Rits. Notes Leyd. Mus. XXII, 1900, p. 189. Borneo, Sumatra, Mentawai-Arch.
- elegantulus** v. Roon, Tijdschr. Ent. L, 1907, p. 140, f.
- **ellipticus** Boil. Bull. Soc. Ent. Fr. 1902, p. 304 ♂. D.-N.-Guinea
- **Eschscholtzi** Hope (Westw.) Cat. Luc. 1845, p. 22 ♂. N.-Hannover
- **formosae** Bates, Proc. Zool. Soc. 1866, p. 347. Malacca, Sumatra, Borneo
- **fornicatus** Albers, Deutsche Ent. Zeitschr. 1889, p. 238. Formosa
- **Gestroi** Boil. Bull. Soc. Ent. Fr. 1902, p. 287. Sumatra
- **glaber** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 59 ♂. Borneo
- **gracilicornis** Möllenk. Insektenbörse XIX, 1902, p. 353; Deutsche Ent. Zeitschr. 1903, p. 353. N.-Guinea
- **gracilis** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 34 t. 2, f. 6. Borneo
- **grandis** Deyr. Trans. Ent. Soc. Lond. 1874, p. 411, t. 5, f. 6. Amboina
- **hamatus** Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 635. Fiji-Ins.
- **Hopei** Boil. Ann. Soc. Ent. Belg. XLV, 1901, p. 19, t. 1, f. 6, 7. Borneo
- **impressicollis** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 58, t. 5, f. 3. Sumatra
- **inermis** F. Syst. El. II, 1801, p. 251. — Thunb. Mém. Mosc. I, 1806, p. 204. — M'Leay, Horae Ent. Malacca, Sumatra, Borneo, Java, Sumatra

? *Dotarus*

- I, 1819, p. 113. — Parry, Trans. Ent. Soc. Lond. 1864, p. 49.
- insipidus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 428 ♂. Celebes,
chelifer Montr. Ann. Soc. Agr. Lyon VII, 1857, Woodlark
 p. 26, — Parry, Trans. Ent. Soc. Lond. 1864,
 p. 54.
- interruptus* M'Leay, Horae Ent. I, 1819, p. 113. — Ostindien
 Westw. Ann. Sc. Nat. (2) I, 1834, p. 118.
- Jansoni* Bcil. Naturaliste XXVII, 1905, p. 17. Queensland
- kandiensis* Parry, Trans. Ent. Soc. Lond. 1864, p. 53; Ceylon
 l. c. 1870, p. 61, t. 2, f. 5, 8.
- labilis* Westw. Trans. Ent. Soc. Lond. 1864, p. 54, t. 11, f. 5. Ostindien
- laevicollis* Saund. Trans. Ent. Soc. Lond. 1854, p. 54, China
 t. 4, f. 8 ♂.
punctiger Saund. Trans. Ent. Soc. Lond. 1854,
 p. 55, t. 3, f. 6.
- Lansbergei* Boil. Bull. Soc. Ent. Fr. 1902, p. 302. Sumbawa
- latidens* Schauf. Sitzungsber. Isis Dresden 1864, p. 19; N.-Guinea
 Nunquam Ot. I, 1871, p. 159; l. c. II, 1877,
 p. 444. — Zang, Deutsche Ent. Zeitschr. 1906,
 p. 95.
- Leeuweni* Rits. Notes Leyd. Mus. IV, 1882, p. 164; l. c. Sumatra
 XV, 1893, t. 2, f. 6 ♂; Midden Sumatra, Suppl.
 1892, p. 4.
- malaccus* Thoms. Revue Zool. 1856, p. 516. Malacca,
rectangulus Voll. Tijdschr. Ent. IV, 1861, p. 114, Sumatra,
 t. 7, f. 7; l. c. VIII, 1865, p. 156 (forma maj.), Borneo
minutus Gestro, Ann. Mus. Civ. Genova XVI, 1881, N.-Guinea
 p. 329, 331, f. ♂.
- myrmidon* Thoms. Revue Zool. 1856, p. 528. — Deyr. Malacca
 Ann. Soc. Ent. Belg. IX, 1865, t. 2, f. 8 ♂.
- nitidicollis* Albers, Deutsche Ent. Zeitschr. 1883, p. 227. Philippinen
- (nitidus)* Boil. Bull. Soc. Ent. Fr. 1899, p. 321. Borneo)
- ogivus* Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 33, Malacca,
 t. 2, f. 5 ♂. Borneo,
 Sumatra
- oxygonus* Jacowl. Hor. Soc. Ent. Ross. XXXI, 1897, Borneo
 p. 243.
- parallelus* Hope (Westw.) Cat. Luc. 1845, p. 22. — Borneo,
 Westw. Trans. Ent. Soc. Lond. 1864, p. 56. Prince of
 Wales Ins.
- Parryi* Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 37. Sarawak
- parvus* Boil. Bull. Soc. Ent. Fr. 1902, p. 320. China
- pengalenganus* v. d. Poll, Notes Leyd. Mus. XVII, Java
 1895, p. 126.
- philippensis* Deyr. Ann. Soc. Ent. Belg. 1865, p. 32, Philippinen
 t. 2, f. 4 ♂. — Albers, Deutsche Ent. Zeitschr.
 1883, p. 226.
- Planeti* Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, N.-Guinea
 p. 367.
- platyodon* Parry, Proc. Ent. Soc. Lond. 1862, p. 112; Halmaheira,
 Trans. Ent. Soc. Lond. (3) II, 1864, p. 56, t. 10, Key-Insel
 f. 1 ♂.
- politus* Montr. Ann. Soc. Agr. Lyon VII, 1857, p. 28. Woodlark
- preangerensis* v. d. Poll, Notes Leyd. Mus. XVII, 1895, Java
 p. 127.
- punctithorax* Heller, Abh. Mus. Dresden IX, nr. 5, Celebes
 1900, p. 9, f. 8.

- pusillus* Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 328, 331, f. ♂. Ins. Yobi ? Japan
- pygmaeus* Jacowl. Revue Russ. Ent. II, 1902, p. 35. Borneo
- Ritsemae* Boil. Bull. Soc. Ent. Fr. 1899, p. 320. Malacca
- Roepstorffi* Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 36. Andamanen
- rosselianus* Boil. Bull. Soc. Ent. Fr. 1902, p. 287. Luisiade-Arch.
- rotundatus* Boil. Bull. Soc. Ent. Fr. 1902, p. 304 ♂. Adonara
- sculpticollis* Heller, Abh. Mus. Dresden IX, 1900, nr. 5, p. 8, f. 9. Süd-Celebes
- semicircularis* Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 119. Makassar
- serratus* Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 58, t. 5, f. 1 ♂. Ins. Morty
- specularis* Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 633. Cochin-China
- subnitidus* Waterh. Ent. Monthl. Mag. IX, 1873, p. 277. Japan) = *laevicollis* Saund.
— Lewis. Trans. Ent. Soc. Lond. 1883, p. 338.
- taurus* Boil. Bull. Soc. Ent. Fr. 1899, p. 320. Tonkin
- Westwoodi* Boil. l. c. p. 321. Malacca
- Woodfordi* Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 38. Ins. Salomon

67

Xenostomus Boil.

Boileau, Bull. Soc. Ent. France 1898, p. 264.

- insolitus* Jacowl. Horae Soc. Ent. Ross. 1897, p. 241. Mindoro
- punctipennis* Parry, Trans. Ent. Soc. Lond. 1864, p. 58. Borneo
- Ritsemae* Boil. Bull. Soc. Ent. 1898, p. 265, f. (teste Waterhouse).

2

Paraegus Gahan.

Gahan, Proc. Zool. Soc. 1888, p. 539.

- Listeri* Gahan, l. c. 1888, p. 539; Mon. Christmas. Island, 1900, p. 96, t. 11, f. 1, 2. Christmas-Ins.

1

Pseudaegus Heller.

Heller, Abh. Mus. Dresden IX, 1900, nr. 5, p. 7.

- leptodon* Heller, l. c. p. 8, t. f. 10. Süd-Celebes

1

Aegognathus Leuthner.

Leuthner, Trans. Ent. Soc. Lond. 1883, p. 445.

- Leuthneri* v. d. Poll, Tijdschr. Ent. XXIX, 1886, p. 153. Columbia
- Waterhousei* Leuthner, Trans. Ent. Soc. Lond. 1883, p. 445, t. 21, f. 3. Peru

2

Alcimus Fairm.

Fairm. Revue Zoolog. 1849, p. 416.

- **alternatus** Fairm. Naturaliste III, 1881, p. 340. Ins. Panope
dilatatus Fairm. Revue Zool. 1849, p. 416, t. 11, f. 6. — Ins. Wallis
 Waterh. Trans. Ent. Soc. Lond. 1875, p. 163 ♂.

2

Apterocyclus Waterh.

Waterh. Trans. Ent. Soc. Lond. 1871, p. 315.

- honoluluensis** Waterh. l. c. 1871, p. 316, f. ♀. Ins. Sandwich

1

Sclerognathus Hope.

Hope (Westw.) Cat. Lucan. Col. 1845, p. 26.)

- Sclerostomus* Burm. Handb. V, 1847, p. 423.
Epipedus Sol. in Gay, Hist. Chile, Zool. V, 1851, p. 49.
Pycnosiphorus Sol. l. c. p. 56.
Godartia Chénu, Encycl. Hist. Nat. 1855, t. 15, f. 6.

- aurocinctus** Boil. Bull. Soc. Ent. Fr. 1899, p. 298. Brasilien
 — **Bacchus** Hope (Westw.) Cat. Luc. 1845, p. 26. Chile
 bipunctatus Philippi, Ann. Univ. Chile 1859,
 p. 656 (teste: Reed).
 Darwini Burm. Handb. V, 1847, p. 424. — Sol.
 in Gay, Hist. Chile V, 1851, p. 48.
 — **Buckleyi** Waterh. Ann. Mag. Nat. Hist. (5) XVII, 1886, Ecuador
 p. 497.
 — **caelatus** Blanch. Voy. d'Orb. 1837, Col. p. 194, t. 12, Chile
 f. 8. — Sol. in Gay, Hist. Chile V, 1851, p. 49.
 variolosus Hope (Westw.) Cat. Luc. 1845, p. 25.
 vittatus Burm. Handb. V, 1847, p. 423.
 — **eruentus** Burm. Handb. V, 1847, p. 425 ♂. Brasilien
 cribratus Thoms. Ann. Soc. Ent. Fr. 1862, p. 429.
 — Parry, Trans. Ent. Soc. Lond. 1870, p. 96.
 ditomoides Westw. Trans. Ent. Soc. Lond. 1855,
 p. 208, t. 11, f. 4 ♂. — Parry, Trans. Ent. Soc.
 Lond. 1870, p. 96.
 neotragus Westw. Trans. Ent. Soc. Lond. 1855,
 p. 207, t. 11, f. 3 ♂. — Parry, Trans. Ent. Soc.
 Lond. 1870, p. 96.
 — **cucullatus** Blanch. Voy. d'Orb. Col. 1837, p. 194, t. 12, Chile
 f. 10. — Burm. Handb. V, 1847, p. 427. — Sol.
 in Gay, Hist. Chile V, 1851, p. 46, t. 15, f. 4 ♂.
 — Waterh. Ann. Mag. Nat. Hist. 1883, p. 388.
elongatus Deyr. Trans. Ent. Soc. Lond. 1870, p. 96. „
 — **Fairmairei** Parry, Trans. Ent. Soc. Lond. 1864, p. 61. „
 — **fasciatus** Germain, Ann. Univ. Santiago 1855, p. 397. „
 — Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 318.
 — Parry, Trans. Ent. Soc. Lond. 1864, t. 3,
 f. 4 ♀. — Albers, Deutsche Ent. Zeitschr. 1891,
 p. 78 ♂.

Scotinopus Westw.

maculatus Kl. (only)

- *femoralis* Guér. Revue Zool. 1839, p. 303. — Sol. in Gay, Hist. Chile V, 1851, p. 51. — Westw. Trans. Ent. Soc. Lond. 1855, p. 209, t. 12, f. 9.
Darwini Hope, Ann. Nat. Hist. VIII, 1845, p. 302.
 — Hope (Westw.) Cat. Luc. 1845, p. 25. — Hope, Trans. Ent. Soc. Lond. 1846, p. 279.
modestus Philippi, Ann. Univ. Santiago 1859, p. 657.
rubripes Burm. Handb. V, 1847, p. 424.
rufifemoralis Curtis, Voy. Cap. King. Magell. Trans. Linn. Soc. XIX, 1843, p. 456 (teste Parry).
- *Lessoni* Buq. Ann. Soc. Ent. Fr. XI, 1842, p. 283, t. 12, f. 1. — Sol. in Gay, Hist. Chile V, 1851, p. 55.
- *mandibularis* Sol. in Gay, Hist. Chile V, 1851, p. 56.
- lineatus* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 319 ♂. Peru
 — Parry, Trans. Ent. Soc. Lond. 1864, t. 3, f. 3.
- liocephalus* Sol. in Gay, Hist. Chile V, 1851, p. 53, t. 15, f. 5. — Gemm. und Harold, Cat. Col. III, 1868, p. 962 (*femoralis*). Chile
- *marginipennis* Deyr. Trans. Ent. Soc. Lond. 1870, p. 95. „
- *pallidocinctus* Fairm. Col. Chile II, 1861, p. 2. „
- *Philippii* Westw. Trans. Ent. Soc. Lond. 1864, p. 61, t. 11, f. 5 ♂. „
- rotundatus* Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 43, t. 1, f. 4; Naturaliste XXIV, 1902, p. 204. Brasilien
- *Rouleti* Sol. in Gay, Hist. Chile V, 1851, p. 53. Chile
- rufipes* Sol. l. c. p. 50. — Gemm. und Harold, Cat. Col. III, 1868, p. 962 (*femoralis*). — Parry, Cat. III, 1875, p. 14. „
- signatipennis* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 319. — Parry, Trans. Ent. Soc. Lond. 1864, t. 3, f. 2 ♂. Brasilien
- Spinolae* Sol. in Gay, Hist. Chile V, 1851, p. 52. Chile
- tristis* Deyr. Trans. Ent. Soc. Lond. 1870, p. 95. „
- *vittatus* Eschsch. Entomogr. 1835, p. 9. — Sol. in Gay, Hist. Chile V, 1851, p. 50. „
- rubrovittatus* Blanch. Voy. d'Orb. 1837, p. 194, t. 12, f. 9.

23

Scortizus Westw.

Westw. Ann. Sc. Nat. (2) I, 1834, p. 119.

- *costatus* Hope (Westw.) Cat. Luc. 1845, p. 27. — Burm. Handb. V, 1847, p. 426. — Westw. Trans. Ent. Soc. Lond. 1855, p. 109, t. 11, f. 5. — Gemm. und Harold, Cat. Col. III, 1868, p. 961 (*Sclerognathus*). — Parry, Cat. III, 1875, p. 14. Brasilien
- cuniculus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 429.
- *Gounellei* Boil. Bull. Soc. Ent. Fr. 1899, p. 299. „
- *maculatus* Klug, Nov. Act. Leop. Car. XII, 2, 1825, p. 432. — Burm. Handb. V, 1847, p. 422. — Westw. Trans. Ent. Soc. Lond. 1855, p. 210, t. 11, f. 8. „

2/ 2/

- irroratus* Hope, Trans. Zool. Soc. Lond. I, 1835, p. 100, t. 14, f. 3♀. — Chénu, Encycl. Hist. Nat. 1855, t. 15, f. 1♂.
- plagiatus* Burm. Handb. V, 1847, p. 425♂. Bahia
- hastatus* Westw. Trans. Ent. Soc. Lond. 1855, p. 205, t. 11, f. 2.
- pulverosus* Westw. Trans. Ent. Soc. Lond. 1875, p. 243, t. 9, f. 2. N.-Grenada,
O.-Cordille-
ras
- tuberculatus* Sol. in Gay, Hist. Chile V, 1851, p. 54♀. Chile

6

Charagmophorus Waterh.

Waterh. Ann. Mag. Nat. Hist. (6) XV, 1895, p. 495.

- lineatus* Waterh. l. c. p. 495; Trans. Linn. Soc. Lond. VIII, 1901, p. 74♀. Sierra-
Roraima

1

Platycerus Geoffr.

Geoffroy, Ins. Envir. Paris I, 1762, p. 62. — Casey, Ann. N. York. Ac. V, 1889, p. 63. — Albers, Deutsche Ent. Zeitschr. 1891, p. 319.

- Agassizi* Lec. Proc. Acad. Phil. 1861, p. 345♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 60. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 58, f. 8, t. f. 8♀. — Lec. Trans. Am. Ent. Soc. IX, 1882, p. 21; l. c. XII, 1885, p. 169. Californien
- californicus* Casey, Bull. Calif. Acad. Sc. I, 1885, p. 331. — Horn, Proc. Am. Ent. Soc. 1886, p. 8. — Casey, Notices I, 1886, p. 263. „
- caraboides* L. Syst. Nat. I, 1735, p. 561. — Ol. Ent. I, 1, 1789, p. 20, t. 2, f. 2. — F. Syst. El. II, 1801, p. 253. — Muls. Col. Fr. Lamell. 1842, p. 595. — Burm. Handb. V, 1847, p. 405. Europa
- capra* De Geer. Mém. Ins. IV, 1781, p. 334, t. 12, f. 11.
- cribratus* Muls. Ann. Soc. Linn. Lyon X, 1865, p. 7.
- virescens* Muls. Col. Fr. Lamell. 1842, p. 595.
- viridiaeneus* Muls. l. c. p. 595.
- var. *rufipes* Herbst, Käfer III, 1790, p. 311, t. 34, f. 8. M.-Europa
- var. *spinifer* Schäuf. Sitzungsber. Ges. Isis 1862, p. 198; Revue Zool. 1863, p. 120. „
- caucasicus* Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 60♂. Caucasus
- chalybaeus* Casey, Ann. New York. Ac. IX, 1897, p. 639. N.-Amerika
- Delagrangei* Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 145. Akbes
- delicatulus* Lewis, Trans. Ent. Soc. Lond. 1883, p. 338, t. 14, f. 3. Japan
- depressus* Lec. Agass. Lake Sup., p. 224. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 58, f. 9, t. f. 9♂. N.-Amerika
- (?)*piceus* Kirby in Richardson, Fauna Am. Bor. IV, 1837, p. 141.

- ebeninus** Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 317. t. 4, f. 4. Brasilien
- **Keeni** Casey, Canad. Entom. XXVII, 1895, p. 153. Queen-Charlotte-Ins.
- **latus** Fall, Canad. Entom. XXXIII, 1901, p. 291. Californien
- **marginalis** Casey, Ann. N. York Ac. IX, 1897, p. 639. N.-Amerika
- opacus** Fall, Ent. News XVII, 1906, p. 393. Californien
- **oregonensis** Westw. Proc. Ent. Soc. Lond. 1844, p. 106; Trans. Ent. Soc. Lond. IV, 1847, p. 277, t. 20, f. 9 ♂. — Parry, Cat. III, 1875, p. 14. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 57, f. 7, t. f. 7 ♂. Oregon
- coerulescens** Lec. Proc. Ac. Phil. 1861, p. 345 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 60. — Horn, Trans. Am. Ent. Soc. V, 1875, p. 137.
- **pacificus** Casey, Ann. New York Ac. V, 1875, p. 165. Californien
- parvicollis** Casey, l. c. p. 164. "
- **quercus** Weber, Obs. Entom. I, 1801, p. 85. — Burm. Handb. V, 1847, p. 406. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 57, f. 6, t. f. 6 ♂. N.-Amerika
- scaritoides** Sturm, Cat. 1826, p. 184.
- securidens** Say, Journ. Ac. Sc. Phil. III, 1863, p. 249.
- virescens** F. Syst. Ent. App. 1794, p. 87 (teste Parry). 1775, p. 817.
- thoracicus** Casey, Canad. Entom. XXVII, 1895, p. 154. Californien

18

Pseudodorcus Parry. (185)

Parry, Trans. Ent. Soc. Lond. 1870, p. 94.

- hydrophiloides** (*Dorcus*) Hope (Westw.) Cat. Luc. 1845, p. 23 ♂. Ins. Melville *in Carnis*
- carbonarius** (♀) Westw. Trans. Ent. Soc. Lond. (3) I, 1863, p. 515, t. 21, f. 3 (teste: Parry, Trans. Ent. Soc. Lond. 1870, p. 94).

1

Lissapterus Deyr.

Deyr., Trans. Ent. Soc. Lond. 1870, p. 98.

- **Howittanus** (*Lissotes*) Westw. Trans. Ent. Soc. Lond. 1863, p. 513, t. 21, f. 1 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 97. — Deyr. Trans. Ent. Soc. Lond. 1870, p. 98. — Westw. Trans. Ent. Soc. Lond. 1871, p. 369. Australien
- **pelorides** Westw. Trans. Ent. Soc. Lond. 1855, p. 220; l. c. 1863, p. 514, t. 21, f. 2 ♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 90; l. c. 1870, p. 114. Moreton-Bay

2

Hoplogonus Parry.

Parry, Cistula Entomol. II, 1876, p. 131.

- Simsoni** Parry, l. c. p. 131, t. 1, f. 1—3. Tasmanien

1

Lissotes Westw.

Westw. Trans. Ent. Soc. Lond. 1855, p. 213. — Parry, Trans. Ent. Soc. Lond. 1873, p. 340.

- abditus* Broun, Man. N. Zeal. Col. II, 1881, p. 673. N.-Seeland
aemenus Lewis, Trans. N. Zeal. Inst. XXXIV, 1902, p. 203. „
aemulus Broun, Man. N. Zeal. Col. V, 1893, p. 1109. „
auriculatus Broun, Ann. Mag. Nat. Hist. XI, 1903, p. 615. „
basilaris Deyr. Ann. Soc. Ent. Fr. (6) I, 1881, p. 240. Tasmanien
cancroides F. Mant. I, 1787, p. 2. — Ol. Ent. I, 1, 1789, „
p. 18, t. 4, f. 11. — Westw. Ent. Mag. V, 1838,
p. 267. — Burm. Handb. V, 1847, p. 402. —
Parry, Trans. Ent. Soc. Lond. 1870, p. 81. —
Westw. Trans. Ent. Soc. Lond. 1871, p. 371.
capito Deyr. Trans. Ent. Soc. Lond. 1873, p. 339, t. 5, Chatham-Ins.
f. 4♂. — Parry, Trans. Ent. Soc. Lond. 1873,
p. 339, t. 5, f. 5♀.
cornutus Boil. Naturaliste XXVII, 1905, p. 201. Australien
crenatus Westw. Trans. Ent. Soc. Lond. 1855, p. 216, „
t. 12, f. 3.
curvicornis Boisd. Voy. Astrolabe. Col. 1832, p. 235. — „
Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 82.
— Parry, Trans. Ent. Soc. Lond. 1870, p. 81.
Desmaresti Deyr. Ann. Soc. Ent. Fr. (6) I, 1881, p. 239, N.-Seeland
t. 5, f. 3.
distinctus Deyr. l. c. p. 240. Tasmanien
elegans Broun, Man. N. Zeal. Col. V, 1893, p. 1110. N.-Seeland
forcipula Westw. Trans. Ent. Soc. Lond. 1871, p. 366, Tasmanien
t. 9, f. 2; l. c. 1871, p. 367, t. 9, f. 6a—b♀.
furcicornis Westw. l. c. 1871, p. 362, t. 9, f. 3. Victoria
Helmsi Sharp, Ent. Monthl. Mag. XVIII, 1881, p. 49. N.-Seeland
ithaginis Broun, Man. N. Zeal. Col. V, 1893, p. 1108. „
latidens Westw. Trans. Ent. Soc. Lond. 1871, p. 363, Tasmanien
t. 9, f. 4.
Launcestoni Westw. Trans. Ent. Soc. Lond. 1871, p. 365, „
t. 9, f. 1.
Menalcas Westw. Trans. Ent. Soc. Lond. 1855, p. 214, Australien
t. 12, f. 1.
Novae-Zeelandiae Hope (Westw.) Cat. Luc. 1845, p. 25. N. Seeland
caviceps Westw. Trans. Ent. Soc. Lond. 1855,
p. 212, t. 12, f. 6♂, 7♀.
punctulatus White, Voy. Ereb. Terr. 1846, Ins.
p. 9 (teste: Sharp).
obtusatus Westw. Ent. Mag. V, 1838, p. 267; Trans. Tasmanien
Ent. Soc. Lond. 1855, p. 217; — Burm. Handb.
V, 1847, p. 402. — Westw. Trans. Ent. Soc.
Lond. 1875, p. 244 (var.?).
opacus Deyr. Trans. Ent. Soc. Lond. 1870, p. 97. „
planus Broun, Man. N. Zeal. Col. I, 1880, p. 252. N. Seeland
reticulatus Westw. Proc. Ent. Soc. Lond. 1844, p. 106; „
Trans. Ent. Soc. Lond. IV, 1847, p. 275, t. 20,
f. 4; l. c. 1855, p. 218, t. 12, f. 9.
cicatricosus Burm. Handb. V, 1847, p. 403.
squamidorsis White, Voy. Ereb. Terr. 1846, Ins.
p. 9, t. 2, f. 2. — Blanch. Voy. Pôle Sud. IV,
1847, p. 140 (teste Sharp).
zealandicus Fairm. Revue Zool. 1849, p. 44 (teste
Parry).

- punctatus Pa

- molis Pa

- **rufipes** Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 398. N. Seeland
Stewarti Broun, Man. N. Zeal. Col. II, 1881, p. 673. „
 — **subrenatus** Westw. Trans. Ent. Soc. Lond. 1871, p. 368, Tasmanien
 t. 9, f. 5. „
 — **subtuberculatus** Westw. Trans. Ent. Soc. Lond. 1855, „
 p. 215, t. 12, f. 2.

29

Oonotus Parry.

Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 62.

- adpersus** Boh. Ins. Caffr. II, 1848, p. 384. — Westw. Natal
 Trans. Ent. Soc. Lond. (3) I, 1863, p. 455, t. 16, 57 3
 f. 6. — Péringuey, Trans. South. Afr. Phil. Soc.
 XII, 1901, p. 7.

1

VI. Figulinae.Thoms. Ann. Soc. Ent. France (4) II, 1862, p. 391 (*Figulitae*).**Nigidius** M'Leay.

- M'Leay, Horae Ent. I, 1819, p. 108. — Westw. Ann. Sc. Nat. (2) I, 1834,
 p. 121; Entom. Mag. V, 1838, p. 121. — Burm. Handb. V, 1847, p. 431. 264
 — Parry, Trans. Ent. Soc. Lond. 1873, p. 342. — Péringuey, Trans. South
 Afr. Phil. Soc. XII, 1901, p. 9.

Eudora Cast. Hist. Nat. Ins. II, 1837, p. 174 (pars). 40*Hadronigidius* Kraatz, Deutsche Ent. Zeitschr. 1896, p. 65.

- amplicollis** Qued. Berl. Ent. Zeitschr. XXVIII, 1884, Quango,
 p. 266. — v. d. Poll, Notes Leyd. Mus. XI, 1889, Zanzibar
 p. 228. Sambesi
auriculatus Guér. (*Platycerus*) Ic. Règn. Anim. 1833, Senegambien
 Ins. t. 27, f. 4. — Cast. Hist. Nat. II, 1837,
 p. 174. — Westw. Ent. Mag. V, 1838, p. 265.
 — Burm. Handb. V, 1847, p. 433. — Thoms.
 Arch. Ent. II, 1858, p. 48.
 — **Baeri** Boil. Naturaliste XXVII, 1905, p. 18. Manilla
Bennigseni Kraatz (*Hadronigidius*) Deutsche Ent. Usambara,
 Zeitschr. 1896, p. 66. — Zang, Deutsche Ent. Tanga-
 Zeitschr. 1905, p. 215. nyika-See
Bonneuili Boil. Naturaliste XXVII, 1905, p. 18. Mindoro
 — **bubalus** Sweder. Vet. Ak. Nya Handl. 1787, p. 187, t. 8, Guinea
 f. a—c ♂.
auriculatus Klug, Erman's Reise Atl. 1829, p. 39,
 t. 15, f. 10.
integer Westw. Ent. Mag. V, 1838, p. 265.
Midas Cast. Hist. Nat. II, 1837, p. 174, t. 17, f. 5.
 — **cornutus** M'Leay, Horae Ent. I, 1819, p. 109, t. 1, f. 6. Malacca
 — Westw. Ent. Mag. V, 1838, p. 264. — Parry,
 Trans. Ent. Soc. Lond. 1864, p. 63.

4

- **cribricollis** Parry, Trans. Ent. Soc. Lond. 1873, p. 340, t. 5, f. 6. W.-Afrika
- **Delegorguei** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 430. — Péringuey, Trans. South Afr. Phil. Soc. XII, 1901, p. 10, t. 21, f. 2. Natal, Transvaal
- **dentifer** Albers, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 16. — v. d. Poll, Notes Leyd. Mus. XI, 1889, p. 228. M.-Afrika, Old-Calabar, Togo
- **distinctus** Parry, Trans. Ent. Soc. Lond. 1873, p. 341, t. 5, f. 7. Cambodja
- **divergens** Waterh. Ann. Mag. Nat. Hist (6) V, 1890, p. 38. Nyassa
- **elongatus** Boil. Naturaliste XXIV, 1902, p. 204. Birmah
- **formosanus** Bates, Proc. Zool. Soc. Lond. 1866, II, p. 347. Formosa 5
— Parry, Trans. Ent. Soc. Lond. 1870, p. 65.
- Fruhstorferi** Albers, Deutsche Ent. Zeitschr. 1894, p. 161. Java
- **gigas** Möllenk. Insektenbörse XIX, 1902, p. 363; Deutsche Ent. Zeitschr. 1903, p. 346. Tonkin
- **grandis** Hope, Ann. Mag. Nat. Hist. VIII, 1841, p. 302; Trans. Ent. Soc. Lond. III, 1846, p. 279. — Hope (Westw.) Cat. Luc. 1845, p. 26. — Rits. Notes Leyd. Mus. 1896, p. 130. *see below* Sierra-Leona
Albersi Duviv. Ann. Soc. Ent. Belg. XXXIV, 1890, p. 6; l. c. 1892, p. 276. — Rits. Notes Leyd. Mus. 1896, p. 130. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 34. *syn. to spectabilis & grandis.*
georgianus Thoms. Arch. Ent. II, 1858, p. 47, t. 1, f. 4. *where syn??*
Mniszechi Thoms. l. c. p. 47.
spectabilis Kraatz, Deutsche Ent. Zeitschr. 1895, p. 370 (teste: Rits. Notes Leyd. Mus. XVIII, 1896, p. 130). *see above syn. to ?*
- Hageni** Rits. Notes Leyd. Mus. XI, 1889, p. 1. Sumatra
- Helleri** Boil. Naturaliste XXVII 1905, p. 47. Palembang
- **impressicollis** Boil. l. c. 1905, p. 60. Khasia Hills
- **kinabaluensis** Rits. Notes Leyd. Mus. XIX, 1897, p. 187. N.-Borneo
- **laevicollis** Westw. Proc. Zool. Soc. Lond. V, 1835, p. 128; Ent. Mag. V, 1838, p. 264. Manilla
forcipatus Westw. Ent. Mag. V, 1838, p. 267. — Burm. Handb. V, 1847, p. 433.
- **laevigatus** Harold, Mitth. Münch. Ent. Ver. II, 1878, p. 100; Col. Hefte XVI, 1879, p. 31. — v. d. Poll, Notes Leyd. Mus. XI, 1889, p. 228. Lunda, Nyassa
- **Lewisi** Boil. Naturaliste XXVII, 1905, p. 61. Liu-Kiu-Ins.
- Lichtensteini** Rits. Notes Leyd. Mus. I, 1879, p. 129. Celebes
- **madagascariensis** Cast. Hist. Nat. II, 1837, p. 175. — Westw. Entom. Mag. V, 1838, p. 266. — Burm. Handb. V, 1847, p. 434. Madagascar
- **nitidus** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 431. Senegal
- Oberndorferi** Nonfried, Ent. Nachr. XVIII, 1892, p. 118. Nossibé
- **obesus** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 63 ♂. Malacca,
— Westw. Trans. Ent. Soc. Lond. 1874, p. 361, t. 3, f. 5 ♂. Borneo, Sumatra
- oxyotus** Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 339. Tonkin
- **Parryi** Bates, Proc. Zool. Soc. Lond. 1866, p. 347. — Parry, Trans. Ent. Soc. Lond. 1870, p. 66. — Westw. Trans. Ent. Soc. Lond. 1871, p. 360, t. 8, f. 1 ♂. Formosa

- perforatus* Harold, Mitth. Münch. Ent. Ver. II, 1878, p. 100; Coleopt. Hefte XVI, 1879, p. 30. Lunda
M.-Afrika
- semicariosus* Fairm. Compt. Rend. Soc. Ent. Belg. Somali
XXXV, 1891, p. 283.
- taurus* Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, Philippinen
p. 640.
- *trilobus* Westw. Ent. Mag. V, 1838, p. 263 (*Figulus*). — Australien
Parry, Trans. Ent. Soc. Lond. 1873, p. 343;
Catal. III, 1875, p. 15.
- vagatus* Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 339. Tonkin]
validus Péringuey, Trans. South. Afr. Phil. Soc. XII, Mozambique,)
1901, p. 11, t. 31, f. 3. Rikatla)
- Welwitschi* Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, Angola)
p. 39.

38

Agnus Burm.

Burm. Handb. Ent. V, 1847, p. 441.

- *egenus* Burm. l. c. p. 442 ♂. Mauritius
Bobus Picornoti Boil. Bull. Soc. Ent. Fr. 1899,
p. 40 (teste: Boileau).

1

Amneidus Coëq.

Coëquerel, Ann. Soc. Ent. Fr. (4) VI, 1866, p. 325.

- *Godefroyi* Coëq. l. c. p. 326, t. 7, f. 1. — Parry, Trans. Ins. Bourbon
Ent. Soc. Lond. 1870, p. 66.

1

Penichrolucanus Deyr.

Deyrolle, Ann. Soc. Ent. Fr. 1863, p. 485.

- copricephalus* Deyr. l. c., p. 486, t. 9, f. 11. — Parry, Malacca
Trans. Ent. Soc. Lond. 1864, p. 64.

1

Figulus M'Leay.

Mac Leay, Horae Ent. I, 1819, p. 110. — Westw. Ann. Sc. Nat. (2) I,
1834, p. 115; Ent. Mag. V, 1838, p. 261. — Burm. Handb. V, 1847, p. 435.
— Parry, Trans. Ent. Soc. Lond. 1873, p. 343.

Eudora Cast. (pars). Westw. Ann. Sc. Nat. (2) I, 1834, p. 119;
Ent. Mag. V, 1838, p. 261. — Burm. Handb. V, 1847, p. 435.

- *Albertisi* Gestro, Ann. Mus. Civ. Genova XVI, 1881, N.-Guinea
p. 335.
- ater* Deyr. Trans. Ent. Soc. Lond. 1874, p. 412. Mysole
- *Beccarii* Gestro, Ann. Mus. Civ. Genova XVI, 1881, Sumatra
p. 338.
- *binodulus* Waterh. Ent. Month. Mag. IX, 1873, p. 277. Japan
— Lewis Trans. Ent. Soc. Lond. 1883, p. 339.
- *cambodjensis* Deyr. Trans. Ent. Soc. Lond. 1874, p. 414. Cambodja

4*

- capensis* Thunb. Ins. Spec. Nov. 1781, p. 5, f. 1; Mém. Mosc. I, 1806, p. 203. — Burm. Handb. V, 1847, p. 139. Cap b. Sp.
- *caviceps* Boil. Naturaliste XXIV, 1902, p. 205. Birmah.
- *cicatricosus* Boil. Naturaliste XXVII, 1905, p. 38. Neilgherries
- *confusus* Westw. Ent. Mag. V, 1838, p. 262. — Burm. Handb. V, 1847, p. 439. Ostindien, Cambodja
- striatus* M'Leay, Horae Ent. I, 1819, p. 100.
- *decipiens* Albers, Stett. Ent. Zeitschr. XLV, 1884, p. 173; Deutsche Ent. Zeitschr. 1885, p. 248. W.-Afrika
- *fissicollis* Fairm. Revue Zool. 1849, p. 414. Tongatabu
- modestus* Parry, Proc. Ent. Soc. Lond. 1862, p. 113 (teste: Sharp).
- *foveicollis* Boisd. Voy. Astrolabe, Col. 1832, p. 239. — Fairm. Revue Zool. 1849, p. 414. Tongatabu
- insularis* Blanch. Voy. Pôle Sud 1852, Zool. p. 142.
- lifuanus* Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 287.
- woodlarkianus* Montr. Ann. Soc. Agr. Lyon VII, 1857, p. 26.
- *Horni* Zang, Deutsche Ent. Zeitschr. 1905, p. 161. Ceylon
- *impressicollis* Rits. Notes Leyd. Mus. XVII, 1896, p. 139. Borneo
- *integricollis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 431 ♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 337. Marianen
- *interruptus* Waterh. Ent. Monthl. Mag. XI, 1874, p. 7. Ostindien
- *laevipennis* Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 286. N.-Caledon.
- *Lansbergei* Rits. Notes Leyd. Mus. II, 1880, p. 217. Sumbawa
- *laticollis* [Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 84.] Philippinen, Borneo
- Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 402.
- Parry, Trans. Ent. Soc. Lond. 1870, p. 115.
- *(lilliputanus)* Westw. Trans. Ent. Soc. Lond. 1855, p. 219, t. 12, f. 5. Australien
- clivinoides* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 432.
- *manilarum* Hope (Westw.) Cat. Luc. 1845, p. 26. Manilla
- *marginalis* Rits. Notes Leyd. Mus. I, 1879, p. 189. Java, Sumatra, Borneo
- *mediocris* Deyr. Trans. Ent. Soc. Lond. 1874, p. 414. Malacca, Sumatra, Borneo
- mento* Albers, Deutsche Ent. Zeitschr. 1883, p. 226. N.-Guinea
- *minutus* Deyr. Trans. Ent. Soc. Lond. 1874, p. 414. Banda
- *nitens* Waterh. Ent. Monthl. Mag. XI, 1874, p. 7. N.-S.-Wales
- *nitidulus* Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 335. N.-Guinea
- *papuanus* Gestro, l. c. p. 336. N.-Guinea, Key-Inseln
- procerus* Heller, Abh. Mus. Dresden VII, 1898, nr. 3, p. 21, t. 3, f. 3. Celebes
- *punctatostriatus* Deyr. Trans. Ent. Soc. Lond. 1874, p. 413. Timor
- *punctatus* Waterh. Ent. Monthl. Mag. IX, 1872, p. 278. Japan
- Lewis, Trans. Ent. Soc. Lond. 1883, p. 339.
- *regularis* Westw. Ann. Sc. Nat. (2) I, 1834, p. 120; Ent. Mag. V, 1838, p. 263. — Burm. Handb. V, 1847, p. 437. Australien

- australicus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 432.
- **Rossi** Gahan, Monogr. Christmas Island 1900, p. 96. Christmas-
Ins.
- **rugosus** Deyr. Trans. Ent. Soc. Lond. 1874, p. 413. Borneo,
Sumatra
- **scaritiformis** Parry, Proc. Ent. Soc. Lond. 1862, p. 113; Trans. Ent. Soc. Lond. 1864, p. 64. Malacca,
Borneo
- **striatus** Ol. Ent. I, 1, 1789, p. 19, t. 4, f. 14. — Cast. Mauritius,
Hist. Nat. II, 1837, p. 175, t. 17, f. 6. — Westw. Bourbon
- Ent. Mag. V, 1838, p. 262. — Burm. Handb. V, 1847, p. 438. — Blanch. Hist. Nat. I, 1850, p. 268, t. 8, f. 2—3 (larva).
- **subcastaneus** Westw. Ent. Mag. V, 1838, p. 263. — Java
Burm. Handb. V, 1847, p. 438.
- **sublaevis** Beauv. Ins. Afr. et Amer. I, 1805, p. 3, t. 1, f. 3 ♂. — Westw. Ent. Mag. V, 1838, p. 262. — Oware,
Burm. Handb. V, 1847, p. 436. — Gerst. Arch. Senegal,
f. Nat. XXXVII, 1871, p. 46. — Parry, Trans. Madagascars
Ent. Soc. Lond. 1873, p. 343. — Albers, Stett. Ent. Zeitschr. XLV, 1884, p. 173; Deutsche Ent. Zeitschr. 1885, p. 248.
- anthracinus* Klug, Ins. Madag. 1832, p. 173. — Albers, Stett. Ent. Zeitschr. XLV, 1884, p. 173 (teste: Gerst. Arch. f. Nat. XXXVII, 1871, p. 46).
- ebenus* Westw. Ann. Sc. Nat. (2) I, 1834, p. 120, t. 7, f. 4; Ent. Mag. V, 1838, p. 261.
- monilifer* Parry, Proc. Ent. Soc. Lond. 1862, p. 113.
- nigritus* Westw. Ent. Mag. V, 1838, p. 161. — Parry, Trans. Ent. Soc. Lond. 1864, p. 99; Cat. Luc. III, 1875, p. 22. — Albers, Deutsche Ent. Zeitschr. 1884, p. 173.
- vulneratus* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 433.
- **sulcicollis** Hope (Westw.) Cat. Luc. 1845, p. 26. Port
Essington

39

Cardanus Westw.

Westw. Ann. Sc. Nat. (2) I, 1834, p. 112.

Eudora Cast. (pars) Hist. Nat. Ins. II, 1837, p. 174. 40

- alfurus** Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 339. Neu-Guinea
- Boileavi** Rits. Notes Leyd. Mus. XXII, 1900, p. 190. W.-Borneo
- **eostatus** Rits. l. c. XXIII, 1901, p. 229. W.-Sumatra
- **eribratus** Parry, Trans. Ent. Soc. Lond. 1870, p. 98. Philippinen
- **laevigatus** Deyr. Trans. Ent. Soc. Lond. 1874, p. 412. Molukken,
Philippinen
- sericeus** Boil. Bull. Soc. Ent. Fr. 1899, p. 43. W.-Sumatra
- **sulcatus** Westw. Ann. Sc. Nat. (2) I, 1834, p. 113, t. 7, f. 1. — Burm. Handb. V, 1847, p. 440. Java,
Sumatra,
cornutus Gray in Griff. Anim. Kingdom. 1832, t. 46, f. 3. — Cast. Hist. Nat. II, 1837, p. 175. Borneo

7

sulcatus Westw.

3

(sulcatus)

Xiphodontus Westw.

Westw. Ent. Mag. V, 1838, p. 259. — Péringuey, Trans. South Afr. Phil. Soc. XII, 1901, p. 7.

Cephex Cast. Hist. Nat. Ins. II, 1837, p. 175.

antilope Westw. Ent. Mag. V, 1838, p. 260, f. — Burm. Cap b. Sp.
Handb. V, 1847, p. 430. — Péringuey, Trans. South Afr. Phil. Soc. XII, 1901, p. 8.

capensis Sturm, Cat. 1843, p. 347, t. 4, f. 3.

Reichei Cast. Hist. Nat. Ins. II, 1837, p. 175, t. 17, f. 7—8.

1

VII. Syndesinae.

Mac Leay, Horae Ent. I, 1819, p. 104 (*Syndesidae*).

Syndesus M'Leay.

M'Leay, Horae Ent. I, 1819, p. 104.

cancellatus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, N.-Caledonien
p. 283. — Reiche, Ann. Soc. Ent. Fr. 1860,
p. 283, nota.

cornutus F. Syst. El. II, 1801, p. 377. — M'Leay, Horae Tasmania
Ent. I, 1819, p. 104. — Boisd. Voy. Astrolabe
1832, p. 238. — Westw. Ann. Sc. Nat. (2) I,
1834, p. 114. — Cast. Hist. Nat. Ins. 1837, p. 176.
— Burm. Handb. V, 1847, p. 333. — Lac. Genera,
Atl. 1856, t. 25, f. 3. — Reiche, Ann. Soc. Ent.
Fr. (3) VIII, 1860, p. 283.

parvus Donovan. Ins. Nov. Holl. 1805, t. 1, f. 1.

Götzeni Kaeseberg, Durch Afrika von Ost nach West, Afrika
Berl. 1895, p. 396.

Mac-Leayi Boil. Naturaliste 1905, p. 61. Victoria

punctatus Boil. l. c. p. 61. N.-Caledonien

5

Hexaphyllum Gray.

Gray in Griff. Anim. Kingdom. Ins. I, 1832, p. 536.

Psilodon Perty, Delect. Anim. 1830, p. 53.

aequinoctiale Buquet. Ann. Soc. Ent. Fr. 1840, p. 375 ♂. Bogota
Westwoodi Hope Proc. Ent. Soc. Lond. 1840, p. 11.
— Ann. Nat. Hist. VII. 1841, p. 147. — Burm.
Handb. V, 1847, p. 332.

Schuberti Perty, Delect. Anim. 1830, p. 54, t. 11, f. 12 ♀. Brasilien
— Cast. Hist. Nat. Ins. II, 1837, p. 176.

brasiliense Gray, Griff. Anim. Kingdom. Ins. I,
1832, p. 536, t. 46, f. 4. — Westw. Ann. Sc. Nat.
(2) I, 1834, p. 114, t. 7, f. 1. 2. — Burm. Handb.
V, 1847, p. 532. — Reiche, Ann. Soc. Ent. Fr.
1860, p. 283.

2

3

VIII. Aesalinae.

Mac Leay, Horae Ent. I, 1819, p. 115 (*Aesalidae*).

Diphyllostoma Fall.

Fall, Canad. Ent. XXXIII, 1901, p. 324.

Phyllostoma Fall, l. c. p. 290.

fimbriata Fall, l. c. p. 290.

Californien

1

Ceruchus M'Leay.

Mac Leay, Horae Ent. I, 1819, p. 115.

Platycerus Latr. Gen. Crust. Ins. II, 1807, p. 133.

- *atavus* Fairm. Compt. Rend. Soc. Ent. Belg. XXXV, 1891, p. 88. Kaschmir
- *lignarius* Lewis, Trans. Ent. Soc. Lond. 1883, p. 339, t. 14, f. 4 ♂. Japan
- *piceus* Weber, Observ. Ent. I, 1801, p. 84. — F. Syst. El. II, 1801, p. 252. — Thunb. Mém. Soc. Nat. Mosc. I, 1806, p. 202. — Schönh. Syn. Ins. I, 3, 1806, p. 327. — Burm. Handb. V, 1847, p. 329. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 59, f. 12, t. f. 11 ♂, 15 larva, 16 pupa. N.-Amerika
- *Balbi* Cast. Hist. Nat. II, 1837, p. 174, t. 17, f. 3—4. 440
- *quercicola* Melsh. Sturm. Cat. 1843, p. 136.
- *punctatus* Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 377. — Parry, Cat. Luc. Col. III, 1875, p. 4. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 59, t. f. 10 ♂. "
- *striatus* Lec. Proc. Ac. Phil. 1859, p. 85 ♂. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 59. "
- *tenebrioides* F. Mant. Ins. I, 1787, p. 2. — Panz. Fauna Germ. 1794, p. 62. — Dufts. Fauna Austr. I, 1805, p. 67. — Schönh. Syn. Ins. I, 3, 1806, p. 328. — Latr. Gen. Crust. Ins. II, 1807, p. 133. — Gyll. Ins. Suec. II, 1808, p. 68. — M'Leay, Horae Ent. I, 1819, p. 115. — Cast. Hist. Nat. Ins. II, 1837, p. 173. — Heer, Fauna Helv. I, 1838, p. 497. — Muls. Lamell. France 1842, p. 597, t. 3, f. 4—6. — Burm. Handb. V, 1847, p. 328. Deutschland, Schweiz, Frankreich, Oesterreich, Schweden
- *chrysomelinus* Hochenw. Schrift. Berl. Ges. 1785, p. 356, t. 8, f. 11.
- *piceus* Boisd. Vet. Ak. Nya. Handl. VI, 1785, p. 222, t. 8, f. a (teste Gemm. und Harold).
- *sylvicola* Muls. Col. Lamell. 1842, p. 598.
- *tarandus* Panz. Beitr. Gesch. Ins. 1802, p. 25, t. 3, f. 3—5. — Jacq. du Val, Gen. Col. Eur. 1857, t. 2, f. 6 ♂, 7 ♀.

Nicagus Lec.

Lec., *Classif. of N. Amer. Col.* I, 1860, p. 139. — Deyr. *Trans. Ent. Soc. Lond.* 1873, p. 344, t. 5, f. 8 a—b.

obscurus Lec. *Journ. Ac. Phil.* (2) I, 1848, p. 86. — Deyr. *N.-Amerika Trans. Ent. Soc. Lond.* 1873, p. 344, t. 5, f. 8 a—b.
— Westw. *Proc. Ent. Soc. Lond.* 1878, p. 34, f. 3 a—k.

1

Ceratognathus Westw.

Westw. *Ent. Mag.* V, 1838, p. 260. — Broun, *Manual N. Zealand Col.* V, 1893, p. 1112.

- **abdominalis** Parry, *Trans. Ent. Soc. Lond.* 1870, p. 99 ♀. Australien
— **alboguttatus** Bates, *Ent. Monthl. Mag.* IV, 1867, p. 54. — Moreton-Bay
Parry, *Trans. Ent. Soc. Lond.* 1870, p. 67.
— **dispar** Sharp, *Trans. Ent. Soc. Lond.* 1882, p. 82. N.-Seeland
— **flabellatus** Boil. *Naturaliste XXVII*, 1905, p. 176, f. ♂. Queensland
— **Frenchi** Blackb. *Trans. R. Soc. S. Austr.* XXI, 1897, Victoria
p. 28.
— **Froggatti** Blackb. *Proc. Linn. Soc. N. S. Wales IX*, 1894, N.-S.-Wales
p. 94. — Froggatt, *Proc. Linn. Soc. N. S. Wales IX*, 1894, p. 120 (larva).
— **Gilesi** Blackb. *Trans. R. Soc. S. Austr.* XIV, 1895, p. 215. Victoria
— **helotoides** Thoms. *Ann. Soc. Ent. Fr.* (4) II, 1862, p. 434. N.-Seeland
— Parry, *Trans. Ent. Soc. Lond.* 1864, p. 8;
l. c. 1870, p. 99.
— **areolatus** Westw. *Trans. Ent. Soc. Lond.* 1863, p. 430, t. 14, f. 2. — Parry, *Proc. Ent. Soc. Lond.* 1864, p. 7.
— **macragnathus** Boil. *Naturaliste XXVII*, 1905, p. 200. Australien
— **mentifer** Westw. *Trans. Ent. Soc. Lond.* 1863, p. 434, „
t. 15, f. 5 ♂.
— **niger** Westw. *Ent. Mag.* V, 1838, p. 261, f. — Burm. Tasmanien
Handb. V, 1847, p. 325.
— **furcatus** Cast. *Hist. Nat.* II, 1837, p. 174.
— **rufipennis** Westw. *Trans. Ent. Soc. Lond.* 1872, p. 82, Australien
t. 2, f. 2.
— **Westwoodi** Thoms. *Ann. Soc. Ent. Fr.* (4) II, 1862, p. 433 „
♂. — Parry, *Trans. Ent. Soc. Lond.* 1870, p. 99 ♀.
— **punctatissimus** Westw. *Trans. Ent. Soc. Lond.* 1863, p. 433, t. 15, f. 4 ♂. — Parry, *Proc. Ent. Soc. Lond.* 1864, p. 6.

13

Mitophyllus Parry.

Parry, *Trans. Ent. Soc. Lond.* IV, 1845, p. 55.

Ptilophyllum Guér. *Rev. Zool.* 1845, p. 439.

- angusticeps** Broun, *Ann. Mag. Nat. Hist.* (6) XV, 1895, N.-Seeland
p. 199.
coniognathus Broun, *Ann. Mag. Nat. Hist.* XI, 1903, „
p. 616.

curvidens Brown, Ann. Mag. Nat. Hist. XIV, 1904, p. 50.

- **cylindricus** Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 199. N.-Seeland
- **foveolatus** Broun, Manual N. Zeal. Col. I, 1880, p. 253. „
- **fuscus** Broun, Manual N. Zeal. Col. IV, 1886, p. 837. „
- **gibbosus** Broun, Manual N. Zeal. Col. IV, 1886, p. 928. „
- **irroratus** Parry, Trans. Ent. Soc. Lond. IV, 1845, p. 56, t. 1, f. 4. — White, Voy. Ereb. Terr. 1846, t. 2, f. 3—4. — Burm. Handb. V, 1847, p. 326. — Lacord. Genera Atl. 1856, t. 25, f. 4. — Broun, Trans. N. Zeal. Inst. XIII, 1881, p. 230 (larva, pupa). „
- **Godeyi** Guér. Rev. Zool. 1845, p. 439; Bull. Soc. Ent. Fr. (2) III, 1845, p. 97. „
- **macrocerus** Broun, Manual N. Zeal. Col. IV, 1886, p. 837. „
- **marmoratus** Waterh. Ent. Monthl. Mag. XI, 1874, p. 8. „
- **Parryanus** Westw. Trans. Ent. Soc. Lond. 1863, p. 432, t. 15, f. 3 ♂. „
- **zealandicus** Broun, (*Ceratognathus*) Trans. N. Zeal. Inst. IX, 1876, p. 372; Manual. N. Zeal. Col. I, 1880, p. 253; l. c. V, 1893, p. 1112. — Zang, Deutsche Ent. Zeitschr. 1906, p. 95. „
- **tuberculatus** Broun, Manual N. Zeal. Col. V, 1893, p. 1112. „

11

Aesalus F.

F. Syst. El. II, 1801, p. 254.

- **asiaticus** Lewis, Trans. Ent. Soc. Lond. 1883, p. 340, t. 14, f. 5. Japan
- **neotropicalis** Bates, Biol. Centr.-Amer. Col. II, 2, 1886, p. 2, t. 1, f. 3. 3 a. Guatamala
- **scarabaeoides** Panz. Fauna Germ. 1794, t. 26, f. 15 ♂, 16 ♀. — Duftschm, Fauna Austr. I, 1805, p. 70. — Schönh. Syn. Ins. I, 3, 1806, p. 331. — Latr. Gen. Crust. Ins. II, 1807, p. 133. — M'Leay, Horae Ent. I, 1819, p. 103. — Muls. Col. Fr. Lamell. 1842, p. 605, t. 3, f. 8—9. — Guér. Icon. Règn. An. 1843, t. 27, f. 2. — Burm. Handb. V, 1847, p. 323. — Jacq. du Val, Gen. Col. Eur. 1857, t. 2, f. 3. Europa
- **Smithi** Bates, Biol. Centr.-Amer. Col. II, 2, 1889, p. 382. Mexico
- **trogoides** Albers, Deutsche Ent. Zeitschr. 1883, p. 228. „
- Bates, Biol. Centr.-Amer. Col. II, 2, 1889, p. 2.
- **Ulanowskyi** Ganglb. Soc. Entom. I, 1887, p. 89. Caucasus

6

IX. Sinodendrinae.

Thoms. Ann. Soc. Ent. France (4) II, 1862, p. 391 (*Sinodendronitae*).

Sinodendron Hellw.

Hellwig, Schneid. Mag. 1794, p. 391.

Ligniperda F. Syst. El. II, 1801, p. 18.

- americanum** Beauv. Ins. Afr. et Amer. 1805, p. 192, t. 1, f. 1—2. — Parry, Trans. Ent. Soc. Lond. 1864, p. 65; l. c. 1870, p. 100 (= *cylindricum*?)
- cylindricum** L. Syst. Nat. I, 2, 1735, p. 544. — De Geer, Mém. IV, 1774, p. 258 (*Scarabaeus*). — Ol. Entom. I, 1, 1789, p. 47, 54, t. 9, f. a, b, c. — F. Ent. Syst. II, 1801, p. 376. — Latr. Gen. Crust. Ins. II, 1807, p. 101. — Heer, Fauna Helv. 1838, p. 497. — Ratzeb. Forst. Ins. I, 1839, p. 87. — Westw. Classif. Ins. I, 1839, p. 185, f. 13—18. — Muls. Col. Fr. Lamell. 1842, p. 42, t. 1, f. 15 (larva). — Burm. Handb. V, 1847, p. 320.
- juvenile* Muls. Col. Fr. Lamell. 1842, p. 602 (forma min.).
- persicum** Reitt. Wien. Ent. Zeit. XXI, 1902, p. 81. Kopet-Dagh
- rugosum** Mannh. Bull. Mosc. XVI, 1843, II, p. 262. — N.-Amerika
Lec. Report Survey 1857, p. 42, t. 1, f. 15. —
Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 59,
f. 13, t. f. 13♂.

Lucanidae

Index.

Subfamiliae, Genera, Subgenera.

- Aegognathus Leuthn. 43
Aegotypus Parry 40
Aegus M'Leay 40
Aesalinae 55
Aesalus F. 57
Agnus Burm. 51
Alcimus Fairm. 44
Allotopus Albers 15
Amneidus Cocq. 51
Anoplocnemus Burm. 15, 16
Apteroctylus Waterh. 44
Aulacostethus Waterh. 22
Auxicerus Waterh. 30
- Bobus* Boil. 51
- Cacostomus Newm. 6
Calodaemon Boileau 30
Cantharolethrus Thoms. 30
Cardanus Westw. 53
Casignethus M'Leay 4
Cephaea Cast. 54
Ceratognathus Westw. 56
Ceruchus M'Leay 55
Chalcimon Dalm. 4
Chalcodes Westw. 16
Charagmophorus Waterh. 46
Chiasognathinae 4
Chiasognathus Steph. 4
Cladognathinae 21
Cladognathus Burm. 21
Colophon Gray 8
Cyclommatus Parry 28
Cyclophthalmus Hope 28
Cyclorasis Thoms. 30
- Dendroblax White 6
Digonophorus Waterh. 32
Diphylostoma Fall 55
- Ditomoderus Parry 33
Dorcinae 32
Dorcus M'Leay 37
- Epipedus* Sol. 44
Eudora Cast. 49, 51, 53
Eulepidius Westw. 39
Eurytrachelus Thoms. 33
- Falcicornis Planet 38
Figulinae 49
Figulus M'Leay 51
- Gnaphaloryx Burm. 39
Godartia Chénu 44
- **Hadronigidius* Kraatz 49
**Hemisodorcus* Thoms. 32
**Hexarthrus* Hope 14
**Heterochthes* Westw. 21
**Hexaphyllum* Gray 54
**Homoderus* Parry 28
**Homolamprima* M'Leay 6
**Hoplitocranum* Jacowl. 22
**Hoplogonus* Parry 47
- Lamprima Latr. 7
Lepidotes Westw. 6
Leptinopterus Hope 31
Ligniperda F. 57
Lissapterus Deyr. 47
Lissotes Westw. 48
Lucaninae 9
Lucanus Scop. 10
- Macrocrates Burm. 31
Macrodercus Motsch. 33
Macrogathus Hope 21, 32
Megaloprepes Thoms. 28

Mesotopus Hope 15
 Metadorcus Parry 32
 Metallactulus Rits. 40
Metallactus Albers 40
 Metopodontus Hope 22
 Mitophyllus Parry 56

Neolamprima Gestro 8
 Neolucanus Thoms. 15
 Nicagus Lec. 56
 Nigidius M'Leay 49

Odontolabinae 15
 Odontolabis Hope 16
Odontolabis Hope 15
 Oonotus Parry 49

Paraegus Gahan 43
 Penichrolucanus Deyr. 51
 Phalacrognathus M'Leay 8
 Pholidotus M'Leay 4
Phyllostoma Fall 55
 Platycerus Geoffr. 46
Platycerus Latr. 55
Platyprosopus Hope 33
 Prismognathus Motsch. 30
 Prosopocoelus Hope 25
Psalidognathus Motsch. 22
 Psalidoremus Motsch. 22

Psalidostomus Burm. 31
 Pseudaegus Heller 43
 Pseudodorcus Parry 47
 Pseudolucanus Hope 9
 Pseudorhaetus Planet 13
Psilodon Perty 54
Ptilophyllum Guér. 56
Pycnosiphorus Sol. 44

Rhaetulus Westw. 14
 Rhaetus Parry 13
 Rhyssonotus M'Leay 6

Sclerognathus Hope 44
Sclerostomus Burm. 44
 Scortizus Westw. 45
Serrogathus Motsch. 33
Sinodendrinae 57
 Sinodendron Hellw. 57
 Sphenognathus Buquet 5
 Streptocerus Fairm. 8
Syndesinae 54
 Syndesus M'Leay 54

Tetraophthalmus Lesson 4

Xenostomus Boil. 43
 Xiphodontus Westw. 54

Species, Subspecies, Varietates.

abditus Broun 48
 abdominalis Parry 56
 acmenus Lewis 48
 acuminatus F. 40
 adelphus Thoms. 40
 Adolphinae Gestro 8
 adpersus Boh. 49
 aduncus Jord. 14
 aemulus Broun 48
 aenea F. 7
aenea Donovan (Lamprima) 7
aenea Boisd. (Lamprima) 7
aenemicans Parry 29
aequalis Westw. 41
 aequinoctiale Buquet 54
 aeratus Hope 17
 aethiops Jacowl. 30
 affinis Parry (Leptinopt.) 31
affinis Philippi (Chiasogn.) 5
affinis Parry (Cyclomm.) 28
 Agassizi Lec. 46
 var. *akbesianus* Planet 10
 Albersi Kraatz 28
Albersi Duviv. 50
 Albertisi Gestro 51
 albofuscus Blanch. 5

alboguttatus Bates 56
 alces F. 17
alces Burm. 17
 alcides Vollenh. 33
 alfurus Gestro 53
 alternatus Fairm. 44
 var. *alticola* Möllenk. 18
 americanum Beauv. 58
americanus Hope 10
 amictus Deyr. 40
 amplicollis Quedenf. 49
amplicollis Thoms. 7
 andamanensis Westw. 21
 angularis Waterh. 30
angulatus Hope 16
 angusticeps Broun 56
 antaeus Hope 37
anthracinus Kl. 53
 antilope v. Rothenb. (Odont.) 17
 antilope Swed. (Prosop.) 25
 antilope Westw. (Xiphod.) 54
antilope Burm. 27
aper Gestro 39
 approximatus Parry 25
 Archeri Waterh. 22
areolatus Westw. 56

arfakianus Lansb. 33
 armatus Parry (Sphenogn.) 5
 armatus Boil. (Aegotypus) 40
armiger Herbst. 10
 asiaticus Lewis 57
 assimilis Parry 25
astacoides Hope 23
asteriscus Thoms. 24
 atavus Fairm. 55
 ater Deyr. 51
Atkinsoni Waterh. 32
 atratus Hope 9
 attenuatus Parry 22
 aulicus Möllenk. 25
 aurata Latr. 7
 auriculatus Broun (Lissot.) 48
 auriculatus Guér. (Nigid.) 49
auriculatus Kl. 49
 aurocinctus Boil. 44
australicus Thoms. 53
 axis Boil. 32
 Azambreï Boil. 32

 Bacchus Hope 44
 Baeri Boil. 49
baladeva Hope 16
Balbi Cast. 55
 barbarossa F. 9
barbarossa Costa 13
barbarus Jordan 38
 basilaris Deyr. 48
 Beauchenei Boil. 40
 Beccarii Gestro 51
 bellicosus Boil. (Sphenogn.) 5
 bellicosus Cast. (Odont.) 17
 bellicosus Boil. (Homod.) 28
bellicosus Reiche (Odont.) 20
bellicosus Thoms. (Odont.) 20
 bellus Möllenk. 40
bengalensis Tennent (Odont.) 18
bengalensis Hope (Dorcus) 38
 Bennigseni Kraatz 49
 bicolor Möllenk. 28
bicolor Burm. (Neoluc.) 15
bicolor Burm. (Odont.) 18, 19
bicolor Oliv. (Odont.) 19
bicolor Thoms. (Odont.) 19
bidens Thunb. 13
bidens Möllenk. 41
 bigibbosus Rits. 41
binervis Motsch. 36
binodulosus Waterh. 37
 binodulus Waterh. 51
 biplagiatus Westw. 22
bipunctatus Schrank (Dorcus) 38
bipunctatus Philippi (Sclerogn.) 44
birmaensis Möllenk. 15
bisignatus Parry 32

bison F. 22
bituberculatus M'Leay 38
 Blanchardi Parry 23
Blanchardi Hope 35
 blandus Parry 41
 Boileavi Planet (Lucanus) 10
 Boileavi Rits. (Cardanus) 53
 Bonneuilli Boil. 49
 Boreli Boil. 25
 Bowringi Parry 14
 brachycerus Boil. 37
 brachypterus Westw. 21
brahminus Hope 22
 Branczicki Nonfr. 30
brasiliense Gray 54
 brevis Boil. (Neoluc.) 15
 brevis Say (Dorcus) 37
briareus Hope 33
 Brookeanus Vollenh. 17
 var. *brunneus* Nonfr. 27
 Bruyni Oberth. 25
 bubalus Sweder. 49
bubalus Perty 33
 bucephalus Hope (Macrocr.) 31
 bucephalus Perty (Eurytr.) 33
 Buckleyi Parry (Canthar.) 30
 Buckleyi Waterh. (Sclerogn.) 44
 Buddha Hope 25
 bulbosus Hope 25
 Buqueti Hope 14
 Burmeisteri Hope 17

 caelatus Blanch. 44
 calcaratus Jacowl. 23
 californicus Casey 46
 camarunus Kolbe 25
 cambodjensis Deyr. 51
 camelus Ol. 17
 canaliculatus Parry (Sphenogn.) 5
 canaliculatus Rits. (Cyclomm.) 28
 cancellatus Montrz. 54
 cancroides F. 48
 Candezei Boil. 23
Candezei Parry 34
 Cantori Hope 10
 capensis Thunb. 52
capensis Sturm 54
 capitatus Westw. 41
 capito Deyr. (Lissotes) 48
 var. *capito* Burm. (Eurytr.) 34
 var. *capito* Albers (Eurytr.) 35
capra Ol. (Lucan.) 10
capra Panz. (Dorcus) 38
capra Geer (Platyc.) 46
 capreolus L. (Pseudoluc.) 9
 capreolus Boil. (Gnaphal.) 39
capreolus Sulz. (Lucan.) 10
 capricornis Möllenk. 33

- caraboides* L. 46
carbonarius Westw. 47
carinatus L. 17
carinatus Parry (Odont.) 17, 20
carinatus Reiche (Odont.) 17
carinatus Thoms. (Odont.) 17
 var. *caspica* Semen. 12
castaneus Hope 23
castanicolor Motsch. 34
castanopterus Hope 15
Castelnaudi Parry (Odont.) 18
Castelnaudi Deyrolle (Eurytr.) 33
Castetsi Boil. 14
caucasicus Ganglb. (Dorcus) 37
caucasicus Parry (Platyc.) 46
caviceps Boil. 52
caviceps Westw. 48
cavifrons Hope 25
celebensis Möllenk. (Neoluc.) 16
celebensis Leuthn. (Odont.) 18
cephalotes Leuthn. 39
 var. *ceramensis* Thoms. 36
cervulus Boil. 33
cervus L. 10
chalybaeus Casey 46
Championi Parry 16
 var. *Chaudoiri* Deyr. 14
chelifer M'Leay 41
chelifer Montrz. 42
Chevrolati Chénu (Hemisod.) 32
Chevrolati Hope (Eurytr.) 34
chiloensis Lesson 5
chrysomelinus Hochenw. 55
cicatricosus Boil. 52
cicatricosus Wiedem. (Aegus) 40
cicatricosus Burm. (Lissotes) 48
ciliatus Albers 18
cilipes Thoms. 25
cinctus Montrz. 23
cinereus Boil. 39
cingalensis Parry 18
cingulatus Parry 16
cinnamomeus Guér. 23
circumflexus Parry 5
clivinoides Thoms. 52
coerulea Donovan. 7
coerulescens Lec. 47
cognatus Hope 35
concolor Blanch. 35
Confucius Hope 21
confusus Westw. 52
congoanus Duviv. 25
coniognathus Broun 56
consanguineus Boil. 28
consentaneus Albers 33
consimilis Möllenk. 31
copricephalus Deyr. 51
coranus Gestro 33
cornutus Boil. (Aegus) 41
cornutus Boil. (Liss.) 48
cornutus M'Leay (Nig.) 49
cornutus F. (Synd.) 54
cornutus Gray (Cord.) 53
cornutus Thunb. (Aegus) 40
costatus Boil. (Eurytr.) 33
costatus Lec. (Dorcus) 38
costatus Hope (Scort.) 45
costatus Rits. (Card.) 53
Cotesi Nonfr. 14
crenatus Westw. (Rhaet.) 14
crenatus Westw. (Lissotés) 48
crenicollis Thoms. 25
crenulata M'Leay 6
crenulidens Fairm. 25
cribellatus Motsch. 36
cribratus Parry (Cardan.) 53
cribratus Thoms. (Sclerogn.) 44
cribratus Muls. (Platyc.) 46
cribriceps Chevr. 33
cribricollis Parry 50
cruentus Burm. 44
cucullatus Blanch. 44
cultridens Burm. 7
Cumingi Hope 17
cuniculus Thoms. 45
cuprea Latr. 7
cupreiventris Möllenk. 18
cupreonitens Boil. 28
Curtisi Waterh. 41
 var. *curtulus* Motsch. 12
curtus Kirsch 39
curvicornis Boisd. 48
curvidens Nonfr. 25
curvidens Hope 37
curvipes Hope 25
cuvera Hope 18
cuvera Parry 18
cylindricum L. 58
cylindricus Thoms. (Gnaphal.) 39
cylindricus Broun (Mitoph.) 57

Dalmani Hope 18
dama F. (Pseudoluc.) 9
dama Müller (Dorcus) 38
Darwini Burm. (Sclerogn.) 44
Darwini Hope (Sclerogn.) 45
dauricus Motsch. 30
Davidis Deyr. (Pseudoluc.) 9
Davidis Deyr. (Prismogn.) 30
Davidis Fairm. (Gnaphal.) 39
Davisoni Waterh. 14
decipiens Parry (Prosop.) 25
decipiens Albers (Figulus) 52
De Haani Westw. (Cyclomm.) 28
De Haani Hope (Dorcus) 37
Dejeani Buquet (Pholid.) 4
Dejeani Sol. (Strept.) 8

Dejeani Reiche (Odont.) 19
Dejeani Parry (Odont.) 19
Delagranei Fairm. 46
Delavoyi Fairm. 11
Delegorguei Thoms. 50
Delesserti Guér. 18
Delesserti Hope 18
delicatulus Lewis 46
denticulatus Boil. 26
dentifer Deyr. (Prosop.) 26
dentifer Albers (Nigidius) 50
depressus Lec. 46
depressus Ill. 40
derelictus Parry 37
Desmaresti Deyr. 48
Deyrollei Parry 14
diabolicus Thoms. 35
dilatatus Fairm. 44
dilaticollis Parry (Gnaphal.) 39
dilaticollis Rits. (Aegus) 41
dispar Sharp 56
dissimilis Boil. 22
distinctus Deyr. (Lissotes) 48
distinctus Parry (Nigidius) 50
distinctus Westw. 41
ditomoides Westw. 44
divergens Waterh. 50
dorcas Panz. 10
Donckieri Boil. 32
dorsalis Burm. 25
dorsalis Er. 26
Downesi Hope 23
Downesi Hope 22
Dubernardi Planet 23
dubius Hope 34
Duivenbodei Deyr. 18
dux Westw. 17
Dybowskyi Parry 11

Earlei White 6
ebenius Albers (Prosop.) 26
ebeninus Deyr. (Platyc.) 47
ebenus Westw. 53
egenus Burm. 51
egregius Möllenk. 33
elaphus F. (Lucanus) 11
elaphus Möllk. (Metop.) 23
elaphus Gestro (Cyclomm.) 28
elaphus Herbst 36
elegans Möllenk. (Odontol.) 18
elegans Jacowl. (Leptinopt.) 31
elegans Parry (Hemisod.) 32
elegans Boil. (Eurytr.) 33
elegans Broun (Lissotes) 48
elegans Planet (Lucanus) 11
elegantulus Albers (Prosop.) 26
elegantulus v. Roon (Aegus) 41
Elizabethae Waterh. 23

ellipticus Boil. 41
 var. *elongatulus* Möllenk. 15
elongatus Jordan (Hexarthr.) 14
elongatus Deyr. (Sclerogn.) 44
elongatus Boil. (Nigidius) 50
emarginatus Saund. 20
eremicola Möllenk. 18
erythrocnemus Burm. 31
Eschscholtzi Hope 41
eurycephalus Burm. 33
eustictus Philippi 8
Evansi Westw. 20
exaratus Thoms. 36
eximius Parry (Prosop.) 26
eximius Möllenk. (Cyclomm.) 28

faber Thoms. 26
Fabiani Muls. 10
Fairmairei Planet (Lucanus) 11
Fairmairei Parry (Sclerogn.) 44
falciger Hope (Hexarthr.) 14
falciger Westw. (Aegus) 40
falco Cast. (Eurytr.) 35
falco Hope (Eurytr.) 36
fallaciosus Boil. 18
fasciatus Germ. 44
faunicolor Hope 28
Feai Boil. 26
Feisthameli Guér. 5
Felschei Möllenk. 23
femoralis Waterh. (Odont.) 18
femoralis Guér. (Sclerogn.) 45
femoratus Boil. (Prosop.) 26
femoratus F. (Leptinopt.) 31
femoratus Thoms. 31
Ferriei Planet 11
fimbriata Fall 55
fissicollis Fairm. 52
flabellatus Boil. 56
flavidus Parry 26
 var. *flavoguttatus* Möllenk. 24
forceps Vollenh. 26
forcipatus Westw. 50
forcipula Westw. 48
forficatus Albers. 26
forficula Thoms. 26
formosae Bates 41
formosanus Planet (Lucanus) 11
formosanus Bates (Nigidius) 50
fornicatus Albers 41
Forsteri Hope 14
Fortunei Saund. 11
foveatus Hope 23
foveicollis Boisd. 52
foveolatus Broun 57
foveolatus Thunb. 6
fratellus Leuthn. 18
fraternus Westw. 31

fraternus Hope 23
Frenchi Blackb. 56
Frey-Gessneri Rits. 28
Froggatti Blackb. 56
Fruhstorferi Meyer-Darcis 18
Fruhstorferi Kolbe (Prosop.) 26
Fruhstorferi Albers (Nigidius) 50
Fryi Parry 31
fulgida Boisd. 7
fulvipes Hope 23
fulvolimbatus Blanch. 22
fulvonotatus Parry 32
funereus Hope 31
furcatus Cast. 56
furcicornis Westw. 48
fusculus Broun 57

Garleppi Boil. 5
Gaujoni Oberth. 4
gazella F. 18
gazella Thoms. (Odont.) 20
gazella Parry (Odont.) 20
georgianus Thoms. 50
georgius Thoms. 30
geotrupoides M'Leay 4
Gestroi Boil. (Odont.) 19
Gestroi Boil. (Aegus) 41
Ghilianii Gestro 34
gibbosus Broun 57
giganteus Möllenk. 28
gigas Möllenk. 50
Gilesi Blackb. 56
giraffa F. (Cladogn.) 22
giraffa Möllenk. (Cyclomm.) 29
glaber Parry 41
glabratus Hope 16
glabripennis Westw. 37
gladiator Jacowl. 28
Godefroyi Coquerel 51
Godeyi Guér. 57
Götzeni Kaeseberg 54
Gouberti Waterh. 17
Gounellei Boil. 45
gracilicornis Möllenk. 41
gracilis Albers (Lucanus) 11
gracilis Kaup (Odont.) 19
gracilis Boil. (Leptinopt.) 31
gracilis Saund. (Hemisod.) 32
gracilis Deyr. (Aegus) 41
grandis Deyr. (Aegus) 41
grandis Hope (Nigidius) 50
Granti Steph. 4
Groulti Planet (Pseudoluc.) 9
Groulti Planet (Falcicornis) 38
gypaetus Cast. 34

Hacquardi Oberth. 24
Hageni Rits. 50

hamatus Jacowl. 41
Hanningtoni Waterh. 26
Hansteini Albers 34
hastatus Westw. 46
Helleri Boil. 50
Helmsi Sharp 48
helotoides Thoms. 56
Higginsii Parry 5
hircus Herbst 10
hirticornis Jacowl. 34
 var. *honesta* Möllenk. 33
honoluluensis Waterh. 44
Hopei Parry (Lucanus) 11
Hopei Saund. (Dorcus) 37
Hopei Boil. (Aegus) 41
Horni Zang 52
Howittanus Westw. 47
Humboldti Gyll. 4
hydrophiloides Hope 47
hyperion Boil. 37

ibex Billb. 31
 var. *ibiricus* Motsch. 12
imberbis Philippi 5
imperator Boil. 29
imperialis Möllenk. 19
impressicollis Parry (Aegus) 41
impressicollis Boil. (Nigidius) 50
impressicollis Rits. (Figulus) 52
impressus Waterh. 23
impressus Thunb. 13
impubis Parry 5
inaequalis Kaup 19
incertus Hope 34
inclinatus Motsch. 22
incognitus Möllenk. 29
indeterminatus Hope 34
inermis Marsh. 10
inermis F. 41
inflexus Boil. 30
 var. *inflexus* Har. 22
infractus Bergstr. 38
inquinatus Westw. 23
insignis Parry 29
insipidus Thoms. 42
insolitus Jacowl. 43
instabilis Möllenk. 19
insularis M'Leay 7
insularis Blanch. 52
integer Westw. 49
integricollis Thoms. 52
intermedius v. d. Poll. (Odont.) 19
intermedius Gestro (Eurytr.) 34
intermedius Motsch. (Lucanus) 12
intermedius Deyr. (Odont.) 18
interruptus M'Leay (Aegus) 42
interruptus Waterh. (Figulus) 52
irroratus Parry (Mitoph.) 57

irroratus Hope (Scortizus) 46
ithaginis Broun 48
Jacowleffi Boil. 23
Jansoni Boil. 42
javanensis v. d. Poll 26
Jekeli Parry 30
Jenkinsi Westw. 23
Johnstoni Waterh. 28
Jousselini Reiche 5
 var. *judaicus* Planet 10
jugularis Westw. 6
juvencus Thoms. 24
juvenile Muls. 58

kandiensis Parry 42
Kannegieteri v. d. Poll 23
Kaupi Deyr. 29
Keeni Casey 47
kinabaluensis Rits. (Nigidius) 50
 var. *kinabaluensis* Möllenk. (Odon.) 21
Klugi Thoms. 37
Kreffti M'Leay 7

labilis Westw. 42
Lacordairei Vollenh. 19
laevicollis Saund. (Aegus) 42
laevicollis Westw. (Nigidius) 50
laevadorsis Fairm. 37
laevigatus Har. (Nigidius) 50
laevigatus Deyr. (Cardanus) 53
laevipennis Montrz. 52
Lafertei Reiche 26
lama Ol. (Neoluc.) 16
lama Burm. 12, 13
laminifer Waterh. (Lucanus) 12
laminifer Boil. (Prosop.) 26
Lansbergei Leuth. (Neoluc.) 16
Lansbergei Boil. (Aegus) 42
Lansbergei Rits. (Figulus) 52
Lansbergei Gestro (Eurytr.) 34
lateralis Hope 26
lateralis Saund. 34
laticeps M'Leay (Rhys.) 6
laticeps Möllenk. (Prosop.) 26
laticollis Thunb. (Neoluc.) 16
laticollis Reiche (Figulus) 52
 var. *laticornis* Deyr. (Lucanus) 10
 var. *laticornis* Boil. (Gnaphal.) 39
latidens Schauf. (Aegus) 42
latidens Westw. (Lissotes) 48
latipennis Hope 19
latus Boil. (Neoluc.) 16
latus Fall (Platyc.) 47
Latreillei Sol. (Chiasogn.) 5
Latreillei M'Leay (Lampr.) 7
Launcestoni Westw. 48
Leeuweni Rits. 42

lentus Cast. 10
lepidosus M'Leay 4
leptodon Heller 43
Lesnei Planet 9
Lessoni Buquet 45
Leuthneri Boil. (Neoluc.) 16
Leuthneri Boil. (Odont.) 19
Leuthneri v. d. Poll (Aegogn.) 43
 var. *Leuthneri* Ganglb. (Dorcus) 38
Lewisii Boil. 50
Lichtensteini Rits. 50
lifuanus Montrz. (Prosop.) 26
lifuanus Montrz. (Figulus) 52
lignarius Lewis 55
lilliputanus Westw. 52
limbatus Waterh. 23
Lindei Boil. 4
Lindeni Murray 5
lineatopunctatus Hope 36
lineatus Waterh. (Charagm.) 46
lineatus Deyr. (Sclerogn.) 45
liocephalus Sol. 45
Listeri Gahan 43
lobicollis Jacowl. 40
longipennis Hope 14
Lorquini Deyr. 26
Loweii Parry 19
Loweii Gestro 20
lucidus Boil. 30
Ludekingi Vollenh. 20
lunatus Weber 40
lunifer Hope (Lucanus) 12
lunifer Boil. (Cyclomm.) 29
luridus Westw. 39
lusitanicus Hope 10
luteus Westw. 40
Luxeri Buquet 30

Mac-Clellandi Hope 24
Mac-Leayi Hope (Hemisod.) 32
Mac-Leayi Boil. (Syndesus) 54
macrocerus Broun 57
macrognathus Boil. 56
 var. *macrophyllus* Kraatz 12
maculatus Klug 45
 var. *maculifemoratus* Motsch. 11
madagascariensis Cast. 50
magnificus Möllenk. 24
Maitlandi Parry 29
malabaricus Westw. 41
malaccus Thoms. 42
mandibularis M'Leay (Neolampr.) 8
mandibularis Deyr. (Hexarthr.) 14
mandibularis Möllenk. (Prosop.) 26
mandibularis Möllenk. (Eurytr.) 34
mandibularis Thoms. (Psalid.) 22
mandibularis Sol. (Sclerogn.) 45
 var. *mandibularis* Möllenk. (Aegus) 40

- var. mandibularis* Möllenk. 18
manifestus Jacowl. 5
manilarum Hope 52
Margaritae Gestro 29
marginalis Casey (Platyc.) 47
marginalis Rits. (Figulus) 52
marginalis Saund. (Eurytr.) 34
marginatus Waterh. 16
marginatus Burm. 26
marginipennis Deyr. 45
marmoratus Waterh. 57
Martini Hope 27
maxillaris Motsch. 10
Mazama Lec. 9
Mearesi Hope 12
mediocris Deyr. 52
Meeki Boil. 37
melanarius Hope 31
Mellyi Parry 28
Menalcas Westw. 48
mentifer Westw. 56
mento Albers 52
metallifer Boisd. 29
metallifer Hope 29
Micardi Reiche 7
microcephalus Muls. 10
Midas Cast. 49
miles Vollenh. 39
minax Möllenk. 34
minima M'Leay 7
minutus Gestro (Aegus) 42
minutus Deyr. (Figulus) 52
mirabilis Boil. (Metop.) 24
mirabilis Parry (Ditomod.) 33
Mniszechi Planet (Pseudoluc.) 9
Mniszechi Thoms. (Hexarthr.) 14
Mniszechi Thoms. (Cyclomm.) 29
Mniszechi Thoms. (Nigidius) 50
Mniszechi Thoms. (Chiasogn.) 5
modestus Parry (Prosop.) 26
modestus Philippi (Sclerogn.) 45
modestus Parry (Figulus) 52
Modiglianii Rits. 29
Moellenkampfi Fruhst. (Allotop.) 15
Moellenkampfi Fruhst. (Odont.) 20
Mohnikei Parry 24
moloschus Hope 33
monilifer Parry 53
montanellus Möllenk. 29
monticola Möllenk. 20
montivagus Lewis 34
mordax Boil. 26
morio Burm. 31
Moseri Möllenk. 15
Motschulskyi Waterh. 22
Mouhoti Parry 20
Muelleri M'Leay 8
multicolor Boil. 30
multidentatus Westw. 29
muntjac Gestro 16
Murrayi Thoms. 5
musimon Géné 37
muticus Thunb. 9
myrmecolion Schauf. 26
myrmidon Thoms. 42
mysticus Parry (Prosop.) 27
mysticus Möllenk. (Cyclomm.) 29

natalensis Parry 27
nebulosus Kirby 6
Neervoorti Fruhst. 27
neotragus Westw. 44
neotropicalis Bates 57
nepalensis Hope 32
niasicus Nonfr. 34
niger Westw. 56
var. nigra Vollenh. 19
nigricollis Hope 7
nigripennis M'Leay 7
nigripes Hope 12
var. nigripes Boil. 22
nigritus Deyr. (Odont.) 18
nigritus Westw. (Figulus) 53
niponensis Vollenh. 35
nitens Waterh. 52
nitidicollis Albers 42
nitidulus Gestro 52
nitidus Saund. (Neoluc.) 16
nitidus Kirsch (Dorcus) 37
nitidus Boil. (Aegus) 42
nitidus Thoms. (Nigidius) 50
nobilis Parry 5
Novae-Zeelandiae Hope 48
var. nubigena Möllenk. 20

Oberndorfferi Nonfr. 50
Oberthuri Planet (Pseudoluc.) 9
Oberthuri Planet (Lucanus) 12
Oberthuri Planet (Pseudorh.) 13
Oberthuri Leuthn. (Neoluc.) 16
obesus Parry 50
oblongus Charp. 38
obscurus Lec. (Nicagus) 56
obscurus Saund. (Eurytrach.) 34
obscurus M'Leay (Aegus) 40
obtusatus Westw. 48
occipitalis Hope 24
ogivus Deyr. 42
omissus Hope 23
opacipennis Zang 38
opacus Boil. (Neoluc.) 16
opacus Burm. (Gnaphal.) 39
opacus Fall (Platyc.) 47
opacus Deyr. (Lissotes) 48
opacus Waterh. (Eurytrach.) 36
oregonensis Westw. 47

- orientalis Kraatz 12
oryx Burm. 33
 ovatus Boil. 27
 Oweni Hope 27
 oxygonus Jacowl. 42
 oxyotus Fairm. 50
- pacificus Casey 47
 pallescens Leuthn. 16
pallidipennis Hope 23
 pallidocinctus Fairm. 45
 papuanus Gestro 52
 var. *paradoxus* Möllenk. 14
 parallelopipedus L. 37
 parallelus Deyr. (Rhysson.) 6
 parallelus Say (Dorcus) 38
 parallelus Hope (Aegus) 42
 paranensis Parry 31
 Parryanus Westw. 57
 Parryi Boil. (Lucanus) 12
 Parryi Boil. (Rhaetus) 13
 Parryi Hope (Hexarthr.) 14
 Parryi Leuthn. (Neoluc.) 16
 Parryi Boil. (Odont.) 20
 Parryi Thoms. (Dorcus) 38
 Parryi Waterh. (Aegus) 42
 Parryi Bates (Nigidius) 50
Parryi Hope (Hemisodorc.) 32
 parvicollis Casey 47
 parvulus Hope 40
 parvus Boil. 42
parvus Donovan. 54
 passaloides Hope 27
 Pasteuri Rits. (Prosop.) 27
 Pasteuri Rits. (Cyclomm.) 29
 patricius Schauf. 27
 pectinicornis Möllenk. 34
 pelorides Westw. 47
 pengalenganus v. d. Poll 42
 var. *pentaphyllus* Reiche 10
 perforatus Rits. (Gnaphal.) 39
 perforatus Har. (Nigidius) 51
 perplexus Parry 27
 persicum Reitt. 58
 peruvianus Waterh. 5
 Peyroni Reiche 38
 philippensis Deyr. 42
 Philippii Westw. 45
 piceus Weber (Ceruchus) 55
piceus Kirby (Platyc.) 46
piceus Boisd. (Ceruchus) 55
 picipennis Westw. 32
picipennis Hope 25
Picornoti Boil. 51
piger Motsch. 12
pilifer Vollenh. 34
 pilosipes Waterh. 34
 placidus Say 9
- plagiatus Burm. 46
 Planeti Planet (Lucanus) 13
 Planeti Boil. (Metopod.) 24
 Planeti Jacowl. (Aegus) 42
 planus Broun 48
 platycephalus Hope 30
platycephalus Westw. 41
 platycephus Waterh. 30
 platymelus Saund. 34
 platynotus Hope 20
 platyodon Parry 42
 politus Parry (Prosop.) 27
 politus Montr. (Aegus) 42
 polyodontus Hope 31
 var. *polyodontus* Boil. 28
 var. *Pontbrianti* Muls. 11
 var. *Poujadei* Planet 11
 praecellens Möllenk. 35
 praestans Jacowl. 5
 preangerensis v. d. Poll 42
Preussi Kolbe 28
Prinseppi Hope 18
 prionoides Buquet 5
 procerus Heller 52
productus Parry 25
 Prosti Boil. 35
 pubescens Waterh. 5
 pulchellus Möllenk. 29
 pulverosus Westw. 46
pulverosus Parry 24
 punctatissimus Fairm. 27
punctatissimus Westw. 56
 punctatostriatus Deyr. 52
punctatostriatus Redt. 36
 punctatus Waterh. (Figulus) 52
 punctatus Boil. (Syndesus) 54
 punctatus Lec. (Ceruchus) 55
punctatus F. 40
punctifrons Sturm 33
punctiger Hope (Prosop.) 25
punctiger Saunders (Aegus) 42
punctilabris Hope 35
 punctipennis Parry 43
 punctithorax Heller 42
punctulatus White 48
 purpurascens Vollenh. 35
purpurascens Hope 7
pusillus Gestro 43
pygmaea M'Leay 7
 pygmaeus Jacowl. 43
- quadridens* Hope 25
quadrinodosus Parry 24
quercicola Melsh. 55
 quercus Weber 47
- Rafflesi* Hope (Metopod.) 23
Rafflesi Hope (Hemisod.) 32

- rama* Boil. 35
rangifer Schönh. 29
ratiocinativus Westw. 38
rectangulus Vollenh. 42
rectus Motsch. 35
regius Möllenk. 15
regularis Westw. 52
Reichei Hope (Eurytr.) 35
Reichei Thoms. (Chiasogn.) 5
Reichei Hope (Cantharol.) 30
Reichei Castelnau (Xiphod.) 54
 var. *Reichei* Ganglb. (Dorcus) 38
relucens Möllenk. 20
reticulatus Westw. 48
rhinoceros Ol. 14
Ritsemae Boil. (Odont.) 20
Ritsemae Boil. (Aegus) 43
Ritsemae Boil. (Xenost.) 43
 var. *Ritsemae* Jacowl. (Cyclomm.) 29
 var. *robustus* van Roon 20
Roepstorffi Waterh. (Metopod.) 24
Roepstorffi Waterh. (Aegus) 43
Rollei Möllenk. 14
Rosenbergi Vollenh. 15
rosselianus Boil. 43
Rossi Gahan 53
Rosti Zang 38
rotundatus Parry (Metadorcus) 32
rotundatus Boil. (Aegus) 43
rotundatus Boil. (Sclerogn.) 45
rotundicollis Westw. 6
Rouleti Sol. 45
rubripes Burm. 45
rubrofemoratus Vollenh. 35
rubrovittatus Blanch. 45
rudis Westw. 37
rufifemoralis Curtis 45
rufipennis Westw. 56
rufipes Sharp (Lissotes) 49
rufipes Sol. (Sclerogn.) 45
 var. *rufipes* Boil. (Hexarthr.) 14
 var. *rufipes* Herbst (Platyc.) 46
rufonotatus v. Rothenb. 19
rugifrons Hope (Lucanus) 12
rugifrons Hope (Eurytr.) 33
rugipennis Motsch. 35
rugosum Mannerh. 58
rugosus Boil. (Dorcus) 38
rugosus Albers (Gnaphal.) 39
rugosus Deyr. (Figulus) 53
rupicapra Dej. 10
rutilans Er. 7
- saiga* Ol. 35
saiga auct. (Eurytr.) 34
Sarasinorum Heller 20
sarcorhamphus Cast. 31
Saundersi Parry 16
- Savagei* Hope 24
Sayersi Hope 27
scarabaeoides Panz. 57
scaritiformis Parry 53
scaritoides Hope (Dorcus) 37
scaritoides Sturm (Platyc.) 47
Schreibersi Hope 7
Schuberti Perty 54
sculpticollis Helier 43
sculptipennis Parry 39
securidens Say 47
Semenowi Jacowl. 32
semicariosus Fairm. 51
semicircularis Schauf. 43
semirugosus Thoms. 36
semisulcatus Muls. 37
senegalensis Klug (Prosop.) 27
senegalensis Hope (Prosop.) 25
sericans Vollenh. 11
sericea M'Leay 7
sericeus Westw. (Metop.) 24
sericeus Boil. (Cardanus) 53
serraticornis Fairm. 13
serratus Parry 43
serricollis Hope 14
serricornis Latr. 27
serrifer Hope 17
setosus Sturm 39
Sewertzowi Semen. 38
 var. *siciliana* Planet 13
signatipennis Deyr. 45
 var. *signatipennis* Möllenk. 19
signatus Parry 6
similis Hope 32
Simsoni Parry 47
sinensis Westw. (Odont.) 20
sinensis Boil. (Hemis.) 32
singularis Planet 13
sinicus Boil. (Pseudorh.) 13
sinicus Saund. (Neoluc.) 16
sinister Hope 41
siva Hope 20
Smithi Parry (Lucanus) 13
Smithi Bates (Aesalus) 57
Sommeri Parry 20
speciosus Fairm. (Strept.) 8
speciosus Boil. (Metop.) 24
speciosus Boil. (Cyclomm.) 29
spectabilis Boil. 21
spectabilis Kraatz 50
specularis Boil. (Prosop.) 27
specularis Jacowl. (Aegus) 43
speculifer Hope 25
Spencei Hope 27
spinifer Boil. 6
 var. *spinifer* Schauf. 46
Spinolae Sol. 45
Spixi Perty 4
splendens Er. 7

- squalidus* Hope 39
squamidorsis White 48
squamilateris Parry 27
squamosus Newm. (Cacost.) 6
squamosus Rits. (Cyclomm.) 29
Steinheili Parry 31
Stevensi Thoms. 21
Stewarti Broun 49
striatellus Perty 40
striatipennis Motsch. 36
striatopunctatus Saund. 37
striatus Deyr. 21
striatus Ol. (Figulus) 53
striatus Lec. (Ceruch.) 55
striatus Saund. (Dorcus) 37
striatus M'Leay (Figulus) 52
strigiceps Westw. 29
subaeneus Motsch. 30
subangulatus Hope 27
subcastaneus Westw. 53
subcostatus Sturm 33
subcrenatus Westw. 49
sublaevis Beauv. 53
submolaris Hope 35
subnitens Parry 30
subnitidus Waterh. 43
subrugosa Hope 7
subtuberculatus Westw. 49
subvelutinus Motsch. 12
sulcatus Westw. 53
sulcicollis Hope 53
sumptuosa Hope 7
sumptuosus Möllenk. 29
suturalis Ol. (Metop.) 24
suturalis Westw. (Dorcus) 38
swanzyanus Parry 24
Swinhoei Parry (Lucanus) 13
Swinhoei Bates (Neoluc.) 16
sylvicola Muls. 55
syriacus Motsch. (Lucanus) 12
 var. *syriacus* Planet (Lucanus) 16
- tarandus* Sweder. (Mesotop.) 15
tarandus Möllenk. (Odont.) 21
tarandus Thunb. (Cyclomm.) 29
tarandus Panz. 55
tarsalis Rits. 27
Taschenbergi Parry 6
tasmaniae Hope 7
tauricus Motsch. 10
taurus F. (Gnaphal.) 39
taurus Boil. (Aegus) 43
taurus Jacowl. (Nigidius) 51
tenebrioides F. 55
tenebrosus Motsch. 12
tenuecostatus Fairm. 38
tenuipes Hope 25
ternatensis Thoms. 36
- tesserarius* Herbst 23
tetraodon Thunb. 13
tetraodon Duval 12
thibetanus Planet 13
 var. *thibetanus* Planet 23
thibeticus Westw. 25
Thomsoni Parry 36
thoracicus Möllenk. (Dorcus) 38
thoracicus Casey (Platycerus) 47
Thunbergi Westw. 8
tibialis Eschz. 31
tibialis Klug 31
Titanus Boisd. 36
Tityus Hope 36
tomentosus Burm. 39
torresensis Deyr. 24
tragulus Vollenh. 27
triangularis Burm. 31
tricuspis Rits. 39
trifurcatus Möllenk. 29
trigonus Thunb. 9
trilobatus Parry 40
trilobus Westw. 51
tristis Deyr. 45
trogoides Albers 57
 var. *Truquii* Muls. 38
tuberculatus Sol. (Scortizus) 46
tuberculatus Broun (Mitoph.) 57
tuberculatus M'Leay (Dorcus) 38
 var. *tumidicollis* Möllenk. 23
 var. *turcicus* Sturm 10
 var. *Typhon* Boil. 36
- Ulanowskyi* Ganglb. 57
Umhangi Fairm. 24
ungulatus Hope 24
urocephalus Albers 36
ursus Cast. 17
- vagatus* Fairm. 51
validus Péring. 51
Van-Volxemi Lewis 36
varians Burm. 7
variegatus Boil. 28
variolosus Hope 44
Vavrai Nonfr. 38
velutinus Thoms. 39
vicinus Hope (Lucanus) 13
vicinus Saund. (Dorcus) 38
villosus Hope 13
violacea M'Leay 8
virescens Muls. (Platyc.) 46
virescens F. (Platyc.) 47
viridiaeneus Muls. 46
viridis Er. 8
Vishnu Hope 17
vittatus Deyr. (Prosop.) 27

- vittatus* Eschsch. (Sclerogn.) 45
vittatus Burm. (Sclerogn.) 44
vitulus Hope 14
V-nigrum Hope 31
Voeti Schoenh. 38
Volkmanni Nonfr. 23
Vollenhoveni Parry (Odont.) 21
Vollenhoveni Albers (Eurytr.) 34
vulneratus Thoms. 53
vultur Cast. 34
- Wallacei* Parry 27
Wallisi Taschenb. 5
Waterhousei Boil. (Neoluc.) 16
Waterhousei Leuthn. (Aegogn.) 43
Waterstradti v. Rothenb. 21
Welwitschi Waterh. 51
Wentzel-Heckmannae Kolbe 24
- Westermanni* Hope (Lucanus) 13
Westermanni Hope (Eurytr.) 36
Westwoodi Gray (Colophon) 8
Westwoodi Parry (Rhaetus) 13
Westwoodi Boil. (Aegus) 43
Westwoodi Thoms. (Ceratogn.) 56
Westwoodi Shipp (Phalacrog.) 8
Westwoodi Hope (Hexaph.) 54
Wickhami Waterh. 36
Wimberleyi Parry 27
Wollastoni Parry 21
Woodfordi Waterh. 43
woodlarkianus Montr. 52
- zealandicus* Fairm. (Lissotes) 48
zealandicus Broun (Mitoph.) 57
zebra Ol. 27
Zuberi Waterh. 29

