



# Entomofauna

ZEITSCHRIFT FÜR ENTOMOLOGIE

---

Band 31, Heft 14: 169-228    ISSN 0250-4413    Ansfelden, 19. November 2010

---

## The Leaf-beetles (Coleoptera, Chrysomelidae) of the South Urals

Elena V. GUS'KOVA

### Abstract

This paper is an annotated list of the Chrysomelidae fauna of the South Urals including 13 subfamilies, 65 genera and 285 species.

### Introduction


The family Chrysomelidae is one of the largest Coleoptera families. The faunistic lists published before 1996 included species of the conservation areas of the South Urals only (ESYUNIN & KOZMINYH, 1992; LAGUNOV & NOVOZHENOV, 1996). A review article dedicated to the eco-faunistic characteristics of the leaf-beetles of the South.

Urals appears in 1996 (GUS'KOVA, 1996). However this work lacks sufficient data as regards the subfamily Alticinae which invites a further individual comprehensive research. Follows a series of works (BIEŃKOWSKI, 2001, 2009; MIKHAILOV, 2006a, 2006b) dedicated to the problem of defining the systematic position of the two species of the South Urals described over 100 years ago, G.G. JACOBSON: *Chrysolina poretzkyi* (JACOBSON, 1897) and *Chrysolina roddii* (JACOBSON, 1897). The works describe two new species found in this area: *Chrysolina (Pleurosticha) lagunovi* MIKHAILOV, 2006 and *Altica filipendulae* CHASHCHINA, 2006. A review paper devoted to the family Alticinae, including 88 species from 16 genera, is published (CHASHCHINA, 2008).

Thus, we now face a need to critically revise the faunistic list of the leaf-beetles of the South Urals. The present study continues the author's publications on the Chrysomelidae fauna of the region.

The author's collection of 1995-2009, done in natural and anthropogenic biotopes of the South Urals, served as material for the present study. We performed our research in three biomes of the South Urals-woodland, forest steppe and steppe. In addition we studied the collections of the Zoological Institute of the Russian Academy of Science (ZIN, St.-Petersburg, Russia), the Zoological Museum of Moscow State University (Moscow, Russia), the Zoological Museum of Kurgan State University (Kurgan, Russia) and the Siberian Zoological Museum (Novosibirsk, Russia). To compile the list we resorted to the literary data of other researchers.

There is no commonly accepted viewpoint as to the boundaries of the South Urals as a natural region. By the South Urals, the author of the present paper understands an area with the following characteristics: the South Urals are part of the Ural territory located southward from  $55^{\circ} 25'$  n. lat. The northern border of the South Urals (according to CHIKISHEV, 1966) is formed by the valley of the river Ufa stretching from the cities of Nyazepetrovsk and Verkhnj Ufalej east-north-eastward across Lake Itkul' and the city of Kamensk-Ural'skij to the mouth of the river Iset'. The southern border stretches from the latitudinal segment of the river Sakhmara, along the latitudinal flow of the river Ural, across the city of Orsk, along the valley of the river Kumak and further eastward to the south of the source of the river Tobol. The eastern border runs from the city of Kamensk-Ural'skij to the east of Chelyabinsk and Troitsk and to the east of the high-level meridional flow of the river Tobol. The western natural border is formed by the main range of the South Urals (Fig. 1).



**Fig. 1:** Borders of Southern Ural.

The South Urals are divided into 2 parts – the northern mountainous part and the southern plateau-like part. Here, the width of the mountains reaches its greatest point (120 km), the height going up to 1500-1600 m. The mountain terrain is represented by several lines of large ranges, among which the Uraltau range is a watershed one. The highest peak of the South Urals is Mount Yamantau (1640 m). High ranges and massifs feature bald terrain areas. To the south of the latitudinal segment of the river Belya the mountain height falls to 500-600 m. This is the South-Urals peneplain (the Zilairskoe plateau), a high plain with fold base. In the east the axial part of the South Urals turns into the Zauralskij peneplain, a lower and smoother billowy plain with the average height of 280-300 m (CRIKISHEV, 1966). Thus, heterogeneity of natural conditions has determined top-soil diversity and, consequently, biodiversity.

As a result of our research we have compiled a paper which is an annotated list of the Chrysomelidae fauna of the South Urals including 13 subfamilies, 65 genera and 285 species.

The subfamily Alticinae, which includes 90 species, thus representing 31,6% of the total fauna, is the richest one. Then come, in descending order, the following subfamilies: Chrysomelinae – 51 species (17,9 %); Cryptocephalinae – 47 species (16,5 %); Donaciinae – 25 species (8,8 %); Galerucinae – 20 species (7 %); Cassidinae – 19 species (6,7 %); Clytrinae – 13 species (4,6 %); Criocerinae – 11 species (3,9 %); Eumolpinae – 4 species (1,4 %); Zeugophorinae – 2 species (0,7 %). The subfamilies Synetinae, Orsodacninae and Hispinae are scanty and include one species each.

The article presents the full faunistic list of the leaf-beetles of the South Urals. To compile the list we resorted to the most up-to-date nomenclature of the leaf-beetles names (WARCHALOWSKI, 1985, 1991, 1993, 1994, 1995; KIPPENBERG, DOBERL, 1994; BIEŃKOWSKI, 1999, 2004; LOPATIN, 2004). The systematic order of leaf-beetles conforms to the catalog (LOPATIN, 2004). Within the genus and subgenera the species are given in alphabetic order.

The characteristics of each specious are given in the following order: title, author, synonymy, bibliography on the South Urals (including all the studies with data on leaf-beetles to 2009 inclusive), geographic distribution (the common one and the one for the South Urals), material (only part of material is given for mass species) and, in some specific cases, systematic notes.

## Abbreviation list

- C – Central
- E – Eastern
- Isl. – Island
- N. – Northern
- Prov. – Province
- reg. – region
- Res. – Reserve
- S – Southern
- W – Western

Museums:

IPAE – Zoological Museum of Institute of plant and animal ecology (Ekaterinburg, Russia)  
SZMN – Siberian Zoological Museum (Novosibirsk, Russia)  
ZISP – Zoological Institute of the Russian Academy of Science (ZIN, St.-Petersburg, Russia)  
ZMMU – Zoological Museum of Moscow State University (Moscow, Russia)  
ZMKU – Zoological Museum of Kurgan State University (Kurgan, Russia)

**Annotated list of the fauna of Chrysomelidae of the Southern Ural**

**Family Chrysomelidae LATREILLE, 1802**

**Subfamily Donaciinae KIRBY, 1837**

**Genus *Donacia* FABRICIUS, 1775**

**Subgenus *Donacia* (*Donacia*) FABRICIUS, 1775**

***D. (Donacia) aequidorsis* JACOBSON, 1894**

MIKHAILOV 1997a: 188; GUS'KOVA 2002: 10.

Distribution: Europe, Kazakhstan. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Kartaly district, the river Karagaily-Aiyat, 2.07.1997, 5 ex.

***D. (Donacia) crassipes* FABRICIUS, 1775**

VORONCOWSKI 1922: 43; GUS'KOVA 1998: 105; 1999: 63; 2002: 9.

Distribution: Europe, southern parts of W and Middle Siberia, Kazakhstan. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Kartaly district, the river Karagaily-Aiyat, 16-20.07.1998, 17 ex.; Chelyabinsk reg., Argayash district, lake Argayash, 13.08.1998, 13 ex.; Chelyabinsk reg., lake Turgoyak, 11.07.1999, 10 ex.

**Subgenus *Donacia* (*Donaciella*) REITTER, 1920**

***D. (Donaciella) cinerea* HERBST, 1784**

LAGUNOV & NOVOZHENOV, 1996: 65; GUS'KOVA 2002: 10.

Distribution: Europe, Caucasus, W Siberia, Middle Asia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 27.07.69, 1 ex. in a collection of IPAE; Chelyabinsk reg., Uvelka district, the river Uvelka, 25.05.1996, 4 ex.

***D. (Donaciella) clavipes* FABRICIUS, 1793**

LAGUNOV & NOVOZHENOV, 1996: 65; GUS'KOVA 2002: 8.

Distribution: Europe, Middle Asia, W Siberia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Bolshoi Kisegach, 4-11.06.1943, in a collection of ZISP, ZMMU and IPAE; Chelyabinsk reg., Bolshoe Miassovo, 8.07.1993, (Y u. E. Mikhailov), 1 ex. in a collection of IPAE; Bashkortostan, Bolshoi Iremel, 8.07.1999, 1 ex.

**D. (*Donaciella*) *tomentosa* AHRENS, 1810**

GUS'KOVA 2002: 11.

D i s t r i b u t i o n : Europe, Caucasus, Middle Asia, W Siberia, Altais. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, coast of the river Tyulyuk, 21.07.1997, 5 ex.; Kurgan reg., coast of the river Tobol, 15.06.1999, 1 ex.

**Subgenus *D o n a c i a* (*D o n a c i o m i m a*) L. MEDVEDEV, 1973**

**D. (*Donaciomima*) *aquatica* (LINNAEUS, 1758)**

VORONCOWSKI 1922: 45; GUS'KOVA 1998: 105; 2002: 10.

D i s t r i b u t i o n : Europe, Caucasus, Asia Minor, W and Middle Siberia, Amurland, Maritime Prov., S Sakhaline, N China. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., coast of river Miass, 12.07.1998, 5 ex.

**D. (*Donaciomima*) *bicolora* ZSCHACH, 1788**

= *D. bicolora* auct.

VORONCOWSKI 1922: 46; GUS'KOVA 2002: 11.

D i s t r i b u t i o n : Europe, Caucasus, Middle Asia, W Siberia. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, the river Karagaily-Aiyat, 2-10.07.1997, 7 ex.; Kurgan reg., coast of the river Tobol, 5.06.1999, 9 ex.

**D. (*Donaciomima*) *brevicornis* AHRENS, 1810**

ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 64; GUS'KOVA 2002: 8.

D i s t r i b u t i o n : Europe, W Siberia, N Kazakhstan. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 18.07.1944, (V.N. Stepanov), 1 ex. in a collection of IPAE; Chelyabinsk reg., Bolshoi Kisegach, 18-29.07.1945, (V.N. Stepanov), 64 ex. in a collection of ZISP; Chelyabinsk reg., Uvelka district, the river Uvelka, 25.06.1997, 10 ex.

**D. (*Donaciomima*) *dentata* HOPPE, 1795**

VORONCOWSKI, 1992: 43; GUS'KOVA 1999: 63; 2002: 8.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, W Siberia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., Bolshoe Miassovo, 19-20.07.1981, 1 ex. in a collection of reserve; Chelyabinsk reg., lake Turgojak, 11.07.1999, 3 ex.

**D. (*Donaciomima*) *fennica* (PAYKULL, 1800)**

ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 65; GUS'KOVA 2002: 8.

D i s t r i b u t i o n : E Europe, W and Middle Siberia, Central Yakutia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., Bolshoe Miassovo, 7.06.85, 2 ex. in a collection of reserve; 11.06.1943, (V.N. Stepanov), 1 ex. in a collection of IPAЕ; Chelyabinsk reg., coast of the river Birgildinka, 20.04.2005.

#### ***D. (Donaciomima) impressa PAYKULL, 1799***

LAGUNOV & NOVOZHENOV, 1996: 65; GUS'KOVA 2002: 9.

D i s t r i b u t i o n : Europe, Caucasus, Asia Minor, W and Middle Siberia, N Africa. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Bolshoi Kisegach, 29.07.1945, (V.N. Stepanov), 9 ex. in a collection of ZISP; Chelyabinsk reg., lake Turgoyak, 11.07.1999, 3 ex.

#### ***D. (Donaciomima) malinovskyi AHRENS, 1810***

=*D. malinovskii* auct.

GUS'KOVA 2002: 11.

D i s t r i b u t i o n : Europe, Ural. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, of the river Kabanka, 10.06.1997, 5 ex.; Chelyabinsk reg., Katav-Ivanovsk district, coast of the river Tyulyuk, 25.07.1997, 3 ex.

#### ***D. (Donaciomima) marginata HOPPE, 1795***

GUS'KOVA 2002: 10.

D i s t r i b u t i o n : Europe, Caucasus, Middle Asia, southern parts of W Siberia, N Africa. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, the river Uvelka, 25.05.1996, 15 ex.; Chelyabinsk reg., coast of the river Miass, 2.07.1997, 10 ex.

#### ***D. (Donaciomima) semicuprea PANZER, 1796***

LAGUNOV & NOVOZHENOV, 1996: 65; GUS'KOVA 2002: 9.

D i s t r i b u t i o n : Europe, Middle Siberia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 11.05.1943, (V.N. Stepanov), 1 ex. in a collection of ZMMU; Chelyabinsk reg., coast of the river Miass, 19.07.1997, 7 ex.

#### ***D. (Donaciomima) simplex FABRICIUS, 1775***

GUS'KOVA 2002: 11.

D i s t r i b u t i o n : Europe, W Siberia, Altai, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, coast of the river Tyulyuk, 21.07.1997, 5 ex.; Kurgan reg., coast of the river Tobol, 15.06.1999, 1 ex.

#### ***D. (Donaciomima) sparganii AHRENS, 1810***

GUS'KOVA 2002: 11.

D i s t r i b u t i o n : Europe, W Siberia. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chelyabinsk, coast of the river Miass, 15.06.1996, 11 ex.; Chelyabinsk reg., Argayash district, coast of the river Zyuzelga, 17.06.1998, 5 ex.

**D. (*Donaciomima*) *thalassina* GERMAR, 1811**

LAGUNOV & NOVOZHENOV, 1996: 65; GUS'KOVA 2002: 9.

D i s t r i b u t i o n : Europe, N and C Kazakhstan, W and Middle Siberia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Bolshoe Miassovo, 15.06.1982, 1 ex. in a collection of Ilmensky Res.

**D. (*Donaciomima*) *versicolorea* (BRAHM, 1790)**

GUS'KOVA 2002: 10.

D i s t r i b u t i o n : Europe, W Siberia, Altais, Mongolia. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, the river Uvelka, 15.06.1996, 8 ex.; Chelyabinsk reg., the river Bishkil, 5.07.1997, 11 ex.

**D. (*Donaciomima*) *vulgaris* ZSCHACH, 1788**

LAGUNOV & NOVOZHENOV, 1996: 65; GUS'KOVA 2002: 10.

D i s t r i b u t i o n : All of over Palaearctic. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 14.07.1943, (V.N. Stepanov), 1 ex. in a collection of IPAE; Chelyabinsk reg., lake Kundravinskoe, 2.07.1996, 7 ex.

**Genus *M a c r o p l e a* SAMOUELLE, 1819**

(*Haemonia* DEJEAN, 1821)

***M. appendiculata* (PANZER, 1794)**

LAGUNOV & NOVOZHENOV, 1996: 65; GUS'KOVA 2002: 12.

D i s t r i b u t i o n : Europe, Kazakhstan, Middle Asia, W Siberia, Altais. Southern Ural: forest zone.

M a t e r i a l : Ilmensky Res., 20.06.1941, (V.N. Stepanov), 2 ex. in a collection of ZISP; Chebarcul district, lake Malyi Elanchik, 3.06.1999, 7 ex.

**Genus *P l a t e u m a r i s* C. G. THOMSON, 1866**

***P. affinis* (KUNZE, 1818)**

GUS'KOVA 2002: 12.

D i s t r i b u t i o n : Europe, Middle Siberia, N Africa. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, lake Elovoe, 22.06.1999, 3 ex.

***P. braccata* (SCOPOLI, 1772)**

= *P. nigra* FABRICIUS, 1792

LAGUNOV & NOVOZHENOV, 1996: 66; GUS'KOVA 2002: 12.

D i s t r i b u t i o n : Europe, Caucasus, Middle Asia, W Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, the river Bishkil, 7.06.1999, 7 ex.; Kurgan reg., lake Medvezhie, 21.06.1999, 3 ex.

***P. discolor* (PANZER, 1794)**

LAGUNOV & NOVOZHENOV, 1996: 66; GUS'KOVA 2002: 12.

D i s t r i b u t i o n : Europe. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 24.05.1958, 1 ex. in a collection of IPAE; Chelyabinsk reg., Chebarcul district, lake Elovoe, 22.06.1999, 18 ex.

***P. rustica* (KUNZE, 1818)**

DUBESHKO & MEDVEDEV, 1989: 67; GUS'KOVA 2002: 12.

D i s t r i b u t i o n : W Siberia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district; lake Malyi Elanchik, 3.06.1999, 12 ex.

***P. sericea* (LINNAEUS, 1758)**

VORONCOWSKI 1922: 46; LAGUNOV & NOVOZHENOV, 1996: 66; GUS'KOVA 2002: 12.

D i s t r i b u t i o n : Europe, Kazakhstan, W and Middle Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 28.05.1956, (V.N. Stepanov), 1 ex. in a collection of IPAE; Chelyabinsk reg., Uvelka district, coast of the river Kabanka, 11. 06.1997, 13 ex.

**Subfamily O r s o d a c n i n a e J. THOMSON, 1866**

**Genus *Orsodacne* LATREILLE, 1802**

***O. cerasi* (LINNAEUS, 1758)**

LAGUNOV & NOVOZHENOV, 1996: 66; GUS'KOVA, 1999: 64; 2002: 13.

D i s t r i b u t i o n : Europe, Caucasus, W Siberia, Altai, Sayan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1998, 13 ex.

**Subfamily S y n e t i n a e EDWARDS, 1953**

**Genus *Syneta* LACORDAIRE, 1845**

***S. betulae* (FABRICIUS, 1792)**

LAGUNOV & NOVOZHENOV, 1996: 66; GUS'KOVA 2002: 13.

D i s t r i b u t i o n : N Europe, W Siberia, Altai, Sayan, Middle Siberia, Mongolia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 19.06.1986, 1 ex. in a collection of reserve; Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 8.07.1999, 1 ex.

## **Subfamily Z e u g o p h o r i n a e CHÜJÖ, 1952**

### **Genus *Z e u g o p h o r a* KUNZE, 1818**

#### **Subgenus *Z e u g o p h o r a* (*Z e u g o p h o r a*) KUNZE, 1818**

##### ***Z. (Zeugophora) subspinosa* (FABRICIUS, 1781)**

GUS'KOVA 2002: 16.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, W and Middle Siberia, Maritime Prov.. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 21.07.1997, 2 ex., 10.06.1998, 1 ex.

##### ***Z. (Zeugophora) turneri* POWER, 1863**

GUS'KOVA 2002: 16.

D i s t r i b u t i o n : Europe, W Siberia, Sayan, Transbaikalia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Pervuha, 3.07.1998, 3 ex.

## **Subfamily C r i o c e r i n a e LATREILLE, 1807**

### **Genus *L i l i o c e r i s* REITTER, 1912**

##### ***L. lili* (SCOPOLI, 1763)**

VORONCOWSKI, 1922: 47; LAGUNOV & NOVOZHENOV, 1996: 66; PAVLOV, 1998: 257; GUS'KOVA 2002: 14.

D i s t r i b u t i o n : Europe, Siberia, China, Japan, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Kurgan reg., Uval, 1.05.1997, 16.06.1997, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1998, 3 ex.

##### ***L. merdigera* (LINNAEUS, 1758)**

VORONCOWSKI, 1992: 47; LAGUNOV & NOVOZHENOV, 1996: 66; PAVLOV, 1998: 257; UTKIN, 1999: 111; GUS'KOVA 2002: 14.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, N China, Korea, Japan, N Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Kurgan reg., Kurgan, 8.06.1994, 11.05.1997, in a collection of ZMKU; Chelyabinsk reg., Chelyabinsk, 29.05.1996, 5 ex., 5.06.1997, 7ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 15-20.06.1998, 10 ex.

### **Genus *C r i o c e r i s* GEOFFROY, 1762**

##### ***C. asparagi* (LINNAEUS, 1758)**

GUS'KOVA 2002: 16.

D i s t r i b u t i o n : Europe. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Bredy district, village Morozovka, 25.07.1996, 3 ex.

***C. duodecimpunctata* (LINNAEUS, 1758)**

VORONCOWSKI, 1922: 47; ESYUNIN & KOZMINYH, 1992: 64; UTKIN, 1999: 110; GUS'KOVA 2002: 16.

Distribution: Europe, Kazakhstan, Middle Asia, southern parts of W Siberia, Mongolia. Southern Ural: forest-steppe, steppe zone.

Material: Chelyabinsk reg., Varna district, village Alekseevka, 21.07.1996, 3 ex.; Kartaly district, village Varshavka, 12.07.1997

***C. quatuordecimpunctata* (SCOPOLI, 1763)**

JACOBSON, 1897: 431; VORONCOWSKI, 1922: 47; ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA, 1998: 105; 2002: 14; UTKIN, 1999: 110.

Distribution: Europe, Caucasus, Kazakhstan, W Siberia, Mongolia. Southern Ural: forest-steppe, steppe zone.

Material: Chelyabinsk reg., Uvelka district, village Kamenka, 10.06.1996, 6 ex.; Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 5-11.07.1996, 3 ex., 8-11.07.1997, 8 ex.

***C. quinquepunctata* (SCOPOLI, 1763)**

JACOBSON, 1897: 431; ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 16.

Distribution: Europe, Caucasus, W Siberia. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 5-11.07.1996, 7 ex.

**Genus *Oulema* DES GOZIS, 1886**

***O. erichsonii* (SUFFRIAN, 1841)**

= *O. septentrionalis* WEISE, 1880

= *O. sapporensis* MATSUMURA, 1911

JACOBSON, 1897: 431; LAGUNOV & NOVOZHENOV, 1996: 66; PAVLOV, 1998: 257; UTKIN, 1999: 111; GUS'KOVA 2002: 14.

Distribution: Europe, Caucasus, W and Middle Siberia, Yakutia, Amurland, Maritime Prov., Sakhaline, Kurile Is., Mongolia, Japan. Southern Ural: forest, forest-steppe zone.

Material: Kurgan reg., Kurgan, 14.06.1963, (Kovalev), in a collection of ZMMU; Kurgan reg., village Paderinskoe, 30.06.1995, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 17.06.1998, 11 ex.

***O. gallaeciana* (HEYDEN, 1870)**

= *O. lichenis* VOËT, 1806

GUS'KOVA 2002: 15.

Distribution: Europe, Caucasus, W and Middle Siberia, Altai, Yakutia, Maritime Prov., Kamchatka, Sakhaline, Mongolia. Southern Ural: forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 22.05.1943, (V.N. Stepanov), 1 ex. in a collection of ZMMU; Chelyabinsk reg., Uvelka district, village Duvankul, 7.06.1997, 16 ex.

***O. melanopus* (LINNAEUS, 1758)**

ESYUNIN & KOZMINYH, 1992: 66; UTKIN, 1993: 134; 1999: 111; GUS'KOVA, 1998: 105; 2002: 15; PAVLOV, 1998: 257.

Distribution: Europe, Caucasus, W and Middle Siberia, Altais, Yakutia, N Africa, Iran, Afghanistan, Mongolia. Southern Ural: forest-steppe, steppe zone.

Material: Kurgan reg., Kurgan, coast of the river Tobol, 29.05.1993, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Varshavka, 10.07.1996, 7 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 7-11.06.1998, 35 ex.; 10-15.06.1999, 15 ex.

***O. tristis* (HERBST, 1786)**

LAGUNOV & NOVOZHENOV, 1996: 66; PAVLOV, 1998: 257; GUS'KOVA 2002: 15.

Distribution: Europe, Caucasus, Middle Asia, W Siberia, Mongolia, N China, Korea, Japan. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 31.07.1983, 1 ex., 16.06.1984, 1 ex. in a collection of reserve; Chelyabinsk reg., Kartaly district, village Varshavka, 13.07.1996, 2 ex., 18.07.1997, 1 ex.; Chelyabinsk reg., Uvelka district, village Uvelka, 15.06.97, 3 ex.

**Genus *L e m a* FABRICIUS, 1798**

**Subgenus *L e m a* (*L e m a*) FABRICIUS, 1798**

***L. (Lema) cyanella* (LINNAEUS, 1758)**

= *L. puncticollis* CURTIS, 1830

= *L. cirsicola* CHUJO, 1959

JACOBSON, 1897: 431; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 66; GUS'KOVA, 1998: 105; 2002: 19; PAVLOV, 1998: 257; UTKIN, 1999: 111.

Distribution: Europe, Kazakhstan, Siberia, Korea, Japan. Southern Ural: forest, forest-steppe, steppe zone.

Material: Kurgan reg., Kurgan, coast of the river Tobol, 01.07.1992, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 3-10.06.1997, 7 ex.; Chelyabinsk reg., Uvelka district, village Kishigino, 19.06.1997, 13 ex.

**Subfamily C ly t r i n a e KIRBY, 1837**

**Genus *L a b i d o s t o m i s* GERMAR, 1822**

**Subgenus *L a b i d o s t o m i s* (*L a b i d o s t o m i s*) GERMAR, 1822**

***L. (Labidostomis) cyanicornis* GERMAR, 1822**

ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 19.

Distribution: Europe, Caucasus, Kazakhstan, southern parts of Siberia. Southern Ural: forest-steppe, steppe zone.

Material: Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 5 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 17.06.1998, 9 ex.

**L. (*Labidostomis*) *humeralis* (SCHNEIDER, 1792)**

LAGUNOV & NOVOZHENOV, 1996: 67; GUS'KOVA 2002: 19.

Distribution: Europe. Southern Ural: forest zone.

Material: Chelyabinsk reg., Ilmensky Res., 20.06.1976, 1 ex. in a collection of reserve; Chelyabinsk reg., Chebarcul district, Kisegach, 5.06.1997, 7 ex.

**L. (*Labidostomis*) *longimana* (LINNAEUS, 1761)**

JACOBSON, 1897: 431; LAGUNOV & NOVOZHENOV, 1996: 67; GUS'KOVA, 1998: 105; 1999: 64; 2002: 18.

Distribution: Europe, Kazakhstan, southern parts of Siberia, N Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 23.06.1944, (V.N. Stepanov), 1 ex. in a collection of IPAE, 21.06.1957, 2 ex. in a collection of IPAE, 13.07.1981, 1 ex. in a collection of reserve; Chelyabinsk reg., Kartaly district, village Varshavka, 12.07.1997, 11 ex.

**L. (*Labidostomis*) *lucida axillaris* (LACORDAIRE, 1848)**

= *L. lucida sareptana* KRAATZ, 1872

ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 19.

Distribution: Europe. Altais, southern parts of Siberia. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Kartaly district, village Varshavka, 12.07.1997, 6 ex.; Chelyabinsk reg., Verhneuralsk district, valley of the river Kizil, 19.06.2005, 5 ex.

**L. (*Labidostomis*) *sibirica* (GERMAR, 1824)**

LAGUNOV & NOVOZHENOV, 1996: 67; GUS'KOVA 2002: 18.

Distribution: Altais, Sayan, Transbaikalia, E Kazakhstan. Southern Ural: forest-steppe, steppe zone.

Material: Chelyabinsk reg., Miass, coast of the lake Turgoyak, 1.06.1987, 7 ex. in a collection of Ilmensky Res.; Chelyabinsk reg., Uvelka district, village Hutorka, 13.06.1996, 3 ex.; Chelyabinsk reg., Kartaly district, village Varshavka, 12.07.1997, 3 ex.

**L. (*Labidostomis*) *tridentata* (LINNAEUS, 1758)**

VORONCOWSKI, 1922: 47; LAGUNOV & NOVOZHENOV, 1996: 67; GUS'KOVA 2002: 19.

Distribution: Europe, Altais, Siberia, Mongolia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 6.06.1957, 1 ex. in a collection of IPAE; 17.06.1984, 1 ex. in a collection of reserve; Kurgan reg., Petuhovo, 17.06.1999, 5 ex. (R.V. Filimonov).

**Genus *Clytara* LAICHARTING, 1781**

**Subgenus *Clytara* (*Clytara ria*) SEMENOV, 1903**

***C. (Clytraria) atraphaxidis* (PALLAS, 1773)**

VORONCOWSKI, 1922: 47; MIKHAILOV, 1997b: 69; GUS'KOVA 2002: 17.

D i s t r i b u t i o n : S Europe, Caucasus, Kazakhstan, W Altais. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 12.07.1997, 1 ex.

### **Subgenus *Clytratra* (*Clytratra*) LAICHARTING, 1781**

#### ***C. (Clytra) laeviuscula* (RATZEBURG, 1837)**

JACOBSON, 1897: 431; VORONCOWSKI, 1922: 47; PAVLOV, 1998: 257; UTKIN, 1999: 116; GUS'KOVA 2002: 17.

D i s t r i b u t i o n : Europe, Kazakhstan, W China, Mongolia. Southern Ural: forest-steppe zone.

M a t e r i a l : Kurgan reg., Kurgan, 6.07.1994, in a collection of ZMKU; Chelyabinsk reg., Argayash district, village Kuzneckoe 26.05.1999, 14 ex.

#### ***C. (Clytra) quadripunctata* (LINNAEUS, 1758)**

ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 66; PAVLOV, 1998: 257; GUS'KOVA, 1999: 64; 2002: 17; UTKIN, 1999: 116.

D i s t r i b u t i o n : Europe, Caucasus, Asia Minor, Middle Asia, Kazakhstan, W and Middle Siberia, Altais, Amurland, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Kurgan reg., Kurgan, 27.05.92, 26.05.1994, in a collection of ZMKU; Chelyabinsk reg., Troick district, coast of the river Ui, 25.07.1997, 13 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 15.06.1999, 17 ex.

### **Genus *Smaragdina* CHEVROLAT in DEJEAN, 1837**

#### **Subgenus *Smaragdina* (*Monrosiana*) L. MEDVEDEV, 1992**

##### ***S. (Monrosiana) flavigollis* (CHARPENTIER, 1825)**

LAGUNOV & NOVOZHENOV, 1996: 67; GUS'KOVA 2002: 19.

D i s t r i b u t i o n : Europe. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 21.06.1957, 1 ex. in a collection of IPAE; Chelyabinsk reg., Uvelka district, village Homutinino, 14.06.1997, 9 ex.

### **Genus *Cheilotoma* CHEVROLAT in DEJEAN, 1837**

(*Chilotoma* LACORDAIRE, 1848)

#### **Subgenus *Cheilotoma* (*Cheilotoma*) CHEVROLAT in DEJEAN, 1837**

##### ***Ch. (Cheilotoma) musciformis* (GOEZE, 1777)**

LAGUNOV & NOVOZHENOV, 1996: 66; MIKHAILOV, 1997a: 188; GUS'KOVA, 1999: 64; 2002: 19.

D i s t r i b u t i o n : Europe, Caucasus, N Kazakhstan, Altais, Sayan, Transbaikalia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., mountain Lysaya, 9.07.1984, 2 ex. in a collection of reserve; Chelyabinsk reg., Chebarcul district, Kisegach, 15.06.1999, 4 ex.

**Genus *Coptocephala* CHEVROLAT in DEJEAN, 1837**

**Subgenus *Coptocephala* (*Coptocephala*) CHEVROLAT in DEJEAN, 1837**

***C. (Coptocephala) rubicunda rossica* LEV MEDVEDEV, 1968**

LAGUNOV & NOVOZHENOV, 1996: 66; GUS'KOVA 2002: 17.

D i s t r i b u t i o n : Altais, Tuva, W and Middle Siberia, Transcaucasus, Kazakhstan. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 25.05.1974, 1 ex. in a collection of IPAE.

***C. (Coptocephala) unifasciata* SCOPOLI, 1763**

JACOBSON, 1897: 431; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 67; PAVLOV, 1998: 258; GUS'KOVA 1998: 105; 2002: 18; UTKIN, 1999: 116.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, W Siberia, Sayan, Transbaikalia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 8.07.1983, 5 ex. in a collection of reserve; Kurgan reg., village Shumlyak, 14.07.1990, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 7-10.07.1996, 19 ex.; 3-19.07.1997, 15 ex.

**Subfamily Cryptophalinae GYLLENHAL, 1813**

**Genus *Cryptophalus* (Protophysus) GEOFFROY, 1762**

**Subgenus *Cryptocephalus* (*Protophysus*) CHEVROLAT in DEJEAN, 1837**

***Cr. (Protophysus) schaefferi* SCHRANK, 1789**

MIKHAILOV, 1997a: 188; GUS'KOVA 2002: 25.

D i s t r i b u t i o n : S Europe, Caucasus, Kazakhstan, Altais. Tuva, Sayan, Transbaikalia, S Yakutia. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Kurgan reg., lake Medvezhe, 17.06.1999, 1 ex. (R.V. Filimonov); Chelyabinsk reg., Verhneuralsk district, valley of the river Kizil, 19.06.2005, 2 ex. (N.A. Rezhikova)

**Subgenus *Cryptophalus* (*Disopus*) CHEVROLAT in DEJEAN, 1837**

***Cr. (Disopus) pini* (LINNAEUS, 1758)**

JACOBSON, 1897: 432; GUS'KOVA 2002: 23.

D i s t r i b u t i o n : Europe, Caucasus, W Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1996, 2 ex.; Chelyabinsk reg., Chelyabinsk, pine wood, 25.08.1999, 3 ex.

**Subgenus *Cryptophalus* (*Asionus*) LOPATIN, 1988**

***Cr. (Asionus) apicalis* GEBLER, 1850**

ESYUNIN & KOZMINYH, 1992: 64; MIKHAILOV, 1997a: 188; GUS'KOVA 2002: 23.

D i s t r i b u t i o n : S Europe, Caucasus, Kazakhstan, southern parts of W and Middle Siberia, Altais. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 16-20.07.1996, 21 ex.

***Cr. (Asionus) bohemius* DRAPIEZ, 1819**

GUS'KOVA 2002: 23.

D i s t r i b u t i o n : S Europe, Kazakhstan, southern parts of W Siberia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 16.07.1996, 5 ex.; Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 2 ex.

***Cr. (Asionus) flavigollis* FABRICIUS, 1781**

MIKHAILOV, 1997b: 69; 1997a: 188; GUS'KOVA 2002: 26.

D i s t r i b u t i o n : Europe, Kazakhstan. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 17.07.1996, 4 ex.

***Cr. (Asionus) flexuosus* KRYNICKI, 1834**

MIKHAILOV, 1997a: 188; GUS'KOVA 2002: 24.

D i s t r i b u t i o n : S Europe, Altai, Kazakhstan. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 5-19.07.1996, 13 ex.

***Cr. (Asionus) gamma* HERRICH- SCHÄFFER, 1829**

DUBESHKO & MEDVEDEV, 1989: 91; ESYUNIN & KOZMINYH, 1992: 64; MIKHAILOV, 1997b: 69; 1997a: 188; GUS'KOVA 2002: 22.

D i s t r i b u t i o n : S Europe, Caucasus, Kazakhstan, W Siberia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 3-15.07.1996, 21 ex., 3-14.07.1997, 15 ex.

***Cr. (Asionus) quatuordecimmaculatus* D. H. SCHNEIDER, 1792**

BIEŃKOWSKI, 2004: 31.

D i s t r i b u t i o n : C and SE Europe, Asia Minor. Southern Ural: forest-steppe zone.

M a t e r i a l : Bashkortostan, Aksenovo.

**Subgenus *Cryptoccephalus* (*Cryptoccephalus*) *halophilus* (GEOFFROY, 1762)**

***Cr. (Cryptocephalus) anticus* SUFFRIAN, 1848**

= *Cr. octacosmus* BEDEL, 1891

ESYUNIN & KOZMINYH, 1992: 64; PAVLOV, 1998: 258; GUS'KOVA; 1998: 105; 2002: 22; UTKIN, 1999: 117.

D i s t r i b u t i o n : Middle and S Europe, Caucasus, S Siberia, Kazakhstan, NW China. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Kurgan reg., Kurgan, 1.07.1992, 2-6.06.1995, in a collection of ZMKU; Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 18 ex.

***Cr. (Cryptocephalus) aureolus SUFFRIAN, 1847***

JACOBSON, 1897: 431; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 67; GUS'KOVA 2002: 26.

Distribution: Europe, Caucasus, N Kazakhstan, W Siberia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Bredy district, village Morozovka, 27.07.1996, 19 ex.; Chelyabinsk reg., Miass, 11.06.1997, 14 ex.

***Cr. (Cryptocephalus) biguttatus (SCOPOLI, 1763)***

JACOBSON, 1897: 431; LAGUNOV & NOVOZHENOV, 1996: 67; GUS'KOVA 2002: 26.

Distribution: Europe, southern parts of W Siberia, Altais. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 25.06.19944, (V.N. Stepanov) in a collection of ZMMU; Chelyabinsk reg., Uvelka district, village Uvelka, 6.06.1996, 5 ex.

***Cr. (Cryptocephalus) bipunctatus (LINNAEUS, 1758)***

JACOBSON, 1897: 431; VORONCOWSKI, 1922: 48; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 67; PAVLOV, 1998: 258; GUS'KOVA, 1999: 64; 2002: 27 UTKIN, 1999: 117.

Distribution: Europe, Caucasus, Kazakhstan, W Siberia, Altais, Sayan. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 5.06.1944, (V.N. Stepanov), 1 ex in a collection of ZMMU; Bashkortostan, Sterlitamak, 30.05.1935, (A. Kamensky), 1 ex. in a collection of ZMMU; Chelyabinsk reg., Kartaly district, village Varshavka, 16.07.1996, 15 ex.

***Cr. (Cryptocephalus) caerulescens SAHLBERG, 1839***

= *Cr. coerulescens* auct.

LAGUNOV & NOVOZHENOV, 1996: 67; GUS'KOVA 2002: 25.

Distribution: Europe, Caucasus, W Siberia, Amurland, Maritime Prov., S Sakhaline, E Mongolia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Chebarcul district, Kisegach, 11.06.1997, 13 ex.; Chelyabinsk reg., Kopeisk, 13.06.1998, 17 ex.

***Cr. (Cryptocephalus) cordiger (LINNAEUS, 1758)***

ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 67; PAVLOV, 1998: 258; UTKIN, 1999: 117; GUS'KOVA 2002: 27.

Distribution: Europe, W Siberia, Altais, Tuva, Sayan, S and Middle Yakutia, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 11.06.1944, (V.N. Stepanov), 1 ex. in a collection of IPAE; Kurgan reg., Kurgan, 31.05.1991, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Varshavka, 5-20.07.1996, 12 ex.; Chelyabinsk reg., Argayash district, 5.06.1998, 5 ex.

***Cr. (Cryptocephalus) coryli (LINNAEUS, 1758)***

LAGUNOV & NOVOZHENOV, 1996: 68; GUS'KOVA 2002: 27.

D i s t r i b u t i o n : Europe, W Siberia, Altais, Tuva, Sayan, Yakutia, Maritime Prov., Amurland, Sakhaline, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., (17.06.1957, 28.07.1971), 2 ex. in a collection of IPAE, 2.07.1981, 1 ex. in a collection of reserve; Chelyabinsk reg., Argayash district, village Kuzneckoe, 5.06.1998, 3 ex.

***Cr. (Cryptocephalus) decemmaculatus (LINNAEUS, 1758)***

D i s t r i b u t i o n : Europe. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Syrostan, 10.06.1999, 1 ex.

***Cr. (Cryptocephalus) distinguendus SCHNEIDER, 1792***

LAGUNOV & NOVOZHENOV, 1996: 68; GUS'KOVA 2002: 27.

D i s t r i b u t i o n : Europe, Kazakhstan, Altais, W and Middle Siberia, Tuva, Yakutia, Kamchatka, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 20.05.1944, (V.N. Stepanov), 1 ex. in a collection of ZMMU, 17.05.1957, 6.06.1957, 2 ex. in a collection of IPAE; Chelyabinsk reg., Uvelka district, village Uvelka, 15.06.1997, 7 ex.

***Cr. (Cryptocephalus) elongatus GERMAR, 1824***

MIKHAILOV, 1997b: 69; 1997a: 188; GUS'KOVA 2002: 25.

D i s t r i b u t i o n : S Europe, Kazakhstan, southern parts of W Siberia, Altais, Sayan, Middle and S Yakutia, Mongolia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 16-20.07.1996, 13 ex.

***Cr. (Cryptocephalus) flavipes FABRICIUS, 1781***

JACOBSON, 1897: 431; VORONOWSKI, 1922: 47; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 68; PAVLOV, 1998: 258; UTKIN, 1999: 117; GUS'KOVA 2002: 20.

D i s t r i b u t i o n : Europe, Caucasus, W Siberia, Altais, Sayan, Transbaikalia, Kamchatka. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 4.06.1945, (V.N. Stepanov), 1 ex. in a collection of ZMMU; Kurgan reg., Kurgan, coast of the river Tobol, 12.05.1992, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Varshavka, 17.07.1996, 5 ex.; Chelyabinsk reg., Uvelka district, village Uvelka, 13.06.1997, 13 ex.

***Cr. (Cryptocephalus) hypochoeridis (LINNAEUS, 1758)***

=*Cr. cristula* DUFOUR, 1825

JACOBSON, 1897: 431; LAGUNOV & NOVOZHENOV, 1996: 68; GUS'KOVA 2002: 20.

D i s t r i b u t i o n : Europe, W Siberia, Kazakhstan. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 10.06.1998, 7 ex., 17.06.1999, 5 ex.

***Cr. (Cryptocephalus) krutovskii (JACOBSON, 1900)***

MIKHAILOV, 1997b: 70; GUS'KOVA 2002: 25.

D i s t r i b u t i o n : C and E Altais, Tuva, Sayan, Transbaikalia, Mongolia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Nurgush, mountain tundra, 28.06.1987, (A.V. Lagunov), 1 ex. in a collection of IPAE; Bashkortostan, Bolshoi Iremel, 28.05.2005, 6 ex.

***Cr. (Cryptocephalus) laetus* FABRICIUS, 1792**

ESYUNIN & KOZMINYH, 1992: 64; PAVLOV, 1998: 258; GUS'KOVA, 1999: 64; 2002: 22; UTKIN, 1999: 117.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, W Siberia, Altais. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 3-15.07.1996, 17 ex.; Kurgan reg., village Temlyakovo, 10.07.1997, in a collection of ZMKU.

***Cr. (Cryptocephalus) laevicollis* GEBLER, 1830**

ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 24.

D i s t r i b u t i o n : S Europe, Kazakhstan, southern parts of W Siberia, Altais. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, village Kichigino, 14.06.1996, 7 ex.; Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 5 ex.

***Cr. (Cryptocephalus) moraei* (LINNAEUS, 1758)**

GUS'KOVA 2002: 24.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, southern parts of W Siberia, Altais. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Bredy district, village Morozovka, 27.07.1996, 3 ex.; Chelyabinsk reg., Uvelka district, village Uvelka, 25.06.1997, 5 ex.; Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 1.07.1998, 6 ex.

***Cr. (Cryptocephalus) nitidulus* FABRICIUS, 1787**

LAGUNOV & NOVOZHENOVA, 1996: 68; GUS'KOVA, 1999: 64; 2002: 24.

D i s t r i b u t i o n : Europe, Caucasus, W Siberia, Altais. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 5-11.6.1998, 11 ex., 10-20.06.1999, 13 ex.

***Cr. (Cryptocephalus) octopunctatus* (SCOPOLI, 1763)**

JACOBSON, 1897: 431; VORONOWSKI, 1922: 47; LAGUNOV & NOVOZHENOVA, 1996: 68; PAVLOV, 1998: 258; UTKIN, 1999: 117; GUS'KOVA 2002: 21.

D i s t r i b u t i o n : Europe, W Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 18.06.58, 1 ex., 11.07.1964, 1 ex. in a collection of IPAE, 21.06.1983, 2 ex. in a collection of reserve; Kurgan reg., Kurgan, 15.06.1993, in a collection of ZMKU; Chelyabinsk reg., Argayash district, village Agbashevo, 3.06.1998, 8 ex., village Kuzneckoe, 5.06.1998, 10 ex.

***Cr. (Cryptocephalus) parvulus MÜLLER, 1776***

= *Cr. obliquostriatus* MOTSCHULSKY, 1866

= *Cr. permodesmus* BALY, 1873

= *Cr. inurbanus* HAROLD, 1874

GUS'KOVA 2002: 23.

Distribution: Europe, W Siberia, Sayan, Transbaikalia, Amurland, Maritime Prov., S Sakhaline, Japan, Mongolia. Southern Ural: forest zone.

Material: Chelyabinsk reg., Uvelka district, village Kichigino, 14.06.1996, 5 ex.; Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.07.1997, 5 ex.

***Cr. (Cryptocephalus) punctiger PAYKULL, 1799***

GUS'KOVA 2002: 23.

Distribution: Europe, W Siberia, Tuva, Sayan. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.07.1997, 5 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.07.1998, 3 ex.

***Cr. (Cryptocephalus) quadriguttatus RICHTER, 1820***

JACOBSON, 1897: 431; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 68; PAVLOV, 1998: 258; UTKIN, 1999: 116; GUS'KOVA 2002: 21.

Distribution: Europe, Caucasus, N Kazakhstan, W Siberia, Altais, Tuva, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 29.06.1981, 13.07.1981, 2.07.1984, in a collection of reserve; Kurgan reg., Kurgan, 30.06.1992, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Elizavetpol'skoe, 6-15.07.1996, 21 ex.

***Cr. (Cryptocephalus) quadripustulatus GYLLENHAL, 1813***

GUS'KOVA 2002: 25.

Distribution: Europe, Caucasus, W and Middle Siberia. Southern Ural: forest zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 21.07.1997, 10 ex.

***Cr. (Cryptocephalus) quinquepunctatus (SCOPOLI, 1763)***

= *Cr. signatus* LAICHARTING, 1781

VORONOWSKI, 1922: 47; SHAPIRO & MEDVEDEV, 1965: 144; LAGUNOV & NOVOZHENOV, 1996: 68; GUS'KOVA 2002: 23.

Distribution: Europe. Southern Ural: forest zone.

Material: Chelyabinsk reg., Ilmensky Res., (20.07.1957, 8.06.1958, 12.06.1958), 3 ex. in a collection of IPAE; Chelyabinsk reg., Chebarcul district, Kisegach, 14.06.1998, 3 ex.

***Cr. (Cryptocephalus) sericeus (LINNAEUS, 1758)***

JACOBSON, 1897: 431; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 68; PAVLOV, 1998: 258; GUS'KOVA, 1998: 105; 1999: 64; 2002: 21; UTKIN, 1999: 117.

Distribution: Europe, Kazakhstan, W Siberia, Altais, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 3-15.07.96, 25 ex., 3-14.07.1997, 17 ex.; Kurgan reg., Kurgan, 17.05.1997, 6.07.1997, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 5-11.06.1998, 8 ex., 10-20.06.1999, 12 ex.

***Cr. (Cryptocephalus) sexpunctatus (LINNAEUS, 1758)***

VORONCOWSKI, 1922: 68; OLSHVANG, 1986: 56; GUS'KOVA 2002: 21.

D i s t r i b u t i o n : Europe, Caucasus, W and Middle Siberia, Amurland, Maritime Prov., Sakhaline, Kamchatka, N China, Japan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 6.07.96, 5 ex.

***Cr. (Cryptocephalus) solivagus LEONARDI et SASSI, 2001***

D i s t r i b u t i o n : Central and southern parts of E Europe, Middle Asia, Kazakhstan, Uzbekistan. Southern Ural: forest and forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 16.06.1998, 1 ex.; Chelyabinsk reg., Chelyabinsk, 15.06.1999, 2 ex.; Chelyabinsk reg., village Krasnogorsk, 13.06.2005, 1 ex. (N.A. Rezhikova).

***Cr. (Cryptocephalus) violaceus LAICHARTING, 1781***

JACOBSON, 1897: 431; VORONCOWSKI, 1922: 48; ESYUNIN & KOZMINYH, 1992: 64; MIKHAILOV, 1997b: 69; GUS'KOVA 2002: 24.

D i s t r i b u t i o n : Middle and S Europe, N Caucasus. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.07.1998, 3 ex.; Chelyabinsk reg., Bredy district, village Morozovka, 30.07.1998, 5 ex.

***Cr. (Cryptocephalus) virens SUFFRIAN, 1847***

ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 69; GUS'KOVA 2002: 22.

D i s t r i b u t i o n : S Europe, Caucasus, southern parts of W Siberia, Altais. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 22.06.1982, 1 ex. in a collection of reserve; Chelyabinsk reg., Uvelka district, village Kichigino, 11.06.1997, 2 ex.; Chelyabinsk reg., Bredy district, village Morozovka, 30.07.1998, 1 ex.

**Subgenus *C r y p t o c e p h a l u s (B u r l i n i u s )* LOPATIN, 1965**

***Cr. (Burlinius) bilineatus (LINNÉ, 1767)***

ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 24.

D i s t r i b u t i o n : Europe, southern parts of Siberia, Mongolia, N China, Japan. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, village Kichigino, 14.06.1996, 5 ex.; Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 3.07.1997, 8 ex.

***Cr. (Burlinius) elegantulus GRAVENHORST, 1807***

JACOBSON, 1897: 432; ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 24.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, S Korea, N Mongolia. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Varna district, village Alekseevka, 23.07.1996, 5 ex.; Kurgan reg., village Petuhovo, 14.07.1997, 3 ex.

***Cr. (Burlinius) exiguum SCHNEIDER, 1792***

LAGUNOV & NOVOZHENOV, 1996: 68; GUS'KOVA 2002: 20.

D i s t r i b u t i o n : Europe, W Siberia, Altais, Tuva, Sayan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 15.06.1996, 12 ex.; Katav-Ivanovsk district, Tyulyuk, 20-22.07.1997, 21 ex.

***Cr. (Burlinius) frontalis MARSHAM, 1802***

LAGUNOV & NOVOZHENOV, 1996: 68; GUS'KOVA 2002: 20.

D i s t r i b u t i o n : Europe, W Siberia, S Maritime Prov., S Sakhaline. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 20.06.1986, 1 ex. in a collection of reserve; Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1999, 11 ex.

***Cr. (Burlinius) fulvus (GOEZE, 1777)***

GUS'KOVA 2002: 26.

D i s t r i b u t i o n : Europe, Caucasus, Middle Asia, Altais, southern parts of Siberia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Elizavetpol'skoe, 6.07.1996, 5 ex.; Chelyabinsk reg., Katav-Ivanovsk district, Yuryuzan, 19.07.1997, 6 ex.; Chelyabinsk reg., Kopeisk, 15.06.1999, 3 ex.

***Cr. (Burlinius) labiatus (LINNAEUS, 1761)***

JACOBSON, 1897: 432; LAGUNOV & NOVOZHENOV, 1996: 68; GUS'KOVA 2002: 22.

D i s t r i b u t i o n : Europe, Caucasus, southern parts of W Siberia, Altais, Sayan, Middle Yakutia, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 13.07.1957, 1 ex. in a collection of IPAЕ; Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1996, 7 ex.; Chelyabinsk reg., Uvelka district, village Uvelka, 1.07.1997, 5 ex.

***Cr. (Burlinius) populi SUFFRIAN, 1848***

MIKHAILOV, 1997b: 69; GUS'KOVA 2002: 22.

D i s t r i b u t i o n : Europe. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 6.06.1999, 7 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 5.08.1999, 14 ex.

**Genus *Pachybarchis* CHEVROLAT in DEJEAN, 1837**

***P. fimbriolatus* (SUFFRIAN, 1848)**

ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 26.

Distribution: Europe, Kazakhstan, Siberia, Mongolia, China, Korea. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 6.07.1996, 8 ex.

***P. hieroglyphicus* (LAICARTIIG, 1781)**

JACOBSON, 1897: 432; ESYUNIN & KOZMINYH, 1992: 64; PAVLOV, 1998: 258; UTKIN, 1999: 117; GUS'KOVA 2002: 28.

Distribution: Europe, Caucasus, N Kazakhstan, Siberia, Mongolia. Southern Ural: forest-steppe, steppe zone.

Material: Kurgan reg., Kurgan, 19.06.1991, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 6.07.1996, 13 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 5.06.1998, 17 ex.

***P. jacobsoni* (LOPATIN, 1968)**

ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 28.

Distribution: Kazakhstan. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Kartaly district, village Varshavka, 15.07.1997, 2 ex.

***P. scriptidorsum* (MARSEUL, 1875)**

= *P. ablicans chinensis* WEISE, 1913

JACOBSON, 1897: 432; ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 28.

Distribution: Europe, Caucasus, Kazakhstan, Siberia, Mongolia, China, Korea. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Bredy district, village Morozovka, 27.07.1996, 10 ex.

**Subfamily Eumolpinae HOPE, 1840**

**Genus *Eumolpus* ILLIGER, 1798**

(*Chrysochus* CHEVROLAT, 1836)

***E. asclepiadeus* (PALLAS, 1773)**

GUS'KOVA 2002: 29.

Distribution: Europe, Caucasus, Asia Minor, southern parts of W Siberia. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Varna district, village Alekseevka, 20.07.1997, 5 ex.

**Genus *Bromius* CHEVROLAT in DEJEAN, 1837**

(*Adoxus* KIRBY, 1837)

***B. obscurus* (LINNAEUS, 1758)**

LAGUNOV & NOVOZHENOV, 1996: 69; PAVLOV, 1998: 258; GUS'KOVA 1999: 65; 2002: 28 UTKIN, 1999: 117.

D i s t r i b u t i o n : All over Polaearctic. Southern Ural. Forest, forest-steppe zone.

M a t e r i a l : Kurgan reg., village Temlyakovo, 8.07.1993, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 14.06.1996, 13 ex.; Chelyabinsk reg., Chelyabinsk, pine wood, 18.06.1999, 21 ex.

**Genus *P a c h n e p h o r u s* CHEVROLAT in DEJEAN, 1837**

**Subgenus *Pachnephorus* (*Pachnephorus*) CHEVROLAT in DEJEAN, 1837**

***P. (Pachnephorus) pilosus* (ROSSI, 1790)**

GUS'KOVA 2002: 29.

D i s t r i b u t i o n : Europe, W Siberia, Transbaikalia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Varna district, village Alekseevka, 20.07.1997, 3 ex.

***P. (Pachnephorus) tessellatus* (DUFTSCHMID, 1825)**

MIKHAILOV, 1997a: 188; GUS'KOVA 2002: 29.

D i s t r i b u t i o n : Europe, Caucasus, Middle Asia, Kazakhstan, Altais, W and Middle Siberia, Yakutia, Amurland, Maritime Prov., Afghanistan, Mongolia, N China, Korea. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Kopeisk, 13.06.1996, 6 ex.; Chelyabinsk reg., Troick district, 3.07.1996, 5 ex.

**Subfamily C h r y s o m e l i n a e LATREILLE, 1802**

**Genus *C r o s i t a* MOTSCHULSKY, 1860**

***C. altaica maximowitschi* (ZOUBKOV, 1833)**

MIKHAILOV, 1997b: 70; GUS'KOVA 2002: 40.

D i s t r i b u t i o n : Altais, Kazakhstan, Mongolia, W China. Southern Ural: steppe zone.

M a t e r i a l : Orenburg reg., Sol-Ileck, (I.K. Lopatin).

**Genus *C h r y s o l i n a* MOTSCHULSKY, 1860**

(*Chrysomela* auct, non LINNAEUS, 1758)

**Subgenus *C h r y s o l i n a* (*C r o s i t o p s*) MARSEUL, 1883**

***Ch. rodii* (JACOBSON, 1897)**

JACOBSON, 1897: 434; LAGUNOV & NOVOZHENOV, 1996: 69; MIKHAILOV, 2006a: 116; 1997b: 70; BIEŃKOWSKI, 2001: 113; 2004: 59; 2009: 69; GUS'KOVA 2002: 32.

D i s t r i b u t i o n : Southern Ural: forest zone.

M a t e r i a l : Bashkortostan, Irgizla, river Belaya, 2.08.1896, 1 ex. in a collection of SZMN; Ilmensky Res., mountain Lysaya, 5.05.1958, (J.I. Novozhenov), 1 ex. in a collection of IPAE.

## Subgenus *Chrysolina* (*Pleurosticha*) MOTSCHULSKY, 1860

### *Ch. (Pleurosticha) sylvatica* (GEBLER, 1823)

MIKHAILOV, 1997b: 70; GUS'KOVA 2002: 33.

Distribution: Altai, Tuva, Sayan. Southern Ural: forest zone.

Material: Bashkortostan, B and M Iremel, mountain tundra, (Y. u. E. Mikhailov).

## *Chrysolina* (*Pleurosticha*) *lagunovi* MIKHAILOV, 2006

MIKHAILOV, 2006a: 111

Material: Holotype, ♂ «Bashkortostan, Iremel, Pass between B Iremel и Zsherebchik (h=1385m), Tundra under stones 24-28.VII.1999 Yu. Mikhailov »Holotypus, *Chrysolina lagunovi* sp. n. Yu. Mikhailov det. 2006» (in a collection of SZMN, Novosibirsk).

## Subgenus *Chrysolina* (*Arctolina*) KONTKANEN, 1959

### *Ch. (Arctolina) poretzkyi* (JACOBSON, 1897)

JACOBSON, 1897: 434; BIEŃKOWSKI, 2001: 113; GUS'KOVA 2002: 33; MIKHAILOV, 2006a: 111; 2006b: 115; 2009: 141.

Distribution: Bashkortostan, Irgizly (loc. typ.) (Buryazinsk distr.); Krasnyi Klyuch, Maginsk (Nurimanovsk distr.); B Iremel; Chelyabinsk reg., Ilmensky Ridge, Lake. Tatkul; Suhaiy Atya (Asha distr.); of the river Sim (Katav-Ivanovsk distr.).

Material: Bashkortostan, coast of the river Belaya, 30.07.1896, 1 ex.

The regular remark: In connection with loss holotype, Mikhailov has allocated neotype *Chrysolina poretzkyi*, neotype, ♂ «Chelyabinsk reg., Asha distr., Suhaya Atya 2-3.06.1990 A.V. Lagunov», «NEOTYPUS, *Chrysomela poretzkyi* JACOBSON, 1897, design. Yu. Mikhailov, 2005», «*Chrysolina poretzkyi* (JACOBSON), det. Yu. Mikhailov, 2005» in a collection of IPAE (Ekaterinburg).

## Subgenus *Chrysolina* (*Stichoptera*) MOTSCHULSKY, 1860

### *Ch. (Stichoptera) gypsophilae* (KÜSTER, 1845)

VORONCOWSKI, 1922: 48; GUS'KOVA 2002: 32.

Distribution: E Europe, Kazakhstan. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 15-20.07.1996, 7 ex.

### *Ch. (Stichoptera) sanguinolenta* (LINNAEUS, 1758)

ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 69; PAVLOV, 1998: 258.

Distribution: Europe, Kazakhstan, Siberia, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 1.09.1946, (V.N. Stepanov), 1 ex. in a collection of ZMSU, 05-06.1981, 6 ex. in a collection of reserve; Chelyabinsk reg., Kartaly district, village Varshavka, 18.07.1996, 3 ex.; Chelyabinsk reg., Uvelka district, village Uvelka, 14.06.1996, 3 ex.

## Subgenus *Chrysolina* (*Craspeda*) MOTSCHULSKY, 1860

### *Ch. (Craspeda) limbata* (FABRICIUS, 1775)

ESYUNIN & KOZMINYH, 1992: 64; MIKHAILOV, 1997a: 188; PAVLOV, 1998: 258; GUS'KOVA, 1999: 64; 2002: 30; UTKIN, 1999: 113.

Distribution: Europe, W and Middle Siberia, Altai, Yakutia. Southern Ural: forest-steppe, steppe zone.

Material: Kurgan reg., Kurgan, 30.06.1994, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Varshavka, 16.07.1996, 1 ex., 15.07.1997, 7 ex.

## Subgenus *Chrysolina* (*Taeniostricticha*) MOTSCHULSKY, 1860

### *Ch. (Taeniostricticha) reitteri* (J. WEISE, 1884)

= *Ch. lurida* LINNÉ, 1767

LAGUNOV & NOVOZHENOV, 1996: 69; GUS'KOVA, 1998: 105; 2002: 30.

Distribution: Europe, Caucasus, Kazakhstan, Sayan. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 25.06.1944, (V.N. Stepanov), 1 ex. in a collection of IPAE, 13.07.1981, 1 ex. in a collection of reserve; Bashkortostan, Sterlitamak, 26.06.1953, (Pollak), 1 ex. in a collection of ZMMU; Chelyabinsk reg., Kartaly district, village Varshavka, 16.07.1996, 2 ex.

## Subgenus *Chrysolina* (*Ovosoma*) MOTSCHULSKY, 1860

### *Ch. (Ovosoma) susterai* BECHYNE, 1950

= *Ch. morio* KRYNICKI, 1832

GUS'KOVA 2002: 32.

Distribution: southern parts of Europe, Altai, Kazakhstan. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 6.07.1996, 13 ex., 15.07.1997, 5 ex.

## Subgenus *Chrysolina* (*Chrysomorphpha*) MOTSCHULSKY, 1860

### *Ch. (Chrysomorpha) cerealis* (LINNÉ, 1767)

GUS'KOVA, 1998: 105; 2002: 32.

Distribution: Europe, Caucasus, Kazakhstan, Siberia, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Orenburg reg., Orenburg, 2.07.1944, (J.P. Shelkanovcev), 1 ex. in a collection of ZMMU; Chelyabinsk reg., Chebarcul district, Kisegach, 5.06.1999, 8 ex.

## Subgenus *Chrysolina* (*Colaphosoma*) MOTSCHULSKY, 1860

### *Ch. (Colaphosoma) sturmi* (WESTHOFF, 1882)

= *Ch. diversipes* BEDEL, 1892

PAVLOV, 1998: 258; GUS'KOVA 2002: 31.

Distribution: E Europe, W Siberia, Altai, E Kazakhstan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Kurgan reg., coast of, the river Tobol, 30.06.1992, in a collection of ZMKU; Chelyabinsk reg., Chelyabinsk, 1-7.06.1996, 5 ex.; Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 17.07.1996, 7 ex.

### Subgenus *Chrysolina* (*Euchrysolina*) BECHYNE, 1950

#### *Ch. (Euchrysolina) graminis* (LINNAEUS, 1758)

ESYUNIN & KOZMINYH, 1992: 64; PAVLOV, 1998: 258; UTKIN, 1999: 112; GUS'KOVA 2002: 32.

D i s t r i b u t i o n : Europe, W and Middle Siberia, Yakutia. Southern Ural: forest-steppe zone.

M a t e r i a l : Kurgan reg., village Baraba, 10.06.1997, in a collection of ZMKU; Chelyabinsk reg., Chelyabinsk, 1.07.1998, 9 ex.

### Subgenus *Chrysolina* (*Erythrochysa*) BECHYNE, 1950

#### *Ch. (Erythrochysa) polita* (LINNAEUS, 1758)

JACOBSON, 1897: 435; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 69; PAVLOV, 1998: 258; GUS'KOVA, 1999: 64; 2002: 30; UTKIN, 1999: 112.

D i s t r i b u t i o n : Europe, Caucasus, W and Middle Siberia, N Kazakhstan, Altais, Sakhaline, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Kurgan reg., village Temlyakovo, 14.06.1992, in a collection of ZMKU; Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 15.08.1996, 5 ex.; Chelyabinsk reg., Kartaly district, village Varshavka, 18.07.1996, 3 ex.

### Subgenus *Chrysolina* (*Hypericia*) BEDEL, 1892

#### *Ch. (Hypericia) hyperici* (FORSTER, 1771)

GUS'KOVA 2002: 33.

D i s t r i b u t i o n : Europe, N Kazakhstan, W Siberia, Caucasus, N Africa. Southern Ural: forest-steppe, степная зона.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 7.07.96, 5 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 15.06.1997, 3 ex.

### Subgenus *Chrysolina* (*Anopachys*) MOTSCHULSKY, 1860

#### *Ch. (Anopachys) aurichalcea* (MANNERHEIM, 1825)

JACOBSON, 1897: 435; LAGUNOV & NOVOZHENOV, 1996: 69; GUS'KOVA 2002: 29.

D i s t r i b u t i o n : Europe, N Kazakhstan, W and Middle Siberia, Altais, Sakhaline, Mongolia, China, Korea, Japan, ИндоChina. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 22.08.1983, 2 ex. in a collection of reserve; Chelyabinsk reg., Chebarcul district, Kisegach, 17.06.1999, 2 ex.

### Subgenus *Chrysolina* (*Chrysolina*) MOTSCHULSKY, 1860

#### *Ch. (Chrysolina) staphylaea* (LINNAEUS, 1758)

=*Ch. staphylea* auct.

LAGUNOV & NOVOZHENOV, 1996: 69; PAVLOV, 1998: 258; GUS'KOVA, 1998: 105; 2002: 31; UTKIN, 1999: 112.

Distribution: Europe, Siberia, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 25.07.1983, 22.09.1983, 2 ex. in a collection of ZMMU; Kurgan reg., Kurgan, 22.06.1993, in a collection of ZMKU; Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.06.1998, 15 ex.

### Subgenus *Chrysolina* (*Sphaeromela*) BEDEL, 1892

#### *Ch. (Sphaeromela) varians* (SCHALLER, 1783)

GUS'KOVA 2002: 33.

Distribution: Europe, Altai. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Chebarcul district, Kisegach, 17.06.1998, 7 ex.; Chelyabinsk reg., Chelyabinsk, 25.07.1999, 3 ex.

### Subgenus *Chrysolina* (*Chalcidea*) MOTSCHULSKY, 1860

#### *Ch. (Chalcoidea) carnifex* (FABRICIUS, 1792)

MIKHAILOV, 1997b: 69; 1997a: 188; GUS'KOVA 2002: 32.

Distribution: Europe. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Asha, 30.07.1997, 5 ex.; Chelyabinsk reg., Uvelka district, village Vodopoika, 28.07.1998, 3 ex.

#### *Ch. (Chalcoidea) marginata* (LINNAEUS, 1758)

JACOBSON, 1897: 435; LAGUNOV & NOVOZHENOV, 1996: 69; PAVLOV, 1998: 258; UTKIN, 1999: 113; GUS'KOVA 2002: 30.

Distribution: Europe, W and Middle Siberia, Altai. Yakutia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 25.08.1983, 1 ex., 4.06.1988, 2 ex. in a collection of reserve; Kurgan reg., village Temlyakovo, 14.06.1992, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, Elizavetpolskoe, 26.07.1997, 5 ex.; Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 8.09.2000, 5 ex.

### Subgenus *Chrysolina* (*Fastuolina*) WARCHALOWSKI, 1991

#### *Ch. (Fastuolina) fastuosa* (SCOPOLI, 1763)

JACOBSON, 1897: 435; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 69; PAVLOV, 1998: 258; GUS'KOVA, 1999: 64; UTKIN, 1999: 113.

Distribution: Europe, W Siberia, Altai. Southern Ural: forest, forest-steppe zone.

Material: Kurgan reg., Kurgan, 25.07.1997, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 10-17.06.1999, 25 ex.

### Genus *Oreina* SHEVROLAT in DEJEAN, 1837

(*Chrysochloa* HOPPE, 1840)

**Subgenus *Oreina (Allorina)* J. WEISE, 1902**

***O. (Allorina) coerulea* (OLIVIER, 1790)**

= *O. rugulosa* (SUFFRIAN, 1851)

MIKHAILOV, 1997b: 70; GUS'KOVA 2002: 40.

Distribution: Europe. Southern Ural: forest zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 17.07.1998, 2 ex.

**Genus *Colaphellus* DAHL, 1823**

(*Colaphellus* WEISE, 1916)

***C. sophiae* (SCHALLER, 1783)**

VORONCOWSKI, 1922: 48; ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 39.

Distribution: Europe, Caucasus, Middle Asia, W Siberia. Southern Ural: forest-steppe, steppe zone.

Material: Chelyabinsk reg., Argayash district, village Kuzneckoe, 25.06.1997, 2 ex., 29.06.1998, 3 ex.

***C. hoeftii* (MENETRIES, 1832)**

= *C. hoefti* auct.

GUS'KOVA 2002: 39.

Distribution: Europe, Caucasus, Middle Asia, W Siberia. Southern Ural: forest-steppe, steppe zone.

Material: Chelyabinsk reg., Argayash district, village Kuzneckoe, 25.06.1997, 1 ex., 29.06.1998, 1 ex.

**Genus *Gastrophysa* CHEVROLAT in DEJEAN, 1837**

(*Gastroidae* AGASSIZ, 1846)

**Subgenus *Gastrophysa* (*Gastrophysa*) CHEVROLAT in DEJEAN, 1837**

***G. (Gastrophysa) polygoni* (LINNAEUS, 1758)**

JACOBSON, 1897: 432; VORONCOWSKI, 1922: 48; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOVA, 1996: 70; PAVLOV, 1992: 105; GUS'KOVA, 1998: 105; 2002: 36; UTKIN, 1999: 113.

Distribution: Europe, Kazakhstan, Siberia, Japan, Mongolia, China, N Africa. Southern Ural: forest, forest-steppe, steppe zone.

Material: Kurgan reg., village Temlyakovo, 15.07.1994, in a collection of ZMKU; Kartaly district, village Varshavka, 15.07.1997, 7 ex.; Chelyabinsk, 12.08.1997, 35 ex.

***G. (Gastrophysa) viridula* (DEGEER, 1775)**

GUS'KOVA 2002: 37.

Distribution: Europe, Caucasus, SE Kazakhstan, W and Middle Siberia, Altai, N America. Southern Ural: forest-steppe, steppe zone.

Material: Kurgan reg., village Temlyakovo, 12.07.1997, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Varshavka, 15.07.1997, 13 ex.

## Genus *Phaedon* DAHL, 1823

### Subgenus *Phaedon* (*Phaedon*) DAHL, 1823

#### *P. (Phaedon) cochleariae* (FABRICIUS, 1792)

GUS'KOVA, 1999: 64; 2002: 37.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Japan, N Africa.  
Southern Ural: forest-steppe zone.

Material: Chelyabinsk reg., Chelyabinsk, 12.07.1999, 3 ex.

#### *P. (Phaedon) laevigatus* DUFTSCHMID, 1825

LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 37.

Distribution: Europe. Southern Ural: forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 22-30.05.1958, 4 ex. in a collection of IPAE;  
Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 15 ex.

## Genus *Hydrothassa* THOMSON, 1866

### Subgenus *Hydrothassa* (*Hydrothassa*) THOMSON, 1866

#### *H. (Hydrothassa) hannoveriana* (FABRICIUS, 1775)

= *H. hannoverana* auct.

GUS'KOVA 2002: 39.

Distribution: Europe, W and Middle Siberia, Yakutia, Arctic regions. Southern Ural:  
forest zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 21.07.1997, 13 ex.

#### *H. (Hydrothassa) marginella* (LINNAEUS, 1758)

LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 39.

Distribution: Europe, E Kazakhstan, Altai, W and Middle Siberia, Sayan, Yakutia.  
Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 29.07.1974, 1 ex. in a collection of IPAE;  
Chelyabinsk, 10.06.1996, 12 ex.

## Genus *Prasocuris* LATREILLE, 1802

### *P. phellandrii* (LINNAEUS, 1758)

ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 39.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, China, Mongolia, N Africa.  
Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 17.06.1985, 2 ex. in a collection of reserve;  
Chelyabinsk, coast of the water basins Shershnevskoe, 1.06.1996, 7 ex.; Chelyabinsk reg.,  
Troick district, coast of the river U, 12.06.1999, 13 ex.

**Genus *P lag i o d e r a* CHEVROLAT in DEJEAN, 1837**

***P. versicolora* (LAICHARTING, 1781)**

LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 38.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, Mongolia, China, N Africa. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 21-25.07.1997, 18 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.07.1998, 5 ex.

**Genus *C h r y s o m e l a* LINNAEUS, 1758**

(*Melasoma* STEPHAENS, 1832)

**Subgenus *Chrysomela* (*Pachylina*) L. MEDV. in MEDV. et CHERNOV, 1969**

***Ch. (Pachylina) collaris* LINNAEUS, 1758**

LAGUNOV & NOVOZHENOV, 1996: 69; PAVLOV, 1998: 259; UTKIN, 1999: 113; GUS'KOVA 2002: 33.

D i s t r i b u t i o n : Europe, Siberia, Kamchatka, Sakhaline, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 23.05.43 and 19.06.1943, 2 ex. in a collection of ZMMU, 17.06.1957, 1 ex. in a collection of IPAE; Kurgan reg., Kurgan, coast of the river Tobol, 19.07.1992 in a collection of ZMKU; Chelyabinsk, coast of the river Miass, 15.06.1996, 18 ex.; Chelyabinsk reg., Kartaly district, coast of the river Karagaily-Aiyat, 3.07.1997, 15 ex.

**Subgenus *C h r y s o m e l a* (*Macrolina*) MOTSCHULSKY, 1860**

***Ch. (Macrolina) cuprea* FABRICIUS, 1775**

JACOBSON, 1897: 436; LAGUNOV & NOVOZHENOV, 1966: 69; GUS'KOVA 2002: 33.

D i s t r i b u t i o n : Europe, W and Middle Siberia, Altai, Yakutia, Maritime Prov., Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 20.04.1943, (V.N. Stepanov), 1 ex. in a collection of reserve, (26.06.1957, 24.05.1958, 12.06.1958 and 7.05.1959), 4 ex. in a collection of IPAE; Chebarcul district, Kisegach, 2.06.1999, 9 ex.

***Ch. lapponica* LINNAEUS, 1758**

JACOBSON, 1897: 436; OLSHVANG, 1986: 56; LAGUNOV & NOVOZHENOV, 1996: 69.

D i s t r i b u t i o n : Europe, W and Middle Siberia, Yakutia, Sakhaline, Japan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 22.05.1943, (V.N. Stepanov), 1 ex. in a collection ZMMU; Chelyabinsk, 3.06.1997, 17 ex.

***Ch. vigintipunctata* (SCOPOLI, 1763)**

LAGUNOV & NOVOZHENOV, 1996: 69.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Yakutia, Sakhaline, Korea, China, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 2.06.1999, 3 ex.

## Subgenus *Chrysomela* (*Chrysomela*) LINNAEUS, 1758

### *Ch. (Chrysomela) populi* LINNAEUS, 1758

JACOBSON, 1897: 436; VORONCOWSKI, 1922: 48; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 69; PAVLOV, 1998: 259; UTKIN, 1999: 113; GUS'KOVA 2002: 34.

Distribution: Europe, Siberia, Kazakhstan, Yakutia, Sakhaline, Korea, China, Mongolia.

Southern Ural: forest, forest-steppe, steppe zone.

Material: Kurgan reg., Kurgan, coast of the river Tobol, 19.07.1992, in a collection of ZMKU; Chelyabinsk reg., Chelyabinsk, coast of the river Miass, 20.06.1998, 25 ex.; Chelyabinsk reg., Troick district, village Berezniki, 3.06.1997, 19 ex.

### *Ch. (Chrysomela) saliceti* (J. WEISE, 1884)

LAGUNOV & NOVOZHENOV, 1996: 69; GUS'KOVA 2002: 34.

Distribution: Europe, Kazakhstan, Siberia, Yakutia, Sakhaline, Korea, China, Mongolia.  
Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Chelyabinsk, coast of the river Miass, 20.06.1998, 13 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 2.06.1999, 15 ex.

### *Ch. (Chrysomela) tremula* FABRICIUS, 1787

= *Ch. tremulae* auct.

VORONCOWSKI, 1922: 48; ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 35.

Distribution: Europe, Kazakhstan, Siberia, Yakutia, Sakhaline, China, Korea, Mongolia.  
Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Kartaly district, coast of the river Karagaily-Aiyat, 2.07.1997, 8 ex.; Chelyabinsk reg., Chelyabinsk, coast of the river Miass, 20.06.1998, 11 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 2.06.1999, 5 ex.

## Genus *Linnaeidea* MOTSCHULSKY, 1860

### *L. aenea* (LINNAEUS, 1758)

LAGUNOV & NOVOZHENOV, 1996: 70; GUS'KOVA 2002: 37.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, Mongolia, Japan, N Africa.  
Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, river Yuryuzan, 9.08.1998, 25 ex.; Chelyabinsk reg., Chelyabinsk, 12.07.1999, 13 ex.

## Genus *Leptinotarsa* CHEVROLAT in DEJEAN, 1837

### *L. decemlineata* (SAY, 1824)

OLSHVANG, 1986: 56; LAGUNOV & NOVOZHENOV, 1996: 70; PAVLOV, 1998: 258; UTKIN, 1999: 112; GUS'KOVA 2002: 37.

Distribution: Introduced from N America. Europe, Caucasus, W and Middle Siberia.  
Southern Ural: forest, forest-steppe, steppe zone.

Material: Kurgan reg., village Lise, 2.06.1996, in a collection of ZMKU; Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 7 ex.; Chelyabinsk reg., Chelyabinsk, 12.06.1998, 45 ex.

## Genus *Entomoscelis* CHEVROLAT in DEJEAN, 1837

### *E. adonidis* (PALLAS, 1771)

JACOBSON, 1897: 432; VORONCOWSKI, 1922: 48; LAGUNOV & NOVOZHENOV, 1996: 70; PAVLOV, 1998: 259; GUS'KOVA, 1999: 64; 2002: 36; UTKIN, 1999: 114.

Distribution: Europe, Kazakhstan, Siberia, Japan, Mongolia, China, N Africa. Southern Ural: forest-steppe, steppe zone.

Material: Kurgan reg., Kurgan, 11.06.1994, in a collection of ZMKU; Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 13 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 15.06.1997, 27 ex.

## Genus *Gonioctena* CHEVROLAT in DEJEAN, 1837

(*Phytodecta* KIRBY, 1837)

### Subgenus *Gonioctena* (*Gonioctena*) CHEVROLAT in DEJEAN, 1837

#### *G. (Gonioctena) decaspilota* (ACHARD, 1924)

= *G. salicis* (MOTSCHULSKY, 1860)

= *G. affinis* (GYLLENHAL, 1808)

PAVLOV, 1998: 70; OLSHVANG, 1986: 56; GUS'KOVA 2002: 35.

Distribution: N Europe, Siberia, Japan, N Mongolia. Southern Ural: forest zone.

Material: Bolshoi Iremel, Tundra, 27-30.07.1998, 37 ex.

#### *G. (Gonioctena) decemnotata* (MARSHAM, 1802)

= *G. rufipes* DEGEER, 1775

LAGUNOV & NOVOZHENOV, 1996: 70; JACOBSON, 1897: 436; GUS'KOVA 2002: 35.

Distribution: Europe, Kazakhstan, Siberia, N China, Mongolia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, coast of the river Tyulyuk, 25.05.1998, 28 ex.; Chelyabinsk, coast of the river Miass, 3.06.1999, 16 ex.

#### *G. (Gonioctena) viminalis* (LINNAEUS, 1758)

LAGUNOV & NOVOZHENOV, 1996: 70; JACOBSON, 48: 436; GUS'KOVA 2002: 35.

Distribution: Europe, Caucasus, Kazakhstan, Siberia, N Mongolia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, coast of the river Tyulyuk, 25-30.05.1998, 16 ex.; Chelyabinsk reg., Uvelka district, coast of the river Kabanka, 2-5.06.1999, 17 ex.

### Subgenus *Gonioctena* (*Goniomena*) MOTSCHULSKY, 1860

#### *G. (Goniomena) pallida* (LINNAEUS, 1758)

LAGUNOV & NOVOZHENOV, 1996: 70; GUS'KOVA 2002: 35.

Distribution: Europe, Siberia, Mongolia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 31.05.1981, 15.06.1982, 2 ex. in a collection of reserve; Chelyabinsk reg., Kopeisk, 13.06.1996, 5 ex.

**Genus *Cercyonops* JACOBSON, 1900**

***C. caraganae* (GEBLER, 1823)**

OLSHVANG, 1986: 56; GUS'KOVA 2002: 40.

Distribution: Europe, W and Middle Siberia, Altai, Sayan. Southern Ural: forest zone.

Material: Bolshoi Iremel, mountain tundra, (V.N. Olshvang).

**Genus *Phratora* CHEVROLAT in DEJEAN, 1837**

(*Phyllolecta* KIRBY, 1837)

**Subgenus *Phratora* (*Phratora*) CHEVROLAT in DEJEAN, 1837**

***Ph. (Phratora) atrovirens* (CORNELIUS, 1857)**

LAGUNOV & NOVOZHENOV, 1996: 70; GUS'KOVA 2002: 38.

Distribution: Europe, Siberia, Mongolia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 2.06.1982, 26.06.1985, 2 ex. in a collection of reserve; Chelyabinsk reg., Uvelka district, village Uvelka, 27.06.1997, 5 ex.

***Ph. (Phratora) laticollis* (SUFFRIAN, 1851)**

LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 38.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, Japan, Mongolia, China, N Africa. Southern Ural: forest zone.

Material: Chelyabinsk reg., Ilmensky Res., mountain Lysaya, 17.08.1983, (R. Aglyamzyanov), 1 ex. in a collection of reserve.

***Ph. (Phratora) vitellinae* (LINNAEUS, 1758)**

JACOBSON, 1897: 436; LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 38.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, Japan, Mongolia. China, N Africa. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Chebarcul district, Kisegach, 13.07.1996, 5 ex.; Chelyabinsk, 2.07.1999, 3 ex.

**Subgenus *Phratora* (*Chaeoceroides*) E. STRAND, 1935**

***Ph. (Chaeoceroides) vulgatissima* (LINNAEUS, 1758)**

=*Ph. longulus* MOTSCHULSKY, 1860

JACOBSON, 1897: 436; VORONCOWSKI, 1922: 48; LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 38.

Distribution: All over Holarctic. Southern Ural: forest zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 21.07.1997, 9 ex.

## Subfamily Galerucinae LATREILLE, 1802

### Genus *Galerucella* CROTCH, 1873

#### Subgenus *Galerucella* (*Galerucella*) CROTCH, 1873

##### ***G. (Galerucella) grisescens* (JOANNIS, 1866)**

LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 43.

Distribution: Europe, Siberia, Kazakhstan, Sakhaline, Japan, Mongolia, China. Southern Ural: forest zone.

Material: Chelyabinsk reg., Ilmensky Res., coast of the lake Miassovo, 7.06.1985, 20 ex. in a collection of reserve; Chelyabinsk reg., Chebarcul district, Kisegach, 12.06.1996, 13 ex.

##### ***G. (Galerucella) nymphaeae* (LINNAEUS, 1758)**

LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 43.

Distribution: All over Polaearctic. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Kartaly district, the river Karagaily-Aiyat, 5-13.07.1997, 34 ex.; Chelyabinsk reg., Argayash district, lake Argayash, 14.06.1998, 13 ex.; Chelyabinsk reg., Chebarcul district, lake Elanchik, 8.08.1998, 50 ex.

#### Subgenus *Galerucella* (*Neogalerucella*) CHÙJÔ, 1962

##### ***G. (Neogalerucella) calmariensis* (LINNÉ, 1767)**

GUS'KOVA 2002: 43.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Mongolia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Chebarcul district, Kisegach, 5.06.1998, 8 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 14.06.1998, 3 ex.

##### ***G. (Neogalerucella) lineola* (FABRICIUS, 1781)**

LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA 2002: 42.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, China, Japan, N Africa. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 16.05.1976, 6.06.1984, 2 ex. in a collection of reserve; Chelyabinsk reg., Chebarcul district, Kisegach, 5.06.1998, 3 ex.

##### ***G. (Neogalerucella) pusilla* (DUFTSCHMID, 1825)**

LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA 2002: 43.

Distribution: Europe, Caucasus, Kazakhstan, Middle Asia, southern parts of Siberia, Mongolia. Southern Ural: forest zone.

Material: Chelyabinsk reg., Ilmensky Res., Bolshoe Miassovo, 7.06.1985, 3 ex. in a collection of reserve.

##### ***G. (Neogalerucella) tenella* (LINNAEUS, 1761)**

LAGUNOV & NOVOZHENOV, 1996: 72; UTKIN, 1999: 114; GUS'KOVA 2002: 43.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, Japan, Mongolia, China. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1997, 33 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 25.05.1998, 43 ex.

### Genus *Pyrrhala* JOANNIS, 1866

#### *P. viburni* (PAYKULL, 1799)

JACOBSON, 1897: 436; LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA 2002: 42.

Distribution: Europe, Caucasus, N Kazakhstan, W Siberia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 23.08.1983, 1 ex. in a collection of reserve; Chelyabinsk reg., Argayash district, village Kuzneckoe, 5.06.1998, 13 ex.

### Genus *Lochmaea* WEISE, 1883

#### *L. caprea* (LINNAEUS, 1758)

= *L. caprae* auct.

JACOBSON, 1897: 436; LAGUNOV & NOVOZHENOV, 1996: 71; PAVLOV, 1998: 259; UTKIN, 1999: 112; GUS'KOVA 2002: 41.

Distribution: Europe, Caucasus, Kazakhstan, W and Middle Siberia, S and Middle Yakutia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., Bolshoe Miassovo, 7.06.1985, 1 ex. in a collection of reserve; Kurgan reg., 15.07.1993, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, coast of the river Karagaily-Aiyat, 3-15.07.1997, 27 ex.

#### *L. crataegi* (FORSTER, 1771)

GUS'KOVA, 1999: 65; 2001: 42.

Distribution: forest and forest-steppe zone of Palearctic. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Chebarcul district, Kisegach, 5.06.1998, 9 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 30.06.1998, 9 ex.

### Genus *Gale ruca* GEOFFROY, 1762

#### Subgenus *Gale ruca* (*Gale ruca*) GEOFFROY, 1762

##### *G. (Galeruca) interrupta circumdata* (DUFTSCHMID, 1825)

LAGUNOV & NOVOZHENOV, 1996: 71.

Distribution: Europe, Siberia, Tibet, Mongolia, China. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 22.09.1983, 1 ex. in a collection of reserve; Chelyabinsk reg., Chebarkul, 12.06.1997, 2 ex.

##### *G. (Galeruca) laticollis* SAHLBERG, 1838

ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA 2002: 40.

Distribution: Europe, Siberia, N Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Kartaly district, village Varshavka, 7.07.1996, 13 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 5.06.1998, 4 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 17.06.1998, 3 ex.

### ***G. (Galeruca) pomonae (SCOPOLI, 1763)***

VORONCOWSKI, 1922: 48; LAGUNOV & NOVOZHENOV, 1996: 71; PAVLOV, 1998: 259; GUS'KOVA, 1999: 64; 2002: 41; UTKIN, 1999: 112.

Distribution: Europe, Kazakhstan, Siberia, W and N Mongolia. Southern Ural: forest, forest-steppe zone.

Material: Kurgan reg., Kurgan, 15.06.1998, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 5.06.1998, 18 ex.

### ***G. (Galeruca) tanaceti (LINNAEUS, 1758)***

JACOBSON, 1897: 436; VORONCOWSKI, 1922: 48; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 71; PAVLOV, 1998: 259; GUS'KOVA, 1999: 64; 2002: 41.

Distribution: Europe, Caucasus, Middle Asia, W Siberia, Altais. Southern Ural: forest, forest-steppe, steppe zone.

Material: Kurgan reg., village Temlyakovo, 7.07.1993, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Varshavka, 15.07.1997, 12 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 5.06.1998, 5 ex.

## **Subgenus *Galeruca* (*Emarhopa*) *J. WEISE, 1886***

### ***G. (Emarhopa) rufa GERMAR, 1824***

GUS'KOVA 2002: 41.

Distribution: Europe. Southern Ural: forest-steppe, steppe zone.

Material: Chelyabinsk reg., Uvelka district, village Uvelka, 17.06.1997, 3 ex.; Chelyabinsk reg., Kartaly district, village Varshavka, 15.07.1997, 2 ex.

## **Genus *Pallasia* JACOBSON, 1925**

### ***P. absinthii (PALLAS, 1773)***

ESYUNIN & KOZMINYH, 1992: 64; MIKHAILOV, 1997b: 69; 1997a: 188; GUS'KOVA 2002: 44.

Distribution: Kazakhstan, southern parts of Siberia, Ear East, N China, Mongolia. Southern Ural: forest-steppe, степная zone.

Material: Kurgan reg., village Temlyakovo, 6.07.1993, in a collection of ZMKU; Chelyabinsk reg., Kartaly district, village Varshavka, 6-19.07.1996, 23 ex.

## **Genus *Agelesta* CHEVROLAT in DEJEAN, 1837**

### ***A. alni (LINNAEUS, 1758)***

GUS'KOVA 2002: 44.

Distribution: Europe, Kazakhstan, W Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Kopeisk, 14.06.1996, 3 ex.; Chelyabinsk reg., Miass, 21.06.1997, 1 ex.

### Genus *Phyllobrotica* CHEVROLAT in DEJEAN, 1837

#### *Ph. quadrimaculata* (LINNAEUS, 1758)

JACOBSON, 1897: 436; ESYUNIN & KOZMINYH, 1992: 64; LAGUNOV & NOVOZHENOV, 1996: 71; GUS'KOVA, 1998: 105; 2002: 42.

D i s t r i b u t i o n : Europe, N Kazakhstan, W Siberia, Sayan, Transbaikalia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 18.07.1984, 3 ex., Chelyabinsk reg., Kartaly district, village Varshavka, 12.07.1997, 2 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 15.06.1998, 5 ex.

### Genus *Exosoma* JACOBY, 1903

#### *E. collare* (HUMMEL, 1825)

ESYUNIN & KOZMINYH, 1992: 64; GUS'KOVA 2002: 44.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, southern parts of W Siberia. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 3 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 5.06.1998, 1 ex.

### Genus *Luperus* GEOFFROY, 1762

#### *L. flavipes* (LINNÉ, 1767)

JACOBSON, 1897: 436; GUS'KOVA 2002: 44.

D i s t r i b u t i o n : Europe, Siberia, N Mongolia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1997, 11 ex.

### *L. viridipennis* GERMAR, 1824

GUS'KOVA 2002: 44.

D i s t r i b u t i o n : E Europe, Siberia, Mongolia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 14.06.1997, 3 ex.

### Subfamily *Alticinae* NEWMAN, 1834

#### Genus *Neocrepidoderella* HEIKERTINGER, 1911

(*Asiorestia* JACOBSON, 1925; *Crepidodera* auct. non CHEVROLAT in DEJEAN, 1836)

#### *N. crassicornis* (FALDERMANN, 1837)

SHCHUTAK, 1957: 8; CHASHCHINA, 2008: 47.

D i s t r i b u t i o n : S and SE Europe, Ciscaucasia, Caucasus, Transcaucasus, Turkey, Kazakhstan. Southern Ural: forest, forest zone.

M a t e r i a l : Bashkortostan, Irgizly, 29.07.2000, 5 ex (A.O. Bieńkowski).

***N. ferruginea* (SCOPOLI, 1763)**

LAGUNOV & NOVOZHENOV, 1996: 72; CHASHCHINA, 2008: 48

D i s t r i b u t i o n : Europe, Caucasus, Middle Asia, W Siberia, Sayan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Kopeisk, 14.06.1996, 5 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 14.06.1997, 3 ex.

***N. interpunctata* (MOTSCHULSKY, 1859)**

SHCHUTAK, 1957: 8; LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA 2002: 46; CHASHCHINA, 2008: 48

D i s t r i b u t i o n : N Europe, Siberia, Japan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 2.07.1984, 2 ex. in a collection of reserve; Chelyabinsk reg., Uvelka district, village Kichigino, 3.06.1997, 3 ex.

***N. motschulskii* (KONSTANTINOV, 1991)**

CHASHCHINA, 2002: 74; 2008: 48; GUS'KOVA 2002: 46

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 20.06.1998, 6 ex.; Chelyabinsk reg., Alekseevka, 29.06.2001— 1 ex.; Chelyabinsk reg., Arkaim, 30.06.2001, 1 ex. (O.E. Chashchina)

***N. transversa* (MARSHAM, 1802)**

CHASHCHINA, 2002: 74; 2008: 48

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 2.07.1984, 1 ex. (A.V. Lagunov); Chelyabinsk reg., Ilmensky Res., 16.07.1997, 1 ex. (O.E. Chashchina); Bashkortostan, lake Uzun-Kul 16.08.1938, 1 ex. (O.L. Kryzhanovski).

**Genus *Cr e p i d o d e r a* CHEVROLAT in DEJEAN, 1836**

(*Chalcoides* FOUDRAS, 1860)

***Cr. aurata* (MARSHAM, 1802)**

CHASHCHINA, 2002: 371; 2008: 48.

D i s t r i b u t i o n : Europe, Siberia. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 14.06.2005, 2 ex. (O.E. Chashchina); Chelyabinsk reg., Ilmensky Res., lake Demidovskoe, 18.07.2005, 1 ex. (O.E. Chashchina).

***Cr. fulvicornis* (FABRICIUS, 1792)**

ESYUNIN & KOZMINYH, 1992: 65; GUS'KOVA 2002: 48; CHASHCHINA, 2008: 48

D i s t r i b u t i o n : forest and steppe zone Palaearctic. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Bredy district, village Morozovka, 30.07.1998, 2 ex.; Chelyabinsk reg., Uvelka district, village Peschanoe, 13.06.1999, 1 ex.

***Cr. nitidula* (LINNAEUS, 1758)**

LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA 2002: 48; CHASHCHINA, 2008: 48;  
D i s t r i b u t i o n : Europe, W Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 26.08.1982, 1 ex. in a collection of reserve;  
Chelyabinsk reg., Uvelka district, village Kichigino, 14.06.1996, 3 ex.

**Genus *D e r o c r e p i s* WEISE, 1886**

***D. rufipes* (LINNAEUS, 1758)**

JACOBSON, 1897: 436; LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA, 1998: 105; 1999: 65;  
2002: 48; CHASHCHINA, 2008: 49.

D i s t r i b u t i o n : Europe, Caucasus, W Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, village Peschanoe, 13.06.1999, 5 ex.;  
Chelyabinsk reg., Kartaly district, village Varshavka, 16.07.1996, 1 ex.

**Genus *H i p p u r i p h i l a* FOUDRAS, 1860**

***H. modeeri* (LINNAEUS, 1761)**

OLSHVANG, 1986: 56; GUS'KOVA 2002: 53; GUS'KOVA 2002: 53; CHASHCHINA, 2008: 49.

D i s t r i b u t i o n : All over Polaearctic. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 20-22.07.1997, 3 ex.

**Genus *E p i t r i x* FOUDRAS, 1860**

***E. pubescens* (KOCHE, 1803)**

LAGUNOV & NOVOZHENOV, 1996: 724; GUS'KOVA 2002: 48; CHASHCHINA, 2008: 49.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, Asia Minor, W Siberia. Southern Ural:  
forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 25.06.1983, 1 ex. in a collection of reserve.

**Genus *P h y l l o t r e t a* CHEVROLAT in DEJEAN, 1837**

***Ph. armoraciae* (KOCHE, 1803)**

LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 1999: 64; 2002; CHASHCHINA, 2008: 49.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Mongolia.  
Introduced to N America. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 9.06.1982, 17.06.1984, 2 ex.; Chelyabinsk reg.,  
Bredy district, village Morozovka, 30.07.1998, 3 ex.

***Ph. atra* (FABRICIUS, 1775)**

LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 1999: 64; CHASHCHINA, 2008: 49.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Mongolia. Southern  
Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 9.06.1982, 17.06.1984, 2 ex.; Chelyabinsk reg.,  
Bredy district, village Morozovka, 30.07.1998, 3 ex.

***Ph. misella* JACOBSON, 1901**

CHASHCHINA, 2002: 371; CHASHCHINA, 2008: 50.

D i s t r i b u t i o n : Middle Siberia, Transbaikalia, Mongolia, N China. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 6.07.2002, 6 ex. (O.V. Chashchina).

***Ph. nemorum* (LINNAEUS, 1758)**

CHASHCHINA, 2008: 50.

D i s t r i b u t i o n : Europe, Caucasus, S Siberia to Amurland, Mongolia, Korea. Introduced to Australia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Kirovskoe, 14.06.2004, 1 ex. (O.E. Chashchina).

***Ph. ochripes* (CURTIS, 1837)**

CHASHCHINA, 2008: 50.

D i s t r i b u t i o n : Europe except for N, Caucasus, Iran, S Siberia to Amurland, Mongolia, Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Stepnoe, 3.07.2005, 2 ex. (O.E. Chashchina).

***Ph. pallidipennis* REITTER, 1891**

CHASHCHINA, 2008: 50.

D i s t r i b u t i o n : S Ukraine, SE European Russia, Ciscaucasia, Dagestan, Turkey, Central Asia, Afghanistan, Iran, SW Siberia, Altais, Baikal Area, Transbaikalia Mongolia, NE China. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Arkaim, 3.07.2001, 1 ex. (O.E. Chashchina).

***Ph. striolata* (FABRICIUS, 1803)**

LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA 2002: 52; CHASHCHINA, 2008: 50.

D i s t r i b u t i o n : All over Holarctic. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 13.07.1981, 1 ex. in a collection of reserve; Chelyabinsk reg., Uvelka district, village Uvelka, 13.06.1997, 4 ex.

***Ph. tetrastigma* (COMOLLI, 1837)**

CHASHCHINA, 2008: 50.

D i s t r i b u t i o n : Europe, W and Middle Siberia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Stepnoe, 3.07.2005, 1 ex. (O.E. Chashchina).

***Ph. undulata* KUTSCHERA, 1860**

OLSHVANG, 1986: 56; LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 1999: 64; 2005: 52; CHASHCHINA, 2008: 50.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Japan, Sakhaline, China, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 17.06.1984, 1 ex. in a collection of reserve; Chelyabinsk reg., Bredy district, village Morozovka, 30.07.1998, 1 ex.

***Ph. vittula* (L. REDTENBACHER, 1849)**

ESYUNIN & KOZMINYH, 1992: 65; LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 1999: 64; 2002: 52; CHASHCHINA, 2008: 50.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Japan, Sakhaline, China, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 20-22.07.1997, 2 ex.

**Genus *L ongittarsus* LATREILLE, 1829**

***L. apicalis* (BECK, 1817)**

LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA 2002: 49.

D i s t r i b u t i o n : Europe, S and Middle Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 13.06.1981, 1 ex. in a collection of reserve; Chelyabinsk reg., Uvelka district, village Peschanoe, 13.06.1999, 3 ex.

***L. atricillus* (LINNAEUS, 1761)**

CHASHCHINA, 2008: 51.

D i s t r i b u t i o n : Europe except for N, Transcaucasia, Middle East, Turkmenistan, Uzbekistan, N Africa. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Bashkortostan, Irgizly, 25.07.2000, 1 ex (A.O. Bieńkowski).

***L. brunneus* (DUFTSCHMID, 1825)**

CHASHCHINA, 2008: 51.

D i s t r i b u t i o n : Europe, Caucasus, Transcaucasia, SE Kazakhstan, Kirghizstan, W and Middle Siberia, Cisbaikalia, Amurland, Far East, Korea. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 12.06.1997, 3 ex. (O.E. Chashchina);

***L. exsoletus* (LINNAEUS, 1758)**

CHASHCHINA, 2008: 51.

D i s t r i b u t i o n : Europe except for N, Transcaucasia, Middle East, Turkmenistan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, village Krasnogorsk, 13.VI.2005.

***L. holsaticus* (LINNAEUS, 1758)**

LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA 2002: 49; CHASHCHINA, 2008: 52.

D i s t r i b u t i o n : Europe, Transbaikalia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.07.1997, 3 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.07.1998, 2 ex.

***L. jacobaeae* (WATERHOUSE, 1858)**

ESYUNIN & KOZMINYH, 1992: 65; LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA, 1999: 65; 2002: 49; CHASHCHINA, 2008: 52.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 10.09.1982, 25.07.1983, 2 ex. in a collection of reserve; Chelyabinsk reg., Kartaly district, village Varshavka, 16.07.1996, 13 ex.

### ***L. lewisi* (BALY, 1874)**

CHASHCHINA, 2002: 371; 2008: 52.

D i s t r i b u t i o n : Europe except for N, Transcaucasia, Turkey, Iran, Caucasus, Kirghizstan, Afghanistan, Siberia, Sakhalin, Kuriles Isles, Far East, Mongolia, China, Korea, Japan, Taiwan, N Vietnam. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 31.05.2005, 1 ex. (O.E. Chashchina).

### ***L. longiseta* WEISE, 1889**

CHASHCHINA, 2008: 52.

D i s t r i b u t i o n : Europe except for S and N, Transcaucasia, E Siberia, Martin Prov., NE China, Korea, Japan, Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Biyanka 7.06.1997, 1 ex. (A.V. Lagunov); Bashkortostan, Kurgashevo 16.08.1938, 1 ex. (O.E. Chashchina).

### ***L. luridus* (SCOPOLI, 1763)**

ESYUNIN & KOZMINYH, 1992: 65; LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA, 1999: 65; 2002: 49; CHASHCHINA, 2008: 52.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, Mongolia, China. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.09.1997, 7 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.09.1998, 5 ex.; Chelyabinsk reg., Bredy district, village Morozovka, 30.09.1998, 2 ex.

### ***L. medvedevi* SHAPIRO, 1956**

CHASHCHINA, 2008: 52.

D i s t r i b u t i o n : Central, SE and E, Uzbekistan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 6.07.2002, 1 ex. (O.E. Chashchina); Bashkortostan, Irgizly, 29.07.2000, 1 ex. (A.O. Bieńkowski).

### ***L. melanocephalus* (DEGEER, 1775)**

LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA 2002: 50; CHASHCHINA, 2008: 52.

D i s t r i b u t i o n : Europe, Kazakhstan, Middle Asia, Siberia, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.07.1997, 3 ex.; Chelyabinsk reg., Uvelka district, village Uvelka, 30.08.1998, 5 ex.

### ***L. minimus* KUTSCHERA, 1863**

CHASHCHINA, 2008: 52.

D i s t r i b u t i o n : S and Central Europe, S Siberia. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Biyanka 7.06.1997, 1 ex. (A.V. Lagunov).

***L. monticola* KUTSCHERA, 1863**

BIEŃKOWSKI, 2004: 111; CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Mountains of W and Central Europe, S Europe, Caucasus, Tajikistan. Southern Ural: forest-steppe zone.

M a t e r i a l : Bashkortostan, Irgizly, 29.07.2000, 1 ex. (A.O. Bieńkowski).

***L. nasturtii* (FABRICIUS, 1792)**

LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA, 1999: 65; 2002: 50; CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Europe, Siberia, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 5.06.1981, 1 ex. in a collection of reserve; Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.07.1998, 3 ex.

***L. nigerrimus* (GYLLENHAL, 1827)**

CHASHCHINA, 2002: 371; 2008: 53.

D i s t r i b u t i o n : Europe, Caucasus, Sayan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 1996-1998 (O.E. Chashchina).

***L. nigrofasciatus* (GOEZE, 1777)**

CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Europe except for N, E Caucasus, Turkey, Near and Middle East, Afghanistan, Kazakhstan, Central Europe, W Siberia. Southern Ural: forest zone.

M a t e r i a l : Bashkortostan, Irgizly, 24.07.2000, 1 ex. (A.O. Bieńkowski).

***L. obliteratus* (ROSENHAUER, 1847)**

JACOBSON, 1897: 436; LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA, 1999: 65; 2002: 50; CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, SW Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 27.07.1983, 1 ex. in a collection of reserve; Chelyabinsk reg., Kopeisk, 13.06.1996, 2 ex.

***L. pellucidus* (FOUDRAS, 1860)**

LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA, 2002: 50; CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Europe, Kazakhstan, Middle Asia, W Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Kopeisk, 13.06.1996, 3 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 15.06.1997, 5 ex.

***L. pratensis* (PANZER, 1794)**

CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Europe, Caucasus, Turkey, Near and Middle East, Afghanistan, Central Asia, N Africa. Introduced to N America. Southern Ural: forest zone.

M a t e r i a l : Bashkortostan, Irgizly, 24.07.2000, 1 ex. (A.O. Bieńkowski)

### ***L. salviae* GRUEV, 1975**

BIEŃKOWSKI, 2004: 111; CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Europe except for N and E, Crimea, Caucasus. Southern Ural: forest zone.

M a t e r i a l : Bashkortostan, Irgizly, 29.07.2000, 1 ex. (A.O. Bieńkowski).

### ***L. succineus* (FOUDRAS, 1860)**

BIEŃKOWSKI, 2004: 111; CHASHCHINA, 2008: 54.

D i s t r i b u t i o n : All over Palaearctic. Introduced to N America. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Biyanka 7.06.1997, 1 ex. (A.V. Lagunov); Bashkortostan, Irgizly, 29.07.2000, 5 ex. (A.O. Bieńkowski).

### ***L. suturellus* (DUFTSCHMID, 1825)**

CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : All over Palaearctic except for Mediterranean. Southern Ural: forest zone.

M a t e r i a l : Bashkortostan, Idrisovo, 12.06.2001, 1 ex. (O.E. Chashchina).

### ***L. tabidus* (FABRICIUS, 1775)**

LAGUNOV & NOVOZHENOV, 1996: 73; GUS'KOVA, 1999: 65; 2002: 51; CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Europe, Kazakhstan, Middle Asia, W Siberia, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 20-22.07.97, 12 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.99, 11 ex.

## **Genus *Aphtona* CHEVROLAT in DEJEAN, 1837**

### ***A. abdominalis* (DUFTSCHMID, 1825)**

LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA, 2002: 45; CHASHCHINA, 2008: 53.

D i s t r i b u t i o n : Europe, Kazakhstan. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., coast of the river BOLSHOE Miassovo, 7.06.1985, 1 ex. in a collection of reserve; Chelyabinsk reg., Chebarcul district, Kisegach, 14.06.1997, 1 ex.

### ***A. beckeri* JACOBSON, 1896**

CHASHCHINA, 2008: 54.

D i s t r i b u t i o n : Southern E Europe, Caucasus, W Kazakhstan, Siberia, Mongolia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Arkaim, 1.07.2001, 1 ex. (O.E. Chashchina).

***A. cyparissiae* (KOCH, 1803)**

CHASHCHINA, 2002: 371; 2008: 54.

D i s t r i b u t i o n : Canada, USA, Europe, Caucasus. Southern Ural: Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 6.07.2002, 1 ex. (O.E. Chashchina).

***A. czwalinae* J. WEISE, 1889**

CHASHCHINA, 2008: 54.

D i s t r i b u t i o n : Europe except for N, Kazakhstan, Kirghizstan, W Siberia, Tuva, Mongolia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg. Verhneuralsk district, coast of the river Kizil, 19.VI.2005, 1 ex.

***A. erichsoni* (ZETTERSTEDT, 1838)**

CHASHCHINA, 2008: 54.

D i s t r i b u t i o n : N Europe, Siberia, Far East, Kamchatka, Mongolia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg. Ilmensky Res., 1996-1998 (O.E. Chashchina).

***A. gracilis* FALDERMANN, 1837**

CHASHCHINA, 2008: 54.

D i s t r i b u t i o n : SE Europe, Caucasus, Turkey, S Kazakhstan, Transbaikalia, Mongolia. Siberia. Southern Ural: forest zone.

M a t e r i a l : Bashkortostan, Irgizly, 24.07.2000, 1 ex. (A.O. Bieńkowski).

***A. lutescens* (GYLLENHAL, 1813)**

CHASHCHINA, 2002: 371; 2008: 54.

D i s t r i b u t i o n : Africa, Europe, Kazakhstan, W Siberia, Iran, Mongolia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg. Ilmensky Res., 26.05.2000 (O.E. Chashchina).

***A. nigriscutis* FOUDRAS, 1860**

CHASHCHINA, 2008: 55.

D i s t r i b u t i o n : Central and SE Europe, Caucasus, W Kazakhstan. Introduced to N America. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg. Uvelka district, Krasnogorsk, 13.VI.2005, ♀.

***A. pallida* (BACH, 1856)**

CHASHCHINA, 2008: 55.

D i s t r i b u t i o n : SE Europe, Caucasus. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg. Ilmensky Res., 31.07.2000, 1 ex. (A.O. Bieńkowski).

***A. violacea* (KOCH, 1803)**

CHASHCHINA, 2002: 75; 2008: 55.

Distribution: Europe, Caucasus, S Siberia. Southern Ural: forest zone.

Material: Chelyabinsk reg. Ilmensky Res., 26.05.2000 (O.E. Chashchina).

### Genus *L y t h r a r i a* BEDEL, 1897

#### *L. salicariae* (PAUKULL, 1800)

CHASHCHINA, 2008: 56.

Distribution: All over Palaearctic. Southern Ural: forest zone.

Material: Chelyabinsk reg., Karabash, 9.08.1987, 1 ex. (V.V. Olifer).

### Genus *B a t o p h i l a* FOUDRAS, 1860

#### *B. fallax* J. WEISE, 1888

CHASHCHINA, 2008: 56.

Distribution: SE Europe, Caucasus, Turkey, Iran. Southern Ural: forest-steppe zone.

Material: Bashkortostan, Kapova cave, 24.07.2000, 1 ex. (A.O. Bieńkowski).

#### *B. rubi* (PAUKULL, 1799).

CHASHCHINA, 2008: 56.

Distribution: Europe, Caucasus. Southern Ural: forest zone.

Material: Chelyabinsk reg. Ilmensky Res., 2.06.2005, 1 ex. (O.E. Chashchina).

### Genus *A l t i c a* GEOFFROY, 1762

#### *A. brevicollis* FOUDRAS, 1860

PAVLOV, 1998: 259; UTKIN, 1999: 115; GUS'KOVA, 2002: 45; CHASHCHINA, 2008: 56.

Distribution: Europe, Caucasus, Kazakhstan, Mongolia, N China. Southern Ural: forest, forest-steppe zone.

Material: Kurgan reg., village Temlyakovo, 20.05.1992, in a collection of ZMKU; Chelyabinsk reg., Uvelka district, village Uvelka, 13.06.97, 45 ex.

#### *A. carduorum* GUERIN-MENEVILLE, 1858

CHASHCHINA, 2008: 56.

Distribution: Europe except for N, Transcaucasia, Turkey, Kazakhstan. Introduced to N America. Southern Ural: forest zone.

Material: Chelyabinsk reg., Ilmensky Res., 26.05.2005, 1 ex. (B.M. Chichkov).

#### *A. deserticola* (J. WEISE, 1889)

CHASHCHINA, 2008: 57.

Distribution: SE European, SW Kazakhstan, Transcaucasia, Turkey, Afghanistan, N and NW China, Mongolia, Taiwan. Southern Ural: steppe zone.

Material: Chelyabinsk reg., Bredy district, 30.08.1971, 1 ex. in a collection of ZISP.

***A. filipendulae* CHASHCHINA, 2006**

CHASHCHINA, 2006: 858.

D i s t r i b u t i o n : Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 28.05.2001.

***A. helianthemi* (ALLARD, 1859)**

CHASHCHINA, 2002: 371; 2008: 58.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, Siberia, Tuva, Yakutia. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Alekseevka, 29.06.2001.

***A. lythri* AUBE, 1843**

CHASHCHINA, 2002: 371; 2008: 58.

D i s t r i b u t i o n : Europe except for N. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 28.05.2001, 2ex. (O.E. Chashchina).

***A. oleracea* (LINNAEUS, 1758)**

JACOBSON, 1897: 437; VORONCOWSKI, 1922: 48; LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA, 2002: 45; CHASHCHINA, 2008: 58.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, Mongolia, China. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 5-10.06.1996, 21 ex.; Chelyabinsk reg., Uvelka district, village Uvelka, 13.06.1997, 29 ex.

**Genus *Ch a e t o c n e m a* STEPHENS, 1832**

**Subgenus *Ch a e t o c n e m a (T l a n o m a )* MOTSCHULSKY, 1845**

***Ch. (Tlanoma) breviuscula* (FALDERMANN, 1837)**

GUS'KOVA, 2002: 47; CHASHCHINA, 2008: 58.

D i s t r i b u t i o n : Europe, Kazakhstan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, village Kichigino, 14.06.1996, 2 ex.; Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.07.1997, 4 ex.

***Ch. (Tlanoma) concinna* (MARSHAM, 1802)**

= *Ch. heikertingeri* LJUBISCHTSCHEV, 1963

DUBESKHO & MEDVEDEV, 1989: 188; ESYUNIN & KOZMINYH, 1992: 65; LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA, 2002: 47; CHASHCHINA, 2008: 58.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, village Kichigino, 3.06.1997, 4 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 14.06.1997, 3 ex.

***Ch. (Tlanoma) laevicollis* (THOMSON, 1866)**

= *Ch. heikertingeri* LUBISCHEV, 1963

GUS'KOVA, 2002: 47; CHASHCHINA, 2002: 371; 2008: 58.

D i s t r i b u t i o n : N Africa, Europe, Caucasus, Siberia, Ear East. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 26.05.2000, 2ex. (O.E. Chashchina).

***Ch. (Tlanoma) nebulosa* WEISE, 1886**

LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA, 2002: 47.

D i s t r i b u t i o n : southern parts of Europe, Kazakhstan, Middle Asia, southern parts of Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 7.06.1984, 3 ex. in a collection of reserve; Chelyabinsk reg., Uvelka district, village Uvelka, 13.06.1997, 11 ex.

***Ch. (Tlanoma) semicoerulea* (KOCHE, 1803)**

CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : Europe except for N, Transcaucasia, Turkey, Kazakhstan, W and Middle Siberia, Cisbaikalia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Stepnoe, 25.06.2005, 1 ex. (O.E. Chashchina).

***Ch. (Tlanoma) tibialis* (ILLIGER, 1807)**

LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA, 1999: 65; 2002: 47; CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : Europe, Caucasus, Middle Asia, W Sayan. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Miass, 23.06.1997, 3 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 5.06.1998, 15 ex.

**Subgenus *Chaetocnema* (*Chaetocnema*) STEPHENS, 1832**

***Ch. aridula* (GYLLENHAL, 1827)**

JACOBSON, 1897: 436; UTKIN, 1999: 116; GUS'KOVA, 2002: 47; CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, NW Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.07.1997, 1 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.07.1998, 2 ex.

***Ch. hortensis* (GEOFFROY, 1785)**

LAGUNOV & NOVOZHENOV, 1996: 72; UTKIN, 1999: 116; GUS'KOVA, 2002: 46; CHASHCHINA, 2008: 58.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Miass, 23.06.1997, 7 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 25.06.1998, 13 ex.

***Ch. sahlbergii* (GYLLENHAL, 1827)**

GUS'KOVA, 2002: 47; CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : Europe, Siberia. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 5-19.07.96, 3 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 1.07.98, 1 ex.

**Genus *M a n t u r a* STEPHENS, 1832**

***M. chrysanthemi* (KOCHE, 1803)**

CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : Europe. Southern Ural: forest-steppe zone.

M a t e r i a l : Bashkortostan, Irgizly, 24.07.2000, 1 ex. (A.O. Bieńkowski).

***M. rustica* (LINNÉ, 1767)**

CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : All over Palaearctic. Southern Ural: forest-steppe zone.

M a t e r i a l : Bashkortostan, Petrovka, 3.06.2001, 1 ex. (O.E. Chashchina).

**Genus *A r g o p u s* FISCHER-WALDHEIM, 1824**

***A. nigritarsis* (GEBLER, 1823)**

VORONCOWSKI, 1922: 48; PAVLOV, 1998: 259; UTKIN, 1999: 115; GUS'KOVA, 2002: 45; CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : E Europe, Middle Asia, W Siberia, Sayan, Korea, Japan, Mongolia. Southern Ural: forest zone.

M a t e r i a l : Kurgan reg., village Temlyakovo, 28.05.1990, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 14-16.06.97, 33 ex.

**Genus *D i b o l i a* LATREILLE, 1829**

***D. carpathica* WEISE, 1893**

CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : SE Europe, Ciscaucasia, Turkey, SE Kazakhstan. Southern Ural: forest-steppe zone.

M a t e r i a l : Bashkortostan, Irgizly, 25.07.1899, 1 ex. in a collection of A.O. Bieńkowski.

***D. depressiuscula* LETZNER, 1847**

LAGUNOV & NOVOZHENOV, 1996: 72; GUS'KOVA, 1999: 65; 2002: 48.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, W and Middle Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 8.06.1984, 18.06.1984, 2 ex. in a collection of reserve; Chelyabinsk reg., Kopeisk, 13.06.1996, 3 ex.

**D. femoralis L. REDTENBACHER, 1849**

CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : Europe except for N, Caucasus, Turkey. Southern Ural: forest-steppe zone.

M a t e r i a l : Bashkortostan, Irgizly, 29.07.2000, 1 ex. (A.O. Bieńkowski).

**D. foerstieri BACH, 1856**

CHASHCHINA, 2008: 59.

D i s t r i b u t i o n : Europe except for N, Transcaucasia. Southern Ural: forest-steppe zone.

M a t e r i a l : Bashkortostan, Irgizly, 24.07.2000, 1 ex. (A.O. Bieńkowski).

**D. metallica (MOTSCHELSKY, 1845)**

= *Haltica schillingii* (LETZNER, 1847)

CHASHCHINA, 2008: 60.

D i s t r i b u t i o n : Central and SE Europe, Transcaucasia, Turkey, W Kazakhstan. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Alekseevka, 29.06.2001, 1 ex. (O.E. Chashchina).

**Genus *P s y l l i o d e s* BERTHOLD, 1827**

***Ps. affinis* (PAYKULL, 1799)**

LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 2002: 51; CHASHCHINA, 2008: 60.

D i s t r i b u t i o n : Europe, Caucasus, W Siberia, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Ilmensky Res., 31.07.1983, 2 ex. in a collection of reserve; Chelyabinsk reg., Argayash district, village Agbashevo, 3.06.1998, 3 ex.

***Ps. attenuatus* (KOCHE, 1803)**

CHASHCHINA, 2008: 60.

D i s t r i b u t i o n : Central and SE Europe, Transcaucasia, Turkey, W Kazakhstan. Southern Ural: forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Alekseevka, 29.06.2001, 1 ex. (O.E. Chashchina).

***Ps. chalcomerus* (ILLIGER, 1807)**

CHASHCHINA, 2008: 60.

D i s t r i b u t i o n : All over Palaearctic. Southern Ural: forest-steppe zone.

M a t e r i a l : Bashkortostan, Irgizly, 24.07.2000, 2 ex. (A.O. Bieńkowski).

***Ps. cucullatus* (ILLIGER, 1807)**

ESYUNIN & KOZMINYH, 1992: 65; LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 1998: 106; 2002: 51; CHASHCHINA, 2008: 60.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Mongolia, N Africa. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 15 ex.; Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 20-22.07.1997, 11 ex.; Chelyabinsk reg., Argayash district, village Kuzneckoe, 4.06.1998, 11 ex.

### ***Ps. dulcamarae* (KOCH, 1803)**

CHASHCHINA, 2008: 61.

Distribution: Europe except for N, Caucasus, Turkey, Kazakhstan, W Siberia, Mongolia. Southern Ural: forest-steppe zone.

Material: Chelyabinsk reg., Kirovskoe, 30.06.2005, 1 ex. (O.E. Chashchina).

### ***Ps. hyoscyami* (LINNAEUS, 1758)**

CHASHCHINA, 2008: 60.

Distribution: Europe except for N, Caucasus, Turkey, Kazakhstan, W Siberia, Mongolia. Southern Ural: forest-steppe zone.

Material: Bashkortostan, Irgizly, 28.07.2000, 4 ex. (A.O. Bieńkowski).

### ***Ps. isatidis* HEIKERTINGER, 1914**

CHASHCHINA, 2008: 61.

Distribution: Europe except for N, N and E Caucasus, Turkey, Kazakhstan, W Siberia, Mongolia. Southern Ural: forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 4.08.1996, 1ex. (O.E. Chashchina).

### ***Ps. napi* (FABRICIUS, 1792)**

CHASHCHINA, 2008: 61.

Distribution: Europe, Caucasus, Turkey, S Kazakhstan, Siberia east to Baikal and Yakutia, N. Africa. Southern Ural: forest-steppe zone.

Material: Bashkortostan, Irgizly, 25.07.2000 – 2 ex. (A.O. Bieńkowski).

### ***Ps. picinus* (MARSHAM, 1802)**

CHASHCHINA, 2002: 371; 2008: 61.

Distribution: Europe except for N. Southern Ural: forest-steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., 16.07.1997, 2ex. (O.E. Chashchina).

## **Subfamily Hispinae GYLLENHAL, 1813**

### **Genus *Hispaa* LINNÉ, 1767**

#### ***H. atra* LINNÉ, 1767**

ESYUNIN & KOZMINYH, 1992: 65; GUS'KOVA, 2002: 53.

Distribution: Europe, Caucasus, Kazakhstan, Middle Asia, southern parts of Siberia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Elizavetpolskoe, 6.07.1996, 3 ex.

### **Subfamily Cassidinae GYLLENHAL, 1813**

#### **Genus *Cassida* LINNAEUS, 1758**

##### **Subgenus *Cassida* (*Cassida*) LINNAEUS, 1758**

###### ***C. (Cassida) denticollis* SUFFRIAN, 1844**

LAGUNOV & NOVOZHENOV, 1996: 74; PAVLOV, 1998: 259; UTKIN, 1999: 112; GUS'KOVA, 2002: 53.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, N Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Kurgan reg., village Pesyanoe, 29.06.1996, in a collection of ZMKU; Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1999, 14 ex.

###### ***C. (Cassida) ferruginea* GOEZE, 1777**

GUS'KOVA, 2002: 54.

D i s t r i b u t i o n : Europe, Siberia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Chebarcul district, Kisegach, 16.06.1997, 4 ex.

###### ***C. (Cassida) flaveola* THUNBERG, 1794**

LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 2002: 53.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, Siberia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Uvelka district, village Kichigino, 11.06.1997, 3 ex.; Chelyabinsk reg., Chebarcul district, Kisegach, 18.06.1998, 5 ex.

###### ***C. (Cassida) lineola* CREUTZER, 1799**

ESYUNIN & KOZMINYH, 1992: 65; MIKHAILOV, 1997a: 188; PAVLOV, 1998: 259; UTKIN, 1999: 112; GUS'KOVA, 2002: 55.

D i s t r i b u t i o n : southern parts of Europe and Siberia, Kazakhstan, Middle Asia, China, Japan. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Kartaly district, village Varshavka, 16.07.1996, 8 ex.

###### ***C. (Cassida) nebulosa* LINNAEUS, 1758**

JACOBSON, 1897: 437; LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 1998: 105; PAVLOV, 1998: 259; UTKIN, 1999: 112; GUS'KOVA, 2002: 54.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Mongolia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Kurgan reg., Kurgan, 27.06.1995, in a collection of ZMKU; Chelyabinsk reg., Uvelka district, village Uvelka, 12.06.97, 13 ex.

**C. (*Cassida*) panzeri WEISE, 1907**

LAGUNOV & NOVOZHENOV, 1996: 75; GUS'KOVA, 2002: 54.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan. W and Middle Siberia, Maritime Prov., Amurland. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Miass, 23.06.97, 2 ex.

**C. (*Cassida*) prasina ILLIGER, 1798**

JACOBSON, 1897: 437; MIKHAILOV, 1997a: 118; GUS'KOVA, 2002: 56.

D i s t r i b u t i o n : Europe, Caucasus, Kazakhstan, southern parts W Siberia, Altais, Sayan, W and N China, Mongolia. Southern Ural: steppe zone.

M a t e r i a l : Chelyabinsk reg., Bredy district, village Morozovka, 30.07.1998, 1 ex.

**C. (*Cassida*) rubiginosa O.F. MÜLLER, 1776**

JACOBSON, 1897: 437; ESYUNIN & KOZMINYH, 1992: 65; LAGUNOV & NOVOZHENOV, 1996: 75; GUS'KOVA, 1998: 106; 1999: 65; 2002: 54. UTKIN, 1999: 112.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, China, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25-30.05.1998, 24 ex.; Chelyabinsk reg., Uvelka district, village Vodopoika, 2-5.06.1999, 15 ex.; Chelyabinsk reg., Bredy district, village Peschanoe, 13.06.1999, 13 ex.

**C. (*Cassida*) sanguinosa SUFFRIAN, 1844**

GUS'KOVA, 2002: 54.

D i s t r i b u t i o n : Europe, Kazakhstan, W and Middle Siberia, Yakutia. Southern Ural: forest, forest-steppe zone.

M a t e r i a l : Chelyabinsk reg., Chebarul district, Kisegach, 14-16.06.1997, 2 ex.; Chelyabinsk reg., Miass, 23.06.1997, 5 ex.

**C. (*Cassida*) stigmatica SUFFRIAN, 1844**

ESYUNIN & KOZMINYH, 1992: 65; GUS'KOVA, 2002: 56.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia. Southern Ural: forest-steppe, steppe zone.

M a t e r i a l : Chelyabinsk reg., Kopeisk, 17.06.1998, 2 ex.; Chelyabinsk reg., Bredy district, village Morozovka, 30.07.1998, 2 ex.

**C. (*Cassida*) vibex LINNÉ, 1767**

JACOBSON, 1897: 437; LAGUNOV & NOVOZHENOV, 1996: 75; GUS'KOVA, 2002: 55.

D i s t r i b u t i o n : Europe, Kazakhstan, Siberia, Sakhaline, Japan, China, Mongolia. Southern Ural: forest zone.

M a t e r i a l : Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.07.1997, 7 ex.

**Subgenus *Cassidea* (*Cassidulaella*) A. STRAND, 1928**

***C. (Cassidulella) nobilis* LINNAEUS, 1758**

JACOBSON, 1897: 437; LAGUNOV & NOVOZHENOV, 1996: 74; MIKHAILOV, 1997a: 188;  
GUS'KOVA, 2002: 54.

Distribution: Europe, Kazakhstan, Siberia, Sakhaline, China, Mongolia, Southern Ural:  
forest zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 20-22.07.1997, 5 ex.

**Subgenus *Cassidea* (*Mionycha*) J. WEISE, 1891**

***C. (Mionycha) azurea* FABRICIUS, 1801**

= *C. ornata* CREUTZER

GUS'KOVA, 2002: 54.

Distribution: Europe, W Siberia. Southern Ural: forest, forest-steppe zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 20-22.07.1997, 3 ex.;  
Chelyabinsk reg., Uvelka district, village Uvelka, 12.06.1999, 2 ex.

***C. (Cassida) margaritacea* SCHALLER, 1783**

LAGUNOV & NOVOZHENOV, 1996: 74; GUS'KOVA, 2002: 53.

Distribution: Europe, Caucasus, Asia Minor, Transbaikalia. Southern Ural: forest,  
forest-steppe zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 20-22.07.1997, 7 ex.;  
Chelyabinsk reg., Argayash district, village Agbashevo, 3.06.1998, 3 ex.

***C. (Mionycha) subreticulata* SUFFRIAN, 1844**

= *C. hinksi* L. MEDVEDEV, 1957

GUS'KOVA, 2002: 56.

Distribution: Europe, Caucasus, southern parts of Siberia. Southern Ural: forest-steppe zone.

Material: Chelyabinsk reg., Uvelka district, village Uvelka, 6.06.1998, 3 ex.

**Subgenus *Cassidea* (*Odontionycha*) J. WEISE, 1891**

***C. (Odontionycha) viridis* LINNAEUS, 1758**

JACOBSON, 1897: 437; VORONCOWSKI, 1922: 49; LAGUNOV & NOVOZHENOV, 1996: 75;  
GUS'KOVA, 1998: 105; 1999: 65; 2002: 55.

Distribution: Caucasus, Kazakhstan, W Siberia, Maritime Prov. Southern Ural: forest,  
forest-steppe zone.

Material: Chelyabinsk reg., Katav-Ivanovsk district, Tyulyuk, 25.07.1997, 3 ex.;  
Chelyabinsk reg., Chelyabinsk, 20.06.1998, 2 ex.

## Subgenus *Cassidea* (*Pseudocassida*) DESBROCHERS DES LOGES, 1891

### *C. (Pseudocassida) murraea* LINNÉ, 1767

VORONCOWSKI, 1922: 49; LAGUNOV & NOVOZHENOV, 1996: 75; GUS'KOVA, 1998: 65; 2002: 55; PAVLOV, 1998: 259; UTKIN, 1999: 112.

Distribution: Europe, Siberia, Kazakhstan, Middle Asia, China, Japan. Southern Ural: forest, forest-steppe zone.

Material: Kurgan reg., Kurgan, 14.07.1992, in a collection of ZMKU; Chelyabinsk reg., Miass, 23.06.1997, 2 ex.; Chelyabinsk reg., Chelyabinsk, 20.06.1998, 1 ex.

## Genus *Hypocassidea* J. WEISE, 1893

### *H. subferruginea* (SCHRANK, 1776)

JACOBSON, 1897: 437; ESYUNIN & KOZMINYH, 1992: 65; LAGUNOV & NOVOZHENOV, 1996: 75; PAVLOV, 1998: 259; UTKIN, 1999: 111; GUS'KOVA, 2002: 56.

Distribution: Europe, Kazakhstan, Middle Asia, southern parts of Siberia, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Chelyabinsk reg., Ilmensky Res., lake Kisegach, 19.06.1982, 25.08.1982, 2 ex. in a collection of reserve; Kurgan reg., Kurgan, 9.07.1993, in a collection of ZMKU; Chelyabinsk reg., Bredy district, village Morozovka, 30.07.1998, 1 ex.

## Genus *Pilemostoma* DESBROCHERS DES LOGES, 1891

### *P. fastuosa* (SCHALLER, 1783)

= *P. vitatta* FABRICIUS, 1798

VORONCOWSKI, 1922: 49; PAVLOV, 1998: 259; UTKIN, 1999: 111; GUS'KOVA, 2002: 56.

Distribution: Europe, Siberia, Mongolia. Southern Ural: forest, forest-steppe, steppe zone.

Material: Kurgan reg., Kurgan, 7.06.1992, in a collection of ZMKU; Chelyabinsk reg., Troick district, village Berezniki, 30.07.1996, 1 ex.

## Acknowledgements

The author is grateful to all people which promoted this work: A.O. Bieńkowski (Moscow, Russia); O.E. Chashchina (Miass, Russia); A.A. Gusakov (Moscow, Russia); V.V. Latyushin (Chelyabinsk, Russia); Z.I. Tyumaseva (Chelyabinsk, Russia); R.V. Yakovlev (Barnaul, Russia).

## References

- BIEŃKOWSKI, A.O. (1999): Key to Leaf Beetles (Coleoptera, Chrysomelidae) of the European Part of Russia and adjacent countries. – Moscow: 204 pp. (in Russian).
- BIEŃKOWSKI, A.O. (2001): A study on the genus *Chrysolina* MOTSCHULSKY, 1860, with a checklist of all the described subgenera, species, subspecies, and synonyms (Coleoptera: Chrysomelidae: Chrysomelinae). – Genus **12** (2): 105-235.
- BIEŃKOWSKI, A.O. (2004): Leaf Beetles (Coleoptera, Chrysomelidae) of the Eastern Europe. – Moscow: 278 pp.

- BIEŃKOWSKI, A.O. (2009): Findings of the Leaf Beetles *Chrysolina tundralis* and *Chrysolina roddi* (Coleoptera, Chrysomelidae) in the Middle Part of European Russia. – Entomological Review **89** (1): 69-71.
- CHASHCHINA, O.E. (2006): A new species of the flea-beetle genus *Altica* GEOFFR. (Coleoptera, Chrysomelidae, Alticinae) of Southern Urals. – Entomologicheskoe obozrenie, **LXXXV** (4): 858-861. (in Russian).
- CHASHCHINA, O.E. (2008): Annotated list of the flea-beetles (Coleoptera, Chrysomelidae, Alticinae) of Southern Urals. – Entomologicheskoe obozrenie **LXXXVII** (1): 45-62. (in Russian).
- CHIKISHEV A.G. (1966): Physico-geographical regionalization of the Urals. – Problems of physical geography of the Urals. Proceedings MOIP, 18: 7-84 (in Russian).
- DUBESHKO, L.N. & L.N. MEDVEDEV (1989): Ecology of Leaf Beetles (Coleoptera, Chrysomelidae) of the Siberia and the Far East. – Irkutsk: 224 pp. (in Russian).
- ESYUNIN, S.L. & V.O. KOZMINYH (1992): Materials to fauna of bugs of reserve "Troicki". – Arthropods of protected territories of the Chelyabinsk Region. Sverdlovsk: 59-67 (in Russian).
- GUS'KOVA, E.V. (1998): Ecological distribution of Leaf Beetles (Coleoptera, Chrysomelidae) Southern areas Chelyabinsk Region. – Invertebrates animals of the southern Transurals and adjacent territories. Kurgan: 104-106. (in Russian).
- GUS'KOVA, E.V. (1999): Trophic connections of Leaf Beetles (Coleoptera, Chrysomelidae) with herbs Southern Ural. – Problems of ecology and ecological education of the Chelyabinsk Region. Chelyabinsk: 63-66. (in Russian).
- GUS'KOVA, E.V. (2002): Ecological-faunistic review of the Leaf Beetles (Coleoptera, Chrysomelidae) of the Southern Urals. – Bulletin of the Chelyabinsk State Pedagogical University. **3** (10): 7-60. (in Russian).
- JACOBSON G.G. (1897): Materials to the knowledge of the leaf beetles fauna of the Orenburg Province. – Horae Soc. Ent. Ros.: **30**: 429-437. (in Russian).
- KIPPENBERG, H. & M. DOBERL (1994): Familie: Chrysomelidae. Ergänzungen und Berichtigungen zu Freude-Harde-Lochse "Die Käfer MittelEuropes" **9** (1966). 1994, 3. Supplementband. – Krefeld: 17-144.
- LAGUNOV, A.V. (1992): Fauna of Leaf Beetles (Chrysomelidae) of the Ilmensky Reserve. Arthropods of protected territories of the Chelyabinsk Region. – Sverdlovsk: 69-81. (in Russian).
- LAGUNOV, A.V. & Yu.I. NOVOZHENOV (1996): Fauna of bugs of the Ilmensky Reserve. – Miass: 64-75 (in Russian).
- LOPATIN, I.K., ALEKSANDROVICH, O.R. & A.S. KONSTANTINOV (2004): Check list leaf-beetle Chrysomelidae (Coleoptera) of the Eastern Europe and Northern Asia. – Olsztyn: 343 pp.
- MIKHAILOV, Yu.E. (1997a): The review of bugs fauna of the "Arkaim" reserve. Achievements of entomology in the Urals. – Ekaterinburg: 187-188. (in Russian).
- MIKHAILOV, Yu.E. (1997b): Leaf Beetles of Ural (Coleoptera, Chrysomelidae): a history and prospects of studying Achievements of entomology in the Urals. – Ekaterinburg: 68-75. (in Russian).

- MIKHAILOV, Yu.E. (2006a): Leaf Beetles from arcto-alpine Subgenus *Arctolina* kontakanen and *Pleurosticha* MOTCHULSKY Genus *Chrysolina* MOTCHULSKY in Ural (Coleoptera, Chrysomelidae). – News of the Chelyabinsk centre of science. Chelyabinsk. **4** (34): 110-114. (in Russian).
- MIKHAILOV, Yu.E. (2006b): About Leaf Beetles – Endemics of the Ural, or that such *Chrysolina poretzkyi* JACOBSON (Coleoptera, Chrysomelidae). – News of the Chelyabinsk centre of science. Chelyabinsk. **1** (31): 114-118. (in Russian).
- MEDVEDEV, L.N. & D.S. SHAPIRO (1965): Family Chrysomelidae – Leaf Beetles. Pp. 419-474. In: BEI-BIENKO, G.Ya. (ed.), Key of insects of the European part of the USSR. **2**. Beetles and Twisted Wing Insects. Nauka, Moskow-Leningrad: 668 pp. (in Russian).
- OLSHVANG, V.N. (1986): Dynamics of the population invertebrates in mountain tundras Southern Urals. Mountain ecological systems of Ural and problem of rational wildlife management. – Sverdlovsk: 56 pp. (in Russian).
- PAVLOV E.E. (1998): To fauna of Leaf Beetles (Coleoptera, Chrysomelidae) of the Kurgan Region. Invertebrates animals of southern Transurals and adjacent territories. – Kurgan: 257-260. (in Russian).
- SHUTAK V.I. (1975): Robber fleas Bashkiria and South Urals. – Abstract of dissertation. - Chernivtsi: Chernivtsi State University: 16 pp. (in Russian).
- UTKIN, N.A. (1999): Simplest and invertebrates of Kurgan area. – Kurgan: 362 pp. (in Russian).
- VORONCOWSKI P.A. (1922): Materials for the study of the fauna Insecta neighborhoods Orenburg. – Proceedings of the Society for the Study of the Kyrgyz region. **3**: 40-49. (in Russian).
- WARCHALOWSKI, A. (1985): Chrysomelidae. Stonkowate (Insecta: Coleoptera). 1. Fauna Polski. 10. – Warszawa: Panstwowe Wydawnictwo Naukowe: 273 pp.
- WARCHALOWSKI, A. (1991): Chrysomelidae. Stonkowate (Insecta: Coleoptera). 2. Fauna Polski. 13. – Warszawa: Wydawnictwo Naukowe PWN: 347 pp.
- WARCHALOWSKI, A. (1993): Chrysomelidae. Stonkowate (Insecta: Coleoptera). 3. Fauna Polski. 15. – Warszawa: Dział Wydawnictwo Naukowe MiLZ PAN: 279 pp.
- WARCHALOWSKI, A. (1994): Chrysomelidae. Stonkowate (Insecta: Coleoptera). 4. Fauna Polski. 16. – Warszawa: Dział Wydawnictwo Naukowe MiLZ PAN: 302 pp.
- WARCHALOWSKI, A. (1995): Chrysomelidae. Stonkowate (Insecta: Coleoptera). 5. Fauna Polski. 17. – Warszawa: Dział Wydawnictwo Naukowe MiLZ PAN: 360 pp.

#### Address of the author:

Dr. Elena GUS'KOVA  
The Chelyabinsk state  
pedagogical university,  
prospectus Lenin, 69,  
Chelyabinsk, 454080, Russia,  
E-mail: guskovael@mail.ru

## Buchbesprechungen

**LÜCKMANN J. & M. NIEHUIS: Die Ölkäfer in Rheinland-Pfalz und im Saarland.** - GNOR (Gesellschaft für Naturschutz und Ornithologie Rheinland-Pfalz e.V.), Mainz, 2009. 479 S.

Die überaus bibliophile Reihe aus dem "Hause" GNOR findet nach den Büchern über Bockkäfer, Prachtkäfer, Fledermäuse und Tagfalter nun ihre Fortsetzung mit der Ölkäfer-Monographie. Manfred Niehuis hat sich ja bereits mit den Bock- und Prachtkäfer-Bänden einen Namen gemacht, in diesem Werk wird er von dem Meloidenspezialisten Johannes Lückmann unterstützt. Dass es den Autoren mehr als Spaß gemacht hat, sieht man an dem erstaunlichen Umfang des Werkes - wer hätte sich vorstellen können, dass man über die ("wenigen") Ölkäfer, beschränkt auf zwei deutsche Bundesländer, so viel schreiben kann. Auf breiter Basis gibt dieses Buch einen umfassenden Überblick zu allen Themenbereichen, die mit Ölkäfer zu tun haben: Etymologie, Stammesgeschichte, Systematik, Verbreitung, Artenzahlen, Morphologie, Entwicklung, Phänologie, Lebensdauer, Wirtsfindung, Reproduktionsvermögen und -strategien, Phoresie, Ernährung und Verhaltensweisen. Klar darf die ökologische Chemie bezüglich Cantharidin und Palasonin nicht zu kurz kommen, ebensowenig wie die vielfältige Bedeutung der Meloidae für den Menschen und ihre kulturgeschichtliche Relevanz. Breiten Raum nimmt auch die Rolle der Ölkäfer in Kunst und Kultur ein.

Zum Aufbau: Der allgemeine Teil (215 Seiten) enthält eine ausführliche Einführung, die alle biologischen Aspekte zu den Meloiden durchleuchtet, aber auch die Kapitel zur Kulturgeschichte der Ölkäfer, das Untersuchungsgebiet und einen historischen Teil (Vita und Werk ausgewählter Entomologen mit Bezug zur Ölkäfer-Forschung). Teil 2 beinhaltet Erfassungsstand und Artkapitel; hier werden die 14 im Untersuchungsgebiet vorkommenden Arten genauer unter die Lupe genommen. Der dritte Teil ("Diskussion") beschäftigt sich mit der Ölkäferfauna der Naturräume, einer Interpretation der Verbreitungsmuster, Veränderungen der Ölkäferfauna und Ursachen der Veränderungen. Auch Naturschutzaspekte (Bundesartenschutzverordnung, Rote Listen und aktuelle Artenhilfsprogramme) finden hier Erwähnung. Der 4. Teil enthält Bestimmungsschlüssel für Imagines und Triungulinus-Larven.

Ein überaus informativer und damit bibliophiler und empfehlenswerter Band, mit über 350 meist farbigen Abbildungen, Grafiken und Tabellen reich illustriert - eine Pflichtlektüre für Entomologen und Naturliebhaber, lokal wie global.

R. Gerstmeier

**WITT Rolf 2009: Wespen**, 2. überarbeitete und erweiterte Auflage.-Vademecum Verlag, Oldenburg. 400 Seiten. ISBN 978-3-9813284-0-0

In der 2. Auflage wird einleitend ein Überblick über die in Mitteleuropa, insbesondere in Deutschland vorkommenden "Wespen", das heißt im weitesten Sinne über die stechenden Hymenopteren (Hautflügler), ausgenommen der Bienen und Ameisen gegeben. Dies wird auch unterstützt durch sieben getrennte Bestimmungsschlüssel. Als erstes ein allgemeiner Schlüssel für die Wespen in Deutschland und den angrenzenden Gebieten. Dann ein Schlüssel für die Faltenwespen allgemein und zusätzlich auch für die sozialen, beziehungsweise solitären Gattungen und Arten, wobei die Polistinae getrennt bearbeitet werden. Schließlich folgen noch zwei Schlüssel für die Grabwespen, getrennt nach Sphecidae (Langstielgrabwespen) und Crabronidae (Echte Grabwespen). Diese Trennung der sieben Schlüssel macht es dem Nicht-Spezialisten leichter, um schneller zu einem Ergebnis zu kommen. Erwähnenswert ist weiters ein Schlüssel zur Determination der Nester von sozialen Wespen, denn es gibt kaum etwas Vergleichbares. Zahlreiche Zeichnungen, welche zum Teil in Farbe ausgeführt sind, ergänzen diese Bestimmungsschlüssel.

Vor allem für die oben genannten Familien wird eine umfangreiche Einführung in die Biologie, Systematik und Ökologie vorgestellt. Ein besonderer Beitrag umfasst das Vorkommen der Wespen in Haus und Garten, Hinweise über Wespen im Siedlungsraum des Menschen, wie Verbesserung des Nistplatzangebotes, die Gefährlichkeit der Wespen, Tipps zur Vermeidung von Stichen (über Allergien nach Stichen) und Übersiedlung von Wespennestern. Der Mensch sieht in den Wespen meist nur die negativen Aspekte, wie Stiche der Tiere, sie sind aber auch ein wichtiger Teil im ganzen Naturgeschehen, wie Vernichtung vieler Schädlinge, die Befruchtung von Pflanzen (auch des Obstes). Die Gefährdungsgrade der Wespen nach den neuen Roten Listen Deutschlands und der deutschen Bundesländer werden besondere ausgewiesen.

Ausdrucksvolles Bildmaterial mit etwa 450 Fotos einzelner Arten sowie ein umfangreicher Text gibt Einblicke in die Merkmale, die Verbreitung, den Lebensraum, die Phänologie und Biologie der meisten Wespen Mitteleuropas, mit dem Schwerpunkt Deutschland.

Durch die Größe und Form dieser Veröffentlichung, ist sie nicht nur ein wichtiges Nachschlagewerk, welches sowohl dem Spezialisten als auch dem Interessierten wichtige Hilfen bietet, sondern sie kann auch als Begleiter auf Exkursionen dienen.

J. Gusenleitner

---

Druck, Eigentümer, Herausgeber, Verleger und für den Inhalt verantwortlich:  
Maximilian SCHWARZ, Konsulent f. Wissenschaft der Oberösterreichischen Landesregierung, Eibenweg 6,  
A-4052 Ansfelden, E-Mail: maximilian.schwarz@liwest.at.

Redaktion: Erich DILLER, ZSM, Münchhausenstraße 21, D-81247 München;  
Fritz GUSENLEITNER, Lungitzerstr. 51, A-4222 St. Georgen/Gusen;  
Wolfgang SCHACHT, Scherrerstraße 8, D-82296 Schöngeising;  
Wolfgang SPEIDEL, MWM, Tengstraße 33, D-80796 München;  
Thomas WITT, Tengstraße 33, D-80796 München.

Adresse: Entomofauna, Redaktion und Schrifttausch c/o Museum Witt, Tengstr. 33, 80796 München,  
Deutschland, E-Mail: thomas@witt-thomas.com; Entomofauna, Redaktion c/o Fritz Guseleinr.,  
Lungitzerstr. 51, 4222 St. Georgen/Gusen, Austria, E-Mail: f.guseleinr@landesmuseum.at