



# Entomofauna

ZEITSCHRIFT FÜR ENTOMOLOGIE

---

Band 33, Heft 26: 385-388

ISSN 0250-4413

Ansfelden, 30. November 2012

---

## Three new records of Gasteruptiidae (Hymenoptera: Evanioidea) from Iran

Najmeh SAMIN<sup>1</sup> & Nil BAGRIACIK<sup>2</sup>

### Abstract

In this paper three species of the genus *Gasteruption* LATREILLE (Hymenoptera: Evanioidea: Gasteruptiidae) are recognized as new records for the Iranian fauna. The new records are: *Gasteruption diversipes* (ABEILLE), *Gasteruption erythrostomum* (DAHLBOM) and *Gasteruption tournieri* (SCHLETTTERER).

Key words: Hymenoptera, Evanioidea, Gasteruptiidae, *Gasteruption*, new records, Iran.

### Zusammenfassung

Vorliegende Arbeit behandelt den Neunachweis der Arten *Gasteruption diversipes* (ABEILLE), *Gasteruption erythrostomum* (DAHLBOM) und *Gasteruption tournieri* (SCHLETTTERER) (Hymenoptera: Evanioidea: Gasteruptiidae) für den Iran.

---

<sup>1</sup> Young Researchers Club, Science and Research Branch, Islamic Azad University, Tehran, Iran,  
E-mail: n\_samin63@yahoo.com

<sup>2</sup> Niğde University, Faculty of Science and Art, Department of Biology, 51100 Niğde, Turkey,  
E-mail: bagriacik@hotmail.com

## Introduction

The species of Gasteruptiidae are predator-inquines. They lay eggs inside the nests of solitary bees and wasps (e.g. Masaridae, Vespidae (Eumeninae), Apidae, Colletidae, Megachilidae). Their larvae feed on the food stores and/or nest inhabitants. Adults feed on flower nectar and eat pollen as well (TOWNES 1950; PAGLIANO & SCARAMOZZINO 2000). The distribution of *Gasteruption* is cosmopolitan (KIEFFER 1912; CROSSKEY 1962), though unknown from Polynesia and Hawaii (CROSSKEY 1962), and it is most diverse in the Australian and Ethiopian regions (MACEDO 2009, 2011). Some species of *Gasteruption* deposit their eggs in proximity to the host egg (MALYSHEV 1964, 1966). Some species are ectoparasitic, they lay their eggs on the egg of the host bee or wasp. Other species lay their eggs on the store of honey just in front of the host egg, on the wall of the cell in front of the food store, or on the outer surface of the cell lining (FERRIERE 1946; CROSSKEY 1962; JENNINGS & AUSTIN 2004). Faunal studies on the Gasteruptiidae of Iran are very rare and only the two species *Gasteruption jaculator* (LINNAEUS 1758) and *G. laticeps* (TOURNIER 1877) have been recorded so far (TIRGARI 1975). The aim of this paper is introducing of three new records of the family Gasteruptiidae to Iranian fauna.

## Materials and Methods

The specimens of this research was collected by Malaise trap in northwestern Iran including, Arasbaran (East Azarbayan province) and Ourmiah (West Azarbayan province) in summer 2007. Classification, nomenclature, synonymies and distributional data of Gasteruptiidae suggested by FERRIERE (1946), ŠEDIVY (1958), SCHMIDT (1979), DOLFFUSS (1982), MADL (1988), MACEDO (2009), PAGLIANO & SCARAMOZZINO (2000) and YILDIRIM et al. (2004) have been followed.

## Results

In this paper three new records of the genus *Gasteruption* LATREILLE (Gasteruptiidae) are introduced as the fauna of Iran together with synonymies and distribution data.

### **Family G a s t e r u p t i i d a e ASHMEAD 1900**

#### **Subfamily Gasteruptiinae ASHMEAD 1900**

#### **Genus *Gasteruption* LATREILLE 1777**

##### ***Gasteruption diversipes* (ABEILLE 1879)**

*Gasteruption distinguendum* SCHLETERER 1885

*Gasteruption dusmeti* KIEFFER 1904

*Gasteruption kriechbaumeri* var. *striaticeps* KIEFFER 1904

Material examined: West Azarbayjan province: Ourmieh (1426 m), 1♀, 27 September 2007.

General distribution: Palaearctic: Europe, North Africa, Sardinia, Turkey.

### ***Gasteruption erythrostomum* (DAHLBOM 1834)**

*Foenus pyrenaicus* GUERIN 1844.

Material examined: East Azarbayjan province: Arasbaran (867 m), 2♀♀, 14 July 2007.

General distribution: Palaearctic: Europe, Russia, Turkey.

### ***Gasteruption tournieri* (SCHLETTERER 1885)**

*Gasteruption austriacum* SCHLETTERER 1885

*Gasteruption nitidum* SCHLETTERER 1885.

Material examined: East Azarbayjan province: Arasbaran (746 m), 2♀♀, 3♂♂, 16 July 2007.

General distribution: Palaearctic: Middle and South Europe, Bashkiria, Turkey.

## **Discussion**

Upon the result of this research three species of Gasteruptiidae were collected and identified as new records for Iran. In spite of the importance of these wasps, their fauna was not studied in Iran so far. Due to the fact that Iran is a large country with various geographical regions and climates, the fauna of Gasteruptiidae is expected to show diversities which must be discovered by the researchers on the basis of continuous samplings.

## **Acknowledgements**

The author is grateful to Josef Šedivý (Research Institute for Crop Protection, Czech Republic) for valuable helps in this project, and Michael Madl (Naturhistorisches Museum, Austria) for sending the necessary scientific resources. The research was supported by Young Researchers Club of Islamic Azad University (Tehran Science & Research Branch) and Niğde University of Turkey.

## **References**

- CROSSKEY R.W. (1962): The classification of the Gasteruptiidae (Hymenoptera). – Transactions of the Royal Entomological Society, London **114**: 377-402.
- Dollfuss H. (1982): Die Gasteruptioniden des Bezirkes Scheibbs (Niederösterreich) (Insecta: Hymenoptera, Evanioidea, Gasteruptionidae). – Entomofauna **3**: 21-25.
- FERRIERE C. (1946): Les *Gasteruption* de la Suisse (Hym. Evanioidae). – Mitteilungen der Schweizerischen Entomologischen Gesellschaft **20**: 232-248.

- JENNINGS J.T. & A.D. AUSTIN (2004): Biology and host relationships of aulacid and gasteruptiid wasps (Hymenoptera: Evanioidea): a review. pp. 187-215. – In: RAJMOHANA K., SUDHEER K., GIRISH KUMAR P. & S. SANTHOSH (eds), Perspectives on Biosystematics and Biodiversity. University of Calicut, Kerala, India.
- KIEFFER J.J. (1912): Evaniidae. – Das Tierreich **30**: 1-431.
- MACEDO A.C.C. (2009): Generic classification for the Gasteruptiinae (Hymenoptera: Gasteruptiidae) based on a cladistic analysis, with the description of two new Neotropical genera and the revalidation of *Plutofoenus* KIEFFER. – Zootaxa **2075**: 1-32.
- MACEDO A.C.C. (2011): A revision of *Gasteruption* LATREILLE (Hymenoptera: Gasteruptiidae) in the Neotropical Region. – Zootaxa **3030**: 1-62.
- MADL M. (1988): Die Gasteruptiidae Sardiniens (Hymenoptera, Evanioidea). – Nachrbl. Bayer. Entomologen **37** (1): 12-17.
- MALYSHEV S.I. (1964): A comparative study of the life and development of primitive gasteruptiid - Ichneumon-flies (Hymenoptera). – Revue d'Entomologie de l'URSS **93**: 524-534.
- MALYSHEV S.I. (1966): Genesis of the Hymenoptera and the phases of their evolution. London: Methuen, 319 pp.
- PAGLIANO G. & P.L. SCARAMOZZINO (2000): Gasteruptiidae italiani (Hymenoptera: Evanioidea). – Museo Regionale di Scienze Naturali, Torino **17**: 5-37.
- SCHMIDT K. (1979): Zur Kenntnis der Gasteruptionidae Badens (Hymenoptera, Evanioidea). – Beiträge zur naturkundlichen Forschung in Südwestdeutschland **38**: 117-123.
- ŠEDIVÝ J. (1958): Tschechoslowakische Arten der Gasteruptioniden (Hym.). – Acta Societatis Entomologicae Cechosloveniae **55**: 34-43.
- TIRGARI S. (1975): The morphology, taxonomy and distribution of the Iranian Evanioidea (Hymenoptera). – Journal of the Entomological Society of Iran **2** (2): 57-58.
- TOWNES H.K. (1950): The Nearctic species of Gasteruptiidae (Hymenoptera). – Proceedings of the U. S. National Museum **100**: 85-145.
- YILDIRIM E., CORUH S., KOLAROV J. & M. MADL (2004): The *Gasteruption* (Hymenoptera: Gasteruptiidae) of Turkey. – Linzer biologische Beiträge **36** (2): 1349-1352.

---

Druck, Eigentümer, Herausgeber, Verleger und für den Inhalt verantwortlich:

Maximilian SCHWARZ, Konsulent f. Wissenschaft der Oberösterreichischen Landesregierung, Eibenweg 6, A-4052 Ansfelden, E-Mail: maximilian.schwarz@liwest.at.

Redaktion: Erich DILLER, ZSM, Münchhausenstraße 21, D-81247 München;  
Roland GERSTMAYER, Lehrstuhl f. Tierökologie, H.-C.-v.-Carlowitz-Pl. 2, D-85350 Freising  
Fritz GUSENLEITNER, Lungitzerstr. 51, A-4222 St. Georgen/Gusen;  
Wolfgang SPEIDEL, MWM, Tengstraße 33, D-80796 München;  
Thomas WITT, Tengstraße 33, D-80796 München.

Adresse: Entomofauna, Redaktion und Schrifttausch c/o Museum Witt, Tengstr. 33, 80796 München, Deutschland, E-Mail: thomas@witt-thomas.com; Entomofauna, Redaktion c/o Fritz Gusenleitner, Lungitzerstr. 51, 4222 St. Georgen/Gusen, Austria, E-Mail: f.gusenleitner@landesmuseum.at

# ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Entomofauna](#)

Jahr/Year: 2012

Band/Volume: [0033](#)

Autor(en)/Author(s): Samin Najmeh, Bagriacik Nil

Artikel/Article: [Three new records of Gasteruptiidae \(Hymenoptera: Evanioidea\) from Iran 385-388](#)