© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

Entomofauna

ZEITSCHRIFT FÜR ENTOMOLOGIE

Band 37, Heft 22: 365-388 ISSN 0250-4413 Ansfelden, 4. Januar 2016

List and systematic classification of species of the genus *Eugoa* Walker, 1858, (Lepidoptera: Erebidae, Arctiinae, Lithosiini)

Karol Bucsek

Abstract

This work presents a list of species of the genus *Eugoa* known until January 2015 and their systematic classification, followed by a species, which were excluded from this genus and transferred to other genera. There are also mentioned species whose inclusion in the genus *Eugoa* or occurrence in certain areas is questionable or unclear.

Totally are listed here 109 species and three subspecies of this genus, whose status is clear. Most of them occur in Asia (from India through Nepal and China to Japan, the entire south east Asia to Australia), six species are known from Africa. *Philenora vasta* (van Eecke, 1926) nov.comb. ex *Eugoa*; *Eugoa simonae* Bucsek, 2008 is nov.syn. of *Eugoa hainanensis* Fang, 2000, *Eugoa bipunctata formosicola* Matsumura, 1927 is nov. syn. of *cesaneki* Bucsek, 2008.

Key words: Lepidoptera, Erebidae, Arctiinae, Lithosiini

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

Zusammenfassung

Diese Arbeit beinhaltet die systematische Artenliste der Gattung *Eugoa* Walker, 1858 zum Stand der Kenntnis Januar 2015. Es folgen Arten die in andere genera neu kombiniert werden und Arten werden angeführt deren Stellung in der Gattung oder deren Vorkommen fraglich ist. Die Liste enthält 109 species und 3 subspecies mit geklärtem Status. Das Vorkommen der meisten Arten erstreckt sich von Indien durch Nepal und China bis Japan, Südostasien bis Australien, sechs Arten sind aus Afrika bekannt. *Philenora vasta* (van Eecke, 1926) nov.comb. ex *Eugoa*; *Eugoa simonae* Bucsek, 2008 ist nov.syn. zu *Eugoa hainanensis* Fang, 2000, *Eugoa bipunctata formosicola* Matsumura, 1927 ist nov. syn. zu *cesaneki* Bucsek, 2008.

Genus *E u g o a* , Walker, 1858
Type species: *Eugoa aequalis* Walker, 1858 (Borneo).
Hectogama Meyrick, 1889, (type species *H. dissozona*, New Guinea).

***aequalis* Walker, 1858**, List Specimens lepid. Insect Colln. Br. Mus., 12: 768.
Lyclene imposita Walker, 1862, J. Linn. Soc. Zool. 6: 112, (n.syn. of *aequalis*).
Eugoa aequalis Walker: Hampson, 1900, Cat. Lep. Phal. Br. Mus. 2: 546, pl. 34, fig. 3.
Eugoa aequalis Walker: Seitz, 1914, Macrolep. World 10: 121, pl. 18l.
Eugoa aequalis Walker: van Eecke, 1926, Zool. Meded. Leiden., 9: 266, pl.III, f. 5.
Eugoa aequalis Walker: Holloway, 2001, Moths of Borneo 7: 414, pl. 7, fig. 357, 393.
Eugoa aequalis Walker: Bucsek, 2008, Entomofauna 22 (26): 423-424, figs 6; 67.
Eugoa aequalis Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 19, pl. 3: 30a, 30b.
Eugoa aequalis Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 5, Pl. 1: 5, 5a.
Occurrence of the species: Thailand, Vietnam, Penisular Malaysia, Borneo, Sumatra.

***africana* Hampson, 1900**, Cat. Lep. Phal. Br. Mus. 2: 545, pl.34, fig. 3.
Occurrence of the species: South Africa-Cape Province.

***aliquotpunctata* Bucsek, 2008**, Entomofauna 22 (26): 442, figs 57 (holotype); 111.
Eugoa aliquotpunctata Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 13, Pl. 2: 23, 23a, gen. Mal004.
Occurrence of the species: Peninsular Malaysia.

***alleni* Holloway, 2001**, The Moths of Borneo, 7: 417, pl.7,fig. 362 (holotype).
Occurrence of the species: Borneo.

***alticrassa* Holloway, 2001**, The Moths of Borneo, 7: 421, pl.7, fig. 360, 398 (holotype).
Occurrence of the species: Borneo.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***apexinigra* Bucsek, 2008**, Entomofauna 22 (26): 439-440, figs 52 (holotype); 106.
Eugoa apexinigra Bucsek: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 25, pl. 4: 48.
Eugoa apexinigra Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 14, Pl. 2: 26, 26a.
Occurrence of the species: Thailand, Peninsular Malaysia.

***apiensis* Holloway, 2001**, The Moths of Borneo, 7: 424, pl.7, fig. 376 (paratype).
Eugoa apiensis Holloway: Bucsek 2008, Entomofauna 22 (26): 436-437, figs 46; 99.
Eugoa apiensis Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 12, Pl. 2: 21, 21a.
Occurrence of the species: Peninsular Malaysia, Borneo.

***arcuata* Hampson, 1918**, Novit. Zoolog., 25: 108.
Eugoa arcuata Hampson: Černý & Bucsek 2014, Entomofauna 35 (22): 471-472, Figs 14a, b, c, d, e.
Occurrence of the species: Philippines-Luzon, Panay, Sibuyan.

***arcus* Černý, 2009**, Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol.6: 30-31, pl.5: 60a, 60b.
Occurrence of the species: Thailand.

***arida* van Eecke, 1920**, Zool. Meded. Mus. Leid., 5: 125.
Eugoa arida van Eecke: van Eecke 1926, Zoologische Mededeelingen, deel IX, 267, pl. III, f. 7.
Eugoa arida van Eecke: Fang, 2000, Fauna Sin., Ins. 19, Lep., Arctiidae: 65, pl. 1: 24, (questionable).
Occurrence of the species: Java, Sumatra, ?China.

***aridoides* Holloway, 2001**, The Moths of Borneo, 7: 426, pl.7, fig. 388, 406 (holotype).
Occurrence of the species: Borneo.

***bacchi* Holloway, 2001**, The Moths of Borneo, 7: 425, pl.7, fig. 382, 402 (paratype).
Occurrence of the species: Borneo.

***basipuncta* (Hampson, 1891),** Illust. typical Specimens lepid. Heterocera Colln. Brit. Mus., 8: 49, t. 138, f. 8 (*Padenia*).
Eugoa basipuncta Hampson: Seitz, 1914, Macrolep. World 10: 121.
Eugoa basipuncta Hampson: Holloway, 2001, Moths of Borneo 7: 416, pl. 7, figs 397.
Occurrence of the species: India, Sri Lanka, Borneo, Java.

***bidentata* Bucsek, 2008**, Entomofauna 22 (26): 440-441, figs 54 (holotype); 108.
Eugoa bidentata Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 14, Pl. 2: 28.
Occurrence of the species: Peninsular Malaysia, Cambodia.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***bipuncta* (Heylaerts, 1891),** Compt. Rend. Soc. ent. Belg, 35: 414 (*Paidia*).
Eugoa bipuncta Heylaerts: Hampson, 1900, Cat. Lep. Phal. Br. Mus. 2: 547, pl. 34: 6.
Eugoa bipuncta Heylaerts: Seitz, 1914, Macrolep. World 10: 122, pl. 18 m.
Eugoa bipunctata heylaertsi Seitz 1914, Macrolep. World 10:(121)122, pl. 18m – replacement name for *bipunctata* (sic: *praeocc.*)- Holloway, 2001, Moths of Borneo 7: 422.
Eugoa bipuncta Heylaerts: van Eecke 1926, Zool. Meded. Leiden, 9: 265, pl. III, f. 4.
Eugoa bipuncta Heylaerts: Fang, 2000, Fauna Sin., Ins. 19, Lep., Arctiidae: 66, pl. 1: 27.
Eugoa bipuncta Heylaerts: Holloway, 2001, Moths of Borneo 7: 422, pl. 7, figs 377, 404.
Eugoa bipuncta Heylaerts: Bucsek, 2008, Entomofauna 22 (26): 434, figs 38; 39; 92.
Eugoa bipuncta Heylaerts: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol.6:25, pl.4: 46.
Eugoa bipuncta Heylaerts: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 11, Pl. 2: 16, 16a.
Occurrence of the species: China, Thailand, Peninsular Malaysia, Sundaland, Sulawesi, Lesser Sundas.

***bipunctalis* van Eecke, 1926**, Zool. Meded. Leiden, 9: 264, pl. III, f. 2, 2a.
Eugoa bipunctalis van Eecke : Holloway, 2001, Moths of Borneo 7: 417, pl. 7, fig. 363.
Eugoa bipunctalis van Eecke : Bucsek, 2008, Entomofauna 22 (26): 425, figs 10; 70.
Eugoa bipunctalis van Eecke : Dr. Karel Cerny, Bro.Amnuay Pinratana 2009, Moths of Thailand, vol.6:21, pl.3: 37a, 37b.
Eugoa bipunctalis van Eecke : Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 6, Pl. 1: 6.
Occurrence of the species: Thailand, Peninsular Malaysia, Borneo, Sumatra, Java.

***bipunctata* (Walker, 1862)**, Journ. Linn. Soc. Zool., 6: 115 (*Lyclene*).
Eugoa bipunctata Walker: Hampson, 1900, Cat. Lep. Phal. Br. Mus. 2: 544-545, fig. 401.
Eugoa bipunctata Walker: Snellen, 1904, Tijdschr. v. Ent. 47: 165.
Eugoa bipunctata Walker: Seitz, 1914, Macrolep. World 10: 122, pl. 18m.
Eugoa bipunctata Walker: van Eecke 1926, Zoologische Mededeelingen, deel IX., 263, pl.3, f. 1, 1a.
Eugoa bipunctata Walker: Fang 1982, Icon. Het. Sin., 2: 195, fig. 1404.
Eugoa bipunctata Walker: Kishida, 1993, Tinea 13 (Suppl. 3): 37, pl. 40: 19.
Eugoa bipunctata Walker: Fang, 2000, Fauna Sin., Ins. 19, Lep., Arctiidae: 63-64, fig. 38, pl. 1: 21.
Eugoa bipunctata Walker: Holloway, 2001, Moths of Borneo 7: 416, pl. 7, figs 365, 394.
Eugoa bipunctata Walker: Bucsek, 2008, Entomofauna 22 (26): 430, figs 24; 25; 26; 27; 82; 83; 84.
Eugoa bipunctata Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol.6: 23, pl.3: 40.
Eugoa bipunctata Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 8, Pl. 1: 11, 11a.
Occurrence of the species: ? Burma, China, Peninsular Malaysia, Thailand, Singapur, Borneo, ?Sumatra, ?Java.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***brunnea* Hampson, 1914**, Cat. Lep. Phal. B. M. Suppl. 1, p. 815, pI. 42, f. 14.
Eugoa brunnea Hampson: Hsiau Yue Wang, 1994, Guide Book to Taiwan Ins. 7: 160.
Occurrence of the species: Taiwan, ?Hong Kong.

***bucseki* Černý, 2009**, Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol.6: 27-28, pl. 4: 53.
Occurrence of the species: Thailand.

***cernyi* Bucsek, 2012**, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 8-9, Pl. 1: 12 (holotype), 12a (paratype), gen. Mal232, Mal235.
Eugoa basipuncta Hampson: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol.6: 22, pl. 3: 39.
Occurrence of the species: India-Sikkim, Peninsular Malaysia, Vietnam, Thailand, Taiwan.

***cesaneki* Bucsek, 2008**, Entomofauna 22(26): 429, figs 22 (holotype); 23 (paratype); 81.
Eugoa bipunctata formosicola Matsumura, 1927, J. Coll. Agric. Hokkaido Imp. Univ., 19 (1): 62, (n.syn. of *cesaneki*).
Eugoa cesaneki Bucsek: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol.6: 23, p. 3: 42.
Eugoa cesaneki Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 7, Pl. 1: 10 (paratype), (10a – it is ♀ *Eugoa bipunctata* (Walker, 1862)).
Occurrence of the species: Peninsular Malaysia, Thailand, Taiwan, Japan-Okinawa.

***cinerosa* Černý, 2009**, Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 28, pl. 4: 55.
Occurrence of the species: Thailand.

***clavata* Holloway, 2001**, The Moths of Borneo, 7: 426, pl. 7, fig. 358, 407 (holotype).
Occurrence of the species: Borneo.

***clepsydra* Bucsek, 2014,** Černý & Bucsek, Entomofauna 35 (22): 472-473, figs 15a, b, bb (paratypes), c, d, e.
Occurrence of the species: Philippines-Mindanao.

***conflua* Bethune-Baker, 1904**, Novit. Zool., 11: 427, t. 5, f. 12.
Eugoa conflua Bethune-Baker: Hampson, 1914, Cat. Lep. Phal. Br. Mus., suppl. 1: 812.
Occurrence of the species: New Guinea-Dinawa.

***corniculata* Kühne, 2007,** Butterflies and moth diversity of the Kakamega forest (Kenya).
Occurrence of the species: West Kenya.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***coronaria* Kühne, 2007**, Butterflies and moth diversity of the Kakamega forest (Kenya).
Occurrence of the species: West Kenya.

***costiplaga* Holland, 1893**, Psyche 6: 412.
Occurrence of the species: Gabon-Valley of Ogové River.

***crassa* (Walker, 1862),** J. Linn. Soc. Zool., 6: 114 (*Lyclene*).
Eugoa crassa Walker: Hampson 1900, Cat. Lep. Phal. Br. Mus., 2: 547, t. 34, f. 28.
Eugoa crassa Walker: Seitz, 1914, Macrolep. World 10: 122, pl. 18m.
Eugoa crassa Walker: van Eecke 1926, Zoologische Mededeelingen, deel IX., 268.
Eugoa crassa Walker: Fang 1982, Icon. Het. Sin., 2: 195, fig. 1406.
Eugoa crassa Walker: Fang, 2000, Fauna Sin., Ins. 19, Lep., Arctiidae: 64, pl. 1: 22.
Eugoa crassa Walker: Holloway, 2001, Moths of Borneo 7: 421, pl. 7, figs 361, 399.
Eugoa crassa Walker: Bucsek 2008, Entomofauna 22 (26): 432, figs 29; 30; 31; 86; 87.
Eugoa crassa Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009,
Moths of Thailand, vol.6: 24, pl. 4: 45a, 45b.
Eugoa crassa Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 9-10, Pl. 2: 13, 13a.
Eugoa crassa Walker: Černý & Bucsek, 2014, Entomofauna 35 (22): 476-477, figs 24a, c, d.
Occurrence of the species: India-Assam, Peninsular Malaysia, Cambodia, Thailand, Borneo, Sumatra, Java, Philippines-Palawan.

***cucullata* Holloway, 2001**, The Moths of Borneo, 7: 427, pl.7, fig. 386, 408 (paratype).
Eugoa cucullata Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 16, Pl. 3: 34, 34a, gen. Mal010, Mal011.
Occurrence of the species: Peninsular Malaysia, Borneo.

***cyclota* Fang, 2000**, Fauna Sinica, Insecta vol.19: 65, pl. 1, f. 25, genital fig.39.
Eugoa cyclota Fang: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009,
Moths of Thailand, vol.6: 26-27, pl.4: 51.
Occurrence of the species: China, Thailand.

***dissozona* (Meyrick, 1889),** Trans. ent. Soc. London, 1889: 465 (*Hectogamma*).
Eugoa dissozona Meyrick: Hampson 1900, Cat. Lep. Phal. Br. Mus., 2: 546, t. 34, f. 29.
Eugoa transfasciata Rothschild 1912, Novit. Zool., 20: 221, (n.syn. of *dissozona*).
Eugoa transfasciata Rothschild: Hampson, 1914, Cat. Lep. Phal. Suppl., 1: 813, pl. 42: 7.
Occurrence of the species: New Guinea.

***eeckei* Strand, 1922**, Lep. Ct., 26: 855, No. 33.
Occurrence of the species: Sulawesi.

***ellipsis* Bucsek, 2008**, Entomofauna 22 (26): 438-439, figs 50 (holotype); 51 (paratype); 104; 105.
Eugoa ellipsis Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 14, Pl. 2: 25.
Occurrence of the species: Peninsular Malaysia.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***euryphaea* Hampson, 1914**, Cat. Lep. Phal. B. M. Suppl. 1: 814, t. 42, f. 13.
Occurrence of the species: India-Sikkim.

***farisi* Bucsek, 2012**, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia: 16, Pl. 3: 33 (holotype), 33a (paratype), gen. Mal008, Mal009.
Occurrence of the species: Peninsular Malaysia.

***fasciata* Rothschild, 1913**, Novit. Zool., 20:221
Eugoa fasciata Rothschild: Hampson, 1914, Cat. Lep. Phal. Suppl., 1: 813, pl. 42: 8.
Occurrence of the species: New Guinea-Haidana, Colligwood Bay.

***fasciata* ssp. *subfasciata* Rothschild, 1913**, Novit. Zool., 20: 221.
Occurrence of the species: New Guinea-Kumusi River.

***flava* Fang, 2000**, Fauna Sinica, Insecta vol.19: 66, pl. 1, f. 26.
Occurrence of the species: China.

***flexilinea* Bucsek, 2014,** Černý & Bucsek, Entomofauna 35 (22), 475-476, figs 21a (holotype), aa (paratype), b (paratype), c, d.
Occurrence of the species: Philippines-Mindanao, Samar.

***gabrielae* Bucsek, 2008**, Entomofauna 22 (26): 424, figs 7 (holotype); 8 (paratype); 9 (paratype); 68; 69.
Eugoa gabrielae Bucsek: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol.6: 21, pl. 3: 35a, 35b.
Occurrence of the species: Cambodia, Thailand, Myanmar, Vietnam.

***gemina* Hampson, 1914**, Cat. Lep. Phal. Suppl., 1: 812, t. 42, f. 4.
Occurrence of the species: Ghana-Gold Coast, Bibianaha.

***gracilisa* Bucsek, 2008**, Entomofauna 22 (26): 441-442, figs 55 (holotype); 56 (paratype); 109; 110.
Eugoa gracilisa Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 15, Pl. 2: 29, 29a.
Occurrence of the species: Peninsular Malaysia.

***grandipuncta* Bucsek, 2008**, Entomofauna 22 (26): 438, figs 48 (holotype), 49 (paratype), 102.
Eugoa grandipuncta Bucsek: Dr. Karel Cerny, Bro.Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 30, pl. 5: 50.
Eugoa grandipuncta Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 13, Pl. 2: 24.
Occurrence of the species: Peninsular Malaysia, Thailand.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***grisea* Butler, 1877**, Ann. Mag. nat. Hist., (4) 20: 399.
Eugoa grisea Butler: Hampson 1900, Cat. Lep. Phal. Brit. Mus., 2: 544.
Eugoa grisea Butler: Seitz 1914, Macrolep. World 2: 51, pl. 11b.
Eugoa grisea Butler: Fang, 1982, Icon. Het. Sin., 2: 195, fig. 1403.
Eugoa grisea Butler: Hsiau Yue Wang, 1994, Guide Book to Taiwan Ins. 7: 159.
Eugoa grisea Butler: Fang, 2000, Fauna Sin., Ins.19, Lep., Arctiidae: 62, fig. 36, pl. 1: 18.
Eugoa grisea Butler: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 6, Pl. 1: 6A.
Occurrence of the species: Japan (Yokohama, Honshu), Korea, China, Taiwan, Peninsular Malaysia.

***grisea* ssp. *suffusa* Wileman, 1910**, Entom. 43, p. 222.
Occurrence of the species: Taiwan.

***grisea* ssp. *clarior* Strand, 1917**, Arch. f. Naturg. A, 3, p. 130.
Occurrence of the species: Taiwan.

***hainanensis* Fang, 2000**, Fauna Sinica, Insecta vol.19: 63, pl. 1, f. 20, genital fig. 37.
Eugoa simonae Bucsek, 2008, (n.syn. of *hainanensis*), Entomofauna 22 (26): 427, figs 15; 16; 75; 76.
Eugoa simonae Bucsek: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol.6: 20, pl. 3: 34a, 34b.
Occurrence of the species: India, Nepal, China, Cambodia, Thailand.

***hampsoni* Holloway, 2001**, The Moths of Borneo, 7: 428, pl. 7 ,fig. 405 (holotype).
Eugoa obscura Hampson 1900, Cat. Lepid. Phalenae Br.Mus., 2: 548.
[*praeocc.*(*E.obscura* Leech 1888, see Hampson 1900: 394 = *Siccia obscura* (Leech, 1888), Japan)].
Eugoa obscura Hampson: Seitz 1914, Macrolep. World 10: 122, pl. 13c.
Eugoa obscura Hampson: Fang 1982, Icon. Het. Sin., 2: 195, fig. 1405
– probably erroneous determination.
Eugoa obscura Hampson: Fang, 2000, Fauna Sin., Ins. 19, Lep., *Arctiidae*: 62-63, pl. 1: 19
– probably erroneous determination.
obscura ssp. *formosibia* Strand, 1917, Arch. f. Naturg. A, 3, p. 129 – Taiwan, (is unlikely).
Occurrence of the species: Borneo.

***hectogamoides* Holloway, 2001**, The Moths of Borneo, 7: 428, pl. 7, fig. 380 (holotype).
Eugoa hectogamoides Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 15, Pl. 3: 30, 30a, gen. Mal005.
Occurrence of the species: Peninsular Malaysia, Borneo.

***holocraspedon* Holloway, 2001**, The Moths of Borneo, 7: 420, pl. 7, fig. 373 (paratype).
Eugoa holocraspedon Holloway: Bucsek 2008, Entomofauna 22 (26): 429, figs 24; 80.
Eugoa holocraspedon Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 7, Pl. 1: 9, 9a.
Occurrence of the species: Peninsular Malaysia, Borneo.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***humerana* (Walker, 1863),** List Spec. lepid. Ins. Colln Br. Mus., 28: 433 (*Tospitis*).
Eugoa humerana Walker: Hampson, 1900, Cat. Lep. Phal. Br. Mus. 2: 543, fig. 400.
Eugoa humerana Walker: Seitz, 1914, Macrolep. World 10: 122, pl. 18 l.
Eugoa humerana Walker: van Eecke 1926, Zoologische Mededeelingen, deel IX., 263.
Eugoa humerana Walker: Fang 1982, Icon. Het. Sin. 2: 195, fig. 1402.
Eugoa humerana Walker: Fang, 2000, Fauna Sin., Ins. 19, Lep., Arctiidae: 61-62, fig. 35, pl. 1: 17.
Eugoa humerana Walker: Holloway, 2001, Moths of Borneo 7: 428, pl. 7, figs 7b, 383, 396.
Eugoa humerana Walker: Bucsek 2008, Entomofauna 22 (26): 443-444, figs 60; 114.
Eugoa humerana Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 31, pl. 5: 61.
Eugoa humerana Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 17-18, Pl. 3: 37, 37a.
Occurrence of the species: China, Thailand, Peninsular Malaysia, Borneo-Sarawak, W. Java, Sumatra.

***immunda* Swinhoe, 1903**, Ann. Mag. n. H., (7) XI: 501.
Eugoa immunda Swinhoe: Hampson, 1914, Cat. Lep. Phal. Suppl., 1: 814, pl. 42: 12.
Eugoa immunda Swinhoe: Seitz, 1914, Macrolep. World 10: 122.
Eugoa immunda Swinhoe: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 25, pl. 4: 47 (holotype).
Occurrence of the species: Laos, Cambodia, Thailand.

***impara* Bucsek, 2014,** Černý & Bucsek, Entomofauna 35 (22): 479, figs 30a (holotype), b (paratype), c, d, e.
Occurrence of the species: Philippines-Mindoro.

***incerta* Roepke, 1946**, Tijdschrift voor Entomologie, 87: 87.
Occurrence of the species: Sulawesi.

***inconspicua* (Walker, 1863),** List.Specimens lepid. Insect Colln. Br. Mus., 28: 430 (*Tospitis*).
Eugoa inconspicua Walker: Seitz, 1914, Macrolep. World 10: 122.
Eugoa inconspicua Walker: Holloway, 2001, Moths of Borneo 7: 422-423, pl. 7, fig. 372, 400.
Eugoa inconspicua Walker: Bucsek 2008, Entomofauna 22 (26): 432-433, figs 32; 33; 34; 88; 89.
Eugoa inconspicua Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 24, pl. 4: 43.
Eugoa inconspicua Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 10, Pl. 2: 14, 14a.
Eugoa inconspicua Walker: Černý & Bucsek, 2014, Entomofauna 35 (22): 477, figs 25 a,b, c, d, e.
Occurrence of the species: Peninsular Malaysia, Thailand, Borneo, Philippines-Palawan, Luzon.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***indeclaratana* (Walker, 1863),** List.Specimens lepid. Insect Colln. Br. Mus., 28: 427 (*Tospitis*).
Eugoa indeclaratana Walker: Holloway, 2001, Moths of Borneo 7: 423, pl. 7, figs 384, 401.
Eugoa indeclaratana Walker: Bucsek 2008, Entomofauna 22 (26): 436, figs 44; 45; 97; 98.
Eugoa indeclaratana Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009,
Moths of Thailand, vol. 6: 28, p. 4: 54
Eugoa indeclaratana Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 12, Pl. 2: 19, 19a.
Occurrence of the species: Peninsular Malaysia, Thailand, Borneo.

***irregularis* Rothschild, 1913**, Novit. Zool., 20: 226.
Occurrence of the species: New Guinea-Mount Goliath.

***khmera* Bucsek, 2008**, Entomofauna 22 (26): 423, figs 5 (holotype); 66.
Occurrence of the species: Cambodia.

***latera* Bucsek, 2012**, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia: 16-17, Pl. 3: 35 (paratype), 35a (paratype), gen. Mal012, Mal013.
Occurrence of the species: Peninsular Malaysia.

***lucea* Bucsek, 2012**, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia: 15-16, Pl. 3: 32 (holotype), 32a (paratype), gen. Mal007.
Occurrence of the species: Peninsular Malaysia.

***luzonica* Bucsek, 2014,** Černý & Bucsek 2014, Entomofauna 35 (22): 470, figs 11a (paratype), b, c.
Occurrence of the species: Philippines-Luzon.

***malayicola* Bucsek, 2008**, Entomofauna 22 (26): 422, figs 3 (holotype); 4 (paratype); 64; 65.
Eugoa malayicola Bucsek: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009,
Moths of Thailand, vol. 6: 20, pl. 3: 33.
Eugoa malayicola Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 4, Pl. 1: 3, 3a.
Occurrence of the species: Peninsular Malaysia, Thailand.

***mangle* Holloway, 2001**, The Moths of Borneo, 7: 419, fig. 8a ,b, c.
Eugoa mangle Holloway: Bucsek, 2008, Entomofauna 22 (26), 425-426, figs 11; 12; 71; 72.
Eugoa mangle Holloway: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009,
Moths of Thailand, vol. 6: 22, pl. 3: 38a, 38b.
Eugoa mangle Holloway: Černý & Bucsek, Entomofauna 35 (22): 474, figs 18a, b, c, d, e.
Occurrence of the species: Thailand, Cambodia, Sumatra, Borneo, Philippines-Palawan.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***mindanensis* Wileman & West, 1928**, Ann. Mag. n. H., (10) 2: 220.
Eugoa mindanensis Wileman & West: Černý & Bucsek, 2014, Entomofauna 35 (22): 477-478, figs 26a, b, c, d, e.
Occurrence of the species: Philippines-Mindanao, Luzon.

***mindanaoica* Bucsek, 2014,** Černý & Bucsek, Entomofauna 35 (22): 473, figs 16a (paratype), bb (holotype), e.
Occurrence of the species: Philippines-Mindanao.

***minora* Bucsek, 2012**, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 5, Pl. 1: 4 (holotype), 4a (paratype), gen. Mal001, Mal002.
Occurrence of the species: Peninsular Malaysia.

***mistra* Schaus, 1922**, Insecutor inscitiae menstruus a monthly.,vol.10 (1-3): 37.
Eugoa mistra Schaus: Černý & Bucsek, 2014, Entomofauna 35 (22): 479, figs 29a,b, c, d, e, f.
Occurrence of the species: Philippines-Panay, Luzon, Negros.

***muluana* Holloway, 2001**, The Moths of Borneo, 7: 423, pl. 7, fig. 374, 403 (holotype).
Eugoa muluana Holloway: Bucsek 2008, Entomofauna 22 (26): 433, figs 35; 36; 37; 90; 91.
Eugoa muluana Holloway: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 24, pl. 4: 44.
Eugoa muluana Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 10, Pl. 2: 15, 15a.
Occurrence of the species: Peninsular Malaysia, Cambodia, Thailand, Borneo.

***nabis* Schaus, 1922**, Insecutor inscitiae menstruus a monthly., vol.10 (1-3): 37.
Eugoa nabis Schaus: Černý & Bucsek, 2014, Entomofauna 35 (22): 478, figs 27a,b, c, d, e, f.
Occurrence of the species: Philippines-Mindanao, Luzon.

***nata* Dubatolov & Bucsek, 2013**, Tinea 22 (4), 288, figs. 14, 27.
Occurrence of the species: Cambodia.

***novaki* Bucsek, 2012**, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 15, Pl. 3: 31 (holotype), gen. Mal006.
Occurrence of the species: Peninsular Malaysia.

***obliqualis* van Eecke, 1926**, Zoologische Mededeelingen, deel IX., 265, pl.III., f. 3, 3a.
Occurrence of the species: Sumatra.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***obliquipuncta* Holloway, 2001**, The Moths of Borneo, 7: 417, pl. 7, fig. 350, 369.
Eugoa obliquipuncta Holloway: Bucsek 2008, Entomofauna 22 (26): 426, figs 13; 14; 73; 74.
Eugoa obliquipuncta Holloway: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 29, pl. 4: 57.
Eugoa obliquipuncta Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 6, Pl. 1: 7, 7a.
Occurrence of the species: Peninsular Malaysia, Thailand, Borneo.

***okalii* Bucsek, 2008**, Entomofauna 22 (26): 434-435, figs 40 (holotype); 41 (paratype); 93; 94.
Eugoa okalii Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 11, Pl. 2: 17, 17a.
Occurrence of the species: Peninsular Malaysia.

***palawanica* Bucsek, 2008**, Entomofauna 22(26): 431, figs 28 (holotype); 85.
Eugoa palawanica Bucsek : Černý & Bucsek, Entomofauna 35 (22): 476, figs 22a.
Occurrence of the species: Philippines-Palawan, Mindanao.

***parva* Bucsek, 2008**, Entomofauna 22 (26): 435, figs 42 (holotype); 95.
Occurrence of the species: Peninsular Malaysia.

***pectinicrassa* Holloway, 2001**, The Moths of Borneo, 7: 423, pl. 7, fig. 368 (paratype).
Eugoa pectinicrassa Holloway: Bucsek 2008, Entomofauna 22 (26): 435-436, figs 43; 96.
Eugoa pectinicrassa Holloway: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 27, pl. 4: 52.
Eugoa pectinicrassa Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 11, Pl. 2: 18, 18a, gen. Mal003.
Occurrence of the species: Peninsular Malaysia, Thailand, Borneo, Indonesia-Sulawesi.

***perfasciata* Rothschild, 1913**, Novit. Zool., 20: 226.
Eugoa perfasciata Rothschild: Hampson, 1914, Cat. Lep. Phal. Suppl., 1: 814, pl. 42: 9.
Occurrence of the species: New Guinea-Mount Goliath.

***phantasma* Bucsek, 2014,** Černý & Bucsek, Entomofauna 35 (22): 473-474, figs 17a (holotype), b (paratype), c, d, e.
Occurrence of the species: Philippines-Luzon.

***pseudarcuata* Holloway, 2001**, The Moths of Borneo, 7: 416, pl. 7, fig. 371 (paratype).
Occurrence of the species: Borneo.

***pulchra* Bucsek, 2008**, Entomofauna 22 (26): 421-422, figs 2 (holotype); 63.
Eugoa pulchra Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 4, Pl. 1: 2.
Occurrence of the species: Peninsular Malaysia.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***pulverosa* Reich, 1937**, „Die Arctiidae der Chinaausbeute des Herrn Hone In Shanghai„, Deutsche Entomologische Zeitschrift Iris 1937, 51: 117 (113-130).
Occurrence of the species: China.

***quadriplagiata* Rothschild, 1916 (1915),** Rep. Brit. Ornith. U. Exped., 2 (15): 49-50.
Occurrence of the species: New Guinea-Utakwa River.

***rufibasis* Holloway, 2001**, The Moths of Borneo, 7: 425, pl. 7, fig. 378 (holotype).
Occurrence of the species: Borneo.

***saltens* Černý, 2009**, Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 23, pl. 4: 41a, 41b, gen. 4: 41f, 41v, larva, pupa.
Occurrence of the species: Thailand.

***sawadina* Černý, 2009**, Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 29-30, pl. 5: 58.
Occurrence of the species: Thailand.

***sexpuncta* Hampson, 1911**, Ann. Mag. n. H., (8) 8: 406.
Eugoa sexpuncta Hampson: Hampson, 1914, Cat. Lep. Phal. Suppl., 1: 810, pl. 42: 2.
Occurrence of the species: New Guinea-Fak Fak.

***signula* van Eecke, 1926**, Zoologische Mededeelingen, deel IX., 267, pl. III., f. 8.
Occurrence of the species: Sumatra.

***similitera* Bucsek, 2014**, Černý & Bucsek, Entomofauna 35 (22): 475, figs 20a (paratype), b (paratype), c, d.
Occurrence of the species: Philippines-Luzon, Mindanao, Samar.

***simplicata* Bucsek, 2014**, Černý & Bucsek, Entomofauna 35 (22): 476, figs 23a (paratype), c, d.
Occurrence of the species: Philippines-Palawan.

***sinuata* Wileman, 1914**, Entomologist, 47: 161.
Eugoa sinuata Wileman: Hampson 1914, Cat. Lep. Phal. Suppl., 1: 812, t. 42, f. 5.
Eugoa sinuata Wileman: Hsiau Yue Wang, 1994, Guide Book to Taiwan Ins. 7: 162.
Occurrence of the species: Taiwan.

***sordida* Rothschild, 1913**, Novit. Zool., 20: 221.
Eugoa sordida Rothschild: Hampson, 1914, Cat. Lep. Phal. Suppl., 1: 811, pl. 42: 3.
Eugoa sordidata Seitz 1914 (n.syn. of *sordida*), Gross. Schmett. d. Erde, 10: 121.
Occurrence of the species: New Guinea.

***sparsata* Bucsek, 2014**, Černý & Bucsek, Entomofauna 35 (22): 479-480, figs 31b (holotype), e.
Occurrence of the species: Philippines-North Palawan.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***submontana* Holloway, 2001**, The Moths of Borneo, 7: 419, pl. 7, fig. 364 (paratype).
Eugoa submontana Holloway: Bucsek 2008, Entomofauna 22 (26): 427-428, figs 17; 18; 77.
Eugoa submontana Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 7, Pl. 1: 8.
Occurrence of the species: Peninsular Malaysia, Borneo.

***tessellata* Holloway, 2001**, The Moths of Borneo, 7: 420, pl. 7, fig. 354 (paratype).
Eugoa tessellata Holloway: Bucsek, 2008, Entomofauna 22 (26): 428, figs 19; 20; 78; 79.
Eugoa tessellata Holloway: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol 6: 21, pl. 3: 36a, 36b.
Occurrence of the species: Cambodia, Thailand, Borneo, Sumatra.

***tineoides* (Walker, 1862),** Journ. Linn. Soc. Zool., 6: 115 (*Lyclene*).
Eugoa tineoides Walker: Hampson 1900, Cat. Lep. Phal. Brit. Mus., 2: 546, pl. 34: 7.
Eugoa tineoides Walker: Seitz 1914, Macrolep. World 10: 122, pl. 18m.
Eugoa tineoides Walker: Fang, 2000, Fauna Sin., Ins. 19, Lep., Arctiidae: 64, pl. 1: 23, (questionable).
Eugoa tineoides Walker: Holloway, 2001, Moths of Borneo 7: 425, pl. 7, fig. 389.
Occurrence of the species: Borneo, ?China.

***translineata* Schaus, 1922**, Insecutor inscitiae menstruus a monthly., vol.10 (1-3): 36.
Eugoa translineata Schaus: Černý & Bucsek, Entomofauna 35 (22): 474, figs 19a, b, c, d, e, f.
Occurrence of the species: Philippines-Mindanao, Mindoro, Palawan, Luzon.

***tricolora* Bethune-Baker, 1904**, Novit. Zool., 11: 427, t. 5, f. 13.
Occurrence of the species: New Guinea-Dinawa.

***tricuspida* Bucsek, 2014,** Černý & Bucsek, Entomofauna 35 (22): 478, figs 28a (holotype), b (paratype), c, d.
Occurrence of the species: Philippines-Palawan.

***tridens* Bucsek, 2008**, Entomofauna 22 (26): 440, figs 53 (holotype); 107.
Eugoa tridens Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 14, Pl. 2: 27 (holotype).
Occurrence of the species: Peninsular Malaysia.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***trifascia* (Walker, 1862),** Journ. Linn. Soc. Zool., 6: 111 (*Lyclene*).
Eugoa similis Rothschild 1913, Novit. Zool., 20: 221, (n.syn. of *trifascia*) - Holloway, 2001, Moths of Borneo 7: 415.
Eugoa aequalis ab. *trifascia* Walker, Seitz, 1914, Macrolep. World 10: 121.
Eugoa trifascia Walker: Holloway, 2001, Moths of Borneo 7: 415, pl. 7, fig. 367, 392.
Eugoa trifascia Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol 6: 20, pl. 3: 32.
Eugoa trifascia Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 4, Pl. 1: 1.
Eugoa trifascia Walker: Černý & Bucsek 2014, Entomofauna 35 (22): 471, Figs 14a, b, c, d, e.
Occurrence of the species: Thailand, Peninsular Malaysia, Borneo, Sumatra, Philippines-Palawan, Luzon, Leyte.

***trifasciata* (Snellen, 1880),** in Veth, Midden Sumatra Lep., 4(2): 37 (*Lithosia*).
Eugoa trifasciata Snellen: Holloway, 2001, Moths of Borneo 7: 415, pl. 7, fig. 366.
Eugoa trifasciata Snellen: Bucsek, 2008, Entomofauna 22 (26): 421, figs 1; 62.
Eugoa trifasciata Snellen: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 19, pl. 3: 31.
Occurrence of the species: Thailand, Sumatra, Borneo.

***trifasciella* Strand, 1922,** Lepidopterorum Catalogus, 26: 854 (repl. *Padenia trifasciata* Moore, [1887]).
Padenia trifasciata Moore 1887, The Lepidoptera of Ceylon, 3: 534, pl. 211: 14, (n.syn. of *trifasciella*).
Occurrence of the species: Sri Lanka.

***trilacunata* Holloway, 2001**, The Moths of Borneo, 7: 415, pl. 7, fig. 359 (paratype).
Occurrence of the species: Borneo.

***tropicalis* Holland, 1893**, Psyche, 6: 412.
Occurrence of the species: Gabon-Valley of Ogové River.

***turbida* (Walker, 1862),** Journ. Linn. Soc. Zool., 6: 114 (*Lyclene*).
Eugoa turbida Walker: Hampson, 1900, Cat. Lep. Phal. Br. Mus. 2: 547-548, pl. 34: 33.
Eugoa turbida Walker: Seitz, 1914, Macrolep. World 10: 122, pl. 18 m.
Eugoa turbida Walker: Holloway, 2001, Moths of Borneo 7: 427-428, pl. 7.
Eugoa turbida Walker: Bucsek 2008, Entomofauna 22 (26): 437, figs 47; 100; 101.
Eugoa turbida Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 26, pl. 4: 50.
Eugoa turbida Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 13, Pl. 2: 22, 22a.
Occurrence of the species: Thailand, Peninsular Malaysia, Borneo.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

***unicolora* Bucsek, 2008**, Entomofauna 22(26): 442-443, figs 58; 59; 112; 113 (holotype).
Eugoa unicolora Bucsek: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 29, pl. 4: 56.
Eugoa unicolora Bucsek: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 17, Pl. 3: 36, 36a, gen. Mal014, Mal015.
Occurrence of the species: Thailand, Peninsular Malaysia.

***uniformis* Holloway, 2001**, The Moths of Borneo, 7: 424, pl. 7, fig. 387, 395 (paratype).
Eugoa uniformis Holloway: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 12, Pl. 2: 20, 20a.
Occurrence of the species: Peninsular Malaysia, Borneo.

***vagigutta* (Walker, 1862),** Journ. Linn. Soc. Zool., 6: 116 (*Lyclene*).
Eugoa vagigutta Walker: Hampson, 1900, Cat. Lep. Phal. Br. Mus. 2: 548, pl. 34: 32.
Eugoa vagigutta Walker: Seitz, 1914, Macrolep. World 10: 122, pl. 18 m.
Eugoa vagigutta Walker: Holloway, 2001, Moths of Borneo 7: 427, pl. 7, fig. 385.
Eugoa vagigutta Walker: Bucsek 2008, Entomofauna 22 (26): 444, figs 61; 115.
Eugoa vagigutta Walker: Dr. Karel Cerny, Bro. Amnuay Pinratana 2009, Moths of Thailand, vol. 6: 26, pl. 4: 49.
Eugoa vagigutta Walker: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 18, Pl. 3: 38, gen. Mal090.
Occurrence of the species: Peninsular Malaysia, Thailand, Vietnam, Borneo.

***winneba* Kühne, 2007**, Esperiana Buchreihe zur Entomologie Memoir 3: 353-394.
Occurrence of the species: Ghana- Winneba.

***vittata* Bucsek, 2014,** Černý & Bucsek 2014, Entomofauna 35 (22): 470-471, figs 12a (holotype), b (paratype), c, d, e.
Occurrence of the species: Philippines-Negros, Mindanao, Luzon, Mindoro.

Systematic classification of species of the genus *Eugoa*, Walker, 1858

Species are ordered by their habitual characters, by their genitals and not least also under their range of distribution.

1. ***dissozona* (Meyrick, 1889)**
2. ***perfasciata* Rothschild, 1913**
3. ***fasciata* Rothschild, 1913**

3a. ***fasciata* ssp. *subfasciata* Rothschild, 1913**

4. ***pseudarcuata* Holloway, 2001**
5. ***luzonica* Bucsek, 2014**
6. ***vittata* Bucsek, 2014**
7. ***irregularis* Rothschild, 1913**

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

8. ***arcuata* Hampson, 1918**
9. ***trifascia* (Walker, 1862)**
10. ***clepsydra* Bucsek, 2014**
11. ***mindanaoica* Bucsek, 2014**
12. ***phantasma* Bucsek, 2014**
13. ***trifasciata* (Snellen, 1880)**
14. ***pulchra* Bucsek, 2008**
15. ***malayicola* Bucsek, 2008**
16. ***minora* Bucsek, 2012**
17. ***basipuncta* (Hampson, 1891)**
18. ***aequalis* Walker, 1858**
19. ***trilacunata* Holloway, 2001**
20. ***trifasciella* Strand, 1922**
21. ***gabrielae* Bucsek, 2008**
22. ***translineata* Schaus, 1922**
23. ***similitera* Bucsek, 2014**
24. ***tricolora* Bethune-Baker, 1904**
25. ***quadriplagiata* Rothschild, 1916 (1915)**
26. ***conflua* Bethune-Baker, 1904**
27. ***sordida* Rothschild, 1913**
28. ***bipunctalis* van Eecke, 1926**
29. ***alleni* Holloway, 2001**
30. ***obliqualis* van Eecke, 1926**
31. ***mangle* Holloway, 2001**
32. ***palawanica* Bucsek, 2008**
33. ***obliquipuncta* Holloway, 2001**
34. ***sexpuncta* Hampson, 1911**
35. ***khmera* Bucsek, 2008**
36. ***hainanensis* Fang, 2000**
37. ***flexilinea* Bucsek, 2014**
38. ***simplicata* Bucsek, 2014**
39. ***tessellata* Holloway, 2001**
40. ***holocraspedon* Holloway, 2001**
41. ***submontana* Holloway, 2001**
42. ***cernyi* Bucsek, 2012**
43. ***grisea* Butler, 1877**

43a. ***grisea* ssp. *suffusa* Wileman, 1910**

43b. ***grisea* ssp. *clarior* Strand, 1917**

44. ***sinuata* Wileman, 1914**
45. ***bipunctata* (Walker, 1862)**
46. ***cesaneki* Bucsek, 2008**
47. ***saltens* Černý, 2009**
48. ***crassa* (Walker, 1862)**
49. ***alticrassa* Holloway, 2001**
50. ***inconspicua* (Walker, 1863)**
51. ***mindanensis* Wileman & West, 1928**

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

52. ***muluana*** **Holloway, 2001**
53. ***bipuncta*** **(Heylaerts, 1891)**
54. ***incerta*** **Roepke, 1946**
55. ***immunda*** **Swinhoe, 1903**
56. ***okalii*** **Bucsek, 2008**
57. ***arcus*** **Černý, 2009**
58. ***pectinicrassa*** **Holloway, 2001**
59. ***bucseki*** **Černý, 2009**
60. ***indeclaratana*** **(Walker, 1863)**
61. ***uniformis*** **Holloway, 2001**
62. ***apiensis*** **Holloway, 2001**
63. ***rufibasis*** **Holloway, 2001**
64. ***bacchi*** **Holloway, 2001**
65. ***turbida*** **(Walker, 1862)**
66. ***aliquotpunctata*** **Bucsek, 2008**
67. ***arida*** **van Eecke, 1920**
68. ***cyclota*** **Fang, 2000**
69. ***signula*** **van Eecke, 1926**
70. ***clavata*** **Holloway, 2001**
71. ***grandipuncta*** **Bucsek, 2008**
72. ***aridoides*** **Holloway, 2001**
73. ***ellipsis*** **Bucsek, 2008**
74. ***apexinigra*** **Bucsek, 2008**
75. ***tridens*** **Bucsek, 2008**
76. ***bidentata*** **Bucsek, 2008**
77. ***gracilisa*** **Bucsek, 2008**
78. ***tricuspida*** **Bucsek, 2014**
79. ***nata*** **Dubatolov & Bucsek, 2013**
80. ***hampsoni*** **Holloway, 2001**
81. ***parva*** **Bucsek, 2008**
82. ***hectogamoides*** **Holloway, 2001**
83. ***novaki*** **Bucsek, 2012**
84. ***cinerosa*** **Černý, 2009**
85. ***sawadina*** **Černý, 2009**
86. ***gemina*** **Hampson, 1914**
87. ***euryphaea*** **Hampson, 1914**
88. ***flava*** **Fang, 2000**
89. ***mistra*** **Schaus, 1922**
90. ***lucea*** **Bucsek, 2012**
91. ***farisi*** **Bucsek, 2012**
92. ***cucullata*** **Holloway, 2001**
93. ***impara*** **Bucsek, 2014**
94. ***nabis*** **Schaus, 1922**
95. ***africana*** **Hampson, 1900**
96. ***coronaria*** **Kühne, 2007**
97. ***corniculata*** **Kühne, 2007**

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

98. ***winneba*** **Kühne, 2007**
99. ***costiplaga*** **Holland, 1893**
100. ***tropicalis*** **Holland, 1893**
101. ***latera*** **Bucsek, 2012**
102. ***brunnea*** **Hampson, 1914**
103. ***unicolora*** **Bucsek, 2008**
104. ***tineoides*** **(Walker, 1862)**
105. ***humerana*** **(Walker, 1863)**
106. ***vagigutta*** **(Walker, 1862)**
107. ***sparsata*** **Bucsek, 2014**

I did not receive sufficient information about following species to be able systematically them classify.

- ***eeckei*** **Strand, 1922**
- ***pulverosa*** **Reich, 1937**

Species of the genus *Eugoa* transferred to other genera:

Eugoa aureoplagiata **Rothschild, 1913** = ***Trischalis aureoplagiata*** (Rothschild, 1913)
Eugoa aureoplagiata Rothschild, 1913, Novit.Zool., 20: 222.
Trischalis aureoplagiata Rothschild: Holloway, 2001, Moths of Borneo 7: 430 (note)
Occurrence of the species: New Guinea-Kumusi River.

Eugoa bilineata **Hampson, 1901** = ***Holocraspedon bilineata*** (Hampson, 1901).
Eugoa bilineata Hampson, 1901, Ann. Mag. Nat. His. (7), 8: 185.
Nola lauta Swinhoe, 1903, Ann. Mag. Nat. Hist. (7), 11: 502.
Eugoa bilineata Hampson: Hampson, 1914, Cat. Lep. Phal. Br. Mus. suppl.1: 813, pl. XLII: 6.
Philenora lauta Swinhoe: Hampson, 1914, Cat. Lep. Phal. Br. Mus. suppl. 1: 789, pl. XLI: 12.
Holocraspedon bilineata Hampson: Holloway, 2001, Moths of Borneo 7: 411, pl. 7, fig. 345.
Holocraspedon bilineata Hampson: Cerny, Pinratana 2009, Moths of Thailand, vol. 6: 16, pl. 2: 25.
Holocraspedon bilineata Hampson: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 18, Pl. 3: 41, 41a.
Occurrence of the species: N.E. Himalaya, Thailand, Cambodia, Singapore, Peninsular Malaysia, Borneo, Sulawesi, Sumbawa.

Eugoa marmorea **Butler, 1882** = ***Philenora marmorea*** (Butler, 1882)
Eugoa marmorea Butler, 1882, Cistula Entomologica, pars XXVI., vol.III (26): 9.
Philenora marmorea Butler: Hampson, 1900, Cat. Lep. Phalaenae Br. Mus. 2 : 507, f. 363.
Occurrence of the species: Madagascar.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

Eugoa mediopuncta* Rothschild, 1913 = *Holocraspedon mediopuncta (Rothschild, 1913)
Eugoa mediopuncta Rothschild, 1913, Novit. Zool., 20: 221.
Holocraspedon mediopuncta Rothschild: Holloway, 2001, Moths of Borneo 7: 409.
Occurrence of the species: Solomons Islands-Isabel Island.

Eugoa mediopuncta* ssp. *sordidor* Rothschild, 1913 = *Holocraspedon sordidor (Rothschild, 1913)
Eugoa mediopuncta ssp. *sordidor* Rothschild, 1913, Novit. Zool., 20: 222.
Holocraspedon sordidor Rothschild: Holloway, 2001, Moths of Borneo 7: 409
Occurrence of the species: New Guinea-Kumusi River, Bismarcks.

Eugoa multistrigata* Hampson, 1898 = *Pareugoa multistrigata (Hampson, 1898).
Eugoa multistrigata Hampson, 1898, J. Bombay nat. Hist. Soc. 11 (3): 439.
Pareugoa multistrigata Hampson: Hampson 1900, Cat. Lep. Phalaenae Br. Mus. 2: 405, f. 316.
Occurrence of the species: India-Assam, Khásis.

Eugoa ochrivena* Hampson, 1898 = *Meteugoa ochrivena (Hampson, 1898).
Eugoa ochrivena Hampson, 1898, J. Bomb. nat. Hist. Soc. 11: 439.
Meteugoa ochrivena Hampson: Hampson, 1900, Cat. Lep. Phal. Br. Mus. 2: 335 - 336, fig. 236.
Eugoa ochrivena Hampson: Seitz, 1914, Macrolep. World 10:165, pl. 17b.
Meteugoa ochrivena Hampson: Cerny, Pinratana 2009, Moths of Thailand, vol. 6: 18, pl. 2: 28.
Meteugoa ochrivena Hampson: Bucsek 2012, Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula – Malaysia, 21, Pl. 3: 44.
Occurrence of the species: India-Khásis, N.E. Himylaya, Taiwan, Thailand, Peninsular Malaysia, Borneo, Bali.

Eugoa placida* Butler, 1882 = *Philenora placida (Butler, 1882).
Eugoa placida Butler, 1882, Cistula Entomologica, pars XXVI., vol.III: 10 .
Philenora placida Butler: Hampson, 1900, Cat. Lep. Phalaenae Br. Mus. 2 : 507, pl. 33, f. 24.
Occurrence of the species: Madagascar.

Eugoa roseivena* Hampson**, 1894 = ***Stigmatophora roseivena (Hampson, 1894) = ***Planovalvata roseivena*** (Hampson, 1894).
Eugoa roseivena Hampson, 1894, The fauna of British India including Ceylon and Burma, Moths-vol. II: 99.
Stigmatophora roseivena Hampson: Hampson 1900, Cat. Lep. Phalaenae Br. Mus. 2: 551, pl. 34, f. 17.
Planovalvata roseivena Hampson: Dubatolov et Kishida, 2012, Tinea 22 (1): 39-41, fig. 23.
Occurrence of the species: Myanmar, Thailand, China (Jiangxi, Fujian, Hunan, Guangxi, Guangdong (!), Hainan, Yunnan).

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

Eugoa strigivenata* Hampson, 1894** = ***Stigmatophora strigivenata (Hampson, 1894).
Eugoa strigivenata Hampson, 1894, The fauna of British India including Ceylon and Burma, Moths-vol.II: 99.
Stigmatophora strigivenata Hampson: Hampson, 1900, Cat. Lep. Phalaenae Br. Mus. 2: 550, pl. 34, f. 31.
Occurrence of the species: Myanmar-E. Pegu.

Aemene taeniata* Fixsen, 1887 = *Eugoa taeniata (Fixsen, 1887) = ***Aemene taeniata*** Fixsen, 1887
Aemene taeniata Fixsen, 1887, Rom. Mém. Lep., 3: 327, pl. 15, f. 6 .
Eugoa taeniata Fixsen: Hampson 1900, Cat. Lep. Phal. Brit. Mus., 2: 544.
Aemene taeniata Fixsen: Dubatolov, http://szmn.eco.nsc.ru/Lithosiinae/Aemene_taeniata.htm
Occurrence of the species: Amur, Korea.

Eugoa vasta* van Eecke, 1926 = *Philenora vasta (van Eecke, 1926) n.comb.
Eugoa vasta van Eecke, 1926, Zoologische Mededeelingen, deel IX., 267, pl. III., f. 6.
Occurrence of the species: Sumatra, Java.

Notes and supplements

***erkunin* (Pagenstecher, 1886),** Jahrbücher des Nassauischen Vereins für Naturkunde, 39: 125 (*Pitane*).
Pitane erkunun Hampson 1900 (n.syn. of *erkunin*), Cat. Lep. Phal. Brit. Mus., 2: 567 (ignotus).
Occurrence of the species: Aru Islands.
Note: About this species I have not found who included it into genus *Eugoa.* Pagenstecher described it as *Pitane erkunin,* Hampson also presents it (in the section List of unrecognized species) in genus *Pitane* (n.syn. *erkunun*). At site ftp://ftp.funet.fi it is included in genus *Holocraspedon.*

***fascirrorata* Rothschild, 1913**, Novit. Zool., 20: 226.
Occurrence of the species: Australia-N.Queensland,Coomooboolaroo, Duaringa.
Note: This description is synonym of species *Habrophyes xuthosoma* (Turner, 1909), Acontiinae, Noctuidae.

In Japan (Okinawa) and Taiwan occurs *Eugoa cesaneki* Bucsek, 2008 - this species was previously erroneously determined as *Eugoa basipuncta* (Hampson, 1891).

Eugoa brunnea Hampson, 1914 is probably endemic species of Taiwan.

Eugoa simonae Bucsek, 2008 is the n.syn. of species *Eugoa hainanensis* Fang, 2000.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

References

Bethune-Baker G.T. 1904: New Lepidoptera from British New Guinea. – Novitates Zoologicae **11**: 367-429.

Bucsek K. 2008: Contribution to the Knowledge of the Genus *Eugoa* WALKER (1858) (Lepidoptera: Arctiidae, Lithosiinae). – Entomofauna **29** (26): 417-468.

Bucsek K. 2012: Erebidae, Arctiinae (Lithosiini, Arctiini) of Malay Peninsula-Malaysia. – Bratislava,: 70 pp., 23 + 26 + 2 pls.

Butler A.G. 1875: Revision of the genus *Spilosoma* and allied groups of the family Arctiidae. – Cistula Entomologica **2**: 21-44, London.

Cerny K., Pinratana A. 2009: An introduction to the tiger moths of Thailand, Volume **6**. – 227 pp., 52 pls., Bangkok.

Černý & Bucsek 2014: Review of the *Eugoa*-group in the family Erebidae (Lepidoptera: Erebidae, Arctiinae, Lithosiini) from the Philippines. – Entomofauna **35** (22): 461-524.

Dubatolov et Kishida 2012: New records of lichen-moths from the Nanling Mts., Guangdong, South China, with descriptions of new genera and species (Lepidoptera, Arctiidae: Lithosiinae). – Tinea **22** (1): 25-52.

Eecke van r. 1930: De Heterocera van Sumatra. – Zoologische Mededeelingen 1925-1929; republished by E. J. Brill in one volume 1930: 67-218.

Fang C. 2000: Lepidoptera, Arctiidae. – Fauna sinica, Insecta Vol. 19, Beijing: 589 p.

Hampson G.F. 1891: Illustrations of typical specimens of Lepidoptera Heterocera in the collection of the British Museum 8. – The Lepidoptera Heterocera of the Nilgiri District. London: 144 pp., 18 plates.

Hampson G.F. 1898: The moths of India. Supplementary paper to the volumes in „The fauna of British India". – Journal of the Bombay Natural History Society **11**: 438-462.

Hampson G.F. 1900: Catalogue of the Lepidoptera Phalaenae in the British Museum 2. – Catalogue of the Arctiadae (Nolinae, Lithosianae) in the collection of the British Museum. London: xx + 589 pp., pl. 42 - 71.

Hampson G.F. 1901: New species of Syntomidae and Arctiadae. – Annals and Magazine of Natural History (series 7) **8**: 165-186.

Hampson G.F. 1911: Descriptions of new genera and species of Syntomidae, Arctiadae, Agaristidae and Noctuidae. – Annals and Magazine of Natural History (series 8) **8**: 393-445.

Holloway J.D. 2001: The Moths of Borneo Vol. 7. – Kuala Lumpur: 207 pp.

Kishida Y. 1993: Moths of Nepal 2. – Tinea **13** (Supplement 3): 36-40, pl. 40-41.

Moore F. 1884-87: – The Lepidoptera of Ceylon 3. – London: 578 pp., pl. 144-215.

Rothschild W. 1915: Lepidoptera of the British Ornithologists' Union and Wollaston Expeditions in the Snow Mountains, Southern Dutch New Guinea, Macrolepidoptera. – 182 pp., pl. 1-2.

Seitz A. 1914: 2. Subfamilie: Lithosiinae, Flechtenbärchen (partim): pp. 118-134. In: Seitz, A., 1911-1933 – Die Gross-Schmetterlinge der Erde 10. Spinner und Schwärmer des indo-autralischen Gebiets, Stuttgart: 909 pp., 100 pls.

Schaus W. 1922: New species of Lithosiidae from the Oriental Region (Lepidoptera). – Insecutor Inscit. Menstr. Washington D.C. **10**: 23-37.

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

Snellen P.C.T. [1886-92] 1880: Lepidoptera. In Veth, P. J.: Midden-Sumatra 4 (8). – Amsterdam: 92 pp., 5 pl. (pp. 1-84, pl. 1, 2 [1886], pp. 85-92, pl. 3-5 [1892]).

Strand E. 1922: Arctiidae: Subfam. Lithosiinae. – Lepid. Cat. **26**: 499-899, Berlin.

Walker F. 1854: List Spec. lepid. Insects Colln Br. Mus. 2: 279-581. – Edward Newman: London.

Walker F. 1856: List Spec. lepid. Insects Colln Br. Mus. 7: 1509-1808. – Edward Newman: London.

Walker F. 1862: J. Proc. Linn. Soc. (Zool.) **6**: 109.

Wallengren H.D.J. 1863: Lepidopterologische Mittheilungen. – Wien. ent. Monatschr. **7** (5): 137-151.

Watson A., Fletcher D.S. & I.W.B. Nye 1980: The Generic Names of Moths of the World 2: 1-228. – London, Trustees of the Br. Mus. (Nat. Hist.).

http://www.jpmoth.org/~dmoth/Digital_Moths_of_Asia

http://szmn.eco.nsc.ru/Lithosiinae

http://www.papua-insects.nl

ftp://ftp.funet.fi/pub/sci/bio/life/insecta/lepidoptera/ditrysia/noctuoidea/arctiidae/lithosiinae/

Authors' address:
Karol Bucsek
Podjavorinskej 7
Bratislava
811 03 Slovak Republic
E-Mail: arctia.caja@post.sk, monosyntaxis@gmail.com

© Entomofauna Ansfelden/Austria; download unter www.zobodat.at

Druck, Eigentümer, Herausgeber, Verleger und für den Inhalt verantwortlich:
Maximilian Schwarz, Konsulent f. Wissenschaft der Oberösterreichischen Landesregierung, Eibenweg 6, A-4052 Ansfelden, Austria; maximilian.schwarz@liwest.at.

Redaktion: Fritz Gusenleitner, Biologiezentrum Linz, f.gusenleitner@landesmuseum.at;
Roland Gerstmeier, Lehrstuhl f. Zoologie, TU München, gerstmei@wzw.tum.de;
Thomas Witt, Tengstraße 33, D-80796 München, thomas@witt-thomas.com
Berthold Clewing, Akademischer Verlag München, avm@druckmedien.de;
Harald Sulak, Museum Witt München, h.sulak@atelier-sulak.de;

Mitarbeiter: Karin Traxler, Biologiezentrum Linz, bio.redaktion@landesmuseum.at;
Heike Reichert, Museum Witt München, heike_reichert66@web.de;
Erich Diller, Zool. Staatssammlung München, Erich.Diller@zsm.mwn.de.

Adresse: Entomofauna, Redaktion und Schriftentausch Thomas Witt, c/o Museum Witt München, Tengstr. 33, 80796 München, Deutschland, thomas@witt-thomas.com;
Entomofauna, Redaktion c/o Fritz Gusenleitner, Lungitzerstr. 51, 4222 St. Georgen/Gusen, Austria, f.gusenleitner@landesmuseum.at.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: Entomofauna

Jahr/Year: 2016

Band/Volume: 0037

Autor(en)/Author(s): Bucsek Karol

Artikel/Article: List and systematic classification of species of the genus Eugoa Walker, 1858, (Lepidoptera: Erebidae, Arctiinae, Lithosiini) 365-388