

Gruppe nicht einreihen lassen, muss aber als der erste theilweise recht gelungene Versuch einer natürlichen Gruppierung der Hummeln durch einen heimischen Forscher willkommen geheissen werden.

~~~~~

### Literatur.

*Papilio*. Devoted to Lepidopterists exclusively. Organ of the New York Entomological Club. Vol. II. 1882.

Nr. 1. Behr, Herm., on the habits and economy of some species of Sphingidae, 1—7.

Grote, A. R., notes on *Catocala snowiana* and varieties in this genus, 8—9.

Edwards, Henry, new species of Heterocera, 9—15.

Nr. 2. Edwards, W. H., descr. of species of butterflies taken in Arizona by Jacob Boll, 1881, 19—29.

Osten-Sacken, R. von, list of butterflies collected on the pacific coast, principally in California, in 1876, with notes on their localities and habits, 29—31.

Pilate, G. R., a new variety of *Catocala*, 31—32.

Food plants of *Platysamia Cecropia*, 32—33.

Nr. 3. Ishikawa, Ch., notes on variations in some Japanese Lepidoptera, mit Holzschn., 35—37.

Jewett, H. S., notes on *Adelocephala bicolor* Harris, 39—41.

Riley C. V., the Noctuidae in the Missouri Entomological reports, 41—44.

Edwards, W. H., descr. of new species of butterflies found in the United States, 45—49.

Nr. 4. Bailey, James S., femoral tufts or pencils of hair in certain *Catocalae*, mit Abb., 51—52.

Edwards, Henry, notes on N. American Aegeridae with descr. of their forms, 52—57.

Coquillett, D. W., the life-history of *Eustrotia Carneola*, 57—58

Food plants of *Telea Polyphemus* in the country of York, Ontario, 58—60.

Neumoegen, B., descr. of a new *Hyperchiria* from Arizona, 60—61.

Coquillett, D. W., on the early stages of two Plume-Moths, 61—62.

Weyenberg, D. H., nova species generis *Ceratocampa*, 62.

Notes on Lepidoptera, 62—63.

Illustrations of Noctuidae, mit einer Tafel, 64.

*Papilio*. Organ of the New York Entomological Club. 1882.

Nr. 5. Pilate, G. R., list of Lepidoptera taken in and around Dayton, O., 65—71.

Osborn, Herb., Aegerian parasites, 71—72.

Grote, A. R., on certain Pyralidae, 72—74.

Edwards, W. H., on the American form of *Papilio Machaon* L., 74—77.

Walshingham, Thomas Lord, Tineidae or Tineina, 77—79.

Food plants of *Samia* Columbia, 79—80.

Grote, A. R., two new Geometrids from Mr. Neumoegens collection, 80—81.

Ch. Rob. Darwin, obituary, 81.

Notes on Lepidoptera, 81—84.

Nr. 6. Buckler, W., some points in the natural history of *Papilio Machaon*, reprinted from Ent. M. Mag., 85—90.

Stretch, R. H., what constitutes a species in the genus *Arctia*? 90—92.

Bailey, James S., new forms of North American Cossidae, 93—94.

Grote, A. R., the N. Amer. species of *Nonagria*, 94—96.

Edwards, H., further notes and descr. of N. Amer. Aegeriadae, 96—99.

Grote, A. R., larvae of N. Amer. moths, 99.

Id., notes on certain Geometridae, with a new *Byssodes* from Florida, 100—101.

Notes on Lepidoptera, 101—2.

The Transactions of the Entomological Society of London. 1882, III. With 4 plates.

Butler, A. G., heterocerous Lepidoptera collected in Chili by Thomas Edmonds, 339—427.

Walshingham, Lord, North American Coleophorae, 429—42.

Scott, John, descr. of a new genus and 2 new species of *Psyllidae* from South America, 443—8.

Id., on certain genera and species of the group of *Psyllidae* in the collection of the British Museum, 449—73.

Lewis, Geo., on a visit to Ceylon, and the relation of Ceylonese beetles to the vegetation there, 475—83.

Pryer, H., on certain temperature forms of Japanese butterflies, 485—91.

Waterhouse, Ch. O., descr. of new Coleoptera from Madagascar belonging to the Melolonthidae, 493—502.

~~~~~

Kleinere Mittheilungen.

Ueber das Auskriechen gewisser Lepidopteren aus der Puppe zu bestimmten Zeiten des Tages macht B. Neumoegen in der Zeitschrift *Papilio* nach seinen eigenen Beobachtungen folgende Mittheilungen:

Attacus Atlas	kriecht aus um	7	Uhr	Morgens.
Actias Luna	„ „ „	4	„	Nachm.
„ Selene	„ „ „	5	„	„
Platysamia Ceanothi	„ „ „	4	„	„
„ Gloveri	„ „ „	4	„	„
„ Cecropia	„ „ „	5	„	„

Haben unsere europäischen Züchter ähnliche Erfahrungen gemacht?

~~~~~

### Europäische Futterpflanzen verschiedener exotischer Schmetterlinge.

1. *Platysamia Cecropia* (nach Wm. Brodie, vorgetragen im Natural Society of Toronto): Tilia, Linde; Acer, Ahorn vielleicht, da sie in Amerika auf vier Ahornarten lebt; *Prunus domestica*, Pflaume; *Spiraea salicifolia*; *Crataegus*?; *Pirus malus*, Apfelbaum; *Pirus communis*, Birnbaum; *Ribes rubrum*, Johannisbeere; *Sambucus*?; *Ulmus*?; *Quercus*?; *Fagus*?; *Corylus*?; *Carpinus*?; *Betula alba*, Birke; *Alnus incana*, Weisserle; *Salix*?; *Populus*?

2. *Samia Columbia* nährt sich in Amerika von dortigen *Spiraea*, *Ulmus*, *Abies* und *Larix*-Arten. Vielleicht auch in Deutschland auf den entsprechenden Pflanzen.

3. *Telea Polyphemus* von Tilia, *Crataegus*?; *Ribes*?; *Quercus*?; *Corylus*?; *Fagus*?; *Carpinus*?; *Betula alba*; *Alnus incana*; *Salix*?; *Populus*?

~~~~~

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Entomologische Nachrichten](#)

Jahr/Year: 1882

Band/Volume: [8](#)

Autor(en)/Author(s): diverse

Artikel/Article: [Literatur. 260-262](#)