


[illegible]



	Westen	500	1000	1500	2000	2500	3000	3500	4000	2500	2000	1500	1000	500	Osten
<i>Rhesocytis norax</i> Druce, <i>Arsenura</i>															
<i>arcae</i> Druce, <i>Dysdaemonia boreas</i>															
<i>Cr.</i> , <i>tamerlana nobilis</i> Schs., <i>Copiopteryx</i>															
<i>semiramis</i> Cr., <i>Copaxa multifenestrata</i> H. Sch., <i>Lenomia</i>															
<i>concordia</i> Druce, <i>electra</i> Druce, <i>obliqua</i>															
<i>Wlk.</i> , <i>aeneides</i> Druce, <i>Oxytenis honesta</i>															
<i>Stoll</i> , <i>Drepanopteryx sicula</i> Weym., <i>Attacus bolivar</i>															
<i>M. u. W.</i> , <i>hesperus</i> L., <i>Automeris titania</i>															
<i>Fld.</i> , <i>zozine</i> Druce, <i>egeus</i> Cr., <i>theresa</i> Weym., <i>euryopa</i>															
<i>Möschl.</i> , <i>angulatus</i> Conté, <i>hübneri</i> Bsd.,															
<i>Dirphia menander</i> Druce, <i>ursina</i> Wlk., <i>pomona</i> Fld.,															
<i>Grammapella fuscovenosa</i> Weym.	...	—													
Dysdaemonia <i>timur</i> Weym., <i>Attacus belis</i>															
<i>Wlk.</i> , <i>Automeris liberia</i> Cr., <i>illustris</i>															
<i>Wlk.</i> , <i>venosus</i> Btl., <i>aulestes</i> H. Sch.,															
<i>fassli</i> Weym., <i>Dirphia tarquinia</i> Cr.															
Dirphia <i>eumedide</i> Stoll, <i>Dysdaemonia pluto</i>															
<i>Westw.</i>															
Dirphia <i>semirosea</i> Wlk., <i>mota</i> Druce, <i>Oxytenis</i>															
<i>fulvofasciata</i> Weym.															
Sagana <i>zapatoza</i> Westw., <i>Attacus aricia</i>															
<i>Wlk.</i> , <i>Automeris leucane</i> Hübn.															
Attacus <i>zacateca</i> Westw., <i>Automeris flexilineata</i>															
<i>Dgn.</i>															
Automeris <i>saturniata</i> Fld., <i>Dirphia litura</i>															
<i>Wlk.</i> , <i>Hemileuca venosa</i> Wlk.															
Ceratocampidae überhaupt:															
Eacles <i>magnifica</i> Grote, <i>Sissphinx molina</i>															
<i>Stoll</i>															
Eacles <i>ormondei</i> Schs., <i>Citheronia mexicana</i>															
<i>Grote</i> , <i>Adelocephala fallax</i> Bsd.,															
<i>columbia</i> Schs., <i>anthoni</i> H. Sch.,															
<i>argyrocantha</i> Bsd.															
Adeloceph. <i>walkeri</i> Grote, <i>Eacles fenestrata</i>															
<i>Rotsch.</i>															
Notodontidae überhaupt:															
Crinodes <i>ritsemae</i> Bull., <i>beskei</i> Hübn.,															
<i>Hapigia raatzi</i> notricornis Guen.,															
<i>smerinthoides</i> Wlk., <i>Colas apulus</i> Cr.,															
<i>Ophytes cvllota</i> Druce, <i>Rhuda phocula</i>															
<i>Zelica thalassina</i>															
Rosema <i>apicalis</i> Wlk.															
Xyleutes <i>putridus</i> Perch., <i>xylotribus</i>															
<i>H. Sch.</i> , <i>Therinia transversaria</i> Druce,															
<i>lactucina</i> Cr.															
Epia <i>muscosa</i> , <i>Stenole translata</i> Wlk.															
Noctuidae überhaupt:															
Orthia <i>augias</i> H. Sch.															
Palindia <i>dominicata</i> Guen., <i>alabastaria</i> ,															
<i>Gonodonta pyrgo</i> Cr., <i>Ophideres procus</i> L.,															
<i>serpentina</i> Druce															
Vespolia <i>caeruleifera</i> Wlk.															
Plusia <i>rogationis</i> Gn., <i>Darecta hesperia</i>															
<i>H. S.</i> , <i>Palindia illyrias</i> Cr.															
Erebis <i>odora</i> L.															
Geometridae überhaupt:															
Urania <i>fulgens</i> Wlk., <i>Sangala beata</i> Wlk.,															
<i>Ametrix natrix</i> Cr., <i>Amblychia scolopacea</i>															
<i>Drury</i> , <i>Trigodes niohe</i> Druce, <i>musivaria</i> H. Sch.															
Urania <i>leilus</i> L., <i>Micropus longalis</i> Hbn.,															
<i>Racheaspila albicoma</i> Fld.															
Sangala <i>gloriosa</i> Wlk., <i>Diopis hesperioides</i>															
<i>Wlk.</i>															
Diplochroma <i>bicentraria</i> H. Sch., <i>Heterusia</i>															
<i>placilla</i> Druce															
Siga <i>liris</i> Cr.															

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Entomologische Rundschau](#)

Jahr/Year: 1918

Band/Volume: [35](#)

Autor(en)/Author(s): Fassl Anton Heinrich

Artikel/Article: [Die vertikale Verbreitung der Lepidopteren in der Columbischen Ost-Cordillere. 48-50](#)