

Alphabetisches Register.

| | Seite | | Seite |
|--------------------------------|-------|---------------------------------|-------|
| A. | | | |
| Acalles bifasciatus..... | 393 | Ascalaphus longicornis, ustu- | |
| mutillarius..... | 392 | latus, sibiricus, forcipatus, | |
| Acanthaclisis..... | 362 | intermedius..... | 46 |
| occitanica..... | 42 | Atemella torquatella..... | 119 |
| Acanthaspis tergemina, bistil- | | B. | |
| lata, angularis, 5-spinosa, | | Becker's Nekrolog..... | 37 |
| fusconigra..... | 407 | Belostoma indicum..... | 409 |
| Acanthocerus asper..... | 248 | Berytis stettinensis, Fieberi.. | 105 |
| Acheta gryllotalpa..... | 31 | Blabophanes imella..... | 118 |
| Acmaeodora biimpressa..... | 246 | Boarmia atlanticaria..... | 261 |
| Acrolepia solidaginis..... | 267 | Bostrychus typographus, pu- | |
| Adelocera crux..... | 247 | sillus..... | 30 |
| Aetia..... | 101 | Botys granatalis..... | 263 |
| Aelioides..... | 101 | institialis..... | 115 |
| Aethus cyrtomencoides..... | 400 | Bradybatus fallax..... | 397 |
| scutellatus..... | 399 | Bruchus granarius..... | 29 |
| Agrilus valdivianus..... | 246 | Bubo agrioides, hamatus.... | 53 |
| Agrotis fumosa..... | 35 | C. | |
| segetum..... | 36 | Callichroma concinna..... | 249 |
| unimacula..... | 259 | Camptopoda trochanterica .. | 406 |
| Alydus clavatus, major..... | 402 | Camptorhinus statua..... | 258 |
| sareptanus..... | 104 | Cantharis apicalis, deserta, | |
| Anchinia planella..... | 266 | litrata, M-nigrum, nigri- | |
| sobriella..... | 267 | cans, sudetica..... | 731 |
| teligerella..... | 265 | discoidea..... | 130 |
| Anisops..... | 409 | humeralis..... | 139 |
| Anthocoris Minki, helveticus | 162 | Canthesancus trimaculatus .. | 407 |
| Aphis..... | 31 | Carpocapsa putaminana..... | 269 |
| Apiaria Nassau's..... | 133 | Cecidomyia destructor..... | 320 |
| Apion..... | 30 | funesta, secalina, tritici .. | 33 |
| Aplectrocnemus multipunctatus | 44 | Cemiostoma lustratella..... | 124 |
| Argyrotoxa Hoffmannseggana | 116 | susinella..... | 123 |
| Ascalaphus Europa's..... | 47-48 | Cephus pygmaeus..... | 322 |
| deren Synonymie..... | 48-54 | Chlorops taeniopus..... | 32 |
| italicus, guttulatus..... | 44 | Chrysidiformia Nassau's..... | 151 |
| Petagnae, lacteus, longi- | | Chrysomela fimbrialis..... | 159 |
| cornis..... | 45 | 5-punctata..... | 129 |
| | | Chrysopa trimaculata..... | 98 |

| | Seite |
|---------------------------------|----------|
| Clavigralla concolor, horrens | 403 |
| Cletus bistillatus, elongatus | 401 |
| Coccinella tigrina, 20guttata | 409 |
| Coccyx nobiliana | 268 |
| zephyrana | 117 |
| Columbacer Mücke | 306 |
| Colymbetes fonticola | 247 |
| Conchylis meridiana, mori- | |
| bundana | 267 |
| Conops | 252 |
| Conorhinus rubrofasciatus | 407 |
| Copris valdiviana | 247 |
| Coptosoma ceylonicum, nobile | 399 |
| Corizus sanguineus | 107 |
| Comopteryx Zieglerella | 122 |
| Crimia nigra | 406 |
| Crypsinus | 101 |
| angustatus | 102 |
| Cryptocephalus Loreyi | 258 |
| Curis aurora | 246 |
| Cutocoris gilvus | 406 |
| D. | |
| Depressaria cachritis | 264 |
| Deraeocoris fuscescens | 406 |
| Diacrita costalis | 197 |
| Dianthoecia andalusica, sancta | 260 |
| Dieuches femoralis, punctipes | 405 |
| syriacus | 159 |
| Yeh | 160 |
| Dilar parthenopaeus | 56 |
| Dipaltus nabiformis | 407 |
| Diplodus armiger, melano- | |
| phthalmus | 406 |
| Diplonychus rusticus | 409 |
| Dysdercus fulvomarginatus | 405 |
| Koenigi | 406 |
| lineatipes | 405 |
| E. | |
| Elater segetis | 28 |
| Emesa Henrici, invisibilis | 408 |
| Enoplops bos, scapha, ventralis | 106 |
| Episema graminis | 36 |
| Erebia Ligea | 373 |
| Eriocera | 89 |
| Erioptera | 89 |
| Erklärung der Tafeln | 159. 163 |

| | Seite |
|-----------------------------|---------------|
| Erotylus 5-punctatus | 129 |
| Errata | 417. 419. 420 |
| Eublepharus quadridentatus, | |
| subrugosus | 248. 251 |
| Euprepia fuliginosa | 35 |
| Eurygaster dilaticollis | 100 |
| Eusarcoris | 101 |

F.

| | |
|---------------------|-----|
| Formicaria Nassau's | 142 |
| Formosia callipygos | 198 |
| moneta | 200 |
| Fossoria Nassau's | 145 |

G.

| | |
|-------------------------------|----------|
| Galeruca quadristriata | 251 |
| Gardena melinarthrum | 407 |
| Gastropacha arbusculae | 93. 126 |
| pinivora | 235. 414 |
| pinivora | 35 |
| Gelechia contuberniella | 264 |
| Brizella, pinguinella, tripa- | |
| rella | 120 |
| Geocoris marginicollis | 405 |
| Gerris Adelaidis | 408 |
| Goniopteryx Cleopatra | 371 |
| Gorgopis bucephala | 184. 201 |
| cristiventris | 201 |
| Grammicosum bifasciatum | 251 |
| Grapholitha gallicolana | 118 |
| salvana | 270 |
| Gymnocnemia | 364 |

H.

| | |
|-------------------------------|------------|
| Halecia elegans | 245 |
| Halobates Stáli | 408 |
| Haltica oleracea | 29 |
| Heilipus concinnus, griseus, | |
| verruculatus | 249. 251 |
| Hemerobiden | 54. 55. 56 |
| Hemerobius trimaculatus | 98 |
| Hephaestion annulatus, versi- | |
| color | 250 |
| Hermaphrodit | 9 |
| Homoeocerus marginiventris | 401 |
| Hydrobaenus lugubris | 224 |
| Hydropsyche brevicornis, co- | |
| lumbina, montana | 279 |

| | Seite |
|---|---------|
| Hydropsyche maculicornis, microcephala, occipitalis, vi-trea | 280 |
| Hymenoptera aculeata 132. 153. 417 | 417 |
| J. | |
| Ithyporus magicus | 389 |
| petrosus | 388 |
| L. | |
| Larentia infidaria | 375 |
| Larymna pilicornis | 408 |
| Lenacus Pyrrhus | 407 |
| Limentis aceris | 291 |
| Limnobiaceen | 87 |
| Liparis dispar, monacha | 35 |
| Livia juncorum | 32 |
| Loplocephala Guerini | 407 |
| M. | |
| Macronemurus appendiculatus | 42. |
| | 366 |
| Mantispa | 56 |
| Megistopus flavicornis | 363 |
| Meligethes aeneus | 28 |
| Melolontha vulgaris | 30 |
| Mermis antiqua | 38 |
| Michogaster diffusus | 176 |
| egregius .. | 179 |
| pernix | 177 |
| Micromus variegatus | 55 |
| Micropteryx imperfectella .. | 266 |
| Micropus curtulus | 161 |
| Monanthia rarissima | 406 |
| Mucropalpus | 55 |
| Myrmecaelurus distiguendus, innotatus, pallidipennis, telegrammicus, variegatus | 43 |
| flavus | 42. 366 |
| Myrmeleon | 39. 359 |
| libelluloides | 40 |
| N. | |
| Nassau's hymenoptera aculeata | 132 |
| Necydalopsis valdiviensis | 250 |
| Nekrolog Becker's | 37 |
| Nepa flavovenosa | 409 |
| Nephoteryx similella | 116 |
| Neuroptera Amer. sept. | 209 |
| Neapolitana | 38 |

| | Seite |
|--|-------|
| O. | |
| Ocnerostoma argentella | 122 |
| Odontopus varicornis | 405 |
| Oecophora Knochella, nori-cella | 121 |
| Organ, neuentdecktes, bei den Dipteren | 225 |
| Osmylus maculatus | 54 |
| P. | |
| Pachypeltis singalensis | 406 |
| Paedisca arctana | 269 |
| Palpares | 360 |
| hispanus | 41 |
| Panolcus scolopax | 378 |
| Panoptes notatus | 386 |
| Pararge Egeria, Meone | 373 |
| Peirates biguttatus | 407 |
| fuscicornis, singalensis | 408 |
| Pelecotoma fennica | 412 |
| Pempelia hispanella | 263 |
| Pentatoma inclusa | 103 |
| lemur, trivialis | 400 |
| Penthina paediscana | 270 |
| Petalochirus brachialis | 407 |
| Philopotamus columbinus, oc-cipitalis | 279 |
| montanus, scopulorum | 277 |
| siculus | 278 |
| variegatus | 276 |
| Phtheochroa rugosana | 117 |
| Phytalmia | 169 |
| cervicornis | 173 |
| megalotis | 172 |
| Pictet's Phryganiden | 274 |
| Pieris brassicae | 36 |
| Platynocera nigriceps | 250 |
| Plectrocnemia | 285 |
| Plociomerus discoguttatus, Nietneri, undulatus | 404 |
| Podops | 100 |
| Prostemma cardnelis | 407 |
| Psychomia acuta, annulicor-nis, tenuis | 288 |
| pusilla | 290 |
| urbana | 289 |

| | Seite | | Seite |
|---------------------------------------|-------|---|--------|
| <i>Pterophorus microdaetylus</i> , | | <i>Silpha atrata</i> | 29 |
| <i>xanthodactylus</i> | 125 | <i>Simulium maculatum</i> | 306 |
| <i>oxydactylus</i> | 266 | <i>Sinea hoplites, javanensis, pel-</i> | |
| <i>Ptilomera laticauda</i> | 408 | <i>tastes</i> | 406 |
| <i>Puer niger</i> | 53 | <i>Solenosthedium lynceum</i> '..... | 99 |
| <i>Pycnopus bufo, griseus, Klugii</i> | 395 | <i>Staria</i> | 101 |
| <i>Pyrgota pterophorina</i> | 190 | <i>Stigmodera Azarae</i> | 246 |
| <i>undata</i> | 188 | <i>Strabus melaleucus</i> | 382 |
| <i>vespertilio</i> | 189 | <i>pillula</i> | 383 |
| R. | | <i>Strachia rotundicollis, rugu-</i> | |
| <i>Ranatra sordidula</i> | 409 | <i>losa</i> | 103 |
| <i>Raphidia Riedeliana</i> | 225 | <i>Sycanus collaris, reclinatus</i> .. | 407 |
| <i>Rasahus Cumingi</i> | 407 | T. | |
| <i>Raupen, ausgeblasene</i> | 111 | <i>Tafeln, Erklärung der</i> ...159. | 163 |
| <i>Reduvius nigroruber, sordidi-</i> | | <i>Telephorus desertus</i> | 131 |
| <i>pennis</i> | 406 | <i>Tenthredo cerasi</i> | 31 |
| <i>Rhaphigaster dorsalis, flavo-</i> | | <i>Termiten</i> | 25 |
| <i>linealis</i> | 401 | <i>Theleproctophylla</i> | 46. 53 |
| <i>Rhinosia horridella</i> | 119 | <i>Thyris fenestrina</i> | 97 |
| <i>Rhyphenes clathratus</i> .. 249. | 251 | <i>Tinea cubiculella, vitellinella</i> | 264 |
| <i>Rhyparochromus crassiceps,</i> | | <i>Tinodes annulicornis, cinerea,</i> | |
| <i>singalensis</i> | 403 | <i>dives, flavicoma, grisea</i> .. | 283 |
| <i>cribratissimus</i> | 161 | <i>flavipes, pallescens</i> | 282 |
| <i>mundulus, princeps</i> .. 160. | 208 | <i>humeralis, maculicornis,</i> | |
| <i>Richardia</i> | 163 | <i>picea</i> | 284 |
| <i>eurycephala</i> | 165 | <i>Tipuliden</i> | 87 |
| <i>telescopica</i> | 167 | <i>Tortrix cupidinana</i> | 268 |
| <i>Rubiconia</i> | 102 | <i>Toxotrypana curvicauda</i> | 194 |
| S. | | <i>Trigonosoma Bohemani</i> | 100 |
| <i>Sargus formosus</i> | 202 | V. | |
| <i>Saturnia carpinii</i> | 369 | <i>Vesparia Nassau's</i> | 144 |
| <i>Sericoris hibernana</i> | 269 | W. | |
| <i>Serinetha Dallasi</i> | 401 | <i>Weizenverwüster</i> | 320 |
| <i>Serropalpus valdivianus</i> | 258 | Z. | |
| <i>Sigara</i> | 409 | <i>Zygaenula paradoxa</i> | 202 |