©Biodiversity Heritage Library, www.biodiversitylibrary.org/; www.zobodat.at

Alphabetisches Register.

Aeschna 274, tahitensis ... 275
Aeschninae 267
Agriocnemis incisa 94, 97, 127, materna 94, 97, 127, var. aurantiaca 94, 97, minima 94, 97, 126, nigricans 94, 97, 126, pulverulans 94, 97, 127, rubeola 94, 97, 126, sumatrana 94, 97, 126
Agrion 94, 97
Agrioninae 90
Alloneura Dohrni 93, 96, 114, dorsalis 115, Fruhstorferi 138, gracillima 115, hyperythra 115, insignis 92, 94, 96, 115, 118, 139, Lansbergei 115, plagiata 139
Allopetalia 288
Amblochilus bicolor 39
Amphiaeschna ampla 324
Amphicnemis ecornuta 94, 97, 121, furcata 121, gracilis 91, 97, 121, Wallacei. 121
Amphilestes borneensis 137, elopurae 137, macrocephala 93, 96, 100, 137, mima 93, 96, 100, 137, philippina .. 137
Anaballus crassus 181, rubigineus 181, turbatus 140, 183, uniformis 140, 184
Anaciaeschna jaspidea 270, 271, 274
Anartioschiza gracilipes 335, 380
Anathymus coloratus 141, 208, Meyeri 141, 207, singularis 207
Anax fumosus 272, gibbosulus 270, 271, guttatus 273, magnus 271, panybeus.... 272
Anisogomphus bivittatus 305, M-flavum 305, Maackii 305, Nietneri 305, occipitalis 305, praetorius 305
Anoplognathus Atkinsonii 36, aureus 37, Daemeli 34, flavipennis var. 4 maculata 34, Frenchi 37, Grayanus 36, insularis 33, Mastersi 37, nebulosus 33, pallidicollis 32, parvulus 37, porosus 32, prasinus 37, punctulatus 33, Rayneri 37, reticulatus 31, rhinastus 32, Rothschildi.. 35
Antispila Petryi 398, Pfeifferella 398, Treitschkiella... 398
Antichira 46, 53, affinis 58, beryllina 58, bicolor 48, bivittata 48, Brullei 53. capucina 56, chlorophana 53, cincta 47, corusca 53, crassa 54, jodiella 53, polita 53, pretiosa 54, smaragdina 55, virens 55
Arachnopus Anthonyi 141, 194, disparilis 141, 191, fenestratus 192, var. demissus 141, 192, gazella 190, 191, imitator 140, 190, lacerta 141, 192, 194, Olivieri 140, 191, patronus 190, praevius..... 140, 189, 191
Archineura basilactea..... 72
Argynnis niphe 416
Asthenopholis 388, minor 336, 390, transvaalensis 336, 389
Asytesta antica 140, 161, arachnopus 162, aucta 140, 164, 168, bivirgata 161, brevipennis 140, 166, 173, definita 140, 166, 172, dorsalis 140, 165, 170, dubia 140, 166, 174, gazella 163,

©Biodiversity Heritage Library, www.biodiversitylibrary.org/; www.zobodat.at

Gestroi 162, humeralis 161, lugubris 165, maura 161, propinqua 140, 165, 170, sejuncta 140, 164, 167, signata 140, 165, 171, trivittata 162, verecunda 140, 164, 169, versuta 140, 163, 166, vittata 163
Athyma opalina ishiana ... 419
Atys diluta 366

Bolax andicola 63, boliviensis 63
Brachylepis Bennigseni 336, 387, elephas 387, loniopholis 387
Brachymus pubens 341
Brachypholis 239, Rothschildi 239
Brahmina 347, cribricollis 347, cylindrica 347
Byrsalepis 390, mikindana 336, 391, nyassica 336, 392

Caelidia bicolor 8, var. Duchoni 9, carolinae 8, femorata 9, nigripennis 9, nigromaculata 8
Calopteryginae 67, 131
Calopteryx 69, 71
Calysisme jopas 265, mineus 265
Camenta castaneipennis 341, rubropilosa 341
Camia semiopaca 141, 205, superciliaris 205
Catophaga albina 410, cynisca 411, Jacquemonti 411, maria 411, mata 410, melania 410, melania agave 410, melania ega 410, melania eurosundana 410, melania minorata 410, melania paula 410, melania paulina 410, melania sawela 410, melania urania 410, paulina agave 410, paulina ega 410, paulina minato 409, paulina zoe 410
Celebia deianira 263, 265, deianirina 263, 265, erna 264, inga 263, 265, pandaca 265
Cephaloncheres 393, ugogoensis 336, 393
Ceriagrion cerinorubellum 92, 93, 94, 119, coromandelianum 97, 120, erubescens 94, 97, 120, melanurum 94, 97, 120
Chariochilus 237, metallescens 237
Chittira tytia loochooana .. 411
Chlorogomphus magnificus 293, 317, 329
Chlorota 43, aulica 57, Belti 54, costata 54, cuprea 57, diaspis 57, haemorrhoidalis 44, pallida 58, surinama 58, terminata 44
Cochliotis Kolbei 336, 386, melolonthoides 386
Coleophora kyffhusana 394, Muehligiella 397, ochrea 396, simillimella 394
Collobodes Billbergi 141, fasciculatus 141, longirostris 140, 141
Cossonus macer 213, papuanus 141, 213
Crathoplus 45, squamifer . 45
Cyamobolus adumbratus 140, 176, Dehaani 176
Cyphochilus 237
Cyrestis thyodamas mabella 419
Cyrtocamenta flavescens 334, 345

Derelomus kamerunicus 225, plagiatus 225, signatus 224, singularis 224, subvittatus 224
Dexia tachiniformis 226
Diabasis 45, auricollis 54, coerulescens 45, Dohrni ... 54
Dianthoecia irregularis ... 397
Diatassa 145, divisa 140, 150, phalerata 149, venosa 140, 148
Diathetes amoenus 141, 210, intrusus 141, 209, strenuus 209

©Biodiversity Heritage Library, www.biodiversitylibrary.org/; www.zobodat.at

Diatmetus 219
Disparoneura analis 93, 111, arba 96, 112, delia 93, 111, humeralis 112, integra 112, interrupta 112, notostigma 92, 114, obsoleta 112, verticalis 96, 114
Dorythetus glaucus 58
Dysopirrhinus albosparsus var. ochreatus 140, 175, Gestroi var. aeruginosus 140, 175
Dysphaea dimidiata 70, 71, 78, limbata 70, 71, 78, incarnata 72, iricolor 69, 72, margarita 72, tripartita ... 72

Echo iricolor 330, uniformis 68, 69, 72, 330
Empecamenta angustata 333, 339, Bennigseni 334, 340, parvula 334, 340, Sierrae Leonis 339, usambarae 333, 338
Entyposis cavicollis ... 335, 378
Epipedosoma 217, dilaticolle 222, impressicolle 221, laticolle 223, viridisquamosum 223, zangebaricum 217, 220
Etischiza 379, Heudelotii 335, 379, incerta 379
Eudyasmus Albertisii 177, praecox 140, 177
Euphaea aspasia 68, 69, 70, 71, 76, 131, aspasia-variegata 70, 71, 76, Bocki 68, 70, 71, 77, 131, 330, impar 70, 71, 78, intermedia 70, 71, 76, lara 131, Modiglianii 330, variegata 71, 77, 131
Eurhopala 185, piazuroides 140, 186
Euryschiza 379, salaama 335, 380

Frauenfeldia rubricosa 226, 228

Glyptoglossa Burmeisteri 335, 382, lurida 347, 382
Gomphidia javanica 314, 328, Mac Lachlani 293, 314
Gomphinae 290
Gomphus 293
Gynacantha basiguttata 270, 271, 283, bayadera 277, 318, Dohrni 270, 271, 285, furcata 277, 318, hyalina 277, Kirbyi 277, 319, limbalis 277, Mac Lachlani 277, 319, Moscaryi 278, 279, musa 277, 279, nigripes 277, Rosenbergeri 277, subinterrupta. 318

Hebomoia glaucippe linkiuensis 409
Hecistopsilus molitor 335, 378, sinuatus 335, 378
Heliaeschna 323, crassa 325, fuliginosa 323, idae 323, simplicia 323, 324
Heliotrogus holosericea ... 347
Heptelia 247, stripidea 247
Heterogomphus Smithii 295, sumatranus .. 292, 293, 294
Holotrichia leucophthalma 347
Homothermon 46, 59, bugre 60, paulista 61, serrano ... 60
Hoplia salaama 333, 338
Hybocamenta 341, benitoana 334, 342, congoana 334, 344, gabonensis 334, 343, maritima 334, 345

Jagoria Modiglianii 288, 327, poeciloptera 289, 327
Ictinus decoratus 293, 315, melaenops 293, 315, sumatranus 293, 315
Ideopsis anapis 261, subsp. arfakensis 257, 262, chloris 257, 262, costalis 261, daos 259, Diardi 260, eudora 260, gaura 259, glaphyra 261, Hewitsoni 262, inuncta 258, 262, subsp. iza 258, 262, oenopia 261, subsp. perakana 259, 260, Ribbei 262, Salvini 262, sonia 260, vitrea 257, 261
Idopelma 201, bicolor 141, 202, unicolor 141, 203

©Biodiversity Heritage Library, www.biodiversitylibrary.org/; www.zobodat.at

Idotasia convexa, 141, 199, dilaticollis 141, 197, impar 141, 198, oblonga 198, salubris 141, 200
Ischnura senegalensis 92, 93, ... 95, 97, 118
Isoleptus 180. brevipennis 140, 182, variegatus.. 140, 181
Isotocerus 145, affinis 140, 147, petax 140, 145, tenuipes 140, 147
Junonia almana 417, asterie 417, orythia 418, orythia albicincta 418, orythia celebensis 418, orythia ocyale 418, orythia Royeri 418, orythia Wallacei 418
Kallima alompra 419, inachis Buxtoni 418, inachis chinensis 418, inachis euercea 418, inachis Limborgi 418, Knyvetti 419
Lagochile 43, 49, aequatorialis 50, badia 50, bipunctata 49, 50, brunnea 49, brunnipes 49, cetonioides 49, chiriquina 49, circumdata 49, collaris 49, dilatata 50, emarginata 50, glandicolor 49, lateralis 50, nitida 50, peruana 50, var. chlorotica 51, var. cuprifulgens 51, trigona 49, trochanterica 49, venezolana 50
Laogenia Dohrni 212, geminata 141, 212
Lepidiota caesia..... 245
Leptogomphus assimilis 308, gracilis 293, 302, Lansbergei 307, Nietneri 303, parvus 308
Lestes barbara 130, concinna 130, elata 130, nodalis 130, orientalis 130, praemorsa 95, 97, Udeana 94, 97, 127, umbrina 130, viridula 130, Wallacei 130
Libellago 70, 71
Limnas Bowringi 411
Lohara dexamenus 265, dinon 265, Haasei 265, ophthalmica 265, unipupillata... 265
Macraspis 48, 51, andicola 52, aterrima 52, bicincta 52, bivittata 52, catomelaena 52, chalcea 51, chloraspis 51, chrysis 51, cincta 52, 53, clavata 53, concoloripes 51, cribrata 52, cupripes 52, Desmarestii 52, dichroa 52, festiva 51, gagalina 52, gigas 57, hirtiventris 53, imperator 57, lacta 51, laevicollis 53, lateralis 52, var. cincticollis 52, var. immaculata 52, lucida 51, maculata 52, melanaria 52, mixta 51, nitidissima 52, oblonga 51, Olivieri 51, pantochloris 51, peruviana 52, plagiicollis 51, prasina 58, pubiventris 53, rufonitida 52, sobrina 51, splendida 51, testaceipennis 52, tetradactyla 52, thoracica 52, tritida 52, tristis 52, unicincta 52, variabilis 52, viridicuprea 51, xanthosticta 52
Macrogomphus abnormis 2 8, Albardae 292, 293, 300, decemlineatus 292, 293, 302, parallelogramma 292, 293, 301, quadratus 292, 293, 296, 328, thoracicus..... 293, 298
Macroplia 336, ruandana 333, 336
Mechistocerus compositus 140, 143, corticeus 144, ingenuus 140, 144, irroratus 144, nigrostriatus..... 144
Mecomerinthus..... 219
Melanitis ismene 415, leda 415
Melolontha albidiventris 237, alboplagiata 236, cochin-

©Biodiversity Heritage Library, www.biodiversitylibrary.org/; www.zobodat.at

chinae 237, costata 237, rubiginosa 237
Meroleptus 157, adspersus 140, 159, gemmatus .. 140, 158
Microcamenta 346, transvaalensis 334, 346
Microgomphus chelifer 292, ... 293, 302
Micromerus blandus 86, lineatus 70, 71, 85, Martinae 70, 71, 88, obscurus 86, signatus 70, 71, 136, Snellemanni 70, 71, 89, sumatranus 70, 71, 88
Milionca spec. 420
Mycalesis Haasei 266, ophthalmica 265, perdiccas ... 416
Mydosama itys 265, megamede 265, subsp. remulina 265

Nechyrus cristulatus 140, 178, porcatus 178
Nectaria electra 415, leuconoë 415, leuconoë chersonesia 415, leuconoë clara 415, leuconoë engania 415, leuconoë Godmanni 415, leuconoë javana 415, leuconoë natunensis 415, leuconoë nigricana 415, leuconoë nipponica 415, leuconoë obscura 415, leuconoë princesa 415, leuconoë riukiuensis 415
Neptis eurynome 419
Neurobasis chinensis 69, 71, 74
Notocrypta Feisthameli ... 420
Nyctemera spec. 420

Oeneis jutta 248
Ometis 43
Onychargia atrocyana 92, 97, 118, vittigera .. 94, 97, 118
Onychogomphus cerastes 309, geometricus 295, Saundersii 292, 293, 295
Orsostriaena medus 265
Oxychirus congoanus 4

Palpares 229, abyssinicus 233, cephalotes 231, digitatus 235, hamatus 232, inclemens 229, interioris 229, Klugi 230, libelluloides 231, moestus 229, nyicanus 229, papilionoides 229, sparsus 233, submaculatus 229, Stuhlmanni 229, sylphis 234, tristis 229, umbrosus 233
Pantiala Germari 141, 205, illusa 205
Papilio agenor 409, alcinous loochooanus 409, bianor okinawensis 406, Dehaani 406, demetrius liukiuensis 407, helenus palawanicus 409, helenus nicconicoleus 409, Maackii 407, memnon Pryeri 409, memnon Thunbergi 409, polytes borealis 409, sarpedon 409, xanthus xuthulus 408
Paranonca prasina 28
Parastasia 5, andamanica 13, atra 24, basalis 15, 19, bicolor 8, bigibbosa 15, bimaculata 7, 21, binotata 15, bipunctata 18, Burmeisteri 10, canaliculata 6, 18, ceramensis 24, confluens 11, 12, degenerata 11, dimidiata 27, discophora 7, dolens 20, ephippium 15, 17, femorata 9, Ferrieri 15, guttulata 22, Helleri 25, heterocera 27, Horsfieldi 15, 20, indica 9, marmorata 22, melanocephala 7, 20, niasiana 15, 16, nigripennis 9, nitidula 28, Nonfriedi 10, novoguineensis 22, obscura 9, pilens 11, rubrotesselata 18, rufopicta 15, 16, rugosicollis 11, simplicipes 14, sumbawana 15, vitiensis 20, vittata 24, Weberi 23, Westwoodi 6, 10, zoraïdae 8

©Biodiversity Heritage Library, www.biodiversitylibrary.org/; www.zobodat.at

Parastasiidae..... 5
Parendymia Kirschi 140, 184, pilipes 184
Pariseola 58, alba 58, fulva 58, pallida 58
Parthenos subsp. aruana 250, 256, aspila 252, 257, subsp. borneensis 254, var. brunnea 250, brunnea 256, Butlerinus 254, ab. bellimontis 254, Couppei 253, 256, cyaneus 255, subsp. ellina 250, subsp. fusciplena 253, 256, gambrisius 254, 255, subsp. guineensis 251, immaculata 257, subsp. joloensis 250, 255, lilacinus 254, nella 254, nodrica 251, 257, subsp. philippensis 249, 255, Roepstorffi 255, var. salentia 249, 256, silvicola 254, subsp. sulana 249, 256, subsp. sumatrensis 254, sylla 254, sylvia 254, subsp. thesaurina 256, thesaurus 253, 256, tigrina 252, 256, subsp. tualensis 250, 256, virens.. 255
Pegylis Bennigseni 335, 382, Hauseri 335, 385, maculipennis 383, Neumanni 383, rufomaculatus 383, salaama 335, 385, usambarae.. 335, 383
Pentecamenta salaama.... 340
Pentelia cicatricosa 247
Pericnemis stictica 94, 97, 125
Perissops maculosus 188, mucidus 188, sagax 140, 188, sobrinus 189
Perrhaebius deponens 142, ephippiger 143, Labrami 140, 143, V-album... 140, 142
Phaenomeris 5, Beskei 3, var. cyanea 3, var. nigrocyanea 4, var. opalina 4, var. rufipennis 4, decorata 4
Phalangogonia..... 43
Phasiane glarearia 248
Pholidochris Brenskei 242, 243, Dohrni 241, 243, Kolbei 241, 243, Preussi 241, Quedenfeldti 242
Phraotes tuberculatus..... 155
Piazurus bispinosus..... 186
Pieris rapae orientalis..... 409
Platycnemis..... 94
Platyrutela... 44
Platysticta halterata 107, sundana 93, 96, 107, 138
Podolestes orientalis92, 93, 96, 98
Poropterus bituberosus 140, 152, bivittatus 140, 156, ferox 140, 154, mitratus 151, 157, papillosus 153, pervicax 140, 153, Sharpi 140, 151 solidus 140, 155, vicarius 154
Protoneura..... 94
Pseudagrion decorum 94, 97, 119, hypermelas 94, 97, 119, pruinosum... 92, 97, 119
Pseudopholis Jordani 243, kuiluensis 245, squamulosa 245
Psilocnemis acutimargo 93, 96, 103, 106, annulata 93, 96, 107, atomaria 104, ciliata 93, 96, 107, imbricata 103, lobimargo 93, 96, 103, 106, marginipes 92, 96, 102, serapica 104, striatipes 96, vittata 103
Ptenomala 45, Blanchardi 45, gratiosa 45, psittacina. 45
Pyrameis indica 417
Radena similis 411, vulgaris 411
Repsimus aeneus 38, manicatus 38
Rhinocypha angusta 71, 79, anisopteryx 71, 80, apicalis 71, 79, bisignata 71, 79, Braueri 133, fenestrata 84, frontalis 135, Hageni 135, heterostigma 81, 82, humeralis 135, uninaculata 133, Karschi 71, 83, Pagen-

©Biodiversity Heritage Library, www.biodiversitylibrary.org/; www.zobodat.at

stecheri 133, Selysi 71, 81, semitincta 135, stygia 133, sumbana 133, tincta... 84, 135
Rhinophora 227
Salatura aegyptius 412, chrysippus 411, ab. alcippoides 411, chrysippus batavianus 413, chrysippus cratippus 413, chrysippus Gelderi 414, chrysippus kanariensis 412, chrysippus petilca 413, chrysippus vigeli 413, limniace 412, melissa 412, plexippus 415, septentrionis 412
Saulostomus villosus 39
Schizognathus compressicornis..... 38
Schizonycha abdicta 335, 350, 374, africana 335, 350, 361, 370, alberans 347, amoena 335, 350, 373, angolana 334, 350, 363, aschantica 335, 359, 373, aspera 334, 349, auriculata 347, bicolor 334, 356, bogamoyana 334, 350, 363, capito 347, congoana 334, 349, 352, corrosa 334, 349, 355, 368, var. densior 334, 355, cribrata 359, cribricollis 347, crinita 334, 349, 356, cylindrica 347, dakarana 335, 350, 375, debilis 368, dilucida 334, 350, 359, eremita 334, 349, 354, errabunda 335, 350, 371, exclusa 335, 350, 372, exigua 335, 350, 372, ferruginea 356, fimbriata 335, 377, flavescens 334, 349, 357, flavicornis 334, 350, 361, fulvonitens 366, gabonica 335, 350, Geilenkenseri 334, 357, 358, gracilis 335, 350, 368, grossa 335, 350, 370, hahoënsis 335, 350, 369, hecistopsiloides 334, 349, 350, Hermanni 334, 356, Heudelottii 349, holosericea 347, incerta 349, kakomae 334, 349, 358, Kolbei 334, liliputana 335, 350, 377, lindiana 334, 350, 366, lurida 347, Meinhardti 334, 350, 363, microps 335, 350, 376, natalensis 377, nigricornis 377, nyassica 354, ovatula 334, 350, 360, pexicollis 347, rufina 368, rugosa 334, 349, 353, rurigena 334, 350, 366, salaama 334, 350, 359, sansibarica 359, squamosa 351, stigmatica 334, 350, 364, togoana 334, 350, 364, usambarae 334, 350, 362, usaramae 335, 350, 374, valvata 334, 349, 353, villosa 335, 350, 367
Semiathe Linnei 141, 203, puncticollis..... 141, 204
Sieboldius Albardae 311, grandis 293, 311, japonicus 311
Simiskina phalena subsp. niasina..... 266
Sophronopterus humeralis 148
Spodochlamys caesarea 42, cupreola 43, Dohrni 42, 61, Poultoni 42, 63, Weberi 42, 62
Stenobasis oscillans..... 95
Syngeneschiza 381, tarsata 335, 381
Syrichius dispar 140, 178, rusticus 179
Tachinia hirticornis 227, nigritarsis 227, rubricosa 227, tarsalis 227
Tachyris mata 410
Telangis..... 43
Telangia affinis 141, 197, ampliata 196, 202, assimilis..... 141, 195
Telebasis combusta 94, 97, 120
Terias hecabe 409
Tetracanthagyna brunnea 288, 322, Degorsi 288, pla-

©Biodiversity Heritage Library, www.biodiversitylibrary.org/; www.zobodat.at

giata 287, vittata 287, 321, Waterhousei 288
Thyestheta carbonaria 141, 194, 202, nitida..... 195
Thyridium 44, anomala 44, Blanchardi 58, cupriventre 44, flavipenne 44, furfurosum 45
Trichocnemis membranipes 92, 93, 96, 101, octogesima 93, 96, 102, silenta ... 96, 101
Urleta ometoides 28
Vanessa canace 417, canace battaka 417, canace benguetana 417, canace glauconia 417, canace haronica 417, canace ishima 405, 417
Vanesse ishima..... 405
Vestalis amoena 69, 71, 73, lugens..... 69, 71, 75
Xenoproctis Ohausi.. ... 28
Zethera incerta 261

Ausgegeben im Juni 1899.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: Entomologische Zeitung Stettin

Jahr/Year: 1898

Band/Volume: 59

Autor(en)/Author(s):

Artikel/Article: Alphabetisches Register 422-429