

Register

zum siebenten Jahrgange

1846.

A.

Acidalia alpestrata 31, *Byssinata* 31, *Pallidaria* 30, *scabraria* 31.
Acinopus bucephalus, *mega-cephalus* 101.
Actina atra 262, *chalybea* 287, *clavipes* 222, *sexdentata* 262, *vallata* 222.
Acupalpus rufulus 107.
Aëtophorus 388.
Agonum bifoveolatum 104, *clandestinum* 104, *ericti* 104, *parumpunctatum* 105, *sexpunctatum* 104.
Agrotis Carnica, *egregia*, *glacialis* 236.
Aleochara ruficornis 300.
Allantus abdominalis, *pussillus* 290.
Amara atrocoerulea, *brevicornis*, *communis*, *familiaris*, *ferrea*, *levis*, *montivaga*, *obsoleta*, *pratensis*, *vagabunda* 106.
Anchomenus longiventris 104.
Anthophagus alpestris, *alpinus*, *armiger*, *austriacus*, *forticornis*, *melanocephalus*, *omalinus*, *palustris*, *scutellaris*, *spectabilis*, *sudeticus*, *testaceus* 21 — 24.

Anthophila Cretula, *Glarea*, *Phlomidis* 31, *communimacula* 375.
Aphis cerastii 171, *glandulosa* 170, *ononidis* 173, *setosa* 172.
Aphodius arenarius, *ater*, *conflagratus*, *conspurcatus*, *elevatus*, *lutarius*, *obscurus*, *quadriloberculatus*, *rufescens*, *rufus*, *sericatus*, *scybalarius* 48 — 50.
Apion difficile 185, *fuscirostre* 185, *genistae* 186, *marchicum* 189, *melanopus* 185, *ulicis* 185.
Araecocerus coffeae 190.
Ascalaphus meridionalis 200.
Asclera cyanea 294.
Asindulum 18.
Atomaria linearis 195.

B.

Bembidium aerosum, *albipes*, *bellum*, *brunnipes*, *chlorophanum*, *crenatum*, *decorum*, *gilvipes*, *humerales*, *luridum*, *Manerheimii*, *obsoletum*, *prasinum*, *pulchrum*, *pumilio*, *rufescens*, *ruficornis*, *rufipes*, *splendidum*, *stomoides*, *testaceum*, *venustum* 107 — 108.
Beris chalybeata 262, *clavipes* 223, 259, *dorsalis* 306, *dubia*

286, femoralis 288, flavipes
262, flavofemorata 288, fuscipes
282, hirsuta 287, nigra
282, nigripes 287, 303, nigritarsis
222, nitens 219, 287, 301,
obscura 262, pallipes 284,
rufipalpis 306, Servillei
306, sexdentata 261, similis
303, spinigera 306, tibialis
304, tricolor 305, vallata 222,
viridis 305.

Bostrichus Saxesenii 24.

Botys Parietaria 243, *Sambucatis* 243, *Stachydalis* 242.

Bruchus affinis, *analis*, *ater*,
canus, *cisti*, *debilis*, *flavimanus*,
granarius, *immaculatus*, *lathyr*,
loti, *luteicornis*, *pectinicornis*,
pisi, *rufimanus*, *scutellaris*,
seminarius, *theobromatis*, *tibiellus*,
viciae, *villosus* 41—47.

Bryaxis haemoptera 355, *sulcicollis* 353.

Bythinus Chaudoiri, *crassicornis*,
distinctus, *longipalpis*, *securiger*,
unicornis 354—355.

C.

Carabus affinis 256, *Anderschii*
110, *Andzejewskii* 251, 255,
257, *angustatus* 100, *alpestris*
100, *assimilis* 99, *austriacus*
100, 256, *azurescens* 100, *azureus*
249, 251, 256, *candisatus* 100,
251, 256, *catenulatus* 100, 254,
256, *coeruleus* 100, *concolor* 350,
consitus 99, 256, *crenatus* 255, *cyanescens*
256, *exasperatus* 100, 249, 253,
257, *fastuosus* 256, *fulgens* 255,
gagates 111, *Germani* 100, 249,
252, 256, *glabrellus* 250, 255,
granulatus 99, *Harcyniae* 256, *helveticus*
255, *Hoppii* 100, *Kronii* 99, 256,
Linnéi 101, *lucidus* 110, *monilis*
99, 256, *morbillosus* 256, *oblongus*
99, 256, *obsoletus* 100, *purpurascens*
100, 249, 254, 257, *purpuratus* 100,

255, *regularis* 256, *rubens* 111,
Scheidleri 100, 255, *simplex* 110,
strenuus 111, *subcoeruleus* 104,
sylvestris 100, 350, *Ullrichii* 256,
verbasci 107, *violaceus* 100, 248,
255, *Wolfi* 250, 255.

Callidium angustatum 111.

Cassida azurea 362, *depressa* 362,
Hablitziæ 364, *hemisphaerica* 361,
lucida 359, 362, *margaritacea* 363,
murraea 26, *nigra* 362, *nebulosa* 397,
nobilis 363, 400, *rubiginosa* 362,
396, *sanguinosa* 361, 391, *seraphina*
364, *splendidula* 363, *subreticulata*
363, *testudo* 364, *thoracica* 360,
vibex 399, *viridula* 363, *vittata* 361.

Catops coracinus 177, *longulus* 176,
rotundicollis 176, *subfuscus* 177.

Cecidomyia flava, *tricolor* 206.

Chalcide Leucopsis 199.

Chlaenius laetus, *quadricolor* 104.

Cidaria Apicistrigaria, *Aptaria*,
Arctaria, *Collinaria*, *Promoeiraria*
238—241.

Cicindela campestris, *functus*,
integra, *nigrita*, *obscurata* 109.

Corynoneura minuta, *scutellata* 13.

Crioceris asparagi, *brunnea*, *campestris*,
distincta, *dodecastigma*, *duodecimpunctata*,
merdigera, *14punctata*, *5punctata*,
rufipes, *Suffrianii* 155—158.

Cryptophagus plicatus 358.

Curculio alliariae, *atramentarius*,
carbonarius, *cerasi*, *pruni*, *ruficornis*,
stygius, *violaceus* 187—190.

Cymindis angularis, *homagrica*, *lunaris* 108.

D.

- Demetrias* 387.
Ditomyia trifasciata 15.
Donacia aenea 86, *affinis* 80, 82, *armata* 87, *Besseri* 83, *comari* 84, *discolor* 57, *fennica* 54, *festucae* 86, *hydrocharidis* 55, *linearis* 51, *Malinowskii* 54, *menyanthidis* 51, *micans* 84, 87, *moerens* 53, *nigra* 56, *nymphaeae* 86, *pallipes* 80, 82, *planicollis* 80, 82, *proteus* 87, *rustica* 80, 81, *semicuprea* 53, *sericea* 84, *simplex* 51, 53, *tomentosa* 56, *typhae* 52, *variabilis* 57, *violacea* 86.
Dolichus vigilans 104.
Doritis Apollo 381, *Mnemosyne* 383.
Dromius 390, *corticalis* 108, *glabratus* 108, *maurus* 108, *plagiatus* 108, *quadrillum* 25.
Dyticus crux 318, *depressus* 321, *lineatus* 319, *semipunctatus* 322.

E.

- Elaphrus austriacus*, *cupreus*, *pictus*, *prasinus*, *smaragdinus*, *testaceus*, *Ullrichii* 107 — 111.
Elophilus pendulus 125.
Emphytus bucculentus, *tibialis* 79.
Emydia candida 151, *chrysocephala* 150, *colon* 151, *coscinia* 150.
Eriocampa crassicornis 113, *fausta* 115, *nitida* 113.
Eristalis frutetorum 147.
Eupithecia spissilineata 241.
Euplectus bicolor, *fennicus*, *glabriculus* 358, *gracilis*, *Kunzei*, *lativentris*, *Märkelii*, *nigricans*, *sulcicollis* 353.
Euplocamus boleti, *chora-*

gellus, *mediellus*, *morellus*, *tessulatellus* 178 — 182.

Euthela truncatella 358.

F.

- Feronia erudita* 103, 111, *Honoratii* 102, *maura* 102, *Mühlfeldi* 103, *negligens* 103, *parumpunctata* 102, *pulla* 104, 111, *strenua* 104, 111, *striatocollis* 102, *striato-punctata* 104.

G.

- Gastropacha rubi* 383.
Gryllotalpa vulgaris 27.
Gyrinus aeneus, *bicolor*, *caspius*, *celox*, *colymbus*, *distinctus*, *libanus*, *marginatus*, *marinus*, *mergus*, *minutus*, *nattor*, *nitens*, *opacus*, *striatus*, *strigipennis*, *strigosus*, *urinator* 211 — 218.

H.

- Hadena adusta* 237, 384, *baltica* 385, *Satura* 237.
Haemonia equiseti 90, *Gyllenhalii*, *zosteræ* 91.
Harpalus azureus, *flavicornis*, *fulvipes*, *hospes*, *laevicollis*, *laevistriatus*, *lentus*, *limbatus*, *montanus*, *obscuricornis*, *picipennis*, *pumilus*, *rubripes*, *rupicola*, *satyrus*, *sabulosus*, *semiviolaceus* (110), *servus*, *Sturmii*, *subcordatus*, *tardus* 101, 102.
Harpactor annulatus 200.
Harpiphorus lepidus 79.
Helodes campestris 160.
Helophilus arcticus 116, 119, *borealis* 116, 117, 123, *camporum* 168, *frutetorum* 116, 117, 123, *glacialis* 117, 121, *grænländicus* 117, 119, *hybridus* 118, 141, *lineatus* 118.

167, lunulatus 118. 165. pendulus 118, 125, peregrinus 117, 118, transfugus 118, 164, trivittatus 118, 141, 142, versicolor 118, xanthopygus 149.
Heteropeza pygmaea 14.
Hipparchia Euryale 383.
Hoplonotus laminatus 246, 300.
Hydroporus alpinus, borealis, Davisii 358, crux, depressus, elegans, elongatulus, fasciatus, Gyllenhalii, halensis, hamulatus, lineatus, melanocephalus, neglectus, nigrita, obscurus, piceus, pubescens, pygmaeus, tristis 317 — 322, septentrionalis 359.
Hylesinus minor, piniperda 24.
Hylotoma abdominalis 290.

I.

Ismene Helios 207.

K.

Kaliosysphinga Dohrnii 80.

L.

Lachnus grossus 174.
Larentia spissilineata 241.
Larinus carlinae 190.
Lema asparagi, bicrucata, campestris, cyanella, Erichsonii, flavipes, maculipes, melanopa, paracanthesis, rugicollis 154 — 158.
Leptopus hypogastricus 289.
Lionychus 389, quadrillum 25.
Lithosia Arideola 233.
Lixus paraplecticus, productus 190.

M.

Macrorrhyncha flava 17.
Macrostyla latipes 29.
Magdalis asphaltina, aterrima, atramentaria, barbicornis, carbonaria, cerasi, frontalis, phlegmatica, pruni, stygia 186 — 190.
✓ *Meloë proscarabaeus* 294.
Metallites ambiguus, marginatus 216.
Matabletus 390.
Molops arrogans, brevis, Cottellii, melas 102.
Monotoma quadrisoveolata 195.
Musca clavipes 260, frutetorum 147, pendula 125, transfuga 164, vallata 222.
Mycetochares barbata 294.

N.

Nebria Dahlii, Gyllenhalii, nivalis 351.
Nematus beridiventrus 289, coeruleocarpus 76, flavicornis 77, hypogastricus 289, leucapsis 77, leucopodius 76, minutus 76, rufipes 77, variabilis 78.
Nemoicus oblongus 310.
Noctua boleti 180, praecox 326, velligera 326.
Noterus sparsus 322.
Notiophilus aquaticus, palustris 351.

O.

Oestrus Trompe 29.
Ophiura Pastinum 234.
Ortalis albipennis 93, cinifera 92.
Oxystoma fuscirostris 185, genistae 186, ulicis 185.

P.

- Panus barbicornis* 189.
Papilio Anteros, *Arcanoides*,
Eros, *Everos*, *Tithonus* 366,
 367.
Phloeobius griseus 190.
Phyllobius aeruginosus, al-
 bidus, alneti, amaurus, an-
 gustatus, angustior, argenta-
 tus, caesius, calcaratus, cnides,
 femoralis, flavidus, maculi-
 cornis, mali, minutus, nigri-
 pes, oblongus, obscurior, par-
 vulus, pomonae, pyri, rufescens,
 testaceus, uniformis, vesper-
 tinus, viridicollis 307 -- 311.
Phycis mediella 180.
Platysma brunnea, coeruleo-
 virens, conformis, diligens,
 Güntheri, Heyeri, interstincta,
 latibula, longicollis, madida,
 nigerrima, nigriceps, ochracea,
 ovoidea, solers 103, 104.
Polydrosus amaurus, argen-
 tatus, cervinus, chrysomela,
 confluens, flavipes, fulvicornis,
 melanotus, micans, perplexus,
 planifrons, pterygomalis, pul-
 chellus, pyri, rufipes, selenius,
 sericeus, speciosus, splendi-
 dus, squamosus, undatus 312
 — 316.
Polysphincta carbonator 292.
Pselaphus brevicornis 354.
Psyche calunella 227, *Stetinen-*
sis 227.
Pterostichus Hagenbachii,
 morio 102, obtusus 103, Pre-
 vostii 102, pygmaeus 104, 111,
 Selmanni 102, strenuus 104,
 111.

R.

- Rhingia lineata*, muscaria 167.
Rhinobatus planus 190.

Rhinodes cerasi 189, pruni
 190.

Rhynchaenus atratus 187,
carbonarius 188, *Rhina* 189,
violaceus 187.

S.

- Sapromyza tenera* 366.
Scarabaeus elevatus 51.
Scardia mediella 181.
Selandria pusilla 290.
Scydmaenus collaris, exilis,
 fimetarius, minimus, minutus,
 nanus, parallelus, pumilio,
 propinquus, Sahlbergii, trun-
 catellus, tuberculatus, vicinus,
 355 — 358.
Sericoris Sudetana.
Stenolophus dorsalis 1106,
scaritides 110.
Stratiomys chalybeata 262,
clavipes 260, *nigra* 260, sex-
 dentata 262, *similis* 287, val-
 lata 222.
Syrphus femoralis 147, frute-
 torum 147, *lineatus* 167,
pendulus 125, *versicolor* 147.

T.

- Tabanus groenlandicus* 119.
Tenthredo pusilla 290.
Tetragoneura distincta, hirta
 19.
Thymalus limbatus 294.
Tinea anomalella 291, chlora-
 gella 179, *magnella* 152, me-
 diella 179.
Tortrix Gouana, *magnana* 152,
Sudetana 386.
Trechus alpicola 106, *alpinus*
 106, *littoralis* 111, *longicornis*

111, micros 111, parvulus
106, platypterus 107, pul-
chellus 107, rotundipennis
106, verbasci 107.

Trichonyx 323, sulcicollis,
Maerkelii 353,

Trichosoma Loewii, parasita,
Pierreti 5, 6,

Trimium brevipenne, caucasi-
cum 354.

Trogosita caraboides, colla-
ris, nigripennis 104.

Trypeta centaureae, cognata,
Meigenii 295, toxoneura 364.

X.

Xylophagus nitens 257, rufi-
palpis 306, spiniger 306.

Z.

Zeugophora scutellaris 152,
subspinosa 153.

Zygaena Heringi, Minos 235.



ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Entomologische Zeitung Stettin](#)

Jahr/Year: 1846

Band/Volume: [7](#)

Autor(en)/Author(s): Anonymous

Artikel/Article: [Register zum siebten Jahrgange 1846. 401-406](#)