

Register.

A.

- Acinopus bucephalus*, obesus 45.
Actia zonaria 275.
Agra aenea 50.
Agriopis 192.
Agromyza amoena 142, heraclei, holosericea, lateralis, mobilis 143, strigata 142, thapsi, variegata, verbasci 143.
Alucita mictodactyla 163.
Amphidasis extinctaria, pilosaria 62, 63.
Anaphe pratensis 342.
Anisodactylus baltimorensis 47.
Anomalum amictum 60, circumflexum, Sphingum 61.
Anthia trilineata 50, umbraculata 49.
Anthicus abdominalis, bicolor, dresdensis, fasciatus, fulvicollis, fuscipennis, ruficollis 55.
Anthobium longulum, palligerum 78.
Anthrax humilis 67.
Anthrenus pubescens 54.
Anthribus sepicola 56, undatus 57.
Apate volvulus 56.
Aphodius depressus 22, luridus, nigripes 21.
Apion radiolus 164.
Arpedium troglodytes 77.
Asilus calceatus, castanipes 281, macrurus 67, 280, marginatus, opacus, pallipes, pictus, rufinervis 281, varipes, 280, xanthopygus 67.
Aspistes berolinensis, borealis 69, inermis 68.
Asthenia 252.

Attagenus Schaefferi 325.

Ateuchus muricatus 54.

Atractodes 4spinus 61.

Attelabus cyaneus 57, Malvae 57, 141.

B.

- Balanomorpha carcis* 86.
Blepharicera 252.
Bombyx catax 334.
Brachinus bimaculatus, hilarius, 49, piger 49, 142.
Brontes flavipes 42.
Bruchus capsincola, cisti, flavipes, punctatus 56.
Buprestis excavata, splendens 56.
Byrrhus Diana, dorsalis, minutus, murinus, ornatus, pilula 54.

C.

- Calathus fuscus* 44, complanatus 47.
Calleida festinans 45.
Callidium punctatum 56.
Calosoma alternans 43, longicorne 49.
Campoplex difformis 60.
Carabus alternans 44, americanus 316, amethystinus 48, Ammon 47, angulatus, Andreae 48, antiquus 43, atricapillus 317, arvensis 44, auratus 316, axillaris 44, barbarus 44, bipunctatus 317, bivittatus 48, buprestoides 316, calydonius 46, cancellatus 44, carnifex 47, carolinus 43, cephalotes 316, cinctus 44, clathratus 316, coerulescens 317, commia 48, communis, complanatus 47, 316, concolor 43, St. Crucis

47, coriaceus 316, corticalis
48, crepitans 316, crux major,
crux minor, cupreus 317, cur-
sor 48, cyanocephalus, decem-
guttatus 316, Diana 44, di-
scus 48, dorsalis 41, 49, dor-
siger 47, elegans 45, eleva-
tus 48, fasciatus 45, fasciola
49, fastigiatus 316, ferrugi-
neus 317, festinans 45, flavi-
labris 48, fulvicollis 47, ger-
manus 317, granulatus 44,
316, hortensis 43, 316, hu-
meralis 44, inquisitor 316,
interruptus 41, 45, latus 317,
laetus 47, leucophthalmus, li-
vidus 316, lusitanicus 43,
marginatus 316, megacephalus
45, melanocephalus 316, me-
ridianus 317, minimus 49,
Mollii, monilis 43, morbillos-
sus 44, multipunctatus 317,
nitens 316, notula 46, notu-
latus 48, obscurus, oculatus
46, palliatus, pallipes 47, pi-
ceus 317, posticus 44, pudi-
cus 46, quadricolor 44, qua-
dripustulatus 48, 317, reflexus
42, retusus 43, rubens 44,
rufibarbis 47, rufipes, rugo-
sus 44, sabulicola 46, Scheid-
leri 43, smaragdulus 49, spi-
nipes 316, splendens 43, spo-
liatus 44, stigma 46, sulca-
tus 46, surinamensis 47, sy-
cophanta 316, sylvestris 43,
taedatus 43, tardus 47, terri-
cola 44, testaceus 49, 317,
tricuspidatus 46, trilobus 44,
tristis 49, truncatellus 49, 317,
truncatus 49, ustulatus 317,
vaporariorum 316, velox 48,
317, vernalis 48, violaceus 316,
vividus 47, vulgaris 47, 317.
Cassida, Entwickelungsge-
schichte 344 seq. 359, seq.

Cassida equestris, margarita-
cea 98, Murraea 71, nobilis
99, prasina, sanguinolenta,
thoracica, vibex, viridis 98.
Cataeopus smaragdulus 45.
Cecidomyia bryoniae, pyri,
tubifex 144.
Cetonia marginella 40.
Ceutocerus advena 54.
Ceutorhynchus, barbareae
90, Geschlechtsunterschiede
87 sqq., ignitus 89.
Chariptera 192.
Chauna variabilis 370.
Chenesia testacea 67, 368.
Chironomus occultans 68.
Chlaenius laetus 47, orienta-
lis, quadricolor 44, 47, seri-
ceus 47, vestitus 44.
Cicada concinna 9, 240, Fra-
xini 16, haematodes 8, 238,
240, 241, obscura 16, Orni
13, 240, 241, sanguinea 15,
tibialis 240, 241.
Cicindela aegyptiaca 50, ae-
quinoctialis 280, angulata 51,
aquatica 280, arenaria 50,
campestris, capensis, carolina
279, chrysina, designata 51,
flavipes 280, germanica 279,
hybrida 279, maura 50, 280,
melancholica 50, octoguttata,
punctulata 51, riparia, rupe-
stris 280, sexguttata 51, sicula
50, splendida, sumatrensis 51,
sylvatica 279, trifasciata, tri-
guttata 51, viduata 51, virgi-
nica 280.
Clista aberrans 272.
Codrus pallipes 60.
Collyris aptera, emarginata,
formicaria, longicollis, tar-
sata 50.
Coptodera 44.
Corethra velutina 66.

- Cryptus obscurus* 59, volubilis 61, *Zygaenarum* 59.
Curculio fulvipes, *Iris*, *mali* 57.
Cychrus reflexus 42. *Naterimus* 316.
Cymindis homagrifica 44, variegata 47.
Cyphon compressicornis 55.

D.

- Dermestes fuscus* 55.
Diadokidia flavicans 66.
Dichonia 192.
Ditomus cornutus 46, spherocephalus 45.
Dolichopus Ruthei 71.
Donacia festucae 99.
Dromius sigma 45.
Dytiscus atratus 51, bicolor 53, bimaculatus, bipustulatus 279, cinereus 279, confluentis 53, 142, costalis 52, Dejeanii 52, depressus 53, duodecimpustulatus 41, 53, erythrocephalus 279, ferrugineus 279, fuscipes, fuscus 278, granularis 279, latissimus 278, lineatus, lituratus 53, luridus 278, maculatus 279, marginalis 278, minutus 279, nigrita 54, nitidus 53, 142, obliquus 53, 142, ovatus, pullus 279, piceus 278, scaraboides, semistriatus, striatus 278, sticticus, sulcatus, uliginosus 279.

E.

- Ectinus jucundus* 80, xanthodon 79.
Elaphrus atratus 51.
Elater bicornis, *foveatus*, inaequalis, melanurus, puncticollis 56.
Ephialtes mediator 164.
Erotylus fasciatus 55.
Eumerus aeneus 145.

- Euprepia menthastris*, *urticae* 124.

- Exetastes fornicator* 58.

F.

- Filaria truncata* 318.

G.

- Galerita attelaboides* 49, 141
bufo 49.
Gastropacha catarax 334, eversaria 335, rimicola 336.
Geometra aestivaria 333, bajaria 188, bupleuraria 333, leucophaearia, progemmaria 186, thymiaria 332.
Geotrupes Anthaeus, *Maimon* 54.
Gyrinus aeneus 209, americanus 278, australis 54, bicolor 100, dentatus 54, distinctus 208, dorsalis, marinus 209, mergus 208, natator 278, nitidulus 54, opacus 209, spinosus 54, strigosus 101.

H.

- Haltica erucae*, *oleracea* 165.
Harpalus limbatus 47, monticola, obscurus, sabulicola 46, tardus 47.

- Helodes campestris* 100.

- Helops variegatus* 55.

- Heterocerus dubius* 55.

- Hipparchia Medea* 94, *Pitho* 93, 243, *Pronoe* 94, 243.

- Hister ovalis* 54.

- Homalota alpestris*, *nivalis* 74.

- Hydrobaenus lugubris* 68.

- Hyponomeuta evonymi* 318.

- Hypophloeus bicornis* 57.

I.

- Ips castigator* 59, *collaris* 57, *comitator* 59, *divisorius* 61, *fasciata*, *guttata* 57, *Ichneumon* 59, *nigricornis*, *sinuata* 57.

L.

- Lamia molitor* 56,
Lema asparagi, *brunnea* 100,
cyanella 99, *12punctata* 100,
melanopa 99, 100, *merdigera*,
rufocyanea 100.
Leptis annulata, *conjungens* 70.
Leptura connexa 56.
Lesteva monticola 77.
Leucopis grisea 144, *puncticornis* 143.
Liponeura 252.
Lispe crassiuscula 31, *flavincincta* 27, *litorea* 25, *mela-*
leuca 28, *pulchella* 29, *sca-*
laris 28, *simplicissima* 30,
uliginosa 24.
Lissonota culiciformis 164.
Lithosia cinereola 338, 339,
gilveola, *lutarella* 338, *luteola*
337, *pallifrons* 339.
Lycena acaciae 331.
Lyctus terebrans 57, 141.

M.

- Mecorrhynchi* 292.
Murmidius ferrugineus 54.
Mutilla europaea 210.
Myrmecoleon formicarius
224.

N.

- Necrophorus germanicus* 286.
Noctua aprilina 188.

O.

- Ochtera mantis* 371, *mantispa*
372.
Odacantha elongata 50.
Oedipoda migratoria 242.
Oestrus trompe, *pictus* 366.
Oliviera suavissima 259.
Ophonus brevicollis 47.
Orphnephila devia 67.
Ortalis fulminans 145, *trimaculata* 375.

P.

- Panagaeus tomentosus* 42.
Paniscus testaceus 58.
Parnus obscurus 55, 142.
Phlebotomus minutus, *mole-*
stus, *Papatasi* 151.
Phora rufipes 146.
Pimelia fasciata 42.
Pimpla Dohrnii 59, *examina-*
tor 61, *variegata* 59.
Planetes bimaculatus 46.
Plesina liturata 260, *nubili-*
pennis 261.
Polydrosus cervinus 165.
Pogonocherus pilosus 165.
Psilocerus occultans 68.
Psoa americana 55.
Psylla Cerastii 344.
Pteromalus puparum 60.
Purpuricenus dalmatinus,
Fellowsi 57.
Pyrausta punicealis 164.
Pytho castaneus 55.

Q.

- Quedius fulgidus* 221, *microps*
213, *nitidus* 221, *satyrus*, *uni-*
color 74, *variabilis* 214.

R.

- Rhinophora deceptoria* 266,
deceptricula 267, *inornata* 271,
laeviventris 268, *lucidiventris*
269, *obscuripennis* 264, *pal-*
lidicornis, *simplicissima* 270,
subpellucida 265, *tonsa* 262,
triangulata 263.

S.

- Sapromyza obsoleta* 245.
Scarabaeus aeruginosus, *fa-*
rinosus, *fullo*, *squalidus* 278.
Scarites Arabs 42, *gibbus*,
cursor 42, *laevigatus*, *quadra-*
tus 42, *sabulosus* 45, *subter-*
raneus, *thoracicus* 42.
Scopolia anacantha 275, *an-*

gusticornis 274, *gravicornis* 273.

Scymnus minimus 164.

Sericoris artemisiana 282.

Silpha aestiva 318, *agaricina*, *aquatica* 317, *atomaria* 318, *atrata*, *bimaculata*, *bipustulata*, *colon*, *ferruginea* 317, *fusca* 318, *germanica* 317, *grisea* 318, *grossa* 317, *indica*, *littoralis*, *oblonga*, *obscura*, *opaca* 317, *pedicularis* 318, *4 punctata*, *4 pustulata*, *reticulata*, *rufipes*, *rugosa*, *sabulosa*, *scabra*, *seminulum* 317, *testacea* 318, *thoracica*, *vespillo* 317.

Sitophilus linearis 91.

Sphinx Celerio, *Nerii* 130.

Staphylinus crassicornis 57, 142.

Stratiomys ventralis 369.

Sylvanus 6 dentatus 42.

T.

Tachina processionea 61.

Talaeporia lichenella 18.

Tenthredo capreae 164.

Tetanocera arrogans 198, *catenata* 122, *elata* 200, *ferruginea* 197, *flavescens* 123, *laevifrons* 201, *nubila* 119, *plumosa* 201, *prominens* 120, *robusta* 197, *stictica* 114, *sylvatica*, *unicolor* 199, *Zelleri* 117.

Thaumalea devia 368, *tarda* 369, *testacea* 66, 368.

Thekla acaciae 331.

Thereua nigripennis 67.

Tinea atriplicella, *Clerckella* 162, *holosericella* 93, *janthi-*

nella 92, *lusciniae pennella*, *pastorella*, *padifoliella* 162, *ulmifoliella* 163, *Wagnerella* 92.

Tortrix splendana 163.

Trechus assimilis 313, *austriacus*, *bannaticus* 308, *castanopterus* 307, *croaticus* 311, *discus* 302, *elegans* 313, *fulvus* 306, *glacialis* 313, *Kamtschatkensis* 308, *latus* 310, *laevipennis* 315, *limacodes*, *lithophilus* 314, *Longhii*, *longicornis* 304, *maurus* 307, *micros* 303, *minutus* 307, *montanus* 309, *nigrinus* 306, *obtusus* 307, *ochreatus* 308, *ovatus* 314, *palpalis* 309, *paludosus* 304, *patruelis* 310, *Pertyi* 315, *piceus* 312, *procerus* 305, *profundestriatus* 313, *pulchellus*, *pyrenaeus* 312, *quadricollis* 303, *rivularis* 305, *rotundatus* 311, *rotundipennis* 309, *rufulus* 306, *secalis* 315, *striatulus* 311, *subnotatus* 304.

Tritoma 4 guttatum 57.

Trogosita elongata, *vacca* 55.

Trox cornutus 55.

Trypetta arnicivora 323, *distantis* 373, *Entwickelungsgeschichte* 326.sqq., *plantaginis* 374.

Tryphon deliciosus 60.

W.

Wiedemannia compressa, *rufiventris* 250.

X.

Xylophagus ater, *cinctus*, *compeditus* 70.

ZOBODAT -

www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical
Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Entomologische Zeitung Stettin](#)

Jahr/Year: 1847

Band/Volume: [8](#)

Autor(en)/Author(s): Anonymous

Artikel/Article: [Register 384-388](#)