

FLORA.

№ 31.

Regensburg.

21. August.

1861.

Inhalt. ORIGINAL-ABHANDLUNG. Dr. J. K. Hasskarl, Horti malabarici clavis nova (Cont.). LITTERATUR. W. Ph. Schimper, Anzeige der Sinopsis muscorum Europae. — VERZEICHNISS der bei der k. botanischen Gesellschaft eingegangenen Beiträge. — CORRIGENDA.

Horti malabarici clavis nova.

Autore Dr. J. K. Hasskarl.

(Continuatio cf p 408).

Pag.	Tab.		Miq Fl. Ind. Bat.	Aut. diversa.
		T o m. III (arbores).		
1.	1—12	Codda-Panna s. Palma montana malabarica = <i>Corypha umbraculifera</i> L. (8543)	III.49	
7.		Niti - Panna = <i>Nipa fruticans</i> Thnb ¹⁾ .		
9.	13—21	Todda - Panna = <i>Cycas circinalis</i> L. ²⁾ (7736)	II.1077	
15.	22—25	Katou-Indel = <i>Phönix sylvestris</i> Rxb. (Jndel in icone.)	III.62	Kuth En. III. 235. 2
17.	26—28	Taiaka-Maram = <i>Artocarpus integrifolia</i> L.	I. II. 287	
21.	29	Ata - Maram = <i>Anona squamosa</i> L. (3990)	I. II. 33	
23.	30—31	Anona-Maram = <i>Anona reticulata</i> L. (3991)	— 34	

¹⁾ Ob foliorum similitudinem cum „Palmae foliis“ huc retuli, etsi opponat: „Radix nigricans orbiculata, fibrata amara, graveolens“, quae stirpem *Aroidearum* quandam indicare videtur.

²⁾ Miq. Prodr. Syst. Cycadeas p. 17, 4, ubi erronee tab. III (loco XIII) citatur.

Pag.	Tab.		Miq. Fl. Ind. Bat.	Aut. divers.
25.	32	Ansjeli = <i>Artocarpus Blumei</i> Trec. ¹⁾		Hsskl. Cat. p. 77.
29.	33	Katou-Tsjaka = <i>Anthocephalus?</i> Cadamba Miq. (<i>Nauclea orientalis</i> L. 1350.)	II. 135	
31.	34	Pela s. Guayabor pomifera indica = <i>Psidium Guajava</i> Radd. γ <i>pyriferum</i> Rdd. (<i>P. pyriferum</i> L. 3494.)	I. 1. 469	
33.	35	Malacka-Pela = <i>Psidium Guajava</i> Radd. α <i>pomiferum</i> Rdd. (<i>P. pomiferum</i> L. 3595.)	— —	
35.	36	Pelou s. Guayabo sylvestre = <i>Planchonia sundulca</i> Miq. ²⁾	I. 1. 493	
37.	37	Covalam s. <i>Cydonia exotica</i> = <i>Aegle Marmelos</i> Corr. Röm. Hesp. 50, 1 (<i>Crataeva</i> L. 3449.)	I. II. 526	
39.	38—39	Syalita = <i>Dillenia speciosa</i> Thnb. (indica L. 3975).	— 11	
43.	40	Blatti s. <i>Jambos sylvestris</i> = <i>Sonneratia acida</i> L. fil.	I. 1. 496	
45.	41	Panitsjika Naram = <i>Dyospyros Embryopteris</i> Pres.	II. 1048	DC. Prodr. VIII. 235. 65. Cat. p. 184.
49.	42	Niirvala = <i>Crataeva magna</i> DC. ex Hsskl. ³⁾		
51.	43—44	Tamara-Tonga s. <i>Carambolas</i> = <i>Averrhoa Carambola</i> L. (3333)	I. II. 133	
55.	45—46	Bilimbi = <i>Averrhoa Bilimbi</i> L. (3332)		
57.	47—48	Neli-Pouli s. <i>Bilimbi</i> H. minor = <i>C. nodiflora</i> L. (<i>Averrhoa solda</i> L. 3334.)	— 372	

¹⁾ Vulgo *Artocarpum pubescentem* Willd. auctores huc citare solent (cf. Wlp. Ann. I. 660. 17) quae autem differt (cf. Miq. Fl. Ind. Bat. I. II. 285. 3): foliis utrinque rotundatis supra glabris (nec strigosis). — Haud omittenda est observatio Rheedei: „ipsa vero arbor cum tenerior est, in tres lacinias plerumque incisa sunt folia.“

²⁾ Ex toto habitu et immo fructu huc pertinere videtur. (Cf. Hsskl. Flor. 1844, p. 595 et Miq. l. s. c.)

³⁾ Autores varii ad varias species hanc ducunt: Linnaeus (Cod. 3448, ubi perperam tab. 22 citatur) ad *C. Tapia* L., DC. (Prodr. I. 243, 2) et G. Don (Dichlam. I. 276) ad *C. religiosam* DC. et Wight. et Arn. (Prodr. I. 23, 77) ad *C. Nervata* Hmk.

Pag.	Tab.		Miq. Fl. Ind. Bat.	Aut. divers.
59.	49—51	Panja Panjala s. Arbor lanigera = Eriodendron anfractuosum DC (Bombax pentandrum L. 5004.)	— 166	
61.	52	Moul Elavoue s. Arbor lanigera spinosa = Salmalia malabarica Schtt. Endl. (Bomb. heptaphyl- lum L. 5006)	— —	
63.	53	Bellutta-Tsjampakam = Mesua ferrea L. (5112.)	— 509	
65.	54	Kapa-Mava s. Acajous = Ana- cardium occidentale L. (2922)	I II. 624	
69.	55	Itti-Arealou ¹⁾ = Urostigma ni- tidum Miq.	— 345	
71.	56	Tsjerou meer-alou (allou in Icon) = Urostigma? Ficus terebrata Willd. sec. Dunst.		
73.	57	Katou Alou (Catn-alu in Ic.) = Urostigma mysorensse Miq (F. indica L. 7772.)		Wlp Ann.I. 691. 135. — 718. 88.
75.	58	Atti-Meer-Alou ²⁾ = Ficus para- sitica König.		
77.	59	Handir - alou = Ficus septica Frst. sec. Dunst.		
79.	60	Teregam s. Terega Maram = Ficus asperima Rxb.		Wlp. Ann. I. 711. 37.
81.	61	Perim - Teregam = Cavellia Courtalensis Miq.?	— 728. 12?	
83.	62	Valli Teregam = Ficus hete- rophylla Lin. fil.	— 712. 40.	
85.	63	Tajela ³⁾ (Tsiela in Icon.) = Urostigma Tjiela Miq. (F. in- dica L. 7722 β)	— 693 148	
87	64	Tsjakela ³⁾ (Tsiela in Icon.) = Urostigma Tjakela Miq.	— 689. 117.	

¹⁾ Walpers (Ann. I. 694, 153) erroneè: Arealon tantum citat.

²⁾ Nec Atti meer-alou, uti citat Roxburgh, Lin (7724) et reliqui autores;
— huc haud spectat Fic. Altimeraloo Rxb. mas cf. Wlp. Ann. I. 719, 95.

³⁾ Tsjela et Tsjakela apud Miquel, clbrr. erroneè Tjela et Tja-
kela dicuntur, unde error idem in nomen specificum translatus est.

Pag.	Tab.		Miq. Fl. Ind. Bat.	Aut. div. rs.
		T o m. IV (arbores).		
1.	1—2	Mao s. Mau s. Mangas = <i>Man- gifera indica</i> L. (1624) β do- mestica Bl.	I. II. 628	
5.	3—4	Adamaram s. Saros = <i>Termi- nalia Catappa</i> L. (7625.)	I. I. 599	
9.	5	Panam-Palka (Palca in Icon.) = <i>Myristica malabarica</i> Lam.	I. II. 62	DC. Prdr. XIV. 194. 25.
11.	6	Samstravadi s. Caipa-Tsjambou = <i>Barringtonia racemosa</i> Bl. (<i>Eugenia</i> L. 3602.)	I. I. 486	
15.	7	Tsjeria-Samstravadi = <i>Barring- tonia acutangula</i> Grtn. (<i>Euge- nia</i> L. 3601.)	— 488	
17.	8	Malla-Catou-Tsjambou (<i>Catu- tsjambu</i> in Icon.) = <i>Jam- bosa</i> ? (<i>J. corymbosae</i> Miq. aff. ?)	I. I. (420. 17) ?	
19.	9	Katou-Tjeroc s. Cheru (<i>Cattu- tsjeru</i> in Icon.) = <i>Holigarna longifolia</i> Rxb. (<i>Hadestaphylum causticum</i> Dnnst.)	I. I. 600	DC. Prdr. II. 63. 1.
23.	10	Tani = <i>Terminalia belerica</i> Rxb	I. II. 638	
25.	11	Tsjem-Tani = <i>Rumphia am- boinensis</i> L. (272).	— 519	
27.	12	Mal Naregam (<i>Catu-tsjeru-nare- gam</i> in Icon.) = <i>Atalanta mo- nophylla</i> DC. (<i>Malnerega ma- labarica</i> Raf. Roem. Hesp. p. 75.)		
29.	13	Katou-Naregam (<i>Catu</i> in Icon.) <i>Gardeniae</i> ? sp. ? (<i>Limonia to- rulosa</i> Dnnst.)	I. II. 520	
31.	14	Tsjerou-Katou-Naregam (<i>Catou</i> in Icon.) = <i>Limonia acidissima</i> L. (3054). <i>Fagara Tragodes</i> L. (969) ?		
33.	15	Paënoe = <i>Vateria</i> (<i>indica</i> L. 3878) <i>malabarica</i> Bl.		Wlp Ann. IV. 336.
37.	16	Nyalel (<i>Nialel</i> in Icon.) = <i>Mil- nea</i> ? <i>racemosa</i> Roem. Hesp. 98. 3. (fruct.edul. !)		
39.	17	Angolam s. Alangi = <i>Alangium decapetalum</i> Lam.	I. I. 774	

Pag.	Tab.		Miq. Fl. Ind. Bat.	Aut. divers.
41.	18	Idou-Moulli = <i>Scleropyrum Wallichianum</i> Arn. (<i>Pyrularia Wallichiana</i> DC. Prdr. XIX. 629. 4)	— 778	
43.	19	Poerinsji (Pur. in lc.) s. <i>Verco-poelongi</i> = <i>Sapindus laurifolius</i> Vhl. (<i>S. trifolius</i> L. 2094)		DC. Prdr. I. 408.
45.	20—21	Adamboe s. <i>Cadelipoea</i> = <i>Lagerstroemia Reginae</i> Rxb.	I. 1.623	
47.	22	Katou - Adamboe = <i>Adambea hirsuta</i> Lam	— —	
49.	23	Karin - Kara = <i>Kaulfussia geminiflora</i> Dnnst.		
51.	24	Perin - Kara = <i>Elaeocarpus serratus</i> L. 3874) <i>Perimkara</i> DC. Prdr I 519.		Don. Dichl. I. 559.
53.	52	Manil - Kara = <i>Mimusops Manilkara</i> GDon. (<i>M. Kauki</i> L. 2676. 665)	II. 1043	
55.	26	Kara - Angolam s. <i>Namidou</i> = <i>Alangium hexapetalum</i> Lam.	I. 1.774 ¹⁾	DC. Prdr. III. 205.
57.	27	Theka (Tekka in Icon.) = <i>Tectoria grandis</i> L fil.	II. 209	DC. Prdr. XI. 629. 1.
59.	28	Katou-theka (Catu tekka in Icon.) = <i>Psychotrieis</i> aff. arbor. (<i>Ardisia humilis</i> Vhl. ? sec. Dnnst.)		
61.	29	Tajerou theka = <i>Clerodendron serratum</i> Sprng.	II. 873	
		Bentheka (Ben-teka in Icon.) = ? <i>Amarantacea</i> ? (<i>Kasailo racemosa</i> Dnnst.)		
63.	30			
65.	31	Iripa = <i>Cynometra ramiflora</i> L. (3011) ²⁾		
67.	32	Kalesjam (<i>Calesani</i> in lc.) ³⁾ = <i>Haberlia grandis</i> Dnnst.		
69.	33	Katou Kalesjam ³⁾ (Catu-Cal. in lc.) = <i>Kunthia cochinchinensis</i> Dnnst.		

¹⁾ Ubi erroneë tab. 28 citatur.

²⁾ G. Don Dichl. II. 456 et DC. Prdr. II. 509 pariter ad *C. ramifloram* L. ducunt arborem hancce, quae ob foliola 2 juga autem potius ad *C. bijugam* Spau. Miq. Flor. Ind. Bat. I 1 78 duci posset, aut ob foliola emarginata ad *C. grandifloram* A. Gray Wlp. Ann. IV. 601, 3 pertinere videretur.

³⁾ Tab. 32—34 Sapindaceis aut Meliaceis adnumerandae videntur.

Pag.	Tab.		Miq. Fl. Ind. Bat.	Aut. Giveis.
71.	34	Ben-Kalesjan (Ben-Calesam in Ic.) ¹⁾ = <i>Haberlia grandis</i> Dnnst. (gallifera).		
73.	35	Ponga (Pongu in Icon.) <i>Artocarpus Ponga</i> Dnnst.		
75.	36	Kariil = <i>Vitex Leucoxydon</i> L. fil. (<i>Sterculia fôtida</i> L. 7302.)	II. 864	
77.	37	Vidi Maram = <i>Cordia Myxa</i> L. (1521.)	II. 961	DC. Prdr. I. 563. 6.
79.	38	Ponna (Punna in Icon.) = <i>Calophyllum Inophyllum</i> L. (3868)	I. II. 510	
81.	39	Tsjerou-Ponna (ponna in Icon.) = <i>Calophyllum</i> (Calaba L. 3869) <i>spurium</i> Chois.		
83.	40	Mallam-Toddali (-taddali in Ic.) = <i>Sponia</i> (<i>Celtis</i>) <i>orientalis</i> (L. 7646) Planch. (<i>Muntingia Calabura</i> L. 3852.)		Wlp. Ann. III. 404.
85.	41	Perin-Toddali (Perim- in Icon.) = <i>Zizyphus Jujuba</i> Lam. (1570)	I. I. 644 ²⁾	
87.	42	Kadali = <i>Melastoma malabathricum</i> L. (3075.)	— 307	
89.	42 a	Ben-Kadali = <i>Osbeckia Wightiana</i> Brth.		Wlp. Rprt. II. 135 3.
91.	43	Katou-Kadali (Kalou- in Icon.) = <i>Osbeckia aspera</i> Bl. Wlp. Rprt. II. 136 6. Wlp. Ann. II. 581. 38. (3072.)		DC. Prdr. III. 145. 7.
93.	44	Tsjerou-Kadali = <i>Osbeckia virgata</i> Don?		Wlp. Rpr. II. 135. 4?
95.	45	Oepata s. Upata = <i>Avicennia officin.</i> L. (<i>tomentosa</i> L. 4642.)	II. 912	
97.	46	Wadouka = <i>Achras retusa</i> Dnnst.		
99.	47—48	Rava Pin = <i>Guettarda speciosa</i> L. (<i>Nyctanthes hirsuta</i> L. 41.)	II. 262	
101.	49	Ana-Vinga = <i>Casearia ovata</i> Willd.		DC. Prdr. II. 49. 5.
103.	50	Courondi (Corondi in Icon. ³⁾) = <i>Christmannia Courodi</i> Dnnst.		

¹⁾ Tab. 32—34 Sapindaceis aut Meliaceis adnumerandae videntur.

²⁾ Ubi erroneè tab. 4 citatur.

³⁾ Ni opponerent: „numerosa stamina medium (florum) occupantia“ plantam nostram ad Salaciam quandam reducerem.

Pag.	Tab.		Miq. Fl. Ind. Bat.	Aut. divers.
105.	51	Bengieiri, Bengiri s. Caremotti = <i>Stillingia</i> (<i>Sapium</i>) <i>indica</i> (Willd.) Baill. Euph. 514 ¹⁾		
107.	52	Aria-Bépou (Bepu in Icon.) = <i>Azadirachta indica</i> A.Jss. <i>Meli-</i> <i>lia Azedarach</i> L. (3032)	I. IL 533	Roem. Hesp. 97. 1.
109.	53	Kari-Bépou ²⁾ = <i>Nimbo melioi-</i> <i>des</i> Dnnst.		
111.	54	Kari-Vetti = <i>Picricarya oppo-</i> <i>sitifolia</i> Dnnst		
113.	55	Pe-Vetti (Pee- in Icon.) = <i>Gla-</i> <i>chidion</i> (<i>lucidum</i> Bl. ? Miq. Fl. Ind. Bat. I. II. 377 ³⁾)		
115.	56	Noeli-Tali (Nuli in Icon.) = <i>An-</i> <i>tidesma alexitoria</i> L.		L. 7425.
117.	57	Poutaletsje = <i>Hedyotis</i> (<i>Wend-</i> <i>landia</i> ? DC. Prdr. IV. 413. 16) <i>Lawsoniae</i> W. A. (<i>Lawsonia</i> <i>inermis</i> L. 2697.)		Wlp. Rprpt. II. 491. 1.
119.	58	Modagam = <i>Fagraea malaça-</i> <i>rica</i> Wight. (<i>Bertuchia speciosa</i> Dnnst.)	II. 374	
121.	59	Bella-Modagam (Bela- in Icon.) = <i>Scaevola Koenigii</i> Vhl.	II. 580	

¹⁾ Wight Icon. t. 1950. Hsksl. Retz I. 161. Idem Hort. bog. I. 36, ubi sphalmate typographico Rheed. V. t. 57 citatur. — Folia in icone nostra nunc sunt integerrima, nunc acute serrata delineata!

²⁾ Ob stamina 10 libera Meliaceis forsán minús quam Sapindaceis affinis arbor haec praecelsa.

³⁾ Etsi primo ad aspectu videri licet, Linnaeum erroneè *Physalidem flexuosam* suam (1445) aut in horto Cliff. *somniferam* L. (1444) huc duxisse, attamen omnes autores recentiores itidem citatum hoc loco reproducunt, uti Dunal in DC. Prdr. XIII. I. 454 ad *Withaniam somniferam* suam α *flexuosam*, pariter et Miquelius Flor. Ind. Bat. II. 665. Nostra autem haud est herba humilis sed arbor caudice crasso; loliis pinnatum dispositis, glabris, nitentibus, ovali-oblongis nec in petiolum attenuatis; floribus exiguis e sex teretibus acuminatis subflavescentibus ac extrosum reflexis foliolis constantibus; fructibus baccatis plano-rotundis apiculatis 10-sulcatis, purpureis glabris, 10- (ex icone 6-) loculatis, coccis croceis (Descript. Rheedei l. c.). Nescio quomodo aliquis, qui hanc descriptionem legit, arborem istam *Physalidi* comparare potuit.

Pag.	Tab.		Miq. Fl. Ind Bat.	Aut. divers.
123.	60	Tondi-Teregam ¹⁾ = <i>Callicarpa macrophylla</i> Vhl.? sec. Dnnst.		
125.	61	Ramena-Pou-Maram = <i>Sterculia guttata</i> Rxb. G. Don Dicl I. 516. 19. = <i>Astrodendron malabaricum</i> Dnnst.		
		T o m. V. (de arboribus et frutibus bacciferis.)		
1.	1	Mail-Elou. Dennstedt in Clavi sua tabulam hanc ad Viticem pubescentem Vhl. cum signo dubitationis ducit (cf. DC. Prdr. XI. 685. 8) opponunt autem calyx 2 1/2 lin. longus et stamina longissima exserta, quare potius ad Viticem altissimam L. DC. l. c. 6) ducenda erit. Folium autem solitarium quod infra ad latus dextrum est delineatum ad hanc speciem haud pertinet et forsitan ad <i>V. alatum</i> Heyne (l. c. 7) spectat.		
3.	2	Katou-Mail Elou = <i>Vitex latifolia</i> Lam.? sec. Dnns. quae species in systemate haud reperienda. Mea opinione haec tabula potius ad Viticem pubescentem Vhl. referenda esset (cf. DC. l. s. c.)		
5.	3	Parili = <i>Parilia malabarica</i> Dennst.		
7.	4	Beenel = <i>Cyminosma pedunculata</i> DC. Prdr. l. 722. 1? — sec. Dennst. est <i>Jambolifera pedunculata</i> L.?		

Cont. seq.

¹⁾ Cymae axillares, petiolo breviores, flores purpurei manu confricti suaevolentes, calyx viridis lanuginosus 4-partitus, petala 4 acuminata, stamina petalis alterna 4 purpurea, stylus pulchre rubens, stigma albidum; folia opposita grandia serrulata glabra supra nitida, subtus lanuginosa uti ramuli. Rheed. descript.)

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Flora oder Allgemeine Botanische Zeitung](#)

Jahr/Year: 1861

Band/Volume: [44](#)

Autor(en)/Author(s): Hasskarl C.

Artikel/Article: [Horti malabarici clavis nova 481-488](#)