

HERPETOZOA

Berichte der Österreichischen Gesellschaft für Herpetologie

INDEX

BÄNDE / VOLUMES 19 (2006) + 20 (2007, 2008 partim)
(zusammengestellt von / compiled by HEINZ GRILLITSCH)

AUTORENREGISTER / AUTHOR INDEX

- ABU BAKER, M. siehe/see AMR, Z. & MODRÝ, D. & ABU BAKER, M. & QARQAS, M. & AL ZAIDANYEN, J. & MORAVEC, J.
- ABU BAKER, M. siehe auch/see also AMR, Z. & SHEHAB, A. & ABU BAKER, M.
- AL ZAIDANYEN, J. siehe/see AMR, Z. & MODRÝ, D. & ABU BAKER, M. & QARQAS, M. & AL ZAIDANYEN, J. & MORAVEC, J.
- AMR, Z. & MODRÝ, D. & ABU BAKER, M. & QARQAS, M. & AL ZAIDANYEN, J. & MORAVEC, J. 20: 73
First record of *Hemidactylus mindiae* BAHÀ EL DIN, 2005 from Jordan [Short Note]
- AMR, Z. & SHEHAB, A. & ABU BAKER, M. 20: 21
Recent observations on the herpetofauna of Syria with notes on trade in reptiles
Neue Beobachtungen zur Herpetofauna Syriens mit Angaben zum Reptiliengeschäft
- ARREDONDO-S., J. C. siehe/see GUTIÉRREZ-C., P. D. & ARREDONDO-S., J. C.
- ATATÜR, M. K. siehe/see AYAZ, D. & FRITZ, U. & ATATÜR, M. K.
- AVCI, A. & İLGАЗ, Ç. & KUMLUTAŞ, Y. & OLGUN, K. & BARAN, İ. 20: 82
Morphology and distribution of *Rhynchoscalamus melanocephalus* (NIKOLSKY, 1899)
in Turkey [Short Note]
- AVCI, A. siehe auch/see also BARAN, İ. & KUMLUTAŞ, Y. & AVCI, A. & İLGАЗ, Ç.
- AVILA, L. J. & FRUTOS, N. & MORANDO, M. & PEREZ, C. H. F. & PEREZ, D. R. 19: 90
New records of *Liolaemus inacayali* ABDALA, 2003 in western Río Negro Province,
Patagonia, Argentina [Short Note]
- AVILA, L. J. siehe auch/see also PEREZ, C. H. F. & FRUTOS, N. & MORANDO, M. &
KOZYKARISKI, M. & PEREZ, D. R. & AVILA, L. J.
- AYAZ, D. & FRITZ, U. & ATATÜR, M. K. 20: 11
Morphological comparison of *Emys orbicularis* (LINNAEUS, 1758) from European
Turkey and eastern Bulgaria
Morphologischer Vergleich von *Emys orbicularis* (LINNAEUS, 1758) aus der Europäischen Türkei und dem
östlichen Bulgarien
- AYAZ, D. & TOK, C. V. & ÇİÇEK, K. 19: 189
Overwintered hatchling of *Emys orbicularis* (LINNAEUS, 1758) observed in Turkey
[Short Note]
- BAIG, K. J. & MASROOR, R. 20: 109
The snakes of the genus *Spalerosophis* JAN, 1865 in Indo-Pakistan and Iran
Die Schlangen der Gattung *Spalerosophis* JAN, 1865 in Indo-Pakistan und Iran
- BARAN, İ. & KUMLUTAŞ, Y. & AVCI, A. & İLGАЗ, Ç. 19: 87
Second record of *Walterinnesia aegyptia* LATASTE, 1887 from southeastern Anatolia
[Short Note]
- BARAN, İ. siehe auch/see also AVCI, A. & İLGАЗ, Ç. & KUMLUTAŞ, Y. & OLGUN, K. & BARAN, İ.
BERADUCCI, J. siehe/see BRANCH, W. R. & KILPIN, A. & BERADUCCI, J.
- BETANCOURT-YPÉZ, R. M. siehe/see VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-YPÉZ, R. M.
- BORJA, M. O. siehe/see CISNEROS-HEREDIA, D. F. & BORJA, M. O. & PROAÑO, D. & TOUZET,
J.-M.
- BRANCH, W. R. & KILPIN, A. & BERADUCCI, J. 20: 67

- Trachylepis dichroma* GÜNTHER, WHITING & BAUER, 2005: additional Tanzanian material and restriction of the type locality [Short Note]
- BREHM, A. siehe/see JESUS, J. & LEMOS, A. & GONÇALVES, R. & BREHM, A. 19: 13
- BROGGI, M. F. Isolation und Landnutzungswandel und ihre Einflüsse auf die Herpetofauna – dargestellt am Beispiel der Insel Tilos (Dodekanes, Griechenland) 19: 13
Herpetofauna of the island of Tilos (Dodecanese, Greece): influence of isolation and changes in land use
- BROGGI, M. F. 20: 94
- Herpetological notes on the island of Amorgos (Cyclades, Greece) [Short Note]
- BUCHER, E. H. siehe/see PELEGREN, N. & LEYNAUD, G. C. & BUCHER, E. H.
- BULÁNKOVÁ, E. siehe/see VONGREJ, V. & SMOLINSKÝ, R. & BULÁNKOVÁ, E. & JANDZIK, D. J. 19: 149
- CABELA, A. & GRILLITSCH, H. & TIEDEMANN, F. Habitatpräferenzen von *Podarcis muralis* (LAURENTI, 1768) und *Iberolacerta horvathi* (MÉHELY, 1904) bei gemeinsamem Vorkommen
Habitat preferences of co-occurring *Podarcis muralis* (LAURENTI, 1768) and *Iberolacerta horvathi* (MÉHELY, 1904)
- CABELA, A. & HILL, J. 20: 88
- Salamandra atra* LAURENTI, 1768 in the Ötztaler Alpen Massif (Austria, Italy) [Short Note]
- ÇİÇEK, K. siehe/see AYAZ, D. & TOK, C. V. & ÇİÇEK, K. 19: 182
- CISNEROS-HEREDIA, D. F. On the distribution and conservation of *Lampropeltis triangulum* (LACÉPÈDE, 1789) in Ecuador [Short Note]
- CISNEROS-HEREDIA, D. F. 19: 183
- Notes on some *Osteocephalus* treefrogs from Amazonian Ecuador [Short Note]
- CISNEROS-HEREDIA, D. F. 20: 27
- A new species of glassfrog of the genus *Centrolene* from the foothills of Cordillera Oriental of Ecuador
Eine neue Glasfroschart der Gattung *Centrolene* von den Ausläufern der Cordillera Oriental in Ecuador
- CISNEROS-HEREDIA, D. F. 20: 92
- Notes on the natural history of the casque-headed treefrog *Trachycephalus jordani* (STEJNEGER & TEST, 1891) [Short Note]
- CISNEROS-HEREDIA, D. F. & BORIA, M. O. & PROAÑO, D. & TOUZET, J.-M. 19: 17
- Distribution and natural history of the Ecuadorian Toad-headed Pitvipers of the genus *Bothrocophias*
Verbreitung und Naturgeschichte der ecuadorianischen Krötenkopf-Grubenottern der Gattung *Bothrocophias*
- CISNEROS-HEREDIA, D. F. & REYNOLDS, R. P. 19: 184
- New records of *Phyllonastes* HEYER, 1977 from Ecuador and Peru [Short Note]
- CISNEROS-HEREDIA, D. F. & TOUZET, J.-M. 19: 188
- Ecuadorian distribution of snakes of the genera *Oxybelis* WAGLER, 1830 and *Xenoxybelis* MACHADO, 1993 [Short Note]
- DA CUNHA SÁ-SOUZA, P. A. siehe/see VALENTE BAPTISTA, N. R. & DA CUNHA SÁ-SOUZA, P. A. DEHLING, J. M. siehe/see MALKMUS, R. & DEHLING, J. M. 19: 179
- DIAMIKI, M. Herpetofauna in the area of the lakes Yliki and Paralimni and the Kifissos river in Boeotia, Greece [Short Note]
- DUDA, M. 20: 184
- First record of a natural male hybrid of *Bufo (Pseudepidalea) viridis* LAURENTI, 1768 and *Bufo (Bufo) bufo* LINNAEUS, 1758 from Austria [Short Note]
- DUDA, M. & GRILLITSCH, H. & HILL, J. & KLEPSCH, R. 20: 35
- Die Würfelnatter *Natrix tessellata* (LAURENTI, 1768) im Südlichen Wiener Becken und am Alpenostrand (Niederösterreich)
The Dice Snake *Natrix tessellata* (LAURENTI, 1768), in the Southern Vienna Basin and along the eastern edge of the Alps (Lower Austria)
- DUTTA, S. K. siehe/see NAYAK, S. & MAHAPATRA, P. K. & MISHRA, S. & DUTTA, S. K.

-
- DUTTA, S. K siehe auch/see also NAYAK, S. & MAHAPATRA, P. K. & MOHANTY, R. K. & DUTTA, S. K.
- FARKAS, B. siehe/see TÓTH, T. & GRILLITSCH, H. & FARKAS, B. & GÁL, J. & SUŠIĆ, G.
- FRITZ, U. siehe/see AYAZ, D. & FRITZ, U. & ATATÜR, M. K.
- FRUTOS, N. siehe/see AVILA, L. J. & FRUTOS, N. & MORANDO, M. & PEREZ, C. H. F. & PEREZ, D. R.
- FRUTOS, N. siehe auch/see also PEREZ, C. H. F. & FRUTOS, N. & MORANDO, M. & KOZYKARISKI, M. & PEREZ, D. R. & AVILA, L. J.
- GÁL, J. siehe/see TÓTH, T. & GRILLITSCH, H. & FARKAS, B. & GÁL, J. & SUŠIĆ, G.
- GARZÓN, K. siehe/see VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-Ypéz, R. M.
- GEMEL, R. & GRILLITSCH, H. 20: 187
Hydrochelys picta WAGLER, 1821: a junior synonym of *Chrysemys picta picta* (SCHNEIDER, 1783) [Short Note]
- GIRI, V. siehe/see GOWER, D. J. & GIRI, V. & WILKINSON, M.
- GOLDSCHMID, A. siehe/see MALETZKY, A. & GOLDSCHMID, A. & KYEK, M.
- GONÇALVES, R. siehe/see JESUS, J. & LEMOS, A. & GONÇALVES, R. & BREHM, A.
- GOWER, D. J. & GIRI, V. & WILKINSON, M. 19: 121
Rediscovery of *Gegeneophis seshachari* RAVICHANDRAN, GOWER & WILKINSON, 2003 at the type locality
Wiederentdeckung von *Gegeneophis seshachari* RAVICHANDRAN, GOWER & WILKINSON, 2003 an der Typuslokalität
- GRANT, P. B. C. siehe/see LEWIS, T. R. & GRANT, P. B. C.
- GRILLITSCH, H. siehe/see CABEZA, A. & GRILLITSCH, H. & TIEDEMANN, F.
- GRILLITSCH, H. siehe auch/see also DUDA, M. & GRILLITSCH, H. & HILL, J. & KLEPSCH, R.
- GRILLITSCH, H. siehe auch/see also GEMEL, R. & GRILLITSCH, H.
- GRILLITSCH, H. siehe auch/see also TÓTH, T. & GRILLITSCH, H. & FARKAS, B. & GÁL, J. & SUŠIĆ, G.
- GÜNTHER, R. 19: 59
Two new tiny *Cophixalus* species with reduced thumbs from the west of New Guinea
Zwei neue kleine *Cophixalus*-Arten mit reduzierten Daumen aus dem Westen von Neuguinea
- GUTIÉRREZ-C., P. D. & ARREDONDO-S., J. C. 20: 77
Leposoma southi RUTHVEN & GAIGE, 1924, a new record to the fauna of Antioquia (Colombia) [Short Note]
- GUTIÉRREZ-C., P. D. & RIVERA-CORREA, M. 20: 75
Cochranella punctulata RUIZ-CARRANZA & LYNCH, 1995 – new record from the department of Antioquia (Colombia), with comments on the conservation status [Short Note]
- HALLERMANN, J. & GLAW, F. 19: 82
Evidence for oviparity in the extinct bolyeriis snake *Bolyeria multocarinata* (BOIE, 1827) [Short Note]
- HANTKE, G. siehe/see KÖHLER, G. & HANTKE, G.
- HARRIS, D. J. siehe/see VASCONCELOS, R. & HARRIS, D. J.
- HILL, J. 20: 192
Coronella austriaca (LAURENTI, 1768) from the Croatian Island of Cres [Short Note]
- HILL, J. siehe auch/see also CABEZA, A. & HILL, J.
- HILL, J. siehe auch/see also DUDA, M. & GRILLITSCH, H. & HILL, J. & KLEPSCH, R.
- İLGАЗ, Ç. siehe/see AVCI, A. & İLGАЗ, Ç. & KUMLUŞAŞ, Y. & OLgun, K. & BARAN, İ.
- ILGAZ, Ç. siehe auch/see also BARAN, İ. & KUMLUŞAŞ, Y. & AVCI, A. & ILGAZ, Ç.
- JANDZIK, D. J. siehe/see VONGREJ, V. & SMOLINSKÝ, R. & BULÁNKOVÁ, E. & JANDZIK, D. J.
- JESUS, J. & LEMOS, A. & GONÇALVES, R. & BREHM, A. 20: 175
First record of *Tarentola mauritanica* (LINNAEUS, 1758) on Porto Santo Island [Short Note]
- KAMMEL, W. 20: 117
Aktivität und Nahrungserwerb der Äskulapnatter, *Zamenis longissimus longissimus* (LAURENTI, 1768) in Österreich
Activity and predation of the Aesculapian Snake *Zamenis longissimus longissimus* (LAURENTI, 1768), in Austria

- KHABIBULLIN, V. 19: 99
On the Quaternary reptilian fauna of Bashkortostan (South Urals, Russia)
Zur Quartären Reptilienfauna von Bashkortostan (Südural, Rußland)
- KILPIN, A. siehe/see BRANCH, W. R. & KILPIN, A. & BERADUCCI, J.
- KLEPSCH, R. siehe/see DUDA, M. & GRILLITSCH, H. & HILL, J. & KLEPSCH, R.
- KOCH, A. 20: 178
*Discovery of new specimens of Sarasin's Keelback, *Amphiesma sarasinorum* (BOULENGER, 1896), endemic to SW Sulawesi, Indonesia [Short Note]*
- KÖHLER, G. & HANTKE, G. 20: 81
*First record of *Malpolon monspessulanus* (HERMANN, 1804) from the island of Corsica (France) [Short Note]*
- KOLONIN, G. siehe/see NORVAL, G. & KOLONIN, G. & MAO, J.-J. & LIN, W.-L.
- KOZYKARISKI siehe auch/see also PEREZ, C. H. F. & FRUTOS, N. & MORANDO, M. & KOZYKARISKI, M. & PEREZ, D. R. & AVILA, L. J.
- KUCH, U. & MCGUIRE, J. A. & YUWONO, F. B. 19: 81
*Death adders (*Acanthophis laevis* complex) from the island of Ambon (Maluku, Indonesia) [Short Note]*
- KUMLUŞAŞ, Y. siehe/see AVCI, A. & İLGAZ, Ç. & KUMLUŞAŞ, Y. & OLGUN, K. & BARAN, İ.
- KUMLUŞAŞ, Y. siehe auch/see also BARAN, İ. & KUMLUŞAŞ, Y. & AVCI, A. & İLGAZ, Ç.
- KUTRUP, B. siehe/see ÖZDEMİR, N. & KUTRUP, B.
- KYEK, M. siehe/see MALETZKY, A. & GOLDSCHMID, A. & KYEK, M.
- LAMPERT, K. P. siehe/see RÖDEL, M.-O. & LAMPERT, K. P. & LINSENMAIR, K. E.
- LEMOS, A. siehe/see JESUS, J. & LEMOS, A. & GONÇALVES, R. & BREHM, A.
- LEWIS, T. R. & GRANT, P. B. C. 20: 91
*On the diet of *Rhadinaea decorata* (GÜNTHER, 1858) [Short Note]*
- LEYNAUD, G. C. siehe/see PELEGRI, N. & LEYNAUD, G. C. & BUCHER, E. H.
- LIN, W.-L. siehe/see NORVAL, G. & KOLONIN, G. & MAO, J.-J. & LIN, W.-L.
- LINSENMAIR, K. E. siehe/see RÖDEL, M.-O. & LAMPERT, K. P. & LINSENMAIR, K. E.
- LOW CUNNINGHAM, P. & SIMANG, A. 19: 129
*Some aspects of ecology and behaviour of *Homopus* sp. from southwestern Namibia*
*Bemerkungen zur Ökologie und zum Verhalten von *Homopus* sp. im südwestlichen Namibia*
- MAHAPATRA, P. K. siehe/see NAYAK, S. & MAHAPATRA, P. K. & MISHRA, S. & DUTTA, S. K.
- MAHAPATRA, P. K. siehe auch/see also NAYAK, S. & MAHAPATRA, P. K. & MOHANTY, R. K. & DUTTA, S. K.
- MALETZKY, A. & GOLDSCHMID, A. & KYEK, M. 20: 145
*Crested newt (*Triturus cristatus* superspecies) populations in Salzburg, Austria, their distribution, size and conservation status*
*Verteilung, Größe und Erhaltungszustand der Kammlorch-Populationen (*Triturus cristatus* superspecies) in Salzburg, Österreich*
- MALKMUS, R. 19: 192
Remarks on "New herpetofaunal records in the Serra Monfurado (Alentejo, Portugal)"
by V. BAPTISTA & P. A. DA CUNHA SÁ-SOUZA in Herpetozoa 2006, 19 (1/2): 94-96
[Short Note]
- MALKMUS, R. & DEHLING, J. M. 20: 165
Anuran amphibians of Borneo as phytotelm-breeders – a synopsis
Anuren Borneos als Phytotelmenbrüter – eine Übersicht
- MAO, J.-J. siehe/see NORVAL, G. & KOLONIN, G. & MAO, J.-J. & LIN, W.-L.
- MASROOR, R. siehe/see BAIG, K. J. & MASROOR, R.
- MCGUIRE, J. A. siehe/see KUCH, U. & MCGUIRE, J. A. & YUWONO, F. B.
- MISHRA, S. siehe/see NAYAK, S. & MAHAPATRA, P. K. & MISHRA, S. & DUTTA, S. K.
- MODRÝ, D. siehe/see AMR, Z. & MODRÝ, D. & ABU BAKER, M. & QARQAS, M. & AL ZAIDANYEN, J. & MORAVEC, J.
- MOHANTY, R. K. siehe/see NAYAK, S. & MAHAPATRA, P. K. & MOHANTY, R. K. & DUTTA, S. K.
- MORANDO, M. siehe/see AVILA, L. J. & FRUTOS, N. & MORANDO, M. & PEREZ, C. H. F. & PEREZ, D. R.

- MORANDO, M. siehe auch/see also PEREZ, C. H. F. & FRUTOS, N. & MORANDO, M. & KOZYKARISKI, M. & PEREZ, D. R. & AVILA, L. J.
- MORAVEC, J. siehe/see AMR, Z. & MODRÝ, D. & ABU BAKER, M. & QARQAS, M. & AL ZAIDANYEN, J. & MORAVEC, J.
- NAYAK, S. & MAHAPATRA, P. K. & MISHRA, S. & DUTTA, S. K. 19: 111
Age determination by skeletochronology in the Common Indian Toad *Bufo melanostictus* SCHNEIDER, 1799
Skelettochronologische Altersbestimmung bei der Schwarznarbenkröte *Bufo melanostictus* SCHNEIDER, 1799
- NAYAK, S. & MAHAPATRA, P. K. & MOHANTY, R. K. & DUTTA, S. K. 20: 99
A skeletochronological analysis of age, growth and longevity of the Indian Green Frog *Euphlyctis hexadactylus* (LESSON, 1834)
Skelettochronologische Analyse von Alter, Wachstum und Lebenserwartung beim Indischen Wasserfrosch *Euphlyctis hexadactylus* (LESSON, 1834)
- NORVAL, G. & KOLONIN, G. & MAO, J.-J. & LIN, W.-L. 20: 193
Elaphe taeniura friesei (WERNER, 1926) parasited by the hard tick *Amblyomma cordiferum* NEUMANN, 1899 [Short Note]
- OLGUN, K. siehe/see AVCI, A. & İLGAZ, Ç. & KÜMLUTAŞ, Y. & OLGUN, K. & BARAN, İ. 20: 3
ÖZDEMİR, N. & KUTRUP, B.
Intraspecific variation of Turkish Green Toads, *Bufo (Pseudepidalea) viridis* LAURENTI, 1768, based on 16S ribosomal RNA sequences
Innerartliche Variabilität türkischer Wechselkröten, *Bufo (Pseudepidalea) viridis* LAURENTI, 1768, anhand von 16S rRNA Sequenzen
- PAUWELS, O. S. G. & RÖDEL, M.-O. 19: 135
Amphibians and National Parks in Gabon, western Central Africa
Amphibien und Nationalparks in Gabun, westliches Zentralafrika
- PELEGRIN, N. & LEYNAUD, G. C. & BUCHER, E. H. 19: 85
Reptile fauna of the Chancaní Reserve (Arid Chaco, Argentina): species list and conservation status [Short Note]
- PEREZ, C. H. F. & FRUTOS, N. & MORANDO, M. & KOZYKARISKI, M. & PEREZ, D. R. & AVILA, L. J. 20: 182
Southernmost records for *Homonota fasciata* (DUMÉRIL & BIBRON, 1836) in northern Patagonia, Argentina [Short Note]
- PEREZ, C. H. F. siehe auch/see also AVILA, L. J. & FRUTOS, N. & MORANDO, M. & PEREZ, C. H. F. & PEREZ, D. R.
- PEREZ, D. R. siehe/see AVILA, L. J. & FRUTOS, N. & MORANDO, M. & PEREZ, C. H. F. & PEREZ, D. R.
- PEREZ, D. R. siehe auch/see also PEREZ, C. H. F. & FRUTOS, N. & MORANDO, M. & KOZYKARISKI, M. & PEREZ, D. R. & AVILA, L. J.
- PETROV, B. P. 19: 92
Lacerta mosorensis KOLOMBATOVIC, 1886 new to the herpetofauna of Albania [Short Note]
- PIEH, A. 19: 93
New record of *Eryx jaculus jaculus* (LINNAEUS, 1758) in Morocco [Short Note]
- PROAÑO, D. siehe/see CISNEROS-HEREDIA, D. F. & BORJA, M. O. & PROAÑO, D. & TOUZET, J.-M. QARQAS, M. siehe/see AMR, Z. & MODRÝ, D. & ABU BAKER, M. & QARQAS, M. & AL ZAIDANYEN, J. & MORAVEC, J.
- REYNOLDS, R. P. siehe/see CISNEROS-HEREDIA, D. F. & REYNOLDS, R. P.
- RIVERA-CORREA, M. siehe/see GUTIÉRREZ-C., P. D. & RIVERA-CORREA, M.
- RÖDDER, D. siehe/see TEIXEIRA, R. L. & RÖDDER, D.
- RÖDEL, M.-O. & LAMPERT, K. P. & LINSENMAIR, K. E. 19: 3
Reproductive biology of the West African savannah frog *Hyperolius nasutus* GÜNTHER, 1864
Fortpflanzungsbiologie des westafrikanischen Savannenfrosches *Hyperolius nasutus* GÜNTHER, 1864
- RÖDEL, M.-O. siehe auch/see also PAUWELS, O. S. G. & RÖDEL, M.-O.

- SCHWEIGER, M. 20: 174
First record of the *erythronotus* mutation in *Lacerta agilis* cf. *bosnica* SCHREIBER, 1912 [Short Note]
- SHEHAB, A. siehe/see AMR, Z. & SHEHAB, A. & ABU BAKER, M.
- SIMANG, A. siehe/see LOW CUNNINGHAM, P. & SIMANG, A.
- SINDACO, R. 19: 177
An addition to the herpetofauna of Eritrea: *Tropiocolotes somalicus* PARKER, 1942 [Short Note]
- SMOLINSKÝ, R. siehe/see VONGREJ, V. & SMOLINSKÝ, R. & BULÁNKOVÁ, E. & JANDZIK, D. J. 19: 161
SUŠIĆ, G. siehe/see TÓTH, T. & GRILLITSCH, H. & FARKAS, B. & GÁL, J. & SUŠIĆ, G.
TEIXEIRA, R. L. & RÖDDER, D. Diet, foraging strategy and reproduction of *Scinax argyreornatus* (MIRANDA-RIBEIRO, 1926) from a mountainous region of the Atlantic rainforest in southeastern Brazil
Nahrungsspektrum, Jagdstrategien und Reproduktion von *Scinax argyreornatus* (MIRANDA-RIBEIRO, 1926) von einer bergigen Region im Atlantischen Regenwald Südostbrasiliens
- TIEDEMANN, F. siehe/see CABELO, A. & GRILLITSCH, H. & TIEDEMANN, F.
- TOK, C. V. siehe/see AYAZ, D. & TOK, C. V. & ÇİÇEK, K.
- TORKI, F. 20: 57
Reproductive cycle of the Snake-eyed Lizard *Ophisops elegans* MÉNÉTRIÉS, 1832, in western Iran
Fortpflanzungszyklus des Schlangenauges *Ophisops elegans* MÉNÉTRIÉS, 1832 im Iran
- TÓTH, T. & GRILLITSCH, H. & FARKAS, B. & GÁL, J. & SUŠIĆ, G. 19: 27
Herpetofaunal data from Cres Island, Croatia
Herpetofaunistische Daten über die Insel Cres, Kroatien
- TOUZET, J.-M. siehe/see CISNEROS-HEREDIA, D. F. & BORJA, M. O. & PROAÑO, D. & TOUZET, J.-M. 19: 189
TOUZET, J.-M. siehe auch/see also CISNEROS-HEREDIA, D. F. & TOUZET, J.-M.
- TRAPE, S. 20: 189
First record of the skink *Chalcides armitagei* BOULENGER, 1922 in coastal areas of Guinea Bissau and Senegal [Short Note]
- VALENCIA, J. H. 19: 186
First record of the coral snake *Micrurus margaritiferus* ROZE, 1967 in Ecuador [Short Note]
- VALENCIA, J. H. 20: 79
Presence of *Echinantera undulata* (WIED-NEUWIED, 1824) in Ecuador [Short Note]
- VALENCIA, J. H. & GARZÓN, K. & BETANCOURT-YPÉZ, R. M. 20: 86
First record of the snake *Dendrophidion bivittatus* (DUMÉRIL, BIBRON & DUMÉRIL, 1854) and taxonomic remarks on the Genus in Ecuador [Short Note]
- VALENTE BAPTISTA, N. R. & DA CUNHA SÁ-SOUZA, P. A. 19: 94
New herpetofaunal records in the Serra Monfurado (Alentejo, Portugal) [Short Note]
- VASCONCELOS, R. & HARRIS, D. J. 19: 77
Phylogeography of *Macropododon*: mt DNA sequences from Portugal confirm European populations arrived recently from NW Africa [Short Note]
- VONGREJ, V. & SMOLINSKÝ, R. & BULÁNKOVÁ, E. & JANDZIK, D. J. 20: 173
Extraordinary winter activity of the Green Lizard *Lacerta viridis* (LAURENTI, 1768) in southwestern Slovakia [Short Note]
- WAGNER, PH. 20: 69
Studies in African *Agama* I. On the taxonomic status of *Agama lionotus usambarae* BARBOUR & LOVERIDGE, 1928 [Short Note]
- WILKINSON, M. siehe/see GOWER, D. J. & GIRI, V. & WILKINSON, M.
- YUWONO, F. B. siehe/see KUCH, U. & MCGUIRE, J. A. & YUWONO, F. B.

BUCHBESPRECHUNG / BOOK REVIEW

- GOLLMANN, G. 19: 175
M. SCHLÜPMANN & H.-K. NETTMANN – Areale und Verbreitungsmuster: Genese und Analyse. Festschrift für Prof. Dr. REINER FELDMANN

GATTUNGS-, ARTEN- UND UNTERARTENREGISTER INDEX TO THE GENERA, SPECIES, AND SUBSPECIES

mit den Abschnitten Pflanzen, Invertebrata, Vertebrata / including the sections plants, invertebrata, vertebrata

* Abbildung / Illustration T XX(.) * Titelbild / cover illustration

- Ablepharus kitaibelii* *kitaibelii* 19: 14, 15, 181;
 20: 94, 95
- Acanthixalus spinosus* 19: 135-148
- Acanthodactylus maculatus* 19: 94
- Acanthophis antarcticus* 19: 82
 groenveldi 19: 82
 laevis 19: 81*-82
 praelongus 19: 82
- Afrixalus dorsalis* 19: 135-148
 cf. *fulvovittatus* 19: 135-148
 laevis 19: 135-148
 paradorsalis 19: 135-148
 vittiger 19: 5, 7, 8
 weidholzi 19: 5, 7, 8
- Agama agama* 20: 69
 colonorum 20: 69, 70
 usambarae 20: 69
 impalearis 19: 94
- lionotus* complex 20: 69-73
 dodomae 20: 70*, 71*
 elgonis 20: 70*, 71*
 lionotus 20: 70*, 71*, 72
 usipae 20: 70*, 71*
 usambarae 20: 69-73*
- Alexteroon hypsiphonus* 19: 135-148
- obstetricans* 19: 135-148
- Algyroides nigropunctatus* 19: 40, 42, 44, 53-55
- Alytes cisternasi* 19: 95
- Ameiva festiva* 20: 91
- Amnirana albollabris* 19: 135-148*
 amnicola 19: 135-148
 lepus 19: 135-148
- Amphiesma* 20: 178
 celebicum 20: 178
 sarasinorum 20: 178-182*
- Amphisbaena bolivica* 19: 86
- Anguis fragilis* 19: 28, 39, 42, 53-55, 101-107, 181;
 20: 123
- Arthroleptis* cf. *adelphus* 19: 135-148
 cf. *poecilinotus* 19: 135-148
 taeniatus 19: 135-148
 variabilis 19: 135-148
- Asaccus elisae* 20: 22
- Astylosternus batesi* 19: 135-148
- Aubria masako* 19: 135-148
 subsigillata 19: 135-148
- Blanus cinereus* 19: 95
 strauchi 19: 16
 aporus 20: 22
- Boa constrictor occidentalis* 19: 85, 86
- Boiruna maculata* 19: 86
- Bolyeria multocarinata* 19: 82*-85
- Bombina variegata* 19: 92; 20: 138
 variegata 19: 31, 34, 53-55
- Bombyinator igneus* 19: 31
- Bothriechis schlegelii* 19: 20
- Bothriopsis bilineata* 19: 20
 pulchra 19: 20
 taeniata 19: 20
- Bothrocophias campbelli* 19: 17-25
 hyoprora 19: 17-25
 microphthalmus 19: 17-25
 myersi 19: 22
- Bothrops asper* 19: 20
 atrox 19: 20
 brazili 19: 20
 neuviedii diporus 19: 86
 osbornei 19: 20
- Boulengerula* 19: 124
- Bufo americanus* 19: 112
 andrewsi gargarizans 20: 7
 arabicus 20: 4
 arenarium 19: 112; 20: 105
 bufo 19: 112, 117, 181; 20: 4, 102, 105, 138,
 184-186*
 spinosus 19: 31, 34, 53-55, 95
 (siehe auch/see also *Bufo spinosus*)
 calamita 19: 95, 112, 192; 20: 4, 7, 103
 camerunensis 19: 135-148
 funereus 19: 135-148
 gargarizans 20: 7
 gracilipes 19: 135-148
 latifrons 19: 135-148
 marinus 20: 93
 maculatus 19: 135-148
 melanostictus 19: 111-119*; 20: 7, 100, 106
 pentoni 19: 112, 117; 20: 105
 petiti 19: 139
 (*Pseudepidalea*) *viridis* x *Bufo* (*Bufo*) *bufo*
 20: 184-186*
- regularis* 19: 135-148
- spinosus* siehe/see *Bufo bufo spinosus*
- superciliaris* 19: 135-148
- tuberous* 19: 135-148
- variabilis* 19: 31; 20: 4, 9
 viridis 19: 89, 92, 94; 20: 3-10, 184-186*
 arabicus 20: 4, 8
 variabilis 20: 9
 viridis 19: 14, 31, 34, 53-55, 180; 20:
 3-10, 85, 94, 95
 viridis x *Bufo bufo* 20: 184-186*
- Calamaria acutirostris* 20: 181
 apraeocularis 20: 181
 curta 20: 181
- Cardioglossa gracilis* 19: 135-148
 gatiosia 19: 135-148
 leucomystax 19: 135-148
- Caretta caretta* 19: 38
- Casarea dussumieri* 19: 82, 83
- Centrolene* 20: 27
 acanthidiocephalum 20: 33
 altitudinale 20: 33
 andinum 20: 33
 antioquiense 20: 34
 audax 20: 29*, 34
 azulae 20: 34
 bacatum 20: 32, 34
 balionotum 20: 34

- Centrolene buckleyi* 20: 30, 34
durrellorum sp.n. 20: 27-34*
geckoideum 20: 34
grandisonae 20: 34
guanacarum 20: 34
heloderma 20: 29, 34
hesperium 20: 29, 34
huilense 20: 34
hybrida 20: 29, 34
ilex 20: 30, 34
lemniscatum 20: 30
litorale 20: 34
lynchi 20: 34
mariaelenae 20: 32, 34
medemi 20: 34
notostictum 20: 34
paezorum 20: 34
peristicum 20: 34
petrophilum 20: 34
pipilatum 20: 34
prosoblepon 20: 34
quindianum 20: 34
robledo 20: 34
sanchezi 20: 34
tayrona 20: 30, 34
venezuelense 20: 30
- Chalcides armatigei* 20: 189-191*
bottegi 20: 189
chalcides 20: 189
mauritanicus 20: 191
mertensi 20: 189
minutus 20: 189
ocellatus 19: 181; 20: 189
parallelus 20: 191
pseudostriatus 20: 189
pulchellus 20: 189
ragazzi 20: 189
striatus 20: 189
thierryi 20: 189
- Chamaeleo chamaeleon* 19: 77; 20: 25
chamaeleon 19: 94
ntunte T 19 (1/2)*
- Chaperina fusca* 20: 168, 169
- Chaunus* siehe/see *Bufo*
- Chelonia mydas mydas* 20: 22
- Chelonoidis chilensis* 19: 85, 86
- Chiromantis rufescens* 19: 135-148
- Chlorolius koehleri* 19: 135-148
- Chrysemys* 20: 187-189
picta 20: 187-189
picta 20: 187-189
- Cnemidophorus serranus* 19: 85, 86
- Cochranella* 20: 27, 32
punctulata 20: 75-77*
puyoensis 20: 32
- Coluber* siehe auch/see also *Hemorrhois*, *Hierophis*, *Platyceps*, *Zamenis*
- caspius* 19: 181
natrix 19: 50
viridiflavus 20: 82
- Conraua crassipes* 19: 135-148
- Cophixalus* 19: 59-75
ateles 19: 69
balbus 19: 60
bewaniensis 19: 60, 61, 69, 70, 73, 75
crepitans 19: 70
biroi 19: 60
cheesmaniae 19: 60
- Cophixalus humicola* sp. n. 19: 70*-75
pipilans 19: 60, 69
riparius 19: 60
saxatilis 19: 60
shellyi 19: 60, 69
sphagnicola 19: 60, 69
tetzlaffi 19: 60
tridactylus sp. n. 19: 61*-75; T 19 (3/4)*
Coronella austriaca 19: 101-107, 181; 20: 192*
Crotalus durissus terrificus 19: 85, 86
- Cyclotyphlops deharvengi* 20: 181
- Cyrtodactylus* siehe/see *Cyrtopodion*
- Cryptothylax greshoffi* 19: 135-148
- Cyrtopodion kotschy* 19: 181; 20: 95
steindachneri 19: 14, 15
scaber 20: 22
- Dendrophidion* 20: 86
bivittatus 20: 86-88*
brunneus 20: 86, 88
dendrophis 20: 86-88
nuchalis 20: 86-88
percarinatus 20: 86-88
- Dendropsophus branneri* 19: 170
elegans 19: 10
- Dermochelys coriacea* 19: 38
- Dimorphognathus africanus* 19: 135-148
- Dipsadoboaa duchesnii* 19: 139
- Discoglossus galganoi* 19: 95
- Duttaphrynus* siehe/see *Bufo*
- Echinantera* 20: 79
amoena 20: 79
cephalomaculata 20: 79
cephalostriata 20: 79
cyanopleura 20: 79
melanostigma 20: 79
occipitalis 19: 86
undulata 20: 79-81*
- Echis carinatus* 19: 126
coloratus 20: 25
- Eirenis collaris* 20: 85
coronella 19: 87
modestus 19: 16
- Elaphe* siehe auch /see also *Zamenis*
dione 19: 101-107
longissima 19: 181; 20: 94
quatuorlineata 19: 181
muenteri 20: 94, 95
quatuorlineata 19: 45*, 47, 48*, 49,
53-55
rechingeri 20: 94
- rechingeri* 20: 94, 95
situla 19: 181
taeniura friesei 20: 193-195*
- Eleutherodactylus* sp. 20: 91
- Emys orbicularis* 19: 101-107, 189-192*; 20: 11-20*
colchica 20: 13, 18
eiselti 20: 13
hellenica 19: 38, 42, 53, 180; 20: 13,
16, 18
luteofusca 20: 13
orbicularis 20: 16, 18
trinacris 20: 11
- Epicrates cenchria alvarezi* 19: 85, 86
- Epidalea* siehe/see *Bufo*
- Eryx jaculus* 19: 93, 94, 181; 20: 94, 95

Eumeces algeriensis cf. *meridionalis* 19: 94
schneideri 19: 87; 20: 23, 85
Euphlyctis hexadactylus 20: 99-107
cyanophlyctis 19: 112, 116, 117; 20: 105
Euprepis auratus 19: 16
Gegeneophis 19: 121-127
seschachari 19: 121-127*
Geochelone sulcata T 20 (1/2)*
Geotrypetes seraphini 19: 135-148
Gymnodactylus kotschy 20: 94

Hemidactylus 20: 73, 74
mabouia 20: 175
mindiae 20: 73-75*
turcicus 20: 94, 95
lavadeserticus 20: 73
turcicus 19: 15, 37*, 38, 42,
53-55, 181; 20: 73, 74
Hemisus perreti 19: 135-148
Hemorrhois nummifer 19: 16; 20: 23
Herpele squalostoma 19: 135-148
Hierophis gemonensis 19: 45*, 46, 47, 49, 53-55, 181
jugularis 19: 14, 15; 20: 25
viridisflavus 9: 53-55; 20: 82
carbonarius 9: 52
Homonota fasciata 19: 86; 20: 182-184
Homopus sp. 19: 129-134
bergeri 19: 129
Hoplobatrachus occipitalis 19: 135-148
tigerinus 19: 112
Hyalinobatrachium 20: 27
pellucidum 20: 32
Hydrochelys 20: 187-189
picta 20: 187-189
Hyla siehe auch/see also *Hypsiboas*
Hyla arborea 19: 31, 32, 34, 53
arborea 19: 180
molleri 19: 95
meridionalis 19: 95, 192
savignyi 20: 22
Hymenochirus boettgeri 19: 135-148
feae 19: 135-148
Hyperolius acuticeps 19: 4
cinnamomeoventris 19: 135-148*
concolor 19: 5, 7, 8
guttulatus 19: 135-148
cf. kuligae 19: 135-148
lamottei 19: 4
marmoratus 19: 135-148
mosaicus 19: 135-148
nasutus 19: 3-7, 8*, 9-12, 135-148
nitidulus 19: 5, 8, 10
ocellatus 19: 135-148
pardalis 19: 135-148
phantasticus 19: 135-148
platyceps 19: 135-148
tuberculatus 19: 135-148
Hypsiboas albomarginatus 19: 170
faber 19: 170

Indotyphlus battersbyi 19: 121
maharashtraensis 19: 126
Invertebrata
Amblyomma cordiferum 20: 193-195*
Iberolacerta horvathi 19: 149-160

Kalophrynus 20: 169
baluensis 20: 171
eok 20: 168, 171
heterochirus 20: 171
intermedius 20: 171
nubicola 20: 171
pleurostigma 20: 168, 169
punctatus 20: 171
sp. 20: 168
subterrestris 20: 171
Kassina sp. 19: 135-148

Lacerta siehe auch/see also *Iberolacerta*, *Timon*, *Gallotia*, *Podarcis*
agama 20: 69
agilis 19: 101-107; 20: 123, 174
argus 20: 174
cf. bosnica var. *erythronota* 20: 174*
chermonensis 20: 174
tauridica 20: 174
var. *erythronota* 20: 174
bilineata *bilineata* 19: 37*, 40-42, 53
cappadocica 19: 87; 20: 85
dugesii 20: 175
leptida *leptida* 19: 95
cf. kulzeri 20: 74
erhardi amorgensis 20: 94
litoralis 19: 46
media 20: 85
mosorensis 19: 92, 93
oxycephala 19: 41*, 49, 53-55
serpa 19: 43
sp. 19: 101-107
(*Timon*) *leptida* *leptida* 19: 95
trilineata major 19: 40, 42, 53-55, 180
viridis 19: 40, 92, 181; 20: 173

Lachesis muta 19: 20
Lampropeltis triangulum 19: 182-183
micropholis 19: 182-183

Laudakia nupta 20: 60, 63, 64
stellio 20: 94, 95
daani 19: 14, 15
stellio 20: 22, 23

Leiosaurus paronae 19: 85, 86
Leposoma rugiceps 20: 77, 79
southi 20: 77-79*

Leptodactylodon blancki 19: 135-148
stevari 19: 135-148

Leptopelis aubryi 19: 135-148
boulengeri 19: 135-148
brevirostris 19: 135-148
calcaratus 19: 135-148
crystallinorun 19: 135-148
knoepflii 19: 145
millsoni 19: 135-148
notatus 19: 135-148
ocellatus 19: 135-148*, 170
omissus 19: 135-148
rufus 19: 135-148
viridis 19: 135-148

Leptotyphlops macrorhynchus 19: 87; 20: 85
palawanensis 20: 169, 169

Limnonectes limnocharis 19: 112, 117, 118; 20: 105
Liolemus chacoensis 19: 86
sp. aff. gracilis 19: 85, 86
inacayali 19: 90-92

Liophis 20: 79
epinephelus group 20: 88

- Liophis reginae* 20: 80
typhlus 20: 80
- Lissotriton vulgaris* siehe/see *Triturus vulgaris*
- Lystrophis pulcher* 19: 86
- Mabuya* siehe auch/see also *Euprepes*, *Euprepis*,
Trachylepis
aurata 20: 85
dorsivittata 19: 86
- Macroprotodon abubakeri* 19: 77-81
brevis 19: 77-81
ibericus 19: 78-80, 95
cucullatus 19: 77-81
texilis 19: 79-80
mauritanicus 19: 77-81
- Malpolon monspessulanum* *monspessulanum* 19: 52,
89, 95
monspessulanus 20: 81-82*
insignitus 19: 50*-53, 181
- Mauremys caspica* 19: 189; 20: 22, 85
caspica 20: 22
leprosa 19: 95, 192
rivulata 19: 14, 180, 181, 189, 190; 20: 22,
25, 94, 95
- Metaphrynella sundana* 20: 167*, 168, 169
- Microhyla* 20: 171
boreneensis 20: 168, 169
ornata 19: 112, 116, 117; 20: 105
sp. 20: 167*, 168, 169, 171
- Micrurus margaritiferus* 19: 186-187*
pyrrhocryptus 19: 85, 86
- Montivipera xanthina* 19: 15
- Natriciteres fuliginoides* 19: 139
- Natrix maura* 19: 95; 20: 82
natrix 19: 101-107, 190; 20: 25, 82, 122
helvetica 19: 50, 51, 53
natrix 19: 50
persa 19: 50, 181
tessellata 19: 50, 51, 53, 101-107, 181; 20: 25,
35-56, 85
heinrothi 19: 51
- Nectophryne afra* 19: 135-148
batesii 19: 135-148*
- Nyctixalus pictus* 20: 168
- Ommatotriton* siehe/see *Triturus*
- Ophiomorus punctatissimus* 19: 181
- Ophiophagus hannah* 20: 194
- Ophisops elegans* 19: 87; 20: 57-66*, 85
elegans ehrenbergii 19: 14, 15
elegans 20: 23
- Opisthotylax immaculatus* 19: 135-148
- Osteocephalus buckleyi* 19: 183
cabrerai 19: 183
deridens 19: 183
fuscifacies 19: 183
lepturieuri 19: 183
mutabor 19: 183
planiceps 19: 183
taurinus 19: 183
yasuni 19: 183
- Oxybelis* siehe auch/see also *Xenoxybelis*
aeneus 19: 188, 189
brevirostris 19: 188, 189
fulgidus 19: 188, 189
- Oxyrhopus rhombifer bachmanni* 19: 86
- Pelobates syriacus* 19: 181
- Pelophryne api* 20: 168, 171
breviceps 20: 168, 169
exigua 20: 171
guentheri 20: 171
macrotis 20: 171
misera 20: 168, 169
rhopophilia 20: 171
signata 20: 168, 171
- Pelophylax* siehe/see *Rana*
sp. 20: 95
- Petropedetes newtoni* 19: 135-148
palmipes 19: 135-148
parkeri 19: 135-148
- Pflanzen/Plants**
- Acacia* sp. 19: 85
gerrardii 20: 67
- Adiantum capillus-veneris* 20: 74
- Alnus viridis* 20: 90
- Anabasis* 20: 23
- Asarum europaeum* 19: 30
- Aspidosperma quebracho-blanco* 19: 85
- Asplenium* 20: 165
- Astragalus* sp. 20: 61
- Campanula istriaca* 19: 30
- Carpinus orientalis* 19: 13; 20: 192
- Castanea sativa* 19: 30
- Centaurea dalmatica* 19: 30
- Chuquiraga avellaneda* 19: 91
- Colocasia* 20: 165
- Corydalis acaulis* 19: 30
solidia 19: 30
- Crataegus* sp. 19: 89; 20: 192
- Eleocharis acutangula* 19: 5, 7, 10
- Ficus pseudo-sicomorus* 20: 74
- Galanthus nivalis* 19: 30
- Gigantochloa levis* 20: 168
- Ilex aquifolium* 19: 30
- Juniperus* 19: 43
phoenicea 20: 95
- Koompasia excelsa* 20: 169
- Larrea divaricata* 19: 85
- Laurus nobilis* 19: 13
- Lycium* sp. 19: 91, 130
- Mesembryanthemum* 19: 130, 133
- Musa* 20: 165
- Mymozgyanthus carinatus* 19: 85
- Nassauvia axillaris* 19: 91
glomerulosa 19: 90
- Nauclea latifolia* 19: 5, 8
- Nepenthes* 20: 165-172
ampullaria 20: 165, 167*, 168
bicalcarata 20: 168
veitchii 20: 169
- Nitraria retusa* 20: 23
- Nymphaea lotus* 19: 5, 7, 8
- Ostrya carpinifolia* 19: 13; 20: 192
- Pandanus* 20: 165, 168
- Phragmites australis* 19: 190
- Picea abies* 20: 90
- Prosopis* sp. 19: 85
- Populus alba* 19: 190
- Potamogeton* 19: 35
- Prosopis denudans* 19: 91
- Quercus aucheri* 19: 13
cerris 19: 30; 20: 192
coccifera 19: 13; 20: 94
ilex 19: 30

- Pflanzen fortgesetzt/Plants cont.
- macrolepis* 19: 13; 20: 94
 - pubescens* 19: 30, 38; 20: 192
 - Rubus canescens* 19: 190
 - Salix alba* 19: 190
 - Salvia* 19: 35, 40, 41, 48
 - Sanicula europaea* 19: 30
 - Sporobolus* sp. 20: 67
 - Stipa humilis* 19: 91
 - Tamarix smyrnensis* 19: 190
 - Themeda* sp. 20: 67
 - Typha* 19: 32, 35, 41, 43, 48, 50
 - Viola reichenbachiana* 19: 30
 - Philautus* 20: 165, 169
 - kerangae* 20: 165, 166*
 - mjobergi* 20: 165
 - sauvieri* 20: 165
 - sp. 20: 169
 - Philodryas psammophideus* 19: 86
 - Phimophis vittatus* 19: 86
 - Phlyctimantis* cf. *boulengeri* 19: 135-148
 - leonardi* 19: 135-148
 - Phrynobatrachus auritus* 19: 135-148
 - batesii* 19: 135-148
 - cornutus* 19: 135-148
 - ogoensis* 19: 135-148
 - Phyllonastes* 19: 184-186
 - carrascoicola* 19: 184
 - duellmani* 19: 184, 185
 - heyperi* 19: 184, 185
 - lochites* 19: 184, 185; 20: 32
 - lynchi* 19: 184, 185
 - myrmecoides* 19: 184-186
 - ritarasquinae* 19: 184, 185
 - sp. A 19: 184
 - sp. B 19: 185
 - sp. C 19: 185
 - sp. D 19: 185
 - Plants see Pflanzen
 - Platyceps najadum* 19: 53, 181; 20: 85
 - ventromaculatus* 19: 87
 - Pleurodeles waltli* 19: 95, 192
 - Podarcis erhardii* 19: 92, 181; 20: 95
 - hispanica* 19: 77, 192
 - hispanica* 19: 95, 192
 - melisellensis fiumana* 19: 41, 43, 46, 49, 53, 54
 - muralis* 19: 92, 93, 149-160; 20: 137, 141, 173
 - muralis* 19: 44, 46, 49, 53, 149-160; 20: 192
 - maculivenris* 19: 44*, 46, 49, 53
 - sicula* 19: 41
 - campestris* 19: 46, 49, 53
 - Polypedates macrotis* 20: 169, 171
 - maculatus* 19: 112
 - Proceratophrys boiei* 19: 170
 - Psammobates tentorioides verrucosus* 19: 129, 133
 - Psammobromus algirus* 19: 95, 192
 - Psammophis* cf. *phillipsii* 19: 139
 - Pseudepidalea* siehe/see *Bufo*
 - Pseudis bolbodactyla* 19: 170
 - Pseudopus thracus* 19: 39, 42, 53-55, 181
 - Ptyas mucosus* 20: 194
 - Ptychadena aequiplicata* 19: 135-148
 - mascareniensis* 19: 135-148
 - perreti* 19: 135-148
 - pumilio* 19: 135-148
 - superciliaris* 19: 142
- Python curtus:* 20: 194
reticulatus 20: 194
- Rana bedriagae* 19: 14
 - dalmatina* 19: 32-35, 53, 54, 180; 20: 138, 186
 - esculenta* 19: 35, 117; 20: 105
 - kurtmuelleri* 19: 180
 - latastei* 20: 102
 - perezi* 19: 95, 192
 - ridibunda* 19: 34-35, 53, 54, 92, 117, 180, 181, 190; 20: 25, 85, 94, 95, 105, 186
 - temporaria* 19: 112, 117; 20: 102, 105, 173
- Rhacophorus* 20: 171
 - harrissoni* 20: 169, 170*
- Rhadinaea* 20: 79
 - decorata* 20: 91*
- Rhynchoscalamus arabicus* 20: 82
 - barani* 20: 82
 - melanocephalus* 20: 82
 - melanocephalus* 20: 82
 - satunini* 20: 82-86*
- Salamandra atra* 20: 88-91
 - salamandra* 20: 173
 - salamandra* 19: 179, 180; 20: 89
 - gallaiica* 19: 95
- Schoutedenella sylvatica* 19: 135-148
- Scinax alter* 19: 170
 - argyreornatus* 19: 161-173
 - catharinae* 19: 163
 - fuscovarius* 19: 170
 - quinquefasciatus* 20: 93
- Scincus scincus* 20: 25
- Scotobleps gabonicus* 19: 135-148
- Silurana epitropicalis* 19: 135-148
- Spalerosophis* 20: 109-115
 - arenarius* 20: 109-115*
 - atriceps* 20: 109-115*
 - cliffordi* 20: 109-115
 - diadema* 20: 109-115
 - cliffordi* 20: 109-115
 - diadema* 20: 109-115
 - dolichospila* 20: 109-115
 - schirazianus* 20: 109-115*
 - dolichospila* 20: 109-115
 - dolichospilus* 20: 109-115
 - josephscortecci* 20: 109-115
 - microlepis* 20: 109-115
 - schiraziana* 20: 109-115*
 - schirazianus* 20: 109-115*
- Sphenomorphus variegatus* 20: 181
- Staurois latopalmatus* T 20 (3/4)*
- Stenocercus doellojuradoi* 19: 85, 86
- Stenodactylus* 20: 23
- Taeniophallus* 20: 79
- Tarentola mauritanica* 19: 38, 42, 53, 54, 95;
 - 20: 175*-177
 - mauritanica* 20: 175*-177
- Teius teyou* 19: 85, 86
- Telescopus fallax fallax* 19: 50, 51*, 52, 53-55, 181; 20: 94
- Testudo graeca* 19: 16; 20: 85
 - graeca* 19: 94; 20: 25
 - ibera* 19: 35
 - terrestris* 20: 22, 24*, 25
 - hermanni boettgeri* 19: 34-35, 53-55, 180

Testudo marginata 19: 180; 20: 95
picta 20: 188
Thelodera horridum 20: 169
Trachycephalus jordani 20: 92-94
Trachylepis brevicollis 20: 67-69
dichroma 20: 67-69*
Trapelus lessonae 20: 60, 63, 64
pallidus agnetae 20: 23, 24*
persicus fieldii 20: 23, 24*
ruderatus 20: 85
ruderatus 20: 23
Trichobatrachus robustus 19: 135-148
Triturus 20: 89
alpestris 20: 89
carnifex 20: 145-163
cristatus 19: 181; 20: 145-163
superspecies 20: 145-163
dobrogicus 20: 146, 158
(Ommatotriton) vittatus vittatus 20: 22
pygmaeus 19: 95, 192
vittatus vittatus 20: 22
vulgaris 19: 181; 20: 186
meridionalis 19: 31, 34, 53-55
Tropidonotus Sarasinorum 20: 178
Tropidurus ethridgei 19: 86
spinulosus 19: 85, 86
Tropiocolotes bisharicus 19: 179
helenae 20: 60, 64
somalicus 19: 177-179*
tripolitanus 19: 177-179
somalicus 19: 177
Tupinambis rufescens 19: 86
Typhlops vermicularis 19: 181; 20: 85

Uperoleia 19: 11
Uromastyx 19: 89
aegyptia 20: 25

Vanzosaura rubricauda 19: 85, 86
Varanus albicularis 19: 133
griseus 20: 23, 25

Vertebrata

Apodemus 20: 137
Arvicola terrestris 20: 137
Canis mesomelas 19: 133
Corvus albus 19: 133
capensis 19: 133
Cynictis penicillata 19: 133
Falco eleonorae 19: 14
Gambusia affinis 19: 31, 32, 35
Glis glis 20: 137
Hyaena brunnea 19: 133
Larus argentatus 19: 51
Marmosops noctivagus 19: 21, 22
Microtus 20: 137
agrestis 20: 137
arvalis 20: 137, 141
Mus musculus 19: 87; 20: 136, 137
Myospalax myospalax 19: 105
Nyctalus noctula 20: 141
Papio ursinus 19: 133
Rattus norvegicus 20: 137
Ruticilla sp. 19: 51
Talpa europaea 20: 137
Vipera siehe auch/see also *Montivipera*
Vipera ammodytes 19: 92
ammodytes 19: 52, 53, 4
meridionalis 19: 181
berus 19: 101-107; 20: 138, 157
ursini 19: 53, 101-107

Waglerophis merremi 19: 85, 86
Walterinnesia aegyptia 19: 87-90*
Werneria iboundji 19: 135-148

Xenopus andrei 19: 135-148
fraseri 19: 135-148
cf. laevis 19: 141, 145
petersii 19: 135-148
Xenoxybelis argenteus 19: 188, 189
boulengeri 19: 188, 189
Zamenis longissimus 19: 47, 49, 53, 181; 20: 192
longissimus longissimus 20: 117-143
situlus 19: 48-50, 53-55, 181
Zootoca vivipara 19: 101-107

SACHREGISTER / KEY WORD AND SUBJECT INDEX

16S rRNA (*Bufo [Pseudepidalea] viridis*, intraspecific variation in Turkey) 20: 3-10
Acarina siehe/see Parasitism
Activity (*Lacerta viridis*, hibernation, overwintering, physiology, Slovakia) 20: 173
(*Zamenis longissimus longissimus*, ecology, habitat selection, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
Activity range (*Homopus* sp., ecology, behavior, in SW Namibia) 19: 129-134
Additional newly discovered specimen (*Boyeria*, evidence for oviparity) 19: 82-85
Advertisement call (Two new tiny *Cophixalus* from west New Guinea) 19: 59-75
Afghanistan (*Spalerosophis*, Indo-Pakistan, Iran) 20: 109-115
Africa (Amphibians and National Parks in Gabon) 19: 135-148
(*Homopus* sp., ecology, behavior, in SW Namibia) 19: 129-134
Age (*Bufo melanostictus* in India, age and longevity, skeletochronology) 19: 111-119
(*Euphylyctis hexadactylus* in India, skeletochronology, age, growth, longevity) 20: 99-107
Age determination siehe/see age
Age structure siehe/see Age
Albania (*Lacerta mosorensis*, new to the herpeto-

- fauna) 19: 92-93
- Alentejo, Portugal (herpetofaunal records from Sierra de Monfurado) 19: 94-96
- Alimentary habits siehe/see Feeding/Prey
- Amazonia Andean Foothills (A new species of *Centrolene* from Ecuador) 20: 27-34
- Ambon (Death adders of the *Acanthophis laevis* complex from Ambon, Indonesia) 19: 81-82
- Amorgos Island, Greece (Herpetofauna) 20: 94-96
- Anatolia siehe/see Turkey
- Arachnida siehe/see Parasitism
- Argentina (*Hormonota fasciata*, southernmost records, Patagonia, Argentina) 20: 182-184
(Liolaemus inacayali, Río Negro Province, Argentina) 19: 90-92
(Reptile fauna of Chancaní Reserve, Argentina, species list) 19: 85-86
- Arid Chaco (Reptile fauna of Chancaní Reserve, Argentina, species list) 19: 85-86
- Armitage's Skink (*Chalcides armitagei*, first record from coastal Guinea Bissau and Senegal) 20: 189-191
- Asia Minor (*Bufo [Pseudepidalea] viridis*, intraspecific variation in Turkey) 20: 3-10
- Atlantic rainforest (*Scinax argyreornatus*, diet, foraging, reproduction, Brazil) 19: 161-173
- Austria siehe auch/see also Carinthia, Gailtaler Alpen, Salzburg, Lienzer Dolomiten, The Tyrol
(*Bufo [Pseudepidalea] viridis* x *Bufo [Bufo] bufo*, natural hybridization, Austria) 20: 184-186
(*Natrix tessellata* in the Southern Vienna Basin, Lower Austria) 20: 35-56
(*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
(*Salamandra atra*, Ötztaler Alpen Massif) 20: 88-91
(*Triturus cristatus* superspecies populations in Salzburg, their distribution, size and conservation status) 20: 145-163
(*Zamenis longissimus longissimus*, ecology, habitat selection, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Behavior (Reproductive biology of *Hyperolius nasutus*) 19: 3-12
(Distribution and natural history of *Bothrocophias*) 19: 17-26
(*Emys orbicularis*, overwintering hatching, Turkey) 19: 189-192
(*Homopus* sp., ecology, behavior, in SW Namibia) 19: 129-134
(*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
(Two new tiny *Cophixalus* from west New Guinea) 19: 59-75
(*Zamenis longissimus longissimus*, ecology, habitat selection, activity,
- syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Biogeographic regions (*Leposoma southi*, new record in Colombia) 20: 77-79
- Biogeography see also Chorology, Distribution, Faunistics
(Cres Island, Croatia, Herpetofauna) 19: 27-58
(Distribution and natural history of *Bothrocophias* in Ecuador) 19: 17-26
- Biology (Distribution and natural history of *Bothrocophias* in Ecuador) 19: 17-26
(*Emys orbicularis*, overwintering hatching, Turkey) 19: 189-192
(two new tiny *Cophixalus* from west New Guinea) 19: 59-75
(*Osteocephalus* spp. in Ecuador) 19: 183
(*Trachycephalus jordani*, Ecuador) 20: 92-94
- Borneo (Phytotelm breeding anurans of Borneo - a synopsis) 20: 165-172
- Brazil (*Scinax argyreornatus*, diet, foraging, reproduction) 19: 161-173
- Breeding siehe/see Reproduction
- Bulgaria (*Emys orbicularis* in European Turkey and E Bulgaria, morphology) 20: 11-20
- Carinthia (*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
- Caucasus (*Bufo [Pseudepidalea] viridis*, intraspecific variation in Turkey) 20: 3-10
- Chancaní Reserve, Argentina (Reptile fauna, species list) 19: 85-86
- Chorology see also Biogeography, Distribution, Faunistics, New country and island records
(*Lacerta mosorensis*, new to the herpetofauna of Albania) 19: 92-93
(*Liolaemus inacayali*, Río Negro Province, Argentina) 19: 90-92
- Circadian and circannual activity pattern (*Zamenis longissimus longissimus*, ecology, habitat selection, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Coastal areas siehe/see Guinea Bissau (*Chalcides*)
- Colombia (*Cochranella punctulata*, new record in Colombia, conservation status) 20: 75-77
(*Leposoma southi*, new record in Colombia) 20: 77-79
- Comoé National Park (Reproductive biology of *Hyperolius nasutus*) 19: 3-12
- Conservation (Amphibians and National Parks in Gabon, Africa) 19: 135-148
(*Cochranella punctulata*, new record in Colombia, conservation status) 20: 75-77
(*Gegeneophis seshachari*, rediscovery at the type locality) 19: 121-127
(Herpetofaunal records from Sierra de Monfurado, Portugal) 19: 94-96
(Herpetofaunal observations and notes on

- reptile trade in Syria) 20: 21-26
- Conservation (Reptile fauna of Chancani Reserve, Argentina, species list) 19: 85-86
(Triturus cristatus superspecies populations in Salzburg, their distribution, size and conservation status) 20: 145-163
- Conservation status (*Lampropeltis triangulum*, Ecuador) 19: 182-183
(Triturus cristatus superspecies populations in Salzburg, their distribution, size and conservation status) 20: 145-163
- Corsica (*Malpolon monspessulanus*) 20: 81-82
- Cres Island (*Coronella austriaca*, record from Cres Island) 20: 192
(Croatia, Herpetofauna) 19: 27-58
- Crne Gore siehe/see Montenegro
- Croatia (Cres Island Herpetofauna) 19: 27-58
(Coronella austriaca, record from Cres Island) 20: 192
- Cytochrome-b (Phylogeography of *Macroprotodon*) 19: 77-81
- Decline siehe/see Population Size
- Diet see Feeding, Prey
- Distribution (*Amphiesma sarasinorum*, new specimens from SW Sulawesi) 20: 178-182
(Bothrocophias in Ecuador, distribution and natural history) 19: 17-26
(Chalcides armatigei, first record from coastal Guinea Bissau and Senegal) 20: 189-191
(Cochranella punctulata, new record in Colombia, conservation status) 20: 75-77
(Cres Island, Croatia, Herpetofauna) 19: 27-58
(Death adders of the *Acanthophis laevis* complex from Amboin, Indonesia) 19: 81-82
(Eryx jaculus, new record from Morocco) 19: 83, 94
(Herpetofaunal records from Sierra de Monfurado, Portugal) 19: 94-96
(Herpetofaunal observations and notes on reptile trade in Syria) 20: 21-26
(Lacerta mosorensis, new to the herpetofauna of Albania) 19: 92-93
(Lampropeltis triangulum, Ecuador) 19: 182-183
(Leposoma southi, new record in Colombia) 20: 77-79
(Liolaemus inacayali, Río Negro Province, Argentina) 19: 90-92
(Malpolon monspessulanus, Corsica, France) 20: 81-82
(Micrurus margaritiferus in Ecuador) 19: 186-187
(Osteocephalus spp. in Ecuador) 19: 183
(Oxybelis and *Xenoxybelis* in Ecuador) 19: 188-189
(Phyllonastes, Ecuador, Peru) 19: 184-186
(Rhynchocalamus melanocephalus satunini in Turkey) 20: 82-86
(Salamandra atra, Ötztaler Alpen Massif) 20: 88-91
- Distribution (*Spalerosophis*, Indo-Pakistan, Iran) 20: 109-115
(Triturus cristatus superspecies populations in Salzburg, their distribution, size and conservation status) 20: 145-163
(Walterinnesia aegyptia, second record from SE Anatolia) 19: 87-90
- Distribution maps (Cres Island, Croatia, Herpetofauna) 19: 27-58
- Diversity (Reptile fauna of Chancani Reserve, Argentina, species list) 19: 85-86
(Amphibians and National Parks in Gabon, Africa) 19: 135-148
- Dodecanese see Greece
- Ecology siehe auch/see also Feeding
(Distribution and natural history of *Bothrocophias* in Ecuador) 19: 17-26
(Emys orbicularis, overwintering hatching, Turkey) 19: 189-192
(Euphlyctis hexadactylus, skeletochronology, age, growth, longevity) 20: 99-107
(Homopus sp., ecology, behavior, in SW Namibia) 19: 129-134
(Ophisops elegans, reproductive cycle in western Iran) 20: 57-66
(Phytotelm breeding anurans of Borneo - a synopsis) 20: 165-172
(Podarcis muralis, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
(Reproductive biology of *Hyperolius nasutus*) 19: 3-12
(Scinax argyreornatus, diet, foraging, reproduction, Brazil) 19: 161-173
(Zamenis longissimus longissimus, habitat selection, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Ecuador (*Bothrocophias*, distribution and natural history) 19: 17-26
(A new species of *Centrolene* from Ecuador) 20: 27-34
(Dendrophidion bivittatum, first record from Ecuador) 20: 86-88
(Echinantera undulata, new country record) 20: 79-81
(Lampropeltis triangulum, distribution) 19: 182-183
(Micrurus margaritiferus, new country record) 19: 186-187
(Osteocephalus spp. in Ecuador) 19: 183
(Oxybelis and *Xenoxybelis* in Ecuador) 19: 188-189
(Phyllonastes, Ecuador, Peru) 19: 184-186
Ecuador (*Trachycephalus jordani*, Ecuador) 20: 92-94
Eggs (*Bolyeria*, evidence for oviparity) 19: 82-85
Endemism (*Amphiesma sarasinorum*, new specimens from SW Sulawesi) 20: 178-182
- Eritrea (*Tropiocolotes somalicus*, addition to the herpetofauna) 19: 177-179
- erythronotus mutation (*Lacerta agilis* cf. *bosnica* var. *erythronota*) 20: 174

- Evolution (Phylogeography of *Macroprotodon*) 19: 77-81
- Evolutionary history (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Extinction (Herpetofauna of Tilos, Greece) 19: 13-16
- Faunistics (*Cochranella punctulata*, new record in Colombia, conservation status) 20: 75-77
- (Cres Island, Croatia, Herpetofauna) 19: 27-58
- (*Eryx jacchus*, new record from Morocco) 19: 83, 94
- (*Liolemaus inacayali*, Río Negro Province, Argentina) 19: 90-92
- (Herpetofauna of Amorgos, Greece) 20: 94-96
- (Herpetofauna of Tilos, Greece) 19: 13-16
- (Herpetofaunal observations and notes on reptile trade in Syria) 20: 21-26
- (Herpetofaunal records from Sierra de Monfurado, Portugal) 19: 94-96
- (*Hormonota fasciata*, southernmost records, Patagonia, Argentina) 20: 182-184
- (*Leposoma southi*, new record in Colombia) 20: 77-79
- (*Natrix tessellata* in the Southern Vienna Basin, Lower Austria) 20: 35-56
- (*Osteocephalus* spp. in Ecuador) 19: 183
- (Reptile fauna of Chancaní Reserve, Argentina, species list) 19: 85-86
- (*Salamandra atra*, Ötztaler Alpen Massif) 20: 88-91
- (Sierra de Monfurado, Portugal, herpetofauna) 19: 192
- (*Trachylepis dichroma*, Tanzanian material, type locality) 20: 67-69
- (*Walterinnesia aegyptia*, second record from SE Anatolia) 19: 87-90
- Favorable conservation status siehe/see Conservation status
- Fecundity (*Scinax argyreornatus*, diet, foraging, reproduction, Brazil) 19: 161-173
- Feeding see also Prey
- (Distribution and natural history of *Bothrocophias* in Ecuador) 19: 17-26
 - (Diet, foraging, reproduction in *Scinax argyreornatus*, Brazil) 19: 161-173
 - (Diet of *Rhadinea decorata*) 20: 91
 - (*Trachycephalus jordani*, molluscivory) 20: 92-94
 - (*Zamenis longissimus longissimus*, ecology, habitat selection, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Female choice (*Hyperolius nasutus*) 19: 3-12
- First record siehe/see New island record, New Country record, Faunistics
- Food siehe/see Feeding
- Formosa siehe/see Taiwan (ROC)
- France (*Malpolon monspessulanus* in Corsica) 20: 81-82
- Gabon, western Central Africa (Amphibians and National Parks) 19: 135-148
- Gailtal Alpen (*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
- Geographic range siehe/see distribution
- Geographical distribution siehe/see distribution
- Glacial refugia (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Greece (Herpetofauna of Amorgos, Greece) 20: 94-96
- (Herpetofauna of Tilos, Greece) 19: 13-16
- (Herpetofauna of the area of lakes Yliki and Paralimni, and Kifissos river, Boeotia) 19: 179-181
- Growth mark see Skeletochronology
- Guinea Bissau (*Chalcides armatigei*, first record from coastal Guinea Bissau and Senegal) 20: 189-191
- Habitat (Two new tiny *Cophixalus* from west New Guinea) 19: 59-75
- Habitat preferences (*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
- (*Natrix tessellata* in the Southern Vienna Basin, Lower Austria) 20: 35-56
- (*Zamenis longissimus longissimus*, ecology, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Habitat requirements siehe/see Habitat preferences
- Habitat selection see/siehe Habitat preferences
- Habitats directive (*Triturus cristatus* superspecies populations in Salzburg, their distribution, size and conservation status) 20: 145-163
- Hatching (*Emys orbicularis*, overwintering hatchling, Turkey) 19: 189-192
- Herpetofauna see Faunistics
- Hibernation (*Lacerta viridis*, hibernation, overwintering, physiology, Slovakia) 20: 173
- Histology (*Ophisops elegans*, reproductive cycle in western Iran) 20: 57-66
- Holocene (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Host siehe/see Parasitism
- Hybridization (*Bufo* (*Pseudepidalea*) *viridis* x *Bufo* (*Bufo*) *bufo*, natural hybridization, Austria) 20: 184-186
- Iberian Peninsula (Phylogeography of *Macroprotodon*) 19: 77-81
- India, eastern (*Bufo melanostictus*, age, longevity, skeletochronology) 19: 111-119
- India (*Euphlyctis hexadactylus*, skeletochronology, age, growth, longevity) 20: 99-107
- (*Gegeneophis seshachari*, rediscovery at the type locality) 19: 121-127
- (*Spalerosophis*, Indo-Pakistan, Iran) 20: 109-115
- Indonesia (*Amphiesma sarasinorum*, new specimens from SW Sulawesi) 20: 178-182

- Indonesia (Death adders of the *Acanthophis laevis* complex from Ambon, Indonesia) 19: 81-82
 (Two new tiny *Cophixalus* from west New Guinea) 19: 59-75
- Inter-Andean Valley (*Leposoma southi*, new record in Colombia) 20: 77-79
- Iran (*Ophisops elegans*, reproductive cycle in western Iran) 20: 57-66
 (*Spalerosophis*, Indo-Pakistan, Iran) 20: 109-115
- Isolation (Herpetofauna of Tilos, Greece) 19: 13-16
- Italy (*Salamandra atra*, Ötztaler Alpen Massif) 20: 88-91
- Ivory Coast (Reproductive biology of *Hyperolius nasutus*) 19: 3-12
- Ixodidae siehe/see Parasitism
- Jordan (*Hemidactylus mindiae*, new country record) 20: 73-75
- Junior Synonym siehe/see Taxonomy (*Hydrochelys*)
- Kifissos river siehe/see Greece
- Kvarner (Cres Island Croatia, Herpetofauna) 19: 27-58
- Larvae (Phytotelm breeding anurans of Borneo - a synopsis) 20: 165-172
- Lienzer Dolomiten (*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
- Lines of arrested growth (LAG) siehe/see skeletochronology
- Local endemism siehe/see Endemism
- Longevity see Age (*Bufo melanostictus*)
 siehe auch/see also Age (*Euphlyctis hexadactylus*)
- Lorestan, Iran (*Ophisops elegans*, reproductive cycle in western Iran) 20: 57-66
- Lower Austria siehe/see Austria
- Madeira Archipelago (*Tarentola mauritanica* from Porto Santo Island, first record) 20: 175-177
- Magdalena River Valley, Columbia (*Cochranella punctulata*, new record in Colombia, conservation status) 20: 75-77
- Maharashtra, India (*Gegeneophis seshachari*, rediscovery at the type locality) 19: 121-127
- Maluku see Indonesia
- Mark-recapture (*Euphlyctis hexadactylus*, skeletochronology, age, growth, longevity) 20: 99-107
- Mitochondrial DNA (Phylogeography of *Macropodus*) 19: 77-81
- Mitochondrial (mt) 12S rRNA (Two new tiny *Cophixalus* from west New Guinea) 19: 59-75
- Molecular biology (*Bufo [Pseudoepepidalea] viridis*, intraspecific variation in Turkey) 20: 3-10
- Molluscivory (*Trachycephalus jordani*, Ecuador) 20: 92-94
- Montenegro (*Lacerta agilis* cf. *bosnica* var. *erythronota*) 20: 174
- Morocco (*Eryx jaculus*, new record) 19: 83, 94
- Morona Santiago, Ecuador (*Micrurus margaritiferus*, new country record) 19: 186-187
- Morphology (*Bolyeria*, evidence for oviparity) 19: 82-85
 (*Cophixalus*, two new tiny *C.* from west New Guinea) 19: 59-75
 (*Echinantera undulata*, Ecuador) 20: 79-81
 (*Emys orbicularis* in European Turkey and E Bulgaria, morphology) 20: 11-20
 (*Gegeneophis seshachari*, rediscovery at the type locality) 19: 121-127
 (*Rhynchocalamus melanocephalus satunini* in Turkey) 20: 82-86
 (*Trachylepis dichroma*, Tanzanian material, type locality) 20: 67-69
 (*Walterinnesia aegyptia*, second record from SE Anatolia) 19: 87-90
- Mutation (*Lacerta agilis* cf. *bosnica* var. *erythronota*) 20: 174
- Namibia (*Homopus* sp., ecology, behavior, in SW Namibia) 19: 129-134
- Natura 2000 (herpetofaunal records from Sierra de Monfurado, Alentejo, Portugal) 19: 94-96
- Natural hybridization siehe/see Hybridization
- Natural history see Biology
- National Parks (Amphibians and National Parks in Gabon, Africa) 19: 135-148
- Neuquén Province (Argentina) siehe/see Argentina
- New country record (Albania, *Lacerta mosorensis*) 19: 92-93
 (Ecuador (*Dendrophidion bivittatum*) 20: 86-88
 (Ecuador, *Echinantera undulata*) 20: 79-81
 (Ecuador, *Lampropeltis triangulum*) 19: 182-183
 (Ecuador, *Micrurus margaritiferus*) 19: 186-187
 (Ecuador, Peru, *Phyllonastes*) 19: 184-186
 (Eritrea, *Tropiocolotes somalicus*) 19: 177-179
 (Jordan, *Hemidactylus mindiae*) 20: 73-75
- New Guinea see Papua New Guinea
- New island record (Corsica, *Malpolon monspessulanus*) 20: 81-82
 (Cres Island, Croatia, Herpetofauna) 19: 27-58
 (*Coronella austriaca*, record from Cres Island) 20: 192
 (Death adders of the *Acanthophis laevis* complex from Ambon, Indonesia) 19: 81-82
- New island record (Herpetofauna of Tilos, Greece) 19: 13-16
 (*Tarentola mauritanica* from Porto Santo Island, first record) 20: 175-177
- New locality record siehe/see Faunistics
- New record siehe/see Faunistics
- New record from Magdalena river valley siehe/see Magdalena River Valley, Colombia

- New specimen data (*Amphiesma sarasinorum*, new specimens from SW Sulawesi) 20: 178-182
- New species (A new species of *Centrolene* from Ecuador) 20: 27-34
(Two new tiny *Cophixalus* from west New Guinea) 19: 59-75
- Niche partitioning (*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
- Nomenclature (*Hydrochelys picta*, junior synonym of *Chrysemys picta picta*) 20: 187-189
- Nomen oblitum siehe/see Nomenclature (*Hydrochelys picta*)
- Nomen protectum siehe/see Nomenclature (*Hydrochelys picta*)
- North Africa (Phylogeography of *Macroprotodon*) 19: 77-81
- Ontogenetic chromatic change (*Osteocephalus* spp. in Ecuador) 19: 183
- Osteology (two new tiny *Cophixalus* from west New Guinea) 19: 59-75
- Ötztaler Alpen Massif, Austria, Italy, (*Salamandra atra*, Öztaler Alpen Massif) 20: 88-91
- Overwintering of neonate (*Emys orbicularis*, overwintering hatchling, Turkey) 19: 189-192
(*Lacerta viridis*, hibernation, overwintering, physiology, Slovakia) 20: 173
- Oviduct epithelial cycle (*Ophisops elegans*, reproductive cycle in western Iran) 20: 57-66
- Pakistan (*Spalerosophis*, Indo-Pakistan, Iran) 20: 109-115
- Palaeontology (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Papua New Guinea (Two new tiny *Cophixalus* from west New Guinea) 19: 59-75
- Papua Province see Papua New Guinea
- Parasite siehe/see Parasitism
- Parasitism (*Elaphe taeniura friesei* parasitized by the hard tick *Amblyomma cordigerum*) 20: 193-195
- Patagonia see Argentina (*Liolaemus*) (*Homonota*)
- Peru (*Phyllonastes*, Ecuador, Peru) 19: 184-186
- Pholidosis see Morphology (*Bolyeria*) 19: 82-85
(*Rhynchocalamus melanocephalus satunini* in Turkey) 20: 82-86
(*Walterinnesia aegyptia*) 19: 87-90
- Phylogeny (*Bufo* [*Pseudoepeorus*] *viridis*, intraspecific variation in Turkey) 20: 3-10
- Physiology (*Homopus* spp., ecology, behavior, in SW Namibia) 19: 129-134
(*Lacerta viridis*, hibernation, overwintering, physiology, Slovakia) 20: 173
- Phytotelm breeding (Phytotelm breeding anurans of Borneo - a synopsis) 20: 165-172
- Pleistocene (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Pliocene (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Population ecology siehe/see Ecology (Age structure)
- Population Size siehe/see (*Triturus cristatus* superspecies populations in Salzburg, their distribution, size and conservation status) 20: 145-163
- siehe/see Ecology (*Zamenis longissimus longissimus*) 20: 117-143
- Porto Santo Island siehe/see Madeira Archipelago Portugal (herpetofaunal records from Sierra de Monfurado) 19: 94-96
(Sierra de Monfurado, herpetofauna, comments) 19: 192
- Postglacial dispersion (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Predation siehe/see Feeding
- Prey spectrum siehe/see Feeding (*Zamenis longissimus longissimus*) 20: 117-143
- Priority siehe/see Nomenclature
- Quaternary (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Range and Range area siehe/see Faunistics
- Reproductive biology see Reproduction
- Reproduction (*Bolyeria*, evidence for oviparity) 19: 82-85
(*Bufo melanostictus* in India, age and longevity, skeletochronology) 19: 111-119
(*Bothrocophias*, distribution and natural history in Ecuador) 19: 17-26
(*Emys orbicularis*, overwintering hatchling, Turkey) 19: 189-192
(*Hyperolius nasutus*) 19: 3-12
(*Ophisops elegans*, reproductive cycle in western Iran) 20: 57-66
(*Scinax argyreornatus*, diet, foraging, reproduction, Brazil) 19: 161-173
- Reproductive cycle (*Ophisops elegans*, reproductive cycle in western Iran) 20: 57-66
(*Scinax argyreornatus*, diet, foraging, reproduction, Brazil) 19: 161-173
- Reptile fauna siehe/see Faunistics
- Republic of Bashkortostan (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Río Negro Province, Argentina (*Hormonota fasciata*, southernmost records, Patagonia, Argentina) 20: 182-184
(*Liolaemus inacayali*, new records) 19: 90-92
- ROC siehe/see Taiwan
- Russia (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Saharo-Sindian faunal element (*Spalerosophis*, Indo-Pakistan, Iran) 20: 109-115
- Salzburg (*Triturus cristatus* superspecies populations in Salzburg, their distribution, size and conservation status) 20: 145-163
- Savannah (Reproductive biology of *Hyperolius nasutus*) 19: 3-12
- Seasonal activity siehe/see Activity
- Senegal (*Chalcides armatus*, first record from coastal Guinea Bissau and Senegal) 20: 189-191

- Sierra de Monfurado, Alentejo, Portugal (herpetofaunal records) 19: 94-96
- Sexual maturity (*Bufo melanostictus* in India, age, longevity, skeletochronology) 19: 111-119
- Sierra de Monfurado, Portugal, herpetofauna 19: 192
- Similar species (*Echinanthera undulata* in Ecuador) 20: 79-81
- Site fidelity (*Zamenis longissimus longissimus*, ecology, habitat selection, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Skeletochronology *Bufo melanostictus* 19: 111-119
Euphyctis hexadactylus 20: 99-107
- Sloughing frequency (*Zamenis longissimus longissimus*, ecology, habitat selection, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Snake siehe/see Parasitism
- South Urals (Quaternary reptilian fauna of Bashkortostan, Russia) 19: 99-110
- Species diversity siehe/see Diversity
- Species Introduction (*Tarentola mauritanica* from Porto Santo Island, first record) 20: 175-177
- Sulawesi siehe/see Indonesia
- Sympatry (*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
- Synonymisation (*Agama lionotus usambarae*, taxonomic status) 20: 69-73
- Syntopy (*Podarcis muralis*, *Iberolacerta horvathi*, habitat preferences, co-occurrence) 19: 149-160
(*Zamenis longissimus longissimus*, ecology, habitat selection, activity, syntopy, site selection, population size, sloughing, prey, Austria) 20: 117-143
- Syria (herpetofaunal observations and notes on reptile trade) 20: 21-26
- Systematics (*Bufo [Pseudepidalea] viridis*, intraspecific variation in Turkey) 20: 3-10
(A new species of *Centroleene* from Ecuador) 20: 27-34
(*Gegeneophis seshachari*, rediscovery at the type locality) 19: 121-127
(Phylogeography of *Macropodotomidae*) 19: 77-81
(*Spalerosophis*, Indo-Pakistan, Iran) 20: 109-115
- Tadpoles (Phytotelm breeding anurans of Borneo - a synopsis) 20: 165-172
- Taiwan (*Elaphe taeniura friesei* parasited by the hard tick *Amblyomma cordiferum*) 20: 193-195
- Tanzania (*Agama lionotus usambarae*, taxonomic status) 20: 69-73
(*Trachylepis dichroma*, additional Tanzanian material, type locality) 20: 67-69
- Taxonomy see also Systematics
(*Agama lionotus usambarae*, taxonomic status) 20: 69-73
- Taxonomy (*Dendrophidion bivittatum*, first record from Ecuador, taxonomic remarks on the genus) 20: 86-88
(*Bufo [Pseudepidalea] viridis*, intraspecific variation in Turkey) 20: 3-10
(*Gegeneophis seshachari*, rediscovery at the type locality) 19: 121-127
(*Hydrochelys picta*, junior synonym of *Chrysemys picta picta*) 20: 187-189
(*Spalerosophis*, Indo-Pakistan, Iran) 20: 109-115
- Testicular cycle (*Ophisops elegans*, reproductive cycle in western Iran) 20: 57-66
- The Tyrol (*Salamandra atra*, Ötztaler Alpen Massif) 20: 88-91
- Thermoregulation (*Homopus* sp., ecology, behavior, in SW Namibia) 19: 129-134
- Tick siehe/see Parasitism
- Tilos (Herpetofauna of Tilos island, Greece) 19: 13-16
- Trade (Herpetofaunal observations and notes on reptile trade in Syria) 20: 21-26
- Trophic ontogeny (*Scinax argyreornatus*, diet, foraging, reproduction, Brazil) 19: 161-173
- Turkey (*Bufo [Pseudepidalea] viridis*, intraspecific variation in Turkey) 20: 3-10
(*Emys orbicularis*, overwintering hatching, Turkey) 19: 189-192
(*Emys orbicularis* in European Turkey and E Bulgaria, morphology) 20: 11-20
(*Rhynchoocalamus melanocephalus satunini* in Turkey) 20: 82-86
(*Walterinnesia aegyptia*, second record from SE Anatolia) 19: 87-90
- Turkish Thrace (*Emys orbicularis* in European Turkey and E Bulgaria, morphology) 20: 11-20
- Type locality (*Trachylepis dichroma*, Tanzanian material, type locality) 20: 67-69
- Usambara Mountains (*Agama lionotus usambarae*, taxonomic status) 20: 69-73
- Venomous snakes (Distribution and natural history of *Bothrocophias* in Ecuador) 19: 17-26
(Death adders of the *Acanthophis laevis* complex from Ambon, Indonesia) 19: 81-82
- West Africa (Reproductive biology of *Hyperolius nasutus*) 19: 3-12
- Western Ghats siehe/see India (*Gegeneophis*) 19: 121-127
- Wetlands on islands (Herpetofauna of Tilos, Greece) 19: 13-16
- Winter activity siehe/see Activity
- Ylaki lake siehe/see Greece
- Zagros mountains (*Ophisops elegans*, reproductive cycle in western Iran) 20: 57-66

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Herpetozoa](#)

Jahr/Year: 2008

Band/Volume: [20_3_4](#)

Autor(en)/Author(s): Grillitsch Heinz

Artikel/Article: [Index zu den Bänden 19 und 20 Index to the volumes 19 and 20
197-214](#)